

RECEIVED

8:06 am, Apr 10, 2007

Alameda County
Environmental Health



KAMUR INDUSTRIES, INC.

2351 Shoreline Dr., Alameda, CA 94501-6228
(510) 523-7866 Fax (510) 523-3172

June 28, 2006

Jerry Wickham
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway - Suite 250
Alameda, CA 94502-6577

Subject: Additional Soil & Groundwater Investigation and
Fourth Quarter of 2006 Groundwater Monitoring & Sampling
400 San Pablo Avenue
Albany, CA

Dear Jerry:

Please find enclosed a copy of the January 10, 2007 subject at the Property Report prepared by Enviro Soil Tech Consultants.

I declare, under penalty of perjury, that the information and/or recommendations contained in this report are true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in black ink, appearing to read "Murray T Stevens".

Murray T Stevens, President
Kamur Industries Inc.

**ADDITIONAL SOIL & GROUNDWATER INVESTIGATION
AND FOURTH QUARTER OF 2006 GROUNDWATER
MONITORING & SAMPLING REPORT
AT THE PROPERTY
LOCATED AT 400 SAN PABLO AVENUE
ALBANY, CALIFORNIA
JANUARY 10, 2007**

**PREPARED FOR:
MR. MURRAY STEVENS
KAMUR INDUSTRIES, INC.
2351 SHORELINE DRIVE
ALAMEDA, CALIFORNIA 94501**

**BY:
ENVIRO SOIL TECH CONSULTATNS
131 TULLY ROAD
SAN JOSE, CALIFORNIA 95111**

ENVIRO SOIL TECH CONSULTANTS

LIST OF TABLES

TABLE 1 ... Summary of Soil Samples Analytical Results

TABLE 2 ... Summary of Water Samples Analytical Results

TABLE 3 ... Summary of Water Samples Analytical Results from
CPT Boreholes

TABLE 4 ... Groundwater Monitoring Data and Analytical Results

TABLE 5 ... Surface Water Samples from El Cerrito Creek Analytical
Results

LIST OF FIGURES

FIGURE 1 ... Site Vicinity Map Showing 400 San Pablo Avenue,
Albany, California

FIGURE 2 ... Site Map Showing Location of Building, CPT Boreholes,
Geoprobe Boreholes and Existing Monitoring Wells

FIGURE 3 ... Site Plan Showing Groundwater Flow Direction

FIGURE 4 ... TPHg Concentration Contour Map

FIGURE 5 ... Benzene Concentration Contour Map

LIST OF APPENDICES

APPENDIX "A" ... Tables 1, 2, 3, 4 and 5

APPENDIX "B" ... Figures 1, 2, 3, 4 and 5

APPENDIX "C" ... Boring Logs & Gregg Drilling

APPENDIX "D" ... Hydrographs

APPENDIX "E" ... Standard Operation Procedures

APPENDIX "F" ... CPT Drilling Report

APPENDIX "G" ... Laboratory Reports and Chain-of-Custody Records

APPENDIX "H" ... Drilling Permit

APPENDIX "I" ... Field Notes Data

TABLE OF CONTENTS

Page Number

Letter of Transmittal	1-2
Purpose	3
Site Description	3
Background	4-5
Assessment of Storm Drain	5-7
Assessment of Vertical Extent of Groundwater Impact	7-9
Monitoring Procedures	9-10
Results	
<i>Depth to Groundwater and Groundwater flow Direction</i>	10
<i>Laboratory Results</i>	11-12
El Cerrito Creek Samples	12
Summary and Conclusions	13-14
Limitations	15

TABLE OF CONTENTS CONT'D **Page Number**

APPENDIX "A"

Table 1 - Summary of Soil Samples Analytical Results	T1
Table 2 - Summary of Water Samples Analytical Results	T2
Table 3 - Summary of Groundwater Samples Analytical Results from CPT Boreholes	T3
Table 4 - Groundwater Monitoring Wells Data and Analytical Results	T4-T20
Table 5 - Surface Water Samples from El Cerrito Creek Analytical Results	T21-T25

APPENDIX "B"

Figure 1 - Vicinity Map	M1
Figure 2 - Site Map	M2
Figure 3 - Groundwater Elevation Contour Map	M3
Figure 4 - Isocontour of TPHg Map	M4
Figure 5 - Isocontour of Benzene Map	M5

APPENDIX "C"

Boring Logs

TABLE OF CONTENTS CONT'D Page Number

APPENDIX "D"

Hydrographs

APPENDIX "E"

Drilling and Soil Sampling Procedure

SOP1-SOP2

Groundwater Sampling

SOP3

APPENDIX "F"

Gregg's CPT Drilling Report

APPENDIX "G"

Entech Analytical Labs Reports and Chain-of-Custody Records


APPENDIX "H"

Alameda County Public Works Agency's Drilling Permits

APPENDIX "I"

Field Notes Data

ENVIRO SOIL TECH CONSULTANTS



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

January 10, 2007

File No. 8-90-421-SI

Mr. Murray Stevens
Kamur Industries, Inc.
2351 Shoreline Drive
Alameda, California 94501

**SUBJECT: ADDITIONAL SOIL & GROUNDWATER
INVESTIGATION AND FOURTH QUARTER OF 2006
GROUNDWATER MONITORING & SAMPLING
REPORT AT THE PROPERTY**
Located at 400 San Pablo Avenue, in
Albany, California

Dear Mr. Stevens:

This report present the procedures and results of additional soil & groundwater investigation and quarterly groundwater monitoring & sampling of monitoring wells as well as sampling of El Cerrito Creek per Alameda County Health Care Services Agency (ACHCSA) request.

Several new borings were drilled and sampled at 400 San Pablo Avenue this quarter. Seven groundwater monitoring wells were also monitored and sampled. In addition, four samples were collected from El Cerrito Creek after the rainfall.

A copy of this report must be forwarded to ACHCSA for their comments and recommendations.

File No. 8-90-421-SI

If you have any questions or require additional information, please feel free to contact our office at (408) 297-1500.

Sincerely,

ENVIRO SOIL TECH CONSULTANTS

Victor B. Cherven

VICTOR B. CHERVEN, Ph. D.
PROFESSIONAL GEOLOGIST #3475

Frank Hamed-Fard

FRANK HAMEDI-FARD
GENERAL MANAGER



ENVIRO SOIL TECH CONSULTANTS 2

PURPOSE:

Alameda County Environmental Health Services Agency (ACEHSA) listed several purposes in its correspondence requesting the drilling investigation described here. To meet these objectives, three borings were drilled using a cone penetrometer test (CPT) drilling rig and four borings were drilled with a Geoprobe drilling rig. The Geoprosbes were drilled in the vicinity of the storm drain west of the property to collect additional soil and water samples and determine whether the drain is acting as a conduit for contaminant migration to El Cerrito Creek. The CPT borings were drilled nearer the former underground storage tank facility and were drilled deeper, in order to assess the vertical extent of groundwater contamination beneath the main portion of the site. A third purpose of the borings was to more clearly identify and characterize the aquifer and/or migration pathways beneath the site. In addition to these objectives, the wells were monitored and sampled to assess the current extent of groundwater contamination and determine the groundwater flow direction.

SITE DESCRIPTION:

The site is located at 400 San Pablo Avenue, in Albany, California, approximately one mile east of San Francisco Bay (Figure 1). The site is bordered by El Cerrito Creek to the north, San Pablo Avenue to the east and Adams Street to the west. The surrounding area is occupied by primarily light commercial and residential buildings and the California School for the Blind (Figure 2).

BACKGROUND:

The site was vacant until the late 1950's when Plaza Car Wash and the adjacent Norge Dry Cleaners building were constructed. Three underground tanks for gasoline storage were installed in the northern part of the car wash property in 1970, and Plaza Car Wash began dispensing gasoline from a dispenser island located to the north of the car wash building (Figure 2).

Investigation at this site was prompted by an emergency response action in El Cerrito Creek on July 3, 1989. A small plume of immiscible liquid hydrocarbons was observed floating on the water surface just north of the dry cleaners property. The Albany Fire Department responded and installed absorbent materials and a containment boom around the plume. Subsequent inspection indicated that the hydrocarbon plume was entering the creek through a storm drain that discharges into the creek behind (northwest of) the dry cleaners. Investigation was then undertaken to discover the source of the plume.

The discovery and interim remediation of petroleum contamination in El Cerrito Creek was followed by several years of subsurface investigation and surface-water sampling by Enviro Soil Tech Consultants (ESTC) and others working on behalf of Kamur Industries. Norge Dry Cleaners conducted no investigation of its own, but contamination beneath that property was investigated as part of the work being performed by Kamur Industries. Between 1989 and 2004, the underground gasoline storage tanks at the car wash were removed, gasoline-contaminated soil was excavated and disposed of, soil-vapor probes were installed and sampled, and soil borings and monitoring wells were drilled and sampled.

The extensive investigation performed on behalf of Kamur Industries produced a voluminous amount of data on groundwater flow patterns and soil and water contamination, and in August 2003, the ACEHSA requested Kamur Industries to submit a report summarizing the entire investigation. The purpose of the report was to enable ACEHSA to evaluate the status of the case and determine whether additional studies are needed to move the site toward case closure. Enviro Soil Tech Consultants submitted a report titled *Historical Events Report for Plaza Car Wash* in 2004 and revised it in May 2005. That report focused primarily on the tasks that had been performed and the procedures that were used, and ACEHSA subsequently requested a more comprehensive analysis of the site's hydrogeology and contamination history. ESTC completed a companion report titled *Site Conceptual Model for the Properties Located at 398 and 400 San Pablo Avenue* in February 2005. Based on that analysis, ESTC recommended drilling a few additional borings to complete the site assessment. ACEHSA responded with a request for a work plan for additional investigation, and ESTC submitted a work plan in June 2005. After several additional meetings and revisions, the work plan was accepted by ACEHSA in a comment letter dated August 25, 2006. ESTC obtained the necessary drilling permits in September, and the drilling was performed in late October and early November. Groundwater monitoring took place in mid-December, and all laboratory work was completed by the end of December.

ASSESSMENT OF STORM DRAIN

In order to collect soil samples in the vicinity of the storm drain that is located in Adams Street west of the site, a direct-push drilling rig (Geoprobe) was mobilized to the site on October 29, 2006. Previously, four boring locations had been selected and approved by ACEHSA and various utility companies to insure that no underground utility lines would be affected. The boring locations are shown in Figure 2.

All four borings were drilled to a depth of 20 feet. The borings were continuously sampled in polyethylene liners, and the samples were described and logged by a registered geologist. The samples were screened with a portable photo-ionization detector (PID) for organic vapors, and two samples were selected from each core and preserved in a cooled ice chest for later laboratory analysis. PID readings were recorded on the boring logs, which are included in Appendix "C".

Several thin beds were penetrated in each boring, but most of these were various types or colors of clay and 70-90% of the total sediment volume consisted of clay. The clay ranged from black, slightly plastic organic clay to yellow-brown or variegated silty to sandy clay. There was a downward progression in most borings from black clay to variegated clay to yellow-brown clay. The black clay exhibited an organic odor of decaying vegetation that was unlike gasoline or diesel fuel, most notably in boring GP-1.

At least one bed in each boring consisted of fine-grained to silty sand. A layer of sand 2-3 feet thick was present in all borings from about 2 to 5 feet below the surface. The sand was dark brown to black in color, and may have been stained with asphalt. This layer was probably some sort of sub-road base fill material rather than native soil. A deeper sand layer, at approximately 17-18 feet, was yellow or olive-gray in color and appeared to be native soil.

Hydrocarbons were detected in only one of the eight samples. The laboratory reported Total Petroleum Hydrocarbons in the gasoline range (TPHg) at a concentration of 1.4 milligram per kilogram (mg/Kg) in sample GP-2-7', Benzene at 0.012 mg/kg, and acetone at 0.210 mg/kg (Table 1 and Appendix "A"). No hydrocarbon odors were noted in this boring during drilling, but a PID concentration of 5 parts per million was recorded from this sample. A higher PID concentration of 25 ppm was measured in sample GP-1-6', but the laboratory did not detect any hydrocarbons in this sample.

Water samples were collected from each boring, and the results are given in Table 2 (Appendix "A"). Chlorinated solvents of the type used in dry cleaning operations were detected in all four samples, at concentrations ranging from 1 to a few tens of micrograms per liter ($\mu\text{g}/\text{L}$). A concentration maximum of 437 $\mu\text{g}/\text{L}$ (1,2-dichloroethane: 1,2-DCA) was detected in GP-3 with EPA method 8260B. This concentration was sufficiently high that it exceeded the TPHg detection limit of 50 $\mu\text{g}/\text{L}$ attainable with EPA method 8015, and therefore the laboratory also detected a TPHg concentration of 310 $\mu\text{g}/\text{L}$ in this sample. However, because none of the principal components of gasoline (BTEX) were detected in this or any other sample, it is highly unlikely that the reported concentration was gasoline. Hence, we conclude that in the vicinity of the storm drain outlet to El Cerrito Creek, groundwater is slightly impacted by chlorinated hydrocarbons from the dry cleaners but not gasoline from Plaza Car Wash.

ASSESSMENT OF VERTICAL EXTENT OF GROUNDWATER IMPACT

The vertical extent of groundwater contamination was investigated using a cone penetrometer testing (CPT) drilling rig. Gregg Drilling, Inc. mobilized a hollow-stem auger drilling rig and a CPT rig to the site on November 1, 2006. The auger rig was used to drill pilot holes through the concrete pavement for three CPT borings. Several potential locations had previously been proposed, but the locations were modified somewhat to accommodate the size of the CPT rig and the volume of traffic flow through the car wash facility. The final locations of the three borings that were drilled are shown in Figure 2.

The first boring, CPT-2, was drilled to a depth of 23 feet, at which point there was a rapid increase in bit pressure and the drilling rate dropped rapidly. The drilling crew determined that the bit had encountered a very hard zone that could not be penetrated, and drilling was terminated. After examining the CPT log, the rig was moved over one foot and a second boring was drilled to the same depth. Drilling was momentarily suspended at 17 feet so that a groundwater sample could be collected, and then the boring was advanced to the indurated zone at 23 feet and a second water sample was collected. The water samples were collected in a small-diameter stainless steel bailer and poured into 40-ml glass vials for later laboratory analysis. The samples were logged on a chain of custody form and placed in a cooled ice chest. Borings CPT-1 and CPT-3 also encountered this resistant zone, at depths of 23 and 25 feet, respectively. One water sample was collected from each of these borings in the previously described manner. The borings were backfilled with neat cement and covered with an asphalt patch.

As shown in the CPT logs (Appendix "F"), clay is the dominant lithology at the site. There is essentially no sand in any of the borings, except possible at the very bottom, and it does not appear that any true aquifer is present in the shallow subsurface. The indurated material below 23 feet may be a cemented sandstone or some type of metamorphic bedrock, and is probably related to the older rocks that are exposed a short distance to the west on Albany Hill. This rock is probably an aquitard, and the groundwater that is present in the borings and monitoring wells at the site is probably perched above this resistant zone.

The four water samples that were collected were analyzed for chlorinated hydrocarbons as well as gasoline and its components. The depths and laboratory results are shown in Table 3. The laboratory report is in Appendix "G". No chlorinated solvents were detected in any of the samples. However, gasoline and one or more BTEX compounds were detected in each sample. At a depth of 17 feet, TPHg was detected at 59 µg/L, slightly above the detection limit, and the BTEX compounds were present at concentrations ranging from 1 to 8 µg/L. At the slightly deeper depth of 22 feet, the concentrations were 580 µg/L and 18-78 µg/L. Concentrations were lower in CPT-1 and CPT-3, and the only hydrocarbons that were detected in the sample from CPT-1 were benzene (2.1 µg/L) and Ethylbenzene (0.76 µg/L). Hence, we conclude that groundwater in these borings is impacted at low concentrations by gasoline, but not by dry cleaning solvents. The results agree well with the data from the monitoring wells, as discussed below and in previous quarterly monitoring reports.

MONITORING PROCEDURES

ESTC staff monitored the site on December 11, 2006. After the seven monitoring wells were opened, staff measured the depth to groundwater and then used a translucent plastic bailer to monitor each well for the presence of floating product and/or any distinctive odor. The wells were then purged of at least three well volumes of water and the purged water was stored in 55-gallons drums on site.

After purging, water samples were collected in a stainless steel bailer and transferred to 40-ml sample vials and stored in a cooled ice chest for later transmittal to the analytical laboratory.

Sampling equipment was decontaminated before and after sampling each well using Tri-sodium Phosphate (TSP) and water wash, followed by a double rinsing. Stringent chain-of-custody procedures were maintained during sample acquisition, storage and transport. The sampling was conducted in accordance with ESTC's Standard Operation Procedure (SOP) (Appendix "F") and ACHCSA's guidelines.

RESULTS

Depth to Groundwater and Groundwater Flow Direction

The depth to groundwater on December 11 ranged from slightly less than 6 feet to slightly more than 8 feet in most wells. At 4.22 feet below grade, the depth in MW-3 was somewhat of an anomaly. In this well, the water table appears to have risen more than 3 feet since August, whereas the rise in other wells was a foot or less (Table 4). A 3-foot rise in the water table would be very unusual at this site, and we cannot explain the anomaly at this time.

Converting the measurements to elevation relative to sea level and contouring the data indicates that the water table sloped away from El Cerrito Creek and toward San Francisco Bay (Figure 3). The hydraulic gradient appears to be steeper than in past quarters, and the elevations in MW-2 and MW-3 are anomalously high. The elevation in MW-3 is so high that it appears to be invalid, and was not used in drawing the contour map.

Laboratory Results

The water samples were submitted to Entech Analytical Labs in Santa Clara, California to be analyzed for TPHg and BTEX by EPA method 8015 and for MTBE and other gasoline oxygenates and volatile organic compounds by EPA method 8260B. The results are summarized in Table 4. The laboratory analytical report is included in Appendix "G".

Hydrocarbons in the gasoline range have consistently been detected in STMW-1, but the TPHg concentration has declined each quarter this year and is presently about 45% of its value at the beginning of the year. Toluene, Ethylbenzene, and Total Xylenes concentrations have also declined throughout the year and are currently 13-65% of their February values. Benzene has been less consistent, but is now present at about 58% of its February concentration.

In contrast, concentrations in STMW-2 are higher now than they were at the beginning of the year, and have been rising for the past several months. The TPHg concentration on December 11 was more than twice its value on February 25 and more than 3 times greater than its value on August 24. BTEX concentrations have also risen.

Benzene was reported at 0.64 µg/L in STMW-3, but this is a very low concentration and whether it is a valid result or due to cross contamination in the field or laboratory is uncertain. No other gasoline hydrocarbons were detected in any of the "STMW" wells, but chloroform, a chlorinated hydrocarbon, was detected in STMW-5 (Table 4).

Several analytes were detected in the well nearest Norge Cleaners (MW-3). Tetrachloroethene (PCE) was detected at a concentration of 160 µg/L, Trichloroethene (TCE) was reported at 22 µg/L, and Vinyl Chloride was reported at 6.1 µg/L. These are the same compounds that were detected in the Geoprobe borings. The TPHg concentration was 460 µg/L and Benzene was reported at 6.4 µg/L. In MW-2, only TPHg, Benzene, and Chloroform were detected. The results from these two wells could indicate a mixture of gasoline from Plaza Car Wash and solvents from Norge Cleaners.

Hydrocarbon isocontour maps (Figures 4 and 5) continue to reveal a contaminant plume that is elongated southeast-northwest across the site. Concentrations diminish in all directions away from STMW-1, which is near the former location of the underground storage tanks.

EL CERRITO CREEK SAMPLES

As requested by ACESHA, water samples were also collected from El Cerrito Creek on December 11. Samples were collected 20 feet upstream of the storm drain outlet, at the outlet, at the confluence of the outlet flow and the streamflow, and 50 feet downstream from the outlet. The samples were analyzed for all of the same compounds as the groundwater samples, and the only hydrocarbon that was detected was Chloroform, at the outlet (Table 5). It thus appears that Chloroform is present in two monitoring wells (MW-2 and STMW-5) upgradient of the storm drain outlet and in the vicinity of the outlet. PCE, TCE, and Vinyl Chloride are present in the vicinity of the storm drain (as evidenced by the Geoprobe samples) and in at least one monitoring well (MW-3), and may be migrating toward the storm drain, but were not detectable in El Cerrito Creek. It does not appear that gasoline or BTEX compounds are migrating to the storm drain or discharging into El Cerrito Creek.

SUMMARY AND CONCLUSIONS

The data collected in the fourth quarter of 2006 make it possible to achieve all of the objectives of this investigation and draw several important conclusions. These are listed below.

- There are no high-porosity, high-permeability aquifers in the shallow subsurface of this site. Dense, indurated rock underlies the site at a depth of approximately 25 feet, and this bedrock appears to form an aquitard above which shallow groundwater is perched within low-permeability clay beds. Groundwater in these beds percolates slowly into monitoring wells and temporary borings, and the groundwater recharge rate is low.
- The indurated rock at 25 feet below grade limits the vertical extent of groundwater contamination to the clay soils above this depth. In two of three samples collected just above the indurated rock, gasoline concentrations were below the detection limit and the concentrations of its volatile components (BTEX) were near or below the detection limit. Concentrations are far below those found in nearby monitoring wells near the soil-water interface at 6-8 feet. This implies a vertical gradient of decreasing concentrations, and that groundwater in aquifers below the indurated rock has not been impacted by the gasoline release at Plaza Car Wash.
- Gasoline and its components were not detected in the soil or groundwater near the storm drain west of the site, nor in surface water samples from El Cerrito Creek. This indicates that soil near the storm drain is not a potential future source of gasoline contamination to El Cerrito Creek, nor is the storm drain acting as a conduit for gasoline-contaminated groundwater to migrate from Plaza Car Wash to the creek. Geologically reasonable contour mapping of groundwater concentrations suggests that the limit of the gasoline impact is south of El Cerrito Creek and east of the Norge Cleaners building.

- Soil, groundwater, and surface water samples in the northwestern part of the site area are impacted by several chlorinated hydrocarbons that occur in solvents used in the dry cleaning process. These include Perchloroethane, Trichloroethene, 1,2-Dichloroethane, Vinyl Chloride, and Chloroform. Norge Dry Cleaners is the probable source of these hydrocarbons. These compounds have not been found in the soil and water samples from borings and wells near the Plaza Car Wash property, implying that these compounds have not migrated to the southeast toward the car wash or to the northwest from the car wash. Rather, it appears that they have migrated to the northwest toward the storm drain from the dry cleaners, where concentrations are higher.
- Further investigation of gasoline contamination at Plaza Car Wash appears unnecessary, and we do not recommend drilling any additional monitoring wells. The plume is sufficiently understood and well-defined to allow ACEHSA and the San Francisco Bay Regional Water Quality Control Board to determine whether the contamination poses a threat to public health and requires active remediation or can be allowed to attenuate naturally. The monitoring record over the past three years indicates that there has been a natural reduction in TPHg and Benzene concentrations of as much as 75% in the well nearest the former UST facility. During that same time period, concentrations have risen in the other impacted well (STMW-2), but are still somewhat lower than they were in the late 1990's.
- Monitoring of all wells should continue while ACEHSA and the Regional Board review the site for possible closure, but Plaza Car Wash and Kamur Industries should be released from any further obligation to monitor El Cerrito Creek or to investigate or remediate contamination in the vicinity of Norge Dry Cleaners and the storm drain to the west of it. Those areas are impacted only by chlorinated hydrocarbons that did not originate from Plaza Car Wash, and Kamur Industries is not the Responsible Party for those impacts.

LIMITATIONS:

This report and the associated work have been provided in accordance with the general principles and practices currently employed in the environmental consulting profession. The contents of this report reflect the conditions of the site at this particular time. The findings of this report are based on:

- 1) The observations of field personnel.
- 2) The results of laboratory analyses performed by a state-certified laboratory.

It is possible that variations in the soil and groundwater could exist beyond the points explored in this investigation. Also, changes in groundwater conditions of a property can occur with the passage of time due to variations in rainfall, temperature, regional water usage and other natural processes or the works of man on this property or adjacent properties.

This report is issued with the understanding that it is the responsibility of the owner or his/her representative to ensure that the information and recommendations contained herein are called to the attention of the Local Environmental Agency.

The services that ESTC provided have been in accordance with generally accepted environmental professional practices for the nature and conditions of the work completed in the same or similar localities, at the time the work was performed. This report is not meant to represent a legal opinion. No other warranty, express or implied is made.

A P P E N D I X "A"

TABLES

ENVIRO SOIL TECH CONSULTANTS

TABLE 5
SURFACE WATER SAPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER ($\mu\text{g}/\text{L}$)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
8/03/089	C-1 ~20' up-stream from storm drain outlet	ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		65	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	NA	NA	NA	Not Analyzed
2/29/96		130	0.9	ND<0.5	1.4	6.2	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/12/99		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

ENVIRO SOIL TECH CONSULTANTS

TABLE 5 CONT'D
SURFACE WATER SAPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER ($\mu\text{g}/\text{L}$)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
8/03/089	C-2 storm drain outlet	470000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		33000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		99000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		16000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		15000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		16000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		7000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		26000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		30000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		30000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		42000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		160000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		33000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		14000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		11000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		55000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		31000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		28000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		3300	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		20000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		8900	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		2100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		650	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		450	1.6	3.1	4.2	17	NA	NA	NA	NA	Not Analyzed
2/29/96		2700	7.2	3.3	5.8	13	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	63	NA	69	Chloroform 19
11/04/96*		1300	7.8	1.7	11	14	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
1/12/99		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	Chloroform 0.97

ENVIRO SOIL TECH CONSULTANTS

TABLE 5 CONT'D
SURFACE WATER SAPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER ($\mu\text{g}/\text{L}$)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
8/03/089	C-3 confluence of the storm drain flow and El Cerrito Creek	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		900	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		840	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		60	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		30	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		600	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		360	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		3000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		4400	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		66	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		1100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		/ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		830	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/14/92		280	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		190	0.8	2.6	3.6	9.5	NA	NA	NA	NA	Not Analyzed
2/29/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/12/99		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

ENVIRO SOIL TECH CONSULTANTS

TABLE 5 CONT'D
SURFACE WATER SAPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER ($\mu\text{g/L}$)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
8/03/89	C-4 50' down-stream from the storm drain	2700	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		800	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		160	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		130	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		140	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		200	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		120	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		400	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		55	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		120	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		57	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		86	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/10/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
2/21/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
3/09/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
3/20/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/23/93		57	ND<0.5	ND<0.5	1.4	3.6	NA	NA	NA	NA	Not Analyzed
2/29/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96*		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
1/12/99		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

ENVIRO SOIL TECH CONSULTANTS

TABLE 5 CONT'D
SURFACE WATER SAPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER ($\mu\text{g}/\text{L}$)

TPHg – Total Petroleum Hydrocarbon as gasoline

MTBE – Methyl Tertiary Butyl Ether

TBA – tert-Butanol

VOCs – Volatile Organic Compounds

NS – Not Sampled

* C-2 was also labeled as W-1 in sample date 11/04/96

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

PCE – Tetrachloroethene

TCE – Trichloroethene

NA – Not Analyzed

ND – Not Detected (Below Laboratory Detection Limit)

▪ C-4 was also labeled as W-2 in sample date 11/04/96

TABLE 4
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/11/91a	STMW-1 (100.62)	14	4	5.29*	95.33	No sheen or odor	850	100	7	ND <05	150	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.10*	95.52	No sheen Mild petroleum odor	5100	1800	500	95	560	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.83*	94.79	No sheen Mild petroleum odor	2055	760	54	ND <5	56	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.79*	94.83	Light sheen Mild petroleum odor	4600	590	36	ND <0.5	190	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.80*	94.82	No sheen Mild petroleum odor	4400	66	53	4	460	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.77*	94.85	No sheen Mild petroleum odor	2700	31	18	19	67	NA	NA	NA	NA	Not Analyzed
12/10/92e				6.61*	94.01	Light sheen Mild petroleum odor	35000	54	79	83	220	NA	NA	NA	NA	Not Analyzed
3/18/93e				6.68*	93.94	L. rainbow sheen Mild petroleum odor	19000	49	52	55	180	NA	NA	NA	NA	Not Analyzed
7/13/93e				7.13*	93.49	NMFP Strong petro. odor	17000	34	43	48	170	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.26*	93.36	NMFP Strong petro. odor	51000	2100	2400	530	2600	NA	NA	NA	NA	Not Analyzed
1/07/94f				7.15*	93.47	NMFP Strong petro. odor	29000	1500	1600	450	2500	NA	NA	NA	NA	Not Analyzed
4/16/94f				7.10*	93.52	NMFP Strong petro. odor	20000	1100	560	3300	1600	NA	NA	NA	NA	Not Analyzed
8/03/94g				5.70*	94.92	NMFP Strong petro. odor	43000	1000	1700	640	4700	NA	NA	NA	NA	Not Analyzed
11/08/94g				6.47*	94.15	Brown NMFP Strong petro. odor	92000	9000	12000	1600	9100	NA	NA	NA	NA	Not Analyzed
2/16/95e				6.96*	93.66	Rainbow sheen/NMFP Strong petroleum odor	150000	850	540	400	1200	NA	NA	NA	NA	Not Analyzed
5/19/95e				6.84*	93.78	Brown NMFP Strong petroleum odor	59000	400	330	170	610	NA	NA	NA	NA	Not Analyzed
8/18/95e	(96.81) Resurvey			4.64*	92.17	Brown NMFP Strong petroleum odor	300000	880	780	540	1700	NA	NA	NA	NA	Not Analyzed
11/30/95e				7.34*	89.47	Thick brown sheen spots Mild petroleum odor	67000	800	910	390	1500	NA	NA	NA	NA	Not Analyzed

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
2/29/96e	STMW-1 (96.81)	14	4	7.83*	88.98	NMFP Strong petroleum odor	71000	120	95	18	260	NA	ND <0.5	NA	ND <0.5	None Detected <0.5
6/07/96e				7.10*	89.71	NMFP Strong petroleum odor	140000	480	490	420	120	NA	ND <0.5	NA	ND <0.5	None Detected <0.5
11/14/96e				7.29*	89.52	Brown NMFP Mild petroleum odor	140000	480	490	420	1200	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				6.96*	89.85	Rainbow sheen spots Strong petroleum odor	42000	210	190	60	190	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				7.33*	89.48	Brown sheen spots Mild petroleum odor	15000	83	27	45	130	NA	NA	NA	NA	Not Analyzed
8/27/97e				7.46*	89.35	NMFP Strong petroleum odor	82000	110	52	66	400	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				6.94*	89.87	Rainbow sheen Strong petroleum odor	3700	43	18	9.1	25	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e				6.36*	90.45	Rainbow sheen Strong petroleum odor	10000	65	68	9	120	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e				6.94*	89.87	Rainbow sheen Strong petroleum odor	570	1.9	0.6	1.3	7.1	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e				7.18*	89.63	Rainbow sheen Strong petroleum odor	1000	2.4	2.1	3.2	6.9	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e				6.68*	90.13	Rainbow sheen Strong petroleum odor	6400	39	21	32	83	ND <0.5	ND <0.5	NA	ND <0.5	None Detected <0.5
4/12/99e1				7.16*	89.65	Rainbow sheen Strong petroleum odor	2800	23	19	29	54	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03				NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
11/24/03h				8.61*	88.20	Rainbow sheen Petroleum odor	180000	30000	47000	ND <5000	20000	ND <1000	ND <5000	ND <10000	ND <5000	None Detected <5000

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/02/04h	STMW-1 (96.81)	14	4	8.58*	88.23	Rainbow sheen Petroleum odor	84000	4200	5300	1800	9100	ND <100	ND <2.5	ND <1000	ND <2.5	1,2,4-Trimethylbenzene 3200 1,3,5-Trimethylbenzene 860 Isopropylbenzene 100 Naphthalene 580
5.28/04h				8.71*	88.10	Rainbow sheen Strong petro. Odor	99000	20000	27000	4000	22000	ND <500	ND <250	ND <5000	ND <250	1,2,4-Trimethylbenzene 2500
8/25/04h				8.64*	8817	Rainbow sheen Petroleum odor	100000	12000	18000	4000	22000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4800
11/22/04h				8.48*	88.33	Rainbow sheen Petroleum odor	140000	12000	16000	4200	27000	ND <400	ND <200	ND <4000	ND <200	1,2,4- Trimethylbenzene 9000 1,3,5-Tiimethylbenzene 2500
3/02/05h				8.52*	88.29	Rainbow sheen Petroleum odor	70000	9000	8700	2600	16000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4100
5/23/05h				8.98*	87.83	Rainbow sheen Petroleum odor	140000	17000	19000	4700	27000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 5700 Methylene Chloride 3400n
8/22/05h				8.08*	88.73	Rainbow sheen Petroleum odor	92000	11000	8900	3200	19000	ND <250	ND <120	ND <2500	ND <125	1,2,4-Trimethylbenzene 4600 1,3,5-Trimethylbenzene 1300 Chloroform 140
11/22/05h				9.00*	87.81	Rainbow sheen Petroleum odor	87000	14000	9200	3600	23000	140	ND <50	ND <4000	ND <50	1,2,4-Trimethylbenzene 5200 1,3,5-Trimethylbenzene 1200 Isopropylbenzene 150 n-Propylbenzene 540 Naphthalene 850
2/25/06h				8.66*	88.15	Rainbow sheen Petroleum odor	92000	13000	9200	3500	24000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4400
5/30/06h				8.72*	88.09	Rainbow sheen Petroleum odor	80000	14000	4500	2400	11000	ND <250	ND <120	ND <2500	ND <120	1,2,4-Trimethylbenzene 4500
8/24/06h				8.66*	88.15	Rainbow sheen Petroleum odor	45000	6400	1900	2000	9800	ND <100	ND <50	ND <1000	ND <50	1,2,4-Trimethylbenzene 2900 1,3,5-Trimethylbenzene 790
12/11/06h				8.22*	88.59	Rainbow sheen Petroleum odor	42000	7500	1200	2300	8900	ND <100	ND <50	ND <1000	ND <50	1,2,4-Trimethylbenzene 3400 1,3,5-Trimethylbenzene 870 Naphthalene 620
3/13/91a	STMW-2 (100.63)	14	4	5.25*	95.38	No sheen or odor	170	1	1.7	ND <0.5	28	NA	NA	NA	NA	Not Analyzed
7/06/91a				4.75*	95.88	No sheen Mild petroleum odor	1800	640	48	44	94	NA	NA	NA	NA	Not Analyzed

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/04/91b	STMW-2 (100.63)	14	4	5.92*	94.71	No sheen Mild petroleum odor	2143	1000	57	3	19	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.88*	94.75	No sheen Mild petroleum odor	14000	120	0.6	0.6	80	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.70*	94.93	No sheen Mild petroleum odor	1700	32	17	8.6	48	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.71*	94.92	No sheen or odor	16000	180	220	210	620	NA	NA	NA	NA	Not Analyzed
12/10/92e				6.39*	94.24	Light rainbow sheen Mild petroleum odor	44000	84	96	120	350	NA	NA	NA	NA	Not Analyzed
3/18/93e				6.50*	94.13	Light rainbow sheen Mild petroleum odor	9200	22	31	40	110	NA	NA	NA	NA	Not Analyzed
7/13/93e				6.95*	93.10	No sheen Light sewerage odor	9300	18	24	26	89	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.09*	93.54	NMFP Strong petroleum odor	62000	2800	3900	670	4400	NA	NA	NA	NA	Not Analyzed
1/07/94f				6.93*	93.70	Rainbow sheen Mild petroleum odor	22000	1100	1000	280	1800	NA	NA	NA	NA	Not Analyzed
4/06/94f				6.84*	93.79	NMFP Strong petroleum odor	6600	490	140	62	330	NA	NA	NA	NA	Not Analyzed
8/03/94g				7.10*	93.53	NMFP Mild petroleum odor	4000	250	52	55	240	NA	NA	NA	NA	Not Analyzed
11/08/94g				6.19*	94.44	Brown NMFP Strong petroleum odor	4000	250	52	55	240	NA	NA	NA	NA	Not Analyzed
2/16/95e				6.72*	93.91	Rainbow sheen/NMFP Strong petroleum odor	37000	230	88	92	320	Na	NA	NA	NA	Not Analyzed
5/19/95e				6.61*	94.02	Brown sheen spots Light petroleum odor	9300	40	16	22	68	Na	NA	NA	NA	Not Analyzed
8/18/95e	(96.79) Resurvey			7.09*	89.70	Brown NMFP Light petroleum odor	2210000	720	550	520	1400	Na	NA	NA	NA	Not Analyzed
11/30/95e				7.07*	89.72	Rainbow sheen spots Light petroleum odor	66000	660	510	370	1500	NA	NA	NA	NA	Not Analyzed
2/29/96e				7.57*	89.22	Rainbow sheen Light petroleum odor	33000	75	55	52	150	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
6/07/96e				6.74*	90.05	Rainbow sheen Light petroleum odor	92000	250	75	180	470	NA	ND <0.5	NA	ND <0.5	None Detected<0.5

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/14/96e	STMW-2 (96.79)	14	4	6.96*	89.83	Rainbow sheen Light petroleum odor	39000	380	230	270	720	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				6.71*	90.08	Rainbow sheen spots Mild petroleum odor	23000	110	28	48	140	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				7.06*	89.73	L. rainbow sheen spots Very light petro. Odor	30000	320	48	94	200	NA	NA	NA	NA	Not Analyzed
8/27/97e				7.20*	89.59	No sheen Very light petro. Odor	19000	82	9.1	18	27	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				6.72*	90.07	Rainbow sheen Strong petroleum odor	4100	77	8.9	15	34	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				6.10*	90.69	Rainbow sheen Strong petroleum odor	3300	31	4.2	1.6	26	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				5.52*	91.27	Rainbow sheen Light petroleum odor	2200	20	5.4	12	21	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				6.92*	89.87	Rainbow sheen Light petroleum odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
1/12/99e1				6.90*	89.89	Rainbow sheen Strong petroleum odor	4500	24	14	15	49	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				9.98*	89.81	Rainbow sheen Strong petroleum odor	1500	19	12	21	37	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
8/28/03h				8.32*	88.47	Rainbow sheen Petroleum odor	15000	570	ND <100	430	500	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 960 1,3,5-Trimethylbenzene 290 n-Propylbenzene 220 Naphthalene 170
11/24/03h				9.62*	87.17	Rainbow sheen Petroleum odor	1200	100	ND <10	38	29	ND <2	ND <10	ND <20	ND <10	1,2,4-Trimethylbenzene 40 1,3,5-Trimethylbenzene 16 n-Propylbenzene 32
3/02/04h				8.28*	88.51	Rainbow sheen Petroleum odor	4700i	430	6.5	140	90	ND <5	ND <25	ND <50	ND <25	1,2,4-Trimethylbenzene 120 1,3,5-Trimethylbenzene 45 Isopropylbenzene 19 n-Propylbenzene 71 Naphthalene 41
5/28/04h				8.45*	88.34	Rainbow sheen Strong petroleum odor	9500	1600	42	280	220	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 230 1,3,5-Trimethylbenzene 130 n-Propylbenzene 180 Naphthalene 120

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
8/25/04h	STMW-2 (96.79)	14	4	8.36*	88.43	Rainbow sheen Petroleum odor	4000	3400	8.5	150	87	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 160 1,3,5-Trimethylbenzene 73 n-Propylbenzene 91 Naphthalene 51
11/22/04h				8.18*	88.61	Rainbow sheen Petroleum odor	11000	1200	33	490	380	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 510 1,2,3-Dichloroethene 210 n-Propylbenzene 200 Naphthalene 240
3/02/05h				8.12*	88.67	Rainbow sheen Petroleum odor	6500	520	ND <20	160	69	ND <40	ND <20	ND <400	ND <20	None Detected<200
5/23/05h				8.64*	88.15	Rainbow sheen Petroleum odor	8400	550	ND <12	100	19	ND <25	ND <12	ND <250	ND <12	Methylbene Chloride 130no
8/22/05h				7.74*	89.05	Rainbow sheen Petroleum odor	6200	480	12	110	31	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 60 Chloroform 5.5 n-Propylbenzene 83 Naphthalene 53
11/22/05h				8.68*	88.11	Rainbow sheen Petroleum odor	4600	270	4.8	80	16	ND <2	ND <1	ND <10	ND <1	1,2,4-Trimethylbenzene 37 1,3,5-Trimethylbenzene 27 Isopropylbenzene 15 n-Butyl benzene 29 n-Propylbenzene 68 Naphthalene 29
2/25/06h				8.46*	88.33	Rainbow sheen Petroleum odor	18000	2100	28	460	120	ND <50	ND <25	ND <500	ND <25	1,2,4-Trimethylbenzene 410 cis-1,2-Dichloroethene 47 n-Propylbenzene 280
5/30/06h				8.40*	88.39	Rainbow sheen Petroleum odor	5100	390	84	150	75	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 67 1,3,5-Trimethylbenzene 53 n-Propylbenzene 82 Naphthalene 62
8/24/06h				8.40*	88.39	Rainbow sheen Petroleum odor	11000	1400	54	310	81	ND <20	ND <10	ND <200	ND <10	1,2,4-Trimethylbenzene 130 1,3,5-Trimethylbenzene 110 n-Propylbenzene 180
12/11/06h				7.86*	88.93	Rainbow sheen Petroleum odor	39000	1900	420	660	420	ND <20	ND <10	ND <200	ND <200	1,2,4-Trimethylbenzene 590 1,3,5-Trimethylbenzene 310 n-Propylbenzene 360 Naphthalene 290

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/14/96e	STMW-3 (95.24)	15	2.5	5.34*	89.90	No sheen or odor	210	9.1	2.8	4.7	13	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				5.14*	90.10	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
5/15/97e				5.42*	89.82	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/27/97e				5.58*	89.66	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
12/24/97e				5.14*	90.10	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
3/24/98e1				4.54*	90.70	No sheen or odor	13000	87	23	80	130	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				5.06*	90.18	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
10/12/98e1				5.30*	89.94	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
1/12/99e1				5.04*	90.20	No sheen or odor	ND <50	ND <0.5	NA	ND <0.5	ND <0.5	None Detected<0.5				
4/12/99e1				5.28*	89.97	No sheen or odor	ND <50	ND <0.5	NA	NA	NA	Not Analyzed				
8/28/03h				6.64*	88.60	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	ND <5	None Detected<5
11/24/03h				7.04*	88.20	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	ND <5	None Detected<5
3/02/04h				6.46*	88.78	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
5/28/04h				6.71*	88.53	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
8/25/04h				6.64*	88.60	No sheen or odor	ND <25	0.84	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
11/22/04h				6.38*	88.86	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
3/02/05h				6.34*	88.90	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
5/23/05h				6.85*	88.39	No sheen or odor	ND <50	ND <0.5	0.81	ND <0.5	0.56	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
8/22/05h	STMW-3 (95.24)	15	2.5	7.00*	88.24	No sheen Sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				6.94*	88.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/25/06h				6.72*	88.52	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/30/06h				6.64*	88.60	No sheen Sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/24/06h				6.64*	88.60	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	ND <0.5	None Detected<0.5
12/11/06h				5.84*	89.40	No sheen or odor	ND <50	0.64	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/14/96e	STMW-4 (94.49)	15	2	4.67*	89.74	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				4.45*	89.96	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				4.75*	89.66	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/27/97e				4.87*	89.54	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				4.44*	89.97	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				3.88*	90.53	No sheen or odor	13000	87	23	80	130	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				4.40*	90.01	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				4.68*	89.73	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e1				4.38*	90.03	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND<0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				4.62*	89.79	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03h				5.92*	88.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <5	ND <10	ND <5	None Detected<5

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/24/03h	STMW-4 (94.49)	15	2	6.28*	88.13	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <5	ND <10	ND <5	None Detected<5	
3/02//04h				5.70*	88.71	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
5/28/04h				5.94*	88.47	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
8/25/04h				5.90*	88.50	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
11/22/04h				5.56*	88.85	No sheen or odor	ND <25	1.1	0.57	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
3/02/05h				5.60*	88.81	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
5/23/05h				6.09*	88.32	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
8/22/05h				6.22*	88.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
11/22/05h				6.16*	88.33	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
2/25/06h				6.02*	88.47	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
5/30/06h				5.92*	88.57	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
8/24/06h				5.88*	88.61	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
12/11/06h				5.19*	89.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 4.2	
11/14/96e	STMW-5 (94.49)	15	2	5.20*	89.29	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5	
2/12/97e				4.99*	89.50	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5	
5/15/97e				5.30*	89.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed	
8/27/97e				5.33*	89.16	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed	

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
12/24/97e	STMW-5 (94.49)	15	2	4.94*	89.55	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
3/24/98e1				4.52*	89.97	No sheen Slight sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
6/25/98e1				5.00*	89.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
10/12/98e1				5.18*	89.31	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
1/12/99e1				5.02*	89.47	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				5.38*	89.11	No sheen Light sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
8/28/03h				6.62*	87.87	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
11/24/03h				6.84*	87.65	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
3/02/04h				6.26*	88.23	No sheen or odor	62j	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.9	ND <10	ND <0.5	None Detected<0.5
5/28/04h				6.52*	87.479	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.6	ND <10	ND <0.5	None Detected<0.5
8/25/04h				6.50*	87.99	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.4	ND <10	ND <0.5	None Detected<0.5
11/22/04h				6.08*	88.41	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	2.1	ND <10	0.6	None Detected<0.5
3/02/05h				6.14*	88.35	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	2	ND <10	0.5	None Detected<0.5
5/23/05h				6.56*	87.93	No sheen or odor	ND <50	1.3	2.6	ND <0.5	2.6	ND <1	1.1	ND <10	ND <0.5	None Detected<0.5
8/22/05h				6.70*	87.79	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				6.64*	87.85	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.8	ND <10	0.78	None Detected<0.5
2/25/06h				6.58*	87.91	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.6	ND <10	ND <0.5	None Detected<0.5

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
5/30/06h	STMW-5 (94.49)	15	2	6.50*	87.99	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	2.4	ND <10	0.54	None Detected<0.5
8/24/06h				6.46*	88.03	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.2	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.54*	88.95	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 3.7
3/13/91a	MW-2 (99.36)	11.50	5	4.29*	95.07	No sheen Mild petroleum odor	25000	2600	4400	ND <0.5	5800	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.83*	93.53	No sheen Strong petroleum odor	21000	2800	3200	ND <0.5	4300	NA	NA	NA	NA	Not Analyzed
11/04/91b				4.79*	94.57	No sheen Mild petroleum odor	3589	1700	119	9	56	NA	NA	NA	NA	Not Analyzed
1/20/92c				4.60*	94.76	No sheen Mild petroleum odor	380	38	1.3	ND <0.5	34	NA	NA	NA	NA	Not Analyzed
5/27/92d				4.42*	94.94	No sheen Mild petroleum odor	10000	62	32	44	160	NA	NA	NA	NA	Not Analyzed
8/27/92e				4.43*	94.96	No sheen Mild petroleum odor	6000	48	27	65	180	NA	NA	NA	NA	Not Analyzed
12/10/92e				4.94*	94.45	No sheen Mild petroleum odor	7200	15	23	32	82	NA	NA	NA	NA	Not Analyzed
3/18/93e				5.11*	94.28	No sheen Light sewerage odor	1400	8.3	11	13	48	NA	NA	NA	NA	Not Analyzed
7/13/93e				5.53*	93.86	Rainbow sheen Light petroleum odor	2400	4.7	6.2	6.8	25	NA	NA	NA	NA	Not Analyzed
10/11/93f				5.64*	93.75	No sheen or odor	410	43	2.6	4.5	12	NA	NA	NA	NA	Not Analyzed
1/07/94f				5.52*	93.87	No sheen or odor	240	25	3.1	ND <0.5	20	NA	NA	NA	NA	Not Analyzed
4/06/94f				5.82*	93.57	No sheen or odor	3000	120	23	22	190	NA	NA	NA	NA	Not Analyzed
8/03/94g				7.47*	91.92	No sheen or odor	500	57	1	17	25	NA	NA	NA	NA	Not Analyzed
11/08/94g				4.69*	94.70	No sheen or odor	8000	650	85	50	1000	NA	NA	NA	NA	Not Analyzed
2/16/95e				5.31*	94.08	No sheen or odor	660	6.4	1	5.6	8.9	NA	NA	NA	NA	Not Analyzed
5/19/95e				5.17*	94.22	No sheen Mild sewerage odor	1900	11	10	23	26	NA	NA	NA	NA	Not Analyzed
8/18/95e	(95.22) Resurvey			5.65*	89.57	No sheen Light sewerage odor	1800	15	1.6	15	20	NA	NA	NA	NA	Not Analyzed

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/30/95e	MW-2 (95.22)	11.50	5	5.64*	89.58	No sheen or odor	120	9.3	ND <0.5	0.5	3.5	NA	NA	NA	NA	Not Analyzed
2/29/96e				4.61*	90.61	No sheen Light sewerage odor	1200	6.1	1.2	6.2	8.7	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
6/07/96e				5.37*	89.85	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
11/14/96e				5.55*	89.67	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
2/12/97e				5.14*	90.08	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
5/15/97e				5.63*	89.59	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/27/97e				5.73*	89.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
12/24/97e				5.30*	89.91	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
3/24/98e1				4.76*	90.46	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
6/25/98e1				5.28*	89.94	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
10/12/98e1				5.50*	89.72	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
1/12/99e1				5.28*	89.94	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				5.54*	89.68	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/28/03h				6.86*	88.36	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <1	ND <10	ND <5	ND <5	None Detected<5	
11/24/03h				7.20*	88.02	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <1	ND <10	ND <5	ND <5	None Detected<5	
3/02/04h				6.64*	88.58	No sheen or odor	110k	27	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
5/28/04h				6.86*	88.36	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	
8/25/04h				6.82*	88.40	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5	

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/22/04h	MW-2 (95.22)	11.50	5	6.52*	88.70	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
3/02/05h				6.52*	88.70	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/23/05h				7.00*	88.22	No sheen or odor	ND <50	ND <0.5	0.98	ND <0.5	0.6	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/22/05h				7.12*	88.10	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				7.04*	88.18		ND <50	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/25/06h				6.92*	88.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/30/06h				6.86*	88.36	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/24/06h				6.80*	88.42	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.86*	89.36	No sheen or odor	100	10	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 4
3/13/91a	MW-3 (100.09)	12	5	4.67*	95.42	Trace of sheen Moderate petro. odor	47000	9100	9900	270	8110	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.75*	94.34	Trace of sheen Moderate petro. odor	40000	12000	4500	1200	4000	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.67*	94.42	Trace of sheen Strong petro. odor	102700	38800	19100	3200	8300	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.54*	94.55	Light sheen Strong petro. odor	510000	27000	27000	5800	45000	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.18*	9491	Rainbow sheen Strong petro. odor	43000	250	230	120	470	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.24*	94.85	Rainbow sheen Mild petroleum odor	140000	2500	2400	1700	5500	NA	NA	NA	NA	Not Analyzed
12/10/92e				4.42*	95.67	Light sheen Strong petro. odor	94000	400	410	430	1100	NA	NA	NA	NA	Not Analyzed

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/18/93e	MW-3 (100.09)	12	5	5.39*	94.70	Thick NMFP Mild petroleum odor	51000	92	130	160	590	NA	NA	NA	NA	Not Analyzed
7/13/93e				6.07*	94.02	Light rainbow sheen spots/Strong petroleum odor	80000	160	210	230	820	NA	NA	NA	NA	Not Analyzed
10/11/93f				6.34*	93.75	NMFP Strong petro. Odor	180000	14000	8800	320	9400	NA	NA	NA	NA	Not Analyzed
1/07/94f				6.34*	93.75	NMFP Strong petro. Odor	120000	9500	4600	230	7800	NA	NA	NA	NA	Not Analyzed
4/06/94f				6.14*	93.95	No sheen or odor	96000	6000	3100	95	6200	NA	NA	NA	NA	Not Analyzed
8/03/94g				6.34*	93.75	Few sheen spots Mild petroleum odor	200000	6500	5700	1500	18000	NA	NA	NA	NA	Not Analyzed
11/08/94g				3.89*	96.20	Brown NMFP Strong petro. Odor	86000	7400	8500	2200	12000	NA	NA	NA	NA	Not Analyzed
2/16/95e				5.90*	94.19	Brown NMFP Strong petro. Odor	59000	280	120	120	570	NA	NA	NA	NA	Not Analyzed
5/19/95e				4.15*	95.94	Brown NMFP Strong petro. Odor	12000	150	68	69	160	NA	NA	NA	NA	Not Analyzed
8/18/95e	(95.62) Resurvey			6.08*	89.54	Brown NMFP Mild petroleum odor	33000	74	28	38	100	NA	NA	NA	NA	Not Analyzed
11/30/95e				6.26*	89.36	Rainbow sheen spots Light petroleum odor	100000	1300	510	250	2400	NA	NA	NA	NA	Not Analyzed
2/29/96e				4.37*	91.25	Rainbow sheen spots Mild petroleum odor	15000	12	3.8	10	24	NA	80	80	110	cis-1,2-Dichloroethene 35 Chloroform 160
6/07/96e				5.90*	89.72	Rainbow sheen spots Mild petroleum odor	5200	23	6.9	14	34	NA	61	61	110	Chloroform 31
11/14/96e				6.14*	89.48	Rainbow sheen Light petroleum odor	33000	320	130	250	620	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
2/12/97e				4.45*	91.17	No sheen or odor	15000	43	9	20	41	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
5/15/97e				5.77*	89.85	No sheen or odor	15000	68	30	60	110	NA	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
8/27/97e				5.98*	89.64	No sheen Mild sewerage odor	15000	22	5.2	9.7	19	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
12/24/97e	MW-3 (95.62)	12	5	5.70*	89.92	Rainbow sheen Strong petro. odor	15000	150	10	81	110	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
3/24/98e1				5.06*	90.56	No sheen or odor	ND <50	ND <0.5	None Detected<0.5							
6/25/98e1				5.66*	89.96	Light sheen spots Light sewerage odor	23000	100	22	86	130	ND <0.5	ND <5	ND <5	ND <5	None Detected<5
10/12/98e1				5.18*	90.44	Rainbow sheen Light petroleum odor	23000	26	21	48	210	ND <0.5	ND <5	ND <5	ND <5	None Detected<5
1/12/99e1				5.42*	90.20	Rainbow sheen Sewerage odor	7200	48	32	44	99	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
4/12/99e1				6.02*	89.60	No sheen Strong sewerage odor	ND <50	ND <0.5	None Detected<0.5							
8/28/03h				8.64*	86.98	No sheen or odor	2600	54	ND <25	110	61	ND <5	ND <25	ND <25	1,2,4-Trimethylbenzene 190 1,3,5-Trimethylbenzene 38 n-Propylbenzene 40 Naphthalene 29	
11/24/03h				7.96*	87.66	Rainbow sheen Petroleum odor	2800	64	ND <25	140	44	ND <5	ND <25	ND <25	1,2,4-Trimethylbenzene 120 1,3,5-Trimethylbenzene 30 n-Propylbenzene 55	
3/02/04h				6.36*	89.26	No sheen or odor	580	11	ND <5	ND <10	ND <10	ND <10	850	ND <100	190	cis-1,2-Dichloroethene 440 Vinyl Chloride 5.3
5/28/04h				7.82*	87.80	No sheen or odor	2900	ND <25	ND <25	ND <25	ND <50	ND <50	2600	ND <500	630	cis-1,2-Dichloroethene 1200
8/25/04h				7.80*	87.82	Light rainbow sheen Sewerage odor	870	23	ND <5	13	ND <10	ND <10	5.2	ND <100	8.8	cis-1,2-Dichloroethene 740 Vinyl Chloride 170
11/22/04h				5.98*	89.64	No sheen or odor	1200m	14	ND <10	ND <10	ND <10	ND <20	790	ND <200	210	cis-1,2-Dichloroethene 460
3/02/05h				5.80*	89.82	No sheen or odor	3600m	ND <50	ND <50	ND <50	ND <50	ND <100	2500	ND <1000	480	cis-1,2-Dichloroethene 1200
5/23/05h				6.94*	88.68	No sheen Sewerage odor	2400	ND <0.5	ND <0.5	ND <0.5	0.52	ND <1	31	ND <10	5.3	cis-1,2-Dichloroethene 20 Methylene Chloride 9.5no Vinyl Chloride 0.72
8/22/05h				7.92*	87.70	No sheen Sewerage odor	1700	25	ND <25	ND <25	ND <25	ND <50	60	ND <500	27	cis-1,2-Dichloroethene 2400 Chloroform 26 Vinyl Chloride 520

TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)

Date	Well No./Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/22/05h	MW-3 (95.62)	12	5	7.70*	87.92	No sheen or odor	1000	22	3.4	5	2.7	ND <5	2.6	ND <200	ND <2.5	cis-1,2-Dichloroethene 280 Isopropylbenzene 6.41 Vinyl Chloride 170
2/25/06h				7.52*	88.10	No sheen or odor	480	7.7	ND <5	ND <5	ND <5	ND <10	67	ND <100	70	cis-1,2-Dichloroethene 720 Vinyl Chloride 33
5/30/06h				7.64*	87.98	No sheen or odor	2000	ND <25	ND ,25	ND <25	ND <25	ND <50	2500	ND <500	430	Vinyl Chloride 160
8/24/06h				7.58*	88.04	No sheen Sewerage odor	740	15	11	ND <10	ND <10	ND <20	270	ND <200	67	Vinyl Chloride 260
12/11/06h				4.22*	91.40	No sheen or odor	460	6.4	ND <1	ND <1	ND <1	ND <2	160	ND <20	22	Vinyl Chloride 6.1
3/13/91a	OTMW-5 (100.87)	N/A	N/A	5.02	95.85	No sheen Mild petroleum odor	120	460	12	1	4	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.75	95.12	No sheen Mild petroleum odor	810	320	43	16	43	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.77	95.10	No sheen Mild petroleum odor	971	100	19	5	13	NA	NA	NA	NA	Not Analyzed
1/20/91c				5.58	95.29	No sheen Mild petroleum odor	90	0.7	0.7	ND <0.5	11	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.43	95.44	No sheen Mild petroleum odor	180	27	14	8.2	35	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.45	95.42	No sheen or odor	87	12	9.8	4	42	NA	NA	NA	NA	Not Analyzed
12/10/92e				7.30	93.57	No sheen Mild petroleum odor	540	4.7	4.5	6.4	19	NA	NA	NA	NA	Not Analyzed
3/18/93e				7.11	93.76	No sheen Light sewerage odor	570	6	7.6	11	29	NA	NA	NA	NA	Not Analyzed
7/13/93e				7.45	93.42	No sheen or odor	3500	6.8	8.6	9.5	36	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.65	93.22	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
1/07/94f				7.67	93.20	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/17/92e	OTMW-6 (N/A)	N/A	N/A	4.88	N/A	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed

**TABLE 4 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS ($\mu\text{g/L}$)**

TPHg – Total Petroleum Hydrocarbons as gasoline

MTBE – Methyl Tertiary Butyl Ether

Perf. – Perforation

PCE – Tetrachloroethene

NS – Not Sampled

ND – Not Detected (Below Laboratory Detection Limit)

* Well screens are not submerged

a – Laboratory analyses were analyzed by Anametrix Inc.

b – Laboratory analyses were analyzed by Carter Analytical Laboratory

c – Laboratory analyses were analyzed by Chromalab, Inc.

d – Laboratory analyses were analyzed by Geochem Labs

e – Laboratory analyses were analyzed by Priority Environmental Labs

f – Laboratory analyses were analyzed by Argon Mobil Labs

g – Laboratory analyses were analyzed by North State Environmental

h – Laboratory analyses were analyzed by Entech Analytical Labs

i – TPH as gasoline value reported possibly aged gasoline

j – TPH as gasoline reported value is the result of higher boiling point compounds within the TPH as gasoline quantitation range

k – TPH as gasoline reported value is the results of a high concentration of Benzene and of higher boiling point compounds within TPH as gasoline quantitation range

l – TPH as gasoline value is the result of discrete peaks within the TPH as gasoline quantitation range

m – A typical pattern. No indication of gasoline

n – This analyte is a common laboratory contaminant

o – This analyte was found in the associated Method Blank

1 – Laboratory was not state certified since January 30, 1998

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

GW Elev. – Groundwater Elevation

cis-1,2-Dichl – cis-1,2-Dichloroethene

TCE – Trichloroethene

NA – Not Analyzed

N/A – Not Available

* Well screens are submerged

TABLE 3
SUMMARY OF GROUNDWATER SAMPLES
ANALYTICAL RESULTS FROM CPT BOREHOLES
IN MICROGRAM PER LITER ($\mu\text{g/L}$)

Date	Sample No.	Depth feet	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs (EPA 8260B)
11/01/06	421-CPT1-23	23	ND<50	2.1	ND<0.5	0.76	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
	421-CPT2-17	17	59	7.7	6.5	1.1	4.6	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
	421-CPT2-22	22	580	46	31	18	78	ND<<	ND<0.5	ND<10	ND<0.5	1,2,4-Trimethylbenzene 23 1,3,5-Trimethylbenzene 7.7 Isopropylbenzene 1.2
	421-CPT3-21	21	ND<50	1.7	ND<0.5	2.6	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

TPHg – Total Petroleum Hydrocarbon as gasoline

MTBE – Methyl Tertiary Butyl Ether

TBA – tert-Butanol

VOCs (EPA 8260B) – Other Fuel Hydrocarbon Oxygenates by 8260B

ND – Not Detected (Below Laboratory Detection Limit)

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

PCE – Tetrachloroethene

TCE - Trichloroethene

TABLE 2
SUMMARY OF WATER SAMPLES ANALYTICAL RESULTS
IN MICROGRAM PER LITER ($\mu\text{g/L}$)

Date	Sample No.	TPHg	B	T	E	X	MTBE	TBA	PCE	TCE	DCA
10/23/06	GP-1	ND<25	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<10	7.9	1.8	2.5
	GP-2	ND<25	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<10	8.2	0.67	ND<0.5
	GP-3	310	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<1	ND<50	48	29	437.1
	GP-4	ND<25	ND<0.5	ND<0.5	ND<0.5	0.67	ND<1	ND<10	2.6	1.3	3.3

TPHg – Total Petroleum Hydrocarbons as gasoline

MTBE – Methyl Tertiary Butyl Ether

TBA – tert-Butanol

DCA – Dichloroethene

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

PCE – Tetrachloroethene

TCE – Trichloroethene

ND – Not Detected (Below Laboratory Detection Limit)

TABLE 1
SUMMARY OF SOIL SAMPLES ANALYTICAL RESULTS

Date	Sample #	Depth feet	TPHg µg/Kg	B µg/Kg	T µg/Kg	E µg/Kg	X µg/Kg	MTBE µg/Kg	Pb mg/Kg	PCE µg/Kg	TBA µg/Kg	TCE µg/Kg	VOCs by EPA 8260 µg/Kg
10/23/06	421-GP-1-6	6	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	5.8	ND <5	ND <40	ND <5	None Detected<5
	421-GP-1-10	10	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	6.3	ND <5	ND <40	ND <5	None Detected<5
10/23/06	421-GP-2-7	7	1400	12	ND <5	ND <5	ND <10	ND <5	5.1	ND <5	ND <40	ND <5	Acetone 210 n-Propylbenzene 6.2
	421-GP-2-13½	13½	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	5.6	ND <5	ND <40	ND <5	None Detected<5
10/23/06	421-GP-3-7	7	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	8.4	ND <5	ND <40	ND <5	None Detected<5
	421-GP-3-13	13	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	6.8	50	ND <40	6.7	None Detected<5
10/23/06	421-GP-4-11	11	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	6.3	ND <5	ND <40	ND <5	None Detected<5
	421-GP-4-13	13	ND <100	ND <5	ND <5	ND <5	ND <10	ND <5	4.6	ND <5	ND <40	ND <5	None Detected<5

TPHg – Total Petroleum Hydrocarbons as gasoline**MTBE** – Methyl Tertiary Butyl Ether**PCE** – Tetrachloroethene**TCE** – Trichloroethene**µg/Kg** – Microgram Per Kilogram**ND** – Not Detected (Below Laboratory Detection Limit)**BTEX** - Benzene, Toluene, Ethylbenzene, Total Xylenes**Pb** – Total Lead**TBA** – tert-Butanol**VOCs** – Volatile Organic Compounds**mg/Kg** – Milligram Per Kilogram

A P P E N D I X "B"

FIGURES

ENVIRO SOIL TECH CONSULTANTS

**Enviro Soil Tech
Consultants**

131 Tully Road
San Jose, CA 95112

PROJECT
Plaza Car Wash
400 San Pablo Ave
Albany, California

PROJECT # 8-90-421-SI
DATE: 1/10/2007


Figure 5

Isocontours of Benzene in
Groundwater, 12/11/2006

Legend

- ◆ = Monitor Well
- CPT-I = Cone Penetrometer Boring
- GP-I = Geoprobe Borings


Contour Intervals are Variable in ug/L



Legend

- ◆ - Monitor Well
- ◆ CPT-1 = Cone Penetrometer Boring
- GP-1 = Geoprobe Borings

Contour Intervals are Variable in ug/L




Scale: Feet

0 20 40 60

Legend

- ◆ = Monitor Well
- CPT-1 = Cone Penetrometer Boring
- GP-1 = Geoprobe Borings

Contour Interval = 0.25 feet



**Enviro Soil Tech
Consultants**

131 Tully Road
San Jose, CA 95112

PROJECT
Plaza Car Wash
400 San Pablo Ave
Albany, California

PROJECT # 8-90-421-SI
DATE: 1/4/2007


Figure

2

Site Map


Legend

- ◆ = Monitor Well
- ◆ CPT-1 = Cone Penetrometer Boring
- GP-1 = Geoprobe Borings



Scale: Feet

0 20 40 50



ENVIRO SOIL TECH CONSULTANTS

Figure 1

A P P E N D I X "C"

BORING LOGS

ENVIRO SOIL TECH CONSULTANTS

ENVIRO SOIL TECH CONSULTANTS

BORING LOCATION 400 San Pablo Avenue, Albany, CA						GROUND SURFACE ELEVATION: TOP OF WELL CASING ELEVATION:								
DRILLING AGENCY Vironex, Inc.			DRILLER John McAssey			DATE STARTED: 10/23/06 DATE FINISHED: 10/23/06								
DRILLING EQUIPMENT Geoprobe						COMPLETION DEPTH (ft) 20 feet								
DRILLING METHOD Direct push			DRILL BIT			HAMMER			SAMPLER	2" polyethelene				
SIZE AND TYPE OF CASING						NUMBER OF SAMPLES			BULK:	DRIVE:				
TYPE OF PERFORATION			FROM	TO		WATER FIRST DEPTH			COMPL.:	24 hrs.				
SIZE AND TYPE OF PACK			FROM	TO		LOGGED BY Clyde Hebron			CHECKED BY	Lawrence Koo				
TYPE OF SEAL	TYPE	FR	TO	TYPE		FR	TO	LOG OF BORING 421-GP-4						
	No. 1:			No. 3:										
	No. 2:			No. 4:										
DEPTH (feet)	MATERIAL DESCRIPTION				USCS	SOIL GRAPHIC	WELL GRAPHIC	PID, ppm	WATER LEVEL	DEPTH (feet)	SAMPLES		INDEX PROPERTIES	
	TYPE	POCKET PEN ISF	BLOWS/INCH	MOISTURE CONTENT (%)							DRY DENSITY (pcf)	UNCONFINED COMPRESSIVE STRENGTH (psi)		
0	Fill material.	FILL								0				
5	Brown poorly-sorted fine to medium grained sand with some cobbles.	SP								5				
10	Dark gray slightly plastic clay, some organic material, swamp odor.	CL								10				
15	Brown moderate sorting fine-grained sand. Varigated gray and yellow-brown slightly plastic clay with trace of cobbles.	SP CL								15	4-11			
20	Yellow-brown clayey sand, no hydrocarbon odor.	SC								20	4-13			
25	Boring terminated.									25				
30										30				
35										35				
8-90-421-SI									PROJECT NO. 8-90-421-SI			FIGURE:		

ENVIRO SOIL TECH CONSULTANTS

BORING LOCATION	400 San Pablo Avenue, Albany, CA					GROUND SURFACE ELEVATION: TOP OF WELL CASING ELEVATION:									
DRILLING AGENCY	Vironex, Inc.	DRILLER	John McAssey			DATE STARTED: 10/23/06 DATE FINISHED: 10/23/06									
DRILLING EQUIPMENT	Geoprobe					COMPLETION DEPTH (ft) 20 feet									
DRILLING METHOD	Direct push		DRILL BIT			HAMMER SAMPLER 2" polyethelene									
SIZE AND TYPE OF CASING							NUMBER OF SAMPLES BULK: DRIVE:								
TYPE OF PERFORATION		FROM TO					WATER FIRST: DEPTH			COMPL.: 24 hrs.					
SIZE AND TYPE OF PACK		FROM TO					LOGGED BY Clyde Hebron			CHECKED BY Lawrence Koo					
TYPE OF SEAL	TYPE	FR	TO	TYPE		FR	TO	LOG OF BORING 421-GP-3							
	No. 1:			No. 3:											
	No. 2:			No. 4:											
DEPTH D (feet)	MATERIAL DESCRIPTION				USCS	SOIL GRAPHIC	WELL GRAPHIC	PID, ppm	WATER LEVEL	DEPTH (feet)	SAMPLES		INDEX PROPERTIES		
	TYPE	POCKET PEN. (lb)	BLWS/ft ³	MOISTURE CONTENT (%)							DRY DENSITY (pcf)	UNCONFINED COMPRESSIVE STRENGTH (kip)			
0	Fill material.	FILL								0					
5	Brown fine-medium grained poorly-sorted sand.	SP								5					
10	Varigated dark gray and rust non-plastic clay, trace of sand.	CL								10					
15	Black organic slightly plastic clay.	CL								15					
20	Black organic slightly plastic clay with trace of cobbles and sand.	CL								20					
25	Varigated gray and yellow-brown clay.	CL								25					
30	6-inch sand stringer clayey.	SM								30					
35	Yellow-gray clay, trace of sand.	CL								35					
8-90-421-SI								PROJECT NO. 8-90-421-SI				FIGURE:			

ENVIRO SOIL TECH CONSULTANTS

BORING LOCATION	400 San Pablo Avenue, Albany, CA					GROUND SURFACE ELEVATION: TOP OF WELL CASING ELEVATION:				
DRILLING AGENCY	Vironex, Inc.		DRILLER	John McAssey			DATE STARTED: 10/23/06 DATE FINISHED: 10/23/06			
DRILLING EQUIPMENT	Geoprobe					COMPLETION DEPTH (ft)	20 feet			
DRILLING METHOD	Direct push		DRILL BIT			HAMMER	SAMPLER	2" polyethylene		
SIZE AND TYPE OF CASING						NUMBER OF SAMPLES	BULK:	DRIVE:		
TYPE OF PERFORATION			FROM	TO		WATER FIRST DEPTH		COMPL.:	24 hrs.	
SIZE AND TYPE OF PACK			FROM	TO		LOGGED BY	Clyde Hebron	CHECKED BY	Lawrence Koo	
TYPE OF SEAL	TYPE	FR	TO	TYPE		FR	TO	LOG OF BORING 421-GP-2		
No. 1:				No. 3:						
No. 2:				No. 4:						

DEPTH (feet)	MATERIAL DESCRIPTION	USCS	SOIL GRAPHIC	WELL GRAPHIC	PID, ppm	WATER LEVEL	DEPTH (feet)	SAMPLES		INDEX PROPERTIES		
								NUMBER TYPE	POCKET PEN. (ft)	BLOWS/foot	MOISTURE CONTENT (%)	DRY DENSITY (pcf)
0	Fill material.	FILL					0					
5	Yellow-brown fine to medium grained sand (fairly sorted). Transitions to gravel-sand mixture.	SP					5					
10	Black clay (slight plasticity).	CL			0	5	10					
15	Varigated gray and yellow-brown clay, trace of cobbles and sand.	CL			0		15					
20	Yellow-brown very fine to fine grained silty sand.	SM			0		20					
25	Boring terminated.						25					
30							30					
35							35					
8-90-421-SI								PROJECT NO. 8-90-421-SI			FIGURE:	

ENVIRO SOIL TECH CONSULTANTS


BORING LOCATION	400 San Pablo Avenue, Albany, CA					GROUND SURFACE ELEVATION: TOP OF WELL CASING ELEVATION:									
DRILLING AGENCY	Vironex, Inc.	DRILLER	John McAssey			DATE STARTED: 10/23/06 DATE FINISHED: 10/23/06									
DRILLING EQUIPMENT	Geoprobe					COMPLETION DEPTH (ft) 20 feet									
DRILLING METHOD	Direct push		DRILL BIT			HAMMER SAMPLER 2" polyethylene									
SIZE AND TYPE OF CASING						NUMBER OF SAMPLES		BULK:		DRIVE:					
TYPE OF PERFORATION			FROM	TO		WATER FIRST: DEPTH		COMPL.:		24 hrs.					
SIZE AND TYPE OF PACK			FROM	TO		LOGGED BY Clyde Hebron		CHECKED BY		Lawrence Koo					
TYPE OF SEAL	TYPE	FR	TO	TYPE		FR	TO	LOG OF BORING 421-GP-1							
	No. 1:			No. 3:											
No. 2:			No. 4:												
DEPTH (feet)	MATERIAL DESCRIPTION				USCS	SOIL GRAPHIC	WELL GRAPHIC	PID, ppm	WATER LEVEL	DEPTH (feet)	SAMPLES			INDEX PROPERTIES	
											NUMBER	TYPE	POCKET PEN. (lb)	BLOWS/foot	MOISTURE CONTENT (%)
0	Fill material.				FILL					0	1-6				
5	Dark brown to black poorly graded sand. No hydrocarbon odor.				SP			0			5				
10	Dark gray clay (slightly plasticity), trace of sand and cobbles. Hydrocarbon odor not like gas or diesel.				CL			25			10	1-10			
15					SC			25			15				
20	Yellow-brown clayey sand, medium plasticity.							0		20					
25										25					
30										30					
35	Boring terminated.									35					
8-90-421-SI										PROJECT NO. 8-90-421-SI			FIGURE:		

A P P E N D I X "D"


HYDROGRAPHS

ENVIRO SOIL TECH CONSULTANTS


File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-5 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-4 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-3 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-2 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-1 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR MW-3 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR MW-2 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



A P P E N D I X "E"

STANDARD OPERATION PROCEDURES

ENVIRO SOIL TECH CONSULTANTS

DRILLING AND SOIL SAMPLING PROCEDURE

A direct push technology (Geoprobe) tool was used in drilling the boreholes to the desired depths.

Prior to drilling, all drilling equipment was thoroughly steam-cleaned to minimize the possibility of cross-contamination and/or vertical migration of possible contaminants.

In addition, sampling equipment was washed between samples with Tri-sodium Phosphate (TSP) solution or an equivalent EPA-approved detergent followed by a rinse in distilled water.

During the drilling operation, undisturbed soil samples were taken from the required depth by forcing a 2-inch sampler lined with polyethylene or brass tubes driven into undisturbed sediments at the bottom of the borehole by means of hydraulic push technologies.

The selected sampling tubes were immediately trimmed, the ends covered tightly with aluminum foil and plastic caps, sealed with tape labeled, placed in a plastic bag and stored in a cold ice chest in order to minimize the escape of any volatile present in the samples. Soil samples were sent to a state-certified hazardous waste laboratory for analysis accompanied by a chain-of-custody record.

ENVIRO SOIL TECH CONSULTANTS

SOP1

Soil samples collected at each sampling interval were inspected for any possible contamination (odor or peculiar colors). Soil vapor concentrations were measured in the field by using a Photoionization Detector (PID), Photovac Tip Air Analyzer. The soil sample was sealed in a Zip-Loc plastic bag and placed in the sun to enhance volatilization of the hydrocarbons from the sample. The purpose of this field analysis is to qualitatively determine the presence or absence of hydrocarbons and to establish which soil samples were analyzed at the laboratory. The data was recorded on the drilling log at the depth corresponding to the sampling point.

Other soil samples may be collected to document the stratigraphy and estimate relative permeability of the subsurface materials.

Soil tailings that are obtained during drilling were stored at the site, pending the analytical test results to determine proper disposal.

ENVIRO SOIL TECH CONSULTANTS

SOP2

GROUNDWATER SAMPLING

Prior to collection of groundwater samples, all of the sampling equipment (i.e. bailer, cables, bladder pump, discharge lines and etc...) was cleaned by pumping TSP water solution followed by distilled water.

Prior to purging, the well “Water Sampling Field Survey Forms” was filled out (depth to water and total depth of water column will be measured and recorded). The well then was bailed or pumped to remove four to ten well volumes or until the discharged water temperature, conductivity and pH stabilized. “Stabilized” is defined as three consecutive readings within 15% of one another.

The groundwater sample was collected when the water level in the well recovered to 80% of its static level.

Forty milliliter (ml.) glass volatile organic analysis (VOA) vials with Teflon septa was used as sample containers. The groundwater sample was being decanted into each VOA vial in such a manner that there was a meniscus at the top. The cap quickly was placed over the top of the vial and securely tightened. The VOA vial was then be inverted and tapped to see if air bubbles is present. If none is present, then the sample was labeled and refrigerated for delivery under chain-of-custody to the laboratory. The label information has included a sample identification number, job identification number, date, time, type of analysis requested and the sampler’s name.

A P P E N D I X "F"

CPT DRILING REPORT

ENVIRO SOIL TECH CONSULTANTS



Bibliography

Lunne, T., Robertson, P.K. and Powell, J.J.M., "Cone Penetration Testing in Geotechnical Practice" E & FN Spon. ISBN 0 419 23750, 1997

Robertson, P.K., "Soil Classification using the Cone Penetration Test", Canadian Geotechnical Journal, Vol. 27, 1990 pp. 151-158.

Mayne, P.W., "NHI (2002) Manual on Subsurface Investigations: Geotechnical Site Characterization", available through www.ce.gatech.edu/~geosys/Faculty/Mayne/papers/index.html, Section 5.3, pp. 107-112.

Robertson, P.K., R.G. Campanella, D. Gillespie and A. Rice, "Seismic CPT to Measure In-Situ Shear Wave Velocity", Journal of Geotechnical Engineering ASCE, Vol. 112, No. 8, 1986 pp. 791-803.

Robertson, P.K., Sully, J., Woeller, D.J., Lunne, T., Powell, J.J.M., and Gillespie, D.J., "Guidelines for Estimating Consolidation Parameters in Soils from Piezocone Tests", Canadian Geotechnical Journal, Vol. 29, No. 4, August 1992, pp. 539-550.

Robertson, P.K., T. Lunne and J.J.M. Powell, "Geo-Environmental Application of Penetration Testing", Geotechnical Site Characterization, Robertson & Mayne (editors), 1998 Balkema, Rotterdam, ISBN 90 5410 939 4 pp 35-47.

Campanella, R.G. and I. Weemees, "Development and Use of An Electrical Resistivity Cone for Groundwater Contamination Studies", Canadian Geotechnical Journal, Vol. 27 No. 5, 1990 pp. 557-567.

DeGroot, D.J. and A.J. Lutenegger, "Reliability of Soil Gas Sampling and Characterization Techniques", International Site Characterization Conference - Atlanta, 1998.

Woeller, D.J., P.K. Robertson, T.J. Boyd and Dave Thomas, "Detection of Polycyclic Aromatic Hydrocarbon Contaminants Using the UVIF-CPT", 53rd Canadian Geotechnical Conference Montreal, QC October pp. 733-739, 2000.

Zemo, D.A., T.A. Delfino, J.D. Gallinatti, V.A. Baker and L.R. Hilpert, "Field Comparison of Analytical Results from Discrete-Depth Groundwater Samplers" BAT EnviroProbe and QED HydroPunch, Sixth national Outdoor Action Conference, Las Vegas, Nevada Proceedings, 1992, pp 299-312.

Copies of ASTM Standards are available through www.astm.org



Groundwater Sampling (GWS)

Gregg In Situ, Inc. conducts groundwater sampling using a Hydropunch® type groundwater sampler, *Figure GWS*. The groundwater sampler has a retrievable stainless steel or disposable PVC screen with steel drop off tip. This allows for samples to be taken at multiple depth intervals within the same sounding location. In areas of slower water recharge, provisions may be made to set temporary PVC well screens during sampling to allow the drill rig to advance to the next sample location while the groundwater is allowed to infiltrate.

The groundwater sampler operates by advancing 1 $\frac{3}{4}$ inch hollow push rods with the filter tip in a closed configuration to the base of the desired sampling interval. Once at the desired sample depth, the push rods are retracted; exposing the encased filter screen and allowing groundwater to infiltrate hydrostatically from the formation into the inlet screen. A small diameter bailer (approximately $\frac{1}{2}$ or $\frac{3}{4}$ inch) is lowered through the push rods into the screen section for sample collection. The number of downhole trips with the bailer and time necessary to complete the sample collection at each depth interval is a function of sampling protocols, volume requirements, and the yield characteristics and storage capacity of the formation. Upon completion of sample collection, the push rods and sampler, with the exception of the PVC screen and steel drop off tip are retrieved to the ground surface, decontaminated and prepared for the next sampling event.

A summary of the groundwater samples collected, including the sampling date, depth and location identification, is presented in Table 1 and the corresponding CPT plot.




Figure GWS

For a detailed reference on direct push groundwater sampling, refer to Zemo et. al., 1992.



Pore Pressure Dissipation Tests (PPDT)

Pore Pressure Dissipation Tests (PPDT's) conducted at various intervals measured hydrostatic water pressures and determined the approximate depth of the ground water table. A PPDT is conducted when the cone is halted at specific intervals determined by the field representative. The variation of the penetration pore pressure (u) with time is measured behind the tip of the cone and recorded by a computer system.

Pore pressure dissipation data can be interpreted to provide estimates of:

- Equilibrium piezometric pressure
- Phreatic Surface
- In situ horizontal coefficient of consolidation (c_h)
- In situ horizontal coefficient of permeability (k_h)

In order to correctly interpret the equilibrium piezometric pressure and/or the phreatic surface, the pore pressure must be monitored until such time as there is no variation in pore pressure with time, *Figure PPDT*. This time is commonly referred to as t_{100} , the point at which 100% of the excess pore pressure has dissipated.

A complete reference on pore pressure dissipation tests is presented by Robertson et al. 1992.

A summary of the pore pressure dissipation tests is summarized in Table 1. Pore pressure dissipation data is presented in graphical form in Appendix PPDT.




Figure PPDT



Cone Penetration Testing Procedure (CPT)

Gregg In Situ, Inc. carries out all Cone Penetration Tests (CPT) using an integrated electronic cone system, *Figure CPT*. The soundings were conducted using a 20 ton capacity cone with a tip area of 15 cm^2 and a friction sleeve area of 225 cm^2 . The cone is designed with an equal end area friction sleeve and a tip end area ratio of 0.85.

The cone takes measurements of cone bearing (q_c), sleeve friction (f_s) and penetration pore water pressure (u_2) at 5-cm intervals during penetration to provide a nearly continuous hydrogeologic log. CPT data reduction and interpretation is performed in real time facilitating on-site decision making. The above mentioned parameters are stored on disk for further analysis and reference. All CPT soundings are performed in accordance with revised (2002) ASTM standards (D 5778-95).

The cone also contains a porous filter element located directly behind the cone tip (u_2), *Figure CPT*. It consists of porous plastic and is 5.0mm thick. The filter element is used to obtain penetration pore pressure as the cone is advanced as well as Pore Pressure Dissipation Tests (PPDT's) during appropriate pauses in penetration. It should be noted that prior to penetration, the element is fully saturated with silicon oil under vacuum pressure to ensure accurate and fast dissipation.

When the soundings are complete, the test holes are grouted using a Gregg In Situ support rig. The grouting procedures generally consist of pushing a hollow CPT rod with a "knock out" plug to the termination depth of the test hole. Grout is then pumped under pressure as the tremie pipe is pulled from the hole. Disruption or further contamination to the site is therefore minimized.




Figure CPT



Cone Penetration Test Data & Interpretation

Soil behavior type and stratigraphic interpretation is based on relationships between cone bearing (q_c), sleeve friction (f_s), and pore water pressure (u_2). The friction ratio (R_f) is a calculated parameter defined by $100f_s/q_c$ and is used to infer soil behavior type. Generally:

Cohesive soils (clays)

- High friction ratio (R_f) due to small cone bearing (q_c)
- Generate large excess pore water pressures (u_2)


Cohesionless soils (sands)

- Low friction ratio (R_f) due to large cone bearing (q_c)
- Generate very little excess pore water pressures (u_2)

A complete set of baseline readings are taken prior to and at the completion of each sounding to determine temperature shifts and any zero load offsets. Corrections for temperature shifts and zero load offsets can be extremely important, especially when the recorded loads are relatively small. In sandy soils, however, these corrections are generally negligible.

The cone penetration test data collected from your site is presented in graphical form in Appendix CPT. The data includes CPT logs of measured soil parameters, computer calculations of interpreted soil behavior types (SBT), and additional geotechnical parameters. A summary of locations and depths is available in Table 1. Note that all penetration depths referenced in the data are with respect to the existing ground surface.

Soil interpretation for this project was conducted using recent correlations developed by Robertson, 1990, *Figure SBT*. Note that it is not always possible to clearly identify a soil type based solely on q_c , f_s , and u_2 . In these situations, experience, judgment, and an assessment of the pore pressure dissipation data should be used to infer the soil behavior type.



ZONE	Qt/N	SBT
1	2	Sensitive, fine grained
2	1	Organic materials
3	1	Clay
4	1.5	Silty clay to clay
5	2	Clayey silt to silty clay
6	2.5	Sandy silt to clayey silt
7	3	Silty sand to sandy silt
8	4	Sand to silty sand
9	5	Sand
10	6	Gravely sand to sand
11	1	Very stiff fine grained*
12	2	Sand to clayey sand*

*over consolidated or cemented


Figure SBT

ENVIRO SOIL TECH

Site: PLAZA CAR WASH
Location: CPT-01

Oversite: U.CHERUEN
Date: 11:01:106 13:44


PORE PRESSURE DISSIPATION RECORD



File: 373U01.PPC
Depth (m): 6.85
(ft): 22.47
Duration : 335.0s
U-Min: -7.70 0.0s
U-Max: 6.80 255.0s



ENVIRO SOIL TECH


Site: PLAZA CAR WASH
Location: CPT-03Geologist: U.CHERUEN
Date: 11:01:106 11:54



ENVIRO SOIL TECH


Site: PLAZA CAR WASH
Location: CPT-02

Geologist: U.CHERUEN
Date: 11:01:106 10:03






ENVIRO SOIL TECH

Site: PLAZA CAR WASH
Location: CPT-01Geologist: U.CHERUEN
Date: 11:01:106 13:44




ENVIRO SOIL TECH

Site: PLAZA CAR WASH
Location: CPT-03Geologist: U.CHERUEN
Date: 11:01:106 11:54




ENVIRO SOIL TECH

Site: PLAZA CAR WASH
Location: CPT-02Geologist: U.CHERUEN
Date: 11:01:106 10:03



ENVIRO SOIL TECH

Site: PLAZA CAR WASH
Location: CPT-01Geologist: U.CHERUEN
Date: 11:01:106 13:44



Cone Penetration Test Sounding Summary

-Table 1-



GREGG IN SITU, INC.

GEOTECHNICAL AND ENVIRONMENTAL INVESTIGATION SERVICES

November 2, 2006

Enviro Soil Tech Consultants
Attn: Dianne Nguyen
131 Tully Rd.
San Jose, California 94111

Subject: CPT Site Investigation
Plaza Car Wash
Albany, California
GREGG Project Number: 06-373MA

Dear Ms. Nguyen:

The following report presents the results of GREGG Drilling & Testing's Cone Penetration Test investigation for the above referenced site. The following testing services were performed:

1	Cone Penetration Tests	(CPTU)	<input checked="" type="checkbox"/>
2	Pore Pressure Dissipation Tests	(PPD)	<input checked="" type="checkbox"/>
3	Seismic Cone Penetration Tests	(SCPTU)	<input type="checkbox"/>
4	Resistivity Cone Penetration Tests	(RCPTU)	<input type="checkbox"/>
5	UVIF Cone Penetration Tests	(UVIFCPTU)	<input type="checkbox"/>
6	Groundwater Sampling	(GWS)	<input checked="" type="checkbox"/>
7	Soil Sampling	(SS)	<input type="checkbox"/>
8	Vapor Sampling	(VS)	<input type="checkbox"/>
9	Vane Shear Testing	(VST)	<input type="checkbox"/>
10	SPT Energy Calibration	(SPTE)	<input type="checkbox"/>

A list of reference papers providing additional background on the specific tests conducted is provided in the bibliography following the text of the report. If you would like a copy of any of these publications or should you have any questions or comments regarding the contents of this report, please do not hesitate to contact our office at (925) 313-5800.

Sincerely,
GREGG Drilling & Testing, Inc.

Mary Walden
Operations Manager

A P P E N D I X "G"

LABORATORY REPORTS

ENVIRO SOIL TECH CONSULTANTS

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 54171
Issued: 03/12/2007**

**Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose**

Global ID: T0608501966

Certificate of Analysis - Final Report


On February 26, 2007, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Solid	Electronic Deliverables for Geotracker TPH-Extractable: EPA 8015B(M) TPH-Purgeable - GC: EPA 8015B VOCs: EPA 8260B

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



C. L. Thom
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
2,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/26/2007	SM6G070226G

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/12/2007 3:19:43 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #:	54171-001	Sample ID:	B-13-5	Matrix:	Solid	Sample Date:	2/23/2007
VOCs: EPA 8260B							
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: EricKum
4-Bromo fluoro benzene	96.6	60 - 130	Reviewed by: mfelix
Dibromo fluoro methane	121	60 - 130	
Toluene-d8	100	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

3/12/2007 3:19:43 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-001 Sample ID: B-13-5

Matrix: Solid Sample Date: 2/23/2007

TPH-Purgeable - GC: EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	0.50	mg/Kg	N/A	N/A	2/28/2007	SGC070228
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	MaiChiTu
4-Bromofluorobenzene	108		65	- 135				Reviewed by:	EricKum

TPH-Extractable: EPA 8015B(M)

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Diesel	ND		1.0	2.5	mg/Kg	2/26/2007	SD070226A	2/28/2007	SD070226A
12 mg/Kg Motor Oil. No Diesel pattern present.									
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	Mtran
o-Terphenyl	69.4		41	- 137				Reviewed by:	jhsiang

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-002 Sample ID: B-13-10

Matrix: Solid Sample Date: 2/23/2007

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/12/2007 3:19:43 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-002 Sample ID: B-13-10

Matrix: Solid Sample Date: 2/23/2007

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromo fluoro benzene	94.4	60 - 130
Dibromo fluoro methane	102	60 - 130
Toluene-d8	96.1	60 - 130

Analyzed by: Mfelix

Reviewed by: EricKum

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-002 Sample ID: B-13-10

Matrix: Solid Sample Date: 2/23/2007

TPH-Purgeable - GC: EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	0.50	mg/Kg	N/A	N/A	2/28/2007	SGC070228
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by: MaiChiTu	
4-Bromofluorobenzene	107		65	- 135				Reviewed by: EricKum	

TPH-Extractable: EPA 8015B(M)

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Diesel	ND		1.0	2.5	mg/Kg	2/26/2007	SD070226A	2/28/2007	SD070226A
11 mg/Kg Motor Oil. No Diesel pattern present.									
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by: Mtran	
o-Terphenyl	74.8		41	- 137				Reviewed by: jhsiang	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #:	54171-003	Sample ID:	B-13-15	Matrix:	Solid	Sample Date:	2/23/2007
VOCs: EPA 8260B							
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A
2,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A
Acetone	ND		1.0	100	µg/Kg	N/A	N/A
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/12/2007 3:19:43 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-003 Sample ID: B-13-15

Matrix: Solid Sample Date: 2/23/2007

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromo fluoro benzene	88.2	60 - 130
Dibromo fluoro methane	96.9	60 - 130
Toluene-d8	97.1	60 - 130

Analyzed by: Mfelix

Reviewed by: EricKum

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-003 Sample ID: B-13-15

Matrix: Solid Sample Date: 2/23/2007

TPH-Purgeable - GC: EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	0.50	mg/Kg	N/A	N/A	2/28/2007	SGC070228
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	MaiChiTu
4-Bromofluorobenzene	114		65	- 135				Reviewed by:	EricKum

TPH-Extractable: EPA 8015B(M)

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Diesel	ND		1.0	2.5	mg/Kg	2/26/2007	SD070226A	2/27/2007	SD070226A
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	Mtran
o-Terphenyl	75.4		41	- 137				Reviewed by:	jhsiang

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2,2-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	2/28/2007	SM3E070228E

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/12/2007 3:19:43 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #:	54171-004	Sample ID:	B-13-40	Matrix:	Solid	Sample Date:	2/23/2007
VOCs: EPA 8260B							
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Mfelix
4-Bromoiodobenzene	96.2	60 - 130	Reviewed by: EricKum
Dibromofluoromethane	102	60 - 130	
Toluene-d8	97.0	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

3/12/2007 3:19:44 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 3-96-631-ST
Project Name: 899 N. 13th Street
Project Location: 899 N. 13th Street, San Jose
GlobalID: T0608501966

Certificate of Analysis - Data Report

Samples Received: 02/26/2007

Sample Collected by: Client

Lab #: 54171-004 Sample ID: B-13-40

Matrix: Solid Sample Date: 2/23/2007

TPH-Purgeable - GC: EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	0.50	mg/Kg	N/A	N/A	2/28/2007	SGC070228
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	MaiChiTu
4-Bromofluorobenzene	108		65	- 135				Reviewed by:	EricKum

TPH-Extractable: EPA 8015B(M)

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Diesel	ND		1.0	2.5	mg/Kg	2/26/2007	SD070226A	2/28/2007	SD070226A
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	Mtran
o-Terphenyl	70.0		41	- 137				Reviewed by:	jhsiang

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3E070228E

Validated by: EricKum - 02/28/07

QC Batch Analysis Date: 2/28/2007

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,1-Trichloroethane	ND	1	5.0	µg/Kg
1,1,2,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,2-Trichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethene	ND	1	5.0	µg/Kg
1,1-Dichloropropene	ND	1	5.0	µg/Kg
1,2,3-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,3-Trichloropropane	ND	1	5.0	µg/Kg
1,2,4-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,4-Trimethylbenzene	ND	1	5.0	µg/Kg
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/Kg
1,2-Dibromoethane (EDB)	ND	1	5.0	µg/Kg
1,2-Dichlorobenzene	ND	1	5.0	µg/Kg
1,2-Dichloroethane	ND	1	5.0	µg/Kg
1,2-Dichloropropane	ND	1	5.0	µg/Kg
1,3,5-Trimethylbenzene	ND	1	5.0	µg/Kg
1,3-Dichlorobenzene	ND	1	5.0	µg/Kg
1,3-Dichloropropane	ND	1	5.0	µg/Kg
1,4-Dichlorobenzene	ND	1	5.0	µg/Kg
1,4-Dioxane	ND	1	200	µg/Kg
2,2-Dichloropropane	ND	1	5.0	µg/Kg
2-Butanone (MEK)	ND	1	40	µg/Kg
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/Kg
2-Chlorotoluene	ND	1	5.0	µg/Kg
2-Hexanone	ND	1	40	µg/Kg
4-Chlorotoluene	ND	1	5.0	µg/Kg
4-Methyl-2-Pentanone(MIBK)	ND	1	40	µg/Kg
Acetone	ND	1	100	µg/Kg
Acetonitrile	ND	1	40	µg/Kg
Acrolein	ND	1	5.0	µg/Kg
Acrylonitrile	ND	1	5.0	µg/Kg
Benzene	ND	1	5.0	µg/Kg
Benzyl Chloride	ND	1	5.0	µg/Kg
Bromobenzene	ND	1	5.0	µg/Kg
Bromochloromethane	ND	1	5.0	µg/Kg
Bromodichloromethane	ND	1	5.0	µg/Kg
Bromoform	ND	1	5.0	µg/Kg
Bromomethane	ND	1	5.0	µg/Kg
Carbon Disulfide	ND	1	5.0	µg/Kg
Carbon Tetrachloride	ND	1	5.0	µg/Kg
Chlorobenzene	ND	1	5.0	µg/Kg
Chloroethane	ND	1	5.0	µg/Kg
Chloroform	ND	1	5.0	µg/Kg
Chloromethane	ND	1	5.0	µg/Kg
cis-1,2-Dichloroethene	ND	1	5.0	µg/Kg
cis-1,3-Dichloropropene	ND	1	5.0	µg/Kg
Cyclohexanone	ND	1	40	µg/Kg
Dibromochloromethane	ND	1	5.0	µg/Kg
Dibromomethane	ND	1	5.0	µg/Kg
Dichlorodifluoromethane	ND	1	5.0	µg/Kg

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3E070228E

Validated by: EricKum - 02/28/07

QC Batch Analysis Date: 2/28/2007

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/Kg
Ethyl Benzene	ND	1	5.0	µg/Kg
Freon 113	ND	1	10	µg/Kg
Hexachlorobutadiene	ND	1	5.0	µg/Kg
Iodomethane	ND	1	10	µg/Kg
Isopropanol	ND	1	100	µg/Kg
Isopropylbenzene	ND	1	5.0	µg/Kg
Methylene Chloride	ND	1	50	µg/Kg
Methyl-t-butyl Ether	ND	1	5.0	µg/Kg
Naphthalene	ND	1	5.0	µg/Kg
n-Butylbenzene	ND	1	5.0	µg/Kg
n-Propylbenzene	ND	1	5.0	µg/Kg
Pentachloroethane	ND	1	5.0	µg/Kg
p-Isopropyltoluene	ND	1	5.0	µg/Kg
sec-Butylbenzene	ND	1	5.0	µg/Kg
Styrene	ND	1	5.0	µg/Kg
tert-Amyl Methyl Ether	ND	1	5.0	µg/Kg
tert-Butanol (TBA)	ND	1	40	µg/Kg
tert-Butyl Ethyl Ether	ND	1	5.0	µg/Kg
tert-Butylbenzene	ND	1	5.0	µg/Kg
Tetrachloroethene	ND	1	5.0	µg/Kg
Tetrahydrofuran	ND	1	40	µg/Kg
Toluene	ND	1	5.0	µg/Kg
trans-1,2-Dichloroethene	ND	1	5.0	µg/Kg
trans-1,3-Dichloropropene	ND	1	5.0	µg/Kg
trans-1,4-Dichloro-2-butene	ND	1	10	µg/Kg
Trichloroethene	ND	1	5.0	µg/Kg
Trichlorofluoromethane	ND	1	5.0	µg/Kg
Vinyl Acetate	ND	1	5.0	µg/Kg
Vinyl Chloride	ND	1	5.0	µg/Kg
Xlenes, Total	ND	1	10	µg/Kg

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	92.9	60 - 130
Dibromofluoromethane	91.4	60 - 130
Toluene-d8	94.5	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM3E070228E

Reviewed by: EricKum - 02/28/07

QC Batch ID Analysis Date: 2/28/2007

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<5.0	40	33.6	µg/Kg	84.0	70 - 135
Benzene		<5.0	40	33.6	µg/Kg	84.0	70 - 135
Chlorobenzene		<5.0	40	36.3	µg/Kg	90.8	70 - 135
Methyl-t-butyl Ether		<5.0	40	28.1	µg/Kg	70.2	70 - 135
Toluene		<5.0	40	39.2	µg/Kg	98.0	70 - 135
Trichloroethene		<5.0	40	31.0	µg/Kg	77.5	70 - 135
Surrogate		% Recovery			Control Limits		
4-Bromofluorobenzene		110.0		60 - 130			
Dibromofluoromethane		97.0		60 - 130			
Toluene-d8		111.0		60 - 130			

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<5.0	40	38.1	µg/Kg	95.2	13	30.0	70 - 135
Benzene		<5.0	40	38.2	µg/Kg	95.5	13	30.0	70 - 135
Chlorobenzene		<5.0	40	37.8	µg/Kg	94.5	4.0	30.0	70 - 135
Methyl-t-butyl Ether		<5.0	40	28.5	µg/Kg	71.2	1.4	30.0	70 - 135
Toluene		<5.0	40	39.7	µg/Kg	99.2	1.3	30.0	70 - 135
Trichloroethene		<5.0	40	38.1	µg/Kg	95.2	21	30.0	70 - 135
Surrogate		% Recovery			Control Limits				
4-Bromofluorobenzene		98.7		60 - 130					
Dibromofluoromethane		97.4		60 - 130					
Toluene-d8		97.1		60 - 130					

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM6G070226G

Validated by: mfelix - 02/27/07

QC Batch Analysis Date: 2/26/2007

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,1-Trichloroethane	ND	1	5.0	µg/Kg
1,1,2,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,2-Trichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethene	ND	1	5.0	µg/Kg
1,1-Dichloropropene	ND	1	5.0	µg/Kg
1,2,3-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,3-Trichloropropane	ND	1	5.0	µg/Kg
1,2,4-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,4-Trimethylbenzene	ND	1	5.0	µg/Kg
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/Kg
1,2-Dibromoethane (EDB)	ND	1	5.0	µg/Kg
1,2-Dichlorobenzene	ND	1	5.0	µg/Kg
1,2-Dichloroethane	ND	1	5.0	µg/Kg
1,2-Dichloropropane	ND	1	5.0	µg/Kg
1,3,5-Trimethylbenzene	ND	1	5.0	µg/Kg
1,3-Dichlorobenzene	ND	1	5.0	µg/Kg
1,3-Dichloropropane	ND	1	5.0	µg/Kg
1,4-Dichlorobenzene	ND	1	5.0	µg/Kg
1,4-Dioxane	ND	1	200	µg/Kg
2,2-Dichloropropane	ND	1	5.0	µg/Kg
2-Butanone (MEK)	ND	1	40	µg/Kg
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/Kg
2-Chlorotoluene	ND	1	5.0	µg/Kg
2-Hexanone	ND	1	40	µg/Kg
4-Chlorotoluene	ND	1	5.0	µg/Kg
4-Methyl-2-Pentanone(MIBK)	ND	1	40	µg/Kg
Acetone	ND	1	100	µg/Kg
Acetonitrile	ND	1	40	µg/Kg
Acrolein	ND	1	5.0	µg/Kg
Acrylonitrile	ND	1	5.0	µg/Kg
Benzene	ND	1	5.0	µg/Kg
Benzyl Chloride	ND	1	5.0	µg/Kg
Bromobenzene	ND	1	5.0	µg/Kg
Bromochloromethane	ND	1	5.0	µg/Kg
Bromodichloromethane	ND	1	5.0	µg/Kg
Bromoform	ND	1	5.0	µg/Kg
Bromomethane	ND	1	5.0	µg/Kg
Carbon Disulfide	ND	1	5.0	µg/Kg
Carbon Tetrachloride	ND	1	5.0	µg/Kg
Chlorobenzene	ND	1	5.0	µg/Kg
Chloroethane	ND	1	5.0	µg/Kg
Chloroform	ND	1	5.0	µg/Kg
Chloromethane	ND	1	5.0	µg/Kg
cis-1,2-Dichloroethene	ND	1	5.0	µg/Kg
cis-1,3-Dichloropropene	ND	1	5.0	µg/Kg
Cyclohexanone	ND	1	40	µg/Kg
Dibromochloromethane	ND	1	5.0	µg/Kg
Dibromomethane	ND	1	5.0	µg/Kg
Dichlorodifluoromethane	ND	1	5.0	µg/Kg

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM6G070226G

Validated by: mfelix - 02/27/07

QC Batch Analysis Date: 2/26/2007

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/Kg
Ethyl Benzene	ND	1	5.0	µg/Kg
Freon 113	ND	1	10	µg/Kg
Hexachlorobutadiene	ND	1	5.0	µg/Kg
Iodomethane	ND	1	10	µg/Kg
Isopropanol	ND	1	100	µg/Kg
Isopropylbenzene	ND	1	5.0	µg/Kg
Methylene Chloride	ND	1	50	µg/Kg
Methyl-t-butyl Ether	ND	1	5.0	µg/Kg
Naphthalene	ND	1	5.0	µg/Kg
n-Butylbenzene	ND	1	5.0	µg/Kg
n-Propylbenzene	ND	1	5.0	µg/Kg
Pentachloroethane	ND	1	5.0	µg/Kg
p-Isopropyltoluene	ND	1	5.0	µg/Kg
sec-Butylbenzene	ND	1	5.0	µg/Kg
Styrene	ND	1	5.0	µg/Kg
tert-Amyl Methyl Ether	ND	1	5.0	µg/Kg
tert-Butanol (TBA)	ND	1	40	µg/Kg
tert-Butyl Ethyl Ether	ND	1	5.0	µg/Kg
tert-Butylbenzene	ND	1	5.0	µg/Kg
Tetrachloroethene	ND	1	5.0	µg/Kg
Tetrahydrofuran	ND	1	40	µg/Kg
Toluene	ND	1	5.0	µg/Kg
trans-1,2-Dichloroethene	ND	1	5.0	µg/Kg
trans-1,3-Dichloropropene	ND	1	5.0	µg/Kg
trans-1,4-Dichloro-2-butene	ND	1	10	µg/Kg
Trichloroethene	ND	1	5.0	µg/Kg
Trichlorofluoromethane	ND	1	5.0	µg/Kg
Vinyl Acetate	ND	1	5.0	µg/Kg
Vinyl Chloride	ND	1	5.0	µg/Kg
Xlenes, Total	ND	1	10	µg/Kg

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	97.9	60 - 130
Dibromofluoromethane	116	60 - 130
Toluene-d8	99.7	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM6G070226G

Reviewed by: mfelix - 02/27/07

QC Batch ID Analysis Date: 2/26/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<5.0	40	36.0	µg/Kg	90.0	70 - 135
Benzene	<5.0	40	37.2	µg/Kg	93.0	70 - 135
Chlorobenzene	<5.0	40	37.3	µg/Kg	93.2	70 - 135
Methyl-t-butyl Ether	<5.0	40	36.1	µg/Kg	90.2	70 - 135
Toluene	<5.0	40	34.1	µg/Kg	85.2	70 - 135
Trichloroethene	<5.0	40	36.6	µg/Kg	91.5	70 - 135
Surrogate	% Recovery	Control Limits				
4-Bromofluorobenzene	106.0	60	-	130		
Dibromofluoromethane	115.0	60	-	130		
Toluene-d8	99.7	60	-	130		

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<5.0	40	35.2	µg/Kg	88.0	2.2	30.0	70 - 135
Benzene	<5.0	40	36.0	µg/Kg	90.0	3.3	30.0	70 - 135
Chlorobenzene	<5.0	40	35.8	µg/Kg	89.5	4.1	30.0	70 - 135
Methyl-t-butyl Ether	<5.0	40	33.4	µg/Kg	83.5	7.8	30.0	70 - 135
Toluene	<5.0	40	32.7	µg/Kg	81.8	4.2	30.0	70 - 135
Trichloroethene	<5.0	40	35.3	µg/Kg	88.2	3.6	30.0	70 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	107.0	60	-	130				
Dibromofluoromethane	112.0	60	-	130				
Toluene-d8	99.8	60	-	130				

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

MS / MSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM6G070226G

Reviewed by: mfelix - 02/27/07

QC Batch ID Analysis Date: 2/26/2007

MS Sample Spiked: 54171-001

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	40	50.3	µg/Kg	2/26/2007	126	70 - 135
Benzene	ND	40	47.7	µg/Kg	2/26/2007	119	70 - 135
Chlorobenzene	ND	40	43.3	µg/Kg	2/26/2007	108	70 - 135
Methyl-t-butyl Ether	ND	40	41.3	µg/Kg	2/26/2007	103	70 - 135
Toluene	ND	40	42.2	µg/Kg	2/26/2007	106	70 - 135
Trichloroethene	ND	40	47.0	µg/Kg	2/26/2007	118	70 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	113.0	60 - 130
Dibromofluoromethane	122.0	60 - 130
Toluene-d8	101.0	60 - 130

MSD Sample Spiked: 54171-001

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	ND	40	49.8	µg/Kg	2/26/2007	124	1.0	30.0	70 - 135
Benzene	ND	40	47.2	µg/Kg	2/26/2007	118	1.1	30.0	70 - 135
Chlorobenzene	ND	40	42.7	µg/Kg	2/26/2007	107	1.4	30.0	70 - 135
Methyl-t-butyl Ether	ND	40	40.7	µg/Kg	2/26/2007	102	1.5	30.0	70 - 135
Toluene	ND	40	41.6	µg/Kg	2/26/2007	104	1.4	30.0	70 - 135
Trichloroethene	ND	40	46.4	µg/Kg	2/26/2007	116	1.3	30.0	70 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	113.0	60 - 130
Dibromofluoromethane	125.0	60 - 130
Toluene-d8	102.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Solid - TPH-Purgeable - GC: EPA 8015B

QC Batch ID: SGC070228

Validated by: EricKum - 03/01/07

QC Batch Analysis Date: 2/28/2007

Parameter	Result		DF	PQLR	Units
TPH as Gasoline	ND		1	0.50	mg/Kg
Surrogate for Blank	% Recovery	Control Limits			
4-Bromofluorobenzene	114	65 - 135			

LCS / LCSD - Solid - TPH-Purgeable - GC: EPA 8015B

QC Batch ID: SGC070228

Reviewed by: EricKum - 03/01/07

QC Batch ID Analysis Date: 2/28/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<0.50	2.5	2.54	mg/Kg	102	65 - 135
Surrogate	% Recovery	Control Limits				
4-Bromofluorobenzene	113.0	65 - 135				

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<0.50	2.5	2.64	mg/Kg	106	3.9	30.0	65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	121.0	65 - 135						

MS / MSD - Solid - TPH-Purgeable - GC: EPA 8015B

QC Batch ID: SGC070228

Reviewed by: EricKum - 03/01/07

QC Batch ID Analysis Date: 2/28/2007

MS Sample Spiked: 54171-001

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
TPH as Gasoline	ND	2.5	2.57	mg/Kg	2/28/2007	103	65 - 135
Surrogate	% Recovery	Control Limits					
4-Bromofluorobenzene	123.0	65 - 135					

MSD Sample Spiked: 54171-001

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	ND	2.5	2.27	mg/Kg	2/28/2007	90.8	12	30.0	65 - 135
Surrogate	% Recovery	Control Limits							
4-Bromofluorobenzene	130.0	65 - 135							

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Solid - TPH-Extractable: EPA 8015B(M)

QC/Prep Batch ID: SD070226A

Validated by: jhsiang - 02/28/07

QC/Prep Date: 2/26/2007

Parameter	Result	DF	PQLR	Units
TPH as Diesel	ND	1	2.5	mg/Kg
Surrogate for Blank	% Recovery	Control Limits		
o-Terphenyl	79.2	41 - 137		

LCS / LCSD - Solid - TPH-Extractable: EPA 8015B(M)

QC Batch ID: SD070226A

Reviewed by: jhsiang - 02/28/07

QC/Prep Date: 2/26/2007

LCS


Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Diesel	<2.5	50	41.3	mg/Kg	82.7	45 - 140
TPH as Motor Oil	<10	50	39.9	mg/Kg	79.8	45 - 140
Surrogate	% Recovery	Control Limits				
o-Terphenyl	79.0	41 - 137				

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Diesel	<2.5	50	41.5	mg/Kg	83.0	0.46	30.0	45 - 140
TPH as Motor Oil	<10	50	41.9	mg/Kg	83.7	4.8	30.0	45 - 140
Surrogate	% Recovery	Control Limits						
o-Terphenyl	77.7	41 - 137						

CHAIN OF CUSTODY RECORD

PROJ. NO. 3-96-631-ST	NAME 899 N. 13th Street, San Jose			CONTAINER	ANALYSES REQUESTED (2) TPH Oil 104 8015AO TPH Oil 104 8015MD TPH Oil 104 82605 *	REMARKS	
SAMPLERS: (Signature) Richard Mender	54171						
NO.	DATE	TIME	SOIL WATER	LOCATION			
1	3/23/07		✓	B-13-5	001	1 ✓ ✓ ✓	EDF # T06085 01966
2			✓	B-13-10	002	1 ✓ ✓ ✓	
3			✓	B-13-15	003	1 ✓ ✓ ✓	
4	↓		✓	B-13-40	004	1 ✓ ✓ ✓	* Full lists
							* Please send soil samples back to us when work is completed *
Relinquished by: (Signature) Richard Mender		Date / Time 3/20/07 1300	Received by: (Signature)	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time 3/26/07 1510	Received by: (Signature) Frank Hamed	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks Please send lab report to Frank Hamed		



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 52945
Issued: 12/21/2006**

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089

Certificate of Analysis - Final Report

On December 12, 2006, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	84.3	60 - 130
Dibromofluoromethane	96.3	60 - 130
Toluene-d8	93.3	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	12/14/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	97.9			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroform	0.97	1.0	0.50	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	85.1	60 - 130
Dibromofluoromethane	97.0	60 - 130
Toluene-d8	93.0	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	12/14/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	128			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	84.6	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	92.6	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	12/14/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	101			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:08 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	87.0	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	96.0	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 9:08:08 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	12/14/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	98.5			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Validated by: MaiChiTu - 12/14/06

QC Batch Analysis Date: 12/14/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	99.3	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	83.8	70 - 125
Dibromofluoromethane	92.9	70 - 125
Toluene-d8	92.6	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Reviewed by: MaiChiTu - 12/14/06

QC Batch ID Analysis Date: 12/14/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline		<50	120	124	µg/L	99.2	65 - 135
Surrogate	% Recovery						

4-Bromofluorobenzene

128.0

65 - 135

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline		<50	120	119	µg/L	95.2	4.1	25.0	65 - 135
Surrogate	% Recovery								

4-Bromofluorobenzene

115.0

65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: EricKum - 12/21/06

QC Batch ID Analysis Date: 12/20/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<0.50	20	18.3	µg/L	91.5	70 - 130
Benzene		<0.50	20	17.9	µg/L	89.5	70 - 130
Chlorobenzene		<0.50	20	18.5	µg/L	92.5	70 - 130
Methyl-t-butyl Ether		<1.0	20	15.4	µg/L	77.0	70 - 130
Toluene		<0.50	20	19.9	µg/L	99.5	70 - 130
Trichloroethene		<0.50	20	17.8	µg/L	89.0	70 - 130

Surrogate % Recovery Control Limits

4-Bromofluorobenzene	90.0	60	-	130
Dibromofluoromethane	93.0	60	-	130
Toluene-d8	92.0	60	-	130

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<0.50	20	19.9	µg/L	99.5	8.4	25.0	70 - 130
Benzene		<0.50	20	19.1	µg/L	95.5	6.5	25.0	70 - 130
Chlorobenzene		<0.50	20	19.2	µg/L	96.0	3.7	25.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	16.8	µg/L	84.0	8.7	25.0	70 - 130
Toluene		<0.50	20	20.7	µg/L	104	3.9	25.0	70 - 130
Trichloroethene		<0.50	20	19.1	µg/L	95.5	7.0	25.0	70 - 130

Surrogate % Recovery Control Limits

4-Bromofluorobenzene	90.4	60	-	130
Dibromofluoromethane	95.0	60	-	130
Toluene-d8	90.7	60	-	130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: EricKum - 12/21/06


QC Batch ID Analysis Date: 12/20/2006

MS Sample Spiked: 52945-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	20	22.8	µg/L	12/20/2006	114	70 - 130
Benzene	ND	20	22.4	µg/L	12/20/2006	112	70 - 130
Chlorobenzene	ND	20	21.7	µg/L	12/20/2006	108	70 - 130
Methyl-t-butyl Ether	ND	20	19.3	µg/L	12/20/2006	96.5	70 - 130
Toluene	ND	20	23.6	µg/L	12/20/2006	118	70 - 130
Trichloroethene	ND	20	21.7	µg/L	12/20/2006	108	70 - 130
Surrogate	% Recovery	Control Limits					
4-Bromofluorobenzene	92.0	60	-	130			
Dibromofluoromethane	97.0	60	-	130			
Toluene-d8	91.5	60	-	130			

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-ST	NAME 400 San Pablo Avenue, Albany			CONTAINER	ANALYSES REQUESTED (2) TAHG by 8015 EPA 8260/RT	REMARKS Lab# 52945	
SAMPLERS: (Signature) Barthol Munk							
NO.	DATE	TIME	SOIL WATER	LOCATION			
1	12/11/06	8:52	✓	C-1 -001	4	✓ ✓	EDF # T0600101089
2		9:30	✓	C-2 -002	4	✓ ✓	
3		10:01	✓	C-3 -003	4	✓ ✓	
4		10:42	✓	C-4 -004	4	✓ ✓	
							* Full List
							* All vials are HCL preserved *
Relinquished by: (Signature) Barthol Munk		Date / Time 12-12-06 8:00	Received by: (Signature) JM	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received by: (Signature)	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks		
					Please send lab report to Frank Hamielec		



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 52943
Issued: 12/21/2006**

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089

Certificate of Analysis - Final Report

On December 12, 2006, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab #: 52943-001 Sample ID: STMW-1 Matrix: Liquid Sample Date: 12/11/2006 4:47 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	3400	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	870	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND	100	5000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND	100	2000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND	100	2000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND	100	2000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acetone	ND	100	2000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Benzene	7500	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND	100	500	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloroform	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND	100	50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:15 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-001 Sample ID: STMW-1 Matrix: Liquid Sample Date: 12/11/2006 4:47 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	100		2000	µg/L	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	2300	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	100		2000	µg/L	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	100		100	µg/L	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	100		100	µg/L	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	100		2000	µg/L	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Naphthalene	620	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	100		1000	µg/L	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	100		2000	µg/L	N/A	N/A	12/19/2006	WM7061219
Toluene	1200	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	100		500	µg/L	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	8900	100		50	µg/L	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromofluorobenzene	90.0	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	93.1	60 - 130	
Toluene-d8	92.4	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 12/11/2006 4:47 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	42000		400	20000	µg/L	N/A	N/A	12/13/2006	WGC061213
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	119			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab #: 52943-002 Sample ID: STMW-2 Matrix: Liquid Sample Date: 12/11/2006 3:52 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	590	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	310	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND	20	1000	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acetone	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Benzene	1900	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloroform	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-002 Sample ID: STMW-2 Matrix: Liquid Sample Date: 12/11/2006 3:52 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	660	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	20	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	20	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	360	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Naphthalene	290	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	20	200	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	20	400	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Toluene	420	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	20	100	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	420	20	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromo fluorobenzene	92.4	60 - 130
Dibromofluoromethane	92.8	60 - 130
Toluene-d8	88.1	60 - 130

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 12/11/2006 3:52 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	39000			100 5000	µg/L	N/A	N/A	12/14/2006	WGC061213

Surrogate Surrogate Recovery Control Limits (%)

4-Bromofluorobenzene 271 *** 65 - 135

*** Surrogate recovery is outside of the control limits due to matrix interference.

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab #: 52943-003 Sample ID: STMW-3 Matrix: Liquid Sample Date: 12/11/2006 2:50 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzene	0.64		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-003 Sample ID: STMW-3 Matrix: Liquid Sample Date: 12/11/2006 2:50 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromofluorobenzene	85.2	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	91.7	60 - 130	
Toluene-d8	92.5	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-003 Sample ID: STMW-3

Matrix: Liquid Sample Date: 12/11/2006 2:50 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	12/14/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	97.8			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-004 Sample ID: STMW-4 Matrix: Liquid Sample Date: 12/11/2006 1:49 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroform	4.2		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-004 Sample ID: STMW-4 Matrix: Liquid Sample Date: 12/11/2006 1:49 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromofluorobenzene	82.5	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	89.1	60 - 130	
Toluene-d8	94.4	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-004 Sample ID: STMW-4

Matrix: Liquid Sample Date: 12/11/2006 1:49 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	mruan
4-Bromofluorobenzene	94.7			65 - 135				Reviewed by:	MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-005 Sample ID: STMW-5 Matrix: Liquid Sample Date: 12/11/2006 11:48 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroform	3.7		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-005 Sample ID: STMW-5 Matrix: Liquid Sample Date: 12/11/2006 11:48 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromofluorobenzene	83.6	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	94.9	60 - 130	
Toluene-d8	93.6	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-005 Sample ID: STMW-5

Matrix: Liquid Sample Date: 12/11/2006 11:48 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene	107			65 - 135				Analyzed by: mruan	Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab #: 52943-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 12/11/2006 12:51 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/19/2006	WM7061219
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/19/2006	WM7061219
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzene	10		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloroform	4.0		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/19/2006	WM7061219

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 12/11/2006 12:51 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Ethyl Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	12/19/2006	WM7061219

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromofluorobenzene	86.0	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	94.0	60 - 130	
Toluene-d8	94.5	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:17 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 12/11/2006 12:51 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	100		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214

Surrogate Surrogate Recovery Control Limits (%)

4-Bromofluorobenzene 189 *** 65 - 135

Analyzed by: mruan

Reviewed by: MaiChiTu

*** Surrogate recovery is outside of the control limits due to matrix interference.

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-007 Sample ID: MW-3 Matrix: Liquid Sample Date: 12/11/2006 10:50 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater									
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND	2.0	100	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetone	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzene	6.4	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Chloromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:17 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab #: 52943-007 Sample ID: MW-3 Matrix: Liquid Sample Date: 12/11/2006 10:50 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater									
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	42	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND	2.0	2.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND	2.0	2.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Styrene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND	2.0	20	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	160	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND	2.0	40	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Toluene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	22	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND	2.0	10	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	6.1	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND	2.0	1.0	µg/L	N/A	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: BDhabalia
4-Bromo fluoro benzene	85.0	60 - 130	Reviewed by: EricKum
Dibromo fluoro methane	99.0	60 - 130	
Toluene-d8	92.6	60 - 130	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

12/21/2006 8:54:17 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52943-007 Sample ID: MW-3

Matrix: Liquid Sample Date: 12/11/2006 10:50 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	460		5.0	250	µg/L	N/A	N/A	12/15/2006	WGC061215

Surrogate Surrogate Recovery Control Limits (%)

4-Bromofluorobenzene 196 *** 65 - 135

*** Surrogate recovery is outside of the control limits due to matrix interference.

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061213

Validated by: MaiChiTu - 12/13/06

QC Batch Analysis Date: 12/13/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	98.8	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Validated by: MaiChiTu - 12/14/06

QC Batch Analysis Date: 12/14/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	99.3	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061215

Validated by: MaiChiTu - 12/18/06

QC Batch Analysis Date: 12/15/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	94.7	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Validated by: MaiChiTu - 12/20/06

QC Batch Analysis Date: 12/19/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Validated by: MaiChiTu - 12/20/06

QC Batch Analysis Date: 12/19/2006

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	85.4	70 - 125
Dibromofluoromethane	91.8	70 - 125
Toluene-d8	91.5	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	83.8	70 - 125
Dibromofluoromethane	92.9	70 - 125
Toluene-d8	92.6	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061213

Reviewed by: MaiChiTu - 12/13/06

QC Batch ID Analysis Date: 12/13/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline		<50	120	121	µg/L	96.8	65 - 135
Surrogate	% Recovery			Control Limits			
4-Bromofluorobenzene		129.0	65 - 135				

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline		<50	120	120	µg/L	96.0	0.83	25.0	65 - 135
Surrogate	% Recovery			Control Limits					
4-Bromofluorobenzene		124.0	65 - 135						

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Reviewed by: MaiChiTu - 12/14/06

QC Batch ID Analysis Date: 12/14/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline		<50	120	124	µg/L	99.2	65 - 135
Surrogate	% Recovery			Control Limits			

4-Bromofluorobenzene

128.0

65 - 135

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline		<50	120	119	µg/L	95.2	4.1	25.0	65 - 135
Surrogate	% Recovery			Control Limits					

4-Bromofluorobenzene

115.0

65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061215

Reviewed by: MaiChiTu - 12/18/06

QC Batch ID Analysis Date: 12/15/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline		<50	120	111	µg/L	88.8	65 - 135
Surrogate	% Recovery			Control Limits			

4-Bromofluorobenzene

121.0 65 - 135

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline		<50	120	109	µg/L	87.2	1.8	25.0	65 - 135
Surrogate	% Recovery			Control Limits					

4-Bromofluorobenzene

128.0 65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Reviewed by: MaiChiTu - 12/20/06

QC Batch ID Analysis Date: 12/19/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<0.50	20	20.1	µg/L	100	70 - 130
Benzene		<0.50	20	19.1	µg/L	95.5	70 - 130
Chlorobenzene		<0.50	20	19.2	µg/L	96.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	15.2	µg/L	76.0	70 - 130
Toluene		<0.50	20	21.1	µg/L	106	70 - 130
Trichloroethene		<0.50	20	19.3	µg/L	96.5	70 - 130

Surrogate

	% Recovery	Control Limits
4-Bromofluorobenzene	90.3	60 - 130
Dibromofluoromethane	90.5	60 - 130
Toluene-d8	90.4	60 - 130

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<0.50	20	18.9	µg/L	94.5	6.6	25.0	70 - 130
Benzene		<0.50	20	18.1	µg/L	90.5	5.4	25.0	70 - 130
Chlorobenzene		<0.50	20	18.5	µg/L	92.5	3.7	25.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	15.5	µg/L	77.5	2.0	25.0	70 - 130
Toluene		<0.50	20	20.0	µg/L	100	4.9	25.0	70 - 130
Trichloroethene		<0.50	20	18.4	µg/L	91.5	5.3	25.0	70 - 130

Surrogate

	% Recovery	Control Limits
4-Bromofluorobenzene	90.0	60 - 130
Dibromofluoromethane	87.9	60 - 130
Toluene-d8	93.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: EricKum - 12/21/06

QC Batch ID Analysis Date: 12/20/2006

LCS


Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<0.50	20	18.3	µg/L	91.5	70 - 130
Benzene		<0.50	20	17.9	µg/L	89.5	70 - 130
Chlorobenzene		<0.50	20	18.5	µg/L	92.5	70 - 130
Methyl-t-butyl Ether		<1.0	20	15.4	µg/L	77.0	70 - 130
Toluene		<0.50	20	19.9	µg/L	99.5	70 - 130
Trichloroethene		<0.50	20	17.8	µg/L	89.0	70 - 130
Surrogate	% Recovery	Control Limits					
4-Bromofluorobenzene	90.0	60	-	130			
Dibromofluoromethane	93.0	60	-	130			
Toluene-d8	92.0	60	-	130			

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<0.50	20	19.9	µg/L	99.5	8.4	25.0	70 - 130
Benzene		<0.50	20	19.1	µg/L	95.5	6.5	25.0	70 - 130
Chlorobenzene		<0.50	20	19.2	µg/L	96.0	3.7	25.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	16.8	µg/L	84.0	8.7	25.0	70 - 130
Toluene		<0.50	20	20.7	µg/L	104	3.9	25.0	70 - 130
Trichloroethene		<0.50	20	19.1	µg/L	95.5	7.0	25.0	70 - 130
Surrogate	% Recovery	Control Limits							
4-Bromofluorobenzene	90.4	60	-	130					
Dibromofluoromethane	95.0	60	-	130					
Toluene-d8	90.7	60	-	130					

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-ST	NAME 400 Sant Pablo Avenue, Albany				CONTAINER	ANALYSES REQUESTED (2) TPH by EPA 5PPM	Lab# 52943	REMARKS
SAMPLERS: (Signature) Ruth Mamedi								
NO.	DATE	TIME	SOIL WATER	LOCATION				
1	12/11/06	1647	✓	STMW-1 -001	4	✓ ✓	EDF # T0600101089	
2		1552	✓	STMW-2 -002	4	✓ ✓		
3		1450	✓	STMW-3 -003	4	✓ ✓		
4		1349	✓	STMW-4 -004	4	✓ ✓		
5		1148	✓	STMW-5 -005	4	✓ ✓	* Full list	
6		1251	✓	MW-2 -006	4	✓ ✓		
7	✓	1050	✓	MW-3 007	4	✓ ✓		
<i>* All vials are HCl preserved *</i>								
Relinquished by: (Signature) Ruth Mamedi		Date / Time 12-12-06 1550	Received by: (Signature) MW/CJG		Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received by: (Signature)		Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)		Date / Time	Remarks		
						<i>Please send lab report to Frank Mamedi</i>		



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 52248
Issued: 11/10/2006**

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089

Certificate of Analysis - Final Report

On November 02, 2006, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Erin Cunniffe
Operations Manager

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-001 Sample ID: 421-CPT2-17 Matrix: Liquid Sample Date: 11/1/2006 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzene	7.7	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-001 Sample ID: 421-CPT2-17 Matrix: Liquid Sample Date: 11/1/2006 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	1.1		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	6.5		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	4.6		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	101	60 - 130
Dibromofluoromethane	96.7	60 - 130
Toluene-d8	97.1	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi**

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-001 **Sample ID:** 421-CPT2-17

Matrix: Liquid **Sample Date:** 11/1/2006 9:45 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

TPH Analytical QC: EPA 8030C / EPA 8010B									
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	59		1.0	50	µg/L	N/A	N/A	11/3/2006	WGC061103
Surrogate	Surrogate Recovery						Control Limits (%)		
4-Bromofluorobenzene	101		65	-	135			Analyzed by: MaiChiTu	Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-002 Sample ID: 421-CPT2-22 Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	23	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	7.7	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzene	46	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-002 Sample ID: 421-CPT2-22 Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	18		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	1.2		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	31		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	78		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.9	60 - 130
Dibromofluoromethane	97.2	60 - 130
Toluene-d8	95.0	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-002 Sample ID: 421-CPT2-22

Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	580		2.0	100	µg/L	N/A	N/A	11/6/2006	WGC061106

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	167 ***	65 - 135

Analyzed by: mruan

Reviewed by: EricKum

*** Surrogate recovery was outside of the QC limits due to matrix interference.

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-003 Sample ID: 421-CPT3-21 Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzene	1.7	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-003 Sample ID: 421-CPT3-21 Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	2.6	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	98.6	60 - 130
Dibromofluoromethane	100	60 - 130
Toluene-d8	96.2	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-003 Sample ID: 421-CPT3-21

Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	11/3/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	MaiChiTu
4-Bromofluorobenzene	118			65 - 135				Reviewed by:	TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-004 Sample ID: 421-CPT1-23 Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater									
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzene	2.1	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-004 Sample ID: 421-CPT1-23 Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	0.76	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	102	60 - 130
Dibromofluoromethane	97.6	60 - 130
Toluene-d8	98.6	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-004 Sample ID: 421-CPT1-23

Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	50	µg/L	N/A	N/A	11/3/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	MaiChiTu
4-Bromofluorobenzene	101			65	-	135		Reviewed by:	TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Validated by: MaiChiTu - 11/09/06

QC Batch Analysis Date: 11/7/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Validated by: MaiChiTu - 11/09/06

QC Batch Analysis Date: 11/7/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	100	70 - 125
Dibromofluoromethane	104	70 - 125
Toluene-d8	96.7	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Reviewed by: MaiChiTu - 11/09/06

QC Batch ID Analysis Date: 11/7/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<0.50	20	21.1	µg/L	105	70 - 130
Benzene		<0.50	20	20.3	µg/L	101	70 - 130
Chlorobenzene		<0.50	20	20.5	µg/L	103	70 - 130
Methyl-t-butyl Ether		<1.0	20	18.6	µg/L	93.0	70 - 130
Toluene		<0.50	20	19.3	µg/L	96.7	70 - 130
Trichloroethene		<0.50	20	21.6	µg/L	108	70 - 130

Surrogate

	% Recovery	Control Limits
4-Bromofluorobenzene	98.2	60 - 130
Dibromofluoromethane	95.6	60 - 130
Toluene-d8	97.3	60 - 130

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<0.50	20	20.7	µg/L	104	1.8	25.0	70 - 130
Benzene		<0.50	20	19.5	µg/L	97.4	4.1	25.0	70 - 130
Chlorobenzene		<0.50	20	19.9	µg/L	99.7	2.8	25.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	19.0	µg/L	95.1	2.2	25.0	70 - 130
Toluene		<0.50	20	18.9	µg/L	94.6	2.2	25.0	70 - 130
Trichloroethene		<0.50	20	21.0	µg/L	105	2.7	25.0	70 - 130

Surrogate

	% Recovery	Control Limits
4-Bromofluorobenzene	97.7	60 - 130
Dibromofluoromethane	96.0	60 - 130
Toluene-d8	95.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061103

Validated by: TFulton - 11/06/06

QC Batch Analysis Date: 11/3/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	95.2	65 - 135

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061103

Reviewed by: TFulton - 11/06/06

QC Batch ID Analysis Date: 11/3/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	115	µg/L	92.4	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	121.0	65 - 135

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	115	µg/L	91.8	0.56	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	120.0	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061106

Validated by: EricKum - 11/08/06

QC Batch Analysis Date: 11/6/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	95.4	65 - 135

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061106

Reviewed by: EricKum - 11/08/06

QC Batch ID Analysis Date: 11/6/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	112	µg/L	89.5	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	121.0	65 - 135


LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	108	µg/L	86.4	3.5	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	118.0	65 - 135

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI	NAME 400 San Pablo Avenue, Albany				CONTAINER	ANALYSES REQUESTED (2) TRP 1 42018 EPA 8260B*	REMARKS
SAMPLERS: (Signature) Vicki Clemon	52248						
NO.	DATE	TIME	SOIL	WATER	LOCATION		
10/1/06	9:45	✓	421-CPT 2-17	001	5voA	X X	EDF # T06001089
	10/15	✓	421 - CPT2-22	002	5"		
↓	12:00	✓	421 - CPT3-21	003	5		
↓	11:30	✓	421 - CPT1-23	004	5↓	↓	
<p>*All vials are HCL preserved</p> <p>* Full lists</p>							
Relinquished by: (Signature) V. Clemon		Date / Time 11/1/06 4:00	Received by: (Signature) Dianne Nguyen	Relinquished by: (Signature) Dianne Nguyen		Date / Time 11/02/06 12:11	Received by: (Signature) Vicki Clemon
Relinquished by: (Signature)		Date / Time	Received by: (Signature)	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks	Please send lab report to Frank Hamedi	



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 52081
Issued: 11/02/2006**

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089

Certificate of Analysis - Final Report

On October 25, 2006, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	Electronic Deliverables for Geotracker VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater TPH-Purgeable: GC/MS	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



**Erin Cunniffe
Operations Manager**

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethene	0.50	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	2.0	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
cis-1,3-Dichloropropene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Cyclohexanone	ND	1.0		20	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromochloromethane	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromomethane	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dichlorodifluoromethane	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Diisopropyl Ether	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Ethyl Benzene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Freon 113	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Hexachlorobutadiene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Iodomethane	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropanol	ND	1.0		20	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropylbenzene	ND	1.0		1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methyl-t-butyl Ether	ND	1.0		1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methylene Chloride	ND	1.0		20	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Butylbenzene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Propylbenzene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Naphthalene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
p-Isopropyltoluene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Pentachloroethane	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
sec-Butylbenzene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Styrene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Amyl Methyl Ether	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butanol (TBA)	ND	1.0		10	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butyl Ethyl Ether	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butylbenzene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrachloroethene	7.9	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrahydrofuran	ND	1.0		20	µg/L	N/A	N/A	10/27/2006	WM1061027
Toluene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,2-Dichloroethene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,3-Dichloropropene	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,4-Dichloro-2-butene	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichloroethene	1.8	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichlorofluoromethane	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Acetate	ND	1.0		5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Chloride	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Xylenes, Total	ND	1.0		0.50	µg/L	N/A	N/A	10/27/2006	WM1061027

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	103	60 - 130
Dibromofluoromethane	96.2	60 - 130
Toluene-d8	104	60 - 130

Analyzed by: XBian

Reviewed by: TFulton

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	25	µg/L	N/A	N/A	10/27/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	XBian
4-Bromofluorobenzene	93.0			60	-	130		Reviewed by:	TFulton
Dibromofluoromethane	101			60	-	130			
Toluene-d8	96.7			60	-	130			

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52081-002 Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-002 Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
cis-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Cyclohexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Dibromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Dibromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Dichlorodifluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Diisopropyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Ethyl Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Freon 113	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Hexachlorobutadiene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Iodomethane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Isopropanol	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Isopropylbenzene	ND	1.0	1.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Methyl-t-butyl Ether	ND	1.0	1.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Methylene Chloride	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
n-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
n-Propylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Naphthalene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
p-Isopropyltoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Pentachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
sec-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Styrene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
tert-Amyl Methyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
tert-Butanol (TBA)	ND	1.0	10	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
tert-Butyl Ethyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
tert-Butylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Tetrachloroethene	8.2	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Tetrahydrofuran	ND	1.0	20	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Toluene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
trans-1,2-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
trans-1,3-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
trans-1,4-Dichloro-2-butene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Trichloroethene	0.67	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Trichlorofluoromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Vinyl Acetate	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Vinyl Chloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027
Xylenes, Total	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/27/2006	WM1061027

Surrogate Surrogate Recovery

Control Limits (%)

Analyzed by: XBian

4-Bromofluorobenzene

105

60 - 130

Reviewed by: TFulton

Dibromofluoromethane

97.2

60 - 130

Toluene-d8

102

60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-002 Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	25	µg/L	N/A	N/A	10/27/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	XBian
4-Bromofluorobenzene	94.7			60	-	130		Reviewed by:	TFulton
Dibromofluoromethane	102			60	-	130			
Toluene-d8	95.4			60	-	130			

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52081-003 Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,1-Trichloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,2,2-Tetrachloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,2-Trichloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloropropene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichlorobenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichloropropane	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trichlorobenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trimethylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromo-3-Chloropropane	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromoethane (EDB)	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichlorobenzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloropropane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3,5-Trimethylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3-Dichlorobenzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3-Dichloropropane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,4-Dichlorobenzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,4-Dioxane	ND	5.0	250	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2,2-Dichloropropane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Butanone (MEK)	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Chloroethyl-vinyl Ether	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Chlorotoluene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Hexanone	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
4-Chlorotoluene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
4-Methyl-2-Pentanone(MIBK)	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acetone	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acetonitrile	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acrolein	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acrylonitrile	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Benzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Benzyl Chloride	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromobenzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromochloromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromodichloromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromoform	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromomethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Carbon Disulfide	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Carbon Tetrachloride	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chlorobenzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloroform	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-003 Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	430	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
cis-1,3-Dichloropropene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Cyclohexanone	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Dibromochloromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Dibromomethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Dichlorodifluoromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Diisopropyl Ether	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Ethyl Benzene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Freon 113	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Hexachlorobutadiene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Iodomethane	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Isopropanol	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Isopropylbenzene	ND	5.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Methyl-t-butyl Ether	ND	5.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Methylene Chloride	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
n-Butylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
n-Propylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Naphthalene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
p-Isopropyltoluene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Pentachloroethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
sec-Butylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Styrene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
tert-Amyl Methyl Ether	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
tert-Butanol (TBA)	ND	5.0	50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
tert-Butyl Ethyl Ether	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
tert-Butylbenzene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Tetrachloroethene	48	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Tetrahydrofuran	ND	5.0	100	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Toluene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
trans-1,2-Dichloroethene	7.1	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
trans-1,3-Dichloropropene	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
trans-1,4-Dichloro-2-butene	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Trichloroethene	29	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Trichlorofluoromethane	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Vinyl Acetate	ND	5.0	25	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Vinyl Chloride	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Xylenes, Total	ND	5.0	2.5	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	106	60 - 130
Dibromofluoromethane	100	60 - 130
Toluene-d8	104	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/2/2006 12:32:33 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-003 Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	310		5.0	120	µg/L	N/A	N/A	10/31/2006	WM1061031
Reported TPH as Gasoline value is the result of a discrete peak within the TPH as Gasoline quantitation range.									
Surrogate Surrogate Recovery Control Limits (%) Analyzed by: XBian 4-Bromofluorobenzene 95.6 60 - 130 Reviewed by: MaiChiTu Dibromofluoromethane 105 60 - 130 Toluene-d8 96.9 60 - 130									

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52081-004 Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,1-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,2,2-Tetrachloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1,2-Trichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloropropene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trichlorobenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromo-3-Chloropropane	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromoethane (EDB)	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3,5-Trimethylbenzene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,3-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,4-Dichlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
1,4-Dioxane	ND	1.0	50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2,2-Dichloropropane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Butanone (MEK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Chloroethyl-vinyl Ether	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
2-Hexanone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
4-Chlorotoluene	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
4-Methyl-2-Pentanone(MIBK)	ND	1.0	20	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acetone	ND	1.0	20	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acetonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acrolein	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Acrylonitrile	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Benzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Benzyl Chloride	ND	1.0	5.0	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromochloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromodichloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromoform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Bromomethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Carbon Disulfide	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Carbon Tetrachloride	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chlorobenzene	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloroethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloroform	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031
Chloromethane	ND	1.0	0.50	µg/L	N/A	N/A	N/A	10/31/2006	WM1061031

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:33 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-004 Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	3.3		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrachloroethene	2.6		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichloroethene	1.3		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Xylenes, Total	0.67		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	106	60 - 130
Dibromofluoromethane	99.2	60 - 130
Toluene-d8	102	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/2/2006 12:32:33 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52081-004 Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND			1.0	25	µg/L	N/A	N/A	10/31/2006
Surrogate	Surrogate Recovery			Control Limits (%)				Analyzed by:	XBian
4-Bromofluorobenzene	95.5			60	-	130		Reviewed by:	MaiChiTu
Dibromofluoromethane	104			60	-	130			
Toluene-d8	95.4			60	-	130			

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	87.5	70 - 125
Dibromofluoromethane	85.1	70 - 125
Toluene-d8	109	70 - 125

Method Blank - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	78.9	60 - 130
Dibromofluoromethane	89.0	60 - 130
Toluene-d8	102	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Reviewed by: TFulton - 10/30/06

QC Batch ID Analysis Date: 10/27/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.9	µg/L	94.5	70 - 130
Benzene	<0.50	20	19.0	µg/L	95.0	70 - 130
Chlorobenzene	<0.50	20	20.9	µg/L	104	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.7	µg/L	108	70 - 130
Toluene	<0.50	20	19.2	µg/L	96.0	70 - 130
Trichloroethene	<0.50	20	20.8	µg/L	104	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	108.0	60 - 130
Dibromofluoromethane	103.0	60 - 130
Toluene-d8	100.0	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	21.0	µg/L	105	11	25.0	70 - 130
Benzene	<0.50	20	20.9	µg/L	104	9.5	25.0	70 - 130
Chlorobenzene	<0.50	20	21.3	µg/L	106	1.9	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.9	µg/L	120	9.6	25.0	70 - 130
Toluene	<0.50	20	19.9	µg/L	99.5	3.6	25.0	70 - 130
Trichloroethene	<0.50	20	21.8	µg/L	109	4.7	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	110.0	60 - 130
Dibromofluoromethane	109.0	60 - 130
Toluene-d8	99.6	60 - 130

LCS / LCSD - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061027

Reviewed by: TFulton - 10/30/06

QC Batch ID Analysis Date: 10/27/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<25	120	107	µg/L	85.6	65 - 135
Surrogate	% Recovery	Control Limits				

4-Bromofluorobenzene	90.5	60 - 130
Dibromofluoromethane	97.7	60 - 130
Toluene-d8	93.4	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<25	120	107	µg/L	85.8	0.19	25.0	65 - 135
Surrogate	% Recovery	Control Limits						

4-Bromofluorobenzene	96.3	60 - 130
Dibromofluoromethane	99.5	60 - 130
Toluene-d8	94.5	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xlenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	101	70 - 125
Dibromofluoromethane	90.1	70 - 125
Toluene-d8	101	70 - 125

Method Blank - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	91.2	60 - 130
Dibromofluoromethane	94.3	60 - 130
Toluene-d8	94.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Reviewed by: MaiChiTu - 10/31/06

QC Batch ID Analysis Date: 10/31/2006

LCS

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene		<0.50	20	18.3	µg/L	91.5	70 - 130
Benzene		<0.50	20	20.1	µg/L	100	70 - 130
Chlorobenzene		<0.50	20	21.1	µg/L	106	70 - 130
Methyl-t-butyl Ether		<1.0	20	20.5	µg/L	102	70 - 130
Toluene		<0.50	20	19.3	µg/L	96.5	70 - 130
Trichloroethene		<0.50	20	20.8	µg/L	104	70 - 130
Surrogate	% Recovery	Control Limits					
4-Bromofluorobenzene	103.0	60	-	130			
Dibromofluoromethane	96.3	60	-	130			
Toluene-d8	96.5	60	-	130			

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene		<0.50	20	14.6	µg/L	73.0	22	25.0	70 - 130
Benzene		<0.50	20	16.1	µg/L	80.5	22	25.0	70 - 130
Chlorobenzene		<0.50	20	17.3	µg/L	86.5	20	25.0	70 - 130
Methyl-t-butyl Ether		<1.0	20	17.3	µg/L	86.5	17	25.0	70 - 130
Toluene		<0.50	20	15.8	µg/L	79.0	20	25.0	70 - 130
Trichloroethene		<0.50	20	16.6	µg/L	83.0	22	25.0	70 - 130
Surrogate	% Recovery	Control Limits							
4-Bromofluorobenzene	101.0	60	-	130					
Dibromofluoromethane	93.3	60	-	130					
Toluene-d8	97.1	60	-	130					

LCS / LCSD - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061031

Reviewed by: MaiChiTu - 11/01/06

QC Batch ID Analysis Date: 10/31/2006


LCS


Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline		<25	120	128	µg/L	102	65 - 135
Surrogate	% Recovery	Control Limits					
4-Bromofluorobenzene	94.6	60	-	130			
Dibromofluoromethane	93.6	60	-	130			
Toluene-d8	95.1	60	-	130			

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline		<25	120	106	µg/L	85.2	18	25.0	65 - 135
Surrogate	% Recovery	Control Limits							
4-Bromofluorobenzene	96.1	60	-	130					
Dibromofluoromethane	97.3	60	-	130					
Toluene-d8	92.8	60	-	130					

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI	NAME 400 San Pablo Avenue, Albany				CON- TAINER	ANALYSES REQUESTED (2) TPHg by SPAD FPT 2000*	REMARKS Lab # 52081
SAMPLERS: (Signature) Richard Mamedi							
NO.	DATE	TIME	SOIL WATER	LOCATION			
1	10/23/06		✓	GP-1 -001	5	✓ ✓	EDF # T06001089
2			✓	GP-2 -002	5	✓ ✓	
3			✓	GP-3 -003	5	✓ ✓	
4	✓		✓	GP-4 -004	5	✓ ✓	
* Full lists							
* All vials are HCL preserved							
Relinquished by: (Signature) Richard Mamedi		Date / Time 10/25/06 1108	Received by: (Signature)	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature) 		Date / Time 10/25/06 1108	Received by: (Signature) Kane Main	Relinquished by: (Signature)		Date / Time	Received by: (Signature)
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks Please send lab report to Frank Hamedi		



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

**Lab Certificate Number: 52079
Issued: 11/07/2006**

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089

Certificate of Analysis - Final Report

On October 25, 2006, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Solid	Electronic Deliverables for Geotracker ICP Metals: EPA 3050B / EPA 6010B VOCs: EPA 8260B TPH-Purgeable: GC/MS	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Erin Cunniffe
Operations Manager

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-001 Sample ID: 421-GP-1-6 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:11 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-001 Sample ID: 421-GP-1-6 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/1/2006	SM3061101
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	61.2	60 - 130
Dibromofluoromethane	89.7	60 - 130
Toluene-d8	86.2	60 - 130

Analyzed by: MFelix

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/7/2006 5:00:11 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52079-001 Sample ID: 421-GP-1-6

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	5.8		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene	64.5		60	-	130				Analyzed by: MFelix
Dibromofluoromethane	94.5		60	-	130				Reviewed by: MaiChiTu
Toluene-d8	84.4		60	-	130				

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-002 Sample ID: 421-GP-1-10 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:11 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-002 Sample ID: 421-GP-1-10 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/1/2006	SM3061101
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/1/2006	SM3061101

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	60.3	60 - 130
Dibromofluoromethane	86.3	60 - 130
Toluene-d8	83.2	60 - 130

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-002 Sample ID: 421-GP-1-10

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	6.3		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/1/2006	SM3061101
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene 63.2 60 - 130 Analyzed by: Mfelix									
Dibromofluoromethane 91.2 60 - 130 Reviewed by: MaiChiTu									
Toluene-d8 81.0 60 - 130									

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-003 Sample ID: 421-GP-2-7 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetone	210		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzene	12		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:12 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-003 Sample ID: 421-GP-2-7 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Propylbenzene	6.2		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	74.9	60 - 130
Dibromofluoromethane	81.6	60 - 130
Toluene-d8	66.9	60 - 130

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-003 Sample ID: 421-GP-2-7

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	5.1		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	1400		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene 81.9 60 - 130 Analyzed by: Mfelix									
Dibromofluoromethane 85.4 60 - 130 Reviewed by: MaiChiTu									
Toluene-d8 66.4 60 - 130									

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-004 Sample ID: 421-GP-2-13.5 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/4/2006	SM3061103
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:12 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52079-004 Sample ID: 421-GP-2-13.5 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/4/2006	SM3061103
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/4/2006	SM3061103

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	80.6	60 - 130
Dibromofluoromethane	90.2	60 - 130
Toluene-d8	90.1	60 - 130

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-004 Sample ID: 421-GP-2-13.5

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	5.6		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/4/2006	SM3061103
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene 84.5 60 - 130									
Dibromofluoromethane 93.5 60 - 130									
Toluene-d8 87.8 60 - 130									

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-005 Sample ID: 421-GP-3-7 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:12 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #:	52079-005	Sample ID:	421-GP-3-7	Matrix:	Solid	Sample Date:	10/23/2006		
VOCs: EPA 8260B									
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: Mfelix
4-Bromofluorobenzene	65.5	60 - 130	Reviewed by: MaiChiTu
Dibromofluoromethane	85.9	60 - 130	
Toluene-d8	85.1	60 - 130	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-005 Sample ID: 421-GP-3-7

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	8.4		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene 72.0 60 - 130									
Dibromofluoromethane 89.5 60 - 130									
Toluene-d8 86.9 60 - 130									

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-006 Sample ID: 421-GP-3-13

Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:12 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-006 Sample ID: 421-GP-3-13

Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrachloroethene	50		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichloroethene	6.7		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/3/2006	SM3061103

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	89.6	60 - 130
Dibromofluoromethane	95.9	60 - 130
Toluene-d8	96.4	60 - 130

Analyzed by: Mfelix

Reviewed by: MaiChiTu

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

11/7/2006 5:00:12 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab #: 52079-006 Sample ID: 421-GP-3-13 Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Antimony	1.6		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Arsenic	6.6		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Barium	160		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Beryllium	ND		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Cadmium	ND		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Chromium	65		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Cobalt	7.7		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Copper	33		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Lead	6.8		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Molybdenum	ND		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Nickel	110		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Selenium	ND		1.0	2.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Silver	ND		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Thallium	ND		1.0	2.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Vanadium	68		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025
Zinc	51		1.0	2.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/3/2006	SM3061103
Surrogate	Surrogate Recovery		Control Limits (%)						Analyzed by: Mfelix
4-Bromofluorobenzene	95.0		60	-	130				Reviewed by: MaiChiTu
Dibromofluoromethane	101		60	-	130				
Toluene-d8	95.0		60	-	130				

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-007 Sample ID: 421-GP-4-11 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:13 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-007 Sample ID: 421-GP-4-11 Matrix: Solid Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/2/2006	SM3061102
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102

Surrogate

Surrogate Recovery

Control Limits (%)

Analyzed by: Mfelix

4-Bromofluorobenzene

102

60 - 130

Reviewed by: MaiChiTu

Dibromofluoromethane

101

60 - 130

Toluene-d8

100

60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-007 Sample ID: 421-GP-4-11

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	6.3		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene	109		60	-	130				Analyzed by: Mfelix
Dibromofluoromethane	107		60	-	130				Reviewed by: MaiChiTu
Toluene-d8	99.7		60	-	130				

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-008 Sample ID: 421-GP-4-13

Matrix: Solid

Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,1-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,2,2-Tetrachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1,2-Trichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,1-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,3-Trichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dibromoethane (EDB)	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,3-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,4-Dichlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
1,4-Dioxane	ND		1.0	200	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2,2-Dichloropropane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Butanone (MEK)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
2-Hexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
4-Chlorotoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
4-Methyl-2-Pentanone(MIBK)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acetone	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acetonitrile	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acrolein	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Acrylonitrile	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Benzyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromodichloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromoform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Bromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Carbon Disulfide	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Carbon Tetrachloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chlorobenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloroform	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Chloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/7/2006 5:00:13 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006

Sample Collected by: Client

Lab #: 52079-008 Sample ID: 421-GP-4-13

Matrix: Solid

Sample Date: 10/23/2006

VOCs: EPA 8260B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
cis-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Cyclohexanone	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dibromochloromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dibromomethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Dichlorodifluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Diisopropyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Ethyl Benzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Freon 113	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Hexachlorobutadiene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Iodomethane	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Isopropanol	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Isopropylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Methyl-t-butyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Methylene Chloride	ND		1.0	50	µg/Kg	N/A	N/A	11/2/2006	SM3061102
n-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
n-Propylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Naphthalene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
p-Isopropyltoluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Pentachloroethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
sec-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Styrene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butanol (TBA)	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
tert-Butylbenzene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Tetrachloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Tetrahydrofuran	ND		1.0	40	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Toluene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,2-Dichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,3-Dichloropropene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
trans-1,4-Dichloro-2-butene	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Trichloroethene	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Trichlorofluoromethane	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Vinyl Acetate	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Vinyl Chloride	ND		1.0	5.0	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Xylenes, Total	ND		1.0	10	µg/Kg	N/A	N/A	11/2/2006	SM3061102

Surrogate

Surrogate Recovery

Control Limits (%)

Analyzed by: Mfelix

4-Bromofluorobenzene

83.4

60 - 130

Reviewed by: MaiChiTu

Dibromofluoromethane

95.0

60 - 130

Toluene-d8

99.3

60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52079-008 Sample ID: 421-GP-4-13

Matrix: Solid Sample Date: 10/23/2006

ICP Metals: EPA 3050B / EPA 6010B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Lead	4.6		1.0	1.0	mg/Kg	10/25/2006	SM061025	10/26/2006	SM061025

Analyzed by: Equeja

Reviewed by: HDINH

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	100	µg/Kg	N/A	N/A	11/2/2006	SM3061102
Surrogate Surrogate Recovery Control Limits (%)									
4-Bromofluorobenzene	89.2		60	-	130				Analyzed by: Mfelix
Dibromofluoromethane	100		60	-	130				Reviewed by: MaiChiTu
Toluene-d8	98.7		60	-	130				

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061101

Validated by: MaiChiTu - 11/02/06

QC Batch Analysis Date: 11/1/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,1-Trichloroethane	ND	1	5.0	µg/Kg
1,1,2,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,2-Trichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethene	ND	1	5.0	µg/Kg
1,1-Dichloropropene	ND	1	5.0	µg/Kg
1,2,3-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,3-Trichloropropane	ND	1	5.0	µg/Kg
1,2,4-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,4-Trimethylbenzene	ND	1	5.0	µg/Kg
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/Kg
1,2-Dibromoethane (EDB)	ND	1	5.0	µg/Kg
1,2-Dichlorobenzene	ND	1	5.0	µg/Kg
1,2-Dichloroethane	ND	1	5.0	µg/Kg
1,2-Dichloropropane	ND	1	5.0	µg/Kg
1,3,5-Trimethylbenzene	ND	1	5.0	µg/Kg
1,3-Dichlorobenzene	ND	1	5.0	µg/Kg
1,3-Dichloropropane	ND	1	5.0	µg/Kg
1,4-Dichlorobenzene	ND	1	5.0	µg/Kg
1,4-Dioxane	ND	1	200	µg/Kg
2,2-Dichloropropane	ND	1	5.0	µg/Kg
2-Butanone (MEK)	ND	1	40	µg/Kg
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/Kg
2-Chlorotoluene	ND	1	5.0	µg/Kg
2-Hexanone	ND	1	40	µg/Kg
4-Chlorotoluene	ND	1	5.0	µg/Kg
4-Methyl-2-Pantanone(MIBK)	ND	1	40	µg/Kg
Acetone	ND	1	100	µg/Kg
Acetonitrile	ND	1	40	µg/Kg
Acrolein	ND	1	5.0	µg/Kg
Acrylonitrile	ND	1	5.0	µg/Kg
Benzene	ND	1	5.0	µg/Kg
Benzyl Chloride	ND	1	5.0	µg/Kg
Bromobenzene	ND	1	5.0	µg/Kg
Bromochloromethane	ND	1	5.0	µg/Kg
Bromodichloromethane	ND	1	5.0	µg/Kg
Bromoform	ND	1	5.0	µg/Kg
Bromomethane	ND	1	5.0	µg/Kg
Carbon Disulfide	ND	1	5.0	µg/Kg
Carbon Tetrachloride	ND	1	5.0	µg/Kg
Chlorobenzene	ND	1	5.0	µg/Kg
Chloroethane	ND	1	5.0	µg/Kg
Chloroform	ND	1	5.0	µg/Kg
Chloromethane	ND	1	5.0	µg/Kg
cis-1,2-Dichloroethene	ND	1	5.0	µg/Kg
cis-1,3-Dichloropropene	ND	1	5.0	µg/Kg
Cyclohexanone	ND	1	40	µg/Kg
Dibromochloromethane	ND	1	5.0	µg/Kg
Dibromomethane	ND	1	5.0	µg/Kg

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061101

Validated by: MaiChiTu - 11/02/06

QC Batch Analysis Date: 11/1/2006

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	5.0	µg/Kg
Diisopropyl Ether	ND	1	5.0	µg/Kg
Ethyl Benzene	ND	1	5.0	µg/Kg
Freon 113	ND	1	10	µg/Kg
Hexachlorobutadiene	ND	1	5.0	µg/Kg
Iodomethane	ND	1	10	µg/Kg
Isopropanol	ND	1	100	µg/Kg
Isopropylbenzene	ND	1	5.0	µg/Kg
Methylene Chloride	ND	1	50	µg/Kg
Methyl-t-butyl Ether	ND	1	5.0	µg/Kg
Naphthalene	ND	1	5.0	µg/Kg
n-Butylbenzene	ND	1	5.0	µg/Kg
n-Propylbenzene	ND	1	5.0	µg/Kg
Pentachloroethane	ND	1	5.0	µg/Kg
p-Isopropyltoluene	ND	1	5.0	µg/Kg
sec-Butylbenzene	ND	1	5.0	µg/Kg
Styrene	ND	1	5.0	µg/Kg
tert-Amyl Methyl Ether	ND	1	5.0	µg/Kg
tert-Butanol (TBA)	ND	1	40	µg/Kg
tert-Butyl Ethyl Ether	ND	1	5.0	µg/Kg
tert-Butylbenzene	ND	1	5.0	µg/Kg
Tetrachloroethene	ND	1	5.0	µg/Kg
Tetrahydrofuran	ND	1	40	µg/Kg
Toluene	ND	1	5.0	µg/Kg
trans-1,2-Dichloroethene	ND	1	5.0	µg/Kg
trans-1,3-Dichloropropene	ND	1	5.0	µg/Kg
trans-1,4-Dichloro-2-butene	ND	1	10	µg/Kg
Trichloroethene	ND	1	5.0	µg/Kg
Trichlorofluoromethane	ND	1	5.0	µg/Kg
Vinyl Acetate	ND	1	5.0	µg/Kg
Vinyl Chloride	ND	1	5.0	µg/Kg
Xlenes, Total	ND	1	10	µg/Kg

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	106	60 - 130
Dibromofluoromethane	105	60 - 130
Toluene-d8	106	60 - 130

Method Blank - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061101

Validated by: MaiChiTu - 11/02/06

QC Batch Analysis Date: 11/1/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	100	µg/Kg
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	115	60 - 130		
Dibromofluoromethane	111	60 - 130		
Toluene-d8	107	60 - 130		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061101

Reviewed by: MaiChiTu - 11/02/06

QC Batch ID Analysis Date: 11/1/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<5.0	40	43.5	µg/Kg	109	70 - 135
Benzene	<5.0	40	45.8	µg/Kg	114	70 - 135
Chlorobenzene	<5.0	40	44.6	µg/Kg	112	70 - 135
Methyl-t-butyl Ether	<5.0	40	32.6	µg/Kg	81.5	70 - 135
Toluene	<5.0	40	41.2	µg/Kg	103	70 - 135
Trichloroethene	<5.0	40	40.8	µg/Kg	102	70 - 135

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	97.7	60	-	130
Dibromofluoromethane	101.0	60	-	130
Toluene-d8	100.0	60	-	130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<5.0	40	44.0	µg/Kg	110	1.1	30.0	70 - 135
Benzene	<5.0	40	43.9	µg/Kg	110	4.2	30.0	70 - 135
Chlorobenzene	<5.0	40	43.5	µg/Kg	109	2.5	30.0	70 - 135
Methyl-t-butyl Ether	<5.0	40	31.4	µg/Kg	78.5	3.8	30.0	70 - 135
Toluene	<5.0	40	40.2	µg/Kg	100	2.5	30.0	70 - 135
Trichloroethene	<5.0	40	39.6	µg/Kg	99.0	3.0	30.0	70 - 135

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	94.1	60	-	130
Dibromofluoromethane	93.6	60	-	130
Toluene-d8	91.0	60	-	130

LCS / LCSD - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061101

Reviewed by: MaiChiTu - 11/02/06

QC Batch ID Analysis Date: 11/1/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<100	250	234	µg/Kg	93.6	70 - 130

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	103.0	60	-	130
Dibromofluoromethane	101.0	60	-	130
Toluene-d8	98.5	60	-	130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<100	250	213	µg/Kg	85.2	9.4	30.0	70 - 130

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	102.0	60	-	130
Dibromofluoromethane	99.0	60	-	130
Toluene-d8	96.3	60	-	130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061102

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/2/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,1-Trichloroethane	ND	1	5.0	µg/Kg
1,1,2,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,2-Trichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethene	ND	1	5.0	µg/Kg
1,1-Dichloropropene	ND	1	5.0	µg/Kg
1,2,3-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,3-Trichloropropane	ND	1	5.0	µg/Kg
1,2,4-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,4-Trimethylbenzene	ND	1	5.0	µg/Kg
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/Kg
1,2-Dibromoethane (EDB)	ND	1	5.0	µg/Kg
1,2-Dichlorobenzene	ND	1	5.0	µg/Kg
1,2-Dichloroethane	ND	1	5.0	µg/Kg
1,2-Dichloropropane	ND	1	5.0	µg/Kg
1,3,5-Trimethylbenzene	ND	1	5.0	µg/Kg
1,3-Dichlorobenzene	ND	1	5.0	µg/Kg
1,3-Dichloropropane	ND	1	5.0	µg/Kg
1,4-Dichlorobenzene	ND	1	5.0	µg/Kg
1,4-Dioxane	ND	1	200	µg/Kg
2,2-Dichloropropane	ND	1	5.0	µg/Kg
2-Butanone (MEK)	ND	1	40	µg/Kg
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/Kg
2-Chlorotoluene	ND	1	5.0	µg/Kg
2-Hexanone	ND	1	40	µg/Kg
4-Chlorotoluene	ND	1	5.0	µg/Kg
4-Methyl-2-Pantanone(MIBK)	ND	1	40	µg/Kg
Acetone	ND	1	100	µg/Kg
Acetonitrile	ND	1	40	µg/Kg
Acrolein	ND	1	5.0	µg/Kg
Acrylonitrile	ND	1	5.0	µg/Kg
Benzene	ND	1	5.0	µg/Kg
Benzyl Chloride	ND	1	5.0	µg/Kg
Bromobenzene	ND	1	5.0	µg/Kg
Bromochloromethane	ND	1	5.0	µg/Kg
Bromodichloromethane	ND	1	5.0	µg/Kg
Bromoform	ND	1	5.0	µg/Kg
Bromomethane	ND	1	5.0	µg/Kg
Carbon Disulfide	ND	1	5.0	µg/Kg
Carbon Tetrachloride	ND	1	5.0	µg/Kg
Chlorobenzene	ND	1	5.0	µg/Kg
Chloroethane	ND	1	5.0	µg/Kg
Chloroform	ND	1	5.0	µg/Kg
Chloromethane	ND	1	5.0	µg/Kg
cis-1,2-Dichloroethene	ND	1	5.0	µg/Kg
cis-1,3-Dichloropropene	ND	1	5.0	µg/Kg
Cyclohexanone	ND	1	40	µg/Kg
Dibromochloromethane	ND	1	5.0	µg/Kg
Dibromomethane	ND	1	5.0	µg/Kg

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061102

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/2/2006

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	5.0	µg/Kg
Diisopropyl Ether	ND	1	5.0	µg/Kg
Ethyl Benzene	ND	1	5.0	µg/Kg
Freon 113	ND	1	10	µg/Kg
Hexachlorobutadiene	ND	1	5.0	µg/Kg
Iodomethane	ND	1	10	µg/Kg
Isopropanol	ND	1	100	µg/Kg
Isopropylbenzene	ND	1	5.0	µg/Kg
Methylene Chloride	ND	1	50	µg/Kg
Methyl-t-butyl Ether	ND	1	5.0	µg/Kg
Naphthalene	ND	1	5.0	µg/Kg
n-Butylbenzene	ND	1	5.0	µg/Kg
n-Propylbenzene	ND	1	5.0	µg/Kg
Pentachloroethane	ND	1	5.0	µg/Kg
p-Isopropyltoluene	ND	1	5.0	µg/Kg
sec-Butylbenzene	ND	1	5.0	µg/Kg
Styrene	ND	1	5.0	µg/Kg
tert-Amyl Methyl Ether	ND	1	5.0	µg/Kg
tert-Butanol (TBA)	ND	1	40	µg/Kg
tert-Butyl Ethyl Ether	ND	1	5.0	µg/Kg
tert-Butylbenzene	ND	1	5.0	µg/Kg
Tetrachloroethene	ND	1	5.0	µg/Kg
Tetrahydrofuran	ND	1	40	µg/Kg
Toluene	ND	1	5.0	µg/Kg
trans-1,2-Dichloroethene	ND	1	5.0	µg/Kg
trans-1,3-Dichloropropene	ND	1	5.0	µg/Kg
trans-1,4-Dichloro-2-butene	ND	1	10	µg/Kg
Trichloroethene	ND	1	5.0	µg/Kg
Trichlorofluoromethane	ND	1	5.0	µg/Kg
Vinyl Acetate	ND	1	5.0	µg/Kg
Vinyl Chloride	ND	1	5.0	µg/Kg
Xylenes, Total	ND	1	10	µg/Kg

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	95.8	60 - 130
Dibromofluoromethane	96.6	60 - 130
Toluene-d8	99.3	60 - 130

Method Blank - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061102

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/2/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	100	µg/Kg
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	102	60 - 130		
Dibromofluoromethane	102	60 - 130		
Toluene-d8	98.6	60 - 130		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061102

Reviewed by: MaiChiTu - 11/03/06

QC Batch ID Analysis Date: 11/2/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<5.0	40	34.6	µg/Kg	86.5	70 - 135
Benzene	<5.0	40	36.6	µg/Kg	91.5	70 - 135
Chlorobenzene	<5.0	40	37.1	µg/Kg	92.8	70 - 135
Methyl-t-butyl Ether	<5.0	40	31.4	µg/Kg	78.5	70 - 135
Toluene	<5.0	40	33.9	µg/Kg	84.8	70 - 135
Trichloroethene	<5.0	40	29.5	µg/Kg	73.8	70 - 135

Surrogate

	% Recovery	Control Limits		
4-Bromofluorobenzene	116.0	60	-	130
Dibromofluoromethane	106.0	60	-	130
Toluene-d8	110.0	60	-	130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<5.0	40	35.7	µg/Kg	89.2	3.1	30.0	70 - 135
Benzene	<5.0	40	36.8	µg/Kg	92.0	0.54	30.0	70 - 135
Chlorobenzene	<5.0	40	36.0	µg/Kg	90.0	3.0	30.0	70 - 135
Methyl-t-butyl Ether	<5.0	40	31.7	µg/Kg	79.2	0.95	30.0	70 - 135
Toluene	<5.0	40	34.7	µg/Kg	86.8	2.3	30.0	70 - 135
Trichloroethene	<5.0	40	31.1	µg/Kg	77.8	5.3	30.0	70 - 135

Surrogate

	% Recovery	Control Limits		
4-Bromofluorobenzene	105.0	60	-	130
Dibromofluoromethane	106.0	60	-	130
Toluene-d8	107.0	60	-	130

LCS / LCSD - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061102

Reviewed by: MaiChiTu - 11/03/06

QC Batch ID Analysis Date: 11/2/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<100	250	238	µg/Kg	95.2	70 - 130

Surrogate

	% Recovery	Control Limits		
4-Bromofluorobenzene	115.0	60	-	130
Dibromofluoromethane	111.0	60	-	130
Toluene-d8	107.0	60	-	130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<100	250	232	µg/Kg	92.8	2.6	30.0	70 - 130

Surrogate

	% Recovery	Control Limits		
4-Bromofluorobenzene	109.0	60	-	130
Dibromofluoromethane	102.0	60	-	130
Toluene-d8	103.0	60	-	130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061103

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/3/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,1-Trichloroethane	ND	1	5.0	µg/Kg
1,1,2,2-Tetrachloroethane	ND	1	5.0	µg/Kg
1,1,2-Trichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethane	ND	1	5.0	µg/Kg
1,1-Dichloroethene	ND	1	5.0	µg/Kg
1,1-Dichloropropene	ND	1	5.0	µg/Kg
1,2,3-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,3-Trichloropropane	ND	1	5.0	µg/Kg
1,2,4-Trichlorobenzene	ND	1	5.0	µg/Kg
1,2,4-Trimethylbenzene	ND	1	5.0	µg/Kg
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/Kg
1,2-Dibromoethane (EDB)	ND	1	5.0	µg/Kg
1,2-Dichlorobenzene	ND	1	5.0	µg/Kg
1,2-Dichloroethane	ND	1	5.0	µg/Kg
1,2-Dichloropropane	ND	1	5.0	µg/Kg
1,3,5-Trimethylbenzene	ND	1	5.0	µg/Kg
1,3-Dichlorobenzene	ND	1	5.0	µg/Kg
1,3-Dichloropropane	ND	1	5.0	µg/Kg
1,4-Dichlorobenzene	ND	1	5.0	µg/Kg
1,4-Dioxane	ND	1	200	µg/Kg
2,2-Dichloropropane	ND	1	5.0	µg/Kg
2-Butanone (MEK)	ND	1	40	µg/Kg
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/Kg
2-Chlorotoluene	ND	1	5.0	µg/Kg
2-Hexanone	ND	1	40	µg/Kg
4-Chlorotoluene	ND	1	5.0	µg/Kg
4-Methyl-2-Pantanone(MIBK)	ND	1	40	µg/Kg
Acetone	ND	1	100	µg/Kg
Acetonitrile	ND	1	40	µg/Kg
Acrolein	ND	1	5.0	µg/Kg
Acrylonitrile	ND	1	5.0	µg/Kg
Benzene	ND	1	5.0	µg/Kg
Benzyl Chloride	ND	1	5.0	µg/Kg
Bromobenzene	ND	1	5.0	µg/Kg
Bromochloromethane	ND	1	5.0	µg/Kg
Bromodichloromethane	ND	1	5.0	µg/Kg
Bromoform	ND	1	5.0	µg/Kg
Bromomethane	ND	1	5.0	µg/Kg
Carbon Disulfide	ND	1	5.0	µg/Kg
Carbon Tetrachloride	ND	1	5.0	µg/Kg
Chlorobenzene	ND	1	5.0	µg/Kg
Chloroethane	ND	1	5.0	µg/Kg
Chloroform	ND	1	5.0	µg/Kg
Chloromethane	ND	1	5.0	µg/Kg
cis-1,2-Dichloroethene	ND	1	5.0	µg/Kg
cis-1,3-Dichloropropene	ND	1	5.0	µg/Kg
Cyclohexanone	ND	1	40	µg/Kg
Dibromochloromethane	ND	1	5.0	µg/Kg
Dibromomethane	ND	1	5.0	µg/Kg

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061103

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/3/2006

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	5.0	µg/Kg
Diisopropyl Ether	ND	1	5.0	µg/Kg
Ethyl Benzene	ND	1	5.0	µg/Kg
Freon 113	ND	1	10	µg/Kg
Hexachlorobutadiene	ND	1	5.0	µg/Kg
Iodomethane	ND	1	10	µg/Kg
Isopropanol	ND	1	100	µg/Kg
Isopropylbenzene	ND	1	5.0	µg/Kg
Methylene Chloride	ND	1	50	µg/Kg
Methyl-t-butyl Ether	ND	1	5.0	µg/Kg
Naphthalene	ND	1	5.0	µg/Kg
n-Butylbenzene	ND	1	5.0	µg/Kg
n-Propylbenzene	ND	1	5.0	µg/Kg
Pentachloroethane	ND	1	5.0	µg/Kg
p-Isopropyltoluene	ND	1	5.0	µg/Kg
sec-Butylbenzene	ND	1	5.0	µg/Kg
Styrene	ND	1	5.0	µg/Kg
tert-Amyl Methyl Ether	ND	1	5.0	µg/Kg
tert-Butanol (TBA)	ND	1	40	µg/Kg
tert-Butyl Ethyl Ether	ND	1	5.0	µg/Kg
tert-Butylbenzene	ND	1	5.0	µg/Kg
Tetrachloroethene	ND	1	5.0	µg/Kg
Tetrahydrofuran	ND	1	40	µg/Kg
Toluene	ND	1	5.0	µg/Kg
trans-1,2-Dichloroethene	ND	1	5.0	µg/Kg
trans-1,3-Dichloropropene	ND	1	5.0	µg/Kg
trans-1,4-Dichloro-2-butene	ND	1	10	µg/Kg
Trichloroethene	ND	1	5.0	µg/Kg
Trichlorofluoromethane	ND	1	5.0	µg/Kg
Vinyl Acetate	ND	1	5.0	µg/Kg
Vinyl Chloride	ND	1	5.0	µg/Kg
Xlenes, Total	ND	1	10	µg/Kg

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	100	60 - 130
Dibromofluoromethane	99.5	60 - 130
Toluene-d8	101	60 - 130

Method Blank - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061103

Validated by: MaiChiTu - 11/03/06

QC Batch Analysis Date: 11/3/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	100	µg/Kg
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	106	60 - 130		
Dibromofluoromethane	105	60 - 130		
Toluene-d8	99.4	60 - 130		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - VOCs: EPA 8260B

QC Batch ID: SM3061103

Reviewed by: MaiChiTu - 11/03/06

QC Batch ID Analysis Date: 11/3/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<5.0	40	35.1	µg/Kg	87.8	70 - 135
Benzene	<5.0	40	36.7	µg/Kg	91.8	70 - 135
Chlorobenzene	<5.0	40	37.3	µg/Kg	93.2	70 - 135
Methyl-t-butyl Ether	<5.0	40	28.1	µg/Kg	70.2	70 - 135
Toluene	<5.0	40	34.8	µg/Kg	87.0	70 - 135
Trichloroethene	<5.0	40	31.1	µg/Kg	77.8	70 - 135

Surrogate

	% Recovery	Control Limits	
4-Bromofluorobenzene	117.0	60	- 130
Dibromofluoromethane	102.0	60	- 130
Toluene-d8	109.0	60	- 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<5.0	40	37.4	µg/Kg	93.5	6.3	30.0	70 - 135
Benzene	<5.0	40	39.7	µg/Kg	99.2	7.9	30.0	70 - 135
Chlorobenzene	<5.0	40	39.4	µg/Kg	98.5	5.5	30.0	70 - 135
Methyl-t-butyl Ether	<5.0	40	31.4	µg/Kg	78.5	11	30.0	70 - 135
Toluene	<5.0	40	37.2	µg/Kg	93.0	6.7	30.0	70 - 135
Trichloroethene	<5.0	40	32.3	µg/Kg	80.8	3.8	30.0	70 - 135

Surrogate

	% Recovery	Control Limits	
4-Bromofluorobenzene	109.0	60	- 130
Dibromofluoromethane	102.0	60	- 130
Toluene-d8	106.0	60	- 130

LCS / LCSD - Solid - TPH-Purgeable: GC/MS

QC Batch ID: SM3061103

Reviewed by: MaiChiTu - 11/03/06

QC Batch ID Analysis Date: 11/3/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<100	250	251	µg/Kg	100	70 - 130

Surrogate

	% Recovery	Control Limits	
4-Bromofluorobenzene	106.0	60	- 130
Dibromofluoromethane	106.0	60	- 130
Toluene-d8	101.0	60	- 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<100	250	227	µg/Kg	90.8	10	30.0	70 - 130

Surrogate

	% Recovery	Control Limits	
4-Bromofluorobenzene	108.0	60	- 130
Dibromofluoromethane	106.0	60	- 130
Toluene-d8	100.0	60	- 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Solid - ICP Metals: EPA 3050B / EPA 6010B

QC Batch ID: SM061025

Reviewed by: HDINH - 10/27/06

QC/Prep Date: 10/25/2006

LCS


Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
Aluminum		<20	10000	8360	mg/Kg	83.6	75 - 125
Antimony		<1.0	50	49.7	mg/Kg	99.4	75 - 125
Arsenic		<1.0	50	48.0	mg/Kg	96.1	75 - 125
Barium		<1.0	50	50.2	mg/Kg	100	75 - 125
Beryllium		<1.0	50	48.8	mg/Kg	97.6	75 - 125
Cadmium		<1.0	50	47.7	mg/Kg	95.4	75 - 125
Chromium		<1.0	50	48.4	mg/Kg	96.8	75 - 125
Cobalt		<1.0	50	49.6	mg/Kg	99.2	75 - 125
Copper		<1.0	50	48.7	mg/Kg	97.4	75 - 125
Lead		<1.0	50	50.2	mg/Kg	100	75 - 125
Molybdenum		<1.0	50	50.2	mg/Kg	100	75 - 125
Nickel		<1.0	50	48.6	mg/Kg	97.3	75 - 125
Selenium		<2.0	50	46.9	mg/Kg	93.8	75 - 125
Silver		<1.0	50	48.3	mg/Kg	96.6	75 - 125
Thallium		<2.0	50	45.1	mg/Kg	90.3	75 - 125
Titanium		<1.0	380	375	mg/Kg	99.5	75 - 125
Vanadium		<1.0	50	49.8	mg/Kg	99.6	75 - 125
Zinc		<2.0	50	48.4	mg/Kg	96.9	75 - 125

LCSD

Parameter	Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
Aluminum		<20	10000	8190	mg/Kg	81.9	2.1	25.0	75 - 125
Antimony		<1.0	50	49.4	mg/Kg	98.8	0.61	25.0	75 - 125
Arsenic		<1.0	50	48.0	mg/Kg	96.1	0.0062	25.0	75 - 125
Barium		<1.0	50	49.7	mg/Kg	99.5	0.97	25.0	75 - 125
Beryllium		<1.0	50	49.4	mg/Kg	98.9	1.3	25.0	75 - 125
Cadmium		<1.0	50	48.1	mg/Kg	96.3	0.93	25.0	75 - 125
Chromium		<1.0	50	48.9	mg/Kg	97.9	1.1	25.0	75 - 125
Cobalt		<1.0	50	50.3	mg/Kg	101	1.4	25.0	75 - 125
Copper		<1.0	50	49.8	mg/Kg	99.6	2.3	25.0	75 - 125
Lead		<1.0	50	50.4	mg/Kg	101	0.26	25.0	75 - 125
Molybdenum		<1.0	50	50.2	mg/Kg	100	0.050	25.0	75 - 125
Nickel		<1.0	50	49.2	mg/Kg	98.4	1.1	25.0	75 - 125
Selenium		<2.0	50	46.5	mg/Kg	93.1	0.76	25.0	75 - 125
Silver		<1.0	50	48.9	mg/Kg	97.8	1.2	25.0	75 - 125
Thallium		<2.0	50	46.0	mg/Kg	92.0	1.9	25.0	75 - 125
Titanium		<1.0	380	358	mg/Kg	95.0	4.6	25.0	75 - 125
Vanadium		<1.0	50	50.4	mg/Kg	101	1.2	25.0	75 - 125
Zinc		<2.0	50	50.6	mg/Kg	101	4.3	25.0	75 - 125

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI	NAME 400 San Pablo Avenue, Albany		CONTAINER	ANALYSES REQUESTED (2) TPH by EPA EPA Total lead by ICPMS		REMARKS
SAMPLERS: (Signature) <i>Clyde Herber</i>	52079					
NO.	DATE	TIME	SOIL WATER	LOCATION		
1	10/23/06		✓	421-GP-1-6 001	1	✓ ✓ ✓ EDF # T06001089
2			✓	421-GP-1-10 002	1	✓ ✓ ✓
3			✓	421-GP-2-7 003	1	✓ ✓ ✓
4			✓	421-GP-2-13.5 004	1	✓ ✓ ✓ * Full lists
5			✓	421-GP-3-7 005	1	✓ ✓ ✓
6			✓	421-GP-3-13 006	1	✓ ✓ ✓
7			✓	421-GP-4-11 007	1	✓ ✓ ✓ * Please send to soil
8	↓		✓	421-GP-4-13 008	1	✓ ✓ ✓ * samples to over office when complete
Relinquished by: (Signature) <i>Clyde Herber</i>			Date / Time 10/25/06 1102	Received by: (Signature) <i>Frank Hamed</i>	Relinquished by: (Signature)	
Relinquished by: (Signature) <i>Frank Hamed</i>			Date / Time 10/25/06 1140	Received by: (Signature) <i>Clyde Herber</i>	Relinquished by: (Signature)	
Relinquished by: (Signature)			Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks Please send lab report to Frank Hamed



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

A P P E N D I X "H"

DRILLING PERMIT

ENVIRO SOIL TECH CONSULTANTS

Alameda County Public Works Agency - Water Resources Well Permit



399 Elmhurst Street
Hayward, CA 94544-1395
Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 09/27/2006 By jamesy

Permit Numbers: W2006-0847
Permits Valid from 10/23/2006 to 11/03/2006

Application Id: 1159226480771
Site Location: 400 San Pablo Ave, Albany CA
Project Start Date: 09/27/2006
Extension Start Date: 10/23/2006
Extension Count: 1

City of Project Site: Albany
Completion Date: 09/29/2006
Extension End Date: 11/03/2006
Extended By: jamesy

Applicant: Enviro Soil Tech Consultants - Frank Hamed-i-
Fard
131 Tully Rd., San Jose, CA 95111
Property Owner: George & Diane Ososke
440 Davis Ct #910, San Francisco, CA 94111
Client: ** same as Property Owner **

Phone: 408-297-1500

Phone: --

Receipt Number: WR2006-0445	Total Due:	\$200.00
Payer Name : Enviro Soil Tech Consultants & Paid By: CHECK	Total Amount Paid:	\$200.00
PAID IN FULL		
Geo Environmental		

Works Requesting Permits:

Borehole(s) for Investigation-Contamination Study - 13 Boreholes

Driller: Vironex Inc. - Lic #: 7052927 - Method: other

Work Total: \$200.00

Specifications

Permit Number	Issued Dt	Expire Dt	# Boreholes	Hole Diam	Max Depth
W2006-0847	09/27/2006	12/26/2006	13	8.00 in.	50.00 ft

Specific Work Permit Conditions

1. Backfill bore hole by tremie with cement grout or cement grout/sand mixture. Upper two-three feet replaced in kind or with compacted cuttings. All cuttings remaining or unused shall be containerized and hauled off site.
2. Boreholes shall not be left open for a period of more than 24 hours. All boreholes left open more than 24 hours will need approval from Alameda County Public Works Agency, Water Resources Section. All boreholes shall be backfilled according to permit destruction requirements and all concrete material and asphalt material shall be to Caltrans Spec or County/City Codes. No borehole(s) shall be left in a manner to act as a conduit at any time.
3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
4. Applicant shall contact James Yoo for an inspection time at 510-670-6633 at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
5. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
6. Permit is valid only for the purpose specified herein. No changes in construction procedures, as described on this

info@envirosoiltech.com

Account Options...

Languages...

[Menu](#)[View Mail](#)[Compose](#)[Search](#)[Calendar](#)[Help](#)[Log Off](#)[Go Back](#) | [Prev](#) | [Next](#) | [Reply](#) | [Reply All](#) | [Forward](#) | [Delete](#) | [Move To](#) Deleted**Message: 2 of 104** [Printable Version](#)From: wells@acpwa.org [Save Address](#) | [Headers](#)

To: info@envirosoiltech.com

CC:

Date: Fri, 20 Oct 2006 16:30:05 -0700 (PDT)

Subject: **Alameda County PWA Online Wells Permits Application - Drilling Permit Extension**

Application ID: 1159226480771

Permit Number: W2006-0847

Your drilling permit has been extended as requested. Please contact the assigned inspector to re-schedule the inspection date at least five (5) working days prior to starting and confirm the scheduled date(s) at least 24 hours prior to drilling.

Conditions of Permit:

Please follow and comply with conditions of approval and instructions listed in the general conditions document. In addition, you must comply with all specific conditions listed in your permit. Your assigned inspector is also listed in the specific condition of the approved permit.

Original Project Start Date: 09/27/2006

Original Project End Date: 09/29/2006

Extension Count : 1

Extension By : jamesy

Extension Start Date: 10/23/2006

Extension End Date : 11/03/2006

If you need further assistance regarding your permit, please visit our website at: <http://www.acgov.org/pwa/wells/> or contact us at wells@acpwa.org, and include your application id number.

Thank you,
Public Works Agency-Water Resources

1159226480771.pdf (Binary attachment)


[Go Back](#) | [Prev](#) | [Next](#) | [Reply](#) | [Reply All](#) | [Forward](#) | [Delete](#) | [Move To](#) Deleted[Back to Top](#)[Classic WebMail](#)

Contact Webmail Support

A P P E N D I X "I"

FIELD NOTES

ENVIRO SOIL TECH CONSULTANTS



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 12-11-06

DEPTH TO WELL: _____

DEPTH TO WATER: 5 ft .54

HEIGHT OF WATER COLUMN: _____

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

$2" \times 0.1632 = 9.46$

$4" \times 0.653 =$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER


SHEEN: NO YES, DESCRIBE: _____

ODOR: NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 gal</u>	<u>8.08</u>	<u>16.1</u>	<u>338</u>
	<u>6 gal</u>	<u>7.24</u>	<u>15.9</u>	<u>334</u>
	<u>9 gal</u>	<u>6.73</u>	<u>16.0</u>	<u>326</u>

6st .24



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 12-11-06

DEPTH TO WELL:

DEPTH TO WATER: 5^{ft} .19

HEIGHT OF WATER COLUMN:

WELL NO.: 5114 - 4

SAMPLER: Brian Mandy

1 WELL VOLUME: 1.6

5 WELL VOLUME: 8

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: 2"

4"

CALCULATIONS:

$$2'' \times 0.1632 = 9.81$$

$$4'' \times 0.653 =$$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER


SHEEN: NO YES, DESCRIBE:

ODOR: NO YES, DESCRIBE:

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	3 gal	7.10	15.2	314
	6 gal	6.95	15.5	320
	9 gal	6.97	15.6	357

5^{ft} .54



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 12-11-06

DEPTH TO WELL: _____

DEPTH TO WATER: 5 ft .84

HEIGHT OF WATER COLUMN: _____

WELL NO.: STNW-3

SAMPLER: Dredge pump

1 WELL VOLUME: 1.5

5 WELL VOLUME: 7.5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

2" - x 0.1632 9.16

4" - 0.653

PURGE METHOD: ✓ BAILER ✓ DISPLACEMENT PUMP OTHER

SAMPLE METHOD: ✓ BAILER OTHER


SHEEN: ✓ NO YES, DESCRIBE: _____

ODOR: ✓ NO YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 gal</u>	<u>6.74</u>	<u>16.4</u>	<u>460</u>
	<u>6 gal</u>	<u>6.67</u>	<u>16.7</u>	<u>477</u>
	<u>9 gal</u>	<u>5.58</u>	<u>16.5</u>	<u>451</u>

6 ft .84



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 12-11-06

DEPTH TO WELL: _____

DEPTH TO WATER: 7^f .86

HEIGHT OF WATER COLUMN: _____

WELL NO.: STW-2

SAMPLER: bailed pump

1 WELL VOLUME: 1

5 WELL VOLUME: 5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

$2" \times 0.1632 = 6.14$

$4" \times 0.653 =$

PURGE METHOD: BAILER ✓ DISPLACEMENT PUMP OTHER

SAMPLE METHOD: ✓ BAILER OTHER


SHEEN: NO ✓ YES, DESCRIBE: Rain Bow

ODOR: NO ✓ YES, DESCRIBE: PETro

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3.9m³</u>	<u>6.73</u>	<u>17.4</u>	<u>212</u>
	<u>6.9m³</u>	<u>5.84</u>	<u>17.9</u>	<u>303</u>
	<u>9.9m³</u>	<u>6.85</u>	<u>18.1</u>	<u>467</u>

8^f 32



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 12-11-06

DEPTH TO WELL: _____

DEPTH TO WATER: 8 FT 122

HEIGHT OF WATER COLUMN: _____

WELL NO.: STK 1

SAMPLER: Piston pump

1 WELL VOLUME: 0.94

5 WELL VOLUME: 4.7

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2" 4"

CALCULATIONS:

$2" - x 0.1632 = 5.78$

$4" - 0.653$

PURGE METHOD: BAILER DISPLACEMENT PUMP OTHER

SAMPLE METHOD: BAILER OTHER

SHEEN: NO YES, DESCRIBE: Rainbow

ODOR: NO YES, DESCRIBE: PETRO

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 gal</u>	<u>6.83</u>	<u>19.1</u>	<u>602</u>
	<u>6 gal</u>	<u>6.56</u>	<u>19.0</u>	<u>588</u>
	<u>9 gal</u>	<u>6.42</u>	<u>18.7</u>	<u>562</u>

9 FT 38