



98 DEC 17 PM 2:24

December 18, 1998
Project 20805-121-006

Mr. John Sullivan
17760 Sweetbriar Place
Castro Valley, California 94546

Re: Quarterly Groundwater Monitoring Results, Third Quarter 1998, for Chateau Manor
Apartments, located at 724 Lewelling Boulevard, San Leandro, California

Dear Mr. Sullivan:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached laboratory analytical results for groundwater samples collected from wells MW-9 and MW-10 during the third quarter of 1998. These wells are located at Chateau Manor Apartments, 724 Lewelling Boulevard, San Leandro, California. The groundwater samples were collected during quarterly sampling of the ARCO Products Company (ARCO) Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The laboratory analytical results indicate that the groundwater sample concentrations were not detectable for total petroleum hydrocarbons as gasoline, and the gasoline constituents benzene, toluene, ethylbenzene, and total xylenes.

Please call if you have questions.

Sincerely,

Pinnacle




Glen VanderVeen
Project Manager

Attachments: Figure 1
Appendix A

Site Plan
Copies of Certified Analytical Report and Chain-of Custody-
Documentation, Wells MW-9 and MW-10, Third Quarter 1998

cc: Scott Seery, ACHCSA
Paul Supple, ARCO Products Company
File





EXPLANATION

- Groundwater monitoring well

0 40 80

APPROXIMATE SCALE IN FEET

1" 1/2" 0"

IMAGE Files: <No Images>
XREF Files: <No Xrefs>
Dimecode: 40 Liscade: 40 Peltcode: 0
SANJOSE/CADD: N:\DWG\805121\SUSITE.DWG Tue, 01/Dec/98 10:54am kblock

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

DATE NOV. 1998
DWN KAB
APP
REV
PROJECT NO.
20805-121.005

FIGURE 1
CHATEAU MANOR APARTMENTS
724 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
SITE PLAN

APPENDIX A

**COPIES OF CERTIFIED ANALYTICAL REPORT,
AND CHAIN-OF-CUSTODY DOCUMENTATION,
WELLS MW-9 AND MW-10
THIRD QUARTER 1998**



August 11, 1998

Service Request No.: S9801970

Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO


Dear Mr. Vanderveen:


The following pages contain analytical results for sample(s) received by the laboratory on July 28, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,


Steven L. Green
Project Chemist


Greg Anderson
Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONYST DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-9(15)
Lab Code: S9801970-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl tert-Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004-TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-10(15)
Lab Code: S9801970-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA-LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980729-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/29/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/29/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8Y601 SAN LEANDRO)
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-9(15)	S9801970-001		100	89
MW-10(15)	S9801970-002		98	93
BATCH QC	S9801943-002MS		96	103
BATCH QC	S9801943-002DMS		95	102
Method Blank	S980729-WB1		98	94

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 7/29/98

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: BATCH QC
Lab Code: S9801943-002MS, S9801943-002DMS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	Percent Recovery										Result Notes
			Spike Level		Sample Result	Spike Result		CAS				Relative Percent Difference	
			MRL	MS		DMS	MS	DMS	Limits				
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	250	240	100	96	75-135	4	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)601 SAN LEANDRO

Service Request: S9801970
Date Analyzed: 7/30/98

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery	Percent Recovery	Result Notes
					Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	27	85-115	108	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	79	85-115	105	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	26	85-115	104	

Division of Atlantic/Richfield Company

Task Order No.

22312.00 59801970

Chain of Custody

[illegible]



98 DEC 17 PM 2:26

December 18, 1998
Project 20805-121.006

Mr. Paul Supple
ARCO Products Company
P.O. Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report, Third Quarter 1998, for ARCO Service Station
No. 0601, Located at 712 Lewelling Boulevard, San Leandro, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the third quarter 1998 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The monitoring program complies with the Alameda County Health Care Services Agency requirements regarding underground tank investigations.


LIMITATIONS


No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle


Glen VanderVeen
Project Manager


Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, Third Quarter 1998

cc: Scott Seery, ACHCSA
Mike Bakaldin, SLFD



Date: December 18, 1998**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: 0601 Address: 712 Lewelling Boulevard, San Leandro, California
Pinnacle Project No. 20805-121.006
ARCO Environmental Engineer/Phone No.: Paul Supple /(925) 299-8891
Pinnacle Project Manager/Phone No.: Glen VanderVeen /(925) 977-9020
Primary Agency/Regulatory ID No.: ACHCSA /Scott Seery

WORK PERFORMED THIS QUARTER (THIRD - 1998):

1. Prepared and submitted quarterly groundwater monitoring report for second quarter 1998.
2. Performed quarterly groundwater monitoring and sampling for third quarter 1998.

WORK PROPOSED FOR NEXT QUARTER (FOURTH - 1998):

1. Prepare and submit quarterly groundwater monitoring report for third quarter 1998.
2. Perform quarterly groundwater monitoring and sampling for fourth quarter 1998.
3. Evaluate potential off-site plume migration.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring
Frequency of Sampling: Annual (1st quarter): MW-2, MW-11, MW-12, MW-13
Semi-annual (1st/3rd quarter): MW-9, MW-15
Quarterly: MW-1, MW-3 through MW-8, MW-10, MW-14
Frequency of Monitoring: Quarterly (groundwater)
Is Floating Product (FP) Present On-site: ☐ Yes ☒ No
Cumulative FP Recovered to Date : 3.45 gallons, Well MW-1
FP Recovered This Quarter : None
Bulk Soil Removed to Date : 1,565 cubic yards of TPH impacted soil
Bulk Soil Removed This Quarter : None
Water Wells or Surface Waters
within 2000 ft., impacted by site: None
Current Remediation Techniques: Natural Attenuation
Average Depth to Groundwater: 7.7 feet
Groundwater Flow Direction and Gradient
(Average): 0.05 ft/ft toward southeast

ATTACHMENTS:

- Table 1 - Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Table 3 - Historical Groundwater Analytical Data, Metals
- Table 4 - Historical Groundwater Analytical Data, Volatile and Semivolatile Organic Compounds
- Table 5 - Approximate Cumulative Floating Product Recovered, Monitoring Well MW-1
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft.-MSL	Depth to Water feet	Groundwater Elevation ft.-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-1	03-17-95	22.26	6.57	15.69	ND	120,000	5,300	370	1,500	13,000	--	--	48,000	6,200*		
MW-1	06-01-95	22.26	7.87	14.39	ND	250,000	7,100	950	3,500	21,000	--	--	38,000	190,000*		
MW-1	08-31-95	22.26	8.12	14.15	0.01	Not sampled: well contained floating product										
MW-1	11-27-95	22.26	8.42	13.84	Sheen	310,000	4,600	770	5,700	21,000	--	--	--	--		
MW-1	02-22-96	22.26	6.01	16.26	0.01	100,000	6,200	320	2,500	12,000	<1,000*	--	--	--		
MW-1	05-20-96	22.26	7.03	15.23	ND	340,000	6,600	240	4,500	22,000	<1,000	--	150	<2,500*		
MW-1	08-26-96	22.26	8.16	14.10	ND	210,000	7,900	320	3,400	15,000	<1,000	--	--	--		
MW-1	11-20-96	22.26	7.84	14.42	ND	62,000	5,900	77	2,000	7,700	<300	--	--	--		
MW-1	03-24-97	19.19	8.05	11.14	ND	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--		
MW-1	05-23-97	19.19	8.42	10.77	ND	83,000	6,200	84	2,500	9,000	<300	--	--	--		
MW-1	08-19-97	19.19	8.66	10.54	ND	83,000	4,500	<100	2,200	8,100	<600	--	--	--		
MW-1	11-19-97	19.19	8.54	10.65	ND	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--		
MW-1	02-19-98	19.19	5.57	13.62	ND	74,000	2,500	120	2,200	4,100	<300	--	--	--	1.5	P
MW-1	04-23-98	19.19	6.92	12.27	ND	210,000	2,700	<500	4,200	8,300	<3,000	--	--	--	1.0	P
MW-1	07-27-98	19.19	8.14	11.05	ND	73,000	2,100	88	2,600	4,600	<300	--	--	--		
MW-2	03-17-95	21.33	6.12	15.21	ND	10,000	460	77	260	550	--	--	--	--		
MW-2	06-01-95	21.33	6.56	14.77	ND	13,000	400	78	210	410	--	--	--	--		
MW-2	08-31-95	21.33	7.18	14.15	ND	5,000	280	18	120	140	<50	--	--	--		
MW-2	11-27-95	21.33	7.39	13.94	ND	3,200	230	12	77	90	--	--	--	--		
MW-2	02-22-96	21.33	5.78	15.55	ND	11,000	290	67	190	330	<50	--	--	--		
MW-2	05-20-96	21.33	6.27	15.06	ND Not sampled: well sampled annually, during the first quarter											
MW-2	08-26-96	21.33	7.30	14.03	ND Not sampled: well sampled annually, during the first quarter											
MW-2	11-20-96	21.33	7.28	14.05	ND Not sampled: well sampled annually, during the first quarter											
MW-2	03-24-97	21.12	7.11	14.01	ND	4,800	570	6	71	32	67	--	--	--		
MW-2	05-23-97	21.12	7.44	13.68	ND Not sampled: well sampled annually, during the first quarter											
MW-2	08-19-97	21.12	7.64	13.48	ND Not sampled: well sampled annually, during the first quarter											
MW-2	11-19-97	21.12	7.70	13.42	ND Not sampled: well sampled annually, during the first quarter											
MW-2	02-19-98	21.12	5.22	15.90	ND	2,000	180	50	66	230	25	--	--	--		
MW-2	04-23-98	21.12	6.24	14.88	ND Not sampled: well sampled annually, during the first quarter											
MW-2	07-27-98	21.12	7.02	14.10	ND Not sampled: well sampled annually, during the first quarter											

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/Not Purged
MW-3	03-17-95	20.11	5.46	14.65	ND	370,000	4,800	12,000	5,800	34,000	--	--	--	--		
MW-3	06-01-95	20.11	6.34	13.77	ND	270,000	6,000	11,000	5,200	28,000	--	--	--	--		
MW-3	08-31-95	20.11	6.60	** 13.52	0.02	Not sampled: well contained floating product										
MW-3	11-27-95	20.11	6.76	** 13.36	0.01	150,000	5,100	8,800	3,900	21,000	--	--	--	--		
MW-3	02-22-96	20.11	5.14	** 14.98	0.01	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--		
MW-3	05-20-96	20.11	5.17	14.94	ND	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--		
MW-3	08-26-96	20.11	7.04	13.07	ND	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--		
MW-3	11-20-96	20.11	6.26	13.85	ND	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--		
MW-3	03-24-97	22.99	6.94	16.05	ND	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--		
MW-3	05-23-97	22.99	6.98	16.01	ND	130,000	2,100	4,300	3,500	19,000	<700	--	--	--		
MW-3	08-19-97	22.99	7.25	15.74	ND	100,000	2,000	3,200	<100	19,000	<600	--	--	--		
MW-3	11-19-97	22.99	7.25	15.74	ND	93,000	1,700	2,400	2,800	16,000	<600	--	--	--		
MW-3	02-19-98	22.99	5.24	17.75	ND	80,000	620	1,200	2,500	13,000	<600	--	--	--	3.5	P
MW-3	04-23-98	22.99	6.60	16.39	ND	130,000	1,500	2,400	3,500	18,000	<600	--	--	--		P
MW-3	07-27-98	22.99	7.00	15.99	ND	140,000	920	1,500	2,400	13,000	<600	--	--	--	1.0	
MW-4	03-17-95	20.75	6.65	14.10	ND	16,000	1,800	970	310	2,500	--	--	--	--		
MW-4	06-01-95	20.75	7.25	13.50	ND	16,000	2,800	870	380	2,700	--	--	--	--		
MW-4	08-31-95	20.75	7.75	13.00	ND	9,000	2,000	270	270	1,400	<100	--	--	--		
MW-4	11-27-95	20.75	7.87	12.88	ND	3,800	890	130	130	550	--	--	--	--		
MW-4	02-22-96	20.75	7.29	13.46	ND	940	150	82	19	130	<20	--	--	--		
MW-4	05-20-96	20.75	7.30	13.45	ND	6,700	1,100	330	120	1,100	<100	--	--	--		
MW-4	08-26-96	20.75	7.57	13.18	ND	14,000	2,400	510	350	2,100	<100	--	--	--		
MW-4	11-20-96	20.75	7.89	12.86	ND	420	55	17	11	62	<3	--	--	--		
MW-4	03-24-97	22.38	6.90	15.48	ND	6,800	620	150	81	1,300	<50	--	--	--		
MW-4	05-23-97	22.38	7.80	14.58	ND	9,000	1,300	240	200	1,600	<60	--	--	--		
MW-4	08-19-97	22.38	-	NA	ND	Not sampled: well is dry										
MW-4	11-19-97	22.38	-	NA	ND	3700*	600	93	120	710	<60	--	--	--		
MW-4	02-19-98	22.38	6.78	15.60	ND	1,800	93	51	29	420	110	--	--	--	0.5	P
MW-4	04-23-98	22.38	6.47	15.91	ND	6,500	700	110	180	1,300	93	--	--	--	1.5	P
MW-4	07-27-98	22.38	7.22	15.16	ND	10,000	1,400	140	290	1,900	<120	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-5	03-17-95	20.90	5.51	15.39	ND	48,000	6,400	2,000	740	5,100	--	--	--	--		
MW-5	06-01-95	20.90	6.55	14.35	ND	76,000	11,000	5,400	1,400	7,700	--	--	--	--		
MW-5	08-31-95	20.90	6.80	14.10	ND	53,000	12,000	1,600	1,000	6,000	<500	--	--	--		
MW-5	11-27-95	20.90	7.13	13.77	ND	43,000	7,900	3,300	950	4,900	--	--	--	--		
MW-5	02-22-96	20.90	5.12	15.78	ND	52,000	9,100	3,300	940	5,000	<500	--	--	--		
MW-5	05-20-96	20.90	5.87	15.03	ND	55,000	9,300	3,800	1,100	5,400	<500	--	--	--		
MW-5	08-26-96	20.90	7.15	13.75	ND	47,000	5,300	2,100	780	3,200	<300	--	--	--		
MW-5	11-20-96	20.90	6.88	14.02	ND	53,000	8,700	5,700	920	4,400	<500	--	--	--		
MW-5	03-24-97	22.45	7.13	15.32	ND	39,000	8,200	3,200	720	3,100	<500	--	--	--		
MW-5	05-23-97	22.45	7.42	15.03	ND	29,000	6,600	1,700	400	1,500	<600	--	--	--		
MW-5	08-19-97	22.45	7.58	14.87	ND	16,000	4,600	790	<50	1,300	<300	--	--	--		
MW-5	11-19-97	22.45	7.58	14.87	ND	22,000	5,800	1,300	380	1,300	<300	--	--	--		
MW-5	02-19-98	22.45	4.65	17.80	ND	40,000	5,100	3,800	620	2,900	<300	--	--	--	1.5	P
MW-5	04-23-98	22.45	6.25	16.20	ND	45,000	8,000	4,000	970	4,200	<600	--	--	--	1.5	P
MW-5	07-27-98	22.45	6.71	15.74	ND	30,000	8,000	2,000	590	1,900	<600	--	--	--		
MW-6	03-17-95	22.08	6.66	15.42	ND	45,000	9,300	<100	1,900	3,600	--	--	--	--		
MW-6	06-01-95	22.08	7.60	14.48	ND	23,000	5,600	<50	1,300	1,900	--	--	--	--		
MW-6	08-31-95	22.08	7.92	14.16	ND	26,000	8,000	<100	1,900	900	<500	--	--	--		
MW-6	11-27-95	22.08	8.21	13.87	ND	6,700	1,800	<20	480	230	--	--	--	--		
MW-6	02-22-96	22.08	6.21	15.87	ND	17,000	3,100	69	810	1,500	<300	--	--	--		
MW-6	05-20-96	22.08	7.07	15.01	ND	16,000	3,700	<50	1,100	1,100	<300	--	--	--		
MW-6	08-26-96	22.08	7.93	14.15	ND	23,000	5,800	<50	2,000	560	<300	--	--	--		
MW-6	11-20-96	22.08	8.02	14.06	ND	11,000	3,300	<50*	480	370	<300	--	--	--		
MW-6	03-24-97	22.77	7.95	14.82	ND	9,700	1,900	<20	800	270	<100	--	--	--		
MW-6	05-23-97	22.77	8.17	14.60	ND	16,000	4,300	<50	1,400	180	<300	--	--	--		
MW-6	08-19-97	22.77	-	NA	ND Not sampled: well is dry											
MW-6	11-19-97	22.77	-	NA	ND Not sampled: well is dry											
MW-6	02-19-98	22.77	5.78	16.99	ND	2,600	540	8	90	88	<30	--	--	--	0.5	P
MW-6	04-23-98	22.77	6.83	15.94	ND	7,600	1,300	13	520	190	<60	--	--	--	1.0	P
MW-6	07-27-98	22.77	7.80	14.97	ND	15,000	3,600	<25	1,100	230	<150	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft.-MSL	Depth to Water feet	Groundwater Elevation ft.-MSL	Floating Product Thickness feet	TPH LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-7	03-17-95	22.89	7.68	15.21	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-7	06-01-95	22.89	8.40	14.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-7	08-31-95	22.89	9.09	13.80	ND	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--		
MW-7	11-27-95	22.89	9.15	13.74	ND	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--		
MW-7	02-22-96	22.89	7.44	15.45	ND	110	1.4	<0.5	3.8	3.0	<3	--	--	--		
MW-7	05-20-96	22.89	8.47	14.42	ND Not sampled: well sampled annually, during the first quarter											
MW-7	08-26-96	22.89	8.81	14.08	ND Not sampled: well sampled annually, during the first quarter											
MW-7	11-20-96	22.89	9.17	13.72	ND Not sampled: well sampled annually, during the first quarter											
MW-7	03-24-97	22.89	8.31	14.58	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-7	05-23-97	22.89	9.26	13.63	ND Not sampled: well sampled annually, during the first quarter											
MW-7	08-19-97	22.89	-	NA	ND Not sampled: well is dry											
MW-7	11-19-97	22.89	-	NA	ND Not sampled: well is dry											
MW-7	02-19-98	22.89	6.13	16.76	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-7	04-23-98	22.89	7.44	15.45	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-7	07-27-98	22.89	8.75	14.14	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-8	03-17-95	20.97	6.14	14.83	ND	5,400	<5	<5	35	<5	--	--	--	--		
MW-8	06-01-95	20.97	6.50	14.47	ND	2,600	<2.5	<2.5	15	<2.5	--	--	--	--		
MW-8	08-31-95	20.97	7.35	13.62	ND	1,400	<3	<3	5	<3	520	--	900	--		
MW-8	11-27-95	20.97	7.60	13.37	ND	620	<0.5	<0.5	<0.5	0.5	--	560	900	510*		
MW-8	02-22-96	20.97	5.35	15.62	ND	5,800	<5	<5	28	<5	110	--	1,900	6,800*		
MW-8	05-20-96	20.97	5.92	15.05	ND	6,100	<5	<5	26	<5	240	--	--	--		
MW-8	08-26-96	20.97	7.08	13.89	ND	970	<1	<1	3	<1	710	--	--	--		
MW-8	11-20-96	20.97	7.01	13.96	ND	3,900	<2.5	<2.5	12	<2.5	930	--	--	--		
MW-8	03-24-97	20.89	7.33	13.56	ND	1,400	<10	<10	<10	12	1,300	--	--	--		
MW-8	05-23-97	20.89	7.55	13.34	ND	730	<5	<5	<5	<5	630	--	--	--		
MW-8	08-19-97	20.89	7.87	13.02	ND	<500	<5	<5	<5	<5	290	--	--	--		
MW-8	11-19-97	20.89	7.87	13.02	ND	<200	<2	<2	<2	<2	260	--	--	--		
MW-8	02-19-98	20.89	4.46	16.43	ND	2,000	<2	<2	9	<2	140	--	--	--		
MW-8	04-23-98	20.89	6.35	14.54	ND	4,500	<5	<5	<5	11	550	--	--	--	0.5	P
MW-8	07-27-98	20.89	7.43	13.46	ND Not sampled											

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-9	03-17-95	20.89	6.94	13.95	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	06-01-95	20.89	8.15	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	08-31-95	20.89	8.10	12.79	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-27-95	20.89	8.38	12.51	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	02-22-96	20.89	7.36	13.53	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-20-96	20.89	7.81	13.08	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	08-26-96	20.89	8.00	12.89	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-20-96	20.89	7.06	13.83	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	03-24-97	22.26	7.74	14.52	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-23-97	22.26	8.28	13.98	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	08-19-97	22.26	8.32	13.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-19-97	22.26	8.32	13.94	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	02-19-98	22.26	7.11	15.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	04-23-98	22.26	8.18	14.08	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	07-27-98	22.26	7.97	14.29	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.6	P
MW-10	03-17-95	21.12	6.26	14.86	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	06-01-95	21.12	7.63	13.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	08-31-95	21.12	8.17	12.95	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-27-95	21.12	8.38	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	02-22-96	21.12	5.41	15.71	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-20-96	21.12	6.78	14.34	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-10	08-26-96	21.12	8.00	13.12	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-20-96	21.12	7.81	13.31	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-10	03-24-97	21.33	7.87	13.46	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-23-97	21.33	8.33	13.00	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-10	08-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	02-19-98	21.33	4.65	16.68	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	04-23-98	21.33	6.28	15.05	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-10	07-27-98	21.33	7.97	13.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.3	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-11	03-17-95	22.38	6.94	15.44	ND	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-11	06-01-95	22.38	7.90	14.48	ND	210	<0.5	<0.5	0.9	0.7	--	--	--	--		
MW-11	08-31-95	22.38	8.18	14.20	ND	680	<0.5	<0.5	4	1.8	<3	--	--	--		
MW-11	11-27-95	22.38	8.48	13.90	ND	340	<0.5	<0.5	2.2	1.6	--	--	--	--		
MW-11	02-22-96	22.38	6.63	15.75	ND	150	<0.5	<0.5	<0.8	0.8	<3	--	--	--		
MW-11	05-20-96	22.38	7.25	15.13	ND Not sampled: well sampled annually, during the first quarter											
MW-11	08-26-96	22.38	8.22	14.16	ND Not sampled: well sampled annually, during the first quarter											
MW-11	11-20-96	22.38	8.37	14.01	ND Not sampled: well sampled annually, during the first quarter											
MW-11	03-24-97	20.97	8.15	12.82	ND	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-11	05-23-97	20.97	8.48	12.49	ND Not sampled: well sampled annually, during the first quarter											
MW-11	08-19-97	20.97	8.67	12.30	ND Not sampled: well sampled annually, during the first quarter											
MW-11	11-19-97	20.97	8.67	12.30	ND Not sampled: well sampled annually, during the first quarter											
MW-11	02-19-98	20.97	6.25	14.72	ND	<50	<0.5	1.6	<0.5	1.8	7	--	--	--		
MW-11	04-23-98	20.97	7.23	13.74	ND Not sampled: well sampled annually, during the first quarter											
MW-11	07-27-98	20.97	8.05	12.92	ND Not sampled: well sampled annually, during the first quarter											
MW-12	03-17-95	22.77	7.09	15.68	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-12	06-01-95	22.77	8.40	14.37	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-12	08-31-95	22.77	8.55	14.22	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	11-27-95	22.77	8.95	13.82	ND Not sampled: well sampled semi-annually, during the first and third quarters											
MW-12	02-22-96	22.77	6.81	15.96	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-20-96	22.77	7.56	15.21	ND Not sampled: well sampled annually, during the first quarter											
MW-12	08-26-96	22.77	8.63	14.14	ND Not sampled: well sampled annually, during the first quarter											
MW-12	11-20-96	22.77	8.38	14.39	ND Not sampled: well sampled annually, during the first quarter											
MW-12	03-24-97	20.11	8.75	11.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-23-97	20.11	8.92	11.19	ND Not sampled: well sampled annually, during the first quarter											
MW-12	08-19-97	20.11	9.20	10.91	ND Not sampled: well sampled annually, during the first quarter											
MW-12	11-19-97	20.11	9.20	10.91	ND Not sampled: well sampled annually, during the first quarter											
MW-12	02-19-98	20.11	6.28	13.83	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	04-23-98	20.11	7.52	12.59	ND Not sampled: well sampled annually, during the first quarter											
MW-12	07-27-98	20.11	8.52	11.59	ND Not sampled: well sampled annually, during the first quarter											

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-13	03-17-95	22.45	6.91	15.54	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-13	06-01-95	22.45	7.72	14.73	ND Not sampled: well sampled annually, during the first quarter											
MW-13	08-31-95	22.45	7.58	14.87	ND Not sampled: well sampled annually, during the first quarter											
MW-13	11-27-95	22.45	7.98	14.47	ND Not sampled: well sampled annually, during the first quarter											
MW-13	02-22-96	22.45	6.71	15.74	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-20-96	22.45	6.98	15.47	ND Not sampled: well sampled annually, during the first quarter											
MW-13	08-26-96	22.45	7.85	14.60	ND Not sampled: well sampled annually, during the first quarter											
MW-13	11-20-96	22.45	7.76	14.69	ND Not sampled: well sampled annually, during the first quarter											
MW-13	03-24-97	20.75	7.85	12.90	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-23-97	20.75	8.16	12.59	ND Not sampled: well sampled annually, during the first quarter											
MW-13	08-19-97	20.75	8.40	12.35	ND Not sampled: well sampled annually, during the first quarter											
MW-13	11-19-97	20.75	8.40	12.35	ND Not sampled: well sampled annually, during the first quarter											
MW-13	02-19-98	20.75	6.44	14.31	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	04-23-98	20.75	6.80	13.95	ND Not sampled: well sampled annually, during the first quarter											
MW-13	07-27-98	20.75	7.52	13.23	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-14	03-17-95	22.99	8.17	14.82	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-14	06-01-95	22.99	8.57	14.42	ND Not sampled: well sampled annually, during the first quarter											
MW-14	08-31-95	22.99	9.05	13.94	ND Not sampled: well sampled annually, during the first quarter											
MW-14	11-27-95	22.99	9.19	13.80	ND Not sampled: well sampled annually, during the first quarter											
MW-14	02-22-96	22.99	6.52	16.47	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-20-96	22.99	7.88	15.11	ND Not sampled: well sampled annually, during the first quarter											
MW-14	08-26-96	22.99	8.83	14.16	ND Not sampled: well sampled annually, during the first quarter											
MW-14	11-20-96	22.99	8.95	14.04	ND Not sampled: well sampled annually, during the first quarter											
MW-14	03-24-97	20.90	8.98	11.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-23-97	20.90	9.61	11.29	ND Not sampled: well sampled annually, during the first quarter											
MW-14	08-19-97	20.90	9.80	11.10	ND Not sampled: well sampled annually, during the first quarter											
MW-14	11-19-97	20.90	9.80	11.10	ND	<50	1.7	<0.5	0.6	3	<3	--	--	--		
MW-14	02-19-98	20.90	6.27	14.63	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-14	04-23-98	20.90	7.75	13.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	07-27-98	20.90	9.24	11.66	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-15	03-17-95	19.19	5.21	13.98	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-15	06-01-95	19.19	5.84	13.35	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-31-95	19.19	6.18	13.01	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-15	11-27-95	19.19	6.42	12.77	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-22-96	19.19	4.84	14.35	ND	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--		
MW-15	05-20-96	19.19	5.31	13.88	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-26-96	19.19	6.05	13.14	ND	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--		
MW-15	11-20-96	19.19	5.46	13.73	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	03-24-97	22.08	6.00	16.08	ND	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--		
MW-15	05-23-97	22.08	6.25	15.83	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-19-97	22.08	6.34	15.74	ND	99*	<0.5	<0.5	<0.5	0.7	6	--	--	--		
MW-15	11-19-97	22.08	6.34	15.74	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-19-98	22.08	4.66	17.42	ND	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--		
MW-15	04-23-98	22.08	5.18	16.90	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	07-27-98	22.08	6.02	16.06	ND	<50	<0.5	<0.5	<0.5	<0.5	50	--	--	--	1.0	P

ft-MSL: elevation in feet, relative to mean sea level
 MWN: ground-water flow direction and gradient apply to the entire monitoring well network
 ft/ft: foot per foot
 TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method
 µg/L: micrograms per liter
 mg/L: milligrams per liter
 MTBE: Methyl tert-butyl ether
 TRPH: total recoverable petroleum hydrocarbons
 TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method
 NR: not reported; data not available or not measurable
 ND: none detected
 DRY: dry well; groundwater was not detected
 --: not analyzed
 *: Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint.
 **: [corrected elevation (Z')] = Z + (h * 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water
 ***: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California, (EMCON, March 14, 1996).*

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station No. 601
712 Lewelling Boulevard, San Leandro, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03/17/95	West-Southwest	0.006
06/01/95	Southwest	0.003
08/31/95	South-Southwest	0.005
11/27/95	South-Southwest	0.004
02/22/96	Northwest	0.007
05/20/96	Southwest	0.007
08/26/96	South-Southwest	0.004
11/20/96	South-Southeast	0.004
03/24/97	Southeast	0.013
05/23/97	Southeast	0.014
08/19/97	Southeast	0.04
11/19/97	Southeast	0.016
02/19/98	East	Variable
04/23/98	Variable	Variable
07/27/98	Southeast	0.05

Table 3
Historical Groundwater Analytical Data
Metals*
1995 - Present**

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Cadmium EPA 6010 µg/L	Chromium EPA 6010 µg/L	Lead EPA 7421 µg/L	Nickel EPA 6010 µg/L	Zinc EPA 6010 µg/L
MW-1	03-17-95	<5	20	20	<40	60
MW-1	06-01-95	<5	20	22	70	100
MW-1	08-31-95	Not sampled: well contained floating product				
MW-1	11-27-95	Not sampled: well contained floating product				
MW-1	03-14-96	Not sampled: well contained floating product				
MW-1	05-21-96	0.006	<0.01	<0.005	<0.02	<0.02
MW-1	08-26-96	--	--	--	--	--
MW-1	11-20-96	--	--	--	--	--
MW-1	03-24-97	--	--	--	--	--
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1				
MW-1	08-19-97					
MW-1	11-19-97					
MW-1	02-19-98	<0.01	<0.01	<0.05	<0.02	<0.02
MW-1	04-23-98	--	--	--	--	--
MW-1	07-27-98	--	--	--	--	--
MW-8	03-17-95	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8				
MW-8	06-01-95	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8				
MW-8	08-31-95	<5	40	16	50	90
MW-8	11-27-95	<5	130	77	170	280
MW-8	03-14-96	<5	30	7	40	60
MW-8	05-21-96	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8				
MW-8	08-26-96	--	--	--	--	--
MW-8	11-20-96	--	--	--	--	--
MW-8	03-24-97	--	--	--	--	--
MW-8	05-23-97	<0.005	<0.01	<0.005	<0.02	<0.02
MW-8	08-19-97	--	--	--	--	--
MW-8	02-19-98	--	--	--	--	--
MW-8	04-23-98	--	--	--	--	--
MW-8	07-27-98	--	--	--	--	--

EPA: United States Environmental Protection Agency

mg/L: micrograms per liter

-- : not analyzed

*: Historically samples were analyzed for total metals. Since March 14, 1996, the samples were filtered and analyzed for dissolved metals

**: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California*, (EMCON, March 14, 1996).

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride µg/L	1,2-Dichloro-ethane µg/L	1,1-Dichloro-ethane µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	Naphthalene µg/L	2-Methyl-naphthalene µg/L	Bis (2-ethylhexyl) Phthalate µg/L	Phenol µg/L	2,4-Di-methyl-phenol µg/L
MW-1	03-17-95	--	--	--	--	--	--	--	1300	730	<50	ND	150
MW-1	06-01-95	--	--	--	--	--	--	--	2200	1700	<100	240	<100
MW-1	08-31-95	Not sampled: well contained floating product											
MW-1	11-27-95	Not sampled: well contained floating product											
MW-1	03-14-96	Not sampled: well contained floating product											
MW-1	05-21-96	--	--	--	--	--	--	--	1200	860	<50	<50	<50
MW-1	08-26-96	--	--	--	--	--	--	--	2300	1800	<500	<500	<1000
MW-1	11-20-96	--	--	--	--	--	--	--	590	250	91	<50 [^]	<100 [^]
MW-1	03-24-97	--	--	--	--	--	--	--	730	610	<50 [^]	<50 [^]	<100 [^]
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
MW-1	08-19-97	--	--	--	--	--	--	--	1300	790	<50 [^]	<50 [^]	<100 [^]
MW-1	11-19-97	--	--	--	--	--	--	--	<5	<5	5	<5	<10
MW-1	02-19-98	--	--	--	--	--	--	--	870	330	<50	<50	<100
MW-1	04-23-98	Not analyzed											
MW-1	07-27-98	Not analyzed											

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride µg/L	1,2-Dichloroethane µg/L	1,1-Dichloroethane µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	Naphthalene µg/L	2-Methylnaphthalene µg/L	Bis (2-ethylhexyl) Phthalate µg/L	Phenol µg/L	2,4-Di-methyl-phenol µg/L
MW-8	03-17-95	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	06-01-95	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	08-31-95	--	--	--	--	--	--	--	62	8	<5	<5	<5
MW-8	11-27-95	--	--	--	--	--	--	--	15	<5	<5	<5	<5
MW-8	03-14-96	--	--	--	--	--	--	--	400	55	<50	<50	<50
MW-8	05-21-96	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	08-26-96	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	11-20-96	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	03-24-97	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	05-23-97	--	--	--	--	--	--	--	26	<5	<5	<5	<10
MW-8	08-19-97	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	11-19-97	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	02-19-98	Not analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											
MW-8	04-23-98	Not analyzed											
MW-8	07-27-98	Not analyzed											

EPA: United States Environmental Protection Agency

µg/L: micrograms per liter

--: not analyzed

*: method reporting limit was raised due to: (1) high analyte concentration requiring sample dilution, or (2) matrix interference

*: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California*, (EMCON, March 14, 1996).

** The sample was analyzed initially on 8/22/97, within the recommended holding time, and the surrogates were below normal CAS control limits.


The sample was reextracted on 9/2/97, 7 days past the recommended holding time, and the QA/QC results for reanalysis are within CAS acceptance criteria.

Table 5
Approximate Cumulative Floating Product Recovered

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California


Well Desig- nation	Date	Floating Product Recovered
		gallons
MW-1	1991	3.43
MW-1	1992	0.02
MW-1	1993	0.00
MW-1	1994	0.00
MW-1	1995	0.00
MW-1	1996	0.00
MW-1	1997	0.00
MW-1	1998	0.00
		3.45
		1991 to 1998 Total:

IMAGE Files: <No Images>
D:\arc\601\601CHEM.DWG Thu, 12/Nov/98 03:28pm kblock
Dimstyle: 50 Ltscale: 0 Ptscale: 0
XREF Files: <No Xrefs>
SANJOSE/CADD: N:\DWG\PMAC\601\601CHEM.DWG Thu, 12/Nov/98 03:28pm kblock



- EXPLANATION**
- Groundwater monitoring well
 - Former underground gasoline storage tank
 - Existing underground gasoline storage tank
 - Approximate limit of gasoline tank excavation
 - Former product line
 - (73,000/2,100/<300) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 7/27/98
 - < Not detected at or above the indicated laboratory detection limit
 - NS Not sampled

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON





DATE OCT. 1998
DWN KAB
APP
REV
PROJECT NO.
20805-121.006

FIGURE 1
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
THIRD QUARTER 1998

IMAGE Files: <No Images>
XREF Files: <No Xrefs>
D:\DWG\601\601GWC.DWG Tue, 08/Dec/98 02:58pm kblack
SANJOSE/CADD: N:\DWG\601\601GWC.DWG Tue, 08/Dec/98 02:58pm kblack

1" 1/2" 0"



- EXPLANATION**
- Groundwater monitoring well
 - Former underground gasoline storage tank
 - Existing underground gasoline storage tank
 - Approximate limit of gasoline tank excavation
 - Former product line
 - (11.59) Groundwater elevation (Ft.-MSL) measured 7/27/98
 - ? --- Groundwater elevation contour (Ft.-MSL)
 - ← Approximate direction of groundwater flow showing gradient
 - * Not used to construct contours

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

0 50 100
SCALE IN FEET
(Approximate)

DATE OCT. 1998
DWN KAB
APP
REV
PROJECT NO.
20805-121.006

FIGURE 2
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
THIRD QUARTER 1998

APPENDIX A
SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Labels to identify individual samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND
WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT
FLOATING PRODUCT THICKNESS.
DO NOT SAMPLE WELL FOR
DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY
USING THE FOLLOWING EQUATION:
$$P = \pi r^2 \times 7.48 \times h$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS
OF DRYNESS BEFORE REMOVING
CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO
THE CALCULATED PURGE VOLUME WHILE
MONITORING GROUNDWATER
STABILIZATION INDICATOR PARAMETERS
(pH, CONDUCTIVITY, TEMPERATURE) AT
INTERVALS OF ONE CASING VOLUME.

NO

FINAL TWO SETS OF GROUNDWATER
STABILIZATION INDICATOR PARAMETER
MEASUREMENTS MEET THE FOLLOWING
CRITERIA:

pH. = ± 0.1 pH units

COND. = $\pm 10\%$

TEMP. = $\pm 1.0^\circ\text{F}$

YES

WELL PURGING
CRITERIA MET:
PROCEED TO
WELL SAMPLING.

NO

CONTINUE PURGING. EVACUATE
ADDITIONAL CASING VOLUME
OF WATER. MONITORING
INDICATOR PARAMETERS FOR
STABILITY.

YES

WELL RECHARGES TO A LEVEL
SUFFICIENT FOR SAMPLE
COLLECTION WITHIN 24 HOURS
OF EVACUATION TO DRYNESS.

YES

FIELD TEST FIRST
RECHARGE WATER FOR
INDICATOR PARAMETERS.
THEN PROCEED TO WELL
SAMPLING.

NO

RECORD WELL
AS DRY FOR
PURPOSES OF
SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96

PROJECT NO: _____
PURGED BY: _____
SAMPLED BY: _____SAMPLE ID: _____
CLIENT NAME: _____
LOCATION: _____TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____
CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): _____ VOLUME IN CASING (gal.): _____
DEPTH OF WELL (feet): _____ CALCULATED PURGE (gal.): _____
DEPTH OF WATER (feet): _____ ACTUAL PURGE VOL. (gal.): _____DATE PURGED: _____
DATE SAMPLED: _____END PURGE: _____
SAMPLING TIME: _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): _____

PURGING EQUIPMENT

_____ 2" Bladder Pump
 _____ Centrifugal Pump
 _____ Submersible Pump
 _____ Well Wizard™
 Other: _____

_____ Bailer (Teflon)
 _____ Bailer (PVC)
 _____ Bailer (Stainless Steel)
 _____ Dedicated

SAMPLING EQUIPMENT

_____ 2" Bladder Pump
 _____ Bomb Sampler
 _____ Dipper
 _____ Well Wizard™
 Other: _____

_____ Bailer (Teflon)
 _____ Bailer (Stainless Steel)
 _____ Submersible Pump
 _____ Dedicated

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: _____ Time: _____ Meter Serial No.: _____
E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____Temperature °F _____
SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____**EMCON**

WATER SAMPLE FIELD DATA SHEET

FIGURE

A-2



OWT

EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project

Authorization:

EMCON Project No.:

OWT Project No.:

Task Code:

Originals To:

cc:

Well Lock
Number (s)

☐ CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact:

Name

Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Instructions:



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

FIGURE

A-3

APPENDIX B

**CERTIFIED ANALYTICAL REPORTS,
AND CHAIN-OF-CUSTODY DOCUMENTATION**



August 11, 1998

Service Request No.: S9801969

Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on July 28, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 19, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Steven L. Green
Project Chemist

Greg Anderson
Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONLST.DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-13(13')
Lab Code: S9801969-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(9)
Lab Code: S9801969-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/31/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/31/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-14(13')
Lab Code: S9801969-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/31/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/31/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/31/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(10')
Lab Code: S9801969-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	200	NA	8/1/98	30000	
Benzene	EPA 5030	8020	0.5	200	NA	8/1/98	8000	
Toluene	EPA 5030	8020	0.5	200	NA	8/1/98	2000	
Ethylbenzene	EPA 5030	8020	0.5	200	NA	8/1/98	590	
Xylenes, Total	EPA 5030	8020	0.5	200	NA	8/1/98	1900	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	200	NA	8/1/98	<600	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(8)
Lab Code: S9801969-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	8/1/98	10000	
Benzene	EPA 5030	8020	0.5	40	NA	8/1/98	1400	
Toluene	EPA 5030	8020	0.5	40	NA	8/1/98	140	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	8/1/98	290	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	8/1/98	1900	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	8/1/98	<120	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(8')
Lab Code: S9801969-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	50	NA	8/2/98	15000	
Benzene	EPA 5030	8020	0.5	50	NA	8/2/98	3600	
Toluene	EPA 5030	8020	0.5	50	NA	8/2/98	<25	C1
Ethylbenzene	EPA 5030	8020	0.5	50	NA	8/2/98	1100	
Xylenes, Total	EPA 5030	8020	0.5	50	NA	8/2/98	230	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	50	NA	8/2/98	<150	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-15(10')
Lab Code: S9801969-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/1/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/1/98	50	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(12')
Lab Code: S9801969-008
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	200	NA	8/1/98	140000	
Benzene	EPA 5030	8020	0.5	200	NA	8/1/98	920	
Toluene	EPA 5030	8020	0.5	200	NA	8/1/98	1500	
Ethylbenzene	EPA 5030	8020	0.5	200	NA	8/1/98	2400	
Xylenes, Total	EPA 5030	8020	0.5	200	NA	8/1/98	13000	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	200	NA	8/1/98	<600	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-1(11)
Lab Code: S9801969-009
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	100	NA	8/5/98	73000	
Benzene	EPA 5030	8020	0.5	100	NA	8/5/98	2100	
Toluene	EPA 5030	8020	0.5	100	NA	8/5/98	88	
Ethylbenzene	EPA 5030	8020	0.5	100	NA	8/5/98	2600	
Xylenes, Total	EPA 5030	8020	0.5	100	NA	8/5/98	4600	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	100	NA	8/5/98	<300	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980729-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/29/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Methyl tert-Butyl Ether	EPA 5030	8020	3	1	NA	7/29/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980801-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/1/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/1/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980805-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/5/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/5/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/5/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/5/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/5/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/5/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.**Analytical Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980730-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-13(13')	S9801969-001		99	90
MW-7(9')	S9801969-002		99	97
MW-14(13')	S9801969-003		99	93
MW-5(10')	S9801969-004		95	92
MW-4(8')	S9801969-005		98	96
MW-6(8')	S9801969-006		98	99
MW-15(10')	S9801969-007		99	96
MW-3(12')	S9801969-008		97	104
MW-10(10')	S9801969-009		100	105
MW-7(9')	S9801969-002MS		93	103
MW-7(9')	S9801969-002DMS		94	106
Method Blank	S980729-WB1		98	94
Method Blank	S980730-WB1		100	92
Method Blank	S980801-WB1		97	103
Method Blank	S980805-WB1		98	90

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.**QA/QC Report**

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801969
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 7/30/98

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: MW-7(9') **Units:** ug/L (ppb)
Lab Code: S9801969-002MS, S9801969-002DMS **Basis:** NA
Test Notes:

Analyte	Prep Method	Analysis Method	Percent Recovery										Result Notes
			Spike Level		Sample Result	Spike Result				CAS	Relative		
			MRL	MS		DMS	MS	DMS	MS	DMS	Acceptance Limits	Percent Difference	
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	280	250	112	100	75-135	11	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.006/TO#22312.00/RAT8/601 SAN LEANDRO

Service Request: S9801969
Date Analyzed: 07/29/98

Initial Calibration Verification (ICV) Summary BTEX, MTBE and TPH as Gasoline

Sample Name: ICV **Units:** ug/L (ppb)
Lab Code: ICV1 **Basis:** NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS	Percent Recovery	Result Notes
					Percent Recovery Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	27	85-115	108	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	79	85-115	105	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	26	85-115	104	

Division of Atlantic/Richfield Company

Task Order No.

22312.00 59801969

Chain of Custody

[illegible]

Distribution: White Copy – Laboratory; Canary Copy – ARCO Environmental Engineering; Pink Copy – Consultant



August 11, 1998

Service Request No.: S9801970

Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO


Dear Mr. Vanderveen:


The following pages contain analytical results for sample(s) received by the laboratory on July 28, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,


Steven L. Green
Project Chemist


Greg Anderson
Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONLST.DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-9(15)
Lab Code: S9801970-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: 7/27/98
Date Received: 7/28/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-10(15)
Lab Code: S9801970-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/30/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/30/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/30/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980729-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	7/29/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	7/29/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	7/29/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-9(15)	S9801970-001		100	89
MW-10(15)	S9801970-002		98	93
BATCH QC	S9801943-002MS		96	103
BATCH QC	S9801943-002DMS		95	102
Method Blank	S980729-WB1		98	94

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9801970
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 7/29/98

Matrix Spike/Duplicate Matrix Spike Summary
 TPH as Gasoline

Sample Name: BATCH QC **Units:** ug/L (ppb)
Lab Code: S9801943-002MS, **Basis:** NA
Test Notes: S9801943-002DMS

Percent Recovery												
Analyte	Prep Method	Analysis Method	Spike Level			Sample Result	Spike Result		CAS Acceptance		Relative	Result Notes
			MRL	MS	DMS		MS	DMS	MS	DMS	Percent	
											Limits	
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	250	240	100	96	75-135	4

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.004/TO#19350.00 (RAT 8)/601 SAN LEANDRO

Service Request: S9801970
Date Analyzed: 7/30/98

**Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline**

Sample Name: ICV **Units:** ug/L (ppb)
Lab Code: ICV1 **Basis:** NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Percent Recovery	Percent Recovery	
					Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	27	85-115	108	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	79	85-115	105	
Methyl tert -Butyl Ether	EPA 5030	8020	25	26	85-115	104	

Chain of Custody

ARCO Facility no.

0601

City
(Facility)

San Leandro

Project manager
(Consultant)

Glen Vanderveer

Laboratory Name

CAS

ARCO engineer

Paul Scapple

Telephone no.
(ARCO)

Telephone no.
(Consultant)

(408) 453-7300

Fax no.
(Consu

litant) (48) 437-900

Contract Number

Consultant name

EMCON

Address
(Consultant)

144-A Hawthorn Way, Walnut Creek, CA

[illegible]

APPENDIX C
FIELD DATA SHEETS

EMCON - Groundwater Sampling and Analysis Request Form

PROJECT NAME : **ARCO STATION 601**
712 Lewelling Blvd. San Leandro

Sampling Project #: **21775-208.003**
 Reporting Project #: **20805-121.005**

DATE REQUESTED : **27-Jul-98**

Project Manager: **Glen Vanderveen**

Groundwater Monitoring Instructions	Treatment System Instructions
<p>Quarterly Monitoring- 2nd Month Of The Quarter Bring a water trailer for purge water transport. Perform a water level survey prior to sampling (See ARCO SOP). The survey points are the tops of the well casings. Purge three (3) casing volumes. Please use the Reporting Project Number (#20805-121.006) on the chain-of-custody, sample containers and analytical results. MW-9 and MW-10 should be put on a separate chain-of-custody. Please see page 2 for additional information. Sample ID's on the on the C-O-C and the sample bottles must include the depth at which the sample was collected [i.e. MW-1(30)]. If MW-1 contains product take additional parameters at MW-8. Sample all regardless of prod.</p>	<p>No treatment system at this site.</p> <p>Lisle Rath Pager# (4088) 798-2928</p>

Site Contact: ? Site Phone: (415) 483-3237 Well Locks: ARCO Key

Well ID or Source	Casing Diameter (inches)	Casing Length (feet)	Floating Product (feet)	Analyses Requested
MW-9	2.0	16.2	ND	Depth To Water Total Depth
MW-10	2.0	19.3	ND	
MW-12	4.0	11.9	ND	
MW-13	2.0	13.3	ND	
MW-14	2.0	13.1	ND	
Above wells in any order				
MW-7	4.0	9.7	Dry	
MW-11	4.0	12.0	ND	
MW-4	4.0	8.6	ND	
MW-5	4.0	10.4	ND	
MW-6	4.0	8.6	Dry	
MW-3	4.0	11.9	IP	
MW-1	4.0	12.0	IP	
MW-2	4.0	12.4	ND	
MW-8	4.0	10.3	ND	
MW-15	2.0	10.4	ND	
Above wells in indicated order				

Laboratory Instructions:

Provide lowest detection limits possible.

Please report well MW-9 and MW-10 on a separete CAR.

Please use the EMCON Reporting Project Number (**#20805-121.006**) on the CARs.

ND = None Detected IP = Intermitent Product

RECEIVED

AUG 1 2 1998

BY: UH

EMCON - Groundwater Sampling and Analysis Request Form

PROJECT NAME : ARCO STATION 601
712 Lewelling Blvd. San Leandro

Sampling Project #: 21775-208.003
Reporting Project #: 20805-121.006

DATE REQUESTED : 27-Jul-98

Project Manager: Glen Vanderveen

Groundwater Monitoring Instructions	Treatment System Instructions
<p>See page one for additional instructions</p> <p><i>If well MW-1 does not contain product, please take the added parameters at this well. If well contains product, then take additional parameters at well MW-8.</i></p> <p>Sample all wells regardless of product per John Young's request Sample ID's on the C-O-C and the sample bottles must include the depth at which the sample was collected [i.e. MW-1 (30)]</p>	<p>No treatment system at this site.</p> <p>Lisle Rath Pager# (888) 606-0933</p>

Site Contact: ? Site Phone: (415) 483-3237 Well Locks: ARCO Key

Well ID or Source	Casing Diameter (inches)	Casing Length (feet)	Floating Product (feet)	Analyses Requested	
MW-9 ✓				<p><Separate COC & CAR</p> <p><Separate COC & CAR</p> <p>Dissolved Oxygen (Field Reading)</p> <p>TPH-Gasoline</p> <p>BTEX</p> <p>MTBE by EPA 8020</p> <p>(Fill 2- 40ml HCL VOAs)</p>	
MW-10 ✓		(See Page One)			
MW-13 ✓					
MW-14 ✓					
Above wells in any order					
MW-7 ✓					
MW-4 ✓					
MW-5 ✓					
MW-6 ✓		(See Page One)			
MW-3 ✓					
MW-1 ✓					
MW-15					
Above wells in indicated order					
<p>Laboratory Instructions:</p> <p>Please report well MW-9 and MW-10 on a seperate CAR.</p> <p>Provide lowest detection limits possible.</p> <p>Please use the EMCON Reporting Project Number (#20805-121.006) on the CARs.</p> <p>ND = None Detected IP = Intermittent Product</p>					

FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY

PROJECT # : 21775-208.003

STATION ADDRESS : 712 Lewelling Blvd., San Leandro

DATE : 7/27/98

ARCO STATION # : 601

FIELD TECHNICIAN : Manuel Gallegos/ Mike Ross

DAY : Monday

DTW Order	WELL ID	Well Box Seal	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-9	OK	15/16"	YES	ARCO	LWC	7.97	7.97	ND	ND	16.1	
2	MW-10	OK	15/16"	YES	ARCO	LWC	7.97	7.97	ND	ND	17.7	
3	MW-12	OK	15/16"	YES	ARCO	LWC	8.52	8.52	ND	ND	11.6	water in box
4	MW-13	OK	15/16"	YES	ARCO	LWC	7.52	7.52	ND	ND	13.0	
5	MW-14	OK	15/16"	YES	ARCO	LWC	9.24	9.24	ND	ND	13.0	
6	MW-7	OK	15/16"	YES	ARCO	LWC	8.75	8.75	ND	ND	9.6	
7	MW-11	OK	15/16"	YES	ARCO	LWC	8.05	8.05	ND	ND	11.8	
8	MW-4	OK	15/16"	YES	ARCO	LWC	7.22	7.22	ND	ND	8.5	
9	MW-5	OK	15/16"	YES	ARCO	LWC	6.71	6.71	ND	ND	10.00	* Sack in well
10	MW-6	OK	15/16"	YES	ARCO	LWC	7.80	7.80	ND	ND	8.6	
11	MW-3	OK	HEX	YES	ARCO	LWC	7.00	7.00	ND	ND	12.0	* Sack in well
12	MW-1	OK	HEX	YES	ARCO	LWC	8.14	8.14	ND	ND	11.1	
13	MW-2	OK	15/16"	YES	ARCO	LWC	7.02	7.02	ND	ND	12.2	* Sack in well / Both bolts broken
14	MW-15	OK	15/16"	YES	ARCO	LWC	6.02	6.02	ND	ND	10.1	Missing both screws
15	MW-8	OK	15/16"	YES	ARCO	LWC	7.43	7.43	ND	ND	10.2	* Sack in well

SURVEY POINTS ARE TOP OF WELL CASINGS

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003
PURGED BY M. Ross
SAMPLED BY M. Ross

SAMPLE ID MW-1(11)
CLIENT NAME ARCO CO
LOCATION San Leandro, Ca.

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NA VOLUME IN CASING (gal.) 1.93
DEPTH OF WELL (feet) 11.1 CALCULATED PURGE (gal.) 5.80
DEPTH OF WATER (feet) 3.14 ACTUAL PURGE VOL (gal.) 6.0

DATE PURGED: 7/27/98
DATE SAMPLED: 7/27/98

END PURGE: 1507
SAMPLING TIME: 1910

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1505</u>	<u>2.0</u>	<u>6.83</u>	<u>701</u>	<u>73.7</u>	<u>Yellow/ldy</u>	<u>Trace</u>
<u>1506</u>	<u>4.0</u>	<u>6.74</u>	<u>698</u>	<u>73.9</u>	<u>ll</u>	<u>ll</u>
<u>1507</u>	<u>6.0</u>	<u>6.72</u>	<u>743</u>	<u>74.1</u>	<u>ll</u>	<u>ll</u>

OTHER: P.O. 1.0 Mag ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
Other: Dispersive

WELL INTEGRITY: ok LOCK: NR

REMARKS: Heavy green

pH, E.C., Temp. Meter Calibration Date: 7/27/98 Time: 1230 Meter Serial No: 600112
E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F _____
SIGNATURE: Milton Ross REVIEWED BY: MS-9 PAGE 1 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO. 21275-208.903

SAMPLE ID

MW-3(12)

PURGED BY

M. Ross

M. Calley

CLIENT NAME

ARCO 601

SAMPLED BY

M. Ross

M. Calley

LOCATION

San Leandro, Ca

TYPE Groundwater ☒

Surface Water ☐

Leachate ☐

Other ☐

CASING DIAMETER (inches)

2

3

4 ☒

4.5

6

Other ☐

CASING ELEVATION (feet/MSL)

NR

VOLUME IN CASING (gal.)

3.26

DEPTH OF WELL (feet)

12.00

CALCULATED PURGE (gal.)

9.8

DEPTH OF WATER (feet)

7.00

ACTUAL PURGE VOL. (gal.)

10.0

DATE PURGED

7/27/93

END PURGE

1448

DATE SAMPLED

7/27/93

SAMPLING TIME

1450

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1446</u>	<u>3.5</u>	<u>7.81</u>	<u>808</u>	<u>71.4</u>	<u>Clear</u>	<u>Trace</u>
<u>1447</u>	<u>7.0</u>	<u>7.76</u>	<u>800</u>	<u>70.9</u>	<u>"</u>	<u>"</u>
<u>1448</u>	<u>10.0</u>	<u>7.49</u>	<u>838</u>	<u>70.6</u>	<u>"</u>	<u>"</u>

OTHER: 0.0

1.0

mg/L

ODOR: Strong

NR

(COBALT 0-100)

NR

(NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

NR

PURGING EQUIPMENT

☐ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard™
☒ Bailer (Teflon)
☒ Bailer (PVC)
☐ Bailer (Stainless Steel)
☐ Dedicated

Other:

SAMPLING EQUIPMENT

☒ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard™
☐ Bailer (Teflon)
☐ Bailer (Stainless Steel)
☐ Submersible Pump
☐ Dedicated

Other: Disposable

WELL INTEGRITY OK

LOCK: ARCO

REMARKS:

Heavy Green

pH, E.C., Temp. Meter Calibration Date

7/27/93

Time: 1230

Meter Serial No.

600612

E.C. 1000

pH 7

pH 10

pH 4

Temperature °F

See MW-9

SIGNATURE

M. Ross

REVIEWED BY

SA

PAGE

2

OF

11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21275-208,003

SAMPLE ID MW-4(9)

PURGED BY M. Ross / M. Gallegos

CLIENT NAME ANSO 601

SAMPLED BY M. Ross / M. Gallegos

LOCATION San Leandro, Ca

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐

CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR

VOLUME IN CASING (gal.) 0.83

DEPTH OF WELL (feet) 8.5

CALCULATED PURGE (gal.) 2.50

DEPTH OF WATER (feet) 7.22

ACTUAL PURGE VOL. (gal.) 1.0

DATE PURGED: 7/27/98

END PURGE 1408

DATE SAMPLED: 7/27/98

SAMPLING TIME: 1405

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1408</u>	<u>1.0</u>	<u>7.84</u>	<u>1144</u>	<u>74.6</u>	<u>chr</u>	<u>chr</u>
	<u>DRY @</u>	<u>6.0</u>	<u>Gallegos</u>			
<u>1405</u>	<u>Recharge</u>	<u>7.19</u>	<u>1153</u>	<u>73.4</u>	<u>chr</u>	<u>chr</u>
OTHER: <u>D.O. 1.5</u>	<u>Mg/L</u>		ODOR: <u>SLIGHT</u>	<u>NR</u>	<u>NR</u>	<u>NR</u>
				(COBALT 0-100)	(NTU 0-200)	

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
 Centrifugal Pump ☐ Bailer (PVC)
 Submersible Pump ☐ Bailer (Stainless Steel)
 Well Wizard™ ☐ Dedicated
 Other: Disposable

SAMPLING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
 Bomb Sampler ☐ Bailer (Stainless Steel)
 Dipper ☐ Submersible Pump
 Well Wizard™ ☐ Dedicated
 Other: Disposable

WELL INTEGRITY: OK

LOCK: NR

REMARKS:

pH, E.C., Temp. Meter Calibration Date: 7/21/98

Time: 1230

Meter Serial No. 600112

E.C. 1000

pH 7

pH 10

pH 4

Temperature °F

SIGNATURE [Signature]

REVIEWED BY: [Signature]

PAGE 3 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003

SAMPLE ID MW-5C10

PURGED BY M. Ross / M. Gallegos

CLIENT NAME ARIS 601

SAMPLED BY M. Ross / M. Gallegos

LOCATION San Leandro, Ca

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐

CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 2.14
 DEPTH OF WELL (feet) 10.00 CALCULATED PURGE (gal.) 6.44
 DEPTH OF WATER (feet) 6.71 ACTUAL PURGE VOL (gal.) 3.0

DATE PURGED: 7/22/98 END PURGE: 1414
 DATE SAMPLED: 7/22/98 SAMPLING TIME: 1418

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1414</u>	<u>2.5</u>	<u>7.59</u>	<u>1949</u>	<u>74.3</u>	<u>Light Grey</u>	<u>Trace</u>
<u>1418</u>	<u>2.4 @ 3.0 bottoms</u>	<u>7.13</u>	<u>1803</u>	<u>73.5</u>	<u>Light Grey</u>	<u>Trace</u>
<u>1418</u>	<u>Recharge</u>	<u>7.13</u>	<u>1803</u>	<u>73.5</u>	<u>Light Grey</u>	<u>Trace</u>

OTHER: D.O. 1.5 mg/L ODOR: Slight NR NR
 (COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
 Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
 Other: 0.5µm filter

WELL INTEGRITY: OK LOCK: ARIS

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 7/22/98 Time: 1230 Meter Serial No. 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F See MW-9
 SIGNATURE M. Ross REVIEWED BY MA PAGE 4 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003

SAMPLE ID MW-6(8)

PURGED BY M. Ross / M. Gallegos

CLIENT NAME ARCO 601

SAMPLED BY M. Ross / M. Gallegos

LOCATION San Leandro, Ca.

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐

CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR

VOLUME IN CASING (gal) 0.58

DEPTH OF WELL (feet) 8.6

CALCULATED PURGE (gal) 2.0 1.86

DEPTH OF WATER (feet) 7.80

ACTUAL PURGE VOL (gal) 1.0

DATE PURGED 7/27/98

END PURGE 1428

DATE SAMPLED 7/27/98

SAMPLING TIME 1930

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1428</u>	<u>1.0</u>	<u>7.0</u>	<u>1305</u>	<u>71.7</u>	<u>clr</u>	<u>clr</u>
	<u>DRY @</u>	<u>1.0</u>	<u>6.0</u>			
<u>1930</u>	<u>Recharge</u>	<u>6.97</u>	<u>1324</u>	<u>72.2</u>	<u>clr</u>	<u>clr</u>
OTHER: <u>0.0</u>	<u>1.0</u>	<u>nr/l</u>	ODOR: <u>4.0</u>		<u>NR</u>	<u>NR</u>
					(COBALT 0-100)	(NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☒ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard™
 Other: _____

☒ Bailer (Teflon)
☐ Bailer (PVC)
☐ Bailer (Stainless Steel)
☐ Dedicated

SAMPLING EQUIPMENT

☒ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard™
 Other: _____

LOCK: ARCO

WELL INTEGRITY: OK

REMARKS:

pH, E.C., Temp. Meter Calibration Date 7/27/98

Time: 1430

Meter Serial No 600112

E.C. 1000 1

pH 7 1

pH 10 1

pH 4 1

Temperature °F See MW 9

SIGNATURE: M. Ross

REVIEWED BY: JA PAGE 5 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003

SAMPLE ID MW-7(9)

PURGED BY M. Ross / M. Gileps

CLIENT NAME Arco, CA

SAMPLED BY M. Ross / M. Gileps

LOCATION San Leandro, CA

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 0.55
DEPTH OF WELL (feet) 2.6 CALCULATED PURGE (gal.) 1.66
DEPTH OF WATER (feet) 8.75 ACTUAL PURGE VOL (gal.) 1.20

DATE PURGED 7/27/98 END PURGE: 1347
DATE SAMPLED 7/27/98 SAMPLING TIME: 1350

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1347</u>	<u>1.0</u>	<u>7.17</u>	<u>1628</u>	<u>72.4</u>	<u>chr</u>	<u>chr</u>
<u>Well dried @ 1.0 gallons</u>						
<u>1350</u>	<u>Recharge</u>	<u>7.21</u>	<u>1616</u>	<u>72.7</u>	<u>chr</u>	<u>chr</u>
OTHER: <u>D.O. 1.5</u>		<u>NR/c</u>	ODOR: <u>NONE</u>		<u>NR</u>	<u>NR</u>
					(COBALT 0-100)	(NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
Centrifugal Pump ☐ Bailer (PVC)
Submersible Pump ☐ Bailer (Stainless Steel)
Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
Bomb Sampler ☐ Bailer (Stainless Steel)
Dipper ☐ Submersible Pump
Well Wizard™ ☐ Dedicated
Other: _____

WELL INTEGRITY: OK

LOCK: NR

REMARKS:

pH, E.C., Temp. Meter Calibration Date: 7/27/98

Time: 1230

Meter Serial No.: 600112

E.C. 1000

pH 7

pH 10

pH 4

Temperature °F

SIGNATURE [Signature]

REVIEWED BY: [Signature]

PAGE 6 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003

SAMPLE ID MMW-9(15)

PURGED BY M. Ross / M. Gallegos

CLIENT NAME ARCO 601

SAMPLED BY M. Ross / M. Gallegos

LOCATION San Leandro, Ca

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 1.32
DEPTH OF WELL (feet) 16.1 CALCULATED PURGE (gal.) 3.98
DEPTH OF WATER (feet) 7.97 ACTUAL PURGE VOL (gal.) 4.0

DATE PURGED: 7/27/98 END PURGE: 1249
DATE SAMPLED: 7/27/98 SAMPLING TIME: 1255

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1244</u>	<u>1.5</u>	<u>6.58</u>	<u>1136</u>	<u>72.2</u>	<u>Clear</u>	<u>Light</u>
<u>1247</u>	<u>3.0</u>	<u>6.95</u>	<u>1129</u>	<u>71.3</u>	<u>Cloudy</u>	<u>Heavy</u>
<u>1249</u>	<u>4.0</u>	<u>7.01</u>	<u>1123</u>	<u>70.8</u>	<u>"</u>	<u>"</u>

OTHER: 0.0 3.6 mg/L ODOR: none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
Other:

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
Other: DISPOSABLE

WELL INTEGRITY: OK LOCK: ARCO

REMARKS:

pH, E.C., Temp. Meter Calibration Date 7/27/98 Time: 1230 Meter Serial No. 600112
E.C. 1000 990, 1000 pH 7 756, 700 pH 10 992, 1000 pH 4 392, 400
Temperature °F 74.5
SIGNATURE: M. Ross REVIEWED BY: NA PAGE 7 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO. 21775-208.003

SAMPLE ID MW-10 (15)

PURGED BY M. Ross / M. Gueygas

CLIENT NAME ARCO, 601

SAMPLED BY M. Ross / M. Gueygas

LOCATION San Leandro, Ca.

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐

CASING DIAMETER (inches) 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) <u>NR</u>	VOLUME IN CASING (gal.) <u>1.58</u>
DEPTH OF WELL (feet) <u>17.7</u>	CALCULATED PURGE (gal.) <u>4.76</u>
DEPTH OF WATER (feet) <u>7.97</u>	ACTUAL PURGE VOL. (gal.) <u>5.0</u>

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1302</u>	<u>2.0</u>	<u>7.12</u>	<u>1212</u>	<u>71.9</u>	<u>Brown</u>	<u>Heavy</u>
<u>1303</u>	<u>3.5</u>	<u>7.27</u>	<u>1208</u>	<u>70.7</u>	<u>"</u>	<u>"</u>
<u>1304</u>	<u>5.0</u>	<u>7.19</u>	<u>1197</u>	<u>70.2</u>	<u>"</u>	<u>"</u>

OTHER: D.O. 3.3 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard™
 Other: _____

☒ Bailor (Teflon)
☒ Bailor (PVC)
☐ Bailor (Stainless Steel)
☐ Dedicated

SAMPLING EQUIPMENT

☐ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard™
 Other: DISPOSABLE

☒ Bailor (Teflon)
☐ Bailor (Stainless Steel)
☐ Submersible Pump
☐ Dedicated

WELL INTEGRITY: OK LOCK: Rees

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 7/27/98 Time: 1230 Meter Serial No. 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F See MW-9
 SIGNATURE: M. Ross REVIEWED BY: JA PAGE 8 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003
PURGED BY M. Ross / M. Gellings
SAMPLED BY M. Ross / M. Gellings

SAMPLE ID MW-13(13)
CLIENT NAME ARCO 601
LOCATION San Leandro, Ca

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 0.89
DEPTH OF WELL (feet) 13.0 CALCULATED PURGE (gal.) 2.68
DEPTH OF WATER (feet) 7.52 ACTUAL PURGE VOL (gal.) 3.0

DATE PURGED 7/27/98 END PURGE 1322
DATE SAMPLED 7/27/98 SAMPLING TIME 1325

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1320</u>	<u>1.0</u>	<u>7.37</u>	<u>1549</u>	<u>72.8</u>	<u>BLN</u>	<u>NR</u>
<u>1321</u>	<u>2.0</u>	<u>7.04</u>	<u>1556</u>	<u>70.9</u>	<u>"</u>	<u>"</u>
<u>1322</u>	<u>3.0</u>	<u>7.01</u>	<u>1557</u>	<u>70.9</u>	<u>"</u>	<u>"</u>

OTHER: D.O. 1.5 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
Centrifugal Pump ☒ Bailer (PVC)
Submersible Pump ☐ Bailer (Stainless Steel)
Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump ☒ Bailer (Teflon)
Bomb Sampler ☐ Bailer (Stainless Steel)
Dipper ☐ Submersible Pump
Well Wizard™ ☐ Dedicated
Other: Aspirator

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 7/27/98 Time: 1230 Meter Serial No.: 600112
E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
Temperature °F 72.8 See MW-9
SIGNATURE M. Ross REVIEWED BY: SA PAGE 9 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208.003
PURGED BY M. Ross / M. Gellesos
SAMPLED BY M. Ross / M. Gellesos

SAMPLE ID MW-14(13)
CLIENT NAME ARCS 601
LOCATION San Leandro, Ca.

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 0.61
DEPTH OF WELL (feet) 13.0 CALCULATED PURGE (gal.) 1.84
DEPTH OF WATER (feet) 9.24 ACTUAL PURGE VOL. (gal.) 2.0

DATE PURGED: 7/27/98 END PURGE: 1336
DATE SAMPLED: 7/27/98 SAMPLING TIME: 1340

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1334</u>	<u>1.0</u>	<u>6.69</u>	<u>1687</u>	<u>74.4</u>	<u>Light Ben</u>	<u>Transp</u>
<u>1335</u>	<u>2.5</u>	<u>6.14</u>	<u>1679</u>	<u>72.9</u>	<u>1</u>	<u>1</u>
<u>1336</u>	<u>2.0</u>	<u>7.06</u>	<u>1686</u>	<u>72.7</u>	<u>1</u>	<u>1</u>

OTHER: 0.0, 1.0 mg/L ODOR: NONE NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☒ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Centrifugal Pump ☐ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

☒ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
Other: _____

WELL INTEGRITY: OK LOCK: NR

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 7/27/98 Time: 1230 Meter Serial No.: 60042
E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
Temperature °F See MW-9
SIGNATURE: M. Ross REVIEWED BY: NA PAGE 10 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-208-003

SAMPLE ID MW-15(10)

PURGED BY M. Ross / M. G. Lopez

CLIENT NAME ARCO 601

SAMPLED BY M. Ross / M. G. Lopez

LOCATION San Leandro, CA

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NK
DEPTH OF WELL (feet) 10.1
DEPTH OF WATER (feet) 6.02

VOLUME IN CASING (gal.) 0.66
CALCULATED PURGE (gal.) 1.98
ACTUAL PURGE VOL. (gal.) 2.0

DATE PURGED 7/27/93

END PURGE 1522

DATE SAMPLED 7/27/93

SAMPLING TIME 1525

TIME	VOLUME	pH	E.C.	TEMPERATURE	COLOR	TURBIDITY
(2400 HR)	(gal)	(units)	(µmhos/cm@25°C)	(°F)	(visual)	(visual)
<u>1520</u>	<u>1.0</u>	<u>7.26</u>	<u>1239</u>	<u>72.0</u>	<u>light brown</u>	<u>Trace</u>
<u>1521</u>	<u>1.5</u>	<u>7.22</u>	<u>1240</u>	<u>72.5</u>	<u>11</u>	<u>11</u>
<u>1522</u>	<u>2.0</u>	<u>7.17</u>	<u>1259</u>	<u>71.7</u>	<u>11</u>	<u>11</u>

OTHER: D.O. 1.0 High ODOR: Light NK NK
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NK

PURGING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Centrifugal Pump ☐ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
Other: _____

WELL INTEGRITY: OK LOCK: new

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date 7/27/93 Time: 1230 Meter Serial No. 600112
E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F _____
SIGNATURE: M. Ross REVIEWED BY: SLA PAGE 11 OF 11

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. 22312.00

Chain of Custody

ARCO Facility no. 0601		City (Facility) San Leandro		Project manager (Consultant) Glen Vanderveen		Laboratory Name CAS	
ARCO engineer Paul Scapple		Telephone no. (ARCO)		Telephone no. (Consultant) (408) 453-7000		Fax no. (Consultant) (408) 437-9576	
Consultant name EMCON		Address (Consultant) 1921 Ringwood Ave San Jose CA 95131				Contract Number	

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 8010	BTEX/TPH EPA 8010/8015	TPH EPA 8015	Oil and Grease EPA 8015	TPH EPA 418.1/SM 500E	EPA 8010/10	EPA 8240/240	EPA 8210/210	TCLP EPA 1311/1312	VOCs EPA 8210/8210	Semi VOCs EPA 8210/8210	Lead EPA 7420/7420	Method of shipment
			Soil	Water	Other	Ice	Acid															
mw-13(12')	2			X		X	HCL		1325		X											Sampler will deliver.
mw-7(9')	2			X		X			1350		X											
mw-14(13')	2			X		X			1340		X											
mw-5(10')	2			X		X			1418		X											
mw-4(9')	2			X		X			1405		X											
mw-6(8')	2			X		X			1430		X											
mw-15(10')	2			X		X			1525		X											
mw-3(12')	2			X		X			1450		X											
mw-1(11')	2			X		X			1510		X											
																						Special Detection Limit/reporting Lowest Possible
																						Special QA/QC As Normal
																						Remarks RAT 8 2-40ml HCL VOCs #20905 171.000
																						Lab Number
																						Turnaround Time: Priority Rush 1 Business Day Rush 2 Business Days Expedited 5 Business Days Standard 10 Business Days

Condition of sample:		Temperature received:	
Relinquished by sampler	Date 7/29/97 Time 0900	Received by	P. BINT 7/29/97 1045
Relinquished by	Date	Received by	
Relinquished by	Date	Received by laboratory	Date

Chain of Custody

Task Order No. 77312.00

Laboratory Name

Contract Number

Address (Consultant) 144-A Hawthorn Way Walnut Creek, CA

Method of shipment

Sampler
will
deliver

Special Detection
Limit/reporting

Lowest Possible

Special OAVQC

As
Normal

Remarks

RAT 8
Z-40ml HCL
VOAs

#20805-1100

Lab Number

Turnaround Time:

Priority Rush
1 Business DayRush
2 Business Days

Expedited
5 Business Days

Standard	10 Business Days
----------	------------------

Condition of sample:

Relinquished by sampler

Relinquished by

Relinquished by

Temperature received:

Received by

Received by

Received by laboratory

Data

Taxation

Distribution: White Copy - Laboratory; Canary Copy - ARCO Environmental Engineering; Pink Copy - Consultant