



June 1, 1999
Project 20805-121.007

Mr. John Sullivan
17760 Sweetbriar Place
Castro Valley, California 94546

Re: Quarterly Groundwater Monitoring Results, First Quarter 1999, for Chateau Manor
Apartments, located at 724 Lewelling Boulevard, San Leandro, California


Dear Mr. Sullivan:

On behalf of ARCO Products Company (ARCO), Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached laboratory analytical results for groundwater samples collected from wells MW-9 and MW-10 during the first quarter of 1999. This wells are located at Chateau Manor Apartments, 724 Lewelling Boulevard, San Leandro, California. The groundwater samples were collected during quarterly sampling of the ARCO Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The laboratory analytical results indicate that the groundwater sample concentrations were not detectable for total petroleum hydrocarbons as gasoline, and the gasoline constituents benzene, toluene, ethylbenzene, and total xylenes.

Please call if you have questions.

Sincerely,

Pinnacle


for Glen VanderVeen
Project Manager


Attachments: Figure 1
Appendix A

Site Plan
Copies of Certified Analytical Report and Chain-of Custody-
Documentation, Wells MW-9 and MW-10, First Quarter 1999

cc: Scott Seery, ACHCSA
Paul Supple, ARCO Products Company
File

99 JUN -2 PM 4:29
ENVIRONMENTAL
PROTECTION





EXPLANATION

- ⊙ Groundwater monitoring well

0 40 80

 APPROXIMATE SCALE IN FEET

Pinnacle
 ENVIRONMENTAL SOLUTIONS
 A DIVISION OF EMCON


DATE NOV. 1998
 DWN KAB
 APP _____
 REV _____
 PROJECT NO.
 20805-121.005

FIGURE 1
 CHATEAU MANOR APARTMENTS
 724 LEWELLING BLVD.
 SAN LEANDRO, CALIFORNIA
SITE PLAN

IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimstyle: 40 Ltscale: 40 Psitscale: 0
 SANJOSE/CADD: N:\DWG\805121\SUSITE.DWG Tue, 01/Dec/98 10:54am kblack

APPENDIX A

**COPIES OF CERTIFIED ANALYTICAL REPORT,
AND CHAIN-OF-CUSTODY DOCUMENTATION,
WELLS MW-9 AND MW-10
FIRST QUARTER 1999**



April 7, 1999

Service Request No.: S9900234

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on January 25, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONLST.DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-9(15)
Lab Code: S9901071-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9901071-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990129-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-9(15)	S9901071-001		100	92
MW-10(16)	S9901071-002		99	89
MW-10(16)	S9901071-002MS		97	95
MW-10(16)	S9901071-002DMS		99	97
Method Blank	S990129-WB1		102	89

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/29/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9901071-002MS
Test Notes:

S9901071-002DMS

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	Percent Recovery								CAS Acceptance Limits	Relative Percent Difference	Result Notes
			MRL	MS	DMS	Sample Result	MS	DMS	MS	DMS			
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	280	250	112	100	75-135	11	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Service Request: S9901071
Date Analyzed: 1/28/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery	Percent Recovery	Result Notes
					Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	25	85-115	100	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	77	85-115	103	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

ICV/032196

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/29/99

Matrix Spike Summary
 TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9901071-002MS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS	Result Notes
								Percent Recovery Acceptance Limits	
Gasoline	EPA 5030	CA/LUFT	50	250	ND	280	112	75-135	

ARCO Products Company

Division of Atlantic/Richfield Company

59900234

Task Order No.

77312 00

Chain of Custody

ARCO Facility no. 601		City (Facility) San Leandro		Project manager (Consultant) Glen Vander Veen		Laboratory Name CAS																		
ARCO engineer Paul Supple		Telephone no. (ARCO)		Telephone no. (Consultant) (408) 453-7300		Fax no. (Consultant) (408) 437-9526																		
Consultant name EMCON		Address (Consultant) 144-A Mayhew Way Walnut Creek, CA 94596				Contract Number																		
Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH Incl. H ₂ S EPA M602/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCP Metals ☐ VOAG ☐	Semi Metals ☐ VOAG ☐	CAM Metals EPA 6010/7000 TLC ☐ STLC ☐	Lead Org/DHSC ☐	Lead EPA 7420/7421 ☐	Method of shipment Sampler will deliver	
			Soil	Water	Other	Ice	Acid																	
MW-9 (15)	2	(14)	X			X	HCL	1/22/99	1225		X													Special Detection Limit/reporting Lowest possible
MW-10 (16)	2	(15)	X			X	HCL	1/22/99	1230		X													
MW-11 (17)																								Special QA/QC As Normal
																								Remarks RAT 8 2-40ml HCL VOAs
																								#20805-121,000 Lab Number
																								Turnaround Time: Priority Rush 1 Business Day ☐ Rush 2 Business Days ☐ Expedited 5 Business Days ☐ Standard 10 Business Days ☒
Condition of sample:										Temperature received: Due 1/28/99 RU/D3 RA/D2														
Relinquished by sampler William J. Callaghan										Date 1/22/99		Time		Received by [Signature]		Date 1/25/99		Time 1212		Lab CAS				
Relinquished by										Date		Time		Received by		Date		Time						
Relinquished by										Date		Time		Received by laboratory		Date		Time						

ARCO Products Company

4 Centerpointe Drive
La Palma, California 90623-1066
Telephone 714 670 5300

Mailing Address: Box 5077
Buena Park, California 90622-5077



Date: June 1, 1999

Re: ARCO Station #

0601 • 712 Lewelling Boulevard • San Leandro, CA
First Quarter 1999 Groundwater Monitoring Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct. In accordance with Assembly Bill 681 all current property owners have been provided a copy of this report, work plan or closure request."

Submitted by:

Paul Supple
Environmental Engineer



June 1, 1999
Project 20805-121.007

Mr. Paul Supple
ARCO Products Company
PO Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report, First Quarter 1999, for ARCO Service Station
No. 0601, Located at 712 Lewelling Boulevard, San Leandro, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the first quarter 1999 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.


LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle


for Glen VanderVeen
Project Manager


Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, First Quarter 1999

cc: Scott Seery, ACHCSA
Mike Bakaldin, San Leandro Fire Department



Date: June 1, 1999**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: 0601 Address: 712 Lewelling Boulevard, San Leandro, California
Pinnacle Project No. 20805-121.007
ARCO Environmental Engineer/Phone No.: Paul Supple /(925) 299-8891
Pinnacle Project Manager/Phone No.: Glen VanderVeen /(510) 740-5807
Primary Agency/Regulatory ID No.: ACHCSA /Scott Seery

WORK PERFORMED THIS QUARTER (FIRST - 1999):

1. Prepared and submitted quarterly groundwater monitoring report for fourth quarter 1998.
2. Performed quarterly groundwater monitoring and sampling for first quarter 1999.
3. Pinnacle submitted workplan for evaluating vapors in utility vaults.

WORK PROPOSED FOR NEXT QUARTER (SECOND - 1999):

1. Prepare and submit quarterly groundwater monitoring report for first quarter 1999.
2. Perform quarterly groundwater monitoring and sampling for second quarter 1999.
3. Perform vapor sampling outlined in workplan, pending approval by ACHCSA.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring
Frequency of Sampling: Annual (1st quarter): MW-2, MW-11, MW-12, MW-13
Semi-annual (1st/3rd quarter): MW-9, MW-15
Quarterly: MW-1, MW-3 through MW-8, MW-10, MW-14
Frequency of Monitoring: Quarterly (groundwater)
Is Floating Product (FP) Present On-site: ☐ Yes ☒ No
Cumulative FP Recovered to Date: 3.45 gallons, Well MW-1
FP Recovered This Quarter: None
Bulk Soil Removed to Date: 1,565 cubic yards of TPH impacted soil
Bulk Soil Removed This Quarter: None
Current Remediation Techniques: Natural Attenuation
Average Depth to Groundwater: 7.5 feet
Groundwater Flow Direction and Gradient
(Average): 0.04 ft/ft toward east

ATTACHMENTS:

- Table 1 - Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Table 3 - Historical Groundwater Analytical Data, Metals
- Table 4 - Historical Groundwater Analytical Data, Volatile and Semivolatile Organic Compounds
- Table 5 - Approximate Cumulative Floating Product Recovered, Monitoring Well MW-1
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-1	03-17-95	22.26	6.57	15.69	ND	120,000	5,300	370	1,500	13,000	--	--	48,000	6,200*		
MW-1	06-01-95	22.26	7.87	14.39	ND	250,000	7,100	950	3,500	21,000	--	--	38,000	190,000*		
MW-1	08-31-95	22.26	8.12	** 14.15	0.01	Not sampled: well contained floating product										
MW-1	11-27-95	22.26	8.42	13.84	Sheen	310,000	4,600	770	5,700	21,000	--	--	--	--		
MW-1	02-22-96	22.26	6.01	** 16.26	0.01	100,000	6,200	320	2,500	12,000	<1,000*	--	--	--		
MW-1	05-20-96	22.26	7.03	15.23	ND	340,000	6,600	240	4,500	22,000	<1,000	--	150	<2,500*		
MW-1	08-26-96	22.26	8.16	14.10	ND	210,000	7,900	320	3,400	15,000	<1,000	--	--	--		
MW-1	11-20-96	22.26	7.84	14.42	ND	62,000	5,900	77	2,000	7,700	<300	--	--	--		
MW-1	03-24-97	19.19	8.05	11.14	ND	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--		
MW-1	05-23-97	19.19	8.42	10.77	ND	83,000	6,200	84	2,500	9,000	<300	--	--	--		
MW-1	08-19-97	19.19	8.65	10.54	ND	83,000	4,500	<100	2,200	8,100	<600	--	--	--		
MW-1	11-19-97	19.19	8.54	10.65	ND	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--		
MW-1	02-19-98	19.19	5.57	13.62	ND	74,000	2,500	120	2,200	4,100	<300	--	--	--		
MW-1	04-23-98	19.19	6.92	12.27	ND	210,000	2,700	<500	4,200	8,300	<3,000	--	--	--	1.5	P
MW-1	07-27-98	19.19	8.14	11.05	ND	73,000	2,100	88	2,600	4,600	<300	--	--	--	1.0	P
MW-1	10-14-98	19.19	8.58	10.61	ND	47,000	2,900	<50	2,300	3,900	<300	--	--	--	1.5	P
MW-1	01-21-99	19.19	7.84	11.35	ND	45,000	1,400	64	2,100	2,400	<300	--	--	--	1.0	P
MW-2	03-17-95	21.33	6.12	15.21	ND	10,000	460	77	260	550	--	--	--	--		
MW-2	06-01-95	21.33	6.56	14.77	ND	13,000	400	78	210	410	--	--	--	--		
MW-2	08-31-95	21.33	7.18	14.15	ND	5,000	280	18	120	140	<50	--	--	--		
MW-2	11-27-95	21.33	7.39	13.94	ND	3,200	230	12	77	90	--	--	--	--		
MW-2	02-22-96	21.33	5.78	15.55	ND	11,000	290	67	190	330	<50	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-2	05-20-96	21.33	6.27	15.06	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	08-26-96	21.33	7.30	14.03	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	11-20-96	21.33	7.28	14.05	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	03-24-97	21.12	7.11	14.01	ND	4,800	570	6	71	32	67	--	--	--		
MW-2	05-23-97	21.12	7.44	13.68	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	08-19-97	21.12	7.64	13.48	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	11-19-97	21.12	7.70	13.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	02-19-98	21.12	5.22	15.90	ND	2,000	160	50	66	230	25	--	--	--		
MW-2	04-23-98	21.12	6.24	14.88	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	07-27-98	21.12	7.02	14.10	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	10-14-98	21.12	7.54	13.58	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	01-21-99	21.12	7.15	13.97	ND	1,700	84	4	31	10	13	--	--	--	0.5	P
MW-3	03-17-95	20.11	5.46	14.65	ND	370,000	4,800	12,000	5,800	34,000	--	--	--	--		
MW-3	06-01-95	20.11	6.34	13.77	ND	270,000	6,000	11,000	5,200	28,000	--	--	--	--		
MW-3	08-31-95	20.11	6.60	** 13.52	0.02	Not sampled: well contained floating product										
MW-3	11-27-95	20.11	6.76	** 13.36	0.01	150,000	5,100	8,800	3,900	21,000	--	--	--	--		
MW-3	02-22-96	20.11	5.14	** 14.98	0.01	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--		
MW-3	05-20-96	20.11	5.17	14.94	ND	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--		
MW-3	08-26-96	20.11	7.04	13.07	ND	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--		
MW-3	11-20-96	20.11	6.26	13.85	ND	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--		
MW-3	03-24-97	22.99	6.94	16.05	ND	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--		
MW-3	05-23-97	22.99	6.98	16.01	ND	130,000	2,100	4,300	3,500	19,000	<700	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-3	08-19-97	22.99	7.25	15.74	ND	100,000	2,000	3,200	<100	19,000	<600	--	--	--		
MW-3	11-19-97	22.99	7.25	15.74	ND	93,000	1,700	2,400	2,800	16,000	<600	--	--	--		
MW-3	02-19-98	22.99	5.24	17.75	ND	80,000	620	1,200	2,500	13,000	<600	--	--	--		
MW-3	04-23-98	22.99	6.60	16.39	ND	130,000	1,500	2,400	3,500	18,000	<600	--	--	--	3.5	P
MW-3	07-27-98	22.99	7.00	15.99	ND	140,000	920	1,500	2,400	13,000	<600	--	--	--	1.0	P
MW-3	10-14-98	22.99	7.04	15.95	ND	300,000	1,200	2,400	5,700	32,000	970	--	--	--	1.0	P
MW-3	01-21-99	22.99	6.50	16.49	ND	120,000	860	1,500	2,600	14,000	<600	--	--	--	0.5	P
MW-4	03-17-95	20.75	6.65	14.10	ND	16,000	1,800	970	310	2,500	--	--	--	--		
MW-4	06-01-95	20.75	7.25	13.50	ND	16,000	2,800	870	380	2,700	--	--	--	--		
MW-4	08-31-95	20.75	7.75	13.00	ND	9,000	2,000	270	270	1,400	<100	--	--	--		
MW-4	11-27-95	20.75	7.87	12.88	ND	3,800	890	130	130	550	--	--	--	--		
MW-4	02-22-96	20.75	7.29	13.46	ND	940	150	82	19	130	<20	--	--	--		
MW-4	05-20-96	20.75	7.30	13.45	ND	6,700	1,100	330	120	1,100	<100	--	--	--		
MW-4	08-26-96	20.75	7.57	13.18	ND	14,000	2,400	510	350	2,100	<100	--	--	--		
MW-4	11-20-96	20.75	7.89	12.86	ND	420	55	17	11	62	<3	--	--	--		
MW-4	03-24-97	22.38	6.90	15.48	ND	6,800	620	150	81	1,300	<50	--	--	--		
MW-4	05-23-97	22.38	7.80	14.58	ND	9,000	1,300	240	200	1,600	<60	--	--	--		
MW-4	08-19-97	22.38	DRY	N/A	ND	Not sampled: well is dry										
MW-4	11-19-97	22.38	DRY	N/A	ND	3700*	600	93	120	710	<60	--	--	--		
MW-4	02-19-98	22.38	6.78	15.60	ND	1,800	93	51	29	420	110	--	--	--		
MW-4	04-23-98	22.38	6.47	15.91	ND	6,500	700	110	180	1,300	93	--	--	--	0.5	P
MW-4	07-27-98	22.38	7.22	15.16	ND	10,000	1,400	140	290	1,900	<120	--	--	--	1.5	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-4	10-14-98	22.38	7.60	14.78	ND	6,500	900	63	200	1,200	63	--	--	--	1.0	P
MW-4	01-21-99	22.38	7.43	14.95	ND	1,700	140	22	56	320	13	--	--	--	0.5	P
MW-5	03-17-95	20.90	5.51	15.39	ND	48,000	6,400	2,000	740	5,100	--	--	--	--		
MW-5	06-01-95	20.90	6.55	14.35	ND	76,000	11,000	5,400	1,400	7,700	--	--	--	--		
MW-5	08-31-95	20.90	6.80	14.10	ND	53,000	12,000	1,600	1,000	6,000	<500	--	--	--		
MW-5	11-27-95	20.90	7.13	13.77	ND	43,000	7,900	3,300	950	4,900	--	--	--	--		
MW-5	02-22-96	20.90	5.12	15.78	ND	52,000	9,100	3,300	940	5,000	<500	--	--	--		
MW-5	05-20-96	20.90	5.87	15.03	ND	55,000	9,300	3,800	1,100	5,400	<500	--	--	--		
MW-5	08-26-96	20.90	7.15	13.75	ND	47,000	5,300	2,100	780	3,200	<300	--	--	--		
MW-5	11-20-96	20.90	6.88	14.02	ND	53,000	8,700	5,700	920	4,400	<500	--	--	--		
MW-5	03-24-97	22.45	7.13	15.32	ND	39,000	8,200	3,200	720	3,100	<500	--	--	--		
MW-5	05-23-97	22.45	7.42	15.03	ND	29,000	6,600	1,700	400	1,500	<600	--	--	--		
MW-5	08-19-97	22.45	7.58	14.87	ND	16,000	4,600	790	<50	1,300	<300	--	--	--		
MW-5	11-19-97	22.45	7.58	14.87	ND	22,000	5,800	1,300	380	1,300	<300	--	--	--		
MW-5	02-19-98	22.45	4.65	17.80	ND	40,000	5,100	3,800	620	2,900	<300	--	--	--		
MW-5	04-23-98	22.45	6.25	16.20	ND	45,000	8,000	4,000	970	4,200	<600	--	--	--	1.5	P
MW-5	07-27-98	22.45	6.71	15.74	ND	30,000	8,000	2,000	590	1,900	<600	--	--	--	1.5	P
MW-5	10-14-98	22.45	7.19	15.26	ND	33,000	7,400	1,900	550	1,700	<300	--	--	--	1.5	P
MW-5	01-21-99	22.45	7.03	15.42	ND	34,000	6,200	2,600	630	2,300	<600	--	--	--	2.5	P
MW-6	03-17-95	22.08	6.66	15.42	ND	45,000	9,300	<100	1,900	3,600	--	--	--	--		
MW-6	06-01-95	22.08	7.60	14.48	ND	23,000	5,600	<50	1,300	1,900	--	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-6	08-31-95	22.08	7.92	14.16	ND	26,000	8,000	<100	1,900	900	<500	--	--	--		
MW-6	11-27-95	22.08	8.21	13.87	ND	6,700	1,800	<20	480	230	--	--	--	--		
MW-6	02-22-96	22.08	6.21	15.87	ND	17,000	3,100	69	810	1,500	<300	--	--	--		
MW-6	05-20-96	22.08	7.07	15.01	ND	16,000	3,700	<50	1,100	1,100	<300	--	--	--		
MW-6	08-26-96	22.08	7.93	14.15	ND	23,000	5,800	<50	2,000	560	<300	--	--	--		
MW-6	11-20-96	22.08	8.02	14.06	ND	11,000	3,300	<50*	480	370	<300	--	--	--		
MW-6	03-24-97	22.77	7.95	14.82	ND	9,700	1,900	<20	800	270	<100	--	--	--		
MW-6	05-23-97	22.77	8.17	14.60	ND	16,000	4,300	<50	1,400	180	<300	--	--	--		
MW-6	08-19-97	22.77	-	NA	ND	Not sampled: well is dry										
MW-6	11-19-97	22.77	-	NA	ND	Not sampled: well is dry										
MW-6	02-19-98	22.77	5.78	16.99	ND	2,600	540	8	90	88	<30	--	--	--		
MW-6	04-23-98	22.77	6.83	15.94	ND	7,600	1,300	13	520	190	<60	--	--	--	0.5	P
MW-6	07-27-98	22.77	7.80	14.97	ND	15,000	3,600	<25	1,100	230	<150	--	--	--	1.0	P
MW-6	10-14-98	22.77	8.31	14.46	ND	8,700	2,400	<20	220	36	<120	--	--	--	2.0	P
MW-6	01-21-99	22.77	7.90	14.87	ND	4,800	1,100	<25	340	79	<150	--	--	--	2.0	P
MW-7	03-17-95	22.89	7.68	15.21	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-7	06-01-95	22.89	8.40	14.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-7	08-31-95	22.89	9.09	13.80	ND	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--		
MW-7	11-27-95	22.89	9.15	13.74	ND	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--		
MW-7	02-22-96	22.89	7.44	15.45	ND	110	1.4	<0.5	3.8	3.0	<3	--	--	--		
MW-7	05-20-96	22.89	8.47	14.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	08-26-96	22.89	8.81	14.08	ND	Not sampled: well sampled annually, during the first quarter										

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-7	11-20-96	22.89	9.17	13.72	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	03-24-97	22.89	8.31	14.58	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-7	05-23-97	22.89	9.26	13.63	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	08-19-97	22.89	-	NA	ND	Not sampled: well is dry										
MW-7	11-19-97	22.89	-	NA	ND	Not sampled: well is dry										
MW-7	02-19-98	22.89	6.13	16.76	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-7	04-23-98	22.89	7.44	15.45	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-7	07-27-98	22.89	8.75	14.14	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-7	10-14-98	22.89	9.22	13.67	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-7	01-21-99	22.89	9.07	13.82	ND	52	<0.5	<0.5	<0.5	0.27	<3	--	--	--	3.0	P
MW-8	03-17-95	20.97	6.14	14.83	ND	5,400	<5	<5	35	<5	--	--	--	--		
MW-8	06-01-95	20.97	6.50	14.47	ND	2,600	<2.5	<2.5	15	<2.5	--	--	--	--		
MW-8	08-31-95	20.97	7.35	13.62	ND	1,400	<3	<3	5	<3	520	--	900	--		
MW-8	11-27-95	20.97	7.60	13.37	ND	620	<0.5	<0.5	<0.5	0.5	--	560	900	510*		
MW-8	02-22-96	20.97	5.35	15.62	ND	5,800	<5	<5	28	<5	110	--	1,900	6,800*		
MW-8	05-20-96	20.97	5.92	15.05	ND	6,100	<5	<5	26	<5	240	--	--	--		
MW-8	08-26-96	20.97	7.08	13.89	ND	970	<1	<1	3	<1	710	--	--	--		
MW-8	11-20-96	20.97	7.01	13.96	ND	3,900	<2.5	<2.5	12	<2.5	930	--	--	--		
MW-8	03-24-97	20.89	7.33	13.56	ND	1,400	<10	<10	<10	12	1,300	--	--	--		
MW-8	05-23-97	20.89	7.55	13.34	ND	730	<5	<5	<5	<5	630	--	--	--		
MW-8	08-19-97	20.89	7.87	13.02	ND	<500	<5	<5	<5	<5	290	--	--	--		
MW-8	11-19-97	20.89	7.87	13.02	ND	<200	<2	<2	<2	<2	260	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-8	02-19-98	20.89	4.46	16.43	ND	2,000	<2	<2	9	<2	140	--	--	--		
MW-8	04-23-98	20.89	6.35	14.54	ND	4,500	<5	<5	<5	11	590	--	--	--	0.5	P
MW-8	07-27-98	20.89	7.43	13.46	ND	Not sampled										
MW-8	10-14-98	20.89	7.79	13.10	ND	Not sampled										
MW-8	01-21-99	20.89	6.54	14.35	ND	2,000	<2	<2	3	<2	320	--	--	--	2.5	P
MW-9	03-17-95	20.89	6.94	13.95	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	06-01-95	20.89	8.15	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	08-31-95	20.89	8.10	12.79	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-27-95	20.89	8.38	12.51	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	02-22-96	20.89	7.36	13.53	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-20-96	20.89	7.81	13.08	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	08-26-96	20.89	8.00	12.89	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-20-96	20.89	7.06	13.83	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	03-24-97	22.26	7.74	14.52	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-23-97	22.26	8.28	13.98	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	08-19-97	22.26	8.32	13.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-19-97	22.26	8.32	13.94	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	02-19-98	22.26	7.11	15.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	04-23-98	22.26	8.18	14.08	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	07-27-98	22.26	7.97	14.29	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.6	P
MW-9	10-14-98	22.26	8.29	13.97	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	2.5	P
MW-9	01-21-99	22.26	7.63	14.63	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-10	03-17-95	21.12	6.26	14.86	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	06-01-95	21.12	7.63	13.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	08-31-95	21.12	8.17	12.95	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-27-95	21.12	8.38	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	02-22-96	21.12	5.41	15.71	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-20-96	21.12	6.78	14.34	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	08-26-96	21.12	8.00	13.12	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-20-96	21.12	7.81	13.31	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	03-24-97	21.33	7.87	13.46	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-23-97	21.33	8.33	13.00	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	08-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	02-19-98	21.33	4.65	16.68	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-10	04-23-98	21.33	6.28	15.05	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.3	P
MW-10	07-27-98	21.33	7.97	13.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-10	10-14-98	21.33	8.41	12.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-10	01-21-99	21.33	6.65	14.68	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-11	03-17-95	22.38	6.94	15.44	ND	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-11	06-01-95	22.38	7.90	14.48	ND	210	<0.5	<0.5	0.9	0.7	--	--	--	--		
MW-11	08-31-95	22.38	8.18	14.20	ND	680	<0.5	<0.5	4	1.8	<3	--	--	--		
MW-11	11-27-95	22.38	8.48	13.90	ND	340	<0.5	<0.5	2.2	1.6	--	--	--	--		
MW-11	02-22-96	22.38	6.63	15.75	ND	150	<0.5	<0.5	<0.8	0.8	<3	--	--	--		

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHIG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-11	05-20-96	22.38	7.25	15.13	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	08-26-96	22.38	8.22	14.16	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	11-20-96	22.38	8.37	14.01	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	03-24-97	20.97	8.15	12.82	ND	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-11	05-23-97	20.97	8.48	12.49	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	08-19-97	20.97	8.67	12.30	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	11-19-97	20.97	8.67	12.30	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	02-19-98	20.97	6.25	14.72	ND	<50	<0.5	1.6	<0.5	1.8	7	--	--	--		
MW-11	04-23-98	20.97	7.23	13.74	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	07-27-98	20.97	8.05	12.92	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	10-14-98	20.97	8.58	12.39	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	01-21-99	20.97	8.25	12.72	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-12	03-17-95	22.77	7.09	15.68	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-12	06-01-95	22.77	8.40	14.37	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-12	08-31-95	22.77	8.55	14.22	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	11-27-95	22.77	8.95	13.82	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-12	02-22-96	22.77	6.81	15.96	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-20-96	22.77	7.56	15.21	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	08-26-96	22.77	8.63	14.14	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	11-20-96	22.77	8.38	14.39	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	03-24-97	20.11	8.75	11.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-23-97	20.11	8.92	11.19	ND	Not sampled: well sampled annually, during the first quarter										

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-12	08-19-97	20.11	9.20	10.91	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	11-19-97	20.11	9.20	10.91	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	02-19-98	20.11	6.28	13.83	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	04-23-98	20.11	7.52	12.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	07-27-98	20.11	8.52	11.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	10-14-98	20.11	9.06	11.05	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	01-21-99	20.11	8.20	11.91	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-13	03-17-95	22.45	6.91	15.54	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-13	06-01-95	22.45	7.72	14.73	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	08-31-95	22.45	7.58	14.87	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-27-95	22.45	7.98	14.47	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	02-22-96	22.45	6.71	15.74	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-20-96	22.45	6.98	15.47	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	08-26-96	22.45	7.85	14.60	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-20-96	22.45	7.76	14.69	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	03-24-97	20.75	7.85	12.90	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-23-97	20.75	8.16	12.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	08-19-97	20.75	8.40	12.35	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-19-97	20.75	8.40	12.35	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	02-19-98	20.75	6.44	14.31	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	04-23-98	20.75	6.80	13.95	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	07-27-98	20.75	7.52	13.23	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-13	10-14-98	20.75	8.15	12.60	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	2.0	P
MW-13	01-21-99	20.75	7.85	12.90	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-14	03-17-95	22.99	8.17	14.82	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-14	06-01-95	22.99	8.57	14.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	08-31-95	22.99	9.05	13.94	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-27-95	22.99	9.19	13.80	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	02-22-96	22.99	6.52	16.47	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-20-96	22.99	7.88	15.11	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	08-26-96	22.99	8.83	14.16	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-20-96	22.99	8.95	14.04	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	03-24-97	20.90	8.98	11.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-23-97	20.90	9.61	11.29	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	08-19-97	20.90	9.80	11.10	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-19-97	20.90	9.80	11.10	ND	<50	1.7	<0.5	0.6	3	<3	--	--	--		
MW-14	02-19-98	20.90	6.27	14.63	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	04-23-98	20.90	7.75	13.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-14	07-27-98	20.90	9.24	11.66	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-14	10-14-98	20.90	9.73	11.17	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-14	01-21-99	20.90	8.90	12.00	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-15	03-17-95	19.19	5.21	13.98	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-15	06-01-95	19.19	5.84	13.35	ND	Not sampled: well sampled semi-annually, during the first and third quarters										

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHIG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-15	08-31-95	19.19	6.18	13.01	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-15	11-27-95	19.19	6.42	12.77	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-22-96	19.19	4.84	14.35	ND	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--		
MW-15	05-20-96	19.19	5.31	13.88	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-26-96	19.19	6.05	13.14	ND	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--		
MW-15	11-20-96	19.19	5.46	13.73	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	03-24-97	22.08	6.00	16.08	ND	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--		
MW-15	05-23-97	22.08	6.25	15.83	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-19-97	22.08	6.34	15.74	ND	99*	<0.5	<0.5	<0.5	0.7	6	--	--	--		
MW-15	11-19-97	22.08	6.34	15.74	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-19-98	22.08	4.66	17.42	ND	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--		
MW-15	04-23-98	22.08	5.18	16.90	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	07-27-98	22.08	6.02	16.06	ND	<50	<0.5	<0.5	<0.5	<0.5	50	--	--	--	1.0	P
MW-15	10-14-98	22.08	6.26	15.82	ND	<50	<0.5	<0.5	<0.5	<0.5	27	--	--	--	1.5	P
MW-15	01-21-99	22.08	5.33	16.75	ND	<50	<0.5	<0.5	<0.5	<0.5	6	--	--	--	1.0	P

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
ft-MSL: elevation in feet, relative to mean sea level MWN: ground-water flow direction and gradient apply to the entire monitoring well network TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method µg/L: micrograms per liter mg/L: milligrams per liter MTBE: Methyl tert-butyl ether TRPH: total recoverable petroleum hydrocarbons TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method ND: none detected DRY: dry well; groundwater was not detected - - : not analyzed *: Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint. **: [corrected elevation (Z)] = Z + (h * 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water ***: For previous historical groundwater elevation and analytical data please refer to <i>Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California, (EMCON, March 14, 1996).</i>																

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station No. 601
712 Lewelling Boulevard, San Leandro, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03/17/95	West-Southwest	0.006
06/01/95	Southwest	0.003
08/31/95	South-Southwest	0.005
11/27/95	South-Southwest	0.004
02/22/96	Northwest	0.007
05/20/96	Southwest	0.007
08/26/96	South-Southwest	0.004
11/20/96	South-Southeast	0.004
03/24/97	Southeast	0.013
05/23/97	Southeast	0.014
08/19/97	Southeast	0.04
11/19/97	Southeast	0.016
02/19/98	East	Variable
04/23/98	Variable	Variable
07/27/98	Southeast	0.05
10/14/98	Southeast	0.02
01/21/99	East	0.04

Table 3
Historical Groundwater Analytical Data
Metals*
1995 - Present**

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Cadmium EPA 6010 µg/L	Chromium EPA 6010 µg/L	Lead EPA 7421 µg/L	Nickel EPA 6010 µg/L	Zinc EPA 6010 µg/L
MW-1	03-17-95	<5	20	20	<40	60
MW-1	06-01-95	<5	20	22	70	100
MW-1	08-31-95	Not sampled: well contained floating product				
MW-1	11-27-95	Not sampled: well contained floating product				
MW-1	03-14-96	Not sampled: well contained floating product				
MW-1	05-21-96	0.006	<0.01	<0.005	<0.02	<0.02
MW-1	08-26-96	--	--	--	--	--
MW-1	11-20-96	--	--	--	--	--
MW-1	03-24-97	--	--	--	--	--
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1				
MW-1	08-19-97					
MW-1	11-19-97					
MW-1	02-19-98	<0.01	<0.01	<0.05	<0.02	<0.02
MW-1	04-23-98	--	--	--	--	--
MW-1	07-27-98	--	--	--	--	--
MW-1	10-14-98	--	--	--	--	--
MW-1	01-22-99	<0.005	<0.01	<0.05	<0.02	<0.02
MW-8	08-31-95	<5	40	16	50	90
MW-8	11-27-95	<5	130	77	170	280
MW-8	03-14-96	<5	30	7	40	60
MW-8	05-23-97	<0.005	<0.01	<0.005	<0.02	<0.02

EPA: United States Environmental Protection Agency
mg/L: micrograms per liter

-- : not analyzed

*: Historically samples were analyzed for total metals. Since March 14, 1996, the samples were filtered and analyzed for dissolved metals

** : For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California*, (EMCON, March 14, 1996).

Pinnacle

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride µg/L	1,2-Dichloro-ethane µg/L	1,1-Dichloro-ethane µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	Naphthalene µg/L	2-Methyl-naphthalene µg/L	Bis (2-ethylhexyl) Phthalate µg/L	Phenol µg/L	2,4-Di-methyl-phenol µg/L
MW-1	03-17-95	--	--	--	--	--	--	--	1300	730	<50	ND	150
MW-1	06-01-95	--	--	--	--	--	--	--	2200	1700	<100	240	<100
MW-1	08-31-95	Not sampled: well contained floating product											
MW-1	11-27-95	Not sampled: well contained floating product											
MW-1	03-14-96	Not sampled: well contained floating product											
MW-1	05-21-96	--	--	--	--	--	--	--	1200	860	<50	<50	<50
MW-1	08-26-96	--	--	--	--	--	--	--	2300	1800	<500	<500	<1000
MW-1	11-20-96	--	--	--	--	--	--	--	590	250	91	<50	<100
MW-1	03-24-97	--	--	--	--	--	--	--	730	610	<50	<50	<100
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
MW-1	08-19-97	--	--	--	--	--	--	--	1300	790	<50	<50	<100
MW-1	11-19-97	--	--	--	--	--	--	--	<5	<5	5	<5	<10
MW-1	02-19-98	--	--	--	--	--	--	--	870	330	<50	<50	<100
MW-1	04-23-98	Not analyzed											
MW-1	07-27-98	Not analyzed											
MW-1	10-14-98	Not analyzed											
MW-1	01/28/99**	--	--	--	--	--	--	--	950	580	<50	<50	<100

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample Field Date	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride	1,2-Dichloroethane	1,1-Dichloroethane	Benzene	Toluene	Ethylbenzene	Total Xylenes	Naphthalene	2-Methylnaphthalene	Bis (2-ethylhexyl) Phthalate	Phenol	2,4-Di-methylphenol
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	08-31-95	--	--	--	--	--	--	--	62	8	<5	<5	<5
MW-8	11-27-95	--	--	--	--	--	--	--	15	<5	<5	<5	<5
MW-8	03-14-96	--	--	--	--	--	--	--	400	55	<50	<50	<50
MW-8	05-23-97	--	--	--	--	--	--	--	26	<5	<5	<5	<10

EPA: United States Environmental Protection Agency

µg/L: micrograms per liter

-- : not analyzed

< = less than the laboratory detection limit stated to the right

*: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California*, (EMCON, March 14, 1996).



**: Sampling date is different from Groundwater Monitoring Field Date

Table 5
Approximate Cumulative Floating Product Recovered

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California


Well Desig- nation	Date	Floating Product Recovered gallons
MW-1	1991	3.43
MW-1	1992	0.02
MW-1	1993	0.00
MW-1	1994	0.00
MW-1	1995	0.00
MW-1	1996	0.00
MW-1	1997	0.00
MW-1	1998	0.00
MW-1	1999	0.00
1991 to 1999 Total:		3.45

IMAGE Files: <No Images>
XREF Files: <No Xrefs>
DIMS: 50 Ltscale: 0 Psttscale: 0
SANJOSE/CADD: N:\DWG\PINACL\601\601CHEM.DWG Tue, 06/Apr/99 10:03am kblack





- EXPLANATION**
- Groundwater monitoring well
 - Former underground gasoline storage tank
 - Existing underground gasoline storage tank
 - Approximate limit of gasoline tank excavation
 - Former product line
 - (2,000/<2/320) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 1/21/99
 - < Not detected at or above the indicated laboratory detection limit

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON



DATE APR. 1999
DWN KAB
APP
REV
PROJECT NO.
20805-121.007


FIGURE 1
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
FIRST QUARTER 1999




EXPLANATION

- Groundwater monitoring well
- ▭ Former underground gasoline storage tank
- ▭ Existing underground gasoline storage tank
- ▭ Approximate limit of gasoline tank excavation
- Former product line
- (11.91) Groundwater elevation (Ft.-MSL) measured 1/21/99
- ? --- Groundwater elevation contour (Ft.-MSL)
- ← Approximate direction of groundwater flow showing gradient

IMAGE Files: <No Images>
D:\DWG\PROJECTS\601\601GWC.DWG Wed, 21/Apr/99 10:44am kblack
XREF Files: <No Xrefs>
D:\DWG\PROJECTS\601\601GWC.DWG Wed, 21/Apr/99 10:44am kblack



Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON



DATE APR. 1999
DWN KAB
APP
REV
PROJECT NO.
20805-121.007

FIGURE 2
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
FIRST QUARTER 1999

APPENDIX A
SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Labels to identify individual samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND
WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT
FLOATING PRODUCT THICKNESS.
DO NOT SAMPLE WELL FOR
DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY
USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS
OF DRYNESS BEFORE REMOVING
CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO
THE CALCULATED PURGE VOLUME WHILE
MONITORING GROUNDWATER
STABILIZATION INDICATOR PARAMETERS
(pH, CONDUCTIVITY, TEMPERATURE) AT
INTERVALS OF ONE CASING VOLUME.

NO

YES

FINAL TWO SETS OF GROUNDWATER
STABILIZATION INDICATOR PARAMETER
MEASUREMENTS MEET THE FOLLOWING
CRITERIA:

pH = ± 0.1 pH units
COND. = ± 10 %
TEMP. = ± 1.0 °F

WELL RECHARGES TO A LEVEL
SUFFICIENT FOR SAMPLE
COLLECTION WITHIN 24 HOURS
OF EVACUATION TO DRYNESS.

YES

NO

WELL PURGING
CRITERIA MET;
PROCEED TO
WELL SAMPLING.

CONTINUE PURGING;
EVACUATE ADDITIONAL
CASING VOLUME OF WATER,
MONITORING INDICATOR
PARAMETERS FOR STABILITY.

YES

NO

FIELD TEST FIRST
RECHARGE WATER FOR
INDICATOR PARAMETERS,
THEN PROCEED TO WELL
SAMPLING.

RECORD WELL
AS DRY FOR
PURPOSES OF
SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96



OWT

PROJECT NO : _____

SAMPLE ID : _____

PURGED BY : _____

CLIENT NAME : _____

SAMPLED BY : _____

LOCATION : _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) : _____ VOLUME IN CASING (gal.) : _____

DEPTH OF WELL (feet) : _____ CALCULATED PURGE (gal.) : _____

DEPTH OF WATER (feet) : _____ ACTUAL PURGE VOL. (gal.) : _____

DATE PURGED : _____

END PURGE : _____

DATE SAMPLED : _____

SAMPLING TIME : _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____ (COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) : _____

PURGING EQUIPMENT

SAMPLING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard™ _____ Dedicated

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard™ _____ Dedicated

Other: _____

Other: _____

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____

E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____



EMCON

WATER SAMPLE FIELD DATA SHEET

FIGURE

A-2



OWT

**EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project

Authorization: _____

EMCON Project No.: _____

OWT Project No.: _____

Task Code: _____

Originals To: _____

cc: _____

Well Lock
Number (s)

☐ CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____

Name

Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Instructions:



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

FIGURE

A-3

APPENDIX B

CERTIFIED ANALYTICAL REPORTS, AND CHAIN-OF-CUSTODY DOCUMENTATION



April 1, 1999

Service Request No.: S9900234

Mr. Glen Vanderveen
EMCON-Pinnacle
2201 Broadway, Suite 101
Oakland, CA. 94612

RE: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on January 25, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 25, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONLST.DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900234
 Date Collected: 1/22/99
 Date Received: 1/25/99

Total Metals

Sample Name: MW-1(11)
 Lab Code: S9900234-010
 Test Notes:

Units: mg/L (ppm)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Prepared	Date Analyzed	Result	Result Notes
Antimony	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Arsenic	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	0.06	
Barium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	18	
Beryllium	EPA 3005	6010A	0.005	1	1/27/99	1/28/99	ND	
Cadmium	EPA 3005	6010A	0.005	1	1/27/99	1/28/99	ND	
Chromium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Cobalt	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Copper	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Lead	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Mercury	METHOD	7470	0.0004	1	2/1/99	2/1/99	ND	
Molybdenum	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Nickel	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	
Selenium	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Silver	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	
Thallium	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Vanadium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	0.01	
Zinc	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900234
 Date Collected: NA
 Date Received: NA

Total Metals

Sample Name: Method Blank
 Lab Code: S990127-MB
 Test Notes:

Units: mg/L (ppm)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Prepared	Date Analyzed	Result	Result Notes
Antimony	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Arsenic	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Barium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Beryllium	EPA 3005	6010A	0.005	1	1/27/99	1/28/99	ND	
Cadmium	EPA 3005	6010A	0.005	1	1/27/99	1/28/99	ND	
Chromium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Cobalt	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Copper	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Lead	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Mercury	METHOD	7470	0.0004	1	2/1/99	2/1/99	ND	
Molybdenum	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Nickel	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	
Selenium	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Silver	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	
Thallium	EPA 3005	6010A	0.05	1	1/27/99	1/28/99	ND	
Vanadium	EPA 3005	6010A	0.01	1	1/27/99	1/28/99	ND	
Zinc	EPA 3005	6010A	0.02	1	1/27/99	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-12(11)
Lab Code: S9900234-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/28/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-13(12)
Lab Code: S9900234-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/27/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/27/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/27/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/27/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/27/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/27/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTX, MTBE and TPH as Gasoline

Sample Name: MW-14(12)
Lab Code: S9900234-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/28/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(9)
Lab Code: S9900234-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/28/99	52	
Benzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/28/99	0.27	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-11(11)
Lab Code: S9900234-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/28/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/FO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(8)
Lab Code: S9900234-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	4	NA	1/28/99	1700	
Benzene	EPA 5030	8020	0.5	4	NA	1/28/99	140	
Toluene	EPA 5030	8020	0.5	4	NA	1/28/99	22	
Ethylbenzene	EPA 5030	8020	0.5	4	NA	1/28/99	56	
Xylenes, Total	EPA 5030	8020	0.5	4	NA	1/28/99	320	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	4	NA	1/28/99	13	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(10)
Lab Code: S9900234-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	200	NA	1/28/99	34000	
Benzene	EPA 5030	8020	0.5	200	NA	1/28/99	6200	
Toluene	EPA 5030	8020	0.5	200	NA	1/28/99	2600	
Ethylbenzene	EPA 5030	8020	0.5	200	NA	1/28/99	630	
Xylenes, Total	EPA 5030	8020	0.5	200	NA	1/28/99	2300	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	200	NA	1/28/99	<600	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(8)
Lab Code: S9900234-008
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	50	NA	1/28/99	4800	
Benzene	EPA 5030	8020	0.5	50	NA	1/28/99	1100	
Toluene	EPA 5030	8020	0.5	50	NA	1/28/99	<25	C1
Ethylbenzene	EPA 5030	8020	0.5	50	NA	1/28/99	340	
Xylenes, Total	EPA 5030	8020	0.5	50	NA	1/28/99	79	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	50	NA	1/28/99	<150	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(11)
Lab Code: S9900234-009
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	200	NA	1/29/99	120000	
Benzene	EPA 5030	8020	0.5	200	NA	1/29/99	860	
Toluene	EPA 5030	8020	0.5	200	NA	1/29/99	1500	
Ethylbenzene	EPA 5030	8020	0.5	200	NA	1/29/99	2600	
Xylenes, Total	EPA 5030	8020	0.5	200	NA	1/29/99	14000	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	200	NA	1/29/99	<600	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-1(11)
Lab Code: S9900234-010
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	100	NA	1/29/99	45000	
Benzene	EPA 5030	8020	0.5	100	NA	1/29/99	1400	
Toluene	EPA 5030	8020	0.5	100	NA	1/29/99	64	
Ethylbenzene	EPA 5030	8020	0.5	100	NA	1/29/99	2100	
Xylenes, Total	EPA 5030	8020	0.5	100	NA	1/29/99	2400	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	100	NA	1/29/99	<300	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-2(12)
Lab Code: S9900234-011
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	4	NA	1/29/99	1700	
Benzene	EPA 5030	8020	0.5	4	NA	1/29/99	84	
Toluene	EPA 5030	8020	0.5	4	NA	1/29/99	4	
Ethylbenzene	EPA 5030	8020	0.5	4	NA	1/29/99	31	
Xylenes, Total	EPA 5030	8020	0.5	4	NA	1/29/99	10	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	4	NA	1/29/99	13	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-8(10)
Lab Code: S9900234-012
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	4	NA	1/29/99	2000	
Benzene	EPA 5030	8020	0.5	4	NA	1/29/99	<2	C1
Toluene	EPA 5030	8020	0.5	4	NA	1/29/99	<2	C1
Ethylbenzene	EPA 5030	8020	0.5	4	NA	1/29/99	3	
Xylenes, Total	EPA 5030	8020	0.5	4	NA	1/29/99	<2	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	4	NA	1/29/99	320	

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-15(10)
Lab Code: S9900234-013
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	6	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990128-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/28/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/28/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/28/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990126-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/26/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/26/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/26/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/26/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/26/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/26/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990129-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900234
 Date Collected: NA
 Date Received: NA
 Date Prepared: 1/27/99
 Date Analyzed: 1/28/99

Matrix Spike/Duplicate Matrix Spike Summary
 Total Metals

Sample Name: MW-1(11) Units: mg/L (ppm)
 Lab Code: S9900234-001MS, S9900234-001DMS Basis: NA
 Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Percent Recovery		CAS Acceptance Limits	Relative Percent Difference	Result Notes
				MS	DMS		MS	DMS	MS	DMS			
				MS	DMS		MS	DMS	MS	DMS			
Antimony	EPA 3005	6010A	0.05	1.00	1.00	ND	0.98	1.0	98	100	75-125	2	
Arsenic	EPA 3005	6010A	0.05	1.00	1.00	0.06	0.99	1.0	93	94	75-125	1	
Barium	EPA 3005	6010A	0.01	0.10	0.10	18	17	17	P	P	75-125	<1	
Beryllium	EPA 3005	6010A	0.005	0.10	0.10	ND	0.10	0.10	100	100	75-125	<1	
Cadmium	EPA 3005	6010A	0.005	0.50	0.50	ND	0.46	0.48	92	96	75-125	4	
Chromium	EPA 3005	6010A	0.01	0.50	0.50	ND	0.46	0.48	92	96	75-125	4	
Cobalt	EPA 3005	6010A	0.01	0.20	0.20	ND	0.18	0.19	90	95	75-125	5	
Copper	EPA 3005	6010A	0.01	0.10	0.10	ND	0.09	0.09	90	90	75-125	<1	
Lead	EPA 3005	6010A	0.05	1.00	1.00	ND	0.90	0.94	90	94	75-125	4	
Mercury	METHOD	7470	0.0004	5.00	5.00	ND	4.5	4.3	90	86	75-125	5	
Molybdenum	EPA 3005	6010A	0.01	1.00	1.00	ND	0.93	0.97	93	97	75-125	4	
Nickel	EPA 3005	6010A	0.02	0.50	0.50	ND	0.46	0.49	92	98	75-125	6	
Selenium	EPA 3005	6010A	0.05	0.50	0.50	ND	0.45	0.48	90	96	75-125	6	
Silver	EPA 3005	6010A	0.02	0.50	0.50	ND	0.44	0.47	88	94	75-125	7	
Thallium	EPA 3005	6010A	0.05	1.00	1.00	ND	0.96	1.0	96	100	75-125	4	
Vanadium	EPA 3005	6010A	0.01	0.10	0.10	0.01	0.11	0.11	100	100	75-125	<1	
Zinc	EPA 3005	6010A	0.02	0.50	0.50	ND	0.47	0.50	94	100	75-125	6	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CALUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-12(11)	S9900234-001		92	88
MW-13(12)	S9900234-002		103	93
MW-14(12)	S9900234-003		104	92
MW-7(9)	S9900234-004		102	93
MW-11(11)	S9900234-005		103	94
MW-4(8)	S9900234-006		102	88
MW-5(10)	S9900234-007		101	86
MW-6(8)	S9900234-008		99	86
MW-3(11)	S9900234-009		100	93
MW-1(11)	S9900234-010		95	91
MW-2(12)	S9900234-011		96	96
MW-8(10)	S9900234-012		104	87
MW-15(10)	S9900234-013		101	87
Batch QC	S9901071-002MS		97	95
Batch QC	S9901071-002DMS		99	97
Method Blank	S990128-WB1		101	91
Method Blank	S990126-WB1		105	97
Method Blank	S990129-WB1		102	89

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900234
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/29/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9900234-0015MS, S9900234-0015DMS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	Percent Recovery										Relative Percent Difference	Result Notes
			Spike Level		Sample Result	Spike Result		CAS Acceptance Limits						
			MRL	MS		DMS	MS	DMS	MS	DMS				
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	280	250	112	100	75-135	11		

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Service Request: S9900234
Date Analyzed: 1/28/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS	Percent Recovery	Result Notes
					Percent Recovery Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	25	85-115	100	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	77	85-115	103	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

ARCO Products Company

Division of Atlantic/Richfield Company

59900234

Task Order No.

77312.00

Chain of Custody

[illegible]



April 7, 1999

Service Request No.: S9900234

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on January 25, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

ACRONLST.DOC 7/14/95

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-9(15)
Lab Code: S9901071-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: 1/22/99
Date Received: 1/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9901071-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990129-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	1/29/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	1/29/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	1/29/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/IO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-9(15)	S9901071-001		100	92
MW-10(16)	S9901071-002		99	89
MW-10(16)	S9901071-002MS		97	95
MW-10(16)	S9901071-002DMS		99	97
Method Blank	S990129-WB1		102	89

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/29/99

Matrix Spike/Duplicate Matrix Spike Summary
 TPH as Gasoline

Sample Name: MW-10(16) **Units:** ug/L (ppb)
Lab Code: S9901071-002MS **S9901071-002DMS** **Basis:** NA
Test Notes:

Analyte	Prep Method	Analysis Method	Percent Recovery								CAS Acceptance Limits	Relative Percent Difference	Result Notes
			MRL	MS	DMS	Sample Result	MS	DMS	MS	DMS			
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	280	250	112	100	75-135	11	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Service Request: S9901071
Date Analyzed: 1/28/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV **Units:** ug/L (ppb)
Lab Code: ICV1 **Basis:** NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery	Percent Recovery	Result Notes
					Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	25	85-115	100	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	77	85-115	103	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901071
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/29/99

Matrix Spike Summary
TPH as Gasoline

Sample Name: MW-10(16)
Lab Code: S9901071-002MS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS	Result Notes
								Percent Recovery Acceptance Limits	
Gasoline	EPA 5030	CA/LUFT	50	250	ND	280	112	75-135	

Chain of Custody

ARCO Facility no.	601	City (Facility)	San Leandro	Project manager (Consultant)	Glen Vander Veen	Laboratory Name CAS	
ARCO engineer	Paul Supple	Telephone no. (ARCO)		Telephone no. (Consultant)	(408) 453-7300		Fax no. (Consultant)
Consultant name	EMCON	Address (Consultant)		144-A Mayhew Way Walnut Creek, CA 94596			Contract Number

Case

Contract Number	
-----------------	--

Method of shipment	
--------------------	--

Sampler
will
deliver

Special Detection	
Limit/reporting	

Lowest
Possible

Special QA/QC

As
Normal

Remarks

RAT 8
2-40ml HCL
VOAS

#20805-121, CDS

Lab Number

Turnaround Time:

Priority Rush
1 Business Day ☐

Rush
2 Business Days ☐

Expedited
5 Business Days ☐

Standard	☒
10 Business Days	☐

Condition of sample:

Temperature received: Due 2/8/99 RU1 D3 RA D2

Relinquished by sampler

Date,

Time

Received by

Relinquished by

Date _____

Time

Received by

Relinquished by

Date _____

Time

Received by laboratory

Date _____


Time	
------	--



February 11, 1999

Service Request No.: S9900314

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596



RE: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on January 29, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Regional QA Coordinator

COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLIC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900314
 Date Collected: 1/28/99
 Date Received: 1/29/99

Base Neutral/Acid Semivolatile Organic Compounds

Sample Name: MW-1(10)
 Lab Code: S9900314-001
 Test Notes: C1

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
N-Nitrosodimethylamine	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Aniline	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Bis(2-chloroethyl) Ether	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Phenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Chlorophenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
1,3-Dichlorobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
1,4-Dichlorobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
1,2-Dichlorobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Benzyl Alcohol	EPA 3510	8270C	10	10	1/29/99	2/3/99	<100	
Bis(2-chloroisopropyl) Ether	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Methylphenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Hexachloroethane	EPA 3510	8270C	10	10	1/29/99	2/3/99	<100	
N-Nitrosodi-n-propylamine	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
3- and 4-Methylphenol*	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Nitrobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Isophorone	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Nitrophenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2,4-Dimethylphenol	EPA 3510	8270C	10	10	1/29/99	2/3/99	<100	
Bis(2-chloroethoxy)methane	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2,4-Dichlorophenol	EPA 3510	8270C	50	10	1/29/99	2/3/99	<500	
Benzoic Acid	EPA 3510	8270C	50	10	1/29/99	2/3/99	<500	
1,2,4-Trichlorobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Naphthalene	EPA 3510	8270C	5	10	1/29/99	2/3/99	950	
4-Chloroaniline	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Hexachlorobutadiene	EPA 3510	8270C	10	10	1/29/99	2/3/99	<100	
4-Chloro-3-methylphenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Methylnaphthalene	EPA 3510	8270C	5	10	1/29/99	2/3/99	580	
Hexachlorocyclopentadiene	EPA 3510	8270C	10	10	1/29/99	2/3/99	<100	
2,4,6-Trichlorophenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2,4,5-Trichlorophenol	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Chloronaphthalene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2-Nitroaniline	EPA 3510	8270C	20	10	1/29/99	2/3/99	<200	
Acenaphthylene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Dimethyl Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
2,6-Dinitrotoluene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Acenaphthene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
3-Nitroaniline	EPA 3510	8270C	20	10	1/29/99	2/3/99	<200	
2,4-Dinitrophenol	EPA 3510	8270C	50	10	1/29/99	2/3/99	<500	
Dibenzofuran	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
4-Nitrophenol	EPA 3510	8270C	50	10	1/29/99	2/3/99	<500	
2,4-Dinitrotoluene	EPA 3510	8270C	50	10	1/29/99	2/3/99	<500	
Fluorene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
4-Chlorophenyl Phenyl Ether	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	

* Quantified as 4-methylphenol.
 C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900314
 Date Collected: 1/28/99
 Date Received: 1/29/99

Base Neutral/Acid Semivolatile Organic Compounds

Sample Name: MW-1(10)
 Lab Code: S9900314-001
 Test Notes: C1

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Diethyl Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
4-Nitroaniline	EPA 3510	8270C	20	10	1/29/99	2/3/99	<200	
2-Methyl-4,6-dinitrophenol	EPA 3510	8270C	20	10	1/29/99	2/3/99	<200	
N-Nitrosodiphenylamine	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
4-Bromophenyl Phenyl Ether	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Hexachlorobenzene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Pentachlorophenol	EPA 3510	8270C	30	10	1/29/99	2/3/99	<300	
Phenanthrene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Anthracene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Di-n-butyl Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Fluoranthene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Pyrene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Butylbenzyl Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
3,3'-Dichlorobenzidine	EPA 3510	8270C	20	10	1/29/99	2/3/99	<200	
Benz(a)anthracene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Chrysene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Bis(2-ethylhexyl) Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Di-n-octyl Phthalate	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Benzo(b)fluoranthene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Benzo(k)fluoranthene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Benzo(a)pyrene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Indeno(1,2,3-cd)pyrene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Dibenz(a,h)anthracene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	
Benzo(g,h,i)perylene	EPA 3510	8270C	5	10	1/29/99	2/3/99	<50	

Quantified as 4-methylphenol.

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900314
 Date Collected: NA
 Date Received: NA

Base Neutral/Acid Semivolatile Organic Compounds

Sample Name: Method Blank
 Lab Code: S990129-WB1
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
N-Nitrosodimethylamine	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Aniline	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Bis(2-chloroethyl) Ether	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Phenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Chlorophenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
1,3-Dichlorobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
1,4-Dichlorobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
1,2-Dichlorobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Benzyl Alcohol	EPA 3510	8270C	10	1	1/29/99	2/1/99	ND	
Bis(2-chloroisopropyl) Ether	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Methylphenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Hexachloroethane	EPA 3510	8270C	10	1	1/29/99	2/1/99	ND	
N-Nitrosodi-n-propylamine	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
3- and 4-Methylphenol*	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Nitrobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Isophorone	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Nitrophenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2,4-Dimethylphenol	EPA 3510	8270C	10	1	1/29/99	2/1/99	ND	
Bis(2-chloroethoxy)methane	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2,4-Dichlorophenol	EPA 3510	8270C	50	1	1/29/99	2/1/99	ND	
Benzoic Acid	EPA 3510	8270C	50	1	1/29/99	2/1/99	ND	
1,2,4-Trichlorobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Naphthalene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
4-Chloroaniline	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Hexachlorobutadiene	EPA 3510	8270C	10	1	1/29/99	2/1/99	ND	
4-Chloro-3-methylphenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Methylnaphthalene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Hexachlorocyclopentadiene	EPA 3510	8270C	10	1	1/29/99	2/1/99	ND	
2,4,6-Trichlorophenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2,4,5-Trichlorophenol	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Chloronaphthalene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2-Nitroaniline	EPA 3510	8270C	20	1	1/29/99	2/1/99	ND	
Acenaphthylene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Dimethyl Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
2,6-Dinitrotoluene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Acenaphthene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
3-Nitroaniline	EPA 3510	8270C	20	1	1/29/99	2/1/99	ND	
2,4-Dinitrophenol	EPA 3510	8270C	50	1	1/29/99	2/1/99	ND	
Dibenzofuran	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
4-Nitrophenol	EPA 3510	8270C	50	1	1/29/99	2/1/99	ND	
2,4-Dinitrotoluene	EPA 3510	8270C	50	1	1/29/99	2/1/99	ND	
Fluorene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
4-Chlorophenyl Phenyl Ether	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	

* Quantified as 4-methylphenol.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 Sample Matrix: Water

Service Request: S9900314
 Date Collected: NA
 Date Received: NA

Base Neutral/Acid Semivolatile Organic Compounds

Sample Name: Method Blank
 Lab Code: S990129-WB1
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Diethyl Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
4-Nitroaniline	EPA 3510	8270C	20	1	1/29/99	2/1/99	ND	
2-Methyl-4,6-dinitrophenol	EPA 3510	8270C	20	1	1/29/99	2/1/99	ND	
N-Nitrosodiphenylamine	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
4-Bromophenyl Phenyl Ether	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Hexachlorobenzene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Pentachlorophenol	EPA 3510	8270C	30	1	1/29/99	2/1/99	ND	
Phenanthrene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Anthracene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Di-n-butyl Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Fluoranthene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Pyrene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Butylbenzyl Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
3,3'-Dichlorobenzidine	EPA 3510	8270C	20	1	1/29/99	2/1/99	ND	
Benz(a)anthracene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Chrysene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Bis(2-ethylhexyl) Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Di-n-octyl Phthalate	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Benzo(b)fluoranthene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Benzo(k)fluoranthene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Benzo(a)pyrene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Indeno(1,2,3-cd)pyrene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Dibenz(a,h)anthracene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	
Benzo(g,h,i)perylene	EPA 3510	8270C	5	1	1/29/99	2/1/99	ND	

* Quantified as 4-methylphenol.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9900314
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 Base Neutral/Acid Semivolatile Organic Compounds

Prep Method: EPA 3510
Analysis Method: 8270C

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	P e r c e n t R e c o v e r y					TPH
			2FP	PHL	NBZ	FBP	TBP	
MW-1(10)	S9900314-001		D S1	1 S1	29 S1	81	109	77
Lab Control Sample	S990129-LCS		28	16	55	58	61	44
Lab Control Sample	S990129-DLCS		31	17	62	65	68	50
Method Blank	S990129-WB1		30	18	57	57	64	45

CAS Acceptance Limits: 21-100 10-94 35-114 43-116 10-123 33-141

2FP 2-Fluorophenol
 PHL Phenol-D6
 NBZ Nitrobenzene-D5
 FBP 2-Fluorobiphenyl
 TBP 2,4,6-Tribromophenol
 TPH Terphenyl-D14

S1 Surrogate recovery out of control limits due to matrix interference.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: 20805-121.005/TO#22312.00/RAT8/601 SAN LEANDRO
 LCS Matrix: Water

Service Request: S9900314

Date Collected: NA

Date Received: NA

Date Extracted: 1/29/99

Date Analyzed: 2/1/99

Laboratory Control Sample/Duplicate Laboratory Control Sample Summary
 Base Neutral/Acid Semivolatile Organic Compounds

Sample Name: Lab Control Sample
 Lab Code: S990129-DLCS, S990129-LCS
 Test Notes:

Units: ug/L (ppb)

Basis: NA

Percent Recovery

Analyte	Prep Method	Analysis Method	True Value		Result		Percent Recovery		CAS Acceptance Limits	Relative Percent Difference	Result Notes
			LCS	DLCS	LCS	DLCS	LCS	DLCS			
Phenol	EPA 3510	8270C	100	100	22	24	22	24	5-112	9	
2-Chlorophenol	EPA 3510	8270C	100	100	58	66	58	66	23-134	13	
1,4-Dichlorobenzene	EPA 3510	8270C	50	50	34	37	68	74	20-124	8	
N-Nitrosodi-n-propylamine	EPA 3510	8270C	50	50	29	33	58	66	D-230	13	
1,2,4-Trichlorobenzene	EPA 3510	8270C	50	50	33	36	66	72	44-142	9	
4-Chloro-3-methylphenol	EPA 3510	8270C	100	100	63	73	63	73	22-147	15	
Acenaphthene	EPA 3510	8270C	50	50	39	42	78	84	47-145	7	
4-Nitrophenol	EPA 3510	8270C	100	100	24	28	24	28	D-132	15	
2,4-Dinitrotoluene	EPA 3510	8270C	50	50	37	41	74	82	39-139	10	
Pentachlorophenol	EPA 3510	8270C	100	100	71	88	71	88	14-176	21	
Pyrene	EPA 3510	8270C	50	50	45	51	90	102	52-115	13	

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No.

77312.00

S9900314

Chain of Custody

ARCO Facility no. <u>0601</u>		City (Facility) <u>San Leandro</u>		Project manager (Consultant) <u>Glen Vanderveen</u>		Laboratory Name <u>CAS</u>																			
ARCO engineer <u>Paul Supple</u>		Telephone no. (ARCO)		Telephone no. (Consultant) <u>(408) 453-7300</u>		Fax no. (Consultant) <u>(408) 437-9526</u>																			
Consultant name <u>EMCON</u>		Address (Consultant) <u>44-A Mayhew Way, Walnut Creek, CA 94596</u>																							
Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH EPA 8612/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 606/8270	TCUP Metals EPA 601/7000 CML Metals EPA 601/7000 TLC ☐ STLC ☐	Lead Org/DHS ☐	Lead EPA 7420/7421 ☐	Method of shipment <u>Sampler will deliver</u>				
			Soil	Water	Other	Ice	Acid																		
<u>MLV-1 (6) C</u>	<u>2</u>			<u>X</u>		<u>X</u>	<u>X</u>	<u>1-28-99</u>	<u>1235</u>									<u>X</u>				Special Detection Limit/reporting <u>Lowest possible</u>			
																						Special QA/QC <u>As Normal</u>			
																						Remarks <u>RAT 8</u> <u>2-1 liter NP</u> <u>Ambers</u>			
																						Lab Number			
																						Turnaround Time:			
																						Priority Rush 1 Business Day ☐			
																						Rush 2 Business Days ☐			
																						Expedited 5 Business Days ☐			
																						Standard 10 Business Days ☒			
Condition of sample:										Temperature received: <u>DUE: 2-12-99 R9 DI</u>															
Relinquished by sampler <u>White K</u>										Date <u>1/29/99</u>		Time <u>0800</u>		Received by <u>Brian Falk</u>										Date <u>1/29/99</u> Time <u>10:40</u>	
Relinquished by										Date		Time		Received by											
Relinquished by										Date		Time		Received by laboratory										Date Time	

APPENDIX C
FIELD DATA SHEETS

FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY

PROJECT # : 21775-208.003 STATION ADDRESS : 712 Lewelling Blvd., San Leandro

DATE : 1/21/99

ARCO STATION # : 601

FIELD TECHNICIAN : Manuel Gallegos

DAY : Thursday

DTW Order	WELL ID	Well Box Seal	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-9	OK	15/16"	YES	ARCO	LWC	7.63	7.63	11.2	2.12	14.1	
2	MW-10	OK	15/16"	YES	³⁹⁰⁰ ARCO	LWC	6.65	6.65			17.4	new lock
3	MW-12	OK	15/16"	YES	³⁹⁰⁰ ARCO	LWC	8.20	8.20			11.5	new lock
4	MW-13	OK	15/16"	YES	ARCO	LWC	7.85	7.85			12.9 12.9	
5	MW-14	OK	15/16"	YES	ARCO	LWC	8.90	8.90			12.9	
6	MW-7	OK	15/16"	YES	ARCO	LWC	9.07	9.07			9.5	
7	MW-11	OK	15/16"	YES	ARCO	LWC	8.25	8.25			11.8	
8	MW-4	OK	15/16"	YES	ARCO	LWC	7.43	7.43			8.4	
9	MW-5	OK	15/16"	YES	³⁵⁰⁰ ARCO	LWC	7.03	7.03			10.0	put 3900 lock on well
10	MW-6	OK	15/16"	YES	ARCO	LWC	7.90	7.90			8.5	
11	MW-3	OK	HEX	YES	ARCO	LWC	6.50	6.50			11.70	
12	MW-1	OK	HEX	YES	³⁹⁰⁰ ARCO	LWC	7.184	7.184			11.1	new lock
13	MW-2	OK	15/16"	YES	ARCO	LWC	7.15	7.15			12.1	well box needs to be replaced
14	MW-15	OK	15/16"	YES	ARCO	LWC	5.33	5.33			10.0	
15	MW-8	OK	15/16"	YES	³⁹⁰⁰ ARCO	LWC	6.54	6.54			10.1	new lock

SURVEY POINTS ARE TOP OF WELL CASINGS

**OWT****WATER SAMPLE FIELD DATA SHEET**

Rev. 1/97

PROJECT NO: 21775-208.003SAMPLE ID: MW-1(11)PURGED BY: M. GallegosCLIENT NAME: ARCO# 601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NIRVOLUME IN CASING (gal.): 2.12DEPTH OF WELL (feet): 16.1CALCULATED PURGE (gal.): 6.38DEPTH OF WATER (feet): 7.84ACTUAL PURGE VOL. (gal.): 6.5DATE PURGED: 1-22-99END PURGE: 1415DATE SAMPLED: ↓SAMPLING TIME: 1430

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1413</u>	<u>2.5</u>	<u>6.70</u>	<u>929</u>	<u>63.8</u>	<u>Grey</u>	<u>Trace</u>
<u>1414</u>	<u>4.5</u>	<u>6.67</u>	<u>907</u>	<u>65.3</u>	<u>"</u>	<u>"</u>
<u>1415</u>	<u>6.5</u>	<u>6.66</u>	<u>939</u>	<u>65.6</u>	<u>"</u>	<u>"</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: DO= 1.0 mg/l ODOR: Strong NIR NIR
(COBALT 0-100) (NTU 0-200)FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NIR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard® ☐ Dedicated
 Other: _____

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard® ☐ Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: 3900REMARKS: all samples takennew lockHeavy screen in bucketpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87127E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400Temperature °F _____ 50 MW-9SIGNATURE: Manuel J. Gallegos REVIEWED BY: MA PAGE 1 OF 15



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003

SAMPLE ID: MW-2 (12')

PURGED BY: M. Gallegos

CLIENT NAME: ARCO #601

SAMPLED BY: ↓

LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL):	<u>NR</u>	VOLUME IN CASING (gal.):	<u>3.23</u>
DEPTH OF WELL (feet):	<u>12.1</u>	CALCULATED PURGE (gal.):	<u>9.70</u>
DEPTH OF WATER (feet):	<u>7.15</u>	ACTUAL PURGE VOL. (gal.):	<u>3.5</u>

DATE PURGED:	<u>1-22-99</u>	END PURGE:	<u>1435</u>
DATE SAMPLED:	<u>↓</u>	SAMPLING TIME:	<u>1340</u>

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1435</u>	<u>3.5</u>	<u>7.09</u>	<u>1493</u>	<u>62.9</u>	<u>clr</u>	<u>clr</u>
	<u>DRY @</u>	<u>3.5</u>	<u>gallons</u>			
<u>1340</u>	<u>Recharge</u>	<u>7.00</u>	<u>1541</u>	<u>63.3</u>	<u>clr</u>	<u>clr</u>

OTHER: DO = 0.5 mg/L ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump
____ Centrifugal Pump
____ Submersible Pump
____ Well Wizard®
Other: _____

____ Bailer (Teflon)
✓ Bailer (PVC)
____ Bailer (Stainless Steel)
____ Dedicated

SAMPLING EQUIPMENT

____ 2" Bladder Pump
____ Bomb Sampler
____ Dipper
____ Well Wizard®
Other: _____

X Bailer (Teflon)
____ Bailer (Stainless Steel)
____ Submersible Pump
____ Dedicated

WELL INTEGRITY: OK LOCK: NEED

REMARKS: all samples taken
see logs in well

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87111
E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400
Temperature °F See MW-9

SIGNATURE: M. Gallegos REVIEWED BY: MT PAGE 2 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208-003SAMPLE ID: MW-3 (11')PURGED BY: M. GallegosCLIENT NAME: ARCO #601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 3.39DEPTH OF WELL (feet): 11.70CALCULATED PURGE (gal.): 10.19DEPTH OF WATER (feet): 10.50ACTUAL PURGE VOL. (gal.): 10.5DATE PURGED: 1-22-99END PURGE: 1403DATE SAMPLED: ↓SAMPLING TIME: 1405

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1401</u>	<u>3.5</u>	<u>7.39</u>	<u>957</u>	<u>62.5</u>	<u>Grey</u>	<u>Trace</u>
<u>1402</u>	<u>7.0</u>	<u>7.28</u>	<u>843</u>	<u>62.6</u>	<u>"</u>	<u>"</u>
<u>1403</u>	<u>10.5</u>	<u>7.26</u>	<u>853</u>	<u>62.9</u>	<u>"</u>	<u>"</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: DO= 0.5 mg/L ODOR: Stronger NR NR

(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

☐ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard[®]
 Other: _____

☐ Bailer (Teflon)
☒ Bailer (PVC)
☐ Bailer (Stainless Steel)
☐ Dedicated

☐ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard[®]
 Other: _____

WELL INTEGRITY: OK LOCK: NoneREMARKS: All samples takenSkimmer and ORC sock in wellHeavy Sheen in BucketpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87117E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 14100Temperature °F 50.0 SeawaterSIGNATURE: Marcos J. Gallegos REVIEWED BY: MA PAGE 3 OF 15



OWT

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003

SAMPLE ID: MW-4 (8')

PURGED BY: M. Gallegos

CLIENT NAME: ARCO #601

SAMPLED BY: ↓

LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR

VOLUME IN CASING (gal.): 0.63

DEPTH OF WELL (feet): 8.4

CALCULATED PURGE (gal.): 1.90

DEPTH OF WATER (feet): 7.43

ACTUAL PURGE VOL. (gal.): 1.0

DATE PURGED: 1-22-99

END PURGE: 1334

DATE SAMPLED: ↓

SAMPLING TIME: 1340

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1334</u>	<u>1.0</u>	<u>7.14</u>	<u>1210</u>	<u>63.7</u>	<u>clr</u>	<u>clr</u>
	<u>Prey @ 10</u>		<u>balloons</u>			
<u>1340</u>	<u>Recharge</u>	<u>6.87</u>	<u>1227</u>	<u>63.6</u>	<u>clr</u>	<u>clr</u>

OTHER: DO= 0.5 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

☐ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard[®]
 Other: _____

☒ Bailer (Teflon)
☐ Bailer (PVC)
☐ Bailer (Stainless Steel)
☐ Dedicated

☐ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard[®]
 Other: _____

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87121

E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F 50.0 AW-9

SIGNATURE: [Signature] REVIEWED BY: JA PAGE 4 OF 15

Rev. 1/97



OWT

SAMPLE ID: MW-5 (C)

CLIENT NAME: ARCO# 60)

LOCATION: San Leandro, CA

CASING DIAMETER (inches): 2 3 4 X 4.5 6 Other _____

VOLUME IN CASING (gal.): 1.94

CALCULATED PURGE (gal.): 5.82

ACTUAL PURGE VOL. (gal.): 2.0

END PURGE: 1342

SAMPLING TIME: 1345

OTHER: DO= 2.5 mg/L ODOR: Strong NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

SAMPLING EQUIPMENT

<u> </u> 2" Bladder Pump	<u> X </u> Bailer (Teflon)
<u> </u> Bomb Sampler	<u> </u> Bailer (Stainless Steel)
<u> </u> Dipper	<u> </u> Submersible Pump
<u> </u> Well Wizard [®]	<u> </u> Dedicated

Other: _____

WELL INTEGRITY: OK LOCK: 500

REMARKS: All samples taken
~~100~~ ~~100~~ water in bucket had a slight green
oil slick in well

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 8711
E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400
Temperature °F 52 pH 7

SIGNATURE: Margaret J. Miller REVIEWED BY: ME PAGE 5 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003SAMPLE ID: MW-6-(8')PURGED BY: M. GallegosCLIENT NAME: ARCO# 601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 0.39DEPTH OF WELL (feet): 8.5CALCULATED PURGE (gal.): 1.17DEPTH OF WATER (feet): 7.90ACTUAL PURGE VOL. (gal.): 0.5DATE PURGED: 1-22-99END PURGE: 1349DATE SAMPLED: ↓SAMPLING TIME: 1355

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1349</u>	<u>0.5</u>	<u>7.07</u>	<u>1372</u>	<u>63.8</u>	<u>Orange/Yel</u>	<u>Heavy</u>
	<u>well dried &</u>		<u>0.5</u>	<u>Gallons</u>		
<u>1355</u>	<u>Recharge</u>	<u>7.06</u>	<u>1300</u>	<u>63.7</u>	<u>clr</u>	<u>clr</u>

OTHER: DO= 2.0 mg/LODOR: SlightNRNR

(COBALT 0-100)

(NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT**

_____ 2" Bladder Pump _____ Bailer (Teflon)
_____ Centrifugal Pump ✓ Bailer (PVC)
_____ Submersible Pump _____ Bailer (Stainless Steel)
_____ Well Wizard® _____ Dedicated

Other: _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump X Bailer (Teflon)
_____ Bomb Sampler _____ Bailer (Stainless Steel)
_____ Dipper _____ Submersible Pump
_____ Well Wizard® _____ Dedicated

Other: _____

WELL INTEGRITY: OKLOCK: APLOREMARKS: all samples takenpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87112E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 14100Temperature °F See MW-9SIGNATURE: Manuel P. Gallegos REVIEWED BY: MA PAGE 6 OF 15



OWT

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003

SAMPLE ID: MW-7-191

PURGED BY: M. Gallegos

CLIENT NAME: ARCO #601

SAMPLED BY: ↓

LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR

VOLUME IN CASING (gal.): 0.88

DEPTH OF WELL (feet): 9.5

CALCULATED PURGE (gal.): 0.89

DEPTH OF WATER (feet): 9.07

ACTUAL PURGE VOL. (gal.): 0.5

DATE PURGED: 1-22-99

END PURGE: 1310

DATE SAMPLED: ↓

SAMPLING TIME: 1315

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (μmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1310</u>	<u>0.5</u>	<u>7.10</u>	<u>1565</u>	<u>66.0</u>	<u>clr</u>	<u>clr</u>
	<u>Dry @</u>	<u>0.5</u>	<u>600ms</u>		<u>0</u>	
<u>1315</u>	<u>Recharge</u>	<u>7.08</u>	<u>1555</u>	<u>66.0</u>	<u>clr</u>	<u>clr</u>

OTHER: DO= 3.0 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

_____ 2" Bladder Pump X Bailer (Teflon)
_____ Centrifugal Pump _____ Bailer (PVC)
_____ Submersible Pump _____ Bailer (Stainless Steel)
_____ Well Wizard® _____ Dedicated

Other: _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump X Bailer (Teflon)
_____ Bomb Sampler _____ Bailer (Stainless Steel)
_____ Dipper _____ Submersible Pump
_____ Well Wizard® _____ Dedicated

Other: _____

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: All samples taken

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87227

E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F See MW-9

SIGNATURE: M. Gallegos REVIEWED BY: MA PAGE 7 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208-003SAMPLE ID: MW-8(10')PURGED BY: M. GallegosCLIENT NAME: ARCO# 601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 2.32DEPTH OF WELL (feet): 10.1CALCULATED PURGE (gal.): 6.97DEPTH OF WATER (feet): 6.54ACTUAL PURGE VOL. (gal.): 5.0DATE PURGED: 1-22-99END PURGE: 1449DATE SAMPLED: ↓SAMPLING TIME: 1455

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1448</u>	<u>2.5</u>	<u>7.41</u>	<u>975</u>	<u>62.0</u>	<u>Light Brown</u>	<u>Trace</u>
<u>1449</u>	<u>5.0</u>	<u>7.31</u>	<u>910</u>	<u>62.0</u>	<u>"</u>	<u>"</u>
	<u>Well Drilled @</u>	<u>5.0</u>	<u>gallons</u>			
<u>1455</u>	<u>Rocking</u>	<u>7.09</u>	<u>868</u>	<u>61.8</u>	<u>Clr</u>	<u>Clr</u>

OTHER: DO= 2.5 mg/L ODOR: Strong NR NR
(COBALT 0-100) (NTU 0-200)FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT**

_____ 2" Bladder Pump _____ Bailer (Teflon)
_____ Centrifugal Pump X Bailer (PVC)
_____ Submersible Pump _____ Bailer (Stainless Steel)
_____ Well Wizard® _____ Dedicated

Other: _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump X Bailer (Teflon)
_____ Bomb Sampler _____ Bailer (Stainless Steel)
_____ Dipper _____ Submersible Pump
_____ Well Wizard® _____ Dedicated

Other: _____

WELL INTEGRITY: OK LOCK: ARCOREMARKS: all samples taken
OK suck in wellpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87117E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____ See MW-9

SIGNATURE: M. Gallegos REVIEWED BY: MA PAGE 8 OF 15

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 21775-708.004

SAMPLE ID: MW- 9 (15)

PURGED BY: M. Gallegos

CLIENT NAME: ARCO# 601

SAMPLED BY: ↓

LOCATION: San Leandro, CA

TYPE: Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐

CASING DIAMETER (inches): 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>1.38</u>
DEPTH OF WELL (feet): <u>16.1</u>	CALCULATED PURGE (gal.): <u>4.15</u>
DEPTH OF WATER (feet): <u>7.63</u>	ACTUAL PURGE VOL. (gal.): <u>4.15</u>

DATE PURGED: 1-22-99
DATE SAMPLED: ↓

END PURGE: 1221
SAMPLING TIME: 1225

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1218</u>	<u>1.5</u>	<u>6.99</u>	<u>118</u>	<u>64.0</u>	<u>clr</u>	<u>clr</u>
<u>1219</u>	<u>3.0</u>	<u>7.01</u>	<u>1179</u>	<u>64.9</u>	<u>clr</u>	<u>clr</u>
<u>1221</u>	<u>4.5</u>	<u>7.05</u>	<u>1178</u>	<u>65.9</u>	<u>clr</u>	<u>clr</u>

OTHER: DO= 1.5 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard® ☐ Dedicated
 Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard® ☐ Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: NL

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: 1200 Meter Serial No.: 8711
 E.C. 1000 1005 1000 pH 7 701 1700 pH 10 11000 pH 4 1400

Temperature °F _____

SIGNATURE: [Signature] REVIEWED BY: MA PAGE 9 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.006SAMPLE ID: MW-10 (16)PURGED BY: M. GallegosCLIENT NAME: ARCO #601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 X 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 1.75DEPTH OF WELL (feet): 17.4CALCULATED PURGE (gal.): 5.26DEPTH OF WATER (feet): 6.65ACTUAL PURGE VOL. (gal.): 6.5DATE PURGED: 1-22-99END PURGE: 1228DATE SAMPLED: ↓SAMPLING TIME: 1230

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1226</u>	<u>2.0</u>	<u>7.26</u>	<u>1164</u>	<u>65.5</u>	<u>Light Green</u>	<u>Trace</u>
<u>1227</u>	<u>4.0</u>	<u>7.25</u>	<u>1156</u>	<u>66.0</u>	<u>"</u>	<u>"</u>
<u>1228</u>	<u>5.5</u>	<u>7.23</u>	<u>1158</u>	<u>66.3</u>	<u>"</u>	<u>"</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: DO = 0.5 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard® ☐ Dedicated

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard® ☐ Dedicated

Other: _____

Other: _____

WELL INTEGRITY: OK LOCK: 3920REMARKS: all samples takennew lockpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 8711E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400Temperature °F _____ See MW-9SIGNATURE: [Signature] REVIEWED BY: MA PAGE 10 OF 15

**OWT****WATER SAMPLE FIELD DATA SHEET**

Rev. 1/97

PROJECT NO: 21775-208.003SAMPLE ID: MW-11-(11')PURGED BY: M. GallegosCLIENT NAME: ARCO #601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 2.31DEPTH OF WELL (feet): 11.8CALCULATED PURGE (gal.): 6.25DEPTH OF WATER (feet): 8.25ACTUAL PURGE VOL. (gal.): 7.0DATE PURGED: 1-22-99END PURGE: 1324DATE SAMPLED: ↓SAMPLING TIME: 1325

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1321</u>	<u>2.5</u>	<u>7.15</u>	<u>1446</u>	<u>65.8</u>	<u>Light tan</u>	<u>Trace</u>
<u>1322</u>	<u>5.0</u>	<u>7.22</u>	<u>1409</u>	<u>66.0</u>	<u>11</u>	<u>"</u>
<u>1324</u>	<u>7.0</u>	<u>7.29</u>	<u>1350</u>	<u>66.1</u>		

OTHER: DO= 0.5 Mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

☐ 2" Bladder Pump
☐ Centrifugal Pump
☐ Submersible Pump
☐ Well Wizard®
 Other: _____

☐ Bailer (Teflon)
☒ Bailer (PVC)
☐ Bailer (Stainless Steel)
☐ Dedicated

☐ 2" Bladder Pump
☐ Bomb Sampler
☐ Dipper
☐ Well Wizard®
 Other: _____

WELL INTEGRITY: OK LOCK: NRREMARKS: all samples takenpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 8711E.C. 1000 1000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____ See MW-9

SIGNATURE: Manuel J. Gallegos REVIEWED BY: MA PAGE 11 OF 15

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-208-003

PURGED BY: M. Gallegos

SAMPLED BY: ↓

SAMPLE ID: MW-12 (11)

CLIENT NAME: ARCO# 601

LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR

DEPTH OF WELL (feet): 11.5

DEPTH OF WATER (feet): 8.20

VOLUME IN CASING (gal.): 2.15

CALCULATED PURGE (gal.): 6.46

ACTUAL PURGE VOL. (gal.): 6.5

DATE PURGED: 1-22-99

DATE SAMPLED: ↓

END PURGE: 1241

SAMPLING TIME: 1245

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1237</u>	<u>2.5</u>	<u>7.04</u>	<u>1334</u>	<u>66.7</u>	<u>clr</u>	<u>clr</u>
<u>1239</u>	<u>4.5</u>	<u>7.04</u>	<u>1378</u>	<u>67.3</u>	<u>clr</u>	<u>clr</u>
<u>1241</u>	<u>6.5</u>	<u>7.04</u>	<u>1400</u>	<u>67.7</u>	<u>clr</u>	<u>clr</u>

OTHER: DO= 1.5 ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☐ Bailer (Teflon)
☐ Centrifugal Pump ☒ Bailer (PVC)
☐ Submersible Pump ☐ Bailer (Stainless Steel)
☐ Well Wizard® ☐ Dedicated
 Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailer (Teflon)
☐ Bomb Sampler ☐ Bailer (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard® ☐ Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: 3800

REMARKS: all samples taken

new lock / new new well box

pH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87127

E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F See MW-4

SIGNATURE: [Signature] REVIEWED BY: GIA PAGE 12 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003SAMPLE ID: MW-13(12)PURGED BY: M. GallegosCLIENT NAME: ARCO #601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 X 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 0.82DEPTH OF WELL (feet): 12.9CALCULATED PURGE (gal.): 2.47DEPTH OF WATER (feet): 7.85ACTUAL PURGE VOL. (gal.): 1.0DATE PURGED: 1-22-99END PURGE: 1248DATE SAMPLED: ↓SAMPLING TIME: 1250

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1248</u>	<u>1.0</u>	<u>7.12</u>	<u>1923</u>	<u>66.6</u>	<u>clr</u>	<u>clr</u>

<u>WELL DRIED @</u>	<u>1.0</u>	<u>6.11</u>	<u>1927</u>	<u>65.9</u>	<u>clr</u>	<u>clr</u>
---------------------	------------	-------------	-------------	-------------	------------	------------

<u>1250</u>	<u>Recharge</u>	<u>7.11</u>	<u>1927</u>	<u>65.9</u>	<u>clr</u>	<u>clr</u>
-------------	-----------------	-------------	-------------	-------------	------------	------------

OTHER: DO= 1.5 mg/L ODOR: None NR NR
 (COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

____ 2" Bladder Pump
 ____ Centrifugal Pump
 ____ Submersible Pump
 ____ Well Wizard®
 Other: _____

____ Bailer (Teflon)
✓ Bailer (PVC)
 ____ Bailer (Stainless Steel)
 ____ Dedicated

____ 2" Bladder Pump
 ____ Bomb Sampler
 ____ Dipper
 ____ Well Wizard®
 Other: _____

X Bailer (Teflon)
 ____ Bailer (Stainless Steel)
 ____ Submersible Pump
 ____ Dedicated

WELL INTEGRITY: OK LOCK: ARCOREMARKS: all samples takenpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 87127E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____

SIGNATURE: [Signature] REVIEWED BY: NA PAGE 13 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208.003SAMPLE ID: MW-14 (12)PURGED BY: M. GallegosCLIENT NAME: ARCO # 601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐CASING DIAMETER (inches): 2 ☒ 3 ☐ 4 ☐ 4.5 ☐ 6 ☐ Other ☐CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 0.65DEPTH OF WELL (feet): 12.9CALCULATED PURGE (gal.): 1.96DEPTH OF WATER (feet): 8.80ACTUAL PURGE VOL. (gal.): 2.0DATE PURGED: 1-22-99END PURGE: 1303DATE SAMPLED: ↓SAMPLING TIME: 1305

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1301</u>	<u>1.0</u>	<u>7.04</u>	<u>1472</u>	<u>66.0</u>	<u>Light Green</u>	<u>Trace</u>
<u>1302</u>	<u>1.5</u>	<u>6.95</u>	<u>1528</u>	<u>66.1</u>	<u>"</u>	<u>"</u>
<u>1303</u>	<u>2.0</u>	<u>6.95</u>	<u>1526</u>	<u>66.6</u>	<u>"</u>	<u>"</u>

OTHER: DO = 1.5 mg/L ODOR None NR NR
(COBALT 0-100) (NTU 0-200)FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

2" Bladder Pump ☐ Bailer (Teflon) ☐
Centrifugal Pump ☒ Bailer (PVC) ☐
Submersible Pump ☐ Bailer (Stainless Steel) ☐
Well Wizard® ☐ Dedicated ☐

2" Bladder Pump ☒ Bailer (Teflon) ☐
Bomb Sampler ☐ Bailer (Stainless Steel) ☐
Dipper ☐ Submersible Pump ☐
Well Wizard® ☐ Dedicated ☐

Other: Other: WELL INTEGRITY: OK LOCK: ARCOREMARKS: all samples takenpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: Meter Serial No.: 8711E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400Temperature °F 50.0 14.0-9SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 14 OF 15

**OWT**

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-208-003SAMPLE ID: MW-15 (10)PURGED BY: M. GallegosCLIENT NAME: ARCO # 601SAMPLED BY: ↓LOCATION: San Leandro, CATYPE: Groundwater X Surface Water _____ Leachate _____ Other _____CASING DIAMETER (inches): 2 X 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____CASING ELEVATION (feet/MSL): NRVOLUME IN CASING (gal.): 0.76DEPTH OF WELL (feet): 10.0CALCULATED PURGE (gal.): 2.28DEPTH OF WATER (feet): 5.33ACTUAL PURGE VOL. (gal.): 2.5DATE PURGED: 1-22-99END PURGE: 1502DATE SAMPLED: ↓SAMPLING TIME: 1505

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1500</u>	<u>1.0</u>	<u>7.35</u>	<u>938</u>	<u>61.4</u>	<u>dr</u>	<u>dr</u>
<u>1501</u>	<u>2.0</u>	<u>7.36</u>	<u>958</u>	<u>61.8</u>	<u>"</u>	<u>"</u>
<u>1502</u>	<u>2.5</u>	<u>7.35</u>	<u>968</u>	<u>62.0</u>	<u>"</u>	<u>"</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: DO= 1.0 mg/L mg/L odor: slight NR NR
 (COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR**PURGING EQUIPMENT****SAMPLING EQUIPMENT**

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump X Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard® _____ Dedicated
 Other: _____

_____ 2" Bladder Pump X Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard® _____ Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: 3900REMARKS: all samples takennew LxxpH, E.C., Temp. Meter Calibration: Date: 1/22/99 Time: _____ Meter Serial No.: 8711E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400Temperature °F _____ Sex MW-9SIGNATURE: Me. Gallegos REVIEWED BY: MA PAGE 15 OF 15

1921 Ringwood Avenue
San Jose, California

1999

ARCO 601
21775-208.004

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons	
						First	Second
						58.50	47.00
						37.00	34.00
MW-1	First	01/21/99	6.50	NO	NO		
	Second	04/23/98	9.00	YES	NO		
	Third	07/27/98	6.00	YES	NO		
	Fourth	10/14/98	5.00	YES	NO		
MW-2	First	01/21/99	3.50	YES	NO		
	Second	04/23/98	0.00	NA	NO		
	Third	07/27/98	0.00	NA	NO		
	Fourth	10/14/98	0.00	NA	NO		
MW-3	First	01/21/99	10.50	NO	NO		
	Second	04/23/98	11.00	NO	NO		
	Third	07/27/98	10.00	NO	NO		
	Fourth	10/14/98	10.00	NO	NO		
MW-4	First	01/21/99	1.00	NO	NO		
	Second	04/23/98	1.50	YES	NO		
	Third	07/27/98	1.00	YES	NO		
	Fourth	10/14/98	0.50	YES	NO		
MW-5	First	01/21/99	2.00	YES	NO		
	Second	04/23/98	4.50	YES	NO		
	Third	07/27/98	3.00	YES	NO		
	Fourth	10/14/98	2.50	YES	NO		
MW-6	First	01/21/99	0.50	YES	NO		
	Second	04/23/98	2.00	YES	NO		
	Third	07/27/98	1.00	YES	NO		
	Fourth	10/14/98	0.50	YES	NO		
MW-7	First	01/21/99	0.50	YES	NO		
	Second	04/23/98	2.00	YES	NO		
	Third	07/27/98	1.00	YES	NO		
	Fourth	10/14/98	0.50	YES	NO		
MW-8	First	01/21/99	5.00	YES	NO		
	Second	04/23/98	8.00	NO	NO		
	Third	07/27/98	0.00	NA	NO		
	Fourth	10/14/98	0.00	NA	NO		
MW-9	First	01/21/99	4.50	NO	NO		
	Second	04/23/98	0.00	NA	NO		
	Third	07/27/98	4.00	NO	NO		
	Fourth	10/14/98	4.00	NO	NO		
MW-10	First	01/21/99	5.50	NO	NO		
	Second	04/23/98	6.00	NO	NO		
	Third	07/27/98	5.00	NO	NO		
	Fourth	10/14/98	4.50	NO	NO		

1921 Ringwood Avenue
San Jose, California

1999

ARCO 601
21775-208.004

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons	
						First	58.50
						Second	47.00
						Third	37.00
						Fourth	34.00
MW-11	First	01/21/99	7.00	NO	NO		
	Second	04/23/98	0.00	NA	NO		
	Third	07/27/98	0.00	NA	NO		
	Fourth	10/14/98	0.00	NA	NO		
MW-12	First	01/21/99	6.50	NO	NO		
	Second	04/23/98	0.00	NA	NO		
	Third	07/27/98	0.00	NA	NO		
	Fourth	10/14/98	0.00	NA	NO		
MW-13	First	01/21/99	1.00	YES	NO		
	Second	04/23/98	0.00	NA	NO		
	Third	07/27/98	3.00	NO	NO		
	Fourth	10/14/98	2.50	NO	NO		
MW-14	First	01/21/99	2.00	NO	NO		
	Second	04/23/98	3.00	NO	NO		
	Third	07/27/98	2.00	NO	NO		
	Fourth	10/14/98	2.00	NO	NO		
MW-15	First	01/21/99	2.50	NO	NO	Steam water (gal) _____	
	Second	04/23/98	0.00	NO	NO		
	Third	07/27/98	2.00	NO	NO		
	Fourth	10/14/98	2.00	NO	NO		

Division of Atlantic/Richfield Company

Task Order No. 774100

Chain of Custody

Division of Atlantic/Richfield Company										Task Order No.										Laboratory Name							
ARCO Facility no. G-01				City (Facility) San Leandro				Project manager (Consultant) Glen Vanderveen						CAS													
ARCO engineer Todd Supple				Telephone no. (ARCO)				Telephone no. (Consultant) (408) 453-7200						Fax no. (Consultant) (408) 437-9526		Contract Number											
Consultant name E-MCON								Address (Consultant) 144-A Mayhem Way Walnut Creek, CA 94596																			
Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 8020	BTX/TPH inc. EPA Method 8015	TPH Modified 8015 Gas Diesel Oil and Grease	Oil and Grease API 418 / API 413.2	TPH EPA 418.1SM 503E	EPA 601/6010	EPA 624/6240	EPA 625/6270	TCMP Metals Semi VOAC VOAD	CAM Metals EPA 6010/7000 TTLOD STLOD	Lead Org/DHS Lead EPA 7420/7421					Method of shipment SAMPLER WILL DELIVER		
			Soil	Water	Other	Ice	Acid																				
MW-9 (15)	Z		X			X	HCL	1/22/99	1225		X																Special Detection Limit/reporting LOWEST POSSIBLE
MV-10 (16)	Z		X			X	HCL	1/22/99	1230		X																
																											Special QA/QC As Normal
																											Remarks RATE 2-4GAL HCL VOA's
																											LAB NUMBER #20805-121 CC
																											Turnaround Time: Priority Rush 1 Business Day ☐
																											Rush 2 Business Days ☐
																											Expedited 5 Business Days ☐
																											Standard 10 Business Days ☒

Condition of sample:										Temperature received:											
Relinquished by sampler [Signature]										Date 1/22/99	Time	Received by [Signature] 1/25/99 12:12 CAS									
Relinquished by _____										Date	Time	Received by _____									
Relinquished by _____										Date	Time	Received by laboratory _____					Date	Time			

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-228-204
PURGED BY M. Ross
SAMPLED BY M. Ross

SAMPLE ID MW-1 (10)
CLIENT NAME Reco 601
LOCATION San Leandro, Ca

TYPE Groundwater ☒ Surface Water ☐ Leachate ☐ Other ☐
CASING DIAMETER (inches) 2 ☐ 3 ☐ 4 ☒ 4.5 ☐ 6 ☐ Other ☐

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal.) 2.24
DEPTH OF WELL (feet) 11.0 CALCULATED PURGE (gal.) 6.74
DEPTH OF WATER (feet) 7.56 ACTUAL PURGE VOL. (gal.) 7.0

DATE PURGED: 1-28-99 END PURGE 1223
DATE SAMPLED: 1-28-99 SAMPLING TIME 1235

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1215	2.5	6.59	722	69.6	Light Green	Trace
1219	5.0	6.82	742	68.7	"	"
1223	7.0	6.88	798	68.5	"	"

OTHER: D.O. 0.5 mg/L ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailor (Teflon)
☐ Centrifugal Pump ☒ Bailor (PVC)
☐ Submersible Pump ☐ Bailor (Stainless Steel)
☐ Well Wizard™ ☐ Dedicated
Other: _____

SAMPLING EQUIPMENT

☐ 2" Bladder Pump ☒ Bailor (Teflon)
☐ Bomb Sampler ☐ Bailor (Stainless Steel)
☐ Dipper ☐ Submersible Pump
☐ Well Wizard™ ☐ Dedicated
Other: D. S. S. S. S. S.

WELL INTEGRITY: OK LOCK: APL

REMARKS: Heavy Green

pH, E.C., Temp. Meter Calibration Date: 1-28-99 Time: 1205 Meter Serial No.: 600086
E.C. 1000 1966 pH 7 722, 706 pH 10 1000, 996 pH 4 400, 104
Temperature °F 69.9
SIGNATURE: M. Ross REVIEWED BY: JA PAGE 1 OF 1

