July 14, 1999
Project 20805-121.007

Mr. John Sullivan
17760 Sweetbriar Place
Castro Valley, California 94546

Re: Quarterly Groundwater Monitoring Results, Second Quarter 1999, for Chateau Manor Apartments, located at 724 Lewelling Boulevard, San Leandro, California

Dear Mr. Sullivan:

On behalf of ARCO Products Company (ARCO), Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached laboratory analytical result for the groundwater sample collected from well MW-10 during the second quarter of 1999. This well is located at Chateau Manor Apartments, 724 Lewelling Boulevard, San Leandro, California. The groundwater sample was collected during quarterly sampling of ARCO Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The laboratory analytical results indicate that the groundwater sample concentration for well MW-10 was not detectable for total petroleum hydrocarbons as gasoline, and the gasoline constituents benzene, toluene, ethylbenzene, and total xylenes. (Well MW-9 is sampled semi-annual during the first and third quarter)

Please call if you have questions.

Sincerely,

Pinnacle

Glen VanderVeen
Project Manager

Attachments: Figure 1 Site Plan
Appendix A Copies of Certified Analytical Report and Chain-of Custody-Documentation, Well MW-10, Second Quarter 1999

cc: **Scott Seery, ACHCSA**
Paul Supple, ARCO Products Company
File

OAK\S:\ARCO\0601\QTRLY\JS_Q299.DOC.DOC\uh:1



EXPLANATION

◉ Groundwater monitoring well

0 40 80

APPROXIMATE SCALE IN FEET

Pinnacle

ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

DATE NOV. 1998
DWN KAB
APP
REV
PROJECT NO.
20805-121.005

FIGURE 1
CHATEAU MANOR APRATMENTS
724 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
SITE PLAN

1" 1/2" 0" 1"

Dimscale: 40 Ltscale: 40 Psltscale: 0 IMAGE Files: <No Images>
SANJOSE/CADD: N:\DWG\805121\SJSITE.DWG Tue, 01/Dec/98 10:54am kblack XREF Files: <No Xrefs>

APPENDIX A

COPIES OF CERTIFIED ANALYTICAL REPORT, AND CHAIN-OF-CUSTODY DOCUMENTATION, WELL MW-10 SECOND QUARTER 1999

Columbia Analytical Services inc.
An Employee-Owned Company

May 20, 1999 Service Request No.: S9901442

Mr. Glen Vanderveen
EMCON-Pinnacle
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on May 6, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 8, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Greg Jordan
Laboratory Director

RECEIVED
MAY 24 1999
BY:

3334 Victor Court ▪ Santa Clara, CA 95054-2316 ▪ Telephone (408) 748-9700 ▪ Fax (408) 748-9860

COLUMBIA ANALYTICAL SERVICES, Inc.
Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901442
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-10(17)	Units:	ug/L (ppb)
Lab Code:	S9901442-001	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901442
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

BTEX, MTBE and TPH as Gasoline

Sample Name:	Method Blank	Units:	ug/L (ppb)
Lab Code:	S990512-WB1	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901442
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery 4-Bromofluorobenzene	Percent Recovery a,a,a-Trifluorotoluene
MW-10(17)	S9901442-001		90	103
BATCH QC	S9901412-001MS		93	100
BATCH QC	S9901412-001DMS		94	103
Method Blank	S990512-WB1		91	83
CAS Acceptance Limits:			69-116	69-116

SUR2/020397p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901442
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 5/12/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: BATCH QC
Lab Code: S9901412-001MS, S9901412-001DMS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level MS	Spike Level DMS	Sample Result	Spike Result MS	Spike Result DMS	Percent Recovery MS	Percent Recovery DMS	CAS Acceptance Limits	Relative Percent Difference	Result Notes
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	260	260	104	104	75-135	<1	

DMS/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO

Service Request: S9901442
Date Analyzed: 5/12/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery Acceptance Limits	Percent Recovery	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	500	490	85-115	98	
Benzene	EPA 5030	8020	50	50	85-115	100	
Toluene	EPA 5030	8020	50	51	85-115	102	
Ethylbenzene	EPA 5030	8020	50	51	85-115	102	
Xylenes, Total	EPA 5030	8020	150	160	85-115	107	
Methyl *tert*-Butyl Ether	EPA 5030	8020	50	50	85-115	100	

ICV/032196

ARCO Products Company
Division of Atlantic/Richfield Company

5990 1442

Task Order No. 24118.00

Chain of Custody

ARCO Facility no. 0661	City (Facility) San Leandro	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300	Fax no. (Consultant) (408) 437-9762
Consultant name EMCON		Address (Consultant) 2201 Broadway #101 Oakland, CA	Contract Number

Sample I.D.	Lab no.	Container no.	Matrix: Soil	Matrix: Water	Matrix: Other	Preservation: Ice	Preservation: Acid	Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incl. MTBE EPA M602/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals ☐ VOA ☐ VOA ☐	CAM Metals EPA 6010/7000 TTLC ☐ STLC ☐	Lead Org/DHS ☐ Lead EPA 7420/7421 ☐			
MW-10(7)		2	X			X	HCl	4/6/99	1130		X												

Method of shipment: Sampler will deliver

Special Detection Limit/reporting: Lowest Possible

Special QA/QC: As Normal

Remarks: RAT 8 2-40ml HCl VOAs #70805-171.0

Lab Number

Turnaround Time:

- Priority Rush 1 Business Day ☐
- Rush 2 Business Days ☐
- Expedited 5 Business Days ☐
- Standard 10 Business Days ☒

Condition of sample:

Temperature received: Due: 5/22/99 R11/D3

	Date	Time			
Relinquished by sampler	5/6/99	1405	Received by Joseph Machado CAS	5/6/99	1405
Relinquished by	Date	Time	Received by		
Relinquished by	Date	Time	Received by laboratory	Date	Time

Distribution: White Copy – Laboratory: Canary Copy – ARCO Environmental Engineering: Pink Copy – Consultant

Pinnacle
ENVIRONMENTAL SOLUTIONS

a division of
EMCON

July 14, 1999
Project 20805-121.007

Mr. Paul Supple
ARCO Products Company
PO Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report, Second Quarter 1999, for ARCO Service Station No. 0601, Located at 712 Lewelling Boulevard, San Leandro, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the second quarter 1999 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 0601, located at 712 Lewelling Boulevard, San Leandro, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle

Glen VanderVeen
Project Manager

Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, Second Quarter 1999

cc: Scott Seery, ACHCSA
Mike Bakaldin, San Leandro Fire Department

ENVIRONMENTAL PROTECTION
99 JUL 15 PM 3:48

2201 Broadway Suite 101 Oakland, California 94612 (510) 740-5800 (510) 663-3315 Fax

Date: July 14, 1999

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 0601 Address: 712 Lewelling Boulevard, San Leandro, California
Pinnacle Project No. 20805-121.007
ARCO Environmental Engineer/Phone No.: Paul Supple /(925) 299-8891
Pinnacle Project Manager/Phone No.: Glen VanderVeen /(510) 740-5807
Primary Agency/Regulatory ID No.: ACHCSA /Scott Seery

WORK PERFORMED THIS QUARTER (SECOND - 1999):

1. Prepared and submitted quarterly groundwater monitoring report for first quarter 1999.
2. Performed quarterly groundwater monitoring and sampling for second quarter 1999.

WORK PROPOSED FOR NEXT QUARTER (THIRD - 1999):

1. Prepare and submit quarterly groundwater monitoring report for second quarter 1999.
2. Perform quarterly groundwater monitoring and sampling for third quarter 1999.

QUARTERLY MONITORING:

Current Phase of Project:	Quarterly Groundwater Monitoring
Frequency of Sampling:	Annual (1st quarter): MW-2, MW-11, MW-12, MW-13 Semi-annual (1st/3rd quarter): MW-9, MW-15 Quarterly: MW-1, MW-3 through MW-8, MW-10, MW-14
Frequency of Monitoring:	Quarterly (groundwater)
Is Floating Product (FP) Present On-site:	☐ Yes ☒ No
Cumulative FP Recovered to Date :	3.45 gallons, Well MW-1
FP Recovered This Quarter :	None
Bulk Soil Removed to Date :	1,565 cubic yards of TPH impacted soil
Bulk Soil Removed This Quarter :	None
Current Remediation Techniques:	Natural Attenuation
Average Depth to Groundwater:	7.5 feet
Groundwater Flow Direction and Gradient (Average):	0.05 ft/ft toward Southeast

DISCUSSION:

- In February 1999, Pinnacle submitted a workplan for evaluating vapors in utility vaults. Work will be performed after approval by ACHCSA.

ATTACHMENTS:

- Table 1 - Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Table 3 - Historical Groundwater Analytical Data, Metals
- Table 4 - Historical Groundwater Analytical Data, Volatile and Semivolatile Organic Compounds
- Table 5 - Approximate Cumulative Floating Product Recovered, Monitoring Well MW-1
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-1	03-17-95	22.26	6.57	15.69	ND	120,000	5,300	370	1,500	13,000	--	--	48,000	6,200*		
MW-1	06-01-95	22.26	7.87	14.39	ND	250,000	7,100	950	3,500	21,000	--	--	38,000	190,000*		
MW-1	08-31-95	22.26	8.12	** 14.15	0.01	Not sampled: well contained floating product										
MW-1	11-27-95	22.26	8.42	13.84	Sheen	310,000	4,600	770	5,700	21,000	--	--	--	--		
MW-1	02-22-96	22.26	6.01	** 16.26	0.01	100,000	6,200	320	2,500	12,000	<1,000*	--	--	--		
MW-1	05-20-96	22.26	7.03	15.23	ND	340,000	6,600	240	4,500	22,000	<1,000	--	150	<2,500*		
MW-1	08-26-96	22.26	8.16	14.10	ND	210,000	7,900	320	3,400	15,000	<1,000	--	--	--		
MW-1	11-20-96	22.26	7.84	14.42	ND	62,000	5,900	77	2,000	7,700	<300	--	--	--		
MW-1	03-24-97	19.19	8.05	11.14	ND	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--		
MW-1	05-23-97	19.19	8.42	10.77	ND	83,000	6,200	84	2,500	9,000	<300	--	--	--		
MW-1	08-19-97	19.19	8.65	10.54	ND	83,000	4,500	<100	2,200	8,100	<600	--	--	--		
MW-1	11-19-97	19.19	8.54	10.65	ND	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--		
MW-1	02-19-98	19.19	5.57	13.62	ND	74,000	2,500	120	2,200	4,100	<300	--	--	--		
MW-1	04-23-98	19.19	6.92	12.27	ND	210,000	2,700	<500	4,200	8,300	<3,000	--	--	--	1.5	P
MW-1	07-27-98	19.19	8.14	11.05	ND	73,000	2,100	88	2,600	4,600	<300	--	--	--	1.0	P
MW-1	10-14-98	19.19	8.58	10.61	ND	47,000	2,900	<50	2,300	3,900	<300	--	--	--	1.5	P
MW-1	01-21-99	19.19	7.84	11.35	ND	45,000	1,400	64	2,100	2,400	<300	--	--	--	1.0	P
MW-1	05-06-99	19.19	8.00	11.19	ND	41,000	1,900	<20	2,800	3,400	<120	--	--	--	0.85	P
MW-2	03-17-95	21.33	6.12	15.21	ND	10,000	460	77	260	550	--	--	--	--		
MW-2	06-01-95	21.33	6.56	14.77	ND	13,000	400	78	210	410	--	--	--	--		
MW-2	08-31-95	21.33	7.18	14.15	ND	5,000	280	18	120	140	<50	--	--	--		
MW-2	11-27-95	21.33	7.39	13.94	ND	3,200	230	12	77	90	--	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	**TPHG** LUFT Method µg/L	**Benzene** EPA 8020 µg/L	**Toluene** EPA 8020 µg/L	**Ethylbenzene** EPA 8020 µg/L	**Total Xylenes** EPA 8020 µg/L	**MTBE** EPA 8020 µg/L	**MTBE** EPA 8240 µg/L	**TRPH** EPA 418.1 µg/L	**TPHD** LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-2	02-22-96	21.33	5.78	15.55	ND	11,000	290	67	190	330	<50	--	--	--		
MW-2	05-20-96	21.33	6.27	15.06	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	08-26-96	21.33	7.30	14.03	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	11-20-96	21.33	7.28	14.05	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	03-24-97	21.12	7.11	14.01	ND	4,800	570	6	71	32	67	--	--	--		
MW-2	05-23-97	21.12	7.44	13.68	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	08-19-97	21.12	7.64	13.48	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	11-19-97	21.12	7.70	13.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	02-19-98	21.12	5.22	15.90	ND	2,000	160	50	66	230	25	--	--	--		
MW-2	04-23-98	21.12	6.24	14.88	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	07-27-98	21.12	7.02	14.10	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	10-14-98	21.12	7.54	13.58	ND	Not sampled: well sampled annually, during the first quarter										
MW-2	01-21-99	21.12	7.15	13.97	ND	1,700	84	4	31	10	13	--	--	--	0.5	P
MW-2	05-06-99	21.12	6.95	14.17	ND	Not sampled: well sampled annually, during the first quarter										
MW-3	03-17-95	20.11	5.46	14.65	ND	370,000	4,800	12,000	5,800	34,000	--	--	--	--		
MW-3	06-01-95	20.11	6.34	13.77	ND	270,000	6,000	11,000	5,200	28,000	--	--	--	--		
MW-3	08-31-95	20.11	6.60	** 13.52	0.02	Not sampled: well contained floating product										
MW-3	11-27-95	20.11	6.76	** 13.36	0.01	150,000	5,100	8,800	3,900	21,000	--	--	--	--		
MW-3	02-22-96	20.11	5.14	** 14.98	0.01	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--		
MW-3	05-20-96	20.11	5.17	14.94	ND	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--		
MW-3	08-26-96	20.11	7.04	13.07	ND	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--		
MW-3	11-20-96	20.11	6.26	13.85	ND	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--		

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	**TPHG** LUFT Method µg/L	**Benzene** EPA 8020 µg/L	**Toluene** EPA 8020 µg/L	**Ethylbenzene** EPA 8020 µg/L	**Total Xylenes** EPA 8020 µg/L	**MTBE** EPA 8020 µg/L	**MTBE** EPA 8240 µg/L	**TRPH** EPA 418.1 µg/L	**TPHD** LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-3	03-24-97	22.99	6.94	16.05	ND	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--		
MW-3	05-23-97	22.99	6.98	16.01	ND	130,000	2,100	4,300	3,500	19,000	<700	--	--	--		
MW-3	08-19-97	22.99	7.25	15.74	ND	100,000	2,000	3,200	<100	19,000	<600	--	--	--		
MW-3	11-19-97	22.99	7.25	15.74	ND	93,000	1,700	2,400	2,800	16,000	<600	--	--	--		
MW-3	02-19-98	22.99	5.24	17.75	ND	80,000	620	1,200	2,500	13,000	<600	--	--	--		
MW-3	04-23-98	22.99	6.60	16.39	ND	130,000	1,500	2,400	3,500	18,000	<600	--	--	--	3.5	P
MW-3	07-27-98	22.99	7.00	15.99	ND	140,000	920	1,500	2,400	13,000	<600	--	--	--	1.0	P
MW-3	10-14-98	22.99	7.04	15.95	ND	300,000	1,200	2,400	5,700	32,000	970	--	--	--	1.0	P
MW-3	01-21-99	22.99	6.50	16.49	ND	120,000	860	1,500	2,600	14,000	<600	--	--	--	0.5	P
MW-3	05-06-99	22.99	6.90	16.09	ND	49,000	670	1,400	2,500	11,000	870	--	--	--	1.03	NP
MW-4	03-17-95	20.75	6.65	14.10	ND	16,000	1,800	970	310	2,500	--	--	--	--		
MW-4	06-01-95	20.75	7.25	13.50	ND	16,000	2,800	870	380	2,700	--	--	--	--		
MW-4	08-31-95	20.75	7.75	13.00	ND	9,000	2,000	270	270	1,400	<100	--	--	--		
MW-4	11-27-95	20.75	7.87	12.88	ND	3,800	890	130	130	550	--	--	--	--		
MW-4	02-22-96	20.75	7.29	13.46	ND	940	150	82	19	130	<20	--	--	--		
MW-4	05-20-96	20.75	7.30	13.45	ND	6,700	1,100	330	120	1,100	<100	--	--	--		
MW-4	08-26-96	20.75	7.57	13.18	ND	14,000	2,400	510	350	2,100	<100	--	--	--		
MW-4	11-20-96	20.75	7.89	12.86	ND	420	55	17	11	62	<3	--	--	--		
MW-4	03-24-97	22.38	6.90	15.48	ND	6,800	620	150	81	1,300	<50	--	--	--		
MW-4	05-23-97	22.38	7.80	14.58	ND	9,000	1,300	240	200	1,600	<60	--	--	--		
MW-4	08-19-97	22.38	DRY	N/A	ND	Not sampled: well is dry										
MW-4	11-19-97	22.38	DRY	N/A	ND	3700*	600	93	120	710	<60	--	--	--		

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-4	02-19-98	22.38	6.78	15.60	ND	1,800	93	51	29	420	110	--	--	--		
MW-4	04-23-98	22.38	6.47	15.91	ND	6,500	700	110	180	1,300	93	--	--	--	0.5	P
MW-4	07-27-98	22.38	7.22	15.16	ND	10,000	1,400	140	290	1,900	<120	--	--	--	1.5	P
MW-4	10-14-98	22.38	7.60	14.78	ND	6,500	900	63	200	1,200	63	--	--	--	1.0	P
MW-4	01-21-99	22.38	7.43	14.95	ND	1,700	140	22	56	320	13	--	--	--	0.5	P
MW-4	05-06-99	22.38	6.55	15.83	ND	3,300	250	36	73	390	41	--	--	--	1.28	P
MW-5	03-17-95	20.90	5.51	15.39	ND	48,000	6,400	2,000	740	5,100	--	--	--	--		
MW-5	06-01-95	20.90	6.55	14.35	ND	76,000	11,000	5,400	1,400	7,700	--	--	--	--		
MW-5	08-31-95	20.90	6.80	14.10	ND	53,000	12,000	1,600	1,000	6,000	<500	--	--	--		
MW-5	11-27-95	20.90	7.13	13.77	ND	43,000	7,900	3,300	950	4,900	--	--	--	--		
MW-5	02-22-96	20.90	5.12	15.78	ND	52,000	9,100	3,300	940	5,000	<500	--	--	--		
MW-5	05-20-96	20.90	5.87	15.03	ND	55,000	9,300	3,800	1,100	5,400	<500	--	--	--		
MW-5	08-26-96	20.90	7.15	13.75	ND	47,000	5,300	2,100	780	3,200	<300	--	--	--		
MW-5	11-20-96	20.90	6.88	14.02	ND	53,000	8,700	5,700	920	4,400	<500	--	--	--		
MW-5	03-24-97	22.45	7.13	15.32	ND	39,000	8,200	3,200	720	3,100	<500	--	--	--		
MW-5	05-23-97	22.45	7.42	15.03	ND	29,000	6,600	1,700	400	1,500	<600	--	--	--		
MW-5	08-19-97	22.45	7.58	14.87	ND	16,000	4,600	790	<50	1,300	<300	--	--	--		
MW-5	11-19-97	22.45	7.58	14.87	ND	22,000	5,800	1,300	380	1,300	<300	--	--	--		
MW-5	02-19-98	22.45	4.65	17.80	ND	40,000	5,100	3,800	620	2,900	<300	--	--	--		
MW-5	04-23-98	22.45	6.25	16.20	ND	45,000	8,000	4,000	970	4,200	<600	--	--	--	1.5	P
MW-5	07-27-98	22.45	6.71	15.74	ND	30,000	8,000	2,000	590	1,900	<600	--	--	--	1.5	P
MW-5	10-14-98	22.45	7.19	15.26	ND	33,000	7,400	1,900	550	1,700	<300	--	--	--	1.5	P

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-5	01-21-99	22.45	7.03	15.42	ND	34,000	6,200	2,600	630	2,300	<600	--	--	--	2.5	P
MW-5	05-06-99	22.45	7.02	15.43	ND	7,900	[illegible]	200	240	580	12[illegible]	--	--	--	1.07	NP
MW-6	03-17-95	22.08	6.66	15.42	ND	45,000	9,300	<100	1,900	3,600	--	--	--	--		
MW-6	06-01-95	22.08	7.60	14.48	ND	23,000	5,600	<50	1,300	1,900	--	--	--	--		
MW-6	08-31-95	22.08	7.92	14.16	ND	26,000	8,000	<100	1,900	900	<500	--	--	--		
MW-6	11-27-95	22.08	8.21	13.87	ND	6,700	1,800	<20	480	230	--	--	--	--		
MW-6	02-22-96	22.08	6.21	15.87	ND	17,000	3,100	69	810	1,500	<300	--	--	--		
MW-6	05-20-96	22.08	7.07	15.01	ND	16,000	3,700	<50	1,100	1,100	<300	--	--	--		
MW-6	08-26-96	22.08	7.93	14.15	ND	23,000	5,800	<50	2,000	560	<300	--	--	--		
MW-6	11-20-96	22.08	8.02	14.06	ND	11,000	3,300	<50*	480	370	<300	--	--	--		
MW-6	03-24-97	22.77	7.95	14.82	ND	9,700	1,900	<20	800	270	<100	--	--	--		
MW-6	05-23-97	22.77	8.17	14.60	ND	16,000	4,300	<50	1,400	180	<300	--	--	--		
MW-6	08-19-97	22.77	-	NA	ND	Not sampled: well is dry										
MW-6	11-19-97	22.77	-	NA	ND	Not sampled: well is dry										
MW-6	02-19-98	22.77	5.78	16.99	ND	2,600	540	8	90	88	<30	--	--	--		
MW-6	04-23-98	22.77	6.83	15.94	ND	7,600	1,300	13	520	190	<60	--	--	--	0.5	P
MW-6	07-27-98	22.77	7.80	14.97	ND	15,000	3,600	<25	1,100	230	<150	--	--	--	1.0	P
MW-6	10-14-98	22.77	8.31	14.46	ND	8,700	2,400	<20	220	36	<120	--	--	--	2.0	P
MW-6	01-21-99	22.77	7.90	14.87	ND	4,800	1,100	<25	340	79	<150	--	--	--	2.0	P
MW-6	05-06-99	22.77	7.70	15.07	ND	1,300	2[illegible]	2.3	85	19	[illegible]	--	--	--	1.18	P
MW-7	03-17-95	22.89	7.68	15.21	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-7	06-01-95	22.89	8.40	14.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-7	08-31-95	22.89	9.09	13.80	ND	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--		
MW-7	11-27-95	22.89	9.15	13.74	ND	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--		
MW-7	02-22-96	22.89	7.44	15.45	ND	110	1.4	<0.5	3.8	3.0	<3	--	--	--		
MW-7	05-20-96	22.89	8.47	14.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	08-26-96	22.89	8.81	14.08	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	11-20-96	22.89	9.17	13.72	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	03-24-97	22.89	8.31	14.58	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-7	05-23-97	22.89	9.26	13.63	ND	Not sampled: well sampled annually, during the first quarter										
MW-7	08-19-97	22.89	-	NA	ND	Not sampled: well is dry										
MW-7	11-19-97	22.89	-	NA	ND	Not sampled: well is dry										
MW-7	02-19-98	22.89	6.13	16.76	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-7	04-23-98	22.89	7.44	15.45	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-7	07-27-98	22.89	8.75	14.14	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-7	10-14-98	22.89	9.22	13.67	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-7	01-21-99	22.89	9.07	13.82	ND	52	<0.5	<0.5	<0.5	0.27	<3	--	--	--	3.0	P
MW-7	05-06-99	22.89	8.32	14.57	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.83	P
MW-8	03-17-95	20.97	6.14	14.83	ND	5,400	<5	<5	35	<5	--	--	--	--		
MW-8	06-01-95	20.97	6.50	14.47	ND	2,600	<2.5	<2.5	15	<2.5	--	--	--	--		
MW-8	08-31-95	20.97	7.35	13.62	ND	1,400	<3	<3	5	<3	520	--	900	--		
MW-8	11-27-95	20.97	7.60	13.37	ND	620	<0.5	<0.5	<0.5	0.5	--	560	900	510*		
MW-8	02-22-96	20.97	5.35	15.62	ND	5,800	<5	<5	28	<5	110	--	1,900	6,800*		

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-8	05-20-96	20.97	5.92	15.05	ND	6,100	<5	<5	26	<5	240	--	--	--		
MW-8	08-26-96	20.97	7.08	13.89	ND	970	<1	<1	3	<1	710	--	--	--		
MW-8	11-20-96	20.97	7.01	13.96	ND	3,900	<2.5	<2.5	12	<2.5	930	--	--	--		
MW-8	03-24-97	20.89	7.33	13.56	ND	1,400	<10	<10	<10	12	1,300	--	--	--		
MW-8	05-23-97	20.89	7.55	13.34	ND	730	<5	<5	<5	<5	630	--	--	--		
MW-8	08-19-97	20.89	7.87	13.02	ND	<500	<5	<5	<5	<5	290	--	--	--		
MW-8	11-19-97	20.89	7.87	13.02	ND	<200	<2	<2	<2	<2	260	--	--	--		
MW-8	02-19-98	20.89	4.46	16.43	ND	2,000	<2	<2	9	<2	140	--	--	--		
MW-8	04-23-98	20.89	6.35	14.54	ND	4,500	<5	<5	<5	11	590	--	--	--	0.5	P
MW-8	07-27-98	20.89	7.43	13.46	ND	Not sampled										
MW-8	10-14-98	20.89	7.79	13.10	ND	Not sampled										
MW-8	01-21-99	20.89	6.54	14.35	ND	2,000	<2	<2	3	<2	320	--	--	--	2.5	P
MW-8	05-06-99	20.89	7.30	13.59	ND	<50	<0.5	<0.5	<0.5	<0.5	160	--	--	--	12.76	NP
MW-9	03-17-95	20.89	6.94	13.95	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	06-01-95	20.89	8.15	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	08-31-95	20.89	8.10	12.79	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-27-95	20.89	8.38	12.51	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-9	02-22-96	20.89	7.36	13.53	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-20-96	20.89	7.81	13.08	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	08-26-96	20.89	8.00	12.89	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-20-96	20.89	7.06	13.83	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	03-24-97	22.26	7.74	14.52	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	**TPHG** LUFT Method µg/L	**Benzene** EPA 8020 µg/L	**Toluene** EPA 8020 µg/L	**Ethylbenzene** EPA 8020 µg/L	**Total Xylenes** EPA 8020 µg/L	**MTBE** EPA 8020 µg/L	**MTBE** EPA 8240 µg/L	**TRPH** EPA 418.1 µg/L	**TPHD** LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-9	05-23-97	22.26	8.28	13.98	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	08-19-97	22.26	8.32	13.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	11-19-97	22.26	8.32	13.94	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	02-19-98	22.26	7.11	15.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	04-23-98	22.26	8.18	14.08	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	07-27-98	22.26	7.97	14.29	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.6	P
MW-9	10-14-98	22.26	8.29	13.97	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	2.5	P
MW-9	01-21-99	22.26	7.63	14.63	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-9	05-06-99	22.26	7.27	14.99	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	03-17-95	21.12	6.26	14.86	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	06-01-95	21.12	7.63	13.49	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	08-31-95	21.12	8.17	12.95	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-27-95	21.12	8.38	12.74	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-10	02-22-96	21.12	5.41	15.71	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-20-96	21.12	6.78	14.34	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	08-26-96	21.12	8.00	13.12	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-20-96	21.12	7.81	13.31	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	03-24-97	21.33	7.87	13.46	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	05-23-97	21.33	8.33	13.00	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-10	08-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	11-19-97	21.33	8.39	12.94	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	02-19-98	21.33	4.65	16.68	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-10	04-23-98	21.33	6.28	15.05	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-10	07-27-98	21.33	7.97	13.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	3.3	P
MW-10	10-14-98	21.33	8.41	12.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-10	01-21-99	21.33	6.65	14.68	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-10	05-06-99	21.33	7.74	13.59	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.76	P
MW-11	03-17-95	22.38	6.94	15.44	ND	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-11	06-01-95	22.38	7.90	14.48	ND	210	<0.5	<0.5	0.9	0.7	--	--	--	--		
MW-11	08-31-95	22.38	8.18	14.20	ND	680	<0.5	<0.5	4	1.8	<3	--	--	--		
MW-11	11-27-95	22.38	8.48	13.90	ND	340	<0.5	<0.5	2.2	1.6	--	--	--	--		
MW-11	02-22-96	22.38	6.63	15.75	ND	150	<0.5	<0.5	<0.8	0.8	<3	--	--	--		
MW-11	05-20-96	22.38	7.25	15.13	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	08-26-96	22.38	8.22	14.16	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	11-20-96	22.38	8.37	14.01	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	03-24-97	20.97	8.15	12.82	ND	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-11	05-23-97	20.97	8.48	12.49	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	08-19-97	20.97	8.67	12.30	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	11-19-97	20.97	8.67	12.30	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	02-19-98	20.97	6.25	14.72	ND	<50	<0.5	1.6	<0.5	1.8	7	--	--	--		
MW-11	04-23-98	20.97	7.23	13.74	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	07-27-98	20.97	8.05	12.92	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	10-14-98	20.97	8.58	12.39	ND	Not sampled: well sampled annually, during the first quarter										
MW-11	01-21-99	20.97	8.25	12.72	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	**TPHG** LUFT Method µg/L	**Benzene** EPA 8020 µg/L	**Toluene** EPA 8020 µg/L	**Ethylbenzene** EPA 8020 µg/L	**Total Xylenes** EPA 8020 µg/L	**MTBE** EPA 8020 µg/L	**MTBE** EPA 8240 µg/L	**TRPH** EPA 418.1 µg/L	**TPHD** LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-11	05-06-99	20.97	7.95	13.02	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	03-17-95	22.77	7.09	15.68	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-12	06-01-95	22.77	8.40	14.37	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-12	08-31-95	22.77	8.55	14.22	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	11-27-95	22.77	8.95	13.82	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-12	02-22-96	22.77	6.81	15.96	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-20-96	22.77	7.56	15.21	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	08-26-96	22.77	8.63	14.14	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	11-20-96	22.77	8.38	14.39	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	03-24-97	20.11	8.75	11.36	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	05-23-97	20.11	8.92	11.19	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	08-19-97	20.11	9.20	10.91	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	11-19-97	20.11	9.20	10.91	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	02-19-98	20.11	6.28	13.83	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-12	04-23-98	20.11	7.52	12.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	07-27-98	20.11	8.52	11.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	10-14-98	20.11	9.06	11.05	ND	Not sampled: well sampled annually, during the first quarter										
MW-12	01-21-99	20.11	8.20	11.91	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-12	05-06-99	20.11	8.47	11.64	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	03-17-95	22.45	6.91	15.54	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-13	06-01-95	22.45	7.72	14.73	ND	Not sampled: well sampled annually, during the first quarter										

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-13	08-31-95	22.45	7.58	14.87	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-27-95	22.45	7.98	14.47	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	02-22-96	22.45	6.71	15.74	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-20-96	22.45	6.98	15.47	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	08-26-96	22.45	7.85	14.60	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-20-96	22.45	7.76	14.69	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	03-24-97	20.75	7.85	12.90	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	05-23-97	20.75	8.16	12.59	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	08-19-97	20.75	8.40	12.35	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	11-19-97	20.75	8.40	12.35	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	02-19-98	20.75	6.44	14.31	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-13	04-23-98	20.75	6.80	13.95	ND	Not sampled: well sampled annually, during the first quarter										
MW-13	07-27-98	20.75	7.52	13.23	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-13	10-14-98	20.75	8.15	12.60	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	2.0	P
MW-13	01-21-99	20.75	7.85	12.90	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-13	05-06-99	20.75	7.82	12.93	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	03-17-95	22.99	8.17	14.82	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-14	06-01-95	22.99	8.57	14.42	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	08-31-95	22.99	9.05	13.94	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-27-95	22.99	9.19	13.80	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	02-22-96	22.99	6.52	16.47	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-20-96	22.99	7.88	15.11	ND	Not sampled: well sampled annually, during the first quarter										

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-14	08-26-96	22.99	8.83	14.16	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-20-96	22.99	8.95	14.04	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	03-24-97	20.90	8.98	11.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	05-23-97	20.90	9.61	11.29	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	08-19-97	20.90	9.80	11.10	ND	Not sampled: well sampled annually, during the first quarter										
MW-14	11-19-97	20.90	9.80	11.10	ND	<50	1.7	<0.5	0.6	3	<3					
MW-14	02-19-98	20.90	6.27	14.63	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-14	04-23-98	20.90	7.75	13.15	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.5	P
MW-14	07-27-98	20.90	9.24	11.66	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-14	10-14-98	20.90	9.73	11.17	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.0	P
MW-14	01-21-99	20.90	8.90	12.00	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	1.5	P
MW-14	05-06-99	20.90	8.98	11.92	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	0.73	P
MW-15	03-17-95	19.19	5.21	13.98	ND	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-15	06-01-95	19.19	5.84	13.35	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-31-95	19.19	6.18	13.01	ND	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-15	11-27-95	19.19	6.42	12.77	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-22-96	19.19	4.84	14.35	ND	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--		
MW-15	05-20-96	19.19	5.31	13.88	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	08-26-96	19.19	6.05	13.14	ND	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--		
MW-15	11-20-96	19.19	5.46	13.73	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	03-24-97	22.08	6.00	16.08	ND	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--		
MW-15	05-23-97	22.08	6.25	15.83	ND	Not sampled: well sampled semi-annually, during the first and third quarters										

Pinnacle

Table 1
Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	**TPHG** LUFT Method µg/L	**Benzene** EPA 8020 µg/L	**Toluene** EPA 8020 µg/L	**Ethylbenzene** EPA 8020 µg/L	**Total Xylenes** EPA 8020 µg/L	**MTBE** EPA 8020 µg/L	**MTBE** EPA 8240 µg/L	**TRPH** EPA 418.1 µg/L	**TPHD** LUFT Method µg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
MW-15	08-19-97	22.08	6.34	15.74	ND	99*	<0.5	<0.5	<0.5	0.7	6	--	--	--		
MW-15	11-19-97	22.08	6.34	15.74	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	02-19-98	22.08	4.66	17.42	ND	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--		
MW-15	04-23-98	22.08	5.18	16.90	ND	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-15	07-27-98	22.08	6.02	16.06	ND	<50	<0.5	<0.5	<0.5	<0.5	50	--	--	--	1.0	P
MW-15	10-14-98	22.08	6.26	15.82	ND	<50	<0.5	<0.5	<0.5	<0.5	27	--	--	--	1.5	P
MW-15	01-21-99	22.08	5.33	16.75	ND	<50	<0.5	<0.5	<0.5	<0.5	6	--	--	--	1.0	P
MW-15	05-06-99	22.08	5.82	16.26	ND	Not sampled: well sampled semi-annually, during the first and third quarters										

ft-MSL: elevation in feet, relative to mean sea level
TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method
MTBE: Methyl tert-butyl ether
TRPH: total recoverable petroleum hydrocarbons
TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method
µg/L: micrograms per liter
mg/L: milligrams per liter
ND: none detected
DRY: dry well; groundwater was not detected
- - : not analyzed
*: Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint.
**: [corrected elevation (Z')] = Z + (h * 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water
***: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California* , (EMCON, March 14, 1996).

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station No. 601
712 Lewelling Boulevard, San Leandro, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03/17/95	West-Southwest	0.006
06/01/95	Southwest	0.003
08/31/95	South-Southwest	0.005
11/27/95	South-Southwest	0.004
02/22/96	Northwest	0.007
05/20/96	Southwest	0.007
08/26/96	South-Southwest	0.004
11/20/96	South-Southeast	0.004
03/24/97	Southeast	0.013
05/23/97	Southeast	0.014
08/19/97	Southeast	0.04
11/19/97	Southeast	0.016
02/19/98	East	Variable
04/23/98	Variable	Variable
07/27/98	Southeast	0.05
10/14/98	Southeast	0.02
01/21/99	East	0.04
05/06/99	**Southeast**	**0.05**

Table 3
Historical Groundwater Analytical Data
Metals*
1995 - Present**

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample FieldDate	Cadmium EPA 6010 µg/L	Chromium EPA 6010 µg/L	Lead EPA 7421 µg/L	Nickel EPA 6010 µg/L	Zinc EPA 6010 µg/L
MW-1	03-17-95	<5	20	20	<40	60
MW-1	06-01-95	<5	20	22	70	100
MW-1	08-31-95	Not sampled: well contained floating product				
MW-1	11-27-95	Not sampled: well contained floating product				
MW-1	03-14-96	Not sampled: well contained floating product				
MW-1	05-21-96	0.006	<0.01	<0.005	<0.02	<0.02
MW-1	08-26-96	- -	- -	- -	- -	- -
MW-1	11-20-96	- -	- -	- -	- -	- -
MW-1	03-24-97	- -	- -	- -	- -	- -
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1				
MW-1	08-19-97					
MW-1	11-19-97					
MW-1	02-19-98	<0.01	<0.01	<0.05	<0.02	<0.02
MW-1	04-23-98	- -	- -	- -	- -	- -
MW-1	07-27-98	- -	- -	- -	- -	- -
MW-1	10-14-98	- -	- -	- -	- -	- -
MW-1	01-22-99	<0.005	<0.01	<0.05	<0.02	<0.02
MW-1	05-06-99	- -	- -	- -	- -	- -
MW-8	08-31-95	<5	40	16	50	90
MW-8	11-27-95	<5	130	77	170	280
MW-8	03-14-96	<5	30	7	40	60
MW-8	05-23-97	<0.005	<0.01	<0.005	<0.02	<0.02

EPA: United States Environmental Protection Agency

mg/L: micrograms per liter

- - : not analyzed

*: Historically samples were analyzed for total metals. Since March 14, 1996, the samples were filtered and analyzed for dissolved metals

**: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California* , (EMCON, March 14, 1996).

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample FieldDate	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride µg/L	1,2-Dichloro-ethane µg/L	1,1-Dichloro-ethane µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	Naphthalene µg/L	2-Methyl-naphthalene µg/L	Bis (2-ethylhexyl) Phthalate µg/L	Phenol µg/L	2,4-Di-methyl-phenol µg/L
MW-1	03-17-95	--	--	--	--	--	--	--	1300	730	<50	ND	150
MW-1	06-01-95	--	--	--	--	--	--	--	2200	1700	<100	240	<100
MW-1	08-31-95	Not sampled: well contained floating product											
MW-1	11-27-95	Not sampled: well contained floating product											
MW-1	03-14-96	Not sampled: well contained floating product											
MW-1	05-21-96	--	--	--	--	--	--	--	1200	860	<50	<50	<50
MW-1	08-26-96	--	--	--	--	--	--	--	2300	1800	<500	<500	<1000
MW-1	11-20-96	--	--	--	--	--	--	--	590	250	91	<50	<100
MW-1	03-24-97	--	--	--	--	--	--	--	730	610	<50	<50	<100
MW-1	05-23-97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
MW-1	08-19-97	--	--	--	--	--	--	--	1300	790	<50	<50	<100
MW-1	11-19-97	--	--	--	--	--	--	--	<5	<5	5	<5	<10
MW-1	02-19-98	--	--	--	--	--	--	--	870	330	<50	<50	<100
MW-1	04-23-98	Not analyzed											
MW-1	07-27-98	Not analyzed											
MW-1	10-14-98	Not analyzed											
MW-1	01-28-99**	--	--	--	--	--	--	--	950	580	<50	<50	<100
MW-1	05-06-99	Not analyzed											

Table 4
Historical Groundwater Analytical Data
Volatile and Semivolatile Organic Compounds
1995 - Present*

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Water Sample FieldDate	Volatile Organic Compounds by EPA Method 601/8010 or 624/8240							Semivolatile Organic Compounds by EPA Method 3520/8270				
		Methylene Chloride µg/L	1,2-Dichloro-ethane µg/L	1,1-Dichloro-ethane µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	Naphthalene µg/L	2-Methyl-naphthalene µg/L	Bis (2-ethylhexyl) Phthalate µg/L	Phenol µg/L	2,4-Di-methyl-phenol µg/L
MW-8	08-31-95	--	--	--	--	--	--	--	62	8	<5	<5	<5
MW-8	11-27-95	--	--	--	--	--	--	--	15	<5	<5	<5	<5
MW-8	03-14-96	--	--	--	--	--	--	--	400	55	<50	<50	<50
MW-8	05-23-97	--	--	--	--	--	--	--	26	<5	<5	<5	<10

EPA: United Statest Environmental Protection Agency
µg/L: micrograms per liter
- - : not analyzed
< = less than the laboratory detection limit stated to the right
*: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 601, San Leandro, California*, (EMCON, March 14, 1996).
**: Sampling date is different from Groundwater Monitoring Field Date

Table 5
Approximate Cumulative Floating Product Recovered

ARCO Service Station 601
712 Lewelling Boulevard, San Leandro, California

Well Designation	Date	Floating Product Recovered gallons
MW-1	1991	3.43
MW-1	1992	0.02
MW-1	1993	0.00
MW-1	1994	0.00
MW-1	1995	0.00
MW-1	1996	0.00
MW-1	1997	0.00
MW-1	1998	0.00
MW-1	1999	0.00
	1991 to 1999 Total:	3.45



EXPLANATION

- Groundwater monitoring well
- Former underground gasoline storage tank
- Existing underground gasoline storage tank
- Approximate limit of gasoline tank excavation
- Former product line
- (1,300/240/5) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 5/6/99
- < Not detected at or above the indicated laboratory detection limit
- NS Not sampled

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

DATE JUNE 1999
DWN KAB
APP
REV
PROJECT NO.
20805-121.007

FIGURE 1
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
SECOND QUARTER 1999

IMAGE Files: <No Images>
XREF Files: <No Xrefs>
Dimscale: 50 Ltscale: 50 Psltscale: 0
SANJOSE/CADD: N:\DWG\PINACL\601\601CHEM.DWG Wed, 23/Jun/99 08:38am kblack



EXPLANATION

- Groundwater monitoring well
- Former underground gasoline storage tank
- Existing underground gasoline storage tank
- Approximate limit of gasoline tank excavation
- Former product line
- (11.64) Groundwater elevation (Ft.–MSL) measured 5/6/99
- Groundwater elevation contour (Ft.–MSL)
- Approximate direction of groundwater flow showing gradient
- Not used to construct contours

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

DATE JUNE 1999
DWN KAB
APP
REV
PROJECT NO.
20805-121.007

FIGURE 2
ARCO PRODUCTS COMPANY
SERVICE STATION 601, 712 LEWELLING BLVD.
SAN LEANDRO, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
SECOND QUARTER 1999

1" 1/2" 0" 1"
Dimscale: 50 Ltscale: 50 Psltscale: 0
SANJOSE/CADD: N:\DWG\PINACL\601\601GWC.DWG Wed, 23/Jun/99 08:38am kblack
IMAGE Files: <No Images>
XREF Files: <No Xrefs>

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon® bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)

MONITORING WELL PURGING PROTOCOL

OWT

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:

$P = \pi r^2 h \times 7.48 \times 3$

where:
P = calculated purge volume (gallons)
$\pi = 3.14$
r = radius of well casing in feet
h = height of water column in feet

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

NO

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:

pH = ± 0.1 pH units
COND. = ± 10 %
TEMP. = ± 1.0 °F

YES

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

NO

CONTINUE PURGING; EVACUATE ADDITIONAL CASING VOLUME OF WATER, MONITORING INDICATOR PARAMETERS FOR STABILITY.

YES

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS, THEN PROCEED TO WELL SAMPLING.

NO

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.

EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE
A-1

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96

OWT

PROJECT NO : _____ SAMPLE ID : _____

PURGED BY : _____ CLIENT NAME : _____

SAMPLED BY : _____ LOCATION : _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) : _____ VOLUME IN CASING (gal.) : _____

DEPTH OF WELL (feet) : _____ CALCULATED PURGE (gal.) : _____

DEPTH OF WATER (feet) : _____ ACTUAL PURGE VOL. (gal.) : _____

DATE PURGED : _____ END PURGE : _____

DATE SAMPLED : _____ SAMPLING TIME : _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)

OTHER: _____ ODOR: _____ (COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) : _____

PURGING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)

_____ Centrifugal Pump _____ Bailer (PVC)

_____ Submersible Pump _____ Bailer (Stainless Steel)

_____ Well Wizard™ _____ Dedicated

Other: _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)

_____ Bomb Sampler _____ Bailer (Stainless Steel)

_____ Dipper _____ Submersible Pump

_____ Well Wizard™ _____ Dedicated

Other: _____

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____

E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____

EMCON

WATER SAMPLE FIELD DATA SHEET

FIGURE A-2

OWT

EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM

PROJECT NAME :

SCHEDULED DATE :

Project Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Well Lock Number (s)

☐ CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____ Name _____ Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:

EMCON

SAMPLING AND ANALYSIS REQUEST FORM

FIGURE
A-3

APPENDIX B

CERTIFIED ANALYTICAL REPORTS, AND CHAIN-OF-CUSTODY DOCUMENTATION

Columbia Analytical Services, Inc.
An Employee-Owned Company

May 20, 1999 Service Request No.: S9901412

Mr. Glen Vanderveen
EMCON-Pinnacle
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on May 6, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 17, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Greg Jordan
Laboratory Director

RECEIVED
MAY 24 1999
BY:

3334 Victor Court ▪ Santa Clara, CA 95054-2316 ▪ Telephone (408) 748-9700 ▪ Fax (408) 748-9860

COLUMBIA ANALYTICAL SERVICES, Inc.
Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: 5/6/99
Date Received: 5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-14(12)
Lab Code: S9901412-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-7(9)	Units:	ug/L (ppb)
Lab Code:	S9901412-002	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-4(8)	Units:	ug/L (ppb)
Lab Code:	S9901412-003	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	5/12/99	3300	
Benzene	EPA 5030	8020	0.5	10	NA	5/12/99	250	
Toluene	EPA 5030	8020	0.5	10	NA	5/12/99	36	
Ethylbenzene	EPA 5030	8020	0.5	10	NA	5/12/99	73	
Xylenes, Total	EPA 5030	8020	0.5	10	NA	5/12/99	890	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	10	NA	5/12/99	41	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-5(8)	Units:	ug/L (ppb)
Lab Code:	S9901412-004	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	50	NA	5/12/99	7900	
Benzene	EPA 5030	8020	0.5	50	NA	5/12/99	2400	
Toluene	EPA 5030	8020	0.5	50	NA	5/12/99	200	
Ethylbenzene	EPA 5030	8020	0.5	50	NA	5/12/99	240	
Xylenes, Total	EPA 5030	8020	0.5	50	NA	5/12/99	580	
Methyl *tert* -Butyl Ether	EPA 5030	8020	3	1	NA	5/18/99	12	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: 5/6/99
Date Received: 5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(8)
Lab Code: S9901412-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	4	NA	5/19/99	1300	
Benzene	EPA 5030	8020	0.5	4	NA	5/19/99	240	
Toluene	EPA 5030	8020	0.5	1	NA	5/18/99	2.3	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/18/99	85	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/18/99	19	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/18/99	5	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: 5/6/99
Date Received: 5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(7)
Lab Code: S9901412-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	50	NA	5/12/99	49000	
Benzene	EPA 5030	8020	0.5	50	NA	5/12/99	670	
Toluene	EPA 5030	8020	0.5	50	NA	5/12/99	1400	
Ethylbenzene	EPA 5030	8020	0.5	50	NA	5/12/99	2500	
Xylenes, Total	EPA 5030	8020	0.5	50	NA	5/12/99	11000	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	50	NA	5/12/99	170	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-1(11)	Units:	ug/L (ppb)
Lab Code:	S9901412-007	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	5/12/99	41000	
Benzene	EPA 5030	8020	0.5	40	NA	5/12/99	1900	
Toluene	EPA 5030	8020	0.5	40	NA	5/12/99	<20	C1
Ethylbenzene	EPA 5030	8020	0.5	40	NA	5/12/99	2800	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	5/12/99	3400	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	40	NA	5/12/99	<120	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: 5/6/99
Date Received: 5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-8(8)
Lab Code: S9901412-008
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/18/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	40	NA	5/12/99	160	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

BTEX, MTBE and TPH as Gasoline

Sample Name:	Method Blank	Units:	ug/L (ppb)
Lab Code:	S990512-WB1	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert* -Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901412
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

BTEX, MTBE and TPH as Gasoline

Sample Name:	Method Blank	Units:	ug/L (ppb)
Lab Code:	S990518-WB1	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/18/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/18/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/18/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990519-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/19/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/19/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/19/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/19/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/19/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/19/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery 4-Bromofluorobenzene	Percent Recovery a,a,a-Trifluorotoluene
MW-14(12)	S9901412-001		96	95
MW-7(9)	S9901412-002		94	96
MW-4(8)	S9901412-003		88	105
MW-5(8)	S9901412-004		91	99
MW-6(8)	S9901412-005		84	100
MW-3(7)	S9901412-006		84	85
MW-1(11)	S9901412-007		84	116
MW-8(8)	S9901412-008		96	101
MW-14(12)	S9901412-001MS		93	100
MW-14(12)	S9901412-001DMS		94	103
Method Blank	S990512-WB1		91	83
Method Blank	S990518-WB1		98	96
Method Blank	S990519-WB1		99	100

CAS Acceptance Limits:	69-116	69-116

SUR2/020397p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901412
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 5/12/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: MW-14(12)
Lab Code: S9901412-001MS, S9901412-001DMS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level MS	Spike Level DMS	Sample Result	Spike Result MS	Spike Result DMS	Percent Recovery MS	Percent Recovery DMS	CAS Acceptance Limits	Relative Percent Difference	Result Notes
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	260	260	104	104	75-135	<1	

DMS/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO

Service Request: S9901412
Date Analyzed: 5/12/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery Acceptance Limits	Percent Recovery	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	500	490	90-110	98	
Benzene	EPA 5030	8020	50	50	85-115	100	
Toluene	EPA 5030	8020	50	51	85-115	102	
Ethylbenzene	EPA 5030	8020	50	51	85-115	102	
Xylenes, Total	EPA 5030	8020	150	160	85-115	107	
Methyl *tert*-Butyl Ether	EPA 5030	8020	50	50	85-115	100	

ICV/032196

ARCO Products Company
Division of Atlantic/Richfield Company

5990 1412 Task Order No. 24118.00

Chain of Custody

ARCO Facility no. 0601	City (Facility) San Leandro	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no (Consultant) (408)453-7300	Fax no. (Consultant) (408)437-9526
Consultant name EMCON		Address (Consultant) 2201 Broadway #101 Oakland, CA	Contract Number

Sample I.D.	Lab no.	Container no.	Matrix: Soil	Matrix: Water	Matrix: Other	Preservation: Ice	Preservation: Acid	Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incl. MTBE EPA M602/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals ☐ VOA ☐ VOA ☐	CAM Metals EPA 6010/7000 TTLC ☐ STLC ☐	Lead Org/DHS ☐ Lead EPA 7420/7421 ☐			
MW-10	(-)	2		X		X	HCl				X		Separate COC & CAR										
MW-14	(12)	2	(1)	X		X	HCl	5/6/99	1142		X												
MW-7	(9)	2	(2)	X		X	HCl		1157		X												
MW-4	(8)	2	(3)	X		X	HCl		1215		X												
MW-5	(8)	2	(4)	X		X	HCl		1230		X												
MW-6	(8)	2	(5)	X		X	HCl		1240		X												
MW-3	(7)	2	(6)	X		X	HCl		1250		X												
MW-1	(11)	2	(7)	X		X	HCl		1315		X												
MW-9	(8)	2	(8)	X		X	HCl	↓	1305		X												

Method of shipment: Sampler will deliver

Special Detection Limit/reporting: Lowest Possible

Special QA/QC: As Normal

Remarks: RAT 8
2-40ml HCl VOAs

#708C5-121.CCS

Lab Number

Turnaround Time:
- Priority Rush 1 Business Day ☐
- Rush 2 Business Days ☐
- Expedited 5 Business Days ☐
- Standard 10 Business Days ☐ X

Condition of sample:

Temperature received: Due: 5/20/99 R11 D3

Relinquished by sampler	Date 5/6/99	Time 1405	Received by Joseph Rockado 5/6/99 1405
Relinquished by	Date	Time	Received by
Relinquished by	Date	Time	Received by laboratory / Date / Time

Distribution: White Copy – Laboratory: Canary Copy – ARCO Environmental Engineering: Pink Copy – Consultant

Columbia Analytical Services inc.
An Employee-Owned Company

May 20, 1999 Service Request No.: S9901442

Mr. Glen Vanderveen
EMCON-Pinnacle
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT8/601 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on May 6, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 8, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Greg Jordan
Laboratory Director

RECEIVED
MAY 24 1999
BY:

COLUMBIA ANALYTICAL SERVICES, Inc.
Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901442
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	5/6/99
Sample Matrix:	Water	**Date Received:**	5/6/99

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-10(17)	Units:	ug/L (ppb)
Lab Code:	S9901442-001	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client:	ARCO Products Company	**Service Request:**	S9901442
Project:	TO#24118.00/RAT8/601 SAN LEANDRO	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

BTEX, MTBE and TPH as Gasoline

Sample Name:	Method Blank	Units:	ug/L (ppb)
Lab Code:	S990512-WB1	Basis:	NA
Test Notes:			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/12/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/12/99	ND	
Methyl *tert*-Butyl Ether	EPA 5030	8020	3	1	NA	5/12/99	ND	

1S22/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901442
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery 4-Bromofluorobenzene	Percent Recovery a,a,a-Trifluorotoluene
MW-10(17)	S9901442-001		90	103
BATCH QC	S9901412-001MS		93	100
BATCH QC	S9901412-001DMS		94	103
Method Blank	S990512-WB1		91	83
CAS Acceptance Limits:			69-116	69-116

SUR2/020397p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO
Sample Matrix: Water

Service Request: S9901442
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 5/12/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: BATCH QC
Lab Code: S9901412-001MS, S9901412-001DMS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level MS	Spike Level DMS	Sample Result	Spike Result MS	Spike Result DMS	Percent Recovery MS	Percent Recovery DMS	CAS Acceptance Limits	Relative Percent Difference	Result Notes
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	260	260	104	104	75-135	<1	

DMS/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/601 SAN LEANDRO

Service Request: S9901442
Date Analyzed: 5/12/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery Acceptance Limits	Percent Recovery	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	500	490	85-115	98	
Benzene	EPA 5030	8020	50	50	85-115	100	
Toluene	EPA 5030	8020	50	51	85-115	102	
Ethylbenzene	EPA 5030	8020	50	51	85-115	102	
Xylenes, Total	EPA 5030	8020	150	160	85-115	107	
Methyl *tert*-Butyl Ether	EPA 5030	8020	50	50	85-115	100	

ICV/032196

ARCO Products Company
Division of Atlantic/Richfield Company

5990142

Task Order No. 24118.00

Chain of Custody

ARCO Facility no. 0661	City (Facility) San Leandro	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408)453-7300	Fax no. (Consultant) (408)437-9526
Consultant name EMCON	Address (Consultant) 2201 Broadway #101 Oakland, CA		Contract Number

Sample I.D.	Lab no.	Container no.	Matrix: Soil	Matrix: Water	Matrix: Other	Preservation: Ice	Preservation: Acid	Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incld. MTBE EPA M602/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals ☐ VOA ☐ VOA ☐	CAM Metals EPA 6010/7000 TTLC ☐ STLC ☐	Lead Org/DHS ☐ Lead EPA 7420/7421 ☐			
MW-10(7'	2	2	X			X	HCl	4/6/99	1130		X												

Method of shipment: Sampler will deliver

Special Detection Limit/reporting: Lowest Possible

Special QA/QC: As Normal

Remarks: RAT 8 2-40ml HCl VOAs #70805-171.as

Lab Number

Turnaround Time:

- Priority Rush 1 Business Day ☐
- Rush 2 Business Days ☐
- Expedited 5 Business Days ☐
- Standard 10 Business Days ☒

Condition of sample:		Temperature received:	Due: 5/20/99 R11D3
Relinquished by sampler	Date 5/6/99 Time 1405	Received by Joseph Machado CAS	5/6/99 1405
Relinquished by	Date Time	Received by	
Relinquished by	Date Time	Received by laboratory	Date Time

Distribution: White Copy – Laboratory: Canary Copy – ARCO Environmental Engineering: Pink Copy – Consultant

APPENDIX C

FIELD DATA SHEETS

FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY

PROJECT # : 21775-208.004 STATION ADDRESS : 712 Lewelling Blvd., San Leandro DATE : 5/6/99

ARCO STATION # : 601 FIELD TECHNICIAN : Manuel Gallegos DAY : Thursday

DTW Order	WELL ID	Well Box Seal	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-9	Ok	15/16"	YES	ARCO	LWC	7.27	7.27	ND	NR	16.1	
2	MW-10	Ok	15/16"	YES	3900	LWC	7.74	7.74			17.3	
3	~~MW-12~~ 11	Ok	15/16"	YES	3900	LWC	7.95	7.95			11.17	
4	MW-13	Ok	15/16"	YES	ARCO	LWC	7.82	7.82			12.9	
5	MW-14	Ok	15/16"	YES	ARCO	LWC	8.98	8.98			12.9	
6	MW-7	Ok	15/16"	YES	ARCO	LWC	8.32	8.32			9.50	
7	~~MW-11~~ 12	Bad	15/16"	YES	ARCO	LWC	8.47	8.47			11.50	needs new box
8	MW-4	Ok	15/16"	YES	ARCO	LWC	6.55	6.55			8.4	
9	MW-5	Ok	15/16"	YES	3900	LWC	7.02	7.02			10.00	
10	MW-6	Ok	15/16"	YES	ARCO	LWC	7.70	7.70			8.5	
11	MW-3	Ok	HEX	YES	ARCO	LWC	6.90	6.90			11.9	
12	MW-1	Ok	HEX	YES	3900	LWC	8.00	8.00			11.0	needs new locking well cap
13	MW-2	Bad	15/16"	YES	ARCO	LWC	6.95	6.95			12.1	needs new box
14	MW-15	Ok	15/16"	YES	ARCO	LWC	5.82	5.82			10.0	
15	MW-8	Ok	15/16"	YES	3900	LWC	7.30	7.30			10.1	

SURVEY POINTS ARE TOP OF WELL CASINGS

RECEIVED
JUN 07 1999

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 | SAMPLE ID: MW-1 (11')
PURGED BY: M. Gallegos | CLIENT NAME: ARCO #6001
SAMPLED BY: ↓ | LOCATION: San Leandro, CA

TYPE: Groundwater X | Surface Water ____ | Leachate ____ | Other ____
CASING DIAMETER (inches): 2 ____ 3 ____ 4 ✓ 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL):	NR	VOLUME IN CASING (gal.):	1.96
DEPTH OF WELL (feet):	11.0	CALCULATED PURGE (gal.):	5.88
DEPTH OF WATER (feet):	8.00	ACTUAL PURGE VOL. (gal.):	6.0

DATE PURGED: 5-6-99 | END PURGE: 1312
DATE SAMPLED: ↓ | SAMPLING TIME: 1315

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1309	2.0	6.83	804	63.8	Cloudy	Mod
1311	4.0	6.69	775	65.5	"	"
1312	6.0	6.70	780	65.9	"	"

OTHER: DO = 0.85 | ODOR: Strong | NR (COBALT 0-100) | NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump | ~~X~~ ~~Bailer (Teflon)~~
____ Centrifugal Pump | X Bailer (PVC)
____ Submersible Pump | ____ Bailer (Stainless Steel)
____ Well Wizard© | ____ Dedicated
Other: ____

SAMPLING EQUIPMENT

____ 2" Bladder Pump | X Bailer (Teflon)
____ Bomb Sampler | ____ Bailer (Stainless Steel)
____ Dipper | ____ Submersible Pump
____ Well Wizard© | ____ Dedicated
Other: ____

WELL INTEGRITY: OK | LOCK: 3900

REMARKS: All Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 | Time: ____ | Meter Serial No.: 87m
E.C. 1000 1/1000 | pH 7 1/700 | pH 10 1/1000 | pH 4 1/400
Temperature °F ____

SIGNATURE: [signature] | REVIEWED BY: [signature] | PAGE 1 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 SAMPLE ID: MW-3 (7')
PURGED BY: M. Gallegos CLIENT NAME: ARCO #6001
SAMPLED BY: ↓ LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water ____ Leachate ____ Other ____
CASING DIAMETER (inches): 2 ____ 3 ____ 4 ____ 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL): N/R VOLUME IN CASING (gal.): N/A
DEPTH OF WELL (feet): 11.9 CALCULATED PURGE (gal.): ____
DEPTH OF WATER (feet): 6.90 ACTUAL PURGE VOL. (gal.): 9

DATE PURGED: 5-6-99 END PURGE: ____
DATE SAMPLED: ↓ SAMPLING TIME: 1250

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1250	GRAB	7.16	710	63.1	clear	light

OTHER: DO = 1.03 ODOR: Strong N/R (COBALT 0-100) N/R (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/R

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
____ 2" Bladder Pump	____ Bailer (Teflon)	____ 2" Bladder Pump	X Bailer (Teflon)
____ Centrifugal Pump	____ Bailer (PVC)	____ Bomb Sampler	____ Bailer (Stainless Steel)
____ Submersible Pump	____ Bailer (Stainless Steel)	____ Dipper	____ Submersible Pump
____ Well Wizard©	____ Dedicated	____ Well Wizard©	____ Dedicated
Other: ____		Other: ____	

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: All Samples taken
Grab samples ; Sock in well

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m
E.C. 1000 1000 pH 7 700 pH 10 1000 pH 4 1400
Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 2 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 71775-208.003 SAMPLE ID: MW-4 (8')
PURGED BY: M. Gallegos CLIENT NAME: ARCO #6001
SAMPLED BY: ↓ LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water ____ Leachate ____ Other ____
CASING DIAMETER (inches): 2 ____ 3 ____ 4 X 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 1.20
DEPTH OF WELL (feet): 8.47 CALCULATED PURGE (gal.): 3.62
DEPTH OF WATER (feet): 6.55 ACTUAL PURGE VOL. (gal.): 1.5

DATE PURGED: 5-6-99 END PURGE: 1213
DATE SAMPLED: ↓ SAMPLING TIME: 1215

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1213	1.5	6.94	127	64.8	clear	Light
	well dry at		1.5 gallons		↓	↓
1215	recharge	6.94	125	65.9	↓	↓

OTHER: DO = 1.28 ODOR: strong NR (COBALT 0-100) NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

- ____ 2" Bladder Pump
- ✓ Bailer (Teflon)
- ____ Centrifugal Pump
- ____ Bailer (PVC)
- ____ Submersible Pump
- ____ Bailer (Stainless Steel)
- ____ Well WizardÔ
- ____ Dedicated
- Other: ____

SAMPLING EQUIPMENT

- ____ 2" Bladder Pump
- X Bailer (Teflon)
- ____ Bomb Sampler
- ____ Bailer (Stainless Steel)
- ____ Dipper
- ____ Submersible Pump
- ____ Well WizardÔ
- ____ Dedicated
- Other: ____

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: all Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m
E.C. 1000 1/1000 pH 7 1/700 pH 10 1/1000 pH 4 1/400
Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 3 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 SAMPLE ID: MW-5 (8')

PURGED BY: M. Gallegos CLIENT NAME: ARCO #6001

SAMPLED BY: ↓ LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water ____ Leachate ____ Other ____

CASING DIAMETER (inches): 2 ____ 3 ____ 4 X 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): GRAB

DEPTH OF WELL (feet): 10.0 CALCULATED PURGE (gal.): ____

DEPTH OF WATER (feet): 7.02 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 5-6-99 END PURGE: ____

DATE SAMPLED: ↓ SAMPLING TIME: 1230

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1230	GRAB	7.41	191	65.4	clear	Light

OTHER: DO=1.07 ODOR: Strong NR (COBALT 0-100) NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump ____ Bailer (Teflon)

____ Centrifugal Pump ____ Bailer (PVC)

____ Submersible Pump ____ Bailer (Stainless Steel)

____ Well WizardÔ ____ Dedicated

Other: ____

SAMPLING EQUIPMENT

____ 2" Bladder Pump X Bailer (Teflon)

____ Bomb Sampler ____ Bailer (Stainless Steel)

____ Dipper ____ Submersible Pump

____ Well WizardÔ ____ Dedicated

Other: ____

WELL INTEGRITY: OK LOCK: 390

REMARKS: All Samples taken

back in well grab samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m

E.C. 1000 1/1000 pH 7 1/700 pH 10 1/1000 pH 4 1/400

Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: MO PAGE 4 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 | SAMPLE ID: MW-6 (8')
PURGED BY: M. Gallegos | CLIENT NAME: ARCO #6001
SAMPLED BY: ✓ | LOCATION: San Leandro, CA

TYPE: Groundwater X | Surface Water ____ | Leachate ____ | Other ____

CASING DIAMETER (inches): 2 ____ 3 ____ 4 X 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL):	NR	VOLUME IN CASING (gal.):	0.52
DEPTH OF WELL (feet):	8.5	CALCULATED PURGE (gal.):	1.56
DEPTH OF WATER (feet):	7.70	ACTUAL PURGE VOL. (gal.):	1.0

DATE PURGED: 5-6-99 | END PURGE: 1237
DATE SAMPLED: ✓ | SAMPLING TIME: 1240

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1237	1.0	7.21	141	63.5	BRN	mod
	well	Dry at	1.0 gallons			
1240	recharge	7.18	140	64.0	"	"

OTHER: DO = 1.18 | ODOR: none | NR (COBALT 0-100) | NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
____ 2" Bladder Pump	X Bailer (Teflon)	____ 2" Bladder Pump	X Bailer (Teflon)
____ Centrifugal Pump	____ Bailer (PVC)	____ Bomb Sampler	____ Bailer (Stainless Steel)
____ Submersible Pump	____ Bailer (Stainless Steel)	____ Dipper	____ Submersible Pump
____ Well Wizard©	____ Dedicated	____ Well Wizard©	____ Dedicated
Other: ____		Other: ____	

WELL INTEGRITY: OK | LOCK: ARCO

REMARKS: all Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m

E.C. 1000 / 1000 pH 7 / 700 pH 10 / 1000 pH 4 / 400

Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 5 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 | SAMPLE ID: MW-7 (9')
PURGED BY: M. Gallegos | CLIENT NAME: ARCO #6001
SAMPLED BY: ✓ | LOCATION: San Leandro, CA

TYPE: Groundwater X | Surface Water ____ | Leachate ____ | Other ____

CASING DIAMETER (inches): 2 ____ 3 ____ 4 ✓ 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL):	N/R	VOLUME IN CASING (gal.):	0.77
DEPTH OF WELL (feet):	9.5	CALCULATED PURGE (gal.):	2.31
DEPTH OF WATER (feet):	8.32	ACTUAL PURGE VOL. (gal.):	1.0

DATE PURGED: 5-6-99 | END PURGE: 1155
DATE SAMPLED: ✓ | SAMPLING TIME: 1157

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1156	1.0	6.96	1623	64.0	clear	clear
	well	Dry at	1.0	Section		
1157	recovery	6.91	1626	64.1	clear	clear

OTHER: DO=0.83 | ODOR: none | N/R (COBALT 0-100) | N/R (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/R

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
____ 2" Bladder Pump	✓ Bailer (Teflon)	____ 2" Bladder Pump	X Bailer (Teflon)
____ Centrifugal Pump	____ Bailer (PVC)	____ Bomb Sampler	____ Bailer (Stainless Steel)
____ Submersible Pump	____ Bailer (Stainless Steel)	____ Dipper	____ Submersible Pump
____ Well WizardÔ	____ Dedicated	____ Well WizardÔ	____ Dedicated
Other: ____		Other: ____	

WELL INTEGRITY: OK | LOCK: ARCO

REMARKS: All Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m

E.C. 1000 1/1000 pH 7 1/700 pH 10 1/1000 pH 4 1/400

Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 6 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 SAMPLE ID: MW-8 (8')

PURGED BY: M. Gallegos CLIENT NAME: ARCO #6001

SAMPLED BY: ✓ LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water ____ Leachate ____ Other ____

CASING DIAMETER (inches): 2 ____ 3 ____ 4 ✓ 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL):	NR	VOLUME IN CASING (gal.):	NR
DEPTH OF WELL (feet):	10.1	CALCULATED PURGE (gal.):	✓
DEPTH OF WATER (feet):	7.30	ACTUAL PURGE VOL. (gal.):	

DATE PURGED: 5-6-99 END PURGE: —

DATE SAMPLED: ✓ SAMPLING TIME: 1305

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1305	GRAB	8.69	738	62.6	Cloudy	Light

OTHER: DO=12.76 ODOR: none NR (COBALT 0-100) NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
____ 2" Bladder Pump	____ Bailer (Teflon)	____ 2" Bladder Pump	X Bailer (Teflon)
____ Centrifugal Pump	____ Bailer (PVC)	____ Bomb Sampler	____ Bailer (Stainless Steel)
____ Submersible Pump	____ Bailer (Stainless Steel)	____ Dipper	____ Submersible Pump
____ Well Wizard©	____ Dedicated	____ Well Wizard©	____ Dedicated
Other:		Other:	

WELL INTEGRITY: OK LOCK: 3900

REMARKS: All Samples taken
Sock in well. Oil Sorbs. Below

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m

E.C. 1000 1000 pH 7 700 pH 10 1000 pH 4 400

Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 7 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 | SAMPLE ID: MW-10 (17')
PURGED BY: M. Gallegos | CLIENT NAME: ARCO #6001
SAMPLED BY: ↓ | LOCATION: San Leandro, CA

TYPE: Groundwater X | Surface Water ____ | Leachate ____ | Other ____

CASING DIAMETER (inches): 2 X | 3 ____ | 4 ____ | 4.5 ____ | 6 ____ | Other ____

CASING ELEVATION (feet/MSL):	NR	VOLUME IN CASING (gal.):	1.56
DEPTH OF WELL (feet):	17.3	CALCULATED PURGE (gal.):	21.68
DEPTH OF WATER (feet):	7.74	ACTUAL PURGE VOL. (gal.):	5.0

DATE PURGED: 5-6-99 | END PURGE: 1124
DATE SAMPLED: ↓ | SAMPLING TIME: 1130

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1122	2.0	7.07	1151	67.5	tan	heavy
1123	3.5	7.18	1146	67.2	↓	↓
1124	5.0	7.16	1150	67.0	↓	↓

OTHER: DO = 0.76 | ODOR: None | NR (COBALT 0-100) | NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump | ____ Bailer (Teflon)
____ Centrifugal Pump | X Bailer (PVC)
____ Submersible Pump | ____ Bailer (Stainless Steel)
____ Well WizardÔ | ____ Dedicated
Other: ____

SAMPLING EQUIPMENT

____ 2" Bladder Pump | X Bailer (Teflon)
____ Bomb Sampler | ____ Bailer (Stainless Steel)
____ Dipper | ____ Submersible Pump
____ Well WizardÔ | ____ Dedicated
Other: ____

WELL INTEGRITY: OK | LOCK: 3900

REMARKS: All Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 | Time: 1114 | Meter Serial No.: 87m
E.C. 1000 984/1000 | pH 7 7.21/7.00 | pH 10 9.98/1000 | pH 4 3.85/4.00
Temperature °F 71.0

SIGNATURE: [signature] | REVIEWED BY: [illegible] | PAGE 8 OF 9

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-208.003 SAMPLE ID: MW-14 (12')
PURGED BY: M. Gallegos CLIENT NAME: ARCO #6001
SAMPLED BY: ✓ LOCATION: San Leandro, CA

TYPE: Groundwater X Surface Water ____ Leachate ____ Other ____
CASING DIAMETER (inches): 2 ✓ 3 ____ 4 ____ 4.5 ____ 6 ____ Other ____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 0.64
DEPTH OF WELL (feet): 12.9 CALCULATED PURGE (gal.): 1.92
DEPTH OF WATER (feet): 9.98 ACTUAL PURGE VOL. (gal.): 2.0

DATE PURGED: 5-6-99 END PURGE: 1141
DATE SAMPLED: ✓ SAMPLING TIME: 1142

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°c)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1139	1.0	6.94	1569	64.9	BRN	heavy
1140	1.5	6.91	1559	65.2	"	mod
1141	2.0	6.90	1553	65.3	"	"

OTHER: DO = 0.73 ODOR: none NR (COBALT 0-100) NR (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump X Bailer (Teflon)
____ Centrifugal Pump ____ Bailer (PVC)
____ Submersible Pump ____ Bailer (Stainless Steel)
____ Well WizardÔ ____ Dedicated
Other: ____

SAMPLING EQUIPMENT

____ 2" Bladder Pump X Bailer (Teflon)
____ Bomb Sampler ____ Bailer (Stainless Steel)
____ Dipper ____ Submersible Pump
____ Well WizardÔ ____ Dedicated
Other: ____

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: All Samples taken

pH, E.C., Temp. Meter Calibration: Date: 5/6/99 Time: ____ Meter Serial No.: 87m
E.C. 1000 ____ / 1000 pH 7 ____ / 700 pH 10 ____ / 1000 pH 4 ____ / 400
Temperature °F ____

SIGNATURE: [signature] REVIEWED BY: [signature] PAGE 9 OF 9

EMCON Associates - Field Services

1921 Ringwood Avenue

San Jose, California

1999

Historical Monitoring Well Data

ARCO 601

21775-208.004

	Gallons
First	58.50
Second	47.00
Third	37.00
Fourth	34.00

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product
MW-1	First	01/21/99	6.50	NO	NO
	Second	05/06/99	6.00	NO	NO
	Third	07/27/98	6.00	YES	NO
	Fourth	10/14/98	5.00	YES	NO
MW-2	First	01/21/99	3.50	YES	NO
	Second	05/06/99	0.00	NA	NO
	Third	07/27/98	0.00	NA	NO
	Fourth	10/14/98	0.00	NA	NO
MW-3	First	01/21/99	10.50	NO	NO
	Second	05/06/99	0.00	GRAB	NO
	Third	07/27/98	10.00	NO	NO
	Fourth	10/14/98	10.00	NO	NO
MW-4	First	01/21/99	1.00	NO	NO
	Second	05/06/99	1.50	YES	NO
	Third	07/27/98	1.00	YES	NO
	Fourth	10/14/98	0.50	YES	NO
MW-5	First	01/21/99	2.00	YES	NO
	Second	05/06/99	0.00	GRAB	NO
	Third	07/27/98	3.00	YES	NO
	Fourth	10/14/98	2.50	YES	NO
MW-6	First	01/21/99	0.50	YES	NO
	Second	05/06/99	1.00	YES	NO
	Third	07/27/98	1.00	YES	NO
	Fourth	10/14/98	0.50	YES	NO
MW-7	First	01/21/99	0.50	YES	NO
	Second	05/06/99	1.00	YES	NO
	Third	07/27/98	1.00	YES	NO
	Fourth	10/14/98	0.50	YES	NO
MW-8	First	01/21/99	5.00	YES	NO
	Second	05/06/99	0.00	GRAB	NO
	Third	07/27/98	0.00	NA	NO
	Fourth	10/14/98	0.00	NA	NO
MW-9	First	01/21/99	4.50	NO	NO
	Second	05/06/99	0.00	NA	NO
	Third	07/27/98	4.00	NO	NO
	Fourth	10/14/98	4.00	NO	NO
MW-10	First	01/21/99	5.50	NO	NO
	Second	05/06/99	5.00	NO	NO
	Third	07/27/98	5.00	NO	NO
	Fourth	10/14/98	4.50	NO	NO

EMCON Associates - Field Services | Historical Monitoring Well Data

1921 Ringwood Avenue | 1999 | ARCO 601

San Jose, California | 21775-208.004

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	
						Gallons
						First 58.50
						Second 47.00
						Third 37.00
						Fourth 34.00
MW-11	First	01/21/99	7.00	NO	NO	
	Second	05/06/99	0.00	NA	NO	
	Third	07/27/98	0.00	NA	NO	
	Fourth	10/14/98	0.00	NA	NO	
MW-12	First	01/21/99	6.50	NO	NO	
	Second	05/06/99	0.00	NA	NO	
	Third	07/27/98	0.00	NA	NO	
	Fourth	10/14/98	0.00	NA	NO	
MW-13	First	01/21/99	1.00	YES	NO	
	Second	05/06/99	0.00	NA	NO	
	Third	07/27/98	3.00	NO	NO	
	Fourth	10/14/98	2.50	NO	NO	
MW-14	First	01/21/99	2.00	NO	NO	
	Second	05/06/99	2.00	NO	NO	
	Third	07/27/98	2.00	NO	NO	
	Fourth	10/14/98	2.00	NO	NO	
MW-15	First	01/21/99	2.50	NO	NO	Steam water (gal)
	Second	05/06/99	0.00	NA	NO	
	Third	07/27/98	2.00	NO	NO	
	Fourth	10/14/98	2.00	NO	NO	

ARCO Products Company
Division of Atlantic/Richfield Company

Task Order No. 74118.00

Chain of Custody

ARCO Facility no. 0601	City (Facility) San Leandro	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no (Consultant) (408)453-7300	Fax no. (Consultant) (408)437-9526
Consultant name EMCON	Address (Consultant) 7201 Broadway #101 Oakland, CA		Contract Number

Sample I.D.	Lab no.	Container no.	Matrix: Soil	Matrix: Water	Matrix: Other	Preservation: Ice	Preservation: Acid	Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incl MTBE EPA M602/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals ☐ VOA ☐ VOA ☐	CAM Metals EPA 6010/7000 TTLC ☐ STLC ☐	Lead Org/DHS ☐	Lead EPA 7420/7421 ☐			
~~MW-16~~	( )	2		X		X	HCl				X													
MW-14	(12)	2		X		X	HCl	5/6/99	1143		X													
MW-7	(9)	2		X		X	HCl		1157		X													
MW-4	(8)	2		X		X	HCl		1215		X													
MW-5	(8)	2		X		X	HCl		1230		X													
MW-6	(8)	2		X		X	HCl		1240		X													
MW-3	(7)	2		X		X	HCl		1250		X													
MW-1	(11)	2		X		X	HCl		1315		X													
MW-8	(9)	2		X		X	HCl	"	1305		X													

Separate COC & CAR

Method of shipment: Sampler will deliver

Special Detection Limit/reporting: Lowest Possible

Special QA/QC: As Normal

Remarks: RAT 8
2-40ml HCl VOAs

#208CS-121.00

Lab Number

Turnaround Time:

- Priority Rush 1 Business Day ☐
- Rush 2 Business Days ☐
- Expedited 5 Business Days ☐
- Standard 10 Business Days ☒

Condition of sample:		Temperature received:	
Relinquished by sampler	Date 5/6/99 Time 1405	Received by	
Relinquished by	Date Time	Received by	
Relinquished by	Date Time	Received by laboratory	Date Time

Distribution: White Copy – Laboratory: Canary Copy – ARCO Environmental Engineering: Pink Copy – Consultant

ARCO Products Company
Division of Atlantic/Richfield Company

Task Order No. 24118.CC

Chain of Custody

ARCO Facility no. 0661	City, (Facility) San Leandro	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408)453-7[illegible] Fax no. (Consultant) (408)437-9526	Contract Number
Consultant name EMCON		Address (Consultant) 2201 Broadway #101 Oakland, CA	Method of shipment Sampler will deliver

Sample I.D.	Lab no.	Container no.	Matrix: Soil	Matrix: Water	Matrix: Other	Preservation: Ice	Preservation: Acid	Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incld MTBE EPA M602/8020/8015	TPH Modified 8015 Gas ☐ Diesel ☐	Oil and Grease 413.1 ☐ 413.2 ☐	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals ☐ VOA ☐ VOA ☐	CAM Metals EPA 6010/7000 TTLC ☐ STLC ☐	Lead Org/DHS ☐ Lead EPA 7420/7421 ☐			
MW-101		2	(1)	X		X	HCl	4/6/99	1135		X												

Special Detection Limit/reporting: Lowest Possible

Special QA/QC: As Normal

Remarks: RAT 8
2-40ml HCl VOAs
#70405-171.005

Lab Number

Turnaround Time:
- Priority Rush 1 Business Day ☐
- Rush 2 Business Days ☐
- Expedited 5 Business Days ☐
- Standard 10 Business Days ☒

Condition of sample:		Temperature received:	
Relinquished by sampler	Date 5/6/99 Time 1405	Received by Joseph Parker CAS	5/6/99 1405
Relinquished by	Date Time	Received by	
Relinquished by	Date Time	Received by laboratory	Date Time

Distribution: White Copy – Laboratory: Canary Copy – ARCO Environmental Engineering: Pink Copy – Consultant