

Atlantic Richfield Company

Chuck Carmel
Environmental Business Manager

RECEIVED

1:32 pm, Oct 07, 2009

**Alameda County
Environmental Health**

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3803
Fax: (925) 275-3815
E-Mail: charles.carmel @bp.com

5 October 2009

Re: Third Quarter 2009 Ground-Water Monitoring Report
Atlantic Richfield Company Service Station #601
712 Lewelling Boulevard, San Leandro, California
ACEH Case #RO0000309

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel
Environmental Business Manager

Attachment

Third Quarter 2009 Ground-Water Monitoring Report
Atlantic Richfield Company Station #601
712 Lewelling Boulevard, San Leandro, California
ACEH Case #RO0000309

Prepared for

Mr. Chuck Carmel
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

5 October 2009

Project No. 06-88-605

5 October 2009

Project No. 06-88-605

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: Third Quarter 2009 Ground-Water Monitoring Report, Atlantic Richfield Company
Station #601, 712 Lewelling Boulevard, San Leandro, Alameda County, California;
ACEH Case #RO0000309

Dear Mr. Carmel:

Attached is the *Third Quarter 2009 Ground-Water Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #601 located at 712 Lewelling Boulevard, San Leandro, California (Site). This report presents the results of ground-water monitoring conducted at the Site during the Third Quarter of 2009.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, P.E.
Senior Engineer



Robert H. Miller, P.G., C.HG
Principal Hydrogeologist



Enclosure

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Karl Busche, City of San Leandro (Submitted via GeoTracker)
Electronic copy uploaded to GeoTracker

STATION #601 GROUND-WATER MONITORING REPORT

Facility: #601	Address:	712 Lewelling Boulevard, San Leandro, California
Environmental Business Manager:		Mr. Chuck Carmel
Consulting Co./Contact Persons:		Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Consultant Project No.:		06-88-605
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case #RO0000309
Facility Permits/Permitting Agency:		None

WORK PERFORMED THIS QUARTER (Third Quarter 2009):

1. Prepared and submitted *Second Quarter 2009 Ground-Water Monitoring Report* (BAI, 7/15/2009).
2. Conducted coordinated ground-water monitoring/sampling for Third Quarter 2009. Work performed on 21 July 2009 by Stratus Environmental, Inc. (Stratus) for wells associated with Station #601 and by Delta Consultants for wells associated with nearby Shell Station #129460.
3. Prepared and submitted *Vapor Intrusion Assessment and Soil and Ground-Water Investigation Report* (BAI, 8/6/2009).

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter 2009):

1. Prepared and submitted *Third Quarter 2009 Ground-Water Monitoring Report* (herein).
2. Prepare and submit Feasibility Study Report on or before 19 October 2009, as requested by ACEH in their letter dated 21 August 2009.
3. No environmental field work is presently scheduled to be performed during the Fourth Quarter of 2009.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-Water Monitoring/Sampling/Feasibility Study
Frequency of ground-water monitoring:	Semi-Annually (1Q & 3Q): Wells MW-1 through MW-3 and MW-8 through MW-19
Frequency of ground-water sampling:	Semi-Annually (1Q & 3Q): MW-1, MW-3, MW-10, MW-16, MW-17, and MW-18 Annually (3Q): MW-2, MW-8, MW-9, MW-14, MW-15, and MW-19
Is free product (FP) present on-site:	No
FP recovered this quarter:	0 gallons
Cumulative FP recovered:	3.45 gallons (Well MW-1)
Current remediation techniques:	NA
Depth to ground water (below TOC):	6.34 ft (MW-15) to 12.90 ft (MW-16)
General ground-water flow direction:	Southwest
Approximate hydraulic gradient:	0.002 ft/ft

DISCUSSION:

Third Quarter 2009 ground-water monitoring and sampling was conducted at Station #601 on 21 July 2009 by Stratus personnel. Water levels were gauged in each of the 19 wells associated with the Site. Wells MW-6 and MW-7 at the Site were reported as dry during gauging activities. No other irregularities were encountered during water-level gauging. Concurrent monitoring and sampling was also conducted on 21 July 2009 at the nearby Former Shell Service Station #129460 by Delta Consultants.

Depth-to-water measurements in wells associated with Station #601 ranged from 6.34 ft at MW-15 to 12.90 ft at MW-16. Resulting ground-water surface elevations in wells associated with Station #601 ranged from 16.24 ft above datum in upgradient well MW-13 to 9.99 ft at well MW-16. Water level elevations in wells associated with Station #601 were between historic minimum and maximum ranges for each well, as summarized in Table 1, with the exception of new wells MW-16 through MW-19 since this was their first round of monitoring. Water level elevations in wells associated with Station #601 were used to create ground-water elevation contours, resulting in a potentiometric ground-water flow direction and gradient to the southwest at approximately 0.002 ft/ft, consistent with historical data (see Table 3). Unfortunately the water level elevations from the Former Shell Station #129460 were based on a survey referencing the older National Geodetic Vertical Datum of 1929 (NGVD29) and could not be used in conjunction with the water level elevations from Station #601 which reference the newer North American Vertical Datum of 1988 (NAVD88, the vertical datum preferred by AB2886 for use in GeoTracker). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Current and historic ground-water flow directions and gradients are provided in Table 3. Co-monitored data from the nearby Former Shell Station #129460 at 15275 Washington Avenue are provided in Appendix B. A Site Location Map is provided as Drawing 1. Potentiometric ground-water elevation contours are presented in Drawing 2.

Consistent with the new sampling schedule, ground-water samples were collected from wells MW-1 through MW-3, MW-8 through MW-10, and MW-14 through MW-19. No significant irregularities were encountered during sampling from these 12 wells. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and Methyl Tert-Butyl Ether (MTBE), Ethyl Tert-Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260B. The sample collected from well MW-1 was also analyzed for Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270C. Samples from MW-1, MW-3, MW-8, and MW-16 through MW-19 were analyzed for the following bio-degradation parameters: nitrate, sulfate, dissolved sulfide, and ferrous iron. The reporting limits for constituents analyzed by 8260B in the sample collected from well MW-1 were raised due to high levels of non-target compounds. No other significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in five of the 12 wells sampled at concentrations up to 36,000 micrograms per liter ($\mu\text{g/L}$) in well MW-3. Benzene was detected above the laboratory reporting limit in five wells at concentrations up to 100 $\mu\text{g/L}$ in well MW-1. Toluene was detected above the laboratory reporting limit in three wells at concentrations up to 160 $\mu\text{g/L}$ in well MW-17. Ethylbenzene was detected above the laboratory reporting limit in five wells at concentrations up to 1,300 $\mu\text{g/L}$ in well MW-3. Total Xylenes were detected above the laboratory reporting limit in four wells at concentrations up to 4,800 $\mu\text{g/L}$ in well MW-3. MTBE was detected above the laboratory reporting limit in eight wells at concentrations up to 4.8 $\mu\text{g/L}$ in well MW-18. TAME was detected above the laboratory reporting limit in two wells at concentrations of 1.0 $\mu\text{g/L}$ in well MW-17 and 3.0 $\mu\text{g/L}$ in well MW-18. TBA was detected above the laboratory reporting limit in one well at a concentration of 10 $\mu\text{g/L}$ in well MW-17. The SVOCs 1-Methylnaphthalene, 2-Methylnaphthalene, and Naphthalene were detected above laboratory reporting limits in well MW-1 at concentrations of 240 $\mu\text{g/L}$, 450 $\mu\text{g/L}$, and 920 $\mu\text{g/L}$, respectively. The remaining analytes were not detected above their laboratory reporting limits in the 12 wells sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well sampled, with the exception of new wells MW-16 through MW-19 since this was their first round of sampling. Historic laboratory analytical results are summarized in Table 1, Table 2, and Table 4. Drawing 2 illustrates the Third Quarter 2009 laboratory analytical results for GRO, Benzene, and MTBE constituents. Drawing 3 illustrates GRO iso-concentration contours. Drawing 4 illustrates Benzene iso-concentration contours. Drawing 5 illustrates MTBE iso-concentration contours. The co-monitored elevation and analytical data for the adjacent Former Shell Station #129460 at 15275 Washington Avenue are provided in Appendix B. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) from Station #601 were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix C.

CONCLUSIONS AND RECOMMENDATIONS:

The average ground-water elevations for Station #601 during the Third Quarter 2009 monitoring event (including new wells MW-16 through MW-19) generally decreased in comparison to ground-water elevations from the Second Quarter 2009. The ground-water gradient and flow direction for Station #601 during the Third Quarter 2009 monitoring event is not appreciably different from historical data. It is unfortunate that the coordinated monitoring and sharing of data from Former Shell Station #129460 could not result in a larger mapped area of ground-water elevations between the two sites. Delta is now aware that the elevation survey of Former Shell Station #129460 uses the outdated NGVD29 vertical datum. Delta has notified their client Shell Oil Products of the need to resurvey Former Shell Station #129460 to the appropriate NAVD88 vertical datum. Resurveying the Former Shell Station #129460 to the appropriate vertical datum is recommended but outside the scope or control of BAI or Atlantic Richfield Company.

Concentrations of GRO and Total Xylenes in Third Quarter 2009 samples from Station #601 have decreased in comparison to Second Quarter 2009 concentrations. Ethylbenzene concentrations in Third Quarter 2009 samples were elevated in comparison to those from the Second Quarter 2009. Benzene and MTBE concentrations in Third Quarter 2009 samples remain relatively unchanged in comparison to the Second Quarter 2009. New monitoring wells MW-16 and MW-17 reported somewhat elevated concentrations when compared to the most recent analytical data collected from the wells they replaced (MW-4 and MW-5, respectively). New monitoring wells MW-18 and MW-19 reported approximately unchanged concentrations when compared to the most recent analytical data collected from the wells they replaced (MW-6 and MW-7, respectively). Former Shell Station #129460 monitoring wells S-11, S-12, and S-14 are not gauged or sampled on a periodic basis. Shell monitoring well S-13 is gauged semi-annually, but sampled annually in the first calendar quarters. Periodic gauging and sampling data from these wells would prove useful but recommending their gauging and sampling are beyond the scope or control of BAI or Atlantic Richfield Company.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Site Location Map, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 2. Ground-Water Elevation Contours and Analytical Summary Map, 21 July 2009, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 3. GRO Iso-Concentration Contours Map, 21 July 2009, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 4. Benzene Iso-Concentration Contours Map, 21 July 2009, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 5. MTBE Iso-Concentration Contours Map, 21 July 2009, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #601, 712 Lewelling Blvd., San Leandro, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #601, 712 Lewelling Blvd., San Leandro, California
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #601, 712 Lewelling Blvd., San Leandro, California
- Table 4. Summary of Volatile and Semi-Volatile Organic Compounds Analytical Data, Station #601, 712 Lewelling Blvd., San Leandro, California
- Table 5. Bio-Degradation Parameters, Station #601, 712 Lewelling Blvd., San Leandro, California
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. Joint Monitoring Data
- Appendix C. GeoTracker Upload Confirmation Receipts







IMAGE SOURCE: USGS



FORMER SHELL
STATION #129460

S-8
<50
SA(1,3)

S-10
NS
A(1)

S-11
NG

MW-2
<50
A(3)

S-12
NG

MW-5
NS
GO

MW-17
3,700
SA(1,3)

MW-13
NS
GO

S-13
NS
A(1)

MW-16
1,500
SA(1,3)

MW-4
NS
GO

S-14
NG

FORMER USTs

LEWELLING BOULEVARD

MW-15
<50
A(3)

CHATEAU MANOR
APARTMENTS

30,000

MW-18
290
SA(1,3)

EXIST. BLDG
RW-1

MW-6
NS
GO

MW-11
NS
GO

WASHINGTON AVENUE

MW-1
9,700
SA(1,3)

MW-12
NS
GO

MW-8
<50
A(3)

MW-19
<50
A(3)

MW-9
<50
A(3)

MW-10
<50
SA(1,3)

MW-14
<50
A(3)

LEGEND



GROUND-WATER MONITORING WELL



SOIL-GAS BORING/ TEMPORARY VAPOR IMPLANT



SOIL VAPOR EXTRACTION WELL

A(1)

SAMPLED ANNUALLY, 1ST QUARTER

A(3)

SAMPLED ANNUALLY, 3RD QUARTER

SA(1,3)

SAMPLED SEMI-ANNUALLY, 1ST & 3RD QUARTER

NS

NOT SAMPLED

GO

GAUGE ONLY

NG

NOT GAUGED

<

NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMITS

3,000

GRO ISO-CONCENTRATION CONTOUR
($\mu\text{g/L}$)

Well
GRO
A/SA

WELL DESIGNATION

GRO CONCENTRATIONS ($\mu\text{g/L}$)

SAMPLING FREQUENCY

?

CONTOURS WITHIN REGIONS NOT BOUNDED BY MONITORING POINTS. ALL CONTOURS DEPICTED ARE APPROXIMATE.

NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



0 50 100



SCALE (ft)



BROADBENT & ASSOCIATES, INC.

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California


Project No.: 06-88-605 Date: 8/23/09

Station #601
712 Lewelling Boulevard
San Leandro, California

GRO Iso-Concentration Contours Map
21 July 2009

Drawing

3



LEGEND

- GROUND-WATER MONITORING WELL
- SOIL-GAS BORING/ TEMPORARY VAPOR IMPLANT
- SOIL VAPOR EXTRACTION WELL
- 4.0 MTBE ISO-CONCENTRATION CONTOUR (µg/L)
- Well** WELL DESIGNATION
- MTBE** MTBE CONCENTRATIONS (µg/L)
- A/SA** SAMPLING FREQUENCY
- ?** CONTOURS WITHIN REGIONS NOT BOUNDED BY MONITORING POINTS. ALL CONTOURS DEPICTED ARE APPROXIMATE.
- A(1)** SAMPLED ANNUALLY, 1ST QUARTER
- A(3)** SAMPLED ANNUALLY, 3RD QUARTER
- SA(1,3)** SAMPLED SEMI-ANNUALLY, 1ST & 3RD QUARTER
- NA** NOT ANALYZED
- NS** NOT SAMPLED
- GO** GAUGE ONLY
- NG** NOT GAUGED
- <** NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMITS



NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



BROADBENT & ASSOCIATES, INC.

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California

Project No.: 06-88-605 Date: 8/23/09

Station #601
712 Lewelling Boulevard
San Leandro, California

MTBE Iso-Concentration Contours Map
21 July 2009

Drawing

5

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1																
1/9/1991	--	i, l	22.98	7.00	12.00	9.47	13.51	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	22.98	7.00	12.00	6.12	16.86	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	22.26	7.00	12.00	9.00	13.26	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	22.26	7.00	12.00	9.73	12.53	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	22.26	7.00	12.00	7.40	14.86	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	22.26	7.00	12.00	9.08	13.18	--	--	--	--	--	--	--	--	--
9/15/1992	--	l	22.26	7.00	12.00	9.18	13.08	--	--	--	--	--	--	--	--	--
11/16/1992	--	i, l	22.26	7.00	12.00	9.09	13.17	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	22.26	7.00	12.00	7.03	15.23	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	22.26	7.00	12.00	8.08	14.18	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	22.26	7.00	12.00	8.81	13.45	--	--	--	--	--	--	--	--	--
11/8/1993	--	i, l	22.26	7.00	12.00	9.22	13.04	--	--	--	--	--	--	--	--	--
2/14/1994	--	a	22.26	7.00	12.00	7.72	14.54	--	--	--	--	--	--	--	--	--
5/5/1994	--	a	22.26	7.00	12.00	8.47	13.79	--	--	--	--	--	--	--	--	--
8/4/1994	--	a	22.26	7.00	12.00	8.72	13.54	--	--	--	--	--	--	--	--	--
11/20/1994	--	a	22.26	7.00	12.00	7.81	14.45	--	--	--	--	--	--	--	--	--
3/17/1995	--		22.26	7.00	12.00	6.57	15.69	120,000	5,300	370	1,500	13,000	--	--	--	--
6/1/1995	--		22.26	7.00	12.00	7.87	14.39	250,000	7,100	950	3,500	21,000	--	--	--	--
8/31/1995	--	i, l	22.26	7.00	12.00	8.12	14.14	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.26	7.00	12.00	8.42	13.84	310,000	4,600	770	5,700	21,000	--	--	--	--
2/22/1996	--	j	22.26	7.00	12.00	6.01	16.25	100,000	6,200	320	2,500	12,000	<1,000	--	--	--
5/20/1996	--		22.26	7.00	12.00	7.03	15.23	340,000	6,600	240	4,500	22,000	<1,000	--	--	--
8/26/1996	--		22.26	7.00	12.00	8.16	14.10	210,000	7,900	320	3,400	15,000	<1,000	--	--	--
11/20/1996	--		22.26	7.00	12.00	7.84	14.42	62,000	5,900	77	2,000	7,700	<300	--	--	--
3/24/1997	--		19.19	7.00	12.00	8.05	11.14	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--
5/23/1997	--		19.19	7.00	12.00	8.42	10.77	83,000	6,200	84	2,500	9,000	<300	--	--	--
8/19/1997	--		19.19	7.00	12.00	8.65	10.54	83,000	4,500	<100	2,200	8,100	<600	--	--	--
11/19/1997	--		19.19	7.00	12.00	8.54	10.65	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--
2/19/1998	--		19.19	7.00	12.00	5.57	13.62	74,000	2,500	120	2,200	4,100	<300	--	--	--
4/23/1998	--		19.19	7.00	12.00	6.92	12.27	210,000	2,700	<500	4,200	8,300	<3,000	--	1.5	--
7/27/1998	--		19.19	7.00	12.00	8.14	11.05	73,000	2,100	88	2,600	4,600	<300	--	1.0	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
10/14/1998	--		19.19	7.00	12.00	8.58	10.61	47,000	2,900	<500	2,300	3,900	<300	--	1.5	--
1/21/1999	--		19.19	7.00	12.00	7.48	11.71	45,000	1,400	64	2,100	2,400	<300	--	1.0	--
5/6/1999	--		19.19	7.00	12.00	8.00	11.19	41,000	1,900	<20	2,800	3,400	<120	--	0.85	--
8/23/1999	--		19.19	7.00	12.00	8.56	10.63	26,000	1,700	52	1,600	1,500	<75	--	0.72	--
10/28/1999	--		19.19	7.00	12.00	8.92	10.27	38,000	2,500	35	2,400	2,500	<200	--	0.7	--
2/4/2000	--		19.19	7.00	12.00	8.48	10.71	19,000	960	13	1,200	860	<60	--	2.11	--
6/20/2000	--		19.19	7.00	12.00	8.20	10.99	23,000	2,400	50	1,800	680	<200	--	--	--
9/29/2000	--		19.19	7.00	12.00	8.55	10.64	23,600	2,880	<50	2,130	871	<250	--	--	--
12/17/2000	--		19.19	7.00	12.00	8.28	10.91	21,600	1,980	<50	1,610	664	<250	--	--	--
3/28/2001	--		19.19	7.00	12.00	8.13	11.06	19,800	2,310	<100	2,010	517	<500	--	--	--
6/20/2001	--		19.19	7.00	12.00	8.60	10.59	17,000	2,200	23	1,800	320	100	--	--	--
9/22/2001	--		19.19	7.00	12.00	9.03	10.16	20,000	2,900	<200	2,500	270	<1000	--	--	--
12/27/2001	--		19.19	7.00	12.00	7.93	11.26	15,000	2,000	<50	1,700	140	290	--	--	--
3/15/2002	--		19.19	7.00	12.00	7.89	11.30	12,000	1,800	<50	1,400	79	<250	--	--	--
4/18/2002	--		19.19	7.00	12.00	7.05	12.14	16,000	3,000	180	2,600	320	<250	--	1.26	--
7/23/2002	NP	e	19.19	7.00	12.00	8.70	10.49	14,000	3,200	<50	2,100	<50	<250	--	0.9	6.8
10/16/2002	NP	d	19.19	7.00	12.00	9.12	10.07	14,000	2,100	<25	2,000	31	<120	--	0.8	7.1
1/23/2003	NP	g	19.19	7.00	12.00	7.45	11.74	6,000	680	<50	800	<50	<50	--	0.9	6.8
4/7/2003	--		19.19	7.00	12.00	7.68	11.51	6,400	940	6.6	810	11	69	--	1.1	6.9
8/7/2003	--	a, k	19.19	7.00	12.00	8.75	10.44	12,000	1,500	27	1,700	42	160	--	--	6.4
10/23/2003	NP	a	19.19	7.00	12.00	8.96	10.23	14,000	1,700	<25	1,600	<25	220	1470	--	--
01/12/2004	P		19.19	7.00	12.00	7.99	11.20	8,800	1,100	<25	980	<25	140	1392	0.2	7.2
04/20/2004	NP	a, r	24.78	7.00	12.00	8.87	15.91	12,000	1,600	<25	920	36	84	1780	1.5	6.6
07/01/2004	NP	a	24.78	7.00	12.00	9.31	15.47	9,700	830	<10	580	11	100	886	0.8	6.7
11/04/2004	NP		24.78	7.00	12.00	8.12	16.66	7,800	650	<5.0	300	12	130	1368	1.2	6.7
01/10/2005	NP		24.78	7.00	12.00	7.06	17.72	6,000	280	<5.0	130	12	12	1280	1.05	6.9
04/14/2005	NP		24.78	7.00	12.00	7.20	17.58	4,500	160	<5.0	320	17	<5.0	--	2.1	7.0
04/20/2005	NP	q	24.78	7.00	12.00	7.05	17.73	--	--	--	--	--	--	630	--	6.6
08/02/2005	NP		24.78	7.00	12.00	7.39	17.39	4,700	210	<5.0	210	11	15	1180	--	6.8
10/21/2005	NP		24.78	7.00	12.00	8.31	16.47	9,700	600	5.5	210	11	64	1500	1.45	6.8
01/04/2006	NP		24.78	7.00	12.00	7.10	17.68	5,000	240	5.2	120	18	<5.0	939	0.97	7.2

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
04/28/2006	P	a	24.78	7.00	12.00	6.69	18.09	13,000	100	<5.0	270	7.0	<5.0	--	1.81	7.1
8/4/2006	NP		24.78	7.00	12.00	8.30	16.48	9,800	410	5.0	260	<5.0	14	840	0.84	7.0
10/23/2006	P		24.78	7.00	12.00	8.71	16.07	12,000	440	5.6	260	11	16	--	--	6.92
1/15/2007	--	l	24.78	7.00	12.00	7.95	16.83	--	--	--	--	--	--	--	1.23	6.90
4/17/2007	P	a	24.78	7.00	12.00	8.20	16.58	6,800	140	<10	280	<10	<10	--	2.14	7.19
7/9/2007	P	a, s	24.78	7.00	12.00	8.73	16.05	8,200	240	<5.0	220	180	81	1020	2.42	7.15
10/1/2007	P	a, s	24.78	7.00	12.00	8.94	15.84	13,000	260	<5.0	260	13	9.3	1,340	2.46	7.19
1/7/2008	P	u	24.78	7.00	12.00	7.43	17.35	8,000	56	<5.0	190	7.3	<5.0	1,000	0.95	7.03
4/1/2008	NP	i, l	24.78	7.00	12.00	7.64	17.16	9,300	70	<20	210	<20	<20	1,220	2.22	7.04
7/23/2008	P		24.78	7.00	12.00	8.82	15.96	19,000	190	<20	180	<20	<20	1,480	2.2	6.99
10/22/2008	P	a	24.78	7.00	12.00	9.13	15.65	31,000	190	<20	210	<20	<20	2,132	0.31	6.87
1/21/2009	P	a	24.78	7.00	12.00	8.72	16.06	20,000	99	<20	190	<20	<20	--	1.06	7.01
4/21/2009	P	a, u	24.78	7.00	12.00	7.68	17.10	18,000	63	<20	50	<20	<20	1,617	0.40	6.98
7/21/2009	P	u, v	24.78	7.00	12.00	8.91	15.87	9,700	100	<20	120	<20	<20	--	10.85	7.10
MW-2																
7/18/1990	--		22.06	8.00	12.00	7.86	14.20	35,000	3,800	2,900	690	3,600	--	--	--	--
10/15/1990	--		22.06	8.00	12.00	8.61	13.45	6,400	650	290	110	560	--	--	--	--
1/9/1991	--		22.06	8.00	12.00	8.43	13.63	13,000	1,500	970	390	1,500	--	--	--	--
4/16/1991	--		22.06	8.00	12.00	6.97	15.09	54,000	5,200	9,000	1,500	7,700	--	--	--	--
6/10/1991	--		21.33	8.00	12.00	7.91	13.42	26,000	3,000	2,500	880	4,200	--	--	--	--
10/10/1991	--		21.33	8.00	12.00	8.82	12.51	10,000	1,600	910	280	1,400	--	--	--	--
3/23/1992	--		21.33	8.00	12.00	6.86	14.47	33,000	4,100	5,000	1,100	5,300	--	--	--	--
6/8/1992	--		21.33	8.00	12.00	7.95	13.38	18,000	1,200	980	330	1,800	--	--	--	--
9/15/1992	--		21.33	8.00	12.00	8.71	12.62	13,000	430	500	340	1,800	--	--	--	--
11/16/1992	--		21.33	8.00	12.00	7.93	13.40	13,000	900	940	300	1,400	--	--	--	--
2/16/1993	--		21.33	8.00	12.00	6.02	15.31	20,000	1,800	1,200	530	2,700	--	--	--	--
5/13/1993	--		21.33	8.00	12.00	6.99	14.34	13,000	1,000	470	370	1,900	--	--	--	--
8/17/1993	--		21.33	8.00	12.00	7.85	13.48	9,100	770	160	310	1,500	--	--	--	--
11/8/1993	--		21.33	8.00	12.00	8.12	13.21	9,200	380	62	130	630	--	--	--	--
2/14/1994	--		21.33	8.00	12.00	6.88	14.45	8,700	670	370	50	1,400	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
5/5/1994	--		21.33	8.00	12.00	7.51	13.82	5,600	390	140	120	480	--	--	--	--
8/4/1994	--	n	21.33	8.00	12.00	8.00	13.33	2,300	180	<2.5	<2.5	230	--	--	--	--
11/20/1994	--		21.33	8.00	12.00	6.86	14.47	4,900	170	150	120	390	--	--	--	--
3/17/1995	--		21.33	8.00	12.00	6.12	15.21	10,000	460	77	260	550	--	--	--	--
6/1/1995	--		21.33	8.00	12.00	6.56	14.77	13,000	400	78	210	410	--	--	--	--
8/31/1995	--		21.33	8.00	12.00	7.18	14.15	5,000	280	18	120	140	<50	--	--	--
11/27/1995	--		21.33	8.00	12.00	7.39	13.94	3,200	230	12	77	90	--	--	--	--
2/22/1996	--		21.33	8.00	12.00	5.78	15.55	11,000	290	67	190	330	<50	--	--	--
5/20/1996	--		21.33	8.00	12.00	6.27	15.06	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.33	8.00	12.00	7.30	14.03	--	--	--	--	--	--	--	--	--
11/20/1996	--		21.33	8.00	12.00	7.28	14.05	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.12	8.00	12.00	7.11	14.01	4,800	570	6	71	32	67	--	--	--
5/23/1997	--		21.12	8.00	12.00	7.44	13.68	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.12	8.00	12.00	7.64	13.48	--	--	--	--	--	--	--	--	--
11/19/1997	--		21.12	8.00	12.00	7.70	13.42	--	--	--	--	--	--	--	--	--
2/19/1998	--		21.12	8.00	12.00	5.22	15.90	2,000	160	50	66	230	25	--	--	--
4/23/1998	--		21.12	8.00	12.00	6.24	14.88	--	--	--	--	--	--	--	--	--
7/27/1998	--		21.12	8.00	12.00	7.02	14.10	--	--	--	--	--	--	--	--	--
10/14/1998	--		21.12	8.00	12.00	7.54	13.58	--	--	--	--	--	--	--	--	--
1/21/1999	--		21.12	8.00	12.00	7.15	13.97	1,700	84	4	31	10	13	--	0.5	--
5/6/1999	--		21.12	8.00	12.00	6.95	14.17	--	--	--	--	--	--	--	--	--
8/23/1999	--		21.12	8.00	12.00	7.49	13.63	--	--	--	--	--	--	--	0.68	--
10/28/1999	--		21.12	8.00	12.00	7.92	13.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		21.12	8.00	12.00	6.61	14.51	--	--	--	--	--	--	--	--	--
6/20/2000	--		21.12	8.00	12.00	7.12	14.00	--	--	--	--	--	--	--	--	--
9/29/2000	--		21.12	8.00	12.00	7.60	13.52	--	--	--	--	--	--	--	--	--
12/17/2000	--		21.12	8.00	12.00	7.42	13.70	--	--	--	--	--	--	--	--	--
3/28/2001	--		21.12	8.00	12.00	6.84	14.28	838	18.1	<5.0	7.63	5.98	39.5	--	--	--
6/20/2001	--		21.12	8.00	12.00	7.66	13.46	--	--	--	--	--	--	--	--	--
9/22/2001	--		21.12	8.00	12.00	8.08	13.04	--	--	--	--	--	--	--	--	--
12/27/2001	--		21.12	8.00	12.00	6.48	14.64	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
3/15/2002	--		21.12	8.00	12.00	6.84	14.28	100	<0.5	<0.5	2.5	<0.5	75	--	--	--
4/18/2002	--		21.12	8.00	12.00	6.19	14.93	--	--	--	--	--	--	--	--	--
7/23/2002	--		21.12	8.00	12.00	7.73	13.39	--	--	--	--	--	--	--	--	--
10/16/2002	--		21.12	8.00	12.00	8.10	13.02	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	21.12	8.00	12.00	6.52	14.60	<5,000	<50	<50	<50	<50	95	--	1.6	7.2
4/7/2003	--		21.12	8.00	12.00	7.22	13.90	--	--	--	--	--	--	--	--	--
8/7/2003	--		21.12	8.00	12.00	7.84	13.28	--	--	--	--	--	--	--	--	--
10/23/2003	P	m	21.12	8.00	12.00	7.95	13.17	<250	<2.5	<2.5	<2.5	4.2	68	--	--	--
01/12/2004	--		21.12	8.00	12.00	6.60	14.52	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.87	8.00	12.00	8.32	15.55	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	23.87	8.00	12.00	8.96	14.91	72	<0.50	<0.50	<0.50	<0.50	72	--	2.1	6.9
11/04/2004	--		23.87	8.00	12.00	7.30	16.57	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.87	8.00	12.00	5.87	18.00	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.87	8.00	12.00	5.75	18.12	--	--	--	--	--	--	--	--	--
08/02/2005	P		23.87	8.00	12.00	6.47	17.40	1,300	4.3	0.57	11	0.97	12	--	--	7.0
10/21/2005	--		23.87	8.00	12.00	7.12	16.75	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.87	8.00	12.00	6.75	17.12	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.87	8.00	12.00	5.90	17.97	--	--	--	--	--	--	--	--	--
8/4/2006	P		23.87	8.00	12.00	7.41	16.46	50	<0.50	<0.50	<0.50	<0.50	7.9	--	1.57	7.2
10/23/2006	--		23.87	8.00	12.00	7.72	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.87	8.00	12.00	7.14	16.73	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.87	8.00	12.00	7.28	16.59	--	--	--	--	--	--	--	--	--
7/9/2007	P		23.87	8.00	12.00	7.73	16.14	110	<0.50	<0.50	<0.50	<0.50	3.2	--	1.40	7.37
10/1/2007	--		23.87	8.00	12.00	7.95	15.92	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.87	8.00	12.00	6.46	17.41	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.87	8.00	12.00	7.10	16.77	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.87	8.00	12.00	7.90	15.97	<50	<0.50	<0.50	<0.50	<0.50	0.78	--	3.1	7.25
10/22/2008	--		23.87	8.00	12.00	8.10	15.77	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.87	8.00	12.00	7.70	16.17	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.87	8.00	12.00	7.16	16.71	--	--	--	--	--	--	--	--	--
7/21/2009	NP	v	23.87	8.00	12.00	8.01	15.86	<50	<0.50	<0.50	<0.50	<0.50	0.83	--	11.67	7.47

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2																
MW-3																
7/18/1990	--		20.84	8.00	12.00	7.03	13.81	--	--	--	--	--	--	--	--	--
10/15/1990	--	i, l	20.84	8.00	12.00	8.19	12.65	--	--	--	--	--	--	--	--	--
1/9/1991	--	i, l	20.84	8.00	12.00	7.46	13.38	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	20.84	8.00	12.00	7.95	12.89	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	20.11	8.00	12.00	7.14	12.97	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	20.11	8.00	12.00	7.82	12.29	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	20.11	8.00	12.00	5.75	14.36	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	20.11	8.00	12.00	7.52	12.59	--	--	--	--	--	--	--	--	--
9/15/1992	--	i, l	20.11	8.00	12.00	8.01	12.10	--	--	--	--	--	--	--	--	--
11/16/1992	--	a	20.11	8.00	12.00	7.11	13.00	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	20.11	8.00	12.00	5.93	14.18	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	20.11	8.00	12.00	6.37	13.74	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	20.11	8.00	12.00	7.00	13.11	--	--	--	--	--	--	--	--	--
11/8/1993	--		20.11	8.00	12.00	7.31	12.80	430,000	4,100	14,000	6,400	37,000	--	--	--	--
2/14/1994	--		20.11	8.00	12.00	5.81	14.30	85,000	4,200	12,000	2,500	16,000	--	--	--	--
5/5/1994	--		20.11	8.00	12.00	6.81	13.30	560,000	4,600	14,000	5,300	40,000	--	--	--	--
8/4/1994	--		20.11	8.00	12.00	7.31	12.80	64,000	4,200	7,600	1,700	12,000	--	--	--	--
11/20/1994	--		20.11	8.00	12.00	5.88	14.23	80,000	4,700	9,700	2,400	15,000	--	--	--	--
3/17/1995	--		20.11	8.00	12.00	5.46	14.65	370,000	4,800	12,000	5,800	34,000	--	--	--	--
6/1/1995	--		20.11	8.00	12.00	6.34	13.77	270,000	6,000	11,000	5,200	28,000	--	--	--	--
8/31/1995	--	i, l	20.11	8.00	12.00	6.60	13.51	--	--	--	--	--	--	--	--	--
11/27/1995	--		20.11	8.00	12.00	6.76	13.35	150,000	5,100	8,800	3,900	21,000	--	--	--	--
2/22/1996	--		20.11	8.00	12.00	5.14	14.97	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--
5/20/1996	--		20.11	8.00	12.00	5.17	14.94	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--
8/26/1996	--		20.11	8.00	12.00	7.04	13.07	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--
11/20/1996	--		20.11	8.00	12.00	6.26	13.85	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--
3/24/1997	--		22.99	8.00	12.00	6.94	16.05	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--
5/23/1997	--		22.99	8.00	12.00	6.98	16.01	130,000	2,100	4,300	3,500	19,000	<700	--	--	--
8/19/1997	--		22.99	8.00	12.00	7.25	15.74	100,000	2,000	3,200	<100	19,000	<600	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
11/19/1997	--		22.99	8.00	12.00	7.25	15.74	93,000	1,700	2,400	2,800	16,000	<600	--	--	--
2/19/1998	--		22.99	8.00	12.00	5.24	17.75	80,000	620	1,200	2,500	13,000	<600	--	--	--
4/23/1998	--		22.99	8.00	12.00	6.60	16.39	130,000	1,500	2,400	3,500	18,000	<600	--	3.5	--
7/27/1998	--		22.99	8.00	12.00	7.00	15.99	140,000	920	1,500	2,400	13,000	<600	--	1.0	--
10/14/1998	--		22.99	8.00	12.00	7.04	15.95	300,000	1,200	2,400	5,700	32,000	970	--	1.0	--
1/21/1999	--		22.99	8.00	12.00	6.50	16.49	120,000	860	1,500	2,600	14,000	<600	--	0.5	--
5/6/1999	--		22.99	8.00	12.00	6.90	16.09	49,000	670	1,400	2,500	11,000	170	--	1.03	--
8/23/1999	--		22.99	8.00	12.00	6.53	16.46	51,000	440	930	2,200	9,200	<150	--	0.67	--
10/28/1999	--		22.99	8.00	12.00	7.50	15.49	1,400,000	830	4,100	15,000	78,000	<5,000	--	0.77	--
2/4/2000	--		22.99	8.00	12.00	6.21	16.78	<50	<0.5	<0.5	<0.5	<1	650	--	1.61	--
6/20/2000	--		22.99	8.00	12.00	6.22	16.77	45,000	670	990	2,400	12,000	<500	--	--	--
9/29/2000	--		22.99	8.00	12.00	7.20	15.79	51,000	860	1,120	2,720	12,900	<250	--	--	--
12/17/2000	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.99	8.00	12.00	6.10	16.89	43,500	804	<200	250	11,000	<1,000	--	--	--
6/20/2001	--		22.99	8.00	12.00	6.14	16.85	62,000	1,000	850	2,800	13,000	<2,500	--	--	--
9/22/2001	--		22.99	8.00	12.00	7.24	15.75	53,000	1,200	1,200	3,100	13,000	<1,000	--	--	--
12/27/2001	--		22.99	8.00	12.00	7.00	15.99	44,000	860	840	2,300	10,000	<250	--	--	--
3/15/2002	--		22.99	8.00	12.00	7.02	15.97	43,000	1,000	810	2,300	11,000	<250	--	--	--
4/18/2002	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
7/23/2002	P	d	22.99	8.00	12.00	7.22	15.77	45,000	750	570	2,100	10,000	<250	--	1	8
10/16/2002	P	d	22.99	8.00	12.00	7.54	15.45	42,000	780	620	2,500	11,000	<250	--	1.4	7.7
1/23/2003	P	g	22.99	8.00	12.00	6.85	16.14	68,000	580	500	3,300	16,000	<100	--	1.3	7
4/7/2003	--		22.99	8.00	12.00	7.05	15.94	48,000	620	450	2,200	11,000	<50	--	1.4	6.9
8/7/2003	--	m	--	8.00	12.00	6.89	--	35,000	360	250	1,700	8,100	<100	--	2.4	8.9
10/23/2003	P	m	22.99	8.00	12.00	7.05	15.94	36,000	340	250	1,700	8,300	<25	--	--	--
01/12/2004	NP		22.99	8.00	12.00	5.93	17.06	1,100	<5.0	<5.0	<5.0	34	<5.0	--	3.2	9.5
04/20/2004	P	r	22.63	8.00	12.00	7.60	15.03	30,000	210	170	1,700	7,300	<50	--	1.6	7.8
07/01/2004	P	a	22.63	8.00	12.00	7.76	14.87	33,000	190	190	1,300	6,300	<50	--	2.3	7.4
11/04/2004	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
11/23/2004	P		22.63	8.00	12.00	6.75	15.88	32,000	150	160	1,400	7,100	<50	--	1.2	7.5
01/10/2005	P		22.63	8.00	12.00	4.75	17.88	34,000	180	150	1,400	6,900	<100	--	0.7	7.0

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
04/14/2005	P		22.63	8.00	12.00	5.60	17.03	26,000	170	200	1,500	5,000	<25	--	2.3	7.0
08/02/2005	P		22.63	8.00	12.00	5.97	16.66	41,000	260	190	1,800	8,600	<25	--	--	7.0
10/21/2005	P		22.63	8.00	12.00	6.55	16.08	39,000	230	160	1,500	7,400	<50	--	1.05	7.0
01/04/2006	P		22.63	8.00	12.00	4.57	18.06	33,000	160	150	1,700	7,500	<25	--	0.97	7.1
04/28/2006	P	a	22.63	8.00	12.00	5.35	17.28	42,000	130	110	1,700	6,500	<25	--	1.39	7.0
8/4/2006	P		22.63	8.00	12.00	5.97	16.66	38,000	180	130	1,500	7,000	<25	--	0.47	6.9
10/23/2006	P		22.63	8.00	12.00	6.66	15.97	48,000	180	120	1,500	7,100	<5.0	--	--	6.98
1/15/2007	P		22.63	8.00	12.00	6.11	16.52	36,000	130	130	1,900	8,400	<25	--	0.97	7.25
4/17/2007	P	a	22.63	8.00	12.00	6.13	16.50	73,000	120	140	2,200	9,900	<25	--	1.13	7.42
7/9/2007	P	a	22.63	8.00	12.00	6.82	15.81	42,000	110	110	1,700	7,100	<25	--	1.38	7.28
10/1/2007	P	a, o, t	22.63	8.00	12.00	6.85	15.78	48,000	100	100	1,700	7,700	<25	--	1.65	7.66
1/7/2008	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
4/1/2008	P	a	22.63	8.00	12.00	8.95	13.68	160,000	<100	<100	1,700	7,400	<100	--	0.96	7.03
7/23/2008	NP		22.63	8.00	12.00	7.00	15.63	33,000	39	47	1,100	5,000	<5.0	--	1.04	6.93
10/22/2008	P	a	22.63	8.00	12.00	7.15	15.48	98,000	<120	<120	2,000	8,000	<120	--	1.06	7.09
1/21/2009	P	a	22.63	8.00	12.00	6.79	15.84	51,000	<100	<100	2,300	9,000	<100	--	0.58	7.08
4/21/2009	P	a	22.63	8.00	12.00	5.80	16.83	720,000	52	<50	790	7,000	<50	--	1.38	7.14
7/21/2009	P	v	22.63	8.00	12.00	6.84	15.79	36,000	29	33	1,300	4,800	<25	--	11.15	7.35
MW-4																
6/10/1991	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	20.75	6.00	9.00	--	--	15,000	5,300	1,500	470	1,300	--	--	--	--
3/23/1992	--	b	20.75	6.00	9.00	--	--	24,000	5,600	4,000	580	3,100	--	--	--	--
6/8/1992	--	b	20.75	6.00	9.00	--	--	5,700	2,000	170	92	270	--	--	--	--
9/15/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		20.75	6.00	9.00	7.10	13.65	12,000	920	1,100	130	750	--	--	--	--
5/13/1993	--		20.75	6.00	9.00	7.02	13.73	19,000	2,900	2,800	360	1,900	--	--	--	--
8/17/1993	--		20.75	6.00	9.00	7.85	12.90	8,100	1,600	1,300	170	730	--	--	--	--
11/8/1993	--	b	20.75	6.00	9.00	--	--	2,000	540	110	10	240	--	--	--	--
2/14/1994	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
5/5/1994	--		20.75	6.00	9.00	7.73	13.02	1,900	510	78	31	150	--	--	--	--
8/4/1994	--	n	20.75	6.00	9.00	7.83	12.92	1,300	360	17	<5	190	--	--	--	--
11/20/1994	--		20.75	6.00	9.00	7.73	13.02	<50	2.9	0.5	<0.5	1.4	--	--	--	--
3/17/1995	--		20.75	6.00	9.00	6.65	14.10	16,000	1,800	970	310	2,500	--	--	--	--
6/1/1995	--		20.75	6.00	9.00	7.25	13.50	16,000	2,800	870	380	2,700	--	--	--	--
8/31/1995	--		20.75	6.00	9.00	7.75	13.00	9,000	2,000	270	270	1,400	<100	--	--	--
11/27/1995	--		20.75	6.00	9.00	7.87	12.88	3,800	890	130	130	550	--	--	--	--
2/22/1996	--		20.75	6.00	9.00	7.29	13.46	940	150	82	19	130	<20	--	--	--
5/20/1996	--		20.75	6.00	9.00	7.30	13.45	6,700	1,100	330	120	1,100	<100	--	--	--
8/26/1996	--		20.75	6.00	9.00	7.57	13.18	14,000	2,400	510	350	2,100	<100	--	--	--
11/20/1996	--		20.75	6.00	9.00	7.89	12.86	420	55	17	11	62	<3	--	--	--
3/24/1997	--		22.38	6.00	9.00	6.90	15.48	6,800	620	150	81	1,300	<50	--	--	--
5/23/1997	--		22.38	6.00	9.00	7.80	14.58	9,000	1,300	240	200	1,600	<60	--	--	--
8/19/1997	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b, j	22.38	6.00	9.00	--	--	3700	600	93	120	710	<60	--	--	--
2/19/1998	--		22.38	6.00	9.00	6.78	15.60	1,800	93	51	29	420	110	--	--	--
4/23/1998	--		22.38	6.00	9.00	6.47	15.91	6,500	700	110	180	1,300	93	--	0.5	--
7/27/1998	--		22.38	6.00	9.00	7.22	15.16	10,000	1,400	140	290	1,900	<120	--	1.5	--
10/14/1998	--		22.38	6.00	9.00	7.60	14.78	6,500	900	63	200	1,200	63	--	1	--
1/21/1999	--		22.38	6.00	9.00	7.43	14.95	1,700	140	22	56	320	13	--	0.5	--
5/6/1999	--		22.38	6.00	9.00	6.55	15.83	3,300	250	36	73	890	41	--	1.28	--
8/23/1999	--		22.38	6.00	9.00	7.16	15.22	7,400	500	73	230	1,700	57	--	0.89	--
10/28/1999	--		22.38	6.00	9.00	8.28	14.10	370	41	5.7	14	52	16	--	0.92	--
2/4/2000	--		22.38	6.00	9.00	8.23	14.15	310	33	7.5	11	65	8	--	2.43	--
6/20/2000	--		22.38	6.00	9.00	6.46	15.92	2,700	210	20	94	520	46	--	--	--
9/29/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.38	6.00	9.00	7.49	14.89	--	--	--	--	--	--	--	--	--
6/20/2001	--		22.38	6.00	9.00	7.21	15.17	13,000	690	170	330	1,400	110	--	--	--
9/22/2001	--		22.38	6.00	9.00	7.43	14.95	6,700	650	110	410	1,800	100	--	--	--
12/27/2001	--		22.38	6.00	9.00	7.32	15.06	1,200	47	15	46	250	15	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
3/15/2002	--		22.38	6.00	9.00	7.43	14.95	490	34	7.4	26	110	12	--	--	--
4/18/2002	--		22.38	6.00	9.00	7.00	15.38	<50	0.57	0.83	<0.5	1.1	3.7	--	--	--
7/23/2002	NP	d	22.38	6.00	9.00	7.70	14.68	820	80	12	23	190	41	--	2.2	7.3
10/16/2002	NP	d	22.38	6.00	9.00	7.75	14.63	2,000	220	25	140	570	<25	--	1.8	7.6
1/23/2003	NP	g	22.38	6.00	9.00	7.11	15.27	<250	<2.5	<2.5	<2.5	8.8	5.9	--	1.7	7
4/7/2003	--		22.38	6.00	9.00	7.19	15.19	310	24	2.4	15	62	9.2	--	1.1	7.1
8/7/2003	--	m	22.38	6.00	9.00	7.45	14.93	3,000	280	<25	150	700	<25	--	1.2	6.8
10/23/2003	NP	m	22.38	6.00	9.00	7.59	14.79	1,700	150	7.6	83	320	12	--	--	--
01/12/2004	NP		22.38	6.00	9.00	7.40	14.98	260	4.4	<2.5	<2.5	27	4.3	--	2.4	7.3
04/20/2004	NP	r	23.32	6.00	9.00	7.38	15.94	1,500	160	<5.0	50	320	12	--	1.4	7.1
07/01/2004	NP		23.32	6.00	9.00	7.78	15.54	1,800	150	5.2	16	260	15	--	1.9	7.0
11/04/2004	NP		23.32	6.00	9.00	7.75	15.57	640	38	1.9	2.1	110	5.7	--	1.9	7.0
01/10/2005	NP		23.32	6.00	9.00	7.54	15.78	<50	1.1	<0.50	<0.50	0.96	2.5	--	1.61	7.0
04/14/2005	NP		23.32	6.00	9.00	7.20	16.12	320	16	0.69	1.4	48	4.5	--	2.5	7.0
08/02/2005	NP		23.32	6.00	9.00	7.35	15.97	1,100	77	2.8	9.0	190	7.1	--	--	6.8
10/21/2005	NP		23.32	6.00	9.00	7.25	16.07	1,700	84	3.9	6.5	250	10	--	1.99	6.9
01/04/2006	NP		23.32	6.00	9.00	7.52	15.80	460	14	<1.0	2.1	72	3.7	--	1.15	7.2
04/28/2006	NP		23.32	6.00	9.00	6.55	16.77	670	17	<1.0	3.7	33	3.7	--	1.39	7.0
8/4/2006	NP		23.32	6.00	9.00	7.00	16.32	2,800	240	9.3	14	280	15	--	1.26	7.1
10/23/2006	P		23.32	6.00	9.00	7.33	15.99	2,100	200	7.8	17	150	16	--	--	7.08
1/15/2007	--		23.32	6.00	9.00	7.60	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	NP		23.32	6.00	9.00	7.47	15.85	110	9.0	<1.0	1.0	4.5	3.5	--	3.79	7.25
7/9/2007	NP		23.32	6.00	9.00	7.55	15.77	1,400	130	5.4	14	96	14	--	3.55	7.40
10/1/2007	NP		23.32	6.00	9.00	7.69	15.63	1,300	120	6.4	12	91	11	--	3.08	7.42
1/7/2008	NP		23.32	6.00	9.00	7.38	15.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.25	7.26
4/1/2008	NP		23.32	6.00	9.00	7.05	16.27	190	<0.50	<0.50	<0.50	<0.50	0.68	--	1.32	7.12
7/23/2008	--	c	23.32	6.00	9.00	7.36	15.96	--	--	--	--	--	--	--	--	--
10/22/2008	--	c	23.32	6.00	9.00	7.41	15.91	--	--	--	--	--	--	--	--	--
1/21/2009	--	c	23.32	6.00	9.00	7.39	15.93	--	--	--	--	--	--	--	--	--
4/21/2009	NP		23.32	6.00	9.00	6.90	16.42	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.18	7.28
7/21/2009	--		23.32	6.00	9.00	7.18	16.14	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4																
MW-5																
6/10/1991	--		20.90	6.00	10.50	7.58	13.32	100,000	25,000	20,000	2,600	12,000	--	--	--	--
10/10/1991	--	a	20.90	6.00	10.50	8.51	12.39	--	--	--	--	--	--	--	--	--
3/23/1992	--		20.90	6.00	10.50	6.06	14.84	150,000	24,000	31,000	4,400	23,000	--	--	--	--
6/8/1992	--		20.90	6.00	10.50	7.66	13.24	120,000	17,000	13,000	2,400	11,000	--	--	--	--
9/15/1992	--	l	20.90	6.00	10.50	8.40	12.50	--	--	--	--	--	--	--	--	--
11/16/1992	--		20.90	6.00	10.50	7.70	13.20	110,000	16,000	16,000	3,200	18,000	--	--	--	--
2/16/1993	--		20.90	6.00	10.50	5.64	15.26	150,000	12,000	15,000	3,000	17,000	--	--	--	--
5/13/1993	--	l	20.90	6.00	10.50	6.68	14.22	--	--	--	--	--	--	--	--	--
8/17/1993	--		20.90	6.00	10.50	7.49	13.41	87,000	15,000	8,500	1,900	11,000	--	--	--	--
11/8/1993	--		20.90	6.00	10.50	7.93	12.97	87,000	12,000	8,300	2,000	12,000	--	--	--	--
2/14/1994	--		20.90	6.00	10.50	6.49	14.41	46,000	7,300	5,300	940	5,200	--	--	--	--
5/5/1994	--		20.90	6.00	10.50	7.18	13.72	54,000	9,700	4,700	1,000	6,400	--	--	--	--
8/4/1994	--		20.90	6.00	10.50	7.83	13.07	57,000	14,000	3,200	1,200	7,200	--	--	--	--
11/20/1994	--		20.90	6.00	10.50	6.34	14.56	33,000	5,700	1,800	720	4,700	--	--	--	--
3/17/1995	--		20.90	6.00	10.50	5.51	15.39	48,000	6,400	2,000	740	5,100	--	--	--	--
6/1/1995	--		20.90	6.00	10.50	6.55	14.35	76,000	11,000	5,400	1,400	7,700	--	--	--	--
8/31/1995	--		20.90	6.00	10.50	6.80	14.10	53,000	12,000	1,600	1,000	6,000	<500	--	--	--
11/27/1995	--		20.90	6.00	10.50	7.13	13.77	43,000	7,900	3,300	950	4,900	--	--	--	--
2/22/1996	--		20.90	6.00	10.50	5.12	15.78	52,000	9,100	3,300	940	5,000	<500	--	--	--
5/20/1996	--		20.90	6.00	10.50	5.87	15.03	55,000	9,300	3,800	1,100	5,400	<500	--	--	--
8/26/1996	--		20.90	6.00	10.50	7.15	13.75	47,000	5,300	2,100	780	3,200	<300	--	--	--
11/20/1996	--		20.90	6.00	10.50	6.88	14.02	53,000	8,700	5,700	920	4,400	<500	--	--	--
3/24/1997	--		22.45	6.00	10.50	7.13	15.32	39,000	8,200	3,200	720	3,100	<500	--	--	--
5/23/1997	--		22.45	6.00	10.50	7.42	15.03	29,000	6,600	1,700	400	1,500	<600	--	--	--
8/19/1997	--		22.45	6.00	10.50	7.58	14.87	16,000	4,600	790	<50	1,300	<300	--	--	--
11/19/1997	--		22.45	6.00	10.50	7.58	14.87	22,000	5,800	1,300	380	1,300	<300	--	--	--
2/19/1998	--		22.45	6.00	10.50	4.65	17.80	40,000	5,100	3,800	620	2,900	<300	--	--	--
4/23/1998	--		22.45	6.00	10.50	6.25	16.20	45,000	8,000	4,000	970	4,200	<600	--	1.5	--
7/27/1998	--		22.45	6.00	10.50	6.71	15.74	30,000	8,000	2,000	590	1,900	<600	--	1.5	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
10/14/1998	--		22.45	6.00	10.50	7.19	15.26	33,000	7,400	1,900	550	1,700	<300	--	1.5	--
1/21/1999	--		22.45	6.00	10.50	7.03	15.42	34,000	6,200	2,600	630	2,300	<600	--	2.5	--
5/6/1999	--		22.45	6.00	10.50	7.02	15.43	7,900	2,400	200	240	580	12	--	1.07	--
8/23/1999	--		22.45	6.00	10.50	7.04	15.41	25,000	5,800	2,300	570	2,000	67	--	1.04	--
10/28/1999	--		22.45	6.00	10.50	7.90	14.55	20,000	5,900	1,100	450	1,100	<250	--	0.87	--
2/4/2000	--		22.45	6.00	10.50	6.71	15.74	32,000	2,500	3,800	770	4,200	<75	--	2.33	--
6/20/2000	--		22.45	6.00	10.50	6.78	15.67	10,000	3,000	650	260	700	<200	--	--	--
9/29/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.45	6.00	10.50	6.48	15.97	23,400	4,160	3,450	728	3,090	<250	--	--	--
6/20/2001	--		22.45	6.00	10.50	7.26	15.19	120,000	1,200	49	190	540	<100	--	--	--
9/22/2001	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.45	6.00	10.50	6.56	15.89	16,000	1,500	2,700	730	3,200	<250	--	--	--
3/15/2002	--		22.45	6.00	10.50	6.90	15.55	20,000	2,600	3,300	1,000	4,000	<250	--	--	--
4/18/2002	--		22.45	6.00	10.50	6.17	16.28	17,000	3,200	2,900	790	3,000	<250	--	--	--
7/23/2002	NP	d	22.45	6.00	10.50	7.36	15.09	4,600	1,400	30	160	470	110	--	1.7	7.5
10/16/2002	NP	d	22.45	6.00	10.50	7.66	14.79	5,400	1,300	<20	62	150	<100	--	1.1	7.5
1/23/2003	NP	g	22.45	6.00	10.50	6.28	16.17	<5,000	110	<50	<50	98	<50	--	1.1	7.6
4/7/2003	--		22.45	6.00	10.50	7.21	15.24	1,600	310	18	36	62	32	--	1.5	7.2
8/7/2003	--	m	22.45	6.00	10.50	7.46	14.99	<50	1.8	<0.50	<0.50	<0.50	3.5	--	12.2	9
10/23/2003	NP	m	22.45	6.00	10.50	7.68	14.77	76	14	<0.50	0.77	0.61	12	--	--	--
01/12/2004	NP		22.45	6.00	10.50	6.34	16.11	<50	1.5	0.68	<0.50	0.62	11	--	6.8	8.8
04/20/2004	NP	r	23.47	6.00	10.50	8.12	15.35	300	53	13	12	29	12	--	8.9	8.5
07/01/2004	NP		23.47	6.00	10.50	8.62	14.85	<50	0.56	<0.50	<0.50	<0.50	11	--	10.6	8.5
11/04/2004	NP		23.47	6.00	10.50	7.01	16.46	90	6.3	0.94	1.3	5.7	9.4	--	7.5	7.6
01/10/2005	NP		23.47	6.00	10.50	5.51	17.96	710	0.55	<0.50	0.52	53	40	--	1.54	7.2
04/14/2005	NP		23.47	6.00	10.50	5.67	17.80	1,800	130	5.9	54	350	40	--	2.0	6.8
08/02/2005	NP		23.47	6.00	10.50	5.94	17.53	3,800	210	7.3	250	520	19	--	--	6.9
10/21/2005	NP		23.47	6.00	10.50	6.69	16.78	4,100	330	7.4	190	420	16	--	1.42	6.9
01/04/2006	NP		23.47	6.00	10.50	5.55	17.92	5,100	580	14	210	420	30	--	0.62	6.8
04/28/2006	NP		23.47	6.00	10.50	5.52	17.95	2,900	190	5.9	59	150	9.9	--	1.74	7.0

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
8/4/2006	NP		23.47	6.00	10.50	6.51	16.96	3,800	380	7.6	34	140	14	--	0.82	6.9
10/23/2006	P		23.47	6.00	10.50	7.34	16.13	3,300	310	96	70	210	13	--	--	6.99
1/15/2007	P		23.47	6.00	10.50	6.67	16.80	5,600	320	300	220	820	10	--	1.03	7.03
4/17/2007	NP		23.47	6.00	10.50	6.72	16.75	3,400	200	12	160	250	5.9	--	2.25	7.11
7/9/2007	NP		23.47	6.00	10.50	7.30	16.17	2,600	240	7.0	15	63	6.9	--	2.28	7.16
10/1/2007	NP		23.47	6.00	10.50	7.56	15.91	2,300	220	5.4	4.6	13	4.2	--	2.33	7.19
1/7/2008	NP		23.47	6.00	10.50	6.12	17.35	2,100	190	8.8	18	46	4.1	--	1.06	6.97
4/1/2008	NP		23.47	6.00	10.50	6.48	16.99	2,300	87	2.9	27	68	1.8	--	2.50	7.01
7/23/2008	NP		23.47	6.00	10.50	7.16	16.31	2,900	210	<10	52	78	<10	--	1.4	7.03
10/22/2008	NP		23.47	6.00	10.50	7.77	15.70	4,000	310	7.4	<5.0	7.9	<5.0	--	2.64	7.01
1/21/2009	P	a	23.47	6.00	10.50	7.26	16.21	2,300	51	<5.0	9.4	17	<5.0	--	0.19	7.18
4/21/2009	NP		23.47	6.00	10.50	6.83	16.64	2,100	0.69	<0.50	<0.50	11	0.74	--	1.54	7.08
7/21/2009	--		23.47	6.00	10.50	7.57	15.90	--	--	--	--	--	--	--	--	--
MW-6																
6/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/23/1992	--		22.08	5.50	9.00	7.45	14.63	75,000	19,000	10,000	1,600	8,600	--	--	--	--
6/8/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.08	5.50	9.00	6.79	15.29	65,000	14,000	3,500	1,300	6,100	--	--	--	--
5/13/1993	--		22.08	5.50	9.00	7.73	14.35	36,000	8,200	870	1,000	5,200	--	--	--	--
8/17/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.08	5.50	9.00	7.78	14.30	47,000	14,000	390	1,000	5,100	--	--	--	--
5/5/1994	--	n	22.08	5.50	9.00	8.24	13.84	45,000	14,000	<200	1,300	4,500	--	--	--	--
8/4/1994	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--	n	22.08	5.50	9.00	7.41	14.67	30,000	11,000	<100	1,200	2,300	--	--	--	--
3/17/1995	--	n	22.08	5.50	9.00	6.66	15.42	45,000	9,300	<100	1,900	3,600	--	--	--	--
6/1/1995	--		22.08	5.50	9.00	7.60	14.48	23,000	5,600	<50	1,300	1,900	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
8/31/1995	--		22.08	5.50	9.00	7.92	14.16	26,000	8,000	<100	1,900	900	<500	--	--	--
11/27/1995	--		22.08	5.50	9.00	8.21	13.87	6,700	1,800	<20	480	230	--	--	--	--
2/22/1996	--		22.08	5.50	9.00	6.21	15.87	17,000	3,100	69	810	1,500	<300	--	--	--
5/20/1996	--		22.08	5.50	9.00	7.07	15.01	16,000	3,700	<50	1,100	1,100	<300	--	--	--
8/26/1996	--		22.08	5.50	9.00	7.93	14.15	23,000	5,800	<50	2,000	560	<300	--	--	--
11/20/1996	--	j	22.08	5.50	9.00	8.02	14.06	11,000	3,300	<50	480	370	<300	--	--	--
3/24/1997	--		22.77	5.50	9.00	7.95	14.82	9,700	1,900	<20	800	270	<100	--	--	--
5/23/1997	--		22.77	5.50	9.00	8.17	14.60	16,000	4,300	<50	1,400	180	<300	--	--	--
8/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.77	5.50	9.00	5.78	16.99	2,600	540	8	90	88	<30	--	--	--
4/23/1998	--		22.77	5.50	9.00	6.83	15.94	7,600	1,300	13	520	190	<60	--	0.5	--
7/27/1998	--		22.77	5.50	9.00	7.80	14.97	15,000	3,600	<25	1,100	230	<150	--	1	--
10/14/1998	--		22.77	5.50	9.00	8.31	14.46	8,700	2,400	<20	220	36	<120	--	2	--
1/21/1999	--		22.77	5.50	9.00	7.90	14.87	4,800	1,100	<25	340	79	<150	--	2	--
5/6/1999	--		22.77	5.50	9.00	7.70	15.07	1,300	240	2.3	85	19	5	--	1.18	--
8/23/1999	--		22.77	5.50	9.00	8.24	14.53	4,200	970	12	110	29	<15	--	0.9	--
10/28/1999	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.77	5.50	9.00	7.31	15.46	110	<0.5	0.6	1.5	1.9	11	--	1.1	--
6/20/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.77	5.50	9.00	7.57	15.20	--	--	--	--	--	--	--	--	--
6/20/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.77	5.50	9.00	7.21	15.56	<50	2.6	0.57	1.1	1.6	<2.5	--	--	--
3/15/2002	--		22.77	5.50	9.00	7.51	15.26	2,100	380	8.6	110	17	<25	--	--	--
4/18/2002	--		22.77	5.50	9.00	6.89	15.88	2,200	440	12	96	14	52	--	--	--
7/23/2002	NP		22.77	5.50	9.00	8.50	14.27	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	NP	g	22.77	5.50	9.00	8.05	14.72	<5,000	<50	<50	<50	<50	<50	--	2.1	6.4

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
1/23/2003	--	g, h	22.77	5.50	9.00	--	--	<250	58	<2.5	6.2	3.8	17	--	2.1	--
4/7/2003	--		22.77	5.50	9.00	8.11	14.66	330	13	<0.50	2.7	8.6	15	--	2.2	6.9
8/7/2003	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/23/2003	NP		22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
01/12/2004	NP		22.77	5.50	9.00	7.63	15.14	3,600	560	<25	120	<25	150	--	0.6	7.1
04/20/2004	NP	c, r	24.66	5.50	9.00	8.54	16.12	--	--	--	--	--	--	--	--	--
07/01/2004	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		24.66	5.50	9.00	8.10	16.56	4,900	580	<10	180	30	230	--	2.9	6.9
01/10/2005	NP		24.66	5.50	9.00	7.03	17.63	5,400	540	<25	150	46	240	--	1.29	6.9
04/14/2005	NP		24.66	5.50	9.00	6.85	17.81	3,600	410	5.2	100	25	210	--	2.7	--
08/02/2005	NP		24.66	5.50	9.00	7.28	17.38	4,300	340	<5.0	110	44	150	--	--	6.8
10/21/2005	NP		24.66	5.50	9.00	7.38	17.28	3,400	250	<5.0	80	20	110	--	2.38	6.8
01/04/2006	NP		24.66	5.50	9.00	7.20	17.46	2,800	270	4.0	75	14	130	--	1.07	7.3
04/28/2006	NP		24.66	5.50	9.00	6.60	18.06	4,400	170	<2.5	45	7.2	170	--	1.3	6.8
8/4/2006	NP		24.66	5.50	9.00	7.50	17.16	2,200	93	<2.5	15	9.0	110	--	1.23	6.7
10/23/2006	--		24.66	5.50	9.00	8.48	16.18	--	--	--	--	--	--	--	--	--
1/15/2007	--		24.66	5.50	9.00	8.05	16.61	--	--	--	--	--	--	--	--	--
4/17/2007	NP		24.66	5.50	9.00	7.58	17.08	330	5.6	<1.0	1.5	1.2	24	--	1.82	7.02
7/9/2007	NP		24.66	5.50	9.00	8.34	16.32	1,600	63	1.4	16	9.4	51	--	1.73	7.13
10/1/2007	--		24.66	5.50	9.00	8.60	16.06	--	--	--	--	--	--	--	--	--
1/7/2008	NP		24.66	5.50	9.00	7.22	17.44	300	2.2	<0.50	2.8	1.0	37	--	3.24	7.16
4/1/2008	NP		24.66	5.50	9.00	7.87	16.79	110	<0.50	<0.50	<0.50	<0.50	1.4	--	6.21	7.19
7/23/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
4/21/2009	--	c	24.66	5.50	9.00	7.91	16.75	--	--	--	--	--	--	--	--	--
7/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
MW-7																
6/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
3/23/1992	--		22.89	8.00	10.00	8.20	14.69	270	10	0.5	3	13	--	--	--	--
6/8/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.89	8.00	10.00	7.84	15.05	120	3.6	<0.5	<0.5	1.2	--	--	--	--
5/13/1993	--		22.89	8.00	10.00	8.56	14.33	<50	0.8	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.89	8.00	10.00	8.80	14.09	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.89	8.00	10.00	9.11	13.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--		22.89	8.00	10.00	8.72	14.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.89	8.00	10.00	7.68	15.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.89	8.00	10.00	8.40	14.49	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/31/1995	--		22.89	8.00	10.00	9.09	13.80	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--
11/27/1995	--		22.89	8.00	10.00	9.15	13.74	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--
2/22/1996	--		22.89	8.00	10.00	7.44	15.45	110	1.4	<0.5	3.8	3	<3	--	--	--
5/20/1996	--		22.89	8.00	10.00	8.47	14.42	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.89	8.00	10.00	8.81	14.08	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.89	8.00	10.00	9.17	13.72	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.89	8.00	10.00	8.31	14.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		22.89	8.00	10.00	9.26	13.63	--	--	--	--	--	--	--	--	--
8/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.89	8.00	10.00	6.13	16.76	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		22.89	8.00	10.00	7.44	15.45	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		22.89	8.00	10.00	8.75	14.14	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		22.89	8.00	10.00	9.22	13.67	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
1/21/1999	--		22.89	8.00	10.00	9.07	13.82	52	<0.5	<0.5	<0.5	0.27	<3	--	3.0	--
5/6/1999	--		22.89	8.00	10.00	8.32	14.57	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.83	--
8/23/1999	--		22.89	8.00	10.00	9.25	13.64	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.42	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
10/28/1999	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.89	8.00	10.00	8.79	14.10	<50	<0.5	<0.5	<0.5	<1	<3	--	4.46	--
6/20/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--		22.89	8.00	10.00	8.93	13.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		22.89	8.00	10.00	8.35	14.54	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.89	8.00	10.00	8.42	14.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		22.89	8.00	10.00	8.54	14.35	<50	1.3	2.6	1.1	5.4	<2.5	--	--	--
4/18/2002	--		22.89	8.00	10.00	7.84	15.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	3.32	--
7/23/2002	NP		22.89	8.00	10.00	9.51	13.38	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	NP	g	22.89	8.00	10.00	8.04	14.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	6.7
4/7/2003	--		22.89	8.00	10.00	8.39	14.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.1	6.9
8/7/2003	--		22.89	8.00	10.00	9.01	13.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.5	6.9
10/23/2003	NP		22.89	8.00	10.00	9.22	13.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	NP		22.89	8.00	10.00	8.81	14.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.8	7.3
04/20/2004	NP	r	25.46	8.00	10.00	8.95	16.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.6	7.2
07/01/2004	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		25.46	8.00	10.00	9.04	16.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	7.1
01/10/2005	NP		25.46	8.00	10.00	8.25	17.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.02	7.0
04/14/2005	--		25.46	8.00	10.00	7.95	17.51	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.46	8.00	10.00	8.40	17.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.8
10/21/2005	--		25.46	8.00	10.00	8.92	16.54	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.46	8.00	10.00	8.62	16.84	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.46	8.00	10.00	7.78	17.68	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.46	8.00	10.00	8.78	16.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.49	7.2
10/23/2006	--		25.46	8.00	10.00	9.39	16.07	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.46	8.00	10.00	9.06	16.40	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.46	8.00	10.00	9.12	16.34	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
7/9/2007	NP	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.46	8.00	10.00	9.60	15.86	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.46	8.00	10.00	8.99	16.47	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.46	8.00	10.00	8.35	17.11	--	--	--	--	--	--	--	--	--
7/23/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.46	8.00	10.00	9.35	16.11	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.46	8.00	10.00	8.72	16.74	--	--	--	--	--	--	--	--	--
7/21/2009	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
MW-8																
6/10/1991	--		20.97	6.50	10.50	7.80	13.17	5,800	73	7.2	150	21	--	--	--	--
10/10/1991	--		20.97	6.50	10.50	8.87	12.10	2,800	31	6.1	4.5	3.9	--	--	--	--
3/23/1992	--	n	20.97	6.50	10.50	5.81	15.16	8,000	18	<5	320	42	--	--	--	--
6/8/1992	--	n	20.97	6.50	10.50	8.01	12.96	4,000	<10	<10	110	<10	--	--	--	--
9/15/1992	--	n	20.97	6.50	10.50	8.80	12.17	4,200	6.4	<5	120	<5	--	--	--	--
11/16/1992	--	n	20.97	6.50	10.50	8.19	12.78	2,600	4	<2.5	21	5.2	--	--	--	--
2/16/1993	--	n	20.97	6.50	10.50	5.84	15.13	8,700	<5	<5	200	<5	--	--	--	--
5/13/1993	--	n	20.97	6.50	10.50	6.93	14.04	2,300	<5	<5	42	<5	--	--	--	--
8/17/1993	--	n	20.97	6.50	10.50	7.87	13.10	1,700	1.8	<1.3	16	1.2	--	--	--	--
11/8/1993	--	n	20.97	6.50	10.50	8.31	12.66	1,200	2.4	<1	19	2.3	--	--	--	--
2/14/1994	--	n	20.97	6.50	10.50	7.00	13.97	3,600	3	<1	72	<1	--	--	--	--
5/5/1994	--	n	20.97	6.50	10.50	7.46	13.51	2,100	<2.5	<2.5	8.3	<2.5	--	--	--	--
8/4/1994	--	n	20.97	6.50	10.50	8.17	12.80	1,200	1.5	<1	6.7	<1	--	--	--	--
11/20/1994	--		20.97	6.50	10.50	6.78	14.19	2,300	1.2	1.1	20	2.2	--	--	--	--
3/17/1995	--	n	20.97	6.50	10.50	6.14	14.83	5,400	<5	<5	35	<5	--	--	--	--
6/1/1995	--		20.97	6.50	10.50	6.50	14.47	2,600	<2.5	<2.5	15	<2.5	--	--	--	--
8/31/1995	--		20.97	6.50	10.50	7.35	13.62	1,400	<3	<3	5	<3	520	--	--	--
11/27/1995	--		20.97	6.50	10.50	7.60	13.37	620	<0.5	<0.5	<0.5	0.5	560	--	--	--
2/22/1996	--		20.97	6.50	10.50	5.35	15.62	5,800	<5	<5	28	<5	110	--	--	--
5/20/1996	--		20.97	6.50	10.50	5.92	15.05	6,100	<5	<5	26	<5	240	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
8/26/1996	--		20.97	6.50	10.50	7.08	13.89	970	<1	<1	3	<1	710	--	--	--
11/20/1996	--		20.97	6.50	10.50	7.01	13.96	3,900	<2.5	<2.5	12	<2.5	930	--	--	--
3/24/1997	--		20.89	6.50	10.50	7.33	13.56	1,400	<10	<10	<10	12	1,300	--	--	--
5/23/1997	--		20.89	6.50	10.50	7.55	13.34	730	<5	<5	<5	<5	630	--	--	--
8/19/1997	--		20.89	6.50	10.50	7.87	13.02	<500	<5	<5	<5	<5	290	--	--	--
11/19/1997	--		20.89	6.50	10.50	7.87	13.02	<200	<2	<2	<2	<2	260	--	--	--
2/19/1998	--		20.89	6.50	10.50	4.46	16.43	2,000	<2	<2	9	<2	140	--	--	--
4/23/1998	--		20.89	6.50	10.50	6.35	14.54	4,500	<5	<5	<5	11	590	--	0.5	--
7/27/1998	--		20.89	6.50	10.50	7.43	13.46	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.89	6.50	10.50	7.79	13.10	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.89	6.50	10.50	6.54	14.35	2,000	<2	<2	3	<2	320	--	2.5	--
5/6/1999	--		20.89	6.50	10.50	7.30	13.59	<50	<0.5	<0.5	<0.5	<0.5	160	--	12.76	--
8/23/1999	--		20.89	6.50	10.50	7.45	13.44	<50	<0.5	<0.5	<0.5	<0.5	5	--	7.85	--
10/28/1999	--		20.89	6.50	10.50	8.22	12.67	160	<0.5	<0.5	<0.5	<1	45	--	0.84	--
2/4/2000	--		20.89	6.50	10.50	8.47	12.42	<50	<0.5	<0.5	<0.5	<1	<3	--	1.92	--
6/20/2000	--		20.89	6.50	10.50	7.23	13.66	150	<0.5	0.9	<0.5	<1.0	310	--	--	--
9/29/2000	--		20.89	6.50	10.50	7.91	12.98	149	<0.5	<0.5	<0.5	<0.5	438	--	--	--
12/17/2000	--		20.89	6.50	10.50	7.11	13.78	662	<5.0	<5.0	<5.0	<5.0	273	--	--	--
3/28/2001	--		20.89	6.50	10.50	6.88	14.01	840	<5.0	<5.0	<5.0	<5.0	320	--	--	--
6/20/2001	--		20.89	6.50	10.50	7.25	13.64	230	<0.5	<0.5	<0.5	0.65	330	--	--	--
9/22/2001	--		20.89	6.50	10.50	8.14	12.75	<50	<0.5	<0.5	<0.5	<0.5	6.5	--	--	--
12/27/2001	--		20.89	6.50	10.50	6.73	14.16	780	<0.5	<0.5	0.6	0.89	160	--	--	--
3/15/2002	--		20.89	6.50	10.50	6.94	13.95	1,100	<10	<10	<10	<10	830	--	--	--
4/18/2002	--		20.89	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--
7/23/2002	NP		20.89	6.50	10.50	7.89	13.00	<50	<0.50	<0.50	<0.50	<0.50	8.7	--	4.5	7.7
10/16/2002	NP		20.89	6.50	10.50	8.13	12.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	4.2	7.5
1/23/2003	NP	g	20.89	6.50	10.50	6.47	14.42	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	4.0	7.5
4/7/2003	--		20.89	6.50	10.50	7.49	13.40	<50	<0.50	<0.50	<0.50	<0.50	19	--	4.7	7.5
8/7/2003	--	m	20.89	6.50	10.50	7.93	12.96	<50	<0.50	<0.50	<0.50	<0.50	0.96	--	14.8	8.3
10/23/2003	NP		20.89	6.50	10.50	7.83	13.06	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	--	--
01/12/2004	NP		20.89	6.50	10.50	6.62	14.27	<50	<0.50	<0.50	<0.50	<0.50	13	--	11.2	9.0

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
04/20/2004	NP	r	23.55	6.50	10.50	8.21	15.34	55	<0.50	<0.50	<0.50	<0.50	25	--	10.1	8.7
07/01/2004	NP		23.55	6.50	10.50	8.48	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	14.3	8.0
11/04/2004	NP		23.55	6.50	10.50	7.19	16.36	<50	<0.50	<0.50	<0.50	<0.50	13	--	12.0	7.9
01/10/2005	NP		23.55	6.50	10.50	5.42	18.13	<50	<0.50	<0.50	<0.50	<0.50	10	--	2.65	7.1
04/14/2005	--		23.55	6.50	10.50	5.74	17.81	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.55	6.50	10.50	6.60	16.95	<50	<0.50	<0.50	<0.50	<0.50	16	--	--	7.1
10/21/2005	--	Well inaccessible p	23.55	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.55	6.50	10.50	4.97	18.58	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.55	6.50	10.50	5.67	17.88	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.55	6.50	10.50	7.37	16.18	<50	<0.50	<0.50	<0.50	<0.50	16	--	0.76	7.3
10/23/2006	--		23.55	6.50	10.50	7.74	15.81	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.55	6.50	10.50	7.04	16.51	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.55	6.50	10.50	6.94	16.61	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.55	6.50	10.50	7.71	15.84	<50	<0.50	<0.50	<0.50	<0.50	17	--	1.90	7.25
10/1/2007	--		23.55	6.50	10.50	8.00	15.55	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.55	6.50	10.50	5.79	17.76	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.55	6.50	10.50	6.89	16.66	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.55	6.50	10.50	7.80	15.75	<50	<0.50	<0.50	<0.50	<0.50	8.6	--	1.62	7.08
10/22/2008	--		23.55	6.50	10.50	8.19	15.36	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.55	6.50	10.50	7.75	15.80	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.55	6.50	10.50	6.66	16.89	--	--	--	--	--	--	--	--	--
7/21/2009	P		23.55	6.50	10.50	7.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	3.3	--	13.97	7.56
MW-9																
6/11/1993	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/17/1993	--		20.89	6.00	19.50	8.53	12.36	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		20.89	6.00	19.50	8.87	12.02	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		20.89	6.00	19.50	7.47	13.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		20.89	6.00	19.50	8.04	12.85	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		20.89	6.00	19.50	8.78	12.11	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		20.89	6.00	19.50	6.83	14.06	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
3/17/1995	--		20.89	6.00	19.50	6.94	13.95	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		20.89	6.00	19.50	8.10	12.79	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		20.89	6.00	19.50	8.38	12.51	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		20.89	6.00	19.50	7.36	13.53	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		20.89	6.00	19.50	7.81	13.08	--	--	--	--	--	--	--	--	--
8/26/1996	--		20.89	6.00	19.50	8.00	12.89	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		20.89	6.00	19.50	7.06	13.83	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.26	6.00	19.50	7.74	14.52	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		22.26	6.00	19.50	8.28	13.98	--	--	--	--	--	--	--	--	--
8/19/1997	--		22.26	6.00	19.50	8.32	13.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		22.26	6.00	19.50	8.32	13.94	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.26	6.00	19.50	7.11	15.15	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		22.26	6.00	19.50	8.18	14.08	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.26	6.00	19.50	7.97	14.29	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.6	--
10/14/1998	--		22.26	6.00	19.50	8.29	13.97	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.5	--
1/21/1999	--		22.26	6.00	19.50	7.63	14.63	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.5	--
5/6/1999	--		22.26	6.00	19.50	7.27	14.99	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.26	6.00	19.50	8.24	14.02	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.93	--
10/28/1999	--		22.26	6.00	19.50	8.63	13.63	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.26	6.00	19.50	8.01	14.25	<50	<0.50	1.6	<0.50	<1	<3	--	1.47	--
6/20/2000	--		22.26	6.00	19.50	8.01	14.25	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.26	6.00	19.50	8.44	13.82	<50	<0.5	<0.5	<0.5	<0.5	3.44	--	--	--
12/17/2000	--		22.26	6.00	19.50	7.84	14.42	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.26	6.00	19.50	7.58	14.68	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		22.26	6.00	19.50	7.75	14.51	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.26	6.00	19.50	8.69	13.57	<50	<0.5	<0.5	<0.5	<0.5	7.8	--	--	--
12/27/2001	--		22.26	6.00	19.50	7.15	15.11	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.26	6.00	19.50	7.23	15.03	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.26	6.00	19.50	6.79	15.47	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.26	6.00	19.50	8.30	13.96	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.2

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
10/16/2002	--		22.26	6.00	19.50	8.64	13.62	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.26	6.00	19.50	7.35	14.91	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	3.0	7.2
4/7/2003	--		22.26	6.00	19.50	7.81	14.45	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.26	6.00	19.50	8.31	13.95	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.26	6.00	19.50	8.48	13.78	--	--	--	--	--	--	--	--	--
01/12/2004	--		22.26	6.00	19.50	7.46	14.80	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.64	6.00	19.50	8.65	14.99	--	--	--	--	--	--	--	--	--
07/01/2004	P		23.64	6.00	19.50	9.03	14.61	<50	<0.50	<0.50	<0.50	<0.50	3.2	--	1.3	6.9
11/04/2004	--		23.64	6.00	19.50	7.60	16.04	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.64	6.00	19.50	6.24	17.40	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.64	6.00	19.50	6.90	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.64	6.00	19.50	7.60	16.04	<50	<0.50	<0.50	<0.50	<0.50	3.8	--	--	7.0
10/21/2005	--		23.64	6.00	19.50	8.09	15.55	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.64	6.00	19.50	6.15	17.49	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.64	6.00	19.50	6.95	16.69	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.64	6.00	19.50	7.90	15.74	<50	<0.50	<0.50	<0.50	<0.50	4.0	--	1.23	7.3
10/23/2006	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.64	6.00	19.50	8.82	14.82	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.64	6.00	19.50	7.89	15.75	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.64	6.00	19.50	8.28	15.36	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.80	7.31
10/1/2007	--		23.64	6.00	19.50	8.50	15.14	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.64	6.00	19.50	8.38	15.26	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.64	6.00	19.50	7.92	15.72	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.64	6.00	19.50	8.16	15.48	<50	<0.50	<0.50	<0.50	<0.50	5.0	--	1.39	7.23
10/22/2008	--		23.64	6.00	19.50	8.71	14.93	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.64	6.00	19.50	7.84	15.80	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.64	6.00	19.50	8.35	15.29	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	8.05	7.63
MW-10																
6/11/1993	--		21.12	6.00	16.50	8.14	12.98	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
8/17/1993	--		21.12	6.00	16.50	8.54	12.58	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		21.12	6.00	16.50	8.70	12.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		21.12	6.00	16.50	7.13	13.99	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		21.12	6.00	16.50	8.08	13.04	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		21.12	6.00	16.50	8.84	12.28	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		21.12	6.00	16.50	7.05	14.07	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
3/17/1995	--		21.12	6.00	16.50	6.26	14.86	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		21.12	6.00	16.50	7.63	13.49	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		21.12	6.00	16.50	8.17	12.95	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		21.12	6.00	16.50	8.38	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		21.12	6.00	16.50	5.41	15.71	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		21.12	6.00	16.50	6.78	14.34	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.12	6.00	16.50	8.00	13.12	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		21.12	6.00	16.50	7.81	13.31	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.33	6.00	16.50	7.87	13.46	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		21.33	6.00	16.50	8.33	13.00	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
2/19/1998	--		21.33	6.00	16.50	4.65	16.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		21.33	6.00	16.50	6.28	15.05	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--
7/27/1998	--		21.33	6.00	16.50	7.97	13.36	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.3	--
10/14/1998	--		21.33	6.00	16.50	8.41	12.92	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.0	--
1/21/1999	--		21.33	6.00	16.50	6.65	14.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--
5/6/1999	--		21.33	6.00	16.50	7.74	13.59	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.76	--
8/23/1999	--		21.33	6.00	16.50	8.37	12.96	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.21	--
10/28/1999	--		21.33	6.00	16.50	8.73	12.60	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.12	--
2/4/2000	--		21.33	6.00	16.50	8.78	12.55	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.84	--
6/20/2000	--		21.33	6.00	16.50	7.99	13.34	<0.5	<0.5	<0.5	<0.5	<0.5	<3.0	--	--	--
9/29/2000	--		21.33	6.00	16.50	8.40	12.93	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/17/2000	--		21.33	6.00	16.50	7.91	13.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		21.33	6.00	16.50	7.47	13.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
6/20/2001	--		21.33	6.00	16.50	8.11	13.22	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
9/22/2001	--		21.33	6.00	16.50	8.77	12.56	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		21.33	6.00	16.50	6.94	14.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		21.33	6.00	16.50	7.48	13.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		21.33	6.00	16.50	6.77	14.56	<50	<0.5	<0.5	<0.5	<0.5	3.8	--	1.22	--
7/23/2002	NP		21.33	6.00	16.50	8.42	12.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	7.2
10/16/2002	NP		21.33	6.00	16.50	8.77	12.56	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	6.4
1/23/2003	NP	g	21.33	6.00	16.50	7.12	14.21	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	1.3	7.4
4/7/2003	--		21.33	6.00	16.50	7.73	13.60	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	1.3	7.0
8/7/2003	--		21.33	6.00	16.50	8.45	12.88	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.3	7.3
10/23/2003	--		21.33	6.00	16.50	8.71	12.62	--	--	--	--	--	--	--	--	--
01/12/2004	NP		21.33	6.00	16.50	7.25	14.08	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	8.2	7.5
04/20/2004	--	r	23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
07/01/2004	NP		23.42	6.00	16.50	8.90	14.52	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.0	7.1
11/04/2004	--		23.42	6.00	16.50	7.68	15.74	--	--	--	--	--	--	--	--	--
01/10/2005	NP		23.42	6.00	16.50	6.13	17.29	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	0.9	7.3
04/14/2005	--		23.42	6.00	16.50	6.68	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.42	6.00	16.50	7.54	15.88	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	--	7.1
10/21/2005	--		23.42	6.00	16.50	8.12	15.30	--	--	--	--	--	--	--	--	--
01/04/2006	NP		23.42	6.00	16.50	5.40	18.02	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.4	7.3
04/28/2006	--		23.42	6.00	16.50	6.65	16.77	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.42	6.00	16.50	8.92	14.50	<50	<0.50	<0.50	<0.50	<0.50	1.8	--	0.87	7.3
10/23/2006	--		23.42	6.00	16.50	8.23	15.19	--	--	--	--	--	--	--	--	--
1/15/2007	P		23.42	6.00	16.50	7.47	15.95	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	1.15	7.21
4/17/2007	--		23.42	6.00	16.50	7.74	15.68	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.42	6.00	16.50	8.35	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	2.71	7.48
10/1/2007	--		23.42	6.00	16.50	8.74	14.68	--	--	--	--	--	--	--	--	--
1/7/2008	NP		23.42	6.00	16.50	6.02	17.40	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.22	7.41
4/1/2008	--		23.42	6.00	16.50	8.97	14.45	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.42	6.00	16.50	8.62	14.80	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.2	7.35
10/22/2008	--		23.42	6.00	16.50	9.02	14.40	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
1/21/2009	P		23.42	6.00	16.50	8.55	14.87	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	0.57	7.45
4/21/2009	--		23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.42	6.00	16.50	8.81	14.61	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	7.60	7.77
MW-11																
11/16/1992	--	n	22.38	7.00	12.00	9.02	13.36	7,000	21	<10	18	230	--	--	--	--
2/16/1993	--	n	22.38	7.00	12.00	7.11	15.27	2,200	<10	<10	11	<10	--	--	--	--
5/13/1993	--	n	22.38	7.00	12.00	8.04	14.34	1,600	<2.5	<2.5	41	6.8	--	--	--	--
8/17/1993	--	n	22.38	7.00	12.00	8.78	13.60	830	1.4	<1.0	25	15	--	--	--	--
11/8/1993	--	n	22.38	7.00	12.00	9.23	13.15	370	<1.0	<1.0	2.5	2.1	--	--	--	--
2/14/1994	--	n	22.38	7.00	12.00	7.94	14.44	650	<1	<1.0	2	4	--	--	--	--
5/5/1994	--		22.38	7.00	12.00	8.55	13.83	210	<0.5	<0.5	2.5	0.6	--	--	--	--
8/4/1994	--	n	22.38	7.00	12.00	9.13	13.25	390	<0.5	<0.7	1.9	2.2	--	--	--	--
11/20/1994	--		22.38	7.00	12.00	7.73	14.65	1,300	1.3	0.5	1.5	21	--	--	--	--
3/17/1995	--		22.38	7.00	12.00	6.94	15.44	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.38	7.00	12.00	7.90	14.48	210	<0.5	<0.5	0.9	0.7	--	--	--	--
8/31/1995	--		22.38	7.00	12.00	8.18	14.20	680	<0.5	<0.5	4	1.8	<3	--	--	--
11/27/1995	--		22.38	7.00	12.00	8.48	13.90	340	<0.5	<0.5	2.2	1.6	--	--	--	--
2/22/1996	--		22.38	7.00	12.00	6.63	15.75	150	<0.5	<0.5	<0.8	<0.8	<3	--	--	--
5/20/1996	--		22.38	7.00	12.00	7.25	15.13	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.38	7.00	12.00	8.22	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.38	7.00	12.00	8.37	14.01	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.97	7.00	12.00	8.15	12.82	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.97	7.00	12.00	6.25	14.72	<50	<0.5	1.6	<0.5	1.8	7	--	--	--
4/23/1998	--		20.97	7.00	12.00	7.23	13.74	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.97	7.00	12.00	8.05	12.92	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.97	7.00	12.00	8.58	12.39	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.97	7.00	12.00	8.25	12.72	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
5/6/1999	--		20.97	7.00	12.00	7.95	13.02	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.97	7.00	12.00	8.51	12.46	--	--	--	--	--	--	--	0.86	--
10/28/1999	--		20.97	7.00	12.00	8.95	12.02	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<1	<3	--	3.29	--
6/20/2000	--		20.97	7.00	12.00	8.18	12.79	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.97	7.00	12.00	8.60	12.37	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.97	7.00	12.00	9.11	11.86	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.97	7.00	12.00	7.50	13.47	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.97	7.00	12.00	7.87	13.10	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.97	7.00	12.00	7.22	13.75	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.97	7.00	12.00	8.76	12.21	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.97	7.00	12.00	9.15	11.82	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	20.97	7.00	12.00	7.61	13.36	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	7.4
4/7/2003	--		20.97	7.00	12.00	8.25	12.72	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.97	7.00	12.00	8.84	12.13	--	--	--	--	--	--	--	--	--
10/23/2003	--		20.97	7.00	12.00	9.09	11.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.97	7.00	12.00	7.70	13.27	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	24.97	7.00	12.00	9.18	15.79	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	24.97	7.00	12.00	9.90	15.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.01
11/04/2004	--		24.97	7.00	12.00	8.21	16.76	--	--	--	--	--	--	--	--	--
01/10/2005	--		24.97	7.00	12.00	6.94	18.03	--	--	--	--	--	--	--	--	--
04/14/2005	--		24.97	7.00	12.00	6.77	18.20	--	--	--	--	--	--	--	--	--
08/02/2005	--		24.97	7.00	12.00	7.57	17.40	--	--	--	--	--	--	--	--	--
10/21/2005	--		24.97	7.00	12.00	8.08	16.89	--	--	--	--	--	--	--	--	--
01/04/2006	--		24.97	7.00	12.00	7.20	17.77	--	--	--	--	--	--	--	--	--
04/28/2006	--		24.97	7.00	12.00	6.90	18.07	--	--	--	--	--	--	--	--	--
8/4/2006	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
10/23/2006	--		24.97	7.00	12.00	8.75	16.22	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
1/15/2007	--		24.97	7.00	12.00	8.19	16.78	--	--	--	--	--	--	--	--	--
4/17/2007	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
7/9/2007	--		24.97	7.00	12.00	8.73	16.24	--	--	--	--	--	--	--	--	--
10/1/2007	--		24.97	7.00	12.00	8.65	16.32	--	--	--	--	--	--	--	--	--
1/7/2008	--		24.97	7.00	12.00	7.52	17.45	--	--	--	--	--	--	--	--	--
4/1/2008	--		24.97	7.00	12.00	8.18	16.79	--	--	--	--	--	--	--	--	--
7/23/2008	--		24.97	7.00	12.00	9.27	15.70	--	--	--	--	--	--	--	--	--
10/22/2008	--		24.97	7.00	12.00	9.11	15.86	--	--	--	--	--	--	--	--	--
1/21/2009	--		24.97	7.00	12.00	8.72	16.25	--	--	--	--	--	--	--	--	--
4/21/2009	--		24.97	7.00	12.00	8.22	16.75	--	--	--	--	--	--	--	--	--
7/21/2009	--		24.97	7.00	12.00	8.98	15.99	--	--	--	--	--	--	--	--	--
MW-12																
11/16/1992	--		22.77	7.50	12.50	9.65	13.12	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.77	7.50	12.50	7.88	14.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.77	7.50	12.50	8.63	14.14	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.77	7.50	12.50	9.30	13.47	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.77	7.50	12.50	9.72	13.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.77	7.50	12.50	8.24	14.53	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.77	7.50	12.50	8.97	13.80	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.77	7.50	12.50	9.57	13.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.77	7.50	12.50	8.06	14.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.77	7.50	12.50	7.09	15.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.77	7.50	12.50	8.40	14.37	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.77	7.50	12.50	8.55	14.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		22.77	7.50	12.50	8.95	13.82	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.77	7.50	12.50	6.81	15.96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.77	7.50	12.50	7.56	15.21	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.77	7.50	12.50	8.63	14.14	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.77	7.50	12.50	8.38	14.39	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.11	7.50	12.50	8.75	11.36	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
5/23/1997	--		20.11	7.50	12.50	8.92	11.19	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.11	7.50	12.50	6.28	13.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.11	7.50	12.50	7.52	12.59	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.11	7.50	12.50	8.52	11.59	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.11	7.50	12.50	9.06	11.05	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.11	7.50	12.50	8.20	11.91	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.11	7.50	12.50	8.47	11.64	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.11	7.50	12.50	9.04	11.07	--	--	--	--	--	--	--	0.85	--
10/28/1999	--		20.11	7.50	12.50	9.40	10.71	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.11	7.50	12.50	8.38	11.73	<50	<0.5	<0.5	<0.5	<1	<3	--	3.34	--
6/20/2000	--		20.11	7.50	12.50	8.55	11.56	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.11	7.50	12.50	8.98	11.13	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.11	7.50	12.50	8.76	11.35	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.11	7.50	12.50	8.31	11.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.11	7.50	12.50	9.10	11.01	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.11	7.50	12.50	9.48	10.63	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.11	7.50	12.50	7.78	12.33	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.11	7.50	12.50	8.22	11.89	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.11	7.50	12.50	7.65	12.46	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.11	7.50	12.50	9.18	10.93	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.11	7.50	12.50	9.51	10.60	--	--	--	--	--	--	--	--	--
1/23/2003	--		20.11	7.50	12.50	7.86	12.25	--	--	--	--	--	--	--	--	--
4/7/2003	--		20.11	7.50	12.50	8.58	11.53	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.11	7.50	12.50	9.23	10.88	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.11	7.50	12.50	9.44	10.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.11	7.50	12.50	8.08	12.03	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.32	7.50	12.50	9.28	16.04	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.32	7.50	12.50	9.65	15.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.0
11/04/2004	--		25.32	7.50	12.50	8.53	16.79	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
01/10/2005	--		25.32	7.50	12.50	7.04	18.28	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.32	7.50	12.50	6.95	18.37	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.32	7.50	12.50	8.05	17.27	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.32	7.50	12.50	8.70	16.62	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.32	7.50	12.50	10.00	15.32	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.32	7.50	12.50	7.19	18.13	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.32	7.50	12.50	8.80	16.52	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.32	7.50	12.50	9.17	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.32	7.50	12.50	8.68	16.64	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.32	7.50	12.50	9.18	16.14	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.32	7.50	12.50	9.45	15.87	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.32	7.50	12.50	7.58	17.74	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.32	7.50	12.50	9.34	15.98	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.32	7.50	12.50	9.64	15.68	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.32	7.50	12.50	9.25	16.07	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.32	7.50	12.50	8.66	16.66	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.32	7.50	12.50	9.42	15.90	--	--	--	--	--	--	--	--	--
MW-13																
11/16/1992	--		22.45	--	13.00	9.02	13.43	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.45	--	13.00	7.14	15.31	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.45	--	13.00	7.95	14.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.45	--	13.00	8.57	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.45	--	13.00	8.86	13.59	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.45	--	13.00	7.78	14.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.45	--	13.00	8.38	14.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.45	--	13.00	8.78	13.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.45	--	13.00	7.68	14.77	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.45	--	13.00	6.91	15.54	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
6/1/1995	--		22.45	--	13.00	7.72	14.73	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.45	--	13.00	7.58	14.87	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.45	--	13.00	7.98	14.47	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.45	--	13.00	6.71	15.74	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.45	--	13.00	6.98	15.47	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.45	--	13.00	7.85	14.60	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.45	--	13.00	7.76	14.69	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.75	--	13.00	8.16	12.59	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.75	--	13.00	6.44	14.31	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.75	--	13.00	6.80	13.95	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.75	--	13.00	7.52	13.23	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		20.75	--	13.00	8.15	12.60	<50	<0.5	<0.5	<0.5	<0.5	<3	--	2.0	--
1/21/1999	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.75	--	13.00	7.82	12.93	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.75	--	13.00	8.29	12.46	--	--	--	--	--	--	--	0.94	--
10/28/1999	--		20.75	--	13.00	8.55	12.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.75	--	13.00	8.11	12.64	<50	<0.5	0.6	<0.5	<1	<3	--	1.27	--
6/20/2000	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.75	--	13.00	8.27	12.48	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.75	--	13.00	8.09	12.66	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.75	--	13.00	7.69	13.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.75	--	13.00	8.46	12.29	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.75	--	13.00	8.57	12.18	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.75	--	13.00	7.14	13.61	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.75	--	13.00	7.62	13.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.75	--	13.00	6.91	13.84	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.75	--	13.00	8.50	12.25	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.75	--	13.00	8.74	12.01	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
1/23/2003	P	g	20.75	--	13.00	7.35	13.40	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	3.4	7.0
4/7/2003	--		20.75	--	13.00	7.99	12.76	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.75	--	13.00	8.60	12.15	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.75	--	13.00	8.55	12.20	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.01	--	13.00	4.57	20.44	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.01	--	13.00	8.71	16.30	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	6.9
11/04/2004	--		25.01	--	13.00	7.79	17.22	--	--	--	--	--	--	--	--	--
01/10/2005	--		25.01	--	13.00	6.80	18.21	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.01	--	13.00	6.88	18.13	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.01	--	13.00	7.15	17.86	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.01	--	13.00	7.64	17.37	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.01	--	13.00	6.97	18.04	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.01	--	13.00	8.18	16.83	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.01	--	13.00	8.51	16.50	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.01	--	13.00	7.91	17.10	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.01	--	13.00	8.04	16.97	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.01	--	13.00	8.50	16.51	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.01	--	13.00	8.72	16.29	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.01	--	13.00	8.27	16.74	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.01	--	13.00	7.88	17.13	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.01	--	13.00	6.40	18.61	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.01	--	13.00	8.86	16.15	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.01	--	13.00	8.54	16.47	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.01	--	13.00	8.77	16.24	--	--	--	--	--	--	--	--	--
MW-14																
9/15/1992	--		22.99	7.50	13.50	10.66	12.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/16/1992	--		22.99	7.50	13.50	10.33	12.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
2/16/1993	--		22.99	7.50	13.50	8.18	14.81	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.99	7.50	13.50	9.05	13.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.99	7.50	13.50	22.99	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.99	7.50	13.50	10.25	12.74	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.99	7.50	13.50	8.80	14.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.99	7.50	13.50	9.49	13.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.99	7.50	13.50	10.11	12.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.99	7.50	13.50	8.66	14.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.99	7.50	13.50	8.17	14.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.99	7.50	13.50	8.57	14.42	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.99	7.50	13.50	9.05	13.94	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.99	7.50	13.50	9.19	13.80	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.99	7.50	13.50	6.52	16.47	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.99	7.50	13.50	7.88	15.11	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.99	7.50	13.50	8.83	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.99	7.50	13.50	8.95	14.04	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.90	7.50	13.50	9.61	11.29	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.90	7.50	13.50	9.80	11.10	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.90	7.50	13.50	9.80	11.10	<50	1.7	<0.5	0.6	3	<3	--	--	--
2/19/1998	--		20.90	7.50	13.50	6.27	14.63	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.90	7.50	13.50	7.75	13.15	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
10/14/1998	--		20.90	7.50	13.50	9.73	11.17	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
1/21/1999	--		20.90	7.50	13.50	8.90	12.00	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.73	--
8/23/1999	--		20.90	7.50	13.50	9.68	11.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.91	--
10/28/1999	--		20.90	7.50	13.50	10.00	10.90	<50	<0.5	<0.5	<0.5	<1	<10	--	1.06	--
2/4/2000	--		20.90	7.50	13.50	8.19	12.71	<50	<0.5	0.5	<0.5	<1	<3	--	1.21	--
6/20/2000	--		20.90	7.50	13.50	9.16	11.74	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--	--
9/29/2000	--		20.90	7.50	13.50	9.48	11.42	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
12/17/2000	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		20.90	7.50	13.50	8.91	11.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.90	7.50	13.50	9.70	11.20	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	--
9/22/2001	--		20.90	7.50	13.50	10.04	10.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		20.90	7.50	13.50	8.33	12.57	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		20.90	7.50	13.50	8.75	12.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.90	7.50	13.50	8.21	12.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
7/23/2002	NP		20.90	7.50	13.50	9.76	11.14	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.1
10/16/2002	NP		20.90	7.50	13.50	10.10	10.80	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.1	5.8
1/23/2003	NP	g	20.90	7.50	13.50	8.41	12.49	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.3	7.1
4/7/2003	--		20.90	7.50	13.50	9.09	11.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.9
8/7/2003	--		20.90	7.50	13.50	9.81	11.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.7
10/23/2003	P		20.90	7.50	13.50	10.04	10.86	--	--	--	--	--	--	--	--	--
01/12/2004	P		20.90	7.50	13.50	8.89	12.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.0	7.2
04/20/2004	--	r	25.55	7.50	13.50	9.62	15.93	--	--	--	--	--	--	--	--	--
07/01/2004	NP		25.55	7.50	13.50	10.03	15.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.6	6.7
11/04/2004	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--
01/10/2005	NP		25.55	7.50	13.50	7.61	17.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.06	6.9
04/14/2005	--		25.55	7.50	13.50	7.70	17.85	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.55	7.50	13.50	8.73	16.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.9
10/21/2005	--		25.55	7.50	13.50	9.47	16.08	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.55	7.50	13.50	6.92	18.63	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.55	7.50	13.50	7.71	17.84	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.55	7.50	13.50	9.32	16.23	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.95	6.8
10/23/2006	--		25.55	7.50	13.50	9.66	15.89	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.55	7.50	13.50	9.05	16.50	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.55	7.50	13.50	9.16	16.39	--	--	--	--	--	--	--	--	--
7/9/2007	NP		25.55	7.50	13.50	9.67	15.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.87	7.13
10/1/2007	--		25.55	7.50	13.50	9.95	15.60	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.55	7.50	13.50	8.74	16.81	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
7/23/2008	NP		25.55	7.50	13.50	9.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.18	6.93
10/22/2008	--		25.55	7.50	13.50	10.20	15.35	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.55	7.50	13.50	9.81	15.74	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.55	7.50	13.50	9.22	16.33	--	--	--	--	--	--	--	--	--
7/21/2009	NP		25.55	7.50	13.50	9.90	15.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	11.04	7.21
MW-15																
5/13/1993	--		19.19	5.50	10.50	5.91	13.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		19.19	5.50	10.50	6.54	12.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		19.19	5.50	10.50	6.98	12.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		19.19	5.50	10.50	5.44	13.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		19.19	5.50	10.50	6.84	12.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		19.19	5.50	10.50	5.31	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		19.19	5.50	10.50	5.21	13.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		19.19	5.50	10.50	5.84	13.35	--	--	--	--	--	--	--	--	--
8/31/1995	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		19.19	5.50	10.50	6.42	12.77	--	--	--	--	--	--	--	--	--
2/22/1996	--		19.19	5.50	10.50	4.84	14.35	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--
5/20/1996	--		19.19	5.50	10.50	5.31	13.88	--	--	--	--	--	--	--	--	--
8/26/1996	--		19.19	5.50	10.50	6.05	13.14	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--
11/20/1996	--		19.19	5.50	10.50	5.46	13.73	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.08	5.50	10.50	6.00	16.08	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--
5/23/1997	--		22.08	5.50	10.50	6.25	15.83	--	--	--	--	--	--	--	--	--
8/19/1997	--	j	22.08	5.50	10.50	6.34	15.74	99	<0.5	<0.5	<0.5	0.7	6	--	--	--
11/19/1997	--		22.08	5.50	10.50	6.34	15.74	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.08	5.50	10.50	4.66	17.42	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--
4/23/1998	--		22.08	5.50	10.50	5.18	16.90	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.08	5.50	10.50	6.02	16.06	<50	<0.5	<0.5	<0.5	<0.5	50	--	1.0	--
10/14/1998	--		22.08	5.50	10.50	6.26	15.82	<50	<0.5	<0.5	<0.5	<0.5	27	--	1.5	--
1/21/1999	--		22.08	5.50	10.50	5.33	16.75	<50	<0.5	<0.5	<0.5	<0.5	6	--	1.0	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
5/6/1999	--		22.08	5.50	10.50	5.82	16.26	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.08	5.50	10.50	6.24	15.84	<50	<0.5	<0.5	<0.5	<0.5	21	--	1.14	--
10/28/1999	--		22.08	5.50	10.50	6.60	15.48	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.08	5.50	10.50	7.02	15.06	<50	<0.5	<0.5	<0.5	<1	<3	--	1.09	--
6/20/2000	--		22.08	5.50	10.50	5.98	16.10	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.08	5.50	10.50	6.50	15.58	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--
12/17/2000	--		22.08	5.50	10.50	5.89	16.19	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.08	5.50	10.50	5.78	16.30	<50	<0.5	<0.5	<0.5	<0.5	11.1	--	--	--
6/20/2001	--		22.08	5.50	10.50	5.72	16.36	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.08	5.50	10.50	6.79	15.29	<50	<0.5	<0.5	<0.5	<0.5	13	--	--	--
12/27/2001	--		22.08	5.50	10.50	5.49	16.59	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.08	5.50	10.50	5.68	16.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.08	5.50	10.50	4.85	17.23	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.08	5.50	10.50	6.32	15.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	2.0	7.9
10/16/2002	--		22.08	5.50	10.50	6.69	15.39	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.08	5.50	10.50	5.70	16.38	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	2.6	7.5
4/7/2003	--		22.08	5.50	10.50	5.94	16.14	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.08	5.50	10.50	6.32	15.76	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.08	5.50	10.50	6.56	15.52	--	--	--	--	--	--	--	--	--
01/12/2004	--		22.08	5.50	10.50	5.71	16.37	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	21.72	5.50	10.50	7.10	14.62	--	--	--	--	--	--	--	--	--
07/01/2004	P		21.72	5.50	10.50	7.18	14.54	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.6	7.3
11/04/2004	--		21.72	5.50	10.50	5.90	15.82	--	--	--	--	--	--	--	--	--
01/10/2005	--		21.72	5.50	10.50	5.30	16.42	--	--	--	--	--	--	--	--	--
04/14/2005	--		21.72	5.50	10.50	5.40	16.32	--	--	--	--	--	--	--	--	--
08/02/2005	P		21.72	5.50	10.50	5.33	16.39	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.5
10/21/2005	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
01/04/2006	--		21.72	5.50	10.50	5.19	16.53	--	--	--	--	--	--	--	--	--
04/28/2006	--		21.72	5.50	10.50	5.45	16.27	--	--	--	--	--	--	--	--	--
8/4/2006	P		21.72	5.50	10.50	5.99	15.73	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.49	7.1
10/23/2006	--		21.72	5.50	10.50	6.36	15.36	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
1/15/2007	--		21.72	5.50	10.50	6.00	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	--		21.72	5.50	10.50	5.98	15.74	--	--	--	--	--	--	--	--	--
7/9/2007	NP		21.72	5.50	10.50	6.26	15.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.77	7.44
10/1/2007	--		21.72	5.50	10.50	6.53	15.19	--	--	--	--	--	--	--	--	--
1/7/2008	--		21.72	5.50	10.50	6.12	15.60	--	--	--	--	--	--	--	--	--
4/1/2008	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
7/23/2008	NP		21.72	5.50	10.50	6.30	15.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.07	7.32
10/22/2008	--		21.72	5.50	10.50	6.69	15.03	--	--	--	--	--	--	--	--	--
1/21/2009	--		21.72	5.50	10.50	6.22	15.50	--	--	--	--	--	--	--	--	--
4/21/2009	--		21.72	5.50	10.50	5.79	15.93	--	--	--	--	--	--	--	--	--
7/21/2009	NP		21.72	5.50	10.50	6.34	15.38	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	9.63	7.63
MW-16																
7/21/2009	P		22.89	--	--	12.90	9.99	1,500	2.3	13	36	300	0.68	--	14.83	7.71
MW-17																
7/21/2009	P		23.42	--	--	7.58	15.84	3,700	61	160	150	1,300	2.8	--	11.48	7.57
MW-18																
7/21/2009	P		24.48	--	--	8.73	15.75	290	1.1	<0.50	8.0	1.4	4.8	--	14.25	7.69
MW-19																
7/21/2009	P		25.10	--	--	9.34	15.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	13.65	8.03

SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
GRO = Gasoline range organics, range C4-C12
GWE = Groundwater elevation measured in ft
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged before sampling
P = Well purged before sampling
Semi-VOCs = Semivolatile organic compounds
TOC = Top of casing in ft
TPH-g = Total petroleum hydrocarbons as gasoline
g/L = Micrograms per liter
ND = Not detected above the various semi-VOCs laboratory reporting limits

FOOTNOTES:

a = Sheen in well.
b = Well is dry.
c = Insufficient water to sample.
d = Chromatogram Pattern: Gasoline C6-C10.
e = Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
g = TPH, benzene, toluene, ethylbenzene, and total xylenes (BTEX), and MTBE analyzed by EPA Method 8260B beginning on the 1st quarter 2003 sampling event (1/23/03).
h = This sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
i = GWE adjusted using the formula $GWE = (TOC - DTW) + (\text{free product (FP) thickness} \times 0.8)$.
j = Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint.
k = DO reading not taken due to the presence of sheen.
l = FP in well.
m = Gauged with ORC sock in well.
n = Method reporting limit for benzene, toluene, ethylbenzene, and/or total xylenes was raised due to high analyte concentration requiring sample dilution or matrix interference.
o = Well dewatered.
p = Well inaccessible.
q = Insufficient sample available to follow standard QC procedures.
r = Wells resurveyed February 27, 2004.
s = Reporting limits elevated due to matrix interferences (SVOCs).
t = Sample preserved improperly.
u = Reporting limits raised due to high level of non-target analytes (SVOCs) .
v = Wells surveyed June 23, 2009.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Top and bottom of screen measurements for wells MW-1 to MW-3, and MW-7 were taken from Delta Environmental Consulting Inc. sampling sheets because the well construction logs were not available.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<1,000	<200	69	<5.0	<5.0	<5.0	<5.0	<5.0	
8/7/2003	<5,000	<1,000	160	<25	<25	<25	<25	<25	
10/23/2003	--	<1,000	220	<25	<25	<25	<25	<25	
01/12/2004	<5,000	<1,000	140	<50	<50	<50	<25	<25	
04/20/2004	<5,000	<1,000	84	<25	<25	<25	<25	<25	
07/01/2004	<2,000	<400	100	<10	<10	<10	<10	<10	
11/04/2004	<1,000	<200	130	<5.0	<5.0	5.5	<5.0	<5.0	
01/10/2005	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
04/14/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
08/02/2005	<100	530	15	<5.0	<5.0	<5.0	<5.0	<5.0	c
10/21/2005	<1,000	<200	64	<5.0	<5.0	6.2	<5.0	<5.0	
01/04/2006	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
04/28/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	a
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<3,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	--	--	--	--	--	--	--	--	Not sampled due to presence of free product
4/17/2007	<6,000	<400	<10	<10	<10	<10	<10	<10	
7/9/2007	<3,000	<200	81	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<3,000	<200	9.3	<5.0	<5.0	<5.0	<5.0	<5.0	
1/7/2008	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/1/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	e
7/23/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
10/22/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
1/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	
4/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
7/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
MW-2									
1/23/2003	<4,000	<2,000	95	<50	<50	<50	<50	<50	
10/23/2003	--	<100	68	<2.5	<2.5	16	<2.5	<2.5	
07/01/2004	<100	28	72	<0.50	<0.50	15	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
08/02/2005	<100	<20	12	<0.50	<0.50	3.4	<0.50	<0.50	
8/4/2006	<300	21	7.9	<0.50	<0.50	2.3	<0.50	<0.50	
7/9/2007	<300	<20	3.2	<0.50	<0.50	0.98	<0.50	<0.50	
7/23/2008	<300	<10	0.78	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	0.83	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
1/23/2003	<8,000	<4,000	<100	<100	<100	<100	<100	<100	
4/7/2003	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
8/7/2003	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
10/23/2003	--	<1,000	<25	<25	<25	<25	<25	<25	
01/12/2004	<1,000	<200	<5.0	<10	<10	<10	<5.0	<5.0	
04/20/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
07/01/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/23/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/10/2005	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
04/14/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
08/02/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/21/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/04/2006	<5,000	<1,000	<25	<25	<25	<25	<25	<25	b
04/28/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
8/4/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
4/17/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
7/9/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/1/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	d
4/1/2008	<60,000	<2,000	<100	<100	<100	<100	<100	<100	
7/23/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
10/22/2008	<75,000	<2,500	<120	<120	<120	<120	<120	<120	
1/21/2009	<60,000	<2,000	<100	<100	<100	<100	<100	<100	
4/21/2009	<30,000	<1,000	<50	<50	<50	<50	<50	<50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
7/21/2009	<15,000	<500	<25	<25	<25	<25	<25	<25	
MW-4									
1/23/2003	<200	<100	5.9	<2.5	<2.5	<2.5	<2.5	<2.5	
4/7/2003	<100	<20	9.2	<0.5	<0.5	0.61	<0.5	<0.50	
8/7/2003	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2003	--	<100	12	<2.5	<2.5	<2.5	<2.5	<2.5	
01/12/2004	<500	<100	4.3	<5.0	<5.0	<5.0	<2.5	<2.5	
04/20/2004	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
07/01/2004	<500	<100	15	<2.5	<2.5	<2.5	<2.5	<2.5	
11/04/2004	<200	<40	5.7	<1.0	<1.0	<1.0	<1.0	<1.0	
01/10/2005	<100	<20	2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
04/14/2005	<100	<20	4.5	<0.50	<0.50	0.61	<0.50	<0.50	
08/02/2005	<100	<20	7.1	<0.50	<0.50	0.97	3.7	<0.50	
10/21/2005	<200	<40	10	<1.0	<1.0	1.3	<1.0	<1.0	b
01/04/2006	<200	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	b
04/28/2006	<600	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	
8/4/2006	<3,000	<200	15	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<300	<20	16	<0.50	<0.50	5.5	<0.50	<0.50	b
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	3.5	<1.0	<1.0	<1.0	<1.0	<1.0	
7/9/2007	<1,200	<80	14	<2.0	<2.0	<2.0	<2.0	<2.0	
10/1/2007	<600	<40	11	<1.0	<1.0	1.6	<1.0	<1.0	
1/7/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
4/1/2008	<300	<10	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	f
10/22/2008	--	--	--	--	--	--	--	--	f
4/21/2009	<300	<10	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<500	<100	32	<2.5	<2.5	6.3	<2.5	<2.5	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
8/7/2003	<100	<20	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	12	<0.50	<0.50	1.7	<0.50	<0.50	
01/12/2004	<100	<20	11	<1.0	<1.0	1.3	<0.50	<0.50	
04/20/2004	<100	<20	12	<0.50	<0.50	3.0	<0.50	<0.50	
07/01/2004	<100	<20	11	<0.50	<0.50	2.0	<0.50	<0.50	
11/04/2004	<100	<20	9.4	<0.50	<0.50	2.0	<0.50	<0.50	
01/10/2005	<100	<20	40	<0.50	<0.50	9.7	<0.50	<0.50	
04/14/2005	<1,000	<200	40	<5.0	<5.0	9.3	<5.0	<5.0	
08/02/2005	<500	<100	19	<2.5	<2.5	5.0	9.2	<2.5	
10/21/2005	<1,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	
01/04/2006	<1,000	<200	30	<5.0	<5.0	7.2	<5.0	<5.0	b
04/28/2006	<3,000	<200	9.9	<5.0	<5.0	<5.0	<5.0	<5.0	
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<6,000	<400	13	<10	<10	<10	<10	<10	b
1/15/2007	<6,000	<400	10	<10	<10	<10	<10	<10	
4/17/2007	<3,000	<200	5.9	<5.0	<5.0	<5.0	<5.0	<5.0	
7/9/2007	<3,000	<200	6.9	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<1,500	<100	4.2	<2.5	<2.5	<2.5	<2.5	<2.5	
1/7/2008	<1,500	<100	4.1	<2.5	<2.5	<2.5	<2.5	<2.5	
4/1/2008	<300	<10	1.8	<0.50	<0.50	0.70	<0.50	<0.50	
7/23/2008	<6,000	<200	<10	<10	<10	<10	<10	<10	
10/22/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
1/21/2009	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/21/2009	<300	<10	0.74	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
1/23/2003	<200	<100	17	<2.5	<2.5	<2.5	<2.5	<2.5	a
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<100	<20	15	<0.5	<0.5	2.1	<0.5	<0.50	
01/12/2004	<5,000	<1,000	150	<50	<50	<50	<25	<25	
11/04/2004	<2,000	<400	230	<10	<10	58	<10	<10	
01/10/2005	<5,000	<1,000	240	<25	<25	65	<25	<25	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-6 Cont.									
04/14/2005	<1,000	<200	210	<5.0	<5.0	56	<5.0	<5.0	
08/02/2005	<1,000	<200	150	<5.0	<5.0	44	<5.0	<5.0	
10/21/2005	<1,000	<200	110	<5.0	<5.0	47	<5.0	<5.0	
01/04/2006	<500	<100	130	<2.5	<2.5	42	<2.5	<2.5	b
04/28/2006	<1,500	<100	170	<2.5	<2.5	59	<2.5	<2.5	
8/4/2006	<1,500	<100	110	<2.5	<2.5	39	<2.5	<2.5	
10/23/2006	--	--	--	--	--	--	--	--	g
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	24	<1.0	<1.0	8.2	<1.0	<1.0	
7/9/2007	<300	<20	51	<0.50	<0.50	21	<0.50	<0.50	
1/7/2008	<300	<20	37	<0.50	<0.50	17	<0.50	<0.50	
4/1/2008	<300	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
10/22/2008	--	--	--	--	--	--	--	--	g
MW-7									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
MW-8									
1/23/2003	<40	<20	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	19	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	0.96	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
10/23/2003	--	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	13	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	10	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
10/21/2005	--	--	--	--	--	--	--	--	Well inaccessible
8/4/2006	<300	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	8.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-9									
1/23/2003	<40	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	5.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-10									
1/23/2003	<40	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	1.7	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	b
08/02/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
01/04/2006	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	b
8/4/2006	<300	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-10 Cont.									
1/15/2007	<300	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
1/7/2008	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
1/21/2009	<300	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-11									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-12									
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-13									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-14									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-15									
1/23/2003	<40	<20	<20	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-16									
7/21/2009	<300	<0.50	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-17									
7/21/2009	<300	10	2.8	<0.50	<0.50	1.0	<0.50	<0.50	
MW-18									
7/21/2009	<300	<10	4.8	<0.50	<0.50	3.0	<0.50	<0.50	
MW-19									
7/21/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS & ABBREVIATIONS :

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit.

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Original analysis for ethanol was a positive result. Reanalysis did not confirm.

d = Sample preserved improperly.

e = FP in well.

f = Insufficient water to sample.

g = Well was dry.

h = Reporting limits raised due to high level of non-target analytes (SVOCs) .

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Lewelling Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/4/1994	Southwest	0.004
11/20/1994	Southwest	0.002
3/17/1995	West-Southwest	0.006
6/1/1995	Southwest	0.003
8/31/1995	South-Southwest	0.005
11/27/1995	South-Southwest	0.004
2/22/1996	Northwest	0.007
5/20/1996	Southwest	0.007
8/26/1996	South-Southwest	0.004
11/20/1996	South-Southeast	0.004
3/24/1997	Southeast	0.013
5/23/1997	Southeast	0.014
8/19/1997	Southeast	0.04
11/19/1997	Southeast	0.016
2/19/1998	East	Variable
4/23/1998	Variable	Variable
7/27/1998	Southeast	0.05
10/14/1998	Southeast	0.02
1/21/1999	East	0.04
5/6/1999	Southeast	0.05
8/23/1999	Southeast	0.02
10/28/1999	Southeast	0.04
2/4/2000	East-Southeast	0.053
6/20/2000	East-Southeast	0.023
9/29/2000	East-Southeast	0.023
12/17/2000	East-Southeast	0.01
3/28/2001	East-Southeast	0.014
6/20/2001	East-Southeast	0.022
9/22/2001	East-Southeast	0.025
12/27/2001	East-Southeast	0.025
3/15/2002	East	0.015
4/18/2002	East	0.015
7/23/2002	East-Southeast	0.025
10/16/2002	East-Southeast	0.022
1/23/2003	East	0.020
4/7/2003	East-Southeast	0.033
8/7/2003	East-Southeast	0.047
10/23/2003	Southeast	0.047
1/12/2004	Southeast	0.042
4/20/2004	Southwest	0.005
7/1/2004	West	0.005
11/4/2004	West to Southwest	0.011 to 0.003

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Lewelling Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
1/10/2005	West to North	0.02 to 0.03
4/14/2005	Northwest to Southwest	0.005 to 0.02
8/2/2005	West to Southwest	0.004 to 0.01
10/21/2005	Southwest	0.005
1/4/2006	Variable	0.009 to 0.04
4/28/2006	Southwest	0.005
8/4/2006	South-Southwest	0.007
10/23/2006	South-Southwest	0.003
1/15/2007	Southwest	0.002
4/17/2007	Southwest	0.001
7/9/2007	Southwest	0.002
10/1/2007	Southwest	0.005
1/7/2008	Southwest	0.006
4/1/2008	Southwest	0.01
7/23/2008	South-Southwest	0.002
10/22/2008	South-Southwest	0.003
1/21/2009	South-Southwest	0.004
4/21/2009	Southwest	0.004
8/21/2009	Southwest	0.002

NOTES:

Wells resurveyed on 2/27/2004

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Leelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1												
07/18/90	Not sampled: well contained floating product											
10/15/90	Not sampled: well contained floating product											
01/09/91	Not sampled: well contained floating product											
04/16/91	Not sampled: well contained floating product											
06/10/91	Not sampled: well contained floating product											
10/10/91	Not sampled: well contained floating product											
03/23/92	Not sampled: well contained floating product											
06/08/92	Not sampled: well contained floating product											
09/15/92	Not sampled: well contained floating product											
11/16/92	Not sampled: well contained floating product											
02/16/93	Not sampled: well contained floating product											
05/13/93	Not sampled: well contained floating product											
08/17/93	Not sampled: well contained floating product											
11/08/93	Not sampled: well contained floating product											
02/14/94	Not sampled: well contained floating product											
05/05/94	Not sampled: well contained floating product											
08/04/94	Not sampled: well contained floating product											
11/20/94	Not sampled: well contained floating product											
03/17/95	NA	NA	NA	NA	NA	NA	NA	1,300	730	<50	150	NA
06/01/95	NA	NA	NA	NA	NA	NA	NA	2200	1700	<100	<100	240
08/31/95	Not sampled: well contained floating product											
11/27/95	Not sampled: well contained floating product											
02/22/96	Not sampled: well contained floating product											
05/20/96	NA	NA	NA	NA	NA	NA	NA	1200	860	<50	<50	<50
08/26/96	NA	NA	NA	NA	NA	NA	NA	2,300	1,800	<500	<1,000	<500
11/20/96	NA	NA	NA	NA	NA	NA	NA	590	250	91	<100	<50
03/24/97	NA	NA	NA	NA	NA	NA	NA	730	610	<50	<100	<50
05/23/97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
08/19/97	NA	NA	NA	NA	NA	NA	NA	1,300	790	<50	<100	<50
11/19/97	NA	NA	NA	NA	NA	NA	NA	<5	<5	5	<10	<5
02/19/98	NA	NA	NA	NA	NA	NA	NA	870	330	<50	<100	<50
04/23/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
07/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/14/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/21/99	NA	NA	NA	NA	NA	NA	NA	950	580	<50	<100	<50
05/06/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
08/23/99	NA	NA	NA	NA	NA	NA	NA	1,200	400	<50	<100	<50
10/28/99	NA	NA	NA	NA	NA	NA	NA	1,100	320	<50	<100	<50
02/04/00	NA	NA	NA	NA	NA	NA	NA	780	330	<50	<100	<50
04/07/03	NA	NA	NA	NA	NA	NA	NA	700	260	<9.6	ND (a)	<4.8

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Leelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1 Cont.												
08/07/03	NA	NA	NA	NA	NA	NA	NA	1100	360	<47	<47	<24
10/23/03	NA	NA	NA	NA	NA	NA	NA	1,100	370	<48	<48	<24
01/12/04	NA	NA	NA	NA	NA	NA	NA	1000	330	62	<24	<24
04/20/04	NA	NA	NA	NA	NA	NA	NA	1,200	440	140	<9.8	<9.8
07/01/04	NA	NA	NA	NA	NA	NA	NA	580	240	66	<51	<25
11/04/04	NA	<5.0	NA	650	<5.0	300	12	890	410	68	<49	<24
01/10/05	NA	<5.0	NA	280	<5.0	130	12	750	230	300	<50	<25
04/20/05	NA	<50	NA	NA	NA	NA	NA	490	140	<50	<50	<25
01/04/06	NA	NA	NA	NA	NA	NA	NA	650	230	59	<10	<5.0
04/28/06	NA	<1.0	NA	100	<5.0	270	7.0	<4.7	<4.7	<9.4	<9.4	<4.7
08/04/06	NA	<5.0	NA	410	5.0	260	<5.0	660	240	40	<9.4	<4.7
07/09/07	NA	<5.0	NA	240	<5.0	220	180	760	260	<99	<99	<50
10/01/07	NA	<200	NA	260	<5.0	260	13	950 (b)	390 (b)	<200 (b)	<200 (b)	<99 (b)
01/07/08	NA	<5.0	NA	56	<5.0	190	7	740 (c)	260 (c)	<96 (c)	<96 (c)	<48 (c)
04/01/08	NA	<20	NA	70	<20	210	<20	960	260	<100	<100	<100
07/23/08	NA	<20	NA	190	<20	180	<20	940	350	<100	<100	<100
10/22/08	NA	<20	NA	190	<20	210	<20	1,300	570	12	<10	<10
01/21/09	NA	<20	NA	99	<20	190	<20	1,500	850	200	<100	<100
04/21/09	NA	<20	NA	63	<20	50	<20	870	450	57	<10	<10
07/21/09	NA	<20	NA	100	<20	120	<20	920	450	<10	<10	<10
MW-2												
07/18/90	39	ND	ND	3,200	2,400	270	2,900	340	170	ND	ND	NA
10/15/90	18	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/09/91	ND	6.5	ND	1,700	1,200	370	2,400	NA	NA	NA	NA	NA
04/16/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	ND	1.7	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	Not analyzed: sampling for additional parameters was discontinued											
MW-8												
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	ND	ND	ND	23	<5.0 (b)	450	23	NA	NA	NA	NA	NA
06/08/92	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/15/92	ND	ND	ND	NA	NA	NA	NA	ND	ND	6	ND	NA
11/16/92	ND	ND	ND	NA	NA	NA	NA	32	ND	ND	ND	NA
02/16/93	ND	ND	ND	NA	NA	NA	NA	730	130	ND	ND	NA
05/13/93	ND	ND	ND	NA	NA	NA	NA	97	20	ND	ND	NA
08/17/93	ND	ND	ND	NA	NA	NA	NA	26	ND	ND	ND	NA
11/08/93	ND	ND	ND	NA	NA	NA	NA	20	ND	19	ND	NA
02/14/94	NA	NA	NA	NA	NA	NA	NA	350	65	ND	ND	NA
05/05/94	<0.5	<0.5	0.7	NA	NA	NA	NA	23	<10	<10	ND	NA
08/04/94	NA	NA	NA	NA	NA	NA	NA	11	<10	10	ND	NA
12/13/94	NA	NA	NA	NA	NA	NA	NA	14	<10	14	ND	NA
03/17/95	Not Analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-8 Cont.												
08/31/95	NA	NA	NA	NA	NA	NA	NA	62	8	<5	<5	<5
11/27/95	NA	NA	NA	NA	NA	NA	NA	15	<5	<5	<5	<5
03/14/96	NA	NA	NA	NA	NA	NA	NA	400	55	<50	<50	<50
05/23/97	NA	NA	NA	NA	NA	NA	NA	26	<5	<5	<10	<5
04/07/03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ABBREVIATIONS & SYMBOLS:

- < = Not detected at or above laboratory reporting limit
- 1,1-DCA = 1,1 Dichloroethane
- 1,2-DCA = 1,2 Dichloroethane
- NA = Not analyzed, not applicable, or not available
- ND = Not detected at or above laboratory reporting limits
- SVOC = Semi Volatile Organic Compound
- mg/L = Micrograms per liter
- VOC = Volatile Organic Compound

FOOTNOTES:

- a. Sample was ND for 2-Methylphenol and ND for 4-Methylphenol. Analysis not performed for 2,4-Dimethylphenol.
- b. Method reporting limit was raised due to high analyte concentration requiring sample dilution or matrix interference.
- c. Method reporting limits were raised due to a high level of non-target analytes.

NOTES:

The data within this table was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 5. Bio-Degradation Parameters
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	pH	ORP (mV)	Total Alkalinity (µg/L)	DO (mg/L)	Nitrate NO3 (µg/L)	Sulfate SO4 (µg/L)	Soluble Sulfide (µg/L)	CO2 (µg/L)	Methane (µg/L)	Manganese (µg/L)	Ferrous Iron (mg/L)	Comments
MW-1												
7/21/2009	7.10	--	--	10.85	<100	2,700	<50	--	--	--	5.8	
MW-3												
7/21/2009	7.35	--	--	11.67	<100	2,400	<50	--	--	--	<0.10	
MW-8												
7/21/2009	7.56	--	--	13.97	<100	50,000	<50	--	--	--	<0.10	
MW-16												
7/21/2009	7.71	--	--	14.83	<100	94,000	<50	--	--	--	<0.10	
MW-17												
7/21/2009	7.57	--	--	11.48	<100	250,000	<50	--	--	--	<0.10	
MW-18												
7/21/2009	7.69	--	--	14.25	<100	24,000	<50	--	--	--	<0.10	
MW-19												
7/21/2009	8.03	--	--	13.65	920	110,000	<50	--	--	--	<0.10	

ABBREVIATIONS AND SYMBOLS:

< = Not detected at or above specified laboratory reporting limit

ORP = Oxygen reduction potential

DO = Dissolved oxygen

CO₂ = Carbon dioxide

mV = Millivolts

µg/L = Micrograms per liter

mg/L = Milligrams per liter

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, LABORATORY ANALYTICAL REPORT WITH
CHAIN-OF-CUSTODY DOCUMENTATION, AND FIELD PROCEDURES)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

August 4, 2009

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 601, located at
712 Lewelling Boulevard, San Leandro, California.

General Information

Data Submittal Prepared / Reviewed by: Carol Huff / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representatives: Tony Hill

Sampling Date: July 21, 2009

Unusual Field Conditions: None noted.

Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: Wells MW-8 and MW-16 purged dry before three casing volumes were removed. Wells MW-6 and MW-7 were dry.


This submittal presents the data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations.


August 4, 2009

Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO



Site Address
City
Sampled by:
Signature

712 Lewelling Blvd
San Leandro, CA
TH 1/12
[Signature]

Site Number
Project Number
Project PM
DATE

Arco 601
E 601
San Johnson
7/21/09

Water Level Data

Purge Volume Calculations

Purge Method

Sample Record

Field Data

Water Level Data					Purge Volume Calculations					Purge Method				Sample Record			Field Data		
Well ID	Time	Depth to Product (feet)	Depth to Water (feet)	Total Depth (feet)	Water column (feet)	Diameter (inches)	Multiplier	3 casing volumes (gallons)	Actual water purged (gallons)	No Purge	Bailer	Pump	other	DTW at sample time (feet)	Sample I.D	Sample Time	Pre DO (mg/L)	Post DO	
MW-1	0644		8.91	10.90	1.99	4	2	3.98											
2	0627		8.01	12.10		4	2												
3	0623		6.84	11.75	4.91	4	2			X	X			9.30	MW-1	1105	10.85	9.65	
8	0620		7.86	10.00	2.14	4	2	9.82	4					8.01	2	0640	11.67		
9	0712		8.35	16.05		2	2	4.28	2.5	Dry	2.5	X		7.82	3	1025	11.15	11.21	
10	0657		8.81	14.88		2	5			X	X			7.86	8	1100	13.97		
14	0610		9.90	12.80		2	5			X	X			8.35	9	0720	8.05		
15	0642		6.34	9.90		2	5			X	X			8.81	10	0710	7.60		
16	0633		12.90	15.00	2.10	4	2	4.20	1.5	X	X			9.90	14	0625	11.04		
17	0641		7.58	14.90	7.32	4	2	14.64	3	Dry	1.5	X		6.34	15	0655	9.63		
18	0651		8.73	14.52	5.79	4	2	11.58	4.5					13.70	16	1120	17.83	12.89	
MW-19	0601		9.34	14.90	5.56	4	2	11.12	5					9.48	17	1140	11.48	8.86	
														11.33	18	1150	14.25		
MW-4	0628		7.18	8.30										9.67	MW-19	1045	13.65	12.83	
5	0638		7.57	9.90															
6	0649		DRY	8.41															
7	0612		DRY	9.36															
11	0645		8.98	11.67															
12	0700		9.42	11.43															
MW-13	0705		8.77	12.77															

Multiplier

2" = 0.5 3" = 1 4" = 2

Please refer to

Multiplier
2" = 0.5 3" = 1.0 4" = 2.0 6" = 4.4

Please refer to groundwater sampling field procedures
pH/Conductivity/temperature Meter - Oakton Model PC-10
DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE

pH
Conductivity
DO

AMS 7/19/09

Well ID <u>MW-14</u> <u>0625</u>					Well ID <u>MW-2</u> <u>0640</u>				
purge start time <u>bauler</u> <u>No odor</u>					purge start time <u>bauler</u> <u>No odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>20.0</u>	<u>7.21</u>	<u>1202</u>	<u>Ø</u>	time	<u>21.4</u>	<u>7.47</u>	<u>1066</u>	<u>Ø</u>
time					time				
time					time				
time					time				
purge stop time					purge stop time				
Well ID <u>MW-15</u> <u>0655</u>					Well ID <u>MW-10</u> <u>0710</u>				
purge start time <u>bauler</u> <u>No odor</u>					purge start time <u>bauler</u> <u>No odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>19.7</u>	<u>7.63</u>	<u>918</u>	<u>Ø</u>	time	<u>19.8</u>	<u>7.77</u>	<u>1028</u>	<u>Ø</u>
time					time				
time					time				
time					time				
purge stop time					purge stop time				
Well ID <u>MW-9</u> <u>0720</u>					Well ID <u>MW-17</u> <u>1045</u>				
purge start time <u>bauler</u> <u>No odor</u>					purge start time <u>0730</u> <u>No odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>20.0</u>	<u>7.63</u>	<u>951</u>	<u>Ø</u>	time	<u>19.9</u>	<u>7.66</u>	<u>1428</u>	<u>Ø</u>
time					time	<u>20.2</u>	<u>7.98</u>	<u>1463</u>	<u>1.5</u>
time					time	<u>20.6</u>	<u>8.10</u>	<u>1468</u>	<u>3</u>
time					time	<u>21.0</u>	<u>8.09</u>	<u>1474</u>	<u>4</u>
purge stop time					time	<u>21.0</u>	<u>8.03</u>	<u>1467</u>	<u>5</u>
purge stop time					purge stop time <u>0812</u>				
Well ID <u>MW-8</u> <u>1100</u>					Well ID <u>MW-16</u>				
purge start time <u>0820</u> <u>No odor</u>					purge start time <u>0842</u> <u>No odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>21.3</u>	<u>7.54</u>	<u>795</u>	<u>Ø</u>	time	<u>20.0</u>	<u>7.69</u>	<u>1738</u>	<u>Ø</u>
time	<u>22.3</u>	<u>7.58</u>	<u>777</u>	<u>1.5</u>	time	<u>20.2</u>	<u>7.71</u>	<u>1722</u>	<u>(1.5)</u>
time					time				
time					time				
purge stop time <u>0837</u>					purge stop time <u>0855</u>				

STRATUS

ENVIRONMENTAL, INC.

Site Address 712 Levee Blvd
 City San Leandro, CA
 Site Sampled by JH / VL

Site Number Arlo 601
 Project No. E 601
 Project PM Jay Johnson
 Date Sampled 7/21/09

Well ID <u>MW-17</u>					Well ID <u>MW-18</u> <u>1150</u>				
purge start time <u>0948</u> <u>No odor</u>					purge start time <u>0925</u> <u>No odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>20.9</u>	<u>7.75</u>	<u>1379</u>	<u>0</u>	time	<u>21.4</u>	<u>7.69</u>	<u>1954</u>	<u>0</u>
time	<u>21.8</u>	<u>7.67</u>	<u>1401</u>	<u>1</u>	time	<u>22.0</u>	<u>7.81</u>	<u>1361</u>	<u>1</u>
time	<u>21.8</u>	<u>7.40</u>	<u>1409</u>	<u>2.5</u>	time	<u>22.7</u>	<u>7.69</u>	<u>1228</u>	<u>2.5</u>
time	<u>21.9</u>	<u>7.57</u>	<u>1400</u>	<u>3</u>	time	<u>22.8</u>	<u>7.59</u>	<u>1217</u>	<u>3.5</u>
time					time	<u>22.9</u>	<u>7.69</u>	<u>1197</u>	<u>4.5</u>
purge stop time <u>0951</u>					purge stop time <u>0948</u>				
Well ID <u>MW-3</u>					Well ID <u>MW-1</u> <u>1105</u>				
purge start time <u>0954</u> <u>odor</u>					purge start time <u>1030</u> <u>odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>21.3</u>	<u>7.55</u>	<u>615</u>	<u>0</u>	time	<u>22.2</u>	<u>7.09</u>	<u>784</u>	<u>0</u>
time	<u>21.9</u>	<u>7.38</u>	<u>611</u>	<u>1</u>	time	<u>22.4</u>	<u>7.11</u>	<u>783</u>	<u>2</u>
time	<u>22.3</u>	<u>7.37</u>	<u>552</u>	<u>2</u>	time	<u>22.8</u>	<u>7.10</u>	<u>778</u>	<u>3</u>
time					time				
time					time				
purge stop time <u>1025</u>					purge stop time <u>1053</u>				
Well ID					Well ID				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time					purge stop time				
Well ID					Well ID				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time					purge stop time				

WELLHEAD OBSERVATION FORM

Site Name/Number: Ar10 601

Date: 7/21/09

Technician: A. 12/1



Well I.D.	Box in Good Condition? X = Yes Blank = No	Lock Missing? X = Yes (replaced) Blank = No	Water in Wellbox? X = Yes Blank = No	Water Level Relative to Cap? A = Above cap B = Below cap L = Level w/cap	Well Cap? I = Intact M = Missing or Compromised (replaced)	Bolts Missing? X = Yes Blank = No	Bolts Stripped? X = Yes Blank = No	Bolt Holes Stripped? X = Yes Blank = No	Cracked or Broken Lid? X = Yes Blank = No	Cracked or Broken Box? X = Yes Blank = No	Grout Level more than 1ft below TOC? X = Yes Blank = No	Additional Comments (such as missing lid, concrete needs replacement, or other - explain)
MW-1												
2	X									X		Bolts broken off in holes
3												
4						X (2)						needs small hex bolts
5						X (2)						Large bolts 1 1/2"
6	X									X		Bolt holes broken off
7	X											
8	X											
9	X											
10	X											
11	X											
12												
13										X		whole frame comes out
14	X							X (1)				one hole stripped
15	X											
MW-16	X											

DRUM INVENTORY

Drums on site?

Yes

(No)

(circle)

Type and #

Steel:

Plastic:

Note whether drums are full or empty, solids or liquids:

Drum label info (description, date, contact info):

(updated 3-28-08, SS)

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

MW-17 good

MW-18 good

MW-19 good

NO. 672159

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

SITE:

EPA
I.D.
NO.

NOT REQUIRED

NAME BP WEST COAST PRODUCTS LLC ARCO #1001ADDRESS P.O. BOX 80243RANCHO SANTA MARGARITACITY, STATE, ZIP CA 92689PROFILE
NO.

PHONE NO. ()

CONTAINERS: No. _____

VOLUME 21 gal

WEIGHT _____

TYPE:

☐TANK
TRUCK☐DUMP
TRUCK☐

DRUMS

☐

CARTONS

☐

OTHER _____

WASTE DESCRIPTION: NON-HAZARDOUS WATER

COMPONENTS OF WASTE

PPM

%

GENERATING PROCESS: WELL PURGING/DECON WATER

COMPONENTS OF WASTE

PPM

%

1. WATER 99-100%

5. _____

2. TDM <1%

6. _____

3. _____

7. BEST

4. _____

8. _____

PROPERTIES: 7-10☐

SOLID

☐

LIQUID

☐

SLUDGE

☐

SLURRY

☐

OTHER _____

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHINGTHE GENERATOR CERTIFIES THAT THE
WASTE AS DESCRIBED IS 100%
NON-HAZARDOUS.Larry Moothart BEST for BP

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

TRANSPORTER

NAME Transporter #1
STRATUS ENVIRONMENTAL

Transporter #2

EPA
I.D.
NO.ADDRESS 3330 CAMERON PARK DR

SERVICE ORDER NO. _____

CITY, STATE, ZIP CAMERON PARK, CA 95632

PICK UP DATE _____

PHONE NO. 530-676-2031

TRUCK, UNIT, I.D. NO. _____

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

TSD FACILITY

NAME INSTRAT, INCEPA
I.D.
NO.

DISPOSAL METHOD

ADDRESS 1105 AIRPORT RD #C☐

LANDFILL

☐

OTHER _____

CITY, STATE, ZIP RIO VISTA, CA 94571PHONE NO. 530-753-1829

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/Q		RT/CD	HWDF	NONE

DISCREPANCY

Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: ARCO 601

Req Due Date (mm/dd/yy): SD - TAT

Page 1 of 2

BP/ARC Facility No: 601

Lab Work Order Number: _____

Rush TAT: Yes ☐ No ☒

Lab Name: <u>Cal Science</u>	BP/ARC Facility Address: <u>712 Lewelling Boulevard</u>	Consultant/Contractor: <u>Stratus Environmental</u>
Lab Address: <u>7440 Lincoln Way</u>	City, State, ZIP Code: <u>San Leandro, CA</u>	Consultant/Contractor Project No: <u>E601-QM/O&M</u>
Lab PM: <u>Richard Villafania</u>	Lead Regulatory Agency: <u>Alameda County</u>	Address: <u>3330 Cameron Park Dr., Cameron Park, CA 95682</u>
Lab Phone: <u>714-895-5494 / 714-895-7501 (fax)</u>	California Global ID No.: <u>T0600100106</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
Lab Shipping Acct: _____	Enfos Proposal No: <u>000S1-0002</u>	Phone: <u>530-676-6000 / 530-676-6005 (fax)</u>
Lab Bottle Order No: _____	Accounting Mode: Provision ☒ OOC-BU ☐ OOC-RM ☐	Email EDD To: <u>chuff@stratusinc.net</u>
Other Info: _____	Stage: <u>Operate</u> Activity: <u>Monitor</u>	Invoice To: <u>BP/ARC</u> Contractor: _____

BP/ARC EBM: <u>Paul Supple</u>	Matrix	No. Containers / Preservative	Requested Analyses	Report Type & QC Level
EBM Phone: <u>925-275-3506</u>				
EBM Email: <u>paul.supple@bp.com</u>				

Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GR0 8215M	8TEX 8260	50HY5 8260	EDB 8260	1,2-DCA 8260	Ethanol 8260	SVOCs 8270	Nitrate EPA 306	Ammonia EPA 306	Disinfectant EPA 376-2	Comments
		<u>7009</u>																					Standard ☒ Full Data Package ☐
	MW-1	<u>0721</u>	<u>1105</u>				<u>9</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	No SVOC
	MW-2	<u>1</u>	<u>0640</u>				<u>6</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	on MW-2
	MW-3	<u>1025</u>					<u>7</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	or MW-3
	MW-8	<u>1100</u>					<u>7</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	Only MW-1
	MW-9	<u>0720</u>					<u>6</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
	MW-10	<u>0710</u>					<u>6</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
	MW-14	<u>0625</u>					<u>6</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
	MW-15	<u>0655</u>					<u>6</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
	MW-16	<u>1120</u>					<u>7</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	
	MW-17	<u>0721</u>	<u>1140</u>				<u>7</u>						<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	

Sampler's Name: <u>A. Hill</u>	Relinquished By / Affiliation: <u>[Signature]</u>	Date: <u>7/21/09</u>	Time: <u>1305</u>	Accepted By / Affiliation: <u>[Signature]</u>	Date: <u>7-21-09</u>	Time: <u>1305</u>
Sampler's Company: <u>Stratus</u>						
Shipment Method: <u>GSO</u>	Ship Date: <u>7/21/09</u>					
Shipment Tracking No: _____						

Special Instructions: Please cc results to bpedf@broadbentinc.com

THIS LINE - LAB USE ONLY: Custody Seals in Place: Yes / No

Temp Blank: Yes / No

Cooler Temp on Receipt: _____ °F/C

Trip Blank: Yes / No

MS/MSD Sample Submitted: Yes / No

Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: ARCO 601

Req Due Date (mm/dd/yy): STD-TAT

Page 2 of 2

BP/ARC Facility No: 601

Lab Work Order Number: STD-TAT

Rush TAT: Yes No X

Lab Name: Cal Science	BP/ARC Facility Address: 712 Lewelling Boulevard	Consultant/Contractor: Stratus Environmental
Lab Address: 7440 Lincoln Way	City, State, ZIP Code: San Leandro, CA	Consultant/Contractor Project No: E601-QM/O&M
Lab PM: Richard Villafania	Lead Regulatory Agency: Alameda County	Address: 3330 Cameron Park Dr., Cameron Park, CA 95682
Lab Phone: 714-895-5494 / 714-895-7501 (fax)	California Global ID No.: TCS00100108	Consultant/Contractor PM: Jay Johnson
Lab Shipping Acct:	Encls Proposal No.: 000S1-0002	Phone: 530-676-6000 / 530-676-6005 (fax)
Lab Bottle Order No:	Accounting Mode: Provision <u>X</u> OOC-BU <u> </u> OOC-RM <u> </u>	Email EDD To: <u>chuff@stratusinc.net</u>
Other Info:	Stage: Operate Activity: Monitor	Invoice To: BP/ARC Contractor <u> </u>


BP/ARC EBM: Paul Supple	EBM Phone: 925-275-3506	EBM Email: <u>paul.supple@bp.com</u>
-------------------------	-------------------------	--------------------------------------

EBM Phone: 925-275-3506				Requested Analyses										Report Type & QC Level																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
EBM Email: paul.supple@bp.com														Standard ☒																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				Full Data Package ☐																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Sampler's Name: <u>A.H./1</u>	Relinquished By / Affiliation: <u>[Signature]</u>	Date: <u>7/21/09</u>	Time: <u>1305</u>	Accepted By: <u>[Signature]</u>	Affiliation: <u>CEC</u>	Date: <u>7/21/09</u>	Time: <u>1305</u>
Sampler's Company: <u>Stratus</u>	Shipment Method: <u>GSO</u>	Ship Date: <u>7/21/09</u>					
Shipment Tracking No: <u> </u>							

Special Instructions: Please cc results to bpedf@broadbentinc.com

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: <u> </u> °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	--	----------------------	-----------------------------------



August 04, 2009

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 09-07-1739**
Client Reference: **ARCO 601**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/22/2009 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, which appears to read 'Richard Villafania'.

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager





Analytical Report

net.c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: EPA 300.0
Units: ug/L

Project: ARCO 601

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID		
MW-1	09-07-1739-1-G	07/21/09 11:05	Aqueous	IC 7	N/A	07/22/09 15:07	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	2700	1000	1	
MW-3	09-07-1739-3-G	07/21/09 10:25	Aqueous	IC 7	N/A	07/22/09 15:24	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	2400	1000	1	
MW-8	09-07-1739-4-G	07/21/09 11:00	Aqueous	IC 7	N/A	07/22/09 15:42	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	50000	1000	1	
MW-16	09-07-1739-9-G	07/21/09 11:20	Aqueous	IC 7	N/A	07/22/09 15:59	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	94000	1000	1	
MW-17	09-07-1739-10-G	07/21/09 11:40	Aqueous	IC 7	N/A	07/22/09 16:16	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	25000	1000	1	
MW-18	09-07-1739-11-G	07/21/09 11:50	Aqueous	IC 7	N/A	07/22/09 17:09	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	24000	1000	1	
MW-19	09-07-1739-12-G	07/21/09 10:45	Aqueous	IC 7	N/A	07/22/09 17:26	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	920	100	1		Sulfate	110000	2000	2	
Method Blank	099-12-906-353	N/A	Aqueous	IC 7	N/A	07/22/09 09:54	090722L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	ND	1000	1	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 4500 S2 - D

Project: ARCO 601

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-07-1739-1-G	07/21/09 11:05	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-3	09-07-1739-3-G	07/21/09 10:25	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-8	09-07-1739-4-G	07/21/09 11:00	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-16	09-07-1739-9-G	07/21/09 11:20	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
-------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L


MW-17	09-07-1739-10-G	07/21/09 11:40	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
-------	-----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-18	09-07-1739-11-G	07/21/09 11:50	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
-------	-----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 4500 S2 - D

Project: ARCO 601

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-19	09-07-1739-12-G	07/21/09 10:45	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

Method Blank	099-05-088-2,639	N/A	Aqueous	N/A	07/22/09	07/22/09 16:20	90722DSB1
--------------	------------------	-----	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 3500-FeB

Project: ARCO 601

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-07-1739-1-G	07/21/09 11:05	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1

Parameter	Result	RL	DF	Qual	Units
Iron (II)	5800	100	1		ug/L

MW-3	09-07-1739-3-G	07/21/09 10:25	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

MW-8	09-07-1739-4-G	07/21/09 11:00	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

MW-16	09-07-1739-9-G	07/21/09 11:20	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
-------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L


MW-17	09-07-1739-10-G	07/21/09 11:40	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
-------	-----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

MW-18	09-07-1739-11-G	07/21/09 11:50	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
-------	-----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 3500-FeB

Project: ARCO 601

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-19	09-07-1739-12-G	07/21/09 10:45	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

Method Blank	099-05-111-3,428	N/A	Aqueous	UV 7	07/22/09	07/22/09 10:28	90722FEL1
--------------	------------------	-----	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 601

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-07-1739-1-D	07/21/09 11:05	Aqueous	GC 29	07/24/09	07/24/09 17:06	090724B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	9700	250	5		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	124	38-134	

MW-2	09-07-1739-2-D	07/21/09 06:40	Aqueous	GC 29	07/24/09	07/24/09 17:39	090724B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	80	38-134	

MW-3	09-07-1739-3-D	07/21/09 10:25	Aqueous	GC 29	07/24/09	07/24/09 18:13	090724B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	36000	1000	20		ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	101	38-134	

MW-8	09-07-1739-4-D	07/21/09 11:00	Aqueous	GC 29	07/24/09	07/24/09 18:46	090724B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	84	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, Inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 601

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-9	09-07-1739-5-D	07/21/09 07:20	Aqueous	GC 29	07/24/09	07/24/09 19:19	090724B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	79	38-134			

MW-10	09-07-1739-6-D	07/21/09 07:10	Aqueous	GC 29	07/24/09	07/24/09 19:53	090724B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	79	38-134			


MW-14	09-07-1739-7-D	07/21/09 06:25	Aqueous	GC 29	07/24/09	07/24/09 20:26	090724B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	81	38-134			

MW-15	09-07-1739-8-D	07/21/09 06:55	Aqueous	GC 29	07/24/09	07/24/09 20:59	090724B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	83	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 601

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-16	09-07-1739-9-D	07/21/09 11:20	Aqueous	GC 29	07/24/09	07/24/09 22:06	090724B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	1500	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	87	38-134	

MW-17	09-07-1739-10-D	07/21/09 11:40	Aqueous	GC 29	07/24/09	07/24/09 22:39	090724B01
-------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	3700	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	109	38-134	

MW-18	09-07-1739-11-D	07/21/09 11:50	Aqueous	GC 29	07/24/09	07/24/09 23:13	090724B01
-------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	290	50	1		ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	91	38-134	

MW-19	09-07-1739-12-D	07/21/09 10:45	Aqueous	GC 29	07/24/09	07/24/09 23:46	090724B01
-------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	77	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 601


Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-612	N/A	Aqueous	GC 29	07/24/09	07/24/09 12:39	090724B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	83	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 3510C
Method: EPA 8270C
Units: ug/L

Project: ARCO 601


Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-07-1739-1-H	07/21/09 11:05	Aqueous	GC/MS P	07/28/09	07/30/09 13:24	090728L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		2,4-Dinitrophenol	ND	50	1	
Phenol	ND	10	1		4-Nitrophenol	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		Dibenzofuran	ND	10	1	
2-Chlorophenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		2,6-Dinitrotoluene	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Diethyl Phthalate	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
2-Methylphenol	ND	10	1		4-Nitroaniline	ND	10	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
3/4-Methylphenol	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
Hexachloroethane	ND	10	1		Hexachlorobenzene	ND	10	1	
Nitrobenzene	ND	25	1		Pentachlorophenol	ND	10	1	
Isophorone	ND	10	1		Phenanthrene	ND	10	1	
2-Nitrophenol	ND	10	1		Anthracene	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
Benzoic Acid	ND	50	1		Fluoranthene	ND	10	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Benzidine	ND	50	1	
2,4-Dichlorophenol	ND	10	1		Pyrene	ND	10	1	
1,2,4-Trichlorobenzene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
Naphthalene	920	100	10		3,3'-Dichlorobenzidine	ND	25	1	
4-Chloroaniline	ND	10	1		Benzo (a) Anthracene	ND	10	1	
Hexachloro-1,3-Butadiene	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Chrysene	ND	10	1	
2-Methylnaphthalene	450	100	10		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	240	10	1	
Acenaphthene	ND	10	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
2-Fluorophenol	56	20-110			Phenol-d6	41	10-115		
Nitrobenzene-d5	95	40-110			2-Fluorobiphenyl	95	50-110		
2,4,6-Tribromophenol	119	40-125			p-Terphenyl-d14	113	50-135		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 3510C
Method: EPA 8270C
Units: ug/L


Project: ARCO 601

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-671-12	N/A	Aqueous	GC/MS P	07/28/09	07/30/09 12:52	090728L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		2,4-Dinitrophenol	ND	50	1	
Phenol	ND	10	1		4-Nitrophenol	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		Dibenzofuran	ND	10	1	
2-Chlorophenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		2,6-Dinitrotoluene	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Diethyl Phthalate	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
2-Methylphenol	ND	10	1		4-Nitroaniline	ND	10	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
3/4-Methylphenol	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
Hexachloroethane	ND	10	1		Hexachlorobenzene	ND	10	1	
Nitrobenzene	ND	25	1		Pentachlorophenol	ND	10	1	
Isophorone	ND	10	1		Phenanthrene	ND	10	1	
2-Nitrophenol	ND	10	1		Anthracene	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
Benzoic Acid	ND	50	1		Fluoranthene	ND	10	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Benzdine	ND	50	1	
2,4-Dichlorophenol	ND	10	1		Pyrene	ND	10	1	
1,2,4-Trichlorobenzene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
Naphthalene	ND	10	1		3,3'-Dichlorobenzidine	ND	25	1	
4-Chloroaniline	ND	10	1		Benzo (a) Anthracene	ND	10	1	
Hexachloro-1,3-Butadiene	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Chrysene	ND	10	1	
2-Methylnaphthalene	ND	10	1		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	ND	10	1	
Acenaphthene	ND	10	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
2-Fluorophenol	61	20-110			Phenol-d6	42	10-115		
Nitrobenzene-d5	109	40-110			2-Fluorobiphenyl	100	50-110		
2,4,6-Tribromophenol	117	40-125			p-Terphenyl-d14	119	50-135		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

09-07-1739
net.c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 601

Page 1 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-07-1739-1-A	07/21/09 11:05	Aqueous	GC/MS Z	07/30/09	07/31/09 01:08	090730L02

Comment: BH- The reporting limits are raised due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	100	20	40		Methyl-t-Butyl Ether (MTBE)	ND	20	40	
1,2-Dibromoethane	ND	20	40		Tert-Butyl Alcohol (TBA)	ND	400	40	
1,2-Dichloroethane	ND	20	40		Diisopropyl Ether (DIPE)	ND	20	40	
Ethylbenzene	120	20	40		Ethyl-t-Butyl Ether (ETBE)	ND	20	40	
Toluene	ND	20	40		Tert-Amyl-Methyl Ether (TAME)	ND	20	40	
Xylenes (total)	ND	20	40		Ethanol	ND	12000	40	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	110	80-128			Dibromofluoromethane	101	80-127		
Toluene-d8	103	80-120			1,4-Bromofluorobenzene	100	68-120		


MW-2	09-07-1739-2-A	07/21/09 06:40	Aqueous	GC/MS Z	07/30/09	07/31/09 01:36	090730L02
------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.83	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	115	80-128			Dibromofluoromethane	97	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	90	68-120		

MW-3	09-07-1739-3-A	07/21/09 10:25	Aqueous	GC/MS Z	07/30/09	07/31/09 02:05	090730L02
------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	29	25	50		Methyl-t-Butyl Ether (MTBE)	ND	25	50	
1,2-Dibromoethane	ND	25	50		Tert-Butyl Alcohol (TBA)	ND	500	50	
1,2-Dichloroethane	ND	25	50		Diisopropyl Ether (DIPE)	ND	25	50	
Ethylbenzene	1300	25	50		Ethyl-t-Butyl Ether (ETBE)	ND	25	50	
Toluene	33	25	50		Tert-Amyl-Methyl Ether (TAME)	ND	25	50	
Xylenes (total)	4800	25	50		Ethanol	ND	15000	50	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	108	80-128			Dibromofluoromethane	98	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	101	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 601

Page 2 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	09-07-1739-4-A	07/21/09 11:00	Aqueous	GC/MS Z	07/30/09	07/31/09 02:34	090730L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	3.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	108	80-128			Dibromofluoromethane	96	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	90	68-120		


MW-9	09-07-1739-5-A	07/21/09 07:20	Aqueous	GC/MS Z	07/30/09	07/31/09 03:02	090730L02
------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	2.6	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	111	80-128			Dibromofluoromethane	94	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	87	68-120		

MW-10	09-07-1739-6-A	07/21/09 07:10	Aqueous	GC/MS Z	07/30/09	07/31/09 03:31	090730L02
-------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	2.1	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	117	80-128			Dibromofluoromethane	98	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	90	68-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

net.c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 601

Page 3 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-14	09-07-1739-7-A	07/21/09 06:25	Aqueous	GC/MS Z	07/30/09	07/31/09 04:00	090730L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	109	80-128			Dibromofluoromethane	99	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	88	68-120		


MW-15	09-07-1739-8-A	07/21/09 06:55	Aqueous	GC/MS Z	07/30/09	07/31/09 04:28	090730L02
-------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	117	80-128			Dibromofluoromethane	100	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	88	68-120		

MW-16	09-07-1739-9-A	07/21/09 11:20	Aqueous	GC/MS Z	07/30/09	07/31/09 04:57	090730L02
-------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	2.3	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.68	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	36	5.0	10		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	13	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	300	5.0	10		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	101	80-128			Dibromofluoromethane	89	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	106	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

net/c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 601

Page 4 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-17	09-07-1739-10-A	07/21/09 11:40	Aqueous	GC/MS BB	07/31/09	08/01/09 09:45	090731L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	61	10	20		Methyl-t-Butyl Ether (MTBE)	2.8	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	10	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	150	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	160	10	20		Tert-Amyl-Methyl Ether (TAME)	1.0	0.50	1	
Xylenes (total)	1300	10	20		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	121	80-128			Dibromofluoromethane	114	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	97	68-120		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-18	09-07-1739-11-A	07/21/09 11:50	Aqueous	GC/MS Z	07/31/09	07/31/09 16:17	090731L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	1.1	0.50	1		Methyl-t-Butyl Ether (MTBE)	4.8	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	8.0	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	3.0	0.50	1	
Xylenes (total)	1.4	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	100	80-128			Dibromofluoromethane	93	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	102	68-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-19	09-07-1739-12-A	07/21/09 10:45	Aqueous	GC/MS Z	07/31/09	07/31/09 16:46	090731L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	100	80-128			Dibromofluoromethane	98	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	97	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 601

Page 5 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,004	N/A	Aqueous	GC/MS Z	07/30/09	07/31/09 00:39	090730L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	112	80-128			Dibromofluoromethane	101	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	88	68-120		

Method Blank	099-12-703-1,006	N/A	Aqueous	GC/MS Z	07/31/09	07/31/09 11:58	090731L01
--------------	------------------	-----	---------	---------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	105	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	100	80-120			1,4-Bromofluorobenzene	92	68-120		

Method Blank	099-12-703-1,008	N/A	Aqueous	GC/MS BB	07/31/09	08/01/09 01:52	090731L02
--------------	------------------	-----	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	113	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	99	80-120			1,4-Bromofluorobenzene	95	68-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers





Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L


Project: ARCO 601


Page 6 of 6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,009	N/A	Aqueous	GC/MS BB	08/01/09	08/01/09 15:47	090801L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	107	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	98	80-120			1,4-Bromofluorobenzene	94	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: EPA 300.0

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1752-1	Aqueous	IC 7	N/A	07/22/09	090722S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Nitrate (as N)	102	102	80-120	0	0-20	
Sulfate	99	99	80-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 07/22/09
 Work Order No: 09-07-1739
 Preparation: N/A
 Method: SM 4500 S2 - D


Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
MW-1	Aqueous	N/A	07/22/09	07/22/09	90722DSD1

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
Sulfide, Dissolved	ND	ND	NA	0-25	

RPD - Relative Percent Difference , CL - Control Limit

A handwritten signature in black ink, appearing to be "M. J. ...", located at the bottom left of the page.



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 3500-FeB


Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-19	Aqueous	UV 7	07/22/09	07/22/09	90722FES1

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Iron (II)	96	96	70-130	0	0-25	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL: (714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1654-1	Aqueous	GC 29	07/24/09	07/24/09	090724S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	92	85	38-134	8	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1656-3	Aqueous	GC/MS Z	07/30/09	07/30/09	090730S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	98	76-124	2	0-20	
Carbon Tetrachloride	95	95	74-134	0	0-20	
Chlorobenzene	99	95	80-120	4	0-20	
1,2-Dibromoethane	103	101	80-120	3	0-20	
1,2-Dichlorobenzene	100	98	80-120	2	0-20	
1,1-Dichloroethene	94	93	73-127	1	0-20	
Ethylbenzene	101	98	78-126	3	0-20	
Toluene	99	98	80-120	1	0-20	
Trichloroethene	98	95	77-120	3	0-20	
Vinyl Chloride	97	95	72-126	2	0-20	
Methyl-t-Butyl Ether (MTBE)	101	99	67-121	2	0-49	
Tert-Butyl Alcohol (TBA)	103	94	36-162	9	0-30	
Diisopropyl Ether (DIPE)	102	96	60-138	6	0-45	
Ethyl-t-Butyl Ether (ETBE)	102	96	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	102	99	65-120	3	0-20	
Ethanol	107	102	30-180	5	0-72	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1653-1	Aqueous	GC/MS Z	07/31/09	07/31/09	090731S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	101	76-124	1	0-20	
Carbon Tetrachloride	98	98	74-134	0	0-20	
Chlorobenzene	97	97	80-120	0	0-20	
1,2-Dibromoethane	104	102	80-120	2	0-20	
1,2-Dichlorobenzene	99	99	80-120	0	0-20	
1,1-Dichloroethene	79	78	73-127	1	0-20	
Ethylbenzene	101	101	78-126	0	0-20	
Toluene	101	102	80-120	1	0-20	
Trichloroethene	99	96	77-120	3	0-20	
Vinyl Chloride	76	73	72-126	5	0-20	
Methyl-t-Butyl Ether (MTBE)	96	101	67-121	2	0-49	
Tert-Butyl Alcohol (TBA)	90	104	36-162	5	0-30	
Diisopropyl Ether (DIPE)	103	108	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)	103	108	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	98	104	65-120	5	0-20	
Ethanol	96	109	30-180	13	0-72	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1864-1	Aqueous	GC/MS BB	07/31/09	08/01/09	090731S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	36	0	76-124	3	0-20	BB
Carbon Tetrachloride	92	90	74-134	2	0-20	
Chlorobenzene	95	95	80-120	0	0-20	
1,2-Dibromoethane	86	89	80-120	3	0-20	
1,2-Dichlorobenzene	93	92	80-120	1	0-20	
1,1-Dichloroethene	107	108	73-127	1	0-20	
Ethylbenzene	91	88	78-126	2	0-20	
Toluene	92	88	80-120	2	0-20	
Trichloroethene	91	93	77-120	2	0-20	
Vinyl Chloride	100	100	72-126	0	0-20	
Methyl-t-Butyl Ether (MTBE)	101	102	67-121	0	0-49	
Tert-Butyl Alcohol (TBA)	107	127	36-162	3	0-30	
Diisopropyl Ether (DIPE)	109	109	60-138	0	0-45	
Ethyl-t-Butyl Ether (ETBE)	89	89	69-123	0	0-30	
Tert-Amyl-Methyl Ether (TAME)	81	83	65-120	3	0-20	
Ethanol	40	56	30-180	33	0-72	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 07/22/09
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-1990-8	Aqueous	GC/MS BB	08/01/09	08/01/09	090801S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	104	76-124	0	0-20	
Carbon Tetrachloride	95	95	74-134	1	0-20	
Chlorobenzene	100	101	80-120	1	0-20	
1,2-Dibromoethane	96	96	80-120	0	0-20	
1,2-Dichlorobenzene	100	101	80-120	0	0-20	
1,1-Dichloroethene	87	89	73-127	2	0-20	
Ethylbenzene	93	92	78-126	0	0-20	
Toluene	103	102	80-120	0	0-20	
Trichloroethene	101	99	77-120	2	0-20	
Vinyl Chloride	91	97	72-126	6	0-20	
Methyl-t-Butyl Ether (MTBE)	81	81	67-121	1	0-49	
Tert-Butyl Alcohol (TBA)	100	103	36-162	3	0-30	
Diisopropyl Ether (DIPE)	105	103	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	97	99	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	90	90	65-120	0	0-20	
Ethanol	96	90	30-180	7	0-72	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: N/A
Method: EPA 300.0

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-906-353	Aqueous	IC 7	N/A	07/22/09	090722L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Nitrate (as N)	104	104	90-110	0	0-15	
Sulfate	102	102	90-110	0	0-15	

RPD - Relative Percent Difference , CL - Control Limit



Environmental Quality Control - Laboratory Control Sample

Laboratories, Inc.

net/c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 09-07-1739
Preparation: N/A
Method: SM 3500-FeB

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-05-111-3,428	Aqueous	UV 7	07/22/09	NONE	90722FEL1

Parameter	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Iron (II)	1.00	0.990	99	80-120	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-612	Aqueous	GC 29	07/24/09	07/24/09	090724B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	95	94	78-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 3510C
Method: EPA 8270C

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-671-12	Aqueous	GC/MS P	07/28/09	07/30/09	090728L05		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
N-Nitrosodimethylamine	50	50	25-110	11-124	0	0-20	
Aniline	60	60	50-130	37-143	0	0-20	
Phenol	38	38	10-115	0-132	0	0-23	
Bis(2-Chloroethyl) Ether	80	79	35-110	22-122	1	0-20	
2-Chlorophenol	78	78	35-105	23-117	0	0-18	
1,3-Dichlorobenzene	81	81	30-100	18-112	0	0-20	
1,4-Dichlorobenzene	85	86	30-100	18-112	1	0-26	
Benzyl Alcohol	78	77	30-110	17-123	0	0-20	
1,2-Dichlorobenzene	81	82	35-100	24-111	1	0-20	
2-Methylphenol	73	73	40-110	28-122	0	0-20	
Bis(2-Chloroisopropyl) Ether	79	79	25-130	8-148	0	0-20	
3/4-Methylphenol	59	59	30-110	17-123	0	0-20	
N-Nitroso-di-n-propylamine	88	88	35-130	19-146	0	0-13	
Hexachloroethane	89	89	30-95	19-106	0	0-20	
Nitrobenzene	85	85	45-110	34-121	1	0-20	
Isophorone	72	71	50-110	40-120	1	0-20	
2-Nitrophenol	98	98	40-115	28-128	0	0-20	
2,4-Dimethylphenol	87	88	30-110	17-123	1	0-20	
Benzoic Acid	31	30	50-130	37-143	3	0-20	LR
Bis(2-Chloroethoxy) Methane	83	84	45-105	35-115	1	0-20	
2,4-Dichlorophenol	83	83	50-105	41-114	0	0-20	
1,2,4-Trichlorobenzene	84	84	35-105	23-117	0	0-21	
Naphthalene	85	84	40-100	30-110	1	0-20	
4-Chloroaniline	74	74	15-110	0-126	1	0-20	
Hexachloro-1,3-Butadiene	92	91	25-105	12-118	0	0-20	
4-Chloro-3-Methylphenol	93	87	45-110	34-121	6	0-40	
2-Methylnaphthalene	89	89	45-105	35-115	1	0-20	
Hexachlorocyclopentadiene	111	110	50-130	37-143	0	0-20	
2,4,6-Trichlorophenol	83	83	50-115	39-126	0	0-20	
2,4,5-Trichlorophenol	83	84	50-110	40-120	1	0-20	
2-Chloronaphthalene	84	84	50-105	41-114	0	0-20	
2-Nitroaniline	94	94	50-115	39-126	0	0-20	
Dimethyl Phthalate	82	83	25-125	8-142	1	0-20	
Acenaphthylene	83	83	50-105	41-114	1	0-20	
3-Nitroaniline	85	86	20-125	2-142	1	0-20	
Acenaphthene	87	87	45-110	34-121	0	0-11	
2,4-Dinitrophenol	123	124	15-140	0-161	1	0-20	
4-Nitrophenol	50	49	20-150	0-172	1	0-40	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 3510C
Method: EPA 8270C

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-671-12	Aqueous	GC/MS P	07/28/09	07/30/09	090728L05		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Dibenzofuran	84	84	55-105	47-113	1	0-20	
2,4-Dinitrotoluene	97	97	50-120	38-132	0	0-36	
2,6-Dinitrotoluene	87	86	50-115	39-126	0	0-20	
Diethyl Phthalate	87	88	40-120	27-133	1	0-20	
4-Chlorophenyl-Phenyl Ether	90	89	50-110	40-120	0	0-20	
Fluorene	89	88	50-110	40-120	0	0-20	
4-Nitroaniline	86	84	35-120	21-134	2	0-20	
Azobenzene	76	76	50-130	37-143	0	0-20	
4,6-Dinitro-2-Methylphenol	119	119	40-130	25-145	0	0-20	
N-Nitrosodiphenylamine	103	103	50-110	40-120	0	0-20	
4-Bromophenyl-Phenyl Ether	87	86	50-115	39-126	1	0-20	
Hexachlorobenzene	96	95	50-110	40-120	1	0-20	
Pentachlorophenol	83	80	40-115	28-128	3	0-40	
Phenanthrene	89	89	50-115	39-126	0	0-20	
Anthracene	86	87	55-110	46-119	0	0-20	
Di-n-Butyl Phthalate	84	83	55-115	45-125	0	0-20	
Fluoranthene	87	86	55-115	45-125	1	0-20	
Benzidine	59	59	50-130	37-143	1	0-20	
Pyrene	82	82	50-130	37-143	0	0-20	
Pyridine	33	33	52-115	42-126	1	0-20	LR
Butyl Benzyl Phthalate	77	78	45-115	33-127	1	0-20	
3,3'-Dichlorobenzidine	87	88	20-110	5-125	1	0-20	
Benzo (a) Anthracene	85	84	55-110	46-119	1	0-20	
Bis(2-Ethylhexyl) Phthalate	82	83	40-125	26-139	1	0-20	
Chrysene	78	79	55-110	46-119	1	0-20	
Di-n-Octyl Phthalate	73	71	35-135	18-152	2	0-20	
Benzo (k) Fluoranthene	69	67	45-125	32-138	3	0-20	
Benzo (b) Fluoranthene	75	74	45-120	32-132	1	0-20	
Benzo (a) Pyrene	77	76	55-110	46-119	2	0-20	
Benzo (g,h,i) Perylene	96	91	40-125	26-139	5	0-20	
Indeno (1,2,3-c,d) Pyrene	95	91	45-125	32-138	4	0-20	
Dibenz (a,h) Anthracene	93	89	40-125	26-139	5	0-20	
1-Methylnaphthalene	87	87	80-120	73-127	0	0-20	

Total number of LCS compounds : 71


Total number of ME compounds : 0

Total number of ME compounds allowed : 4

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,004	Aqueous	GC/MS Z	07/30/09	07/30/09	090730L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Benzene	97	98	80-120	73-127	1	0-20	
Carbon Tetrachloride	97	100	74-134	64-144	2	0-20	
Chlorobenzene	97	98	80-120	73-127	2	0-20	
1,2-Dibromoethane	103	103	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	101	102	80-120	73-127	1	0-20	
1,1-Dichloroethene	98	99	78-126	70-134	1	0-28	
Ethylbenzene	99	101	80-120	73-127	3	0-20	
Toluene	99	101	80-120	73-127	2	0-20	
Trichloroethene	106	111	79-127	71-135	5	0-20	
Vinyl Chloride	105	104	72-132	62-142	1	0-20	
Methyl-t-Butyl Ether (MTBE)	102	104	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	95	91	63-123	53-133	4	0-20	
Diisopropyl Ether (DIPE)	100	102	59-137	46-150	2	0-37	
Ethyl-t-Butyl Ether (ETBE)	101	102	69-123	60-132	1	0-20	
Tert-Amyl-Methyl Ether (TAME)	100	101	70-120	62-128	1	0-20	
Ethanol	117	109	28-160	6-182	6	0-57	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,006	Aqueous	GC/MS Z	07/31/09	07/31/09	090731L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	100	100	80-120	73-127	0	0-20	
Carbon Tetrachloride	99	97	74-134	64-144	2	0-20	
Chlorobenzene	100	97	80-120	73-127	2	0-20	
1,2-Dibromoethane	104	104	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	98	100	80-120	73-127	2	0-20	
1,1-Dichloroethene	99	89	78-126	70-134	10	0-28	
Ethylbenzene	102	100	80-120	73-127	2	0-20	
Toluene	101	99	80-120	73-127	2	0-20	
Trichloroethene	102	101	79-127	71-135	1	0-20	
Vinyl Chloride	105	88	72-132	62-142	18	0-20	
Methyl-t-Butyl Ether (MTBE)	104	88	69-123	60-132	16	0-20	
Tert-Butyl Alcohol (TBA)	94	96	63-123	53-133	1	0-20	
Diisopropyl Ether (DIPE)	100	107	59-137	46-150	6	0-37	
Ethyl-t-Butyl Ether (ETBE)	103	106	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	103	103	70-120	62-128	0	0-20	
Ethanol	121	98	28-160	6-182	21	0-57	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,008	Aqueous	GC/MS BB	07/31/09	08/01/09	090731L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	103	106	80-120	73-127	3	0-20	
Carbon Tetrachloride	96	98	74-134	64-144	2	0-20	
Chlorobenzene	99	100	80-120	73-127	1	0-20	
1,2-Dibromoethane	100	96	79-121	72-128	4	0-20	
1,2-Dichlorobenzene	102	102	80-120	73-127	0	0-20	
1,1-Dichloroethene	105	107	78-126	70-134	2	0-28	
Ethylbenzene	93	94	80-120	73-127	1	0-20	
Toluene	100	104	80-120	73-127	3	0-20	
Trichloroethene	112	117	79-127	71-135	4	0-20	
Vinyl Chloride	109	114	72-132	62-142	4	0-20	
Methyl-t-Butyl Ether (MTBE)	98	99	69-123	60-132	1	0-20	
Tert-Butyl Alcohol (TBA)	95	101	63-123	53-133	6	0-20	
Diisopropyl Ether (DIPE)	111	76	59-137	46-150	38	0-37	RB
Ethyl-t-Butyl Ether (ETBE)	109	110	69-123	60-132	0	0-20	
Tert-Amyl-Methyl Ether (TAME)	92	95	70-120	62-128	3	0-20	
Ethanol	82	94	28-160	6-182	14	0-57	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-07-1739
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,009	Aqueous	GC/MS BB	08/01/09	08/01/09	090801L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	107	101	80-120	73-127	6	0-20	
Carbon Tetrachloride	102	97	74-134	64-144	5	0-20	
Chlorobenzene	103	98	80-120	73-127	5	0-20	
1,2-Dibromoethane	99	99	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	105	102	80-120	73-127	3	0-20	
1,1-Dichloroethene	92	90	78-126	70-134	2	0-28	
Ethylbenzene	97	92	80-120	73-127	6	0-20	
Toluene	105	100	80-120	73-127	5	0-20	
Trichloroethene	104	103	79-127	71-135	1	0-20	
Vinyl Chloride	106	97	72-132	62-142	8	0-20	
Methyl-t-Butyl Ether (MTBE)	84	83	69-123	60-132	1	0-20	
Tert-Butyl Alcohol (TBA)	91	98	63-123	53-133	7	0-20	
Diisopropyl Ether (DIPE)	105	99	59-137	46-150	6	0-37	
Ethyl-t-Butyl Ether (ETBE)	103	100	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	94	90	70-120	62-128	5	0-20	
Ethanol	72	75	28-160	6-182	4	0-57	

Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers

Work Order Number: 09-07-1739

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.

A handwritten signature in black ink, appearing to be 'M. J. ...'.

<u>Qualifier</u>	<u>Definition</u>
LR	LCS recovery below method control limits.
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: ARCO 601

Req Due Date (mm/dd/yy): SD - TAT

Page 1 of 2

BP/ARC Facility No: 601

Lab Work Order Number: 1739

Rush TAT: Yes No

Lab Name: Cal Science				BP/ARC Facility Address: 712 Lewelling Boulevard				Consultant/Contractor: Stratus Environmental																	
Lab Address: 7440 Lincoln Way				City, State, ZIP Code: San Leandro, CA				Consultant/Contractor Project No: E601-QM/O&M																	
Lab PM: Richard Villafania				Lead Regulatory Agency: Alameda County				Address: 3330 Cameron Park Dr., Cameron Park, CA 95682																	
Lab Phone: 714-895-5494 / 714-895-7501 (fax)				California Global ID No.: T0600100108				Consultant/Contractor PM: Jay Johnson																	
Lab Shipping Acct:				Enfos Proposal No: 000S1-0002				Phone: 530-676-6000 / 530-676-6005 (fax)																	
Lab Bottle Order No:				Accounting Mode: Provision <u>X</u> OOC-BU <u> </u> OOC-RM <u> </u>				Email EDD To: <u>chuff@stratusinc.net</u>																	
Other Info:				Stage: Operate Activity: Monitor				Invoice To: BP/ARC <u> </u> Contractor <u> </u>																	
BP/ARC EBM: Paul Supple				Matrix				No. Containers / Preservative				Requested Analyses				Report Type & QC Level									
EBM Phone: 925-275-3506																Standard <u>X</u>									
EBM Email: <u>paul.supple@bp.com</u>																Full Data Package <u> </u>									
Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GR0 8015M	BTEX 8260	504Y'S 8260	EDB 8260	1,2-DCA 8260	Ethanol 8260	SVOC's 8270	Nitrate EPA 306	Perfos Iron EPA 306.7	Dissolved EPA 306.7	Swide 306.2	Comments	
1	MW-1	0721	1105				9						X	X	X	X	X	X	X	X	X	X	X	X	No SVOC
2	MW-2		0640				6						X	X	X	X	X	X	X	X	X	X	X	X	on MW-2
3	MW-3		1025				7						X	X	X	X	X	X	X	X	X	X	X	X	or MW-3
4	MW-8		1100				7						X	X	X	X	X	X	X	X	X	X	X	X	Only MW-1
5	MW-9		0720				6						X	X	X	X	X	X	X	X	X	X	X	X	
6	MW-10		0710				6						X	X	X	X	X	X	X	X	X	X	X	X	
7	MW-14		0625				6						X	X	X	X	X	X	X	X	X	X	X	X	
8	MW-15		0655				6						X	X	X	X	X	X	X	X	X	X	X	X	
9	MW-16		1130				7						X	X	X	X	X	X	X	X	X	X	X	X	
10	MW-17	0721	1140				7						X	X	X	X	X	X	X	X	X	X	X	X	
Sampler's Name: A. HJI				Relinquished By / Affiliation:				Date		Time		Accepted By / Affiliation				Date		Time							
Sampler's Company: <u>Stratus</u>								7/21/09		1305		CEC				7/21/09		1305							
Shipment Method: <u>GSD</u> Ship Date: <u>7/21/09</u>								7/21/09		1730		CEC				7/21/09		0920							
Shipment Tracking No: <u>52291377</u>																									
Special Instructions: Please cc results to bpedf@broadbentinc.com																									
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No				Temp Blank: Yes / No				Cooler Temp on Receipt: <u> </u> °F/C				Trip Blank: Yes / No				MS/MSD Sample Submitted: Yes / No									

Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: ARCO 601

Req Due Date (mm/dd/yy):

BP/ARC Facility No: _____

601

Lab Work Order Number: _____

STD-TAT 1739

Page 2 of 2
Rush TAT: Yes ___ No X

Lab Name: Cal Science				BP/ARC Facility Address: 712 Lewelling Boulevard				Consultant/Contractor: Stratus Environmental																
Lab Address: 7440 Lincoln Way				City, State, ZIP Code: San Leandro, CA				Consultant/Contractor Project No: E601-QM/O&M																
Lab PM: Richard Villafania				Lead Regulatory Agency: Alameda County				Address: 3330 Cameron Park Dr., Cameron Park, CA 95682																
Lab Phone: 714-895-5494 / 714-895-7501 (fax)				California Global ID No.: T0600100108				Consultant/Contractor PM: Jay Johnson																
Lab Shipping Acctn:				Enfos Proposal No: 000S1-0002				Phone: 530-676-6000 / 530-676-6005 (fax)																
Lab Bottle Order No:				Accounting Mode: Provision <u>X</u> OOC-BU ___ OOC-RM ___				Email EDD To: <u>chuff@stratusinc.net</u>																
Other Info:				Stage: Operate Activity: Monitor				Invoice To: BP/ARC ___ Contractor ___																
BP/ARC EBM: Paul Supple				Matrix				No. Containers / Preservative				Requested Analyses				Report Type & QC Level								
EBM Phone: 925-275-3506																Standard <u>X</u>								
EBM Email: <u>paul.supple@bp.com</u>																Full Data Package ___								
Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRD 8015M	BTEX 8260	SOX's 8260	EDB 8260	1,2 DCA 8260	Ethanol 8260	Nitrate EPA 300	Sulfate EPA 300	Ferrous Iron EPA 300.7	Dissolved EPA 300.7	Sulfide 376.2	Comments
11	MW-18	0721	1150				7						X	X	X	X	X	X	X	X	X	X	X	
12	MW-19	0721	1045				7						X	X	X	X	X	X	X	X	X	X	X	
13	18060107212009	0721					2																	HOLD
Sampler's Name: <u>A.H/11</u>				Relinquished By / Affiliation				Date		Time		Accepted By / Affiliation				Date		Time						
Sampler's Company: <u>Stratus</u>				<u>[Signature]</u>				7/21/09		1305		<u>[Signature]</u> CEL				7-21-09		1305						
Shipment Method: <u>GSO</u> Ship Date: <u>7/21/09</u>				<u>[Signature]</u> to GSO				7-21-09		1730		<u>[Signature]</u> Woburn CEL				7-22-09		0930						
Shipment Tracking No: <u>512291377</u>																								
Special Instructions: Please cc results to bpedf@broadbentinc.com																								
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No				Temp Blank: Yes / No				Cooler Temp on Receipt: _____ °F/C				Trip Blank: Yes / No				MS/MSD Sample Submitted: Yes / No								

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: STRATUS ENV'L.

DATE: 7/22/09

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 2.1 °C - 0.2°C (CF) = 1.9 °C ☒ Blank ☐ Sample

☐ Sample(s) outside temperature criteria (PM/APM contacted by: _____).

☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

☐ Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: ☐ Air ☐ Filter ☐ Metals Only ☐ PCBs Only

Initial: WB

CUSTODY SEALS INTACT:

☒ Cooler ☐ _____ ☐ No (Not Intact) ☐ Not Present ☐ N/A

Initial: WB

☐ Sample ☐ _____ ☐ No (Not Intact) ☒ Not Present

Initial: WB

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	☒	☐	☐
COC document(s) received complete.....	☒	☐	☐

☐ Collection date/time, matrix, and/or # of containers logged in based on sample labels.

☐ COC not relinquished. ☐ No date relinquished. ☐ No time relinquished.

Sampler's name indicated on COC..... ☒ ☐ ☐

Sample container label(s) consistent with COC..... ☒ ☐ ☐

Sample container(s) intact and good condition..... ☒ ☐ ☐

Correct containers and volume for analyses requested..... ☒ ☐ ☐

Analyses received within holding time..... ☒ ☐ ☐

Proper preservation noted on COC or sample container..... ☒ ☐ ☐

☐ Unpreserved vials received for Volatiles analysis

Volatile analysis container(s) free of headspace..... ☒ ☐ ☐

Tedlar bag(s) free of condensation..... ☐ ☐ ☒

CONTAINER TYPE:

Solid: ☐ 4ozCGJ ☐ 8ozCGJ ☐ 16ozCGJ ☐ Sleeve ☐ EnCores® ☐ TerraCores® ☐ _____

Water: ☐ VOA ☒ VOAh ☐ VOAna₂ ☐ 125AGB ☐ 125AGBh ☐ 125AGBp ☐ 1AGB ☒ 1AGBna₂ ☐ 1AGBs

☐ 500AGB ☒ 500AGJ ☐ 500AGJs ☐ 250AGB ☐ 250CGB ☐ 250CGBs ☒ 1PB ☐ 500PB ☐ 500PBna

☐ 250PB ☐ 250PBn ☐ 125PB ☐ 125PBznna ☐ 100PJ ☐ 100PJna₂ ☐ _____ ☐ _____ ☐ _____

Air: ☐ Tedlar® ☐ Summa® ☐ _____ Other: ☐ _____ Checked/Labeled by: WB

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop Reviewed by: JS

Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: WB

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These

bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.



If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

JOINT MONITORING DATA



- LEGEND**
- S-6 GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
 - S-1 GROUNDWATER MONITORING WELL MODIFIED FOR SOIL VAPOR EXTRACTION
 - SV-1 SOIL VAPOR EXTRACTION WELL LOCATION AND DESIGNATION
 - P-18 SOIL VAPOR SAMPLE LOCATIONS
 - (14.05) GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (Ft/MSL)
 - 14.00 GROUNDWATER CONTOUR IN FEET ABOVE MEAN SEA LEVEL (Ft/MSL)
CONTOUR INTERVAL=0.20 FEET
 - 0.003 ft/ft APPROXIMATE GROUNDWATER DIRECTION
 - NG NOT GAUGED
 - * NOT USED IN CONTOURING ANOMALOUS DATA

HISTORICAL GROUNDWATER FLOW DIRECTIONS

DATE	FLOW
1/22/2004	SW
1/27/2006	SW,SSW
7/25/2006	SW,SSW
1/4/2007	SW
7/24/2007	SSW
1/15/2008	S
8/4/2008	S, SSW
1/8/2009	SW
7/21/2009	SW



SHELL OIL PRODUCTS
FORMER SHELL-BRANDED SERVICE STATION
SAN LEANDRO, CALIFORNIA

FIGURE 2
GROUNDWATER ELEVATION CONTOUR
MAP

7/21/2009
15275 WASHINGTON AVENUE
SAN LEANDRO, CALIFORNIA



S-9	
TPH-g (µg/L)	BENZENE (µg/L)
6,200	26
9,600*	35*


S-16	
TPH-g (µg/L)	BENZENE (µg/L)
ND<50	ND<0.50
ND<50*	ND<0.50*

S-5	
TPH-g (µg/L)	BENZENE (µg/L)
ND<50	ND<0.50
ND<50*	ND<0.50*

S-3	
TPH-g (µg/L)	BENZENE (µg/L)
90	ND<0.50
150*	ND<0.50*

S-8	
TPH-g (µg/L)	BENZENE (µg/L)
ND<50	ND<0.50
ND<50	ND<0.50

S-7	
TPH-g (µg/L)	BENZENE (µg/L)
ND<50	ND<0.50
ND<50	ND<0.50



- LEGEND
- S-6

GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
- S-1

GROUNDWATER MONITORING WELL MODIFIED FOR SOIL VAPOR EXTRACTION
- SV-1

SOIL VAPOR EXTRACTION WELL LOCATION AND DESIGNATION
- P-18

SOIL VAPOR SAMPLE LOCATIONS
- TPH-g

TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
- ND<


NOT DETECTED ABOVE LIMIT NOTED
- µg/L

MICROGRAMS PER LITER
- NS

NOT SAMPLED
- 0.003 ft/ft

APPROXIMATE GROUNDWATER DIRECTION
- *

PURGE SAMPLE



SHELL OIL PRODUCTS
FORMER SHELL-BRANDED SERVICE STATION
SAN LEANDRO, CALIFORNIA

FIGURE 3
HYDROCARBON DISTRIBUTION
IN GROUNDWATER MAP
7/21/2009
15275 WASHINGTON AVENUE
SAN LEANDRO, CALIFORNIA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	7/8/1985	520	NA	NA	NA	NA	NA	NA	21.55	NA	NA	NA	NA
S-1	9/6/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	11/16/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	8.01	13.54	NA	NA
S-1	2/27/1989	<50	0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	5/4/1989	<50	1.0	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	8/10/1989	<50	0.7	<1	<1	<0.3	NA	NA	21.55	7.93	13.62	NA	NA
S-1	10/10/1989	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	8.09	13.46	NA	NA
S-1	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.73	13.82	NA	NA
S-1	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.91	13.64	NA	NA
S-1	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	7.72	13.83	NA	NA
S-1	10/18/1990	80	5	<0.5	<0.5	3.0	NA	NA	21.55	8.55	13.00	NA	NA
S-1	1/28/1991	<50	4.5	<0.5	<0.5	2.0	NA	NA	21.55	8.52	13.03	NA	NA
S-1	4/25/1991	80a	3.7	<0.5	0.7	2.0	NA	NA	21.55	7.18	14.37	NA	NA
S-1	7/9/1991	200	16	<0.5	1.3	5.8	NA	NA	21.55	8.22	13.33	NA	NA
S-1	10/8/1991	<50	2.3	<0.5	<0.5	<0.5	NA	NA	21.55	8.70	12.85	NA	NA
S-1	2/5/1992	160	8.9	<0.5	2.1	6.0	NA	NA	21.55	8.14	13.41	NA	NA
S-1	4/28/1992	<50	2.4	<0.5	<0.5	0.9	NA	NA	21.55	7.52	14.03	NA	NA
S-1	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	8.28	13.27	NA	NA
S-1	10/26/1992	57	3.0	1.6	1.4	1.7	NA	NA	21.55	8.74	12.81	NA	NA
S-1	1/14/1993	490	53	1.2	20	33	NA	NA	21.55	5.91	15.64	NA	NA
S-1	4/16/1993	240	20	<0.5	15	240	NA	NA	21.55	6.66	14.89	NA	NA
S-1	7/23/1993	<50	0.5	<0.5	<0.5	<0.5	NA	NA	21.55	7.53	14.02	NA	NA
S-1	10/27/1993	60	5.9	<0.5	2.5	1.7	NA	NA	21.55	8.20	13.35	NA	NA
S-1	1/27/1994	<50	2.1	<0.5	<0.5	0.63	NA	NA	21.55	7.26	14.29	NA	NA
S-1	5/5/1994	57	3.9	<0.5	1.9	1.9	NA	NA	21.27	7.38	13.89	NA	NA
S-1	7/26/1994	<50	2.2	<0.3	<0.3	<0.6	NA	NA	21.27	7.86	13.41	NA	NA
S-1	10/28/1994	<50	0.8	<0.3	<0.3	0.8	NA	NA	21.27	7.86	13.41	NA	NA
S-1	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.27	6.85	14.42	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-1	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.27	6.08	15.19	NA	NA
S-1	7/28/1995	60	2.2	<0.5	1.3	1.2	NA	NA	21.27	6.79	14.48	NA	NA
S-1	10/17/1995	60	2.6	<0.5	1.2	1.3	NA	NA	21.27	7.04	14.23	NA	NA
S-1	1/11/1996	<50	2.0	<0.5	<0.5	<0.5	<2	NA	21.27	6.40	14.87	NA	NA
S-1	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.27	5.84	15.43	NA	NA
S-1	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.27	6.50	14.77	NA	NA
S-1	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.27	7.31	13.96	NA	NA
S-1	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	6.7	NA	21.27	5.50	15.77	NA	NA
S-1	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.03	14.24	NA	NA
S-1	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.00	14.27	NA	NA
S-1	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.51	13.76	NA	NA
S-1	1/15/1998	420	16	<0.50	4.6	3.9	26	NA	21.27	5.43	15.84	NA	NA
S-1	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.27	5.55	15.72	NA	NA
S-1	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.33	6.38	14.95	NA	NA
S-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.33	7.48	13.85	NA	NA
S-1	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2.53	NA	21.33	6.37	14.96	NA	NA
S-1	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.33	5.93	15.40	NA	NA
S-1	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.20	14.13	NA	NA
S-1	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.61	13.72	NA	NA
S-1	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	4.73	NA	21.33	7.76	13.57	NA	NA
S-1	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA
S-1	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.33	7.05	14.28	NA	NA
S-1	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.51	14.82	NA	NA
S-1	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.33	7.49	13.84	NA	NA
S-1	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.33	6.85	14.48	NA	NA
S-1	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.65	13.68	NA	NA
S-1	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.84	13.49	NA	NA
S-1	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.33	6.16	15.17	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.33	6.57	14.76	NA	NA
S-1	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.52	13.81	NA	NA
S-1	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.99	13.34	NA	NA
S-1	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	5.6	21.33	6.46	14.87	NA	NA
S-1	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.33	6.18	15.15	NA	NA
S-1	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.38	13.95	NA	NA
S-1	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.87	13.46	NA	NA
S-1	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.90	14.43	NA	NA
S-1	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.33	7.83	13.50	NA	NA
S-1	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	5.68	15.65	NA	NA
S-1	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA
S-1	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.33	6.05	15.28	NA	NA
S-1	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.33	7.12	14.21	NA	NA
S-1	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.75	14.58	NA	NA
S-1	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.33	7.73	13.60	NA	NA
S-1	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.33	6.10	15.23	NA	NA
S-1	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.33	7.76	13.57	NA	NA
S-1	1/8/2009	<50	0.57	<1.0	<1.0	<1.0	NA	NA	21.33	7.28	14.05	NA	NA
S-1	7/21/2009	NA	NA	NA	NA	NA	NA	NA	21.33	7.89	13.44	NA	NA

S-3	9/6/1988	96000	3400	9500	2700	17000	NA	NA	21.14	NA	NA	NA	NA
S-3	11/16/1988	70000	4600	8400	2500	13000	NA	NA	21.14	7.76	13.38	NA	NA
S-3	2/27/1989	32000	2400	3100	1500	6400	NA	NA	21.14	NA	NA	NA	NA
S-3	5/4/1989	47000	4400	300	2400	15000	NA	NA	21.14	NA	NA	NA	NA
S-3	8/10/1989	110000	5700	5700	3200	19000	NA	NA	21.14	7.92	13.22	NA	NA
S-3	10/10/1989	52000	4600	3300	2600	15000	NA	NA	21.14	8.00	13.14	NA	NA
S-3	1/25/1990	420000	5200	4100	6700	34000	NA	NA	21.14	7.54	13.60	NA	NA
S-3	4/18/1990	58000	3800	1400	2400	12000	NA	NA	21.14	7.74	13.40	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	7/23/1990	49000	3400	1800	2300	12000	NA	NA	21.14	7.55	13.59	NA	NA
S-3	10/18/1990	44000	3500	650	2400	11000	NA	NA	21.14	8.47	12.67	NA	NA
S-3	1/28/1991	64000	40900	570	1940	8090	NA	NA	21.14	8.38	12.76	NA	NA
S-3	4/25/1991	120000	3900	3600	2400	8900	NA	NA	21.14	6.91	14.23	NA	NA
S-3	7/9/1991	50000	3600	2300	1800	10000	NA	NA	21.14	8.07	13.07	NA	NA
S-3	10/8/1991	130000	3600	1000	2800	8400	NA	NA	21.14	8.61	12.53	NA	NA
S-3	2/5/1992	150000	2500	670	2700	10000	NA	NA	21.14	7.80	13.34	NA	NA
S-3	4/28/1992	120000	2200	1200	2000	5800	NA	NA	21.14	7.27	13.87	NA	NA
S-3	7/27/1992	190000	1400	<1250	<1250	3400	NA	NA	21.14	8.10	13.04	NA	NA
S-3	10/26/1992	950000	2000	8400	16000	36000	NA	NA	21.14	8.62	12.52	NA	NA
S-3	1/14/1993	41000	2700	2500	1800	6900	NA	NA	21.14	5.16	15.98	NA	NA
S-3	4/16/1993	40000	930	2800	1900	14000	NA	NA	21.14	7.18	13.96	NA	NA
S-3	7/23/1993	87000	1600	<5	1300	4000	NA	NA	21.14	7.34	13.80	NA	NA
S-3	10/27/1993	36000	2200	<500	1500	3200	NA	NA	21.14	8.03	13.11	NA	NA
S-3	1/27/1994	190000	3200	3100	4100	15000	NA	NA	21.14	6.79	14.35	NA	NA
S-3	5/5/1994	36000	1100	490	1600	4700	NA	NA	20.48	6.75	13.73	NA	NA
S-3	7/26/1994	18000	1039	170.5	845.4	967.5	NA	NA	20.48	7.30	13.18	NA	NA
S-3	10/28/1994	25869	467.9	294	546.2	343.3	NA	NA	20.48	8.36	12.12	NA	NA
S-3	1/2/1995	23000	850	260	900	2100	NA	NA	20.48	6.36	14.12	NA	NA
S-3	4/14/1995	33000	720	670	1600	6600	NA	NA	20.48	5.87	14.61	NA	NA
S-3	7/28/1995	12000	540	<10	580	780	NA	NA	20.48	6.33	14.15	NA	NA
S-3	10/17/1995	Well inaccessible		NA	NA	NA	NA	NA	20.48	6.48	14.00	NA	NA
S-3	1/11/1996	16000	520	290	740	2600	<200	NA	20.48	5.80	14.68	NA	NA
S-3	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.00	15.48	NA	NA
S-3	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.93	14.55	NA	NA
S-3	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.48	6.73	13.75	NA	NA
S-3	1/9/1997	30000	420	330	1500	6300	<500	NA	20.48	4.72	15.76	NA	NA
S-3	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.63	13.85	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.18	14.30	NA	NA
S-3	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.83	13.65	NA	NA
S-3	1/15/1998	21000	300	51	770	2800	<100	NA	20.48	4.30	16.18	NA	NA
S-3 (D)	1/15/1998	14000	330	63	920	3400	<250	NA	20.48	NA	NA	NA	NA
S-3	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	4.37	16.11	NA	NA
S-3	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	5.47	15.01	NA	NA
S-3	10/20/1998	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	1/22/1999	40000	313	194	2200	8800	<40.0	NA	20.48	5.71	14.77	NA	NA
S-3	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.48	4.95	15.53	NA	NA
S-3	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.48	6.78	13.70	NA	NA
S-3	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.48	7.25	13.23	NA	NA
S-3	1/3/2000	39700	150	61.8	1690	7720	445	NA	20.48	7.46	13.02	NA	NA
S-3	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.48	5.64	14.84	NA	NA
S-3	7/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.48	6.72	13.76	NA	NA
S-3	1/3/2001	25000	89.0	<50.0	1270	5180	<250	NA	20.48	7.14	13.34	NA	NA
S-3	4/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.28	13.20	NA	3.2
S-3	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.64	12.84	NA	3.5
S-3	1/16/2002	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.48	5.99	14.49	NA	3.8
S-3	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.48	7.21	13.27	NA	0.7
S-3	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.85	7.90	12.95	NA	e
S-3	1/23/2003	28000	60	13	970	3700	NA	<50	20.85	6.00	14.85	NA	0.3
S-3	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.85	5.34	15.51	NA	1.0
S-3	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.28	13.57	NA	1.0
S-3	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.63	13.22	NA	26.9
S-3	1/22/2004	3200	5.7	<2.5	16	320	NA	NA	20.85	6.53	14.32	NA	0.5

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-3	7/13/2004	Well inaccessible		NA	NA	NA	NA	NA	20.85	NA	NA	NA	NA
S-3	7/21/2004	3100	4.1	<2.5	10	130	NA	NA	20.85	7.64	13.21	NA	2.2
S-3	1/20/2005	93	<0.50	<0.50	1.3	1.8	NA	NA	20.85	5.78	15.07	NA	0.8
S-3	7/19/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.35	14.50	NA	NA
S-3	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.85	5.55	15.30	NA	NA
S-3	7/25/2006	100	<1.00	<1.00	<1.00	<3.00	NA	NA	20.85	7.09	13.76	NA	NA
S-3	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.53	14.32	NA	NA
S-3	7/24/2007	590 g,h	0.99	<1.0	0.25 i	0.99 i	NA	NA	20.85	7.44	13.41	NA	NA
S-3	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	5.41	15.44	NA	NA
S-3	8/4/2008	76	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	6.62	14.23	NA	NA
S-3	1/8/2009	260	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	6.87	13.98	NA	NA
S-3	7/21/2009	90	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	7.64	13.21	NA	NA
S-3	07/21/2009 *	150	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	7.64	13.21	NA	NA

S-5	1/8/1987	7800	380	510	NA	1000	NA	NA	21.41	NA	NA	NA	NA
S-5	9/6/1988	7000	2600	60	400	700	NA	NA	21.41	NA	NA	NA	NA
S-5	11/16/1988	3000	660	60	120	220	NA	NA	21.41	NA	NA	NA	NA
S-5	2/27/1989	5700	2000	220	260	320	NA	NA	21.41	NA	NA	NA	NA
S-5	5/4/1989	9000	3000	600	630	1700	NA	NA	21.41	NA	NA	NA	NA
S-5	8/10/1989	5100	1100	<50	270	400	NA	NA	21.41	8.28	13.13	NA	NA
S-5	10/10/1989	15000	3300	160	830	2200	NA	NA	21.41	8.32	13.09	NA	NA
S-5	1/25/1990	12000	2400	360	570	1400	NA	NA	21.41	8.20	13.21	NA	NA
S-5	4/18/1990	5200	1100	40	300	460	NA	NA	21.41	8.32	13.09	NA	NA
S-5	7/23/1990	5500	1300	140	320	730	NA	NA	21.41	8.03	13.38	NA	NA
S-5	10/18/1990	12000	3200	40	720	900	NA	NA	21.41	9.03	12.38	NA	NA
S-5	1/28/1991	2550	410	15	110	60	NA	NA	21.41	8.80	12.61	NA	NA
S-5	4/25/1991	67000	5100	3100	2800	11000	NA	NA	21.41	7.40	14.01	NA	NA
S-5	7/9/1991	4900	480	36	360	1000	NA	NA	21.41	8.52	12.89	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-5	10/8/1991	6600	370	7.0	190	380	NA	NA	21.41	9.00	12.41	NA	NA
S-5	2/5/1992	44000	4800	850	2700	8400	NA	NA	21.41	8.11	13.30	NA	NA
S-5	4/28/1992	33000	1400	320	1600	5200	NA	NA	21.41	7.70	13.71	NA	NA
S-5	7/27/1992	20000	2400	<25	1800	2300	NA	NA	21.41	8.52	12.89	NA	NA
S-5	10/26/1992	21000	1600	140	1500	2800	NA	NA	21.41	9.02	12.39	NA	NA
S-5	1/14/1993	54000	1900	1000	2700	16000	NA	NA	21.41	5.22	16.19	NA	NA
S-5	4/16/1993	42000	2000	1300	4300	18000	NA	NA	21.41	7.04	14.37	NA	NA
S-5	7/23/1993	46000	2500	2200	3400	11000	NA	NA	21.41	7.75	13.66	NA	NA
S-5	10/27/1993	6500	990	31	1100	1000	NA	NA	21.41	8.49	12.92	NA	NA
S-5	1/27/1994	34000	1800	580	2900	9700	NA	NA	21.41	7.04	14.37	NA	NA
S-5	5/5/1994	24000	670	70	1400	2700	NA	NA	21.03	7.20	13.83	NA	NA
S-5	7/27/1994	4700	193.6	33.1	332.3	281.2	NA	NA	21.03	7.72	13.31	NA	NA
S-5	10/28/1994	3200	167.3	18	238.7	104.5	NA	NA	21.03	7.82	13.21	NA	NA
S-5	1/2/1995	18000	1300	220	3400	10000	NA	NA	21.03	6.65	14.38	NA	NA
S-5	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.03	5.99	15.04	NA	NA
S-5	7/28/1995	25000	440	74	1700	4500	NA	NA	21.03	6.77	14.26	NA	NA
S-5 (D)	7/28/1995	25000	450	<50	1700	4600	NA	NA	21.03	NA	NA	NA	NA
S-5	10/17/1995	18000	360	24	1300	2200	NA	NA	21.03	7.00	14.03	NA	NA
S-5	1/11/1996	41000	420	180	1600	9500	<200	NA	21.03	6.22	14.81	NA	NA
S-5	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.03	5.44	15.59	NA	NA
S-5	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.03	6.41	14.62	NA	NA
S-5	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.03	7.19	13.84	NA	NA
S-5	1/9/1997	38000	130	43	160	6200	<125	NA	21.03	5.03	16.00	NA	NA
S-5 (D)	1/9/1997	36000	130	<50	160	5600	<250	NA	21.03	NA	NA	NA	NA
S-5	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.03	7.20	13.83	NA	NA
S-5	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.03	6.82	14.21	NA	NA
S-5	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.03	7.31	13.72	NA	NA
S-5	1/15/1998	49000	62	<50	93	4100	<250	NA	21.03	4.58	16.45	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-5	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	4.94	16.09	NA	NA
S-5	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.27	5.36	15.91	NA	NA
S-5	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.27	7.53	13.74	NA	NA
S-5	1/22/1999	2550	9.09	<0.500	1.93	112	4.40	NA	21.27	6.35	14.92	NA	NA
S-5	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.27	5.37	15.90	NA	NA
S-5	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.27	6.43	14.84	NA	NA
S-5	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.27	7.51	13.76	NA	NA
S-5	1/3/2000	3310	39.0	<10.0	293	21.7	<50.0	NA	21.27	7.78	13.49	NA	NA
S-5	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.27	6.15	15.12	NA	NA
S-5	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.27	7.05	14.22	NA	NA
S-5	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.27	6.00	15.27	NA	NA
S-5	1/3/2001	516	3.65	0.968	18.0	4.02	18.4	NA	21.27	7.48	13.79	NA	NA
S-5	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.27	6.58	14.69	NA	NA
S-5	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.60	13.67	NA	NA
S-5	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.94	13.33	NA	NA
S-5	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	5.88	15.39	NA	NA
S-5	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.27	6.27	15.00	NA	NA
S-5	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.27	7.53	13.74	NA	NA
S-5	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.27	8.11	13.16	NA	NA
S-5	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	6.22	15.05	NA	NA
S-5	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.27	5.48	15.79	NA	NA
S-5	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.32	13.95	NA	NA
S-5	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.91	13.36	NA	NA
S-5	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.68	14.59	NA	NA
S-5	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.27	8.17	13.10	NA	NA
S-5	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	5.30	15.97	NA	NA
S-5	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.27	6.35	14.92	NA	NA
S-5	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.27	5.83	15.44	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-5	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.27	7.35	13.92	NA	NA
S-5	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.82	14.45	NA	NA
S-5	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.27	7.70	13.57	NA	NA
S-5	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	5.83	15.44	NA	NA
S-5	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.27	8.04	13.23	NA	NA
S-5	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	7.21	14.06	NA	NA
S-5	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	8.03	13.24	NA	NA
S-5	07/21/2009 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	8.03	13.24	NA	NA

S-6	11/16/1988	50	0.7	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	2/27/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	NA	NA	NA	NA
S-6	5/4/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	NA	NA	NA	NA
S-6	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.54	13.48	NA	NA
S-6	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.02	8.31	13.71	NA	NA
S-6	4/18/1990	<50	<0.5	0.6	<0.5	1.0	NA	NA	22.02	8.43	13.59	NA	NA
S-6	7/23/1990	<50	<0.5	0.9	<0.5	1.8	NA	NA	22.02	8.24	13.78	NA	NA
S-6	10/18/1990	<50	<0.5	0.7	<0.5	0.8	NA	NA	22.02	9.20	12.82	NA	NA
S-6	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.10	12.92	NA	NA
S-6	4/25/1991	<50	<0.5	<0.5	<0.5	0.7	NA	NA	22.02	7.74	14.28	NA	NA
S-6	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.81	13.21	NA	NA
S-6	10/8/1991	<50	0.7	<0.5	<0.5	<0.5	NA	NA	22.02	9.26	12.76	NA	NA
S-6	2/2/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.47	13.55	NA	NA
S-6	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.91	14.11	NA	NA
S-6	7/27/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.83	13.19	NA	NA
S-6	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.29	12.73	NA	NA
S-6	1/13/1994	NA	NA	NA	NA	NA	NA	NA	22.02	9.43	12.59	NA	NA
S-6	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.12	14.90	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-6	7/23/1993	NA	NA	NA	NA	NA	NA	NA	22.02	8.14	13.88	NA	NA
S-6	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.75	13.27	NA	NA
S-6	1/27/1994	NA	NA	NA	NA	NA	NA	NA	22.02	7.87	14.15	NA	NA
S-6	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.71	13.69	NA	NA
S-6	7/26/1994	NA	NA	NA	NA	NA	NA	NA	21.40	8.10	13.30	NA	NA
S-6	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.40	8.04	13.36	NA	NA
S-6	1/2/1995	NA	NA	NA	NA	NA	NA	NA	21.40	7.07	14.33	NA	NA
S-6	4/14/1995	<50	<0.5	1.3	<0.5	<0.5	NA	NA	21.40	6.29	15.11	NA	NA
S-6	7/28/1995	NA	NA	NA	NA	NA	NA	NA	21.40	6.91	14.49	NA	NA
S-6	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.20	14.20	NA	NA
S-6	1/11/1996	NA	NA	NA	NA	NA	NA	NA	21.40	6.60	14.80	NA	NA
S-6	1/22/2004	Unable to locate		NA	NA	NA	NA	NA	21.40	NA	NA	NA	NA

S-7	11/16/1988	100	5.1	15	2.0	13	NA	NA	21.47	8.24	13.23	NA	NA
S-7	2/27/1989	50	0.5	3.0	1.0	11	NA	NA	21.47	NA	NA	NA	NA
S-7	5/4/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	NA	NA	NA	NA
S-7	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.18	13.29	NA	NA
S-7	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.35	13.12	NA	NA
S-7	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	7.95	13.52	NA	NA
S-7	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	8.06	13.41	NA	NA
S-7	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.89	13.58	NA	NA
S-7	10/18/1990	<50	<0.5	0.5	0.5	4.1	NA	NA	21.47	8.83	12.64	NA	NA
S-7	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.77	12.70	NA	NA
S-7	4/25/1991	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.25	14.22	NA	NA
S-7	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.41	13.06	NA	NA
S-7	10/8/1991	NA	NA	NA	NA	NA	NA	NA	21.47	8.95	12.52	NA	NA
S-7	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.04	13.43	NA	NA
S-7	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.95	12.52	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.45	14.02	NA	NA
S-7	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.48	12.99	NA	NA
S-7	10/26/1992	570	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	9.95	11.52	NA	NA
S-7	1/14/1993	56	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	5.84	15.63	NA	NA
S-7	4/16/1993	110	28	<0.5	<0.5	1.8	NA	NA	21.47	6.38	15.09	NA	NA
S-7	7/23/1993	80	0.48	<0.5	<0.5	0.8	NA	NA	21.47	7.72	13.75	NA	NA
S-7	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.79	13.68	NA	NA
S-7	1/27/1994	70a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.85	13.62	NA	NA
S-7	5/5/1994	92	2.1	<0.5	<0.5	<0.5	NA	NA	20.85	9.45	11.40	NA	NA
S-7	7/26/1994	88	<0.3	<0.3	<0.3	<0.6	NA	NA	20.85	7.64	13.21	NA	NA
S-7	10/28/1994	60	<0.3	0.5	<0.3	<0.6	NA	NA	20.85	7.68	13.17	NA	NA
S-7	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.85	6.95	13.90	NA	NA
S-7	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.85	5.82	15.03	NA	NA
S-7	7/28/1995	170	1.7	<0.5	<0.5	2.2	NA	NA	20.85	6.32	14.53	NA	NA
S-7	10/17/1995	100	<0.5	0.6	<0.5	<0.5	NA	NA	20.85	7.07	13.78	NA	NA
S-7	1/11/1996	80	0.6	<0.5	<0.5	<0.5	54	NA	20.85	6.10	14.75	NA	NA
S-7	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.14	14.71	NA	NA
S-7	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.40	14.45	NA	NA
S-7	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.70	14.15	NA	NA
S-7	1/9/1997	130	1.4	<0.50	<0.50	0.56	70	NA	20.85	5.25	15.60	NA	NA
S-7	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.85	7.15	13.70	NA	NA
S-7	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.85	6.67	14.18	NA	NA
S-7	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.85	7.26	13.59	NA	NA
S-7	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	39	NA	20.85	5.51	15.34	NA	NA
S-7	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.85	5.45	15.40	NA	NA
S-7	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	6.48	14.55	NA	NA
S-7	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	97.8	NA	21.03	6.21	14.82	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.03	5.30	15.73	NA	NA
S-7	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.12	13.91	NA	NA
S-7	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.54	13.49	NA	NA
S-7	1/3/2000	615	8.73	2.90	4.00	7.17	17.0	NA	21.03	7.73	13.30	NA	NA
S-7	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.27	14.76	NA	NA
S-7	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.97	14.06	NA	NA
S-7	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.43	14.60	NA	NA
S-7	1/3/2001	460	6.68	<0.500	0.712	0.596	10.2	NA	21.03	7.27	13.76	NA	NA
S-7	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.03	6.75	14.28	NA	NA
S-7	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.55	13.48	NA	NA
S-7	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.80	13.23	NA	NA
S-7	1/16/2002	360	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.03	6.11	14.92	NA	NA
S-7	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.03	6.54	14.49	NA	NA
S-7	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.01	7.97	13.04	NA	NA
S-7	1/23/2003	160	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.01	6.45	14.56	NA	NA
S-7	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.01	6.14	14.87	NA	NA
S-7	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.28	13.73	NA	NA
S-7	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.78	13.23	NA	NA
S-7	1/22/2004	140	<0.50	<0.50	0.51	<1.0	NA	NA	21.01	6.93	14.08	NA	NA
S-7	7/13/2004	150	<0.50	<0.50	<0.50	<1.0	NA	17	21.01	7.88	13.13	NA	NA
S-7	1/20/2005	200 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	5.68	15.33	NA	NA
S-7	7/19/2005	140 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.18	14.83	NA	NA
S-7	1/27/2006	69.8	<0.500	<0.500	<0.500	<0.500	NA	NA	21.01	6.11	14.90	NA	NA
S-7	7/25/2006	78.6	<1.00	<1.00	<1.00	<3.00	NA	NA	21.01	7.01	14.00	NA	NA
S-7	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.70	14.31	NA	NA
S-7	7/24/2007	63 g,h	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.54	13.47	NA	NA
S-7	1/15/2008	160 g,h	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	6.08	14.93	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	8/4/2008	72	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.78	13.23	NA	NA
S-7	1/8/2009	210	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.12	13.89	NA	NA
S-7	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.78	13.23	NA	NA

S-8	11/16/1988	210	5.0	<1	1.0	5.0	NA	NA	20.72	7.76	12.96	NA	NA
S-8	2/27/1989	<50	2.4	<1	<1	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	5/4/1989	<50	7.5	<1	2.0	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	8/10/1989	<50	0.6	<1	<1	<3	NA	NA	20.72	7.79	12.93	NA	NA
S-8	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.72	7.84	12.88	NA	NA
S-8	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.47	13.25	NA	NA
S-8	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.59	13.13	NA	NA
S-8	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	7.49	13.23	NA	NA
S-8	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.44	12.28	NA	NA
S-8	1/28/1991	<50	55	0.5	<0.5	1.4	NA	NA	20.72	8.28	12.44	NA	NA
S-8	4/25/1991	130a	19	<0.5	1.3	1.1	NA	NA	20.72	6.72	14.00	NA	NA
S-8	7/9/1991	200	33	<0.5	1.8	2.8	NA	NA	20.72	7.98	12.74	NA	NA
S-8	10/8/1991	580	95	2.2	4.9	6.5	NA	NA	20.72	8.55	12.17	NA	NA
S-8	2/5/1992	90a	18	<0.5	6.2	1.8	NA	NA	20.72	7.50	13.22	NA	NA
S-8	4/28/1992	<50	5.9	<0.5	2.5	<0.5	NA	NA	20.72	7.14	13.58	NA	NA
S-8	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.06	12.66	NA	NA
S-8	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.58	12.14	NA	NA
S-8	1/14/1993	270	74	0.9	25	5.5	NA	NA	20.72	5.32	15.40	NA	NA
S-8	4/16/1993	1100	420	<0.5	200	20	NA	NA	20.72	5.76	14.96	NA	NA
S-8	7/23/1993	160	23	<0.5	1.2	1.5	NA	NA	20.72	7.29	13.43	NA	NA
S-8	10/27/1993	420	650	0.7	11	1.7	NA	NA	20.72	7.93	12.79	NA	NA
S-8	1/27/1994	290	65	<1	6.9	2.4	NA	NA	20.72	6.31	14.41	NA	NA
S-8	5/5/1994	120	13	<0.5	<0.5	<0.5	NA	NA	20.32	6.84	13.48	NA	NA
S-8	7/26/1994	115	12.2	1.3	<0.3	2.7	NA	NA	20.32	7.42	12.90	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-8	10/28/1994	733	75.9	3.2	4.9	4.2	NA	NA	20.32	7.56	12.76	NA	NA
S-8	1/2/1995	290	54	<0.5	10	<0.5	NA	NA	20.32	6.19	14.13	NA	NA
S-8	4/14/1995	230	68	<0.5	10	2.4	NA	NA	20.32	5.54	14.78	NA	NA
S-8	7/28/1995	290	44	<0.5	8.0	<0.5	NA	NA	20.32	6.28	14.04	NA	NA
S-8	10/17/1995	190	24	<0.5	1.0	0.9	NA	NA	20.32	6.64	13.68	NA	NA
S-8	1/11/1996	400	85	1.1	13	3.4	2.3	NA	20.32	5.96	14.36	NA	NA
S-8	4/2/1996	300	110	0.7	4.9	0.9	<2	NA	20.32	5.21	15.11	NA	NA
S-8	7/9/1996	<50	5.4	<0.50	0.63	<0.50	<2.5	NA	20.32	6.05	14.27	NA	NA
S-8	10/10/1996	150	0.53	0.66	2.3	1.0	8.9	NA	20.32	6.83	13.49	NA	NA
S-8	1/9/1997	240	27	<0.50	2.4	<0.50	5.8	NA	20.32	4.51	15.81	NA	NA
S-8	4/8/1997	220	27	0.62	1.9	0.71	5.7	NA	20.32	6.50	13.82	NA	NA
S-8	7/21/1997	1200	140	2.8	21	5.0	27	NA	20.32	6.36	13.96	NA	NA
S-8 (D)	7/21/1997	1200	120	<2.0	19	3.9	25	NA	20.32	NA	NA	NA	NA
S-8	10/8/1997	690	92	1.4	25	2.0	<2.5	NA	20.32	6.83	13.49	NA	NA
S-8 (D)	10/8/1997	700	95	1.3	26	1.9	<2.5	NA	20.32	NA	NA	NA	NA
S-8	1/15/1998	460	110	1.0	3.4	1.7	<5.0	NA	20.32	4.30	16.02	NA	NA
S-8	4/14/1998	780	190	2.9	15	3.4	<2.5	NA	20.32	4.68	15.64	NA	NA
S-8	7/14/1998	1600	240	<5.0	36	<5.0	<25	NA	20.36	6.36	14.00	NA	NA
S-8	10/20/1998	700	55	<5.0	<5.0	<5.0	49	NA	20.36	6.91	13.45	NA	NA
S-8	1/22/1999	<50.0	5.83	<0.500	0.919	<0.500	<2.00	NA	20.36	5.97	14.39	NA	NA
S-8	4/8/1999	684	10.6	1.3	9.75	1.0	10.5	NA	20.36	5.01	15.35	NA	NA
S-8	7/23/1999	1540	86.5	5.20	5.30	6.35	<25.0	NA	20.36	6.61	13.75	NA	NA
S-8	10/26/1999	1680	116	<2.50	22.4	5.58	<12.5	NA	20.36	6.95	13.41	NA	NA
S-8	1/3/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	4/14/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	7/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	11/1/2000	2300	118	12.4	51.7	<2.50	<12.5	NA	20.36	5.68	14.68	NA	NA
S-8	1/3/2001	263	4.34	0.620	<0.500	0.643	5.40	NA	20.36	6.95	13.41	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-8	4/24/2001	680	12	<0.50	0.86	<0.50	NA	<0.50	20.36	6.25	14.11	NA	NA
S-8	7/2/2001	330	2.5	<0.50	0.86	<0.50	NA	<5.0	20.36	7.00	13.36	NA	NA
S-8	11/2/2001	1300	71	0.84	14	1.7	NA	<5.0	20.36	7.44	12.92	NA	NA
S-8	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.36	5.67	14.69	NA	NA
S-8	4/1/2002	330	2.2	<0.50	<0.50	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	7/11/2002	1400	55	0.83	5.3	0.71	NA	<5.0	20.36	6.94	13.42	NA	NA
S-8	10/28/2002	660	6.2	0.63	0.76	<0.50	NA	<0.50	20.36	7.50	12.86	NA	1.1
S-8	1/23/2003	1600	30	0.56	6.7	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	4/30/2003	890	13	<0.50	0.59	<1.0	NA	<5.0	20.36	5.30	15.06	NA	NA
S-8	7/1/2003	1800	68	1.3	2.6	1.2	NA	<0.50	20.36	6.87	13.49	NA	1.0
S-8	10/8/2003	220	1.3	<0.50	<0.50	<1.0	NA	<0.50	20.36	7.27	13.09	NA	NA
S-8	1/22/2004	1000	6.7	<0.50	0.61	<1.0	NA	NA	20.36	6.50	13.86	NA	NA
S-8	7/13/2004	2000	100	1.7	5.7	<2.0	NA	<1.0	20.36	7.41	12.95	NA	NA
S-8	1/20/2005	380	4.3	<0.50	<0.50	<1.0	NA	NA	20.36	5.02	15.34	NA	NA
S-8	7/19/2005	120	1.2	<0.50	<0.50	<1.0	NA	NA	20.36	5.82	14.54	NA	NA
S-8	1/27/2006	494	2.42	<0.500	<0.500	<0.500	NA	NA	20.36	5.51	14.85	NA	NA
S-8	7/25/2006	382	2.05	<1.00	<1.00	<3.00	NA	NA	20.36	6.66	13.70	NA	NA
S-8	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.13	14.23	NA	NA
S-8	7/24/2007	210 g,h	1.2	<1.0	<1.0	<1.0	NA	NA	20.36	6.92	13.44	NA	NA
S-8	1/15/2008	560 g,h	5.3	<1.0	0.31 i	<1.0	NA	NA	20.36	5.32	15.04	NA	NA
S-8	8/4/2008	200	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.98	13.38	NA	NA
S-8	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.62	13.74	NA	NA
S-8	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	7.10	13.26	NA	NA

S-9	11/16/1988	1400	69	3.0	52	180	NA	NA	20.96	7.78	13.18	NA	NA
S-9	2/27/1989	1600	240	4.0	130	180	NA	NA	20.96	NA	NA	NA	NA
S-9	5/4/1989	2600	470	10	240	480	NA	NA	20.96	NA	NA	NA	NA
S-9	8/10/1989	520	73	<10	40	<30	NA	NA	20.96	7.82	13.14	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	10/10/1989	380	82	<1	46	13	NA	NA	20.96	7.87	13.09	NA	NA
S-9	1/25/1990	750	140	1.2	69	75	NA	NA	20.96	7.41	13.55	NA	NA
S-9	4/18/1990	680	150	1.7	50	37	NA	NA	20.96	7.65	13.31	NA	NA
S-9	7/23/1990	490	94	1.2	32	24	NA	NA	20.96	7.58	13.38	NA	NA
S-9	10/18/1990	390	140	0.7	3.3	24	NA	NA	20.96	8.46	12.50	NA	NA
S-9	1/28/1991	1040	450	4.6	85	97	NA	NA	20.96	8.29	12.67	NA	NA
S-9	4/25/1991	5800	880	9.0	360	500	NA	NA	20.96	6.09	14.87	NA	NA
S-9	7/9/1991	1400	220	2.8	82	100	NA	NA	20.96	7.82	13.14	NA	NA
S-9	10/8/1991	890	960	<2.5	16	29	NA	NA	20.96	8.55	12.41	NA	NA
S-9	2/5/1992	950	240	<2.5	28	55	NA	NA	20.96	6.96	14.00	NA	NA
S-9	4/28/1992	1400a	290	3.0	100	81	NA	NA	20.96	6.76	14.20	NA	NA
S-9	7/27/1992	890	190	<2.5	66	68	NA	NA	20.96	8.10	12.86	NA	NA
S-9	10/26/1992	650	160	<2.5	63	89	NA	NA	20.96	8.53	12.43	NA	NA
S-9	1/13/1993	19000	2400	38	1700	2200	NA	NA	20.96	6.80	14.16	NA	NA
S-9	4/16/1993	10000	1500	<5	1100	990	NA	NA	20.96	6.28	14.68	NA	NA
S-9	7/23/1993	1100	400	<5	260	160	NA	NA	20.96	7.26	13.70	NA	NA
S-9	10/27/1993	2500	400	<5	190	110	NA	NA	20.96	8.00	12.96	NA	NA
S-9	1/27/1994	4800	990	16	630	490	NA	NA	20.96	5.96	15.00	NA	NA
S-9	5/5/1994	3700	480	<5	21	120	NA	NA	20.68	6.99	13.69	NA	NA
S-9	7/26/1994	1000	124.6	<0.3	35.8	28.6	NA	NA	20.68	7.56	13.12	NA	NA
S-9	10/28/1994	979	80.3	7.0	21.7	29.2	NA	NA	20.68	7.78	12.90	NA	NA
S-9	1/2/1995	3900	540	2.4	350	150	NA	NA	20.68	6.29	14.39	NA	NA
S-9	4/14/1995	5100	1000	<10	380	230	NA	NA	20.68	5.69	14.99	NA	NA
S-9	7/28/1995	4600	680	<10	120	47	NA	NA	20.68	6.61	14.07	NA	NA
S-9	10/17/1995	1600	150	<0.5	42	15	NA	NA	20.68	7.00	13.68	NA	NA
S-9	1/11/1996	6800	1100	12	720	95	24	NA	20.68	6.20	14.48	NA	NA
S-9	4/2/1996	6000	1300	8.3	430	99	49	NA	20.68	5.19	15.49	NA	NA
S-9 (D)	4/2/1996	6500	1200	8.3	410	90	<20	NA	20.68	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	7/9/1996	3400	680	6.7	54	31	<25	NA	20.68	6.43	14.25	NA	NA
S-9 (D)	7/9/1996	3300	730	<5.0	58	28	<25	NA	20.68	NA	NA	NA	NA
S-9	10/10/1996	6600	1200	<10	160	<10	70	NA	20.68	7.08	13.60	NA	NA
S-9 (D)	10/10/1996	6100	1000	<10	200	15	65	NA	20.68	NA	NA	NA	NA
S-9	1/9/1997	12000	1400	<25	1000	39	<125	NA	20.68	5.03	15.65	NA	NA
S-9	4/8/1997	6600	920	10	230	26	150	NA	20.68	6.78	13.90	NA	NA
S-9	7/21/1997	7800	860	13	260	14	87	NA	20.68	6.77	13.91	NA	NA
S-9	10/8/1997	4600	320	<10	61	<10	28	NA	20.68	6.92	13.76	NA	NA
S-9	1/15/1998	9300	1000	<10	730	24	<50	NA	20.68	4.50	16.18	NA	NA
S-9	4/14/1998	12000	1200	<2.5	960	<2.5	<12	NA	20.68	4.35	16.33	NA	NA
S-9 (D)	4/14/1998	12000	1200	<2.5	930	<2.5	<12	NA	20.68	NA	NA	NA	NA
S-9	7/14/1998	12000	1700	<25	990	39	<125	NA	20.68	5.95	14.73	NA	NA
S-9 (D)	7/14/1998	11000	1800	<25	650	<25	<125	NA	20.68	NA	NA	NA	NA
S-9	10/20/1998	14000	1600	<25	560	<25	340	NA	20.68	7.03	13.65	NA	NA
S-9 (D)	10/20/1998	11000	1100	<10	230	<10	100	NA	20.68	NA	NA	NA	NA
S-9	1/22/1999	9900	1030	26.7	819	27.5	46.8	NA	20.68	6.01	14.67	NA	NA
S-9	4/8/1999	17900	1450	<50.0	1610	73.8	<500	NA	20.68	5.25	15.43	NA	NA
S-9	7/23/1999	12200	1020	<20.0	536	<20.0	<200	NA	20.68	6.71	13.97	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	1/3/2000	9660	689	<50.0	640	<50.0	<250	NA	20.68	7.47	13.21	NA	NA
S-9	4/14/2000	14000	1040	<50.0	1210	<50.0	<250	NA	20.68	5.75	14.93	NA	NA
S-9	7/12/2000	13200	1360	33.9	552	26.8	<100	NA	20.68	6.63	14.05	NA	NA
S-9	11/1/2000	9120	928	13.5	468	<10.0	<50.0	NA	20.68	5.50	15.18	NA	NA
S-9	1/3/2001	355	19.8	0.732	2.23	0.630	5.09	NA	20.68	7.11	13.57	NA	NA
S-9	4/24/2001	3500	300	1.7	150	1.7	NA	<1.0	20.68	6.30	14.38	NA	NA
S-9	7/2/2001	88	3.8	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.18	12.50	NA	2.6
S-9	11/2/2001	210	9.5	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.40	12.28	NA	16.4

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-9	1/16/2002	15000	520	4.9	580	7.1	NA	<20	20.68	5.71	14.97	NA	0.5
S-9	4/1/2002	15000	530	5.1	920	7.8	NA	<25	20.68	5.99	14.69	NA	3.0
S-9	7/11/2002	10000	520	5.3	97	5.8	NA	<25	20.68	6.99	13.69	NA	0.5
S-9	10/28/2002	11000	580	6.2	65	5.3	NA	<2.5	20.70	7.63	13.07	NA	1.0
S-9	1/23/2003	9300	400	5.6	320	6.5	NA	<5.0	20.70	5.96	14.74	NA	0.5
S-9	4/30/2003	180	4.2	<0.50	3.7	<1.0	NA	<5.0	20.70	5.20	15.50	NA	7.0
S-9	7/1/2003	2200	71	0.94	6.4	<1.0	NA	<0.50	20.70	7.78	12.92	NA	0.9
S-9	10/8/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.70	7.38	13.32	NA	16.2
S-9	1/22/2004	1400	26	<1.0	14	12	NA	NA	20.70	6.51	14.19	NA	0.7
S-9	7/13/2004	1900	36	<1.0	2.0	<2.0	NA	<1.0	20.70	8.51	12.19	NA	17.1
S-9	1/20/2005	3600	60	1.2	50	<2.0	NA	NA	20.70	5.80	14.90	NA	0.4
S-9	7/19/2005	2800	42	1.4	18	<2.0	NA	NA	20.70	7.50	13.20	NA	NA
S-9	1/27/2006	16800	152	4.74	165	6.77	NA	NA	20.70	6.40	14.30	NA	NA
S-9	7/25/2006	22500	79.3	2.32	27.2	<3.00	NA	NA	20.70	6.92	13.78	NA	NA
S-9	1/4/2007	5800	82	3.2	110	<5.0	NA	NA	20.70	6.40	14.30	NA	NA
S-9	7/24/2007	8900 g,h	91	3.4 i	22	<10	NA	NA	20.70	7.19	13.51	NA	NA
S-9	1/15/2008	11,000 g,h	68	3.5 i	68	4.5 i	NA	NA	20.70	5.20	15.50	NA	NA
S-9	8/4/2008	8,200	50	2.6	12	3.6	NA	NA	20.70	7.38	13.32	NA	NA
S-9	1/8/2009	9,200	40	2.4	29	1.9	NA	NA	20.70	6.73	13.97	NA	NA
S-9	7/21/2009	6,200	26	1.6	7.5	1.3	NA	NA	20.70	7.28	13.42	NA	NA
S-9	07/21/2009 *	9,600	35	2.1	9.2	1.8	NA	NA	20.70	7.28	13.42	NA	NA

S-10	11/16/1988	330	0.5	<1	1.0	11	NA	NA	20.86	7.91	12.95	NA	NA
S-10	2/27/1989	140	<0.5	<3	2.0	6.0	NA	NA	20.86	NA	NA	NA	NA
S-10	5/3/1989	220	<0.5	1.0	2.0	7.0	NA	NA	20.86	NA	NA	NA	NA
S-10	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.86	7.94	12.92	NA	NA
S-10	10/9/1989	170	<0.5	<1	<1	<3	NA	NA	20.86	7.99	12.87	NA	NA
S-10	1/25/1990	<50	<0.5	<0.5	1.1	4.0	NA	NA	20.86	7.56	13.30	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	4/18/1990	<50	<0.5	0.9	<0.5	2.0	NA	NA	20.86	7.71	13.15	NA	NA
S-10	7/23/1990	590	<0.5	<0.5	1.9	19	NA	NA	20.86	7.64	13.22	NA	NA
S-10	10/18/1990	140	<0.5	0.7	<0.5	7.0	NA	NA	20.86	8.58	12.28	NA	NA
S-10	1/28/1991	<50	<0.5	<0.5	<0.5	0.5	NA	NA	20.86	8.35	12.51	NA	NA
S-10	4/25/1991	<50	<0.5	<0.5	1.1	0.8	NA	NA	20.69	6.91	13.78	NA	NA
S-10	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.14	12.55	NA	NA
S-10	10/8/1991	140	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.70	11.99	NA	NA
S-10	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.57	13.12	NA	NA
S-10	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.20	13.49	NA	NA
S-10	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.17	12.52	NA	NA
S-10	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.68	12.01	NA	NA
S-10	1/13/1993	88	<0.5	0.6	0.6	<0.5	NA	NA	20.69	3.78	16.91	NA	NA
S-10	4/16/1993	80	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	6.46	14.23	NA	NA
S-10	7/23/1993	<50	1.5	<0.5	0.7	2.7	NA	NA	20.69	7.38	13.31	NA	NA
S-10	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.09	12.60	NA	NA
S-10	1/27/1994	270	1.1	1.3	2.0	7.4	NA	NA	20.69	5.81	14.88	NA	NA
S-10	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.82	13.33	NA	NA
S-10	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.15	7.40	12.75	NA	NA
S-10	10/28/1994	<50	2.4	<0.3	0.5	0.8	NA	NA	20.15	7.62	12.53	NA	NA
S-10	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.13	14.02	NA	NA
S-10	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	5.60	14.55	NA	NA
S-10	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.44	13.71	NA	NA
S-10	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.85	13.30	NA	NA
S-10	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.15	6.08	14.07	NA	NA
S-10	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.15	5.21	14.94	NA	NA
S-10	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.20	13.95	NA	NA
S-10	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.92	13.23	NA	NA
S-10	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	4.64	15.51	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.82	14.33	NA	NA
S-10	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.48	14.67	NA	NA
S-10	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	3.01	17.14	NA	NA
S-10	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	4.30	15.85	NA	NA
S-10	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	5.84	14.31	NA	NA
S-10	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.15	6.89	13.26	NA	NA
S-10	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.15	6.00	14.15	NA	NA
S-10	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.15	4.41	15.74	NA	NA
S-10	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.15	7.07	13.08	NA	NA
S-10	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	7.27	12.88	NA	NA
S-10	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.15	5.75	14.40	NA	NA
S-10	7/12/2000	NA	NA	NA	NA	NA	NA	NA	20.15	6.17	13.98	NA	NA
S-10	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.15	5.63	14.52	NA	NA
S-10	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	6.89	13.26	NA	NA
S-10	4/24/2001	NA	NA	NA	NA	NA	NA	NA	20.15	6.20	13.95	NA	NA
S-10	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.15	6.80	13.35	NA	NA
S-10	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.15	7.40	12.75	NA	NA
S-10	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.15	5.66	14.49	NA	NA
S-10	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.15	5.63	14.52	NA	NA
S-10	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.15	6.72	13.43	NA	NA
S-10	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.14	7.50	12.64	NA	NA
S-10	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.14	5.97	14.17	NA	NA
S-10	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.14	5.24	14.90	NA	NA
S-10	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.14	6.82	13.32	NA	NA
S-10	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.14	7.06	13.08	NA	NA
S-10	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.50	13.64	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-10	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.14	7.49	12.65	NA	NA
S-10	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	5.09	15.05	NA	NA
S-10	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.14	6.00	14.14	NA	NA
S-10	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.14	5.61	14.53	NA	NA
S-10	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.14	6.61	13.53	NA	NA
S-10	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.29	13.85	NA	NA
S-10	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.14	6.82	13.32	NA	NA
S-10	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.14	5.33	14.81	NA	NA
S-10	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.14	6.65	13.49	NA	NA
S-10	1/8/2009	120	<0.50	<1.0	<1.0	<1.0	NA	NA	20.14	6.61	13.53	NA	NA
S-10	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.14	7.06	13.08	NA	NA

S-11	11/16/1988	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.62	12.64	NA	NA
S-11	2/27/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	NA	NA	NA	NA
S-11	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	NA	NA	NA	NA
S-11	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.65	12.61	NA	NA
S-11	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.64	12.62	NA	NA
S-11	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.43	12.83	NA	NA
S-11	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.42	12.84	NA	NA
S-11	7/23/1990	<50	<0.5	0.6	<0.5	1.1	NA	NA	21.26	8.23	13.03	NA	NA
S-11	10/18/1990	<50	<0.5	<0.5	<0.5	0.5	NA	NA	21.26	9.20	12.06	NA	NA
S-11	1/28/1991	63	<0.5	3.3	0.9	7.0	NA	NA	21.26	9.13	12.13	NA	NA
S-11	4/25/1991	<50	<0.5	<0.5	0.8	<0.5	NA	NA	21.26	7.53	13.73	NA	NA
S-11	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.85	12.41	NA	NA
S-11	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.34	11.92	NA	NA
S-11	2/5/1991	NA	NA	NA	NA	NA	NA	NA	21.26	8.50	12.76	NA	NA
S-11	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	7.80	13.46	NA	NA
S-11	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.80	12.46	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-11	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.42	11.84	NA	NA
S-11	1/13/1993	NA	NA	NA	NA	NA	NA	NA	21.26	6.52	14.74	NA	NA
S-11	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	6.86	14.40	NA	NA
S-11	7/23/1993	NA	NA	NA	NA	NA	NA	NA	21.26	8.07	13.19	NA	NA
S-11	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	1/27/1994	NA	NA	NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	7.73	13.51	NA	NA
S-11	7/26/1994	NA	NA	NA	NA	NA	NA	NA	21.24	8.30	12.94	NA	NA
S-11	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	8.30	12.94	NA	NA
S-11	1/2/1995	NA	NA	NA	NA	NA	NA	NA	21.24	7.25	13.99	NA	NA
S-11	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	6.99	14.25	NA	NA
S-11	7/28/1995	NA	NA	NA	NA	NA	NA	NA	21.24	7.21	14.03	NA	NA
S-11	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	7.41	13.83	NA	NA
S-11	1/11/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.80	14.44	NA	NA
S-11	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	21.24	7.28	13.96	NA	NA
S-11	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.27	NA	NA	NA	NA
S-11	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.57	21.27	7.55	13.72	NA	NA

S-12	11/16/1988	50	3.5	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	2/27/1989	<50	0.8	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	8.32	12.73	NA	NA
S-12	10/9/1989	<50	<0.5	<1	<1	<1	NA	NA	21.05	8.32	12.73	NA	NA
S-12	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.05	8.18	12.87	NA	NA
S-12	4/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.05	13.00	NA	NA
S-12	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.92	13.13	NA	NA
S-12	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.90	12.15	NA	NA
S-12	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.54	12.51	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-12	4/25/1991	90	5.4	<0.5	1.1	0.7	NA	NA	21.05	7.08	13.97	NA	NA
S-12	7/9/1991	<50	2.9	<0.5	<0.5	<0.5	NA	NA	21.05	8.42	12.63	NA	NA
S-12	10/8/1991	50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.80	12.25	NA	NA
S-12	2/5/1992	50a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.07	12.98	NA	NA
S-12	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.33	12.72	NA	NA
S-12	7/27/1992	94	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.55	12.50	NA	NA
S-12	10/26/1992	86	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	9.03	12.02	NA	NA
S-12	1/14/1993	120	2.0	<0.5	<0.5	<0.5	NA	NA	21.05	6.38	14.67	NA	NA
S-12	4/16/1993	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	6.56	14.49	NA	NA
S-12	7/23/1993	90	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.76	13.29	NA	NA
S-12	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	1/27/1994	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	5/5/1994	<50	2.0	<0.5	<0.5	<0.5	NA	NA	20.71	7.49	13.22	NA	NA
S-12	7/26/1994	128	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.92	12.79	NA	NA
S-12	10/28/1994	167	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.78	12.93	NA	NA
S-12	1/2/1995	50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.33	13.38	NA	NA
S-12	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.47	14.24	NA	NA
S-12	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.90	13.81	NA	NA
S-12	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.16	13.55	NA	NA
S-12	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	82	NA	20.71	6.65	14.06	NA	NA
S-12	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	45	NA	20.71	6.95	13.76	NA	NA
S-12	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.73	NA	NA	NA	NA
S-12	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.58	20.73	7.30	13.43	NA	NA

S-13	5/3/1989	150	4.9	4.0	2.0	14	NA	NA	20.57	NA	NA	NA	NA
S-13	8/10/1989	110	2.9	<1	<1	<3	NA	NA	20.57	8.00	12.57	NA	NA
S-13	10/9/1989	77	1.4	<1	<1	<3	NA	NA	20.57	7.95	12.62	NA	NA
S-13	1/25/1990	51	0.5	<0.5	<0.5	<1	NA	NA	20.57	7.79	12.78	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-13	4/18/1990	85	8.7	<0.5	<0.5	<1	NA	NA	20.57	7.73	12.84	NA	NA
S-13	7/23/1990	80	0.8	<0.5	<0.5	<0.5	NA	NA	20.57	7.63	12.94	NA	NA
S-13	10/18/1990	130	<0.5	<0.5	<0.5	<5	NA	NA	20.57	8.58	11.99	NA	NA
S-13	1/28/1991	<50	<0.5	0.9	1.2	1.0	NA	NA	20.57	8.39	12.18	NA	NA
S-13	4/25/1991	440a	3.8	<0.5	<0.5	0.6	NA	NA	20.57	7.00	13.57	NA	NA
S-13	7/9/1991	320a	0.6	<0.5	<0.5	<0.5	NA	NA	20.57	8.12	12.45	NA	NA
S-13	10/8/1991	310	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.69	11.88	NA	NA
S-13	2/5/1992	NA	NA	NA	NA	NA	NA	NA	20.57	7.62	12.95	NA	NA
S-13	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.15	13.42	NA	NA
S-13	7/27/1992	NA	NA	NA	NA	NA	NA	NA	20.57	8.20	12.37	NA	NA
S-13	10/26/1992	180	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.73	11.84	NA	NA
S-13	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.57	5.06	15.51	NA	NA
S-13	4/16/1993	240	4.8	<0.5	1.3	<0.5	NA	NA	20.57	6.38	14.19	NA	NA
S-13	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.57	7.45	13.12	NA	NA
S-13	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-13	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-13	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.16	6.91	13.25	NA	NA
S-13	7/26/1994	NA	NA	NA	NA	NA	NA	NA	20.16	7.52	12.64	NA	NA
S-13	10/28/1994	368	<0.3	<0.3	<0.3	<0.6	NA	NA	20.16	7.68	12.48	NA	NA
S-13	1/2/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.37	13.79	NA	NA
S-13	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.16	5.81	14.35	NA	NA
S-13	7/28/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.73	13.43	NA	NA
S-13	10/17/1995	<50	1.0	<0.5	<0.5	<0.5	NA	NA	20.16	6.94	13.22	NA	NA
S-13	1/11/1996	NA	NA	NA	NA	NA	NA	NA	20.16	6.20	13.96	NA	NA
S-13	4/2/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.16	5.28	14.88	NA	NA
S-13	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.16	6.35	13.81	NA	NA
S-13	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	210	160	20.16	7.04	13.12	NA	NA
S-13	1/9/1997	NA	NA	NA	NA	NA	NA	NA	20.16	5.19	14.97	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-13	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	81	NA	20.16	6.62	13.54	NA	NA
S-13	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.16	6.76	13.40	NA	NA
S-13	10/8/1997	<50	<0.50	<0.50	<0.50	<0.50	110	NA	20.16	7.05	13.11	NA	NA
S-13	1/15/1998	NA	NA	NA	NA	NA	NA	NA	20.16	5.27	14.89	NA	NA
S-13	4/14/1998	<50	<0.50	<0.50	<0.50	<0.50	3.2	NA	20.16	5.24	14.92	NA	NA
S-13	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.16	5.48	14.68	NA	NA
S-13	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.16	7.08	13.08	NA	NA
S-13	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	92.2	NA	20.16	6.65	13.51	NA	NA
S-13	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.16	5.61	14.55	NA	NA
S-13	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.16	6.78	13.38	NA	NA
S-13	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.16	7.33	12.83	NA	NA
S-13	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	7.51	12.65	NA	NA
S-13	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.08	14.08	NA	NA
S-13	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	6.50	13.66	NA	NA
S-13	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.10	14.06	NA	NA
S-13	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	21.2	23.9	20.16	7.09	13.07	NA	NA
S-13	4/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.16	NA	NA	NA	NA
S-13	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.13	13.03	NA	NA
S-13	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.16	7.38	12.78	NA	NA
S-13	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	5.9	20.16	6.02	14.14	NA	NA
S-13	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.16	6.26	13.90	NA	NA
S-13	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.00	13.16	NA	NA
S-13	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.19	7.70	12.49	NA	NA
S-13	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	110	20.19	6.41	13.78	NA	NA
S-13	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.19	6.12	14.07	NA	NA
S-13	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.19	7.65	12.54	NA	1.4
S-13	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.19	7.32	12.87	NA	NA
S-13	1/22/2004	<250	<2.5	<2.5	<2.5	<5.0	NA	NA	20.19	6.60	13.59	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-13	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.19	6.60	13.59	NA	e
S-13	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.56	13.63	NA	NA
S-13	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.19	6.15	14.04	NA	NA
S-13	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.19	6.42	13.77	NA	NA
S-13	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.19	7.51	12.68	NA	NA
S-13	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.85	13.34	NA	NA
S-13	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.19	7.39	12.80	NA	NA
S-13	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.19	6.00	14.19	NA	NA
S-13	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.19	7.46	12.73	NA	NA
S-13	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.19	6.71	13.48	NA	NA
S-13	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.19	7.26	12.93	NA	NA

S-14	5/3/1989	5300	750	400	200	800	NA	NA	20.44	NA	NA	NA	NA
S-14	8/10/1989	1800	540	140	42	50	NA	NA	20.44	7.58	12.86	NA	NA
S-14	10/9/1989	1000	360	60	20	30	NA	NA	20.44	7.62	12.82	NA	NA
S-14	1/25/1990	640	160	77	17	39	NA	NA	20.44	7.82	12.62	NA	NA
S-14	4/18/1990	1200	200	110	30	96	NA	NA	20.44	7.37	13.07	NA	NA
S-14	7/23/1990	5000	430	340	140	660	NA	NA	20.44	7.28	13.16	NA	NA
S-14	10/18/1990	1800	770	13	17	120	NA	NA	20.44	8.10	12.34	NA	NA
S-14	1/28/1991	720	200	36	21	78	NA	NA	20.44	8.04	12.40	NA	NA
S-14	4/25/1991	14000	930	430	250	970	NA	NA	20.44	6.40	14.04	NA	NA
S-14	7/9/1991	160	30	5.3	5	16	NA	NA	20.44	7.69	12.75	NA	NA
S-14	10/8/1991	5400	81	57	95	380	NA	NA	20.44	8.24	12.20	NA	NA
S-14	2/2/1992	NA	NA	NA	NA	NA	NA	NA	20.44	7.20	13.24	NA	NA
S-14	4/28/1992	2000	270	140	48	170	NA	NA	20.44	9.75	10.69	NA	NA
S-14	10/26/1992	920	33	12	25	88	NA	NA	20.44	8.32	12.12	NA	NA
S-14	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.44	5.07	15.37	NA	NA
S-14	4/16/1993	4500	1100	29	91	170	NA	NA	20.44	5.86	14.58	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-14	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.44	7.06	13.38	NA	NA
S-14	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.44	NA	NA	NA	NA
S-14	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.44	NA	NA	NA	NA
S-14	5/5/1994	810	250	<2.5	9.4	19	NA	NA	19.99	6.48	13.51	NA	NA
S-14	7/26/1994	NA	NA	NA	NA	NA	NA	NA	19.99	7.04	12.95	NA	NA
S-14	10/28/1994	5385	290.6	85.8	49.7	186.2	NA	NA	19.99	7.07	12.92	NA	NA
S-14	1/2/1995	NA	NA	NA	NA	NA	NA	NA	19.99	5.95	14.04	NA	NA
S-14	4/14/1995	1600	40	4.7	11	20	NA	NA	19.99	5.22	14.77	NA	NA
S-14	7/28/1995	NA	NA	NA	NA	NA	NA	NA	19.99	6.21	13.78	NA	NA
S-14	10/17/1995	1200	37	<0.5	7.8	11	NA	NA	19.99	6.30	13.69	NA	NA
S-14	1/11/1996	NA	NA	NA	NA	NA	NA	NA	19.99	5.70	14.29	NA	NA
S-14	7/21/1997	220	71	0.71	1.3	1.3	100	NA	19.99	6.14	13.85	NA	NA
S-14	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.01	NA	NA	NA	NA
S-14	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	55	20.01	6.20	13.81	NA	NA

S-15	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	NA	NA	NA	NA
S-15	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.48	13.74	NA	NA
S-15	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.46	13.76	NA	NA
S-15	1/25/1990	<50	<0.5	<1	<1	<1	NA	NA	22.22	8.34	13.88	NA	NA
S-15	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.22	8.45	13.77	NA	NA
S-15	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.22	14.00	NA	NA
S-15	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.11	13.11	NA	NA
S-15	1/28/1991	<50	<0.5	0.6	<0.5	0.8	NA	NA	22.22	9.13	13.09	NA	NA
S-15	4/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	7.83	14.39	NA	NA
S-15	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.93	13.29	NA	NA
S-15	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.26	12.96	NA	NA
S-15	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.60	13.62	NA	NA
S-15	4/28/1992	50	0.8	0.9	<0.5	1.4	NA	NA	22.22	8.09	14.13	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-15	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.83	13.39	NA	NA
S-15	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.31	12.91	NA	NA
S-15	1/14/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	6.64	15.58	NA	NA
S-15	4/16/1993	<50	0.6	1.0	<0.5	0.7	NA	NA	22.22	7.14	15.08	NA	NA
S-15	7/23/1993	<50	1.2	<0.5	<0.5	1.6	NA	NA	22.22	8.23	13.99	NA	NA
S-15	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	22.22	NA	NA	NA	NA
S-15	1/27/1994	Well inaccessible		NA	NA	NA	NA	NA	22.22	NA	NA	NA	NA
S-15	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.57	13.85	NA	NA
S-15	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.42	8.16	13.26	NA	NA
S-15	10/28/1994	<50	0.3	<0.3	<0.3	<0.6	NA	NA	21.42	7.87	13.55	NA	NA
S-15	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.02	14.40	NA	NA
S-15	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.42	6.19	15.23	NA	NA
S-15	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	6.72	14.70	NA	NA
S-15	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.04	14.38	NA	NA
S-15	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	21.42	6.40	15.02	NA	NA
S-15	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.47	NA	NA	NA	NA
S-15	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	21.47	7.07	14.40	NA	NA

S-16	5/4/1994	380	44	3.0	2.0	<3	NA	NA	21.82	NA	NA	NA	NA
S-16	8/10/1989	<50	0.6	<1	<1	<3	NA	NA	21.82	8.36	13.46	NA	NA
S-16	10/10/1989	<5	<0.5	<1	<1	<3	NA	NA	21.82	8.23	13.59	NA	NA
S-16	1/25/1990	240	160	3.3	0.8	11	NA	NA	21.82	7.88	13.94	NA	NA
S-16	4/18/1990	<50	1.0	<0.5	<0.5	<1	NA	NA	21.82	8.19	13.63	NA	NA
S-16	7/23/1990	<50	1.1	<0.5	<0.5	<0.5	NA	NA	21.82	8.09	13.73	NA	NA
S-16	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.90	12.92	NA	NA
S-16	1/28/1991	<50	<0.5	0.6	<0.5	0.9	NA	NA	21.82	8.55	13.27	NA	NA
S-16	4/25/1991	60	21	0.5	3.2	4.8	NA	NA	21.82	7.48	14.34	NA	NA
S-16	7/9/1991	<50	1.0	<0.5	<0.5	<0.5	NA	NA	21.82	8.48	13.34	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	10/8/1991	50	17	1.4	1.2	5.5	NA	NA	21.82	8.95	12.87	NA	NA
S-16	2/5/1992	150	65	0.7	<0.5	8.4	NA	NA	21.82	8.20	13.62	NA	NA
S-16	4/28/1992	<50	13	<0.5	<0.5	<0.5	NA	NA	21.82	7.80	14.02	NA	NA
S-16	7/27/1992	510	130	<2.5	<0.5	21	NA	NA	21.82	8.29	13.53	NA	NA
S-16	10/26/1992	<50	<0.5	<0.5	<2.5	<0.5	NA	NA	21.82	9.02	12.80	NA	NA
S-16	1/13/1993	100	25	1.9	<0.5	8.4	NA	NA	21.82	5.78	16.04	NA	NA
S-16	4/16/1993	150	56	1.8	4.6	12	NA	NA	21.82	6.80	15.02	NA	NA
S-16	7/23/1993	<50	0.9	<0.5	<0.5	<0.5	NA	NA	21.82	7.67	14.15	NA	NA
S-16	10/27/1993	<50	1.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.52	13.30	NA	NA
S-16	1/27/1994	140	85	<1	<1	13	NA	NA	21.82	7.20	14.62	NA	NA
S-16	5/5/1994	71	25	<0.5	<0.5	4.2	NA	NA	21.24	7.76	13.48	NA	NA
S-16	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	7.84	13.40	NA	NA
S-16	10/28/1994	<50	11.5	<0.3	<0.3	1.8	NA	NA	21.24	7.97	13.27	NA	NA
S-16	1/2/1995	70	64	<0.5	<0.5	4.0	NA	NA	21.24	6.49	14.75	NA	NA
S-16	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.24	6.08	15.16	NA	NA
S-16	7/28/1995	<50	1.7	<0.5	<0.5	<0.5	NA	NA	21.24	7.00	14.24	NA	NA
S-16	10/17/1995	<50	4.6	<0.5	<0.5	<0.5	NA	NA	21.24	7.15	14.09	NA	NA
S-16	1/11/1996	80	17	0.7	<0.5	2.9	<2	NA	21.24	6.30	14.94	NA	NA
S-16	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.24	5.84	15.40	NA	NA
S-16	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.72	14.52	NA	NA
S-16	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.24	7.41	13.83	NA	NA
S-16	1/9/1997	80	18	<0.50	1.7	4.8	<2.5	NA	21.24	5.60	15.64	NA	NA
S-16	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.20	14.04	NA	NA
S-16	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	1/15/1998	650	160	2.7	8.7	62	<12	NA	21.24	4.79	16.45	NA	NA
S-16	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	5.27	15.97	NA	NA
S-16	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.32	14.92	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.94	14.30	NA	NA
S-16	1/22/1999	Well inaccessible		NA	NA	NA	NA	NA	21.24	NA	NA	NA	NA
S-16	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.24	5.80	15.44	NA	NA
S-16	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.24	6.62	14.62	NA	NA
S-16	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.24	7.42	13.82	NA	NA
S-16	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.24	7.34	13.90	NA	NA
S-16	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.24	6.27	14.97	NA	NA
S-16	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.24	7.02	14.22	NA	NA
S-16	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.24	6.79	14.45	NA	NA
S-16	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.05	NA	21.24	7.18	14.06	NA	NA
S-16	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.24	6.85	14.39	NA	NA
S-16	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.51	13.73	NA	NA
S-16	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.68	13.56	NA	NA
S-16	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.24	6.40	14.84	NA	NA
S-16	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.24	6.33	14.91	NA	NA
S-16	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.24	7.39	13.85	NA	NA
S-16	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.30	8.00	13.30	NA	NA
S-16	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.30	6.36	14.94	NA	NA
S-16	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.30	6.03	15.27	NA	NA
S-16	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.28	14.02	NA	NA
S-16	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.77	13.53	NA	NA
S-16	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.80	14.50	NA	NA
S-16	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.30	7.94	13.36	NA	NA
S-16	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	5.62	15.68	NA	NA
S-16	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.30	6.53	14.77	NA	NA
S-16	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.30	6.05	15.25	NA	NA
S-16	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.30	7.19	14.11	NA	NA
S-16	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.89	14.41	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-16	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.30	7.60	13.70	NA	NA
S-16	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	5.82	15.48	NA	NA
S-16	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.30	7.55	13.75	NA	NA
S-16	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.16	14.14	NA	NA
S-16	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.69	13.61	NA	NA
S-16	07/21/2009*	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.69	13.61	NA	NA

S-17	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	NA	NA	NA	NA
S-17	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.13	12.82	NA	NA
S-17	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.18	12.77	NA	NA
S-17	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.60	13.35	NA	NA
S-17	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.95	13.00	NA	NA
S-17	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.87	13.08	NA	NA
S-17	10/18/1990	390	10	62	22	110	NA	NA	20.95	8.71	12.24	NA	NA
S-17	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.54	12.41	NA	NA
S-17	4/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.15	13.80	NA	NA
S-17	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.24	12.71	NA	NA
S-17	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.86	12.09	NA	NA
S-17	2/5/1992	NA	NA	NA	NA	NA	NA	NA	20.95	7.74	13.21	NA	NA
S-17	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.41	13.54	NA	NA
S-17	7/27/1992	NA	NA	NA	NA	NA	NA	NA	20.95	8.34	12.61	NA	NA
S-17	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.87	12.08	NA	NA
S-17	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.95	3.43	17.52	NA	NA
S-17	4/16/1993	130	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	6.70	14.25	NA	NA
S-17	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.95	7.53	13.42	NA	NA
S-17	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.29	12.66	NA	NA
S-17	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.95	5.78	15.17	NA	NA
S-17	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	6.99	13.46	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-17	7/26/1994	NA	NA	NA	NA	NA	NA	NA	20.45	7.62	12.83	NA	NA
S-17	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.45	7.91	12.54	NA	NA
S-17	1/2/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.33	14.12	NA	NA
S-17	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.45	5.53	14.92	NA	NA
S-17	7/28/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.75	13.70	NA	NA
S-17	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	7.15	13.30	NA	NA
S-17	1/11/1996	NA	NA	NA	NA	NA	NA	NA	20.45	6.37	14.08	NA	NA
S-17	4/2/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.45	5.31	15.14	NA	NA
S-17	7/9/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.30	14.15	NA	NA
S-17	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.80	12.65	NA	NA
S-17	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.80	15.65	NA	NA
S-17	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.83	13.62	NA	NA
S-17 (D)	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	NA	NA	NA	NA
S-17	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.78	13.67	NA	NA
S-17	10/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.80	13.65	NA	NA
S-17	1/15/1998	380	<0.50	<0.50	<0.50	0.94	<2.5	NA	20.45	2.91	17.54	NA	NA
S-17	4/14/1998	160	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.47	15.98	NA	NA
S-17	7/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.45	14.00	NA	NA
S-17	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.11	13.34	NA	NA
S-17	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.45	6.01	14.44	NA	NA
S-17	4/8/1999	145	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	4.69	15.76	NA	NA
S-17	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	6.60	13.85	NA	NA
S-17	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.68	13.77	NA	NA
S-17	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.20	13.25	NA	NA
S-17	4/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.88	14.57	NA	NA
S-17	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.45	14.00	NA	NA
S-17	11/1/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.45	15.00	NA	NA
S-17	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.22	13.23	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-17	4/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.45	6.10	14.35	NA	NA
S-17	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.95	13.50	NA	NA
S-17	11/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	7.50	12.95	NA	NA
S-17	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	5.76	14.69	NA	NA
S-17	4/1/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.02	14.43	NA	NA
S-17	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.97	13.48	NA	NA
S-17	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.44	7.60	12.84	NA	0.9
S-17	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.44	5.77	14.67	NA	NA
S-17	4/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	20.44	5.35	15.09	NA	NA
S-17	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	6.95	13.49	NA	1.1
S-17	10/8/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	7.01	13.43	NA	NA
S-17	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.44	6.57	13.87	NA	NA
S-17	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.36 f	7.71	12.65	NA	NA
S-17	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36 f	5.09	15.27	NA	NA
S-17	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.36	6.30	14.06	NA	NA
S-17	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.36	5.50	14.86	NA	NA
S-17	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.36	6.84	13.52	NA	NA
S-17	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.15	14.21	NA	NA
S-17	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.36	6.92	13.44	NA	NA
S-17	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	5.05	15.31	NA	NA
S-17	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.36	6.96	13.40	NA	NA
S-17	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.56	13.80	NA	NA
S-17	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.36	7.23	13.13	NA	NA

S-18	5/31/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	NA	NA	NA	NA
S-18	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.23	12.80	NA	NA
S-18	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.84	12.19	NA	NA
S-18	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.67	13.36	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-18	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.40	13.63	NA	NA
S-18	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.38	12.65	NA	NA
S-18	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.83	12.20	NA	NA
S-18	1/13/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	5.86	15.17	NA	NA
S-18	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	4.88	16.15	NA	NA
S-18	7/23/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.56	13.47	NA	NA
S-18	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.30	12.73	NA	NA
S-18	1/27/1994	<50	1.9	<0.5	<0.5	<0.5	NA	NA	21.03	6.84	14.19	NA	NA
S-18	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.05	13.52	NA	NA
S-18	7/26/1994	<500	<3	1.1	<0.3	1.8	NA	NA	20.57	7.62	12.95	NA	NA
S-18	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.57	8.01	12.56	NA	NA
S-18	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	6.26	14.31	NA	NA
S-18	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.57	4.85	15.72	NA	NA
S-18	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	5.80	14.77	NA	NA
S-18	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.22	13.35	NA	NA
S-18	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.57	6.40	14.17	NA	NA
S-18	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.57	4.80	15.77	NA	NA
S-18	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.57	5.74	14.83	NA	NA
S-18	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	4.70	15.87	NA	NA
S-18	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.62	13.95	NA	NA
S-18	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
S-18	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.88	13.69	NA	NA
S-18	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	3.60	16.97	NA	NA
S-18	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	4.28	16.29	NA	NA
S-18	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	6.13	14.44	NA	NA
S-18	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.57	7.20	13.37	NA	NA
S-18	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.57	6.00	14.57	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-18	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.57	4.95	15.62	NA	NA
S-18	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.57	6.03	14.54	NA	NA
S-18	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.57	7.39	13.18	NA	NA
S-18	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.57	7.54	13.03	NA	NA
S-18	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.57	4.41	16.16	NA	NA
S-18	7/12/2000	NA	NA	NA	NA	NA	NA	NA	20.57	5.31	15.26	NA	NA
S-18	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.57	6.42	14.15	NA	NA
S-18	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.67	NA	20.57	7.30	13.27	NA	NA
S-18	4/24/2001	NA	NA	NA	NA	NA	NA	NA	20.57	6.83	13.74	NA	NA
S-18	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.57	7.23	13.34	NA	NA
S-18	11/2/2001	Unable to locate		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-18	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.57	6.15	14.42	NA	NA
S-18	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.98	13.59	NA	NA
S-18	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.63	7.66	12.97	NA	NA
S-18	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.63	6.18	14.45	NA	NA
S-18	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.63	5.32	15.31	NA	NA
S-18	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.20	13.43	NA	NA
S-18	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.48	13.15	NA	NA
S-18	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.74	13.89	NA	NA
S-18	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.63	7.87	12.76	NA	NA
S-18	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	5.33	15.30	NA	NA
S-18	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.63	6.55	14.08	NA	NA
S-18	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.63	5.89	14.74	NA	NA
S-18	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.63	7.10	13.53	NA	NA
S-18	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.60	14.03	NA	NA
S-18	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.63	7.13	13.50	NA	NA
S-18	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.63	5.25	15.38	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-18	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.63	7.85	12.78	NA	NA
S-18	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.63	6.98	13.65	NA	NA
S-18	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.63	7.43	13.20	NA	NA

S-19	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.11	6.41	13.70	NA	NA
S-19	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	90.6	NA	20.11	5.42	14.69	NA	NA
S-19	4/8/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	4.61	15.50	NA	NA
S-19	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	5.86	14.25	NA	NA
S-19	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.28	13.83	NA	NA
S-19	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.62	13.49	NA	NA
S-19	4/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	4.31	15.80	NA	NA
S-19	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.46	14.65	NA	NA
S-19	11/1/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.05	15.06	NA	NA
S-19	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	9.61	NA	20.11	6.00	14.11	NA	NA
S-19	4/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.11	5.58	14.53	NA	NA
S-19	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.34	13.77	NA	3.4
S-19	11/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.57	13.54	NA	3.4
S-19	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.05	15.06	NA	0.5
S-19	4/1/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.13	14.98	NA	3.3
S-19	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.50	14.61	NA	0.5
S-19	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.10	6.35	13.75	NA	0.6
S-19	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.10	5.15	14.95	NA	0.3
S-19	4/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	20.10	4.90	15.20	NA	0.5
S-19	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	5.50	14.60	NA	1.7
S-19	10/8/2003	58	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	6.63	13.47	NA	0.4
S-19	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.67	14.43	NA	0.6
S-19	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.10	6.82	13.28	NA	1.0
S-19	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	4.75	15.35	NA	0.6

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-19	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.10	5.15	14.95	NA	NA
S-19	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.10	4.85	15.25	NA	NA
S-19	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.10	6.14	13.96	NA	NA
S-19	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.75	14.35	NA	NA
S-19	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.10	6.39	13.71	NA	NA
S-19	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.10	4.72	15.38	NA	NA
S-19	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.10	6.43	13.67	NA	NA
S-19	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.10	6.18	13.92	NA	NA
S-19	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.10	6.67	13.43	NA	NA

SR-1	3/22/1989	5400	1100	230	350	1300	NA	NA	21.45	NA	NA	NA	NA
SR-1	1/25/1990	2200	470	120	110	510	NA	NA	21.45	7.53	13.92	NA	NA
SR-1	4/18/1990	1000	130	47	47	220	NA	NA	21.45	8.17	13.28	NA	NA
SR-1	7/23/1990	3200	470	320	170	870	NA	NA	21.45	7.58	13.87	NA	NA
SR-1	10/18/1990	1300	280	6.6	110	130	NA	NA	21.45	8.81	12.64	NA	NA
SR-1	1/28/1991	110	120	12	51	110	NA	NA	21.45	8.37	13.08	NA	NA
SR-1	4/25/1991	NA	NA	NA	NA	NA	NA	NA	21.45	6.91	14.54	NA	NA
SR-1	7/9/1991	1400	200	27	130	340	NA	NA	21.45	8.11	13.34	NA	NA
SR-1	10/8/1991	980	79	1.5	44	52	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	2/5/1991	3800	580	36	320	400	NA	NA	21.45	7.68	13.77	NA	NA
SR-1	4/28/1992	38000	1800	460	1900	750	NA	NA	21.45	7.27	14.18	NA	NA
SR-1	7/27/1992	NA	NA	NA	NA	NA	NA	NA	21.45	8.11	13.34	0.01	NA
SR-1	10/26/1992	1800	370	10	130	130	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	1/13/1993	47000	1000	1100	1700	13000	NA	NA	21.45	5.46	15.99	NA	NA
SR-1	4/16/1993	25000	1700	430	2400	8300	NA	NA	21.45	6.28	15.17	NA	NA
SR-1	7/23/1993	33000	2400	2000	3800	14000	NA	NA	21.45	7.34	14.11	NA	NA
SR-1	10/27/1993	2300	340	<12.5	270	440	NA	NA	21.45	8.04	13.41	NA	NA
SR-1	1/27/1994	36000	2000	1700	3000	11000	NA	NA	21.45	6.68	14.77	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
SR-1	5/5/1994	43000	1500	130	2900	12000	NA	NA	20.57	6.81	13.76	NA	NA
SR-1	7/26/1994	13600	682.7	39.2	996.6	2516	NA	NA	20.57	7.38	13.19	NA	NA
SR-1	10/28/1994	8462	301.5	29.3	384.7	2019	NA	NA	20.57	7.48	13.09	NA	NA
SR-1	1/2/1995	13000	400	120	2500	10000	NA	NA	20.57	6.34	14.23	NA	NA
SR-1	4/14/1995	43000	690	370	2500	12000	NA	NA	20.57	5.29	15.28	NA	NA
SR-1	7/28/1995	35000	760	120	2300	8100	NA	NA	20.57	6.36	14.21	NA	NA
SR-1	10/17/1995	9700	310	12	610	1200	NA	NA	20.57	6.62	13.95	NA	NA
SR-1 (D)	10/17/1995	8300	230	9.6	680	840	NA	NA	20.57	NA	NA	NA	NA
SR-1	1/11/1996	18000	410	170	1200	4400	42	NA	20.57	5.66	14.91	NA	NA
SR-1 (D)	1/11/1996	17000	420	180	1100	4000	42	NA	20.57	NA	NA	NA	NA
SR-1	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.57	5.14	15.43	NA	NA
SR-1	7/9/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	10/10/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	1/9/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	4/8/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	7/21/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
SR-1	1/15/1998	8100	82	<25	36	2300	<125	NA	20.57	4.30	16.27	NA	NA
SR-1	4/14/1998	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.48	13.80	NA	NA
SR-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.61	13.67	NA	NA
SR-1	1/22/1999	Well inaccessible		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.28	0.97	19.31	NA	NA
SR-1	7/23/1999	Well dry		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/26/1999	Well dry		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/14/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/12/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/1/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

SR-1	1/3/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/24/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/2/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/2/2001	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	1/16/2002	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/1/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/11/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/28/2002	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	1/23/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	4/30/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	7/1/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	10/8/2003	Well dry	NA	NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA

SV-1	04/15/1998 b	NA	NA	NA	NA	NA	NA	NA	NA	6.02	NA	NA	NA
SV-1	04/15/1998 c	NA	NA	NA	NA	NA	NA	NA	NA	7.15	NA	NA	NA
SV-1	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.31	NA	NA	NA	NA
SV-1	1/22/2004	3000	15	<2.5	34	11	NA	<2.5	21.31	6.67	14.64	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

MSL = Mean sea level

ppm = Parts per million

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

a = Chromatogram pattern indicated an unidentified hydrocarbon.

b = Pre-development sample

c = Post-development sample

d = Survey date only.

e = DO reading not taken.

f = TOC lowered 0.08 feet due to wellhead maintenance on June 3, 2004.

g = Analyzed by EPA Method 8015B (M).

h = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

i = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Site surveyed March 18, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

* = Purge sample

APPENDIX C

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	3Q09 GEO_WELL 601
<u>Facility Global ID:</u>	T0600100108
<u>Facility Name:</u>	ARCO #0601
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	8/26/2009 12:07:24 PM
<u>Confirmation Number:</u>	8640474617

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	3Q09 GW Monitoring
<u>Facility Global ID:</u>	T0600100108
<u>Facility Name:</u>	ARCO #0601
<u>File Name:</u>	09071739.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	8/26/2009 12:10:28 PM
<u>Confirmation Number:</u>	1903082609

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California