

Atlantic Richfield Company

Chuck Carmel
Environmental Business Manager

RECEIVED

4:14 pm, Apr 15, 2010

Alameda County
Environmental Health

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3803
Fax: (925) 275-3815
E-Mail: charles.carmel@bp.com

5 April 2010

Re: First Quarter 2010 Semi-Annual Ground-Water Monitoring Report
Atlantic Richfield Company Service Station #601
712 Lewelling Boulevard, San Leandro, California
ACEH Case #RO0000309

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel
Environmental Business Manager

Attachment

**First Quarter 2010 Semi-Annual
Ground-Water Monitoring Report**
Atlantic Richfield Company Station #601
712 Lewelling Boulevard, San Leandro, California
ACEH Case #RO0000309

Prepared for

Mr. Chuck Carmel
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

5 April 2010

Project No. 06-88-605

5 April 2010

Project No. 06-88-605

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: First Quarter 2010 Semi-Annual Ground-Water Monitoring Report, Atlantic Richfield Company Station #601, 712 Lewelling Boulevard, San Leandro, Alameda County, California; ACEH Case #RO0000309

Dear Mr. Carmel:

Attached is the *First Quarter 2010 Ground-Water Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #601 located at 712 Lewelling Boulevard, San Leandro, California (Site). This report presents the results of ground-water monitoring conducted at the Site during the First Quarter of 2010.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,

BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, P.E.
Senior Engineer



Enclosure

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Karl Busche, City of San Leandro (Submitted via GeoTracker)
Electronic copy uploaded to GeoTracker

STATION #601 SEMI-ANNUAL GROUND-WATER MONITORING REPORT

Facility: #601	Address:	712 Lewelling Boulevard, San Leandro, California
Environmental Business Manager:		Mr. Chuck Carmel
Consulting Co./Contact Persons:		Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Consultant Project No.:		06-88-605
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case #RO0000309

WORK PERFORMED THIS QUARTER (First Quarter 2010):

1. Prepared and submitted *Fourth Quarter 2009 Status Report* (BAI, 1/22/2010).
2. Conducted coordinated ground-water monitoring/sampling for First Quarter 2010. Work performed on 12 January 2010 by BAI for wells associated with Station #601 and by Delta Consultants for wells associated with nearby Shell Station #129460.

WORK PROPOSED FOR NEXT QUARTER (Second Quarter 2010):

1. Prepared and submitted *First Quarter 2010 Semi-Annual Ground-Water Monitoring Report* (contained herein).
2. Prepare and submit Feasibility Study Pilot Testing Work Plans, as requested by ACEH in their letter dated 10 February 2010.
3. No environmental field work is presently scheduled to be performed during the Second Quarter of 2010.

RESULTS SUMMARY:

Current phase of project:	Ground-Water Monitoring/Sampling/Feasibility Studies
Frequency of ground-water monitoring:	Semi-Annually (1Q & 3Q): Wells MW-1 through MW-3 and MW-8 through MW-19
Frequency of ground-water sampling:	Semi-Annually (1Q & 3Q): MW-1, MW-3, MW-10, MW-16, MW-17, and MW-18 Annually (3Q): MW-2, MW-8, MW-9, MW-14, MW-15, and MW-19
Is free product (FP) present on-site:	No
FP recovered this quarter:	0 gallons
Cumulative FP recovered:	3.45 gallons (Well MW-1)
Current remediation techniques:	NA
Depth to ground water (below TOC):	5.93 ft (MW-15) to 9.31 ft (MW-14)
General ground-water flow direction:	Southwest
Approximate hydraulic gradient:	0.003 ft/ft

DISCUSSION:

First Quarter 2010 ground-water monitoring and sampling was conducted at Station #601 on 12 January 2010 by BAI personnel. Water levels were gauged in each of the 19 wells associated with the Site. No irregularities were encountered during water-level gauging. Concurrent monitoring and sampling was also conducted on 12 January 2010 at the nearby Former Shell Service Station #129460 by Delta Consultants. Depth-to-water measurements in wells associated with Station #601 ranged from 5.93 ft at MW-15 to 9.31 ft at MW-14. Resulting ground-water surface elevations in wells associated with Station #601 ranged from 18.35 ft above datum in well MW-19 to 15.52 ft at well MW-10. Water level elevations in wells associated with Station #601 were between historic minimum and maximum ranges for each well, as summarized in Table 1, with the exception of new wells MW-16 through MW-19

since this was only their second round of monitoring. Water level elevations in wells associated with Station #601 were used to create ground-water elevation contours, resulting in a potentiometric ground-water flow direction and gradient to the southwest at approximately 0.003 ft/ft, consistent with historical data (see Table 3). Unfortunately the water level elevations from the Former Shell Station #129460 were based on a survey referencing the older National Geodetic Vertical Datum of 1929 (NGVD29) and could not be used in conjunction with the water level elevations from Station #601 which reference the newer North American Vertical Datum of 1988 (NAVD88, the vertical datum preferred by AB2886 for use in GeoTracker). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Current and historic ground-water flow directions and gradients are provided in Table 3. Co-monitored data from the nearby Former Shell Station #129460 at 15275 Washington Avenue are provided in Appendix B. A Site Location Map is provided as Drawing 1. Potentiometric ground-water elevation contours are presented in Drawing 2.

Consistent with the new sampling schedule, ground-water samples were collected from wells MW-1, MW-3, MW-10, and MW-16 through MW-18. No significant irregularities were encountered during sampling from these six wells. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and Methyl Tert-Butyl Ether (MTBE), Ethyl Tert-Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260B. The sample collected from well MW-1 was also analyzed for Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270C. Samples from MW-1, MW-3, and MW-16 through MW-18 were analyzed for the following bio-degradation parameters: Nitrate, Sulfate, Dissolved Sulfide, and Ferrous Iron. The reporting limits for constituents analyzed by 8260B in the sample collected from well MW-1 were raised due to high levels of non-target compounds. No other significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in five of the six wells sampled at concentrations up to 25,000 micrograms per liter ($\mu\text{g/L}$) in well MW-3. Benzene was detected above the laboratory reporting limit in five wells at concentrations up to 110 $\mu\text{g/L}$ in well MW-17. Toluene was detected above the laboratory reporting limit in three wells at concentrations up to 72 $\mu\text{g/L}$ in well MW-17. Ethylbenzene was detected above the laboratory reporting limit in five wells at concentrations up to 1,200 $\mu\text{g/L}$ in well MW-3. Total Xylenes were detected above the laboratory reporting limit in three wells at concentrations up to 3,900 $\mu\text{g/L}$ in well MW-3. MTBE was detected above the laboratory reporting limit in two wells at concentrations of 1.3 $\mu\text{g/L}$ in well MW-10 and 5.8 $\mu\text{g/L}$ in well MW-18. TAME was detected above the laboratory reporting limit in MW-18 at a concentration of 4.7 $\mu\text{g/L}$. The SVOCs 1-Methylnaphthalene, 2-Methylnaphthalene, and Naphthalene were detected above laboratory reporting limits in well MW-1 at concentrations of 140 $\mu\text{g/L}$, 210 $\mu\text{g/L}$, and 600 $\mu\text{g/L}$, respectively. The remaining analytes were not detected above their laboratory reporting limits in the six wells sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well sampled, with the exceptions a historic minimum recorded for Benzene in well MW-1 and for the new wells MW-16 through MW-18 since this was only their second round of sampling. Historic laboratory analytical results are summarized in Table 1, Table 2, and Table 4. Drawing 2 illustrates the First Quarter 2010 laboratory analytical results for GRO, Benzene, and MTBE constituents. Drawing 3 illustrates GRO iso-concentration contours. Drawing 4 illustrates Benzene iso-concentration contours. Drawing 5 illustrates MTBE iso-concentration contours. The co-monitored elevation and analytical data

for the adjacent Former Shell Station #129460 at 15275 Washington Avenue are provided in Appendix B. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) from Station #601 were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix C.

CONCLUSIONS AND RECOMMENDATIONS:

The average ground-water elevations for Station #601 during the First Quarter 2010 monitoring event (including new wells MW-16 through MW-19) generally increased in comparison to ground-water elevations from the Third Quarter 2009. The ground-water gradient and flow direction for Station #601 during the First Quarter 2010 monitoring event is not appreciably different from historical data. It is unfortunate that the coordinated monitoring and sharing of data from Former Shell Station #129460 could not result in a larger mapped area of ground-water elevations between the two sites. Delta is now aware that the elevation survey of Former Shell Station #129460 uses the outdated NGVD29 vertical datum. Delta has notified their client Shell Oil Products of the need to resurvey Former Shell Station #129460 to the appropriate NAVD88 vertical datum. Resurveying the Former Shell Station #129460 to the appropriate vertical datum is recommended but outside the scope or control of BAI or Atlantic Richfield Company.

New monitoring wells MW-16 and MW-17 reported somewhat elevated concentrations when compared to the most recent analytical data collected from the wells they replaced (MW-4 and MW-5, respectively). New monitoring well MW-18 reported approximately unchanged concentrations when compared to the most recent analytical data collected from the wells they replaced (MW-6, respectively). Former Shell Station #129460 monitoring wells S-11, S-12, and S-14 are not gauged or sampled on a periodic basis. Shell monitoring well S-13 is gauged semi-annually, but sampled annually in the first calendar quarters. Periodic gauging and sampling data from these wells would prove useful but recommending their gauging and sampling are beyond the scope or control of BAI or Atlantic Richfield Company.

CLOSURE:

The findings presented in this report are based upon: observations of BAI field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Site Location Map, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 2. Ground-Water Elevation Contours and Analytical Summary Map, 12 January 2010, Station #601, 712 Lewelling Boulevard, San Leandro, California
- Drawing 3. GRO Iso-Concentration Contours Map, 12 January 2010, Station #601, 712 Lewelling Boulevard, San Leandro, California

Drawing 4.	Benzene Iso-Concentration Contours Map, 12 January 2010, Station #601, 712 Lewelling Boulevard, San Leandro, California
Drawing 5.	MTBE Iso-Concentration Contours Map, 12 January 2010, Station #601, 712 Lewelling Boulevard, San Leandro, California
Table 1.	Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #601, 712 Lewelling Blvd., San Leandro, California
Table 2.	Summary of Fuel Additives Analytical Data, Station #601, 712 Lewelling Blvd., San Leandro, California
Table 3.	Historical Ground-Water Flow Direction and Gradient, Station #601, 712 Lewelling Blvd., San Leandro, California
Table 4	Summary of Volatile and Semi-Volatile Organic Compounds Analytical Data, Station #601, 712 Lewelling Blvd., San Leandro, California
Table 5	Bio-Degradation Parameters, Station #601, 712 Lewelling Blvd., San Leandro, California
Appendix A.	Ground-Water Sampling Data Package (Includes Field Data Sheets, Field Procedures, Non-Hazardous Waste Data Form, and Laboratory Analytical Report with Chain-of-Custody Documentation)
Appendix B.	Joint Monitoring Data
Appendix C.	GeoTracker Upload Confirmation Receipts








IMAGE SOURCE: USGS





LEGEND

- | | | | | | | |
|---|--|---------|--|------------------|--|--|
| | GROUND-WATER MONITORING WELL | A(1) | SAMPLED ANNUALLY, 1ST QUARTER | | | |
| | SOIL-GAS BORING/ TEMPORARY VAPOR IMPLANT | A(3) | SAMPLED ANNUALLY, 3RD QUARTER | | | |
| | SOIL VAPOR EXTRACTION WELL | SA(1,3) | SAMPLED SEMI-ANNUALLY, 1ST & 3RD QUARTER | | | |
| | | NS | NOT SAMPLED | | | |
| | | GO | GAUGE ONLY | | | |
| | | NG | NOT GAUGED | | | |
| | | < | NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMITS | | | |
| 2,000 | GRO ISO-CONCENTRATION CONTOUR (µg/L) | | | | | |
| <table border="1"><tr><td>Well</td></tr><tr><td>GRO</td></tr><tr><td>A/SA</td></tr></table> | Well | GRO | A/SA | WELL DESIGNATION | | |
| Well | | | | | | |
| GRO | | | | | | |
| A/SA | | | | | | |
| | GRO CONCENTRATIONS (µg/L) | | | | | |
| | SAMPLING FREQUENCY | | | | | |
| ? | CONTOURS WITHIN REGIONS NOT BOUNDED BY MONITORING POINTS. ALL CONTOURS DEPICTED ARE APPROXIMATE. | | | | | |

NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



BROADBENT & ASSOCIATES, INC.

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California

Project No.: 06-88-605 Date: 03/23/10

Station #601
712 Lewelling Boulevard
San Leandro, California

GRO Iso-Concentration Contours Map
12 January 2010

Drawing

3




Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1																
1/9/1991	--	i, l	22.98	7.00	12.00	9.47	13.51	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	22.98	7.00	12.00	6.12	16.86	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	22.26	7.00	12.00	9.00	13.26	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	22.26	7.00	12.00	9.73	12.53	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	22.26	7.00	12.00	7.40	14.86	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	22.26	7.00	12.00	9.08	13.18	--	--	--	--	--	--	--	--	--
9/15/1992	--	l	22.26	7.00	12.00	9.18	13.08	--	--	--	--	--	--	--	--	--
11/16/1992	--	i, l	22.26	7.00	12.00	9.09	13.17	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	22.26	7.00	12.00	7.03	15.23	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	22.26	7.00	12.00	8.08	14.18	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	22.26	7.00	12.00	8.81	13.45	--	--	--	--	--	--	--	--	--
11/8/1993	--	i, l	22.26	7.00	12.00	9.22	13.04	--	--	--	--	--	--	--	--	--
2/14/1994	--	a	22.26	7.00	12.00	7.72	14.54	--	--	--	--	--	--	--	--	--
5/5/1994	--	a	22.26	7.00	12.00	8.47	13.79	--	--	--	--	--	--	--	--	--
8/4/1994	--	a	22.26	7.00	12.00	8.72	13.54	--	--	--	--	--	--	--	--	--
11/20/1994	--	a	22.26	7.00	12.00	7.81	14.45	--	--	--	--	--	--	--	--	--
3/17/1995	--		22.26	7.00	12.00	6.57	15.69	120,000	5,300	370	1,500	13,000	--	--	--	--
6/1/1995	--		22.26	7.00	12.00	7.87	14.39	250,000	7,100	950	3,500	21,000	--	--	--	--
8/31/1995	--	i, l	22.26	7.00	12.00	8.12	14.14	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.26	7.00	12.00	8.42	13.84	310,000	4,600	770	5,700	21,000	--	--	--	--
2/22/1996	--	j	22.26	7.00	12.00	6.01	16.25	100,000	6,200	320	2,500	12,000	<1,000	--	--	--
5/20/1996	--		22.26	7.00	12.00	7.03	15.23	340,000	6,600	240	4,500	22,000	<1,000	--	--	--
8/26/1996	--		22.26	7.00	12.00	8.16	14.10	210,000	7,900	320	3,400	15,000	<1,000	--	--	--
11/20/1996	--		22.26	7.00	12.00	7.84	14.42	62,000	5,900	77	2,000	7,700	<300	--	--	--
3/24/1997	--		19.19	7.00	12.00	8.05	11.14	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--
5/23/1997	--		19.19	7.00	12.00	8.42	10.77	83,000	6,200	84	2,500	9,000	<300	--	--	--
8/19/1997	--		19.19	7.00	12.00	8.65	10.54	83,000	4,500	<100	2,200	8,100	<600	--	--	--
11/19/1997	--		19.19	7.00	12.00	8.54	10.65	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--
2/19/1998	--		19.19	7.00	12.00	5.57	13.62	74,000	2,500	120	2,200	4,100	<300	--	--	--
4/23/1998	--		19.19	7.00	12.00	6.92	12.27	210,000	2,700	<500	4,200	8,300	<3,000	--	1.5	--
7/27/1998	--		19.19	7.00	12.00	8.14	11.05	73,000	2,100	88	2,600	4,600	<300	--	1.0	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
10/14/1998	--		19.19	7.00	12.00	8.58	10.61	47,000	2,900	<500	2,300	3,900	<300	--	1.5	--
1/21/1999	--		19.19	7.00	12.00	7.48	11.71	45,000	1,400	64	2,100	2,400	<300	--	1.0	--
5/6/1999	--		19.19	7.00	12.00	8.00	11.19	41,000	1,900	<20	2,800	3,400	<120	--	0.85	--
8/23/1999	--		19.19	7.00	12.00	8.56	10.63	26,000	1,700	52	1,600	1,500	<75	--	0.72	--
10/28/1999	--		19.19	7.00	12.00	8.92	10.27	38,000	2,500	35	2,400	2,500	<200	--	0.7	--
2/4/2000	--		19.19	7.00	12.00	8.48	10.71	19,000	960	13	1,200	860	<60	--	2.11	--
6/20/2000	--		19.19	7.00	12.00	8.20	10.99	23,000	2,400	50	1,800	680	<200	--	--	--
9/29/2000	--		19.19	7.00	12.00	8.55	10.64	23,600	2,880	<50	2,130	871	<250	--	--	--
12/17/2000	--		19.19	7.00	12.00	8.28	10.91	21,600	1,980	<50	1,610	664	<250	--	--	--
3/28/2001	--		19.19	7.00	12.00	8.13	11.06	19,800	2,310	<100	2,010	517	<500	--	--	--
6/20/2001	--		19.19	7.00	12.00	8.60	10.59	17,000	2,200	23	1,800	320	100	--	--	--
9/22/2001	--		19.19	7.00	12.00	9.03	10.16	20,000	2,900	<200	2,500	270	<1000	--	--	--
12/27/2001	--		19.19	7.00	12.00	7.93	11.26	15,000	2,000	<50	1,700	140	290	--	--	--
3/15/2002	--		19.19	7.00	12.00	7.89	11.30	12,000	1,800	<50	1,400	79	<250	--	--	--
4/18/2002	--		19.19	7.00	12.00	7.05	12.14	16,000	3,000	180	2,600	320	<250	--	1.26	--
7/23/2002	NP	e	19.19	7.00	12.00	8.70	10.49	14,000	3,200	<50	2,100	<50	<250	--	0.9	6.8
10/16/2002	NP	d	19.19	7.00	12.00	9.12	10.07	14,000	2,100	<25	2,000	31	<120	--	0.8	7.1
1/23/2003	NP	g	19.19	7.00	12.00	7.45	11.74	6,000	680	<50	800	<50	<50	--	0.9	6.8
4/7/2003	--		19.19	7.00	12.00	7.68	11.51	6,400	940	6.6	810	11	69	--	1.1	6.9
8/7/2003	--	a, k	19.19	7.00	12.00	8.75	10.44	12,000	1,500	27	1,700	42	160	--	--	6.4
10/23/2003	NP	a	19.19	7.00	12.00	8.96	10.23	14,000	1,700	<25	1,600	<25	220	1470	--	--
01/12/2004	P		19.19	7.00	12.00	7.99	11.20	8,800	1,100	<25	980	<25	140	1392	0.2	7.2
04/20/2004	NP	a, r	24.78	7.00	12.00	8.87	15.91	12,000	1,600	<25	920	36	84	1780	1.5	6.6
07/01/2004	NP	a	24.78	7.00	12.00	9.31	15.47	9,700	830	<10	580	11	100	886	0.8	6.7
11/04/2004	NP		24.78	7.00	12.00	8.12	16.66	7,800	650	<5.0	300	12	130	1368	1.2	6.7
01/10/2005	NP		24.78	7.00	12.00	7.06	17.72	6,000	280	<5.0	130	12	12	1280	1.05	6.9
04/14/2005	NP		24.78	7.00	12.00	7.20	17.58	4,500	160	<5.0	320	17	<5.0	--	2.1	7.0
04/20/2005	NP	q	24.78	7.00	12.00	7.05	17.73	--	--	--	--	--	--	630	--	6.6
08/02/2005	NP		24.78	7.00	12.00	7.39	17.39	4,700	210	<5.0	210	11	15	1180	--	6.8
10/21/2005	NP		24.78	7.00	12.00	8.31	16.47	9,700	600	5.5	210	11	64	1500	1.45	6.8
01/04/2006	NP		24.78	7.00	12.00	7.10	17.68	5,000	240	5.2	120	18	<5.0	939	0.97	7.2

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
04/28/2006	P	a	24.78	7.00	12.00	6.69	18.09	13,000	100	<5.0	270	7.0	<5.0	--	1.81	7.1
8/4/2006	NP		24.78	7.00	12.00	8.30	16.48	9,800	410	5.0	260	<5.0	14	840	0.84	7.0
10/23/2006	P		24.78	7.00	12.00	8.71	16.07	12,000	440	5.6	260	11	16	--	--	6.92
1/15/2007	--	l	24.78	7.00	12.00	7.95	16.83	--	--	--	--	--	--	--	1.23	6.90
4/17/2007	P	a	24.78	7.00	12.00	8.20	16.58	6,800	140	<10	280	<10	<10	--	2.14	7.19
7/9/2007	P	a, s	24.78	7.00	12.00	8.73	16.05	8,200	240	<5.0	220	180	81	1020	2.42	7.15
10/1/2007	P	a, s	24.78	7.00	12.00	8.94	15.84	13,000	260	<5.0	260	13	9.3	1,340	2.46	7.19
1/7/2008	P	u	24.78	7.00	12.00	7.43	17.35	8,000	56	<5.0	190	7.3	<5.0	1,000	0.95	7.03
4/1/2008	NP	i, l	24.78	7.00	12.00	7.64	17.16	9,300	70	<20	210	<20	<20	1,220	2.22	7.04
7/23/2008	P		24.78	7.00	12.00	8.82	15.96	19,000	190	<20	180	<20	<20	1,480	2.2	6.99
10/22/2008	P	a	24.78	7.00	12.00	9.13	15.65	31,000	190	<20	210	<20	<20	2,132	0.31	6.87
1/21/2009	P	a	24.78	7.00	12.00	8.72	16.06	20,000	99	<20	190	<20	<20	--	1.06	7.01
4/21/2009	P	a, u	24.78	7.00	12.00	7.68	17.10	18,000	63	<20	50	<20	<20	1,617	0.40	6.98
7/21/2009	P	u, v	24.78	7.00	12.00	8.91	15.87	9,700	100	<20	120	<20	<20	--	10.85	7.10
1/12/2010	P	u	24.78	7.00	12.00	8.30	16.48	8,400	49	<10	85	<10	<10	--	0.98	6.48
MW-2																
7/18/1990	--		22.06	8.00	12.00	7.86	14.20	35,000	3,800	2,900	690	3,600	--	--	--	--
10/15/1990	--		22.06	8.00	12.00	8.61	13.45	6,400	650	290	110	560	--	--	--	--
1/9/1991	--		22.06	8.00	12.00	8.43	13.63	13,000	1,500	970	390	1,500	--	--	--	--
4/16/1991	--		22.06	8.00	12.00	6.97	15.09	54,000	5,200	9,000	1,500	7,700	--	--	--	--
6/10/1991	--		21.33	8.00	12.00	7.91	13.42	26,000	3,000	2,500	880	4,200	--	--	--	--
10/10/1991	--		21.33	8.00	12.00	8.82	12.51	10,000	1,600	910	280	1,400	--	--	--	--
3/23/1992	--		21.33	8.00	12.00	6.86	14.47	33,000	4,100	5,000	1,100	5,300	--	--	--	--
6/8/1992	--		21.33	8.00	12.00	7.95	13.38	18,000	1,200	980	330	1,800	--	--	--	--
9/15/1992	--		21.33	8.00	12.00	8.71	12.62	13,000	430	500	340	1,800	--	--	--	--
11/16/1992	--		21.33	8.00	12.00	7.93	13.40	13,000	900	940	300	1,400	--	--	--	--
2/16/1993	--		21.33	8.00	12.00	6.02	15.31	20,000	1,800	1,200	530	2,700	--	--	--	--
5/13/1993	--		21.33	8.00	12.00	6.99	14.34	13,000	1,000	470	370	1,900	--	--	--	--
8/17/1993	--		21.33	8.00	12.00	7.85	13.48	9,100	770	160	310	1,500	--	--	--	--
11/8/1993	--		21.33	8.00	12.00	8.12	13.21	9,200	380	62	130	630	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
2/14/1994	--		21.33	8.00	12.00	6.88	14.45	8,700	670	370	50	1,400	--	--	--	--
5/5/1994	--		21.33	8.00	12.00	7.51	13.82	5,600	390	140	120	480	--	--	--	--
8/4/1994	--	n	21.33	8.00	12.00	8.00	13.33	2,300	180	<2.5	<2.5	230	--	--	--	--
11/20/1994	--		21.33	8.00	12.00	6.86	14.47	4,900	170	150	120	390	--	--	--	--
3/17/1995	--		21.33	8.00	12.00	6.12	15.21	10,000	460	77	260	550	--	--	--	--
6/1/1995	--		21.33	8.00	12.00	6.56	14.77	13,000	400	78	210	410	--	--	--	--
8/31/1995	--		21.33	8.00	12.00	7.18	14.15	5,000	280	18	120	140	<50	--	--	--
11/27/1995	--		21.33	8.00	12.00	7.39	13.94	3,200	230	12	77	90	--	--	--	--
2/22/1996	--		21.33	8.00	12.00	5.78	15.55	11,000	290	67	190	330	<50	--	--	--
5/20/1996	--		21.33	8.00	12.00	6.27	15.06	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.33	8.00	12.00	7.30	14.03	--	--	--	--	--	--	--	--	--
11/20/1996	--		21.33	8.00	12.00	7.28	14.05	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.12	8.00	12.00	7.11	14.01	4,800	570	6	71	32	67	--	--	--
5/23/1997	--		21.12	8.00	12.00	7.44	13.68	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.12	8.00	12.00	7.64	13.48	--	--	--	--	--	--	--	--	--
11/19/1997	--		21.12	8.00	12.00	7.70	13.42	--	--	--	--	--	--	--	--	--
2/19/1998	--		21.12	8.00	12.00	5.22	15.90	2,000	160	50	66	230	25	--	--	--
4/23/1998	--		21.12	8.00	12.00	6.24	14.88	--	--	--	--	--	--	--	--	--
7/27/1998	--		21.12	8.00	12.00	7.02	14.10	--	--	--	--	--	--	--	--	--
10/14/1998	--		21.12	8.00	12.00	7.54	13.58	--	--	--	--	--	--	--	--	--
1/21/1999	--		21.12	8.00	12.00	7.15	13.97	1,700	84	4	31	10	13	--	0.5	--
5/6/1999	--		21.12	8.00	12.00	6.95	14.17	--	--	--	--	--	--	--	--	--
8/23/1999	--		21.12	8.00	12.00	7.49	13.63	--	--	--	--	--	--	--	0.68	--
10/28/1999	--		21.12	8.00	12.00	7.92	13.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		21.12	8.00	12.00	6.61	14.51	--	--	--	--	--	--	--	--	--
6/20/2000	--		21.12	8.00	12.00	7.12	14.00	--	--	--	--	--	--	--	--	--
9/29/2000	--		21.12	8.00	12.00	7.60	13.52	--	--	--	--	--	--	--	--	--
12/17/2000	--		21.12	8.00	12.00	7.42	13.70	--	--	--	--	--	--	--	--	--
3/28/2001	--		21.12	8.00	12.00	6.84	14.28	838	18.1	<5.0	7.63	5.98	39.5	--	--	--
6/20/2001	--		21.12	8.00	12.00	7.66	13.46	--	--	--	--	--	--	--	--	--
9/22/2001	--		21.12	8.00	12.00	8.08	13.04	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
12/27/2001	--		21.12	8.00	12.00	6.48	14.64	--	--	--	--	--	--	--	--	--
3/15/2002	--		21.12	8.00	12.00	6.84	14.28	100	<0.5	<0.5	2.5	<0.5	75	--	--	--
4/18/2002	--		21.12	8.00	12.00	6.19	14.93	--	--	--	--	--	--	--	--	--
7/23/2002	--		21.12	8.00	12.00	7.73	13.39	--	--	--	--	--	--	--	--	--
10/16/2002	--		21.12	8.00	12.00	8.10	13.02	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	21.12	8.00	12.00	6.52	14.60	<5,000	<50	<50	<50	<50	95	--	1.6	7.2
4/7/2003	--		21.12	8.00	12.00	7.22	13.90	--	--	--	--	--	--	--	--	--
8/7/2003	--		21.12	8.00	12.00	7.84	13.28	--	--	--	--	--	--	--	--	--
10/23/2003	P	m	21.12	8.00	12.00	7.95	13.17	<250	<2.5	<2.5	<2.5	4.2	68	--	--	--
01/12/2004	--		21.12	8.00	12.00	6.60	14.52	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.87	8.00	12.00	8.32	15.55	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	23.87	8.00	12.00	8.96	14.91	72	<0.50	<0.50	<0.50	<0.50	72	--	2.1	6.9
11/04/2004	--		23.87	8.00	12.00	7.30	16.57	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.87	8.00	12.00	5.87	18.00	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.87	8.00	12.00	5.75	18.12	--	--	--	--	--	--	--	--	--
08/02/2005	P		23.87	8.00	12.00	6.47	17.40	1,300	4.3	0.57	11	0.97	12	--	--	7.0
10/21/2005	--		23.87	8.00	12.00	7.12	16.75	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.87	8.00	12.00	6.75	17.12	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.87	8.00	12.00	5.90	17.97	--	--	--	--	--	--	--	--	--
8/4/2006	P		23.87	8.00	12.00	7.41	16.46	50	<0.50	<0.50	<0.50	<0.50	7.9	--	1.57	7.2
10/23/2006	--		23.87	8.00	12.00	7.72	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.87	8.00	12.00	7.14	16.73	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.87	8.00	12.00	7.28	16.59	--	--	--	--	--	--	--	--	--
7/9/2007	P		23.87	8.00	12.00	7.73	16.14	110	<0.50	<0.50	<0.50	<0.50	3.2	--	1.40	7.37
10/1/2007	--		23.87	8.00	12.00	7.95	15.92	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.87	8.00	12.00	6.46	17.41	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.87	8.00	12.00	7.10	16.77	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.87	8.00	12.00	7.90	15.97	<50	<0.50	<0.50	<0.50	<0.50	0.78	--	3.1	7.25
10/22/2008	--		23.87	8.00	12.00	8.10	15.77	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.87	8.00	12.00	7.70	16.17	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.87	8.00	12.00	7.16	16.71	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
7/21/2009	NP	v	23.87	8.00	12.00	8.01	15.86	<50	<0.50	<0.50	<0.50	<0.50	0.83	--	11.67	7.47
1/12/2010	--		23.87	8.00	12.00	7.35	16.52	--	--	--	--	--	--	--	--	--
MW-3																
7/18/1990	--		20.84	8.00	12.00	7.03	13.81	--	--	--	--	--	--	--	--	--
10/15/1990	--	i, l	20.84	8.00	12.00	8.19	12.65	--	--	--	--	--	--	--	--	--
1/9/1991	--	i, l	20.84	8.00	12.00	7.46	13.38	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	20.84	8.00	12.00	7.95	12.89	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	20.11	8.00	12.00	7.14	12.97	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	20.11	8.00	12.00	7.82	12.29	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	20.11	8.00	12.00	5.75	14.36	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	20.11	8.00	12.00	7.52	12.59	--	--	--	--	--	--	--	--	--
9/15/1992	--	i, l	20.11	8.00	12.00	8.01	12.10	--	--	--	--	--	--	--	--	--
11/16/1992	--	a	20.11	8.00	12.00	7.11	13.00	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	20.11	8.00	12.00	5.93	14.18	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	20.11	8.00	12.00	6.37	13.74	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	20.11	8.00	12.00	7.00	13.11	--	--	--	--	--	--	--	--	--
11/8/1993	--		20.11	8.00	12.00	7.31	12.80	430,000	4,100	14,000	6,400	37,000	--	--	--	--
2/14/1994	--		20.11	8.00	12.00	5.81	14.30	85,000	4,200	12,000	2,500	16,000	--	--	--	--
5/5/1994	--		20.11	8.00	12.00	6.81	13.30	560,000	4,600	14,000	5,300	40,000	--	--	--	--
8/4/1994	--		20.11	8.00	12.00	7.31	12.80	64,000	4,200	7,600	1,700	12,000	--	--	--	--
11/20/1994	--		20.11	8.00	12.00	5.88	14.23	80,000	4,700	9,700	2,400	15,000	--	--	--	--
3/17/1995	--		20.11	8.00	12.00	5.46	14.65	370,000	4,800	12,000	5,800	34,000	--	--	--	--
6/1/1995	--		20.11	8.00	12.00	6.34	13.77	270,000	6,000	11,000	5,200	28,000	--	--	--	--
8/31/1995	--	i, l	20.11	8.00	12.00	6.60	13.51	--	--	--	--	--	--	--	--	--
11/27/1995	--		20.11	8.00	12.00	6.76	13.35	150,000	5,100	8,800	3,900	21,000	--	--	--	--
2/22/1996	--		20.11	8.00	12.00	5.14	14.97	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--
5/20/1996	--		20.11	8.00	12.00	5.17	14.94	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--
8/26/1996	--		20.11	8.00	12.00	7.04	13.07	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--
11/20/1996	--		20.11	8.00	12.00	6.26	13.85	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--
3/24/1997	--		22.99	8.00	12.00	6.94	16.05	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
5/23/1997	--		22.99	8.00	12.00	6.98	16.01	130,000	2,100	4,300	3,500	19,000	<700	--	--	--
8/19/1997	--		22.99	8.00	12.00	7.25	15.74	100,000	2,000	3,200	<100	19,000	<600	--	--	--
11/19/1997	--		22.99	8.00	12.00	7.25	15.74	93,000	1,700	2,400	2,800	16,000	<600	--	--	--
2/19/1998	--		22.99	8.00	12.00	5.24	17.75	80,000	620	1,200	2,500	13,000	<600	--	--	--
4/23/1998	--		22.99	8.00	12.00	6.60	16.39	130,000	1,500	2,400	3,500	18,000	<600	--	3.5	--
7/27/1998	--		22.99	8.00	12.00	7.00	15.99	140,000	920	1,500	2,400	13,000	<600	--	1.0	--
10/14/1998	--		22.99	8.00	12.00	7.04	15.95	300,000	1,200	2,400	5,700	32,000	970	--	1.0	--
1/21/1999	--		22.99	8.00	12.00	6.50	16.49	120,000	860	1,500	2,600	14,000	<600	--	0.5	--
5/6/1999	--		22.99	8.00	12.00	6.90	16.09	49,000	670	1,400	2,500	11,000	170	--	1.03	--
8/23/1999	--		22.99	8.00	12.00	6.53	16.46	51,000	440	930	2,200	9,200	<150	--	0.67	--
10/28/1999	--		22.99	8.00	12.00	7.50	15.49	1,400,000	830	4,100	15,000	78,000	<5,000	--	0.77	--
2/4/2000	--		22.99	8.00	12.00	6.21	16.78	<50	<0.5	<0.5	<0.5	<1	650	--	1.61	--
6/20/2000	--		22.99	8.00	12.00	6.22	16.77	45,000	670	990	2,400	12,000	<500	--	--	--
9/29/2000	--		22.99	8.00	12.00	7.20	15.79	51,000	860	1,120	2,720	12,900	<250	--	--	--
12/17/2000	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.99	8.00	12.00	6.10	16.89	43,500	804	<200	250	11,000	<1,000	--	--	--
6/20/2001	--		22.99	8.00	12.00	6.14	16.85	62,000	1,000	850	2,800	13,000	<2,500	--	--	--
9/22/2001	--		22.99	8.00	12.00	7.24	15.75	53,000	1,200	1,200	3,100	13,000	<1,000	--	--	--
12/27/2001	--		22.99	8.00	12.00	7.00	15.99	44,000	860	840	2,300	10,000	<250	--	--	--
3/15/2002	--		22.99	8.00	12.00	7.02	15.97	43,000	1,000	810	2,300	11,000	<250	--	--	--
4/18/2002	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
7/23/2002	P	d	22.99	8.00	12.00	7.22	15.77	45,000	750	570	2,100	10,000	<250	--	1	8
10/16/2002	P	d	22.99	8.00	12.00	7.54	15.45	42,000	780	620	2,500	11,000	<250	--	1.4	7.7
1/23/2003	P	g	22.99	8.00	12.00	6.85	16.14	68,000	580	500	3,300	16,000	<100	--	1.3	7
4/7/2003	--		22.99	8.00	12.00	7.05	15.94	48,000	620	450	2,200	11,000	<50	--	1.4	6.9
8/7/2003	--	m	--	8.00	12.00	6.89	--	35,000	360	250	1,700	8,100	<100	--	2.4	8.9
10/23/2003	P	m	22.99	8.00	12.00	7.05	15.94	36,000	340	250	1,700	8,300	<25	--	--	--
01/12/2004	NP		22.99	8.00	12.00	5.93	17.06	1,100	<5.0	<5.0	<5.0	34	<5.0	--	3.2	9.5
04/20/2004	P	r	22.63	8.00	12.00	7.60	15.03	30,000	210	170	1,700	7,300	<50	--	1.6	7.8
07/01/2004	P	a	22.63	8.00	12.00	7.76	14.87	33,000	190	190	1,300	6,300	<50	--	2.3	7.4
11/04/2004	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
11/23/2004	P		22.63	8.00	12.00	6.75	15.88	32,000	150	160	1,400	7,100	<50	--	1.2	7.5
01/10/2005	P		22.63	8.00	12.00	4.75	17.88	34,000	180	150	1,400	6,900	<100	--	0.7	7.0
04/14/2005	P		22.63	8.00	12.00	5.60	17.03	26,000	170	200	1,500	5,000	<25	--	2.3	7.0
08/02/2005	P		22.63	8.00	12.00	5.97	16.66	41,000	260	190	1,800	8,600	<25	--	--	7.0
10/21/2005	P		22.63	8.00	12.00	6.55	16.08	39,000	230	160	1,500	7,400	<50	--	1.05	7.0
01/04/2006	P		22.63	8.00	12.00	4.57	18.06	33,000	160	150	1,700	7,500	<25	--	0.97	7.1
04/28/2006	P	a	22.63	8.00	12.00	5.35	17.28	42,000	130	110	1,700	6,500	<25	--	1.39	7.0
8/4/2006	P		22.63	8.00	12.00	5.97	16.66	38,000	180	130	1,500	7,000	<25	--	0.47	6.9
10/23/2006	P		22.63	8.00	12.00	6.66	15.97	48,000	180	120	1,500	7,100	<5.0	--	--	6.98
1/15/2007	P		22.63	8.00	12.00	6.11	16.52	36,000	130	130	1,900	8,400	<25	--	0.97	7.25
4/17/2007	P	a	22.63	8.00	12.00	6.13	16.50	73,000	120	140	2,200	9,900	<25	--	1.13	7.42
7/9/2007	P	a	22.63	8.00	12.00	6.82	15.81	42,000	110	110	1,700	7,100	<25	--	1.38	7.28
10/1/2007	P	a, o, t	22.63	8.00	12.00	6.85	15.78	48,000	100	100	1,700	7,700	<25	--	1.65	7.66
1/7/2008	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
4/1/2008	P	a	22.63	8.00	12.00	8.95	13.68	160,000	<100	<100	1,700	7,400	<100	--	0.96	7.03
7/23/2008	NP		22.63	8.00	12.00	7.00	15.63	33,000	39	47	1,100	5,000	<5.0	--	1.04	6.93
10/22/2008	P	a	22.63	8.00	12.00	7.15	15.48	98,000	<120	<120	2,000	8,000	<120	--	1.06	7.09
1/21/2009	P	a	22.63	8.00	12.00	6.79	15.84	51,000	<100	<100	2,300	9,000	<100	--	0.58	7.08
4/21/2009	P	a	22.63	8.00	12.00	5.80	16.83	720,000	52	<50	790	7,000	<50	--	1.38	7.14
7/21/2009	P	v	22.63	8.00	12.00	6.84	15.79	36,000	29	33	1,300	4,800	<25	--	11.15	7.35
1/12/2010	P		22.63	8.00	12.00	6.19	16.44	25,000	25	24	1,200	3,900	<10	--	1.07	6.63
MW-4																
6/10/1991	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	20.75	6.00	9.00	--	--	15,000	5,300	1,500	470	1,300	--	--	--	--
3/23/1992	--	b	20.75	6.00	9.00	--	--	24,000	5,600	4,000	580	3,100	--	--	--	--
6/8/1992	--	b	20.75	6.00	9.00	--	--	5,700	2,000	170	92	270	--	--	--	--
9/15/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		20.75	6.00	9.00	7.10	13.65	12,000	920	1,100	130	750	--	--	--	--
5/13/1993	--		20.75	6.00	9.00	7.02	13.73	19,000	2,900	2,800	360	1,900	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
8/17/1993	--		20.75	6.00	9.00	7.85	12.90	8,100	1,600	1,300	170	730	--	--	--	--
11/8/1993	--	b	20.75	6.00	9.00	--	--	2,000	540	110	10	240	--	--	--	--
2/14/1994	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
5/5/1994	--		20.75	6.00	9.00	7.73	13.02	1,900	510	78	31	150	--	--	--	--
8/4/1994	--	n	20.75	6.00	9.00	7.83	12.92	1,300	360	17	<5	190	--	--	--	--
11/20/1994	--		20.75	6.00	9.00	7.73	13.02	<50	2.9	0.5	<0.5	1.4	--	--	--	--
3/17/1995	--		20.75	6.00	9.00	6.65	14.10	16,000	1,800	970	310	2,500	--	--	--	--
6/1/1995	--		20.75	6.00	9.00	7.25	13.50	16,000	2,800	870	380	2,700	--	--	--	--
8/31/1995	--		20.75	6.00	9.00	7.75	13.00	9,000	2,000	270	270	1,400	<100	--	--	--
11/27/1995	--		20.75	6.00	9.00	7.87	12.88	3,800	890	130	130	550	--	--	--	--
2/22/1996	--		20.75	6.00	9.00	7.29	13.46	940	150	82	19	130	<20	--	--	--
5/20/1996	--		20.75	6.00	9.00	7.30	13.45	6,700	1,100	330	120	1,100	<100	--	--	--
8/26/1996	--		20.75	6.00	9.00	7.57	13.18	14,000	2,400	510	350	2,100	<100	--	--	--
11/20/1996	--		20.75	6.00	9.00	7.89	12.86	420	55	17	11	62	<3	--	--	--
3/24/1997	--		22.38	6.00	9.00	6.90	15.48	6,800	620	150	81	1,300	<50	--	--	--
5/23/1997	--		22.38	6.00	9.00	7.80	14.58	9,000	1,300	240	200	1,600	<60	--	--	--
8/19/1997	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b, j	22.38	6.00	9.00	--	--	3700	600	93	120	710	<60	--	--	--
2/19/1998	--		22.38	6.00	9.00	6.78	15.60	1,800	93	51	29	420	110	--	--	--
4/23/1998	--		22.38	6.00	9.00	6.47	15.91	6,500	700	110	180	1,300	93	--	0.5	--
7/27/1998	--		22.38	6.00	9.00	7.22	15.16	10,000	1,400	140	290	1,900	<120	--	1.5	--
10/14/1998	--		22.38	6.00	9.00	7.60	14.78	6,500	900	63	200	1,200	63	--	1	--
1/21/1999	--		22.38	6.00	9.00	7.43	14.95	1,700	140	22	56	320	13	--	0.5	--
5/6/1999	--		22.38	6.00	9.00	6.55	15.83	3,300	250	36	73	890	41	--	1.28	--
8/23/1999	--		22.38	6.00	9.00	7.16	15.22	7,400	500	73	230	1,700	57	--	0.89	--
10/28/1999	--		22.38	6.00	9.00	8.28	14.10	370	41	5.7	14	52	16	--	0.92	--
2/4/2000	--		22.38	6.00	9.00	8.23	14.15	310	33	7.5	11	65	8	--	2.43	--
6/20/2000	--		22.38	6.00	9.00	6.46	15.92	2,700	210	20	94	520	46	--	--	--
9/29/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.38	6.00	9.00	7.49	14.89	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
6/20/2001	--		22.38	6.00	9.00	7.21	15.17	13,000	690	170	330	1,400	110	--	--	--
9/22/2001	--		22.38	6.00	9.00	7.43	14.95	6,700	650	110	410	1,800	100	--	--	--
12/27/2001	--		22.38	6.00	9.00	7.32	15.06	1,200	47	15	46	250	15	--	--	--
3/15/2002	--		22.38	6.00	9.00	7.43	14.95	490	34	7.4	26	110	12	--	--	--
4/18/2002	--		22.38	6.00	9.00	7.00	15.38	<50	0.57	0.83	<0.5	1.1	3.7	--	--	--
7/23/2002	NP	d	22.38	6.00	9.00	7.70	14.68	820	80	12	23	190	41	--	2.2	7.3
10/16/2002	NP	d	22.38	6.00	9.00	7.75	14.63	2,000	220	25	140	570	<25	--	1.8	7.6
1/23/2003	NP	g	22.38	6.00	9.00	7.11	15.27	<250	<2.5	<2.5	<2.5	8.8	5.9	--	1.7	7
4/7/2003	--		22.38	6.00	9.00	7.19	15.19	310	24	2.4	15	62	9.2	--	1.1	7.1
8/7/2003	--	m	22.38	6.00	9.00	7.45	14.93	3,000	280	<25	150	700	<25	--	1.2	6.8
10/23/2003	NP	m	22.38	6.00	9.00	7.59	14.79	1,700	150	7.6	83	320	12	--	--	--
01/12/2004	NP		22.38	6.00	9.00	7.40	14.98	260	4.4	<2.5	<2.5	27	4.3	--	2.4	7.3
04/20/2004	NP	r	23.32	6.00	9.00	7.38	15.94	1,500	160	<5.0	50	320	12	--	1.4	7.1
07/01/2004	NP		23.32	6.00	9.00	7.78	15.54	1,800	150	5.2	16	260	15	--	1.9	7.0
11/04/2004	NP		23.32	6.00	9.00	7.75	15.57	640	38	1.9	2.1	110	5.7	--	1.9	7.0
01/10/2005	NP		23.32	6.00	9.00	7.54	15.78	<50	1.1	<0.50	<0.50	0.96	2.5	--	1.61	7.0
04/14/2005	NP		23.32	6.00	9.00	7.20	16.12	320	16	0.69	1.4	48	4.5	--	2.5	7.0
08/02/2005	NP		23.32	6.00	9.00	7.35	15.97	1,100	77	2.8	9.0	190	7.1	--	--	6.8
10/21/2005	NP		23.32	6.00	9.00	7.25	16.07	1,700	84	3.9	6.5	250	10	--	1.99	6.9
01/04/2006	NP		23.32	6.00	9.00	7.52	15.80	460	14	<1.0	2.1	72	3.7	--	1.15	7.2
04/28/2006	NP		23.32	6.00	9.00	6.55	16.77	670	17	<1.0	3.7	33	3.7	--	1.39	7.0
8/4/2006	NP		23.32	6.00	9.00	7.00	16.32	2,800	240	9.3	14	280	15	--	1.26	7.1
10/23/2006	P		23.32	6.00	9.00	7.33	15.99	2,100	200	7.8	17	150	16	--	--	7.08
1/15/2007	--		23.32	6.00	9.00	7.60	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	NP		23.32	6.00	9.00	7.47	15.85	110	9.0	<1.0	1.0	4.5	3.5	--	3.79	7.25
7/9/2007	NP		23.32	6.00	9.00	7.55	15.77	1,400	130	5.4	14	96	14	--	3.55	7.40
10/1/2007	NP		23.32	6.00	9.00	7.69	15.63	1,300	120	6.4	12	91	11	--	3.08	7.42
1/7/2008	NP		23.32	6.00	9.00	7.38	15.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.25	7.26
4/1/2008	NP		23.32	6.00	9.00	7.05	16.27	190	<0.50	<0.50	<0.50	<0.50	0.68	--	1.32	7.12
7/23/2008	--	c	23.32	6.00	9.00	7.36	15.96	--	--	--	--	--	--	--	--	--
10/22/2008	--	c	23.32	6.00	9.00	7.41	15.91	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
1/21/2009	--	c	23.32	6.00	9.00	7.39	15.93	--	--	--	--	--	--	--	--	--
4/21/2009	NP		23.32	6.00	9.00	6.90	16.42	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.18	7.28
7/21/2009	--		23.32	6.00	9.00	7.18	16.14	--	--	--	--	--	--	--	--	--
1/12/2010	--		23.32	6.00	9.00	7.23	16.09	--	--	--	--	--	--	--	--	--
MW-5																
6/10/1991	--		20.90	6.00	10.50	7.58	13.32	100,000	25,000	20,000	2,600	12,000	--	--	--	--
10/10/1991	--	a	20.90	6.00	10.50	8.51	12.39	--	--	--	--	--	--	--	--	--
3/23/1992	--		20.90	6.00	10.50	6.06	14.84	150,000	24,000	31,000	4,400	23,000	--	--	--	--
6/8/1992	--		20.90	6.00	10.50	7.66	13.24	120,000	17,000	13,000	2,400	11,000	--	--	--	--
9/15/1992	--	l	20.90	6.00	10.50	8.40	12.50	--	--	--	--	--	--	--	--	--
11/16/1992	--		20.90	6.00	10.50	7.70	13.20	110,000	16,000	16,000	3,200	18,000	--	--	--	--
2/16/1993	--		20.90	6.00	10.50	5.64	15.26	150,000	12,000	15,000	3,000	17,000	--	--	--	--
5/13/1993	--	l	20.90	6.00	10.50	6.68	14.22	--	--	--	--	--	--	--	--	--
8/17/1993	--		20.90	6.00	10.50	7.49	13.41	87,000	15,000	8,500	1,900	11,000	--	--	--	--
11/8/1993	--		20.90	6.00	10.50	7.93	12.97	87,000	12,000	8,300	2,000	12,000	--	--	--	--
2/14/1994	--		20.90	6.00	10.50	6.49	14.41	46,000	7,300	5,300	940	5,200	--	--	--	--
5/5/1994	--		20.90	6.00	10.50	7.18	13.72	54,000	9,700	4,700	1,000	6,400	--	--	--	--
8/4/1994	--		20.90	6.00	10.50	7.83	13.07	57,000	14,000	3,200	1,200	7,200	--	--	--	--
11/20/1994	--		20.90	6.00	10.50	6.34	14.56	33,000	5,700	1,800	720	4,700	--	--	--	--
3/17/1995	--		20.90	6.00	10.50	5.51	15.39	48,000	6,400	2,000	740	5,100	--	--	--	--
6/1/1995	--		20.90	6.00	10.50	6.55	14.35	76,000	11,000	5,400	1,400	7,700	--	--	--	--
8/31/1995	--		20.90	6.00	10.50	6.80	14.10	53,000	12,000	1,600	1,000	6,000	<500	--	--	--
11/27/1995	--		20.90	6.00	10.50	7.13	13.77	43,000	7,900	3,300	950	4,900	--	--	--	--
2/22/1996	--		20.90	6.00	10.50	5.12	15.78	52,000	9,100	3,300	940	5,000	<500	--	--	--
5/20/1996	--		20.90	6.00	10.50	5.87	15.03	55,000	9,300	3,800	1,100	5,400	<500	--	--	--
8/26/1996	--		20.90	6.00	10.50	7.15	13.75	47,000	5,300	2,100	780	3,200	<300	--	--	--
11/20/1996	--		20.90	6.00	10.50	6.88	14.02	53,000	8,700	5,700	920	4,400	<500	--	--	--
3/24/1997	--		22.45	6.00	10.50	7.13	15.32	39,000	8,200	3,200	720	3,100	<500	--	--	--
5/23/1997	--		22.45	6.00	10.50	7.42	15.03	29,000	6,600	1,700	400	1,500	<600	--	--	--
8/19/1997	--		22.45	6.00	10.50	7.58	14.87	16,000	4,600	790	<50	1,300	<300	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
11/19/1997	--		22.45	6.00	10.50	7.58	14.87	22,000	5,800	1,300	380	1,300	<300	--	--	--
2/19/1998	--		22.45	6.00	10.50	4.65	17.80	40,000	5,100	3,800	620	2,900	<300	--	--	--
4/23/1998	--		22.45	6.00	10.50	6.25	16.20	45,000	8,000	4,000	970	4,200	<600	--	1.5	--
7/27/1998	--		22.45	6.00	10.50	6.71	15.74	30,000	8,000	2,000	590	1,900	<600	--	1.5	--
10/14/1998	--		22.45	6.00	10.50	7.19	15.26	33,000	7,400	1,900	550	1,700	<300	--	1.5	--
1/21/1999	--		22.45	6.00	10.50	7.03	15.42	34,000	6,200	2,600	630	2,300	<600	--	2.5	--
5/6/1999	--		22.45	6.00	10.50	7.02	15.43	7,900	2,400	200	240	580	12	--	1.07	--
8/23/1999	--		22.45	6.00	10.50	7.04	15.41	25,000	5,800	2,300	570	2,000	67	--	1.04	--
10/28/1999	--		22.45	6.00	10.50	7.90	14.55	20,000	5,900	1,100	450	1,100	<250	--	0.87	--
2/4/2000	--		22.45	6.00	10.50	6.71	15.74	32,000	2,500	3,800	770	4,200	<75	--	2.33	--
6/20/2000	--		22.45	6.00	10.50	6.78	15.67	10,000	3,000	650	260	700	<200	--	--	--
9/29/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.45	6.00	10.50	6.48	15.97	23,400	4,160	3,450	728	3,090	<250	--	--	--
6/20/2001	--		22.45	6.00	10.50	7.26	15.19	120,000	1,200	49	190	540	<100	--	--	--
9/22/2001	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.45	6.00	10.50	6.56	15.89	16,000	1,500	2,700	730	3,200	<250	--	--	--
3/15/2002	--		22.45	6.00	10.50	6.90	15.55	20,000	2,600	3,300	1,000	4,000	<250	--	--	--
4/18/2002	--		22.45	6.00	10.50	6.17	16.28	17,000	3,200	2,900	790	3,000	<250	--	--	--
7/23/2002	NP	d	22.45	6.00	10.50	7.36	15.09	4,600	1,400	30	160	470	110	--	1.7	7.5
10/16/2002	NP	d	22.45	6.00	10.50	7.66	14.79	5,400	1,300	<20	62	150	<100	--	1.1	7.5
1/23/2003	NP	g	22.45	6.00	10.50	6.28	16.17	<5,000	110	<50	<50	98	<50	--	1.1	7.6
4/7/2003	--		22.45	6.00	10.50	7.21	15.24	1,600	310	18	36	62	32	--	1.5	7.2
8/7/2003	--	m	22.45	6.00	10.50	7.46	14.99	<50	1.8	<0.50	<0.50	<0.50	3.5	--	12.2	9
10/23/2003	NP	m	22.45	6.00	10.50	7.68	14.77	76	14	<0.50	0.77	0.61	12	--	--	--
01/12/2004	NP		22.45	6.00	10.50	6.34	16.11	<50	1.5	0.68	<0.50	0.62	11	--	6.8	8.8
04/20/2004	NP	r	23.47	6.00	10.50	8.12	15.35	300	53	13	12	29	12	--	8.9	8.5
07/01/2004	NP		23.47	6.00	10.50	8.62	14.85	<50	0.56	<0.50	<0.50	<0.50	11	--	10.6	8.5
11/04/2004	NP		23.47	6.00	10.50	7.01	16.46	90	6.3	0.94	1.3	5.7	9.4	--	7.5	7.6
01/10/2005	NP		23.47	6.00	10.50	5.51	17.96	710	0.55	<0.50	0.52	53	40	--	1.54	7.2
04/14/2005	NP		23.47	6.00	10.50	5.67	17.80	1,800	130	5.9	54	350	40	--	2.0	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
08/02/2005	NP		23.47	6.00	10.50	5.94	17.53	3,800	210	7.3	250	520	19	--	--	6.9
10/21/2005	NP		23.47	6.00	10.50	6.69	16.78	4,100	330	7.4	190	420	16	--	1.42	6.9
01/04/2006	NP		23.47	6.00	10.50	5.55	17.92	5,100	580	14	210	420	30	--	0.62	6.8
04/28/2006	NP		23.47	6.00	10.50	5.52	17.95	2,900	190	5.9	59	150	9.9	--	1.74	7.0
8/4/2006	NP		23.47	6.00	10.50	6.51	16.96	3,800	380	7.6	34	140	14	--	0.82	6.9
10/23/2006	P		23.47	6.00	10.50	7.34	16.13	3,300	310	96	70	210	13	--	--	6.99
1/15/2007	P		23.47	6.00	10.50	6.67	16.80	5,600	320	300	220	820	10	--	1.03	7.03
4/17/2007	NP		23.47	6.00	10.50	6.72	16.75	3,400	200	12	160	250	5.9	--	2.25	7.11
7/9/2007	NP		23.47	6.00	10.50	7.30	16.17	2,600	240	7.0	15	63	6.9	--	2.28	7.16
10/1/2007	NP		23.47	6.00	10.50	7.56	15.91	2,300	220	5.4	4.6	13	4.2	--	2.33	7.19
1/7/2008	NP		23.47	6.00	10.50	6.12	17.35	2,100	190	8.8	18	46	4.1	--	1.06	6.97
4/1/2008	NP		23.47	6.00	10.50	6.48	16.99	2,300	87	2.9	27	68	1.8	--	2.50	7.01
7/23/2008	NP		23.47	6.00	10.50	7.16	16.31	2,900	210	<10	52	78	<10	--	1.4	7.03
10/22/2008	NP		23.47	6.00	10.50	7.77	15.70	4,000	310	7.4	<5.0	7.9	<5.0	--	2.64	7.01
1/21/2009	P	a	23.47	6.00	10.50	7.26	16.21	2,300	51	<5.0	9.4	17	<5.0	--	0.19	7.18
4/21/2009	NP		23.47	6.00	10.50	6.83	16.64	2,100	0.69	<0.50	<0.50	11	0.74	--	1.54	7.08
7/21/2009	--		23.47	6.00	10.50	7.57	15.90	--	--	--	--	--	--	--	--	--
1/12/2010	--		23.47	6.00	10.50	6.80	16.67	--	--	--	--	--	--	--	--	--
MW-6																
6/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/23/1992	--		22.08	5.50	9.00	7.45	14.63	75,000	19,000	10,000	1,600	8,600	--	--	--	--
6/8/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.08	5.50	9.00	6.79	15.29	65,000	14,000	3,500	1,300	6,100	--	--	--	--
5/13/1993	--		22.08	5.50	9.00	7.73	14.35	36,000	8,200	870	1,000	5,200	--	--	--	--
8/17/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.08	5.50	9.00	7.78	14.30	47,000	14,000	390	1,000	5,100	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
5/5/1994	--	n	22.08	5.50	9.00	8.24	13.84	45,000	14,000	<200	1,300	4,500	--	--	--	--
8/4/1994	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--	n	22.08	5.50	9.00	7.41	14.67	30,000	11,000	<100	1,200	2,300	--	--	--	--
3/17/1995	--	n	22.08	5.50	9.00	6.66	15.42	45,000	9,300	<100	1,900	3,600	--	--	--	--
6/1/1995	--		22.08	5.50	9.00	7.60	14.48	23,000	5,600	<50	1,300	1,900	--	--	--	--
8/31/1995	--		22.08	5.50	9.00	7.92	14.16	26,000	8,000	<100	1,900	900	<500	--	--	--
11/27/1995	--		22.08	5.50	9.00	8.21	13.87	6,700	1,800	<20	480	230	--	--	--	--
2/22/1996	--		22.08	5.50	9.00	6.21	15.87	17,000	3,100	69	810	1,500	<300	--	--	--
5/20/1996	--		22.08	5.50	9.00	7.07	15.01	16,000	3,700	<50	1,100	1,100	<300	--	--	--
8/26/1996	--		22.08	5.50	9.00	7.93	14.15	23,000	5,800	<50	2,000	560	<300	--	--	--
11/20/1996	--	j	22.08	5.50	9.00	8.02	14.06	11,000	3,300	<50	480	370	<300	--	--	--
3/24/1997	--		22.77	5.50	9.00	7.95	14.82	9,700	1,900	<20	800	270	<100	--	--	--
5/23/1997	--		22.77	5.50	9.00	8.17	14.60	16,000	4,300	<50	1,400	180	<300	--	--	--
8/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.77	5.50	9.00	5.78	16.99	2,600	540	8	90	88	<30	--	--	--
4/23/1998	--		22.77	5.50	9.00	6.83	15.94	7,600	1,300	13	520	190	<60	--	0.5	--
7/27/1998	--		22.77	5.50	9.00	7.80	14.97	15,000	3,600	<25	1,100	230	<150	--	1	--
10/14/1998	--		22.77	5.50	9.00	8.31	14.46	8,700	2,400	<20	220	36	<120	--	2	--
1/21/1999	--		22.77	5.50	9.00	7.90	14.87	4,800	1,100	<25	340	79	<150	--	2	--
5/6/1999	--		22.77	5.50	9.00	7.70	15.07	1,300	240	2.3	85	19	5	--	1.18	--
8/23/1999	--		22.77	5.50	9.00	8.24	14.53	4,200	970	12	110	29	<15	--	0.9	--
10/28/1999	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.77	5.50	9.00	7.31	15.46	110	<0.5	0.6	1.5	1.9	11	--	1.1	--
6/20/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.77	5.50	9.00	7.57	15.20	--	--	--	--	--	--	--	--	--
6/20/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.77	5.50	9.00	7.21	15.56	<50	2.6	0.57	1.1	1.6	<2.5	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
3/15/2002	--		22.77	5.50	9.00	7.51	15.26	2,100	380	8.6	110	17	<25	--	--	--
4/18/2002	--		22.77	5.50	9.00	6.89	15.88	2,200	440	12	96	14	52	--	--	--
7/23/2002	NP		22.77	5.50	9.00	8.50	14.27	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	--	g, h	22.77	5.50	9.00	--	--	<250	58	<2.5	6.2	3.8	17	--	2.1	--
1/23/2003	NP	g	22.77	5.50	9.00	8.05	14.72	<5,000	<50	<50	<50	<50	<50	--	2.1	6.4
4/7/2003	--		22.77	5.50	9.00	8.11	14.66	330	13	<0.50	2.7	8.6	15	--	2.2	6.9
8/7/2003	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/23/2003	NP		22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
01/12/2004	NP		22.77	5.50	9.00	7.63	15.14	3,600	560	<25	120	<25	150	--	0.6	7.1
04/20/2004	NP	c, r	24.66	5.50	9.00	8.54	16.12	--	--	--	--	--	--	--	--	--
07/01/2004	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		24.66	5.50	9.00	8.10	16.56	4,900	580	<10	180	30	230	--	2.9	6.9
01/10/2005	NP		24.66	5.50	9.00	7.03	17.63	5,400	540	<25	150	46	240	--	1.29	6.9
04/14/2005	NP		24.66	5.50	9.00	6.85	17.81	3,600	410	5.2	100	25	210	--	2.7	--
08/02/2005	NP		24.66	5.50	9.00	7.28	17.38	4,300	340	<5.0	110	44	150	--	--	6.8
10/21/2005	NP		24.66	5.50	9.00	7.38	17.28	3,400	250	<5.0	80	20	110	--	2.38	6.8
01/04/2006	NP		24.66	5.50	9.00	7.20	17.46	2,800	270	4.0	75	14	130	--	1.07	7.3
04/28/2006	NP		24.66	5.50	9.00	6.60	18.06	4,400	170	<2.5	45	7.2	170	--	1.3	6.8
8/4/2006	NP		24.66	5.50	9.00	7.50	17.16	2,200	93	<2.5	15	9.0	110	--	1.23	6.7
10/23/2006	--		24.66	5.50	9.00	8.48	16.18	--	--	--	--	--	--	--	--	--
1/15/2007	--		24.66	5.50	9.00	8.05	16.61	--	--	--	--	--	--	--	--	--
4/17/2007	NP		24.66	5.50	9.00	7.58	17.08	330	5.6	<1.0	1.5	1.2	24	--	1.82	7.02
7/9/2007	NP		24.66	5.50	9.00	8.34	16.32	1,600	63	1.4	16	9.4	51	--	1.73	7.13
10/1/2007	--		24.66	5.50	9.00	8.60	16.06	--	--	--	--	--	--	--	--	--
1/7/2008	NP		24.66	5.50	9.00	7.22	17.44	300	2.2	<0.50	2.8	1.0	37	--	3.24	7.16
4/1/2008	NP		24.66	5.50	9.00	7.87	16.79	110	<0.50	<0.50	<0.50	<0.50	1.4	--	6.21	7.19
7/23/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
4/21/2009	--	c	24.66	5.50	9.00	7.91	16.75	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
7/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/12/2010	--		24.66	5.50	9.00	8.11	16.55	--	--	--	--	--	--	--	--	--
MW-7																
6/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
3/23/1992	--		22.89	8.00	10.00	8.20	14.69	270	10	0.5	3	13	--	--	--	--
6/8/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.89	8.00	10.00	7.84	15.05	120	3.6	<0.5	<0.5	1.2	--	--	--	--
5/13/1993	--		22.89	8.00	10.00	8.56	14.33	<50	0.8	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.89	8.00	10.00	8.80	14.09	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.89	8.00	10.00	9.11	13.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--		22.89	8.00	10.00	8.72	14.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.89	8.00	10.00	7.68	15.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.89	8.00	10.00	8.40	14.49	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/31/1995	--		22.89	8.00	10.00	9.09	13.80	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--
11/27/1995	--		22.89	8.00	10.00	9.15	13.74	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--
2/22/1996	--		22.89	8.00	10.00	7.44	15.45	110	1.4	<0.5	3.8	3	<3	--	--	--
5/20/1996	--		22.89	8.00	10.00	8.47	14.42	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.89	8.00	10.00	8.81	14.08	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.89	8.00	10.00	9.17	13.72	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.89	8.00	10.00	8.31	14.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		22.89	8.00	10.00	9.26	13.63	--	--	--	--	--	--	--	--	--
8/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.89	8.00	10.00	6.13	16.76	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
4/23/1998	--		22.89	8.00	10.00	7.44	15.45	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		22.89	8.00	10.00	8.75	14.14	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		22.89	8.00	10.00	9.22	13.67	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
1/21/1999	--		22.89	8.00	10.00	9.07	13.82	52	<0.5	<0.5	<0.5	0.27	<3	--	3.0	--
5/6/1999	--		22.89	8.00	10.00	8.32	14.57	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.83	--
8/23/1999	--		22.89	8.00	10.00	9.25	13.64	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.42	--
10/28/1999	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.89	8.00	10.00	8.79	14.10	<50	<0.5	<0.5	<0.5	<1	<3	--	4.46	--
6/20/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--		22.89	8.00	10.00	8.93	13.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		22.89	8.00	10.00	8.35	14.54	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.89	8.00	10.00	8.42	14.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		22.89	8.00	10.00	8.54	14.35	<50	1.3	2.6	1.1	5.4	<2.5	--	--	--
4/18/2002	--		22.89	8.00	10.00	7.84	15.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	3.32	--
7/23/2002	NP		22.89	8.00	10.00	9.51	13.38	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	NP	g	22.89	8.00	10.00	8.04	14.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	6.7
4/7/2003	--		22.89	8.00	10.00	8.39	14.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.1	6.9
8/7/2003	--		22.89	8.00	10.00	9.01	13.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.5	6.9
10/23/2003	NP		22.89	8.00	10.00	9.22	13.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	NP		22.89	8.00	10.00	8.81	14.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.8	7.3
04/20/2004	NP	r	25.46	8.00	10.00	8.95	16.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.6	7.2
07/01/2004	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		25.46	8.00	10.00	9.04	16.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	7.1
01/10/2005	NP		25.46	8.00	10.00	8.25	17.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.02	7.0
04/14/2005	--		25.46	8.00	10.00	7.95	17.51	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.46	8.00	10.00	8.40	17.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.8
10/21/2005	--		25.46	8.00	10.00	8.92	16.54	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
01/04/2006	--		25.46	8.00	10.00	8.62	16.84	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.46	8.00	10.00	7.78	17.68	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.46	8.00	10.00	8.78	16.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.49	7.2
10/23/2006	--		25.46	8.00	10.00	9.39	16.07	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.46	8.00	10.00	9.06	16.40	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.46	8.00	10.00	9.12	16.34	--	--	--	--	--	--	--	--	--
7/9/2007	NP	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.46	8.00	10.00	9.60	15.86	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.46	8.00	10.00	8.99	16.47	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.46	8.00	10.00	8.35	17.11	--	--	--	--	--	--	--	--	--
7/23/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.46	8.00	10.00	9.35	16.11	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.46	8.00	10.00	8.72	16.74	--	--	--	--	--	--	--	--	--
7/21/2009	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.46	8.00	10.00	9.11	16.35	--	--	--	--	--	--	--	--	--
MW-8																
6/10/1991	--		20.97	6.50	10.50	7.80	13.17	5,800	73	7.2	150	21	--	--	--	--
10/10/1991	--		20.97	6.50	10.50	8.87	12.10	2,800	31	6.1	4.5	3.9	--	--	--	--
3/23/1992	--	n	20.97	6.50	10.50	5.81	15.16	8,000	18	<5	320	42	--	--	--	--
6/8/1992	--	n	20.97	6.50	10.50	8.01	12.96	4,000	<10	<10	110	<10	--	--	--	--
9/15/1992	--	n	20.97	6.50	10.50	8.80	12.17	4,200	6.4	<5	120	<5	--	--	--	--
11/16/1992	--	n	20.97	6.50	10.50	8.19	12.78	2,600	4	<2.5	21	5.2	--	--	--	--
2/16/1993	--	n	20.97	6.50	10.50	5.84	15.13	8,700	<5	<5	200	<5	--	--	--	--
5/13/1993	--	n	20.97	6.50	10.50	6.93	14.04	2,300	<5	<5	42	<5	--	--	--	--
8/17/1993	--	n	20.97	6.50	10.50	7.87	13.10	1,700	1.8	<1.3	16	1.2	--	--	--	--
11/8/1993	--	n	20.97	6.50	10.50	8.31	12.66	1,200	2.4	<1	19	2.3	--	--	--	--
2/14/1994	--	n	20.97	6.50	10.50	7.00	13.97	3,600	3	<1	72	<1	--	--	--	--
5/5/1994	--	n	20.97	6.50	10.50	7.46	13.51	2,100	<2.5	<2.5	8.3	<2.5	--	--	--	--
8/4/1994	--	n	20.97	6.50	10.50	8.17	12.80	1,200	1.5	<1	6.7	<1	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
11/20/1994	--		20.97	6.50	10.50	6.78	14.19	2,300	1.2	1.1	20	2.2	--	--	--	--
3/17/1995	--	n	20.97	6.50	10.50	6.14	14.83	5,400	<5	<5	35	<5	--	--	--	--
6/1/1995	--		20.97	6.50	10.50	6.50	14.47	2,600	<2.5	<2.5	15	<2.5	--	--	--	--
8/31/1995	--		20.97	6.50	10.50	7.35	13.62	1,400	<3	<3	5	<3	520	--	--	--
11/27/1995	--		20.97	6.50	10.50	7.60	13.37	620	<0.5	<0.5	<0.5	0.5	560	--	--	--
2/22/1996	--		20.97	6.50	10.50	5.35	15.62	5,800	<5	<5	28	<5	110	--	--	--
5/20/1996	--		20.97	6.50	10.50	5.92	15.05	6,100	<5	<5	26	<5	240	--	--	--
8/26/1996	--		20.97	6.50	10.50	7.08	13.89	970	<1	<1	3	<1	710	--	--	--
11/20/1996	--		20.97	6.50	10.50	7.01	13.96	3,900	<2.5	<2.5	12	<2.5	930	--	--	--
3/24/1997	--		20.89	6.50	10.50	7.33	13.56	1,400	<10	<10	<10	12	1,300	--	--	--
5/23/1997	--		20.89	6.50	10.50	7.55	13.34	730	<5	<5	<5	<5	630	--	--	--
8/19/1997	--		20.89	6.50	10.50	7.87	13.02	<500	<5	<5	<5	<5	290	--	--	--
11/19/1997	--		20.89	6.50	10.50	7.87	13.02	<200	<2	<2	<2	<2	260	--	--	--
2/19/1998	--		20.89	6.50	10.50	4.46	16.43	2,000	<2	<2	9	<2	140	--	--	--
4/23/1998	--		20.89	6.50	10.50	6.35	14.54	4,500	<5	<5	<5	11	590	--	0.5	--
7/27/1998	--		20.89	6.50	10.50	7.43	13.46	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.89	6.50	10.50	7.79	13.10	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.89	6.50	10.50	6.54	14.35	2,000	<2	<2	3	<2	320	--	2.5	--
5/6/1999	--		20.89	6.50	10.50	7.30	13.59	<50	<0.5	<0.5	<0.5	<0.5	160	--	12.76	--
8/23/1999	--		20.89	6.50	10.50	7.45	13.44	<50	<0.5	<0.5	<0.5	<0.5	5	--	7.85	--
10/28/1999	--		20.89	6.50	10.50	8.22	12.67	160	<0.5	<0.5	<0.5	<1	45	--	0.84	--
2/4/2000	--		20.89	6.50	10.50	8.47	12.42	<50	<0.5	<0.5	<0.5	<1	<3	--	1.92	--
6/20/2000	--		20.89	6.50	10.50	7.23	13.66	150	<0.5	0.9	<0.5	<1.0	310	--	--	--
9/29/2000	--		20.89	6.50	10.50	7.91	12.98	149	<0.5	<0.5	<0.5	<0.5	438	--	--	--
12/17/2000	--		20.89	6.50	10.50	7.11	13.78	662	<5.0	<5.0	<5.0	<5.0	273	--	--	--
3/28/2001	--		20.89	6.50	10.50	6.88	14.01	840	<5.0	<5.0	<5.0	<5.0	320	--	--	--
6/20/2001	--		20.89	6.50	10.50	7.25	13.64	230	<0.5	<0.5	<0.5	0.65	330	--	--	--
9/22/2001	--		20.89	6.50	10.50	8.14	12.75	<50	<0.5	<0.5	<0.5	<0.5	6.5	--	--	--
12/27/2001	--		20.89	6.50	10.50	6.73	14.16	780	<0.5	<0.5	0.6	0.89	160	--	--	--
3/15/2002	--		20.89	6.50	10.50	6.94	13.95	1,100	<10	<10	<10	<10	830	--	--	--
4/18/2002	--		20.89	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
7/23/2002	NP		20.89	6.50	10.50	7.89	13.00	<50	<0.50	<0.50	<0.50	<0.50	8.7	--	4.5	7.7
10/16/2002	NP		20.89	6.50	10.50	8.13	12.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	4.2	7.5
1/23/2003	NP	g	20.89	6.50	10.50	6.47	14.42	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	4.0	7.5
4/7/2003	--		20.89	6.50	10.50	7.49	13.40	<50	<0.50	<0.50	<0.50	<0.50	19	--	4.7	7.5
8/7/2003	--	m	20.89	6.50	10.50	7.93	12.96	<50	<0.50	<0.50	<0.50	<0.50	0.96	--	14.8	8.3
10/23/2003	NP		20.89	6.50	10.50	7.83	13.06	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	--	--
01/12/2004	NP		20.89	6.50	10.50	6.62	14.27	<50	<0.50	<0.50	<0.50	<0.50	13	--	11.2	9.0
04/20/2004	NP	r	23.55	6.50	10.50	8.21	15.34	55	<0.50	<0.50	<0.50	<0.50	25	--	10.1	8.7
07/01/2004	NP		23.55	6.50	10.50	8.48	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	14.3	8.0
11/04/2004	NP		23.55	6.50	10.50	7.19	16.36	<50	<0.50	<0.50	<0.50	<0.50	13	--	12.0	7.9
01/10/2005	NP		23.55	6.50	10.50	5.42	18.13	<50	<0.50	<0.50	<0.50	<0.50	10	--	2.65	7.1
04/14/2005	--		23.55	6.50	10.50	5.74	17.81	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.55	6.50	10.50	6.60	16.95	<50	<0.50	<0.50	<0.50	<0.50	16	--	--	7.1
10/21/2005	--	Well inaccessible p	23.55	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.55	6.50	10.50	4.97	18.58	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.55	6.50	10.50	5.67	17.88	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.55	6.50	10.50	7.37	16.18	<50	<0.50	<0.50	<0.50	<0.50	16	--	0.76	7.3
10/23/2006	--		23.55	6.50	10.50	7.74	15.81	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.55	6.50	10.50	7.04	16.51	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.55	6.50	10.50	6.94	16.61	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.55	6.50	10.50	7.71	15.84	<50	<0.50	<0.50	<0.50	<0.50	17	--	1.90	7.25
10/1/2007	--		23.55	6.50	10.50	8.00	15.55	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.55	6.50	10.50	5.79	17.76	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.55	6.50	10.50	6.89	16.66	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.55	6.50	10.50	7.80	15.75	<50	<0.50	<0.50	<0.50	<0.50	8.6	--	1.62	7.08
10/22/2008	--		23.55	6.50	10.50	8.19	15.36	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.55	6.50	10.50	7.75	15.80	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.55	6.50	10.50	6.66	16.89	--	--	--	--	--	--	--	--	--
7/21/2009	P		23.55	6.50	10.50	7.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	3.3	--	13.97	7.56
1/12/2010	--		23.55	6.50	10.50	6.89	16.66	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9																
6/11/1993	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/17/1993	--		20.89	6.00	19.50	8.53	12.36	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		20.89	6.00	19.50	8.87	12.02	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		20.89	6.00	19.50	7.47	13.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		20.89	6.00	19.50	8.04	12.85	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		20.89	6.00	19.50	8.78	12.11	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		20.89	6.00	19.50	6.83	14.06	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
3/17/1995	--		20.89	6.00	19.50	6.94	13.95	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		20.89	6.00	19.50	8.10	12.79	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		20.89	6.00	19.50	8.38	12.51	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		20.89	6.00	19.50	7.36	13.53	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		20.89	6.00	19.50	7.81	13.08	--	--	--	--	--	--	--	--	--
8/26/1996	--		20.89	6.00	19.50	8.00	12.89	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		20.89	6.00	19.50	7.06	13.83	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.26	6.00	19.50	7.74	14.52	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		22.26	6.00	19.50	8.28	13.98	--	--	--	--	--	--	--	--	--
8/19/1997	--		22.26	6.00	19.50	8.32	13.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		22.26	6.00	19.50	8.32	13.94	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.26	6.00	19.50	7.11	15.15	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		22.26	6.00	19.50	8.18	14.08	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.26	6.00	19.50	7.97	14.29	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.6	--
10/14/1998	--		22.26	6.00	19.50	8.29	13.97	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.5	--
1/21/1999	--		22.26	6.00	19.50	7.63	14.63	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.5	--
5/6/1999	--		22.26	6.00	19.50	7.27	14.99	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.26	6.00	19.50	8.24	14.02	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.93	--
10/28/1999	--		22.26	6.00	19.50	8.63	13.63	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.26	6.00	19.50	8.01	14.25	<50	<0.50	1.6	<0.50	<1	<3	--	1.47	--
6/20/2000	--		22.26	6.00	19.50	8.01	14.25	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.26	6.00	19.50	8.44	13.82	<50	<0.5	<0.5	<0.5	<0.5	3.44	--	--	--
12/17/2000	--		22.26	6.00	19.50	7.84	14.42	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
3/28/2001	--		22.26	6.00	19.50	7.58	14.68	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		22.26	6.00	19.50	7.75	14.51	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.26	6.00	19.50	8.69	13.57	<50	<0.5	<0.5	<0.5	<0.5	7.8	--	--	--
12/27/2001	--		22.26	6.00	19.50	7.15	15.11	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.26	6.00	19.50	7.23	15.03	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.26	6.00	19.50	6.79	15.47	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.26	6.00	19.50	8.30	13.96	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.2
10/16/2002	--		22.26	6.00	19.50	8.64	13.62	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.26	6.00	19.50	7.35	14.91	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	3.0	7.2
4/7/2003	--		22.26	6.00	19.50	7.81	14.45	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.26	6.00	19.50	8.31	13.95	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.26	6.00	19.50	8.48	13.78	--	--	--	--	--	--	--	--	--
01/12/2004	--		22.26	6.00	19.50	7.46	14.80	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.64	6.00	19.50	8.65	14.99	--	--	--	--	--	--	--	--	--
07/01/2004	P		23.64	6.00	19.50	9.03	14.61	<50	<0.50	<0.50	<0.50	<0.50	3.2	--	1.3	6.9
11/04/2004	--		23.64	6.00	19.50	7.60	16.04	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.64	6.00	19.50	6.24	17.40	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.64	6.00	19.50	6.90	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.64	6.00	19.50	7.60	16.04	<50	<0.50	<0.50	<0.50	<0.50	3.8	--	--	7.0
10/21/2005	--		23.64	6.00	19.50	8.09	15.55	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.64	6.00	19.50	6.15	17.49	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.64	6.00	19.50	6.95	16.69	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.64	6.00	19.50	7.90	15.74	<50	<0.50	<0.50	<0.50	<0.50	4.0	--	1.23	7.3
10/23/2006	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.64	6.00	19.50	8.82	14.82	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.64	6.00	19.50	7.89	15.75	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.64	6.00	19.50	8.28	15.36	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.80	7.31
10/1/2007	--		23.64	6.00	19.50	8.50	15.14	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.64	6.00	19.50	8.38	15.26	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.64	6.00	19.50	7.92	15.72	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.64	6.00	19.50	8.16	15.48	<50	<0.50	<0.50	<0.50	<0.50	5.0	--	1.39	7.23

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
10/22/2008	--		23.64	6.00	19.50	8.71	14.93	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.64	6.00	19.50	7.84	15.80	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.64	6.00	19.50	8.35	15.29	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	8.05	7.63
1/12/2010	--		23.64	6.00	19.50	7.61	16.03	--	--	--	--	--	--	--	--	--
MW-10																
6/11/1993	--		21.12	6.00	16.50	8.14	12.98	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/17/1993	--		21.12	6.00	16.50	8.54	12.58	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		21.12	6.00	16.50	8.70	12.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		21.12	6.00	16.50	7.13	13.99	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		21.12	6.00	16.50	8.08	13.04	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		21.12	6.00	16.50	8.84	12.28	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		21.12	6.00	16.50	7.05	14.07	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
3/17/1995	--		21.12	6.00	16.50	6.26	14.86	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		21.12	6.00	16.50	7.63	13.49	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		21.12	6.00	16.50	8.17	12.95	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		21.12	6.00	16.50	8.38	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		21.12	6.00	16.50	5.41	15.71	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		21.12	6.00	16.50	6.78	14.34	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.12	6.00	16.50	8.00	13.12	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		21.12	6.00	16.50	7.81	13.31	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.33	6.00	16.50	7.87	13.46	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		21.33	6.00	16.50	8.33	13.00	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
2/19/1998	--		21.33	6.00	16.50	4.65	16.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		21.33	6.00	16.50	6.28	15.05	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--
7/27/1998	--		21.33	6.00	16.50	7.97	13.36	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.3	--
10/14/1998	--		21.33	6.00	16.50	8.41	12.92	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.0	--
1/21/1999	--		21.33	6.00	16.50	6.65	14.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
5/6/1999	--		21.33	6.00	16.50	7.74	13.59	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.76	--
8/23/1999	--		21.33	6.00	16.50	8.37	12.96	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.21	--
10/28/1999	--		21.33	6.00	16.50	8.73	12.60	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.12	--
2/4/2000	--		21.33	6.00	16.50	8.78	12.55	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.84	--
6/20/2000	--		21.33	6.00	16.50	7.99	13.34	<0.5	<0.5	<0.5	<0.5	<0.5	<3.0	--	--	--
9/29/2000	--		21.33	6.00	16.50	8.40	12.93	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/17/2000	--		21.33	6.00	16.50	7.91	13.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		21.33	6.00	16.50	7.47	13.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		21.33	6.00	16.50	8.11	13.22	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
9/22/2001	--		21.33	6.00	16.50	8.77	12.56	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		21.33	6.00	16.50	6.94	14.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		21.33	6.00	16.50	7.48	13.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		21.33	6.00	16.50	6.77	14.56	<50	<0.5	<0.5	<0.5	<0.5	3.8	--	1.22	--
7/23/2002	NP		21.33	6.00	16.50	8.42	12.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	7.2
10/16/2002	NP		21.33	6.00	16.50	8.77	12.56	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	6.4
1/23/2003	NP	g	21.33	6.00	16.50	7.12	14.21	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	1.3	7.4
4/7/2003	--		21.33	6.00	16.50	7.73	13.60	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	1.3	7.0
8/7/2003	--		21.33	6.00	16.50	8.45	12.88	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.3	7.3
10/23/2003	--		21.33	6.00	16.50	8.71	12.62	--	--	--	--	--	--	--	--	--
01/12/2004	NP		21.33	6.00	16.50	7.25	14.08	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	8.2	7.5
04/20/2004	--	r	23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
07/01/2004	NP		23.42	6.00	16.50	8.90	14.52	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.0	7.1
11/04/2004	--		23.42	6.00	16.50	7.68	15.74	--	--	--	--	--	--	--	--	--
01/10/2005	NP		23.42	6.00	16.50	6.13	17.29	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	0.9	7.3
04/14/2005	--		23.42	6.00	16.50	6.68	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.42	6.00	16.50	7.54	15.88	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	--	7.1
10/21/2005	--		23.42	6.00	16.50	8.12	15.30	--	--	--	--	--	--	--	--	--
01/04/2006	NP		23.42	6.00	16.50	5.40	18.02	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.4	7.3
04/28/2006	--		23.42	6.00	16.50	6.65	16.77	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.42	6.00	16.50	8.92	14.50	<50	<0.50	<0.50	<0.50	<0.50	1.8	--	0.87	7.3
10/23/2006	--		23.42	6.00	16.50	8.23	15.19	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
1/15/2007	P		23.42	6.00	16.50	7.47	15.95	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	1.15	7.21
4/17/2007	--		23.42	6.00	16.50	7.74	15.68	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.42	6.00	16.50	8.35	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	2.71	7.48
10/1/2007	--		23.42	6.00	16.50	8.74	14.68	--	--	--	--	--	--	--	--	--
1/7/2008	NP		23.42	6.00	16.50	6.02	17.40	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.22	7.41
4/1/2008	--		23.42	6.00	16.50	8.97	14.45	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.42	6.00	16.50	8.62	14.80	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.2	7.35
10/22/2008	--		23.42	6.00	16.50	9.02	14.40	--	--	--	--	--	--	--	--	--
1/21/2009	P		23.42	6.00	16.50	8.55	14.87	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	0.57	7.45
4/21/2009	--		23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.42	6.00	16.50	8.81	14.61	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	7.60	7.77
1/12/2010	P		23.42	6.00	16.50	7.90	15.52	<50	<0.50	<0.50	<0.50	<0.50	1.3	--	2.20	7.0
MW-11																
11/16/1992	--	n	22.38	7.00	12.00	9.02	13.36	7,000	21	<10	18	230	--	--	--	--
2/16/1993	--	n	22.38	7.00	12.00	7.11	15.27	2,200	<10	<10	11	<10	--	--	--	--
5/13/1993	--	n	22.38	7.00	12.00	8.04	14.34	1,600	<2.5	<2.5	41	6.8	--	--	--	--
8/17/1993	--	n	22.38	7.00	12.00	8.78	13.60	830	1.4	<1.0	25	15	--	--	--	--
11/8/1993	--	n	22.38	7.00	12.00	9.23	13.15	370	<1.0	<1.0	2.5	2.1	--	--	--	--
2/14/1994	--	n	22.38	7.00	12.00	7.94	14.44	650	<1	<1.0	2	4	--	--	--	--
5/5/1994	--		22.38	7.00	12.00	8.55	13.83	210	<0.5	<0.5	2.5	0.6	--	--	--	--
8/4/1994	--	n	22.38	7.00	12.00	9.13	13.25	390	<0.5	<0.7	1.9	2.2	--	--	--	--
11/20/1994	--		22.38	7.00	12.00	7.73	14.65	1,300	1.3	0.5	1.5	21	--	--	--	--
3/17/1995	--		22.38	7.00	12.00	6.94	15.44	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.38	7.00	12.00	7.90	14.48	210	<0.5	<0.5	0.9	0.7	--	--	--	--
8/31/1995	--		22.38	7.00	12.00	8.18	14.20	680	<0.5	<0.5	4	1.8	<3	--	--	--
11/27/1995	--		22.38	7.00	12.00	8.48	13.90	340	<0.5	<0.5	2.2	1.6	--	--	--	--
2/22/1996	--		22.38	7.00	12.00	6.63	15.75	150	<0.5	<0.5	<0.8	<0.8	<3	--	--	--
5/20/1996	--		22.38	7.00	12.00	7.25	15.13	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.38	7.00	12.00	8.22	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.38	7.00	12.00	8.37	14.01	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
3/24/1997	--		20.97	7.00	12.00	8.15	12.82	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.97	7.00	12.00	6.25	14.72	<50	<0.5	1.6	<0.5	1.8	7	--	--	--
4/23/1998	--		20.97	7.00	12.00	7.23	13.74	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.97	7.00	12.00	8.05	12.92	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.97	7.00	12.00	8.58	12.39	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.97	7.00	12.00	8.25	12.72	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
5/6/1999	--		20.97	7.00	12.00	7.95	13.02	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.97	7.00	12.00	8.51	12.46	--	--	--	--	--	--	--	0.86	--
10/28/1999	--		20.97	7.00	12.00	8.95	12.02	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<1	<3	--	3.29	--
6/20/2000	--		20.97	7.00	12.00	8.18	12.79	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.97	7.00	12.00	8.60	12.37	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.97	7.00	12.00	9.11	11.86	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.97	7.00	12.00	7.50	13.47	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.97	7.00	12.00	7.87	13.10	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.97	7.00	12.00	7.22	13.75	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.97	7.00	12.00	8.76	12.21	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.97	7.00	12.00	9.15	11.82	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	20.97	7.00	12.00	7.61	13.36	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	7.4
4/7/2003	--		20.97	7.00	12.00	8.25	12.72	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.97	7.00	12.00	8.84	12.13	--	--	--	--	--	--	--	--	--
10/23/2003	--		20.97	7.00	12.00	9.09	11.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.97	7.00	12.00	7.70	13.27	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	24.97	7.00	12.00	9.18	15.79	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	24.97	7.00	12.00	9.90	15.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.01

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
11/04/2004	--		24.97	7.00	12.00	8.21	16.76	--	--	--	--	--	--	--	--	--
01/10/2005	--		24.97	7.00	12.00	6.94	18.03	--	--	--	--	--	--	--	--	--
04/14/2005	--		24.97	7.00	12.00	6.77	18.20	--	--	--	--	--	--	--	--	--
08/02/2005	--		24.97	7.00	12.00	7.57	17.40	--	--	--	--	--	--	--	--	--
10/21/2005	--		24.97	7.00	12.00	8.08	16.89	--	--	--	--	--	--	--	--	--
01/04/2006	--		24.97	7.00	12.00	7.20	17.77	--	--	--	--	--	--	--	--	--
04/28/2006	--		24.97	7.00	12.00	6.90	18.07	--	--	--	--	--	--	--	--	--
8/4/2006	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
10/23/2006	--		24.97	7.00	12.00	8.75	16.22	--	--	--	--	--	--	--	--	--
1/15/2007	--		24.97	7.00	12.00	8.19	16.78	--	--	--	--	--	--	--	--	--
4/17/2007	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
7/9/2007	--		24.97	7.00	12.00	8.73	16.24	--	--	--	--	--	--	--	--	--
10/1/2007	--		24.97	7.00	12.00	8.65	16.32	--	--	--	--	--	--	--	--	--
1/7/2008	--		24.97	7.00	12.00	7.52	17.45	--	--	--	--	--	--	--	--	--
4/1/2008	--		24.97	7.00	12.00	8.18	16.79	--	--	--	--	--	--	--	--	--
7/23/2008	--		24.97	7.00	12.00	9.27	15.70	--	--	--	--	--	--	--	--	--
10/22/2008	--		24.97	7.00	12.00	9.11	15.86	--	--	--	--	--	--	--	--	--
1/21/2009	--		24.97	7.00	12.00	8.72	16.25	--	--	--	--	--	--	--	--	--
4/21/2009	--		24.97	7.00	12.00	8.22	16.75	--	--	--	--	--	--	--	--	--
7/21/2009	--		24.97	7.00	12.00	8.98	15.99	--	--	--	--	--	--	--	--	--
1/12/2010	--		24.97	7.00	12.00	8.39	16.58	--	--	--	--	--	--	--	--	--
MW-12																
11/16/1992	--		22.77	7.50	12.50	9.65	13.12	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.77	7.50	12.50	7.88	14.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.77	7.50	12.50	8.63	14.14	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.77	7.50	12.50	9.30	13.47	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.77	7.50	12.50	9.72	13.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.77	7.50	12.50	8.24	14.53	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.77	7.50	12.50	8.97	13.80	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.77	7.50	12.50	9.57	13.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
11/20/1994	--		22.77	7.50	12.50	8.06	14.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.77	7.50	12.50	7.09	15.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.77	7.50	12.50	8.40	14.37	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.77	7.50	12.50	8.55	14.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		22.77	7.50	12.50	8.95	13.82	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.77	7.50	12.50	6.81	15.96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.77	7.50	12.50	7.56	15.21	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.77	7.50	12.50	8.63	14.14	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.77	7.50	12.50	8.38	14.39	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.11	7.50	12.50	8.75	11.36	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.11	7.50	12.50	8.92	11.19	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.11	7.50	12.50	6.28	13.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.11	7.50	12.50	7.52	12.59	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.11	7.50	12.50	8.52	11.59	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.11	7.50	12.50	9.06	11.05	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.11	7.50	12.50	8.20	11.91	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.11	7.50	12.50	8.47	11.64	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.11	7.50	12.50	9.04	11.07	--	--	--	--	--	--	--	0.85	--
10/28/1999	--		20.11	7.50	12.50	9.40	10.71	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.11	7.50	12.50	8.38	11.73	<50	<0.5	<0.5	<0.5	<1	<3	--	3.34	--
6/20/2000	--		20.11	7.50	12.50	8.55	11.56	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.11	7.50	12.50	8.98	11.13	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.11	7.50	12.50	8.76	11.35	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.11	7.50	12.50	8.31	11.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.11	7.50	12.50	9.10	11.01	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.11	7.50	12.50	9.48	10.63	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.11	7.50	12.50	7.78	12.33	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.11	7.50	12.50	8.22	11.89	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.11	7.50	12.50	7.65	12.46	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
7/23/2002	--		20.11	7.50	12.50	9.18	10.93	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.11	7.50	12.50	9.51	10.60	--	--	--	--	--	--	--	--	--
1/23/2003	--		20.11	7.50	12.50	7.86	12.25	--	--	--	--	--	--	--	--	--
4/7/2003	--		20.11	7.50	12.50	8.58	11.53	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.11	7.50	12.50	9.23	10.88	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.11	7.50	12.50	9.44	10.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.11	7.50	12.50	8.08	12.03	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.32	7.50	12.50	9.28	16.04	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.32	7.50	12.50	9.65	15.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.0
11/04/2004	--		25.32	7.50	12.50	8.53	16.79	--	--	--	--	--	--	--	--	--
01/10/2005	--		25.32	7.50	12.50	7.04	18.28	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.32	7.50	12.50	6.95	18.37	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.32	7.50	12.50	8.05	17.27	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.32	7.50	12.50	8.70	16.62	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.32	7.50	12.50	10.00	15.32	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.32	7.50	12.50	7.19	18.13	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.32	7.50	12.50	8.80	16.52	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.32	7.50	12.50	9.17	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.32	7.50	12.50	8.68	16.64	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.32	7.50	12.50	9.18	16.14	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.32	7.50	12.50	9.45	15.87	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.32	7.50	12.50	7.58	17.74	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.32	7.50	12.50	9.34	15.98	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.32	7.50	12.50	9.64	15.68	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.32	7.50	12.50	9.25	16.07	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.32	7.50	12.50	8.66	16.66	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.32	7.50	12.50	9.42	15.90	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.32	7.50	12.50	8.86	16.46	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13																
11/16/1992	--		22.45	--	13.00	9.02	13.43	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.45	--	13.00	7.14	15.31	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.45	--	13.00	7.95	14.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.45	--	13.00	8.57	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.45	--	13.00	8.86	13.59	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.45	--	13.00	7.78	14.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.45	--	13.00	8.38	14.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.45	--	13.00	8.78	13.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.45	--	13.00	7.68	14.77	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.45	--	13.00	6.91	15.54	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.45	--	13.00	7.72	14.73	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.45	--	13.00	7.58	14.87	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.45	--	13.00	7.98	14.47	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.45	--	13.00	6.71	15.74	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.45	--	13.00	6.98	15.47	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.45	--	13.00	7.85	14.60	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.45	--	13.00	7.76	14.69	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.75	--	13.00	8.16	12.59	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.75	--	13.00	6.44	14.31	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.75	--	13.00	6.80	13.95	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.75	--	13.00	7.52	13.23	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		20.75	--	13.00	8.15	12.60	<50	<0.5	<0.5	<0.5	<0.5	<3	--	2.0	--
1/21/1999	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.75	--	13.00	7.82	12.93	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.75	--	13.00	8.29	12.46	--	--	--	--	--	--	--	0.94	--
10/28/1999	--		20.75	--	13.00	8.55	12.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.75	--	13.00	8.11	12.64	<50	<0.5	0.6	<0.5	<1	<3	--	1.27	--
6/20/2000	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
9/29/2000	--		20.75	--	13.00	8.27	12.48	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.75	--	13.00	8.09	12.66	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.75	--	13.00	7.69	13.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.75	--	13.00	8.46	12.29	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.75	--	13.00	8.57	12.18	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.75	--	13.00	7.14	13.61	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.75	--	13.00	7.62	13.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.75	--	13.00	6.91	13.84	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.75	--	13.00	8.50	12.25	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.75	--	13.00	8.74	12.01	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	20.75	--	13.00	7.35	13.40	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	3.4	7.0
4/7/2003	--		20.75	--	13.00	7.99	12.76	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.75	--	13.00	8.60	12.15	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.75	--	13.00	8.55	12.20	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.01	--	13.00	4.57	20.44	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.01	--	13.00	8.71	16.30	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	6.9
11/04/2004	--		25.01	--	13.00	7.79	17.22	--	--	--	--	--	--	--	--	--
01/10/2005	--		25.01	--	13.00	6.80	18.21	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.01	--	13.00	6.88	18.13	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.01	--	13.00	7.15	17.86	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.01	--	13.00	7.64	17.37	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.01	--	13.00	6.97	18.04	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.01	--	13.00	8.18	16.83	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.01	--	13.00	8.51	16.50	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.01	--	13.00	7.91	17.10	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.01	--	13.00	8.04	16.97	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.01	--	13.00	8.50	16.51	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.01	--	13.00	8.72	16.29	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.01	--	13.00	8.27	16.74	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
4/1/2008	--		25.01	--	13.00	7.88	17.13	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.01	--	13.00	6.40	18.61	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.01	--	13.00	8.86	16.15	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.01	--	13.00	8.54	16.47	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.01	--	13.00	8.77	16.24	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.01	--	13.00	8.21	16.80	--	--	--	--	--	--	--	--	--
MW-14																
9/15/1992	--		22.99	7.50	13.50	10.66	12.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/16/1992	--		22.99	7.50	13.50	10.33	12.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.99	7.50	13.50	8.18	14.81	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.99	7.50	13.50	9.05	13.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.99	7.50	13.50	22.99	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.99	7.50	13.50	10.25	12.74	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.99	7.50	13.50	8.80	14.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.99	7.50	13.50	9.49	13.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.99	7.50	13.50	10.11	12.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.99	7.50	13.50	8.66	14.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.99	7.50	13.50	8.17	14.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.99	7.50	13.50	8.57	14.42	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.99	7.50	13.50	9.05	13.94	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.99	7.50	13.50	9.19	13.80	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.99	7.50	13.50	6.52	16.47	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.99	7.50	13.50	7.88	15.11	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.99	7.50	13.50	8.83	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.99	7.50	13.50	8.95	14.04	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.90	7.50	13.50	9.61	11.29	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.90	7.50	13.50	9.80	11.10	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.90	7.50	13.50	9.80	11.10	<50	1.7	<0.5	0.6	3	<3	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
2/19/1998	--		20.90	7.50	13.50	6.27	14.63	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.90	7.50	13.50	7.75	13.15	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
10/14/1998	--		20.90	7.50	13.50	9.73	11.17	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
1/21/1999	--		20.90	7.50	13.50	8.90	12.00	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.73	--
8/23/1999	--		20.90	7.50	13.50	9.68	11.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.91	--
10/28/1999	--		20.90	7.50	13.50	10.00	10.90	<50	<0.5	<0.5	<0.5	<1	<10	--	1.06	--
2/4/2000	--		20.90	7.50	13.50	8.19	12.71	<50	<0.5	0.5	<0.5	<1	<3	--	1.21	--
6/20/2000	--		20.90	7.50	13.50	9.16	11.74	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--	--
9/29/2000	--		20.90	7.50	13.50	9.48	11.42	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--
12/17/2000	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		20.90	7.50	13.50	8.91	11.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.90	7.50	13.50	9.70	11.20	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	--
9/22/2001	--		20.90	7.50	13.50	10.04	10.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		20.90	7.50	13.50	8.33	12.57	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		20.90	7.50	13.50	8.75	12.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.90	7.50	13.50	8.21	12.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
7/23/2002	NP		20.90	7.50	13.50	9.76	11.14	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.1
10/16/2002	NP		20.90	7.50	13.50	10.10	10.80	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.1	5.8
1/23/2003	NP	g	20.90	7.50	13.50	8.41	12.49	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.3	7.1
4/7/2003	--		20.90	7.50	13.50	9.09	11.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.9
8/7/2003	--		20.90	7.50	13.50	9.81	11.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.7
10/23/2003	P		20.90	7.50	13.50	10.04	10.86	--	--	--	--	--	--	--	--	--
01/12/2004	P		20.90	7.50	13.50	8.89	12.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.0	7.2
04/20/2004	--	r	25.55	7.50	13.50	9.62	15.93	--	--	--	--	--	--	--	--	--
07/01/2004	NP		25.55	7.50	13.50	10.03	15.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.6	6.7
11/04/2004	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--
01/10/2005	NP		25.55	7.50	13.50	7.61	17.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.06	6.9
04/14/2005	--		25.55	7.50	13.50	7.70	17.85	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.55	7.50	13.50	8.73	16.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.9

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
10/21/2005	--		25.55	7.50	13.50	9.47	16.08	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.55	7.50	13.50	6.92	18.63	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.55	7.50	13.50	7.71	17.84	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.55	7.50	13.50	9.32	16.23	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.95	6.8
10/23/2006	--		25.55	7.50	13.50	9.66	15.89	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.55	7.50	13.50	9.05	16.50	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.55	7.50	13.50	9.16	16.39	--	--	--	--	--	--	--	--	--
7/9/2007	NP		25.55	7.50	13.50	9.67	15.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.87	7.13
10/1/2007	--		25.55	7.50	13.50	9.95	15.60	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.55	7.50	13.50	8.74	16.81	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--
7/23/2008	NP		25.55	7.50	13.50	9.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.18	6.93
10/22/2008	--		25.55	7.50	13.50	10.20	15.35	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.55	7.50	13.50	9.81	15.74	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.55	7.50	13.50	9.22	16.33	--	--	--	--	--	--	--	--	--
7/21/2009	NP		25.55	7.50	13.50	9.90	15.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	11.04	7.21
1/12/2010	--		25.55	7.50	13.50	9.31	16.24	--	--	--	--	--	--	--	--	--
MW-15																
5/13/1993	--		19.19	5.50	10.50	5.91	13.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		19.19	5.50	10.50	6.54	12.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		19.19	5.50	10.50	6.98	12.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		19.19	5.50	10.50	5.44	13.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		19.19	5.50	10.50	6.84	12.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		19.19	5.50	10.50	5.31	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		19.19	5.50	10.50	5.21	13.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		19.19	5.50	10.50	5.84	13.35	--	--	--	--	--	--	--	--	--
8/31/1995	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		19.19	5.50	10.50	6.42	12.77	--	--	--	--	--	--	--	--	--
2/22/1996	--		19.19	5.50	10.50	4.84	14.35	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
5/20/1996	--		19.19	5.50	10.50	5.31	13.88	--	--	--	--	--	--	--	--	--
8/26/1996	--		19.19	5.50	10.50	6.05	13.14	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--
11/20/1996	--		19.19	5.50	10.50	5.46	13.73	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.08	5.50	10.50	6.00	16.08	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--
5/23/1997	--		22.08	5.50	10.50	6.25	15.83	--	--	--	--	--	--	--	--	--
8/19/1997	--	j	22.08	5.50	10.50	6.34	15.74	99	<0.5	<0.5	<0.5	0.7	6	--	--	--
11/19/1997	--		22.08	5.50	10.50	6.34	15.74	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.08	5.50	10.50	4.66	17.42	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--
4/23/1998	--		22.08	5.50	10.50	5.18	16.90	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.08	5.50	10.50	6.02	16.06	<50	<0.5	<0.5	<0.5	<0.5	50	--	1.0	--
10/14/1998	--		22.08	5.50	10.50	6.26	15.82	<50	<0.5	<0.5	<0.5	<0.5	27	--	1.5	--
1/21/1999	--		22.08	5.50	10.50	5.33	16.75	<50	<0.5	<0.5	<0.5	<0.5	6	--	1.0	--
5/6/1999	--		22.08	5.50	10.50	5.82	16.26	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.08	5.50	10.50	6.24	15.84	<50	<0.5	<0.5	<0.5	<0.5	21	--	1.14	--
10/28/1999	--		22.08	5.50	10.50	6.60	15.48	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.08	5.50	10.50	7.02	15.06	<50	<0.5	<0.5	<0.5	<1	<3	--	1.09	--
6/20/2000	--		22.08	5.50	10.50	5.98	16.10	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.08	5.50	10.50	6.50	15.58	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--
12/17/2000	--		22.08	5.50	10.50	5.89	16.19	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.08	5.50	10.50	5.78	16.30	<50	<0.5	<0.5	<0.5	<0.5	11.1	--	--	--
6/20/2001	--		22.08	5.50	10.50	5.72	16.36	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.08	5.50	10.50	6.79	15.29	<50	<0.5	<0.5	<0.5	<0.5	13	--	--	--
12/27/2001	--		22.08	5.50	10.50	5.49	16.59	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.08	5.50	10.50	5.68	16.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.08	5.50	10.50	4.85	17.23	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.08	5.50	10.50	6.32	15.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	2.0	7.9
10/16/2002	--		22.08	5.50	10.50	6.69	15.39	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.08	5.50	10.50	5.70	16.38	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	2.6	7.5
4/7/2003	--		22.08	5.50	10.50	5.94	16.14	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.08	5.50	10.50	6.32	15.76	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.08	5.50	10.50	6.56	15.52	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
01/12/2004	--		22.08	5.50	10.50	5.71	16.37	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	21.72	5.50	10.50	7.10	14.62	--	--	--	--	--	--	--	--	--
07/01/2004	P		21.72	5.50	10.50	7.18	14.54	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.6	7.3
11/04/2004	--		21.72	5.50	10.50	5.90	15.82	--	--	--	--	--	--	--	--	--
01/10/2005	--		21.72	5.50	10.50	5.30	16.42	--	--	--	--	--	--	--	--	--
04/14/2005	--		21.72	5.50	10.50	5.40	16.32	--	--	--	--	--	--	--	--	--
08/02/2005	P		21.72	5.50	10.50	5.33	16.39	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.5
10/21/2005	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
01/04/2006	--		21.72	5.50	10.50	5.19	16.53	--	--	--	--	--	--	--	--	--
04/28/2006	--		21.72	5.50	10.50	5.45	16.27	--	--	--	--	--	--	--	--	--
8/4/2006	P		21.72	5.50	10.50	5.99	15.73	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.49	7.1
10/23/2006	--		21.72	5.50	10.50	6.36	15.36	--	--	--	--	--	--	--	--	--
1/15/2007	--		21.72	5.50	10.50	6.00	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	--		21.72	5.50	10.50	5.98	15.74	--	--	--	--	--	--	--	--	--
7/9/2007	NP		21.72	5.50	10.50	6.26	15.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.77	7.44
10/1/2007	--		21.72	5.50	10.50	6.53	15.19	--	--	--	--	--	--	--	--	--
1/7/2008	--		21.72	5.50	10.50	6.12	15.60	--	--	--	--	--	--	--	--	--
4/1/2008	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
7/23/2008	NP		21.72	5.50	10.50	6.30	15.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.07	7.32
10/22/2008	--		21.72	5.50	10.50	6.69	15.03	--	--	--	--	--	--	--	--	--
1/21/2009	--		21.72	5.50	10.50	6.22	15.50	--	--	--	--	--	--	--	--	--
4/21/2009	--		21.72	5.50	10.50	5.79	15.93	--	--	--	--	--	--	--	--	--
7/21/2009	NP		21.72	5.50	10.50	6.34	15.38	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	9.63	7.63
1/12/2010	--		21.72	5.50	10.50	5.93	15.79	--	--	--	--	--	--	--	--	--
MW-16																
7/21/2009	P		22.89	--	--	12.90	9.99	1,500	2.3	13	36	300	0.68	--	14.83	7.71
1/12/2010	P		22.89	--	--	6.67	16.22	1,700	6.8	4.3	71	48	<0.50	--	1.24	6.8
MW-17																
7/21/2009	P		23.42	--	--	7.58	15.84	3,700	61	160	150	1,300	2.8	--	11.48	7.57

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-17 Cont.																
1/12/2010	P		23.42	--	--	6.98	16.44	11,000	110	72	1,100	1,600	<10	--	1.02	6.80
MW-18																
7/21/2009	P		24.48	--	--	8.73	15.75	290	1.1	<0.50	8.0	1.4	4.8	--	14.25	7.69
1/12/2010	P		24.48	--	--	7.95	16.53	1,000	2.4	<1.0	57	<1.0	5.8	--	1.79	6.8
MW-19																
7/21/2009	P		25.10	--	--	9.34	15.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	13.65	8.03
1/12/2010	--		25.10	--	--	6.75	18.35	--	--	--	--	--	--	--	--	--

SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
GRO = Gasoline range organics, range C4-C12
GWE = Groundwater elevation measured in ft
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged before sampling
P = Well purged before sampling
Semi-VOCs = Semivolatile organic compounds
TOC = Top of casing in ft
TPH-g = Total petroleum hydrocarbons as gasoline
g/L = Micrograms per liter
ND = Not detected above the various semi-VOCs laboratory reporting limits

FOOTNOTES:

a = Sheen in well.
b = Well is dry.
c = Insufficient water to sample.
d = Chromatogram Pattern: Gasoline C6-C10.
e = Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
g = TPH, benzene, toluene, ethylbenzene, and total xylenes (BTEX), and MTBE analyzed by EPA Method 8260B beginning on the 1st quarter 2003 sampling event (1/23/03).
h = This sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
i = GWE adjusted using the formula $GWE = (TOC - DTW) + (\text{free product (FP) thickness} \times 0.8)$.
j = Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint.
k = DO reading not taken due to the presence of sheen.
l = FP in well.
m = Gauged with ORC sock in well.
n = Method reporting limit for benzene, toluene, ethylbenzene, and/or total xylenes was raised due to high analyte concentration requiring sample dilution or matrix interference.
o = Well dewatered.
p = Well inaccessible.
q = Insufficient sample available to follow standard QC procedures.
r = Wells resurveyed February 27, 2004.
s = Reporting limits elevated due to matrix interferences (SVOCs).
t = Sample preserved improperly.
u = Reporting limits raised due to high level of non-target analytes (SVOCs) .
v = Wells surveyed June 23, 2009.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Top and bottom of screen measurements for wells MW-1 to MW-3, and MW-7 were taken from Delta Environmental Consulting Inc. sampling sheets because the well construction logs were not available.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<1,000	<200	69	<5.0	<5.0	<5.0	<5.0	<5.0	
8/7/2003	<5,000	<1,000	160	<25	<25	<25	<25	<25	
10/23/2003	--	<1,000	220	<25	<25	<25	<25	<25	
01/12/2004	<5,000	<1,000	140	<50	<50	<50	<25	<25	
04/20/2004	<5,000	<1,000	84	<25	<25	<25	<25	<25	
07/01/2004	<2,000	<400	100	<10	<10	<10	<10	<10	
11/04/2004	<1,000	<200	130	<5.0	<5.0	5.5	<5.0	<5.0	
01/10/2005	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
04/14/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
08/02/2005	<100	530	15	<5.0	<5.0	<5.0	<5.0	<5.0	c
10/21/2005	<1,000	<200	64	<5.0	<5.0	6.2	<5.0	<5.0	
01/04/2006	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
04/28/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	a
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<3,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	--	--	--	--	--	--	--	--	Not sampled due to presence of free product
4/17/2007	<6,000	<400	<10	<10	<10	<10	<10	<10	
7/9/2007	<3,000	<200	81	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<3,000	<200	9.3	<5.0	<5.0	<5.0	<5.0	<5.0	
1/7/2008	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/1/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	e
7/23/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
10/22/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
1/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	
4/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
7/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	h
MW-2									
1/23/2003	<4,000	<2,000	95	<50	<50	<50	<50	<50	
10/23/2003	--	<100	68	<2.5	<2.5	16	<2.5	<2.5	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
07/01/2004	<100	28	72	<0.50	<0.50	15	<0.50	<0.50	
08/02/2005	<100	<20	12	<0.50	<0.50	3.4	<0.50	<0.50	
8/4/2006	<300	21	7.9	<0.50	<0.50	2.3	<0.50	<0.50	
7/9/2007	<300	<20	3.2	<0.50	<0.50	0.98	<0.50	<0.50	
7/23/2008	<300	<10	0.78	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	0.83	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
1/23/2003	<8,000	<4,000	<100	<100	<100	<100	<100	<100	
4/7/2003	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
8/7/2003	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
10/23/2003	--	<1,000	<25	<25	<25	<25	<25	<25	
01/12/2004	<1,000	<200	<5.0	<10	<10	<10	<5.0	<5.0	
04/20/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
07/01/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/23/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/10/2005	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
04/14/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
08/02/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/21/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/04/2006	<5,000	<1,000	<25	<25	<25	<25	<25	<25	b
04/28/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
8/4/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
4/17/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
7/9/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/1/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	d
4/1/2008	<60,000	<2,000	<100	<100	<100	<100	<100	<100	
7/23/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
10/22/2008	<75,000	<2,500	<120	<120	<120	<120	<120	<120	
1/21/2009	<60,000	<2,000	<100	<100	<100	<100	<100	<100	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
4/21/2009	<30,000	<1,000	<50	<50	<50	<50	<50	<50	
7/21/2009	<15,000	<500	<25	<25	<25	<25	<25	<25	
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	
MW-4									
1/23/2003	<200	<100	5.9	<2.5	<2.5	<2.5	<2.5	<2.5	
4/7/2003	<100	<20	9.2	<0.5	<0.5	0.61	<0.5	<0.50	
8/7/2003	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2003	--	<100	12	<2.5	<2.5	<2.5	<2.5	<2.5	
01/12/2004	<500	<100	4.3	<5.0	<5.0	<5.0	<2.5	<2.5	
04/20/2004	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
07/01/2004	<500	<100	15	<2.5	<2.5	<2.5	<2.5	<2.5	
11/04/2004	<200	<40	5.7	<1.0	<1.0	<1.0	<1.0	<1.0	
01/10/2005	<100	<20	2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
04/14/2005	<100	<20	4.5	<0.50	<0.50	0.61	<0.50	<0.50	
08/02/2005	<100	<20	7.1	<0.50	<0.50	0.97	3.7	<0.50	
10/21/2005	<200	<40	10	<1.0	<1.0	1.3	<1.0	<1.0	b
01/04/2006	<200	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	b
04/28/2006	<600	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	
8/4/2006	<3,000	<200	15	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<300	<20	16	<0.50	<0.50	5.5	<0.50	<0.50	b
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	3.5	<1.0	<1.0	<1.0	<1.0	<1.0	
7/9/2007	<1,200	<80	14	<2.0	<2.0	<2.0	<2.0	<2.0	
10/1/2007	<600	<40	11	<1.0	<1.0	1.6	<1.0	<1.0	
1/7/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
4/1/2008	<300	<10	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	f
10/22/2008	--	--	--	--	--	--	--	--	f
4/21/2009	<300	<10	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<500	<100	32	<2.5	<2.5	6.3	<2.5	<2.5	
8/7/2003	<100	<20	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	12	<0.50	<0.50	1.7	<0.50	<0.50	
01/12/2004	<100	<20	11	<1.0	<1.0	1.3	<0.50	<0.50	
04/20/2004	<100	<20	12	<0.50	<0.50	3.0	<0.50	<0.50	
07/01/2004	<100	<20	11	<0.50	<0.50	2.0	<0.50	<0.50	
11/04/2004	<100	<20	9.4	<0.50	<0.50	2.0	<0.50	<0.50	
01/10/2005	<100	<20	40	<0.50	<0.50	9.7	<0.50	<0.50	
04/14/2005	<1,000	<200	40	<5.0	<5.0	9.3	<5.0	<5.0	
08/02/2005	<500	<100	19	<2.5	<2.5	5.0	9.2	<2.5	
10/21/2005	<1,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	
01/04/2006	<1,000	<200	30	<5.0	<5.0	7.2	<5.0	<5.0	b
04/28/2006	<3,000	<200	9.9	<5.0	<5.0	<5.0	<5.0	<5.0	
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<6,000	<400	13	<10	<10	<10	<10	<10	b
1/15/2007	<6,000	<400	10	<10	<10	<10	<10	<10	
4/17/2007	<3,000	<200	5.9	<5.0	<5.0	<5.0	<5.0	<5.0	
7/9/2007	<3,000	<200	6.9	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<1,500	<100	4.2	<2.5	<2.5	<2.5	<2.5	<2.5	
1/7/2008	<1,500	<100	4.1	<2.5	<2.5	<2.5	<2.5	<2.5	
4/1/2008	<300	<10	1.8	<0.50	<0.50	0.70	<0.50	<0.50	
7/23/2008	<6,000	<200	<10	<10	<10	<10	<10	<10	
10/22/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
1/21/2009	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/21/2009	<300	<10	0.74	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
1/23/2003	<200	<100	17	<2.5	<2.5	<2.5	<2.5	<2.5	a
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<100	<20	15	<0.5	<0.5	2.1	<0.5	<0.50	
01/12/2004	<5,000	<1,000	150	<50	<50	<50	<25	<25	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-6 Cont.									
11/04/2004	<2,000	<400	230	<10	<10	58	<10	<10	
01/10/2005	<5,000	<1,000	240	<25	<25	65	<25	<25	
04/14/2005	<1,000	<200	210	<5.0	<5.0	56	<5.0	<5.0	
08/02/2005	<1,000	<200	150	<5.0	<5.0	44	<5.0	<5.0	
10/21/2005	<1,000	<200	110	<5.0	<5.0	47	<5.0	<5.0	
01/04/2006	<500	<100	130	<2.5	<2.5	42	<2.5	<2.5	b
04/28/2006	<1,500	<100	170	<2.5	<2.5	59	<2.5	<2.5	
8/4/2006	<1,500	<100	110	<2.5	<2.5	39	<2.5	<2.5	
10/23/2006	--	--	--	--	--	--	--	--	g
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	24	<1.0	<1.0	8.2	<1.0	<1.0	
7/9/2007	<300	<20	51	<0.50	<0.50	21	<0.50	<0.50	
1/7/2008	<300	<20	37	<0.50	<0.50	17	<0.50	<0.50	
4/1/2008	<300	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
10/22/2008	--	--	--	--	--	--	--	--	g
MW-7									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
MW-8									
1/23/2003	<40	<20	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
4/7/2003	<100	<20	19	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	0.96	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	13	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	10	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
10/21/2005	--	--	--	--	--	--	--	--	Well inaccessible
8/4/2006	<300	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	8.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-9									
1/23/2003	<40	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	5.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-10									
1/23/2003	<40	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	1.7	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	b
08/02/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-10 Cont.									
01/04/2006	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	b
8/4/2006	<300	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
1/15/2007	<300	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
1/7/2008	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
1/21/2009	<300	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
1/12/2010	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-11									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-12									
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-13									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-14									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-14 Cont.									
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-15									
1/23/2003	<40	<20	<20	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-16									
7/21/2009	<300	<0.50	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
1/12/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-17									
7/21/2009	<300	10	2.8	<0.50	<0.50	1.0	<0.50	<0.50	
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	
MW-18									
7/21/2009	<300	<10	4.8	<0.50	<0.50	3.0	<0.50	<0.50	
1/12/2010	<600	<20	5.8	<1.0	<1.0	4.7	<1.0	<1.0	
MW-19									
7/21/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS & ABBREVIATIONS :

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit.

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Original analysis for ethanol was a positive result. Reanalysis did not confirm.

d = Sample preserved improperly.

e = FP in well.

f = Insufficient water to sample.

g = Well was dry.

h = Reporting limits raised due to high level of non-target analytes (SVOCs) .

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Levee Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/4/1994	Southwest	0.004
11/20/1994	Southwest	0.002
3/17/1995	West-Southwest	0.006
6/1/1995	Southwest	0.003
8/31/1995	South-Southwest	0.005
11/27/1995	South-Southwest	0.004
2/22/1996	Northwest	0.007
5/20/1996	Southwest	0.007
8/26/1996	South-Southwest	0.004
11/20/1996	South-Southeast	0.004
3/24/1997	Southeast	0.013
5/23/1997	Southeast	0.014
8/19/1997	Southeast	0.04
11/19/1997	Southeast	0.016
2/19/1998	East	Variable
4/23/1998	Variable	Variable
7/27/1998	Southeast	0.05
10/14/1998	Southeast	0.02
1/21/1999	East	0.04
5/6/1999	Southeast	0.05
8/23/1999	Southeast	0.02
10/28/1999	Southeast	0.04
2/4/2000	East-Southeast	0.053
6/20/2000	East-Southeast	0.023
9/29/2000	East-Southeast	0.023
12/17/2000	East-Southeast	0.01
3/28/2001	East-Southeast	0.014
6/20/2001	East-Southeast	0.022
9/22/2001	East-Southeast	0.025
12/27/2001	East-Southeast	0.025
3/15/2002	East	0.015
4/18/2002	East	0.015
7/23/2002	East-Southeast	0.025
10/16/2002	East-Southeast	0.022
1/23/2003	East	0.020
4/7/2003	East-Southeast	0.033
8/7/2003	East-Southeast	0.047
10/23/2003	Southeast	0.047
1/12/2004	Southeast	0.042
4/20/2004	Southwest	0.005
7/1/2004	West	0.005
11/4/2004	West to Southwest	0.011 to 0.003

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Lewelling Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
1/10/2005	West to North	0.02 to 0.03
4/14/2005	Northwest to Southwest	0.005 to 0.02
8/2/2005	West to Southwest	0.004 to 0.01
10/21/2005	Southwest	0.005
1/4/2006	Variable	0.009 to 0.04
4/28/2006	Southwest	0.005
8/4/2006	South-Southwest	0.007
10/23/2006	South-Southwest	0.003
1/15/2007	Southwest	0.002
4/17/2007	Southwest	0.001
7/9/2007	Southwest	0.002
10/1/2007	Southwest	0.005
1/7/2008	Southwest	0.006
4/1/2008	Southwest	0.01
7/23/2008	South-Southwest	0.002
10/22/2008	South-Southwest	0.003
1/21/2009	South-Southwest	0.004
4/21/2009	Southwest	0.004
8/21/2009	Southwest	0.002
1/12/2010	Southwest	0.003

NOTES:

Wells resurveyed on 2/27/2004

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Leelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1												
07/18/90	Not sampled: well contained floating product											
10/15/90	Not sampled: well contained floating product											
01/09/91	Not sampled: well contained floating product											
04/16/91	Not sampled: well contained floating product											
06/10/91	Not sampled: well contained floating product											
10/10/91	Not sampled: well contained floating product											
03/23/92	Not sampled: well contained floating product											
06/08/92	Not sampled: well contained floating product											
09/15/92	Not sampled: well contained floating product											
11/16/92	Not sampled: well contained floating product											
02/16/93	Not sampled: well contained floating product											
05/13/93	Not sampled: well contained floating product											
08/17/93	Not sampled: well contained floating product											
11/08/93	Not sampled: well contained floating product											
02/14/94	Not sampled: well contained floating product											
05/05/94	Not sampled: well contained floating product											
08/04/94	Not sampled: well contained floating product											
11/20/94	Not sampled: well contained floating product											
03/17/95	NA	NA	NA	NA	NA	NA	NA	1,300	730	<50	150	NA
06/01/95	NA	NA	NA	NA	NA	NA	NA	2200	1700	<100	<100	240
08/31/95	Not sampled: well contained floating product											
11/27/95	Not sampled: well contained floating product											
02/22/96	Not sampled: well contained floating product											
05/20/96	NA	NA	NA	NA	NA	NA	NA	1200	860	<50	<50	<50
08/26/96	NA	NA	NA	NA	NA	NA	NA	2,300	1,800	<500	<1,000	<500
11/20/96	NA	NA	NA	NA	NA	NA	NA	590	250	91	<100	<50
03/24/97	NA	NA	NA	NA	NA	NA	NA	730	610	<50	<100	<50
05/23/97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
08/19/97	NA	NA	NA	NA	NA	NA	NA	1,300	790	<50	<100	<50
11/19/97	NA	NA	NA	NA	NA	NA	NA	<5	<5	5	<10	<5
02/19/98	NA	NA	NA	NA	NA	NA	NA	870	330	<50	<100	<50
04/23/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
07/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/14/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/21/99	NA	NA	NA	NA	NA	NA	NA	950	580	<50	<100	<50
05/06/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
08/23/99	NA	NA	NA	NA	NA	NA	NA	1,200	400	<50	<100	<50
10/28/99	NA	NA	NA	NA	NA	NA	NA	1,100	320	<50	<100	<50
02/04/00	NA	NA	NA	NA	NA	NA	NA	780	330	<50	<100	<50
04/07/03	NA	NA	NA	NA	NA	NA	NA	700	260	<9.6	ND (a)	<4.8

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Leelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1 Cont.												
08/07/03	NA	NA	NA	NA	NA	NA	NA	1100	360	<47	<47	<24
10/23/03	NA	NA	NA	NA	NA	NA	NA	1,100	370	<48	<48	<24
01/12/04	NA	NA	NA	NA	NA	NA	NA	1000	330	62	<24	<24
04/20/04	NA	NA	NA	NA	NA	NA	NA	1,200	440	140	<9.8	<9.8
07/01/04	NA	NA	NA	NA	NA	NA	NA	580	240	66	<51	<25
11/04/04	NA	<5.0	NA	650	<5.0	300	12	890	410	68	<49	<24
01/10/05	NA	<5.0	NA	280	<5.0	130	12	750	230	300	<50	<25
04/20/05	NA	<50	NA	NA	NA	NA	NA	490	140	<50	<50	<25
01/04/06	NA	NA	NA	NA	NA	NA	NA	650	230	59	<10	<5.0
04/28/06	NA	<1.0	NA	100	<5.0	270	7.0	<4.7	<4.7	<9.4	<9.4	<4.7
08/04/06	NA	<5.0	NA	410	5.0	260	<5.0	660	240	40	<9.4	<4.7
07/09/07	NA	<5.0	NA	240	<5.0	220	180	760	260	<99	<99	<50
10/01/07	NA	<200	NA	260	<5.0	260	13	950 (b)	390 (b)	<200 (b)	<200 (b)	<99 (b)
01/07/08	NA	<5.0	NA	56	<5.0	190	7	740 (c)	260 (c)	<96 (c)	<96 (c)	<48 (c)
04/01/08	NA	<20	NA	70	<20	210	<20	960	260	<100	<100	<100
07/23/08	NA	<20	NA	190	<20	180	<20	940	350	<100	<100	<100
10/22/08	NA	<20	NA	190	<20	210	<20	1,300	570	12	<10	<10
01/21/09	NA	<20	NA	99	<20	190	<20	1,500	850	200	<100	<100
04/21/09	NA	<20	NA	63	<20	50	<20	870	450	57	<10	<10
07/21/09	NA	<20	NA	100	<20	120	<20	920	450	<10	<10	<10
01/12/10	NA	<10	NA	49	<10	85	<10	600	210	<10	<10	<10
MW-2												
07/18/90	39	ND	ND	3,200	2,400	270	2,900	340	170	ND	ND	NA
10/15/90	18	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/09/91	ND	6.5	ND	1,700	1,200	370	2,400	NA	NA	NA	NA	NA
04/16/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	ND	1.7	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	Not analyzed: sampling for additional parameters was discontinued											
MW-8												
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	ND	ND	ND	23	<5.0 (b)	450	23	NA	NA	NA	NA	NA
06/08/92	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/15/92	ND	ND	ND	NA	NA	NA	NA	ND	ND	6	ND	NA
11/16/92	ND	ND	ND	NA	NA	NA	NA	32	ND	ND	ND	NA
02/16/93	ND	ND	ND	NA	NA	NA	NA	730	130	ND	ND	NA
05/13/93	ND	ND	ND	NA	NA	NA	NA	97	20	ND	ND	NA
08/17/93	ND	ND	ND	NA	NA	NA	NA	26	ND	ND	ND	NA
11/08/93	ND	ND	ND	NA	NA	NA	NA	20	ND	19	ND	NA
02/14/94	NA	NA	NA	NA	NA	NA	NA	350	65	ND	ND	NA
05/05/94	<0.5	<0.5	0.7	NA	NA	NA	NA	23	<10	<10	ND	NA
08/04/94	NA	NA	NA	NA	NA	NA	NA	11	<10	10	ND	NA
12/13/94	NA	NA	NA	NA	NA	NA	NA	14	<10	14	ND	NA
03/17/95	Not Analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-8 Cont.												
08/31/95	NA	NA	NA	NA	NA	NA	NA	62	8	<5	<5	<5
11/27/95	NA	NA	NA	NA	NA	NA	NA	15	<5	<5	<5	<5
03/14/96	NA	NA	NA	NA	NA	NA	NA	400	55	<50	<50	<50
05/23/97	NA	NA	NA	NA	NA	NA	NA	26	<5	<5	<10	<5
04/07/03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ABBREVIATIONS & SYMBOLS:

- < = Not detected at or above laboratory reporting limit
- 1,1-DCA = 1,1 Dichloroethane
- 1,2-DCA = 1,2 Dichloroethane
- NA = Not analyzed, not applicable, or not available
- ND = Not detected at or above laboratory reporting limits
- SVOC = Semi Volatile Organic Compound
- mg/L = Micrograms per liter
- VOC = Volatile Organic Compound

FOOTNOTES:

- a. Sample was ND for 2-Methylphenol and ND for 4-Methylphenol. Analysis not performed for 2,4-Dimethylphenol.
- b. Method reporting limit was raised due to high analyte concentration requiring sample dilution or matrix interference.
- c. Method reporting limits were raised due to a high level of non-target analytes.

NOTES:

The data within this table was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 5. Bio-Degradation Parameters
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	pH	ORP (mV)	Total Alkalinity (µg/L)	DO (mg/L)	Nitrate NO3 (µg/L)	Sulfate SO4 (µg/L)	Soluble Sulfide (µg/L)	CO2 (µg/L)	Methane (µg/L)	Manganese (µg/L)	Ferrous Iron (mg/L)	Comments
MW-1												
7/21/2009	7.10	--	--	10.85	<100	2,700	<50	--	--	--	5.8	
1/12/2010	6.48	-138	--	0.98	<100	<1,000	<50	--	--	--	13.0	
MW-3												
7/21/2009	7.35	--	--	11.15	<100	2,400	<50	--	--	--	<0.10	
1/12/2010	6.63	-97	--	1.07	<100	1,200	<50	--	--	--	2.0	
MW-8												
7/21/2009	7.56	--	--	13.97	<100	50,000	<50	--	--	--	<0.10	
MW-16												
7/21/2009	7.71	--	--	14.83	<100	94,000	<50	--	--	--	<0.10	
1/12/2010	6.8	-53	--	1.24	<100	24,000	<50	--	--	--	<0.10	
MW-17												
7/21/2009	7.57	--	--	11.48	<100	25,000	<50	--	--	--	<0.10	
1/12/2010	6.80	-84	--	1.02	<100	<1,000	<50	--	--	--	0.13	
MW-18												
7/21/2009	7.69	--	--	14.25	<100	24,000	<50	--	--	--	<0.10	
1/12/2010	6.8	-20	--	1.79	<100	26,000	<50	--	--	--	<0.10	
MW-19												
7/21/2009	8.03	--	--	13.65	920	110,000	<50	--	--	--	<0.10	

ABBREVIATIONS AND SYMBOLS:

< = Not detected at or above specified laboratory reporting limit

ORP = Oxygen reduction potential

DO = Dissolved oxygen

CO₂ = Carbon dioxide

mV = Millivolts

µg/L = Micrograms per liter

mg/L = Milligrams per liter

APPENDIX A

GROUND-WATER SAMPLING DATA PACKAGE

(Includes Field Data Sheets, Field Procedures, Non-Hazardous Waste Data Form, and
Laboratory Analytical Report with Chain-of-Custody Documentation)

Project: BP 601 Project No.: 06-88-605

Field Representative(s): T. Geddes E. Farrow Day: Tues Date: 1/12/10

Time Onsite: From: 0755 To: _____; From: _____ To: _____; From: _____ To: _____

☒ Signed HASP ☒ Safety Glasses ☒ Hard Hat ☒ Steel Toe Boots ☒ Safety Vest
☐ UST Emergency System Shut-off Switches Located ☒ Proper Gloves
☒ Proper Level of Barricading ☐ Other PPE (describe) _____

Weather: Rainy, 50

Equipment In Use: Peristaltic Pump

Visitors: _____

TIME:

WORK DESCRIPTION:

<u>0600</u>	<u>Arrive Vacaville office</u>
<u>0630</u>	<u>Depart office for BP 601</u>
<u>0755</u>	<u>Arrive BP 601</u>
<u>1204</u>	<u>Crew from Tankology arriving to test fuel tanks. Coordinated w/ them so that BAI shuts down while they perform a 5 minute test.</u>
<u>1635</u>	<u>Depart BP 601</u>
<u>1652</u>	<u>Arrive GSD Oakland</u>
<u>1654</u>	<u>Depart GSD Oakland</u>
<u>1800</u>	<u>Arrive Vacaville office</u>

Signature: _____

FIELD DATA REPORT

DATE: 1/12/10
PERSONNEL: GF. T.G.
WEATHER: Overcast, Rain Showers

PROJECT NO.: 06-88-605

COMMENTS:

					Equip:	Geosquirt	Tubing	Bailers	DO	Wli	Ec/pH	WELL HEAD CONDITION: VAULT, BOLTS, CAP, LOCK, ETC
Well ID	Time	MEASURING POINT	DTW (FT)	PRODUCT THICKNESS	pH	Cond. (X100)	Temp. (C/F)	DO (mg/l)	Redox (mV)	Iron (mg/l)	Alk. (mg/l)	
MW-9	0818	TOC	7.61	16.21								
MW-15	0821		5.93	10.06								
MW-10	0829		7.90	15.10								Hard bottom - not silt. GEMS TD is 18.60
MW-14	0835		9.31	12.98								
MW-12	0838		8.86	11.62								
MW-7	8:53		9.11	9.60								
MW-19	8:54		8.75	15.06								
MW-8	0905		6.81	10.22								
MW-3	0909		6.19	11.98								HC odor
MW-16	0911		6.67	15.20								
MW-4	0917		7.23	8.51								only one bolt
MW-2	0923		7.35	10.36								
MW-5	0929		6.90	10.15								
MW-17	0934		6.98	15.10								
MW-11	0935		8.39	11.89								
MW-6	0937		8.11	8.61								
MW-18	0938		7.95	14.73								
MW-1	0940		8.30	11.14								
MW-13	0950		8.21	12.96								
												TD for sampled wells
												was checked after sampling

**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data SheetWell I.D.: MW-10Project Name/Location: BP 6dProject #: 06-88-605Sampler's Name: E. Furr T. GoddleyDate: 9/12/0Purging Equipment: Per. pumpSampling Equipment: Per. pump

Casing Type: PVC

Casing Diameter: 2 inchTotal Well Depth: 18.6 feetDepth to Water: - 7.90 feetWater Column Thickness: = 10.7 feetUnit Casing Volume*: x 0.16 gallon / footCasing Water Volume: = 1.71 gallonsCasing Volume: x 3 eachEstimated Purge Volume: = 5.13 gallons***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μS)	Temperature (Fahrenheit)	pH	Observations
0	1540	2.20	-89		1203	19.8	7.0	7.90
1	1542	2.05	X	X	1201	20.2	7.0	8.20
3	1606	1.40	X	X	1200	20.0	7.0	8.35
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 3 gallonsDepth to Water at Sample Collection: 18.35 feetSample Collection Time: 1610Purged Dry? (Y/N) (N)Comments: Obstruction @ 15'Total Depth was 15.1 ft. GEM's said it was 18.6

**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-3

Project Name/Location:

BP 601Project #: 06-88-605

Sampler's Name:

T. Geddes E. FarrarDate: 1/12/10

Purging Equipment:

Peri Pump

Sampling Equipment:

Peri Pump

Casing Type: PVC

Casing Diameter:

4 inch
11.9 feet 1.98

Total Well Depth:

Depth to Water:

- 6.19 feet

Water Column Thickness:

= 5.71 feet

Unit Casing Volume*:

x .65 gallon / foot

Casing Water Volume:

= 3.7 gallons

Casing Volume:

x 3 each

Estimated Purge Volume:

= 11.1 gallons***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μS)	Temperature (Fahrenheit)	pH	Observations
<u>0</u>	<u>1440</u>	<u>1.07</u>	<u>-97</u>		<u>629.6</u>	<u>18.1</u>	<u>6.96</u>	<u>DTW 6.43</u>
<u>2</u>	<u>1453</u>	<u>0.97</u>	<u>X</u>	<u>X</u>	<u>611.2</u>	<u>18.2</u>	<u>6.64</u>	<u>7.50</u>
<u>3.5</u>	<u>1505</u>	<u>X</u>	<u>0.68</u>	<u>X</u>	<u>605.8</u>	<u>18.1</u>	<u>6.63</u>	<u>7.56</u>
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				

Total Water Volume Purged:

3.5 gallons

Depth to Water at Sample Collection:

7.56 feet

Sample Collection Time:

510Purged Dry? (Y/N) (N)

Comments:

**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-16

Project Name/Location:

Giffard T. Lodge BP601Project # 01/12/10

Sampler's Name:

dDate: 1/12/10

Purging Equipment:

Peristaltic pump

Sampling Equipment:

uu

Casing Type: PVC

Casing Diameter:

4 inch 15.20

Total Well Depth:

15 feet

Depth to Water:

- 6.67 feet

Water Column Thickness:

= 8.3 feet

Unit Casing Volume*:

x 0.65 gallon / foot

Casing Water Volume:

= 5.39 gallons

Casing Volume:

x 3 each

Estimated Purge Volume:

= 16.17 gallons***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μ S)	Temperature (Fahrenheit)	pH	Observations
<u>0</u>	<u>1403</u>	<u>1.24</u>	<u>-53</u>		<u>1590</u>	<u>19.3</u>	<u>6.8</u>	<u>DTW 6.6 ft</u>
<u>1.5</u>	<u>1415</u>	<u>1.13</u>	<u>X</u>	<u>X</u>	<u>1591</u>	<u>19.1</u>	<u>6.8</u>	<u>DTW 7.44</u>
<u>3.0</u>	<u>1425</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>1589</u>	<u>19.0</u>	<u>6.8</u>	<u>8.17</u>
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				
		<u>X</u>	<u>X</u>	<u>X</u>				

Total Water Volume Purged:

4 gallons

Depth to Water at Sample Collection:

8.14 feet

Sample Collection Time:

1430

Purged Dry? (Y/N)

Comments: Slow recharge

**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.: MW-17
Project Name/Location: BP 601 Project #: 06-88-605
Sampler's Name: T. Beddes E. Farrar Date: 1/12/00
Purging Equipment: Peri Pump
Sampling Equipment: Peri Pump

Casing Type: PVC

Casing Diameter: 4 inchTotal Well Depth: 15.0 feet 15.10Depth to Water: - 6.98 feetWater Column Thickness: = 8.02 feetUnit Casing Volume*: x .65 gallon / footCasing Water Volume: = 5.2 gallonsCasing Volume: x 3 eachEstimated Purge Volume: = 15.6 gallons***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μ S)	Temperature (Fahrenheit)	pH	Observations
0	1321	1.02	-84		1602	18.3	6.83	7.12'
1.5	1328	1.27	X	X	1685	19.3	6.80	7.68
3	1340	1.09	X	X	1688	19.1	6.80	8.15
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 3 gallonsDepth to Water at Sample Collection: 8.15 feetSample Collection Time: 1345Purged Dry? (Y/N) (N)

Comments:

**BROADBENT & ASSOCIATES, INC.**

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.: MW-18
Project Name/Location: B P 601 Project #: 06-08-605
Sampler's Name: E. Farrer 1 - Gaddes Date: 01/12/10
Purging Equipment: Peri Pump
Sampling Equipment: Peri Pump

Casing Type: PVC

Casing Diameter: 4 inch 14.73Total Well Depth: 15 feetDepth to Water: - 7.95 feetWater Column Thickness: = 7.05 feetUnit Casing Volume*: x 0.65 gallon / footCasing Water Volume: = 4.58 gallonsCasing Volume: x 3 eachEstimated Purge Volume: = 13.74 gallonsFree product measurement (if present): 0***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1147	1.79	-20		1459	19.2	6.8	DTW 8.01
1.5	1223	1.75	X	X	14.61	19.0	6.8	8.5
3	1250	X	X	X	1462	19.2	6.8	9.13
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 4 gallonsDepth to Water at Sample Collection: 9.10 feetSample Collection Time: 1255Purged Dry? (Y/N) (N)Comments: tubing @ 13'1147



BROADBENT & ASSOCIATES, INC.

ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.: MW-1
 Project Name/Location: BP 601 Project #: 06-08-605
 Sampler's Name: T. Geddes E. Farrar Date: 1/12/10
 Purging Equipment: Peristaltic Pump
 Sampling Equipment: _____

Casing Type: PVC

Casing Diameter: 4 inch
 Total Well Depth: 11.02 feet
 Depth to Water: - 8.30 feet
 Water Column Thickness: = 2.72 feet
 Unit Casing Volume*: x .65 gallon / foot
 Casing Water Volume: = 1.76 gallons
 Casing Volume: x 3 each
 Estimated Purge Volume: = 5.30 gallons

*UNIT CASING VOLUMES

2" = 0.16 gal/lin ft.
 3" = 0.37 gal/lin ft.
 4" = 0.65 gal/lin ft.
 6" = 1.47 gal/lin ft.

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	10:16	0.96	-138		870.1	19.7	6.48	P+V 8.39
1	10:38	1.57	X	X	855.0	19.1	6.47	" 8.51
2	11:03	1.50	X	X	848.6	19.4	6.49	" 8.50
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 2 gallons

Depth to Water at Sample Collection: 8.59 feet

Sample Collection Time: 11:00

Purged Dry? (Y/N) (N)

Comments: 3V HCl Very slow delivery. Pump on maximum
2AL setting.
1LP Tubing @ 9.5'

BROADBENT & ASSOCIATES INC. FIELD PROCEDURES

A.1 QUALITY ASSURANCE/QUALITY CONTROL FIELD PROTOCOLS

Field protocols have been implemented to enhance the accuracy and reliability of data collection, ground-water sample collection, transportation and laboratory analysis. Discussion of these protocols is provided below.

A.1.1 Water Level & Free-Product Measurement

Prior to ground-water sample collection from each monitoring well, the presence of separate-phase hydrocarbons (SPH or free product, FP) and depth to ground water shall be measured. Depth to ground water will be measured with a standard water level indicator that has been decontaminated prior to its use in accordance with procedures discussed below. Depth to groundwater will be gauged from a saw cut notch at the top of the well casing on each well head. Where FP is suspected, the initial gauging will be done with an oil-water interface probe. Once depth to water has been measured, the first retrieval of a new disposable bailer will be scrutinized for the presence of SPH/FP.

A.1.2 Monitoring Well Purging

Subsequent to measuring depth to ground water and prior to the collection of ground-water samples, purging of standing water within the monitoring well will be performed if called for. Consistent with the American Society for Testing and Materials (ASTM) Standard D6452-99, Section 7.1, the well will be purged of approximately three wetted-casing volumes of water, or until the well is dewatered, or until monitored field parameters indicate stabilization. The well will be purged using a pre-cleaned disposable bailer or submersible pump and disposable plastic tubing dedicated to each individual well. The well will be purged at a low flow rate to minimize the possibility of purging the well dry. So that the sample collected is representative of formation water, several field parameters will be monitored during the purging process. The sample will not be collected until these parameters (i.e. temperature, pH, and conductivity) have stabilized to within 10% of the previously measured value. If a well is purged dry, the sample should not be collected until the well has recovered to a minimum 50% of its initial volume.

A.1.3 Ground-Water Sample Collection

Once the wells are satisfactorily purged, water samples will be collected from each well. Water samples for organic analyses will be collected using a pre-cleaned, new, disposable bailer and transferred into the appropriate, new, laboratory-prepared containers such that no head space or air bubbles are present in the sample container (if appropriate to the analysis). The samples will be properly labeled (i.e. sample identification, sampler initials, date/time of collection, site location, requested analyses), placed in an ice chest with bagged ice or ice substitute, and delivered to the contracted analytical laboratory.

A.1.4 Surface Water Sample Collection

Unless specified otherwise, surface water samples will be collected from mid-depth in the central area of the associated surface water body. Water samples will be collected into appropriate, new, laboratory-prepared containers by dipping the container into the surface water unless the container has a preservative present. If a sample preservative is present, a new, cleaned non-preserved surrogate container will be used to obtain the sample which will then be directly transferred into a new, laboratory-provided, preserved container. Samples will be properly labeled and transported as described above.

A.1.5 Decontamination Protocol

Prior to use in each well, re-usable ground-water sampling equipment (e.g., water level indicator, oil-interface probe, purge pump, etc.) will be decontaminated. Decontamination protocol will include thoroughly cleaning with a solution of Liquinox, rinsing with clean water, and final rinsing with control water (potable water of known quality, distilled, or de-ionized water). Pre-cleaned new disposable bailers and disposable plastic tubing will be dedicated to each individual well.

A.1.6 Chain of Custody Procedures

Sample identification documents will be carefully prepared so identification and chain of custody can be maintained and sample disposition can be controlled. The sample identification documents include Chain-of-Custody (COC) records and Daily Field Report forms. Chain of custody procedures are outlined below.

Field Custody Procedures

The field sampler is individually responsible for the care and custody of the samples collected until they are properly transferred.

Samples will have unique labels. The information on these labels will correspond to the COC which shows the identification of individual samples and the contents of the shipping container. The original COC will accompany the shipment and a copy will be retained by the field sampler.

Transfer of Custody and Shipment

A COC will accompany samples during transfer and shipment. When transferring samples, the individual relinquishing and the individual receiving the samples will each sign, date, and note the time on the COC. This documents the sample custody transfer.

Samples will be packaged properly for shipment and dispatched to the appropriate laboratory for analysis, with a separate COC accompanying each shipment. Shipments will be accompanied by the original COC. Samples will be delivered by BAI personnel to the laboratory, or shipped by responsible courier. When a shipping courier is utilized, the sample shipment number will be identified on the COC.

A.1.7 Field Records

In addition to sample identification numbers and COC records, Daily Field Report records will be maintained by field staff to provide daily records of significant events, observations, and measurements during field investigations. These documents will contain observed information such as: the personnel present, site conditions, sampling procedures, measurement procedures, calibration records, equipment used, supplies used, etc. Field measurements will be recorded on the appropriate forms. Entries on the data forms will be signed and dated. The data forms will be kept as permanent file records.

NO. 857361

NON-HAZARDOUS WASTE DATA FORM

1. BESI #

2. Generator's Name and Mailing Address

BP WEST COAST PRODUCTS, LLC
P.O. BOX 80249
RANCHO SANTA MARGARITA, CA 92688

Generator's Site Address (if different than mailing address)

BP 601
712 Leuwelling Blvd
San Leandro, CA

Generator's Phone: (949) 460-5200

24-HOUR EMERGENCY PHONE: (949) 699-3706

3. Transporter 1 Company Name

Broadbent & Associates, Inc.

Phone #

(530) 566-1400

4. Transporter 2 Company Name

Gomes Excavating

Phone #

(707) 374-2881

5. Designated Facility Name and Site Address

INTRAT, INC.
1105 AIRPORT RD #C
RIO VISTA, CA 94571

Phone #

(530) 753-1829

6. Waste Shipping Name and Description

7. Containers

No.

Type

8. Total
Quantity9. Unit
Wt/Vol

10. Profile No.

A.

NON-HAZARDOUS WATER

1

TT

19.5

G

B.

C.

D.

11. Special Handling Instructions and Additional Information

WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

WELL PURGING / DECON WATER

12. GENERATOR'S CERTIFICATION: I certify the materials described above on this data form are non-hazardous.

Generator's/Officer's Printed/Typed Name

Tracy Geddes

Signature

R. T. Sed

Month Day Year

1 29 10

13. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Tracy Geddes

Signature

R. T. Sed

Month Day Year

1 29 16

Transporter 2 Printed/Typed Name

Signature

Month Day Year

14. Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.

Printed/Typed Name

Signature


Month Day Year

GENERATOR

TRANSPORTER

FACILITY

GENERATOR (ORIGINAL)



January 26, 2010

Tom Venus
Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Subject: **Calscience Work Order No.: 10-01-0804**
Client Reference: BP 601

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 1/13/2010 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Richard Villafania'.

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: BP 601

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	10-01-0804-1-D	01/12/10 11:10	Aqueous	GC 57	01/14/10	01/15/10 07:44	100114B02

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	8400	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	95	38-134			

MW-3	10-01-0804-2-D	01/12/10 15:10	Aqueous	GC 57	01/14/10	01/15/10 08:16	100114B02
-------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	25000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	113	38-134			


MW-10	10-01-0804-3-D	01/12/10 16:10	Aqueous	GC 57	01/14/10	01/15/10 05:35	100114B02
--------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			

MW-16	10-01-0804-4-D	01/12/10 14:30	Aqueous	GC 57	01/14/10	01/15/10 08:48	100114B02
--------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	1700	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	118	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: BP 601

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-17	10-01-0804-5-E	01/12/10 13:45	Aqueous	GC 57	01/15/10	01/15/10 17:29	100115B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	11000	1200	25		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

MW-18	10-01-0804-6-D	01/12/10 12:55	Aqueous	GC 57	01/14/10	01/15/10 09:52	100114B02
--------------	-----------------------	-----------------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	1000	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	109	38-134			

Method Blank	099-12-695-740	N/A	Aqueous	GC 57	01/14/10	01/15/10 03:59	100114B02
---------------------	-----------------------	------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	82	38-134			

Method Blank	099-12-695-741	N/A	Aqueous	GC 57	01/15/10	01/15/10 13:43	100115B01
---------------------	-----------------------	------------	----------------	--------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	68	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 01/13/10
 Work Order No: 10-01-0804
 Preparation: EPA 3510C
 Method: EPA 8270C
 Units: ug/L

Project: BP 601

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	10-01-0804-1-I	01/12/10 11:10	Aqueous	GC/MS TT	01/18/10	01/19/10 14:45	100118L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		2,4-Dinitrophenol	ND	50	1	
Phenol	ND	10	1		4-Nitrophenol	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		Dibenzofuran	ND	10	1	
2-Chlorophenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		2,6-Dinitrotoluene	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Diethyl Phthalate	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
2-Methylphenol	ND	10	1		4-Nitroaniline	ND	10	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
3/4-Methylphenol	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
Hexachloroethane	ND	10	1		Hexachlorobenzene	ND	10	1	
Nitrobenzene	ND	25	1		Pentachlorophenol	ND	10	1	
Isophorone	ND	10	1		Phenanthrene	ND	10	1	
2-Nitrophenol	ND	10	1		Anthracene	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
Benzoic Acid	ND	50	1		Fluoranthene	ND	10	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Benzidine	ND	50	1	
2,4-Dichlorophenol	ND	10	1		Pyrene	ND	10	1	
1,2,4-Trichlorobenzene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
Naphthalene	600	100	10		3,3'-Dichlorobenzidine	ND	25	1	
4-Chloroaniline	ND	10	1		Benzo (a) Anthracene	ND	10	1	
Hexachloro-1,3-Butadiene	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Chrysene	ND	10	1	
2-Methylnaphthalene	210	10	1		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	140	10	1	
Acenaphthene	ND	10	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
2-Fluorophenol	69	20-110			Phenol-d6	50	10-115		
Nitrobenzene-d5	108	40-110			2-Fluorobiphenyl	91	50-110		
2,4,6-Tribromophenol	105	40-125			p-Terphenyl-d14	92	50-135		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 01/13/10
 Work Order No: 10-01-0804
 Preparation: EPA 3510C
 Method: EPA 8270C
 Units: ug/L

Project: BP 601

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-671-13	N/A	Aqueous	GC/MS TT	01/18/10	01/19/10 14:15	100118L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		2,4-Dinitrophenol	ND	50	1	
Phenol	ND	10	1		4-Nitrophenol	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		Dibenzofuran	ND	10	1	
2-Chlorophenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		2,6-Dinitrotoluene	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Diethyl Phthalate	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
2-Methylphenol	ND	10	1		4-Nitroaniline	ND	10	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
3/4-Methylphenol	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
Hexachloroethane	ND	10	1		Hexachlorobenzene	ND	10	1	
Nitrobenzene	ND	25	1		Pentachlorophenol	ND	10	1	
Isophorone	ND	10	1		Phenanthrene	ND	10	1	
2-Nitrophenol	ND	10	1		Anthracene	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
Benzoic Acid	ND	50	1		Fluoranthene	ND	10	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Benzidine	ND	50	1	
2,4-Dichlorophenol	ND	10	1		Pyrene	ND	10	1	
1,2,4-Trichlorobenzene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
Naphthalene	ND	10	1		3,3'-Dichlorobenzidine	ND	25	1	
4-Chloroaniline	ND	10	1		Benzo (a) Anthracene	ND	10	1	
Hexachloro-1,3-Butadiene	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Chrysene	ND	10	1	
2-Methylnaphthalene	ND	10	1		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	ND	10	1	
Acenaphthene	ND	10	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
2-Fluorophenol	65	20-110			Phenol-d6	43	10-115		
Nitrobenzene-d5	107	40-110			2-Fluorobiphenyl	93	50-110		
2,4,6-Tribromophenol	93	40-125			p-Terphenyl-d14	88	50-135		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 01/13/10
 Work Order No: 10-01-0804
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: BP 601

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	10-01-0804-1-A	01/12/10 11:10	Aqueous	GC/MS BB	01/19/10	01/20/10 04:21	100119L02

Comment(s): BH - Reporting limits are elevated due to high levels of non-target compounds

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	49	10	20		Methyl-t-Butyl Ether (MTBE)	ND	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	85	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	ND	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	ND	10	20		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	88	80-128			Dibromofluoromethane	97	80-127		
Toluene-d8	104	80-120			1,4-Bromofluorobenzene	95	68-120		

MW-3	10-01-0804-2-A	01/12/10 15:10	Aqueous	GC/MS BB	01/19/10	01/20/10 04:49	100119L02
-------------	-----------------------	-----------------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	25	10	20		Methyl-t-Butyl Ether (MTBE)	ND	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	1200	50	100		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	24	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	3900	50	100		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	92	80-128			Dibromofluoromethane	96	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	100	68-120		

MW-10	10-01-0804-3-A	01/12/10 16:10	Aqueous	GC/MS BB	01/19/10	01/20/10 05:17	100119L02
--------------	-----------------------	-----------------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	90	80-128			Dibromofluoromethane	96	80-127		
Toluene-d8	84	80-120			1,4-Bromofluorobenzene	89	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 01/13/10
 Work Order No: 10-01-0804
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: BP 601

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-16	10-01-0804-4-A	01/12/10 14:30	Aqueous	GC/MS BB	01/19/10	01/20/10 05:46	100119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	6.8	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	71	2.0	4		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	4.3	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	48	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	81	80-128			Dibromofluoromethane	92	80-127		
Toluene-d8	89	80-120			1,4-Bromofluorobenzene	100	68-120		

MW-17	10-01-0804-5-A	01/12/10 13:45	Aqueous	GC/MS BB	01/19/10	01/20/10 06:14	100119L02
--------------	-----------------------	-----------------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	110	10	20		Methyl-t-Butyl Ether (MTBE)	ND	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	1100	50	100		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	72	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	1600	10	20		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	94	80-128			Dibromofluoromethane	118	80-127		
Toluene-d8	97	80-120			1,4-Bromofluorobenzene	98	68-120		

MW-18	10-01-0804-6-C	01/12/10 12:55	Aqueous	GC/MS BB	01/21/10	01/21/10 14:50	100121L01
--------------	-----------------------	-----------------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	2.4	1.0	2		Methyl-t-Butyl Ether (MTBE)	5.8	1.0	2	
1,2-Dibromoethane	ND	1.0	2		Tert-Butyl Alcohol (TBA)	ND	20	2	
1,2-Dichloroethane	ND	1.0	2		Diisopropyl Ether (DIPE)	ND	1.0	2	
Ethylbenzene	57	1.0	2		Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	
Toluene	ND	1.0	2		Tert-Amyl-Methyl Ether (TAME)	4.7	1.0	2	
Xylenes (total)	ND	1.0	2		Ethanol	ND	600	2	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	80	80-128			Dibromofluoromethane	82	80-127		
Toluene-d8	98	80-120			1,4-Bromofluorobenzene	93	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Broadbent & Associates, Inc.
 1324 Mangrove Ave, Ste 212
 Chico, CA 95926-2642

Date Received: 01/13/10
 Work Order No: 10-01-0804
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: BP 601

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,209	N/A	Aqueous	GC/MS BB	01/19/10	01/19/10 23:42	100119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	89	80-128			Dibromofluoromethane	106	80-127		
Toluene-d8	96	80-120			1,4-Bromofluorobenzene	87	68-120		


Method Blank	099-12-703-1,210	N/A	Aqueous	GC/MS BB	01/20/10	01/20/10 12:12	100120L01
--------------	------------------	-----	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	84	80-128			Dibromofluoromethane	91	80-127		
Toluene-d8	95	80-120			1,4-Bromofluorobenzene	89	68-120		

Method Blank	099-12-703-1,211	N/A	Aqueous	GC/MS BB	01/21/10	01/21/10 12:02	100121L01
--------------	------------------	-----	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	85	80-128			Dibromofluoromethane	93	80-127		
Toluene-d8	96	80-120			1,4-Bromofluorobenzene	85	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 01/13/10
Work Order No: 10-01-0804

Project: BP 601

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-1	10-01-0804-1	01/12/10	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	ND	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	13000	200	2		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1	BU	ug/L	01/13/10	01/13/10	SM 4500 S2 - D

MW-3	10-01-0804-2	01/12/10	Aqueous
------	--------------	----------	---------

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	1200	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	2000	100	1		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1		ug/L	01/13/10	01/13/10	SM 4500 S2 - D

MW-16	10-01-0804-4	01/12/10	Aqueous
-------	--------------	----------	---------


Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	24000	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	ND	100	1		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1		ug/L	01/13/10	01/13/10	SM 4500 S2 - D

MW-17	10-01-0804-5	01/12/10	Aqueous
-------	--------------	----------	---------

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	ND	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	130	100	1		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1	BU	ug/L	01/13/10	01/13/10	SM 4500 S2 - D

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 01/13/10
Work Order No: 10-01-0804

Project: BP 601

Page 2 of 2


Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-18	10-01-0804-6	01/12/10	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	26000	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	ND	100	1		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1	BU	ug/L	01/13/10	01/13/10	SM 4500 S2 - D

Method Blank				N/A	Aqueous			
--------------	--	--	--	-----	---------	--	--	--

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	100	1		ug/L	N/A	01/13/10	EPA 300.0
Sulfate	ND	1000	1		ug/L	N/A	01/13/10	EPA 300.0
Iron (II)	ND	100	1		ug/L	01/13/10	01/13/10	SM 3500-FeB
Sulfide, Dissolved	ND	50	1		ug/L	01/13/10	01/13/10	SM 4500 S2 - D

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-10	Aqueous	GC 57	01/14/10	01/15/10	100114S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	98	98	38-134	0	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-01-0936-12	Aqueous	GC 57	01/15/10	01/15/10	100115S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	97	98	38-134	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B


Project BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-01-0802-2	Aqueous	GC/MS BB	01/19/10	01/20/10	100119S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	103	76-124	1	0-20	
Carbon Tetrachloride	106	109	74-134	3	0-20	
Chlorobenzene	103	105	80-120	2	0-20	
1,2-Dibromoethane	100	100	80-120	0	0-20	
1,2-Dichlorobenzene	97	98	80-120	1	0-20	
1,1-Dichloroethene	109	112	73-127	2	0-20	
Ethylbenzene	104	106	78-126	2	0-20	
Toluene	101	101	80-120	0	0-20	
Trichloroethene	98	99	77-120	2	0-20	
Vinyl Chloride	60	97	72-126	47	0-20	
Methyl-t-Butyl Ether (MTBE)	97	102	67-121	3	0-49	
Tert-Butyl Alcohol (TBA)	57	95	36-162	9	0-30	
Diisopropyl Ether (DIPE)	102	102	60-138	0	0-45	
Ethyl-t-Butyl Ether (ETBE)	102	98	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	92	92	65-120	1	0-20	
Ethanol	97	115	30-180	17	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B


Project BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-01-0593-9	Aqueous	GC/MS BB	01/20/10	01/20/10	100120S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	113	122	76-124	8	0-20	
Carbon Tetrachloride	116	121	74-134	4	0-20	
Chlorobenzene	111	113	80-120	2	0-20	
1,2-Dibromoethane	102	111	80-120	8	0-20	
1,2-Dichlorobenzene	109	111	80-120	2	0-20	
1,1-Dichloroethene	119	116	73-127	3	0-20	
Ethylbenzene	117	118	78-126	1	0-20	
Toluene	110	111	80-120	1	0-20	
Trichloroethene	111	112	77-120	1	0-20	
Vinyl Chloride	93	93	72-126	0	0-20	
Methyl-t-Butyl Ether (MTBE)	89	103	67-121	13	0-49	
Tert-Butyl Alcohol (TBA)	107	91	36-162	17	0-30	
Diisopropyl Ether (DIPE)	108	98	60-138	10	0-45	
Ethyl-t-Butyl Ether (ETBE)	106	99	69-123	7	0-30	
Tert-Amyl-Methyl Ether (TAME)	93	111	65-120	17	0-20	
Ethanol	134	108	30-180	21	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 01/13/10
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B

Project BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-01-1290-3	Aqueous	GC/MS BB	01/21/10	01/21/10	100121S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	103	76-124	0	0-20	
Toluene	99	99	80-120	0	0-20	
Ethylbenzene	105	105	78-126	0	0-20	
Methyl-t-Butyl Ether (MTBE)	115	115	67-121	0	0-49	
Tert-Butyl Alcohol (TBA)	107	107	36-162	0	0-30	
Diisopropyl Ether (DIPE)	82	82	60-138	0	0-45	
Ethyl-t-Butyl Ether (ETBE)	85	85	69-123	0	0-30	
Tert-Amyl-Methyl Ether (TAME)	93	93	65-120	0	0-20	
Ethanol	103	103	30-180	0	0-72	
1,1-Dichloroethene	88	88	73-127	0	0-20	
1,2-Dibromoethane	102	102	80-120	0	0-20	
1,2-Dichlorobenzene	99	99	80-120	0	0-20	
Carbon Tetrachloride	106	106	74-134	0	0-20	
Chlorobenzene	104	104	80-120	0	0-20	
Trichloroethene	97	97	77-120	0	0-20	
Vinyl Chloride	93	93	72-126	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-01-0804

Project: BP 601

Matrix: Aqueous or Solid

<u>Parameter</u>	<u>Method</u>	<u>Quality Control Sample ID</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>MS% REC</u>	<u>MSD % REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Nitrate (as N)	EPA 300.0	MW-1	01/13/10	N/A	99	97	80-120	1	0-20	
Sulfate	EPA 300.0	MW-1	01/13/10	N/A	99	98	80-120	0	0-20	
Iron (II)	SM 3500-FeB	MW-18	01/13/10	1/13/10	99	97	70-130	2	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-01-0804


Project: BP 601

Matrix: Aqueous or Solid

<u>Parameter</u>	<u>Method</u>	<u>QC Sample ID</u>	<u>Date Analyzed</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Sulfide, Dissolved	SM 4500 S2 - D	MW-18	01/13/10	ND	ND	NA	0-25	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-740	Aqueous	GC 57	01/14/10	01/15/10	100114B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	96	99	78-120	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-741	Aqueous	GC 57	01/15/10	01/15/10	100115B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	95	100	78-120	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate




Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 3510C
Method: EPA 8270C

Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-671-13	Aqueous	GC/MS TT	01/18/10	01/19/10	100118L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
N-Nitrosodimethylamine	63	63	25-110	11-124	0	0-20	
Aniline	70	72	50-130	37-143	3	0-20	
Phenol	48	48	10-115	0-132	1	0-23	
Bis(2-Chloroethyl) Ether	104	101	35-110	22-122	3	0-20	
2-Chlorophenol	92	92	35-105	23-117	1	0-18	
1,3-Dichlorobenzene	89	90	30-100	18-112	1	0-20	
1,4-Dichlorobenzene	91	92	30-100	18-112	1	0-26	
Benzyl Alcohol	82	81	30-110	17-123	1	0-20	
1,2-Dichlorobenzene	90	90	35-100	24-111	1	0-20	
2-Methylphenol	86	86	40-110	28-122	1	0-20	
Bis(2-Chloroisopropyl) Ether	103	104	25-130	8-148	1	0-20	
3/4-Methylphenol	71	71	30-110	17-123	0	0-20	
N-Nitroso-di-n-propylamine	100	101	35-130	19-146	0	0-13	
Hexachloroethane	96	96	30-95	19-106	0	0-20	LQ
Nitrobenzene	99	99	45-110	34-121	0	0-20	
Isophorone	87	89	50-110	40-120	1	0-20	
2-Nitrophenol	93	93	40-115	28-128	0	0-20	
2,4-Dimethylphenol	98	97	30-110	17-123	0	0-20	
Benzoic Acid	41	39	50-130	37-143	5	0-20	LR
Bis(2-Chloroethoxy) Methane	99	100	45-105	35-115	0	0-20	
2,4-Dichlorophenol	93	92	50-105	41-114	1	0-20	
1,2,4-Trichlorobenzene	89	89	35-105	23-117	1	0-21	
Naphthalene	90	91	40-100	30-110	1	0-20	
4-Chloroaniline	88	88	15-110	0-126	0	0-20	
Hexachloro-1,3-Butadiene	89	88	25-105	12-118	0	0-20	
4-Chloro-3-Methylphenol	101	100	45-110	34-121	1	0-40	
2-Methylnaphthalene	89	89	45-105	35-115	0	0-20	
Hexachlorocyclopentadiene	86	82	50-130	37-143	5	0-20	
2,4,6-Trichlorophenol	89	89	50-115	39-126	0	0-20	
2,4,5-Trichlorophenol	92	91	50-110	40-120	1	0-20	
2-Chloronaphthalene	88	89	50-105	41-114	1	0-20	
2-Nitroaniline	101	100	50-115	39-126	1	0-20	
Dimethyl Phthalate	91	92	25-125	8-142	1	0-20	
Acenaphthylene	87	88	50-105	41-114	1	0-20	
3-Nitroaniline	98	97	20-125	2-142	2	0-20	
Acenaphthene	88	91	45-110	34-121	3	0-11	
2,4-Dinitrophenol	105	101	15-140	0-161	4	0-20	
4-Nitrophenol	51	49	20-150	0-172	5	0-40	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 3510C
Method: EPA 8270C

Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-671-13	Aqueous	GC/MS TT	01/18/10	01/19/10	100118L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Dibenzofuran	85	86	55-105	47-113	1	0-20	
2,4-Dinitrotoluene	93	95	50-120	38-132	2	0-36	
2,6-Dinitrotoluene	98	98	50-115	39-126	0	0-20	
Diethyl Phthalate	94	97	40-120	27-133	3	0-20	
4-Chlorophenyl-Phenyl Ether	90	92	50-110	40-120	1	0-20	
Fluorene	90	91	50-110	40-120	1	0-20	
4-Nitroaniline	136	133	35-120	21-134	2	0-20	LQ
Azobenzene	94	95	50-130	37-143	1	0-20	
4,6-Dinitro-2-Methylphenol	108	107	40-130	25-145	1	0-20	
N-Nitrosodiphenylamine	109	110	50-110	40-120	1	0-20	
4-Bromophenyl-Phenyl Ether	88	88	50-115	39-126	0	0-20	
Hexachlorobenzene	96	97	50-110	40-120	1	0-20	
Pentachlorophenol	85	83	40-115	28-128	3	0-40	
Phenanthrene	89	91	50-115	39-126	2	0-20	
Anthracene	92	94	55-110	46-119	3	0-20	
Di-n-Butyl Phthalate	93	96	55-115	45-125	3	0-20	
Fluoranthene	93	98	55-115	45-125	5	0-20	
Benzidine	214	233	50-130	37-143	9	0-20	LQ
Pyrene	84	77	50-130	37-143	8	0-20	
Pyridine	47	48	52-115	42-126	1	0-20	LR
Butyl Benzyl Phthalate	93	90	45-115	33-127	3	0-20	
3,3'-Dichlorobenzidine	201	203	20-110	5-125	1	0-20	LQ
Benzo (a) Anthracene	87	87	55-110	46-119	0	0-20	
Bis(2-Ethylhexyl) Phthalate	86	86	40-125	26-139	0	0-20	
Chrysene	90	89	55-110	46-119	1	0-20	
Di-n-Octyl Phthalate	95	97	35-135	18-152	2	0-20	
Benzo (k) Fluoranthene	88	91	45-125	32-138	3	0-20	
Benzo (b) Fluoranthene	91	97	45-120	32-132	7	0-20	
Benzo (a) Pyrene	99	104	55-110	46-119	5	0-20	
Benzo (g,h,i) Perylene	84	84	40-125	26-139	0	0-20	
Indeno (1,2,3-c,d) Pyrene	89	89	45-125	32-138	0	0-20	
Dibenz (a,h) Anthracene	88	88	40-125	26-139	0	0-20	
1-Methylnaphthalene	90	90	80-120	73-127	1	0-20	


Total number of LCS compounds : 71


Total number of ME compounds : 4

Total number of ME compounds allowed : 4

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,209	Aqueous	GC/MS BB	01/19/10	01/19/10	100119L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	98	98	80-120	73-127	1	0-20	
Carbon Tetrachloride	104	107	74-134	64-144	3	0-20	
Chlorobenzene	98	99	80-120	73-127	2	0-20	
1,2-Dibromoethane	94	97	79-121	72-128	3	0-20	
1,2-Dichlorobenzene	95	98	80-120	73-127	3	0-20	
1,1-Dichloroethene	106	105	78-126	70-134	2	0-28	
Ethylbenzene	100	100	80-120	73-127	0	0-20	
Toluene	96	95	80-120	73-127	1	0-20	
Trichloroethene	100	96	79-127	71-135	4	0-20	
Vinyl Chloride	88	93	72-132	62-142	5	0-20	
Methyl-t-Butyl Ether (MTBE)	96	101	69-123	60-132	6	0-20	
Tert-Butyl Alcohol (TBA)	107	100	63-123	53-133	7	0-20	
Diisopropyl Ether (DIPE)	100	101	59-137	46-150	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	93	100	69-123	60-132	7	0-20	
Tert-Amyl-Methyl Ether (TAME)	85	87	70-120	62-128	2	0-20	
Ethanol	130	108	28-160	6-182	18	0-57	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,210	Aqueous	GC/MS BB	01/20/10	01/20/10	100120L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	112	115	80-120	73-127	2	0-20	
Carbon Tetrachloride	112	120	74-134	64-144	7	0-20	
Chlorobenzene	113	113	80-120	73-127	0	0-20	
1,2-Dibromoethane	107	107	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	108	109	80-120	73-127	0	0-20	
1,1-Dichloroethene	103	121	78-126	70-134	17	0-28	
Ethylbenzene	115	116	80-120	73-127	1	0-20	
Toluene	111	111	80-120	73-127	0	0-20	
Trichloroethene	112	110	79-127	71-135	2	0-20	
Vinyl Chloride	88	102	72-132	62-142	15	0-20	
Methyl-t-Butyl Ether (MTBE)	94	114	69-123	60-132	20	0-20	
Tert-Butyl Alcohol (TBA)	121	104	63-123	53-133	16	0-20	
Diisopropyl Ether (DIPE)	93	103	59-137	46-150	10	0-37	
Ethyl-t-Butyl Ether (ETBE)	101	101	69-123	60-132	1	0-20	
Tert-Amyl-Methyl Ether (TAME)	99	101	70-120	62-128	2	0-20	
Ethanol	120	117	28-160	6-182	3	0-57	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-01-0804
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 601

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,211	Aqueous	GC/MS BB	01/21/10	01/21/10	100121L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	96	96	80-120	73-127	0	0-20	
Carbon Tetrachloride	99	102	74-134	64-144	2	0-20	
Chlorobenzene	101	100	80-120	73-127	1	0-20	
1,2-Dibromoethane	96	96	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	96	96	80-120	73-127	0	0-20	
1,1-Dichloroethene	85	86	78-126	70-134	1	0-28	
Ethylbenzene	101	100	80-120	73-127	1	0-20	
Toluene	97	96	80-120	73-127	1	0-20	
Trichloroethene	96	98	79-127	71-135	2	0-20	
Vinyl Chloride	97	98	72-132	62-142	1	0-20	
Methyl-t-Butyl Ether (MTBE)	82	82	69-123	60-132	0	0-20	
Tert-Butyl Alcohol (TBA)	91	95	63-123	53-133	4	0-20	
Diisopropyl Ether (DIPE)	80	81	59-137	46-150	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	81	81	69-123	60-132	0	0-20	
Tert-Amyl-Methyl Ether (TAME)	87	88	70-120	62-128	2	0-20	
Ethanol	108	108	28-160	6-182	0	0-57	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received:
Work Order No:

N/A
10-01-0804

Project: BP 601

Matrix: Aqueous or Solid

<u>Parameter</u>	<u>Method</u>	<u>Quality Control</u> Sample ID	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Analyzed</u>	<u>LCS %</u> <u>REC</u>	<u>LCSD %</u> <u>REC</u>	<u>%REC</u> <u>CL</u>	<u>RPD</u>	<u>RPD</u> <u>CL</u>	<u>Qual</u>
Nitrate (as N)	EPA 300.0	099-12-906-719	N/A	01/13/10	99	99	90-110	0	0-15	
Sulfate	EPA 300.0	099-12-906-719	N/A	01/13/10	100	101	90-110	0	0-15	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Laboratory Control Sample



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received:
Work Order No:


N/A
10-01-0804

Project: BP 601

Matrix: Aqueous or Solid

<u>Parameter</u>	<u>Method</u>	<u>Quality Control</u> <u>Sample ID</u>	<u>Date</u> <u>Analyzed</u>	<u>Date</u> <u>Extracted</u>	<u>Conc</u> <u>Added</u>	<u>Conc</u> <u>Recovered</u>	<u>LCS</u> <u>%Rec</u>	<u>%Rec</u> <u>CL</u>	<u>Qualifiers</u>
Iron (II)	SM 3500-FeB	099-05-111-3,587	01/13/10	01/13/10	1.00	0.989	99	80-120	

RPD - Relative Percent Difference , CL - Control Limit




Glossary of Terms and Qualifiers




Work Order Number: 10-01-0804

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.



<u>Qualifier</u>	<u>Definition</u>
LR	LCS recovery below method control limits.
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: BP 601

Req Due Date (mm/dd/yy):

Page 1 of 1
Rush TAT: Yes ☐ No ☒

BP/ARC Facility No: 601

Lab Work Order Number:

Lab Name: Calscience				BP/ARC Facility Address: 712 Lewelling Blvd.				Consultant/Contractor: Broadbent & Associates, Inc.															
Lab Address: 7440 Lincoln Way				City, State, ZIP Code: San Leandro, CA				Consultant/Contractor Project No: 06-88-605-5-822															
Lab PM: Richard Villafania				Lead Regulatory Agency: ACEH				Address: 1324 Mangrove Ave. Ste. 212, Chico, CA 95926															
Lab Phone: 714-895-5494				California Global ID No.: T0600100108				Consultant/Contractor PM: Tom Venus															
Lab Shipping Acct: 9225				Enfos Proposal No: 000S1-0008				Phone: 530-566-1400															
Lab Bottle Order No:				Accounting Mode: Provision ☒ OOC-BU ☐ OOC-RM ☐				Email EDD To: tvenus@broadbentinc.com															
Other Info:				Stage: Operate (5) Activity: Monitoring/MNA (22)				Invoice To: BP/ARC ☒ Contractor ☐															
BP/ARC EBM: Chuck Carmel				Matrix		No. Containers / Preservative				Requested Analyses				Report Type & QC Level									
EBM Phone:														Standard ☒									
EBM Email:														Full Data Package ☐									
Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8260)	5 Olys (8260)	EDB (8260)	1,2-DCA (8260)	Ethanol (8260)	SVOCs (8270)	Nitrate & Sulfate (300)	Ferrous Iron (200.7)	Dissolved Sulfide (376.2)	Comments
1	MW-1	1/12/2010	1110		X		9				X		X	X	X	X	X	X	X	X	X	X	
2	MW-3	1/12/2010	1510		X		7				X		X	X	X	X	X	X		X	X	X	
3	MW-10	1/12/2010	1610		X		6				X		X	X	X	X	X	X					
4	MW-16	1/12/2010	1430		X		7				X		X	X	X	X	X	X		X	X	X	
5	MW-17	1/12/2010	1345				7				X		X	X	X	X	X	X		X	X	X	
6	MW-18	1/12/2010	1255				7				X		X	X	X	X	X	X		X	X	X	
7	Trip Blank												X	X	X	X	X	X					Hold + trip blank
Sampler's Name: Eric Furrer				Relinquished By / Affiliation				Date		Time		Accepted By / Affiliation				Date		Time					
Sampler's Company: BAI				Eric Furrer / BAI				1/12/10		1645						1/13/10		1030					
Shipment Method: GSD Ship Date: 1/12/10																							
Shipment Tracking No: 106462477																							
Special Instructions:																							
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No								Temp Blank: Yes / No				Cooler Temp on Receipt: _____ °F/C				Trip Blank: Yes / No				MS/MSD Sample Submitted: Yes / No			

IN GROVE

841

53 lb

1/B10



4814

1001121901

D92843A

SL-06

0804

PLEASE PRESS FIRMLY

1 FROM


2

T

O

3

SPECIAL INSTRUCTIONS



COMPANY
CAL SCIENCE

NAME

PHONE
NUMBER

ADDRESS
7440 LINCOLN WAY

ADDRESS

CITY
GARDEN GROVE

ZIP
CODE **92841**

YOUR INTERNAL BILLING
REFERENCE WILL APPEAR
ON YOUR INVOICE

GSO

GOLDEN STATE OVERNIGHT

1-800-322-5555

WWW.GSO.COM

SHIPPING AIR BILL

4 PACKAGE INFORMATION

☐ LETTER (MAX 8 OZ)

☐ PACKAGE (WT) _____

☐ DECLARED VALUE \$ _____

☐ COD AMOUNT \$ _____
(CASH NOT ACCEPTED)

GSO COPY

5 DELIVERY SERVICE

☐ PRIORITY
OVERNIGHT
BY 10:30 AM

☒ EARLY
PRIORITY
BY 8:00 AM

☐ SATURDAY
DELIVERY

*DELIVERY TIMES MAY BE LATER IN SOME AREAS • CONSULT YOUR SERVICE • PHONE OR CALL GOLDEN STATE OVERNIGHT.

6 RELEASE SIGNATURE

SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

7 CREDIT CARD

☐ M/C
☐ VISA ☐ AM EX

CREDIT CARD NUMBER

EXP. DATE

8 PICK UP INFORMATION

TIME

DRIVER #

ROUTE #


1064 2477

PEEL
OFF
HERE



106462477

9 GSO TRACKING NUMBER



WORK ORDER #: 10-01-0804

SAMPLE RECEIPT FORMCooler 1 of 1CLIENT: BroadentDATE: 01/13/10**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 3.2 °C + 0.5 °C (CF) = 3.7 °C ☒ Blank ☐ Sample☐ Sample(s) outside temperature criteria (PM/APM contacted by: _____).☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.☐ Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: ☐ Air ☐ Filter ☐ Metals Only ☐ PCBs OnlyInitial: JP**CUSTODY SEALS INTACT:**☒ Cooler ☐ _____ ☐ No (Not Intact) ☐ Not Present ☐ N/AInitial: JP☐ Sample ☐ _____ ☐ No (Not Intact) ☒ Not PresentInitial: W.S.**SAMPLE CONDITION:**

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... ☒ ☐ ☐COC document(s) received complete..... ☐ ☒ ☐☒ Collection date/time, matrix, and/or # of containers logged in based on sample labels.☐ No analysis requested. ☐ Not relinquished. ☐ No date/time relinquished.Sampler's name indicated on COC..... ☒ ☐ ☐Sample container label(s) consistent with COC..... ☒ ☐ ☐Sample container(s) intact and good condition..... ☒ ☐ ☐Correct containers and volume for analyses requested..... ☒ ☐ ☐Analyses received within holding time..... ☒ ☐ ☐Proper preservation noted on COC or sample container..... ☒ ☐ ☐☐ Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... ☒ ☐ ☐Tedlar bag(s) free of condensation..... ☐ ☐ ☒**CONTAINER TYPE:**Solid: ☐ 4ozCGJ ☐ 8ozCGJ ☐ 16ozCGJ ☐ Sleeve ☐ EnCores® ☐ TerraCores® ☐ _____Water: ☐ VOA ☒ VOAh ☐ VOAna₂ ☐ 125AGB ☐ 125AGBh ☐ 125AGBp ☒ 1AGB ☐ 1AGBna₂ ☐ 1AGBs☐ 500AGB ☐ 500AGJ ☐ 500AGJs ☐ 250AGB ☐ 250CGB ☐ 250CGBs ☒ 1PB ☐ 500PB ☐ 500PBna☐ 250PB ☐ 250PBn ☐ 125PB ☐ 125PBz₂na ☐ 100PJ ☐ 100PJna₂ ☐ _____ ☐ _____ ☐ _____Air: ☐ Tedlar® ☐ Summa® Other: ☐ _____ Trip Blank Lot#: 100105B Checked by: W.S.Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: W.S.Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ z₂na: ZnAc₂+NaOH f: Field-filtered Scanned by: W.S.

APPENDIX B

JOINT MONITORING DATA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	7/8/1985	520	NA	NA	NA	NA	NA	NA	21.55	NA	NA	NA	NA
S-1	9/6/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	11/16/1988	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	8.01	13.54	NA	NA
S-1	2/27/1989	<50	0.5	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	5/4/1989	<50	1.0	<1	<1	<0.3	NA	NA	21.55	NA	NA	NA	NA
S-1	8/10/1989	<50	0.7	<1	<1	<0.3	NA	NA	21.55	7.93	13.62	NA	NA
S-1	10/10/1989	<50	<0.5	<1	<1	<0.3	NA	NA	21.55	8.09	13.46	NA	NA
S-1	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.73	13.82	NA	NA
S-1	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.55	7.91	13.64	NA	NA
S-1	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	7.72	13.83	NA	NA
S-1	10/18/1990	80	5	<0.5	<0.5	3.0	NA	NA	21.55	8.55	13.00	NA	NA
S-1	1/28/1991	<50	4.5	<0.5	<0.5	2.0	NA	NA	21.55	8.52	13.03	NA	NA
S-1	4/25/1991	80a	3.7	<0.5	0.7	2.0	NA	NA	21.55	7.18	14.37	NA	NA
S-1	7/9/1991	200	16	<0.5	1.3	5.8	NA	NA	21.55	8.22	13.33	NA	NA
S-1	10/8/1991	<50	2.3	<0.5	<0.5	<0.5	NA	NA	21.55	8.70	12.85	NA	NA
S-1	2/5/1992	160	8.9	<0.5	2.1	6.0	NA	NA	21.55	8.14	13.41	NA	NA
S-1	4/28/1992	<50	2.4	<0.5	<0.5	0.9	NA	NA	21.55	7.52	14.03	NA	NA
S-1	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.55	8.28	13.27	NA	NA
S-1	10/26/1992	57	3.0	1.6	1.4	1.7	NA	NA	21.55	8.74	12.81	NA	NA
S-1	1/14/1993	490	53	1.2	20	33	NA	NA	21.55	5.91	15.64	NA	NA
S-1	4/16/1993	240	20	<0.5	15	240	NA	NA	21.55	6.66	14.89	NA	NA
S-1	7/23/1993	<50	0.5	<0.5	<0.5	<0.5	NA	NA	21.55	7.53	14.02	NA	NA
S-1	10/27/1993	60	5.9	<0.5	2.5	1.7	NA	NA	21.55	8.20	13.35	NA	NA
S-1	1/27/1994	<50	2.1	<0.5	<0.5	0.63	NA	NA	21.55	7.26	14.29	NA	NA
S-1	5/5/1994	57	3.9	<0.5	1.9	1.9	NA	NA	21.27	7.38	13.89	NA	NA
S-1	7/26/1994	<50	2.2	<0.3	<0.3	<0.6	NA	NA	21.27	7.86	13.41	NA	NA
S-1	10/28/1994	<50	0.8	<0.3	<0.3	0.8	NA	NA	21.27	7.86	13.41	NA	NA
S-1	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.27	6.85	14.42	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-1	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.27	6.08	15.19	NA	NA
S-1	7/28/1995	60	2.2	<0.5	1.3	1.2	NA	NA	21.27	6.79	14.48	NA	NA
S-1	10/17/1995	60	2.6	<0.5	1.2	1.3	NA	NA	21.27	7.04	14.23	NA	NA
S-1	1/11/1996	<50	2.0	<0.5	<0.5	<0.5	<2	NA	21.27	6.40	14.87	NA	NA
S-1	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.27	5.84	15.43	NA	NA
S-1	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.27	6.50	14.77	NA	NA
S-1	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.27	7.31	13.96	NA	NA
S-1	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	6.7	NA	21.27	5.50	15.77	NA	NA
S-1	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.03	14.24	NA	NA
S-1	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.00	14.27	NA	NA
S-1	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.27	7.51	13.76	NA	NA
S-1	1/15/1998	420	16	<0.50	4.6	3.9	26	NA	21.27	5.43	15.84	NA	NA
S-1	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.27	5.55	15.72	NA	NA
S-1	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.33	6.38	14.95	NA	NA
S-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.33	7.48	13.85	NA	NA
S-1	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2.53	NA	21.33	6.37	14.96	NA	NA
S-1	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.33	5.93	15.40	NA	NA
S-1	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.20	14.13	NA	NA
S-1	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.33	7.61	13.72	NA	NA
S-1	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	4.73	NA	21.33	7.76	13.57	NA	NA
S-1	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA
S-1	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.33	7.05	14.28	NA	NA
S-1	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.33	6.51	14.82	NA	NA
S-1	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.33	7.49	13.84	NA	NA
S-1	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.33	6.85	14.48	NA	NA
S-1	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.65	13.68	NA	NA
S-1	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.33	7.84	13.49	NA	NA
S-1	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.33	6.16	15.17	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-1	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.33	6.57	14.76	NA	NA
S-1	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.52	13.81	NA	NA
S-1	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.33	7.99	13.34	NA	NA
S-1	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	5.6	21.33	6.46	14.87	NA	NA
S-1	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.33	6.18	15.15	NA	NA
S-1	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.38	13.95	NA	NA
S-1	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.33	7.87	13.46	NA	NA
S-1	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.90	14.43	NA	NA
S-1	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.33	7.83	13.50	NA	NA
S-1	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	5.68	15.65	NA	NA
S-1	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.33	6.35	14.98	NA	NA
S-1	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.33	6.05	15.28	NA	NA
S-1	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.33	7.12	14.21	NA	NA
S-1	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.33	6.75	14.58	NA	NA
S-1	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.33	7.73	13.60	NA	NA
S-1	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.33	6.10	15.23	NA	NA
S-1	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.33	7.76	13.57	NA	NA
S-1	1/8/2009	<50	0.57	<1.0	<1.0	<1.0	NA	NA	21.33	7.28	14.05	NA	NA
S-1	7/21/2009	NA	NA	NA	NA	NA	NA	NA	21.33	7.89	13.44	NA	NA
S-1	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.33	6.98	14.35	NA	NA

S-3	9/6/1988	96000	3400	9500	2700	17000	NA	NA	21.14	NA	NA	NA	NA
S-3	11/16/1988	70000	4600	8400	2500	13000	NA	NA	21.14	7.76	13.38	NA	NA
S-3	2/27/1989	32000	2400	3100	1500	6400	NA	NA	21.14	NA	NA	NA	NA
S-3	5/4/1989	47000	4400	300	2400	15000	NA	NA	21.14	NA	NA	NA	NA
S-3	8/10/1989	110000	5700	5700	3200	19000	NA	NA	21.14	7.92	13.22	NA	NA
S-3	10/10/1989	52000	4600	3300	2600	15000	NA	NA	21.14	8.00	13.14	NA	NA
S-3	1/25/1990	420000	5200	4100	6700	34000	NA	NA	21.14	7.54	13.60	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	4/18/1990	58000	3800	1400	2400	12000	NA	NA	21.14	7.74	13.40	NA	NA
S-3	7/23/1990	49000	3400	1800	2300	12000	NA	NA	21.14	7.55	13.59	NA	NA
S-3	10/18/1990	44000	3500	650	2400	11000	NA	NA	21.14	8.47	12.67	NA	NA
S-3	1/28/1991	64000	40900	570	1940	8090	NA	NA	21.14	8.38	12.76	NA	NA
S-3	4/25/1991	120000	3900	3600	2400	8900	NA	NA	21.14	6.91	14.23	NA	NA
S-3	7/9/1991	50000	3600	2300	1800	10000	NA	NA	21.14	8.07	13.07	NA	NA
S-3	10/8/1991	130000	3600	1000	2800	8400	NA	NA	21.14	8.61	12.53	NA	NA
S-3	2/5/1992	150000	2500	670	2700	10000	NA	NA	21.14	7.80	13.34	NA	NA
S-3	4/28/1992	120000	2200	1200	2000	5800	NA	NA	21.14	7.27	13.87	NA	NA
S-3	7/27/1992	190000	1400	<1250	<1250	3400	NA	NA	21.14	8.10	13.04	NA	NA
S-3	10/26/1992	950000	2000	8400	16000	36000	NA	NA	21.14	8.62	12.52	NA	NA
S-3	1/14/1993	41000	2700	2500	1800	6900	NA	NA	21.14	5.16	15.98	NA	NA
S-3	4/16/1993	40000	930	2800	1900	14000	NA	NA	21.14	7.18	13.96	NA	NA
S-3	7/23/1993	87000	1600	<5	1300	4000	NA	NA	21.14	7.34	13.80	NA	NA
S-3	10/27/1993	36000	2200	<500	1500	3200	NA	NA	21.14	8.03	13.11	NA	NA
S-3	1/27/1994	190000	3200	3100	4100	15000	NA	NA	21.14	6.79	14.35	NA	NA
S-3	5/5/1994	36000	1100	490	1600	4700	NA	NA	20.48	6.75	13.73	NA	NA
S-3	7/26/1994	18000	1039	170.5	845.4	967.5	NA	NA	20.48	7.30	13.18	NA	NA
S-3	10/28/1994	25869	467.9	294	546.2	343.3	NA	NA	20.48	8.36	12.12	NA	NA
S-3	1/2/1995	23000	850	260	900	2100	NA	NA	20.48	6.36	14.12	NA	NA
S-3	4/14/1995	33000	720	670	1600	6600	NA	NA	20.48	5.87	14.61	NA	NA
S-3	7/28/1995	12000	540	<10	580	780	NA	NA	20.48	6.33	14.15	NA	NA
S-3	10/17/1995	Well inaccessible		NA	NA	NA	NA	NA	20.48	6.48	14.00	NA	NA
S-3	1/11/1996	16000	520	290	740	2600	<200	NA	20.48	5.80	14.68	NA	NA
S-3	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.00	15.48	NA	NA
S-3	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.48	5.93	14.55	NA	NA
S-3	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.48	6.73	13.75	NA	NA
S-3	1/9/1997	30000	420	330	1500	6300	<500	NA	20.48	4.72	15.76	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-3	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.63	13.85	NA	NA
S-3	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.18	14.30	NA	NA
S-3	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.48	6.83	13.65	NA	NA
S-3	1/15/1998	21000	300	51	770	2800	<100	NA	20.48	4.30	16.18	NA	NA
S-3 (D)	1/15/1998	14000	330	63	920	3400	<250	NA	20.48	NA	NA	NA	NA
S-3	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	4.37	16.11	NA	NA
S-3	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.48	5.47	15.01	NA	NA
S-3	10/20/1998	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	1/22/1999	40000	313	194	2200	8800	<40.0	NA	20.48	5.71	14.77	NA	NA
S-3	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.48	4.95	15.53	NA	NA
S-3	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.48	6.78	13.70	NA	NA
S-3	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.48	7.25	13.23	NA	NA
S-3	1/3/2000	39700	150	61.8	1690	7720	445	NA	20.48	7.46	13.02	NA	NA
S-3	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.48	5.64	14.84	NA	NA
S-3	7/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.48	6.72	13.76	NA	NA
S-3	1/3/2001	25000	89.0	<50.0	1270	5180	<250	NA	20.48	7.14	13.34	NA	NA
S-3	4/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.28	13.20	NA	3.2
S-3	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.48	7.64	12.84	NA	3.5
S-3	1/16/2002	Well inaccessible		NA	NA	NA	NA	NA	20.48	NA	NA	NA	NA
S-3	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.48	5.99	14.49	NA	3.8
S-3	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.48	7.21	13.27	NA	0.7
S-3	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.85	7.90	12.95	NA	e
S-3	1/23/2003	28000	60	13	970	3700	NA	<50	20.85	6.00	14.85	NA	0.3
S-3	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.85	5.34	15.51	NA	1.0
S-3	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.28	13.57	NA	1.0
S-3	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.85	7.63	13.22	NA	26.9

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-3	1/22/2004	3200	5.7	<2.5	16	320	NA	NA	20.85	6.53	14.32	NA	0.5
S-3	7/13/2004	Well inaccessible		NA	NA	NA	NA	NA	20.85	NA	NA	NA	NA
S-3	7/21/2004	3100	4.1	<2.5	10	130	NA	NA	20.85	7.64	13.21	NA	2.2
S-3	1/20/2005	93	<0.50	<0.50	1.3	1.8	NA	NA	20.85	5.78	15.07	NA	0.8
S-3	7/19/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.35	14.50	NA	NA
S-3	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.85	5.55	15.30	NA	NA
S-3	7/25/2006	100	<1.00	<1.00	<1.00	<3.00	NA	NA	20.85	7.09	13.76	NA	NA
S-3	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.85	6.53	14.32	NA	NA
S-3	7/24/2007	590 g,h	0.99	<1.0	0.25 i	0.99 i	NA	NA	20.85	7.44	13.41	NA	NA
S-3	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	5.41	15.44	NA	NA
S-3	8/4/2008	76	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	6.62	14.23	NA	NA
S-3	1/8/2009	260	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	6.87	13.98	NA	NA
S-3	7/21/2009	90	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	7.64	13.21	NA	NA
S-3	07/21/2009 *	150	<0.50	<1.0	<1.0	<1.0	NA	NA	20.85	7.64	13.21	NA	NA
S-3	01/12/2010 *	130	0.83	<1.0	<1.0	<1.0	NA	NA	20.85	6.63	14.22	NA	NA

S-5	1/8/1987	7800	380	510	NA	1000	NA	NA	21.41	NA	NA	NA	NA
S-5	9/6/1988	7000	2600	60	400	700	NA	NA	21.41	NA	NA	NA	NA
S-5	11/16/1988	3000	660	60	120	220	NA	NA	21.41	NA	NA	NA	NA
S-5	2/27/1989	5700	2000	220	260	320	NA	NA	21.41	NA	NA	NA	NA
S-5	5/4/1989	9000	3000	600	630	1700	NA	NA	21.41	NA	NA	NA	NA
S-5	8/10/1989	5100	1100	<50	270	400	NA	NA	21.41	8.28	13.13	NA	NA
S-5	10/10/1989	15000	3300	160	830	2200	NA	NA	21.41	8.32	13.09	NA	NA
S-5	1/25/1990	12000	2400	360	570	1400	NA	NA	21.41	8.20	13.21	NA	NA
S-5	4/18/1990	5200	1100	40	300	460	NA	NA	21.41	8.32	13.09	NA	NA
S-5	7/23/1990	5500	1300	140	320	730	NA	NA	21.41	8.03	13.38	NA	NA
S-5	10/18/1990	12000	3200	40	720	900	NA	NA	21.41	9.03	12.38	NA	NA
S-5	1/28/1991	2550	410	15	110	60	NA	NA	21.41	8.80	12.61	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-5	4/25/1991	67000	5100	3100	2800	11000	NA	NA	21.41	7.40	14.01	NA	NA
S-5	7/9/1991	4900	480	36	360	1000	NA	NA	21.41	8.52	12.89	NA	NA
S-5	10/8/1991	6600	370	7.0	190	380	NA	NA	21.41	9.00	12.41	NA	NA
S-5	2/5/1992	44000	4800	850	2700	8400	NA	NA	21.41	8.11	13.30	NA	NA
S-5	4/28/1992	33000	1400	320	1600	5200	NA	NA	21.41	7.70	13.71	NA	NA
S-5	7/27/1992	20000	2400	<25	1800	2300	NA	NA	21.41	8.52	12.89	NA	NA
S-5	10/26/1992	21000	1600	140	1500	2800	NA	NA	21.41	9.02	12.39	NA	NA
S-5	1/14/1993	54000	1900	1000	2700	16000	NA	NA	21.41	5.22	16.19	NA	NA
S-5	4/16/1993	42000	2000	1300	4300	18000	NA	NA	21.41	7.04	14.37	NA	NA
S-5	7/23/1993	46000	2500	2200	3400	11000	NA	NA	21.41	7.75	13.66	NA	NA
S-5	10/27/1993	6500	990	31	1100	1000	NA	NA	21.41	8.49	12.92	NA	NA
S-5	1/27/1994	34000	1800	580	2900	9700	NA	NA	21.41	7.04	14.37	NA	NA
S-5	5/5/1994	24000	670	70	1400	2700	NA	NA	21.03	7.20	13.83	NA	NA
S-5	7/27/1994	4700	193.6	33.1	332.3	281.2	NA	NA	21.03	7.72	13.31	NA	NA
S-5	10/28/1994	3200	167.3	18	238.7	104.5	NA	NA	21.03	7.82	13.21	NA	NA
S-5	1/2/1995	18000	1300	220	3400	10000	NA	NA	21.03	6.65	14.38	NA	NA
S-5	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.03	5.99	15.04	NA	NA
S-5	7/28/1995	25000	440	74	1700	4500	NA	NA	21.03	6.77	14.26	NA	NA
S-5 (D)	7/28/1995	25000	450	<50	1700	4600	NA	NA	21.03	NA	NA	NA	NA
S-5	10/17/1995	18000	360	24	1300	2200	NA	NA	21.03	7.00	14.03	NA	NA
S-5	1/11/1996	41000	420	180	1600	9500	<200	NA	21.03	6.22	14.81	NA	NA
S-5	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.03	5.44	15.59	NA	NA
S-5	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.03	6.41	14.62	NA	NA
S-5	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.03	7.19	13.84	NA	NA
S-5	1/9/1997	38000	130	43	160	6200	<125	NA	21.03	5.03	16.00	NA	NA
S-5 (D)	1/9/1997	36000	130	<50	160	5600	<250	NA	21.03	NA	NA	NA	NA
S-5	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.03	7.20	13.83	NA	NA
S-5	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.03	6.82	14.21	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-5	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.03	7.31	13.72	NA	NA
S-5	1/15/1998	49000	62	<50	93	4100	<250	NA	21.03	4.58	16.45	NA	NA
S-5	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	4.94	16.09	NA	NA
S-5	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.27	5.36	15.91	NA	NA
S-5	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.27	7.53	13.74	NA	NA
S-5	1/22/1999	2550	9.09	<0.500	1.93	112	4.40	NA	21.27	6.35	14.92	NA	NA
S-5	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.27	5.37	15.90	NA	NA
S-5	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.27	6.43	14.84	NA	NA
S-5	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.27	7.51	13.76	NA	NA
S-5	1/3/2000	3310	39.0	<10.0	293	21.7	<50.0	NA	21.27	7.78	13.49	NA	NA
S-5	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.27	6.15	15.12	NA	NA
S-5	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.27	7.05	14.22	NA	NA
S-5	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.27	6.00	15.27	NA	NA
S-5	1/3/2001	516	3.65	0.968	18.0	4.02	18.4	NA	21.27	7.48	13.79	NA	NA
S-5	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.27	6.58	14.69	NA	NA
S-5	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.60	13.67	NA	NA
S-5	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.27	7.94	13.33	NA	NA
S-5	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	5.88	15.39	NA	NA
S-5	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.27	6.27	15.00	NA	NA
S-5	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.27	7.53	13.74	NA	NA
S-5	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.27	8.11	13.16	NA	NA
S-5	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.27	6.22	15.05	NA	NA
S-5	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.27	5.48	15.79	NA	NA
S-5	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.32	13.95	NA	NA
S-5	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.27	7.91	13.36	NA	NA
S-5	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.68	14.59	NA	NA
S-5	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.27	8.17	13.10	NA	NA
S-5	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	5.30	15.97	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-5	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.27	6.35	14.92	NA	NA
S-5	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.27	5.83	15.44	NA	NA
S-5	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.27	7.35	13.92	NA	NA
S-5	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.27	6.82	14.45	NA	NA
S-5	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.27	7.70	13.57	NA	NA
S-5	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	5.83	15.44	NA	NA
S-5	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.27	8.04	13.23	NA	NA
S-5	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	7.21	14.06	NA	NA
S-5	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	8.03	13.24	NA	NA
S-5	07/21/2009 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	8.03	13.24	NA	NA
S-5	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.27	7.13	14.14	NA	NA

S-6	11/16/1988	50	0.7	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	2/27/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	NA	NA	NA	NA
S-6	5/4/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	NA	NA	NA	NA
S-6	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.54	13.48	NA	NA
S-6	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.02	8.58	13.44	NA	NA
S-6	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.02	8.31	13.71	NA	NA
S-6	4/18/1990	<50	<0.5	0.6	<0.5	1.0	NA	NA	22.02	8.43	13.59	NA	NA
S-6	7/23/1990	<50	<0.5	0.9	<0.5	1.8	NA	NA	22.02	8.24	13.78	NA	NA
S-6	10/18/1990	<50	<0.5	0.7	<0.5	0.8	NA	NA	22.02	9.20	12.82	NA	NA
S-6	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.10	12.92	NA	NA
S-6	4/25/1991	<50	<0.5	<0.5	<0.5	0.7	NA	NA	22.02	7.74	14.28	NA	NA
S-6	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.81	13.21	NA	NA
S-6	10/8/1991	<50	0.7	<0.5	<0.5	<0.5	NA	NA	22.02	9.26	12.76	NA	NA
S-6	2/2/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.47	13.55	NA	NA
S-6	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.91	14.11	NA	NA
S-6	7/27/1992	NA	NA	NA	NA	NA	NA	NA	22.02	8.83	13.19	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-6	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	9.29	12.73	NA	NA
S-6	1/13/1994	NA	NA	NA	NA	NA	NA	NA	22.02	9.43	12.59	NA	NA
S-6	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	7.12	14.90	NA	NA
S-6	7/23/1993	NA	NA	NA	NA	NA	NA	NA	22.02	8.14	13.88	NA	NA
S-6	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.02	8.75	13.27	NA	NA
S-6	1/27/1994	NA	NA	NA	NA	NA	NA	NA	22.02	7.87	14.15	NA	NA
S-6	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.71	13.69	NA	NA
S-6	7/26/1994	NA	NA	NA	NA	NA	NA	NA	21.40	8.10	13.30	NA	NA
S-6	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.40	8.04	13.36	NA	NA
S-6	1/2/1995	NA	NA	NA	NA	NA	NA	NA	21.40	7.07	14.33	NA	NA
S-6	4/14/1995	<50	<0.5	1.3	<0.5	<0.5	NA	NA	21.40	6.29	15.11	NA	NA
S-6	7/28/1995	NA	NA	NA	NA	NA	NA	NA	21.40	6.91	14.49	NA	NA
S-6	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.40	7.20	14.20	NA	NA
S-6	1/11/1996	NA	NA	NA	NA	NA	NA	NA	21.40	6.60	14.80	NA	NA
S-6	1/22/2004	Unable to locate		NA	NA	NA	NA	NA	21.40	NA	NA	NA	NA

S-7	11/16/1988	100	5.1	15	2.0	13	NA	NA	21.47	8.24	13.23	NA	NA
S-7	2/27/1989	50	0.5	3.0	1.0	11	NA	NA	21.47	NA	NA	NA	NA
S-7	5/4/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	NA	NA	NA	NA
S-7	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.18	13.29	NA	NA
S-7	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.47	8.35	13.12	NA	NA
S-7	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	7.95	13.52	NA	NA
S-7	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.47	8.06	13.41	NA	NA
S-7	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.89	13.58	NA	NA
S-7	10/18/1990	<50	<0.5	0.5	0.5	4.1	NA	NA	21.47	8.83	12.64	NA	NA
S-7	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.77	12.70	NA	NA
S-7	4/25/1991	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.25	14.22	NA	NA
S-7	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.41	13.06	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	10/8/1991	NA	NA	NA	NA	NA	NA	NA	21.47	8.95	12.52	NA	NA
S-7	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.04	13.43	NA	NA
S-7	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.95	12.52	NA	NA
S-7	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.45	14.02	NA	NA
S-7	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	8.48	12.99	NA	NA
S-7	10/26/1992	570	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	9.95	11.52	NA	NA
S-7	1/14/1993	56	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	5.84	15.63	NA	NA
S-7	4/16/1993	110	28	<0.5	<0.5	1.8	NA	NA	21.47	6.38	15.09	NA	NA
S-7	7/23/1993	80	0.48	<0.5	<0.5	0.8	NA	NA	21.47	7.72	13.75	NA	NA
S-7	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.79	13.68	NA	NA
S-7	1/27/1994	70a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.47	7.85	13.62	NA	NA
S-7	5/5/1994	92	2.1	<0.5	<0.5	<0.5	NA	NA	20.85	9.45	11.40	NA	NA
S-7	7/26/1994	88	<0.3	<0.3	<0.3	<0.6	NA	NA	20.85	7.64	13.21	NA	NA
S-7	10/28/1994	60	<0.3	0.5	<0.3	<0.6	NA	NA	20.85	7.68	13.17	NA	NA
S-7	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.85	6.95	13.90	NA	NA
S-7	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.85	5.82	15.03	NA	NA
S-7	7/28/1995	170	1.7	<0.5	<0.5	2.2	NA	NA	20.85	6.32	14.53	NA	NA
S-7	10/17/1995	100	<0.5	0.6	<0.5	<0.5	NA	NA	20.85	7.07	13.78	NA	NA
S-7	1/11/1996	80	0.6	<0.5	<0.5	<0.5	54	NA	20.85	6.10	14.75	NA	NA
S-7	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.14	14.71	NA	NA
S-7	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.40	14.45	NA	NA
S-7	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.85	6.70	14.15	NA	NA
S-7	1/9/1997	130	1.4	<0.50	<0.50	0.56	70	NA	20.85	5.25	15.60	NA	NA
S-7	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.85	7.15	13.70	NA	NA
S-7	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.85	6.67	14.18	NA	NA
S-7	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.85	7.26	13.59	NA	NA
S-7	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	39	NA	20.85	5.51	15.34	NA	NA
S-7	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.85	5.45	15.40	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-7	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.03	6.48	14.55	NA	NA
S-7	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	97.8	NA	21.03	6.21	14.82	NA	NA
S-7	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.03	5.30	15.73	NA	NA
S-7	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.12	13.91	NA	NA
S-7	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.03	7.54	13.49	NA	NA
S-7	1/3/2000	615	8.73	2.90	4.00	7.17	17.0	NA	21.03	7.73	13.30	NA	NA
S-7	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.27	14.76	NA	NA
S-7	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.97	14.06	NA	NA
S-7	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.03	6.43	14.60	NA	NA
S-7	1/3/2001	460	6.68	<0.500	0.712	0.596	10.2	NA	21.03	7.27	13.76	NA	NA
S-7	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.03	6.75	14.28	NA	NA
S-7	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.55	13.48	NA	NA
S-7	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.03	7.80	13.23	NA	NA
S-7	1/16/2002	360	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.03	6.11	14.92	NA	NA
S-7	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.03	6.54	14.49	NA	NA
S-7	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.03	7.37	13.66	NA	NA
S-7	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.01	7.97	13.04	NA	NA
S-7	1/23/2003	160	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.01	6.45	14.56	NA	NA
S-7	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.01	6.14	14.87	NA	NA
S-7	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.28	13.73	NA	NA
S-7	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.01	7.78	13.23	NA	NA
S-7	1/22/2004	140	<0.50	<0.50	0.51	<1.0	NA	NA	21.01	6.93	14.08	NA	NA
S-7	7/13/2004	150	<0.50	<0.50	<0.50	<1.0	NA	17	21.01	7.88	13.13	NA	NA
S-7	1/20/2005	200 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	5.68	15.33	NA	NA
S-7	7/19/2005	140 a	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.18	14.83	NA	NA
S-7	1/27/2006	69.8	<0.500	<0.500	<0.500	<0.500	NA	NA	21.01	6.11	14.90	NA	NA
S-7	7/25/2006	78.6	<1.00	<1.00	<1.00	<3.00	NA	NA	21.01	7.01	14.00	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-7	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.01	6.70	14.31	NA	NA
S-7	7/24/2007	63 g,h	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.54	13.47	NA	NA
S-7	1/15/2008	160 g,h	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	6.08	14.93	NA	NA
S-7	8/4/2008	72	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.78	13.23	NA	NA
S-7	1/8/2009	210	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.12	13.89	NA	NA
S-7	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	7.78	13.23	NA	NA
S-7	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.01	6.83	14.18	NA	NA

S-8	11/16/1988	210	5.0	<1	1.0	5.0	NA	NA	20.72	7.76	12.96	NA	NA
S-8	2/27/1989	<50	2.4	<1	<1	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	5/4/1989	<50	7.5	<1	2.0	<3	NA	NA	20.72	NA	NA	NA	NA
S-8	8/10/1989	<50	0.6	<1	<1	<3	NA	NA	20.72	7.79	12.93	NA	NA
S-8	10/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.72	7.84	12.88	NA	NA
S-8	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.47	13.25	NA	NA
S-8	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.72	7.59	13.13	NA	NA
S-8	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	7.49	13.23	NA	NA
S-8	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.44	12.28	NA	NA
S-8	1/28/1991	<50	55	0.5	<0.5	1.4	NA	NA	20.72	8.28	12.44	NA	NA
S-8	4/25/1991	130a	19	<0.5	1.3	1.1	NA	NA	20.72	6.72	14.00	NA	NA
S-8	7/9/1991	200	33	<0.5	1.8	2.8	NA	NA	20.72	7.98	12.74	NA	NA
S-8	10/8/1991	580	95	2.2	4.9	6.5	NA	NA	20.72	8.55	12.17	NA	NA
S-8	2/5/1992	90a	18	<0.5	6.2	1.8	NA	NA	20.72	7.50	13.22	NA	NA
S-8	4/28/1992	<50	5.9	<0.5	2.5	<0.5	NA	NA	20.72	7.14	13.58	NA	NA
S-8	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.06	12.66	NA	NA
S-8	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.72	8.58	12.14	NA	NA
S-8	1/14/1993	270	74	0.9	25	5.5	NA	NA	20.72	5.32	15.40	NA	NA
S-8	4/16/1993	1100	420	<0.5	200	20	NA	NA	20.72	5.76	14.96	NA	NA
S-8	7/23/1993	160	23	<0.5	1.2	1.5	NA	NA	20.72	7.29	13.43	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-8	10/27/1993	420	650	0.7	11	1.7	NA	NA	20.72	7.93	12.79	NA	NA
S-8	1/27/1994	290	65	<1	6.9	2.4	NA	NA	20.72	6.31	14.41	NA	NA
S-8	5/5/1994	120	13	<0.5	<0.5	<0.5	NA	NA	20.32	6.84	13.48	NA	NA
S-8	7/26/1994	115	12.2	1.3	<0.3	2.7	NA	NA	20.32	7.42	12.90	NA	NA
S-8	10/28/1994	733	75.9	3.2	4.9	4.2	NA	NA	20.32	7.56	12.76	NA	NA
S-8	1/2/1995	290	54	<0.5	10	<0.5	NA	NA	20.32	6.19	14.13	NA	NA
S-8	4/14/1995	230	68	<0.5	10	2.4	NA	NA	20.32	5.54	14.78	NA	NA
S-8	7/28/1995	290	44	<0.5	8.0	<0.5	NA	NA	20.32	6.28	14.04	NA	NA
S-8	10/17/1995	190	24	<0.5	1.0	0.9	NA	NA	20.32	6.64	13.68	NA	NA
S-8	1/11/1996	400	85	1.1	13	3.4	2.3	NA	20.32	5.96	14.36	NA	NA
S-8	4/2/1996	300	110	0.7	4.9	0.9	<2	NA	20.32	5.21	15.11	NA	NA
S-8	7/9/1996	<50	5.4	<0.50	0.63	<0.50	<2.5	NA	20.32	6.05	14.27	NA	NA
S-8	10/10/1996	150	0.53	0.66	2.3	1.0	8.9	NA	20.32	6.83	13.49	NA	NA
S-8	1/9/1997	240	27	<0.50	2.4	<0.50	5.8	NA	20.32	4.51	15.81	NA	NA
S-8	4/8/1997	220	27	0.62	1.9	0.71	5.7	NA	20.32	6.50	13.82	NA	NA
S-8	7/21/1997	1200	140	2.8	21	5.0	27	NA	20.32	6.36	13.96	NA	NA
S-8 (D)	7/21/1997	1200	120	<2.0	19	3.9	25	NA	20.32	NA	NA	NA	NA
S-8	10/8/1997	690	92	1.4	25	2.0	<2.5	NA	20.32	6.83	13.49	NA	NA
S-8 (D)	10/8/1997	700	95	1.3	26	1.9	<2.5	NA	20.32	NA	NA	NA	NA
S-8	1/15/1998	460	110	1.0	3.4	1.7	<5.0	NA	20.32	4.30	16.02	NA	NA
S-8	4/14/1998	780	190	2.9	15	3.4	<2.5	NA	20.32	4.68	15.64	NA	NA
S-8	7/14/1998	1600	240	<5.0	36	<5.0	<25	NA	20.36	6.36	14.00	NA	NA
S-8	10/20/1998	700	55	<5.0	<5.0	<5.0	49	NA	20.36	6.91	13.45	NA	NA
S-8	1/22/1999	<50.0	5.83	<0.500	0.919	<0.500	<2.00	NA	20.36	5.97	14.39	NA	NA
S-8	4/8/1999	684	10.6	1.3	9.75	1.0	10.5	NA	20.36	5.01	15.35	NA	NA
S-8	7/23/1999	1540	86.5	5.20	5.30	6.35	<25.0	NA	20.36	6.61	13.75	NA	NA
S-8	10/26/1999	1680	116	<2.50	22.4	5.58	<12.5	NA	20.36	6.95	13.41	NA	NA
S-8	1/3/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-8	4/14/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	7/12/2000	Well inaccessible		NA	NA	NA	NA	NA	20.36	NA	NA	NA	NA
S-8	11/1/2000	2300	118	12.4	51.7	<2.50	<12.5	NA	20.36	5.68	14.68	NA	NA
S-8	1/3/2001	263	4.34	0.620	<0.500	0.643	5.40	NA	20.36	6.95	13.41	NA	NA
S-8	4/24/2001	680	12	<0.50	0.86	<0.50	NA	<0.50	20.36	6.25	14.11	NA	NA
S-8	7/2/2001	330	2.5	<0.50	0.86	<0.50	NA	<5.0	20.36	7.00	13.36	NA	NA
S-8	11/2/2001	1300	71	0.84	14	1.7	NA	<5.0	20.36	7.44	12.92	NA	NA
S-8	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.36	5.67	14.69	NA	NA
S-8	4/1/2002	330	2.2	<0.50	<0.50	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	7/11/2002	1400	55	0.83	5.3	0.71	NA	<5.0	20.36	6.94	13.42	NA	NA
S-8	10/28/2002	660	6.2	0.63	0.76	<0.50	NA	<0.50	20.36	7.50	12.86	NA	1.1
S-8	1/23/2003	1600	30	0.56	6.7	<0.50	NA	<5.0	20.36	5.99	14.37	NA	NA
S-8	4/30/2003	890	13	<0.50	0.59	<1.0	NA	<5.0	20.36	5.30	15.06	NA	NA
S-8	7/1/2003	1800	68	1.3	2.6	1.2	NA	<0.50	20.36	6.87	13.49	NA	1.0
S-8	10/8/2003	220	1.3	<0.50	<0.50	<1.0	NA	<0.50	20.36	7.27	13.09	NA	NA
S-8	1/22/2004	1000	6.7	<0.50	0.61	<1.0	NA	NA	20.36	6.50	13.86	NA	NA
S-8	7/13/2004	2000	100	1.7	5.7	<2.0	NA	<1.0	20.36	7.41	12.95	NA	NA
S-8	1/20/2005	380	4.3	<0.50	<0.50	<1.0	NA	NA	20.36	5.02	15.34	NA	NA
S-8	7/19/2005	120	1.2	<0.50	<0.50	<1.0	NA	NA	20.36	5.82	14.54	NA	NA
S-8	1/27/2006	494	2.42	<0.500	<0.500	<0.500	NA	NA	20.36	5.51	14.85	NA	NA
S-8	7/25/2006	382	2.05	<1.00	<1.00	<3.00	NA	NA	20.36	6.66	13.70	NA	NA
S-8	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.13	14.23	NA	NA
S-8	7/24/2007	210 g,h	1.2	<1.0	<1.0	<1.0	NA	NA	20.36	6.92	13.44	NA	NA
S-8	1/15/2008	560 g,h	5.3	<1.0	0.31 i	<1.0	NA	NA	20.36	5.32	15.04	NA	NA
S-8	8/4/2008	200	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.98	13.38	NA	NA
S-8	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.62	13.74	NA	NA
S-8	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	7.10	13.26	NA	NA
S-8	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.34	14.02	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-9	11/16/1988	1400	69	3.0	52	180	NA	NA	20.96	7.78	13.18	NA	NA
S-9	2/27/1989	1600	240	4.0	130	180	NA	NA	20.96	NA	NA	NA	NA
S-9	5/4/1989	2600	470	10	240	480	NA	NA	20.96	NA	NA	NA	NA
S-9	8/10/1989	520	73	<10	40	<30	NA	NA	20.96	7.82	13.14	NA	NA
S-9	10/10/1989	380	82	<1	46	13	NA	NA	20.96	7.87	13.09	NA	NA
S-9	1/25/1990	750	140	1.2	69	75	NA	NA	20.96	7.41	13.55	NA	NA
S-9	4/18/1990	680	150	1.7	50	37	NA	NA	20.96	7.65	13.31	NA	NA
S-9	7/23/1990	490	94	1.2	32	24	NA	NA	20.96	7.58	13.38	NA	NA
S-9	10/18/1990	390	140	0.7	3.3	24	NA	NA	20.96	8.46	12.50	NA	NA
S-9	1/28/1991	1040	450	4.6	85	97	NA	NA	20.96	8.29	12.67	NA	NA
S-9	4/25/1991	5800	880	9.0	360	500	NA	NA	20.96	6.09	14.87	NA	NA
S-9	7/9/1991	1400	220	2.8	82	100	NA	NA	20.96	7.82	13.14	NA	NA
S-9	10/8/1991	890	960	<2.5	16	29	NA	NA	20.96	8.55	12.41	NA	NA
S-9	2/5/1992	950	240	<2.5	28	55	NA	NA	20.96	6.96	14.00	NA	NA
S-9	4/28/1992	1400a	290	3.0	100	81	NA	NA	20.96	6.76	14.20	NA	NA
S-9	7/27/1992	890	190	<2.5	66	68	NA	NA	20.96	8.10	12.86	NA	NA
S-9	10/26/1992	650	160	<2.5	63	89	NA	NA	20.96	8.53	12.43	NA	NA
S-9	1/13/1993	19000	2400	38	1700	2200	NA	NA	20.96	6.80	14.16	NA	NA
S-9	4/16/1993	10000	1500	<5	1100	990	NA	NA	20.96	6.28	14.68	NA	NA
S-9	7/23/1993	1100	400	<5	260	160	NA	NA	20.96	7.26	13.70	NA	NA
S-9	10/27/1993	2500	400	<5	190	110	NA	NA	20.96	8.00	12.96	NA	NA
S-9	1/27/1994	4800	990	16	630	490	NA	NA	20.96	5.96	15.00	NA	NA
S-9	5/5/1994	3700	480	<5	21	120	NA	NA	20.68	6.99	13.69	NA	NA
S-9	7/26/1994	1000	124.6	<0.3	35.8	28.6	NA	NA	20.68	7.56	13.12	NA	NA
S-9	10/28/1994	979	80.3	7.0	21.7	29.2	NA	NA	20.68	7.78	12.90	NA	NA
S-9	1/2/1995	3900	540	2.4	350	150	NA	NA	20.68	6.29	14.39	NA	NA
S-9	4/14/1995	5100	1000	<10	380	230	NA	NA	20.68	5.69	14.99	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	7/28/1995	4600	680	<10	120	47	NA	NA	20.68	6.61	14.07	NA	NA
S-9	10/17/1995	1600	150	<0.5	42	15	NA	NA	20.68	7.00	13.68	NA	NA
S-9	1/11/1996	6800	1100	12	720	95	24	NA	20.68	6.20	14.48	NA	NA
S-9	4/2/1996	6000	1300	8.3	430	99	49	NA	20.68	5.19	15.49	NA	NA
S-9 (D)	4/2/1996	6500	1200	8.3	410	90	<20	NA	20.68	NA	NA	NA	NA
S-9	7/9/1996	3400	680	6.7	54	31	<25	NA	20.68	6.43	14.25	NA	NA
S-9 (D)	7/9/1996	3300	730	<5.0	58	28	<25	NA	20.68	NA	NA	NA	NA
S-9	10/10/1996	6600	1200	<10	160	<10	70	NA	20.68	7.08	13.60	NA	NA
S-9 (D)	10/10/1996	6100	1000	<10	200	15	65	NA	20.68	NA	NA	NA	NA
S-9	1/9/1997	12000	1400	<25	1000	39	<125	NA	20.68	5.03	15.65	NA	NA
S-9	4/8/1997	6600	920	10	230	26	150	NA	20.68	6.78	13.90	NA	NA
S-9	7/21/1997	7800	860	13	260	14	87	NA	20.68	6.77	13.91	NA	NA
S-9	10/8/1997	4600	320	<10	61	<10	28	NA	20.68	6.92	13.76	NA	NA
S-9	1/15/1998	9300	1000	<10	730	24	<50	NA	20.68	4.50	16.18	NA	NA
S-9	4/14/1998	12000	1200	<2.5	960	<2.5	<12	NA	20.68	4.35	16.33	NA	NA
S-9 (D)	4/14/1998	12000	1200	<2.5	930	<2.5	<12	NA	20.68	NA	NA	NA	NA
S-9	7/14/1998	12000	1700	<25	990	39	<125	NA	20.68	5.95	14.73	NA	NA
S-9 (D)	7/14/1998	11000	1800	<25	650	<25	<125	NA	20.68	NA	NA	NA	NA
S-9	10/20/1998	14000	1600	<25	560	<25	340	NA	20.68	7.03	13.65	NA	NA
S-9 (D)	10/20/1998	11000	1100	<10	230	<10	100	NA	20.68	NA	NA	NA	NA
S-9	1/22/1999	9900	1030	26.7	819	27.5	46.8	NA	20.68	6.01	14.67	NA	NA
S-9	4/8/1999	17900	1450	<50.0	1610	73.8	<500	NA	20.68	5.25	15.43	NA	NA
S-9	7/23/1999	12200	1020	<20.0	536	<20.0	<200	NA	20.68	6.71	13.97	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	10/26/1999	9580	1170	11.9	566	23.1	<50.0	NA	20.68	7.27	13.41	NA	NA
S-9	1/3/2000	9660	689	<50.0	640	<50.0	<250	NA	20.68	7.47	13.21	NA	NA
S-9	4/14/2000	14000	1040	<50.0	1210	<50.0	<250	NA	20.68	5.75	14.93	NA	NA
S-9	7/12/2000	13200	1360	33.9	552	26.8	<100	NA	20.68	6.63	14.05	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-9	11/1/2000	9120	928	13.5	468	<10.0	<50.0	NA	20.68	5.50	15.18	NA	NA
S-9	1/3/2001	355	19.8	0.732	2.23	0.630	5.09	NA	20.68	7.11	13.57	NA	NA
S-9	4/24/2001	3500	300	1.7	150	1.7	NA	<1.0	20.68	6.30	14.38	NA	NA
S-9	7/2/2001	88	3.8	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.18	12.50	NA	2.6
S-9	11/2/2001	210	9.5	<0.50	<0.50	<0.50	NA	<5.0	20.68	8.40	12.28	NA	16.4
S-9	1/16/2002	15000	520	4.9	580	7.1	NA	<20	20.68	5.71	14.97	NA	0.5
S-9	4/1/2002	15000	530	5.1	920	7.8	NA	<25	20.68	5.99	14.69	NA	3.0
S-9	7/11/2002	10000	520	5.3	97	5.8	NA	<25	20.68	6.99	13.69	NA	0.5
S-9	10/28/2002	11000	580	6.2	65	5.3	NA	<2.5	20.70	7.63	13.07	NA	1.0
S-9	1/23/2003	9300	400	5.6	320	6.5	NA	<5.0	20.70	5.96	14.74	NA	0.5
S-9	4/30/2003	180	4.2	<0.50	3.7	<1.0	NA	<5.0	20.70	5.20	15.50	NA	7.0
S-9	7/1/2003	2200	71	0.94	6.4	<1.0	NA	<0.50	20.70	7.78	12.92	NA	0.9
S-9	10/8/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.70	7.38	13.32	NA	16.2
S-9	1/22/2004	1400	26	<1.0	14	12	NA	NA	20.70	6.51	14.19	NA	0.7
S-9	7/13/2004	1900	36	<1.0	2.0	<2.0	NA	<1.0	20.70	8.51	12.19	NA	17.1
S-9	1/20/2005	3600	60	1.2	50	<2.0	NA	NA	20.70	5.80	14.90	NA	0.4
S-9	7/19/2005	2800	42	1.4	18	<2.0	NA	NA	20.70	7.50	13.20	NA	NA
S-9	1/27/2006	16800	152	4.74	165	6.77	NA	NA	20.70	6.40	14.30	NA	NA
S-9	7/25/2006	22500	79.3	2.32	27.2	<3.00	NA	NA	20.70	6.92	13.78	NA	NA
S-9	1/4/2007	5800	82	3.2	110	<5.0	NA	NA	20.70	6.40	14.30	NA	NA
S-9	7/24/2007	8900 g,h	91	3.4 i	22	<10	NA	NA	20.70	7.19	13.51	NA	NA
S-9	1/15/2008	11,000 g,h	68	3.5 i	68	4.5 i	NA	NA	20.70	5.20	15.50	NA	NA
S-9	8/4/2008	8,200	50	2.6	12	3.6	NA	NA	20.70	7.38	13.32	NA	NA
S-9	1/8/2009	9,200	40	2.4	29	1.9	NA	NA	20.70	6.73	13.97	NA	NA
S-9	7/21/2009	6,200	26	1.6	7.5	1.3	NA	NA	20.70	7.28	13.42	NA	NA
S-9	07/21/2009 *	9,600	35	2.1	9.2	1.8	NA	NA	20.70	7.28	13.42	NA	NA
S-9	01/12/2010 *	15,000	39	<5.0	26	<5.0	NA	NA	20.70	6.14	14.56	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	11/16/1988	330	0.5	<1	1.0	11	NA	NA	20.86	7.91	12.95	NA	NA
S-10	2/27/1989	140	<0.5	<3	2.0	6.0	NA	NA	20.86	NA	NA	NA	NA
S-10	5/3/1989	220	<0.5	1.0	2.0	7.0	NA	NA	20.86	NA	NA	NA	NA
S-10	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.86	7.94	12.92	NA	NA
S-10	10/9/1989	170	<0.5	<1	<1	<3	NA	NA	20.86	7.99	12.87	NA	NA
S-10	1/25/1990	<50	<0.5	<0.5	1.1	4.0	NA	NA	20.86	7.56	13.30	NA	NA
S-10	4/18/1990	<50	<0.5	0.9	<0.5	2.0	NA	NA	20.86	7.71	13.15	NA	NA
S-10	7/23/1990	590	<0.5	<0.5	1.9	19	NA	NA	20.86	7.64	13.22	NA	NA
S-10	10/18/1990	140	<0.5	0.7	<0.5	7.0	NA	NA	20.86	8.58	12.28	NA	NA
S-10	1/28/1991	<50	<0.5	<0.5	<0.5	0.5	NA	NA	20.86	8.35	12.51	NA	NA
S-10	4/25/1991	<50	<0.5	<0.5	1.1	0.8	NA	NA	20.69	6.91	13.78	NA	NA
S-10	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.14	12.55	NA	NA
S-10	10/8/1991	140	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.70	11.99	NA	NA
S-10	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.57	13.12	NA	NA
S-10	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	7.20	13.49	NA	NA
S-10	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.17	12.52	NA	NA
S-10	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.68	12.01	NA	NA
S-10	1/13/1993	88	<0.5	0.6	0.6	<0.5	NA	NA	20.69	3.78	16.91	NA	NA
S-10	4/16/1993	80	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	6.46	14.23	NA	NA
S-10	7/23/1993	<50	1.5	<0.5	0.7	2.7	NA	NA	20.69	7.38	13.31	NA	NA
S-10	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.69	8.09	12.60	NA	NA
S-10	1/27/1994	270	1.1	1.3	2.0	7.4	NA	NA	20.69	5.81	14.88	NA	NA
S-10	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.82	13.33	NA	NA
S-10	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.15	7.40	12.75	NA	NA
S-10	10/28/1994	<50	2.4	<0.3	0.5	0.8	NA	NA	20.15	7.62	12.53	NA	NA
S-10	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.13	14.02	NA	NA
S-10	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	5.60	14.55	NA	NA
S-10	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.44	13.71	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-10	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.15	6.85	13.30	NA	NA
S-10	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.15	6.08	14.07	NA	NA
S-10	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.15	5.21	14.94	NA	NA
S-10	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.20	13.95	NA	NA
S-10	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.15	6.92	13.23	NA	NA
S-10	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	4.64	15.51	NA	NA
S-10	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.82	14.33	NA	NA
S-10	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.15	5.48	14.67	NA	NA
S-10	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.15	3.01	17.14	NA	NA
S-10	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	4.30	15.85	NA	NA
S-10	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.15	5.84	14.31	NA	NA
S-10	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.15	6.89	13.26	NA	NA
S-10	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.15	6.00	14.15	NA	NA
S-10	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.15	4.41	15.74	NA	NA
S-10	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.15	6.48	13.67	NA	NA
S-10	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.15	7.07	13.08	NA	NA
S-10	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	7.27	12.88	NA	NA
S-10	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.15	5.75	14.40	NA	NA
S-10	7/12/2000	NA	NA	NA	NA	NA	NA	NA	20.15	6.17	13.98	NA	NA
S-10	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.15	5.63	14.52	NA	NA
S-10	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.15	6.89	13.26	NA	NA
S-10	4/24/2001	NA	NA	NA	NA	NA	NA	NA	20.15	6.20	13.95	NA	NA
S-10	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.15	6.80	13.35	NA	NA
S-10	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.15	7.40	12.75	NA	NA
S-10	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.15	5.66	14.49	NA	NA
S-10	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.15	5.63	14.52	NA	NA
S-10	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.15	6.72	13.43	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-10	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.14	7.50	12.64	NA	NA
S-10	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.14	5.97	14.17	NA	NA
S-10	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.14	5.24	14.90	NA	NA
S-10	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.14	6.82	13.32	NA	NA
S-10	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.14	7.06	13.08	NA	NA
S-10	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.50	13.64	NA	NA
S-10	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.14	7.49	12.65	NA	NA
S-10	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	5.09	15.05	NA	NA
S-10	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.14	6.00	14.14	NA	NA
S-10	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.14	5.61	14.53	NA	NA
S-10	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.14	6.61	13.53	NA	NA
S-10	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.14	6.29	13.85	NA	NA
S-10	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.14	6.82	13.32	NA	NA
S-10	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.14	5.33	14.81	NA	NA
S-10	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.14	6.65	13.49	NA	NA
S-10	1/8/2009	120	<0.50	<1.0	<1.0	<1.0	NA	NA	20.14	6.61	13.53	NA	NA
S-10	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.14	7.06	13.08	NA	NA
S-10	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.14	6.38	13.76	NA	NA

S-11	11/16/1988	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.62	12.64	NA	NA
S-11	2/27/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	NA	NA	NA	NA
S-11	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	NA	NA	NA	NA
S-11	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.65	12.61	NA	NA
S-11	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	21.26	8.64	12.62	NA	NA
S-11	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.43	12.83	NA	NA
S-11	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.26	8.42	12.84	NA	NA
S-11	7/23/1990	<50	<0.5	0.6	<0.5	1.1	NA	NA	21.26	8.23	13.03	NA	NA
S-11	10/18/1990	<50	<0.5	<0.5	<0.5	0.5	NA	NA	21.26	9.20	12.06	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-11	1/28/1991	63	<0.5	3.3	0.9	7.0	NA	NA	21.26	9.13	12.13	NA	NA
S-11	4/25/1991	<50	<0.5	<0.5	0.8	<0.5	NA	NA	21.26	7.53	13.73	NA	NA
S-11	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.85	12.41	NA	NA
S-11	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.34	11.92	NA	NA
S-11	2/5/1991	NA	NA	NA	NA	NA	NA	NA	21.26	8.50	12.76	NA	NA
S-11	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	7.80	13.46	NA	NA
S-11	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	8.80	12.46	NA	NA
S-11	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	9.42	11.84	NA	NA
S-11	1/13/1993	NA	NA	NA	NA	NA	NA	NA	21.26	6.52	14.74	NA	NA
S-11	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.26	6.86	14.40	NA	NA
S-11	7/23/1993	NA	NA	NA	NA	NA	NA	NA	21.26	8.07	13.19	NA	NA
S-11	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	1/27/1994	NA	NA	NA	NA	NA	NA	NA	21.26	NA	NA	NA	NA
S-11	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	7.73	13.51	NA	NA
S-11	7/26/1994	NA	NA	NA	NA	NA	NA	NA	21.24	8.30	12.94	NA	NA
S-11	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	8.30	12.94	NA	NA
S-11	1/2/1995	NA	NA	NA	NA	NA	NA	NA	21.24	7.25	13.99	NA	NA
S-11	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	6.99	14.25	NA	NA
S-11	7/28/1995	NA	NA	NA	NA	NA	NA	NA	21.24	7.21	14.03	NA	NA
S-11	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.24	7.41	13.83	NA	NA
S-11	1/11/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.80	14.44	NA	NA
S-11	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	21.24	7.28	13.96	NA	NA
S-11	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.27	NA	NA	NA	NA
S-11	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.57	21.27	7.55	13.72	NA	NA

S-12	11/16/1988	50	3.5	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	2/27/1989	<50	0.8	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA
S-12	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-12	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	21.05	8.32	12.73	NA	NA
S-12	10/9/1989	<50	<0.5	<1	<1	<1	NA	NA	21.05	8.32	12.73	NA	NA
S-12	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	21.05	8.18	12.87	NA	NA
S-12	4/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.05	13.00	NA	NA
S-12	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.92	13.13	NA	NA
S-12	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.90	12.15	NA	NA
S-12	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.54	12.51	NA	NA
S-12	4/25/1991	90	5.4	<0.5	1.1	0.7	NA	NA	21.05	7.08	13.97	NA	NA
S-12	7/9/1991	<50	2.9	<0.5	<0.5	<0.5	NA	NA	21.05	8.42	12.63	NA	NA
S-12	10/8/1991	50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.80	12.25	NA	NA
S-12	2/5/1992	50a	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.07	12.98	NA	NA
S-12	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.33	12.72	NA	NA
S-12	7/27/1992	94	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	8.55	12.50	NA	NA
S-12	10/26/1992	86	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	9.03	12.02	NA	NA
S-12	1/14/1993	120	2.0	<0.5	<0.5	<0.5	NA	NA	21.05	6.38	14.67	NA	NA
S-12	4/16/1993	60	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	6.56	14.49	NA	NA
S-12	7/23/1993	90	<0.5	<0.5	<0.5	<0.5	NA	NA	21.05	7.76	13.29	NA	NA
S-12	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	1/27/1994	Well inaccessible		NA	NA	NA	NA	NA	21.05	NA	NA	NA	NA
S-12	5/5/1994	<50	2.0	<0.5	<0.5	<0.5	NA	NA	20.71	7.49	13.22	NA	NA
S-12	7/26/1994	128	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.92	12.79	NA	NA
S-12	10/28/1994	167	<0.3	<0.3	<0.3	<0.6	NA	NA	20.71	7.78	12.93	NA	NA
S-12	1/2/1995	50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.33	13.38	NA	NA
S-12	4/14/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.47	14.24	NA	NA
S-12	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	6.90	13.81	NA	NA
S-12	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.71	7.16	13.55	NA	NA
S-12	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	82	NA	20.71	6.65	14.06	NA	NA
S-12	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	45	NA	20.71	6.95	13.76	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-12	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.73	NA	NA	NA	NA
S-12	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	0.58	20.73	7.30	13.43	NA	NA

S-13	5/3/1989	150	4.9	4.0	2.0	14	NA	NA	20.57	NA	NA	NA	NA
S-13	8/10/1989	110	2.9	<1	<1	<3	NA	NA	20.57	8.00	12.57	NA	NA
S-13	10/9/1989	77	1.4	<1	<1	<3	NA	NA	20.57	7.95	12.62	NA	NA
S-13	1/25/1990	51	0.5	<0.5	<0.5	<1	NA	NA	20.57	7.79	12.78	NA	NA
S-13	4/18/1990	85	8.7	<0.5	<0.5	<1	NA	NA	20.57	7.73	12.84	NA	NA
S-13	7/23/1990	80	0.8	<0.5	<0.5	<0.5	NA	NA	20.57	7.63	12.94	NA	NA
S-13	10/18/1990	130	<0.5	<0.5	<0.5	<5	NA	NA	20.57	8.58	11.99	NA	NA
S-13	1/28/1991	<50	<0.5	0.9	1.2	1.0	NA	NA	20.57	8.39	12.18	NA	NA
S-13	4/25/1991	440a	3.8	<0.5	<0.5	0.6	NA	NA	20.57	7.00	13.57	NA	NA
S-13	7/9/1991	320a	0.6	<0.5	<0.5	<0.5	NA	NA	20.57	8.12	12.45	NA	NA
S-13	10/8/1991	310	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.69	11.88	NA	NA
S-13	2/5/1992	NA	NA	NA	NA	NA	NA	NA	20.57	7.62	12.95	NA	NA
S-13	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.15	13.42	NA	NA
S-13	7/27/1992	NA	NA	NA	NA	NA	NA	NA	20.57	8.20	12.37	NA	NA
S-13	10/26/1992	180	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	8.73	11.84	NA	NA
S-13	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.57	5.06	15.51	NA	NA
S-13	4/16/1993	240	4.8	<0.5	1.3	<0.5	NA	NA	20.57	6.38	14.19	NA	NA
S-13	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.57	7.45	13.12	NA	NA
S-13	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-13	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-13	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.16	6.91	13.25	NA	NA
S-13	7/26/1994	NA	NA	NA	NA	NA	NA	NA	20.16	7.52	12.64	NA	NA
S-13	10/28/1994	368	<0.3	<0.3	<0.3	<0.6	NA	NA	20.16	7.68	12.48	NA	NA
S-13	1/2/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.37	13.79	NA	NA
S-13	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.16	5.81	14.35	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-13	7/28/1995	NA	NA	NA	NA	NA	NA	NA	20.16	6.73	13.43	NA	NA
S-13	10/17/1995	<50	1.0	<0.5	<0.5	<0.5	NA	NA	20.16	6.94	13.22	NA	NA
S-13	1/11/1996	NA	NA	NA	NA	NA	NA	NA	20.16	6.20	13.96	NA	NA
S-13	4/2/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.16	5.28	14.88	NA	NA
S-13	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.16	6.35	13.81	NA	NA
S-13	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	210	160	20.16	7.04	13.12	NA	NA
S-13	1/9/1997	NA	NA	NA	NA	NA	NA	NA	20.16	5.19	14.97	NA	NA
S-13	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	81	NA	20.16	6.62	13.54	NA	NA
S-13	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.16	6.76	13.40	NA	NA
S-13	10/8/1997	<50	<0.50	<0.50	<0.50	<0.50	110	NA	20.16	7.05	13.11	NA	NA
S-13	1/15/1998	NA	NA	NA	NA	NA	NA	NA	20.16	5.27	14.89	NA	NA
S-13	4/14/1998	<50	<0.50	<0.50	<0.50	<0.50	3.2	NA	20.16	5.24	14.92	NA	NA
S-13	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.16	5.48	14.68	NA	NA
S-13	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.16	7.08	13.08	NA	NA
S-13	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	92.2	NA	20.16	6.65	13.51	NA	NA
S-13	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.16	5.61	14.55	NA	NA
S-13	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.16	6.78	13.38	NA	NA
S-13	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.16	7.33	12.83	NA	NA
S-13	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	7.51	12.65	NA	NA
S-13	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.08	14.08	NA	NA
S-13	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.16	6.50	13.66	NA	NA
S-13	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.16	6.10	14.06	NA	NA
S-13	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	21.2	23.9	20.16	7.09	13.07	NA	NA
S-13	4/24/2001	Well inaccessible		NA	NA	NA	NA	NA	20.16	NA	NA	NA	NA
S-13	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.13	13.03	NA	NA
S-13	11/2/2001	NA	NA	NA	NA	NA	NA	NA	20.16	7.38	12.78	NA	NA
S-13	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	5.9	20.16	6.02	14.14	NA	NA
S-13	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.16	6.26	13.90	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-13	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.16	7.00	13.16	NA	NA
S-13	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.19	7.70	12.49	NA	NA
S-13	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	110	20.19	6.41	13.78	NA	NA
S-13	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.19	6.12	14.07	NA	NA
S-13	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.19	7.65	12.54	NA	1.4
S-13	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.19	7.32	12.87	NA	NA
S-13	1/22/2004	<250	<2.5	<2.5	<2.5	<5.0	NA	NA	20.19	6.60	13.59	NA	NA
S-13	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.19	6.60	13.59	NA	e
S-13	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.56	13.63	NA	NA
S-13	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.19	6.15	14.04	NA	NA
S-13	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.19	6.42	13.77	NA	NA
S-13	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.19	7.51	12.68	NA	NA
S-13	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.19	6.85	13.34	NA	NA
S-13	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.19	7.39	12.80	NA	NA
S-13	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.19	6.00	14.19	NA	NA
S-13	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.19	7.46	12.73	NA	NA
S-13	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.19	6.71	13.48	NA	NA
S-13	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.19	7.26	12.93	NA	NA
S-13	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.19	6.25	13.94	NA	NA

S-14	5/3/1989	5300	750	400	200	800	NA	NA	20.44	NA	NA	NA	NA
S-14	8/10/1989	1800	540	140	42	50	NA	NA	20.44	7.58	12.86	NA	NA
S-14	10/9/1989	1000	360	60	20	30	NA	NA	20.44	7.62	12.82	NA	NA
S-14	1/25/1990	640	160	77	17	39	NA	NA	20.44	7.82	12.62	NA	NA
S-14	4/18/1990	1200	200	110	30	96	NA	NA	20.44	7.37	13.07	NA	NA
S-14	7/23/1990	5000	430	340	140	660	NA	NA	20.44	7.28	13.16	NA	NA
S-14	10/18/1990	1800	770	13	17	120	NA	NA	20.44	8.10	12.34	NA	NA
S-14	1/28/1991	720	200	36	21	78	NA	NA	20.44	8.04	12.40	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-14	4/25/1991	14000	930	430	250	970	NA	NA	20.44	6.40	14.04	NA	NA
S-14	7/9/1991	160	30	5.3	5	16	NA	NA	20.44	7.69	12.75	NA	NA
S-14	10/8/1991	5400	81	57	95	380	NA	NA	20.44	8.24	12.20	NA	NA
S-14	2/2/1992	NA	NA	NA	NA	NA	NA	NA	20.44	7.20	13.24	NA	NA
S-14	4/28/1992	2000	270	140	48	170	NA	NA	20.44	9.75	10.69	NA	NA
S-14	10/26/1992	920	33	12	25	88	NA	NA	20.44	8.32	12.12	NA	NA
S-14	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.44	5.07	15.37	NA	NA
S-14	4/16/1993	4500	1100	29	91	170	NA	NA	20.44	5.86	14.58	NA	NA
S-14	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.44	7.06	13.38	NA	NA
S-14	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	20.44	NA	NA	NA	NA
S-14	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.44	NA	NA	NA	NA
S-14	5/5/1994	810	250	<2.5	9.4	19	NA	NA	19.99	6.48	13.51	NA	NA
S-14	7/26/1994	NA	NA	NA	NA	NA	NA	NA	19.99	7.04	12.95	NA	NA
S-14	10/28/1994	5385	290.6	85.8	49.7	186.2	NA	NA	19.99	7.07	12.92	NA	NA
S-14	1/2/1995	NA	NA	NA	NA	NA	NA	NA	19.99	5.95	14.04	NA	NA
S-14	4/14/1995	1600	40	4.7	11	20	NA	NA	19.99	5.22	14.77	NA	NA
S-14	7/28/1995	NA	NA	NA	NA	NA	NA	NA	19.99	6.21	13.78	NA	NA
S-14	10/17/1995	1200	37	<0.5	7.8	11	NA	NA	19.99	6.30	13.69	NA	NA
S-14	1/11/1996	NA	NA	NA	NA	NA	NA	NA	19.99	5.70	14.29	NA	NA
S-14	7/21/1997	220	71	0.71	1.3	1.3	100	NA	19.99	6.14	13.85	NA	NA
S-14	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	20.01	NA	NA	NA	NA
S-14	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	55	20.01	6.20	13.81	NA	NA

S-15	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	NA	NA	NA	NA
S-15	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.48	13.74	NA	NA
S-15	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	22.22	8.46	13.76	NA	NA
S-15	1/25/1990	<50	<0.5	<1	<1	<1	NA	NA	22.22	8.34	13.88	NA	NA
S-15	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	22.22	8.45	13.77	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-15	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.22	14.00	NA	NA
S-15	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.11	13.11	NA	NA
S-15	1/28/1991	<50	<0.5	0.6	<0.5	0.8	NA	NA	22.22	9.13	13.09	NA	NA
S-15	4/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	7.83	14.39	NA	NA
S-15	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.93	13.29	NA	NA
S-15	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.26	12.96	NA	NA
S-15	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.60	13.62	NA	NA
S-15	4/28/1992	50	0.8	0.9	<0.5	1.4	NA	NA	22.22	8.09	14.13	NA	NA
S-15	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	8.83	13.39	NA	NA
S-15	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	9.31	12.91	NA	NA
S-15	1/14/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	22.22	6.64	15.58	NA	NA
S-15	4/16/1993	<50	0.6	1.0	<0.5	0.7	NA	NA	22.22	7.14	15.08	NA	NA
S-15	7/23/1993	<50	1.2	<0.5	<0.5	1.6	NA	NA	22.22	8.23	13.99	NA	NA
S-15	10/27/1993	Well inaccessible		NA	NA	NA	NA	NA	22.22	NA	NA	NA	NA
S-15	1/27/1994	Well inaccessible		NA	NA	NA	NA	NA	22.22	NA	NA	NA	NA
S-15	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.57	13.85	NA	NA
S-15	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.42	8.16	13.26	NA	NA
S-15	10/28/1994	<50	0.3	<0.3	<0.3	<0.6	NA	NA	21.42	7.87	13.55	NA	NA
S-15	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.02	14.40	NA	NA
S-15	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.42	6.19	15.23	NA	NA
S-15	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	6.72	14.70	NA	NA
S-15	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.42	7.04	14.38	NA	NA
S-15	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	21.42	6.40	15.02	NA	NA
S-15	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.47	NA	NA	NA	NA
S-15	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	21.47	7.07	14.40	NA	NA

S-16	5/4/1994	380	44	3.0	2.0	<3	NA	NA	21.82	NA	NA	NA	NA
S-16	8/10/1989	<50	0.6	<1	<1	<3	NA	NA	21.82	8.36	13.46	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	10/10/1989	<5	<0.5	<1	<1	<3	NA	NA	21.82	8.23	13.59	NA	NA
S-16	1/25/1990	240	160	3.3	0.8	11	NA	NA	21.82	7.88	13.94	NA	NA
S-16	4/18/1990	<50	1.0	<0.5	<0.5	<1	NA	NA	21.82	8.19	13.63	NA	NA
S-16	7/23/1990	<50	1.1	<0.5	<0.5	<0.5	NA	NA	21.82	8.09	13.73	NA	NA
S-16	10/18/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.90	12.92	NA	NA
S-16	1/28/1991	<50	<0.5	0.6	<0.5	0.9	NA	NA	21.82	8.55	13.27	NA	NA
S-16	4/25/1991	60	21	0.5	3.2	4.8	NA	NA	21.82	7.48	14.34	NA	NA
S-16	7/9/1991	<50	1.0	<0.5	<0.5	<0.5	NA	NA	21.82	8.48	13.34	NA	NA
S-16	10/8/1991	50	17	1.4	1.2	5.5	NA	NA	21.82	8.95	12.87	NA	NA
S-16	2/5/1992	150	65	0.7	<0.5	8.4	NA	NA	21.82	8.20	13.62	NA	NA
S-16	4/28/1992	<50	13	<0.5	<0.5	<0.5	NA	NA	21.82	7.80	14.02	NA	NA
S-16	7/27/1992	510	130	<2.5	<0.5	21	NA	NA	21.82	8.29	13.53	NA	NA
S-16	10/26/1992	<50	<0.5	<0.5	<2.5	<0.5	NA	NA	21.82	9.02	12.80	NA	NA
S-16	1/13/1993	100	25	1.9	<0.5	8.4	NA	NA	21.82	5.78	16.04	NA	NA
S-16	4/16/1993	150	56	1.8	4.6	12	NA	NA	21.82	6.80	15.02	NA	NA
S-16	7/23/1993	<50	0.9	<0.5	<0.5	<0.5	NA	NA	21.82	7.67	14.15	NA	NA
S-16	10/27/1993	<50	1.5	<0.5	<0.5	<0.5	NA	NA	21.82	8.52	13.30	NA	NA
S-16	1/27/1994	140	85	<1	<1	13	NA	NA	21.82	7.20	14.62	NA	NA
S-16	5/5/1994	71	25	<0.5	<0.5	4.2	NA	NA	21.24	7.76	13.48	NA	NA
S-16	7/26/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	21.24	7.84	13.40	NA	NA
S-16	10/28/1994	<50	11.5	<0.3	<0.3	1.8	NA	NA	21.24	7.97	13.27	NA	NA
S-16	1/2/1995	70	64	<0.5	<0.5	4.0	NA	NA	21.24	6.49	14.75	NA	NA
S-16	4/14/1995	NA	NA	NA	NA	NA	NA	NA	21.24	6.08	15.16	NA	NA
S-16	7/28/1995	<50	1.7	<0.5	<0.5	<0.5	NA	NA	21.24	7.00	14.24	NA	NA
S-16	10/17/1995	<50	4.6	<0.5	<0.5	<0.5	NA	NA	21.24	7.15	14.09	NA	NA
S-16	1/11/1996	80	17	0.7	<0.5	2.9	<2	NA	21.24	6.30	14.94	NA	NA
S-16	4/2/1996	NA	NA	NA	NA	NA	NA	NA	21.24	5.84	15.40	NA	NA
S-16	7/9/1996	NA	NA	NA	NA	NA	NA	NA	21.24	6.72	14.52	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-16	10/10/1996	NA	NA	NA	NA	NA	NA	NA	21.24	7.41	13.83	NA	NA
S-16	1/9/1997	80	18	<0.50	1.7	4.8	<2.5	NA	21.24	5.60	15.64	NA	NA
S-16	4/8/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	7/21/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.20	14.04	NA	NA
S-16	10/8/1997	NA	NA	NA	NA	NA	NA	NA	21.24	7.34	13.90	NA	NA
S-16	1/15/1998	650	160	2.7	8.7	62	<12	NA	21.24	4.79	16.45	NA	NA
S-16	4/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	5.27	15.97	NA	NA
S-16	7/14/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.32	14.92	NA	NA
S-16	10/20/1998	NA	NA	NA	NA	NA	NA	NA	21.24	6.94	14.30	NA	NA
S-16	1/22/1999	Well inaccessible		NA	NA	NA	NA	NA	21.24	NA	NA	NA	NA
S-16	4/8/1999	NA	NA	NA	NA	NA	NA	NA	21.24	5.80	15.44	NA	NA
S-16	7/23/1999	NA	NA	NA	NA	NA	NA	NA	21.24	6.62	14.62	NA	NA
S-16	10/26/1999	NA	NA	NA	NA	NA	NA	NA	21.24	7.42	13.82	NA	NA
S-16	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	21.24	7.34	13.90	NA	NA
S-16	4/14/2000	NA	NA	NA	NA	NA	NA	NA	21.24	6.27	14.97	NA	NA
S-16	7/12/2000	NA	NA	NA	NA	NA	NA	NA	21.24	7.02	14.22	NA	NA
S-16	11/1/2000	NA	NA	NA	NA	NA	NA	NA	21.24	6.79	14.45	NA	NA
S-16	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.05	NA	21.24	7.18	14.06	NA	NA
S-16	4/24/2001	NA	NA	NA	NA	NA	NA	NA	21.24	6.85	14.39	NA	NA
S-16	7/2/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.51	13.73	NA	NA
S-16	11/2/2001	NA	NA	NA	NA	NA	NA	NA	21.24	7.68	13.56	NA	NA
S-16	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.24	6.40	14.84	NA	NA
S-16	4/1/2002	NA	NA	NA	NA	NA	NA	NA	21.24	6.33	14.91	NA	NA
S-16	7/11/2002	NA	NA	NA	NA	NA	NA	NA	21.24	7.39	13.85	NA	NA
S-16	10/28/2002	NA	NA	NA	NA	NA	NA	NA	21.30	8.00	13.30	NA	NA
S-16	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	21.30	6.36	14.94	NA	NA
S-16	4/30/2003	NA	NA	NA	NA	NA	NA	NA	21.30	6.03	15.27	NA	NA
S-16	7/1/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.28	14.02	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-16	10/8/2003	NA	NA	NA	NA	NA	NA	NA	21.30	7.77	13.53	NA	NA
S-16	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.80	14.50	NA	NA
S-16	7/13/2004	NA	NA	NA	NA	NA	NA	NA	21.30	7.94	13.36	NA	NA
S-16	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	5.62	15.68	NA	NA
S-16	7/19/2005	NA	NA	NA	NA	NA	NA	NA	21.30	6.53	14.77	NA	NA
S-16	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	21.30	6.05	15.25	NA	NA
S-16	7/25/2006	NA	NA	NA	NA	NA	NA	NA	21.30	7.19	14.11	NA	NA
S-16	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	21.30	6.89	14.41	NA	NA
S-16	7/24/2007	NA	NA	NA	NA	NA	NA	NA	21.30	7.60	13.70	NA	NA
S-16	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	5.82	15.48	NA	NA
S-16	8/4/2008	NA	NA	NA	NA	NA	NA	NA	21.30	7.55	13.75	NA	NA
S-16	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.16	14.14	NA	NA
S-16	7/21/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.69	13.61	NA	NA
S-16	07/21/2009*	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	7.69	13.61	NA	NA
S-16	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	21.30	6.99	14.31	NA	NA

S-17	5/3/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	NA	NA	NA	NA
S-17	8/10/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.13	12.82	NA	NA
S-17	10/9/1989	<50	<0.5	<1	<1	<3	NA	NA	20.95	8.18	12.77	NA	NA
S-17	1/25/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.60	13.35	NA	NA
S-17	4/18/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	20.95	7.95	13.00	NA	NA
S-17	7/23/1990	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.87	13.08	NA	NA
S-17	10/18/1990	390	10	62	22	110	NA	NA	20.95	8.71	12.24	NA	NA
S-17	1/28/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.54	12.41	NA	NA
S-17	4/25/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.15	13.80	NA	NA
S-17	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.24	12.71	NA	NA
S-17	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.86	12.09	NA	NA
S-17	2/5/1992	NA	NA	NA	NA	NA	NA	NA	20.95	7.74	13.21	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-17	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	7.41	13.54	NA	NA
S-17	7/27/1992	NA	NA	NA	NA	NA	NA	NA	20.95	8.34	12.61	NA	NA
S-17	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.87	12.08	NA	NA
S-17	1/13/1993	NA	NA	NA	NA	NA	NA	NA	20.95	3.43	17.52	NA	NA
S-17	4/16/1993	130	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	6.70	14.25	NA	NA
S-17	7/23/1993	NA	NA	NA	NA	NA	NA	NA	20.95	7.53	13.42	NA	NA
S-17	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.95	8.29	12.66	NA	NA
S-17	1/27/1994	NA	NA	NA	NA	NA	NA	NA	20.95	5.78	15.17	NA	NA
S-17	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	6.99	13.46	NA	NA
S-17	7/26/1994	NA	NA	NA	NA	NA	NA	NA	20.45	7.62	12.83	NA	NA
S-17	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.45	7.91	12.54	NA	NA
S-17	1/2/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.33	14.12	NA	NA
S-17	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.45	5.53	14.92	NA	NA
S-17	7/28/1995	NA	NA	NA	NA	NA	NA	NA	20.45	6.75	13.70	NA	NA
S-17	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.45	7.15	13.30	NA	NA
S-17	1/11/1996	NA	NA	NA	NA	NA	NA	NA	20.45	6.37	14.08	NA	NA
S-17	4/2/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.45	5.31	15.14	NA	NA
S-17	7/9/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.30	14.15	NA	NA
S-17	10/10/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.80	12.65	NA	NA
S-17	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.80	15.65	NA	NA
S-17	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.83	13.62	NA	NA
S-17 (D)	4/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	NA	NA	NA	NA
S-17	7/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.78	13.67	NA	NA
S-17	10/8/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.80	13.65	NA	NA
S-17	1/15/1998	380	<0.50	<0.50	<0.50	0.94	<2.5	NA	20.45	2.91	17.54	NA	NA
S-17	4/14/1998	160	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	4.47	15.98	NA	NA
S-17	7/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	6.45	14.00	NA	NA
S-17	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.45	7.11	13.34	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-17	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.45	6.01	14.44	NA	NA
S-17	4/8/1999	145	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	4.69	15.76	NA	NA
S-17	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.45	6.60	13.85	NA	NA
S-17	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.68	13.77	NA	NA
S-17	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.20	13.25	NA	NA
S-17	4/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.88	14.57	NA	NA
S-17	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	6.45	14.00	NA	NA
S-17	11/1/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	5.45	15.00	NA	NA
S-17	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.45	7.22	13.23	NA	NA
S-17	4/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.45	6.10	14.35	NA	NA
S-17	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.95	13.50	NA	NA
S-17	11/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	7.50	12.95	NA	NA
S-17	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	5.76	14.69	NA	NA
S-17	4/1/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.02	14.43	NA	NA
S-17	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.45	6.97	13.48	NA	NA
S-17	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.44	7.60	12.84	NA	0.9
S-17	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.44	5.77	14.67	NA	NA
S-17	4/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	20.44	5.35	15.09	NA	NA
S-17	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	6.95	13.49	NA	1.1
S-17	10/8/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.44	7.01	13.43	NA	NA
S-17	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.44	6.57	13.87	NA	NA
S-17	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.36 f	7.71	12.65	NA	NA
S-17	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36 f	5.09	15.27	NA	NA
S-17	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.36	6.30	14.06	NA	NA
S-17	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.36	5.50	14.86	NA	NA
S-17	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.36	6.84	13.52	NA	NA
S-17	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.36	6.15	14.21	NA	NA
S-17	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.36	6.92	13.44	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-17	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	5.05	15.31	NA	NA
S-17	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.36	6.96	13.40	NA	NA
S-17	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.56	13.80	NA	NA
S-17	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.36	7.23	13.13	NA	NA
S-17	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.36	6.38	13.98	NA	NA

S-18	5/31/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	NA	NA	NA	NA
S-18	7/9/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.23	12.80	NA	NA
S-18	10/8/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.84	12.19	NA	NA
S-18	2/5/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.67	13.36	NA	NA
S-18	4/28/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.40	13.63	NA	NA
S-18	7/27/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.38	12.65	NA	NA
S-18	10/26/1992	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.83	12.20	NA	NA
S-18	1/13/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	5.86	15.17	NA	NA
S-18	4/16/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	4.88	16.15	NA	NA
S-18	7/23/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	7.56	13.47	NA	NA
S-18	10/27/1993	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	21.03	8.30	12.73	NA	NA
S-18	1/27/1994	<50	1.9	<0.5	<0.5	<0.5	NA	NA	21.03	6.84	14.19	NA	NA
S-18	5/5/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.05	13.52	NA	NA
S-18	7/26/1994	<500	<3	1.1	<0.3	1.8	NA	NA	20.57	7.62	12.95	NA	NA
S-18	10/28/1994	<50	<0.3	<0.3	<0.3	<0.6	NA	NA	20.57	8.01	12.56	NA	NA
S-18	1/2/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	6.26	14.31	NA	NA
S-18	4/14/1995	NA	NA	NA	NA	NA	NA	NA	20.57	4.85	15.72	NA	NA
S-18	7/28/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	5.80	14.77	NA	NA
S-18	10/17/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	20.57	7.22	13.35	NA	NA
S-18	1/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2	NA	20.57	6.40	14.17	NA	NA
S-18	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.57	4.80	15.77	NA	NA
S-18	7/9/1996	NA	NA	NA	NA	NA	NA	NA	20.57	5.74	14.83	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
S-18	10/10/1996	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	1/9/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	4.70	15.87	NA	NA
S-18	4/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.62	13.95	NA	NA
S-18	7/21/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
S-18	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.88	13.69	NA	NA
S-18	1/15/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.57	3.60	16.97	NA	NA
S-18	4/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	4.28	16.29	NA	NA
S-18	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.57	6.13	14.44	NA	NA
S-18	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.57	7.20	13.37	NA	NA
S-18	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	20.57	6.00	14.57	NA	NA
S-18	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.57	4.95	15.62	NA	NA
S-18	7/23/1999	NA	NA	NA	NA	NA	NA	NA	20.57	6.03	14.54	NA	NA
S-18	10/26/1999	NA	NA	NA	NA	NA	NA	NA	20.57	7.39	13.18	NA	NA
S-18	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.57	7.54	13.03	NA	NA
S-18	4/14/2000	NA	NA	NA	NA	NA	NA	NA	20.57	4.41	16.16	NA	NA
S-18	7/12/2000	NA	NA	NA	NA	NA	NA	NA	20.57	5.31	15.26	NA	NA
S-18	11/1/2000	NA	NA	NA	NA	NA	NA	NA	20.57	6.42	14.15	NA	NA
S-18	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	3.67	NA	20.57	7.30	13.27	NA	NA
S-18	4/24/2001	NA	NA	NA	NA	NA	NA	NA	20.57	6.83	13.74	NA	NA
S-18	7/2/2001	NA	NA	NA	NA	NA	NA	NA	20.57	7.23	13.34	NA	NA
S-18	11/2/2001	Unable to locate		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
S-18	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.57	6.15	14.42	NA	NA
S-18	4/1/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.06	14.51	NA	NA
S-18	7/11/2002	NA	NA	NA	NA	NA	NA	NA	20.57	6.98	13.59	NA	NA
S-18	10/28/2002	NA	NA	NA	NA	NA	NA	NA	20.63	7.66	12.97	NA	NA
S-18	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.63	6.18	14.45	NA	NA
S-18	4/30/2003	NA	NA	NA	NA	NA	NA	NA	20.63	5.32	15.31	NA	NA
S-18	7/1/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.20	13.43	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-18	10/8/2003	NA	NA	NA	NA	NA	NA	NA	20.63	7.48	13.15	NA	NA
S-18	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.74	13.89	NA	NA
S-18	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.63	7.87	12.76	NA	NA
S-18	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	5.33	15.30	NA	NA
S-18	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.63	6.55	14.08	NA	NA
S-18	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.63	5.89	14.74	NA	NA
S-18	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.63	7.10	13.53	NA	NA
S-18	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.63	6.60	14.03	NA	NA
S-18	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.63	7.13	13.50	NA	NA
S-18	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.63	5.25	15.38	NA	NA
S-18	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.63	7.85	12.78	NA	NA
S-18	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.63	6.98	13.65	NA	NA
S-18	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.63	7.43	13.20	NA	NA
S-18	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.63	6.67	13.96	NA	NA

S-19	10/20/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	20.11	6.41	13.70	NA	NA
S-19	1/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	90.6	NA	20.11	5.42	14.69	NA	NA
S-19	4/8/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	4.61	15.50	NA	NA
S-19	7/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	20.11	5.86	14.25	NA	NA
S-19	10/26/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.28	13.83	NA	NA
S-19	1/3/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	6.62	13.49	NA	NA
S-19	4/14/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	4.31	15.80	NA	NA
S-19	7/12/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.46	14.65	NA	NA
S-19	11/1/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	20.11	5.05	15.06	NA	NA
S-19	1/3/2001	<50.0	<0.500	<0.500	<0.500	<0.500	9.61	NA	20.11	6.00	14.11	NA	NA
S-19	4/24/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.11	5.58	14.53	NA	NA
S-19	7/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.34	13.77	NA	3.4
S-19	11/2/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	6.57	13.54	NA	3.4

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

S-19	1/16/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.05	15.06	NA	0.5
S-19	4/1/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.13	14.98	NA	3.3
S-19	7/11/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.11	5.50	14.61	NA	0.5
S-19	10/28/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	20.10	6.35	13.75	NA	0.6
S-19	1/23/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	20.10	5.15	14.95	NA	0.3
S-19	4/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	20.10	4.90	15.20	NA	0.5
S-19	7/1/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	5.50	14.60	NA	1.7
S-19	10/8/2003	58	<0.50	<0.50	<0.50	<1.0	NA	<0.50	20.10	6.63	13.47	NA	0.4
S-19	1/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.67	14.43	NA	0.6
S-19	7/13/2004	NA	NA	NA	NA	NA	NA	NA	20.10	6.82	13.28	NA	1.0
S-19	1/20/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	4.75	15.35	NA	0.6
S-19	7/19/2005	NA	NA	NA	NA	NA	NA	NA	20.10	5.15	14.95	NA	NA
S-19	1/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	NA	20.10	4.85	15.25	NA	NA
S-19	7/25/2006	NA	NA	NA	NA	NA	NA	NA	20.10	6.14	13.96	NA	NA
S-19	1/4/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	20.10	5.75	14.35	NA	NA
S-19	7/24/2007	NA	NA	NA	NA	NA	NA	NA	20.10	6.39	13.71	NA	NA
S-19	1/15/2008	<50 g	<0.50	<1.0	<1.0	<1.0	NA	NA	20.10	4.72	15.38	NA	NA
S-19	8/4/2008	NA	NA	NA	NA	NA	NA	NA	20.10	6.43	13.67	NA	NA
S-19	1/8/2009	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.10	6.18	13.92	NA	NA
S-19	7/21/2009	NA	NA	NA	NA	NA	NA	NA	20.10	6.67	13.43	NA	NA
S-19	01/12/2010 *	<50	<0.50	<1.0	<1.0	<1.0	NA	NA	20.10	6.14	13.96	NA	NA

SR-1	3/22/1989	5400	1100	230	350	1300	NA	NA	21.45	NA	NA	NA	NA
SR-1	1/25/1990	2200	470	120	110	510	NA	NA	21.45	7.53	13.92	NA	NA
SR-1	4/18/1990	1000	130	47	47	220	NA	NA	21.45	8.17	13.28	NA	NA
SR-1	7/23/1990	3200	470	320	170	870	NA	NA	21.45	7.58	13.87	NA	NA
SR-1	10/18/1990	1300	280	6.6	110	130	NA	NA	21.45	8.81	12.64	NA	NA
SR-1	1/28/1991	110	120	12	51	110	NA	NA	21.45	8.37	13.08	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
SR-1	4/25/1991	NA	NA	NA	NA	NA	NA	NA	21.45	6.91	14.54	NA	NA
SR-1	7/9/1991	1400	200	27	130	340	NA	NA	21.45	8.11	13.34	NA	NA
SR-1	10/8/1991	980	79	1.5	44	52	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	2/5/1991	3800	580	36	320	400	NA	NA	21.45	7.68	13.77	NA	NA
SR-1	4/28/1992	38000	1800	460	1900	750	NA	NA	21.45	7.27	14.18	NA	NA
SR-1	7/27/1992	NA	NA	NA	NA	NA	NA	NA	21.45	8.11	13.34	0.01	NA
SR-1	10/26/1992	1800	370	10	130	130	NA	NA	21.45	8.63	12.82	NA	NA
SR-1	1/13/1993	47000	1000	1100	1700	13000	NA	NA	21.45	5.46	15.99	NA	NA
SR-1	4/16/1993	25000	1700	430	2400	8300	NA	NA	21.45	6.28	15.17	NA	NA
SR-1	7/23/1993	33000	2400	2000	3800	14000	NA	NA	21.45	7.34	14.11	NA	NA
SR-1	10/27/1993	2300	340	<12.5	270	440	NA	NA	21.45	8.04	13.41	NA	NA
SR-1	1/27/1994	36000	2000	1700	3000	11000	NA	NA	21.45	6.68	14.77	NA	NA
SR-1	5/5/1994	43000	1500	130	2900	12000	NA	NA	20.57	6.81	13.76	NA	NA
SR-1	7/26/1994	13600	682.7	39.2	996.6	2516	NA	NA	20.57	7.38	13.19	NA	NA
SR-1	10/28/1994	8462	301.5	29.3	384.7	2019	NA	NA	20.57	7.48	13.09	NA	NA
SR-1	1/2/1995	13000	400	120	2500	10000	NA	NA	20.57	6.34	14.23	NA	NA
SR-1	4/14/1995	43000	690	370	2500	12000	NA	NA	20.57	5.29	15.28	NA	NA
SR-1	7/28/1995	35000	760	120	2300	8100	NA	NA	20.57	6.36	14.21	NA	NA
SR-1	10/17/1995	9700	310	12	610	1200	NA	NA	20.57	6.62	13.95	NA	NA
SR-1 (D)	10/17/1995	8300	230	9.6	680	840	NA	NA	20.57	NA	NA	NA	NA
SR-1	1/11/1996	18000	410	170	1200	4400	42	NA	20.57	5.66	14.91	NA	NA
SR-1 (D)	1/11/1996	17000	420	180	1100	4000	42	NA	20.57	NA	NA	NA	NA
SR-1	4/2/1996	NA	NA	NA	NA	NA	NA	NA	20.57	5.14	15.43	NA	NA
SR-1	7/9/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	10/10/1996	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	1/9/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	4/8/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	7/21/1997	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
SR-1	10/8/1997	NA	NA	NA	NA	NA	NA	NA	20.57	6.94	13.63	NA	NA
SR-1	1/15/1998	8100	82	<25	36	2300	<125	NA	20.57	4.30	16.27	NA	NA
SR-1	4/14/1998	Well inaccessible		NA	NA	NA	NA	NA	20.57	NA	NA	NA	NA
SR-1	7/14/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.48	13.80	NA	NA
SR-1	10/20/1998	NA	NA	NA	NA	NA	NA	NA	20.28	6.61	13.67	NA	NA
SR-1	1/22/1999	Well inaccessible		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/8/1999	NA	NA	NA	NA	NA	NA	NA	20.28	0.97	19.31	NA	NA
SR-1	7/23/1999	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/26/1999	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/14/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/12/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/1/2000	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	1/3/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/24/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/2/2001	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	11/2/2001	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	1/16/2002	Well dry	NA	NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	4/1/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	7/11/2002	Obstruction in well		NA	NA	NA	NA	NA	20.28	NA	NA	NA	NA
SR-1	10/28/2002	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	1/23/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	4/30/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	7/1/2003	Obstruction in well		NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SR-1	10/8/2003	Well dry	NA	NA	NA	NA	NA	NA	20.27	NA	NA	NA	NA
SV-1	04/15/1998 b	NA	NA	NA	NA	NA	NA	NA	NA	6.02	NA	NA	NA
SV-1	04/15/1998 c	NA	NA	NA	NA	NA	NA	NA	NA	7.15	NA	NA	NA
SV-1	03/18/2002 d	NA	NA	NA	NA	NA	NA	NA	21.31	NA	NA	NA	NA

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

SV-1	1/22/2004	3000	15	<2.5	34	11	NA	<2.5	21.31	6.67	14.64	NA	NA
------	-----------	------	----	------	----	----	----	------	-------	------	-------	----	----

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 24, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

MSL = Mean sea level

ppm = Parts per million

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

TABLE 1
WELL CONCENTRATIONS
Former Shell Service Station
15275 Washington Boulevard
San Leandro, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

a = Chromatogram pattern indicated an unidentified hydrocarbon.

b = Pre-development sample

c = Post-development sample

d = Survey date only.

e = DO reading not taken.

f = TOC lowered 0.08 feet due to wellhead maintenance on June 3, 2004.

g = Analyzed by EPA Method 8015B (M).

h = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

i = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Site surveyed March 18, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

* = Purge sample

APPENDIX C

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	1Q10 GEO_WELL 601
<u>Facility Global ID:</u>	T0600100108
<u>Facility Name:</u>	ARCO #0601
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	2/11/2010 1:44:57 PM
<u>Confirmation Number:</u>	9478979825

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	1Q10 GW Monitoring
<u>Facility Global ID:</u>	T0600100108
<u>Facility Name:</u>	ARCO #0601
<u>File Name:</u>	10010804.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	2/10/2010 12:07:33 PM
<u>Confirmation Number:</u>	4063210904

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)