

Atlantic Richfield Company

Chuck Carmel
Environmental Business Manager

RECEIVED

1:50 pm, May 13, 2010

Alameda County
Environmental Health

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3803
Fax: (925) 275-3815
E-Mail: charles.carmel@bp.com

12 May 2010

Re: Work Plan to Perform Dual-Phase Extraction Pilot Testing Activities
Atlantic Richfield Company Station #601
712 Leelling Boulevard, San Leandro, California
ACEH Case #RO0000309

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel
Environmental Business Manager

Attachment:

12 May 2010

Project No. 06-08-613

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

RE: Work Plan to Perform Dual-Phase Extraction Pilot Testing Activities at Atlantic Richfield Company Station #601, 712 Lewelling Blvd, San Leandro, California; ACEH Case #RO0000309

Dear Mr. Carmel:

Broadbent & Associates, Inc. (BAI) is pleased to provide this work plan to perform dual-phase extraction (DPE) pilot testing activities at Atlantic Richfield Company (a BP affiliated company) Station #601, located at 712 Lewelling Blvd in San Leandro, Alameda County, California (Site). This Site is identified by the Alameda County Environmental Health (ACEH) as Case #RO0000309, and assigned GeoTracker Global ID #T0600100108. A Site Location Map is provided as Drawing 1. An Area Development Photo is provided as Drawing 2. A Site Layout Plan is provided as Drawing 3.

This work plan was prepared in response to the 10 February 2010 letter from the ACEH that requested submittal of a feasibility study work plan(s). The ACEH request followed BAI's 19 October 2009 submittal of the *Feasibility Study Report* which evaluated six remediation alternatives, in addition to the "No Action" alternative, and determined that DPE and Enhanced Bioremediation appeared to be the most cost-effective remedial alternatives deserving further evaluation. To that end, BAI recommended that "A Dual-Phase Extraction Pilot Test and an Enhanced Bioremediation Pilot Test should be conducted, in turn, to determine the most appropriate remedial technology for Station #601. A formal Corrective Action Plan would then be presented following results evaluation of the two pilot tests." This document describes the proposed pilot-testing activities to be performed for evaluating whether DPE is a viable remedial technology alternative to address petroleum contamination in soil and ground water at the Site. As appropriate, a work plan for an enhanced bioremediation pilot test will be prepared under separate cover following evaluation of the DPE pilot test results.

As stated above, the objective of this feasibility test will be to determine if DPE is a viable treatment technology for remediation of petroleum hydrocarbon contamination of soil and ground water at the Site. The objectives of this work plan are to outline the activities that will result in obtaining the data and parameters necessary to design a DPE treatment system, if the

technology is deemed appropriate. Specifically, a well-designed feasibility test should provide data regarding a variety of applied vacuums and resulting liquid and vapor flow rates from multiple extraction wells to determine the vacuum, flow, mass removal rates, and radius of influence (ROI) necessary for designing a DPE system. Appropriately constructed and located (i.e. at several distances and directions) observation wells should be used to assess vacuum and liquid ROI. By BP's measure, effective soil vapor extraction (SVE) ROI is the observation of one percent of the design well head vacuum at a monitoring point (e.g., for an applied vacuum of 100 inches of water, effective ROI would be the distance at which one inch of water vacuum was encountered). Furthermore, BP measures effective ground-water extraction (GWE) ROI for DPE as the distance at which sufficient dewatering occurs to expose targeted soils to the effect of SVE.

At Station #601, it is overly simplistic to state that petroleum hydrocarbon contamination of the soil and ground water appears concentrated along the northern property boundary fronting Lewelling Boulevard. The area in the vicinity of the former Waste Oil UST near the center of the Site is an exception. However, the northern area of the Site includes the former UST pit and the northern dispenser complex, slightly west-southwest and downgradient of the former UST pit. In this area presently exist several four-inch diameter ground-water monitoring wells of varying depths and screen intervals. The screen interval of well MW-3 in the northwest corner is approximately 8-12 feet below ground surface (ft bgs). Well MW-16 within the western driveway along the northern boundary has a screen interval of approximately 5-15 ft bgs. The screen interval of nearby well MW-4, located immediately west of the northern dispenser complex, is 6-9 ft bgs. Well MW-5, located between the northern dispenser complex and the former UST pit, has a screen interval of approximately 6-10.5 ft bgs. Nearby well MW-17 has a screen interval of 5-15 ft bgs. Well MW-2, located on the north side of the former UST pit and the most upgradient of the wells listed above, has a screen interval of 8-12 ft bgs. Copies of the soil boring and well construction logs for these wells are provided in Appendix A.

As evident in the soil boring logs provided, soils in this area of the Site were described as being comprised of interbedded silty and sandy clays or occasionally clayey silts or clayey sands, i.e., relatively tight permeability soils. Historical measured depths to ground water from this area have ranged from approximately 6-9 ft bgs in northeastern wells MW-2 and MW-5, to between 5-8.5 ft bgs in downgradient northwestern well MW-3 (Historical depths to ground water, ground-water elevations and laboratory analytical results are summarized within the tables provided in Appendix B). This historic range of impacted ground-water elevations since monitoring began suggests a 'smear' zone of petroleum hydrocarbon contaminants of up to 3.5 ft at the bottom of the fluctuating vadose zone/capillary fringe. As indicated in the *Feasibility Study Report* (BAI, 10/19/2009), the relatively tight permeability soils, shallow depths to ground water, with an impacted smear zone makes DPE technology worthy of further consideration, as it is the impacted smear zone which must be dewatered by GWE to allow SVE an opportunity to remediate the now more extensive secondary source of contaminated soil.

Description of DPE Pilot Testing Activities

Broadbent & Associates, Inc. proposes to use a trailer-mounted DPE unit with a liquid-ring pump and a thermal oxidizer to facilitate pilot testing activities at the Site. Air and water

will be extracted from selected recovery wells using a 1½-inch diameter PVC or ABS plastic 'stinger' lowered into each individual test well. Extracted ground water and soil vapors will be directed to a cyclonic water knockout tank for separation. Process air will be treated by the thermal/catalytic oxidizer prior to discharge to the atmosphere, while ground water will be transferred to a temporary on-site accumulation tank until characterized and transported to an appropriate BP-approved facility for treatment.

Based on historical ground-water contaminant concentrations, screen intervals of the wells, and location relative to the northern source area(s), pilot testing activities are proposed to be performed on wells MW-3, MW-16 and MW-17, with additional observations recorded from wells MW-4, MW-5, and MW-2. That is, during extraction from well MW-3, focused observations will be made at wells MW-16 (33.1 ft upgradient horizontal distance) and MW-4 (48.3 ft upgradient horizontal distance). During extraction from well MW-16, focused observations will be made at wells MW-3 (33.1 ft downgradient horizontal distance) and MW-4 (16.9 ft upgradient horizontal distance). And during extraction from well MW-17, focused observations will be made at wells MW-5 (9.1 ft slightly cross-gradient horizontal distance), MW-2 (12.5 ft upgradient horizontal distance), and MW-4 (70.4 ft downgradient horizontal distance). Pilot testing is not proposed in the vicinity of well MW-1 near the former waste oil UST (the other on-site source area) due to the present absence of other monitoring wells to use as nearby observation points.

Pilot testing activities will include individual well step tests and individual well constant rate tests. The stinger depth in each well will be set initially at approximately one foot below static ground-water levels, or at least one foot below the top of the screen interval, whichever is greater. It is expected that the depth of the stinger will be systematically adjusted downward by one foot increments during each extraction in order to observe the effects of dropping water levels in wells within the GWE ROI. Ground-water elevations in the test well will preferably be measured using a direct reading and data-logging submersible transducer (or alternatively by sound/feel). Once ground water has been dewatered by the stinger to near the bottom of the test well, the applied vacuum will be incrementally increased (by decreasing the dilution influent air flow rate) as a means to determine the optimal extraction rate (i.e., maximum sustained air flow rate from the test well) during the step test. An organic vapor analyzer (photo-ionization detector, PID) will be used to record periodic concentrations of recovered vapors during the step test. It is envisioned that a step test should not exceed six hours in duration, consisting of various applied vacuums for one to two hour periods. After the maximum sustained extraction flow rate from the step test has been determined, a 12 hour constant rate DPE pilot test will be performed on the extraction well to observe influence in the adjacent observation wells, and to observe the sustainability of recovered hydrocarbon vapor concentrations.

Extraction from no more than one DPE test well will be conducted per day. In addition, at least 36 hours will separate each extraction test at a different well in order to allow ground-water levels an opportunity to return to equilibrium. Individual well DPE testing (step and constant) is not expected to exceed 18-20 hours for each well; however, individual extractions may be terminated early based on observed conditions and decreased vapor extraction recovery rates, or extended in their duration if favorable vapor extraction recovery rates are observed. Unfortunately, due to the neighboring apartment complex it may prove necessary to limit each

work day to 12 hours of operating the DPE unit due to noise concerns if they are raised. However, if PID readings decrease to values below 200 ppmv and further adjustment of the stinger depth does not influence PID readings for two to three continuous hours, the individual DPE constant rate extraction may be terminated after notification and discussions between the BAI project manager and project engineer.

Vapor and Ground-Water Sample Collection

Vapor and ground-water samples will be collected after the first hour and every three to four hours after the initial hour of operation during each constant rate extraction. For example, if an extraction is performed for 13 hours, samples will be collected at: one hour, four hours, seven hours, ten hours, and thirteen hours. Not all collected samples will be submitted for analysis. It is anticipated that a minimum of three vapor and three ground-water samples will be submitted for laboratory analysis for each extraction test. Submitted samples will likely include the one hour sample, an approximate mid-point sample, and the approximate end-point sample for each extraction test.

Collected samples will be submitted under standard chain-of-custody protocol to BP's contract laboratory Calscience Environmental Laboratories, Inc. in Garden Grove, California (NELAP ID# 03220CA; CA-ELAP ID# 1230). Submitted samples will be analyzed for Gasoline Range Organics (GRO, C6-C12), Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX), and Methyl Tertiary Butyl Ether (MTBE) using EPA Method 8260B. Ground-water samples will also be analyzed for Tertiary Butyl Alcohol (TBA), Di-Isopropyl Ether (DIPE), Ethyl Tertiary Butyl Ether (ETBE), and Tertiary Amyl Methyl Ether (TAME) using EPA Method 8260B. Concentration results for air samples will be reported in both parts per million volume/volume (ppmv) and milligrams per cubic meter (mg/m^3). In addition, vapor samples will be analyzed for Oxygen (O_2), Carbon Monoxide (CO), and Carbon Dioxide (CO_2) by ASTM Method D-1946 and reported in percent volume.

Background Conditions and Observation Well Monitoring

Prior to initiating each DPE extraction, background depth to water level measurements will be recorded for the on-site wells associated with the Site, and the hour meter on the DPE equipment will be recorded. Field personnel will record the DPE equipment hour meter reading, DPE equipment applied vacuum, wellhead vacuum, total DPE system influent air flow, DPE equipment dilution influent air flow, accumulated liquid totalizer reading, and collect organic vapor analyzer (PID) and O_2 , CO , and CO_2 readings of recovered vapors on 15 minute intervals during each DPE step and constant rate test.

Remaining wells associated with the Site will be used as observation wells during step and constant rate extraction tests. Periodic monitoring activities in surrounding observation wells will include determining if vacuum influence is observed using Magnehelic gauges (with appropriate sensitivity) installed on each observation wellhead for the duration of an extraction in addition to recording depth to ground water (preferably using submersible data-logging transducers). Periodic monitoring activities on observation wells shall be conducted at half-hour

intervals during testing activities. Field data and observations will be recorded on the attached field forms (DPE Test and Observation Well Data Form, DPE Test System Data Form).

Site Health & Safety Plan

Broadbent & Associates, Inc. will prepare a site Health & Safety Plan (HASP) to minimize potential exposure of field personnel to possible hazards which may be present during testing activities. The HASP will include emergency contact information and directions to the nearest medical facility for emergency treatment. In addition, the HASP will describe the Standard Operating Procedures for conducting the DPE test as well as the Work Risk Assessment and Task Safety & Environmental Analysis evaluations. The HASP will contain the overall Control of Work Permit for review and approval by BP prior to implementation, consistent with BP's Health, Safety, Security & Environment Management System programs.

Local Permitting and Notification

Broadbent & Associates, Inc. will contact the Bay Area Air Quality Management District (BAAQMD) and the Alameda County Fire Department prior to initiation of DPE pilot test activities. Based on previous discussions with the BAAQMD and Alameda County Fire Department, it is anticipated that no permits will be required to perform this DPE pilot test; however, prior notification will be requested. It is recommended that notification be provided at least a minimum of 72 hours prior to startup.

In addition, BAI will notify the operators of Station #601 of pending environmental work at least one week in advance of startup to determine how to minimize the disruption of business operations and to coordinate the location of associated DPE equipment.

Documentation of DPE Pilot Testing Activities

Upon completion of the field activities described above and after receipt of laboratory analytical data, BAI will prepare a DPE Pilot Test Report containing the following:

- Brief description of work performed;
- Copies of required permit(s);
- Copies of pertinent field notes;
- Tabulated results and measurements;
- Laboratory analytical reports and copies of chain-of-custody records;
- Applied vacuums and extracted vapor flow rates determined for each extraction well;
- Ground-water drawdown and extracted flow rate determined for each extraction well;
- Capture zone and ROI calculated and design drawdown determined (SVE and GWE).

Project Schedule

It is anticipated that BAI can complete the DPE pilot testing activities described above (including internal and external permitting) within 60 days following approval of this work plan. It is anticipated that BAI can complete preparation and submittal of the report documenting DPE pilot testing activities within 90 days following approval of this work plan.

Closure

Discovery of hazardous or regulated materials constitutes a changed condition mandating a re-negotiation of the scope of work described herein or termination of services. BAI will do its best to alert the client of matters which, in the opinion of BAI, require immediate attention to protect the public health, safety, and environment. BAI will make every effort to advise the client of matters which should be reported to proper governmental agencies. However, the client is solely responsible for reporting such matters and BAI shall not be held liable in the event the proper agency is not notified. Our services will be performed in accordance with generally accepted practice at the time work commences. Results and recommendations will be based on laboratory results, observations of Stratus field personnel, and the points investigated. No warranty, expressed or implied is made.

Should you have questions concerning this Work Plan, please do not hesitate to contact me at (530) 566-1400.

Sincerely,

BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, PE
Senior Engineer



Attachments:

- Drawing 1 – Site Location Map
- Drawing 2 – Area Development Photo
- Drawing 3 – Site Layout Plan
- DPE Test and Observation Well Data Form
- DPE Test System Data Form
- Appendix A – Soil Boring & Well Construction Logs
- Appendix B – Historic Ground-Water Data

cc: Mr. Paresh Khatri, ACEH (uploaded to ACEH ftp site)
Electronic copy uploaded to GeoTracker







IMAGE SOURCE: USGS




0 200 400
SCALE (feet)



LEGEND

- SOIL BORING/MONITORING WELL
- SOIL-GAS BORING/ TEMPORARY VAPOR IMPLANT
- GROUND-WATER MONITORING WELL
- SOIL VAPOR EXTRACTION WELL

NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



DPE TEST AND OBSERVATION WELL DATA

Site Name: ARCO Station #601

Address: 712 Lewelling Blvd, San Leandro, CA

Date: _____

Operators: _____

Test Well: _____

(Record stinger depth in the DTW column for the test well)

First row of measurements should be baseline conditions preceding test.

[illegible]

DPE TEST SYSTEM DATA

Site Name: ARCO Station #601
Address: 712 Lewelling Boulevard
San Leandro, California

Date: _____
Operators: _____

Equipment Model: _____
 Equip. S/N: _____
 PID Model: _____
 PID S/N: _____

Test Well: _____
 _____ : Diameter of system influent air flow pipe (inches).
 _____ : Diameter of dilution air flow pipe (inches).

[illegible]

Comments:

Appendix A

Soil Boring & Well Construction Logs
(MW-2, MW-3, MW-4, MW-5, MW-16, MW-17)

Depth of boring: 16-1/2 feet Diameter of boring: 10 inches Date drilled: 6-28-90
 Well depth: 12 feet Material type: Sch 40 PVC Casing diameter: 4 inches
 Screen interval: 8 to 12 feet Slot size: 0.020-inch
 Drilling Company: Exploration Geo Driller: Doug Davidson
 Method Used: Hollow-Stem Auger Field Geologist: Mike Barminski

Signature of Registered Professional: *Diane M. Barclay*
 Registration No.: EG 1366 State: CA

Depth	Sample No.	Blows	P.I.D.	USCS Code	Description	Well Const.
0					Asphalt over baserock.	
2	S-3	6 10 15	7.9	CL	Gravelly clay, brown, moist, low to medium plasticity, stiff: fill.	
4	S-4.5	6 10 16	6.8	CL	dark gray, low to medium plasticity, very stiff.	
6						
8						
10	S-10	9 11 19	300	SC	fine-grained, dark gray, medium dense.	
12	S-12.5	12 17 30	21.6	CL	dark gray, medium to low plasticity, hard.	
14	S-14	6 16 27	12.5			
16	S-16	5 7 9	47		With bioturbations or former root stringers now filled with silty sand and	
18					Total Depth = 16-1/2 feet.	
20						



PROJECT: **69034-2**

LOG OF BORING B-~~XXXXXXXXXX~~
ARCO Service Station 601
712 Lewelling Boulevard
San Leandro, California

PLATE

5

Depth of boring: 16-1/2 feet Diameter of boring: 10 inches Date drilled: 6-28-90
 Well depth: 12 feet Material type: Sch 40 PVC Casing diameter: 4 inches
 Screen interval: 8 to 12 feet Slot size: 0.020-inch
 Drilling Company: Exploration Geo Driller: Doug Davidson
 Method Used: Hollow-Stem Auger Field Geologist: Mike Barminski

Signature of Registered Professional: *Diane M. Barclay*
 Registration No.: EG 1366 State: CA

Depth	Sample No.	Blows	P.L.D.	USCS Code	Description	Well Const.
0					Asphalt over baserock.	
				CL	Gravelly clay, brown, moist, low to medium plasticity, very stiff; fill.	
2	S-3	7	95	CL	Silty clay , dark gray, moist, low to medium plasticity, very stiff; noticeable product odor.	
4		7				
		12				
6	S-6	10	106	SC	Clayey sand , fine-grained, dark gray, moist , medium dense; noticeable product odor .	
8	S-7.5	13	634	CL	Silty clay , dark gray, moist , low to medium plasticity, very stiff; noticeable product odor .	
		23				
10	S-9	11	875	SC	Clayey sand , fine-grained, dark gray, moist , medium dense; noticeable product odor .	
		13				
12	S-10	20	27	CL	Sandy clay , dark gray, moist , medium plasticity, very stiff; noticeable product odor .	
		10				
14	S-12	36	0.2	SC	Clayey sand , fine-grained, dark gray, moist , medium dense; noticeable product odor .	
		9				
16	S-13.5	10	1.0	CL	Silty clay , dark gray, moist, medium plasticity, very stiff; some gravelly light brown silty layers; noticeable product odor .	
		20				
18	S-16	6	2.0			
		21				
20		22				
		7				
		12				
		18				
Total Depth = 16-1/2 feet.						



PROJECT: **69034-2**

LOG OF BORING B-8
 ARCO Service Station 601
 712 Lewelling Boulevard
 San Leandro, California

PLATE
6

Depth of boring: 18 feet Diameter of boring: 8 inches Date drilled: 5-29-91
 Well depth: 9 feet Material type: Sch 40 PVC Casing diameter: 4 inches
 Screen interval: 6 to 9 feet Slot size: 0.020-inch
 Drilling Company: H.E.W. Drilling Co. Driller: Jasper and Mike
 Method Used: Hollow-Stem Auger Field Geologist: Phil Mayberry

Signature of Registered Professional: [Signature]
 Registration No. RCE 044600 State: CA

Depth	Sample No.	Blows	P.I.D.	USCS Code	Description	Well Const.
0					Paved area.	
					Asphalt 6 inches.	
2				GC	Clayey gravel, brown, damp, medium dense: fill (baserock).	
					Native soil at 1-1/2 feet.	
4				CL	Silty clay, dark gray, damp, medium plasticity, stiff; noticeable product odor.	
S-5.5		257				
6				ML	Clayey silt, gray, moist, low plasticity, stiff; noticeable product odor.	
S-7		609				
8				SC	Clayey sand, fine-grained, gray, wet, medium dense; noticeable product odor.	
S-8.5		692				
10				CL	Silty clay, dark gray, damp, medium plasticity, stiff.	
S-10		179				
12					Color change to brown, very stiff.	
S-11.5		55.7				
14						
S-13		20				
16						
S-14.5		219				
18						
S-17.5		35.1				
					Color change to light brown.	
					Total Depth = 18 feet.	
20						

RESNA

PROJECT: 69034.04

LOG OF BORING B-9/MW-4

ARCO Station 601
 712 Lewelling Boulevard
 San Leandro, California

PLATE

5

Depth of boring: 19-1/2 feet Diameter of boring: 8 inches Date drilled: 5-30-91
 Well depth: 10-1/2 feet Material type: Sch 40 PVC Casing diameter: 4 inches
 Screen interval: 6 to 10-1/2 feet Slot size: 0.020-inch
 Drilling Company: H.E.W. Drilling Co. Driller: Jasper and Mike
 Method Used: Hollow-Stem Auger Field Geologist: Phil Mayberry

Signature of Registered Professional: [Signature]

Registration No. RCE 044600 State: CA

Depth	Sample No.	Blows	P.I.D.	USCS Code	Description	Well Const.
0					Paved area.	
					Asphalt 6 inches.	
				GC	Clayey gravel, brown, damp, medium dense: fill (baserock).	
2				CL	Silty clay, dark gray, damp, medium plasticity, stiff: native soil.	
4						
6	S-5.5	2	587	SC	Clayey sand, dark gray, damp, loose; noticeable product odor.	
		4				
		5				
		6				
		7	747	▽	Medium dense, wet; obvious product odor.	
8	S-7.5	8				
		2				
		3	232	CL	Silty clay, dark gray, damp, medium plasticity, stiff; noticeable product odor.	
		4				
		8				
10	S-9	3				
		4				
		7	664	SC	Clayey sand, fine-grained, moist, loose, noticeable product odor.	
12	S-10					
				CL	Silty clay, dark brown, damp, medium plasticity, stiff; obvious product odor.	
14						
16	S-16	4	51		Very stiff.	
		8				
		9				
		4				
		7	20	SC	Clayey sand, with fine gravel, light brown, damp, dense.	
18	S-17	9				
		3				
		5	83	▽	5/30/91	
		7			Moist, medium dense.	
20	S-18.5				Total Depth = 19-1/2 feet.	

RESNA

PROJECT: 69034.04

LOG OF BORING B-10/MW-5

ARCO Station 601
 712 Lewelling Boulevard
 San Leandro, California

PLATE

6

SOIL BORING LOG

Boring No. MW-16

Sheet: 1 of 1

Client	ARCO 601	Date	June 12, 2009
Address	712 Lewelling Boulevard	Drilling Co.	RSI Drilling rig type: CME-75
	San Leandro, CA	Driller	Jorge
Project No.	E601	Method	Hollow Stem Auger Hole Diameter: 10 inches
Logged By:	Collin Fischer	Sampler:	
Well Pack	sand: 4 ft. to 15 ft.	Well Construction	Casing Material: Schedule 40 PVC Screen Interval: 5 ft. to 15 ft.
	bent.: 2 ft. to 4 ft.		Casing Diameter: 4 in. Screen Slot Size: 0.010-in.
	grout: 0 ft. to 2 ft.		

Sample		Blow Count	Sample		Well Details	Depth Scale	Lithologic Column	Descriptions of Materials and Conditions	PID (PPM)
Type	No.		Time	Recov.					
						1		Cleared to 6.5' bgs. with air knife.	
						2			
						3			
						4			
						5			
						6			
S	MW-16 6.5'	N/A	1400	100		7	SM		0
S	MW-16 8'	N/A	1402	100		8			1.6
S	MW-16 9.5'	N/A	1405	100		9		Silty sand, SM, (6.5'-10'), dark grayish brown, wet 80% fine grained sand, 20% silt	48
						10			
S	MW-16 11'	N/A	1407	100		11	CL		629
S	MW-16 12.5'	N/A	1410	100		12			310
						13		Silty clay, CL, (10'-15'), dark grayish brown, moist, medium plasticity 85% clay, 15% silt	
						14			
S	MW-16 15'	N/A	1412	100		15			35
						16			
						17			
						18			
						19			
						20			

Comments:

STRATUS
ENVIRONMENTAL, INC.

SOIL BORING LOG

Boring No. MW-17

Sheet: 1 of 1

Client	ARCO 601	Date	June 12, 2009
Address	712 Lewelling Boulevard	Drilling Co.	RSI Drilling rig type: CME-75
	San Leandro, CA	Driller	Jorge
Project No.	E601	Method	Hollow Stem Auger Hole Diameter: 10 inches
Logged By:	Collin Fischer	Sampler:	
Well Pack	sand: 4 ft. to 15 ft.	Well Construction	Casing Material: Schedule 40 PVC Screen Interval: 5 ft. to 15 ft.
	bent.: 2 ft. to 4 ft.		Casing Diameter: 4 in. Screen Slot Size: 0.010-in.
	grout: 0 ft. to 2 ft.		

Sample		Blow Count	Sample		Well Details	Depth Scale	Lithologic Column	Descriptions of Materials and Conditions	PID (PPM)
Type	No.		Time	Recov.					
						1		Cleared to 6.5' bgs. with air knife.	
						2			
						3			
						4			
						5			
						6			
S	MW-17 6.5'	N/A	0920	100		7	SM		482
S	MW-17 8'	N/A	0923	100		8		Silty sand with clay, SM, (6.5'-8.5'), grayish brown, moist 60% fine to medium grained sand, 30% silt, 10% clay	8000+
						9			
S	MW-17 9.5'	N/A	0925	100		10	CL	Silty clay, CL, (8.5'-10.5'), dark grayish brown, moist, medium plasticity 85% clay, 15% silt	1058
S	MW-17 11'	N/A	0933	100		11			0
						12		Silty clay, CL, (10.5'-12'), grayish brown, moist, medium plasticity 85% clay, 15% silt	0
S	MW-17 12.5'	N/A	0936	100		13			0
						14		Clay, CL, (12'-15'), grayish brown, moist, medium plasticity 100% clay	
S	MW-17 15'	N/A	0939	100		15			0
						16			
						17			
						18			
						19			
						20			

Comments:

STRATUS
ENVIRONMENTAL, INC.

Appendix B

Historic Ground-Water Data

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1																
1/9/1991	--	i, l	22.98	7.00	12.00	9.47	13.51	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	22.98	7.00	12.00	6.12	16.86	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	22.26	7.00	12.00	9.00	13.26	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	22.26	7.00	12.00	9.73	12.53	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	22.26	7.00	12.00	7.40	14.86	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	22.26	7.00	12.00	9.08	13.18	--	--	--	--	--	--	--	--	--
9/15/1992	--	l	22.26	7.00	12.00	9.18	13.08	--	--	--	--	--	--	--	--	--
11/16/1992	--	i, l	22.26	7.00	12.00	9.09	13.17	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	22.26	7.00	12.00	7.03	15.23	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	22.26	7.00	12.00	8.08	14.18	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	22.26	7.00	12.00	8.81	13.45	--	--	--	--	--	--	--	--	--
11/8/1993	--	i, l	22.26	7.00	12.00	9.22	13.04	--	--	--	--	--	--	--	--	--
2/14/1994	--	a	22.26	7.00	12.00	7.72	14.54	--	--	--	--	--	--	--	--	--
5/5/1994	--	a	22.26	7.00	12.00	8.47	13.79	--	--	--	--	--	--	--	--	--
8/4/1994	--	a	22.26	7.00	12.00	8.72	13.54	--	--	--	--	--	--	--	--	--
11/20/1994	--	a	22.26	7.00	12.00	7.81	14.45	--	--	--	--	--	--	--	--	--
3/17/1995	--		22.26	7.00	12.00	6.57	15.69	120,000	5,300	370	1,500	13,000	--	--	--	--
6/1/1995	--		22.26	7.00	12.00	7.87	14.39	250,000	7,100	950	3,500	21,000	--	--	--	--
8/31/1995	--	i, l	22.26	7.00	12.00	8.12	14.14	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.26	7.00	12.00	8.42	13.84	310,000	4,600	770	5,700	21,000	--	--	--	--
2/22/1996	--	j	22.26	7.00	12.00	6.01	16.25	100,000	6,200	320	2,500	12,000	<1,000	--	--	--
5/20/1996	--		22.26	7.00	12.00	7.03	15.23	340,000	6,600	240	4,500	22,000	<1,000	--	--	--
8/26/1996	--		22.26	7.00	12.00	8.16	14.10	210,000	7,900	320	3,400	15,000	<1,000	--	--	--
11/20/1996	--		22.26	7.00	12.00	7.84	14.42	62,000	5,900	77	2,000	7,700	<300	--	--	--
3/24/1997	--		19.19	7.00	12.00	8.05	11.14	170,000	6,500	<200	2,400	9,900	<1,000	--	--	--
5/23/1997	--		19.19	7.00	12.00	8.42	10.77	83,000	6,200	84	2,500	9,000	<300	--	--	--
8/19/1997	--		19.19	7.00	12.00	8.65	10.54	83,000	4,500	<100	2,200	8,100	<600	--	--	--
11/19/1997	--		19.19	7.00	12.00	8.54	10.65	250,000	4,400	<500	3,800	9,900	<3,000	--	--	--
2/19/1998	--		19.19	7.00	12.00	5.57	13.62	74,000	2,500	120	2,200	4,100	<300	--	--	--
4/23/1998	--		19.19	7.00	12.00	6.92	12.27	210,000	2,700	<500	4,200	8,300	<3,000	--	1.5	--
7/27/1998	--		19.19	7.00	12.00	8.14	11.05	73,000	2,100	88	2,600	4,600	<300	--	1.0	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
10/14/1998	--		19.19	7.00	12.00	8.58	10.61	47,000	2,900	<500	2,300	3,900	<300	--	1.5	--
1/21/1999	--		19.19	7.00	12.00	7.48	11.71	45,000	1,400	64	2,100	2,400	<300	--	1.0	--
5/6/1999	--		19.19	7.00	12.00	8.00	11.19	41,000	1,900	<20	2,800	3,400	<120	--	0.85	--
8/23/1999	--		19.19	7.00	12.00	8.56	10.63	26,000	1,700	52	1,600	1,500	<75	--	0.72	--
10/28/1999	--		19.19	7.00	12.00	8.92	10.27	38,000	2,500	35	2,400	2,500	<200	--	0.7	--
2/4/2000	--		19.19	7.00	12.00	8.48	10.71	19,000	960	13	1,200	860	<60	--	2.11	--
6/20/2000	--		19.19	7.00	12.00	8.20	10.99	23,000	2,400	50	1,800	680	<200	--	--	--
9/29/2000	--		19.19	7.00	12.00	8.55	10.64	23,600	2,880	<50	2,130	871	<250	--	--	--
12/17/2000	--		19.19	7.00	12.00	8.28	10.91	21,600	1,980	<50	1,610	664	<250	--	--	--
3/28/2001	--		19.19	7.00	12.00	8.13	11.06	19,800	2,310	<100	2,010	517	<500	--	--	--
6/20/2001	--		19.19	7.00	12.00	8.60	10.59	17,000	2,200	23	1,800	320	100	--	--	--
9/22/2001	--		19.19	7.00	12.00	9.03	10.16	20,000	2,900	<200	2,500	270	<1000	--	--	--
12/27/2001	--		19.19	7.00	12.00	7.93	11.26	15,000	2,000	<50	1,700	140	290	--	--	--
3/15/2002	--		19.19	7.00	12.00	7.89	11.30	12,000	1,800	<50	1,400	79	<250	--	--	--
4/18/2002	--		19.19	7.00	12.00	7.05	12.14	16,000	3,000	180	2,600	320	<250	--	1.26	--
7/23/2002	NP	e	19.19	7.00	12.00	8.70	10.49	14,000	3,200	<50	2,100	<50	<250	--	0.9	6.8
10/16/2002	NP	d	19.19	7.00	12.00	9.12	10.07	14,000	2,100	<25	2,000	31	<120	--	0.8	7.1
1/23/2003	NP	g	19.19	7.00	12.00	7.45	11.74	6,000	680	<50	800	<50	<50	--	0.9	6.8
4/7/2003	--		19.19	7.00	12.00	7.68	11.51	6,400	940	6.6	810	11	69	--	1.1	6.9
8/7/2003	--	a, k	19.19	7.00	12.00	8.75	10.44	12,000	1,500	27	1,700	42	160	--	--	6.4
10/23/2003	NP	a	19.19	7.00	12.00	8.96	10.23	14,000	1,700	<25	1,600	<25	220	1470	--	--
01/12/2004	P		19.19	7.00	12.00	7.99	11.20	8,800	1,100	<25	980	<25	140	1392	0.2	7.2
04/20/2004	NP	a, r	24.78	7.00	12.00	8.87	15.91	12,000	1,600	<25	920	36	84	1780	1.5	6.6
07/01/2004	NP	a	24.78	7.00	12.00	9.31	15.47	9,700	830	<10	580	11	100	886	0.8	6.7
11/04/2004	NP		24.78	7.00	12.00	8.12	16.66	7,800	650	<5.0	300	12	130	1368	1.2	6.7
01/10/2005	NP		24.78	7.00	12.00	7.06	17.72	6,000	280	<5.0	130	12	12	1280	1.05	6.9
04/14/2005	NP		24.78	7.00	12.00	7.20	17.58	4,500	160	<5.0	320	17	<5.0	--	2.1	7.0
04/20/2005	NP	q	24.78	7.00	12.00	7.05	17.73	--	--	--	--	--	--	630	--	6.6
08/02/2005	NP		24.78	7.00	12.00	7.39	17.39	4,700	210	<5.0	210	11	15	1180	--	6.8
10/21/2005	NP		24.78	7.00	12.00	8.31	16.47	9,700	600	5.5	210	11	64	1500	1.45	6.8
01/04/2006	NP		24.78	7.00	12.00	7.10	17.68	5,000	240	5.2	120	18	<5.0	939	0.97	7.2

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-1 Cont.																
04/28/2006	P	a	24.78	7.00	12.00	6.69	18.09	13,000	100	<5.0	270	7.0	<5.0	--	1.81	7.1
8/4/2006	NP		24.78	7.00	12.00	8.30	16.48	9,800	410	5.0	260	<5.0	14	840	0.84	7.0
10/23/2006	P		24.78	7.00	12.00	8.71	16.07	12,000	440	5.6	260	11	16	--	--	6.92
1/15/2007	--	l	24.78	7.00	12.00	7.95	16.83	--	--	--	--	--	--	--	1.23	6.90
4/17/2007	P	a	24.78	7.00	12.00	8.20	16.58	6,800	140	<10	280	<10	<10	--	2.14	7.19
7/9/2007	P	a, s	24.78	7.00	12.00	8.73	16.05	8,200	240	<5.0	220	180	81	1020	2.42	7.15
10/1/2007	P	a, s	24.78	7.00	12.00	8.94	15.84	13,000	260	<5.0	260	13	9.3	1,340	2.46	7.19
1/7/2008	P	u	24.78	7.00	12.00	7.43	17.35	8,000	56	<5.0	190	7.3	<5.0	1,000	0.95	7.03
4/1/2008	NP	i, l	24.78	7.00	12.00	7.64	17.16	9,300	70	<20	210	<20	<20	1,220	2.22	7.04
7/23/2008	P		24.78	7.00	12.00	8.82	15.96	19,000	190	<20	180	<20	<20	1,480	2.2	6.99
10/22/2008	P	a	24.78	7.00	12.00	9.13	15.65	31,000	190	<20	210	<20	<20	2,132	0.31	6.87
1/21/2009	P	a	24.78	7.00	12.00	8.72	16.06	20,000	99	<20	190	<20	<20	--	1.06	7.01
4/21/2009	P	a, u	24.78	7.00	12.00	7.68	17.10	18,000	63	<20	50	<20	<20	1,617	0.40	6.98
7/21/2009	P	u, v	24.78	7.00	12.00	8.91	15.87	9,700	100	<20	120	<20	<20	--	10.85	7.10
1/12/2010	P	u	24.78	7.00	12.00	8.30	16.48	8,400	49	<10	85	<10	<10	--	0.98	6.48
MW-2																
7/18/1990	--		22.06	8.00	12.00	7.86	14.20	35,000	3,800	2,900	690	3,600	--	--	--	--
10/15/1990	--		22.06	8.00	12.00	8.61	13.45	6,400	650	290	110	560	--	--	--	--
1/9/1991	--		22.06	8.00	12.00	8.43	13.63	13,000	1,500	970	390	1,500	--	--	--	--
4/16/1991	--		22.06	8.00	12.00	6.97	15.09	54,000	5,200	9,000	1,500	7,700	--	--	--	--
6/10/1991	--		21.33	8.00	12.00	7.91	13.42	26,000	3,000	2,500	880	4,200	--	--	--	--
10/10/1991	--		21.33	8.00	12.00	8.82	12.51	10,000	1,600	910	280	1,400	--	--	--	--
3/23/1992	--		21.33	8.00	12.00	6.86	14.47	33,000	4,100	5,000	1,100	5,300	--	--	--	--
6/8/1992	--		21.33	8.00	12.00	7.95	13.38	18,000	1,200	980	330	1,800	--	--	--	--
9/15/1992	--		21.33	8.00	12.00	8.71	12.62	13,000	430	500	340	1,800	--	--	--	--
11/16/1992	--		21.33	8.00	12.00	7.93	13.40	13,000	900	940	300	1,400	--	--	--	--
2/16/1993	--		21.33	8.00	12.00	6.02	15.31	20,000	1,800	1,200	530	2,700	--	--	--	--
5/13/1993	--		21.33	8.00	12.00	6.99	14.34	13,000	1,000	470	370	1,900	--	--	--	--
8/17/1993	--		21.33	8.00	12.00	7.85	13.48	9,100	770	160	310	1,500	--	--	--	--
11/8/1993	--		21.33	8.00	12.00	8.12	13.21	9,200	380	62	130	630	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
2/14/1994	--		21.33	8.00	12.00	6.88	14.45	8,700	670	370	50	1,400	--	--	--	--
5/5/1994	--		21.33	8.00	12.00	7.51	13.82	5,600	390	140	120	480	--	--	--	--
8/4/1994	--	n	21.33	8.00	12.00	8.00	13.33	2,300	180	<2.5	<2.5	230	--	--	--	--
11/20/1994	--		21.33	8.00	12.00	6.86	14.47	4,900	170	150	120	390	--	--	--	--
3/17/1995	--		21.33	8.00	12.00	6.12	15.21	10,000	460	77	260	550	--	--	--	--
6/1/1995	--		21.33	8.00	12.00	6.56	14.77	13,000	400	78	210	410	--	--	--	--
8/31/1995	--		21.33	8.00	12.00	7.18	14.15	5,000	280	18	120	140	<50	--	--	--
11/27/1995	--		21.33	8.00	12.00	7.39	13.94	3,200	230	12	77	90	--	--	--	--
2/22/1996	--		21.33	8.00	12.00	5.78	15.55	11,000	290	67	190	330	<50	--	--	--
5/20/1996	--		21.33	8.00	12.00	6.27	15.06	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.33	8.00	12.00	7.30	14.03	--	--	--	--	--	--	--	--	--
11/20/1996	--		21.33	8.00	12.00	7.28	14.05	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.12	8.00	12.00	7.11	14.01	4,800	570	6	71	32	67	--	--	--
5/23/1997	--		21.12	8.00	12.00	7.44	13.68	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.12	8.00	12.00	7.64	13.48	--	--	--	--	--	--	--	--	--
11/19/1997	--		21.12	8.00	12.00	7.70	13.42	--	--	--	--	--	--	--	--	--
2/19/1998	--		21.12	8.00	12.00	5.22	15.90	2,000	160	50	66	230	25	--	--	--
4/23/1998	--		21.12	8.00	12.00	6.24	14.88	--	--	--	--	--	--	--	--	--
7/27/1998	--		21.12	8.00	12.00	7.02	14.10	--	--	--	--	--	--	--	--	--
10/14/1998	--		21.12	8.00	12.00	7.54	13.58	--	--	--	--	--	--	--	--	--
1/21/1999	--		21.12	8.00	12.00	7.15	13.97	1,700	84	4	31	10	13	--	0.5	--
5/6/1999	--		21.12	8.00	12.00	6.95	14.17	--	--	--	--	--	--	--	--	--
8/23/1999	--		21.12	8.00	12.00	7.49	13.63	--	--	--	--	--	--	--	0.68	--
10/28/1999	--		21.12	8.00	12.00	7.92	13.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		21.12	8.00	12.00	6.61	14.51	--	--	--	--	--	--	--	--	--
6/20/2000	--		21.12	8.00	12.00	7.12	14.00	--	--	--	--	--	--	--	--	--
9/29/2000	--		21.12	8.00	12.00	7.60	13.52	--	--	--	--	--	--	--	--	--
12/17/2000	--		21.12	8.00	12.00	7.42	13.70	--	--	--	--	--	--	--	--	--
3/28/2001	--		21.12	8.00	12.00	6.84	14.28	838	18.1	<5.0	7.63	5.98	39.5	--	--	--
6/20/2001	--		21.12	8.00	12.00	7.66	13.46	--	--	--	--	--	--	--	--	--
9/22/2001	--		21.12	8.00	12.00	8.08	13.04	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
12/27/2001	--		21.12	8.00	12.00	6.48	14.64	--	--	--	--	--	--	--	--	--
3/15/2002	--		21.12	8.00	12.00	6.84	14.28	100	<0.5	<0.5	2.5	<0.5	75	--	--	--
4/18/2002	--		21.12	8.00	12.00	6.19	14.93	--	--	--	--	--	--	--	--	--
7/23/2002	--		21.12	8.00	12.00	7.73	13.39	--	--	--	--	--	--	--	--	--
10/16/2002	--		21.12	8.00	12.00	8.10	13.02	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	21.12	8.00	12.00	6.52	14.60	<5,000	<50	<50	<50	<50	95	--	1.6	7.2
4/7/2003	--		21.12	8.00	12.00	7.22	13.90	--	--	--	--	--	--	--	--	--
8/7/2003	--		21.12	8.00	12.00	7.84	13.28	--	--	--	--	--	--	--	--	--
10/23/2003	P	m	21.12	8.00	12.00	7.95	13.17	<250	<2.5	<2.5	<2.5	4.2	68	--	--	--
01/12/2004	--		21.12	8.00	12.00	6.60	14.52	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.87	8.00	12.00	8.32	15.55	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	23.87	8.00	12.00	8.96	14.91	72	<0.50	<0.50	<0.50	<0.50	72	--	2.1	6.9
11/04/2004	--		23.87	8.00	12.00	7.30	16.57	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.87	8.00	12.00	5.87	18.00	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.87	8.00	12.00	5.75	18.12	--	--	--	--	--	--	--	--	--
08/02/2005	P		23.87	8.00	12.00	6.47	17.40	1,300	4.3	0.57	11	0.97	12	--	--	7.0
10/21/2005	--		23.87	8.00	12.00	7.12	16.75	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.87	8.00	12.00	6.75	17.12	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.87	8.00	12.00	5.90	17.97	--	--	--	--	--	--	--	--	--
8/4/2006	P		23.87	8.00	12.00	7.41	16.46	50	<0.50	<0.50	<0.50	<0.50	7.9	--	1.57	7.2
10/23/2006	--		23.87	8.00	12.00	7.72	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.87	8.00	12.00	7.14	16.73	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.87	8.00	12.00	7.28	16.59	--	--	--	--	--	--	--	--	--
7/9/2007	P		23.87	8.00	12.00	7.73	16.14	110	<0.50	<0.50	<0.50	<0.50	3.2	--	1.40	7.37
10/1/2007	--		23.87	8.00	12.00	7.95	15.92	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.87	8.00	12.00	6.46	17.41	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.87	8.00	12.00	7.10	16.77	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.87	8.00	12.00	7.90	15.97	<50	<0.50	<0.50	<0.50	<0.50	0.78	--	3.1	7.25
10/22/2008	--		23.87	8.00	12.00	8.10	15.77	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.87	8.00	12.00	7.70	16.17	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.87	8.00	12.00	7.16	16.71	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-2 Cont.																
7/21/2009	NP	v	23.87	8.00	12.00	8.01	15.86	<50	<0.50	<0.50	<0.50	<0.50	0.83	--	11.67	7.47
1/12/2010	--		23.87	8.00	12.00	7.35	16.52	--	--	--	--	--	--	--	--	--
MW-3																
7/18/1990	--		20.84	8.00	12.00	7.03	13.81	--	--	--	--	--	--	--	--	--
10/15/1990	--	i, l	20.84	8.00	12.00	8.19	12.65	--	--	--	--	--	--	--	--	--
1/9/1991	--	i, l	20.84	8.00	12.00	7.46	13.38	--	--	--	--	--	--	--	--	--
4/16/1991	--	a	20.84	8.00	12.00	7.95	12.89	--	--	--	--	--	--	--	--	--
6/10/1991	--	a	20.11	8.00	12.00	7.14	12.97	--	--	--	--	--	--	--	--	--
10/10/1991	--	i, l	20.11	8.00	12.00	7.82	12.29	--	--	--	--	--	--	--	--	--
3/23/1992	--	a	20.11	8.00	12.00	5.75	14.36	--	--	--	--	--	--	--	--	--
6/8/1992	--	i, l	20.11	8.00	12.00	7.52	12.59	--	--	--	--	--	--	--	--	--
9/15/1992	--	i, l	20.11	8.00	12.00	8.01	12.10	--	--	--	--	--	--	--	--	--
11/16/1992	--	a	20.11	8.00	12.00	7.11	13.00	--	--	--	--	--	--	--	--	--
2/16/1993	--	i, l	20.11	8.00	12.00	5.93	14.18	--	--	--	--	--	--	--	--	--
5/13/1993	--	i, l	20.11	8.00	12.00	6.37	13.74	--	--	--	--	--	--	--	--	--
8/17/1993	--	i, l	20.11	8.00	12.00	7.00	13.11	--	--	--	--	--	--	--	--	--
11/8/1993	--		20.11	8.00	12.00	7.31	12.80	430,000	4,100	14,000	6,400	37,000	--	--	--	--
2/14/1994	--		20.11	8.00	12.00	5.81	14.30	85,000	4,200	12,000	2,500	16,000	--	--	--	--
5/5/1994	--		20.11	8.00	12.00	6.81	13.30	560,000	4,600	14,000	5,300	40,000	--	--	--	--
8/4/1994	--		20.11	8.00	12.00	7.31	12.80	64,000	4,200	7,600	1,700	12,000	--	--	--	--
11/20/1994	--		20.11	8.00	12.00	5.88	14.23	80,000	4,700	9,700	2,400	15,000	--	--	--	--
3/17/1995	--		20.11	8.00	12.00	5.46	14.65	370,000	4,800	12,000	5,800	34,000	--	--	--	--
6/1/1995	--		20.11	8.00	12.00	6.34	13.77	270,000	6,000	11,000	5,200	28,000	--	--	--	--
8/31/1995	--	i, l	20.11	8.00	12.00	6.60	13.51	--	--	--	--	--	--	--	--	--
11/27/1995	--		20.11	8.00	12.00	6.76	13.35	150,000	5,100	8,800	3,900	21,000	--	--	--	--
2/22/1996	--		20.11	8.00	12.00	5.14	14.97	150,000	4,400	7,600	4,100	22,000	<3,000	--	--	--
5/20/1996	--		20.11	8.00	12.00	5.17	14.94	410,000	4,700	8,000	6,300	36,000	<3,000	--	--	--
8/26/1996	--		20.11	8.00	12.00	7.04	13.07	260,000	4,000	6,100	4,200	24,000	<2,000	--	--	--
11/20/1996	--		20.11	8.00	12.00	6.26	13.85	190,000	3,200	5,800	3,300	20,000	<1,000	--	--	--
3/24/1997	--		22.99	8.00	12.00	6.94	16.05	430,000	2,700	7,600	7,000	39,000	<5,000	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
5/23/1997	--		22.99	8.00	12.00	6.98	16.01	130,000	2,100	4,300	3,500	19,000	<700	--	--	--
8/19/1997	--		22.99	8.00	12.00	7.25	15.74	100,000	2,000	3,200	<100	19,000	<600	--	--	--
11/19/1997	--		22.99	8.00	12.00	7.25	15.74	93,000	1,700	2,400	2,800	16,000	<600	--	--	--
2/19/1998	--		22.99	8.00	12.00	5.24	17.75	80,000	620	1,200	2,500	13,000	<600	--	--	--
4/23/1998	--		22.99	8.00	12.00	6.60	16.39	130,000	1,500	2,400	3,500	18,000	<600	--	3.5	--
7/27/1998	--		22.99	8.00	12.00	7.00	15.99	140,000	920	1,500	2,400	13,000	<600	--	1.0	--
10/14/1998	--		22.99	8.00	12.00	7.04	15.95	300,000	1,200	2,400	5,700	32,000	970	--	1.0	--
1/21/1999	--		22.99	8.00	12.00	6.50	16.49	120,000	860	1,500	2,600	14,000	<600	--	0.5	--
5/6/1999	--		22.99	8.00	12.00	6.90	16.09	49,000	670	1,400	2,500	11,000	170	--	1.03	--
8/23/1999	--		22.99	8.00	12.00	6.53	16.46	51,000	440	930	2,200	9,200	<150	--	0.67	--
10/28/1999	--		22.99	8.00	12.00	7.50	15.49	1,400,000	830	4,100	15,000	78,000	<5,000	--	0.77	--
2/4/2000	--		22.99	8.00	12.00	6.21	16.78	<50	<0.5	<0.5	<0.5	<1	650	--	1.61	--
6/20/2000	--		22.99	8.00	12.00	6.22	16.77	45,000	670	990	2,400	12,000	<500	--	--	--
9/29/2000	--		22.99	8.00	12.00	7.20	15.79	51,000	860	1,120	2,720	12,900	<250	--	--	--
12/17/2000	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.99	8.00	12.00	6.10	16.89	43,500	804	<200	250	11,000	<1,000	--	--	--
6/20/2001	--		22.99	8.00	12.00	6.14	16.85	62,000	1,000	850	2,800	13,000	<2,500	--	--	--
9/22/2001	--		22.99	8.00	12.00	7.24	15.75	53,000	1,200	1,200	3,100	13,000	<1,000	--	--	--
12/27/2001	--		22.99	8.00	12.00	7.00	15.99	44,000	860	840	2,300	10,000	<250	--	--	--
3/15/2002	--		22.99	8.00	12.00	7.02	15.97	43,000	1,000	810	2,300	11,000	<250	--	--	--
4/18/2002	--		22.99	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
7/23/2002	P	d	22.99	8.00	12.00	7.22	15.77	45,000	750	570	2,100	10,000	<250	--	1	8
10/16/2002	P	d	22.99	8.00	12.00	7.54	15.45	42,000	780	620	2,500	11,000	<250	--	1.4	7.7
1/23/2003	P	g	22.99	8.00	12.00	6.85	16.14	68,000	580	500	3,300	16,000	<100	--	1.3	7
4/7/2003	--		22.99	8.00	12.00	7.05	15.94	48,000	620	450	2,200	11,000	<50	--	1.4	6.9
8/7/2003	--	m	--	8.00	12.00	6.89	--	35,000	360	250	1,700	8,100	<100	--	2.4	8.9
10/23/2003	P	m	22.99	8.00	12.00	7.05	15.94	36,000	340	250	1,700	8,300	<25	--	--	--
01/12/2004	NP		22.99	8.00	12.00	5.93	17.06	1,100	<5.0	<5.0	<5.0	34	<5.0	--	3.2	9.5
04/20/2004	P	r	22.63	8.00	12.00	7.60	15.03	30,000	210	170	1,700	7,300	<50	--	1.6	7.8
07/01/2004	P	a	22.63	8.00	12.00	7.76	14.87	33,000	190	190	1,300	6,300	<50	--	2.3	7.4
11/04/2004	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-3 Cont.																
11/23/2004	P		22.63	8.00	12.00	6.75	15.88	32,000	150	160	1,400	7,100	<50	--	1.2	7.5
01/10/2005	P		22.63	8.00	12.00	4.75	17.88	34,000	180	150	1,400	6,900	<100	--	0.7	7.0
04/14/2005	P		22.63	8.00	12.00	5.60	17.03	26,000	170	200	1,500	5,000	<25	--	2.3	7.0
08/02/2005	P		22.63	8.00	12.00	5.97	16.66	41,000	260	190	1,800	8,600	<25	--	--	7.0
10/21/2005	P		22.63	8.00	12.00	6.55	16.08	39,000	230	160	1,500	7,400	<50	--	1.05	7.0
01/04/2006	P		22.63	8.00	12.00	4.57	18.06	33,000	160	150	1,700	7,500	<25	--	0.97	7.1
04/28/2006	P	a	22.63	8.00	12.00	5.35	17.28	42,000	130	110	1,700	6,500	<25	--	1.39	7.0
8/4/2006	P		22.63	8.00	12.00	5.97	16.66	38,000	180	130	1,500	7,000	<25	--	0.47	6.9
10/23/2006	P		22.63	8.00	12.00	6.66	15.97	48,000	180	120	1,500	7,100	<5.0	--	--	6.98
1/15/2007	P		22.63	8.00	12.00	6.11	16.52	36,000	130	130	1,900	8,400	<25	--	0.97	7.25
4/17/2007	P	a	22.63	8.00	12.00	6.13	16.50	73,000	120	140	2,200	9,900	<25	--	1.13	7.42
7/9/2007	P	a	22.63	8.00	12.00	6.82	15.81	42,000	110	110	1,700	7,100	<25	--	1.38	7.28
10/1/2007	P	a, o, t	22.63	8.00	12.00	6.85	15.78	48,000	100	100	1,700	7,700	<25	--	1.65	7.66
1/7/2008	--	p	22.63	8.00	12.00	--	--	--	--	--	--	--	--	--	--	--
4/1/2008	P	a	22.63	8.00	12.00	8.95	13.68	160,000	<100	<100	1,700	7,400	<100	--	0.96	7.03
7/23/2008	NP		22.63	8.00	12.00	7.00	15.63	33,000	39	47	1,100	5,000	<5.0	--	1.04	6.93
10/22/2008	P	a	22.63	8.00	12.00	7.15	15.48	98,000	<120	<120	2,000	8,000	<120	--	1.06	7.09
1/21/2009	P	a	22.63	8.00	12.00	6.79	15.84	51,000	<100	<100	2,300	9,000	<100	--	0.58	7.08
4/21/2009	P	a	22.63	8.00	12.00	5.80	16.83	720,000	52	<50	790	7,000	<50	--	1.38	7.14
7/21/2009	P	v	22.63	8.00	12.00	6.84	15.79	36,000	29	33	1,300	4,800	<25	--	11.15	7.35
1/12/2010	P		22.63	8.00	12.00	6.19	16.44	25,000	25	24	1,200	3,900	<10	--	1.07	6.63
MW-4																
6/10/1991	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	20.75	6.00	9.00	--	--	15,000	5,300	1,500	470	1,300	--	--	--	--
3/23/1992	--	b	20.75	6.00	9.00	--	--	24,000	5,600	4,000	580	3,100	--	--	--	--
6/8/1992	--	b	20.75	6.00	9.00	--	--	5,700	2,000	170	92	270	--	--	--	--
9/15/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		20.75	6.00	9.00	7.10	13.65	12,000	920	1,100	130	750	--	--	--	--
5/13/1993	--		20.75	6.00	9.00	7.02	13.73	19,000	2,900	2,800	360	1,900	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
8/17/1993	--		20.75	6.00	9.00	7.85	12.90	8,100	1,600	1,300	170	730	--	--	--	--
11/8/1993	--	b	20.75	6.00	9.00	--	--	2,000	540	110	10	240	--	--	--	--
2/14/1994	--	b	20.75	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
5/5/1994	--		20.75	6.00	9.00	7.73	13.02	1,900	510	78	31	150	--	--	--	--
8/4/1994	--	n	20.75	6.00	9.00	7.83	12.92	1,300	360	17	<5	190	--	--	--	--
11/20/1994	--		20.75	6.00	9.00	7.73	13.02	<50	2.9	0.5	<0.5	1.4	--	--	--	--
3/17/1995	--		20.75	6.00	9.00	6.65	14.10	16,000	1,800	970	310	2,500	--	--	--	--
6/1/1995	--		20.75	6.00	9.00	7.25	13.50	16,000	2,800	870	380	2,700	--	--	--	--
8/31/1995	--		20.75	6.00	9.00	7.75	13.00	9,000	2,000	270	270	1,400	<100	--	--	--
11/27/1995	--		20.75	6.00	9.00	7.87	12.88	3,800	890	130	130	550	--	--	--	--
2/22/1996	--		20.75	6.00	9.00	7.29	13.46	940	150	82	19	130	<20	--	--	--
5/20/1996	--		20.75	6.00	9.00	7.30	13.45	6,700	1,100	330	120	1,100	<100	--	--	--
8/26/1996	--		20.75	6.00	9.00	7.57	13.18	14,000	2,400	510	350	2,100	<100	--	--	--
11/20/1996	--		20.75	6.00	9.00	7.89	12.86	420	55	17	11	62	<3	--	--	--
3/24/1997	--		22.38	6.00	9.00	6.90	15.48	6,800	620	150	81	1,300	<50	--	--	--
5/23/1997	--		22.38	6.00	9.00	7.80	14.58	9,000	1,300	240	200	1,600	<60	--	--	--
8/19/1997	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b, j	22.38	6.00	9.00	--	--	3700	600	93	120	710	<60	--	--	--
2/19/1998	--		22.38	6.00	9.00	6.78	15.60	1,800	93	51	29	420	110	--	--	--
4/23/1998	--		22.38	6.00	9.00	6.47	15.91	6,500	700	110	180	1,300	93	--	0.5	--
7/27/1998	--		22.38	6.00	9.00	7.22	15.16	10,000	1,400	140	290	1,900	<120	--	1.5	--
10/14/1998	--		22.38	6.00	9.00	7.60	14.78	6,500	900	63	200	1,200	63	--	1	--
1/21/1999	--		22.38	6.00	9.00	7.43	14.95	1,700	140	22	56	320	13	--	0.5	--
5/6/1999	--		22.38	6.00	9.00	6.55	15.83	3,300	250	36	73	890	41	--	1.28	--
8/23/1999	--		22.38	6.00	9.00	7.16	15.22	7,400	500	73	230	1,700	57	--	0.89	--
10/28/1999	--		22.38	6.00	9.00	8.28	14.10	370	41	5.7	14	52	16	--	0.92	--
2/4/2000	--		22.38	6.00	9.00	8.23	14.15	310	33	7.5	11	65	8	--	2.43	--
6/20/2000	--		22.38	6.00	9.00	6.46	15.92	2,700	210	20	94	520	46	--	--	--
9/29/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.38	6.00	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.38	6.00	9.00	7.49	14.89	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
6/20/2001	--		22.38	6.00	9.00	7.21	15.17	13,000	690	170	330	1,400	110	--	--	--
9/22/2001	--		22.38	6.00	9.00	7.43	14.95	6,700	650	110	410	1,800	100	--	--	--
12/27/2001	--		22.38	6.00	9.00	7.32	15.06	1,200	47	15	46	250	15	--	--	--
3/15/2002	--		22.38	6.00	9.00	7.43	14.95	490	34	7.4	26	110	12	--	--	--
4/18/2002	--		22.38	6.00	9.00	7.00	15.38	<50	0.57	0.83	<0.5	1.1	3.7	--	--	--
7/23/2002	NP	d	22.38	6.00	9.00	7.70	14.68	820	80	12	23	190	41	--	2.2	7.3
10/16/2002	NP	d	22.38	6.00	9.00	7.75	14.63	2,000	220	25	140	570	<25	--	1.8	7.6
1/23/2003	NP	g	22.38	6.00	9.00	7.11	15.27	<250	<2.5	<2.5	<2.5	8.8	5.9	--	1.7	7
4/7/2003	--		22.38	6.00	9.00	7.19	15.19	310	24	2.4	15	62	9.2	--	1.1	7.1
8/7/2003	--	m	22.38	6.00	9.00	7.45	14.93	3,000	280	<25	150	700	<25	--	1.2	6.8
10/23/2003	NP	m	22.38	6.00	9.00	7.59	14.79	1,700	150	7.6	83	320	12	--	--	--
01/12/2004	NP		22.38	6.00	9.00	7.40	14.98	260	4.4	<2.5	<2.5	27	4.3	--	2.4	7.3
04/20/2004	NP	r	23.32	6.00	9.00	7.38	15.94	1,500	160	<5.0	50	320	12	--	1.4	7.1
07/01/2004	NP		23.32	6.00	9.00	7.78	15.54	1,800	150	5.2	16	260	15	--	1.9	7.0
11/04/2004	NP		23.32	6.00	9.00	7.75	15.57	640	38	1.9	2.1	110	5.7	--	1.9	7.0
01/10/2005	NP		23.32	6.00	9.00	7.54	15.78	<50	1.1	<0.50	<0.50	0.96	2.5	--	1.61	7.0
04/14/2005	NP		23.32	6.00	9.00	7.20	16.12	320	16	0.69	1.4	48	4.5	--	2.5	7.0
08/02/2005	NP		23.32	6.00	9.00	7.35	15.97	1,100	77	2.8	9.0	190	7.1	--	--	6.8
10/21/2005	NP		23.32	6.00	9.00	7.25	16.07	1,700	84	3.9	6.5	250	10	--	1.99	6.9
01/04/2006	NP		23.32	6.00	9.00	7.52	15.80	460	14	<1.0	2.1	72	3.7	--	1.15	7.2
04/28/2006	NP		23.32	6.00	9.00	6.55	16.77	670	17	<1.0	3.7	33	3.7	--	1.39	7.0
8/4/2006	NP		23.32	6.00	9.00	7.00	16.32	2,800	240	9.3	14	280	15	--	1.26	7.1
10/23/2006	P		23.32	6.00	9.00	7.33	15.99	2,100	200	7.8	17	150	16	--	--	7.08
1/15/2007	--		23.32	6.00	9.00	7.60	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	NP		23.32	6.00	9.00	7.47	15.85	110	9.0	<1.0	1.0	4.5	3.5	--	3.79	7.25
7/9/2007	NP		23.32	6.00	9.00	7.55	15.77	1,400	130	5.4	14	96	14	--	3.55	7.40
10/1/2007	NP		23.32	6.00	9.00	7.69	15.63	1,300	120	6.4	12	91	11	--	3.08	7.42
1/7/2008	NP		23.32	6.00	9.00	7.38	15.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.25	7.26
4/1/2008	NP		23.32	6.00	9.00	7.05	16.27	190	<0.50	<0.50	<0.50	<0.50	0.68	--	1.32	7.12
7/23/2008	--	c	23.32	6.00	9.00	7.36	15.96	--	--	--	--	--	--	--	--	--
10/22/2008	--	c	23.32	6.00	9.00	7.41	15.91	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-4 Cont.																
1/21/2009	--	c	23.32	6.00	9.00	7.39	15.93	--	--	--	--	--	--	--	--	--
4/21/2009	NP		23.32	6.00	9.00	6.90	16.42	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.18	7.28
7/21/2009	--		23.32	6.00	9.00	7.18	16.14	--	--	--	--	--	--	--	--	--
1/12/2010	--		23.32	6.00	9.00	7.23	16.09	--	--	--	--	--	--	--	--	--
MW-5																
6/10/1991	--		20.90	6.00	10.50	7.58	13.32	100,000	25,000	20,000	2,600	12,000	--	--	--	--
10/10/1991	--	a	20.90	6.00	10.50	8.51	12.39	--	--	--	--	--	--	--	--	--
3/23/1992	--		20.90	6.00	10.50	6.06	14.84	150,000	24,000	31,000	4,400	23,000	--	--	--	--
6/8/1992	--		20.90	6.00	10.50	7.66	13.24	120,000	17,000	13,000	2,400	11,000	--	--	--	--
9/15/1992	--	l	20.90	6.00	10.50	8.40	12.50	--	--	--	--	--	--	--	--	--
11/16/1992	--		20.90	6.00	10.50	7.70	13.20	110,000	16,000	16,000	3,200	18,000	--	--	--	--
2/16/1993	--		20.90	6.00	10.50	5.64	15.26	150,000	12,000	15,000	3,000	17,000	--	--	--	--
5/13/1993	--	l	20.90	6.00	10.50	6.68	14.22	--	--	--	--	--	--	--	--	--
8/17/1993	--		20.90	6.00	10.50	7.49	13.41	87,000	15,000	8,500	1,900	11,000	--	--	--	--
11/8/1993	--		20.90	6.00	10.50	7.93	12.97	87,000	12,000	8,300	2,000	12,000	--	--	--	--
2/14/1994	--		20.90	6.00	10.50	6.49	14.41	46,000	7,300	5,300	940	5,200	--	--	--	--
5/5/1994	--		20.90	6.00	10.50	7.18	13.72	54,000	9,700	4,700	1,000	6,400	--	--	--	--
8/4/1994	--		20.90	6.00	10.50	7.83	13.07	57,000	14,000	3,200	1,200	7,200	--	--	--	--
11/20/1994	--		20.90	6.00	10.50	6.34	14.56	33,000	5,700	1,800	720	4,700	--	--	--	--
3/17/1995	--		20.90	6.00	10.50	5.51	15.39	48,000	6,400	2,000	740	5,100	--	--	--	--
6/1/1995	--		20.90	6.00	10.50	6.55	14.35	76,000	11,000	5,400	1,400	7,700	--	--	--	--
8/31/1995	--		20.90	6.00	10.50	6.80	14.10	53,000	12,000	1,600	1,000	6,000	<500	--	--	--
11/27/1995	--		20.90	6.00	10.50	7.13	13.77	43,000	7,900	3,300	950	4,900	--	--	--	--
2/22/1996	--		20.90	6.00	10.50	5.12	15.78	52,000	9,100	3,300	940	5,000	<500	--	--	--
5/20/1996	--		20.90	6.00	10.50	5.87	15.03	55,000	9,300	3,800	1,100	5,400	<500	--	--	--
8/26/1996	--		20.90	6.00	10.50	7.15	13.75	47,000	5,300	2,100	780	3,200	<300	--	--	--
11/20/1996	--		20.90	6.00	10.50	6.88	14.02	53,000	8,700	5,700	920	4,400	<500	--	--	--
3/24/1997	--		22.45	6.00	10.50	7.13	15.32	39,000	8,200	3,200	720	3,100	<500	--	--	--
5/23/1997	--		22.45	6.00	10.50	7.42	15.03	29,000	6,600	1,700	400	1,500	<600	--	--	--
8/19/1997	--		22.45	6.00	10.50	7.58	14.87	16,000	4,600	790	<50	1,300	<300	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
11/19/1997	--		22.45	6.00	10.50	7.58	14.87	22,000	5,800	1,300	380	1,300	<300	--	--	--
2/19/1998	--		22.45	6.00	10.50	4.65	17.80	40,000	5,100	3,800	620	2,900	<300	--	--	--
4/23/1998	--		22.45	6.00	10.50	6.25	16.20	45,000	8,000	4,000	970	4,200	<600	--	1.5	--
7/27/1998	--		22.45	6.00	10.50	6.71	15.74	30,000	8,000	2,000	590	1,900	<600	--	1.5	--
10/14/1998	--		22.45	6.00	10.50	7.19	15.26	33,000	7,400	1,900	550	1,700	<300	--	1.5	--
1/21/1999	--		22.45	6.00	10.50	7.03	15.42	34,000	6,200	2,600	630	2,300	<600	--	2.5	--
5/6/1999	--		22.45	6.00	10.50	7.02	15.43	7,900	2,400	200	240	580	12	--	1.07	--
8/23/1999	--		22.45	6.00	10.50	7.04	15.41	25,000	5,800	2,300	570	2,000	67	--	1.04	--
10/28/1999	--		22.45	6.00	10.50	7.90	14.55	20,000	5,900	1,100	450	1,100	<250	--	0.87	--
2/4/2000	--		22.45	6.00	10.50	6.71	15.74	32,000	2,500	3,800	770	4,200	<75	--	2.33	--
6/20/2000	--		22.45	6.00	10.50	6.78	15.67	10,000	3,000	650	260	700	<200	--	--	--
9/29/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.45	6.00	10.50	6.48	15.97	23,400	4,160	3,450	728	3,090	<250	--	--	--
6/20/2001	--		22.45	6.00	10.50	7.26	15.19	120,000	1,200	49	190	540	<100	--	--	--
9/22/2001	--	b	22.45	6.00	10.50	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.45	6.00	10.50	6.56	15.89	16,000	1,500	2,700	730	3,200	<250	--	--	--
3/15/2002	--		22.45	6.00	10.50	6.90	15.55	20,000	2,600	3,300	1,000	4,000	<250	--	--	--
4/18/2002	--		22.45	6.00	10.50	6.17	16.28	17,000	3,200	2,900	790	3,000	<250	--	--	--
7/23/2002	NP	d	22.45	6.00	10.50	7.36	15.09	4,600	1,400	30	160	470	110	--	1.7	7.5
10/16/2002	NP	d	22.45	6.00	10.50	7.66	14.79	5,400	1,300	<20	62	150	<100	--	1.1	7.5
1/23/2003	NP	g	22.45	6.00	10.50	6.28	16.17	<5,000	110	<50	<50	98	<50	--	1.1	7.6
4/7/2003	--		22.45	6.00	10.50	7.21	15.24	1,600	310	18	36	62	32	--	1.5	7.2
8/7/2003	--	m	22.45	6.00	10.50	7.46	14.99	<50	1.8	<0.50	<0.50	<0.50	3.5	--	12.2	9
10/23/2003	NP	m	22.45	6.00	10.50	7.68	14.77	76	14	<0.50	0.77	0.61	12	--	--	--
01/12/2004	NP		22.45	6.00	10.50	6.34	16.11	<50	1.5	0.68	<0.50	0.62	11	--	6.8	8.8
04/20/2004	NP	r	23.47	6.00	10.50	8.12	15.35	300	53	13	12	29	12	--	8.9	8.5
07/01/2004	NP		23.47	6.00	10.50	8.62	14.85	<50	0.56	<0.50	<0.50	<0.50	11	--	10.6	8.5
11/04/2004	NP		23.47	6.00	10.50	7.01	16.46	90	6.3	0.94	1.3	5.7	9.4	--	7.5	7.6
01/10/2005	NP		23.47	6.00	10.50	5.51	17.96	710	0.55	<0.50	0.52	53	40	--	1.54	7.2
04/14/2005	NP		23.47	6.00	10.50	5.67	17.80	1,800	130	5.9	54	350	40	--	2.0	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-5 Cont.																
08/02/2005	NP		23.47	6.00	10.50	5.94	17.53	3,800	210	7.3	250	520	19	--	--	6.9
10/21/2005	NP		23.47	6.00	10.50	6.69	16.78	4,100	330	7.4	190	420	16	--	1.42	6.9
01/04/2006	NP		23.47	6.00	10.50	5.55	17.92	5,100	580	14	210	420	30	--	0.62	6.8
04/28/2006	NP		23.47	6.00	10.50	5.52	17.95	2,900	190	5.9	59	150	9.9	--	1.74	7.0
8/4/2006	NP		23.47	6.00	10.50	6.51	16.96	3,800	380	7.6	34	140	14	--	0.82	6.9
10/23/2006	P		23.47	6.00	10.50	7.34	16.13	3,300	310	96	70	210	13	--	--	6.99
1/15/2007	P		23.47	6.00	10.50	6.67	16.80	5,600	320	300	220	820	10	--	1.03	7.03
4/17/2007	NP		23.47	6.00	10.50	6.72	16.75	3,400	200	12	160	250	5.9	--	2.25	7.11
7/9/2007	NP		23.47	6.00	10.50	7.30	16.17	2,600	240	7.0	15	63	6.9	--	2.28	7.16
10/1/2007	NP		23.47	6.00	10.50	7.56	15.91	2,300	220	5.4	4.6	13	4.2	--	2.33	7.19
1/7/2008	NP		23.47	6.00	10.50	6.12	17.35	2,100	190	8.8	18	46	4.1	--	1.06	6.97
4/1/2008	NP		23.47	6.00	10.50	6.48	16.99	2,300	87	2.9	27	68	1.8	--	2.50	7.01
7/23/2008	NP		23.47	6.00	10.50	7.16	16.31	2,900	210	<10	52	78	<10	--	1.4	7.03
10/22/2008	NP		23.47	6.00	10.50	7.77	15.70	4,000	310	7.4	<5.0	7.9	<5.0	--	2.64	7.01
1/21/2009	P	a	23.47	6.00	10.50	7.26	16.21	2,300	51	<5.0	9.4	17	<5.0	--	0.19	7.18
4/21/2009	NP		23.47	6.00	10.50	6.83	16.64	2,100	0.69	<0.50	<0.50	11	0.74	--	1.54	7.08
7/21/2009	--		23.47	6.00	10.50	7.57	15.90	--	--	--	--	--	--	--	--	--
1/12/2010	--		23.47	6.00	10.50	6.80	16.67	--	--	--	--	--	--	--	--	--
MW-6																
6/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/23/1992	--		22.08	5.50	9.00	7.45	14.63	75,000	19,000	10,000	1,600	8,600	--	--	--	--
6/8/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.08	5.50	9.00	6.79	15.29	65,000	14,000	3,500	1,300	6,100	--	--	--	--
5/13/1993	--		22.08	5.50	9.00	7.73	14.35	36,000	8,200	870	1,000	5,200	--	--	--	--
8/17/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.08	5.50	9.00	7.78	14.30	47,000	14,000	390	1,000	5,100	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
5/5/1994	--	n	22.08	5.50	9.00	8.24	13.84	45,000	14,000	<200	1,300	4,500	--	--	--	--
8/4/1994	--	b	22.08	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--	n	22.08	5.50	9.00	7.41	14.67	30,000	11,000	<100	1,200	2,300	--	--	--	--
3/17/1995	--	n	22.08	5.50	9.00	6.66	15.42	45,000	9,300	<100	1,900	3,600	--	--	--	--
6/1/1995	--		22.08	5.50	9.00	7.60	14.48	23,000	5,600	<50	1,300	1,900	--	--	--	--
8/31/1995	--		22.08	5.50	9.00	7.92	14.16	26,000	8,000	<100	1,900	900	<500	--	--	--
11/27/1995	--		22.08	5.50	9.00	8.21	13.87	6,700	1,800	<20	480	230	--	--	--	--
2/22/1996	--		22.08	5.50	9.00	6.21	15.87	17,000	3,100	69	810	1,500	<300	--	--	--
5/20/1996	--		22.08	5.50	9.00	7.07	15.01	16,000	3,700	<50	1,100	1,100	<300	--	--	--
8/26/1996	--		22.08	5.50	9.00	7.93	14.15	23,000	5,800	<50	2,000	560	<300	--	--	--
11/20/1996	--	j	22.08	5.50	9.00	8.02	14.06	11,000	3,300	<50	480	370	<300	--	--	--
3/24/1997	--		22.77	5.50	9.00	7.95	14.82	9,700	1,900	<20	800	270	<100	--	--	--
5/23/1997	--		22.77	5.50	9.00	8.17	14.60	16,000	4,300	<50	1,400	180	<300	--	--	--
8/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.77	5.50	9.00	5.78	16.99	2,600	540	8	90	88	<30	--	--	--
4/23/1998	--		22.77	5.50	9.00	6.83	15.94	7,600	1,300	13	520	190	<60	--	0.5	--
7/27/1998	--		22.77	5.50	9.00	7.80	14.97	15,000	3,600	<25	1,100	230	<150	--	1	--
10/14/1998	--		22.77	5.50	9.00	8.31	14.46	8,700	2,400	<20	220	36	<120	--	2	--
1/21/1999	--		22.77	5.50	9.00	7.90	14.87	4,800	1,100	<25	340	79	<150	--	2	--
5/6/1999	--		22.77	5.50	9.00	7.70	15.07	1,300	240	2.3	85	19	5	--	1.18	--
8/23/1999	--		22.77	5.50	9.00	8.24	14.53	4,200	970	12	110	29	<15	--	0.9	--
10/28/1999	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.77	5.50	9.00	7.31	15.46	110	<0.5	0.6	1.5	1.9	11	--	1.1	--
6/20/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
3/28/2001	--	b	22.77	5.50	9.00	7.57	15.20	--	--	--	--	--	--	--	--	--
6/20/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.77	5.50	9.00	7.21	15.56	<50	2.6	0.57	1.1	1.6	<2.5	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
3/15/2002	--		22.77	5.50	9.00	7.51	15.26	2,100	380	8.6	110	17	<25	--	--	--
4/18/2002	--		22.77	5.50	9.00	6.89	15.88	2,200	440	12	96	14	52	--	--	--
7/23/2002	NP		22.77	5.50	9.00	8.50	14.27	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	--	g, h	22.77	5.50	9.00	--	--	<250	58	<2.5	6.2	3.8	17	--	2.1	--
1/23/2003	NP	g	22.77	5.50	9.00	8.05	14.72	<5,000	<50	<50	<50	<50	<50	--	2.1	6.4
4/7/2003	--		22.77	5.50	9.00	8.11	14.66	330	13	<0.50	2.7	8.6	15	--	2.2	6.9
8/7/2003	--	b	22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/23/2003	NP		22.77	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
01/12/2004	NP		22.77	5.50	9.00	7.63	15.14	3,600	560	<25	120	<25	150	--	0.6	7.1
04/20/2004	NP	c, r	24.66	5.50	9.00	8.54	16.12	--	--	--	--	--	--	--	--	--
07/01/2004	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		24.66	5.50	9.00	8.10	16.56	4,900	580	<10	180	30	230	--	2.9	6.9
01/10/2005	NP		24.66	5.50	9.00	7.03	17.63	5,400	540	<25	150	46	240	--	1.29	6.9
04/14/2005	NP		24.66	5.50	9.00	6.85	17.81	3,600	410	5.2	100	25	210	--	2.7	--
08/02/2005	NP		24.66	5.50	9.00	7.28	17.38	4,300	340	<5.0	110	44	150	--	--	6.8
10/21/2005	NP		24.66	5.50	9.00	7.38	17.28	3,400	250	<5.0	80	20	110	--	2.38	6.8
01/04/2006	NP		24.66	5.50	9.00	7.20	17.46	2,800	270	4.0	75	14	130	--	1.07	7.3
04/28/2006	NP		24.66	5.50	9.00	6.60	18.06	4,400	170	<2.5	45	7.2	170	--	1.3	6.8
8/4/2006	NP		24.66	5.50	9.00	7.50	17.16	2,200	93	<2.5	15	9.0	110	--	1.23	6.7
10/23/2006	--		24.66	5.50	9.00	8.48	16.18	--	--	--	--	--	--	--	--	--
1/15/2007	--		24.66	5.50	9.00	8.05	16.61	--	--	--	--	--	--	--	--	--
4/17/2007	NP		24.66	5.50	9.00	7.58	17.08	330	5.6	<1.0	1.5	1.2	24	--	1.82	7.02
7/9/2007	NP		24.66	5.50	9.00	8.34	16.32	1,600	63	1.4	16	9.4	51	--	1.73	7.13
10/1/2007	--		24.66	5.50	9.00	8.60	16.06	--	--	--	--	--	--	--	--	--
1/7/2008	NP		24.66	5.50	9.00	7.22	17.44	300	2.2	<0.50	2.8	1.0	37	--	3.24	7.16
4/1/2008	NP		24.66	5.50	9.00	7.87	16.79	110	<0.50	<0.50	<0.50	<0.50	1.4	--	6.21	7.19
7/23/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
4/21/2009	--	c	24.66	5.50	9.00	7.91	16.75	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-6 Cont.																
7/21/2009	--	b	24.66	5.50	9.00	--	--	--	--	--	--	--	--	--	--	--
1/12/2010	--		24.66	5.50	9.00	8.11	16.55	--	--	--	--	--	--	--	--	--
MW-7																
6/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/10/1991	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
3/23/1992	--		22.89	8.00	10.00	8.20	14.69	270	10	0.5	3	13	--	--	--	--
6/8/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/16/1992	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/16/1993	--		22.89	8.00	10.00	7.84	15.05	120	3.6	<0.5	<0.5	1.2	--	--	--	--
5/13/1993	--		22.89	8.00	10.00	8.56	14.33	<50	0.8	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/8/1993	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/14/1994	--		22.89	8.00	10.00	8.80	14.09	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.89	8.00	10.00	9.11	13.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/20/1994	--		22.89	8.00	10.00	8.72	14.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.89	8.00	10.00	7.68	15.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.89	8.00	10.00	8.40	14.49	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/31/1995	--		22.89	8.00	10.00	9.09	13.80	<50	<0.5	<0.5	0.6	<0.5	<3	--	--	--
11/27/1995	--		22.89	8.00	10.00	9.15	13.74	<50	<0.5	<0.5	0.9	<0.5	--	--	--	--
2/22/1996	--		22.89	8.00	10.00	7.44	15.45	110	1.4	<0.5	3.8	3	<3	--	--	--
5/20/1996	--		22.89	8.00	10.00	8.47	14.42	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.89	8.00	10.00	8.81	14.08	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.89	8.00	10.00	9.17	13.72	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.89	8.00	10.00	8.31	14.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		22.89	8.00	10.00	9.26	13.63	--	--	--	--	--	--	--	--	--
8/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/19/1997	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.89	8.00	10.00	6.13	16.76	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
4/23/1998	--		22.89	8.00	10.00	7.44	15.45	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		22.89	8.00	10.00	8.75	14.14	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		22.89	8.00	10.00	9.22	13.67	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
1/21/1999	--		22.89	8.00	10.00	9.07	13.82	52	<0.5	<0.5	<0.5	0.27	<3	--	3.0	--
5/6/1999	--		22.89	8.00	10.00	8.32	14.57	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.83	--
8/23/1999	--		22.89	8.00	10.00	9.25	13.64	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.42	--
10/28/1999	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.89	8.00	10.00	8.79	14.10	<50	<0.5	<0.5	<0.5	<1	<3	--	4.46	--
6/20/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/29/2000	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/17/2000	--		22.89	8.00	10.00	8.93	13.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		22.89	8.00	10.00	8.35	14.54	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
9/22/2001	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
12/27/2001	--		22.89	8.00	10.00	8.42	14.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		22.89	8.00	10.00	8.54	14.35	<50	1.3	2.6	1.1	5.4	<2.5	--	--	--
4/18/2002	--		22.89	8.00	10.00	7.84	15.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	3.32	--
7/23/2002	NP		22.89	8.00	10.00	9.51	13.38	--	--	--	--	--	--	--	--	--
10/16/2002	--	b	22.89	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/23/2003	NP	g	22.89	8.00	10.00	8.04	14.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	6.7
4/7/2003	--		22.89	8.00	10.00	8.39	14.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.1	6.9
8/7/2003	--		22.89	8.00	10.00	9.01	13.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.5	6.9
10/23/2003	NP		22.89	8.00	10.00	9.22	13.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	NP		22.89	8.00	10.00	8.81	14.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.8	7.3
04/20/2004	NP	r	25.46	8.00	10.00	8.95	16.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.6	7.2
07/01/2004	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
11/04/2004	NP		25.46	8.00	10.00	9.04	16.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	5.4	7.1
01/10/2005	NP		25.46	8.00	10.00	8.25	17.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.02	7.0
04/14/2005	--		25.46	8.00	10.00	7.95	17.51	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.46	8.00	10.00	8.40	17.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.8
10/21/2005	--		25.46	8.00	10.00	8.92	16.54	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-7 Cont.																
01/04/2006	--		25.46	8.00	10.00	8.62	16.84	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.46	8.00	10.00	7.78	17.68	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.46	8.00	10.00	8.78	16.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	4.49	7.2
10/23/2006	--		25.46	8.00	10.00	9.39	16.07	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.46	8.00	10.00	9.06	16.40	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.46	8.00	10.00	9.12	16.34	--	--	--	--	--	--	--	--	--
7/9/2007	NP	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.46	8.00	10.00	9.60	15.86	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.46	8.00	10.00	8.99	16.47	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.46	8.00	10.00	8.35	17.11	--	--	--	--	--	--	--	--	--
7/23/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
10/22/2008	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.46	8.00	10.00	9.35	16.11	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.46	8.00	10.00	8.72	16.74	--	--	--	--	--	--	--	--	--
7/21/2009	--	b	25.46	8.00	10.00	--	--	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.46	8.00	10.00	9.11	16.35	--	--	--	--	--	--	--	--	--
MW-8																
6/10/1991	--		20.97	6.50	10.50	7.80	13.17	5,800	73	7.2	150	21	--	--	--	--
10/10/1991	--		20.97	6.50	10.50	8.87	12.10	2,800	31	6.1	4.5	3.9	--	--	--	--
3/23/1992	--	n	20.97	6.50	10.50	5.81	15.16	8,000	18	<5	320	42	--	--	--	--
6/8/1992	--	n	20.97	6.50	10.50	8.01	12.96	4,000	<10	<10	110	<10	--	--	--	--
9/15/1992	--	n	20.97	6.50	10.50	8.80	12.17	4,200	6.4	<5	120	<5	--	--	--	--
11/16/1992	--	n	20.97	6.50	10.50	8.19	12.78	2,600	4	<2.5	21	5.2	--	--	--	--
2/16/1993	--	n	20.97	6.50	10.50	5.84	15.13	8,700	<5	<5	200	<5	--	--	--	--
5/13/1993	--	n	20.97	6.50	10.50	6.93	14.04	2,300	<5	<5	42	<5	--	--	--	--
8/17/1993	--	n	20.97	6.50	10.50	7.87	13.10	1,700	1.8	<1.3	16	1.2	--	--	--	--
11/8/1993	--	n	20.97	6.50	10.50	8.31	12.66	1,200	2.4	<1	19	2.3	--	--	--	--
2/14/1994	--	n	20.97	6.50	10.50	7.00	13.97	3,600	3	<1	72	<1	--	--	--	--
5/5/1994	--	n	20.97	6.50	10.50	7.46	13.51	2,100	<2.5	<2.5	8.3	<2.5	--	--	--	--
8/4/1994	--	n	20.97	6.50	10.50	8.17	12.80	1,200	1.5	<1	6.7	<1	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
11/20/1994	--		20.97	6.50	10.50	6.78	14.19	2,300	1.2	1.1	20	2.2	--	--	--	--
3/17/1995	--	n	20.97	6.50	10.50	6.14	14.83	5,400	<5	<5	35	<5	--	--	--	--
6/1/1995	--		20.97	6.50	10.50	6.50	14.47	2,600	<2.5	<2.5	15	<2.5	--	--	--	--
8/31/1995	--		20.97	6.50	10.50	7.35	13.62	1,400	<3	<3	5	<3	520	--	--	--
11/27/1995	--		20.97	6.50	10.50	7.60	13.37	620	<0.5	<0.5	<0.5	0.5	560	--	--	--
2/22/1996	--		20.97	6.50	10.50	5.35	15.62	5,800	<5	<5	28	<5	110	--	--	--
5/20/1996	--		20.97	6.50	10.50	5.92	15.05	6,100	<5	<5	26	<5	240	--	--	--
8/26/1996	--		20.97	6.50	10.50	7.08	13.89	970	<1	<1	3	<1	710	--	--	--
11/20/1996	--		20.97	6.50	10.50	7.01	13.96	3,900	<2.5	<2.5	12	<2.5	930	--	--	--
3/24/1997	--		20.89	6.50	10.50	7.33	13.56	1,400	<10	<10	<10	12	1,300	--	--	--
5/23/1997	--		20.89	6.50	10.50	7.55	13.34	730	<5	<5	<5	<5	630	--	--	--
8/19/1997	--		20.89	6.50	10.50	7.87	13.02	<500	<5	<5	<5	<5	290	--	--	--
11/19/1997	--		20.89	6.50	10.50	7.87	13.02	<200	<2	<2	<2	<2	260	--	--	--
2/19/1998	--		20.89	6.50	10.50	4.46	16.43	2,000	<2	<2	9	<2	140	--	--	--
4/23/1998	--		20.89	6.50	10.50	6.35	14.54	4,500	<5	<5	<5	11	590	--	0.5	--
7/27/1998	--		20.89	6.50	10.50	7.43	13.46	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.89	6.50	10.50	7.79	13.10	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.89	6.50	10.50	6.54	14.35	2,000	<2	<2	3	<2	320	--	2.5	--
5/6/1999	--		20.89	6.50	10.50	7.30	13.59	<50	<0.5	<0.5	<0.5	<0.5	160	--	12.76	--
8/23/1999	--		20.89	6.50	10.50	7.45	13.44	<50	<0.5	<0.5	<0.5	<0.5	5	--	7.85	--
10/28/1999	--		20.89	6.50	10.50	8.22	12.67	160	<0.5	<0.5	<0.5	<1	45	--	0.84	--
2/4/2000	--		20.89	6.50	10.50	8.47	12.42	<50	<0.5	<0.5	<0.5	<1	<3	--	1.92	--
6/20/2000	--		20.89	6.50	10.50	7.23	13.66	150	<0.5	0.9	<0.5	<1.0	310	--	--	--
9/29/2000	--		20.89	6.50	10.50	7.91	12.98	149	<0.5	<0.5	<0.5	<0.5	438	--	--	--
12/17/2000	--		20.89	6.50	10.50	7.11	13.78	662	<5.0	<5.0	<5.0	<5.0	273	--	--	--
3/28/2001	--		20.89	6.50	10.50	6.88	14.01	840	<5.0	<5.0	<5.0	<5.0	320	--	--	--
6/20/2001	--		20.89	6.50	10.50	7.25	13.64	230	<0.5	<0.5	<0.5	0.65	330	--	--	--
9/22/2001	--		20.89	6.50	10.50	8.14	12.75	<50	<0.5	<0.5	<0.5	<0.5	6.5	--	--	--
12/27/2001	--		20.89	6.50	10.50	6.73	14.16	780	<0.5	<0.5	0.6	0.89	160	--	--	--
3/15/2002	--		20.89	6.50	10.50	6.94	13.95	1,100	<10	<10	<10	<10	830	--	--	--
4/18/2002	--		20.89	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-8 Cont.																
7/23/2002	NP		20.89	6.50	10.50	7.89	13.00	<50	<0.50	<0.50	<0.50	<0.50	8.7	--	4.5	7.7
10/16/2002	NP		20.89	6.50	10.50	8.13	12.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	4.2	7.5
1/23/2003	NP	g	20.89	6.50	10.50	6.47	14.42	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	4.0	7.5
4/7/2003	--		20.89	6.50	10.50	7.49	13.40	<50	<0.50	<0.50	<0.50	<0.50	19	--	4.7	7.5
8/7/2003	--	m	20.89	6.50	10.50	7.93	12.96	<50	<0.50	<0.50	<0.50	<0.50	0.96	--	14.8	8.3
10/23/2003	NP		20.89	6.50	10.50	7.83	13.06	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	--	--
01/12/2004	NP		20.89	6.50	10.50	6.62	14.27	<50	<0.50	<0.50	<0.50	<0.50	13	--	11.2	9.0
04/20/2004	NP	r	23.55	6.50	10.50	8.21	15.34	55	<0.50	<0.50	<0.50	<0.50	25	--	10.1	8.7
07/01/2004	NP		23.55	6.50	10.50	8.48	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	14.3	8.0
11/04/2004	NP		23.55	6.50	10.50	7.19	16.36	<50	<0.50	<0.50	<0.50	<0.50	13	--	12.0	7.9
01/10/2005	NP		23.55	6.50	10.50	5.42	18.13	<50	<0.50	<0.50	<0.50	<0.50	10	--	2.65	7.1
04/14/2005	--		23.55	6.50	10.50	5.74	17.81	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.55	6.50	10.50	6.60	16.95	<50	<0.50	<0.50	<0.50	<0.50	16	--	--	7.1
10/21/2005	--	Well inaccessible p	23.55	6.50	10.50	--	--	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.55	6.50	10.50	4.97	18.58	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.55	6.50	10.50	5.67	17.88	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.55	6.50	10.50	7.37	16.18	<50	<0.50	<0.50	<0.50	<0.50	16	--	0.76	7.3
10/23/2006	--		23.55	6.50	10.50	7.74	15.81	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.55	6.50	10.50	7.04	16.51	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.55	6.50	10.50	6.94	16.61	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.55	6.50	10.50	7.71	15.84	<50	<0.50	<0.50	<0.50	<0.50	17	--	1.90	7.25
10/1/2007	--		23.55	6.50	10.50	8.00	15.55	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.55	6.50	10.50	5.79	17.76	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.55	6.50	10.50	6.89	16.66	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.55	6.50	10.50	7.80	15.75	<50	<0.50	<0.50	<0.50	<0.50	8.6	--	1.62	7.08
10/22/2008	--		23.55	6.50	10.50	8.19	15.36	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.55	6.50	10.50	7.75	15.80	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.55	6.50	10.50	6.66	16.89	--	--	--	--	--	--	--	--	--
7/21/2009	P		23.55	6.50	10.50	7.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	3.3	--	13.97	7.56
1/12/2010	--		23.55	6.50	10.50	6.89	16.66	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9																
6/11/1993	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/17/1993	--		20.89	6.00	19.50	8.53	12.36	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		20.89	6.00	19.50	8.87	12.02	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		20.89	6.00	19.50	7.47	13.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		20.89	6.00	19.50	8.04	12.85	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		20.89	6.00	19.50	8.78	12.11	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		20.89	6.00	19.50	6.83	14.06	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
3/17/1995	--		20.89	6.00	19.50	6.94	13.95	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		20.89	6.00	19.50	8.15	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		20.89	6.00	19.50	8.10	12.79	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		20.89	6.00	19.50	8.38	12.51	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		20.89	6.00	19.50	7.36	13.53	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		20.89	6.00	19.50	7.81	13.08	--	--	--	--	--	--	--	--	--
8/26/1996	--		20.89	6.00	19.50	8.00	12.89	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		20.89	6.00	19.50	7.06	13.83	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.26	6.00	19.50	7.74	14.52	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		22.26	6.00	19.50	8.28	13.98	--	--	--	--	--	--	--	--	--
8/19/1997	--		22.26	6.00	19.50	8.32	13.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		22.26	6.00	19.50	8.32	13.94	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.26	6.00	19.50	7.11	15.15	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		22.26	6.00	19.50	8.18	14.08	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.26	6.00	19.50	7.97	14.29	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.6	--
10/14/1998	--		22.26	6.00	19.50	8.29	13.97	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.5	--
1/21/1999	--		22.26	6.00	19.50	7.63	14.63	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.5	--
5/6/1999	--		22.26	6.00	19.50	7.27	14.99	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.26	6.00	19.50	8.24	14.02	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.93	--
10/28/1999	--		22.26	6.00	19.50	8.63	13.63	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.26	6.00	19.50	8.01	14.25	<50	<0.50	1.6	<0.50	<1	<3	--	1.47	--
6/20/2000	--		22.26	6.00	19.50	8.01	14.25	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.26	6.00	19.50	8.44	13.82	<50	<0.5	<0.5	<0.5	<0.5	3.44	--	--	--
12/17/2000	--		22.26	6.00	19.50	7.84	14.42	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
3/28/2001	--		22.26	6.00	19.50	7.58	14.68	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		22.26	6.00	19.50	7.75	14.51	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.26	6.00	19.50	8.69	13.57	<50	<0.5	<0.5	<0.5	<0.5	7.8	--	--	--
12/27/2001	--		22.26	6.00	19.50	7.15	15.11	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.26	6.00	19.50	7.23	15.03	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.26	6.00	19.50	6.79	15.47	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.26	6.00	19.50	8.30	13.96	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.2
10/16/2002	--		22.26	6.00	19.50	8.64	13.62	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.26	6.00	19.50	7.35	14.91	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	3.0	7.2
4/7/2003	--		22.26	6.00	19.50	7.81	14.45	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.26	6.00	19.50	8.31	13.95	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.26	6.00	19.50	8.48	13.78	--	--	--	--	--	--	--	--	--
01/12/2004	--		22.26	6.00	19.50	7.46	14.80	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	23.64	6.00	19.50	8.65	14.99	--	--	--	--	--	--	--	--	--
07/01/2004	P		23.64	6.00	19.50	9.03	14.61	<50	<0.50	<0.50	<0.50	<0.50	3.2	--	1.3	6.9
11/04/2004	--		23.64	6.00	19.50	7.60	16.04	--	--	--	--	--	--	--	--	--
01/10/2005	--		23.64	6.00	19.50	6.24	17.40	--	--	--	--	--	--	--	--	--
04/14/2005	--		23.64	6.00	19.50	6.90	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.64	6.00	19.50	7.60	16.04	<50	<0.50	<0.50	<0.50	<0.50	3.8	--	--	7.0
10/21/2005	--		23.64	6.00	19.50	8.09	15.55	--	--	--	--	--	--	--	--	--
01/04/2006	--		23.64	6.00	19.50	6.15	17.49	--	--	--	--	--	--	--	--	--
04/28/2006	--		23.64	6.00	19.50	6.95	16.69	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.64	6.00	19.50	7.90	15.74	<50	<0.50	<0.50	<0.50	<0.50	4.0	--	1.23	7.3
10/23/2006	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
1/15/2007	--		23.64	6.00	19.50	8.82	14.82	--	--	--	--	--	--	--	--	--
4/17/2007	--		23.64	6.00	19.50	7.89	15.75	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.64	6.00	19.50	8.28	15.36	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.80	7.31
10/1/2007	--		23.64	6.00	19.50	8.50	15.14	--	--	--	--	--	--	--	--	--
1/7/2008	--		23.64	6.00	19.50	8.38	15.26	--	--	--	--	--	--	--	--	--
4/1/2008	--		23.64	6.00	19.50	7.92	15.72	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.64	6.00	19.50	8.16	15.48	<50	<0.50	<0.50	<0.50	<0.50	5.0	--	1.39	7.23

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-9 Cont.																
10/22/2008	--		23.64	6.00	19.50	8.71	14.93	--	--	--	--	--	--	--	--	--
1/21/2009	--		23.64	6.00	19.50	8.30	15.34	--	--	--	--	--	--	--	--	--
4/21/2009	--		23.64	6.00	19.50	7.84	15.80	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.64	6.00	19.50	8.35	15.29	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	8.05	7.63
1/12/2010	--		23.64	6.00	19.50	7.61	16.03	--	--	--	--	--	--	--	--	--
MW-10																
6/11/1993	--		21.12	6.00	16.50	8.14	12.98	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/17/1993	--		21.12	6.00	16.50	8.54	12.58	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/8/1993	--		21.12	6.00	16.50	8.70	12.42	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/14/1994	--		21.12	6.00	16.50	7.13	13.99	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
5/5/1994	--		21.12	6.00	16.50	8.08	13.04	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/4/1994	--		21.12	6.00	16.50	8.84	12.28	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
11/20/1994	--		21.12	6.00	16.50	7.05	14.07	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
3/17/1995	--		21.12	6.00	16.50	6.26	14.86	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
6/1/1995	--		21.12	6.00	16.50	7.63	13.49	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
8/31/1995	--		21.12	6.00	16.50	8.17	12.95	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/27/1995	--		21.12	6.00	16.50	8.38	12.74	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--
2/22/1996	--		21.12	6.00	16.50	5.41	15.71	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/20/1996	--		21.12	6.00	16.50	6.78	14.34	--	--	--	--	--	--	--	--	--
8/26/1996	--		21.12	6.00	16.50	8.00	13.12	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/20/1996	--		21.12	6.00	16.50	7.81	13.31	--	--	--	--	--	--	--	--	--
3/24/1997	--		21.33	6.00	16.50	7.87	13.46	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
5/23/1997	--		21.33	6.00	16.50	8.33	13.00	--	--	--	--	--	--	--	--	--
8/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
11/19/1997	--		21.33	6.00	16.50	8.39	12.94	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
2/19/1998	--		21.33	6.00	16.50	4.65	16.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	--	--
4/23/1998	--		21.33	6.00	16.50	6.28	15.05	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--
7/27/1998	--		21.33	6.00	16.50	7.97	13.36	<50	<0.50	<0.50	<0.50	<0.50	<3	--	3.3	--
10/14/1998	--		21.33	6.00	16.50	8.41	12.92	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.0	--
1/21/1999	--		21.33	6.00	16.50	6.65	14.68	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.5	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
5/6/1999	--		21.33	6.00	16.50	7.74	13.59	<50	<0.50	<0.50	<0.50	<0.50	<3	--	0.76	--
8/23/1999	--		21.33	6.00	16.50	8.37	12.96	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.21	--
10/28/1999	--		21.33	6.00	16.50	8.73	12.60	<50	<0.50	<0.50	<0.50	<0.50	<3	--	1.12	--
2/4/2000	--		21.33	6.00	16.50	8.78	12.55	<50	<0.50	<0.50	<0.50	<0.50	<3	--	2.84	--
6/20/2000	--		21.33	6.00	16.50	7.99	13.34	<0.5	<0.5	<0.5	<0.5	<0.5	<3.0	--	--	--
9/29/2000	--		21.33	6.00	16.50	8.40	12.93	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/17/2000	--		21.33	6.00	16.50	7.91	13.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		21.33	6.00	16.50	7.47	13.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		21.33	6.00	16.50	8.11	13.22	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
9/22/2001	--		21.33	6.00	16.50	8.77	12.56	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		21.33	6.00	16.50	6.94	14.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		21.33	6.00	16.50	7.48	13.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		21.33	6.00	16.50	6.77	14.56	<50	<0.5	<0.5	<0.5	<0.5	3.8	--	1.22	--
7/23/2002	NP		21.33	6.00	16.50	8.42	12.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	7.2
10/16/2002	NP		21.33	6.00	16.50	8.77	12.56	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.0	6.4
1/23/2003	NP	g	21.33	6.00	16.50	7.12	14.21	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	1.3	7.4
4/7/2003	--		21.33	6.00	16.50	7.73	13.60	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	1.3	7.0
8/7/2003	--		21.33	6.00	16.50	8.45	12.88	<50	<0.50	<0.50	<0.50	<0.50	1.5	--	1.3	7.3
10/23/2003	--		21.33	6.00	16.50	8.71	12.62	--	--	--	--	--	--	--	--	--
01/12/2004	NP		21.33	6.00	16.50	7.25	14.08	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	8.2	7.5
04/20/2004	--	r	23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
07/01/2004	NP		23.42	6.00	16.50	8.90	14.52	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.0	7.1
11/04/2004	--		23.42	6.00	16.50	7.68	15.74	--	--	--	--	--	--	--	--	--
01/10/2005	NP		23.42	6.00	16.50	6.13	17.29	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	0.9	7.3
04/14/2005	--		23.42	6.00	16.50	6.68	16.74	--	--	--	--	--	--	--	--	--
08/02/2005	NP		23.42	6.00	16.50	7.54	15.88	<50	<0.50	<0.50	<0.50	<0.50	1.7	--	--	7.1
10/21/2005	--		23.42	6.00	16.50	8.12	15.30	--	--	--	--	--	--	--	--	--
01/04/2006	NP		23.42	6.00	16.50	5.40	18.02	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	1.4	7.3
04/28/2006	--		23.42	6.00	16.50	6.65	16.77	--	--	--	--	--	--	--	--	--
8/4/2006	NP		23.42	6.00	16.50	8.92	14.50	<50	<0.50	<0.50	<0.50	<0.50	1.8	--	0.87	7.3
10/23/2006	--		23.42	6.00	16.50	8.23	15.19	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-10 Cont.																
1/15/2007	P		23.42	6.00	16.50	7.47	15.95	<50	<0.50	<0.50	<0.50	<0.50	2.2	--	1.15	7.21
4/17/2007	--		23.42	6.00	16.50	7.74	15.68	--	--	--	--	--	--	--	--	--
7/9/2007	NP		23.42	6.00	16.50	8.35	15.07	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	2.71	7.48
10/1/2007	--		23.42	6.00	16.50	8.74	14.68	--	--	--	--	--	--	--	--	--
1/7/2008	NP		23.42	6.00	16.50	6.02	17.40	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.22	7.41
4/1/2008	--		23.42	6.00	16.50	8.97	14.45	--	--	--	--	--	--	--	--	--
7/23/2008	NP		23.42	6.00	16.50	8.62	14.80	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.2	7.35
10/22/2008	--		23.42	6.00	16.50	9.02	14.40	--	--	--	--	--	--	--	--	--
1/21/2009	P		23.42	6.00	16.50	8.55	14.87	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	0.57	7.45
4/21/2009	--		23.42	6.00	16.50	8.15	15.27	--	--	--	--	--	--	--	--	--
7/21/2009	NP		23.42	6.00	16.50	8.81	14.61	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	7.60	7.77
1/12/2010	P		23.42	6.00	16.50	7.90	15.52	<50	<0.50	<0.50	<0.50	<0.50	1.3	--	2.20	7.0
MW-11																
11/16/1992	--	n	22.38	7.00	12.00	9.02	13.36	7,000	21	<10	18	230	--	--	--	--
2/16/1993	--	n	22.38	7.00	12.00	7.11	15.27	2,200	<10	<10	11	<10	--	--	--	--
5/13/1993	--	n	22.38	7.00	12.00	8.04	14.34	1,600	<2.5	<2.5	41	6.8	--	--	--	--
8/17/1993	--	n	22.38	7.00	12.00	8.78	13.60	830	1.4	<1.0	25	15	--	--	--	--
11/8/1993	--	n	22.38	7.00	12.00	9.23	13.15	370	<1.0	<1.0	2.5	2.1	--	--	--	--
2/14/1994	--	n	22.38	7.00	12.00	7.94	14.44	650	<1	<1.0	2	4	--	--	--	--
5/5/1994	--		22.38	7.00	12.00	8.55	13.83	210	<0.5	<0.5	2.5	0.6	--	--	--	--
8/4/1994	--	n	22.38	7.00	12.00	9.13	13.25	390	<0.5	<0.7	1.9	2.2	--	--	--	--
11/20/1994	--		22.38	7.00	12.00	7.73	14.65	1,300	1.3	0.5	1.5	21	--	--	--	--
3/17/1995	--		22.38	7.00	12.00	6.94	15.44	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.38	7.00	12.00	7.90	14.48	210	<0.5	<0.5	0.9	0.7	--	--	--	--
8/31/1995	--		22.38	7.00	12.00	8.18	14.20	680	<0.5	<0.5	4	1.8	<3	--	--	--
11/27/1995	--		22.38	7.00	12.00	8.48	13.90	340	<0.5	<0.5	2.2	1.6	--	--	--	--
2/22/1996	--		22.38	7.00	12.00	6.63	15.75	150	<0.5	<0.5	<0.8	<0.8	<3	--	--	--
5/20/1996	--		22.38	7.00	12.00	7.25	15.13	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.38	7.00	12.00	8.22	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.38	7.00	12.00	8.37	14.01	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
3/24/1997	--		20.97	7.00	12.00	8.15	12.82	63	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.97	7.00	12.00	8.67	12.30	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.97	7.00	12.00	6.25	14.72	<50	<0.5	1.6	<0.5	1.8	7	--	--	--
4/23/1998	--		20.97	7.00	12.00	7.23	13.74	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.97	7.00	12.00	8.05	12.92	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.97	7.00	12.00	8.58	12.39	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.97	7.00	12.00	8.25	12.72	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
5/6/1999	--		20.97	7.00	12.00	7.95	13.02	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.97	7.00	12.00	8.51	12.46	--	--	--	--	--	--	--	0.86	--
10/28/1999	--		20.97	7.00	12.00	8.95	12.02	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<1	<3	--	3.29	--
6/20/2000	--		20.97	7.00	12.00	8.18	12.79	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.97	7.00	12.00	8.60	12.37	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.97	7.00	12.00	7.88	13.09	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.97	7.00	12.00	8.48	12.49	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.97	7.00	12.00	9.11	11.86	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.97	7.00	12.00	7.50	13.47	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.97	7.00	12.00	7.87	13.10	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.97	7.00	12.00	7.22	13.75	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.97	7.00	12.00	8.76	12.21	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.97	7.00	12.00	9.15	11.82	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	20.97	7.00	12.00	7.61	13.36	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	7.4
4/7/2003	--		20.97	7.00	12.00	8.25	12.72	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.97	7.00	12.00	8.84	12.13	--	--	--	--	--	--	--	--	--
10/23/2003	--		20.97	7.00	12.00	9.09	11.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.97	7.00	12.00	7.70	13.27	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	24.97	7.00	12.00	9.18	15.79	--	--	--	--	--	--	--	--	--
07/01/2004	P	o	24.97	7.00	12.00	9.90	15.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.01

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-11 Cont.																
11/04/2004	--		24.97	7.00	12.00	8.21	16.76	--	--	--	--	--	--	--	--	--
01/10/2005	--		24.97	7.00	12.00	6.94	18.03	--	--	--	--	--	--	--	--	--
04/14/2005	--		24.97	7.00	12.00	6.77	18.20	--	--	--	--	--	--	--	--	--
08/02/2005	--		24.97	7.00	12.00	7.57	17.40	--	--	--	--	--	--	--	--	--
10/21/2005	--		24.97	7.00	12.00	8.08	16.89	--	--	--	--	--	--	--	--	--
01/04/2006	--		24.97	7.00	12.00	7.20	17.77	--	--	--	--	--	--	--	--	--
04/28/2006	--		24.97	7.00	12.00	6.90	18.07	--	--	--	--	--	--	--	--	--
8/4/2006	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
10/23/2006	--		24.97	7.00	12.00	8.75	16.22	--	--	--	--	--	--	--	--	--
1/15/2007	--		24.97	7.00	12.00	8.19	16.78	--	--	--	--	--	--	--	--	--
4/17/2007	--		24.97	7.00	12.00	8.32	16.65	--	--	--	--	--	--	--	--	--
7/9/2007	--		24.97	7.00	12.00	8.73	16.24	--	--	--	--	--	--	--	--	--
10/1/2007	--		24.97	7.00	12.00	8.65	16.32	--	--	--	--	--	--	--	--	--
1/7/2008	--		24.97	7.00	12.00	7.52	17.45	--	--	--	--	--	--	--	--	--
4/1/2008	--		24.97	7.00	12.00	8.18	16.79	--	--	--	--	--	--	--	--	--
7/23/2008	--		24.97	7.00	12.00	9.27	15.70	--	--	--	--	--	--	--	--	--
10/22/2008	--		24.97	7.00	12.00	9.11	15.86	--	--	--	--	--	--	--	--	--
1/21/2009	--		24.97	7.00	12.00	8.72	16.25	--	--	--	--	--	--	--	--	--
4/21/2009	--		24.97	7.00	12.00	8.22	16.75	--	--	--	--	--	--	--	--	--
7/21/2009	--		24.97	7.00	12.00	8.98	15.99	--	--	--	--	--	--	--	--	--
1/12/2010	--		24.97	7.00	12.00	8.39	16.58	--	--	--	--	--	--	--	--	--
MW-12																
11/16/1992	--		22.77	7.50	12.50	9.65	13.12	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.77	7.50	12.50	7.88	14.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.77	7.50	12.50	8.63	14.14	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.77	7.50	12.50	9.30	13.47	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.77	7.50	12.50	9.72	13.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.77	7.50	12.50	8.24	14.53	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.77	7.50	12.50	8.97	13.80	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.77	7.50	12.50	9.57	13.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
11/20/1994	--		22.77	7.50	12.50	8.06	14.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.77	7.50	12.50	7.09	15.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.77	7.50	12.50	8.40	14.37	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.77	7.50	12.50	8.55	14.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		22.77	7.50	12.50	8.95	13.82	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.77	7.50	12.50	6.81	15.96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.77	7.50	12.50	7.56	15.21	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.77	7.50	12.50	8.63	14.14	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.77	7.50	12.50	8.38	14.39	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.11	7.50	12.50	8.75	11.36	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.11	7.50	12.50	8.92	11.19	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.11	7.50	12.50	9.20	10.91	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.11	7.50	12.50	6.28	13.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.11	7.50	12.50	7.52	12.59	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.11	7.50	12.50	8.52	11.59	--	--	--	--	--	--	--	--	--
10/14/1998	--		20.11	7.50	12.50	9.06	11.05	--	--	--	--	--	--	--	--	--
1/21/1999	--		20.11	7.50	12.50	8.20	11.91	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.11	7.50	12.50	8.47	11.64	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.11	7.50	12.50	9.04	11.07	--	--	--	--	--	--	--	0.85	--
10/28/1999	--		20.11	7.50	12.50	9.40	10.71	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.11	7.50	12.50	8.38	11.73	<50	<0.5	<0.5	<0.5	<1	<3	--	3.34	--
6/20/2000	--		20.11	7.50	12.50	8.55	11.56	--	--	--	--	--	--	--	--	--
9/29/2000	--		20.11	7.50	12.50	8.98	11.13	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.11	7.50	12.50	8.76	11.35	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.11	7.50	12.50	8.31	11.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.11	7.50	12.50	9.10	11.01	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.11	7.50	12.50	9.48	10.63	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.11	7.50	12.50	7.78	12.33	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.11	7.50	12.50	8.22	11.89	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.11	7.50	12.50	7.65	12.46	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-12 Cont.																
7/23/2002	--		20.11	7.50	12.50	9.18	10.93	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.11	7.50	12.50	9.51	10.60	--	--	--	--	--	--	--	--	--
1/23/2003	--		20.11	7.50	12.50	7.86	12.25	--	--	--	--	--	--	--	--	--
4/7/2003	--		20.11	7.50	12.50	8.58	11.53	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.11	7.50	12.50	9.23	10.88	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.11	7.50	12.50	9.44	10.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.11	7.50	12.50	8.08	12.03	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.32	7.50	12.50	9.28	16.04	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.32	7.50	12.50	9.65	15.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.8	7.0
11/04/2004	--		25.32	7.50	12.50	8.53	16.79	--	--	--	--	--	--	--	--	--
01/10/2005	--		25.32	7.50	12.50	7.04	18.28	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.32	7.50	12.50	6.95	18.37	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.32	7.50	12.50	8.05	17.27	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.32	7.50	12.50	8.70	16.62	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.32	7.50	12.50	10.00	15.32	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.32	7.50	12.50	7.19	18.13	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.32	7.50	12.50	8.80	16.52	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.32	7.50	12.50	9.17	16.15	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.32	7.50	12.50	8.68	16.64	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.32	7.50	12.50	9.18	16.14	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.32	7.50	12.50	9.45	15.87	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.32	7.50	12.50	7.58	17.74	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.32	7.50	12.50	8.57	16.75	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.32	7.50	12.50	9.34	15.98	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.32	7.50	12.50	9.64	15.68	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.32	7.50	12.50	9.25	16.07	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.32	7.50	12.50	8.66	16.66	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.32	7.50	12.50	9.42	15.90	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.32	7.50	12.50	8.86	16.46	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13																
11/16/1992	--		22.45	--	13.00	9.02	13.43	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.45	--	13.00	7.14	15.31	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.45	--	13.00	7.95	14.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.45	--	13.00	8.57	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.45	--	13.00	8.86	13.59	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.45	--	13.00	7.78	14.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.45	--	13.00	8.38	14.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.45	--	13.00	8.78	13.67	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.45	--	13.00	7.68	14.77	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.45	--	13.00	6.91	15.54	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.45	--	13.00	7.72	14.73	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.45	--	13.00	7.58	14.87	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.45	--	13.00	7.98	14.47	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.45	--	13.00	6.71	15.74	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.45	--	13.00	6.98	15.47	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.45	--	13.00	7.85	14.60	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.45	--	13.00	7.76	14.69	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.75	--	13.00	8.16	12.59	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.75	--	13.00	8.40	12.35	--	--	--	--	--	--	--	--	--
2/19/1998	--		20.75	--	13.00	6.44	14.31	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.75	--	13.00	6.80	13.95	--	--	--	--	--	--	--	--	--
7/27/1998	--		20.75	--	13.00	7.52	13.23	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
10/14/1998	--		20.75	--	13.00	8.15	12.60	<50	<0.5	<0.5	<0.5	<0.5	<3	--	2.0	--
1/21/1999	--		20.75	--	13.00	7.85	12.90	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.75	--	13.00	7.82	12.93	--	--	--	--	--	--	--	--	--
8/23/1999	--		20.75	--	13.00	8.29	12.46	--	--	--	--	--	--	--	0.94	--
10/28/1999	--		20.75	--	13.00	8.55	12.20	--	--	--	--	--	--	--	--	--
2/4/2000	--		20.75	--	13.00	8.11	12.64	<50	<0.5	0.6	<0.5	<1	<3	--	1.27	--
6/20/2000	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
9/29/2000	--		20.75	--	13.00	8.27	12.48	--	--	--	--	--	--	--	--	--
12/17/2000	--		20.75	--	13.00	8.09	12.66	--	--	--	--	--	--	--	--	--
3/28/2001	--		20.75	--	13.00	7.69	13.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.75	--	13.00	8.46	12.29	--	--	--	--	--	--	--	--	--
9/22/2001	--		20.75	--	13.00	8.57	12.18	--	--	--	--	--	--	--	--	--
12/27/2001	--		20.75	--	13.00	7.14	13.61	--	--	--	--	--	--	--	--	--
3/15/2002	--		20.75	--	13.00	7.62	13.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.75	--	13.00	6.91	13.84	--	--	--	--	--	--	--	--	--
7/23/2002	--		20.75	--	13.00	8.50	12.25	--	--	--	--	--	--	--	--	--
10/16/2002	--		20.75	--	13.00	8.74	12.01	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	20.75	--	13.00	7.35	13.40	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	3.4	7.0
4/7/2003	--		20.75	--	13.00	7.99	12.76	--	--	--	--	--	--	--	--	--
8/7/2003	--		20.75	--	13.00	8.60	12.15	--	--	--	--	--	--	--	--	--
10/23/2003	P		20.75	--	13.00	8.55	12.20	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--
01/12/2004	--		20.75	--	13.00	7.56	13.19	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	25.01	--	13.00	4.57	20.44	--	--	--	--	--	--	--	--	--
07/01/2004	P		25.01	--	13.00	8.71	16.30	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.4	6.9
11/04/2004	--		25.01	--	13.00	7.79	17.22	--	--	--	--	--	--	--	--	--
01/10/2005	--		25.01	--	13.00	6.80	18.21	--	--	--	--	--	--	--	--	--
04/14/2005	--		25.01	--	13.00	6.88	18.13	--	--	--	--	--	--	--	--	--
08/02/2005	--		25.01	--	13.00	7.15	17.86	--	--	--	--	--	--	--	--	--
10/21/2005	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.01	--	13.00	7.64	17.37	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.01	--	13.00	6.97	18.04	--	--	--	--	--	--	--	--	--
8/4/2006	--		25.01	--	13.00	8.18	16.83	--	--	--	--	--	--	--	--	--
10/23/2006	--		25.01	--	13.00	8.51	16.50	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.01	--	13.00	7.91	17.10	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.01	--	13.00	8.04	16.97	--	--	--	--	--	--	--	--	--
7/9/2007	--		25.01	--	13.00	8.50	16.51	--	--	--	--	--	--	--	--	--
10/1/2007	--		25.01	--	13.00	8.72	16.29	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.01	--	13.00	8.27	16.74	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-13 Cont.																
4/1/2008	--		25.01	--	13.00	7.88	17.13	--	--	--	--	--	--	--	--	--
7/23/2008	--		25.01	--	13.00	6.40	18.61	--	--	--	--	--	--	--	--	--
10/22/2008	--		25.01	--	13.00	8.86	16.15	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.01	--	13.00	8.54	16.47	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.01	--	13.00	7.96	17.05	--	--	--	--	--	--	--	--	--
7/21/2009	--		25.01	--	13.00	8.77	16.24	--	--	--	--	--	--	--	--	--
1/12/2010	--		25.01	--	13.00	8.21	16.80	--	--	--	--	--	--	--	--	--
MW-14																
9/15/1992	--		22.99	7.50	13.50	10.66	12.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/16/1992	--		22.99	7.50	13.50	10.33	12.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/16/1993	--		22.99	7.50	13.50	8.18	14.81	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/13/1993	--		22.99	7.50	13.50	9.05	13.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		22.99	7.50	13.50	22.99	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		22.99	7.50	13.50	10.25	12.74	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		22.99	7.50	13.50	8.80	14.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		22.99	7.50	13.50	9.49	13.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		22.99	7.50	13.50	10.11	12.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		22.99	7.50	13.50	8.66	14.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		22.99	7.50	13.50	8.17	14.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		22.99	7.50	13.50	8.57	14.42	--	--	--	--	--	--	--	--	--
8/31/1995	--		22.99	7.50	13.50	9.05	13.94	--	--	--	--	--	--	--	--	--
11/27/1995	--		22.99	7.50	13.50	9.19	13.80	--	--	--	--	--	--	--	--	--
2/22/1996	--		22.99	7.50	13.50	6.52	16.47	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/20/1996	--		22.99	7.50	13.50	7.88	15.11	--	--	--	--	--	--	--	--	--
8/26/1996	--		22.99	7.50	13.50	8.83	14.16	--	--	--	--	--	--	--	--	--
11/20/1996	--		22.99	7.50	13.50	8.95	14.04	--	--	--	--	--	--	--	--	--
3/24/1997	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
5/23/1997	--		20.90	7.50	13.50	9.61	11.29	--	--	--	--	--	--	--	--	--
8/19/1997	--		20.90	7.50	13.50	9.80	11.10	--	--	--	--	--	--	--	--	--
11/19/1997	--		20.90	7.50	13.50	9.80	11.10	<50	1.7	<0.5	0.6	3	<3	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
2/19/1998	--		20.90	7.50	13.50	6.27	14.63	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
4/23/1998	--		20.90	7.50	13.50	7.75	13.15	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.5	--
7/27/1998	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
10/14/1998	--		20.90	7.50	13.50	9.73	11.17	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.0	--
1/21/1999	--		20.90	7.50	13.50	8.90	12.00	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.5	--
5/6/1999	--		20.90	7.50	13.50	8.98	11.92	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.73	--
8/23/1999	--		20.90	7.50	13.50	9.68	11.22	<50	<0.5	<0.5	<0.5	<0.5	<3	--	0.91	--
10/28/1999	--		20.90	7.50	13.50	10.00	10.90	<50	<0.5	<0.5	<0.5	<1	<10	--	1.06	--
2/4/2000	--		20.90	7.50	13.50	8.19	12.71	<50	<0.5	0.5	<0.5	<1	<3	--	1.21	--
6/20/2000	--		20.90	7.50	13.50	9.16	11.74	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--	--
9/29/2000	--		20.90	7.50	13.50	9.48	11.42	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--
12/17/2000	--		20.90	7.50	13.50	9.24	11.66	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/28/2001	--		20.90	7.50	13.50	8.91	11.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
6/20/2001	--		20.90	7.50	13.50	9.70	11.20	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	--
9/22/2001	--		20.90	7.50	13.50	10.04	10.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/27/2001	--		20.90	7.50	13.50	8.33	12.57	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
3/15/2002	--		20.90	7.50	13.50	8.75	12.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		20.90	7.50	13.50	8.21	12.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
7/23/2002	NP		20.90	7.50	13.50	9.76	11.14	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.4	7.1
10/16/2002	NP		20.90	7.50	13.50	10.10	10.80	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	1.1	5.8
1/23/2003	NP	g	20.90	7.50	13.50	8.41	12.49	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.3	7.1
4/7/2003	--		20.90	7.50	13.50	9.09	11.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.9
8/7/2003	--		20.90	7.50	13.50	9.81	11.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.4	6.7
10/23/2003	P		20.90	7.50	13.50	10.04	10.86	--	--	--	--	--	--	--	--	--
01/12/2004	P		20.90	7.50	13.50	8.89	12.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.0	7.2
04/20/2004	--	r	25.55	7.50	13.50	9.62	15.93	--	--	--	--	--	--	--	--	--
07/01/2004	NP		25.55	7.50	13.50	10.03	15.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.6	6.7
11/04/2004	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--
01/10/2005	NP		25.55	7.50	13.50	7.61	17.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.06	6.9
04/14/2005	--		25.55	7.50	13.50	7.70	17.85	--	--	--	--	--	--	--	--	--
08/02/2005	NP		25.55	7.50	13.50	8.73	16.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.9

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-14 Cont.																
10/21/2005	--		25.55	7.50	13.50	9.47	16.08	--	--	--	--	--	--	--	--	--
01/04/2006	--		25.55	7.50	13.50	6.92	18.63	--	--	--	--	--	--	--	--	--
04/28/2006	--		25.55	7.50	13.50	7.71	17.84	--	--	--	--	--	--	--	--	--
8/4/2006	NP		25.55	7.50	13.50	9.32	16.23	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	0.95	6.8
10/23/2006	--		25.55	7.50	13.50	9.66	15.89	--	--	--	--	--	--	--	--	--
1/15/2007	--		25.55	7.50	13.50	9.05	16.50	--	--	--	--	--	--	--	--	--
4/17/2007	--		25.55	7.50	13.50	9.16	16.39	--	--	--	--	--	--	--	--	--
7/9/2007	NP		25.55	7.50	13.50	9.67	15.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.87	7.13
10/1/2007	--		25.55	7.50	13.50	9.95	15.60	--	--	--	--	--	--	--	--	--
1/7/2008	--		25.55	7.50	13.50	8.74	16.81	--	--	--	--	--	--	--	--	--
4/1/2008	--		25.55	7.50	13.50	9.13	16.42	--	--	--	--	--	--	--	--	--
7/23/2008	NP		25.55	7.50	13.50	9.86	15.69	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	1.18	6.93
10/22/2008	--		25.55	7.50	13.50	10.20	15.35	--	--	--	--	--	--	--	--	--
1/21/2009	--		25.55	7.50	13.50	9.81	15.74	--	--	--	--	--	--	--	--	--
4/21/2009	--		25.55	7.50	13.50	9.22	16.33	--	--	--	--	--	--	--	--	--
7/21/2009	NP		25.55	7.50	13.50	9.90	15.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	11.04	7.21
1/12/2010	--		25.55	7.50	13.50	9.31	16.24	--	--	--	--	--	--	--	--	--
MW-15																
5/13/1993	--		19.19	5.50	10.50	5.91	13.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/17/1993	--		19.19	5.50	10.50	6.54	12.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/8/1993	--		19.19	5.50	10.50	6.98	12.21	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
2/14/1994	--		19.19	5.50	10.50	5.44	13.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
5/5/1994	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
8/4/1994	--		19.19	5.50	10.50	6.84	12.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/20/1994	--		19.19	5.50	10.50	5.31	13.88	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
3/17/1995	--		19.19	5.50	10.50	5.21	13.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
6/1/1995	--		19.19	5.50	10.50	5.84	13.35	--	--	--	--	--	--	--	--	--
8/31/1995	--		19.19	5.50	10.50	6.18	13.01	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
11/27/1995	--		19.19	5.50	10.50	6.42	12.77	--	--	--	--	--	--	--	--	--
2/22/1996	--		19.19	5.50	10.50	4.84	14.35	<50	<0.5	<0.5	<0.5	<0.5	12	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
5/20/1996	--		19.19	5.50	10.50	5.31	13.88	--	--	--	--	--	--	--	--	--
8/26/1996	--		19.19	5.50	10.50	6.05	13.14	<50	<0.5	<0.5	<0.5	<0.5	8	--	--	--
11/20/1996	--		19.19	5.50	10.50	5.46	13.73	--	--	--	--	--	--	--	--	--
3/24/1997	--		22.08	5.50	10.50	6.00	16.08	<50	<0.5	<0.5	<0.5	<0.5	15	--	--	--
5/23/1997	--		22.08	5.50	10.50	6.25	15.83	--	--	--	--	--	--	--	--	--
8/19/1997	--	j	22.08	5.50	10.50	6.34	15.74	99	<0.5	<0.5	<0.5	0.7	6	--	--	--
11/19/1997	--		22.08	5.50	10.50	6.34	15.74	--	--	--	--	--	--	--	--	--
2/19/1998	--		22.08	5.50	10.50	4.66	17.42	<50	<0.5	<0.5	<0.5	<0.5	48	--	--	--
4/23/1998	--		22.08	5.50	10.50	5.18	16.90	--	--	--	--	--	--	--	--	--
7/27/1998	--		22.08	5.50	10.50	6.02	16.06	<50	<0.5	<0.5	<0.5	<0.5	50	--	1.0	--
10/14/1998	--		22.08	5.50	10.50	6.26	15.82	<50	<0.5	<0.5	<0.5	<0.5	27	--	1.5	--
1/21/1999	--		22.08	5.50	10.50	5.33	16.75	<50	<0.5	<0.5	<0.5	<0.5	6	--	1.0	--
5/6/1999	--		22.08	5.50	10.50	5.82	16.26	--	--	--	--	--	--	--	--	--
8/23/1999	--		22.08	5.50	10.50	6.24	15.84	<50	<0.5	<0.5	<0.5	<0.5	21	--	1.14	--
10/28/1999	--		22.08	5.50	10.50	6.60	15.48	--	--	--	--	--	--	--	--	--
2/4/2000	--		22.08	5.50	10.50	7.02	15.06	<50	<0.5	<0.5	<0.5	<1	<3	--	1.09	--
6/20/2000	--		22.08	5.50	10.50	5.98	16.10	--	--	--	--	--	--	--	--	--
9/29/2000	--		22.08	5.50	10.50	6.50	15.58	<50	<0.5	<0.5	<0.5	<0.5	<2.50	--	--	--
12/17/2000	--		22.08	5.50	10.50	5.89	16.19	--	--	--	--	--	--	--	--	--
3/28/2001	--		22.08	5.50	10.50	5.78	16.30	<50	<0.5	<0.5	<0.5	<0.5	11.1	--	--	--
6/20/2001	--		22.08	5.50	10.50	5.72	16.36	--	--	--	--	--	--	--	--	--
9/22/2001	--		22.08	5.50	10.50	6.79	15.29	<50	<0.5	<0.5	<0.5	<0.5	13	--	--	--
12/27/2001	--		22.08	5.50	10.50	5.49	16.59	--	--	--	--	--	--	--	--	--
3/15/2002	--		22.08	5.50	10.50	5.68	16.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
4/18/2002	--		22.08	5.50	10.50	4.85	17.23	--	--	--	--	--	--	--	--	--
7/23/2002	P		22.08	5.50	10.50	6.32	15.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	2.0	7.9
10/16/2002	--		22.08	5.50	10.50	6.69	15.39	--	--	--	--	--	--	--	--	--
1/23/2003	P	g	22.08	5.50	10.50	5.70	16.38	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	2.6	7.5
4/7/2003	--		22.08	5.50	10.50	5.94	16.14	--	--	--	--	--	--	--	--	--
8/7/2003	--		22.08	5.50	10.50	6.32	15.76	--	--	--	--	--	--	--	--	--
10/23/2003	--		22.08	5.50	10.50	6.56	15.52	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-15 Cont.																
01/12/2004	--		22.08	5.50	10.50	5.71	16.37	--	--	--	--	--	--	--	--	--
04/20/2004	--	r	21.72	5.50	10.50	7.10	14.62	--	--	--	--	--	--	--	--	--
07/01/2004	P		21.72	5.50	10.50	7.18	14.54	<50	<0.50	<0.50	<0.50	<0.50	1.9	--	1.6	7.3
11/04/2004	--		21.72	5.50	10.50	5.90	15.82	--	--	--	--	--	--	--	--	--
01/10/2005	--		21.72	5.50	10.50	5.30	16.42	--	--	--	--	--	--	--	--	--
04/14/2005	--		21.72	5.50	10.50	5.40	16.32	--	--	--	--	--	--	--	--	--
08/02/2005	P		21.72	5.50	10.50	5.33	16.39	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	6.5
10/21/2005	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
01/04/2006	--		21.72	5.50	10.50	5.19	16.53	--	--	--	--	--	--	--	--	--
04/28/2006	--		21.72	5.50	10.50	5.45	16.27	--	--	--	--	--	--	--	--	--
8/4/2006	P		21.72	5.50	10.50	5.99	15.73	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	1.49	7.1
10/23/2006	--		21.72	5.50	10.50	6.36	15.36	--	--	--	--	--	--	--	--	--
1/15/2007	--		21.72	5.50	10.50	6.00	15.72	--	--	--	--	--	--	--	--	--
4/17/2007	--		21.72	5.50	10.50	5.98	15.74	--	--	--	--	--	--	--	--	--
7/9/2007	NP		21.72	5.50	10.50	6.26	15.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.77	7.44
10/1/2007	--		21.72	5.50	10.50	6.53	15.19	--	--	--	--	--	--	--	--	--
1/7/2008	--		21.72	5.50	10.50	6.12	15.60	--	--	--	--	--	--	--	--	--
4/1/2008	--		21.72	5.50	10.50	5.92	15.80	--	--	--	--	--	--	--	--	--
7/23/2008	NP		21.72	5.50	10.50	6.30	15.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	2.07	7.32
10/22/2008	--		21.72	5.50	10.50	6.69	15.03	--	--	--	--	--	--	--	--	--
1/21/2009	--		21.72	5.50	10.50	6.22	15.50	--	--	--	--	--	--	--	--	--
4/21/2009	--		21.72	5.50	10.50	5.79	15.93	--	--	--	--	--	--	--	--	--
7/21/2009	NP		21.72	5.50	10.50	6.34	15.38	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	9.63	7.63
1/12/2010	--		21.72	5.50	10.50	5.93	15.79	--	--	--	--	--	--	--	--	--
MW-16																
7/21/2009	P		22.89	--	--	12.90	9.99	1,500	2.3	13	36	300	0.68	--	14.83	7.71
1/12/2010	P		22.89	--	--	6.67	16.22	1,700	6.8	4.3	71	48	<0.50	--	1.24	6.8
MW-17																
7/21/2009	P		23.42	--	--	7.58	15.84	3,700	61	160	150	1,300	2.8	--	11.48	7.57

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet)	Concentrations in (µg/L)							DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE	Semi-VOCs		
MW-17 Cont.																
1/12/2010	P		23.42	--	--	6.98	16.44	11,000	110	72	1,100	1,600	<10	--	1.02	6.80
MW-18																
7/21/2009	P		24.48	--	--	8.73	15.75	290	1.1	<0.50	8.0	1.4	4.8	--	14.25	7.69
1/12/2010	P		24.48	--	--	7.95	16.53	1,000	2.4	<1.0	57	<1.0	5.8	--	1.79	6.8
MW-19																
7/21/2009	P		25.10	--	--	9.34	15.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	13.65	8.03
1/12/2010	--		25.10	--	--	6.75	18.35	--	--	--	--	--	--	--	--	--

SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
GRO = Gasoline range organics, range C4-C12
GWE = Groundwater elevation measured in ft
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged before sampling
P = Well purged before sampling
Semi-VOCs = Semivolatile organic compounds
TOC = Top of casing in ft
TPH-g = Total petroleum hydrocarbons as gasoline
g/L = Micrograms per liter
ND = Not detected above the various semi-VOCs laboratory reporting limits

FOOTNOTES:

a = Sheen in well.
b = Well is dry.
c = Insufficient water to sample.
d = Chromatogram Pattern: Gasoline C6-C10.
e = Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
g = TPH, benzene, toluene, ethylbenzene, and total xylenes (BTEX), and MTBE analyzed by EPA Method 8260B beginning on the 1st quarter 2003 sampling event (1/23/03).
h = This sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
i = GWE adjusted using the formula $GWE = (TOC - DTW) + (\text{free product (FP) thickness} \times 0.8)$.
j = Sample contains a higher boiling point hydrocarbon mixture quantitated as gasoline. The chromatogram did not match the typical gasoline fingerprint.
k = DO reading not taken due to the presence of sheen.
l = FP in well.
m = Gauged with ORC sock in well.
n = Method reporting limit for benzene, toluene, ethylbenzene, and/or total xylenes was raised due to high analyte concentration requiring sample dilution or matrix interference.
o = Well dewatered.
p = Well inaccessible.
q = Insufficient sample available to follow standard QC procedures.
r = Wells resurveyed February 27, 2004.
s = Reporting limits elevated due to matrix interferences (SVOCs).
t = Sample preserved improperly.
u = Reporting limits raised due to high level of non-target analytes (SVOCs) .
v = Wells surveyed June 23, 2009.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Top and bottom of screen measurements for wells MW-1 to MW-3, and MW-7 were taken from Delta Environmental Consulting Inc. sampling sheets because the well construction logs were not available.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<1,000	<200	69	<5.0	<5.0	<5.0	<5.0	<5.0	
8/7/2003	<5,000	<1,000	160	<25	<25	<25	<25	<25	
10/23/2003	--	<1,000	220	<25	<25	<25	<25	<25	
01/12/2004	<5,000	<1,000	140	<50	<50	<50	<25	<25	
04/20/2004	<5,000	<1,000	84	<25	<25	<25	<25	<25	
07/01/2004	<2,000	<400	100	<10	<10	<10	<10	<10	
11/04/2004	<1,000	<200	130	<5.0	<5.0	5.5	<5.0	<5.0	
01/10/2005	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
04/14/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
08/02/2005	<100	530	15	<5.0	<5.0	<5.0	<5.0	<5.0	c
10/21/2005	<1,000	<200	64	<5.0	<5.0	6.2	<5.0	<5.0	
01/04/2006	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
04/28/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	a
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<3,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	--	--	--	--	--	--	--	--	Not sampled due to presence of free product
4/17/2007	<6,000	<400	<10	<10	<10	<10	<10	<10	
7/9/2007	<3,000	<200	81	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<3,000	<200	9.3	<5.0	<5.0	<5.0	<5.0	<5.0	
1/7/2008	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/1/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	e
7/23/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
10/22/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
1/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	
4/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
7/21/2009	<12,000	<400	<20	<20	<20	<20	<20	<20	h
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	h
MW-2									
1/23/2003	<4,000	<2,000	95	<50	<50	<50	<50	<50	
10/23/2003	--	<100	68	<2.5	<2.5	16	<2.5	<2.5	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
07/01/2004	<100	28	72	<0.50	<0.50	15	<0.50	<0.50	
08/02/2005	<100	<20	12	<0.50	<0.50	3.4	<0.50	<0.50	
8/4/2006	<300	21	7.9	<0.50	<0.50	2.3	<0.50	<0.50	
7/9/2007	<300	<20	3.2	<0.50	<0.50	0.98	<0.50	<0.50	
7/23/2008	<300	<10	0.78	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	0.83	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
1/23/2003	<8,000	<4,000	<100	<100	<100	<100	<100	<100	
4/7/2003	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
8/7/2003	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
10/23/2003	--	<1,000	<25	<25	<25	<25	<25	<25	
01/12/2004	<1,000	<200	<5.0	<10	<10	<10	<5.0	<5.0	
04/20/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
07/01/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/23/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/10/2005	<20,000	<4,000	<100	<100	<100	<100	<100	<100	
04/14/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
08/02/2005	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/21/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
01/04/2006	<5,000	<1,000	<25	<25	<25	<25	<25	<25	b
04/28/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
8/4/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	b
1/15/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
4/17/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
7/9/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
10/1/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	d
4/1/2008	<60,000	<2,000	<100	<100	<100	<100	<100	<100	
7/23/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
10/22/2008	<75,000	<2,500	<120	<120	<120	<120	<120	<120	
1/21/2009	<60,000	<2,000	<100	<100	<100	<100	<100	<100	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
4/21/2009	<30,000	<1,000	<50	<50	<50	<50	<50	<50	
7/21/2009	<15,000	<500	<25	<25	<25	<25	<25	<25	
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	
MW-4									
1/23/2003	<200	<100	5.9	<2.5	<2.5	<2.5	<2.5	<2.5	
4/7/2003	<100	<20	9.2	<0.5	<0.5	0.61	<0.5	<0.50	
8/7/2003	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
10/23/2003	--	<100	12	<2.5	<2.5	<2.5	<2.5	<2.5	
01/12/2004	<500	<100	4.3	<5.0	<5.0	<5.0	<2.5	<2.5	
04/20/2004	<1,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
07/01/2004	<500	<100	15	<2.5	<2.5	<2.5	<2.5	<2.5	
11/04/2004	<200	<40	5.7	<1.0	<1.0	<1.0	<1.0	<1.0	
01/10/2005	<100	<20	2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
04/14/2005	<100	<20	4.5	<0.50	<0.50	0.61	<0.50	<0.50	
08/02/2005	<100	<20	7.1	<0.50	<0.50	0.97	3.7	<0.50	
10/21/2005	<200	<40	10	<1.0	<1.0	1.3	<1.0	<1.0	b
01/04/2006	<200	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	b
04/28/2006	<600	<40	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	
8/4/2006	<3,000	<200	15	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<300	<20	16	<0.50	<0.50	5.5	<0.50	<0.50	b
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	3.5	<1.0	<1.0	<1.0	<1.0	<1.0	
7/9/2007	<1,200	<80	14	<2.0	<2.0	<2.0	<2.0	<2.0	
10/1/2007	<600	<40	11	<1.0	<1.0	1.6	<1.0	<1.0	
1/7/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
4/1/2008	<300	<10	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	f
10/22/2008	--	--	--	--	--	--	--	--	f
4/21/2009	<300	<10	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<500	<100	32	<2.5	<2.5	6.3	<2.5	<2.5	
8/7/2003	<100	<20	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	12	<0.50	<0.50	1.7	<0.50	<0.50	
01/12/2004	<100	<20	11	<1.0	<1.0	1.3	<0.50	<0.50	
04/20/2004	<100	<20	12	<0.50	<0.50	3.0	<0.50	<0.50	
07/01/2004	<100	<20	11	<0.50	<0.50	2.0	<0.50	<0.50	
11/04/2004	<100	<20	9.4	<0.50	<0.50	2.0	<0.50	<0.50	
01/10/2005	<100	<20	40	<0.50	<0.50	9.7	<0.50	<0.50	
04/14/2005	<1,000	<200	40	<5.0	<5.0	9.3	<5.0	<5.0	
08/02/2005	<500	<100	19	<2.5	<2.5	5.0	9.2	<2.5	
10/21/2005	<1,000	<200	16	<5.0	<5.0	<5.0	<5.0	<5.0	
01/04/2006	<1,000	<200	30	<5.0	<5.0	7.2	<5.0	<5.0	b
04/28/2006	<3,000	<200	9.9	<5.0	<5.0	<5.0	<5.0	<5.0	
8/4/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
10/23/2006	<6,000	<400	13	<10	<10	<10	<10	<10	b
1/15/2007	<6,000	<400	10	<10	<10	<10	<10	<10	
4/17/2007	<3,000	<200	5.9	<5.0	<5.0	<5.0	<5.0	<5.0	
7/9/2007	<3,000	<200	6.9	<5.0	<5.0	<5.0	<5.0	<5.0	
10/1/2007	<1,500	<100	4.2	<2.5	<2.5	<2.5	<2.5	<2.5	
1/7/2008	<1,500	<100	4.1	<2.5	<2.5	<2.5	<2.5	<2.5	
4/1/2008	<300	<10	1.8	<0.50	<0.50	0.70	<0.50	<0.50	
7/23/2008	<6,000	<200	<10	<10	<10	<10	<10	<10	
10/22/2008	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
1/21/2009	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
4/21/2009	<300	<10	0.74	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
1/23/2003	<200	<100	17	<2.5	<2.5	<2.5	<2.5	<2.5	a
1/23/2003	<4,000	<2,000	<50	<50	<50	<50	<50	<50	
4/7/2003	<100	<20	15	<0.5	<0.5	2.1	<0.5	<0.50	
01/12/2004	<5,000	<1,000	150	<50	<50	<50	<25	<25	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-6 Cont.									
11/04/2004	<2,000	<400	230	<10	<10	58	<10	<10	
01/10/2005	<5,000	<1,000	240	<25	<25	65	<25	<25	
04/14/2005	<1,000	<200	210	<5.0	<5.0	56	<5.0	<5.0	
08/02/2005	<1,000	<200	150	<5.0	<5.0	44	<5.0	<5.0	
10/21/2005	<1,000	<200	110	<5.0	<5.0	47	<5.0	<5.0	
01/04/2006	<500	<100	130	<2.5	<2.5	42	<2.5	<2.5	b
04/28/2006	<1,500	<100	170	<2.5	<2.5	59	<2.5	<2.5	
8/4/2006	<1,500	<100	110	<2.5	<2.5	39	<2.5	<2.5	
10/23/2006	--	--	--	--	--	--	--	--	g
1/15/2007	--	--	--	--	--	--	--	--	g
4/17/2007	<600	<40	24	<1.0	<1.0	8.2	<1.0	<1.0	
7/9/2007	<300	<20	51	<0.50	<0.50	21	<0.50	<0.50	
1/7/2008	<300	<20	37	<0.50	<0.50	17	<0.50	<0.50	
4/1/2008	<300	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
10/22/2008	--	--	--	--	--	--	--	--	g
MW-7									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	--	--	--	--	--	--	--	--	g
MW-8									
1/23/2003	<40	<20	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
4/7/2003	<100	<20	19	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	0.96	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	13	<1.0	<1.0	<1.0	<0.50	<0.50	
04/20/2004	<100	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
11/04/2004	<100	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	10	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
10/21/2005	--	--	--	--	--	--	--	--	Well inaccessible
8/4/2006	<300	<20	16	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	8.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-9									
1/23/2003	<40	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	5.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-10									
1/23/2003	<40	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	1.7	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	b
08/02/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-10 Cont.									
01/04/2006	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	b
8/4/2006	<300	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
1/15/2007	<300	<20	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
1/7/2008	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
1/21/2009	<300	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
1/12/2010	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-11									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-12									
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-13									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
10/23/2003	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-14									
1/23/2003	<40	<20	<0.5	<0.50	<0.50	<0.50	<0.50	<0.50	
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/12/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
07/01/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-14 Cont.									
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-15									
1/23/2003	<40	<20	<20	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
08/02/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/4/2006	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/9/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2009	<300	<0.50	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-16									
7/21/2009	<300	<0.50	0.68	<0.50	<0.50	<0.50	<0.50	<0.50	
1/12/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-17									
7/21/2009	<300	10	2.8	<0.50	<0.50	1.0	<0.50	<0.50	
1/12/2010	<6,000	<200	<10	<10	<10	<10	<10	<10	
MW-18									
7/21/2009	<300	<10	4.8	<0.50	<0.50	3.0	<0.50	<0.50	
1/12/2010	<600	<20	5.8	<1.0	<1.0	4.7	<1.0	<1.0	
MW-19									
7/21/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS & ABBREVIATIONS :

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit.

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The sample was re-extracted beyond the EPA recommended holding time. The results may still be useful for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Original analysis for ethanol was a positive result. Reanalysis did not confirm.

d = Sample preserved improperly.

e = FP in well.

f = Insufficient water to sample.

g = Well was dry.

h = Reporting limits raised due to high level of non-target analytes (SVOCs) .

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Levee Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/4/1994	Southwest	0.004
11/20/1994	Southwest	0.002
3/17/1995	West-Southwest	0.006
6/1/1995	Southwest	0.003
8/31/1995	South-Southwest	0.005
11/27/1995	South-Southwest	0.004
2/22/1996	Northwest	0.007
5/20/1996	Southwest	0.007
8/26/1996	South-Southwest	0.004
11/20/1996	South-Southeast	0.004
3/24/1997	Southeast	0.013
5/23/1997	Southeast	0.014
8/19/1997	Southeast	0.04
11/19/1997	Southeast	0.016
2/19/1998	East	Variable
4/23/1998	Variable	Variable
7/27/1998	Southeast	0.05
10/14/1998	Southeast	0.02
1/21/1999	East	0.04
5/6/1999	Southeast	0.05
8/23/1999	Southeast	0.02
10/28/1999	Southeast	0.04
2/4/2000	East-Southeast	0.053
6/20/2000	East-Southeast	0.023
9/29/2000	East-Southeast	0.023
12/17/2000	East-Southeast	0.01
3/28/2001	East-Southeast	0.014
6/20/2001	East-Southeast	0.022
9/22/2001	East-Southeast	0.025
12/27/2001	East-Southeast	0.025
3/15/2002	East	0.015
4/18/2002	East	0.015
7/23/2002	East-Southeast	0.025
10/16/2002	East-Southeast	0.022
1/23/2003	East	0.020
4/7/2003	East-Southeast	0.033
8/7/2003	East-Southeast	0.047
10/23/2003	Southeast	0.047
1/12/2004	Southeast	0.042
4/20/2004	Southwest	0.005
7/1/2004	West	0.005
11/4/2004	West to Southwest	0.011 to 0.003

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #601, 712 Lewelling Blvd., San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
1/10/2005	West to North	0.02 to 0.03
4/14/2005	Northwest to Southwest	0.005 to 0.02
8/2/2005	West to Southwest	0.004 to 0.01
10/21/2005	Southwest	0.005
1/4/2006	Variable	0.009 to 0.04
4/28/2006	Southwest	0.005
8/4/2006	South-Southwest	0.007
10/23/2006	South-Southwest	0.003
1/15/2007	Southwest	0.002
4/17/2007	Southwest	0.001
7/9/2007	Southwest	0.002
10/1/2007	Southwest	0.005
1/7/2008	Southwest	0.006
4/1/2008	Southwest	0.01
7/23/2008	South-Southwest	0.002
10/22/2008	South-Southwest	0.003
1/21/2009	South-Southwest	0.004
4/21/2009	Southwest	0.004
8/21/2009	Southwest	0.002
1/12/2010	Southwest	0.003

NOTES:

Wells resurveyed on 2/27/2004

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Leelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1												
07/18/90	Not sampled: well contained floating product											
10/15/90	Not sampled: well contained floating product											
01/09/91	Not sampled: well contained floating product											
04/16/91	Not sampled: well contained floating product											
06/10/91	Not sampled: well contained floating product											
10/10/91	Not sampled: well contained floating product											
03/23/92	Not sampled: well contained floating product											
06/08/92	Not sampled: well contained floating product											
09/15/92	Not sampled: well contained floating product											
11/16/92	Not sampled: well contained floating product											
02/16/93	Not sampled: well contained floating product											
05/13/93	Not sampled: well contained floating product											
08/17/93	Not sampled: well contained floating product											
11/08/93	Not sampled: well contained floating product											
02/14/94	Not sampled: well contained floating product											
05/05/94	Not sampled: well contained floating product											
08/04/94	Not sampled: well contained floating product											
11/20/94	Not sampled: well contained floating product											
03/17/95	NA	NA	NA	NA	NA	NA	NA	1,300	730	<50	150	NA
06/01/95	NA	NA	NA	NA	NA	NA	NA	2200	1700	<100	<100	240
08/31/95	Not sampled: well contained floating product											
11/27/95	Not sampled: well contained floating product											
02/22/96	Not sampled: well contained floating product											
05/20/96	NA	NA	NA	NA	NA	NA	NA	1200	860	<50	<50	<50
08/26/96	NA	NA	NA	NA	NA	NA	NA	2,300	1,800	<500	<1,000	<500
11/20/96	NA	NA	NA	NA	NA	NA	NA	590	250	91	<100	<50
03/24/97	NA	NA	NA	NA	NA	NA	NA	730	610	<50	<100	<50
05/23/97	Not analyzed: well MW-8 was sampled for additional parameters in lieu of well MW-1											
08/19/97	NA	NA	NA	NA	NA	NA	NA	1,300	790	<50	<100	<50
11/19/97	NA	NA	NA	NA	NA	NA	NA	<5	<5	5	<10	<5
02/19/98	NA	NA	NA	NA	NA	NA	NA	870	330	<50	<100	<50
04/23/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
07/27/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/14/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/21/99	NA	NA	NA	NA	NA	NA	NA	950	580	<50	<100	<50
05/06/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
08/23/99	NA	NA	NA	NA	NA	NA	NA	1,200	400	<50	<100	<50
10/28/99	NA	NA	NA	NA	NA	NA	NA	1,100	320	<50	<100	<50
02/04/00	NA	NA	NA	NA	NA	NA	NA	780	330	<50	<100	<50
04/07/03	NA	NA	NA	NA	NA	NA	NA	700	260	<9.6	ND (a)	<4.8

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-1 Cont.												
08/07/03	NA	NA	NA	NA	NA	NA	NA	1100	360	<47	<47	<24
10/23/03	NA	NA	NA	NA	NA	NA	NA	1,100	370	<48	<48	<24
01/12/04	NA	NA	NA	NA	NA	NA	NA	1000	330	62	<24	<24
04/20/04	NA	NA	NA	NA	NA	NA	NA	1,200	440	140	<9.8	<9.8
07/01/04	NA	NA	NA	NA	NA	NA	NA	580	240	66	<51	<25
11/04/04	NA	<5.0	NA	650	<5.0	300	12	890	410	68	<49	<24
01/10/05	NA	<5.0	NA	280	<5.0	130	12	750	230	300	<50	<25
04/20/05	NA	<50	NA	NA	NA	NA	NA	490	140	<50	<50	<25
01/04/06	NA	NA	NA	NA	NA	NA	NA	650	230	59	<10	<5.0
04/28/06	NA	<1.0	NA	100	<5.0	270	7.0	<4.7	<4.7	<9.4	<9.4	<4.7
08/04/06	NA	<5.0	NA	410	5.0	260	<5.0	660	240	40	<9.4	<4.7
07/09/07	NA	<5.0	NA	240	<5.0	220	180	760	260	<99	<99	<50
10/01/07	NA	<200	NA	260	<5.0	260	13	950 (b)	390 (b)	<200 (b)	<200 (b)	<99 (b)
01/07/08	NA	<5.0	NA	56	<5.0	190	7	740 (c)	260 (c)	<96 (c)	<96 (c)	<48 (c)
04/01/08	NA	<20	NA	70	<20	210	<20	960	260	<100	<100	<100
07/23/08	NA	<20	NA	190	<20	180	<20	940	350	<100	<100	<100
10/22/08	NA	<20	NA	190	<20	210	<20	1,300	570	12	<10	<10
01/21/09	NA	<20	NA	99	<20	190	<20	1,500	850	200	<100	<100
04/21/09	NA	<20	NA	63	<20	50	<20	870	450	57	<10	<10
07/21/09	NA	<20	NA	100	<20	120	<20	920	450	<10	<10	<10
01/12/10	NA	<10	NA	49	<10	85	<10	600	210	<10	<10	<10
MW-2												
07/18/90	39	ND	ND	3,200	2,400	270	2,900	340	170	ND	ND	NA
10/15/90	18	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
01/09/91	ND	6.5	ND	1,700	1,200	370	2,400	NA	NA	NA	NA	NA
04/16/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	ND	1.7	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	Not analyzed: sampling for additional parameters was discontinued											
MW-8												
06/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
10/10/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
03/23/92	ND	ND	ND	23	<5.0 (b)	450	23	NA	NA	NA	NA	NA
06/08/92	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
09/15/92	ND	ND	ND	NA	NA	NA	NA	ND	ND	6	ND	NA
11/16/92	ND	ND	ND	NA	NA	NA	NA	32	ND	ND	ND	NA
02/16/93	ND	ND	ND	NA	NA	NA	NA	730	130	ND	ND	NA
05/13/93	ND	ND	ND	NA	NA	NA	NA	97	20	ND	ND	NA
08/17/93	ND	ND	ND	NA	NA	NA	NA	26	ND	ND	ND	NA
11/08/93	ND	ND	ND	NA	NA	NA	NA	20	ND	19	ND	NA
02/14/94	NA	NA	NA	NA	NA	NA	NA	350	65	ND	ND	NA
05/05/94	<0.5	<0.5	0.7	NA	NA	NA	NA	23	<10	<10	ND	NA
08/04/94	NA	NA	NA	NA	NA	NA	NA	11	<10	10	ND	NA
12/13/94	NA	NA	NA	NA	NA	NA	NA	14	<10	14	ND	NA
03/17/95	Not Analyzed: well MW-1 was sampled for additional parameters in lieu of well MW-8											

**Table 4. Summary of Volatile and Semivolatile Organic Compounds Analytical Data
Station #601, 712 Lewelling Blvd., San Leandro, CA**

Well and Sample Date	VOCs by EPA Method 601/8010 or 624/8240 Concentrations in (µg/L)							SVOCs by EPA Method 3520/8270 Concentrations in (µg/L)				
	Methylene Chloride	1,2-DCA	1,1-DCA	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	Naphthalene	2-Methyl Naphthalene	Bis (2-ethylhexyl) Phthalate	2,4-Di methyl-phenol	Phenol
MW-8 Cont.												
08/31/95	NA	NA	NA	NA	NA	NA	NA	62	8	<5	<5	<5
11/27/95	NA	NA	NA	NA	NA	NA	NA	15	<5	<5	<5	<5
03/14/96	NA	NA	NA	NA	NA	NA	NA	400	55	<50	<50	<50
05/23/97	NA	NA	NA	NA	NA	NA	NA	26	<5	<5	<10	<5
04/07/03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ABBREVIATIONS & SYMBOLS:

- < = Not detected at or above laboratory reporting limit
- 1,1-DCA = 1,1 Dichloroethane
- 1,2-DCA = 1,2 Dichloroethane
- NA = Not analyzed, not applicable, or not available
- ND = Not detected at or above laboratory reporting limits
- SVOC = Semi Volatile Organic Compound
- mg/L = Micrograms per liter
- VOC = Volatile Organic Compound

FOOTNOTES:

- a. Sample was ND for 2-Methylphenol and ND for 4-Methylphenol. Analysis not performed for 2,4-Dimethylphenol.
- b. Method reporting limit was raised due to high analyte concentration requiring sample dilution or matrix interference.
- c. Method reporting limits were raised due to a high level of non-target analytes.

NOTES:

The data within this table was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.