

1:21 pm, Jul 27, 2007

Alameda County  
Environmental Health

SCOTT B. FOOKS

ROBERT CROTEAU (OF COUNSEL)

## WELDON & HASS

ATTORNEYS AT LAW  
205 EAST ANAPAMU STREET  
SANTA BARBARA, CALIFORNIA 93101  
(805) 965-7014 FAX (805) 962-3557

HUGH J. WELDON

(1890-1978)

JOHN K. HASS

(1908-1997)

JEREMY D. HASS

(INACTIVE)

MICHAEL J. HASS

(INACTIVE)


July 26, 2007

Alameda County Environmental Health Services  
Attn: Jerry Wickham, Hazardous Materials Specialists  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: 461 McGraw Ave., Livermore, CA

Dear Mr. Wickham,

I, Whitney Newland, as Administrator of the Estate of Crandal Mackey, Probate Court authorized agent for Call Mac Transportation Company, hereby declare, under penalty of perjury, that the information and/or recommendations contained in the attached environmental reports and documents are true and correct to the best of my knowledge.

  
Whitney H. Newland, Administrator  
Estate of Crandal Mackey



July 26, 2007

Alameda County Environmental Health Services  
Mr. Jerry Wickham  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**Subject:        Soil Removal and Site Investigation Report**  
                    **461 McGraw Avenue, Livermore, California 94550**  
                    **EIS Project # 717-2**

Dear Mr. Wickham,

On behalf of Whitney Newland, Administrator of the Estate of Crandal Mackey, “deceased”, Probate Court-authorized agent for Call Mac Transportation Company, Environmental Investigation Services Inc. (EIS) is submitting this report to document the site investigation and soil removal activities and the results of soil and groundwater sampling at 461 McGraw Avenue, Livermore, California (the site) for your approval.

The site is located northeast of the intersection of McGraw Avenue and Preston Road in Livermore, Alameda County, California. The nearest surface water is Arroyo Seco, located approximately ½ mile south of the site. Water in Arroyo Seco flows to the northwest. The site location is shown on Figure 1. Figure 2 depicts the site plan, including features of concern. The site is currently vacant, but was formerly used by Call Mac Transportation Company as truck and trailer storage yard.

## **BACKGROUND**

In 1995, Remediation Risk Management, Inc. (RRM) removed a 12,000-gallon diesel underground storage tank (UST) from the northern portion of the site (Figures 2 and 3). According to RRM’s October 17, 1995 report, *Underground and Above Ground Storage Tank Removal and Sampling Report, 461 McGraw Avenue, Livermore, California 94550*, there were no visible penetrating holes in the walls of the UST, nor was any staining visible in the soil at the bottom of the excavation, twelve to fourteen feet below ground surface (bgs). However, the report states that staining was noted around the pipe leading to the dispenser. The three soil samples collected from approximately 1 foot below the base of the excavation and the grab groundwater sample collected from the UST excavation contained no detectable total petroleum hydrocarbons as diesel (TPH-d), total petroleum hydrocarbons as oil (TPH-o), or benzene, toluene, ethylbenzene, or xylenes (BTEX). A fourth soil sample collected from near the dispenser piping was found to contain 17,000 mg/kg TPH-d. The report states that sample from near the dispenser piping “was collected from an area of obvious overspillage” (RRM, October 17, 1995). The report does not provide any additional information or any recommendations about the contaminated area. The excavation was reportedly backfilled with

stockpiled soil from the excavation (reported to contain up to 100 mg/kg TPH-o) and with clean imported fill material.

In their report, RRM briefly describes removing a 5,000-gallon diesel aboveground storage tank (AST) from the southeast corner of the site and collecting two surface soil samples from beneath two other ASTs located in the southern portion of the site. There is little information provided about these activities. Recommendations provided in RRM's October 17, 1995, report include characterizing the contents of 39 55-gallon drums onsite, collecting additional surface samples from areas suspected to be contaminated by petroleum hydrocarbons, and removing the remaining ASTs from the site.

After at least two letters had been issued from the Alameda County Environmental Health Department (ACEH) regarding an order to clean-up the diesel-stained area near the former UST piping, RRM issued *Workplan to Excavate Diesel Impacted Soil Adjacent to the Former Diesel Dispenser, 461 McGraw Avenue, Livermore, California 94550*, on December 21, 1995. RRM proposed to excavate the diesel-impacted soil in the vicinity of the dispenser island, with a maximum excavation volume of 75 cubic yards, and to collect 5 soil confirmation samples and one water sample, if groundwater were encountered relevant. ACEH issued *Workplan Approval for 461 McGraw Ave, Livermore 94550* on December 27, 1995, approving RRM's proposed excavation in the vicinity of the dispenser island. However, the proposed work did not follow, most likely due to the mental incapacity of Crandall Mackey, the sole owner of Call Mac Transportation Company. Near this time Mr. Mackey was diagnosed with severe dementia and Alzheimer's disease. Mr. Mackey passed away in late 2003 and his Probate Estate was opened in 2005.

Other than a few letters and notices of violation from ACEH, EIS does not have documents regarding the site history between ACEH's December 27, 1995, workplan approval letter and a July 17, 2003, document from the Livermore-Pleasanton Fire Department (LPFD) describing a site inspection.

On July 17, 2003, LPFD conducted a hazardous materials inspection of the site, which is described in their *Hazardous Materials Inspection Report Narrative, Call Mac Transportation, 461 McGraw Ave., Livermore*. The LPFD document states that a large number of containers of hazardous materials and/or hazardous waste were observed onsite, both inside trailers and on the ground. Improper storage practices, security issues, and fire hazards were noted at the site, all of which increase the odds that hazardous substances will be or have been released to the environment.

According to the Department of Toxic Substances Control's (DTSC) *Inspection Report, Call Mac Transportation, 461 McGraw Road, Livermore, California 94551* issued December 2, 2003, DTSC conducted a site inspection on November 13, 2003, to take an inventory of hazardous waste onsite that would be used to select sampling points for a future site visit.

DTSC conducted their next site visit on November 20, 2003, during which they collected a total of twelve samples of suspected hazardous materials, hazardous wastes, and suspected release locations (stained soil). The sampling and sample results are described in DTSC's *Sampling Report, Call Mac Transportation, 461 McGraw Road, Livermore, California 94551* (January 6, 2004). Laboratory analyses of the samples showed that three of the twelve samples collected had characteristics that defined those substances of hazardous waste: two samples qualified as

hazardous waste as corrosive materials because they had pHs greater than 12.5, and one sample qualified as hazardous waste both as a toxic material, with greater than 1,000 mg/kg lead, and as an ignitable material, with a flash point below 140 degrees Fahrenheit. Each of these three samples was collected from drums stored inside trailers. Samples collected from ASTs T-1 and T-2, from the soil in the vicinities of the ASTs, and from some surface stains on the northern portion of the property contained high concentrations of petroleum hydrocarbons, and one soil sample collected from former AST location T-4 contained a high concentration of arsenic, but they were determined not to be hazardous waste.

Remedy Environmental Services, LLC (Remedy) issued *Preliminary Site Assessment, Phase I (Modified)*, on June 7, 2006, in preparation for the removal of the vehicles and the hazardous and non-hazardous materials onsite. According to this report, numerous types of hazardous materials and hazardous wastes were observed on the property during the site inspection, “but none in such condition that there is an eminent health or safety risk.” Also, the report states that the ground was noted to be stained in many areas during the site inspection.

On April 2, 2007, Applied Remedial Technologies (ART) submitted *Work Plan to Remove the Three Remaining Storage Tanks, 461 McGraw Avenue, Livermore, California 94550* to LPFD, outlining procedures for decommissioning and disposing of the ASTs and their contents, and for sampling the soil beneath the ASTs. The DTSC’s 2004 Sampling Report includes data from soil samples collected from underneath two of the ASTs; the data showed that the soil under the ASTs had been impacted, and that overexcavation would be required.

ART described their proposed overexcavation of the contaminated soil under the ASTs in *Proposed Work Plan to Conduct Soil Removal and Confirmation Sampling of the Impacted Soils at the Former Diesel UST Dispenser Island, Below the Former Above Ground Storage Tanks, and at the Recent Diesel Spill Areas, 461 McGraw Avenue, Livermore, California, 94550*, which they submitted to ACEH April 2, 2007. In this workplan, ART describes plans to remove the concrete pad and former pump station and to excavate any contaminated soil they find underneath. ART also included a plan to excavate surface diesel and oil stains from Golden State Metals, Inc.’s (Golden State) demolition of the vehicles stored onsite, and to collect a water sample from the well in the northeastern corner of the site.

In their April 10, 2007, plan check of ART’s *Work Plan to Remove the Three Remaining Storage Tanks, 461 McGraw Avenue, Livermore, California 94550*, LPFD approved the workplan for the AST removals, contingent upon approval by ACEH’s approval of *Proposed Work Plan to Conduct Soil Removal and Confirmation Sampling of Impacted Soils at the former Diesel UST Dispenser Island, Below the Former Above Ground Storage Tanks, and at the recent Diesel Spill Areas, 461 McGraw Avenue, Livermore, CA 94550*. The plan check specifies that soil samples must be collected within two working days of the AST removals, and that ACEH will be responsible for overseeing the soil sampling.

ACEH issued the letter, *Fuel Leak Case No. RO0000311 and Geotracker Global ID T0600102204, Call Mac Transportation, 461 McGraw Avenue, Livermore, CA 94550* on April 11, 2007, requesting revisions regarding the excavation and sampling in the vicinity of the former pump island, the AST excavations and sampling, the excavations and sampling of the surface stains from Golden State’s demolition activities, and the water well sampling. In addition, ACEH requested



that the workplan include collecting eight samples from the soil loading dock, eight samples from the former lead-acid battery storage area near the building pad, two samples from the former storage container location, and two samples from the soil building pad. Finally, ACEH requested six soil borings, with grab groundwater samples collected from each, and soil samples collected where relevant.

On May 18, 2007, EIS issued *Revised Workplan for Site Investigation and Remedial Action, 461 McGraw Avenue, Livermore, California 94550*, which included all of the revisions to the plans for the proposed excavations that ACEH requested, proposed surface sample locations and sampling methods consistent with ACEH requirements, and proposed and described plans for six soil borings, as requested by ACEH.

ACEH approved *Revised Workplan for Site Investigation and Remedial Action, 461 McGraw Avenue, Livermore, California 94550* on May 23, 2007, in the letter, *Fuel Leak Case No. RO0000311 and Geotracker Global ID T0600102204, Call Mac Transportation, 461 McGraw Avenue, Livermore, California 94550 – Work Plan Approval*.

## **PRE-FIELD ACTIVITIES**

Before commencing field activities, EIS prepared a Site-Specific Health and Safety Plan reflecting the work to be performed, the potential contaminants, appropriate safety precautions, and emergency response procedures. EIS coordinated with regulatory agencies, scheduling activities to coincide with LPFD or ACEH visits to the site as needed. EIS obtained a soil boring permit from Zone 7 Water Agency. EIS marked the site boundaries with white paint and notified Underground Service Alert (USA) 48 hours before beginning field activities so that companies with underground utilities in the vicinity of the site would mark the locations of their facilities.

EIS contracted with Mr. Odis Haskin, Jr., of OHJ Subsurface Utility Locator, a private utility locator, to screen the work areas for underground facilities within the property boundaries. Mr. Haskin also checked for utilities entering the property from the street and sidewalk anywhere along the perimeter of the property, where accessible. Mr. Haskin identified underground electrical, water, and telephone lines in the vicinities of the former dispenser island and the building pad, though none were operational.

## **REMOVAL OF FORMER PUMP ISLAND, CONCRETE PAD, AND CONDUITS, AND EXCAVATION OF POTENTIALLY IMPACTED SOIL**

### **Excavation**

On May 29, 2007, EIS coordinated with Macoy Resources Corporation (MRC) to remove the former pump island and concrete pad, to remove the utilities underneath them, and to excavate any impacted soil (Figure 3). MRC demolished the 42-foot-by 20-foot concrete pad and the attached pump island. All items associated with the former fueling system (e.g. piping) were separated from the rest of the debris, and were disposed as hazardous scrap metal. The Non-RCRA Hazardous Waste Manifest is included in Attachment A. The pipes associated with the former UST and pump station were observed to be capped and in fairly good condition. No hydrocarbon staining or odor was observed in or around the piping.

At 2 feet below ground surface (bgs) MRC encountered what appeared to be two former electrical conduits and one conduit or pipe aligned approximately parallel to the northern property boundary. Once fully uncovered, the lines were found to end near the eastern edge of the excavation, but to continue from the excavation into the western sidewall.

Additional excavation to determine the route and origin of the lines was outside the scope of work of the pump station removal activities, so MRC cut the lines near western sidewall of the excavation and removed them from the excavation. The conduits and conduit or pipe were disposed as non-RCRA hazardous scrap metal, along with the items known to be associated with the former fueling station (see the manifest in Attachment A). When they were removed, the conduits and the conduit or pipe were found to contain some water, but there was no observable petroleum odor, staining, or sheen.

MRC continued to excavate until they reached a total depth of four feet bgs, two feet below the conduits and/or pipe. Neither hydrocarbon odor nor hydrocarbon staining was observed anywhere in the excavation, so EIS selected the depth of the excavation and bottom samples based the standard sampling requirements for UST closures. The standard sample locations for UST closures are 1.5 to 2.0 feet below the base of the UST facilities and any fill material underneath.

MRC found an additional conduit running perpendicular to the others, near the eastern edge of the former concrete pad. MRC uncovered the conduit and found they could remove the entire length of it (between the northern property boundary and the building pad) without cutting it. MRC removed it and included it with the items disposed as Non-RCRA hazardous waste (see the manifest in Attachment A).

### **Soil Sampling**

EIS collected six confirmation samples from the excavation: sidewall samples CS-1 through CS-4 were collected from 2 feet bgs from the eastern, southern, western, and northern sidewalls, respectively (Figure 3). Bottom samples CS-5 and CS-6 were collected from 4 feet bgs from the western and eastern portions of the excavation, respectively. At the request of MRC, EIS also collected one four-point composite sample of the soil excavated from the former pump island area (Sample SP-UST).

During a site inspection on June 1, 2007, Mr. Jerry Wickham, Hazardous Materials Specialist of ACEH inspected the excavation for the former pump island area and conduits. Mr. Wickham requested that two additional soil samples be collected from beneath the former conduit location near the eastern edge of the former concrete pad.

On June 1, 2007, EIS collected sample CS-7 from underneath the former conduit location to the north of sample CS-1, at 2.5 to 3.0' bgs, and sample CS-8 from underneath the former conduit location to the south of sample CS-1, at 1.5 to 2.0' bgs.

## Soil Sample Analysis

All soil samples were placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California. American Scientific Laboratories is certified by the California Department of Health Services (DHS) for the analysis of hazardous waste.

The soil samples collected from the excavation beneath the former pump station and the composite sample collected from the stockpile of excavated soil were analyzed by the following methods:

- ♦ Environmental Protection Agency (EPA) Method 8015M for total petroleum hydrocarbons as diesel (TPH-d) and for total petroleum hydrocarbons as oil (TPH-o),
- ♦ EPA Method 8260B for volatile organic compounds (VOCs), including total petroleum hydrocarbons as gasoline (TPH-g), 1,2-dichloroethane (DCA), 1,2-dibromoethane/ethylene dibromide (EDB), and fuel oxygenates including methyl tert-butyl ether (MTBE), and
- ♦ EPA Method 6010B for lead.

## Soil Sample Analytical Results

The analytical results for the excavation confirmation samples are summarized in Table 1, and the laboratory analytical reports are included in Attachment B. The laboratory analytical reports for SP-UST are also included in Attachment B.

According to the analytical reports, the four sidewall samples, CS-1 through CS-4, and bottom sample CS-6 (Table 1, Figure 3) contained no detectable concentrations of TPH-g, TPH-d, TPH-o, lead, fuel oxygenates including MTBE, or VOCs including benzene, toluene, ethylbenzene, and xylenes (BTEX), EDB, and DCA.

CS-5 (Table 1, Figure 3) contained 235 milligrams per kilogram (mg/kg) TPH-o, 0.009 mg/kg toluene, 0.003 mg/kg ethylbenzene, and 0.14 mg/kg xylenes. These concentrations are all significantly less than the Regional Water Quality Control Board's (RWQCB's) Environmental Screening Levels (ESLs) for commercial or industrial property where groundwater is currently or potentially a drinking water source, as well as the United States Environmental Protection Agency's (USEPA's) Preliminary Remediation Goals (PRGs) for industrial soil. There were no detectable concentrations of any of the other analytes in bottom sample CS-5.

Samples CS-7 and CS-8 (Table 1, Figure 3) contained no detectable concentrations of TPH-g, TPH-d, TPH-o, MTBE and other fuel oxygenates, or VOCs including BTEX, EDB, and DCA. Lead was detected in low concentrations in both samples: CS-7 contained 9.70 mg/kg lead, and CS-8 contained 11.4 mg/kg lead. These lead concentrations are much lower than the ESL and PRG.

## **Assessment of Former Pump Station Area Activities**

EIS coordinated with MRC to remove 840 square foot cement slab, the former pump island, and underlying facilities associated with the former 12,000-gallon diesel UST on the northern end of the property. No signs of leaks and no petroleum hydrocarbon staining or odor was observed in or nearby the utilities associated with the former UST.

Of three underground conduits or pipes located approximately two feet bgs below the former pump station, two of the lines appeared to be old electrical conduits, and one may have been old electrical conduit or old piping. The ends of these lines were found near the eastern edge of the excavation, but the lines were cut near the western sidewall. Tracing the conduits and the pipe or conduit to their points of origin was not within the scope of this project.

Eight soil samples were collected from the excavation area: four sidewall samples, two from the bottom of the excavation under the former pump station, and two from underneath the former conduit (perpendicular to the others). Laboratory analyses showed that none of these samples contained concentrations of contaminants that exceeded regulatory guidelines.

## **BUILDING PAD, SHIPPING CONTAINER, LEAD-ACID BATTERY, AND LOADING DOCK SOIL SAMPLING**

### **Building Pad and Shipping Container**

On May 31, 2007, EIS collected four soil samples from the soil building pad in the northern portion of the property. Two samples, SC-1 and SC-2, were collected from within the footprint of the former storage container formerly located on the southern portion of the building pad. Samples BP-1 and BP-2, were collected from two other representative locations of the building pad (Figure 2).

For each sample location, a 3-inch diameter hand auger was used to advance a soil boring to approximately 6 inches bgs. Soil was transferred from the hand auger into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California. The hand auger was thoroughly decontaminated by double-washing it with a non-phosphate detergent solution, triple rinsing it with tap water, and allowing it to dry before the next sample was collected. Sample locations were backfilled with soil and gravel from their immediate surroundings.

The soil samples collected from the building pad and former shipping container area were analyzed by the following methods:

- ♦ EPA Method 8015M TPH-d and TPH-o, and
- ♦ EPA Method 6010B for CCR Title 22 Metals.

Based on the results of the Method 6010B analysis of sample BP-1, EIS directed the analytical laboratory to analyze it for the soluble threshold limit concentration (STLC) of arsenic.

The analytical data, except for the STLC results, are summarized in Table 2. All of the analytical reports for the building pad and shipping container area samples are included in Attachment B.

No detectable TPH-o was found in any of the four samples collected from the building pad and shipping container area. Only one of the samples contained a detectable concentration of TPH-d (17 mg/kg), but the concentration was significantly lower than the ESL.

Two metals were detected in the building pad soil samples at concentrations above the ESLs.

The concentration of cobalt in BP-1 (11.9 mg/kg) was above the ESL of 10 mg/kg, but the concentrations of cobalt in the other three samples were all below the ESL.

The arsenic concentrations in all four samples were elevated relative to the ESL of 5.5 mg/kg; SC-1 contained 40.8 mg/kg arsenic, SC-2 contained 42.4 mg/kg arsenic, BP-1 contained 50.8 mg/kg arsenic, and BP-2 contained 36.1 mg/kg arsenic.

Since the arsenic concentration of BP-1 was greater than 50 mg/kg, it was also analyzed for STLC arsenic. The STLC analysis found no detectable concentration of soluble arsenic compounds (<0.50 mg/L) in sample BP-1.

### **Former Lead-Acid Battery Storage Area**

On May 29, 2007, EIS collected eight shallow soil samples from an area west of the building pad (Figure 2), where lead-acid batteries were formerly stored on a wood pallet. The former location of the pallet is only approximately known, so the eight sample locations were arranged over a 20-foot-long by 10-foot-wide area to ensure that the potential for lead contamination in the soil was accurately investigated.

EIS attempted to collect the soil samples using a three-inch diameter hand auger, but discovered a layer of asphalt that the hand auger could not penetrate under approximately ¼ inch of dust and gravel.

EIS used a mason's hammer to break through the asphalt and to loosen the soil and gravel below. The loosened soil was then placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California. The mason's hammer was thoroughly decontaminated by double-washing it with a non-phosphate detergent solution, triple rinsing it with tap water, and allowing it to dry before the next sample was collected. Sample locations were backfilled with soil and gravel from their immediate surroundings.

The soil samples from the former lead-acid battery storage area were analyzed by EPA Method 6010B for lead. The data are summarized in Table 3 and the Laboratory Analytical Report is included in Attachment B. The lead concentrations in the eight samples ranged from 3.81 mg/kg (LB-7) to 41.1 mg/kg (LB-2); all lead concentrations were well below the ESL and PRG.

## Soil Loading Dock

On June 4, 2007, EIS collected eight soil samples from the soil loading dock south of the building pad (Figure 2). At EIS's direction, MRC excavated four shallow potholes in the loading dock to assist with soil sampling activities. The soil in the loading dock was observed to be dry, dark brown clay with debris (primarily wood, with some candy wrappers, remnants of former truck storage onsite, and other refuse) intermixed, especially on the southern end.

EIS retrieved a soil sample from the backhoe bucket for each of the 0.0-0.5 foot and 2.0-2.5 foot depth intervals (below the surface of the loading dock). The soil was placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California.

The soil samples collected from the soil loading dock were analyzed by the following methods:

- ♦ EPA Method 8015M TPH-d and TPH-o, and
- ♦ EPA Method 6010B for CCR Title 22 Metals.

There was no TPH-o detected in any of the eight loading dock samples, and only two of the samples contained detectable concentrations of TPH-d: LD-2 contained 28 mg/kg TPH-d and LD-4 contained 13 mg/kg TPH-d. In both samples, the concentration of TPH-d that was detected in the soil sample was significantly lower than the ESL.

There was no detectable silver or thallium in any of the loading dock samples. Of the other metals, only arsenic and cobalt were present at concentrations greater than their ESLs. Arsenic concentrations were above the ESL in four samples: LD-1 (9.40 mg/kg), LD-2 (8.10 mg/kg), LD-3 (7.02 mg/kg), and LD-5 (7.43 mg/kg). Cobalt concentrations were above the ESL in five of the samples: LD-1 (11.0 mg/kg), LD-2 (10.1 mg/kg), LD-3 (13.6 mg/kg), LD-5 (10.8 mg/kg), and LD-6 (10.7 mg/kg).

## Background Concentrations of Arsenic and Cobalt

In their report, *Analysis of soil samples from the San Joaquin Valley of California*, Wilson et al. of the United States Geological Survey (1990), published the concentrations of metals detected in approximately 300 soil samples collected from the San Joaquin Valley, which is approximately fifteen miles east of the site. The mean concentration of arsenic in these soil samples was 5.6 mg/kg, with a standard deviation of 3.6 mg/kg. For normally distributed samples, approximately 85% of soil samples should have an arsenic concentration that is less than or equal to the mean plus one standard deviation, or 9.2 mg/kg. For a similar set of samples, 95% of samples will contain an arsenic concentration that is less than or equal to the mean plus two standard deviations, or 12.7 mg/kg. For the loading dock samples, seven contained arsenic concentrations below 9.2 mg/kg, as is anticipated in approximately 85% of soil sample in the region. Only one sample, LD-1 (9.40 mg/kg), contained an arsenic concentration above 9.2 mg/kg. However, the arsenic concentration in LD-1 is still consistent with the background concentrations of arsenic that were calculated from the data reported in Wilson et al. (1990).

The mean concentration of cobalt in the soil samples from Wilson et al. (1990) was 12.7 mg/kg, and the standard deviation was 4.4 mg/kg. For normally distributed samples, 85% of the soil samples will contain less than or equal to 17.1 mg/kg cobalt, and 95% should contain less than or equal to 21.5 mg/kg cobalt. All of the cobalt concentrations from the loading dock and building pad samples were less than 17.1 mg/kg, as is anticipated for 85% of soil samples in the region.

### **Assessment of Building Pad, Shipping Container, Lead-Acid Battery, and Loading Dock Sampling**

Based on comparisons to data reported in Wilson et al. (1990), the cobalt concentrations in the building pad and the loading dock samples and the arsenic concentrations in the loading dock samples appear to be consistent with background concentrations in the area. The arsenic concentrations measured in the samples from the building pad and shipping container locations have the only elevated concentrations relative to the background information determined from the Wilson et al. (1990) data.

## **EXCAVATION OF SURFACE STAINS FROM GOLDEN STATE ACTIVITIES**

### **Thirty-Four Small Stains**

Thirty-four small surface stains in the west-central portion of the site were identified as stains resulting from Golden State's onsite vehicle wrecking and removal operations (Figures 2 and 4). On May 30, 2007, and June 4, 2007, EIS marked each of the 34 locations with a numbered flag (numbers L1 through L34) and collected surface soil samples for photoionization detector (PID) screening. PID data were used to supplement field observations (such as staining and odor), providing an additional test to determine whether all significant contamination had been removed.

Each soil sample was placed into a clean plastic bag, which was then sealed and allowed to sit in the sun for a minimum of five minutes to let the vapors in the headspace of the bag equilibrate with the vapors in the soil. The PID was then inserted into the bag to measure the VOC concentration of the vapor inside. The PID data are presented in Table 5.

As anticipated, the PID data typically showed low concentrations of VOCs in the soil and soil vapor. Heavier hydrocarbons, such as oil and diesel, do not typically contain many VOCs.

On May 30, 2007, and June 4, 2007, MRC completed a total of 12 shallow excavations encompassing the thirty-four small stains (Figure 4). Stained areas were excavated until field personnel noted that no signs of petroleum hydrocarbon staining or odor remained. Excavated soil was stockpiled on plastic and covered with plastic pending disposal.

On June 4, 2007, as the excavations were completed, EIS collected soil samples from the bottoms of the excavations for PID analysis. EIS dug a few inches into the base of the pit to obtain a fresh soil surface, then followed the soil sampling and testing procedure used to characterize the stains before the excavations began. The post-excavation PID data are listed in Table 5.

A total of approximately 254.5 tons of petroleum hydrocarbon-contaminated soil was excavated to remove the small soil stains from the Golden State activities, and the average depth of excavation for these stains was approximately 2.5 feet bgs. The depth of excavation for each individual stain can be found in Table 5.

On June 11, 2007, the excavated soil was loaded into trucks and transported to Altamont Landfill under non-hazardous waste manifest. The manifests and weight tickets for the soil disposal are included in Attachment C.

### **Seven Large Stains**

Seven large surface stains in the east-central portion of the site were identified as stains resulting from Golden State's vehicle wrecking and removal operations onsite (Figures 2 and 4). On May 30, 2007, EIS marked the boundaries of each of the 7 locations with white paint, labeled each location with an identifying number (DO-1 through DO-7), and collected surface soil samples for PID analysis. PID data were used to supplement field observations (such as staining and odor), providing an additional field test to determine whether all significant contamination had been removed.

Each soil sample was placed into a clean plastic bag, which was then sealed and allowed to sit in the sun for a minimum of five minutes to let the vapors in the headspace of the bag equilibrate with the vapors in the soil. The PID was then inserted into the bag to measure the VOC concentration of the vapor inside. The PID data are presented in Table 5.

As anticipated, the PID data showed low concentrations of VOCs in the soil and soil vapor.

On May 30, 2007, MRC completed the excavations to remove 7 large stains (Figure 4). Six of the stained areas were excavated until field personnel noted that no signs of petroleum hydrocarbon staining or odor remained and PID measurements showed that VOCs were insignificant: DO-1, DO-2, DO-4, DO-5, DO-6, and DO-7. PID data are included in Table 5.

Approximately 18.4 tons of soil were removed from each of the excavations for DO-1 and DO-2, and each extended to approximately 5 feet bgs. Approximately 8.4 tons of soil were removed from the excavation for DO-4, which extended to 2 feet bgs. For DO-5, which extended to 4 feet bgs, approximately 23.0 tons of soil were removed. Approximately 12.2 tons of soil were removed from the excavation for DO-6, which extended to 4 feet bgs. For DO-7, which was extended to 2.5 feet bgs, approximately 3.1 tons of soil were removed. Soils encountered were dry dark brown clays in the upper four feet, underlain by light brown sandy clay with caliche.

The surface stain DO-3 appeared to be very dark and had an oily, burned odor to it. These characteristics prevailed until approximately four feet, when a light brown gravelly sand was encountered. At this depth, the dark staining was no longer visible, but the odor had changed and become stronger and there was no longer a burned quality to it. EIS collected a soil sample from the bottom of the excavation for PID screening. The PID indicated that there were 224 parts per million (ppm) VOCs in the plastic bag's headspace.



MRC extended the depth of the excavation for surface stain DO-3 to 6.5 feet bgs. Beginning at approximately 5 feet bgs, the soil appeared to be sandy clay rather than gravelly sand. At 6.5 feet bgs, the soil continued to have a strong petroleum hydrocarbon odor, and another soil sample collected for PID screening was found to contain 60.1 ppm VOCs.

Considering the different characteristics of the contamination below four feet bgs in the excavation for surface stain DO-3 from those of the surface contamination of stain DO-3 and the other stains attributed to Golden State's activities, EIS determined that it was likely that the deeper contamination had a different source from the shallow stains and that it ought to be dealt with accordingly. EIS collected a sample from the bottom of the excavation for DO-3 (6.5 feet bgs), as planned, to obtain more information about the contamination in the bottom of the pit, and to revisit the area at a later time. A total of 55.3 tons of petroleum hydrocarbon impacted soil were excavated for surface stain DO-3.

EIS collected one soil sample from the bottom of the excavation for each stain. Soil samples were collected with assistance from the backhoe bucket. All soil samples were placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to McCampbell Analytical, Inc. (MAI), the analytical laboratory. MAI is certified by the DHS for the analysis of hazardous waste.

The soil samples collected from the excavations for DO-1, DO-2, and DO-4 through DO-7 were analyzed by the following method:

- ♦ EPA Method 8015M for TPH-d and TPH-o.

The soil sample collected from the excavation for DO-3 was analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d, TPH-o, and for Total Petroleum Hydrocarbons as gasoline (TPH-g),
- ♦ EPA Method 8021 for BTEX and MTBE.

The analytical data from samples DO-1 through DO-7 are summarized in Table 6, and the laboratory analytical report is included in Appendix B. Three of the soil samples, DO-1, DO-2, and DO-7 contained no detectable petroleum hydrocarbons, and one sample, DO-5, contained no detectable TPH-o and only 1.6 mg/kg TPH-d. DO-4 contained only small amounts of TPH-d (25 mg/kg) and TPH-o (22 mg/kg), as did DO-6 (3.4 mg/kg TPH-d, and 6.5 mg/kg TPH-o). For these six soil samples (DO-1, DO-2, and DO-4 through DO-7), all analytical data show either no detectable petroleum hydrocarbons, or petroleum hydrocarbon concentrations that are significantly less than the ESLs.

Sample DO-3 contained 1,400 mg/kg TPH-d, a concentration greater than the ESL of 100 mg/kg TPH-d. Other constituents were detected at concentrations below their ESLs: TPH-o (500 mg/kg), TPH-g (56 mg/kg), ethylbenzene (0.0099 mg/kg), and xylenes (0.046 mg/kg). No MTBE, benzene, or toluene was detected in sample DO-3.

## **Assessment of Surface Stain Excavation Activities**

EIS coordinated with MRC to remove 34 small surface stains and 7 large surface stains resulting from Golden State's truck removal operations onsite. For the small surface stains, a total of approximately 254.5 tons of soil were excavated, so that no petroleum hydrocarbon staining or odors were observed in any of the 34 small stain locations, and PID data also indicated that VOCs were not a concern in these locations.

A total of approximately 138.8 tons of soil were removed from the areas with the large surface stains, with approximately 55.3 tons coming from the excavation for DO-3. In all of the large-stain areas except for DO-3, excavations proceeded as with the small areas, until no petroleum hydrocarbon staining or odors were observed in any of those 6 large stain locations, and PID data also indicated that VOCs were not a concern. Once field observations suggested that the excavation boundaries were not contaminated, EIS collected one sample from the bottom of each excavation with the assistance of the backhoe bucket. According to the analytical data, these six samples contained very little, if any, TPH-d or TPH-o, with all concentrations below ESLs. Therefore, EIS determined that remediation of large stains DO-1, DO-2, and DO-4 through DO-7 was complete. MRC backfilled these six excavations with clean, imported soil on June 5, 2007.

In the excavation of large stain DO-3, the characteristics of the contamination changed at approximately four feet bgs: the petroleum hydrocarbon odor became much stronger and it lost the "burned" scent that characterized the petroleum hydrocarbons in the shallow soil. PID screening showed that VOCs were present in the soil at 4 feet bgs and at 6.5 feet bgs. PID screening of a surface soil sample collected from the most heavily-stained portion of stain DO-3 showed that there was a negligible amount of VOCs in the shallow stain, if any. Finally, the surface stain was very dark, even black, whereas below 4 feet bgs, soil did not generally appear to be stained, even though it had a strong petroleum hydrocarbon odor.

Since the deeper contamination appeared to be different from the shallow staining, and since the deeper contamination appeared to continue laterally and downward, EIS collected a bottom sample from excavation DO-3 with the assistance of the backhoe bucket in order to obtain more information about the contamination before continuing the excavation. According to the analytical data, the deeper contamination shows characteristics of aged diesel.

On June 11, 2007, the excavated soil was loaded into trucks and transported to Altamont Landfill under non-hazardous waste manifest. The manifests and weight tickets for the soil disposal are included in Attachment C.

## **ADDITIONAL EXCAVATION OF AREA DO3**

### **Excavation Activities**

On June 6, 2007, EIS coordinated with MRC to excavate contaminated soil from the deeper soil below surface stain DO-3. In order to differentiate this excavation from the previous excavation for the Golden State Surface Stain (Stain DO-3), this excavation is called Excavation DO3.

Excavation DO3 was expanded five feet from its original boundaries on the north, east, and south sides (Figure 5). There was no evidence of contamination in the top four feet of soil in the new excavation areas, so it was stockpiled separately from the contaminated soil, as clean overburden.

After the northern and eastern expansion areas had been excavated to seven feet bgs, EIS collected sidewall samples for PID screening with the help of the backhoe bucket. Soil from both sidewalls did not appear stained, nor was there any noticeable petroleum hydrocarbon odor. PID screening showed that there were no significant VOCs in the sidewall soil samples. EIS also noted that the soil in the southeast corner of the expansion area did not appear to require excavating, as there were no signs of petroleum hydrocarbon odor or staining, and three separate samples collected from the sidewall of the five-foot-deep benched surface (Figure 5) for PID screening all showed that there were no significant VOCs present.

Soil obtained by the backhoe from the bottom of the excavation, at 7 feet bgs, had a strong petroleum hydrocarbon odor, though no discoloration was noted. EIS directed MRC to excavate a pothole in the northern portion of the excavation to determine whether it would be possible to find the bottom of the contaminated mass and to remove it all.

The petroleum hydrocarbon odor persisted until 11 feet bgs, when the soil became green and clayey. Based on field observations, EIS determined that the water table was near 11 feet bgs. Therefore, EIS decided not to extend the bottom of the excavation below 11 feet bgs in order to avoid encountering groundwater.

In the southern expansion area, EIS noted a faint petroleum hydrocarbon odor in the sidewall, but no discoloration was visible. However, because an unstable tree near the southern end of the excavation was a safety hazard, EIS and MRC decided to not to continue excavating to the south, but to investigate the extent of the contamination along the western boundary of the original excavation.

While removing the upper four feet of soil along the western boundary of the original excavation, MRC discovered contaminated soil that resembled the shallow Golden State stains. MRC excavated all soil that appeared to have the characteristics of the shallow stains, placing it on plastic in a separate stockpile from the rest of the soil excavated that day. The lateral boundaries of the shallow contamination discovered on June 6, 2007, are shown on Figure 5. The contamination was found to extend to approximately 4 feet bgs, where there were changes in the characteristics of the contamination similar to those observed in the May 30, 2007, excavation for Stain DO-3. MRC excavated a total of approximately 23.8 tons of stained shallow soil that was associated with Golden State's activities onsite.

After the shallow excavation was complete, MRC excavated the deeper contamination to a depth of 7 feet bgs and extended the western portion of the excavation northward. On June 6, 2007, MRC removed approximately 33 cubic yards (50 tons) of overburden material and approximately 85.2 tons of contaminated soil from below 4 feet bgs, in addition to the approximately 23.8 tons of shallow soil removed for Golden State and the approximately 55.3 tons of soil that had previously been removed for the excavation for shallow stain DO-3.

EIS collected six confirmation soil samples from Excavation DO3 (Figure 5). Confirmation sample locations were selected upon consultation with Mr. Jerry Wickham of ACEH. Sample DO3-2 was collected from the north wall of the western side of the excavation. Samples DO3-3, DO3-4, and DO3-5 were collected from the north, east, and south sidewalls of the excavation. Samples DO3-6 and DO3-7 were collected from the bottom of the excavation.

### **Soil Sample Analysis**

Soil samples were collected with assistance from the backhoe bucket. All soil samples were placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California.

The soil samples collected from Excavation DO3 were analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d, TPH-o, and TPH-g,
- ♦ EPA Method 8021 for BTEX and MTBE.

### **Soil Sample Analytical Results**

The analytical results for the excavation confirmation samples are summarized in Table 7, and the laboratory analytical reports are included in Attachment B.

There was no TPH, BTEX, or MTBE detected in any of the sidewall samples from Excavation DO3, and there was no MTBE detected in any of the soil samples from the excavation.

Sample DO3-6, a bottom sample collected from 7 feet bgs, contained 2,500 mg/kg TPH-d. This concentration exceeds the ESL of 100 mg/kg for TPH-d on an industrial property where groundwater is currently or potentially a drinking water source. Other constituents detected in soil sample DO3-6 include TPH-g (34 mg/kg), benzene (0.030 mg/kg), toluene (0.217 mg/kg), ethylbenzene (0.029 mg/kg), and xylenes (1.940 mg/kg). However, all of these concentrations were below the ESLs for the respective constituents.

There were 64 mg/kg TPH-d detected in soil sample DO3-7, collected from the bottom of a pothole in Excavation DO3 from 11 feet bgs. However, this concentration is below the ESL. No other constituents were detected in soil sample DO3-7.

### **Assessment of Excavation and Soil Sampling of Area DO3**

Excluding the upper four feet of soil, approximately 85.2 tons (approximately 57 cubic yards) of soil were removed from Excavation DO3. Of the upper four feet of soil of Excavation DO3, approximately 23.8 tons of shallow soil removed for Golden State Metals.

Sample DO3-6, collected from the bottom of the excavation at 7 feet bgs, contains an elevated concentration of TPH-d relative to the ESL, but sample DO3-7, collected from the bottom of a pothole in the excavation at 11 feet bgs, contains a concentration of TPH-d that is below the ESL. Based on field observations, EIS personnel concluded that the water table was near 11 feet

bgs. Additional excavation extending the depth of Excavation DO3 down to as much as 11 feet bgs would significantly reduce the contaminated mass in the ground.

On June 11, 2007, the excavated soil was loaded into trucks and transported to Altamont Landfill under non-hazardous waste manifest. The manifests and weight tickets for the soil excavated to remove the additional shallow staining associated with Golden State's onsite activities are included in Attachment C. The manifests and weight tickets for soil excavated from Area DO3, below 4 feet bgs, are included in Attachment D.

The four sidewall samples from Excavation DO3 provide lateral boundaries of the deeper contamination to the north, east, south, and northwest. However, the western and southwestern boundaries of the contamination in Excavation DO3 are not clearly defined. Field observations indicated that the contaminated mass may continue in one or both of those directions.

## **AST REMOVALS AND OVEREXCAVATION OF STAINED SOIL IN THE FORMER AST LOCATIONS**

### **AST Removals**

On May 31, 2007, three ASTs were closed and removed from the southeast portion of the site under City of Livermore Building Permit number DEM07014. Mr. John Rigter, Hazardous Materials Inspector of LPFD, was present during AST closure activities.

The AST removal activities were proposed in a different workplan from the rest of the activities described in this report; the workplan was submitted to and approved by LPFD: *Work Plan to Remove the Three Remaining Storage Tanks, 461 McGraw Avenue, Livermore, California 94550* (ART, April 10, 2007). Therefore, EIS submitted *Aboveground Storage Tank Closure Report, 461 McGraw Avenue, Livermore, California*, to LPFD on July 24, 2007, describing AST closure activities and removals, including all relevant documentation. A copy of this report was also provided to ACEH.

### **AST Area Excavation Activities**

TPH-contaminated soil was overexcavated in each of the three former UST locations (Figures 2 and 6, T-1 through T-3), as well as in former AST location T-4, where AST T-1 was reportedly once stored. Confirmation soil samples were collected from each of Excavations T-1 through T-4 at the direction of Jerry Wickham.

There were also two small surface stains, LA and LB were also overexcavated from the area near the former ASTs (Figure 6, Table 6). Soil in the surface stains and in the vicinity of the former ASTs was excavated until no hydrocarbon staining or odor remained and PID screenings showed that VOCs were insignificant.

Approximately 21.5 tons of petroleum hydrocarbon contaminated soil were removed from Excavation T-1, in the location of former AST T-1, and stockpiled on plastic. The excavated area was approximately 34 feet long, 6 feet wide, and 2 feet deep. EIS collected two soil samples from the bottom of Excavation T-1: sample T-1-1 was collected from the northern half

of the excavation and sample T-1-2 was collected from the southern half of the excavation (Figure 6).

Excavation T-2 was approximately 25 feet long, and was 11 feet wide on the east side, tapering down to 8 feet wide on the west side (Figure 6). The excavation extended to 3 feet bgs in the eastern portion and 6 feet bgs in the western portion. A total of approximately 58.0 tons of contaminated soil were removed from the excavation. EIS collected four soil confirmation samples from Excavation T-2: sample T-2-1 was a bottom sample from the eastern half of the excavation (3 feet bgs), and samples T-2-2 through T-2-4 came from the western side of the excavation. Sample T-2-4 came from the bottom of the western side of the excavation (6 feet bgs), and samples T-2-2 and T-2-3 came from the northern and southern sidewalls of the excavation near sample T-2-4, respectively.

Excavation T-3 measured 15 feet long, 12 feet wide, and 4 feet deep, and also had a benched area on the southern end of the pit that was 6 feet long, 12 feet wide, and 2.5 feet deep (Figure 6). Approximately 47.5 tons of contaminated soil were removed from Excavation T-3. EIS collected a total of six soil samples from Excavation T-3. Samples T-3-1 through T-3-4 were collected from the north, east, south (bench side wall, see figure 6), and west sidewalls, respectively. Samples T-3-5 and T-3-6 were collected from the bottom of the excavation.

Initially, Excavation T-4 was 40 feet long, 12 feet wide, and ranged from 2 feet to 3 feet deep. After excavating the area of T-4 to these dimensions, there was no petroleum hydrocarbon staining or odor and the PID indicated that there were no significant amounts of VOCs present. Thus, approximately 71.0 tons of contaminated soil was removed from Excavation T-4.

During the excavation activities for former AST area T-4, MRC had uncovered some steel cables of unknown purpose or origin in the north central portion of the excavation. The backhoe was not able to remove the cables from the ground.

At the direction of Mr. Wickham, MRC continued to excavate in the vicinity of the cables to try to determine their purpose and to try to remove them. While digging to investigate the area surrounding the cables, MRC uncovered a well that had been buried 1.5 to 2 feet bgs in the western portion of Excavation T-4, with 6- to 8-inch diameter steel casing. Once excavation in the vicinity of the well was complete, the well casing was exposed to a depth of approximately 12 feet bgs. The upper portion of the casing was damaged by the backhoe bucket, and the casing was also filled with soil. These factors made further inspection of the well impossible at that time.

There were also additional trash items buried with the metal cables just north of the well, including brick, concrete, and wood. In the vicinity of the garbage, the excavation reached a total depth of 5 feet bgs, and in the vicinity of the well, the excavation reached a total depth of 12 feet bgs. The remaining portions of the excavation remained 2 to 3 feet deep (Figure 6). No indications of contamination were noted in the soil during the excavation to investigate the debris and the well.

EIS collected four soil samples from Excavation T-4. Sample T-4-1 was collected from the bottom of the excavation in a 3-foot-deep area in the eastern portion of the excavation. Samples

T-4-2, T-4-3, and T-4-4 were collected from the north, south, and west sidewalls of the western end of the excavation, near the buried well. Sample T-4-5 was collected from the bottom of the excavation near the buried well, from approximately 12 feet bgs.

### **Soil Sample Analysis**

Soil samples were collected with assistance from the backhoe bucket. All soil samples were placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California.

The soil samples collected from the excavations in the vicinity of the former ASTs were analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d, TPH-o,
- ♦ EPA Method 8260B for VOCs, including TPH-g, DCA, EDB, and fuel oxygenates including MTBE,
- ♦ EPA Method 8270C for semi-volatile organic compounds (SVOCs),
- ♦ EPA Method 8082A for polychlorinated biphenyls (PCBs),
- ♦ EPA Method 6010B for Title 22 Metals,
- ♦ EPA Method 9045C for pH.

### **Soil Sample Analytical Results**

The analytical results for the AST area excavation confirmation samples are summarized in Tables 8 and 9, and the laboratory analytical reports are included in Appendix B.

There were no detectable concentrations of TPH-d, TPH-o, TPH-g, MTBE, BTEX, DCA, EDB, other VOCs, other fuel oxygenates, PCBs, or SVOCs in any of the soil samples collected from the AST area excavations, and the pHs for all of the samples were in the normal range for soil (Table 8).

Of the seventeen metals included in the Method 6010B analysis, only two were detected at concentrations above the ESLs (Table 9): arsenic and cobalt. Ten of the samples contained arsenic concentrations greater than the ESL of 5.5 mg/kg; the highest arsenic concentration was detected in sample T-2-4 (8.51 mg/kg), which was collected from the bottom of the western half of Excavation T-2. Nine of the samples contained cobalt concentrations greater than the ESL of 10 mg/kg; the highest cobalt concentration was detected in sample T-2-2, which was collected from the northern sidewall of Excavation T-2. Sample T-2-2 contained 37.8 mg/kg cobalt.

When compared to data published in Wilson et al. (1990), the arsenic concentrations in the former AST areas appear to be consistent with background concentrations of arsenic in the region. With the exception of sample T-2-2, on the northern sidewall of the excavation, cobalt concentrations also appear to be consistent with background concentrations.

## **Assessment of Former AST Area Excavation Activities**

Approximately 198 tons of petroleum hydrocarbon-impacted soil were removed from the former AST area. A buried well and buried debris were uncovered in Excavation T-4. The well will need to be closed according to Zone 7 Water Agency requirements, and Mr. Wickham directed that there be additional excavation in the area of the debris to remove it and to determine whether there were any new environmental concerns associated with it.

A total of 17 confirmation samples were collected at the direction of Mr. Jerry Wickham of ACEH. Analytical data show that no detectable concentrations of TPH-o, TPH-d, TPH-g, VOCs, SVOCs, or PCBs were present in any of the samples, and all of the soil samples had reasonably normal pHs. Only two metals were found to be present in concentrations exceeding the ESLs: arsenic and cobalt. The analytical data were compared to metals concentrations in soil samples from the San Joaquin Valley (Wilson et al., 1990); all of the arsenic concentrations and most of the cobalt concentrations in the former AST excavation areas appear constant with background concentrations. Only one soil sample, sample T-2-2, appears to contain an elevated concentration of cobalt relative to background concentrations.

On June 11, 2007, the excavated soil was loaded into trucks and transported to Altamont Landfill under non-hazardous waste manifest. The manifests and weight tickets for the soil disposal are included in Attachment D.

## **EXCAVATION OF DEBRIS AREA NEAR ADJACENT TO EXCAVATION T-4**

### **Debris Area Excavation Activities**

On June 6, 2007, EIS coordinated with MRC to excavate the area of buried debris located on the north side of Excavation T-4. The excavation for the debris, labeled Excavation E4 (Figure 7), was conducted at the direction and under the supervision of Mr. Jerry Wickham of ACEH.

The soil above and intermixed with the debris showed signs that it had previously been disturbed; rather than showing the discrete lithologic units separated by clear contacts, as was characteristic for the site (for example, the upper four feet of soil is generally a dark brown clay, with a light brown sandy clay below), the soil appeared to be a disorganized mixture of the different soils with a “mottled appearance.” Also, the backhoe also observed that the soil in the vicinity of the debris was unusually “soft”, or uncompacted.

Debris in the Excavation generally included old wood, bricks, cement, metal cables, pipes, conduits, and scrap metal. Approximately half way through the excavation, both Mr. Wickham and the MRC backhoe operator had said that they smelled unusual odor. The excavation activities continued as planned, but with extra caution in case the unusual odor persisted or became stronger. Both Mr. Wickham and the backhoe operator noted that the unusual odor disappeared after a small amount of additional digging.

Approximately 58.3 cubic yards of soil and debris were removed from Excavation E4. The excavation was extended laterally and vertically until all signs of debris and mottling were gone,



and soil appeared to be undisturbed: the presence of discrete lithologic units and the backhoe operator noting that the soil was “hard” (compacted) again.

For the most part, Excavation E4 extended to a depth of 7 feet bgs. However, a small area in the northeast corner of the excavation, the depth was only 1.5 feet bgs (Figure 7). Soil removed from Excavation E4 was stockpiled on plastic, and metal items and any other potentially recyclable materials were separated from the soil stockpile and stored separately.

Once the debris had been removed, EIS collected four confirmation soil samples under the direction of Mr. Jerry Wickham. Samples E4-1, E4-2, and E4-3 were collected from the west, north, and east sidewalls of Excavation E4, respectively. Sample E4-4 was collected from the bottom of Excavation E4.

### **Soil Sample Analysis**

Soil samples were collected with assistance from the backhoe bucket. All soil samples were placed into clean 2-inch diameter by 6-inch long stainless steel sleeves. The stainless steel sleeves were sealed with Teflon sheets and plastic caps, labeled, logged onto a chain of custody document, and placed into a chilled ice chest for transport to American Scientific Laboratories, LLC, of Los Angeles, California.

The soil samples collected from the excavations in the vicinity of the former ASTs were analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d and TPH-o, and
- ♦ EPA Method 6010B for CCR Title 22 Metals.

### **Soil Sample Analytical Results**

The analytical results for the debris area excavation confirmation samples are summarized in Table 10, and the laboratory analytical reports are included in Attachment B.

There was no TPH-d or TPH-o detected in any of the soil samples from Excavation E4, and of the metals, only arsenic and cobalt exceeded the ESLs, and then only in two samples, each. With a maximum arsenic concentration of 8.06 mg/kg and a maximum cobalt concentration of 11.4 mg/kg, it is clear that all of the cobalt and arsenic concentrations in the soil are within background concentrations for these two metals.

### **Assessment of Debris Area Excavation**

Approximately 58.3 cubic yards of soil and debris were removed from excavation E4, and four soil confirmation samples were collected from the area: one from the bottom of the excavation and three from the sidewall. The analytical data do not indicate that there is contamination in the soil at the boundaries of the excavation

## LIMITED EXPLORATORY BORING INVESTIGATION

### Soil Boring Installation and Soil and Grab Groundwater Sampling Activities

On May 31 and June 1 2007, EIS contracted with Environmental Control Associates (ECA) of Santa Cruz, California, a C-57 licensed drilling company, to install six exploratory borings at the site using truck-mounted Geoprobe™ equipment: one in the vicinity of the former UST, two in the vicinity of the former ASTs, and three spaced out along the western property boundary (Figure 2). A copy of the soil boring permit from Zone 7 Water District is included in Attachment E.

Soil cores were obtained from each borehole using a 4-foot long Geoprobe™ Macro-Core sampler fitted with acetate liners. After each sample drive, the sampler was removed from the borehole, the acetate liner was removed, and the sampler was decontaminated and fitted with a new acetate liner. The sampler was then inserted back into the borehole and hydraulically pushed through the next sample interval.

Exploratory boring locations are shown on Figure 2. The soil encountered in each borehole was logged using the Unified Soil Classification System (USCS) as a guide, and for relative moisture content, odor, and other observable characteristics. Soils encountered were typically dark grayish-brown lean clays underlain by yellowish-brown lean clays and some silts. Significant quantities of caliche were noted in deeper soils, generally below 4 feet. Exploratory boring logs are included in Attachment F of this report.

Each of the soil borings was advanced to a depth equal to 5 feet below first encountered groundwater, for total depths ranging from 25 feet to 31 feet bgs. Three soil samples were collected for laboratory analysis from each of borings B-1, B-2, and B-3. There were no soil samples collected from borings B-4, B-5, and B-6 (Figure 2). After each soil boring was completed, a temporary well casing was inserted into the borehole and the static groundwater level was measured. Grab groundwater samples were collected from each of the soil borings using a peristaltic pump. The pump was fitted with a filter prior to collecting the portion of the sample that would be analyzed for CCR Title 22 metals.

Boring B-1 was located near the former UST location (Figures 2 and 3). It was advanced to a depth of 27 feet bgs, with soil samples preserved for laboratory analysis from 4.5-5.0 feet bgs, 10.5-11.0 feet bgs, and 24.5-25.0 feet bgs.

Borings B-2 and B-3 were located in the vicinity of the former ASTs (Figures 2 and 6). Boring B-2 was extended to 28 feet bgs, with soil samples preserved for laboratory analysis from 5 feet bgs, 9.5 feet bgs, and 25.5 feet bgs. Boring B-3 was advanced to 25 feet, with soil samples preserved for analysis from 5 feet bgs, 11 feet bgs, and 15 feet bgs.

All soil and grab groundwater samples were labeled, logged onto a chain-of-custody document, and transported on ice to the laboratory. Upon completion of all sampling activities, the borings were backfilled to the ground surface using neat cement grout.

### **Soil and Grab Groundwater Sample Analyses**

The soil samples were submitted to American Scientific Laboratories, LLC. of Los Angeles, California, for analysis. American Scientific is California-certified for hazardous waste analyses.

The soil and grab groundwater samples collected from the soil borings were analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d, TPH-o,
- ♦ EPA Method 8260B for VOCs, including TPH-g, DCA, EDB, and fuel oxygenates including MTBE,
- ♦ EPA Method 6010B for CCR Title 22 Metals.

In addition, selected grab groundwater samples were analyzed by the following method:

- ♦ EPA Method 218.6 for hexavalent chromium.

### **Soil Sample Analytical Results**

Soil analytical data from the soil borings are summarized in Tables 11 and 12, and the analytical reports and chain-of-custody documents for the soil samples are included in Attachment B of this report.

There were no TPH-o, TPH-g, MTBE, BTEX, DCA, EDB, or other VOCs or fuel oxygenates detected in any of the soil samples from the soil borings. Only one sample contained a detectable concentration of TPH-d; sample B-1, 10.5-11.0', contained 18 mg/kg TPH-d, which is well below the ESL of 100 mg/kg (Table 11).

Of the seventeen metals whose concentrations in the soil samples were analyzed, only cobalt was present in a concentration greater than the ESL. In one sample, B-2@9.5', the cobalt concentration was 15.5 mg/kg, which is greater than the ESL of 10 mg/kg. However, the cobalt concentration is consistent with background levels for the region determined from data published by Wilson et al. (1990).

Based on these data, the soil in the vicinity of the former UST or in the vicinity of the former ASTs does not appear to be impacted above regulatory standards or background levels by the former storage of petroleum hydrocarbons.

### **Grab Groundwater Sample Analytical Results**

Grab groundwater analytical data for soil borings are summarized in Tables 13 and 14, and the analytical report and chain-of-custody documents for the samples are included in Attachment B of this report.

No TPH-o, TPH-d, TPH-g, BTEX, MTBE, DCA, EDB, or other VOCs or fuel oxygenates were detected in any of the grab groundwater samples from borings B-1 through B-6 (Table 13).

Of the seventeen metals included in the laboratory analysis, there was no antimony, arsenic, beryllium, cadmium, lead, mercury, silver, or thallium detected in any of the grab groundwater samples collected from the soil borings (Table 14).

Molybdenum was detected in the grab groundwater samples from borings B-1, B-3, and B-6, and barium was detected in all of the grab groundwater samples. However, all of the concentrations were below the California Department of Health Services' (CDHS) Maximum Contaminant Levels (MCL) for drinking water and the ESL for groundwater, which is determined to be the lowest of four possible screening levels: ceiling levels (taste and odor), human health protection, aquatic habitat protection, and the potential for vapor intrusion (Table 14).

Copper, nickel, selenium, and zinc were each detected in one or more grab groundwater sample below the MCLs but above the ESLs. However, with the nearest surface water to the site located approximately ½ mile south of the site, it does not appear that this groundwater will affect an aquatic habitat. Also, there are no vapor intrusion concerns for any of these constituents, as none of them volatilize; therefore, there are no vapor intrusion screening levels for these constituents. When only the relevant screening levels, human health protection levels and ceiling levels, are considered, all of the concentrations of these constituents fall below drinking water (and ceiling level) ESLs, and are not a concern at this site (Table 14).

Cobalt was detected in two of the grab groundwater samples, B-3 and B-5. There is no MCL for cobalt; however, both cobalt concentrations in the grab groundwater samples were below the drinking water ESL (Table 14).

Vanadium was detected in three of the grab groundwater samples at concentrations exceeding the drinking water ESL of 15 µg/L (there is no established MCL for vanadium): B-3 contained 101 µg/L vanadium, B-4 contained 47 µg/L vanadium, and B-5 contained 85 µg/L vanadium.

Chromium was detected in five of the grab groundwater samples, with two concentrations meeting or exceeding MCLs and drinking water ESLs for total chromium. Sample B-3 contained 105 µg/L chromium, and sample B-5 contained 50 µg/L chromium.

The two grab groundwater samples that met or exceeded the screening levels for total chromium, as well as grab groundwater sample B-6, were analyzed for hexavalent chromium. While these samples were analyzed outside the EPA-recommended holding time for groundwater samples being analyzed according to EPA method 218.6 for hexavalent chromium, EIS determined that the analytical results would be sufficiently accurate to provide useful information about groundwater conditions at the site after consulting the laboratory director. Sample B-3 contained no detectable hexavalent chromium, sample B-5 contained 4.70 µg/L hexavalent chromium, and sample B-6 contained 1.07 µg/L hexavalent chromium (Table 14). The hexavalent chromium concentrations fell below the drinking water ESL. There is no MCL established for hexavalent chromium.

### **Assessment of the Limited Exploratory Boring Investigation**

Analytical data for soil samples collected from borings B-1, B-2, and B-3 do not indicate that there is a significant amount of soil contamination (outside of the excavation areas) from the former pump island or the former ASTs.

There is no evidence of petroleum hydrocarbon contamination in any of the grab groundwater samples. However, vanadium and chromium concentrations were elevated relative to their MCLs

and/or ESLs. Selected grab groundwater samples were also analyzed for hexavalent chromium. While hexavalent chromium was detected in two of the samples, both concentrations were below the ESLs. The analytical results seem to indicate that hexavalent chromium is not a concern for groundwater at the site.

The source of the metals in the groundwater is unknown, as is the extent of the elevated metals concentrations. The background concentrations of the metals in groundwater in the region also bear consideration.

## **SAMPLING AND REPAIR OF WATER SUPPLY WELL**

### **Water Well Sampling**

On May 31, 2007, EIS measured depth to water, total depth, purged, and sampled the water supply well in the northeast corner of the property. EIS determined that the depth to water was approximately 10.16 feet bgs, and the total depth of the well was approximately 151.23 feet bgs. EIS used a submersible pump to purge approximately one well casing volume, approximately 200 gallons, of water from the well, collecting field measurements on the purgewater at 50-gallon intervals. The groundwater sampling record is included in Attachment G. The purgewater appeared to have solid black specks suspended in it, presumably iron flakes from the steel well casing, and a faint “rotten egg” odor that is characteristic of hydrogen sulfide (H<sub>2</sub>S). The presence of iron and the faint H<sub>2</sub>S odor indicate that the water in the well is under reducing conditions.

The well was sampled using the submersible pump, which was fitted with a filter prior to collecting the portion of the sample to be analyzed for CCR Title 22 metals. The groundwater sample was labeled, logged onto a chain-of-custody document, and transported on ice to the laboratory. Upon completion of all sampling activities, the borings were backfilled to the ground surface using neat cement grout.

### **Groundwater Sample Analyses**

The soil samples were submitted to American Scientific Laboratories, LLC. of Los Angeles, California, for analysis. American Scientific is California-certified for hazardous waste analyses.

The groundwater sample collected from the water supply was analyzed by the following methods:

- ♦ EPA Method 8015M for TPH-d, TPH-o,
- ♦ EPA Method 8260B for VOCs, including TPH-g, DCA, EDB, and fuel oxygenates including MTBE,
- ♦ EPA Method 6010B for Title 22 Metals.

### **Groundwater Sample Analytical Results**

Groundwater analytical data for the supply well are summarized in Tables 13 and 14, and the analytical report and chain-of-custody document for the sample is included in Attachment B of this report.

There was no TPH-g, TPH-d, TPH-o, BTEX, MTBE, DCA, EDB, or other VOCs or fuel oxygenates detected in the groundwater sample from the water supply well.

Only three of the CCR Title 22 metals were detected in the sample: barium, selenium, and zinc. All of the detected metals' concentrations are well below their MCLs and their drinking water ESLs.

According to the analytical data, the groundwater sample from the water supply well is not significantly impacted by any of the constituents included in the laboratory analyses.

### **Water Well Repair**

EIS coordinated with MRC to repair the water supply well in the northeast portion of the property to Zone 7 Water District's standards. Mr. Wyman Hong of Zone 7 Water District informed EIS that the well needed to be sealed or locked so that it was not an easily accessible conduit to groundwater. MRC excavated the area surrounding the well to approximately two feet deep to facilitate well repairs. MRC cut the steel well casing to approximately 6 inches bgs and fitted the well with a 6-inch diameter locking expansion plug. Finally, MRC set a vault box over the well in cement to protect the well from accidental damage or burial.

### **CONCLUSIONS**

Based on the site activities, analytical data, and documentation presented in this report, EIS has reached the following conclusions:

- MRC successfully removed the former pump station and related facilities and excavated to a depth of four feet bgs, two feet below the former facilities.
- Analytical data do not show any evidence of contamination in excess of the ESLs or MCLs in the soil or groundwater in the vicinity of the former UST or pump station. However, two apparent conduits and one pipe or conduit were cut off on the western side of the excavation for the former pump station rather than being fully removed. Tracing the conduits and pipe or conduit to its point of origin was outside of the scope of work of this investigations
- Arsenic concentrations in the building pad and shipping container area samples are elevated relative to ESLs, PRGs, and area background concentrations.
- Based on the analytical data from eight shallow soil samples, former storage of lead-acid batteries to the west of the building pad does not appear to have impacted the shallow soil onsite.
- Based on the analytical data from eight shallow soil samples, the soil loading dock does not appear to have been impacted by TPH-d, TPH-o, or metals above their ESLs or background concentrations in the area.
- MRC excavated approximately 417.1 tons of contaminated soil attributed to Golden State's truck demolition activities onsite, successfully removing 34 small and 7 large surface stains.
- Surface stain DO-3 was underlain by an additional layer of contamination, beginning at approximately 4 feet bgs. MRC excavated approximately 85.2 tons of contaminated soil from below 4 feet bgs in the vicinity of surface stain DO-3 (Excavation DO3). Analytical data for soil samples collected from the bottom of the excavation showed that not all of the contaminated soil was excavated. The data indicate that soil may be contaminated to as deep as 11 feet bgs.

- The four sidewall samples of Excavation DO3 indicate that the lateral extent of the contaminated soil has been reached in four locations. However, the nature of the contamination in western and southwestern portions of the excavation has not been fully evaluated.
- MRC successfully excavated 21.5 tons of contaminated soil from AST Excavation T-1, 58.0 tons of contaminated soil from AST Excavation T-2, 47.5 tons of contaminated soil from AST Excavation T-3, and 71.0 tons of contaminated soil from AST Excavation T-4. Analytical data for confirmation samples collected from these four excavation areas indicate that the extents of the contaminated soil in Excavations T-1, T-3, and T-4 have been fully excavated. One sample collected from the northern sidewall of Excavation T-2, sample T-2-2, contained an elevated cobalt concentration relative to the ESL, PRG, and background.
- A six- to eight-inch-diameter well was discovered in Excavation T-4. The exposed part of the casing in the 12-foot-deep excavation was damaged by the backhoe bucket. The well also appeared to be filled with soil. Further inspection of the well was not possible during this investigation.
- Buried debris was found near the buried well, along the northern side of Excavation T-4. Additional excavation in this area removed approximately 58.3 cubic yards of soil and debris from the northern side of Excavation T-4. Field observations indicated that the extent of the buried debris in this area had been successfully removed. Four confirmation soil samples collected from the excavation for the buried debris showed that there was no detectable TPH-d or TPH-o, and that all metals detected were at concentrations below ESLs or within background concentration ranges.
- Analytical data for soil and grab groundwater samples from borings B-1, B-2, and B-3, and for grab groundwater samples from borings B-4, B-5, and B-6 suggest that the former UST and associated facilities and the former ASTs have not impacted the soil or groundwater to levels greater than ESLs or background concentrations outside of the boundaries of the excavations (except for sample T-2-2, which contained 37.8 mg/kg cobalt. The ESL for cobalt is 10 mg/kg, and for normally-distributed soil samples, 85% should contain less than or equal to 17.1 mg/kg cobalt, and 95% should contain less than or equal to 21.5 mg/kg).
- Analytical data from the water sample collected from the water supply well showed that none of the analytes were present in concentrations that would be detrimental to human health.
- The steel casing of the water supply well in the northeast corner of the property was cut to 6 inches below grade and fitted with a locking expansion plug, then covered with a vault box set in concrete. These repairs were made in compliance with Zone 7 Water District's requirements that the well be sealed or locked to prevent easy access to a conduit to groundwater.

## RECOMMENDATIONS

- Of the two bottom samples collected from Excavation DO3, the sample collected from 7 feet bgs contained an elevated TPH-d concentration, while the TPH-d concentration in the sample collected from 11 feet bgs was below the ESL. Extending the bottom of Excavation DO3 from 7 feet bgs to as deep as 11 feet bgs would significantly reduce the mass of contaminated soil.

- The four sidewall samples of Excavation DO3 indicate that the lateral extent of the contaminated soil has been reached in four locations, but the nature of the contamination in western and southwestern portions of the excavation still needs to be evaluated. Sidewall samples should be collected from these areas.
- A separate AST closure report has been prepared and submitted to LPFD. A copy of that report has been provided to ACEH.
- A buried water well was found during the excavation of T-4. This well should be closed according to Zone 7 Water District requirements.
- Elevated concentrations of chromium and vanadium were detected in grab groundwater samples collected from some of the soil borings. Additional analyses for hexavalent chromium showed that the concentrations of hexavalent chromium were below drinking water ESLs. Evaluation of background concentrations of these metals in the shallow groundwater and evaluation of potential onsite and offsite sources of chromium and vanadium in the groundwater would be useful in determining whether the concentrations of these metals in the grab groundwater samples is a significant problem, the result of an offsite problem, or merely incidental.
- This report should be submitted to Alameda County Environmental Health Department.




## LIMITATIONS

This report includes analytical results for samples taken during the course of the work. The number and location of samples were chosen to provide information on shallow soil and on groundwater in selected areas of the site, but it cannot be assumed that they are representative of areas not sampled. The variations that may exist between sampling points cannot be anticipated, nor could they be entirely accounted for, in spite of exhaustive additional testing. Conclusions beyond those stated and reported herein should not be inferred from this document.

All reports and findings are based on the conditions and practices observed and information made available to Environmental Investigation Services, Inc.

Sincerely,

**Environmental Investigation Services, Inc.**



Jennifer Morris  
Professional Geologist #8363



### Attachments:

- Table 1 -- Summary of Soil Sample Analytical Results, Vicinity of the Former Pump Station
- Table 2 -- Summary of Soil Sample Analytical Results, Building Pad and Storage Container Samples
- Table 3 -- Summary of Soil Sample Analytical Results, Former Lead-Acid Battery Storage Area
- Table 4 -- Summary of Soil Sample Analytical Results, Soil Loading Dock Samples
- Table 5 -- Summary of Surface Stain Excavations, PID Data and Excavation Depths
- Table 6 -- Summary of Soil Sample Analytical Results, Excavation of Shallow Diesel and Oil Stains from Golden State Vehicle Demolition Activities
- Table 7 -- Summary of Soil Sample Analytical Results, Second Mobilization for Excavation DO3
- Table 8 -- Summary of Soil Sample Analytical Results, Vicinity of Former ASTs
- Table 9 -- Summary of Soil Sample Analytical Results, Excavation Confirmation Samples from the Vicinity of Former ASTs
- Table 10 -- Summary of Soil Sample Analytical Results, Excavation of the Debris in the Vicinity of T-4
- Table 11 -- Summary of Soil Sample Analytical Results, Soil Boring Samples
- Table 12 -- Summary of Soil Sample Analytical Results, Exploratory Boring Samples
- Table 13 -- Summary of Groundwater Sample Analytical Results
- Table 14 -- Summary of Groundwater Sample Analytical Results
- Figure 1 -- Site Location Map
- Figure 2 -- Site Plan
- Figure 3 -- Detail Map: Former Pump Island and Cement Slab Excavation and Sample Locations
- Figure 4 -- Detail Map: Excavation and Sample Locations for Golden State Oil and Diesel Stains
- Figure 5 -- Detail Map: Second Mobilization Excavation Boundaries and Confirmation Sample Locations for Excavation DO3
- Figure 6 -- Detail Map: Vicinity of Former ASTs
- Figure 7 -- Detail Map: Excavation for Buried Debris Near Former AST Location T-4
- Attachment A -- Non-RCRA Hazardous Waste Manifest that Includes UST-related Scrap Metal
- Attachment B -- Laboratory Analytical Reports
- Attachment C -- Golden State Soil Disposal Manifests and Weight Tickets
- Attachment D -- Call Mac Soil Disposal Manifests and Weight Tickets
- Attachment E -- Soil Boring Permit
- Attachment F -- Boring Logs
- Attachment G -- Groundwater Sampling Record

## REFERENCES

- Alameda County Environmental Health Department. *Workplan Approval for 461 McGraw Ave, Livermore, 94550*. December 27, 1995.
- Alameda County Environmental Health Department. *Fuel Leak Case No. RO0000311 and Geotracker Global ID T06001602204, Call Mac Transportation, 461 McGraw Avenue, Livermore, CA 94550*. April 11, 2007.
- Alameda County Environmental Health Department. *Fuel Leak Case No. RO0000311 and Geotracker Global ID T06001602204, Call Mac Transportation, 461 McGraw Avenue, Livermore, CA 94550 – Work Plan Approval*. May 23, 2007.
- Applied Remedial Technologies. *Proposed Work Plan to Conduct Soil Removal and Confirmation Sampling of Impacted Soils at the Former Diesel UST Dispenser Island, Below the Former Above Ground Storage Tanks, and at the Recent Diesel Spill Areas, 461 McGraw Avenue, Livermore, California 94550*. April 2, 2007.
- Applied Remedial Technologies. *Work Plan to Remove the Three Remaining Storage Tanks, 461 McGraw Avenue, Livermore, California 94550*. April 2, 2007.
- California Regional Water Quality Control Board, San Francisco Bay. *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*. February 2005.
- Department of Toxic Substances Control. *Inspection Report, Call Mac Transportation, 461 McGraw Road, Livermore, California 94551*. December 2, 2003.
- Department of Toxic Substances Control. *Sampling Report, Call Mac Transportation, 461 McGraw Road, Livermore, California 94551*. January 6, 2004.
- Environmental Investigation Services, Inc. *Revised Workplan for Site Investigation and Remedial Action, 461 McGraw Avenue, Livermore, California 94550*. May 18, 2007.
- Environmental Investigation Services, Inc. *Aboveground Storage Tank Closure Report, 461 McGraw Avenue, Livermore, California*. July 24, 2007.
- Livermore-Pleasanton Fire Department. *Hazardous Materials Inspection Report Narrative, Call Mac Transportation, 461 McGraw Ave., Livermore*. July 17, 2003.
- Livermore-Pleasanton Fire Department. *Plan Check Number DEM07014, Workplan to Remove Three Aboveground Storage Tanks, 461 McGraw Avenue, Livermore*, April 10, 2007.
- Remediation Risk Management, Inc., *Underground and Above Ground Storage Tank Removal and Sampling Report, 461 McGraw Avenue, Livermore, California*. October 17, 1995.

Remediation Risk Management, Inc., *Workplan to Excavate Diesel Impacted Soil Adjacent to the Former Diesel Dispenser, 461 McGraw Avenue, Livermore, California*. December 21, 1995.

Remedy Environmental Services, LLC. *Preliminary Site Assessment, Phase I (Modified)*. June 7, 2006.

United States Environmental Protection Agency, Region 9. *Preliminary Remediation Goals Table*. October 2004.

Wilson, S.A. et al. *Analysis of soil samples from the San Joaquin Valley of California*. Open File Report 90-214. United States Geological Survey, 1990.

## **TABLES**

Table 1 -- Summary of Soil Analytical Results  
Vicinity of the Former Pump Island  
Method 8015M for TPH-d and TPH-o; Method 8260B for VOCs, Fuel Oxygenates, and TPH-g; and Method 6010B for Lead  
461 McGraw Avenue, Livermore, California

| Soil Sample | Depth (feet) | Date      | TPH-g | TPH-d | TPH-o | MTBE   | Benzene | Toluene | Ethylbenzene | Total Xylenes | DCA    | EDB     | Lead  | Other VOCs | Other Oxygenates |
|-------------|--------------|-----------|-------|-------|-------|--------|---------|---------|--------------|---------------|--------|---------|-------|------------|------------------|
| CS-1        | 2.0          | 5/29/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-2        | 2.0          | 5/29/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-3        | 2.0          | 5/29/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-4        | 2.0          | 5/29/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-5        | 4.0          | 5/29/2007 | <0.5  | <10   | 235   | <0.005 | <0.002  | 0.009   | 0.003        | 0.014         | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-6        | 4.0          | 5/29/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | <0.25 | ND         | ND               |
| CS-7        | 2.5-3.0      | 6/1/2007  | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | 9.70  | ND         | ND               |
| CS-8        | 1.5-2.0      | 6/1/2007  | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01   | 11.4  | ND         | ND               |
| RWQCB ESL   |              |           | 100   | 100   | 1,000 | 0.023  | 0.044   | 2.9     | 3.3          | 2.3           | 0.0045 | 0.00033 | 750   | --         | --               |
| USEPA PRG   |              |           | --    | --    | --    | 70     | 1.4     | 520     | 400          | 420           | 0.6    | 0.073   | 800   | --         | --               |

Notes:

Data are reported in milligrams per kilogram (mg/kg)  
 TPH-d = Total Petroleum Hydrocarbons as diesel  
 TPH-g = Total Petroleum Hydrocarbons as gasoline  
 TPH-o = Total Petroleum Hydrocarbons as oil  
 VOCs = Volatile Organic Compounds

DCA = 1,2-Dichloroethane  
 EDB = 1,2-Dibromoethane (Ethylene dibromide)  
 ND = Not Detected  
 -- = Not Established  
 MTBE = Methyl tert-butyl ether

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

Table 2 -- Summary of Soil Sample Analytical Results  
 Building Pad and Storage Container Samples  
 Method 8015B for TPH-d and TPH-o; Method 6010B/7471A for CCR Title 22 Metals:  
 461 McGraw Avenue, Livermore, California

| Sample    | Depth (feet) | Date      | TPH-d | TPH-o | Antimony | Arsenic     | Barium | Beryllium | Cadmium | Chromium | Cobalt      | Copper | Lead  | Mercury | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc    |
|-----------|--------------|-----------|-------|-------|----------|-------------|--------|-----------|---------|----------|-------------|--------|-------|---------|------------|--------|----------|--------|----------|----------|---------|
| SC-1      | 0.0-0.5      | 5/31/2007 | <10   | <50   | <0.50    | <b>40.8</b> | 124    | <0.50     | 0.60    | 40.0     | 9.14        | 13.3   | <0.25 | <0.20   | <0.50      | 61.5   | <0.50    | 21.4   | <0.50    | 99.7     | 37.1    |
| SC-2      | 0.0-0.5      | 5/31/2007 | <10   | <50   | <0.50    | <b>42.4</b> | 120    | <0.50     | 2.01    | 23.9     | 9.64        | 27.2   | <0.25 | <0.20   | <0.50      | 55.0   | <0.50    | 26.6   | <0.50    | 99.4     | 34.8    |
| BP-1      | 0.0-0.5      | 5/31/2007 | 17    | <50   | <0.50    | <b>50.8</b> | 122    | <0.50     | 1.69    | 43.2     | <b>11.9</b> | 30.2   | <0.25 | <0.20   | <0.50      | 74.4   | <0.50    | 20.9   | <0.50    | 99.3     | 103     |
| BP-2      | 0.0-0.5      | 5/31/2007 | <10   | <50   | <0.50    | <b>36.1</b> | 84.2   | <0.50     | 0.62    | 22.6     | 7.42        | 18.1   | <0.25 | <0.20   | <0.50      | 52.0   | <0.50    | 20.4   | <0.50    | 104      | 41.3    |
| RWQCB ESL |              |           | 100   | 1,000 | 40       | 5.5         | 1,500  | 8.0       | 7.4     | 58       | 10          | 230    | 750   | 10      | 40         | 150    | 10       | 40     | 13       | 200      | 600     |
| USEPA PRG |              |           | --    | --    | 410      | 0.25        | 67,000 | 1,900     | 450     | 450      | 1,900       | 41,000 | 800   | 310     | 5,100      | 20,000 | 5,100    | 5,100  | 67       | 1,000    | 100,000 |

Notes:

Data are reported in milligrams per kilogram (mg/kg)

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-o = Total Petroleum Hydrocarbons as oil

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

-- = Not Established

CCR = California Code of Regulations

Table 3 -- Summary of Soil Analytical Results  
Former Lead-Acid Battery Storage Area  
Method 6010B for Lead  
461 McGraw Avenue, Livermore, California

| Soil Sample | Depth (feet) | Date      | Lead |
|-------------|--------------|-----------|------|
| LB-1        | 0.0-0.5'     | 5/29/2007 | 18.8 |
| LB-2        | 0.0-0.5'     | 5/29/2007 | 41.1 |
| LB-3        | 0.0-0.5'     | 5/29/2007 | 13.1 |
| LB-4        | 0.0-0.5'     | 5/29/2007 | 17.9 |
| LB-5        | 0.0-0.5'     | 5/29/2007 | 4.84 |
| LB-6        | 0.0-0.5'     | 5/29/2007 | 14.3 |
| LB-7        | 0.0-0.5'     | 5/29/2007 | 3.81 |
| LB-8        | 0.0-0.5'     | 5/29/2007 | 3.87 |
| RWQCB ESL   |              |           | 750  |
| USEPA PRG   |              |           | 800  |

Notes:

Data are reported in milligrams per kilogram (mg/kg)

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

Table 4 -- Summary of Soil Sample Analytical Results  
 Soil Loading Dock Samples  
 Method 8015B for TPH-d and TPH-o; Method 6010B/7471A for CCR Title 22 Metals  
 461 McGraw Avenue, Livermore, California

| Sample    | Depth (feet) | Date     | TPH-d | TPH-o | Antimony | Arsenic     | Barium | Beryllium | Cadmium | Chromium | Cobalt      | Copper | Lead | Mercury | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc    |
|-----------|--------------|----------|-------|-------|----------|-------------|--------|-----------|---------|----------|-------------|--------|------|---------|------------|--------|----------|--------|----------|----------|---------|
| LD-1      | 0.0-0.5      | 6/4/2007 | <10   | <50   | 0.79     | <b>9.40</b> | 226    | 0.70      | 2.85    | 33.3     | <b>11.0</b> | 35.0   | 27.3 | <0.20   | <0.50      | 45.0   | <0.50    | <0.50  | <0.50    | 42.1     | 80.8    |
| LD-2      | 0.0-0.5      | 6/4/2007 | 28    | <50   | 0.78     | <b>8.10</b> | 228    | <0.50     | 4.22    | 31.8     | <b>10.1</b> | 41.5   | 93.1 | <0.20   | 0.74       | 44.5   | <0.50    | <0.50  | <0.50    | 34.5     | 167     |
| LD-3      | 0.0-0.5      | 6/4/2007 | <10   | <50   | 1.15     | <b>7.02</b> | 220    | 0.53      | 0.62    | 29.3     | <b>13.6</b> | 24.5   | 9.71 | <0.20   | <0.50      | 43.4   | <0.50    | <0.50  | <0.50    | 39.2     | 40.0    |
| LD-4      | 0.0-0.5      | 6/4/2007 | 13    | <50   | 1.18     | 5.19        | 568    | <0.50     | <0.50   | 31.3     | 8.59        | 22.4   | 4.12 | <0.20   | <0.50      | 34.4   | <0.50    | <0.50  | <0.50    | 35.7     | 37.1    |
| LD-5      | 2.0-2.5      | 6/4/2007 | <10   | <50   | 1.16     | <b>7.43</b> | 226    | 0.63      | <0.50   | 31.2     | <b>10.8</b> | 24.0   | 12.0 | <0.20   | <0.50      | 37.7   | 0.64     | <0.50  | <0.50    | 39.8     | 36.1    |
| LD-6      | 2.0-2.5      | 6/4/2007 | <10   | <50   | 0.95     | 4.51        | 236    | <0.50     | <0.50   | 24.4     | <b>10.7</b> | 17.8   | 5.8  | <0.20   | <0.50      | 36.2   | <0.50    | <0.50  | <0.50    | 32.0     | 33.2    |
| LD-7      | 2.0-2.5      | 6/4/2007 | <10   | <50   | 1.08     | 4.17        | 146    | <0.50     | <0.50   | 23.1     | 9.4         | 18.8   | 8.49 | 0.33    | <0.50      | 35.9   | 0.70     | <0.50  | <0.50    | 27.4     | 39      |
| LD-8      | 2.0-2.5      | 6/4/2007 | <10   | <50   | 0.95     | 4.53        | 259    | <0.50     | <0.50   | 22.3     | 8.2         | 18.3   | 11.6 | <0.20   | <0.50      | 33.7   | 0.73     | <0.50  | <0.50    | 32.7     | 33.4    |
| RWQCB ESL |              |          | 100   | 1,000 | 40       | 5.5         | 1,500  | 8.0       | 7.4     | 58       | 10          | 230    | 750  | 10      | 40         | 150    | 10       | 40     | 13       | 200      | 600     |
| USEPA PRG |              |          | --    | --    | 410      | 0.25        | 67,000 | 1,900     | 450     | 450      | 1,900       | 41,000 | 800  | 310     | 5,100      | 20,000 | 5,100    | 5,100  | 67       | 1,000    | 100,000 |

Notes:

Data are reported in milligrams per kilogram (mg/kg)

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-o = Total Petroleum Hydrocarbons as oil

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

-- = Not Established

CCR = California Code of Regulations



Table 5 -- Summary of Surface Stain Excavations  
PID Data and Excavation Depths  
461 McGraw Avenue, Livermore, California

| Area | Before Excavation |                   | After Excavation |              |                   |
|------|-------------------|-------------------|------------------|--------------|-------------------|
|      | Date              | PID Reading (ppm) | Date             | Depth (feet) | PID Reading (ppm) |
| DO-1 | 5/30/2007         | 3.9               | 5/30/2007        | 5.0          | 2.2               |
| DO-2 | 5/30/2007         | 1.7               | 5/30/2007        | 5.0          | 0.3               |
| DO-3 | 5/30/2007         | 2.3               | 5/30/2007        | 6.5          | 60.1              |
| DO-4 | 5/30/2007         | 2.5               | 5/30/2007        | 2.0          | 1.3               |
| DO-5 | 5/30/2007         | 2.3               | 5/30/2007        | 4.0          | 2.1               |
| DO-6 | 5/30/2007         | 1.2               | 5/30/2007        | 4.0          | 1.5               |
| DO-7 | 5/30/2007         | 3.0               | 5/30/2007        | 2.5          | 0.8               |
| L1   | 6/4/2007          | 3.6               | 6/4/2007         | 2.0          | 0.6               |
| L2   | 6/4/2007          | 7.6               | 6/4/2007         | 2.0          | 1.8               |
| L3   | 6/4/2007          | 1.2               | 6/4/2007         | 2.0          | 0.5               |
| L4   | 6/4/2007          | 1.4               | 6/4/2007         | 2.0          | 2.4               |
| L5   | 6/4/2007          | 2.2               | 6/4/2007         | 3.0          | 3.2               |
| L6   | 6/4/2007          | 1.6               | 6/4/2007         | 3.0          | 0.8               |
| L7   | 6/4/2007          | 0.7               | 6/4/2007         | 3.0          | 0.4               |
| L8   | 6/4/2007          | 2.1               | 6/4/2007         | 3.0          | 1.5               |
| L9   | 6/4/2007          | 2.4               | 6/4/2007         | 2.0          | 1.5               |
| L10  | 6/4/2007          | 1.9               | 6/4/2007         | 2.0          | 0.9               |
| L11  | 6/4/2007          | 4.4               | 6/4/2007         | 2.0          | 1.1               |
| L12  | 6/4/2007          | 4.9               | 6/4/2007         | 2.0          | 1.9               |
| L13  | 5/30/2007         | 1.5               | 6/4/2007         | 1.5          | 2.0               |
| L14  | 5/30/2007         | 0.1               | 6/4/2007         | 2.0          | 1.5               |
| L15  | 6/4/2007          | 5.0               | 6/4/2007         | 2.0          | 1.7               |
| L16  | 6/4/2007          | 16                | 6/4/2007         | 2.0          | 0.7               |
| L17  | 6/4/2007          | 4.9               | 6/4/2007         | 2.0          | 2.7               |
| L18  | 6/4/2007          | 1.6               | 6/4/2007         | 2.0          | 1.1               |
| L19  | 6/4/2007          | 0.8               | 6/4/2007         | 2.0          | 1.6               |
| L20  | 5/30/2007         | 5.9               | 6/4/2007         | 2.0          | 1.7               |
| L21  | 6/4/2007          | 2.0               | 6/4/2007         | 2.0          | 2.6               |
| L22  | 5/30/2007         | 0.8               | 6/4/2007         | 3.0          | 4.9               |
| L23  | 6/4/2007          | 6.1               | 6/4/2007         | 2.0          | 2.3               |
| L24  | 6/4/2007          | 6.1               | 6/4/2007         | 2.0          | 1.9               |
| L25  | 6/4/2007          | 5.4               | 6/4/2007         | 2.0          | 2.6               |
| L26  | 6/4/2007          | 9.7               | 6/4/2007         | 2.0          | 2.5               |
| L27  | 6/4/2007          | 2.1               | 6/4/2007         | 2.0          | 0.5               |
| L28  | 5/30/2007         | 0.9               | 6/4/2007         | 4.0          | 3.7               |
| L29  | 5/30/2007         | 0.1               | 6/4/2007         | 2.5          | 2.5               |
| L30  | 5/30/2007         | 0.6               | 6/4/2007         | 2.5          | 1.8               |
| L31  | 5/30/2007         | 0.3               | 6/4/2007         | 3.0          | 3.1               |
| L32  | 5/30/2007         | 0.1               | 6/4/2007         | 3.0          | 1.2               |
| L33  | 5/30/2007         | 0.2               | 6/4/2007         | 3.0          | 0.6               |
| L34  | 5/30/2007         | 0.3               | 6/4/2007         | 3.0          | 0.8               |
| LA   | 6/1/2007          | 1.3               | 6/1/2007         | 2.0          | 0.9               |
| LB   | 6/1/2007          | 43.3              | 6/1/2007         | 1.5          | 2.4               |

Notes:

PID = Photoionization Detector

ppm = parts per million

Table 6 -- Summary of Soil Analytical Results  
Excavation of Shallow Diesel and Oil Stains from Golden State Vehicle Demolition Activities  
Method 8015M for TPH-d, TPH-o, and TPH-g; Method 8021 for BTEX and MTBE  
461 McGraw Avenue, Livermore, California

| Soil Sample | Depth (feet) | Date      | TPH-d                | TPH-o | TPH-g               | MTBE  | Benzene | Toluene | Ethylbenzene | Total Xylenes |
|-------------|--------------|-----------|----------------------|-------|---------------------|-------|---------|---------|--------------|---------------|
| DO-1        | 5.0          | 5/30/2007 | <1.0                 | <5.0  | NA                  | NA    | NA      | NA      | NA           | NA            |
| DO-2        | 5.0          | 5/30/2007 | <1.0                 | <5.0  | NA                  | NA    | NA      | NA      | NA           | NA            |
| DO-3        | 6.5          | 5/30/2007 | 1,400 <sup>(a)</sup> | 500   | 56 <sup>(g,m)</sup> | <0.05 | <0.005  | <0.005  | 0.0099       | 0.46          |
| DO-4        | 2.0          | 5/30/2007 | 25 <sup>(c)</sup>    | 22    | NA                  | NA    | NA      | NA      | NA           | NA            |
| DO-5        | 4.0          | 5/30/2007 | 1.6 <sup>(b)</sup>   | <5.0  | NA                  | NA    | NA      | NA      | NA           | NA            |
| DO-6        | 4.0          | 5/30/2007 | 3.4 <sup>(b,d)</sup> | 6.5   | NA                  | NA    | NA      | NA      | NA           | NA            |
| DO-7        | 2.5          | 5/30/2007 | <1.0                 | <5.0  | NA                  | NA    | NA      | NA      | NA           | NA            |
| RWQCB ESL   |              |           | 100                  | 1,000 | 100                 | 0.023 | 0.044   | 2.9     | 3.3          | 2.3           |
| USEPA PRG   |              |           | --                   | --    | --                  | 70    | 1.4     | 520     | 400          | 420           |

Notes:

Data are reported in milligrams per kilogram (mg/kg)  
 TPH-d = Total Petroleum Hydrocarbons as diesel  
 TPH-o = Total Petroleum Hydrocarbons as oil  
 TPH-g = Total Petroleum Hydrocarbons as gasoline  
 MTBE = Methyl tert-butyl ether  
 BTEX = Benzene, Toluene, Ethylbenzene, Xylenes  
 NA = Not Analyzed  
 -- = Not Established

(a) = unmodified or weakly modified diesel is significant  
 (b) = diesel range compounds are significant; no recognizable pattern  
 (c) = aged diesel? is significant  
 (d) = oil range compounds are significant  
 (g) = strongly aged gasoline or diesel range compounds are significant  
 (m) = no recognizable pattern

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

Table 7 -- Summary of Soil Analytical Results  
 Second Mobilization for Excavation DO3  
 Method 8015M for TPH-d, TPH-o, and TPH-g; Method 8021 for BTEX and MTBE  
 461 McGraw Avenue, Livermore, California

| Soil Sample | Depth (feet) | Date     | TPH-d        | TPH-o | TPH-g | MTBE   | Benzene | Toluene | Ethylbenzene | Total Xylenes |
|-------------|--------------|----------|--------------|-------|-------|--------|---------|---------|--------------|---------------|
| DO3-2       | 6.0          | 6/6/2007 | <10          | <50   | <0.5  | <0.020 | <0.005  | <0.005  | <0.005       | <0.010        |
| DO3-3       | 7.0          | 6/6/2007 | <10          | <50   | <0.5  | <0.020 | <0.005  | <0.005  | <0.005       | <0.010        |
| DO3-4       | 6.0          | 6/6/2007 | <10          | <50   | <0.5  | <0.020 | <0.005  | <0.005  | <0.005       | <0.010        |
| DO3-5       | 6.0          | 6/6/2007 | <10          | <50   | <0.5  | <0.020 | <0.005  | <0.005  | <0.005       | <0.010        |
| DO3-6       | 7.0          | 6/6/2007 | <b>2,500</b> | <50   | 34    | <0.1   | 0.030   | 0.217   | 0.029        | 1.940         |
| DO3-7       | 11.0         | 6/6/2007 | 64           | <50   | <0.5  | <0.020 | <0.005  | <0.005  | <0.005       | <0.010        |
| RWQCB ESL   |              |          | 100          | 1,000 | 100   | 0.023  | 0.044   | 2.9     | 3.3          | 2.3           |
| USEPA PRG   |              |          | --           | --    | --    | 70     | 1.4     | 520     | 400          | 420           |

Notes:

Data are reported in milligrams per kilogram (mg/kg)

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-o = Total Petroleum Hydrocarbons as oil

TPH-g = Total Petroleum Hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

BTEX = Benzene, Toluene, Ethylbenzene, Xylenes

NA = Not Analyzed

-- = Not Established

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

Table 8 -- Summary of Soil Sample Analytical Results

Vicinity of Former ASTs

Method 8015B TPH-d, TPH-o; Method 8260B VOCs, Fuel Oxygenates, TPH-g; Method 8082 PCBs; Method 8270C SVOCs; Method 9045C pH  
461 McGraw Avenue, Livermore, California

| Former AST Area | Soil Sample | Depth (feet) | Date     | TPH-g | TPH-d | TPH-o | MTBE   | Benzene | Toluene | Ethylbenzene | Total Xylenes | DCA    | EDB    | Other VOCs | Other Oxygenates | PCBs | SVOCs | pH   |
|-----------------|-------------|--------------|----------|-------|-------|-------|--------|---------|---------|--------------|---------------|--------|--------|------------|------------------|------|-------|------|
| T-1             | T-1-1       | 2.5          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 7.70 |
|                 | T-1-2       | 2.5          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 7.80 |
| T-2             | T-2-1       | 3.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.61 |
|                 | T-2-2       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.64 |
|                 | T-2-3       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.88 |
|                 | T-2-4       | 5.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.89 |
| T-3             | T-3-1       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 7.30 |
|                 | T-3-2       | 3.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.95 |
|                 | T-3-3       | 3.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 5.87 |
|                 | T-3-4       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 5.37 |
|                 | T-3-5       | 4.5          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.67 |
|                 | T-3-6       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.58 |
| T-4             | T-4-1       | 3.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 5.06 |
|                 | T-4-2       | 3.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 5.61 |
|                 | T-4-3       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.57 |
|                 | T-4-4       | 4.0          | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.52 |
|                 | T-4-5       | 12.0         | 6/1/2007 | <0.5  | <10   | <50   | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.01  | <0.01  | ND         | ND               | ND   | ND    | 6.47 |
| RWQCB ESL       |             |              |          | 100   | 100   | 1,000 | 0.023  | 0.044   | 2.9     | 3.3          | 2.3           | 0.0045 | 0.0003 | --         | --               | --   | --    | --   |
| USEPA PRG       |             |              |          | --    | --    | --    | 70     | 1.4     | 520     | 400          | 420           | 0.6    | 0.073  | --         | --               | --   | --    | --   |

## Notes:

Data (except pH) are reported in milligrams per kilogram (mg/kg).

pH data are reported in pH units.

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-g = Total Petroleum Hydrocarbons as gasoline

TPH-o = Total Petroleum Hydrocarbons as oil

VOCs = Volatile Organic Compounds

AST = Aboveground Storage Tank

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromoethane (Ethylene dibromide)

ND = Not Detected

-- = Not Established

MTBE = Methyl tert-butyl ether

PCBs = Polychlorinated Biphenyls

SVOCs = Semi-Volatile Organic Compounds

Table 9 -- Summary of Soil Sample Analytical Data  
Excavation Confirmation Samples from the Vicinity of Former ASTs  
Method 6010B/7471A for CCR Title 22 Metals  
461 McGraw Avenue, Livermore, California

| Former AST Area | Soil Sample | Depth (feet) | Antimony | Arsenic     | Barium | Beryllium | Cadmium | Chromium | Cobalt      | Copper | Lead | Mercury | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc    |
|-----------------|-------------|--------------|----------|-------------|--------|-----------|---------|----------|-------------|--------|------|---------|------------|--------|----------|--------|----------|----------|---------|
| T-1             | T-1-1       | 2.5          | 0.92     | <b>5.57</b> | 217    | 0.68      | <0.50   | 23.5     | 7.97        | 16.8   | 6.02 | <0.20   | <0.50      | 36.5   | <0.50    | <0.50  | <0.50    | 30.4     | 32.3    |
|                 | T-1-2       | 2.5          | 1.31     | <b>6.46</b> | 236    | 0.74      | <0.50   | 32.3     | 9.31        | 18.3   | 5.93 | <0.20   | <0.50      | 33.5   | <0.50    | <0.50  | <0.50    | 33.7     | 35.2    |
| T-2             | T-2-1       | 3.0          | 1.03     | <b>7.35</b> | 228    | 0.65      | <0.50   | 33.0     | <b>11.3</b> | 20.1   | 7.24 | <0.20   | <0.50      | 50.1   | <0.50    | <0.50  | <0.50    | 41.0     | 40.7    |
|                 | T-2-2       | 4.0          | 0.98     | <b>6.08</b> | 254    | 0.54      | <0.50   | 32.6     | <b>37.8</b> | 122    | 7.24 | <0.20   | <0.50      | 40.5   | <0.50    | <0.50  | <0.50    | 39.0     | 109     |
|                 | T-2-3       | 4.0          | 0.72     | 3.97        | 464    | <0.50     | <0.50   | 25.0     | 7.64        | 13.3   | 2.51 | <0.20   | <0.50      | 34.4   | 0.94     | <0.50  | <0.50    | 30.3     | 30.0    |
|                 | T-2-4       | 5.0          | 1.15     | <b>8.51</b> | 81.9   | <0.50     | <0.50   | 34.0     | <b>10.8</b> | 19.9   | 4.57 | <0.20   | <0.50      | 45.3   | <0.50    | <0.50  | <0.50    | 43.6     | 46.7    |
| T-3             | T-3-1       | 4.0          | 1.25     | 5.26        | 187    | 0.62      | <0.50   | 27.5     | <b>10.4</b> | 15.9   | 6.35 | <0.20   | <0.50      | 42.5   | <0.50    | <0.50  | <0.50    | 31.0     | 32.5    |
|                 | T-3-2       | 3.0          | 1.06     | <b>7.31</b> | 203    | 0.72      | <0.50   | 34.0     | 9.35        | 17.3   | 6.40 | <0.20   | <0.50      | 40.8   | <0.50    | <0.50  | <0.50    | 35.3     | 24.9    |
|                 | T-3-3       | 3.0          | 1.00     | <b>5.92</b> | 186    | 0.68      | <0.50   | 30.9     | <b>11.3</b> | 19.5   | 7.29 | <0.20   | <0.50      | 43.4   | <0.50    | <0.50  | <0.50    | 34.1     | 38.9    |
|                 | T-3-4       | 4.0          | 1.35     | 3.45        | 172    | <0.50     | <0.50   | 23.0     | <b>10.7</b> | 16.7   | 7.00 | <0.20   | <0.50      | 40.0   | 0.85     | <0.50  | <0.50    | 29.3     | 35.8    |
|                 | T-3-5       | 4.5          | 1.20     | <b>6.55</b> | 219    | <0.50     | <0.50   | 27.4     | <b>10.6</b> | 27.3   | 4.35 | <0.20   | <0.50      | 38.5   | 0.95     | <0.50  | <0.50    | 40.4     | 45.7    |
|                 | T-3-6       | 4.0          | 1.25     | <b>6.40</b> | 558    | 0.55      | <0.50   | 28.2     | <b>10.0</b> | 23.0   | 3.60 | <0.20   | <0.50      | 38.9   | 0.90     | <0.50  | <0.50    | 40.6     | 43.1    |
| T-4             | T-4-1       | 3.0          | 1.50     | <b>6.64</b> | 431    | 0.53      | <0.50   | 35.3     | <b>12.4</b> | 16.6   | 7.61 | <0.20   | <0.50      | 46.5   | <0.50    | <0.50  | <0.50    | 35.7     | 38.0    |
|                 | T-4-2       | 3.0          | 0.68     | 3.98        | 171    | <0.50     | <0.50   | 22.8     | 9.06        | 32.1   | 23.3 | <0.20   | <0.50      | 40.5   | 0.84     | <0.50  | <0.50    | 25.8     | 118     |
|                 | T-4-3       | 4.0          | 0.75     | 3.30        | 270    | <0.50     | <0.50   | 20.4     | 8.00        | 13.4   | 3.25 | <0.20   | <0.50      | 44.4   | 0.90     | <0.50  | <0.50    | 29.0     | 31.7    |
|                 | T-4-4       | 4.0          | 1.65     | 0.75        | 181    | <0.50     | <0.50   | 25.1     | 7.75        | 13.5   | 4.20 | <0.20   | <0.50      | 45.2   | 0.60     | <0.50  | <0.50    | 25.0     | 33.6    |
|                 | T-4-5       | 12.0         | 1.15     | 3.00        | 136    | <0.50     | <0.50   | 22.9     | 7.25        | 13.1   | 2.35 | <0.20   | <0.50      | 29.1   | 0.90     | <0.50  | <0.50    | 26.7     | 26.5    |
| RWQCB ESL       |             |              | 40       | 5.5         | 1,500  | 8.0       | 7.4     | 58       | 10          | 230    | 750  | 10      | 40         | 150    | 10       | 40     | 13       | 200      | 600     |
| USEPA PRG       |             |              | 410      | 0.25        | 67,000 | 1,900     | 450     | 450      | 1,900       | 41,000 | 800  | 310     | 5,100      | 20,000 | 5,100    | 5,100  | 67       | 1,000    | 100,000 |

Notes:

Data are reported in milligrams per kilogram (mg/kg).

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

AST = Aboveground Storage Tank

CCR = California Code of Regulations

Table 10 -- Summary of Soil Sample Analytical Results  
Excavation of Debris in the Vicinity of T-4  
Method 8015B for TPH-d and TPH-o; Method 6010B/7471A CCR Title 22 Metals:  
461 McGraw Avenue, Livermore, California

| Sample    | Depth (feet) | Date     | TPH-d | TPH-o | Antimony | Arsenic     | Barium | Beryllium | Cadmium | Chromium | Cobalt      | Copper | Lead | Mercury | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc    |
|-----------|--------------|----------|-------|-------|----------|-------------|--------|-----------|---------|----------|-------------|--------|------|---------|------------|--------|----------|--------|----------|----------|---------|
| E4-1      | 6            | 6/6/2007 | <10   | <50   | 0.92     | 4.40        | 163    | <0.50     | <0.50   | 23.6     | <b>11.4</b> | 16.7   | 4.97 | <0.20   | <0.50      | 70.6   | <0.50    | <0.50  | <0.50    | 33.2     | 40.3    |
| E4-2      | 4            | 6/6/2007 | <10   | <50   | 0.91     | 4.82        | 178    | <0.50     | <0.50   | 22.9     | 8.05        | 16.4   | 4.98 | <0.20   | <0.50      | 25.9   | <0.50    | <0.50  | <0.50    | 29.4     | 29.6    |
| E4-3      | 3            | 6/6/2007 | <10   | <50   | 1.32     | <b>8.06</b> | 206    | <0.50     | <0.50   | 35.6     | <b>10.6</b> | 16.6   | 6.34 | <0.20   | <0.50      | 47.8   | <0.50    | <0.50  | <0.50    | 38.9     | 40.3    |
| E4-4      | 7            | 6/6/2007 | <10   | <50   | 0.98     | <b>5.96</b> | 138    | <0.50     | <0.50   | 23.8     | 9.17        | 17.9   | 4.79 | <0.20   | <0.50      | 33.6   | <0.50    | <0.50  | <0.50    | 28.3     | 38.4    |
| RWQCB ESL |              |          | 100   | 1,000 | 40       | 5.5         | 1,500  | 8.0       | 7.4     | 58       | 10          | 230    | 750  | 10      | 40         | 150    | 10       | 40     | 13       | 200      | 600     |
| USEPA PRG |              |          | --    | --    | 410      | 0.25        | 67,000 | 1,900     | 450     | 450      | 1,900       | 41,000 | 800  | 310     | 5,100      | 20,000 | 5,100    | 5,100  | 67       | 1,000    | 100,000 |

Notes:

Data are reported in milligrams per kilogram (mg/kg)

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-o = Total Petroleum Hydrocarbons as oil

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

-- = Not Established

CCR = California Code of Regulations

Table 11 -- Summary of Soil Analytical Results  
Method 8015B for TPH-d and TPH-o; Method 8260B for TPH-g, VOCs, and Fuel Oxygenates  
461 McGraw Avenue, Livermore, California

| Soil Sample    | Depth (feet) | Date      | TPH-d | TPH-o | TPH-g | MTBE   | Benzene | Toluene | Ethylbenzene | Total Xylenes | DCA    | EDB     | Other VOCs | Other Oxygenates |
|----------------|--------------|-----------|-------|-------|-------|--------|---------|---------|--------------|---------------|--------|---------|------------|------------------|
| B-1, 4.5-5.0   | 4.5-5.0      | 6/1/2007  | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-1, 10.5-11.0 | 10.5-11.0    | 6/1/2007  | 18    | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-1, 24.5-25.0 | 24.5-25.0    | 6/1/2007  | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-2@5'         | 5            | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-2@9.5'       | 9.5          | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-2@25.5'      | 25.5         | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-3@5'         | 5            | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-3@11'        | 11           | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| B-3@15'        | 15           | 5/31/2007 | <10   | <50   | <0.5  | <0.005 | <0.002  | <0.002  | <0.002       | <0.006        | <0.010 | <0.010  | ND         | ND               |
| RWQCB ESL      |              |           | 100   | 1,000 | 100   | 0.023  | 0.044   | 2.9     | 3.3          | 2.3           | 0.0045 | 0.00033 | --         | --               |
| USEPA PRG      |              |           | --    | --    | --    | 70     | 1.4     | 520     | 400          | 420           | 0.6    | 0.073   | --         | --               |

Notes:

Data are reported in milligrams per kilogram (mg/kg).

TPH-g = Total Petroleum Hydrocarbons as gasoline

TPH-d = Total Petroleum Hydrocarbons as diesel

TPH-o = Total Petroleum Hydrocarbons as oil

ND = Not Detected

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

VOCs = Volatile Organic Compounds

MTBE = Methyl tert-Butyl Ether

DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromomethane (Ethylene dibromide)

-- = Not Established

Table 12: Summary of Soil Sample Analytical Data  
Exploratory Boring Samples  
Method 6010B for CCR Title 22 Metals  
461 McGraw Avenue, Livermore, California

| Soil Sample    | Depth (feet) | Date      | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt      | Copper | Lead  | Mercury | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc    |
|----------------|--------------|-----------|----------|---------|--------|-----------|---------|----------|-------------|--------|-------|---------|------------|--------|----------|--------|----------|----------|---------|
| B-1, 4.5-5.0   | 4.5-5.0      | 6/1/2007  | 1.03     | 5.43    | 208    | <0.50     | <0.50   | 25.9     | 8.33        | 13.9   | 4.17  | <0.20   | <0.50      | 35.8   | 0.65     | <0.50  | <0.50    | 31.7     | 35.6    |
| B-1, 10.5-11.0 | 10.5-11.0    | 6/1/2007  | 0.53     | 3.66    | 106    | <0.50     | <0.50   | 18.7     | 9.21        | 11.5   | 4.85  | <0.20   | <0.50      | 36.1   | 0.77     | <0.50  | <0.50    | 23.3     | 31.4    |
| B-1, 24.5-25.0 | 24.5-25.0    | 6/1/2007  | 0.85     | 4.65    | 89.6   | <0.50     | <0.50   | 21.0     | 9.22        | 16.7   | 4.40  | <0.20   | <0.50      | 33.5   | 1.05     | <0.50  | <0.50    | 28.5     | 33.1    |
| B-2@5'         | 5            | 5/31/2007 | 1.25     | <0.25   | 274    | <0.50     | <0.50   | 47.7     | 9.94        | 7.10   | 2.02  | <0.20   | <0.50      | 42.4   | 6.46     | <0.50  | <0.50    | 44.0     | 105     |
| B-2@9.5'       | 9.5          | 5/31/2007 | <0.50    | <0.25   | 156    | <0.50     | <0.50   | 27.8     | <b>15.5</b> | 9.14   | 4.97  | <0.20   | <0.50      | 54.4   | 5.90     | 12.0   | <0.50    | 37.5     | 106     |
| B-2@25.5'      | 25.5         | 5/31/2007 | 9.32     | <0.25   | 55.7   | <0.50     | <0.50   | 29.0     | 8.35        | 26.7   | 1.74  | <0.20   | 1.36       | 37.1   | 6.75     | 9.00   | <0.50    | 38.6     | 61.7    |
| B-3@5'         | 5            | 5/31/2007 | <0.50    | <0.25   | 80.1   | <0.50     | <0.50   | 31.3     | 9.86        | 19.8   | 2.81  | <0.20   | <0.50      | 38.9   | 4.80     | 10.8   | <0.50    | 32.9     | 53.3    |
| B-3@11'        | 11           | 5/31/2007 | <0.50    | <0.25   | 105    | <0.50     | <0.50   | 25.6     | 8.77        | 6.37   | <0.25 | <0.20   | <0.50      | 27.3   | 5.33     | <0.50  | <0.50    | 31.7     | 76.4    |
| B-3@15'        | 15           | 5/31/2007 | <0.50    | <0.25   | 95.5   | <0.50     | <0.50   | 26.7     | 7.51        | 6.72   | 2.30  | <0.20   | <0.50      | 32.6   | 3.30     | 4.96   | <0.50    | 32.9     | 37.5    |
| RWQCB ESL      |              |           | 40       | 5.5     | 1,500  | 8.0       | 7.4     | 58       | 10          | 230    | 750   | 10      | 40         | 150    | 10       | 40     | 13       | 200      | 600     |
| USEPA PRG      |              |           | 410      | 0.25    | 67,000 | 1,900     | 450     | 450      | 1900        | 41,000 | 800   | 310     | 5,100      | 20,000 | 5,100    | 5,100  | 67       | 1,000    | 100,000 |

Notes:

Data are reported in milligrams per kilogram (mg/kg).

RWQCB ESL = Regional Water Quality Control Board's Shallow Soil Environmental Screening Level for Commercial or Industrial Property where groundwater is currently or potentially a drinking water resource.

USEPA PRG = United States Environmental Protection Agency's Preliminary Remediation Goal for Industrial Soil.

CCR = California Code of Regulations



Table 13 -- Summary of Groundwater Sample Analytical Data  
 Soil Borings and Water Well Samples  
 Method 8015M for TPH-d and TPH-o; Method 8260B for VOCs, TPH-g, and Fuel Oxygenates  
 461 McGraw Avenue, Livermore, California

| Boring              | Date      | TPH-g | TPH-d | TPH-o | MTBE             | Benzene | Toluene | Ethylbenzene | Xylenes | DCA    | EDB    | Other VOCs | Other Oxygenates |
|---------------------|-----------|-------|-------|-------|------------------|---------|---------|--------------|---------|--------|--------|------------|------------------|
| B-1                 | 6/1/2007  | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| B-2                 | 5/31/2007 | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| B-3                 | 5/31/2007 | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| B-4                 | 5/31/2007 | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| B-5                 | 5/31/2007 | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| B-6                 | 5/31/2007 | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| WW-1                | 6/1/2007  | <50   | <500  | <500  | <2.000           | <1.000  | <1.000  | <1.000       | <3.000  | <1.000 | <1.000 | ND         | ND               |
| CDHS MCL            |           | --    | --    | --    | 5 <sup>(a)</sup> | 1       | 150     | 300          | 1,750   | 0.5    | 0.05   | --         | --               |
| RWQCB ESL           |           | 100   | 100   | 100   | 5.0              | 1.0     | 40      | 30           | 20      | 0.5    | 0.05   | --         | --               |
| Drinking Water ESLs |           | 210   | 210   | 210   | 13               | 1.0     | 150     | 700          | 1,800   | 0.50   | 0.05   | --         | --               |

Notes:

Data are reported in micrograms per liter (µg/L)  
 TPH-g = Total Petroleum Hydrocarbons as gasoline  
 TPH-d = Total Petroleum Hydrocarbons as diesel  
 TPH-o = Total Petroleum Hydrocarbons as oil  
 ND = Not Detected

VOCs = Volatile Organic Compounds  
 MTBE = Methyl tert-Butyl Ether  
 DCA = 1,2-Dichloroethane  
 EDB = 1,2-Dibromoethane (Ethylene dibromide)  
 -- = Not Established

CDHS MCL = California Department of Health Services' Maximum Contaminant Level for Drinking Water

(a) = This is the secondary MCL for MTBE, which is based on qualitative factors such as taste and odor. The primary MCL for MTBE, the value that has been determined to be protective of human health, is 13 micrograms per liter.

RWQCB ESL = Regional Water Quality Control Board's Environmental Screening Levels, determined based on ceiling levels (taste and odor), human health protection, aquatic habitat protection, and the potential for vapor intrusion.

Drinking Water ESLs = Regional Water Quality Control Board's Environmental Screening Levels for drinking water.

Table 14 -- Summary of Groundwater Sample Analytical Data  
Soil Borings and Water Well Samples  
Method 6010B for Title 22 Metals  
461 McGraw Avenue, Livermore, California

| Boring              | Date      | Sb  | As  | Ba    | Be   | Cd   | Cr         | Cr <sup>6+</sup>      | Co        | Cu                   | Pb                | Hg    | Mo  | Ni        | Se        | Ag                 | Tl  | V          | Zn                   |
|---------------------|-----------|-----|-----|-------|------|------|------------|-----------------------|-----------|----------------------|-------------------|-------|-----|-----------|-----------|--------------------|-----|------------|----------------------|
| B-1                 | 6/1/2007  | <10 | <10 | 183   | <5.0 | <5.0 | 28         | --                    | <10       | <10                  | <5                | <2    | 20  | <10       | <b>20</b> | <10                | <10 | <10        | <10                  |
| B-2                 | 5/31/2007 | <10 | <10 | 192   | <5.0 | <5.0 | 31         | --                    | <10       | <10                  | <5                | <2    | <10 | <10       | <b>14</b> | <10                | <10 | <10        | 13                   |
| B-3                 | 5/31/2007 | <10 | <10 | 648   | <5.0 | <5.0 | <b>105</b> | <1.000 <sup>(f)</sup> | <b>26</b> | <10                  | <5                | <2    | 27  | <b>78</b> | <b>13</b> | <10                | <10 | <b>101</b> | <b>111</b>           |
| B-4                 | 5/31/2007 | <10 | <10 | 359   | <5.0 | <5.0 | 36         | --                    | <10       | <10                  | <5                | <2    | <10 | <b>35</b> | <b>17</b> | <10                | <10 | <b>47</b>  | <b>117</b>           |
| B-5                 | 5/31/2007 | <10 | <10 | 863   | <5.0 | <5.0 | <b>50</b>  | 4.70 <sup>(f)</sup>   | <b>13</b> | <b>27</b>            | <5                | <2    | <10 | <b>46</b> | <b>25</b> | <10                | <10 | <b>85</b>  | 63                   |
| B-6                 | 5/31/2007 | <10 | <10 | 151   | <5.0 | <5.0 | <10        | 1.07 <sup>(f)</sup>   | <10       | <10                  | <5                | <2    | 10  | <10       | <b>16</b> | <10                | <10 | <10        | <b>90</b>            |
| WW-1                | 6/1/2007  | <10 | <10 | 108   | <5.0 | <5.0 | <10        | --                    | <10       | <10                  | <5                | <2    | <10 | <10       | <b>21</b> | <10                | <10 | <10        | 32                   |
| CDHS MCL            |           | 6   | 50  | 1,000 | 4    | 5    | 50         | --                    | --        | 1,000 <sup>(a)</sup> | 15 <sup>(b)</sup> | 2     | --  | 100       | 50        | 100 <sup>(d)</sup> | 2   | --         | 5,000 <sup>(d)</sup> |
| RWQCB ESL           |           | 6.0 | 36  | 1,000 | 2.7  | 1.1  | 50         | 11                    | 3.0       | 3.1                  | 2.5               | 0.012 | 35  | 8.2       | 5.0       | 0.19               | 2.0 | 15         | 81                   |
| Drinking Water ESLs |           | 6.0 | 50  | 1,000 | 4.0  | 5.0  | 50         | 21                    | 140       | 1,000 <sup>(e)</sup> | 15                | 2.0   | 35  | 100       | 50        | 100                | 2.0 | 15         | 5,000                |

Notes:

Data are reported in micrograms per liter (µg/L)

Sb = Antimony

As = Arsenic

Ba = Barium

Be = Beryllium

Cd = Cadmium

Cr = Chromium

Co = Cobalt

Cu = Copper

Pb = Lead

Hg = Mercury

Mo = Molybdenum

Ni = Nickel

Se = Selenium

Ag = Silver

Tl = Thallium

V = Vanadium

Zn = Zinc

-- = Not Established

CDHS MCL = California Department of Health Services' Maximum Contaminant Level for Drinking Water

(a) = Secondary MCL, a standard based on qualitative factors such as taste and odor. The Regulatory Action Level (a concentration that, if a system exceeds, requires it to take certain actions), is 1,300 µg/L. The Regulatory Action Level Replaces the MCL.

(b) = Regulatory Action Level, a concentration that, if a system exceeds, requires it to take certain actions

(d) = Secondary MCL, a standard based on qualitative factors such as taste and odor.

(e) = Ceiling level for copper. The drinking water (human health-protective) ESL is 1,300 µg/L.

(f) = analyzed outside of EPA-recommended holding time.


RWQCB ESL = Regional Water Quality Control Board's Environmental Screening Levels, determined based on ceiling levels (taste and odor), human health protection, aquatic habitat protection, and the potential for vapor intrusion.

Drinking Water ESLs = Regional Water Quality Control Board's Environmental Screening Levels for drinking water.



## **FIGURES**



WGS84 121°43.000' W









### LEGEND

|                          |   |                          |
|--------------------------|---|--------------------------|
| Water Well               | LB-1 Former Lead-Acid Battery Storage Area Sample | See Detail Map, Figure 3 |
| WW-1 Well Water Sample   | DO-7 Large Petroleum Hydrocarbon-Stained Area     | See Detail Map, Figure 4 |
| B-4 Soil Boring          | LD-4 Loading Dock Sample                          | See Detail Map, Figure 6 |
| BP-2 Building Pad Sample | SC-2 Storage Container Sample                     | See Detail Map, Figure 7 |






| LEGEND |  |
|--------|--|
|        | Tree   |
|        | Confirmation Sample Location for Larger Golden State Surface Stain Excavation  |
|        | Shallow Soil Stain Location  |
|        | Excavation Boundary from Small Golden State Surface Stain Removal  |
|        | Excavation Boundary from Large Golden State Surface Stain Removal  |
|        | Excavation for Large Golden State Surface Stain Where Petroleum Staining was also Found in Deeper Soil                               |
|        | Boundary of Shallow Staining Associated with Golden State (Removed) Discovered During Additional Excavation in the Vicinity of DO-3. |

# LEGEND

- DO3-6 ● Confirmation Sample from Second Mobilization
- DO-4 X Confirmation Sample from First Mobilization (for Shallow Staining from Golden State Activities)
- Excavation Boundary from Second Mobilization
- - - Change in Depth of Excavation
- - - Boundary of Shallow Staining Associated with Golden State (Removed) Discovered During Additional Excavation in the Vicinity of DO-3.
- 7' bgs Depth of Excavation below ground surface
- - - Excavation Boundary from First Mobilization (for Shallow Staining from Golden State Activities)



Environmental Investigation Services, Inc.  
 170 Knowles Drive, Suite 212, Los Gatos, California 95032  
 Phone: (408) 871-1470 Fax: (408) 871-1520

Project Number 717-2

July 17, 2007

Figure 5

Detail Map: Second Mobilization Excavation Boundaries and Confirmation Sample Locations for Excavation DO3  
 461 McGraw Avenue  
 Livermore, California



# LEGEND

T-4-4 ◆ AST Excavation Confirmation Sample Location

Well Well

B-6 Soil Boring Location



—X— Fence

--- Former AST Location

--- Buried Debris Location

--- Change in Depth of Excavation

3' bgs Depth of Excavation below ground surface




Environmental Investigation Services, Inc.  
170 Knowles Drive, Suite 212, Los Gatos, California 95032  
Phone: (408) 871-1470 Fax: (408) 871-1520

Project Number 717-2

July 17, 2007

Figure 6 Detail Map: Vicinity of Former ASTs  
461 McGraw Avenue  
Livermore, California



### LEGEND

E4-4 Confirmation Sample for  
Debris Excavation

Well Well

T-4-3 Confirmation Sample for  
T-4 Excavation

- - - Change in Depth of T-4  
Excavation

— T-4 Excavation Boundary

- - - Change in Depth of Debris  
Excavation

— Debris Excavation Boundary

Environmental Investigation Services, Inc.  
170 Knowles Drive, Suite 212, Los Gatos, California 95032  
Phone: (408) 871-1470 Fax: (408) 871-1520

Project Number 717-2

July 17, 2007

Figure 7

Excavation for Buried Debris  
Near Former AST Location T-4  
461 McGraw Avenue  
Livermore, California

## **ATTACHMENT A**

**Non-RCRA Hazardous Waste Manifest that Includes UST-Related  
Scrap Material**

| UNIFORM HAZARDOUS WASTE MANIFEST  |  | 1. Generator ID Number  | 2. Page 1 of | 3. Emergency Response Phone | 4. Manifest Tracking Number |
|---|--|---|--------------|-----------------------------|-----------------------------|
|   |  | CA1000318482  | 1            | 800 321-5479                | 002141319 JJK               |
| 5. Generator's Name and Mailing Address   |  | Generator's Site Address (if different than mailing address)          |              |                             |                             |
| CALL MAC TRANSPORTATION CO INC<br>205 E ANAPAMU STREET<br>SANTA BARBARA CA 93101<br>Generator's Phone: 805 985 7044   |  | CALL MAC TRANSPORTATION CO INC<br>461 MCGRAWAVE<br>LIVERMORE CA 94551 |              |                             |                             |
| 6. Transporter 1 Company Name   |  | U.S. EPA ID Number  |              | CAD982030173                |                             |
| Ecology Control Industries  |  | U.S. EPA ID Number  |              |                             |                             |
| 7. Transporter 2 Company Name   |  | U.S. EPA ID Number  |              |                             |                             |
| 8. Designated Facility Name and Site Address  |  | U.S. EPA ID Number  |              |                             |                             |
| Ecology Control Industries<br>255 Parr Boulevard<br>Richmond CA 94801<br>Facility's Phone: 510 225 4303   |  | CAD009488302  |              |                             |                             |
| 9a. HM  | 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers  |              | 11. Total Quantity          | 12. Unit Wt./Vol.           |
|   |  | No.   | Type         |                             |                             |
|   | 1. Non-RCRA, Hazardous Waste, Solid (Steel/Fiberglass Product Piping)  | 001   | CM           | 04000                       | P                           |
|   | 2.   |   |              |                             |                             |
|   | 3.   |   |              |                             |                             |
|   | 4.   |   |              |                             |                             |
| 14. Special Handling Instructions and Additional Information  |  |   |              |                             |                             |
| QTY 1 40 YARD PIPE BIN. BIN # MV1151 (TANK T-1 Cut into Pieces ON-SITE)<br>ECI JOB # 52T3398<br>WEAR PROPER PPE WHEN HANDLING. WEIGHTS AND VOLUMES ARE APPROXIMATE.   |  |   |              |                             |                             |
| 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. |  |   |              |                             |                             |
| Generator's/Officer's Printed/Typed Name: Sean McCormick for Call Mac Transportation  |  |   |              |                             |                             |
| Signature: [Signature] Month: 05 Day: 31 Year: 07   |  |   |              |                             |                             |
| 16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:  |  |   |              |                             |                             |
| 17. Transporter Acknowledgment of Receipt of Materials  |  |   |              |                             |                             |
| Transporter 1 Printed/Typed Name: Vic Raymond Signature: [Signature] Month: 05 Day: 31 Year: 07   |  |   |              |                             |                             |
| Transporter 2 Printed/Typed Name: Signature: Month: Day: Year:  |  |   |              |                             |                             |
| 18. Discrepancy   |  |   |              |                             |                             |
| 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection   |  |   |              |                             |                             |
| 18b. Alternate Facility (or Generator) Manifest Reference Number: U.S. EPA ID Number:   |  |   |              |                             |                             |
| Facility's Phone:   |  |   |              |                             |                             |
| 18c. Signature of Alternate Facility (or Generator) Month: Day: Year:   |  |   |              |                             |                             |
| 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)   |  |   |              |                             |                             |
| 1. H141 2. 3. 4.  |  |   |              |                             |                             |
| 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a  |  |   |              |                             |                             |
| Printed/Typed Name: James Wilcox Signature: [Signature] Month: 06 Day: 01 Year: 07  |  |   |              |                             |                             |

**ATTACHMENT B**  
**Laboratory Analytical Reports**



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 14

**Date Received** 05/31/2007

**Date Reported** 06/07/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34038      | 05/31/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA


Enclosed are the results of analyses on 6 samples analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



AMERICAN SCIENTIFIC LABORATORIES, LLC  
Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1


COC# **Nº 40609** GLOBAL ID T06 001 02204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# **34038**

|   |  |  |  |  |   |  |  |  |  |                        |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|---|--|--|--|--|------------------------|--|--|--|--|---|--|--|--|--|--|--|--|--|--|
| Company: <u>Environmental Investigation Services</u>        |  |  |  |  | Report To: <u>EIS</u>                             |  |  |  |  | ANALYSIS REQUESTED     |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
| Address: <u>170 Knowles Dr., Ste. 212</u>                   |  |  |  |  | Project Name: <u>Call Mac Transportation Inc.</u> |  |  |  |  | Address: <u>EIS</u>    |  |  |  |  | <div style="display: flex; flex-direction: column; align-items: center;"> <div>8015 M: TPH, -0</div> <div>8260 B: VOCs +</div> <div>TPH-g + DCA +</div> <div>EDB + oxycet + ps</div> <div>6010 B: Pb</div> </div> |  |  |  |  |  |  |  |  |  |
| Site Address: <u>Los Gatos, CA 95032</u>                    |  |  |  |  | Site Address: <u>461 McGraw Ave.</u>              |  |  |  |  | Invoice To: <u>EIS</u> |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
| Telephone: <u>408-871-1470</u>                              |  |  |  |  | Livermore, CA                                     |  |  |  |  | Address: <u>EIS</u>    |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
| Fax: <u>408-871-1520</u>                                    |  |  |  |  | Project ID: <u>717-2</u>                          |  |  |  |  |                        |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
| Special Instruction: <u>Include COC in AF report</u>        |  |  |  |  | Project Manager: <u>P. Littman</u>                |  |  |  |  | P.O.#: <u>717-2</u>    |  |  |  |  |   |  |  |  |  |  |  |  |  |  |
| E-mail: <u>pmorris@eis1.net</u><br><u>plittman@eis1.net</u> |  |  |  |  |   |  |  |  |  |                        |  |  |  |  |   |  |  |  |  |  |  |  |  |  |

| ITEM | LAB USE ONLY |           | SAMPLE DESCRIPTION |       |   |      | Container(s) |     | Matrix | Preservation |   |   |   |   |   |   |   |  | Remarks |
|------|--------------|-----------|--------------------|-------|---|------|--------------|-----|--------|--------------|---|---|---|---|---|---|---|--|---------|
|      | Lab ID       | Sample ID | Date               | Time  | # | Type |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      | 195984       | CS-1      | 5/29/07            | 16:48 | 1 | SS   | Soil         | Ice | X      | X            |   |   |   |   |   |   |   |  |         |
|      | 195985       | CS-2      | ↓                  | 16:53 | ↓ | ↓    | ↓            | ↓   | ↓      | ↓            | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ |  |         |
|      | 195986       | CS-3      |                    | 17:01 |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      | 195987       | CS-4      |                    | 17:05 |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      | 195988       | CS-5      |                    | 17:11 |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      | 195989       | CS-6      |                    | 17:15 |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |
|      |              |           |                    |       |   |      |              |     |        |              |   |   |   |   |   |   |   |  |         |

|   |                      |                    |  |                      |                   |  |
|---|----------------------|--------------------|--|----------------------|-------------------|--|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>5/29/07</u> | Time: <u>19:27</u> | Relinquished By:                           | Date:                | Time:             | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>5/29/07</u> | Time: <u>19:27</u> | Received For Laboratory: <u>Janet Chin</u> | Date: <u>5-31-07</u> | Time: <u>8:30</u> |  |
| Received By:                            | Date:                | Time:              | Condition of Sample:                       |                      |                   |  |

C  
H  
A  
I  
N  
  
O  
F  
  
C  
U  
S  
T  
O  
D  
Y  
  
R  
E  
C  
O  
R  
D



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 6010B, Lead (ICP)

QC Batch No: 060407-2


| Our Lab I.D.       |            | Method Blank   | 195984         | 195985         | 195986         | 195987         |
|--------------------|------------|----------------|----------------|----------------|----------------|----------------|
| Client Sample I.D. |            |                | CS-1           | CS-2           | CS-3           | CS-4           |
| Date Sampled       |            |                | 05/29/2007     | 05/29/2007     | 05/29/2007     | 05/29/2007     |
| Date Prepared      |            | 06/04/2007     | 06/04/2007     | 06/04/2007     | 06/04/2007     | 06/04/2007     |
| Preparation Method |            | 3050B          | 3050B          | 3050B          | 3050B          | 3050B          |
| Date Analyzed      |            | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     |
| Matrix             |            | Soil           | Soil           | Soil           | Soil           | Soil           |
| Units              |            | mg/Kg          | mg/Kg          | mg/Kg          | mg/Kg          | mg/Kg          |
| Dilution Factor    |            | 1              | 1              | 1              | 1              | 1              |
| <b>Analytes</b>    | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |
| <b>ICP Metals</b>  |            |                |                |                |                |                |
| Lead               | 0.25       | ND             | ND             | ND             | ND             | ND             |

### QUALITY CONTROL REPORT

QC Batch No: 060407-2

| Analytes          | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Lead              | 112          | 108              | 3.6              | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 6010B, Lead (ICP)


QC Batch No: 060407-2

| Our Lab I.D.       |            | 195988         | 195989         |  |  |  |
|--------------------|------------|----------------|----------------|--|--|--|
| Client Sample I.D. |            | CS-5           | CS-6           |  |  |  |
| Date Sampled       |            | 05/29/2007     | 05/29/2007     |  |  |  |
| Date Prepared      |            | 06/04/2007     | 06/04/2007     |  |  |  |
| Preparation Method |            | 3050B          | 3050B          |  |  |  |
| Date Analyzed      |            | 06/06/2007     | 06/06/2007     |  |  |  |
| Matrix             |            | Soil           | Soil           |  |  |  |
| Units              |            | mg/Kg          | mg/Kg          |  |  |  |
| Dilution Factor    |            | 1              | 1              |  |  |  |
| <b>Analytes</b>    | <b>PQL</b> | <b>Results</b> | <b>Results</b> |  |  |  |
| <b>ICP Metals</b>  |            |                |                |  |  |  |
| Lead               | 0.25       | ND             | ND             |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 060407-2

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Lead              | 112          | 108              | 3.6              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060107-2P**


| Our Lab I.D.          |     | Method Blank | 195984     | 195985     | 195987     | 195989     |
|-----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.    |     |              | CS-1       | CS-2       | CS-4       | CS-6       |
| Date Sampled          |     |              | 05/29/2007 | 05/29/2007 | 05/29/2007 | 05/29/2007 |
| Date Prepared         |     | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Preparation Method    |     | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |     | 06/02/2007   | 06/02/2007 | 06/02/2007 | 06/02/2007 | 06/02/2007 |
| Matrix                |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                 |     | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor       |     | 1            | 1          | 1          | 1          | 1          |
| Analytes              | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH DROs (C10 to C28) | 10  | ND           | ND         | ND         | ND         | ND         |
| TPH OROs (C28+)       | 50  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 195984 | 195985 | 195987 | 195989 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 97     | 116    | 103    | 120    | 80     |

### QUALITY CONTROL REPORT

**QC Batch No: 060107-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 111         | 106             | 4.6      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060407-1P**


| Our Lab I.D.          |     | 195988     |  |  |  |  |
|-----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.    |     | CS-5       |  |  |  |  |
| Date Sampled          |     | 05/29/2007 |  |  |  |  |
| Date Prepared         |     | 06/04/2007 |  |  |  |  |
| Preparation Method    |     | 3550B      |  |  |  |  |
| Date Analyzed         |     | 06/04/2007 |  |  |  |  |
| Matrix                |     | Soil       |  |  |  |  |
| Units                 |     | mg/Kg      |  |  |  |  |
| Dilution Factor       |     | 1          |  |  |  |  |
| Analytes              | PQL | Results    |  |  |  |  |
| TPH DROs (C10 to C28) | 10  | ND         |  |  |  |  |
| TPH OROs (C28+)       | 50  | 235        |  |  |  |  |

| Our Lab I.D.               |             | 195988 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Chlorobenzene              | 70-120      | 111    |  |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060407-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 107         | 113             | 5.5      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 6

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

#### QC Batch No: 060507-1P


| Our Lab I.D.          |     | 195986     |  |  |  |  |
|-----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.    |     | CS-3       |  |  |  |  |
| Date Sampled          |     | 05/29/2007 |  |  |  |  |
| Date Prepared         |     | 06/01/2007 |  |  |  |  |
| Preparation Method    |     | 3550B      |  |  |  |  |
| Date Analyzed         |     | 06/05/2007 |  |  |  |  |
| Matrix                |     | Soil       |  |  |  |  |
| Units                 |     | mg/Kg      |  |  |  |  |
| Dilution Factor       |     | 1          |  |  |  |  |
| Analytes              | PQL | Results    |  |  |  |  |
| TPH DROs (C10 to C28) | 10  | ND         |  |  |  |  |
| TPH OROs (C28+)       | 50  | ND         |  |  |  |  |

| Our Lab I.D.               |             | 195986 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Chlorobenzene              | 70-120      | 119    |  |  |  |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 060507-1P

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 106         | 107             | <1       | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060107-1B**


| Our Lab I.D.         |     | Method Blank | 195985     | 195986     | 195987     | 195989     |
|----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.   |     |              | CS-2       | CS-3       | CS-4       | CS-6       |
| Date Sampled         |     |              | 05/29/2007 | 05/29/2007 | 05/29/2007 | 05/29/2007 |
| Date Prepared        |     | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Preparation Method   |     | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed        |     | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Matrix               |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                |     | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor      |     | 1            | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 500 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 195985 | 195986 | 195987 | 195989 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 109    | 116    | 114    | 120    | 112    |
| Dibromofluoromethane       | 70-120      | 100    | 114    | 116    | 116    | 112    |
| Toluene-d8                 | 70-120      | 108    | 111    | 108    | 109    | 112    |

### QUALITY CONTROL REPORT

**QC Batch No: 060107-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 118         | 114             | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 90              | 6.5      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 102         | 108             | 5.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 110         | 108             | 1.8      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 108         | 103             | 4.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 99          | 90              | 9.5      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060407-1B**


| Our Lab I.D.         |     | 195984     | 195988     |  |  |  |
|----------------------|-----|------------|------------|--|--|--|
| Client Sample I.D.   |     | CS-1       | CS-5       |  |  |  |
| Date Sampled         |     | 05/29/2007 | 05/29/2007 |  |  |  |
| Date Prepared        |     | 06/04/2007 | 06/04/2007 |  |  |  |
| Preparation Method   |     | 5030B      | 5030B      |  |  |  |
| Date Analyzed        |     | 06/04/2007 | 06/04/2007 |  |  |  |
| Matrix               |     | Soil       | Soil       |  |  |  |
| Units                |     | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor      |     | 1          | 1          |  |  |  |
| Analytes             | PQL | Results    | Results    |  |  |  |
| TPH GROs (C6 to C10) | 500 | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 195984 | 195988 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 110    | 114    |  |  |  |
| Dibromofluoromethane       | 70-120      | 104    | 99     |  |  |  |
| Toluene-d8                 | 70-120      | 106    | 102    |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060407-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 88          | 83              | 5.8      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 103         | 97              | 6.0      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 116         | 106             | 9.0      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 116         | 111             | 4.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 111         | 108             | 2.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 112         | 103             | 8.4      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060107-1B

| Our Lab I.D.                                |       | Method Blank | 195985     | 195986     | 195987     | 195989     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       |              | CS-2       | CS-3       | CS-4       | CS-6       |
| Date Sampled                                |       |              | 05/29/2007 | 05/29/2007 | 05/29/2007 | 05/29/2007 |
| Date Prepared                               |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Preparation Method                          |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                               |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Matrix                                      |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                                       |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                             |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results      | Results    | Results    | Results    | Results    |
| Acetone                                     | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Benzene                                     | 2.00  | ND           | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND           | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroethane                                | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| DIPE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 10

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060107-1B

| Our Lab I.D.  |       | Method Blank | 195985     | 195986     | 195987     | 195989     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       |              | CS-2       | CS-3       | CS-4       | CS-6       |
| Date Sampled  |       |              | 05/29/2007 | 05/29/2007 | 05/29/2007 | 05/29/2007 |
| Date Prepared                                       |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Preparation Method                                  |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                                       |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Matrix  |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units   |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                     |       | 1            | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results      | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| ETBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 2.0   | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 10.00 | ND           | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| MTBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Naphthalene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| TAME  | 5.0   | ND           | ND         | ND         | ND         | ND         |
| TBA   | 20.0  | ND           | ND         | ND         | ND         | ND         |
| Styrene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 2.0   | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 10.00 | ND           | ND         | ND         | ND         | ND         |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 11

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060107-1B


| Our Lab I.D.                  |       | Method Blank | 195985     | 195986     | 195987     | 195989     |
|-------------------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.            |       |              | CS-2       | CS-3       | CS-4       | CS-6       |
| Date Sampled                  |       |              | 05/29/2007 | 05/29/2007 | 05/29/2007 | 05/29/2007 |
| Date Prepared                 |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Preparation Method            |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                 |       | 06/01/2007   | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Matrix                        |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                         |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor               |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results      | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 30.00 | ND           | ND         | ND         | ND         | ND         |
| o-Xylene                      | 2.0   | ND           | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 4.00  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 195985 | 195986 | 195987 | 195989 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 109    | 116    | 114    | 120    | 112    |
| Dibromofluoromethane       | 70-120      | 100    | 114    | 116    | 116    | 112    |
| Toluene-d8                 | 70-120      | 108    | 111    | 108    | 109    | 112    |

### QUALITY CONTROL REPORT

#### QC Batch No: 060107-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 118         | 114             | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 90              | 6.5      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 102         | 108             | 5.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 110         | 108             | 1.8      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 108         | 103             | 4.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 99          | 90              | 9.5      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 12

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060407-1B

| Our Lab I.D.                                |       | 195984     | 195988     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                          |       | CS-1       | CS-5       |  |  |  |
| Date Sampled                                |       | 05/29/2007 | 05/29/2007 |  |  |  |
| Date Prepared                               |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Preparation Method                          |       | 5030B      | 5030B      |  |  |  |
| Date Analyzed                               |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Matrix                                      |       | Soil       | Soil       |  |  |  |
| Units                                       |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                             |       | 1          | 1          |  |  |  |
| Analytes                                    | PQL   | Results    | Results    |  |  |  |
| Acetone                                     | 50.0  | ND         | ND         |  |  |  |
| Benzene                                     | 2.00  | ND         | ND         |  |  |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         | ND         |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         | ND         |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         | ND         |  |  |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND         | ND         |  |  |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND         | ND         |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         | ND         |  |  |  |
| n-Butylbenzene                              | 10.00 | ND         | ND         |  |  |  |
| sec-Butylbenzene                            | 10.00 | ND         | ND         |  |  |  |
| tert-Butylbenzene                           | 10.00 | ND         | ND         |  |  |  |
| Carbon disulfide                            | 10.00 | ND         | ND         |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         | ND         |  |  |  |
| Chlorobenzene                               | 10.00 | ND         | ND         |  |  |  |
| Chloroethane                                | 30.00 | ND         | ND         |  |  |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         | ND         |  |  |  |
| Chloroform (Trichloromethane)               | 10.00 | ND         | ND         |  |  |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND         | ND         |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| DIPE  | 5.00  | ND         | ND         |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         | ND         |  |  |  |
| Dibromochloromethane                        | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         | ND         |  |  |  |
| Dibromomethane                              | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 13

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060407-1B

| Our Lab I.D.  |       | 195984     | 195988     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                                  |       | CS-1       | CS-5       |  |  |  |
| Date Sampled  |       | 05/29/2007 | 05/29/2007 |  |  |  |
| Date Prepared                                       |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Preparation Method                                  |       | 5030B      | 5030B      |  |  |  |
| Date Analyzed                                       |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Matrix  |       | Soil       | Soil       |  |  |  |
| Units   |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                                     |       | 1          | 1          |  |  |  |
| Analytes  | PQL   | Results    | Results    |  |  |  |
| Dichlorodifluoromethane                             | 30.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         | ND         |  |  |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND         | ND         |  |  |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 2,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloropropene                                 | 10.00 | ND         | ND         |  |  |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND         | ND         |  |  |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND         | ND         |  |  |  |
| ETBE  | 5.00  | ND         | ND         |  |  |  |
| Ethylbenzene  | 2.0   | ND         | 3          |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         | ND         |  |  |  |
| 2-Hexanone  | 50.00 | ND         | ND         |  |  |  |
| Isopropylbenzene                                    | 10.00 | ND         | ND         |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         | ND         |  |  |  |
| MTBE  | 5.00  | ND         | ND         |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         | ND         |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         | ND         |  |  |  |
| Naphthalene   | 10.00 | ND         | ND         |  |  |  |
| n-Propylbenzene                                     | 10.00 | ND         | ND         |  |  |  |
| TAME  | 5.0   | ND         | ND         |  |  |  |
| TBA   | 20.0  | ND         | ND         |  |  |  |
| Styrene   | 10.00 | ND         | ND         |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         | ND         |  |  |  |
| Toluene (Methyl benzene)                            | 2.0   | ND         | 9          |  |  |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| 1,1,2-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| Trichloroethene (TCE)                               | 10.00 | ND         | ND         |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 14

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34038          | 05/31/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060407-1B

| Our Lab I.D.                  |       | 195984     | 195988     |  |  |  |
|-------------------------------|-------|------------|------------|--|--|--|
| Client Sample I.D.            |       | CS-1       | CS-5       |  |  |  |
| Date Sampled                  |       | 05/29/2007 | 05/29/2007 |  |  |  |
| Date Prepared                 |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Preparation Method            |       | 5030B      | 5030B      |  |  |  |
| Date Analyzed                 |       | 06/04/2007 | 06/04/2007 |  |  |  |
| Matrix                        |       | Soil       | Soil       |  |  |  |
| Units                         |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor               |       | 1          | 1          |  |  |  |
| Analytes                      | PQL   | Results    | Results    |  |  |  |
| Trichlorofluoromethane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,3-Trichloropropane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| Vinyl acetate                 | 50.0  | ND         | ND         |  |  |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND         | ND         |  |  |  |
| o-Xylene                      | 2.0   | ND         | 4          |  |  |  |
| m- & p-Xylenes                | 4.00  | ND         | 10         |  |  |  |

| Our Lab I.D.               |             | 195984 | 195988 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 110    | 114    |  |  |  |
| Dibromofluoromethane       | 70-120      | 104    | 99     |  |  |  |
| Toluene-d8                 | 70-120      | 106    | 102    |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 060407-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 88          | 83              | 5.8      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 103         | 97              | 6.0      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 116         | 106             | 9.0      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 116         | 111             | 4.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 111         | 108             | 2.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 112         | 103             | 8.4      | 75-120            | 15                |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 4

**Date Received** 06/01/2007

**Date Reported** 06/08/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34080      | 06/01/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 4 samples analyzed as specified on attached chain of custody.


Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34080          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

QC Batch No: 060407-2

| Our Lab I.D.       |      | Method Blank | 196194       | 196195       | 196196       | 196197       |
|--------------------|------|--------------|--------------|--------------|--------------|--------------|
| Client Sample I.D. |      |              | SC-1, 0-0.5' | SC-2, 0-0.5' | BP-1, 0-0.5' | BP-2, 0-0.5' |
| Date Sampled       |      |              | 05/31/2007   | 05/31/2007   | 05/31/2007   | 05/31/2007   |
| Date Prepared      |      | 06/04/2007   | 06/04/2007   | 06/04/2007   | 06/04/2007   | 06/04/2007   |
| Preparation Method |      | 3050B        | 3050B        | 3050B        | 3050B        | 3050B        |
| Date Analyzed      |      | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   |
| Matrix             |      | Soil         | Soil         | Soil         | Soil         | Soil         |
| Units              |      | mg/Kg        | mg/Kg        | mg/Kg        | mg/Kg        | mg/Kg        |
| Dilution Factor    |      | 1            | 1            | 1            | 1            | 1            |
| Analytes           | PQL  | Results      | Results      | Results      | Results      | Results      |
| <b>AA Metals</b>   |      |              |              |              |              |              |
| Mercury            | 0.20 | ND           | ND           | ND           | ND           | ND           |
| <b>ICP Metals</b>  |      |              |              |              |              |              |
| Antimony           | 0.50 | ND           | ND           | ND           | ND           | ND           |
| Arsenic            | 0.25 | ND           | 40.8         | 42.4         | 50.8         | 36.1         |
| Barium             | 0.50 | ND           | 124          | 120          | 122          | 84.2         |
| Beryllium          | 0.50 | ND           | ND           | ND           | ND           | ND           |
| Cadmium            | 0.50 | ND           | 0.60         | 2.01         | 1.69         | 0.62         |
| Chromium           | 0.50 | ND           | 40.0         | 23.9         | 43.2         | 22.6         |
| Cobalt             | 0.50 | ND           | 9.14         | 9.64         | 11.9         | 7.42         |
| Copper             | 0.50 | ND           | 13.3         | 27.2         | 30.2         | 18.1         |
| Lead               | 0.25 | ND           | ND           | ND           | ND           | ND           |
| Molybdenum         | 0.50 | ND           | ND           | ND           | ND           | ND           |
| Nickel             | 0.50 | ND           | 61.5         | 55.0         | 74.4         | 52.0         |
| Selenium           | 0.50 | ND           | ND           | ND           | ND           | ND           |
| Silver             | 0.50 | ND           | 21.4         | 26.6         | 20.9         | 20.4         |
| Thallium           | 0.50 | ND           | ND           | ND           | ND           | ND           |
| Vanadium           | 0.50 | ND           | 99.7         | 99.4         | 99.3         | 104          |
| Zinc               | 0.50 | ND           | 37.1         | 34.8         | 103          | 41.3         |

### QUALITY CONTROL REPORT

QC Batch No: 060407-2

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 107          | 103              | 3.8              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 98           | 100              | 2.0              | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34080          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060407-2

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 106          | 102              | 3.8              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 101          | 104              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 101          | 104              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 98           | 103              | 5.0              | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 96           | 98               | 2.1              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 105          | 107              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Lead       | 112          | 108              | 3.6              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 107          | 104              | 2.8              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 106          | 108              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 100          | 103              | 3.0              | 80-120              | <20                |  |  |  |  |  |
| Silver     | 110          | 116              | 5.3              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 110          | 106              | 3.7              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 99           | 97               | 2.0              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 109          | 109              | <1               | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34080          | 06/01/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060707-1P**

| Our Lab I.D.          |     | Method Blank | 196194       | 196195       | 196196       | 196197       |
|-----------------------|-----|--------------|--------------|--------------|--------------|--------------|
| Client Sample I.D.    |     |              | SC-1, 0-0.5' | SC-2, 0-0.5' | BP-1, 0-0.5' | BP-2, 0-0.5' |
| Date Sampled          |     |              | 05/31/2007   | 05/31/2007   | 05/31/2007   | 05/31/2007   |
| Date Prepared         |     | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   |
| Preparation Method    |     | 3550B        | 3550B        | 3550B        | 3550B        | 3550B        |
| Date Analyzed         |     | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   | 06/07/2007   |
| Matrix                |     | Soil         | Soil         | Soil         | Soil         | Soil         |
| Units                 |     | mg/Kg        | mg/Kg        | mg/Kg        | mg/Kg        | mg/Kg        |
| Dilution Factor       |     | 1            | 1            | 1            | 1            | 1            |
| Analytes              | PQL | Results      | Results      | Results      | Results      | Results      |
| TPH DROs (C10 to C28) | 10  | ND           | ND           | ND           | 17           | ND           |
| TPH OROs (C28+)       | 50  | ND           | ND           | ND           | ND           | ND           |

| Our Lab I.D.               |             |        | 196194 | 196195 | 196196 | 196197 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 110    | 112    | 120    | 116    | 120    |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 105         | 107             | 1.9      | 75-120            | <20               |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 2

**Date Received** 06/01/2007

**Date Reported** 06/21/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34219      | 06/14/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA


Enclosed are the results of analyses on 1 sample analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

#### Site

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34219          | 06/01/2007 | EIS    |

Method: 6010B, STLC ARSENIC

QC Batch No: 061907-1

| Our Lab I.D.       |      | 197185         |  |  |  |  |
|--------------------|------|----------------|--|--|--|--|
| Client Sample I.D. |      | BP-1, 0.0-0.5' |  |  |  |  |
| Date Sampled       |      | 05/31/2007     |  |  |  |  |
| Date Prepared      |      | 06/19/2007     |  |  |  |  |
| Preparation Method |      |                |  |  |  |  |
| Date Analyzed      |      | 06/21/2007     |  |  |  |  |
| Matrix             |      | Soil           |  |  |  |  |
| Units              |      | mg/L           |  |  |  |  |
| Dilution Factor    |      | 1              |  |  |  |  |
| Analytes           | PQL  | Results        |  |  |  |  |
| ICP Metals         |      |                |  |  |  |  |
| Arsenic (soluble)  | 0.50 | ND             |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061907-1

| Analytes          | LCS<br>% REC | LCS/LCSD<br>% Limit |  |  |  |  |  |  |  |
|-------------------|--------------|---------------------|--|--|--|--|--|--|--|
| ICP Metals        |              |                     |  |  |  |  |  |  |  |
| Arsenic (soluble) | 101          | 80-120              |  |  |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 3

**Date Received** 05/31/2007

**Date Reported** 06/06/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34039      | 05/31/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA


Enclosed are the results of analyses on 8 samples analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1

COC# **Nº 40613** GLOBAL ID T0600102204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# 34039

|   |  |  |  |  |  |  |  |                        |  |   |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|------------------------|--|---|--|--|--|--|--|--|--|--|--|
| Company: <u>Environmental Investigation Services, Inc.</u>  |  |  |  |  |  | Report To: <u>EIS</u>                        |  | ANALYSIS REQUESTED     |  |   |  |  |  |  |  |  |  |  |  |
| Address: <u>170 Knowles Dr., Ste 212</u>                    |  |  |  |  |  | Project Name: <u>Call Mac Transportation</u> |  | Address: <u>EIS</u>    |  | <div style="writing-mode: vertical-rl; transform: rotate(180deg);">6010B-P4</div> |  |  |  |  |  |  |  |  |  |
| Los Gatos, CA 95032   |  |  |  |  |  | Site Address: <u>461 McGraw Ave.</u>         |  | Invoice To: <u>EIS</u> |  |   |  |  |  |  |  |  |  |  |  |
| Telephone: <del>408-871-1470</del> 408-871-1470             |  |  |  |  |  | Livermore, CA                                |  | Address: <u>EIS</u>    |  |   |  |  |  |  |  |  |  |  |  |
| Fax: <u>408-871-1520</u>                                    |  |  |  |  |  | Project ID: <u>717-2</u>                     |  |                        |  |   |  |  |  |  |  |  |  |  |  |
| Special Instruction: <u>Include COC in PDF report</u>       |  |  |  |  |  | Project Manager: <u>P. Littman</u>           |  | P.O.#: <u>717-2</u>    |  |   |  |  |  |  |  |  |  |  |  |
| E-mail: <u>jmorris@eisl.net</u><br><u>plittman@eisl.net</u> |  |  |  |  |  |  |  |                        |  |   |  |  |  |  |  |  |  |  |  |

| ITEM | LAB USE ONLY | SAMPLE DESCRIPTION |         |       |   |      | Container(s) |     | Matrix | Preservation |  |  |  |  |  |  |  |  | Remarks |
|------|--------------|--------------------|---------|-------|---|------|--------------|-----|--------|--------------|--|--|--|--|--|--|--|--|---------|
|      | Lab ID       | Sample ID          | Date    | Time  | # | Type |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195990       | LB-1, 0.0-0.5'     | 5/29/07 | 12:52 | 1 | SS   | Soil         | Ice | X      |              |  |  |  |  |  |  |  |  |         |
|      | 195991       | LB-2, 0.0-0.5'     |         | 13:10 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195992       | LB-3, 0.0-0.5'     |         | 13:31 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195993       | LB-4, 0.0-0.5'     |         | 13:55 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195994       | LB-5, 0.0-0.5'     |         | 14:11 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195995       | LB-6, 0.0-0.5'     |         | 14:25 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195996       | LB-7, 0.0-0.5'     |         | 15:29 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |
|      | 195997       | LB-8, 0.0-0.5'     |         | 16:02 |   |      |              |     |        |              |  |  |  |  |  |  |  |  |         |

|   |                      |                    |  |                      |                   |  |
|---|----------------------|--------------------|--|----------------------|-------------------|--|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>5/29/07</u> | Time: <u>19:28</u> | Relinquished By:                           | Date:                | Time:             | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>5/29/07</u> | Time: <u>19:28</u> | Received For Laboratory: <u>Jonet Chen</u> | Date: <u>5-31-07</u> | Time: <u>8:30</u> |  |
| Received By:                            | Date:                | Time:              | Condition of Sample:                       |                      |                   |  |

CHAIN OF CUSTODY RECORD



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34039          | 05/31/2007 | EIS    |

Method: 6010B, Lead (ICP)


QC Batch No: 060107-1

| Our Lab I.D.       |            | Method Blank   | 195990         | 195991         | 195992         | 195993         |
|--------------------|------------|----------------|----------------|----------------|----------------|----------------|
| Client Sample I.D. |            |                | LB-1, 0.0-0.5' | LB-2, 0.0-0.5' | LB-3, 0.0-0.5' | LB-4, 0.0-0.5' |
| Date Sampled       |            |                | 05/29/2007     | 05/29/2007     | 05/29/2007     | 05/29/2007     |
| Date Prepared      |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |
| Preparation Method |            | 3050B          | 3050B          | 3050B          | 3050B          | 3050B          |
| Date Analyzed      |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |
| Matrix             |            | Soil           | Soil           | Soil           | Soil           | Soil           |
| Units              |            | mg/Kg          | mg/Kg          | mg/Kg          | mg/Kg          | mg/Kg          |
| Dilution Factor    |            | 1              | 1              | 1              | 1              | 1              |
| <b>Analytes</b>    | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |
| <b>ICP Metals</b>  |            |                |                |                |                |                |
| Lead               | 0.25       | ND             | 18.8           | 41.1           | 13.1           | 17.9           |

### QUALITY CONTROL REPORT

QC Batch No: 060107-1

| Analytes          | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Lead              | 100          | 107              | 6.8              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34039          | 05/31/2007 | EIS    |

Method: 6010B, Lead (ICP)

QC Batch No: 060107-1

| Our Lab I.D.       |            | 195994         | 195995         | 195996         | 195997         |  |
|--------------------|------------|----------------|----------------|----------------|----------------|--|
| Client Sample I.D. |            | LB-5, 0.0-0.5' | LB-6, 0.0-0.5' | LB-7, 0.0-0.5' | LB-8, 0.0-0.5' |  |
| Date Sampled       |            | 05/29/2007     | 05/29/2007     | 05/29/2007     | 05/29/2007     |  |
| Date Prepared      |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |  |
| Preparation Method |            | 3050B          | 3050B          | 3050B          | 3050B          |  |
| Date Analyzed      |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |  |
| Matrix             |            | Soil           | Soil           | Soil           | Soil           |  |
| Units              |            | mg/Kg          | mg/Kg          | mg/Kg          | mg/Kg          |  |
| Dilution Factor    |            | 1              | 1              | 1              | 1              |  |
| <b>Analytes</b>    | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |  |
| <b>ICP Metals</b>  |            |                |                |                |                |  |
| Lead               | 0.25       | 4.84           | 14.3           | 3.81           | 3.87           |  |

### QUALITY CONTROL REPORT

QC Batch No: 060107-1

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Lead              | 100          | 107              | 6.8              | 80-120              | <20                |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 7

**Date Received** 06/05/2007

**Date Reported** 06/12/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34114      | 06/05/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 8 samples analyzed as specified on attached chain of custody.


Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





AMERICAN SCIENTIFIC LABORATORIES, LLC  
Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1

COC# **No 40611** GLOBAL ID T0600102204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# 34114

|   |  |  |  |  |  |                       |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|--|--|
| Company: <u>Environmental Investigation Services, Inc.</u>  |  |  |  |  |  | Report To: <u>EIS</u> |  | ANALYSIS REQUESTED   |  |  |  |  |  |  |  |  |  |
| Address: <u>170 Knowles Dr., Ste. 212</u>                   |  |  |  | Project Name: <u>Call Mac Transportation</u> |  | Address:              |  | <div style="writing-mode: vertical-rl; transform: rotate(180deg);"> 8015M: TPH-d-o<br/>6010B: Title 22 metals </div> |  |  |  |  |  |  |  |  |  |
| Los Gatos, CA 95032   |  |  |  | Site Address: <u>461 McGraw Ave.</u>         |  | Invoice To:           |  |  |  |  |  |  |  |  |  |  |  |
| Telephone: <u>408-871-1470</u>                              |  |  |  | Livermore, CA                                |  | Address:              |  |  |  |  |  |  |  |  |  |  |  |
| Fax: <u>408-871-1520</u>                                    |  |  |  | Project ID: <u>717-2</u>                     |  | P.O.#: <u>717-2</u>   |  |  |  |  |  |  |  |  |  |  |  |
| Special Instruction: <u>Include COC in pdf report</u>       |  |  |  | Project Manager: <u>P. Littman</u>           |  |                       |  |  |  |  |  |  |  |  |  |  |  |
| E-mail: <u>jmorris@eis1.net</u><br><u>plittman@eis1.net</u> |  |  |  |  |  |                       |  |  |  |  |  |  |  |  |  |  |  |


  

| ITEM | LAB USE ONLY |                | SAMPLE DESCRIPTION |      |   |      | Container(s) |     | Matrix | Preservation | Remarks |
|------|--------------|----------------|--------------------|------|---|------|--------------|-----|--------|--------------|---------|
|      | Lab ID       | Sample ID      | Date               | Time | # | Type |              |     |        |              |         |
|      | 196380       | LD-1, 0.0-0.5' | 6/4/07             | 9:00 | 1 | SS   | soil         | Ice | XX     |              |         |
|      | 196381       | LD-2, 0.0-0.5' |                    | 9:15 |   |      |              |     |        |              |         |
|      | 196382       | LD-3, 0.0-0.5' |                    | 8:48 |   |      |              |     |        |              |         |
|      | 196383       | LD-4, 0.0-0.5' |                    | 9:25 |   |      |              |     |        |              |         |
|      | 196384       | LD-5, 2.0-2.5' |                    | 9:05 |   |      |              |     |        |              |         |
|      | 196385       | LD-6, 2.0-2.5' |                    | 9:20 |   |      |              |     |        |              |         |
|      | 196386       | LD-7, 2.0-2.5' |                    | 4:53 |   |      |              |     |        |              |         |
|      | 196387       | LD-8, 2.0-2.5' |                    | 9:31 |   |      |              |     |        |              |         |
|      |              |                |                    |      |   |      |              |     |        |              |         |
|      |              |                |                    |      |   |      |              |     |        |              |         |

|   |                     |                    |  |                     |                   |  |
|---|---------------------|--------------------|--|---------------------|-------------------|--|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>6/4/07</u> | Time: <u>13:50</u> | Relinquished By:                           | Date:               | Time:             | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>6/4/07</u> | Time: <u>13:51</u> | Received For Laboratory: <u>Janet Chin</u> | Date: <u>6-5-07</u> | Time: <u>8:30</u> |  |
| Received By:                            | Date:               | Time:              | Condition of Sample:                       |                     |                   |  |

CHAIN OF CUSTODY RECORD



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 060807-1

| Our Lab I.D.       |      | Method Blank | 196380        | 196381        | 196382        | 196383        |
|--------------------|------|--------------|---------------|---------------|---------------|---------------|
| Client Sample I.D. |      |              | LD-1,0.0-0.5' | LD-2,0.0-0.5' | LD-3,0.0-0.5' | LD-4,0.0-0.5' |
| Date Sampled       |      |              | 06/04/2007    | 06/04/2007    | 06/04/2007    | 06/04/2007    |
| Date Prepared      |      | 06/07/2007   | 06/07/2007    | 06/07/2007    | 06/07/2007    | 06/07/2007    |
| Preparation Method |      | 3050B        | 3050B         | 3050B         | 3050B         | 3050B         |
| Date Analyzed      |      | 06/08/2007   | 06/08/2007    | 06/08/2007    | 06/08/2007    | 06/08/2007    |
| Matrix             |      | Soil         | Soil          | Soil          | Soil          | Soil          |
| Units              |      | mg/Kg        | mg/Kg         | mg/Kg         | mg/Kg         | mg/Kg         |
| Dilution Factor    |      | 1            | 1             | 1             | 1             | 1             |
| Analytes           | PQL  | Results      | Results       | Results       | Results       | Results       |
| <b>AA Metals</b>   |      |              |               |               |               |               |
| Mercury            | 0.20 | ND           | ND            | ND            | ND            | ND            |
| <b>ICP Metals</b>  |      |              |               |               |               |               |
| Antimony           | 0.50 | ND           | 0.79          | 0.78          | 1.15          | 1.18          |
| Arsenic            | 0.25 | ND           | 9.40          | 8.10          | 7.02          | 5.19          |
| Barium             | 0.50 | ND           | 226           | 228           | 220           | 568           |
| Beryllium          | 0.50 | ND           | 0.70          | ND            | 0.53          | ND            |
| Cadmium            | 0.50 | ND           | 2.85          | 4.22          | 0.62          | ND            |
| Chromium           | 0.50 | ND           | 33.3          | 31.8          | 29.3          | 31.3          |
| Cobalt             | 0.50 | ND           | 11.0          | 10.1          | 13.6          | 8.59          |
| Copper             | 0.50 | ND           | 35.0          | 41.5          | 24.5          | 22.4          |
| Lead               | 0.25 | ND           | 27.3          | 93.1          | 9.71          | 4.12          |
| Molybdenum         | 0.50 | ND           | ND            | 0.74          | ND            | ND            |
| Nickel             | 0.50 | ND           | 45.0          | 44.5          | 43.4          | 34.4          |
| Selenium           | 0.50 | ND           | ND            | ND            | ND            | ND            |
| Silver             | 0.50 | ND           | ND            | ND            | ND            | ND            |
| Thallium           | 0.50 | ND           | ND            | ND            | ND            | ND            |
| Vanadium           | 0.50 | ND           | 42.1          | 34.5          | 39.2          | 35.7          |
| Zinc               | 0.50 | ND           | 80.8          | 167           | 40.0          | 37.1          |

### QUALITY CONTROL REPORT

QC Batch No: 060807-1

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 100          | 104              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 97           | 93               | 4.2              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060807-1

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 99           | 96               | 3.1              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 103          | 94               | 9.1              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 101          | 96               | 5.1              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 98           | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 96           | 92               | 4.3              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 104          | 101              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 101          | 97               | 4.0              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 103          | 100              | 3.0              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 102          | 95               | 7.1              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 106          | 100              | 5.8              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 99           | 99               | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver     | 92           | 88               | 4.4              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 104          | 96               | 8.0              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 97           | 99               | 2.0              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 103          | 101              | 2.0              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 060807-1

| Our Lab I.D.       |      | 196384        | 196385        | 196386        | 196387        |  |
|--------------------|------|---------------|---------------|---------------|---------------|--|
| Client Sample I.D. |      | LD-5,2.0-2.5' | LD-6,2.0-2.5' | LD-7,2.0-2.5' | LD-8,2.0-2.5' |  |
| Date Sampled       |      | 06/04/2007    | 06/04/2007    | 06/04/2007    | 06/04/2007    |  |
| Date Prepared      |      | 06/07/2007    | 06/07/2007    | 06/07/2007    | 06/07/2007    |  |
| Preparation Method |      | 3050B         | 3050B         | 3050B         | 3050B         |  |
| Date Analyzed      |      | 06/08/2007    | 06/08/2007    | 06/08/2007    | 06/08/2007    |  |
| Matrix             |      | Soil          | Soil          | Soil          | Soil          |  |
| Units              |      | mg/Kg         | mg/Kg         | mg/Kg         | mg/Kg         |  |
| Dilution Factor    |      | 1             | 1             | 1             | 1             |  |
| Analytes           | PQL  | Results       | Results       | Results       | Results       |  |
| <b>AA Metals</b>   |      |               |               |               |               |  |
| Mercury            | 0.20 | ND            | ND            | 0.33          | ND            |  |
| <b>ICP Metals</b>  |      |               |               |               |               |  |
| Antimony           | 0.50 | 1.16          | 0.95          | 1.08          | 0.95          |  |
| Arsenic            | 0.25 | 7.43          | 4.51          | 4.17          | 4.53          |  |
| Barium             | 0.50 | 226           | 236           | 146           | 259           |  |
| Beryllium          | 0.50 | 0.63          | ND            | ND            | ND            |  |
| Cadmium            | 0.50 | ND            | ND            | ND            | ND            |  |
| Chromium           | 0.50 | 31.2          | 24.4          | 23.1          | 22.3          |  |
| Cobalt             | 0.50 | 10.8          | 10.7          | 9.4           | 8.2           |  |
| Copper             | 0.50 | 24.0          | 17.8          | 18.8          | 18.3          |  |
| Lead               | 0.25 | 12.0          | 5.8           | 8.49          | 11.6          |  |
| Molybdenum         | 0.50 | ND            | ND            | ND            | ND            |  |
| Nickel             | 0.50 | 37.7          | 36.2          | 35.9          | 33.7          |  |
| Selenium           | 0.50 | 0.64          | ND            | 0.70          | 0.73          |  |
| Silver             | 0.50 | ND            | ND            | ND            | ND            |  |
| Thallium           | 0.50 | ND            | ND            | ND            | ND            |  |
| Vanadium           | 0.50 | 39.8          | 32.0          | 27.4          | 32.7          |  |
| Zinc               | 0.50 | 36.1          | 33.2          | 39            | 33.4          |  |

### QUALITY CONTROL REPORT

QC Batch No: 060807-1

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 100          | 104              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 97           | 93               | 4.2              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060807-1

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 99           | 96               | 3.1              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 103          | 94               | 9.1              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 101          | 96               | 5.1              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 98           | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 96           | 92               | 4.3              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 104          | 101              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 101          | 97               | 4.0              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 103          | 100              | 3.0              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 102          | 95               | 7.1              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 106          | 100              | 5.8              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 99           | 99               | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver     | 92           | 88               | 4.4              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 104          | 96               | 8.0              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 97           | 99               | 2.0              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 103          | 101              | 2.0              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 6

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060807-1D**


| Our Lab I.D.          |     | Method Blank | 196382        | 196386        | 196387        |  |
|-----------------------|-----|--------------|---------------|---------------|---------------|--|
| Client Sample I.D.    |     |              | LD-3,0.0-0.5' | LD-7,2.0-2.5' | LD-8,2.0-2.5' |  |
| Date Sampled          |     |              | 06/04/2007    | 06/04/2007    | 06/04/2007    |  |
| Date Prepared         |     | 06/08/2007   | 06/08/2007    | 06/08/2007    | 06/08/2007    |  |
| Preparation Method    |     | 3550B        | 3550B         | 3550B         | 3550B         |  |
| Date Analyzed         |     | 06/08/2007   | 06/08/2007    | 06/08/2007    | 06/08/2007    |  |
| Matrix                |     | Soil         | Soil          | Soil          | Soil          |  |
| Units                 |     | mg/Kg        | mg/Kg         | mg/Kg         | mg/Kg         |  |
| Dilution Factor       |     | 1            | 1             | 1             | 1             |  |
| Analytes              | PQL | Results      | Results       | Results       | Results       |  |
| TPH DROs (C10 to C28) | 10  | ND           | ND            | ND            | ND            |  |
| TPH OROs (C28+)       | 50  | ND           | ND            | ND            | ND            |  |

| Our Lab I.D.               |             |        | 196382 | 196386 | 196387 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Chlorobenzene              | 70-120      | 105    | 108    | 82     | 120    |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-1D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 102         | 101             | <1       | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34114          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060807-2D**

| Our Lab I.D.          |     | 196380        | 196381        | 196383        | 196384        | 196385        |
|-----------------------|-----|---------------|---------------|---------------|---------------|---------------|
| Client Sample I.D.    |     | LD-1,0.0-0.5' | LD-2,0.0-0.5' | LD-4,0.0-0.5' | LD-5,2.0-2.5' | LD-6,2.0-2.5' |
| Date Sampled          |     | 06/04/2007    | 06/04/2007    | 06/04/2007    | 06/04/2007    | 06/04/2007    |
| Date Prepared         |     | 06/08/2007    | 06/08/2007    | 06/08/2007    | 06/08/2007    | 06/08/2007    |
| Preparation Method    |     | 3550B         | 3550B         | 3550B         | 3550B         | 3550B         |
| Date Analyzed         |     | 06/09/2007    | 06/09/2007    | 06/09/2007    | 06/09/2007    | 06/09/2007    |
| Matrix                |     | Soil          | Soil          | Soil          | Soil          | Soil          |
| Units                 |     | mg/Kg         | mg/Kg         | mg/Kg         | mg/Kg         | mg/Kg         |
| Dilution Factor       |     | 1             | 1             | 1             | 1             | 1             |
| Analytes              | PQL | Results       | Results       | Results       | Results       | Results       |
| TPH DROs (C10 to C28) | 10  | ND            | 28            | 13            | ND            | ND            |
| TPH OROs (C28+)       | 50  | ND            | ND            | ND            | ND            | ND            |

| Our Lab I.D.               |             | 196380 | 196381 | 196383 | 196384 | 196385 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 114    | 116    | 76     | 120    | 95     |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-2D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 101         | 101             | <1       | 75-120            | <20               |  |  |  |  |  |

**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

|  |  |                          |
|--|--|--------------------------|
| Environmental Investigation Servi<br><br>170 Knowles Drive, Suite 212<br><br>Los Gatos, CA 95032 | Client Project ID: #717-2; Golden State<br>Metals/ Call Mac Transportati | Date Sampled: 05/30/07   |
|  |  | Date Received: 05/30/07  |
|  | Client Contact: Jennifer Morris  | Date Reported: 06/01/07  |
|  | Client P.O.:   | Date Completed: 06/01/07 |

**WorkOrder: 0705743**

June 01, 2007

Dear Jennifer:

Enclosed are:

- 1). the results of **7** analyzed samples from your **#717-2; Golden State Metals/ Call Mac Transportati project,**
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions please contact me. McC Campbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Best regards,

Angela Rydelius, Lab Manager





# McC Campbell Analytical, Inc.



1534 Willow Pass Rd  
Pittsburg, CA 94565-1701  
(925) 252-9262

## CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WorkOrder: 0705743

ClientID: EISI

☒ EDF

☐ Excel

☐ Fax

☐ Email

☐ HardCopy

☐ ThirdParty

Report to:

Jennifer Morris  
Environmental Investigation Services,  
170 Knowles Drive, Suite 212  
Los Gatos, CA 95032

Email: jmorris@eis1.net  
TEL: (408) 871-147 FAX: (408) 871-152  
ProjectNo: #717-2; Golden State Metals/ Call Mac  
PO:

Bill to

Peter Littman  
Environmental Investigation Services  
170 Knowles Drive, Suite 212  
Los Gatos, CA 95032

Requested TAT: 2 days

Date Received 05/30/2007

Date Printed: 06/01/2007

| Sample ID   | ClientSampleID | Matrix | Collection Date   | Hold                     | Requested Tests (See legend below) |   |   |   |   |   |   |   |   |    |    |    |
|-------------|----------------|--------|-------------------|--------------------------|------------------------------------|---|---|---|---|---|---|---|---|----|----|----|
|             |                |        |                   |                          | 1                                  | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 0705743-001 | DO-1,5.0'      | Soil   | 5/30/2007         | <input type="checkbox"/> |                                    | A | A |   |   |   |   |   |   |    |    |    |
| 0705743-002 | DO-2,5.0'      | Soil   | 5/30/2007         | <input type="checkbox"/> |                                    |   | A |   |   |   |   |   |   |    |    |    |
| 0705743-003 | DO-3,6.5'      | Soil   | 5/30/2007 2:34:00 | <input type="checkbox"/> | A                                  |   | A |   |   |   |   |   |   |    |    |    |
| 0705743-004 | DO-4,2.0'      | Soil   | 5/30/2007 2:09:00 | <input type="checkbox"/> |                                    |   | A |   |   |   |   |   |   |    |    |    |
| 0705743-005 | DO-5,4.0'      | Soil   | 5/30/2007         | <input type="checkbox"/> |                                    |   | A |   |   |   |   |   |   |    |    |    |
| 0705743-006 | DO-6,4.0'      | Soil   | 5/30/2007 2:14:00 | <input type="checkbox"/> |                                    |   | A |   |   |   |   |   |   |    |    |    |
| 0705743-007 | DO-7,2.5'      | Soil   | 5/30/2007 2:23:00 | <input type="checkbox"/> |                                    |   | A |   |   |   |   |   |   |    |    |    |

Test Legend:

|    |          |    |              |   |            |   |  |    |  |
|----|----------|----|--------------|---|------------|---|--|----|--|
| 1  | G-MBTX S | 2  | PREDF REPORT | 3 | TPH(DMO) S | 4 |  | 5  |  |
| 6  |          | 7  |              | 8 |            | 9 |  | 10 |  |
| 11 |          | 12 |              |   |            |   |  |    |  |

Prepared by: Sheli Cryderman

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

## Sample Receipt Checklist

Client Name: **Environmental Investigation Services, Inc.** Date and Time Received: **5/30/2007 5:00:01 PM**  
Project Name: **#717-2; Golden State Metals/ Call Mac Transportati** Checklist completed and reviewed by: **SC**  
WorkOrder N°: **0705743** Matrix Soil Carrier: Courier

### Chain of Custody (COC) Information

|   |   |                             |
|---|---|-----------------------------|
| Chain of custody present?                               | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody agrees with sample labels?             | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sample IDs noted by Client on COC?                      | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Date and Time of collection noted by Client on COC?     | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sampler's name noted on COC?                            | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |

### Sample Receipt Information

|  |   |                             |  |
|--|---|-----------------------------|--|
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Shipping container/cooler in good condition?       | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |
| Samples in proper containers/bottles?              | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |
| Sample containers intact?                          | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |
| Sufficient sample volume for indicated test?       | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |

### Sample Preservation and Hold Time (HT) Information

|   |   |                             |  |
|---|---|-----------------------------|--|
| All samples received within holding time?           | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |
| Container/Temp Blank temperature                    | Cooler Temp: 17.2°C                     |                             | NA <input type="checkbox"/>                                |
| Water - VOA vials have zero headspace / no bubbles? | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | No VOA vials submitted <input checked="" type="checkbox"/> |
| Sample labels checked for correct preservation?     | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |  |
| TTLC Metal - pH acceptable upon receipt (pH<2)?     | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/>                     |

Client contacted:

Date contacted:

Contacted by:

Comments:

|   |  |                          |
|---|--|--------------------------|
| Environmental Investigation Services, Inc.<br>170 Knowles Drive, Suite 212<br>Los Gatos, CA 95032 | Client Project ID: #717-2; Golden State Metals/<br>Call Mac Transportati | Date Sampled: 05/30/07   |
|   |  | Date Received: 05/30/07  |
|   | Client Contact: Jennifer Morris  | Date Extracted: 05/30/07 |
|   | Client P.O.:   | Date Analyzed 05/31/07   |

**Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\***

Extraction method SW5030B

Analytical methods SW8021B/8015Cm

Work Order: 0705743

[illegible]

|  |   |     |      |       |       |       |       |   |       |
|--|---|-----|------|-------|-------|-------|-------|---|-------|
| Reporting Limit for DF =1;<br>ND means not detected at or<br>above the reporting limit | W | NA  | NA   | NA    | NA    | NA    | NA    | 1 | ug/L  |
|  | S | 1.0 | 0.05 | 0.005 | 0.005 | 0.005 | 0.005 | 1 | mg/Kg |

\* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) value derived using a client specified carbon range; o) results are reported on a dry weight basis; p) see attached narrative.



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

|   |  |                                 |
|---|--|---------------------------------|
| Environmental Investigation Services, Inc.<br>170 Knowles Drive, Suite 212<br>Los Gatos, CA 95032 | Client Project ID: #717-2; Golden State<br>Metals/ Call Mac Transportati | Date Sampled: 05/30/07          |
|   |  | Date Received: 05/30/07         |
|   | Client Contact: Jennifer Morris  | Date Extracted: 05/30/07        |
|   | Client P.O.:   | Date Analyzed 05/30/07-05/31/07 |

## Diesel (C10-23) and Oil (C18+) Range Extractable Hydrocarbons as Diesel and Motor Oil\*

Extraction method: SW3550C

Analytical methods: SW8015C

Work Order: 0705743

| Lab ID       | Client ID | Matrix | TPH(d)  | TPH(mo) | DF | % SS |
|--------------|-----------|--------|---------|---------|----|------|
| 0705743-001A | DO-1,5.0' | S      | ND      | ND      | 1  | 118  |
| 0705743-002A | DO-2,5.0' | S      | ND      | ND      | 1  | 118  |
| 0705743-003A | DO-3,6.5' | S      | 1400,a  | 500     | 20 | 102  |
| 0705743-004A | DO-4,2.0' | S      | 25,c    | 22      | 1  | 115  |
| 0705743-005A | DO-5,4.0' | S      | 1.6,b   | ND      | 1  | 98   |
| 0705743-006A | DO-6,4.0' | S      | 3.4,g,b | 6.5     | 1  | 118  |
| 0705743-007A | DO-7,2.5' | S      | ND      | ND      | 1  | 117  |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |
|              |           |        |         |         |    |      |

|  |   |     |     |       |
|--|---|-----|-----|-------|
| Reporting Limit for DF =1;<br>ND means not detected at or<br>above the reporting limit | W | NA  | NA  | ug/L  |
|  | S | 1.0 | 5.0 | mg/Kg |

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel (asphalt?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit; o) mineral oil; p) see attached narrative.

**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mccampbell.com E-mail: main@mccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269**QC SUMMARY REPORT FOR SW8021B/8015Cm**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0705743

| EPA Method: SW8021B/8015Cm   |        |        | Extraction: SW5030B |        |        | BatchID: 28388 |        |          | Spiked Sample ID: 0705738-003A |     |          |     |
|--|--------|--------|---------------------|--------|--------|----------------|--------|----------|--------------------------------|-----|----------|-----|
| Analyte  | Sample | Spiked | MS                  | MSD    | MS-MSD | LCS            | LCSD   | LCS-LCSD | Acceptance Criteria (%)        |     |          |     |
|  | mg/Kg  | mg/Kg  | % Rec.              | % Rec. | % RPD  | % Rec.         | % Rec. | % RPD    | MS / MSD                       | RPD | LCS/LCSD | RPD |
| TPH(btex) <sup>£</sup>   | ND     | 0.60   | 100                 | 94     | 6.56   | 97             | 104    | 6.93     | 70 - 130                       | 30  | 70 - 130 | 30  |
| MTBE   | ND     | 0.10   | 88.4                | 87.9   | 0.581  | 91.9           | 94.1   | 2.37     | 70 - 130                       | 30  | 70 - 130 | 30  |
| Benzene  | ND     | 0.10   | 95.6                | 92.7   | 3.08   | 100            | 98.1   | 2.17     | 70 - 130                       | 30  | 70 - 130 | 30  |
| Toluene  | ND     | 0.10   | 83.1                | 78.9   | 4.94   | 89.3           | 88.1   | 1.25     | 70 - 130                       | 30  | 70 - 130 | 30  |
| Ethylbenzene   | ND     | 0.10   | 102                 | 95.1   | 7.34   | 102            | 103    | 1.34     | 70 - 130                       | 30  | 70 - 130 | 30  |
| Xylenes  | ND     | 0.30   | 107                 | 92.7   | 14.0   | 100            | 107    | 6.45     | 70 - 130                       | 30  | 70 - 130 | 30  |
| %SS:   | 89     | 0.10   | 111                 | 95     | 15.9   | 98             | 100    | 2.28     | 70 - 130                       | 30  | 70 - 130 | 30  |
| All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:<br>NONE |        |        |                     |        |        |                |        |          |                                |     |          |     |

**BATCH 28388 SUMMARY**

| Sample ID    | Date Sampled     | Date Extracted | Date Analyzed    | Sample ID | Date Sampled | Date Extracted | Date Analyzed |
|--------------|------------------|----------------|------------------|-----------|--------------|----------------|---------------|
| 0705743-003A | 05/30/07 2:34 PM | 05/30/07       | 05/31/07 1:02 AM |           |              |                |               |

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery =  $100 * (MS - Sample) / (Amount Spiked)$ ;  $RPD = 100 * (MS - MSD) / ((MS + MSD) / 2)$ .

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269**QC SUMMARY REPORT FOR SW8015C**

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0705743

| EPA Method: SW8015C  |        | Extraction: SW3550C |         |        | BatchID: 28325 |        |        | Spiked Sample ID: 0705651-001A |                         |     |          |     |
|--|--------|---------------------|---------|--------|----------------|--------|--------|--------------------------------|-------------------------|-----|----------|-----|
| Analyte  | Sample | Spiked              | MS      | MSD    | MS-MSD         | LCS    | LCSD   | LCS-LCSD                       | Acceptance Criteria (%) |     |          |     |
|  | mg/Kg  | mg/Kg               | % Rec.  | % Rec. | % RPD          | % Rec. | % Rec. | % RPD                          | MS / MSD                | RPD | LCS/LCSD | RPD |
| TPH(d)   | 46     | 20                  | 131, F1 | 126    | 1.24           | 111    | 109    | 1.94                           | 70 - 130                | 30  | 70 - 130 | 30  |
| %SS:   | 99     | 50                  | 101     | 100    | 1.04           | 98     | 108    | 10.1                           | 70 - 130                | 30  | 70 - 130 | 30  |
| All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:<br>NONE |        |                     |         |        |                |        |        |                                |                         |     |          |     |
| F1 = MS / MSD exceed acceptance criteria. LCS - LCSD validate prep batch.  |        |                     |         |        |                |        |        |                                |                         |     |          |     |

**BATCH 28325 SUMMARY**

| Sample ID    | Date Sampled      | Date Extracted | Date Analyzed    | Sample ID    | Date Sampled      | Date Extracted | Date Analyzed    |
|--------------|-------------------|----------------|------------------|--------------|-------------------|----------------|------------------|
| 0705743-001A | 05/30/07 12:53 PM | 05/30/07       | 05/31/07 3:15 AM | 0705743-002A | 05/30/07 12:55 PM | 05/30/07       | 05/31/07 4:23 AM |
| 0705743-003A | 05/30/07 2:34 PM  | 05/30/07       | 05/31/07 5:09 PM |              |                   |                |                  |

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

 $\% \text{ Recovery} = 100 * (\text{MS} - \text{Sample}) / (\text{Amount Spiked}); \text{RPD} = 100 * (\text{MS} - \text{MSD}) / ((\text{MS} + \text{MSD}) / 2).$ 

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

## QC SUMMARY REPORT FOR SW8015C

W.O. Sample Matrix: Soil

QC Matrix: Soil

WorkOrder: 0705743

| EPA Method: SW8015C  |        | Extraction: SW3550C |        |        | BatchID: 28394 |        |        | Spiked Sample ID: 0705743-004A |                         |     |          |     |
|--|--------|---------------------|--------|--------|----------------|--------|--------|--------------------------------|-------------------------|-----|----------|-----|
| Analyte  | Sample | Spiked              | MS     | MSD    | MS-MSD         | LCS    | LCSD   | LCS-LCSD                       | Acceptance Criteria (%) |     |          |     |
|  | mg/Kg  | mg/Kg               | % Rec. | % Rec. | % RPD          | % Rec. | % Rec. | % RPD                          | MS / MSD                | RPD | LCS/LCSD | RPD |
| TPH(d)   | 25     | 20                  | NR     | NR     | NR             | 121    | 124    | 2.17                           | 70 - 130                | 30  | 70 - 130 | 30  |
| %SS:   | 115    | 50                  | 117    | 118    | 1.20           | 117    | 119    | 1.82                           | 70 - 130                | 30  | 70 - 130 | 30  |
| All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:<br>NONE |        |                     |        |        |                |        |        |                                |                         |     |          |     |

### BATCH 28394 SUMMARY

| Sample ID    | Date Sampled     | Date Extracted | Date Analyzed     | Sample ID    | Date Sampled      | Date Extracted | Date Analyzed     |
|--------------|------------------|----------------|-------------------|--------------|-------------------|----------------|-------------------|
| 0705743-004A | 05/30/07 2:09 PM | 05/30/07       | 05/30/07 8:26 PM  | 0705743-005A | 05/30/07 11:25 AM | 05/30/07       | 05/31/07 6:18 PM  |
| 0705743-006A | 05/30/07 2:14 PM | 05/30/07       | 05/31/07 10:05 AM | 0705743-007A | 05/30/07 2:23 PM  | 05/30/07       | 05/31/07 11:14 AM |

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery =  $100 * (MS - Sample) / (Amount Spiked)$ ; RPD =  $100 * (MS - MSD) / ((MS + MSD) / 2)$ .

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.





**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 9

**Date Received** 06/08/2007

**Date Reported** 06/15/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34168      | 06/08/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA


Enclosed are the results of analyses on 6 samples analyzed as specified on attached chain of custody.

Wendy Lu  
Organics Supervisor

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1

COC# **No 40039** GLOBAL ID T0600102204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# 34168

|   |  |  |  |                        |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Company: <u>Environmental Investigation Services, Inc.</u>  |  | Report To: <u>EIS</u>                        |  | ANALYSIS REQUESTED     |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Address: <u>170 Knowles Dr., Suite 212</u>                  |  | Project Name: <u>Call Mac Transportation</u> |  | Address: <u>EIS</u>    |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <u>Los Gatos, CA 95032</u>                                  |  | Site Address: <u>461 McGraw Ave.</u>         |  | Invoice To: <u>EIS</u> |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Telephone: <u>408-871-2914</u><br>Fax: <u>408-871-1520</u>  |  | <u>Livermore, CA</u>                         |  | Address: <u>EIS</u>    |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Special Instruction: <u>Include CDC in pdf report</u>       |  | Project ID: <u>717-2</u>                     |  |                        |  |  |  |  |  |  |  |  |  |  |  |  |  |
| E-mail: <u>jmaris@eis1.net</u><br><u>p.littman@eis1.net</u> |  | Project Manager: <u>P. Littman</u>           |  | P.O.#: <u>717-2</u>    |  |  |  |  |  |  |  |  |  |  |  |  |  |


  

| I<br>T<br>E<br>M | LAB USE ONLY | SAMPLE DESCRIPTION |        |       |   |      | Container(s) |      | Matrix | Preservation |  |  |  |  |  |  |  |  | Remarks |
|------------------|--------------|--------------------|--------|-------|---|------|--------------|------|--------|--------------|--|--|--|--|--|--|--|--|---------|
|                  | Lab ID       | Sample ID          | Date   | Time  | # | Type |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  | 196804       | D03-2,6'           | 6/6/07 | 18:12 | 1 | SS   |              | Sail | Ice    | XX           |  |  |  |  |  |  |  |  |         |
|                  | 196805       | D03-3,7'           |        | 11:52 |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  | 196806       | D03-4,6'           |        | 18:16 |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  | 196807       | D03-5,6'           |        | 12:42 |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  | 196808       | D03-6,7'           |        | 18:07 |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  | 196809       | D03-7,11'          |        | 11:46 |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |
|                  |              |                    |        |       |   |      |              |      |        |              |  |  |  |  |  |  |  |  |         |

|   |                     |                    |  |                     |                   |  |
|---|---------------------|--------------------|--|---------------------|-------------------|--|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>6/6/07</u> | Time: <u>18:32</u> | Relinquished By:                           | Date:               | Time:             | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>6/6/07</u> | Time: <u>18:32</u> | Received For Laboratory: <u>Janet Chun</u> | Date: <u>6.8.07</u> | Time: <u>8:30</u> |  |
| Received By:                            | Date:               | Time:              | Condition of Sample:                       |                     |                   |  |

C  
H  
A  
I  
N  
O  
F  
C  
U  
S  
T  
O  
D  
Y  
R  
E  
C  
O  
R  
D



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061407-2D**


| Our Lab I.D.          |     | Method Blank | 196804     | 196805     | 196806     |  |
|-----------------------|-----|--------------|------------|------------|------------|--|
| Client Sample I.D.    |     |              | DO3-2,6'   | DO3-3,7'   | DO3-4,6'   |  |
| Date Sampled          |     |              | 06/06/2007 | 06/06/2007 | 06/06/2007 |  |
| Date Prepared         |     | 06/14/2007   | 06/14/2007 | 06/14/2007 | 06/14/2007 |  |
| Preparation Method    |     | 3550B        | 3550B      | 3550B      | 3550B      |  |
| Date Analyzed         |     | 06/15/2007   | 06/15/2007 | 06/15/2007 | 06/15/2007 |  |
| Matrix                |     | Soil         | Soil       | Soil       | Soil       |  |
| Units                 |     | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      |  |
| Dilution Factor       |     | 1            | 1          | 1          | 1          |  |
| Analytes              | PQL | Results      | Results    | Results    | Results    |  |
| TPH DROs (C10 to C28) | 10  | ND           | ND         | ND         | ND         |  |
| TPH OROs (C28+)       | 50  | ND           | ND         | ND         | ND         |  |

| Our Lab I.D.               |             |        | 196804 | 196805 | 196806 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Chlorobenzene              | 70-120      | 110    | 106    | 106    | 106    |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061407-2D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 96          | 98              | 2.1      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061407-2P**


| Our Lab I.D.          |     | 196807     | 196808     | 196809     |  |  |
|-----------------------|-----|------------|------------|------------|--|--|
| Client Sample I.D.    |     | DO3-5,6'   | DO3-6,7'   | DO3-7,11'  |  |  |
| Date Sampled          |     | 06/06/2007 | 06/06/2007 | 06/06/2007 |  |  |
| Date Prepared         |     | 06/14/2007 | 06/14/2007 | 06/14/2007 |  |  |
| Preparation Method    |     | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed         |     | 06/14/2007 | 06/14/2007 | 06/14/2007 |  |  |
| Matrix                |     | Soil       | Soil       | Soil       |  |  |
| Units                 |     | mg/Kg      | mg/Kg      | mg/Kg      |  |  |
| Dilution Factor       |     | 1          | 1          | 1          |  |  |
| Analytes              | PQL | Results    | Results    | Results    |  |  |
| TPH DROs (C10 to C28) | 10  | ND         | 2500       | 64         |  |  |
| TPH OROs (C28+)       | 50  | ND         | ND         | ND         |  |  |

| Our Lab I.D.               |             | 196807 | 196808 | 196809 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Chlorobenzene              | 70-120      | 113    | 113    | 113    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061407-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 100         | 104             | 3.9      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8015B, TPH GROs (Gasoline Range Organics)

QC Batch No: 061307-1


| Our Lab I.D.         |     | Method Blank | 196804     | 196805     | 196806     | 196807     |
|----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.   |     |              | DO3-2,6'   | DO3-3,7'   | DO3-4,6'   | DO3-5,6'   |
| Date Sampled         |     |              | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Date Prepared        |     | 06/13/2007   | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 |
| Preparation Method   |     | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed        |     | 06/13/2007   | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 |
| Matrix               |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                |     | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor      |     | 1            | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 0.5 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196804 | 196805 | 196806 | 196807 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 87     | 102    | 99     | 99     | 89     |

### QUALITY CONTROL REPORT

QC Batch No: 061307-1

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene  | 107         | 103             | 3.8      | 75-120            | <20               |  |  |  |  |  |
| Toluene  | 106         | 102             | 3.8      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8015B, TPH GROs (Gasoline Range Organics)

QC Batch No: 061407-1


| Our Lab I.D.         |     | 196809     |  |  |  |  |
|----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.   |     | DO3-7,11'  |  |  |  |  |
| Date Sampled         |     | 06/06/2007 |  |  |  |  |
| Date Prepared        |     | 06/14/2007 |  |  |  |  |
| Preparation Method   |     | 5030A      |  |  |  |  |
| Date Analyzed        |     | 06/14/2007 |  |  |  |  |
| Matrix               |     | Soil       |  |  |  |  |
| Units                |     | mg/Kg      |  |  |  |  |
| Dilution Factor      |     | 1          |  |  |  |  |
| Analytes             | PQL | Results    |  |  |  |  |
| TPH GROs (C6 to C10) | 0.5 | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196809 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 95     |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061407-1

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene  | 102         | 94              | 8.2      | 75-120            | <20               |  |  |  |  |  |
| Toluene  | 101         | 94              | 7.2      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 6

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8015B, TPH GROs (Gasoline Range Organics)

QC Batch No: 061407-1


| Our Lab I.D.         |     | 196808     |  |  |  |  |
|----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.   |     | DO3-6,7'   |  |  |  |  |
| Date Sampled         |     | 06/06/2007 |  |  |  |  |
| Date Prepared        |     | 06/13/2007 |  |  |  |  |
| Preparation Method   |     | 5030A      |  |  |  |  |
| Date Analyzed        |     | 06/14/2007 |  |  |  |  |
| Matrix               |     | Soil       |  |  |  |  |
| Units                |     | mg/Kg      |  |  |  |  |
| Dilution Factor      |     | 5          |  |  |  |  |
| Analytes             | PQL | Results    |  |  |  |  |
| TPH GROs (C6 to C10) | 2.5 | 34         |  |  |  |  |

| Our Lab I.D.               |             | 196808 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 120    |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061407-1

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene  | 102         | 94              | 8.2      | 75-120            | <20               |  |  |  |  |  |
| Toluene  | 101         | 94              | 7.2      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8021B, Aromatic Volatiles and MTBE

**QC Batch No: 061307-1**

| Our Lab I.D.             |     | Method Blank | 196804     | 196805     | 196806     | 196807     |
|--------------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.       |     |              | DO3-2,6'   | DO3-3,7'   | DO3-4,6'   | DO3-5,6'   |
| Date Sampled             |     |              | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Date Prepared            |     | 06/13/2007   | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 |
| Preparation Method       |     | 5030A        | 5030A      | 5030A      | 5030A      | 5030B      |
| Date Analyzed            |     | 06/13/2007   | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 |
| Matrix                   |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                    |     | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor          |     | 1            | 1          | 1          | 1          | 1          |
| Analytes                 | PQL | Results      | Results    | Results    | Results    | Results    |
| Benzene                  | 5   | ND           | ND         | ND         | ND         | ND         |
| Ethylbenzene             | 5   | ND           | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene) | 5   | ND           | ND         | ND         | ND         | ND         |
| Xylenes, total           | 10  | ND           | ND         | ND         | ND         | ND         |
| MTBE                     | 20  | ND           | ND         | ND         | ND         | ND         |


| Our Lab I.D.               |             |        | 196804 | 196805 | 196806 | 196807 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 87     | 102    | 99     | 99     | 89     |

### QUALITY CONTROL REPORT

**QC Batch No: 061307-1**

| Analytes                 | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--------------------------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                  | 107         | 103             | 3.8      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene) | 106         | 102             | 3.8      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8021B, Aromatic Volatiles and MTBE

QC Batch No: 061407-1


| Our Lab I.D.             |     | 196809     |  |  |  |  |
|--------------------------|-----|------------|--|--|--|--|
| Client Sample I.D.       |     | DO3-7,11'  |  |  |  |  |
| Date Sampled             |     | 06/06/2007 |  |  |  |  |
| Date Prepared            |     | 06/14/2007 |  |  |  |  |
| Preparation Method       |     | 5030A      |  |  |  |  |
| Date Analyzed            |     | 06/14/2007 |  |  |  |  |
| Matrix                   |     | Soil       |  |  |  |  |
| Units                    |     | ug/kg      |  |  |  |  |
| Dilution Factor          |     | 1          |  |  |  |  |
| Analytes                 | PQL | Results    |  |  |  |  |
| Benzene                  | 5   | ND         |  |  |  |  |
| Ethylbenzene             | 5   | ND         |  |  |  |  |
| Toluene (Methyl benzene) | 5   | ND         |  |  |  |  |
| Xylenes, total           | 10  | ND         |  |  |  |  |
| MTBE                     | 20  | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196809 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 95     |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061407-1

| Analytes                 | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--------------------------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                  | 102         | 94              | 8.2      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene) | 101         | 94              | 7.2      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34168          | 06/08/2007 | EIS    |

Method: 8021B, Aromatic Volatiles and MTBE

QC Batch No: 061407-1

| Our Lab I.D.             |     | 196808     |  |  |  |  |
|--------------------------|-----|------------|--|--|--|--|
| Client Sample I.D.       |     | DO3-6,7'   |  |  |  |  |
| Date Sampled             |     | 06/06/2007 |  |  |  |  |
| Date Prepared            |     | 06/13/2007 |  |  |  |  |
| Preparation Method       |     | 5030A      |  |  |  |  |
| Date Analyzed            |     | 06/14/2007 |  |  |  |  |
| Matrix                   |     | Soil       |  |  |  |  |
| Units                    |     | ug/kg      |  |  |  |  |
| Dilution Factor          |     | 5          |  |  |  |  |
| Analytes                 | PQL | Results    |  |  |  |  |
| Benzene                  | 25  | 30         |  |  |  |  |
| Ethylbenzene             | 25  | 217        |  |  |  |  |
| Toluene (Methyl benzene) | 25  | 29         |  |  |  |  |
| Xylenes, total           | 50  | 1940       |  |  |  |  |
| MTBE                     | 100 | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196808 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 120    |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061407-1

| Analytes                 | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--------------------------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                  | 102         | 94              | 8.2      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene) | 101         | 94              | 7.2      | 75-120            | 15                |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

Number of Pages 61  
Date Received 06/05/2007  
Date Reported 06/13/2007

Telephone (408) 395-7674  
Attn Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34115      | 06/05/2007 | EIS    |

Project ID: 717-2  
Project Name: Call Mac Transportation  
Site: 461 McGraw Ave.  
Livermore, CA


Enclosed are the results of analyses on 19 samples analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



AMERICAN SCIENTIFIC LABORATORIES, LLC  
Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 2


COC# **Nº 40610** GLOBAL ID T0600102204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# 34115

|   |  |  |  |  |  |                                    |  |                    |  |  |  |  |  |  |
|---|--|--|--|--|--|------------------------------------|--|--------------------|--|--|--|--|--|--|
| Company: <u>Environmental Investigation Services, Inc.</u>  |  |  |  |  |  | Report To: <u>EIS</u>              |  | ANALYSIS REQUESTED |  |  |  |  |  |  |
| Address: <u>170 Knowles Dr., Ste. 212</u>                   |  |  | Project Name: <u>Call Mac Transportation</u> |  |  | Address: <u>EIS</u>                |  |                    | <u>8015M: TPH-d, -o</u><br><u>8260B: VOCs + TPH-d</u><br><u>toxygmates + DEH</u><br><u>+ EDB</u><br><u>6010B: T: 16 22 mch</u><br><u>8270C: 5 VOCs</u><br><u>8082A: PCBs</u><br><u>150.1: pH</u> |  |  |  |  |  |
| <u>Los Gatos, CA 95032</u>                                  |  |  | Site Address: <u>461 McGraw Ave.</u>         |  |  | Invoice To: <u>EIS</u>             |  |                    |  |  |  |  |  |  |
| Telephone: <u>408-871-1470</u>                              |  |  | <u>Livermore, CA</u>                         |  |  | Address: <u>EIS</u>                |  |                    |  |  |  |  |  |  |
| Fax: <u>408-871-1520</u>                                    |  |  | Project ID: <u>717-2</u>                     |  |  | P.O.#: <u>717-2</u>                |  |                    |  |  |  |  |  |  |
| Special Instruction: <u>Include COC in pdf report</u>       |  |  |  |  |  |                                    |  |                    |  |  |  |  |  |  |
| E-mail: <u>smorris@eisl.net</u><br><u>plittman@eisl.net</u> |  |  |  |  |  | Project Manager: <u>P. Littman</u> |  |                    |  |  |  |  |  |  |

| ITEM | LAB USE ONLY |             | SAMPLE DESCRIPTION |       |   |      | Container(s) |     | Matrix | Preservation |     |   |  |  |  |  | Remarks |
|------|--------------|-------------|--------------------|-------|---|------|--------------|-----|--------|--------------|-----|---|--|--|--|--|---------|
|      | Lab ID       | Sample ID   | Date               | Time  | # | Type |              |     |        |              |     |   |  |  |  |  |         |
|      | 196388       | T-1-1, 2.5' | 6/11/07            | 17:25 | 1 | SS   | Soil         | Ice | XX     |              | XXX | X |  |  |  |  |         |
|      | 196389       | T-1-2, 2.5' |                    | 17:23 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196390       | T-2-1, 3'   |                    | 17:11 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196391       | T-3-1, 4'   |                    | 17:38 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196392       | T-3-2, 3'   |                    | 17:33 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196393       | T-4-1, 3'   |                    | 17:06 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196394       | T-4-2, 3'   |                    | 17:04 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196395       | T-2-2, 4'   |                    | 17:16 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196396       | T-2-3, 4'   |                    | 17:14 |   |      |              |     |        |              |     |   |  |  |  |  |         |
|      | 196397       | T-2-4, 5'   |                    | 17:09 |   |      |              |     |        |              |     |   |  |  |  |  |         |

|   |                      |                    |  |                     |                   |
|---|----------------------|--------------------|--|---------------------|-------------------|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>6/14/07</u> | Time: <u>13:57</u> | Relinquished By:                           | Date:               | Time:             |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>6/14/07</u> | Time: <u>13:57</u> | Received For Laboratory: <u>Janet Chin</u> | Date: <u>6.5.07</u> | Time: <u>8:30</u> |
| Received By:                            | Date:                | Time:              | Condition of Sample:                       |                     |                   |

CHAIN OF CUSTODY RECORD



AMERICAN SCIENTIFIC LABORATORIES, LLC  
Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 2 Of 2

COC# **No 40265** GLOBAL ID T0600102204 E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# 34115

|   |  |   |  |                     |  |   |  |  |  |  |  |  |  |
|---|--|---|--|---------------------|--|---|--|--|--|--|--|--|--|
| Company: <u>EIS</u>                                   |  | Report To: <u>EIS</u>                   |  | ANALYSIS REQUESTED  |  |   |  |  |  |  |  |  |  |
| Address: <u>/</u>                                     |  | Project Name: <u>Call Mac Transport</u> |  | Address: <u>/</u>   |  | <u>8015M: TPH-0</u><br><u>8260B: VOCs + TPH</u><br><u>originals + DCA + PCBs</u><br><u>6010B T: 10 22 mg</u><br><u>8270C SVOCs</u><br><u>8082A PCBs</u><br><u>150.1 pH</u><br><u>6010B-lead</u> |  |  |  |  |  |  |  |
| Site Address: <u>461 McGraw Ave</u>                   |  | Invoice To: <u>/</u>                    |  |                     |  |   |  |  |  |  |  |  |  |
| Telephone: <u>/</u>                                   |  | Address: <u>/</u>                       |  |                     |  |   |  |  |  |  |  |  |  |
| Fax: <u>/</u>   |  | Address: <u>/</u>                       |  |                     |  |   |  |  |  |  |  |  |  |
| Special Instruction: <u>Include COC in pdf report</u> |  | Project ID: <u>717-Z</u>                |  | P.O.#: <u>717-Z</u> |  |   |  |  |  |  |  |  |  |
| E-mail: <u>plittman@eis1.net</u>                      |  | Project Manager: <u>P. Littman</u>      |  |                     |  |   |  |  |  |  |  |  |  |

| ITEM | LAB USE ONLY |                 | SAMPLE DESCRIPTION |       |   |      | Container(s) |     | Matrix | Preservation | ANALYSIS REQUESTED |   |   |   |   |   |  |  |  |  | Remarks |
|------|--------------|-----------------|--------------------|-------|---|------|--------------|-----|--------|--------------|--------------------|---|---|---|---|---|--|--|--|--|---------|
|      | Lab ID       | Sample ID       | Date               | Time  | # | Type |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196398       | T-3-3, 3'       | 6/1/07             | 17:36 | 1 | SS   | soil         | icc | X      | X            | X                  | X | X | X | X | X |  |  |  |  |         |
|      | 196399       | T-3-4, 4'       |                    | 17:41 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196400       | T-3-5, 4.5'     |                    | 17:28 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196401       | T-3-6, 4'       |                    | 17:30 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196402       | T-4-3, 4'       |                    | 16:56 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196403       | T-4-4, 4'       |                    | 17:00 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196404       | T-4-5, 12'      |                    | 16:52 |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      |              | <del>CS-7</del> |                    |       |   |      |              |     |        |              |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196405       | CS-8, 1.5-2'    |                    | 18:30 |   |      |              |     | X      | X            |                    |   |   |   |   |   |  |  |  |  |         |
|      | 196406       | CS-7, 2.5-3'    |                    | 18:16 |   |      |              |     | X      | X            |                    |   |   |   |   |   |  |  |  |  |         |

|   |                     |                    |  |                     |                   |  |
|---|---------------------|--------------------|--|---------------------|-------------------|--|
| Collected By: <u>Jennifer Morris</u>    | Date: <u>6/4/07</u> | Time: <u>13:52</u> | Relinquished By:                           | Date:               | Time:             | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |
| Relinquished By: <u>Jennifer Morris</u> | Date: <u>6/4/07</u> | Time: <u>13:52</u> | Received For Laboratory: <u>Janet Chin</u> | Date: <u>6.5.07</u> | Time: <u>8:30</u> |  |
| Received By:                            | Date:               | Time:              | Condition of Sample:                       |                     |                   |  |

C H A I N O F C U S T O D Y R E C O R D



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

#### Site

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B, Lead (ICP)


QC Batch No: 061307-1

| Our Lab I.D.       |      | Method Blank | 196405      | 196406      |  |  |
|--------------------|------|--------------|-------------|-------------|--|--|
| Client Sample I.D. |      |              | CS-8,1.5-2' | CS-7,2.5-3' |  |  |
| Date Sampled       |      |              | 06/01/2007  | 06/01/2007  |  |  |
| Date Prepared      |      | 06/11/2007   | 06/11/2007  | 06/11/2007  |  |  |
| Preparation Method |      | 3050B        | 3050B       | 3050B       |  |  |
| Date Analyzed      |      | 06/13/2007   | 06/13/2007  | 06/13/2007  |  |  |
| Matrix             |      | Soil         | Soil        | Soil        |  |  |
| Units              |      | mg/Kg        | mg/Kg       | mg/Kg       |  |  |
| Dilution Factor    |      | 1            | 1           | 1           |  |  |
| Analytes           | PQL  | Results      | Results     | Results     |  |  |
| ICP Metals         |      |              |             |             |  |  |
| Lead               | 0.25 | ND           | 11.4        | 9.70        |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061307-1

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Lead       | 98           | 106              | 7.8              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

QC Batch No: 061107-3

| Our Lab I.D.       |      | Method Blank | 196388     | 196389     | 196390     | 196391     |
|--------------------|------|--------------|------------|------------|------------|------------|
| Client Sample I.D. |      |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled       |      |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared      |      | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method |      | 3050B        | 3050B      | 3050B      | 3050B      | 3050B      |
| Date Analyzed      |      | 06/12/2007   | 06/12/2007 | 06/12/2007 | 06/12/2007 | 06/12/2007 |
| Matrix             |      | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units              |      | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor    |      | 1            | 1          | 1          | 1          | 1          |
| Analytes           | PQL  | Results      | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |      |              |            |            |            |            |
| Mercury            | 0.20 | ND           | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |      |              |            |            |            |            |
| Antimony           | 0.50 | ND           | 0.92       | 1.31       | 1.03       | 1.25       |
| Arsenic            | 0.25 | ND           | 5.57       | 6.46       | 7.35       | 5.26       |
| Barium             | 0.50 | ND           | 217        | 236        | 228        | 187        |
| Beryllium          | 0.50 | ND           | 0.68       | 0.74       | 0.65       | 0.62       |
| Cadmium            | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Chromium           | 0.50 | ND           | 23.5       | 32.3       | 33.0       | 27.5       |
| Cobalt             | 0.50 | ND           | 7.97       | 9.31       | 11.3       | 10.4       |
| Copper             | 0.50 | ND           | 16.8       | 18.3       | 20.1       | 15.9       |
| Lead               | 0.25 | ND           | 6.02       | 5.93       | 7.24       | 6.35       |
| Molybdenum         | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Nickel             | 0.50 | ND           | 36.5       | 33.5       | 50.1       | 42.5       |
| Selenium           | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Silver             | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Thallium           | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Vanadium           | 0.50 | ND           | 30.4       | 33.7       | 41.0       | 31.0       |
| Zinc               | 0.50 | ND           | 32.3       | 35.2       | 40.7       | 32.5       |

### QUALITY CONTROL REPORT

QC Batch No: 061107-3

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 101          | 91               | 10.4             | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 100          | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |


Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061107-3

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 102          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Barium     | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 106          | 105              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 102          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 107          | 107              | <1               | 80-120              | <20                |  |  |  |  |  |
| Copper     | 104          | 102              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 106          | 106              | <1               | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 109          | 108              | <1               | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 101          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver     | 100          | 96               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 105          | 101              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 111          | 106              | 4.6              | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 061107-3

| Our Lab I.D.       |      | 196392     | 196393     | 196394     | 196395     | 196396     |
|--------------------|------|------------|------------|------------|------------|------------|
| Client Sample I.D. |      | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled       |      | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared      |      | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method |      | 3050B      | 3050B      | 3050B      | 3050B      | 3050B      |
| Date Analyzed      |      | 06/12/2007 | 06/12/2007 | 06/12/2007 | 06/12/2007 | 06/12/2007 |
| Matrix             |      | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units              |      | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor    |      | 1          | 1          | 1          | 1          | 1          |
| Analytes           | PQL  | Results    | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |      |            |            |            |            |            |
| Mercury            | 0.20 | ND         | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |      |            |            |            |            |            |
| Antimony           | 0.50 | 1.06       | 1.50       | 0.68       | 0.98       | 0.72       |
| Arsenic            | 0.25 | 7.31       | 6.64       | 3.98       | 6.08       | 3.97       |
| Barium             | 0.50 | 203        | 431        | 171        | 254        | 464        |
| Beryllium          | 0.50 | 0.72       | 0.53       | ND         | 0.54       | ND         |
| Cadmium            | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Chromium           | 0.50 | 34.0       | 35.3       | 22.8       | 32.6       | 25.0       |
| Cobalt             | 0.50 | 9.35       | 12.4       | 9.06       | 37.8       | 7.64       |
| Copper             | 0.50 | 17.3       | 16.6       | 32.1       | 122        | 13.3       |
| Lead               | 0.25 | 6.40       | 7.61       | 23.3       | 7.24       | 2.51       |
| Molybdenum         | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Nickel             | 0.50 | 40.8       | 46.5       | 40.5       | 40.5       | 34.4       |
| Selenium           | 0.50 | ND         | ND         | 0.84       | ND         | 0.94       |
| Silver             | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Thallium           | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Vanadium           | 0.50 | 35.3       | 35.7       | 25.8       | 39.0       | 30.3       |
| Zinc               | 0.50 | 24.9       | 38.0       | 118        | 109        | 30.0       |

### QUALITY CONTROL REPORT

QC Batch No: 061107-3

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 101          | 91               | 10.4             | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 100          | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**ANALYTICAL RESULTS**

Page: **6**

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

**QUALITY CONTROL REPORT**

**QC Batch No: 061107-3**

| Analytes          | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic           | 102          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Barium            | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Beryllium         | 106          | 105              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cadmium           | 102          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Chromium          | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cobalt            | 107          | 107              | <1               | 80-120              | <20                |  |  |  |  |  |
| Copper            | 104          | 102              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Lead              | 106          | 106              | <1               | 80-120              | <20                |  |  |  |  |  |
| Molybdenum        | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Nickel            | 109          | 108              | <1               | 80-120              | <20                |  |  |  |  |  |
| Selenium          | 101          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver            | 100          | 96               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Thallium          | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Vanadium          | 105          | 101              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| Zinc              | 111          | 106              | 4.6              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 061107-3

| Our Lab I.D.       |      | 196397     | 196398     |  |  |  |
|--------------------|------|------------|------------|--|--|--|
| Client Sample I.D. |      | T-2-4,5'   | T-3-3,3'   |  |  |  |
| Date Sampled       |      | 06/01/2007 | 06/01/2007 |  |  |  |
| Date Prepared      |      | 06/11/2007 | 06/11/2007 |  |  |  |
| Preparation Method |      | 3050B      | 3050B      |  |  |  |
| Date Analyzed      |      | 06/12/2007 | 06/12/2007 |  |  |  |
| Matrix             |      | Soil       | Soil       |  |  |  |
| Units              |      | mg/Kg      | mg/Kg      |  |  |  |
| Dilution Factor    |      | 1          | 1          |  |  |  |
| Analytes           | PQL  | Results    | Results    |  |  |  |
| <b>AA Metals</b>   |      |            |            |  |  |  |
| Mercury            | 0.20 | ND         | ND         |  |  |  |
| <b>ICP Metals</b>  |      |            |            |  |  |  |
| Antimony           | 0.50 | 1.15       | 1.00       |  |  |  |
| Arsenic            | 0.25 | 8.51       | 5.92       |  |  |  |
| Barium             | 0.50 | 81.9       | 186        |  |  |  |
| Beryllium          | 0.50 | ND         | 0.68       |  |  |  |
| Cadmium            | 0.50 | ND         | ND         |  |  |  |
| Chromium           | 0.50 | 34.0       | 30.9       |  |  |  |
| Cobalt             | 0.50 | 10.8       | 11.3       |  |  |  |
| Copper             | 0.50 | 19.9       | 19.5       |  |  |  |
| Lead               | 0.25 | 4.57       | 7.29       |  |  |  |
| Molybdenum         | 0.50 | ND         | ND         |  |  |  |
| Nickel             | 0.50 | 45.3       | 43.4       |  |  |  |
| Selenium           | 0.50 | ND         | ND         |  |  |  |
| Silver             | 0.50 | ND         | ND         |  |  |  |
| Thallium           | 0.50 | ND         | ND         |  |  |  |
| Vanadium           | 0.50 | 43.6       | 34.1       |  |  |  |
| Zinc               | 0.50 | 46.7       | 38.9       |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061107-3

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 101          | 91               | 10.4             | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 100          | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061107-3

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 102          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Barium     | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 106          | 105              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 102          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 107          | 107              | <1               | 80-120              | <20                |  |  |  |  |  |
| Copper     | 104          | 102              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 106          | 106              | <1               | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 109          | 108              | <1               | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 101          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver     | 100          | 96               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 105          | 101              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 111          | 106              | 4.6              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

QC Batch No: 061107-4

| Our Lab I.D.       |      | 196399     | 196400     | 196401     | 196402     | 196403     |
|--------------------|------|------------|------------|------------|------------|------------|
| Client Sample I.D. |      | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   | T-4-3,4'   | T-4-4,4'   |
| Date Sampled       |      | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared      |      | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method |      | 3050B      | 3050B      | 3050B      | 3050B      | 3050B      |
| Date Analyzed      |      | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 | 06/13/2007 |
| Matrix             |      | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units              |      | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor    |      | 1          | 1          | 1          | 1          | 1          |
| Analytes           | PQL  | Results    | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |      |            |            |            |            |            |
| Mercury            | 0.20 | ND         | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |      |            |            |            |            |            |
| Antimony           | 0.50 | 1.35       | 1.20       | 1.25       | 0.75       | 1.65       |
| Arsenic            | 0.25 | 3.45       | 6.55       | 6.40       | 3.30       | 0.75       |
| Barium             | 0.50 | 172        | 219        | 558        | 270        | 181        |
| Beryllium          | 0.50 | ND         | ND         | 0.55       | ND         | ND         |
| Cadmium            | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Chromium           | 0.50 | 23.0       | 27.4       | 28.2       | 20.4       | 25.1       |
| Cobalt             | 0.50 | 10.7       | 10.6       | 10.0       | 8.00       | 7.75       |
| Copper             | 0.50 | 16.7       | 27.3       | 23.0       | 13.4       | 13.5       |
| Lead               | 0.25 | 7.00       | 4.35       | 3.60       | 3.25       | 4.20       |
| Molybdenum         | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Nickel             | 0.50 | 40.0       | 38.5       | 38.9       | 44.4       | 45.2       |
| Selenium           | 0.50 | 0.85       | 0.95       | 0.90       | 0.90       | 0.60       |
| Silver             | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Thallium           | 0.50 | ND         | ND         | ND         | ND         | ND         |
| Vanadium           | 0.50 | 29.3       | 40.4       | 40.6       | 29.0       | 25.0       |
| Zinc               | 0.50 | 35.8       | 45.7       | 43.1       | 31.7       | 33.6       |

### QUALITY CONTROL REPORT

QC Batch No: 061107-4

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 104          | 101              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 91           | 100              | 9.4              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 10

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061107-4

| Analytes          | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic           | 94           | 102              | 8.2              | 80-120              | <20                |  |  |  |  |  |
| Barium            | 96           | 105              | 9.0              | 80-120              | <20                |  |  |  |  |  |
| Beryllium         | 96           | 106              | 9.9              | 80-120              | <20                |  |  |  |  |  |
| Cadmium           | 91           | 102              | 11.4             | 80-120              | <20                |  |  |  |  |  |
| Chromium          | 93           | 103              | 10.2             | 80-120              | <20                |  |  |  |  |  |
| Cobalt            | 98           | 107              | 8.8              | 80-120              | <20                |  |  |  |  |  |
| Copper            | 95           | 104              | 9.0              | 80-120              | <20                |  |  |  |  |  |
| Lead              | 98           | 106              | 7.8              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum        | 95           | 105              | 10.0             | 80-120              | <20                |  |  |  |  |  |
| Nickel            | 98           | 109              | 10.6             | 80-120              | <20                |  |  |  |  |  |
| Selenium          | 93           | 101              | 8.2              | 80-120              | <20                |  |  |  |  |  |
| Silver            | 88           | 100              | 12.8             | 80-120              | <20                |  |  |  |  |  |
| Thallium          | 95           | 103              | 8.1              | 80-120              | <20                |  |  |  |  |  |
| Vanadium          | 93           | 105              | 12.1             | 80-120              | <20                |  |  |  |  |  |
| Zinc              | 98           | 111              | 12.4             | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 11

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 061107-4

| Our Lab I.D.       |      | 196404     |  |  |  |  |
|--------------------|------|------------|--|--|--|--|
| Client Sample I.D. |      | T-4-5,12'  |  |  |  |  |
| Date Sampled       |      | 06/01/2007 |  |  |  |  |
| Date Prepared      |      | 06/11/2007 |  |  |  |  |
| Preparation Method |      | 3050B      |  |  |  |  |
| Date Analyzed      |      | 06/13/2007 |  |  |  |  |
| Matrix             |      | Soil       |  |  |  |  |
| Units              |      | mg/Kg      |  |  |  |  |
| Dilution Factor    |      | 1          |  |  |  |  |
| Analytes           | PQL  | Results    |  |  |  |  |
| <b>AA Metals</b>   |      |            |  |  |  |  |
| Mercury            | 0.20 | ND         |  |  |  |  |
| <b>ICP Metals</b>  |      |            |  |  |  |  |
| Antimony           | 0.50 | 1.15       |  |  |  |  |
| Arsenic            | 0.25 | 3.00       |  |  |  |  |
| Barium             | 0.50 | 136        |  |  |  |  |
| Beryllium          | 0.50 | ND         |  |  |  |  |
| Cadmium            | 0.50 | ND         |  |  |  |  |
| Chromium           | 0.50 | 22.9       |  |  |  |  |
| Cobalt             | 0.50 | 7.25       |  |  |  |  |
| Copper             | 0.50 | 13.1       |  |  |  |  |
| Lead               | 0.25 | 2.35       |  |  |  |  |
| Molybdenum         | 0.50 | ND         |  |  |  |  |
| Nickel             | 0.50 | 29.1       |  |  |  |  |
| Selenium           | 0.50 | 0.90       |  |  |  |  |
| Silver             | 0.50 | ND         |  |  |  |  |
| Thallium           | 0.50 | ND         |  |  |  |  |
| Vanadium           | 0.50 | 26.7       |  |  |  |  |
| Zinc               | 0.50 | 26.5       |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061107-4

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 104          | 101              | 2.9              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 91           | 100              | 9.4              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 12

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061107-4

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 94           | 102              | 8.2              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 96           | 105              | 9.0              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 96           | 106              | 9.9              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 91           | 102              | 11.4             | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 93           | 103              | 10.2             | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 98           | 107              | 8.8              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 95           | 104              | 9.0              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 98           | 106              | 7.8              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 95           | 105              | 10.0             | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 98           | 109              | 10.6             | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 93           | 101              | 8.2              | 80-120              | <20                |  |  |  |  |  |
| Silver     | 88           | 100              | 12.8             | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 95           | 103              | 8.1              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 93           | 105              | 12.1             | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 98           | 111              | 12.4             | 80-120              | <20                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 13

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061107-1D**


| Our Lab I.D.          |     | 196398     | 196399     | 196400     | 196401     | 196402     |
|-----------------------|-----|------------|------------|------------|------------|------------|
| Client Sample I.D.    |     | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   | T-4-3,4'   |
| Date Sampled          |     | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method    |     | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                |     | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                 |     | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor       |     | 1          | 1          | 1          | 1          | 1          |
| Analytes              | PQL | Results    | Results    | Results    | Results    | Results    |
| TPH DROs (C10 to C28) | 10  | ND         | ND         | ND         | ND         | ND         |
| TPH OROs (C28+)       | 50  | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196398 | 196399 | 196400 | 196401 | 196402 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 103    | 103    | 104    | 103    | 102    |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 99          | 101             | 2.0      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 14

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061107-1D**


| Our Lab I.D.          |     | 196403     | 196404     | 196405      | 196406      |  |
|-----------------------|-----|------------|------------|-------------|-------------|--|
| Client Sample I.D.    |     | T-4-4,4'   | T-4-5,12'  | CS-8,1.5-2' | CS-7,2.5-3' |  |
| Date Sampled          |     | 06/01/2007 | 06/01/2007 | 06/01/2007  | 06/01/2007  |  |
| Date Prepared         |     | 06/11/2007 | 06/11/2007 | 06/11/2007  | 06/11/2007  |  |
| Preparation Method    |     | 3550B      | 3550B      | 3550B       | 3550B       |  |
| Date Analyzed         |     | 06/11/2007 | 06/11/2007 | 06/11/2007  | 06/11/2007  |  |
| Matrix                |     | Soil       | Soil       | Soil        | Soil        |  |
| Units                 |     | mg/Kg      | mg/Kg      | mg/Kg       | mg/Kg       |  |
| Dilution Factor       |     | 1          | 1          | 1           | 1           |  |
| Analytes              | PQL | Results    | Results    | Results     | Results     |  |
| TPH DROs (C10 to C28) | 10  | ND         | ND         | ND          | ND          |  |
| TPH OROs (C28+)       | 50  | ND         | ND         | ND          | ND          |  |

| Our Lab I.D.               |             | 196403 | 196404 | 196405 | 196406 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Chlorobenzene              | 70-120      | 106    | 103    | 103    | 103    |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 99          | 101             | 2.0      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 15

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061107-1P**


| Our Lab I.D.          |     | Method Blank | 196388     | 196389     | 196390     | 196392     |
|-----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.    |     |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-2,3'   |
| Date Sampled          |     |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared         |     | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method    |     | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |     | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                 |     | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor       |     | 1            | 1          | 1          | 1          | 1          |
| Analytes              | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH DROs (C10 to C28) | 10  | ND           | ND         | ND         | ND         | ND         |
| TPH OROs (C28+)       | 50  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196388 | 196389 | 196390 | 196392 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 109    | 112    | 113    | 111    | 112    |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 105         | 110             | 4.7      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 16

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061107-1P**


| Our Lab I.D.          |     | 196393     | 196396     | 196397     |  |  |
|-----------------------|-----|------------|------------|------------|--|--|
| Client Sample I.D.    |     | T-4-1,3'   | T-2-3,4'   | T-2-4,5'   |  |  |
| Date Sampled          |     | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method    |     | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix                |     | Soil       | Soil       | Soil       |  |  |
| Units                 |     | mg/Kg      | mg/Kg      | mg/Kg      |  |  |
| Dilution Factor       |     | 1          | 1          | 1          |  |  |
| Analytes              | PQL | Results    | Results    | Results    |  |  |
| TPH DROs (C10 to C28) | 10  | ND         | ND         | ND         |  |  |
| TPH OROs (C28+)       | 50  | ND         | ND         | ND         |  |  |

| Our Lab I.D.               |             | 196393 | 196396 | 196397 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Chlorobenzene              | 70-120      | 112    | 111    | 113    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 105         | 110             | 4.7      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 17

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061107-2P**


| Our Lab I.D.          |     | 196391     | 196394     | 196395     |  |  |
|-----------------------|-----|------------|------------|------------|--|--|
| Client Sample I.D.    |     | T-3-1,4'   | T-4-2,3'   | T-2-2,4'   |  |  |
| Date Sampled          |     | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method    |     | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed         |     | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix                |     | Soil       | Soil       | Soil       |  |  |
| Units                 |     | mg/Kg      | mg/Kg      | mg/Kg      |  |  |
| Dilution Factor       |     | 1          | 1          | 1          |  |  |
| Analytes              | PQL | Results    | Results    | Results    |  |  |
| TPH DROs (C10 to C28) | 10  | ND         | ND         | ND         |  |  |
| TPH OROs (C28+)       | 50  | ND         | ND         | ND         |  |  |

| Our Lab I.D.               |             | 196391 | 196394 | 196395 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Chlorobenzene              | 70-120      | 111    | 112    | 112    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 101         | 100             | <1       | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 18

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8082, Polychlorinated Biphenyls(PCBs) by Gas Chromatography

**QC Batch No: 061107-1**


| Our Lab I.D.            |       | Method Blank | 196388     | 196389     | 196390     | 196391     |
|-------------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.      |       |              | T-1-1,2,5' | T-1-2,2,5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled            |       |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared           |       | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method      |       | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed           |       | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                  |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                   |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor         |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                | PQL   | Results      | Results    | Results    | Results    | Results    |
| Aroclor-1016 (PCB-1016) | 33.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1221 (PCB-1221) | 67.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1232 (PCB-1232) | 33.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1242 (PCB-1242) | 33.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1248 (PCB-1248) | 33.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1254 (PCB-1254) | 33.00 | ND           | ND         | ND         | ND         | ND         |
| Aroclor-1260 (PCB-1260) | 33.00 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196388 | 196389 | 196390 | 196391 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Decachlorobiphenyl         | 43-169      | 106    | 87     | 93     | 108    | 110    |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1**

| Analytes                | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Aroclor-1260 (PCB-1260) | 88           | 93               | 5.5              | 39-150              | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 19

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8082, Polychlorinated Biphenyls(PCBs) by Gas Chromatography

**QC Batch No: 061107-1**

| Our Lab I.D.            |       | 196392     | 196393     | 196394     | 196395     | 196396     |
|-------------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.      |       | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled            |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method      |       | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                  |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                   |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor         |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                | PQL   | Results    | Results    | Results    | Results    | Results    |
| Aroclor-1016 (PCB-1016) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1221 (PCB-1221) | 67.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1232 (PCB-1232) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1242 (PCB-1242) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1248 (PCB-1248) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1254 (PCB-1254) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1260 (PCB-1260) | 33.00 | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196392 | 196393 | 196394 | 196395 | 196396 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Decachlorobiphenyl         | 43-169      | 115    | 108    | 104    | 80     | 88     |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1**

| Analytes                | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Aroclor-1260 (PCB-1260) | 88           | 93               | 5.5              | 39-150              | <30                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 20

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8082, Polychlorinated Biphenyls(PCBs) by Gas Chromatography

**QC Batch No: 061107-1**

| Our Lab I.D.            |       | 196397     | 196398     | 196399     | 196400     | 196401     |
|-------------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.      |       | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled            |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method      |       | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                  |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                   |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor         |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                | PQL   | Results    | Results    | Results    | Results    | Results    |
| Aroclor-1016 (PCB-1016) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1221 (PCB-1221) | 67.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1232 (PCB-1232) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1242 (PCB-1242) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1248 (PCB-1248) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1254 (PCB-1254) | 33.00 | ND         | ND         | ND         | ND         | ND         |
| Aroclor-1260 (PCB-1260) | 33.00 | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196397 | 196398 | 196399 | 196400 | 196401 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Decachlorobiphenyl         | 43-169      | 87     | 113    | 95     | 83     | 86     |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1**

| Analytes                | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Aroclor-1260 (PCB-1260) | 88           | 93               | 5.5              | 39-150              | <30                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 21

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8082, Polychlorinated Biphenyls(PCBs) by Gas Chromatography

**QC Batch No: 061107-1**


| Our Lab I.D.            |       | 196402     | 196403     | 196404     |  |  |
|-------------------------|-------|------------|------------|------------|--|--|
| Client Sample I.D.      |       | T-4-3,4'   | T-4-4,4'   | T-4-5,12'  |  |  |
| Date Sampled            |       | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method      |       | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed           |       | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix                  |       | Soil       | Soil       | Soil       |  |  |
| Units                   |       | ug/kg      | ug/kg      | ug/kg      |  |  |
| Dilution Factor         |       | 1          | 1          | 1          |  |  |
| Analytes                | PQL   | Results    | Results    | Results    |  |  |
| Aroclor-1016 (PCB-1016) | 33.00 | ND         | ND         | ND         |  |  |
| Aroclor-1221 (PCB-1221) | 67.00 | ND         | ND         | ND         |  |  |
| Aroclor-1232 (PCB-1232) | 33.00 | ND         | ND         | ND         |  |  |
| Aroclor-1242 (PCB-1242) | 33.00 | ND         | ND         | ND         |  |  |
| Aroclor-1248 (PCB-1248) | 33.00 | ND         | ND         | ND         |  |  |
| Aroclor-1254 (PCB-1254) | 33.00 | ND         | ND         | ND         |  |  |
| Aroclor-1260 (PCB-1260) | 33.00 | ND         | ND         | ND         |  |  |

| Our Lab I.D.               |             | 196402 | 196403 | 196404 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Decachlorobiphenyl         | 43-169      | 88     | 81     | 92     |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1**

| Analytes                | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Aroclor-1260 (PCB-1260) | 88           | 93               | 5.5              | 39-150              | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 22

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

#### QC Batch No: 060807-2B


| Our Lab I.D.         |     | 196392     | 196393     | 196394     | 196395     | 196396     |
|----------------------|-----|------------|------------|------------|------------|------------|
| Client Sample I.D.   |     | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled         |     | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared        |     | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method   |     | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed        |     | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix               |     | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                |     | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor      |     | 1          | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results    | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 500 | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196392 | 196393 | 196394 | 196395 | 196396 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 102    | 108    | 112    | 111    | 98     |
| Dibromofluoromethane       | 70-120      | 102    | 102    | 102    | 110    | 104    |
| Toluene-d8                 | 70-120      | 108    | 106    | 100    | 106    | 106    |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-2B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 23

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060807-2B**


| Our Lab I.D.         |     | 196397     | 196398     | 196399     | 196400     | 196401     |
|----------------------|-----|------------|------------|------------|------------|------------|
| Client Sample I.D.   |     | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled         |     | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared        |     | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method   |     | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed        |     | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix               |     | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                |     | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor      |     | 1          | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results    | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 500 | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196397 | 196398 | 196399 | 196400 | 196401 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 98     | 116    | 116    | 100    | 100    |
| Dibromofluoromethane       | 70-120      | 92     | 109    | 111    | 106    | 108    |
| Toluene-d8                 | 70-120      | 104    | 97     | 96     | 109    | 107    |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-2B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 24

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060807-2B**


| Our Lab I.D.         |     | 196402     |  |  |  |  |
|----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.   |     | T-4-3,4'   |  |  |  |  |
| Date Sampled         |     | 06/01/2007 |  |  |  |  |
| Date Prepared        |     | 06/09/2007 |  |  |  |  |
| Preparation Method   |     | 5030A      |  |  |  |  |
| Date Analyzed        |     | 06/09/2007 |  |  |  |  |
| Matrix               |     | Soil       |  |  |  |  |
| Units                |     | ug/kg      |  |  |  |  |
| Dilution Factor      |     | 1          |  |  |  |  |
| Analytes             | PQL | Results    |  |  |  |  |
| TPH GROs (C6 to C10) | 500 | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196402 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 102    |  |  |  |  |
| Dibromofluoromethane       | 70-120      | 108    |  |  |  |  |
| Toluene-d8                 | 70-120      | 100    |  |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-2B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 25

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

#### QC Batch No: 060807-2C


| Our Lab I.D.         |     | Method Blank | 196388     | 196389     | 196390     | 196391     |
|----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.   |     |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled         |     |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared        |     | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method   |     | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed        |     | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix               |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                |     | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor      |     | 1            | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 500 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196388 | 196389 | 196390 | 196391 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 108    | 102    | 110    | 112    | 109    |
| Dibromofluoromethane       | 70-120      | 110    | 114    | 112    | 114    | 110    |
| Toluene-d8                 | 70-120      | 96     | 99     | 98     | 98     | 97     |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-2C

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 90          | 98              | 8.5      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 90          | 96              | 6.5      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 85          | 90              | 5.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 116         | 120             | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 92          | 104             | 12.2     | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 85          | 92              | 7.9      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 26

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 061107-1B**


| Our Lab I.D.         |     | 196405      | 196406      |  |  |  |
|----------------------|-----|-------------|-------------|--|--|--|
| Client Sample I.D.   |     | CS-8,1.5-2' | CS-7,2.5-3' |  |  |  |
| Date Sampled         |     | 06/01/2007  | 06/01/2007  |  |  |  |
| Date Prepared        |     | 06/11/2007  | 06/11/2007  |  |  |  |
| Preparation Method   |     | 5030A       | 5030A       |  |  |  |
| Date Analyzed        |     | 06/11/2007  | 06/11/2007  |  |  |  |
| Matrix               |     | Soil        | Soil        |  |  |  |
| Units                |     | ug/kg       | ug/kg       |  |  |  |
| Dilution Factor      |     | 1           | 1           |  |  |  |
| Analytes             | PQL | Results     | Results     |  |  |  |
| TPH GROs (C6 to C10) | 500 | ND          | ND          |  |  |  |

| Our Lab I.D.               |             | 196405 | 196406 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 110    | 107    |  |  |  |
| Dibromofluoromethane       | 70-120      | 99     | 96     |  |  |  |
| Toluene-d8                 | 70-120      | 98     | 97     |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 102         | 94              | 8.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 92          | 89              | 3.3      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 108         | 106             | 1.9      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 85          | 85              | <1       | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 96          | 88              | 8.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 96          | 91              | 5.3      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 27

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 061107-1C**

| Our Lab I.D.         |     | 196403     | 196404     |  |  |  |
|----------------------|-----|------------|------------|--|--|--|
| Client Sample I.D.   |     | T-4-4,4'   | T-4-5,12'  |  |  |  |
| Date Sampled         |     | 06/01/2007 | 06/01/2007 |  |  |  |
| Date Prepared        |     | 06/11/2007 | 06/11/2007 |  |  |  |
| Preparation Method   |     | 5030A      | 5030A      |  |  |  |
| Date Analyzed        |     | 06/11/2007 | 06/11/2007 |  |  |  |
| Matrix               |     | Soil       | Soil       |  |  |  |
| Units                |     | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor      |     | 1          | 1          |  |  |  |
| Analytes             | PQL | Results    | Results    |  |  |  |
| TPH GROs (C6 to C10) | 500 | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196403 | 196404 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 96     | 98     |  |  |  |
| Dibromofluoromethane       | 70-120      | 104    | 106    |  |  |  |
| Toluene-d8                 | 70-120      | 96     | 96     |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061107-1C**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 82          | 81              | 1.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 98          | 92              | 6.3      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 92          | 86              | 6.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 101         | 95              | 6.1      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 85          | 82              | 3.6      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 92          | 87              | 5.6      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 28

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.                                |       | 196392     | 196393     | 196394     | 196395     | 196396     |
|---|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled                                |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                               |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                          |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                               |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                                      |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                                       |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                             |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results    | Results    | Results    | Results    | Results    |
| Acetone                                     | 50.0  | ND         | ND         | ND         | ND         | ND         |
| Benzene                                     | 2.00  | ND         | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chloroethane                                | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| DIPE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 29


Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.  |       | 196392     | 196393     | 196394     | 196395     | 196396     |
|---|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled  |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                       |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                                  |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                                       |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix  |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                     |       | 1          | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results    | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| ETBE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 2.0   | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 10.00 | ND         | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| MTBE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Naphthalene   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| TAME  | 5.0   | ND         | ND         | ND         | ND         | ND         |
| TBA   | 20.0  | ND         | ND         | ND         | ND         | ND         |
| Styrene   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 2.0   | ND         | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 10.00 | ND         | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 30

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060807-2B


| Our Lab I.D.                  |       | 196392     | 196393     | 196394     | 196395     | 196396     |
|-------------------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.            |       | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled                  |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                 |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method            |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                 |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                        |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                         |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor               |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results    | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 50.0  | ND         | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 30.00 | ND         | ND         | ND         | ND         | ND         |
| o-Xylene                      | 2.0   | ND         | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 4.00  | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196392 | 196393 | 196394 | 196395 | 196396 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 102    | 108    | 112    | 111    | 98     |
| Dibromofluoromethane       | 70-120      | 102    | 102    | 102    | 110    | 104    |
| Toluene-d8                 | 70-120      | 108    | 106    | 100    | 106    | 106    |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-2B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 31

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.                                |       | 196397     | 196398     | 196399     | 196400     | 196401     |
|---|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled                                |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                               |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                          |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                               |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                                      |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                                       |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                             |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results    | Results    | Results    | Results    | Results    |
| Acetone                                     | 50.0  | ND         | ND         | ND         | ND         | ND         |
| Benzene                                     | 2.00  | ND         | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chloroethane                                | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| DIPE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 32


Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.  |       | 196397     | 196398     | 196399     | 196400     | 196401     |
|---|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4,5' | T-3-6,4'   |
| Date Sampled  |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                       |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                                  |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                                       |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix  |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                     |       | 1          | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results    | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 10.00 | ND         | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| ETBE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 2.0   | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 10.00 | ND         | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| MTBE  | 5.00  | ND         | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         | ND         | ND         | ND         | ND         |
| Naphthalene   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 10.00 | ND         | ND         | ND         | ND         | ND         |
| TAME  | 5.0   | ND         | ND         | ND         | ND         | ND         |
| TBA   | 20.0  | ND         | ND         | ND         | ND         | ND         |
| Styrene   | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 2.0   | ND         | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 10.00 | ND         | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 33

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060807-2B


| Our Lab I.D.                  |       | 196397     | 196398     | 196399     | 196400     | 196401     |
|-------------------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.            |       | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled                  |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                 |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method            |       | 5030A      | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                 |       | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                        |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                         |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor               |       | 1          | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results    | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 50.0  | ND         | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 30.00 | ND         | ND         | ND         | ND         | ND         |
| o-Xylene                      | 2.0   | ND         | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 4.00  | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196397 | 196398 | 196399 | 196400 | 196401 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 98     | 116    | 116    | 100    | 100    |
| Dibromofluoromethane       | 70-120      | 92     | 109    | 111    | 106    | 108    |
| Toluene-d8                 | 70-120      | 104    | 97     | 96     | 109    | 107    |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-2B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 34

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.                                |       | 196402     |  |  |  |  |
|---|-------|------------|--|--|--|--|
| Client Sample I.D.                          |       | T-4-3,4'   |  |  |  |  |
| Date Sampled                                |       | 06/01/2007 |  |  |  |  |
| Date Prepared                               |       | 06/09/2007 |  |  |  |  |
| Preparation Method                          |       | 5030A      |  |  |  |  |
| Date Analyzed                               |       | 06/09/2007 |  |  |  |  |
| Matrix                                      |       | Soil       |  |  |  |  |
| Units                                       |       | ug/kg      |  |  |  |  |
| Dilution Factor                             |       | 1          |  |  |  |  |
| Analytes                                    | PQL   | Results    |  |  |  |  |
| Acetone                                     | 50.0  | ND         |  |  |  |  |
| Benzene                                     | 2.00  | ND         |  |  |  |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         |  |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         |  |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         |  |  |  |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND         |  |  |  |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND         |  |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         |  |  |  |  |
| n-Butylbenzene                              | 10.00 | ND         |  |  |  |  |
| sec-Butylbenzene                            | 10.00 | ND         |  |  |  |  |
| tert-Butylbenzene                           | 10.00 | ND         |  |  |  |  |
| Carbon disulfide                            | 10.00 | ND         |  |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         |  |  |  |  |
| Chlorobenzene                               | 10.00 | ND         |  |  |  |  |
| Chloroethane                                | 30.00 | ND         |  |  |  |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         |  |  |  |  |
| Chloroform (Trichloromethane)               | 10.00 | ND         |  |  |  |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND         |  |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         |  |  |  |  |
| DIPE  | 5.00  | ND         |  |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         |  |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         |  |  |  |  |
| Dibromochloromethane                        | 10.00 | ND         |  |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         |  |  |  |  |
| Dibromomethane                              | 10.00 | ND         |  |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         |  |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         |  |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 35

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.  |       | 196402     |  |  |  |  |
|---|-------|------------|--|--|--|--|
| Client Sample I.D.                                  |       | T-4-3,4'   |  |  |  |  |
| Date Sampled  |       | 06/01/2007 |  |  |  |  |
| Date Prepared                                       |       | 06/09/2007 |  |  |  |  |
| Preparation Method                                  |       | 5030A      |  |  |  |  |
| Date Analyzed                                       |       | 06/09/2007 |  |  |  |  |
| Matrix  |       | Soil       |  |  |  |  |
| Units   |       | ug/kg      |  |  |  |  |
| Dilution Factor                                     |       | 1          |  |  |  |  |
| Analytes  | PQL   | Results    |  |  |  |  |
| Dichlorodifluoromethane                             | 30.00 | ND         |  |  |  |  |
| 1,1-Dichloroethane                                  | 10.00 | ND         |  |  |  |  |
| 1,2-Dichloroethane                                  | 10.00 | ND         |  |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         |  |  |  |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND         |  |  |  |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND         |  |  |  |  |
| 1,2-Dichloropropane                                 | 10.00 | ND         |  |  |  |  |
| 1,3-Dichloropropane                                 | 10.00 | ND         |  |  |  |  |
| 2,2-Dichloropropane                                 | 10.00 | ND         |  |  |  |  |
| 1,1-Dichloropropene                                 | 10.00 | ND         |  |  |  |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND         |  |  |  |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND         |  |  |  |  |
| ETBE  | 5.00  | ND         |  |  |  |  |
| Ethylbenzene  | 2.0   | ND         |  |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         |  |  |  |  |
| 2-Hexanone  | 50.00 | ND         |  |  |  |  |
| Isopropylbenzene                                    | 10.00 | ND         |  |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         |  |  |  |  |
| MTBE  | 5.00  | ND         |  |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         |  |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         |  |  |  |  |
| Naphthalene   | 10.00 | ND         |  |  |  |  |
| n-Propylbenzene                                     | 10.00 | ND         |  |  |  |  |
| TAME  | 5.0   | ND         |  |  |  |  |
| TBA   | 20.0  | ND         |  |  |  |  |
| Styrene   | 10.00 | ND         |  |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         |  |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         |  |  |  |  |
| Toluene (Methyl benzene)                            | 2.0   | ND         |  |  |  |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         |  |  |  |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         |  |  |  |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND         |  |  |  |  |
| 1,1,2-Trichloroethane                               | 10.00 | ND         |  |  |  |  |
| Trichloroethene (TCE)                               | 10.00 | ND         |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 36

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2B

| Our Lab I.D.                  |       | 196402     |  |  |  |  |
|-------------------------------|-------|------------|--|--|--|--|
| Client Sample I.D.            |       | T-4-3,4'   |  |  |  |  |
| Date Sampled                  |       | 06/01/2007 |  |  |  |  |
| Date Prepared                 |       | 06/09/2007 |  |  |  |  |
| Preparation Method            |       | 5030A      |  |  |  |  |
| Date Analyzed                 |       | 06/09/2007 |  |  |  |  |
| Matrix                        |       | Soil       |  |  |  |  |
| Units                         |       | ug/kg      |  |  |  |  |
| Dilution Factor               |       | 1          |  |  |  |  |
| Analytes                      | PQL   | Results    |  |  |  |  |
| Trichlorofluoromethane        | 10.00 | ND         |  |  |  |  |
| 1,2,3-Trichloropropane        | 10.00 | ND         |  |  |  |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         |  |  |  |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         |  |  |  |  |
| Vinyl acetate                 | 50.0  | ND         |  |  |  |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND         |  |  |  |  |
| o-Xylene                      | 2.0   | ND         |  |  |  |  |
| m- & p-Xylenes                | 4.00  | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196402 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 102    |  |  |  |  |
| Dibromofluoromethane       | 70-120      | 108    |  |  |  |  |
| Toluene-d8                 | 70-120      | 100    |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 060807-2B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 89          | 91              | 2.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 94          | 91              | 3.2      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 87          | 87              | <1       | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 82              | 12.6     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 87          | 91              | 4.5      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 90          | 89              | 1.1      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 37

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2C

| Our Lab I.D.                                |       | Method Blank | 196388     | 196389     | 196390     | 196391     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled                                |       |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                               |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                          |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                               |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                                      |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                                       |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                             |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results      | Results    | Results    | Results    | Results    |
| Acetone                                     | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Benzene                                     | 2.00  | ND           | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND           | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroethane                                | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| DIPE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 38

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-2C

| Our Lab I.D.  |       | Method Blank | 196388     | 196389     | 196390     | 196391     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       |              | T-1-1,2,5' | T-1-2,2,5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled  |       |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                       |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method                                  |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                                       |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix  |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units   |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                     |       | 1            | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results      | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| ETBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 2.0   | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 10.00 | ND           | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| MTBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Naphthalene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| TAME  | 5.0   | ND           | ND         | ND         | ND         | ND         |
| TBA   | 20.0  | ND           | ND         | ND         | ND         | ND         |
| Styrene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 2.0   | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 10.00 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 39

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060807-2C


| Our Lab I.D.                  |       | Method Blank | 196388     | 196389     | 196390     | 196391     |
|-------------------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.            |       |              | T-1-1,2,5' | T-1-2,2,5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled                  |       |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                 |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Preparation Method            |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                 |       | 06/09/2007   | 06/09/2007 | 06/09/2007 | 06/09/2007 | 06/09/2007 |
| Matrix                        |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                         |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor               |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results      | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 30.00 | ND           | ND         | ND         | ND         | ND         |
| o-Xylene                      | 2.0   | ND           | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 4.00  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196388 | 196389 | 196390 | 196391 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 108    | 102    | 110    | 112    | 109    |
| Dibromofluoromethane       | 70-120      | 110    | 114    | 112    | 114    | 110    |
| Toluene-d8                 | 70-120      | 96     | 99     | 98     | 98     | 97     |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-2C

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 90          | 98              | 8.5      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 90          | 96              | 6.5      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 85          | 90              | 5.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 116         | 120             | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 92          | 104             | 12.2     | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 85          | 92              | 7.9      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 40

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 061107-1B

| Our Lab I.D.                                |       | 196405      | 196406      |  |  |  |
|---|-------|-------------|-------------|--|--|--|
| Client Sample I.D.                          |       | CS-8,1.5-2' | CS-7,2.5-3' |  |  |  |
| Date Sampled                                |       | 06/01/2007  | 06/01/2007  |  |  |  |
| Date Prepared                               |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Preparation Method                          |       | 5030A       | 5030A       |  |  |  |
| Date Analyzed                               |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Matrix                                      |       | Soil        | Soil        |  |  |  |
| Units                                       |       | ug/kg       | ug/kg       |  |  |  |
| Dilution Factor                             |       | 1           | 1           |  |  |  |
| Analytes                                    | PQL   | Results     | Results     |  |  |  |
| Acetone                                     | 50.0  | ND          | ND          |  |  |  |
| Benzene                                     | 2.00  | ND          | ND          |  |  |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND          | ND          |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND          | ND          |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND          | ND          |  |  |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND          | ND          |  |  |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND          | ND          |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND          | ND          |  |  |  |
| n-Butylbenzene                              | 10.00 | ND          | ND          |  |  |  |
| sec-Butylbenzene                            | 10.00 | ND          | ND          |  |  |  |
| tert-Butylbenzene                           | 10.00 | ND          | ND          |  |  |  |
| Carbon disulfide                            | 10.00 | ND          | ND          |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND          | ND          |  |  |  |
| Chlorobenzene                               | 10.00 | ND          | ND          |  |  |  |
| Chloroethane                                | 30.00 | ND          | ND          |  |  |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND          | ND          |  |  |  |
| Chloroform (Trichloromethane)               | 10.00 | ND          | ND          |  |  |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND          | ND          |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND          | ND          |  |  |  |
| DIPE  | 5.00  | ND          | ND          |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND          | ND          |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND          | ND          |  |  |  |
| Dibromochloromethane                        | 10.00 | ND          | ND          |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND          | ND          |  |  |  |
| Dibromomethane                              | 10.00 | ND          | ND          |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND          | ND          |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND          | ND          |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND          | ND          |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: **41**

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 061107-1B

| Our Lab I.D.  |       | 196405      | 196406      |  |  |  |
|---|-------|-------------|-------------|--|--|--|
| Client Sample I.D.                                  |       | CS-8,1.5-2' | CS-7,2.5-3' |  |  |  |
| Date Sampled  |       | 06/01/2007  | 06/01/2007  |  |  |  |
| Date Prepared                                       |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Preparation Method                                  |       | 5030A       | 5030A       |  |  |  |
| Date Analyzed                                       |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Matrix  |       | Soil        | Soil        |  |  |  |
| Units   |       | ug/kg       | ug/kg       |  |  |  |
| Dilution Factor                                     |       | 1           | 1           |  |  |  |
| Analytes  | PQL   | Results     | Results     |  |  |  |
| Dichlorodifluoromethane                             | 30.00 | ND          | ND          |  |  |  |
| 1,1-Dichloroethane                                  | 10.00 | ND          | ND          |  |  |  |
| 1,2-Dichloroethane                                  | 10.00 | ND          | ND          |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND          | ND          |  |  |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND          | ND          |  |  |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND          | ND          |  |  |  |
| 1,2-Dichloropropane                                 | 10.00 | ND          | ND          |  |  |  |
| 1,3-Dichloropropane                                 | 10.00 | ND          | ND          |  |  |  |
| 2,2-Dichloropropane                                 | 10.00 | ND          | ND          |  |  |  |
| 1,1-Dichloropropene                                 | 10.00 | ND          | ND          |  |  |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND          | ND          |  |  |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND          | ND          |  |  |  |
| ETBE  | 5.00  | ND          | ND          |  |  |  |
| Ethylbenzene  | 2.0   | ND          | ND          |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND          | ND          |  |  |  |
| 2-Hexanone  | 50.00 | ND          | ND          |  |  |  |
| Isopropylbenzene                                    | 10.00 | ND          | ND          |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND          | ND          |  |  |  |
| MTBE  | 5.00  | ND          | ND          |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND          | ND          |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND          | ND          |  |  |  |
| Naphthalene   | 10.00 | ND          | ND          |  |  |  |
| n-Propylbenzene                                     | 10.00 | ND          | ND          |  |  |  |
| TAME  | 5.0   | ND          | ND          |  |  |  |
| TBA   | 20.0  | ND          | ND          |  |  |  |
| Styrene   | 10.00 | ND          | ND          |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND          | ND          |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND          | ND          |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND          | ND          |  |  |  |
| Toluene (Methyl benzene)                            | 2.0   | ND          | ND          |  |  |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND          | ND          |  |  |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND          | ND          |  |  |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND          | ND          |  |  |  |
| 1,1,2-Trichloroethane                               | 10.00 | ND          | ND          |  |  |  |
| Trichloroethene (TCE)                               | 10.00 | ND          | ND          |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 42

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 061107-1B

| Our Lab I.D.                  |       | 196405      | 196406      |  |  |  |
|-------------------------------|-------|-------------|-------------|--|--|--|
| Client Sample I.D.            |       | CS-8,1.5-2' | CS-7,2.5-3' |  |  |  |
| Date Sampled                  |       | 06/01/2007  | 06/01/2007  |  |  |  |
| Date Prepared                 |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Preparation Method            |       | 5030A       | 5030A       |  |  |  |
| Date Analyzed                 |       | 06/11/2007  | 06/11/2007  |  |  |  |
| Matrix                        |       | Soil        | Soil        |  |  |  |
| Units                         |       | ug/kg       | ug/kg       |  |  |  |
| Dilution Factor               |       | 1           | 1           |  |  |  |
| Analytes                      | PQL   | Results     | Results     |  |  |  |
| Trichlorofluoromethane        | 10.00 | ND          | ND          |  |  |  |
| 1,2,3-Trichloropropane        | 10.00 | ND          | ND          |  |  |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND          | ND          |  |  |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND          | ND          |  |  |  |
| Vinyl acetate                 | 50.0  | ND          | ND          |  |  |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND          | ND          |  |  |  |
| o-Xylene                      | 2.0   | ND          | ND          |  |  |  |
| m- & p-Xylenes                | 4.00  | ND          | ND          |  |  |  |

| Our Lab I.D.               |             | 196405 | 196406 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 110    | 107    |  |  |  |
| Dibromofluoromethane       | 70-120      | 99     | 96     |  |  |  |
| Toluene-d8                 | 70-120      | 98     | 97     |  |  |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 061107-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 102         | 94              | 8.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 92          | 89              | 3.3      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 108         | 106             | 1.9      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 85          | 85              | <1       | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 96          | 88              | 8.7      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 96          | 91              | 5.3      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 43

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 061107-1C

| Our Lab I.D.                                |       | 196403     | 196404     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                          |       | T-4-4,4'   | T-4-5,12'  |  |  |  |
| Date Sampled                                |       | 06/01/2007 | 06/01/2007 |  |  |  |
| Date Prepared                               |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Preparation Method                          |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                               |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Matrix                                      |       | Soil       | Soil       |  |  |  |
| Units                                       |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                             |       | 1          | 1          |  |  |  |
| Analytes                                    | PQL   | Results    | Results    |  |  |  |
| Acetone                                     | 50.0  | ND         | ND         |  |  |  |
| Benzene                                     | 2.00  | ND         | ND         |  |  |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         | ND         |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         | ND         |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         | ND         |  |  |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND         | ND         |  |  |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND         | ND         |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         | ND         |  |  |  |
| n-Butylbenzene                              | 10.00 | ND         | ND         |  |  |  |
| sec-Butylbenzene                            | 10.00 | ND         | ND         |  |  |  |
| tert-Butylbenzene                           | 10.00 | ND         | ND         |  |  |  |
| Carbon disulfide                            | 10.00 | ND         | ND         |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         | ND         |  |  |  |
| Chlorobenzene                               | 10.00 | ND         | ND         |  |  |  |
| Chloroethane                                | 30.00 | ND         | ND         |  |  |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         | ND         |  |  |  |
| Chloroform (Trichloromethane)               | 10.00 | ND         | ND         |  |  |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND         | ND         |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| DIPE  | 5.00  | ND         | ND         |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         | ND         |  |  |  |
| Dibromochloromethane                        | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         | ND         |  |  |  |
| Dibromomethane                              | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 44

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 061107-1C

| Our Lab I.D.  |       | 196403     | 196404     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                                  |       | T-4-4,4'   | T-4-5,12'  |  |  |  |
| Date Sampled  |       | 06/01/2007 | 06/01/2007 |  |  |  |
| Date Prepared                                       |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Preparation Method                                  |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                                       |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Matrix  |       | Soil       | Soil       |  |  |  |
| Units   |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                                     |       | 1          | 1          |  |  |  |
| Analytes  | PQL   | Results    | Results    |  |  |  |
| Dichlorodifluoromethane                             | 30.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         | ND         |  |  |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND         | ND         |  |  |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 2,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloropropene                                 | 10.00 | ND         | ND         |  |  |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND         | ND         |  |  |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND         | ND         |  |  |  |
| ETBE  | 5.00  | ND         | ND         |  |  |  |
| Ethylbenzene  | 2.0   | ND         | ND         |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         | ND         |  |  |  |
| 2-Hexanone  | 50.00 | ND         | ND         |  |  |  |
| Isopropylbenzene                                    | 10.00 | ND         | ND         |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         | ND         |  |  |  |
| MTBE  | 5.00  | ND         | ND         |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         | ND         |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         | ND         |  |  |  |
| Naphthalene   | 10.00 | ND         | ND         |  |  |  |
| n-Propylbenzene                                     | 10.00 | ND         | ND         |  |  |  |
| TAME  | 5.0   | ND         | ND         |  |  |  |
| TBA   | 20.0  | ND         | ND         |  |  |  |
| Styrene   | 10.00 | ND         | ND         |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         | ND         |  |  |  |
| Toluene (Methyl benzene)                            | 2.0   | ND         | ND         |  |  |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| 1,1,2-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| Trichloroethene (TCE)                               | 10.00 | ND         | ND         |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 45

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 061107-1C


| Our Lab I.D.                  |       | 196403     | 196404     |  |  |  |
|-------------------------------|-------|------------|------------|--|--|--|
| Client Sample I.D.            |       | T-4-4,4'   | T-4-5,12'  |  |  |  |
| Date Sampled                  |       | 06/01/2007 | 06/01/2007 |  |  |  |
| Date Prepared                 |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Preparation Method            |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                 |       | 06/11/2007 | 06/11/2007 |  |  |  |
| Matrix                        |       | Soil       | Soil       |  |  |  |
| Units                         |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor               |       | 1          | 1          |  |  |  |
| Analytes                      | PQL   | Results    | Results    |  |  |  |
| Trichlorofluoromethane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,3-Trichloropropane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| Vinyl acetate                 | 50.0  | ND         | ND         |  |  |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND         | ND         |  |  |  |
| o-Xylene                      | 2.0   | ND         | ND         |  |  |  |
| m- & p-Xylenes                | 4.00  | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196403 | 196404 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 96     | 98     |  |  |  |
| Dibromofluoromethane       | 70-120      | 104    | 106    |  |  |  |
| Toluene-d8                 | 70-120      | 96     | 96     |  |  |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 061107-1C

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 82          | 81              | 1.2      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 98          | 92              | 6.3      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 92          | 86              | 6.7      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 101         | 95              | 6.1      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 85          | 82              | 3.6      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 92          | 87              | 5.6      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 46

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                    |        | Method Blank | 196388     | 196389     | 196390     | 196391     |
|---|--------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                              |        |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled                                    |        |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                   |        | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                              |        | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                   |        | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                 |        | 1            | 1          | 1          | 1          | 1          |
| Analytes  | PQL    | Results      | Results    | Results    | Results    | Results    |
| Acenaphthene                                    | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Acenaphthylene                                  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Anthracene                                      | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benz(a)anthracene (Benzo(a)anthracene)          | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benzo(a)pyrene                                  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benzo(b)fluoranthene                            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benzo(ghi)perylene                              | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benzo(k)fluoranthene                            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Benzoic acid                                    | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| Benzyl alcohol                                  | 660.0  | ND           | ND         | ND         | ND         | ND         |
| Bis(2-chloroethoxy)methane                      | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Bis(2-chloroethyl)ether                         | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Bis(2-chloroisopropyl) ether                    | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Bis(2-ethylhexyl) phthalate                     | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Bromophenyl phenyl ether                      | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Butyl benzyl phthalate (Benzyl butyl phthalate) | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Chloro-3-methylphenol (p-Chloro-m-cresol)     | 660.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Chloroaniline                                 | 660.0  | ND           | ND         | ND         | ND         | ND         |
| 2-Chloronaphthalene                             | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2-Chlorophenol (o-Chlorophenol)                 | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Chlorophenyl phenyl ether                     | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Chrysene  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Di-n-butyl phthalate                            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Di-n-octyl phthalate (Dioctyl ester)            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Dibenz(a,h)anthracene                           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Dibenzofuran                                    | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)         | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)         | 330.0  | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 47

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                  |        | Method Blank | 196388     | 196389     | 196390     | 196391     |
|---|--------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                            |        |              | T-1-1,2,5' | T-1-2,2,5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled                                  |        |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                 |        | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                            |        | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                 |        | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                               |        | 1            | 1          | 1          | 1          | 1          |
| Analytes                                      | PQL    | Results      | Results    | Results    | Results    | Results    |
| 1,4-Dichlorobenzene                           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 3,3'-Dichlorobenzidine                        | 660.0  | ND           | ND         | ND         | ND         | ND         |
| 2,4-Dichlorophenol                            | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| Diethyl phthalate (Diethyl ester)             | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2,4-Dimethylphenol                            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Dimethyl phthalate (Dimethyl ester)           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2,4-Dinitrophenol                             | 1700   | ND           | ND         | ND         | ND         | ND         |
| 2,4-Dinitrotoluene                            | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2,6-Dinitrotoluene (2,6-DNT)                  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Fluoranthene                                  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Fluorene                                      | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobenzene                             | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene) | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Hexachlorocyclopentadiene                     | 660.0  | ND           | ND         | ND         | ND         | ND         |
| Hexachloroethane                              | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Indeno(1,2,3-cd)pyrene                        | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Isophorone                                    | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2-methyl-4,6-Dinitrophenol                    | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| 2-Methylnaphthalene                           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2-Methylphenol (o-Cresol, 2-Cresol)           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Methylphenol (p-Cresol, 4-Cresol)           | 330.0  | ND           | ND         | ND         | ND         | ND         |
| N-Nitroso-Di-n-propylamine                    | 330.0  | ND           | ND         | ND         | ND         | ND         |
| N-Nitrosodiphenylamine                        | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Naphthalene                                   | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2-Nitroaniline                                | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| 3-Nitroaniline                                | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| 4-Nitroaniline                                | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| Nitrobenzene (NB)                             | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 2-Nitrophenol (o-Nitrophenol)                 | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 4-Nitrophenol                                 | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| Pentachlorophenol                             | 1700.0 | ND           | ND         | ND         | ND         | ND         |
| Phenanthrene                                  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Phenol  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| Pyrene  | 330.0  | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                        | 330.0  | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 48

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1


| Our Lab I.D.          |       | Method Blank | 196388     | 196389     | 196390     | 196391     |
|-----------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.    |       |              | T-1-1,2.5' | T-1-2,2.5' | T-2-1,3'   | T-3-1,4'   |
| Date Sampled          |       |              | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared         |       | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method    |       | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |       | 06/11/2007   | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                 |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor       |       | 1            | 1          | 1          | 1          | 1          |
| Analytes              | PQL   | Results      | Results    | Results    | Results    | Results    |
| 2,4,5-Trichlorophenol | 330.0 | ND           | ND         | ND         | ND         | ND         |
| 2,4,6-Trichlorophenol | 330.0 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196388 | 196389 | 196390 | 196391 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| 2-Fluorophenol             | 21-105      | 90     | 93     | 97     | 90     | 61     |
| Phenol-d6                  | 10-107      | 62     | 63     | 67     | 62     | 41     |
| 2,4,6-Tribromophenol       | 10-123      | 97     | 108    | 112    | 111    | 88     |
| Nitrobenzene-d5            | 35-114      | 80     | 72     | 75     | 70     | 48     |
| 2-Fluorobiphenyl           | 18-116      | 75     | 66     | 67     | 66     | 43     |
| Terphenyl-d14              | 33-141      | 72     | 106    | 101    | 98     | 92     |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

| Analytes                                       | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|--|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Acenaphthene                                   | 85           | 75               | 12.5             | 43-118              | <30                |  |  |  |  |  |
| 4-Chloro-3-methylphenol<br>(p-Chloro-m-cresol) | 107          | 94               | 12.9             | 23-117              | <30                |  |  |  |  |  |
| 2-Chlorophenol (o-Chlorophenol)                | 112          | 92               | 19.6             | 27-123              | <30                |  |  |  |  |  |
| 1,4-Dichlorobenzene                            | 63           | 52               | 19.1             | 36-105              | <30                |  |  |  |  |  |
| 2,4-Dinitrotoluene                             | 102          | 106              | 3.8              | 24-120              | <30                |  |  |  |  |  |
| N-Nitroso-Di-n-propylamine                     | 83           | 67               | 21.3             | 41-116              | <30                |  |  |  |  |  |
| 4-Nitrophenol                                  | 50           | 42               | 17.4             | 10-133              | <30                |  |  |  |  |  |
| Pentachlorophenol                              | 99           | 99               | <1               | 9-118               | <30                |  |  |  |  |  |
| Phenol   | 65           | 54               | 18.5             | 12-110              | <30                |  |  |  |  |  |
| Pyrene   | 120          | 133              | 10.3             | 26-127              | <30                |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                         | 86           | 71               | 19.1             | 39-98               | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 49

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                    |        | 196392     | 196393     | 196394     | 196395     | 196396     |
|---|--------|------------|------------|------------|------------|------------|
| Client Sample I.D.                              |        | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled                                    |        | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                              |        | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                 |        | 1          | 1          | 1          | 1          | 1          |
| Analytes  | PQL    | Results    | Results    | Results    | Results    | Results    |
| Acenaphthene                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Acenaphthylene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Anthracene                                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benz(a)anthracene (Benzo(a)anthracene)          | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(a)pyrene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(b)fluoranthene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(ghi)perylene                              | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(k)fluoranthene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzoic acid                                    | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Benzyl alcohol                                  | 660.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroethoxy)methane                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroethyl)ether                         | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroisopropyl) ether                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-ethylhexyl) phthalate                     | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Bromophenyl phenyl ether                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Butyl benzyl phthalate (Benzyl butyl phthalate) | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chloro-3-methylphenol (p-Chloro-m-cresol)     | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chloroaniline                                 | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Chloronaphthalene                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Chlorophenol (o-Chlorophenol)                 | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chlorophenyl phenyl ether                     | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Chrysene  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Di-n-butyl phthalate                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Di-n-octyl phthalate (Dioctyl ester)            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dibenz(a,h)anthracene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dibenzofuran                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 50

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                  |        | 196392     | 196393     | 196394     | 196395     | 196396     |
|---|--------|------------|------------|------------|------------|------------|
| Client Sample I.D.                            |        | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled                                  |        | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                            |        | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                               |        | 1          | 1          | 1          | 1          | 1          |
| Analytes                                      | PQL    | Results    | Results    | Results    | Results    | Results    |
| 1,4-Dichlorobenzene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 3,3'-Dichlorobenzidine                        | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dichlorophenol                            | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Diethyl phthalate (Diethyl ester)             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dimethylphenol                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dimethyl phthalate (Dimethyl ester)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dinitrophenol                             | 1700   | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dinitrotoluene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,6-Dinitrotoluene (2,6-DNT)                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Fluoranthene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Fluorene                                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobenzene                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene) | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorocyclopentadiene                     | 660.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachloroethane                              | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Indeno(1,2,3-cd)pyrene                        | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Isophorone                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-methyl-4,6-Dinitrophenol                    | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 2-Methylnaphthalene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Methylphenol (o-Cresol, 2-Cresol)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Methylphenol (p-Cresol, 4-Cresol)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| N-Nitroso-Di-n-propylamine                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| N-Nitrosodiphenylamine                        | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Naphthalene                                   | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 3-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 4-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Nitrobenzene (NB)                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Nitrophenol (o-Nitrophenol)                 | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Nitrophenol                                 | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Pentachlorophenol                             | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Phenanthrene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Phenol  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Pyrene  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                        | 330.0  | ND         | ND         | ND         | ND         | ND         |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 51

Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1


| Our Lab I.D.          |       | 196392     | 196393     | 196394     | 196395     | 196396     |
|-----------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.    |       | T-3-2,3'   | T-4-1,3'   | T-4-2,3'   | T-2-2,4'   | T-2-3,4'   |
| Date Sampled          |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method    |       | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                 |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor       |       | 1          | 1          | 1          | 1          | 1          |
| Analytes              | PQL   | Results    | Results    | Results    | Results    | Results    |
| 2,4,5-Trichlorophenol | 330.0 | ND         | ND         | ND         | ND         | ND         |
| 2,4,6-Trichlorophenol | 330.0 | ND         | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             | 196392 | 196393 | 196394 | 196395 | 196396 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| 2-Fluorophenol             | 21-105      | 83     | 116    | 55     | 98     | 90     |
| Phenol-d6                  | 10-107      | 59     | 81     | 47     | 72     | 70     |
| 2,4,6-Tribromophenol       | 10-123      | 100    | 123    | 108    | 112    | 95     |
| Nitrobenzene-d5            | 35-114      | 63     | 87     | 39     | 70     | 56     |
| 2-Fluorobiphenyl           | 18-116      | 58     | 83     | 44     | 71     | 46     |
| Terphenyl-d14              | 33-141      | 91     | 95     | 83     | 90     | 84     |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

| Analytes                                       | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|--|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Acenaphthene                                   | 85           | 75               | 12.5             | 43-118              | <30                |  |  |  |  |  |
| 4-Chloro-3-methylphenol<br>(p-Chloro-m-cresol) | 107          | 94               | 12.9             | 23-117              | <30                |  |  |  |  |  |
| 2-Chlorophenol (o-Chlorophenol)                | 112          | 92               | 19.6             | 27-123              | <30                |  |  |  |  |  |
| 1,4-Dichlorobenzene                            | 63           | 52               | 19.1             | 36-105              | <30                |  |  |  |  |  |
| 2,4-Dinitrotoluene                             | 102          | 106              | 3.8              | 24-120              | <30                |  |  |  |  |  |
| N-Nitroso-Di-n-propylamine                     | 83           | 67               | 21.3             | 41-116              | <30                |  |  |  |  |  |
| 4-Nitrophenol                                  | 50           | 42               | 17.4             | 10-133              | <30                |  |  |  |  |  |
| Pentachlorophenol                              | 99           | 99               | <1               | 9-118               | <30                |  |  |  |  |  |
| Phenol   | 65           | 54               | 18.5             | 12-110              | <30                |  |  |  |  |  |
| Pyrene   | 120          | 133              | 10.3             | 26-127              | <30                |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                         | 86           | 71               | 19.1             | 39-98               | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 52

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                    |        | 196397     | 196398     | 196399     | 196400     | 196401     |
|---|--------|------------|------------|------------|------------|------------|
| Client Sample I.D.                              |        | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled                                    |        | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                              |        | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                 |        | 1          | 1          | 1          | 1          | 1          |
| Analytes  | PQL    | Results    | Results    | Results    | Results    | Results    |
| Acenaphthene                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Acenaphthylene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Anthracene                                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benz(a)anthracene (Benzo(a)anthracene)          | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(a)pyrene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(b)fluoranthene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(ghi)perylene                              | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzo(k)fluoranthene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Benzoic acid                                    | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Benzyl alcohol                                  | 660.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroethoxy)methane                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroethyl)ether                         | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-chloroisopropyl) ether                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Bis(2-ethylhexyl) phthalate                     | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Bromophenyl phenyl ether                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Butyl benzyl phthalate (Benzyl butyl phthalate) | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chloro-3-methylphenol (p-Chloro-m-cresol)     | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chloroaniline                                 | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Chloronaphthalene                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Chlorophenol (o-Chlorophenol)                 | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Chlorophenyl phenyl ether                     | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Chrysene  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Di-n-butyl phthalate                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Di-n-octyl phthalate (Dioctyl ester)            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dibenz(a,h)anthracene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dibenzofuran                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         | ND         | ND         |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 53

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                  |        | 196397     | 196398     | 196399     | 196400     | 196401     |
|---|--------|------------|------------|------------|------------|------------|
| Client Sample I.D.                            |        | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4,5' | T-3-6,4'   |
| Date Sampled                                  |        | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method                            |        | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix  |        | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units   |        | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                               |        | 1          | 1          | 1          | 1          | 1          |
| Analytes                                      | PQL    | Results    | Results    | Results    | Results    | Results    |
| 1,4-Dichlorobenzene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 3,3'-Dichlorobenzidine                        | 660.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dichlorophenol                            | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Diethyl phthalate (Diethyl ester)             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dimethylphenol                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Dimethyl phthalate (Dimethyl ester)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dinitrophenol                             | 1700   | ND         | ND         | ND         | ND         | ND         |
| 2,4-Dinitrotoluene                            | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2,6-Dinitrotoluene (2,6-DNT)                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Fluoranthene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Fluorene                                      | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobenzene                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene) | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachlorocyclopentadiene                     | 660.0  | ND         | ND         | ND         | ND         | ND         |
| Hexachloroethane                              | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Indeno(1,2,3-cd)pyrene                        | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Isophorone                                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-methyl-4,6-Dinitrophenol                    | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 2-Methylnaphthalene                           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Methylphenol (o-Cresol, 2-Cresol)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Methylphenol (p-Cresol, 4-Cresol)           | 330.0  | ND         | ND         | ND         | ND         | ND         |
| N-Nitroso-Di-n-propylamine                    | 330.0  | ND         | ND         | ND         | ND         | ND         |
| N-Nitrosodiphenylamine                        | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Naphthalene                                   | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 3-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| 4-Nitroaniline                                | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Nitrobenzene (NB)                             | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 2-Nitrophenol (o-Nitrophenol)                 | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 4-Nitrophenol                                 | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Pentachlorophenol                             | 1700.0 | ND         | ND         | ND         | ND         | ND         |
| Phenanthrene                                  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Phenol  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| Pyrene  | 330.0  | ND         | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                        | 330.0  | ND         | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 54

Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.          |       | 196397     | 196398     | 196399     | 196400     | 196401     |
|-----------------------|-------|------------|------------|------------|------------|------------|
| Client Sample I.D.    |       | T-2-4,5'   | T-3-3,3'   | T-3-4,4'   | T-3-5,4.5' | T-3-6,4'   |
| Date Sampled          |       | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 | 06/01/2007 |
| Date Prepared         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Preparation Method    |       | 3550B      | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 | 06/11/2007 |
| Matrix                |       | Soil       | Soil       | Soil       | Soil       | Soil       |
| Units                 |       | ug/kg      | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor       |       | 1          | 1          | 1          | 1          | 1          |
| Analytes              | PQL   | Results    | Results    | Results    | Results    | Results    |
| 2,4,5-Trichlorophenol | 330.0 | ND         | ND         | ND         | ND         | ND         |
| 2,4,6-Trichlorophenol | 330.0 | ND         | ND         | ND         | ND         | ND         |

Comment(s):


196401: Low surrogate recovery due to matrix.

| Our Lab I.D.               |             | 196397 | 196398 | 196399 | 196400 | 196401 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| 2-Fluorophenol             | 21-105      | 65     | 81     | 87     | 102    | 45     |
| Phenol-d6                  | 10-107      | 45     | 56     | 62     | 71     | 31     |
| 2,4,6-Tribromophenol       | 10-123      | 104    | 102    | 99     | 102    | 102    |
| Nitrobenzene-d5            | 35-114      | 51     | 62     | 69     | 79     | 33     |
| 2-Fluorobiphenyl           | 18-116      | 49     | 60     | 64     | 73     | 28     |
| Terphenyl-d14              | 33-141      | 93     | 93     | 92     | 92     | 95     |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

| Analytes                                       | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|--|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Acenaphthene                                   | 85           | 75               | 12.5             | 43-118              | <30                |  |  |  |  |  |
| 4-Chloro-3-methylphenol<br>(p-Chloro-m-cresol) | 107          | 94               | 12.9             | 23-117              | <30                |  |  |  |  |  |
| 2-Chlorophenol (o-Chlorophenol)                | 112          | 92               | 19.6             | 27-123              | <30                |  |  |  |  |  |
| 1,4-Dichlorobenzene                            | 63           | 52               | 19.1             | 36-105              | <30                |  |  |  |  |  |
| 2,4-Dinitrotoluene                             | 102          | 106              | 3.8              | 24-120              | <30                |  |  |  |  |  |
| N-Nitroso-Di-n-propylamine                     | 83           | 67               | 21.3             | 41-116              | <30                |  |  |  |  |  |
| 4-Nitrophenol                                  | 50           | 42               | 17.4             | 10-133              | <30                |  |  |  |  |  |
| Pentachlorophenol                              | 99           | 99               | <1               | 9-118               | <30                |  |  |  |  |  |
| Phenol   | 65           | 54               | 18.5             | 12-110              | <30                |  |  |  |  |  |
| Pyrene   | 120          | 133              | 10.3             | 26-127              | <30                |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                         | 86           | 71               | 19.1             | 39-98               | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 55

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                    |        | 196402     | 196403     | 196404     |  |  |
|---|--------|------------|------------|------------|--|--|
| Client Sample I.D.                              |        | T-4-3,4'   | T-4-4,4'   | T-4-5,12'  |  |  |
| Date Sampled                                    |        | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method                              |        | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed                                   |        | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix  |        | Soil       | Soil       | Soil       |  |  |
| Units   |        | ug/kg      | ug/kg      | ug/kg      |  |  |
| Dilution Factor                                 |        | 1          | 1          | 1          |  |  |
| Analytes  | PQL    | Results    | Results    | Results    |  |  |
| Acenaphthene                                    | 330.0  | ND         | ND         | ND         |  |  |
| Acenaphthylene                                  | 330.0  | ND         | ND         | ND         |  |  |
| Anthracene                                      | 330.0  | ND         | ND         | ND         |  |  |
| Benz(a)anthracene (Benzo(a)anthracene)          | 330.0  | ND         | ND         | ND         |  |  |
| Benzo(a)pyrene                                  | 330.0  | ND         | ND         | ND         |  |  |
| Benzo(b)fluoranthene                            | 330.0  | ND         | ND         | ND         |  |  |
| Benzo(ghi)perylene                              | 330.0  | ND         | ND         | ND         |  |  |
| Benzo(k)fluoranthene                            | 330.0  | ND         | ND         | ND         |  |  |
| Benzoic acid                                    | 1700.0 | ND         | ND         | ND         |  |  |
| Benzyl alcohol                                  | 660.0  | ND         | ND         | ND         |  |  |
| Bis(2-chloroethoxy)methane                      | 330.0  | ND         | ND         | ND         |  |  |
| Bis(2-chloroethyl)ether                         | 330.0  | ND         | ND         | ND         |  |  |
| Bis(2-chloroisopropyl) ether                    | 330.0  | ND         | ND         | ND         |  |  |
| Bis(2-ethylhexyl) phthalate                     | 330.0  | ND         | ND         | ND         |  |  |
| 4-Bromophenyl phenyl ether                      | 330.0  | ND         | ND         | ND         |  |  |
| Butyl benzyl phthalate (Benzyl butyl phthalate) | 330.0  | ND         | ND         | ND         |  |  |
| 4-Chloro-3-methylphenol (p-Chloro-m-cresol)     | 660.0  | ND         | ND         | ND         |  |  |
| 4-Chloroaniline                                 | 660.0  | ND         | ND         | ND         |  |  |
| 2-Chloronaphthalene                             | 330.0  | ND         | ND         | ND         |  |  |
| 2-Chlorophenol (o-Chlorophenol)                 | 330.0  | ND         | ND         | ND         |  |  |
| 4-Chlorophenyl phenyl ether                     | 330.0  | ND         | ND         | ND         |  |  |
| Chrysene  | 330.0  | ND         | ND         | ND         |  |  |
| Di-n-butyl phthalate                            | 330.0  | ND         | ND         | ND         |  |  |
| Di-n-octyl phthalate (Diocetyl ester)           | 330.0  | ND         | ND         | ND         |  |  |
| Dibenz(a,h)anthracene                           | 330.0  | ND         | ND         | ND         |  |  |
| Dibenzofuran                                    | 330.0  | ND         | ND         | ND         |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)         | 330.0  | ND         | ND         | ND         |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 56

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1

| Our Lab I.D.                                  |        | 196402     | 196403     | 196404     |  |  |
|---|--------|------------|------------|------------|--|--|
| Client Sample I.D.                            |        | T-4-3,4'   | T-4-4,4'   | T-4-5,12'  |  |  |
| Date Sampled                                  |        | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method                            |        | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed                                 |        | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix  |        | Soil       | Soil       | Soil       |  |  |
| Units   |        | ug/kg      | ug/kg      | ug/kg      |  |  |
| Dilution Factor                               |        | 1          | 1          | 1          |  |  |
| Analytes                                      | PQL    | Results    | Results    | Results    |  |  |
| 1,4-Dichlorobenzene                           | 330.0  | ND         | ND         | ND         |  |  |
| 3,3'-Dichlorobenzidine                        | 660.0  | ND         | ND         | ND         |  |  |
| 2,4-Dichlorophenol                            | 1700.0 | ND         | ND         | ND         |  |  |
| Diethyl phthalate (Diethyl ester)             | 330.0  | ND         | ND         | ND         |  |  |
| 2,4-Dimethylphenol                            | 330.0  | ND         | ND         | ND         |  |  |
| Dimethyl phthalate (Dimethyl ester)           | 330.0  | ND         | ND         | ND         |  |  |
| 2,4-Dinitrophenol                             | 1700   | ND         | ND         | ND         |  |  |
| 2,4-Dinitrotoluene                            | 330.0  | ND         | ND         | ND         |  |  |
| 2,6-Dinitrotoluene (2,6-DNT)                  | 330.0  | ND         | ND         | ND         |  |  |
| Fluoranthene                                  | 330.0  | ND         | ND         | ND         |  |  |
| Fluorene                                      | 330.0  | ND         | ND         | ND         |  |  |
| Hexachlorobenzene                             | 330.0  | ND         | ND         | ND         |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene) | 330.0  | ND         | ND         | ND         |  |  |
| Hexachlorocyclopentadiene                     | 660.0  | ND         | ND         | ND         |  |  |
| Hexachloroethane                              | 330.0  | ND         | ND         | ND         |  |  |
| Indeno(1,2,3-cd)pyrene                        | 330.0  | ND         | ND         | ND         |  |  |
| Isophorone                                    | 330.0  | ND         | ND         | ND         |  |  |
| 2-methyl-4,6-Dinitrophenol                    | 1700.0 | ND         | ND         | ND         |  |  |
| 2-Methylnaphthalene                           | 330.0  | ND         | ND         | ND         |  |  |
| 2-Methylphenol (o-Cresol, 2-Cresol)           | 330.0  | ND         | ND         | ND         |  |  |
| 4-Methylphenol (p-Cresol, 4-Cresol)           | 330.0  | ND         | ND         | ND         |  |  |
| N-Nitroso-Di-n-propylamine                    | 330.0  | ND         | ND         | ND         |  |  |
| N-Nitrosodiphenylamine                        | 330.0  | ND         | ND         | ND         |  |  |
| Naphthalene                                   | 330.0  | ND         | ND         | ND         |  |  |
| 2-Nitroaniline                                | 1700.0 | ND         | ND         | ND         |  |  |
| 3-Nitroaniline                                | 1700.0 | ND         | ND         | ND         |  |  |
| 4-Nitroaniline                                | 1700.0 | ND         | ND         | ND         |  |  |
| Nitrobenzene (NB)                             | 330.0  | ND         | ND         | ND         |  |  |
| 2-Nitrophenol (o-Nitrophenol)                 | 330.0  | ND         | ND         | ND         |  |  |
| 4-Nitrophenol                                 | 1700.0 | ND         | ND         | ND         |  |  |
| Pentachlorophenol                             | 1700.0 | ND         | ND         | ND         |  |  |
| Phenanthrene                                  | 330.0  | ND         | ND         | ND         |  |  |
| Phenol  | 330.0  | ND         | ND         | ND         |  |  |
| Pyrene  | 330.0  | ND         | ND         | ND         |  |  |
| 1,2,4-Trichlorobenzene                        | 330.0  | ND         | ND         | ND         |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 57

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 8270C, Semivolatile Organics

QC Batch No: 061107-1


| Our Lab I.D.          |       | 196402     | 196403     | 196404     |  |  |
|-----------------------|-------|------------|------------|------------|--|--|
| Client Sample I.D.    |       | T-4-3,4'   | T-4-4,4'   | T-4-5,12'  |  |  |
| Date Sampled          |       | 06/01/2007 | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method    |       | 3550B      | 3550B      | 3550B      |  |  |
| Date Analyzed         |       | 06/11/2007 | 06/11/2007 | 06/11/2007 |  |  |
| Matrix                |       | Soil       | Soil       | Soil       |  |  |
| Units                 |       | ug/kg      | ug/kg      | ug/kg      |  |  |
| Dilution Factor       |       | 1          | 1          | 1          |  |  |
| Analytes              | PQL   | Results    | Results    | Results    |  |  |
| 2,4,5-Trichlorophenol | 330.0 | ND         | ND         | ND         |  |  |
| 2,4,6-Trichlorophenol | 330.0 | ND         | ND         | ND         |  |  |

| Our Lab I.D.               |             | 196402 | 196403 | 196404 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| 2-Fluorophenol             | 21-105      | 95     | 82     | 67     |  |  |
| Phenol-d6                  | 10-107      | 65     | 60     | 49     |  |  |
| 2,4,6-Tribromophenol       | 10-123      | 109    | 92     | 79     |  |  |
| Nitrobenzene-d5            | 35-114      | 70     | 56     | 47     |  |  |
| 2-Fluorobiphenyl           | 18-116      | 65     | 49     | 39     |  |  |
| Terphenyl-d14              | 33-141      | 93     | 93     | 95     |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

| Analytes                                       | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|--|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Acenaphthene                                   | 85           | 75               | 12.5             | 43-118              | <30                |  |  |  |  |  |
| 4-Chloro-3-methylphenol<br>(p-Chloro-m-cresol) | 107          | 94               | 12.9             | 23-117              | <30                |  |  |  |  |  |
| 2-Chlorophenol (o-Chlorophenol)                | 112          | 92               | 19.6             | 27-123              | <30                |  |  |  |  |  |
| 1,4-Dichlorobenzene                            | 63           | 52               | 19.1             | 36-105              | <30                |  |  |  |  |  |
| 2,4-Dinitrotoluene                             | 102          | 106              | 3.8              | 24-120              | <30                |  |  |  |  |  |
| N-Nitroso-Di-n-propylamine                     | 83           | 67               | 21.3             | 41-116              | <30                |  |  |  |  |  |
| 4-Nitrophenol                                  | 50           | 42               | 17.4             | 10-133              | <30                |  |  |  |  |  |
| Pentachlorophenol                              | 99           | 99               | <1               | 9-118               | <30                |  |  |  |  |  |
| Phenol   | 65           | 54               | 18.5             | 12-110              | <30                |  |  |  |  |  |
| Pyrene   | 120          | 133              | 10.3             | 26-127              | <30                |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                         | 86           | 71               | 19.1             | 39-98               | <30                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 58

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 9045C, Soil and Waste pH


QC Batch No: 061107-1

| Our Lab I.D.         |            | 196388         | 196389         | 196390         | 196391         | 196392         |
|----------------------|------------|----------------|----------------|----------------|----------------|----------------|
| Client Sample I.D.   |            | T-1-1,2.5'     | T-1-2,2.5'     | T-2-1,3'       | T-3-1,4'       | T-3-2,3'       |
| Date Sampled         |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |
| Date Prepared        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |
| Preparation Method   |            |                |                |                |                |                |
| Date Analyzed        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |
| Matrix               |            | Soil           | Soil           | Soil           | Soil           | Soil           |
| Units                |            | pH Units       | pH Units       | pH Units       | pH Units       | pH Units       |
| Dilution Factor      |            | 1              | 1              | 1              | 1              | 1              |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |
| <b>Conventionals</b> |            |                |                |                |                |                |
| pH                   | 1.00       | 7.70           | 7.80           | 6.61           | 7.30           | 6.95           |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

| Analytes             | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|----------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Conventionals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| pH                   | 100          | 100              | <1               | 80-120              |                    |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 59

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 9045C, Soil and Waste pH

QC Batch No: 061107-1

| Our Lab I.D.         |            | 196393         | 196394         | 196395         |  |  |
|----------------------|------------|----------------|----------------|----------------|--|--|
| Client Sample I.D.   |            | T-4-1,3'       | T-4-2,3'       | T-2-2,4'       |  |  |
| Date Sampled         |            | 06/01/2007     | 06/01/2007     | 06/01/2007     |  |  |
| Date Prepared        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     |  |  |
| Preparation Method   |            |                |                |                |  |  |
| Date Analyzed        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     |  |  |
| Matrix               |            | Soil           | Soil           | Soil           |  |  |
| Units                |            | pH Units       | pH Units       | pH Units       |  |  |
| Dilution Factor      |            | 1              | 1              | 1              |  |  |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |  |  |
| <b>Conventionals</b> |            |                |                |                |  |  |
| pH                   | 1.00       | 5.06           | 5.61           | 6.64           |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061107-1

|                      | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|----------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>      |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>Conventionals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| pH                   | 100          | 100              | <1               | 80-120              |                    |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 60

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 9045C, Soil and Waste pH

QC Batch No: 061107-2

| Our Lab I.D.         |            | 196396         | 196397         | 196398         | 196399         | 196400         |
|----------------------|------------|----------------|----------------|----------------|----------------|----------------|
| Client Sample I.D.   |            | T-2-3,4'       | T-2-4,5'       | T-3-3,3'       | T-3-4,4'       | T-3-5,4.5'     |
| Date Sampled         |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |
| Date Prepared        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |
| Preparation Method   |            |                |                |                |                |                |
| Date Analyzed        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |
| Matrix               |            | Soil           | Soil           | Soil           | Soil           | Soil           |
| Units                |            | pH Units       | pH Units       | pH Units       | pH Units       | pH Units       |
| Dilution Factor      |            | 1              | 1              | 1              | 1              | 1              |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |
| <b>Conventionals</b> |            |                |                |                |                |                |
| pH                   | 1.00       | 6.88           | 6.89           | 5.87           | 5.37           | 6.67           |

### QUALITY CONTROL REPORT

QC Batch No: 061107-2

| Analytes             | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|----------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Conventionals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| pH                   | 100          | 101              | <1               | 80-120              |                    |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 61

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34115          | 06/05/2007 | EIS    |

Method: 9045C, Soil and Waste pH

QC Batch No: 061107-2

| Our Lab I.D.         |            | 196401         | 196402         | 196403         | 196404         |  |
|----------------------|------------|----------------|----------------|----------------|----------------|--|
| Client Sample I.D.   |            | T-3-6,4'       | T-4-3,4'       | T-4-4,4'       | T-4-5,12'      |  |
| Date Sampled         |            | 06/01/2007     | 06/01/2007     | 06/01/2007     | 06/01/2007     |  |
| Date Prepared        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |  |
| Preparation Method   |            |                |                |                |                |  |
| Date Analyzed        |            | 06/11/2007     | 06/11/2007     | 06/11/2007     | 06/11/2007     |  |
| Matrix               |            | Soil           | Soil           | Soil           | Soil           |  |
| Units                |            | pH Units       | pH Units       | pH Units       | pH Units       |  |
| Dilution Factor      |            | 1              | 1              | 1              | 1              |  |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |  |
| <b>Conventionals</b> |            |                |                |                |                |  |
| pH                   | 1.00       | 6.58           | 6.57           | 6.52           | 6.47           |  |

### QUALITY CONTROL REPORT

QC Batch No: 061107-2

| Analytes             | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|----------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Conventionals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| pH                   | 100          | 101              | <1               | 80-120              |                    |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 5

**Date Received** 06/08/2007

**Date Reported** 06/15/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34169      | 06/08/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 4 samples analyzed as specified on attached chain of custody.


Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.

# CHAIN OF CUSTODY RECORD



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34169          | 06/08/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 061407-3

| Our Lab I.D.       |      | Method Blank | 196810     | 196811     | 196812     | 196813     |
|--------------------|------|--------------|------------|------------|------------|------------|
| Client Sample I.D. |      |              | E4-1,6'    | E4-2,4'    | E4-3,3'    | E4-4,7'    |
| Date Sampled       |      |              | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Date Prepared      |      | 06/14/2007   | 06/14/2007 | 06/14/2007 | 06/14/2007 | 06/14/2007 |
| Preparation Method |      | 3050B        | 3050B      | 3050B      | 3050B      | 3050B      |
| Date Analyzed      |      | 06/14/2007   | 06/14/2007 | 06/14/2007 | 06/14/2007 | 06/14/2007 |
| Matrix             |      | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units              |      | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor    |      | 1            | 1          | 1          | 1          | 1          |
| Analytes           | PQL  | Results      | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |      |              |            |            |            |            |
| Mercury            | 0.20 | ND           | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |      |              |            |            |            |            |
| Antimony           | 0.50 | ND           | 0.92       | 0.91       | 1.32       | 0.98       |
| Arsenic            | 0.25 | ND           | 4.40       | 4.82       | 8.06       | 5.96       |
| Barium             | 0.50 | ND           | 163        | 178        | 206        | 138        |
| Beryllium          | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Cadmium            | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Chromium           | 0.50 | ND           | 23.6       | 22.9       | 35.6       | 23.8       |
| Cobalt             | 0.50 | ND           | 11.4       | 8.05       | 10.6       | 9.17       |
| Copper             | 0.50 | ND           | 16.7       | 16.4       | 16.6       | 17.9       |
| Lead               | 0.25 | ND           | 4.97       | 4.98       | 6.34       | 4.79       |
| Molybdenum         | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Nickel             | 0.50 | ND           | 70.6       | 25.9       | 47.8       | 33.6       |
| Selenium           | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Silver             | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Thallium           | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Vanadium           | 0.50 | ND           | 33.2       | 29.4       | 38.9       | 28.3       |
| Zinc               | 0.50 | ND           | 40.3       | 29.6       | 40.3       | 38.4       |

### QUALITY CONTROL REPORT

QC Batch No: 061407-3

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 90           | 91               | 1.1              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 88           | 93               | 5.5              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34169          | 06/08/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061407-3

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 99           | 90               | 9.5              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 91           | 93               | 2.2              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 90           | 91               | 1.1              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 88           | 98               | 10.8             | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 89           | 91               | 2.2              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 92           | 93               | 1.1              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 90           | 94               | 4.3              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 92           | 96               | 4.3              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 91           | 93               | 2.2              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 93           | 96               | 3.2              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 88           | 98               | 10.8             | 80-120              | <20                |  |  |  |  |  |
| Silver     | 88           | 88               | <1               | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 90           | 92               | 2.2              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 88           | 94               | 6.6              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 95           | 102              | 7.1              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34169          | 06/08/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061407-2D**


| Our Lab I.D.          |     | Method Blank | 196811     | 196812     |  |  |
|-----------------------|-----|--------------|------------|------------|--|--|
| Client Sample I.D.    |     |              | E4-2,4'    | E4-3,3'    |  |  |
| Date Sampled          |     |              | 06/06/2007 | 06/06/2007 |  |  |
| Date Prepared         |     | 06/11/2007   | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method    |     | 3550B        | 3550B      | 3550B      |  |  |
| Date Analyzed         |     | 06/15/2007   | 06/15/2007 | 06/15/2007 |  |  |
| Matrix                |     | Soil         | Soil       | Soil       |  |  |
| Units                 |     | mg/Kg        | mg/Kg      | mg/Kg      |  |  |
| Dilution Factor       |     | 1            | 1          | 1          |  |  |
| Analytes              | PQL | Results      | Results    | Results    |  |  |
| TPH DROs (C10 to C28) | 10  | ND           | ND         | ND         |  |  |
| TPH OROs (C28+)       | 50  | ND           | ND         | ND         |  |  |

| Our Lab I.D.               |             |        | 196811 | 196812 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Chlorobenzene              | 70-120      | 109    | 105    | 106    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061407-2D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 96          | 98              | 2.1      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34169          | 06/08/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 061407-2P**

| Our Lab I.D.          |     | 196810     | 196813     |  |  |  |
|-----------------------|-----|------------|------------|--|--|--|
| Client Sample I.D.    |     | E4-1,6'    | E4-4,7'    |  |  |  |
| Date Sampled          |     | 06/06/2007 | 06/06/2007 |  |  |  |
| Date Prepared         |     | 06/14/2007 | 06/14/2007 |  |  |  |
| Preparation Method    |     | 3550B      | 3550B      |  |  |  |
| Date Analyzed         |     | 06/15/2007 | 06/15/2007 |  |  |  |
| Matrix                |     | Soil       | Soil       |  |  |  |
| Units                 |     | mg/Kg      | mg/Kg      |  |  |  |
| Dilution Factor       |     | 1          | 1          |  |  |  |
| Analytes              | PQL | Results    | Results    |  |  |  |
| TPH DROs (C10 to C28) | 10  | ND         | ND         |  |  |  |
| TPH OROs (C28+)       | 50  | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196810 | 196813 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Chlorobenzene              | 70-120      | 114    | 114    |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 061407-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 100         | 104             | 3.9      | 75-120            | <20               |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 15

**Date Received** 06/01/2007

**Date Reported** 06/08/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34081      | 06/01/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 6 samples analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





AMERICAN SCIENTIFIC LABORATORIES, LLC  
Environmental Testing Services


2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1

COC# **Nº 40608** GLOBAL ID **T0600102204** E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# **34081**

|  |              |  |         |                        |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|--|--------------|--|---------|------------------------|---|---|--------------|---------------------|--------|-------------------|---|--|---|---|--|--|--|--|---------|
| Company: <b>Environmental Investigation Services, Inc.</b>   |              | Report To: <b>EIS</b>                        |         | ANALYSIS REQUESTED     |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Address: <b>170 Knowles Dr., Ste. 212</b>                    |              | Project Name: <b>Call Mac Transportation</b> |         | Address: <b>EIS</b>    |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Los Gatos, CA 95032  |              | Site Address: <b>461 McGraw Ave</b>          |         | Invoice To: <b>EIS</b> |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Telephone: <b>408-3408-871-1470</b>                          |              | Livermore, CA                                |         | Address: <b>EIS</b>    |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Fax: <b>408-871-1520</b>                                     |              | Project ID: <b>717-2</b>                     |         | P.O.#: <b>717-2</b>    |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Special Instruction: <b>Include COC in pdf report</b>        |              | Project Manager: <b>P. Littman</b>           |         |                        |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| E-mail: <b>jmorris@eis1.net</b><br><b>p.littman@eis1.net</b> |              |  |         |                        |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| ITEM   | LAB USE ONLY | SAMPLE DESCRIPTION                           |         |                        |   |   | Container(s) |                     | Matrix | Preservation      |   |  |   |   |  |  |  |  | Remarks |
|  | Lab ID       | Sample ID                                    | Date    | Time                   | # | Type                                      |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196198       | B-2@5'                                       | 5/31/07 | 10:28                  | 1 | acetate Soil                              |              | ICE                 |        |                   | X | X  | X | X |  |  |  |  |         |
|  | 196199       | B-2@9.5'                                     |         | 10:47                  |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196200       | B-2@15'                                      |         | 10:59                  |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196201       | B-2@20'                                      |         | 11:19                  |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196202       | B-2@25.5'                                    |         | 11:32                  |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196203       | B-3@5'                                       |         | 1621                   |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196204       | B-3@11'                                      |         | 1633                   |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196205       | B-3@15'                                      |         | 1638                   |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
|  | 196206       | B-3@22.5'                                    |         | 1158                   |   |   |              |                     |        |                   |   |  |   |   |  |  |  |  |         |
| Collected By: <b>P. W. W.</b>                                |              | Date: <b>5/31/07</b>                         |         | Time: <b>1520</b>      |   | Relinquished By:                          |              | Date                |        | Time              |   | TAT  |   |   |  |  |  |  |         |
| Relinquished By: <b>P. W. W.</b>                             |              | Date: <b>5/31/07</b>                         |         | Time                   |   | Received For Laboratory <b>Janet Chin</b> |              | Date: <b>6-1-07</b> |        | Time: <b>8:30</b> |   | <input checked="" type="checkbox"/> Normal |   |   |  |  |  |  |         |
| Received By:   |              | Date   |         | Time                   |   | Condition of Sample:                      |              |                     |        |                   |   | <input type="checkbox"/> Rush              |   |   |  |  |  |  |         |

C  
H  
A  
I  
N  
  
O  
F  
  
C  
U  
S  
T  
O  
D  
Y  
  
R  
E  
C  
O  
R  
D



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 060507-1

| Our Lab I.D.       |      | Method Blank | 196198     | 196199     | 196202     | 196203     |
|--------------------|------|--------------|------------|------------|------------|------------|
| Client Sample I.D. |      |              | B-2@5'     | B-2@9.5'   | B-2@25.5'  | B-3@5'     |
| Date Sampled       |      |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared      |      | 06/05/2007   | 06/05/2007 | 06/05/2007 | 06/05/2007 | 06/05/2007 |
| Preparation Method |      | 3050B        | 3050B      | 3050B      | 3050B      | 3050B      |
| Date Analyzed      |      | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix             |      | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units              |      | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor    |      | 1            | 1          | 1          | 1          | 1          |
| Analytes           | PQL  | Results      | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |      |              |            |            |            |            |
| Mercury            | 0.20 | ND           | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |      |              |            |            |            |            |
| Antimony           | 0.50 | ND           | 1.25       | ND         | 9.32       | ND         |
| Arsenic            | 0.25 | ND           | ND         | ND         | ND         | ND         |
| Barium             | 0.50 | ND           | 274        | 156        | 55.7       | 80.1       |
| Beryllium          | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Cadmium            | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Chromium           | 0.50 | ND           | 47.7       | 27.8       | 29.0       | 31.3       |
| Cobalt             | 0.50 | ND           | 9.94       | 15.5       | 8.35       | 9.86       |
| Copper             | 0.50 | ND           | 7.10       | 9.14       | 26.7       | 19.8       |
| Lead               | 0.25 | ND           | 2.02       | 4.97       | 1.74       | 2.81       |
| Molybdenum         | 0.50 | ND           | ND         | ND         | 1.36       | ND         |
| Nickel             | 0.50 | ND           | 42.4       | 54.4       | 37.1       | 38.9       |
| Selenium           | 0.50 | ND           | 6.46       | 5.90       | 6.75       | 4.80       |
| Silver             | 0.50 | ND           | ND         | 12.0       | 9.00       | 10.8       |
| Thallium           | 0.50 | ND           | ND         | ND         | ND         | ND         |
| Vanadium           | 0.50 | ND           | 44.0       | 37.5       | 38.6       | 32.9       |
| Zinc               | 0.50 | ND           | 105        | 106        | 61.7       | 53.3       |

### QUALITY CONTROL REPORT

QC Batch No: 060507-1

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 107          | 104              | 2.8              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 91           | 97               | 6.4              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060507-1

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 92           | 97               | 5.3              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 92           | 100              | 8.3              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 91           | 99               | 8.4              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 92           | 97               | 5.3              | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 88           | 93               | 5.5              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 97           | 102              | 5.0              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 88           | 96               | 8.7              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 96           | 101              | 5.1              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 96           | 99               | 3.1              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 99           | 103              | 4.0              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 91           | 97               | 6.4              | 80-120              | <20                |  |  |  |  |  |
| Silver     | 88           | 88               | <1               | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 95           | 99               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 89           | 95               | 6.5              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 97           | 102              | 5.0              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)


QC Batch No: 060507-1

| Our Lab I.D.       |      | 196204     | 196205     |  |  |  |
|--------------------|------|------------|------------|--|--|--|
| Client Sample I.D. |      | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled       |      | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared      |      | 06/05/2007 | 06/05/2007 |  |  |  |
| Preparation Method |      | 3050B      | 3050B      |  |  |  |
| Date Analyzed      |      | 06/07/2007 | 06/07/2007 |  |  |  |
| Matrix             |      | Soil       | Soil       |  |  |  |
| Units              |      | mg/Kg      | mg/Kg      |  |  |  |
| Dilution Factor    |      | 1          | 1          |  |  |  |
| Analytes           | PQL  | Results    | Results    |  |  |  |
| <b>AA Metals</b>   |      |            |            |  |  |  |
| Mercury            | 0.20 | ND         | ND         |  |  |  |
| <b>ICP Metals</b>  |      |            |            |  |  |  |
| Antimony           | 0.50 | ND         | ND         |  |  |  |
| Arsenic            | 0.25 | ND         | ND         |  |  |  |
| Barium             | 0.50 | 105        | 95.5       |  |  |  |
| Beryllium          | 0.50 | ND         | ND         |  |  |  |
| Cadmium            | 0.50 | ND         | ND         |  |  |  |
| Chromium           | 0.50 | 25.6       | 26.7       |  |  |  |
| Cobalt             | 0.50 | 8.77       | 7.51       |  |  |  |
| Copper             | 0.50 | 6.37       | 6.72       |  |  |  |
| Lead               | 0.25 | ND         | 2.30       |  |  |  |
| Molybdenum         | 0.50 | ND         | ND         |  |  |  |
| Nickel             | 0.50 | 27.3       | 32.6       |  |  |  |
| Selenium           | 0.50 | 5.33       | 3.30       |  |  |  |
| Silver             | 0.50 | ND         | 4.96       |  |  |  |
| Thallium           | 0.50 | ND         | ND         |  |  |  |
| Vanadium           | 0.50 | 31.7       | 32.9       |  |  |  |
| Zinc               | 0.50 | 76.4       | 37.5       |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 060507-1

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 107          | 104              | 2.8              | 80-120              | <20                |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 91           | 97               | 6.4              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060507-1

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 92           | 97               | 5.3              | 80-120              | <20                |  |  |  |  |  |
| Barium     | 92           | 100              | 8.3              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 91           | 99               | 8.4              | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 92           | 97               | 5.3              | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 88           | 93               | 5.5              | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 97           | 102              | 5.0              | 80-120              | <20                |  |  |  |  |  |
| Copper     | 88           | 96               | 8.7              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 96           | 101              | 5.1              | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 96           | 99               | 3.1              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 99           | 103              | 4.0              | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 91           | 97               | 6.4              | 80-120              | <20                |  |  |  |  |  |
| Silver     | 88           | 88               | <1               | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 95           | 99               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 89           | 95               | 6.5              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 97           | 102              | 5.0              | 80-120              | <20                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 6

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060707-1P**


| Our Lab I.D.          |     | Method Blank | 196198     | 196199     | 196202     | 196203     |
|-----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.    |     |              | B-2@5'     | B-2@9.5'   | B-2@25.5'  | B-3@5'     |
| Date Sampled          |     |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared         |     | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Preparation Method    |     | 3550B        | 3550B      | 3550B      | 3550B      | 3550B      |
| Date Analyzed         |     | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix                |     | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                 |     | mg/Kg        | mg/Kg      | mg/Kg      | mg/Kg      | mg/Kg      |
| Dilution Factor       |     | 1            | 1          | 1          | 1          | 1          |
| Analytes              | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH DROs (C10 to C28) | 10  | ND           | ND         | ND         | ND         | ND         |
| TPH OROs (C28+)       | 50  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196198 | 196199 | 196202 | 196203 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 111    | 79     | 86     | 80     | 90     |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 105         | 107             | 1.9      | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060707-1P**

| Our Lab I.D.          |     | 196204     | 196205     |  |  |  |
|-----------------------|-----|------------|------------|--|--|--|
| Client Sample I.D.    |     | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled          |     | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared         |     | 06/06/2007 | 06/06/2007 |  |  |  |
| Preparation Method    |     | 3550B      | 3550B      |  |  |  |
| Date Analyzed         |     | 06/07/2007 | 06/07/2007 |  |  |  |
| Matrix                |     | Soil       | Soil       |  |  |  |
| Units                 |     | mg/Kg      | mg/Kg      |  |  |  |
| Dilution Factor       |     | 1          | 1          |  |  |  |
| Analytes              | PQL | Results    | Results    |  |  |  |
| TPH DROs (C10 to C28) | 10  | ND         | ND         |  |  |  |
| TPH OROs (C28+)       | 50  | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196204 | 196205 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Chlorobenzene              | 70-120      | 98     | 75     |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 105         | 107             | 1.9      | 75-120            | <20               |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060607-1C**

| Our Lab I.D.         |            | Method Blank   | 196198         | 196199         | 196202         | 196203         |
|----------------------|------------|----------------|----------------|----------------|----------------|----------------|
| Client Sample I.D.   |            |                | B-2@5'         | B-2@9.5'       | B-2@25.5'      | B-3@5'         |
| Date Sampled         |            |                | 05/31/2007     | 05/31/2007     | 05/31/2007     | 05/31/2007     |
| Date Prepared        |            | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     |
| Preparation Method   |            | 5030A          | 5030A          | 5030A          | 5030A          | 5030A          |
| Date Analyzed        |            | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     | 06/06/2007     |
| Matrix               |            | Soil           | Soil           | Soil           | Soil           | Soil           |
| Units                |            | ug/kg          | ug/kg          | ug/kg          | ug/kg          | ug/kg          |
| Dilution Factor      |            | 1              | 1              | 1              | 1              | 1              |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> | <b>Results</b> |
| TPH GROs (C6 to C10) | 500        | ND             | ND             | ND             | ND             | ND             |

| Our Lab I.D.                      |                    |               | 196198        | 196199        | 196202        | 196203        |
|-----------------------------------|--------------------|---------------|---------------|---------------|---------------|---------------|
| <b>Surrogates</b>                 | <b>% Rec.Limit</b> | <b>% Rec.</b> | <b>% Rec.</b> | <b>% Rec.</b> | <b>% Rec.</b> | <b>% Rec.</b> |
| <b>Surrogate Percent Recovery</b> |                    |               |               |               |               |               |
| Bromofluorobenzene                | 70-120             | 99            | 99            | 95            | 96            | 95            |
| Dibromofluoromethane              | 70-120             | 104           | 104           | 104           | 102           | 96            |
| Toluene-d8                        | 70-120             | 96            | 96            | 97            | 98            | 96            |

### QUALITY CONTROL REPORT

**QC Batch No: 060607-1C**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 100             | 4.1      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 95          | 102             | 7.1      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 88          | 94              | 6.6      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 91              | 5.6      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060607-1C**


| Our Lab I.D.         |     | 196204     | 196205     |  |  |  |
|----------------------|-----|------------|------------|--|--|--|
| Client Sample I.D.   |     | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled         |     | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared        |     | 06/06/2007 | 06/06/2007 |  |  |  |
| Preparation Method   |     | 5030A      | 5030A      |  |  |  |
| Date Analyzed        |     | 06/06/2007 | 06/06/2007 |  |  |  |
| Matrix               |     | Soil       | Soil       |  |  |  |
| Units                |     | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor      |     | 1          | 1          |  |  |  |
| Analytes             | PQL | Results    | Results    |  |  |  |
| TPH GROs (C6 to C10) | 500 | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196204 | 196205 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 94     | 94     |  |  |  |
| Dibromofluoromethane       | 70-120      | 108    | 102    |  |  |  |
| Toluene-d8                 | 70-120      | 98     | 99     |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060607-1C**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 100             | 4.1      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 95          | 102             | 7.1      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 88          | 94              | 6.6      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 91              | 5.6      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 10

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-1C

| Our Lab I.D.                                |       | Method Blank | 196198     | 196199     | 196202     | 196203     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       |              | B-2@5'     | B-2@9.5'   | B-2@25.5'  | B-3@5'     |
| Date Sampled                                |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                               |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Preparation Method                          |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                               |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Matrix                                      |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                                       |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                             |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results      | Results    | Results    | Results    | Results    |
| Acetone                                     | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Benzene                                     | 2.00  | ND           | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND           | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroethane                                | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| DIPE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 11


Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-1C

| Our Lab I.D.  |       | Method Blank | 196198     | 196199     | 196202     | 196203     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       |              | B-2@5'     | B-2@9.5'   | B-2@25.5'  | B-3@5'     |
| Date Sampled  |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                                       |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Preparation Method                                  |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                                       |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Matrix  |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units   |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor                                     |       | 1            | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results      | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 10.00 | ND           | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| ETBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 2.0   | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND           | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 10.00 | ND           | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| MTBE  | 5.00  | ND           | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND           | ND         | ND         | ND         | ND         |
| Naphthalene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 10.00 | ND           | ND         | ND         | ND         | ND         |
| TAME  | 5.0   | ND           | ND         | ND         | ND         | ND         |
| TBA   | 20.0  | ND           | ND         | ND         | ND         | ND         |
| Styrene   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 2.0   | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 10.00 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: **12**

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060607-1C


| Our Lab I.D.                  |       | Method Blank | 196198     | 196199     | 196202     | 196203     |
|-------------------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.            |       |              | B-2@5'     | B-2@9.5'   | B-2@25.5'  | B-3@5'     |
| Date Sampled                  |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                 |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Preparation Method            |       | 5030A        | 5030A      | 5030A      | 5030A      | 5030A      |
| Date Analyzed                 |       | 06/06/2007   | 06/06/2007 | 06/06/2007 | 06/06/2007 | 06/06/2007 |
| Matrix                        |       | Soil         | Soil       | Soil       | Soil       | Soil       |
| Units                         |       | ug/kg        | ug/kg      | ug/kg      | ug/kg      | ug/kg      |
| Dilution Factor               |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results      | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 10.00 | ND           | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 50.0  | ND           | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 30.00 | ND           | ND         | ND         | ND         | ND         |
| o-Xylene                      | 2.0   | ND           | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 4.00  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196198 | 196199 | 196202 | 196203 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 99     | 99     | 95     | 96     | 95     |
| Dibromofluoromethane       | 70-120      | 104    | 104    | 104    | 102    | 96     |
| Toluene-d8                 | 70-120      | 96     | 96     | 97     | 98     | 96     |

### QUALITY CONTROL REPORT

#### QC Batch No: 060607-1C

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 100             | 4.1      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 95          | 102             | 7.1      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 88          | 94              | 6.6      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 91              | 5.6      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 13

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-1C

| Our Lab I.D.                                |       | 196204     | 196205     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                          |       | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled                                |       | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared                               |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Preparation Method                          |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                               |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Matrix                                      |       | Soil       | Soil       |  |  |  |
| Units                                       |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                             |       | 1          | 1          |  |  |  |
| Analytes                                    | PQL   | Results    | Results    |  |  |  |
| Acetone                                     | 50.0  | ND         | ND         |  |  |  |
| Benzene                                     | 2.00  | ND         | ND         |  |  |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND         | ND         |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND         | ND         |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND         | ND         |  |  |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND         | ND         |  |  |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND         | ND         |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND         | ND         |  |  |  |
| n-Butylbenzene                              | 10.00 | ND         | ND         |  |  |  |
| sec-Butylbenzene                            | 10.00 | ND         | ND         |  |  |  |
| tert-Butylbenzene                           | 10.00 | ND         | ND         |  |  |  |
| Carbon disulfide                            | 10.00 | ND         | ND         |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND         | ND         |  |  |  |
| Chlorobenzene                               | 10.00 | ND         | ND         |  |  |  |
| Chloroethane                                | 30.00 | ND         | ND         |  |  |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND         | ND         |  |  |  |
| Chloroform (Trichloromethane)               | 10.00 | ND         | ND         |  |  |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND         | ND         |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| DIPE  | 5.00  | ND         | ND         |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND         | ND         |  |  |  |
| Dibromochloromethane                        | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND         | ND         |  |  |  |
| Dibromomethane                              | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 10.00 | ND         | ND         |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 14

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-1C

| Our Lab I.D.  |       | 196204     | 196205     |  |  |  |
|---|-------|------------|------------|--|--|--|
| Client Sample I.D.                                  |       | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled  |       | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared                                       |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Preparation Method                                  |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                                       |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Matrix  |       | Soil       | Soil       |  |  |  |
| Units   |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor                                     |       | 1          | 1          |  |  |  |
| Analytes  | PQL   | Results    | Results    |  |  |  |
| Dichlorodifluoromethane                             | 30.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloroethane                                  | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND         | ND         |  |  |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND         | ND         |  |  |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND         | ND         |  |  |  |
| 1,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,3-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 2,2-Dichloropropane                                 | 10.00 | ND         | ND         |  |  |  |
| 1,1-Dichloropropene                                 | 10.00 | ND         | ND         |  |  |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND         | ND         |  |  |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND         | ND         |  |  |  |
| ETBE  | 5.00  | ND         | ND         |  |  |  |
| Ethylbenzene  | 2.0   | ND         | ND         |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND         | ND         |  |  |  |
| 2-Hexanone  | 50.00 | ND         | ND         |  |  |  |
| Isopropylbenzene                                    | 10.00 | ND         | ND         |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND         | ND         |  |  |  |
| MTBE  | 5.00  | ND         | ND         |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND         | ND         |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND         | ND         |  |  |  |
| Naphthalene   | 10.00 | ND         | ND         |  |  |  |
| n-Propylbenzene                                     | 10.00 | ND         | ND         |  |  |  |
| TAME  | 5.0   | ND         | ND         |  |  |  |
| TBA   | 20.0  | ND         | ND         |  |  |  |
| Styrene   | 10.00 | ND         | ND         |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND         | ND         |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND         | ND         |  |  |  |
| Toluene (Methyl benzene)                            | 2.0   | ND         | ND         |  |  |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND         | ND         |  |  |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| 1,1,2-Trichloroethane                               | 10.00 | ND         | ND         |  |  |  |
| Trichloroethene (TCE)                               | 10.00 | ND         | ND         |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 15

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34081          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-1C

| Our Lab I.D.                  |       | 196204     | 196205     |  |  |  |
|-------------------------------|-------|------------|------------|--|--|--|
| Client Sample I.D.            |       | B-3@11'    | B-3@15'    |  |  |  |
| Date Sampled                  |       | 05/31/2007 | 05/31/2007 |  |  |  |
| Date Prepared                 |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Preparation Method            |       | 5030A      | 5030A      |  |  |  |
| Date Analyzed                 |       | 06/06/2007 | 06/06/2007 |  |  |  |
| Matrix                        |       | Soil       | Soil       |  |  |  |
| Units                         |       | ug/kg      | ug/kg      |  |  |  |
| Dilution Factor               |       | 1          | 1          |  |  |  |
| Analytes                      | PQL   | Results    | Results    |  |  |  |
| Trichlorofluoromethane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,3-Trichloropropane        | 10.00 | ND         | ND         |  |  |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND         | ND         |  |  |  |
| Vinyl acetate                 | 50.0  | ND         | ND         |  |  |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND         | ND         |  |  |  |
| o-Xylene                      | 2.0   | ND         | ND         |  |  |  |
| m- & p-Xylenes                | 4.00  | ND         | ND         |  |  |  |

| Our Lab I.D.               |             | 196204 | 196205 |  |  |  |
|----------------------------|-------------|--------|--------|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. |  |  |  |
| Surrogate Percent Recovery |             |        |        |  |  |  |
| Bromofluorobenzene         | 70-120      | 94     | 94     |  |  |  |
| Dibromofluoromethane       | 70-120      | 108    | 102    |  |  |  |
| Toluene-d8                 | 70-120      | 98     | 99     |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 060607-1C

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 96          | 100             | 4.1      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 95          | 102             | 7.1      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 88          | 94              | 6.6      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 112         | 112             | <1       | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 91              | 5.6      | 75-120            | 15                |  |  |  |  |  |



**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 15

**Date Received** 06/01/2007

**Date Reported** 06/08/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34079      | 06/01/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 5 samples analyzed as specified on attached chain of custody.


Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services


2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1COC# **Nº 40616** GLOBAL ID **T0600102204** E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# **34079**

|  |  |                                     |  |
|--|--|-------------------------------------|--|
| Company: <b>Environmental Investigation Services, Inc.</b> |  | Report To: <b>ETIS</b>              |  |
| Address: <b>Knowles Dr., Ste 212</b>                       |  | Address: <b>ETIS</b>                |  |
| Los Gatos, CA 95032  |  | Invoice To: <b>ETIS</b>             |  |
| Telephone: <b>408-871-8470</b>                             |  | Address: <b>ETIS</b>                |  |
| Fax: <b>408-871-1520</b>                                   |  | P.O.#: <b>717-2</b>                 |  |
| Special Instruction: <b>Include COC in PDF report</b>      |  | Project ID: <b>717-2</b>            |  |
| E-mail: <b>plittman@eisl.net</b>                           |  | Project Manager: <b>P. L. Htman</b> |  |
| Site Address: <b>461 McGraw Ave.</b>                       |  | Livermore, CA                       |  |

| ITEM | LAB USE ONLY |                | SAMPLE DESCRIPTION |                  |              |                                 | Container(s)   |                     | Preservation             |                  | Remarks |
|------|--------------|----------------|--------------------|------------------|--------------|---------------------------------|----------------|---------------------|--------------------------|------------------|---------|
|      | Lab ID       | Sample ID      | Date               | Time             | #            | Type                            | Matrix         | Preservation Matrix |                          |                  |         |
|      |              | <del>B-1</del> | <del>5/31/07</del> | <del>11:38</del> | <del>7</del> | <del>3 amber 3 vol 1 poly</del> | <del>Ice</del> | <del>3 HCl</del>    | <del>1 Nitric acid</del> | <del>water</del> |         |
|      | 196189       | B-2            | 5/31/07            | 11:38            | 1            |                                 |                |                     |                          | water            |         |
|      | 196190       | B-3            |                    | 1720             | 1            |                                 |                |                     |                          |                  |         |
|      | 196191       | B-4            |                    | 9:45             | 1            |                                 |                |                     |                          |                  |         |
|      | 196192       | B-5            |                    | 1630             | 1            |                                 |                |                     |                          |                  |         |
|      | 196193       | B-6            |                    | 13:45            | 1            |                                 |                |                     |                          |                  |         |

|                                   |                                      |   |  |                  |
|-----------------------------------|--------------------------------------|---|--|------------------|
| Collected By: <b>A. Walden</b>    | Date <b>5/31/07</b> Time <b>1726</b> | Relinquished By:                          | Date   | Time             |
| Relinquished By: <b>A. Walden</b> | Date <b>5/31/07</b> Time             | Received For Laboratory <b>Janet Chin</b> | Date <b>6.1.07</b>   | Time <b>8:30</b> |
| Received By:                      | Date                                 | Condition of Sample:                      | TAT<br><input checked="" type="checkbox"/> Normal<br><input type="checkbox"/> Rush |                  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 6010B/7470A, CCR Title 22 Metals (TTLC)


**QC Batch No: 060407-1A**

| Our Lab I.D.       |        | Method Blank | 196189     | 196190     | 196191     | 196192     |
|--------------------|--------|--------------|------------|------------|------------|------------|
| Client Sample I.D. |        |              | B-2        | B-3        | B-4        | B-5        |
| Date Sampled       |        |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared      |        | 06/04/2007   | 06/04/2007 | 06/04/2007 | 06/04/2007 | 06/04/2007 |
| Preparation Method |        | 3010A        | 3010A      | 3010A      | 3010A      | 3010A      |
| Date Analyzed      |        | 06/05/2007   | 06/05/2007 | 06/05/2007 | 06/05/2007 | 06/05/2007 |
| Matrix             |        | Water        | Water      | Water      | Water      | Water      |
| Units              |        | mg/L         | mg/L       | mg/L       | mg/L       | mg/L       |
| Dilution Factor    |        | 1            | 1          | 1          | 1          | 1          |
| Analytes           | PQL    | Results      | Results    | Results    | Results    | Results    |
| <b>AA Metals</b>   |        |              |            |            |            |            |
| Mercury            | 0.002  | ND           | ND         | ND         | ND         | ND         |
| <b>ICP Metals</b>  |        |              |            |            |            |            |
| Antimony           | 0.010  | ND           | ND         | ND         | ND         | ND         |
| Arsenic            | 0.010  | ND           | ND         | ND         | ND         | ND         |
| Barium             | 0.010  | ND           | 0.192      | 0.648      | 0.359      | 0.863      |
| Beryllium          | 0.0050 | ND           | ND         | ND         | ND         | ND         |
| Cadmium            | 0.0050 | ND           | ND         | ND         | ND         | ND         |
| Chromium           | 0.010  | ND           | 0.031      | 0.105      | 0.036      | 0.050      |
| Cobalt             | 0.010  | ND           | ND         | 0.026      | ND         | 0.013      |
| Copper             | 0.010  | ND           | ND         | ND         | ND         | 0.027      |
| Lead               | 0.005  | ND           | ND         | ND         | ND         | ND         |
| Molybdenum         | 0.010  | ND           | ND         | 0.027      | ND         | ND         |
| Nickel             | 0.010  | ND           | ND         | 0.078      | 0.035      | 0.046      |
| Selenium           | 0.010  | ND           | 0.014      | 0.013      | 0.017      | 0.025      |
| Silver             | 0.010  | ND           | ND         | ND         | ND         | ND         |
| Thallium           | 0.010  | ND           | ND         | ND         | ND         | ND         |
| Vanadium           | 0.010  | ND           | ND         | 0.101      | 0.047      | 0.085      |
| Zinc               | 0.010  | ND           | 0.013      | 0.111      | 0.117      | 0.063      |

### QUALITY CONTROL REPORT

**QC Batch No: 060407-1A**

| Analytes          | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 92           | 109              | 16.9             | 80-120              | 20                 |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 97           | 95               | 2.1              | 80-120              | 20                 |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation


| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 6010B/7470A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060407-1A

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 97           | 98               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Barium     | 100          | 102              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Beryllium  | 100          | 101              | <1               | 80-120              | 20                 |  |  |  |  |  |
| Cadmium    | 97           | 101              | 4.0              | 80-120              | 20                 |  |  |  |  |  |
| Chromium   | 95           | 98               | 3.1              | 80-120              | 20                 |  |  |  |  |  |
| Cobalt     | 101          | 103              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Copper     | 97           | 98               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Lead       | 100          | 103              | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Molybdenum | 98           | 100              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Nickel     | 103          | 105              | 1.9              | 80-120              | 20                 |  |  |  |  |  |
| Selenium   | 98           | 99               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Silver     | 109          | 94               | 14.8             | 80-120              | 20                 |  |  |  |  |  |
| Thallium   | 98           | 102              | 4.0              | 80-120              | 20                 |  |  |  |  |  |
| Vanadium   | 96           | 98               | 2.1              | 80-120              | 20                 |  |  |  |  |  |
| Zinc       | 108          | 106              | 1.9              | 80-120              | 20                 |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 6010B/7470A, CCR Title 22 Metals (TTLC)


**QC Batch No: 060407-1A**

| Our Lab I.D.       |        | 196193     |  |  |  |  |
|--------------------|--------|------------|--|--|--|--|
| Client Sample I.D. |        | B-6        |  |  |  |  |
| Date Sampled       |        | 05/31/2007 |  |  |  |  |
| Date Prepared      |        | 06/04/2007 |  |  |  |  |
| Preparation Method |        | 3010A      |  |  |  |  |
| Date Analyzed      |        | 06/05/2007 |  |  |  |  |
| Matrix             |        | Water      |  |  |  |  |
| Units              |        | mg/L       |  |  |  |  |
| Dilution Factor    |        | 1          |  |  |  |  |
| Analytes           | PQL    | Results    |  |  |  |  |
| AA Metals          |        |            |  |  |  |  |
| Mercury            | 0.002  | ND         |  |  |  |  |
| ICP Metals         |        |            |  |  |  |  |
| Antimony           | 0.010  | ND         |  |  |  |  |
| Arsenic            | 0.010  | ND         |  |  |  |  |
| Barium             | 0.010  | 0.151      |  |  |  |  |
| Beryllium          | 0.0050 | ND         |  |  |  |  |
| Cadmium            | 0.0050 | ND         |  |  |  |  |
| Chromium           | 0.010  | ND         |  |  |  |  |
| Cobalt             | 0.010  | ND         |  |  |  |  |
| Copper             | 0.010  | ND         |  |  |  |  |
| Lead               | 0.005  | ND         |  |  |  |  |
| Molybdenum         | 0.010  | 0.010      |  |  |  |  |
| Nickel             | 0.010  | ND         |  |  |  |  |
| Selenium           | 0.010  | 0.016      |  |  |  |  |
| Silver             | 0.010  | ND         |  |  |  |  |
| Thallium           | 0.010  | ND         |  |  |  |  |
| Vanadium           | 0.010  | ND         |  |  |  |  |
| Zinc               | 0.010  | 0.090      |  |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060407-1A**

|            | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| Analytes   |              |                  |                  |                     |                    |  |  |  |  |  |
| AA Metals  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury    | 92           | 109              | 16.9             | 80-120              | 20                 |  |  |  |  |  |
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony   | 97           | 95               | 2.1              | 80-120              | 20                 |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 5

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 6010B/7470A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 060407-1A

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 97           | 98               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Barium     | 100          | 102              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Beryllium  | 100          | 101              | <1               | 80-120              | 20                 |  |  |  |  |  |
| Cadmium    | 97           | 101              | 4.0              | 80-120              | 20                 |  |  |  |  |  |
| Chromium   | 95           | 98               | 3.1              | 80-120              | 20                 |  |  |  |  |  |
| Cobalt     | 101          | 103              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Copper     | 97           | 98               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Lead       | 100          | 103              | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Molybdenum | 98           | 100              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Nickel     | 103          | 105              | 1.9              | 80-120              | 20                 |  |  |  |  |  |
| Selenium   | 98           | 99               | 1.0              | 80-120              | 20                 |  |  |  |  |  |
| Silver     | 109          | 94               | 14.8             | 80-120              | 20                 |  |  |  |  |  |
| Thallium   | 98           | 102              | 4.0              | 80-120              | 20                 |  |  |  |  |  |
| Vanadium   | 96           | 98               | 2.1              | 80-120              | 20                 |  |  |  |  |  |
| Zinc       | 108          | 106              | 1.9              | 80-120              | 20                 |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 6

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060707-2P**


| Our Lab I.D.          |      | Method Blank | 196189     | 196190     | 196191     | 196192     |
|-----------------------|------|--------------|------------|------------|------------|------------|
| Client Sample I.D.    |      |              | B-2        | B-3        | B-4        | B-5        |
| Date Sampled          |      |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared         |      | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Preparation Method    |      | 3510C        | 3510C      | 3510C      | 3510C      | 3510C      |
| Date Analyzed         |      | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix                |      | Water        | Water      | Water      | Water      | Water      |
| Units                 |      | mg/L         | mg/L       | mg/L       | mg/L       | mg/L       |
| Dilution Factor       |      | 1            | 1          | 1          | 1          | 1          |
| Analytes              | PQL  | Results      | Results    | Results    | Results    | Results    |
| TPH DROs (C10 to C28) | 0.50 | ND           | ND         | ND         | ND         | ND         |
| TPH OROs (C28+)       | 0.50 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196189 | 196190 | 196191 | 196192 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Chlorobenzene              | 70-120      | 113    | 120    | 119    | 120    | 116    |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 102         | 103             | <1       | 70-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 7

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060707-2P**

| Our Lab I.D.          |      | 196193     |  |  |  |  |
|-----------------------|------|------------|--|--|--|--|
| Client Sample I.D.    |      | B-6        |  |  |  |  |
| Date Sampled          |      | 05/31/2007 |  |  |  |  |
| Date Prepared         |      | 06/07/2007 |  |  |  |  |
| Preparation Method    |      | 3510C      |  |  |  |  |
| Date Analyzed         |      | 06/07/2007 |  |  |  |  |
| Matrix                |      | Water      |  |  |  |  |
| Units                 |      | mg/L       |  |  |  |  |
| Dilution Factor       |      | 1          |  |  |  |  |
| Analytes              | PQL  | Results    |  |  |  |  |
| TPH DROs (C10 to C28) | 0.50 | ND         |  |  |  |  |
| TPH OROs (C28+)       | 0.50 | ND         |  |  |  |  |


| Our Lab I.D.               |             | 196193 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Chlorobenzene              | 70-120      | 115    |  |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-2P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 102         | 103             | <1       | 70-120            | <20               |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060607-2B**

| Our Lab I.D.         |     | Method Blank | 196189     | 196191     | 196192     | 196193     |
|----------------------|-----|--------------|------------|------------|------------|------------|
| Client Sample I.D.   |     |              | B-2        | B-4        | B-5        | B-6        |
| Date Sampled         |     |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared        |     | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Preparation Method   |     | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed        |     | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix               |     | Water        | Water      | Water      | Water      | Water      |
| Units                |     | ug/L         | ug/L       | ug/L       | ug/L       | ug/L       |
| Dilution Factor      |     | 1            | 1          | 1          | 1          | 1          |
| Analytes             | PQL | Results      | Results    | Results    | Results    | Results    |
| TPH GROs (C6 to C10) | 50  | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196189 | 196191 | 196192 | 196193 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 106    | 110    | 114    | 113    | 112    |
| Dibromofluoromethane       | 70-120      | 100    | 115    | 101    | 101    | 99     |
| Toluene-d8                 | 70-120      | 101    | 108    | 107    | 108    | 110    |

### QUALITY CONTROL REPORT

**QC Batch No: 060607-2B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 106         | 116             | 9.0      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 87          | 94              | 7.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 89          | 92              | 3.3      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 102         | 114             | 11.1     | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 94              | 8.9      | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060707-1B**


| Our Lab I.D.         |     | 196190     |  |  |  |  |
|----------------------|-----|------------|--|--|--|--|
| Client Sample I.D.   |     | B-3        |  |  |  |  |
| Date Sampled         |     | 05/31/2007 |  |  |  |  |
| Date Prepared        |     | 06/07/2007 |  |  |  |  |
| Preparation Method   |     | 5030B      |  |  |  |  |
| Date Analyzed        |     | 06/07/2007 |  |  |  |  |
| Matrix               |     | Water      |  |  |  |  |
| Units                |     | ug/L       |  |  |  |  |
| Dilution Factor      |     | 1          |  |  |  |  |
| Analytes             | PQL | Results    |  |  |  |  |
| TPH GROs (C6 to C10) | 50  | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196190 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 108    |  |  |  |  |
| Dibromofluoromethane       | 70-120      | 93     |  |  |  |  |
| Toluene-d8                 | 70-120      | 101    |  |  |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060707-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 103         | 97              | 6.0      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 98          | 97              | 1.0      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 94          | 89              | 5.5      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 105         | 98              | 6.9      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 102         | 97              | 5.0      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 10

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-2B

| Our Lab I.D.                                |       | Method Blank | 196189     | 196191     | 196192     | 196193     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                          |       |              | B-2        | B-4        | B-5        | B-6        |
| Date Sampled                                |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                               |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Preparation Method                          |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                               |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix                                      |       | Water        | Water      | Water      | Water      | Water      |
| Units                                       |       | ug/L         | ug/L       | ug/L       | ug/L       | ug/L       |
| Dilution Factor                             |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                                    | PQL   | Results      | Results    | Results    | Results    | Results    |
| Acetone                                     | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Benzene                                     | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Bromobenzene (Phenyl bromide)               | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Bromochloromethane (Chlorobromomethane)     | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Bromodichloromethane (Dichlorobromomethane) | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Bromoform (Tribromomethane)                 | 5.000 | ND           | ND         | ND         | ND         | ND         |
| Bromomethane (Methyl bromide)               | 3.000 | ND           | ND         | ND         | ND         | ND         |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 5.00  | ND           | ND         | ND         | ND         | ND         |
| n-Butylbenzene                              | 1.000 | ND           | ND         | ND         | ND         | ND         |
| sec-Butylbenzene                            | 1.000 | ND           | ND         | ND         | ND         | ND         |
| tert-Butylbenzene                           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Carbon disulfide                            | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Carbon tetrachloride (Tetrachloromethane)   | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Chlorobenzene                               | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Chloroethane                                | 3.000 | ND           | ND         | ND         | ND         | ND         |
| 2-Chloroethyl vinyl ether                   | 5.000 | ND           | ND         | ND         | ND         | ND         |
| Chloroform (Trichloromethane)               | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Chloromethane (Methyl chloride)             | 3.000 | ND           | ND         | ND         | ND         | ND         |
| 4-Chlorotoluene (p-Chlorotoluene)           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 2-Chlorotoluene (o-Chlorotoluene)           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| DIPE  | 2.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 5.000 | ND           | ND         | ND         | ND         | ND         |
| Dibromochloromethane                        | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Dibromomethane                              | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 11


Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060607-2B

| Our Lab I.D.  |       | Method Blank | 196189     | 196191     | 196192     | 196193     |
|---|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.                                  |       |              | B-2        | B-4        | B-5        | B-6        |
| Date Sampled  |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                                       |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Preparation Method                                  |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                                       |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix  |       | Water        | Water      | Water      | Water      | Water      |
| Units   |       | ug/L         | ug/L       | ug/L       | ug/L       | ug/L       |
| Dilution Factor                                     |       | 1            | 1          | 1          | 1          | 1          |
| Analytes  | PQL   | Results      | Results    | Results    | Results    | Results    |
| Dichlorodifluoromethane                             | 3.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethane                                  | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloroethane                                  | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| cis-1,2-Dichloroethene                              | 1.000 | ND           | ND         | ND         | ND         | ND         |
| trans-1,2-Dichloroethene                            | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2-Dichloropropane                                 | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,3-Dichloropropane                                 | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 2,2-Dichloropropane                                 | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1-Dichloropropene                                 | 1.000 | ND           | ND         | ND         | ND         | ND         |
| trans-1,3-Dichloropropene                           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| cis-1,3-Dichloropropene                             | 1.000 | ND           | ND         | ND         | ND         | ND         |
| ETBE  | 2.000 | ND           | ND         | ND         | ND         | ND         |
| Ethylbenzene  | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 3.000 | ND           | ND         | ND         | ND         | ND         |
| 2-Hexanone  | 5.000 | ND           | ND         | ND         | ND         | ND         |
| Isopropylbenzene                                    | 1.000 | ND           | ND         | ND         | ND         | ND         |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 1.000 | ND           | ND         | ND         | ND         | ND         |
| MTBE  | 2.000 | ND           | ND         | ND         | ND         | ND         |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Methylene chloride (Dichloromethane, DCM)           | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Naphthalene   | 1.000 | ND           | ND         | ND         | ND         | ND         |
| n-Propylbenzene                                     | 1.000 | ND           | ND         | ND         | ND         | ND         |
| TAME  | 2.000 | ND           | ND         | ND         | ND         | ND         |
| Styrene   | 1.000 | ND           | ND         | ND         | ND         | ND         |
| TBA   | 10.00 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1,2-Tetrachloroethane                           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2,2-Tetrachloroethane                           | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Tetrachloroethene (Tetrachloroethylene)             | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Toluene (Methyl benzene)                            | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichlorobenzene                              | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trichlorobenzene                              | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1,1-Trichloroethane                               | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,1,2-Trichloroethane                               | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Trichloroethene (TCE)                               | 1.000 | ND           | ND         | ND         | ND         | ND         |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 12

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060607-2B


| Our Lab I.D.                  |       | Method Blank | 196189     | 196191     | 196192     | 196193     |
|-------------------------------|-------|--------------|------------|------------|------------|------------|
| Client Sample I.D.            |       |              | B-2        | B-4        | B-5        | B-6        |
| Date Sampled                  |       |              | 05/31/2007 | 05/31/2007 | 05/31/2007 | 05/31/2007 |
| Date Prepared                 |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Preparation Method            |       | 5030B        | 5030B      | 5030B      | 5030B      | 5030B      |
| Date Analyzed                 |       | 06/07/2007   | 06/07/2007 | 06/07/2007 | 06/07/2007 | 06/07/2007 |
| Matrix                        |       | Water        | Water      | Water      | Water      | Water      |
| Units                         |       | ug/L         | ug/L       | ug/L       | ug/L       | ug/L       |
| Dilution Factor               |       | 1            | 1          | 1          | 1          | 1          |
| Analytes                      | PQL   | Results      | Results    | Results    | Results    | Results    |
| Trichlorofluoromethane        | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2,3-Trichloropropane        | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,2,4-Trimethylbenzene        | 1.000 | ND           | ND         | ND         | ND         | ND         |
| 1,3,5-Trimethylbenzene        | 1.000 | ND           | ND         | ND         | ND         | ND         |
| Vinyl acetate                 | 5.00  | ND           | ND         | ND         | ND         | ND         |
| Vinyl chloride (Chloroethene) | 3.000 | ND           | ND         | ND         | ND         | ND         |
| o-Xylene                      | 1.000 | ND           | ND         | ND         | ND         | ND         |
| m- & p-Xylenes                | 2.000 | ND           | ND         | ND         | ND         | ND         |

| Our Lab I.D.               |             |        | 196189 | 196191 | 196192 | 196193 |
|----------------------------|-------------|--------|--------|--------|--------|--------|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. | % Rec. |
| Surrogate Percent Recovery |             |        |        |        |        |        |
| Bromofluorobenzene         | 70-120      | 106    | 110    | 114    | 113    | 112    |
| Dibromofluoromethane       | 70-120      | 100    | 115    | 101    | 101    | 99     |
| Toluene-d8                 | 70-120      | 101    | 108    | 107    | 108    | 110    |

### QUALITY CONTROL REPORT

#### QC Batch No: 060607-2B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 106         | 116             | 9.0      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 87          | 94              | 7.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 89          | 92              | 3.3      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 93          | 83              | 11.4     | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 102         | 114             | 11.1     | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 86          | 94              | 8.9      | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 13

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060707-1B

| Our Lab I.D.                                |       | 196190     |  |  |  |  |
|---|-------|------------|--|--|--|--|
| Client Sample I.D.                          |       | B-3        |  |  |  |  |
| Date Sampled                                |       | 05/31/2007 |  |  |  |  |
| Date Prepared                               |       | 06/07/2007 |  |  |  |  |
| Preparation Method                          |       | 5030B      |  |  |  |  |
| Date Analyzed                               |       | 06/07/2007 |  |  |  |  |
| Matrix                                      |       | Water      |  |  |  |  |
| Units                                       |       | ug/L       |  |  |  |  |
| Dilution Factor                             |       | 1          |  |  |  |  |
| Analytes                                    | PQL   | Results    |  |  |  |  |
| Acetone                                     | 5.00  | ND         |  |  |  |  |
| Benzene                                     | 1.000 | ND         |  |  |  |  |
| Bromobenzene (Phenyl bromide)               | 1.000 | ND         |  |  |  |  |
| Bromochloromethane (Chlorobromomethane)     | 1.000 | ND         |  |  |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 1.000 | ND         |  |  |  |  |
| Bromoform (Tribromomethane)                 | 5.000 | ND         |  |  |  |  |
| Bromomethane (Methyl bromide)               | 3.000 | ND         |  |  |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 5.00  | ND         |  |  |  |  |
| n-Butylbenzene                              | 1.000 | ND         |  |  |  |  |
| sec-Butylbenzene                            | 1.000 | ND         |  |  |  |  |
| tert-Butylbenzene                           | 1.000 | ND         |  |  |  |  |
| Carbon disulfide                            | 1.000 | ND         |  |  |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 1.000 | ND         |  |  |  |  |
| Chlorobenzene                               | 1.000 | ND         |  |  |  |  |
| Chloroethane                                | 3.000 | ND         |  |  |  |  |
| 2-Chloroethyl vinyl ether                   | 5.000 | ND         |  |  |  |  |
| Chloroform (Trichloromethane)               | 1.000 | ND         |  |  |  |  |
| Chloromethane (Methyl chloride)             | 3.000 | ND         |  |  |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 1.000 | ND         |  |  |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 1.000 | ND         |  |  |  |  |
| DIPE  | 2.000 | ND         |  |  |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 5.000 | ND         |  |  |  |  |
| Dibromochloromethane                        | 1.000 | ND         |  |  |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 1.000 | ND         |  |  |  |  |
| Dibromomethane                              | 1.000 | ND         |  |  |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 1.000 | ND         |  |  |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 1.000 | ND         |  |  |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 1.000 | ND         |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 14

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060707-1B

| Our Lab I.D.  |       | 196190     |  |  |  |  |
|---|-------|------------|--|--|--|--|
| Client Sample I.D.                                  |       | B-3        |  |  |  |  |
| Date Sampled  |       | 05/31/2007 |  |  |  |  |
| Date Prepared                                       |       | 06/07/2007 |  |  |  |  |
| Preparation Method                                  |       | 5030B      |  |  |  |  |
| Date Analyzed                                       |       | 06/07/2007 |  |  |  |  |
| Matrix  |       | Water      |  |  |  |  |
| Units   |       | ug/L       |  |  |  |  |
| Dilution Factor                                     |       | 1          |  |  |  |  |
| Analytes  | PQL   | Results    |  |  |  |  |
| Dichlorodifluoromethane                             | 3.000 | ND         |  |  |  |  |
| 1,1-Dichloroethane                                  | 1.000 | ND         |  |  |  |  |
| 1,2-Dichloroethane                                  | 1.000 | ND         |  |  |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 1.000 | ND         |  |  |  |  |
| cis-1,2-Dichloroethene                              | 1.000 | ND         |  |  |  |  |
| trans-1,2-Dichloroethene                            | 1.000 | ND         |  |  |  |  |
| 1,2-Dichloropropane                                 | 1.000 | ND         |  |  |  |  |
| 1,3-Dichloropropane                                 | 1.000 | ND         |  |  |  |  |
| 2,2-Dichloropropane                                 | 1.000 | ND         |  |  |  |  |
| 1,1-Dichloropropene                                 | 1.000 | ND         |  |  |  |  |
| trans-1,3-Dichloropropene                           | 1.000 | ND         |  |  |  |  |
| cis-1,3-Dichloropropene                             | 1.000 | ND         |  |  |  |  |
| ETBE  | 2.000 | ND         |  |  |  |  |
| Ethylbenzene  | 1.000 | ND         |  |  |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 3.000 | ND         |  |  |  |  |
| 2-Hexanone  | 5.000 | ND         |  |  |  |  |
| Isopropylbenzene                                    | 1.000 | ND         |  |  |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 1.000 | ND         |  |  |  |  |
| MTBE  | 2.000 | ND         |  |  |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 5.00  | ND         |  |  |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 5.00  | ND         |  |  |  |  |
| Naphthalene   | 1.000 | ND         |  |  |  |  |
| n-Propylbenzene                                     | 1.000 | ND         |  |  |  |  |
| TAME  | 2.000 | ND         |  |  |  |  |
| Styrene   | 1.000 | ND         |  |  |  |  |
| TBA   | 10.00 | ND         |  |  |  |  |
| 1,1,1,2-Tetrachloroethane                           | 1.000 | ND         |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                           | 1.000 | ND         |  |  |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 1.000 | ND         |  |  |  |  |
| Toluene (Methyl benzene)                            | 1.000 | ND         |  |  |  |  |
| 1,2,3-Trichlorobenzene                              | 1.000 | ND         |  |  |  |  |
| 1,2,4-Trichlorobenzene                              | 1.000 | ND         |  |  |  |  |
| 1,1,1-Trichloroethane                               | 1.000 | ND         |  |  |  |  |
| 1,1,2-Trichloroethane                               | 1.000 | ND         |  |  |  |  |
| Trichloroethene (TCE)                               | 1.000 | ND         |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 15

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34079          | 06/01/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060707-1B

| Our Lab I.D.                  |       | 196190     |  |  |  |  |
|-------------------------------|-------|------------|--|--|--|--|
| Client Sample I.D.            |       | B-3        |  |  |  |  |
| Date Sampled                  |       | 05/31/2007 |  |  |  |  |
| Date Prepared                 |       | 06/07/2007 |  |  |  |  |
| Preparation Method            |       | 5030B      |  |  |  |  |
| Date Analyzed                 |       | 06/07/2007 |  |  |  |  |
| Matrix                        |       | Water      |  |  |  |  |
| Units                         |       | ug/L       |  |  |  |  |
| Dilution Factor               |       | 1          |  |  |  |  |
| Analytes                      | PQL   | Results    |  |  |  |  |
| Trichlorofluoromethane        | 1.000 | ND         |  |  |  |  |
| 1,2,3-Trichloropropane        | 1.000 | ND         |  |  |  |  |
| 1,2,4-Trimethylbenzene        | 1.000 | ND         |  |  |  |  |
| 1,3,5-Trimethylbenzene        | 1.000 | ND         |  |  |  |  |
| Vinyl acetate                 | 5.00  | ND         |  |  |  |  |
| Vinyl chloride (Chloroethene) | 3.000 | ND         |  |  |  |  |
| o-Xylene                      | 1.000 | ND         |  |  |  |  |
| m- & p-Xylenes                | 2.000 | ND         |  |  |  |  |

| Our Lab I.D.               |             | 196190 |  |  |  |  |
|----------------------------|-------------|--------|--|--|--|--|
| Surrogates                 | % Rec.Limit | % Rec. |  |  |  |  |
| Surrogate Percent Recovery |             |        |  |  |  |  |
| Bromofluorobenzene         | 70-120      | 108    |  |  |  |  |
| Dibromofluoromethane       | 70-120      | 93     |  |  |  |  |
| Toluene-d8                 | 70-120      | 101    |  |  |  |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 060707-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 103         | 97              | 6.0      | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 98          | 97              | 1.0      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 94          | 89              | 5.5      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 87          | 82              | 5.9      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 105         | 98              | 6.9      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 102         | 97              | 5.0      | 75-120            | 15                |  |  |  |  |  |





**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages** 15

**Date Received** 06/05/2007

**Date Reported** 06/12/2007

**Telephone** (408)395-7674

**Attn** Peter Littman

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34113      | 06/05/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 5 samples analyzed as specified on attached chain of custody.

Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





AMERICAN SCIENTIFIC LABORATORIES, LLC

Environmental Testing Services

2520 N. San Fernando Road, LA, CA 90065 Tel: (323) 223-9700 • Fax: (323) 223-9500

Page 1 Of 1

COC# **No 40617** GLOBAL ID **T0600102204** E REPORT: ☒ PDF ☒ EDF ☐ EDD ASL JOB# **34113**

|  |  |  |  |  |  |  |  |  |  |                        |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|------------------------|--|--|--|--|
| Company: <b>Environmental Investigation Services, Inc.</b> |  |  |  |  | Report To: <b>EIS</b>                        |  |  |  |  | ANALYSIS REQUESTED     |  |  |  |  |
| Address: <b>170 Knowles Dr., Ste. 212</b>                  |  |  |  |  | Project Name: <b>Call Mac Transportation</b> |  |  |  |  | Address: <b>EIS</b>    |  |  |  |  |
| Los Gatos, CA 95032  |  |  |  |  | Site Address: <b>461 McGraw Ave.</b>         |  |  |  |  | Invoice To: <b>EIS</b> |  |  |  |  |
| Telephone: <b>408-871-1470</b>                             |  |  |  |  | Livermore, CA                                |  |  |  |  | Address: <b>EIS</b>    |  |  |  |  |
| Fax: <b>408-871-1520</b>                                   |  |  |  |  | Project ID: <b>717-2</b>                     |  |  |  |  | P.O.#: <b>717-2</b>    |  |  |  |  |
| Special Instruction: <b>Enclde COC in pdf report</b>       |  |  |  |  | Project Manager: <b>P. Litman</b>            |  |  |  |  |                        |  |  |  |  |
| E-mail: <b>jmorris@eisl.net</b>                            |  |  |  |  |  |  |  |  |  |                        |  |  |  |  |
| E-mail: <b>plitman@eisl.net</b>                            |  |  |  |  |  |  |  |  |  |                        |  |  |  |  |


  

| ITEM   | LAB USE ONLY |                | SAMPLE DESCRIPTION |       |   |                      | Container(s) |        | Preservation |   | Remarks |
|--------|--------------|----------------|--------------------|-------|---|----------------------|--------------|--------|--------------|---|---------|
|        | Lab ID       | Sample ID      | Date               | Time  | # | Type                 | Matrix       | Matrix |              |   |         |
| 196375 |              | WW-1           | 6/1/07             | 17:05 | 5 | 1 amber 3 voc 1 poly | ICE          | Water  | X X X        |   |         |
| 196376 |              | B-1            | "                  | 11:10 | 7 | 3 amber 3 voc 1 poly | ICE          | water  | X X X        | X |         |
| 196377 |              | B-1, 4.5-5.0   | 6/1/07             | 9:15  | 1 | acetate              | ICE          | SOIL   | X X X        |   |         |
| 196378 |              | B-1, 10.5-11.0 |                    | 9:30  | 1 | steel                |              |        |              |   |         |
| 196379 |              | B-1, 24.5-25.0 |                    | 10:20 | 1 | "                    |              |        |              |   |         |

|   |                     |                    |  |                     |                   |
|---|---------------------|--------------------|--|---------------------|-------------------|
| Collected By: <b>Jennifer Morris</b>    | Date: <b>6/4/07</b> | Time: <b>14:01</b> | Relinquished By:                           | Date:               | Time:             |
| Relinquished By: <b>Jennifer Morris</b> | Date: <b>6/4/07</b> | Time: <b>14:01</b> | Received For Laboratory: <b>Janet Chin</b> | Date: <b>6.5.07</b> | Time: <b>8:30</b> |
| Received By:                            | Date:               | Time:              | Condition of Sample:                       |                     |                   |

CHAIN OF CUSTODY RECORD



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060807-1D**


| Our Lab I.D.          |     | Method Blank | 196377       | 196378            | 196379            |  |
|-----------------------|-----|--------------|--------------|-------------------|-------------------|--|
| Client Sample I.D.    |     |              | B-1, 4.5-5.0 | B-1,<br>10.5-11.0 | B-1,<br>24.5-25.0 |  |
| Date Sampled          |     |              | 06/01/2007   | 06/01/2007        | 06/01/2007        |  |
| Date Prepared         |     | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Preparation Method    |     | 3550B        | 3550B        | 3550B             | 3550B             |  |
| Date Analyzed         |     | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Matrix                |     | Soil         | Soil         | Soil              | Soil              |  |
| Units                 |     | mg/Kg        | mg/Kg        | mg/Kg             | mg/Kg             |  |
| Dilution Factor       |     | 1            | 1            | 1                 | 1                 |  |
| Analytes              | PQL | Results      | Results      | Results           | Results           |  |
| TPH DROs (C10 to C28) | 10  | ND           | ND           | 18                | ND                |  |
| TPH OROs (C28+)       | 50  | ND           | ND           | ND                | ND                |  |

| Our Lab I.D.               |             |        | 196377 | 196378 | 196379 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Chlorobenzene              | 70-120      | 105    | 80     | 72     | 72     |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-1D**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 102         | 101             | <1       | 75-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 3

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8015B, TPH DROs and OROs (Diesel and Oil Range Organics)

**QC Batch No: 060807-1P**


| Our Lab I.D.          |      | Method Blank | 196375     | 196376     |  |  |
|-----------------------|------|--------------|------------|------------|--|--|
| Client Sample I.D.    |      |              | WW-1       | B-1        |  |  |
| Date Sampled          |      |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared         |      | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Preparation Method    |      | 3510C        | 3510C      | 3510C      |  |  |
| Date Analyzed         |      | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Matrix                |      | Water        | Water      | Water      |  |  |
| Units                 |      | mg/L         | mg/L       | mg/L       |  |  |
| Dilution Factor       |      | 1            | 1          | 1          |  |  |
| Analytes              | PQL  | Results      | Results    | Results    |  |  |
| TPH DROs (C10 to C28) | 0.50 | ND           | ND         | ND         |  |  |
| TPH OROs (C28+)       | 0.50 | ND           | ND         | ND         |  |  |

| Our Lab I.D.               |             |        | 196375 | 196376 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Chlorobenzene              | 70-120      | 104    | 116    | 112    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-1P**

| Analytes | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|----------|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Diesel   | 102         | 100             | 2.0      | 70-120            | <20               |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 4

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060807-1B**


| Our Lab I.D.         |     | Method Blank | 196377       | 196378            | 196379            |  |
|----------------------|-----|--------------|--------------|-------------------|-------------------|--|
| Client Sample I.D.   |     |              | B-1, 4.5-5.0 | B-1,<br>10.5-11.0 | B-1,<br>24.5-25.0 |  |
| Date Sampled         |     |              | 06/01/2007   | 06/01/2007        | 06/01/2007        |  |
| Date Prepared        |     | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Preparation Method   |     | 5030A        | 5030A        | 5030A             | 5030A             |  |
| Date Analyzed        |     | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Matrix               |     | Soil         | Soil         | Soil              | Soil              |  |
| Units                |     | ug/kg        | ug/kg        | ug/kg             | ug/kg             |  |
| Dilution Factor      |     | 1            | 1            | 1                 | 1                 |  |
| Analytes             | PQL | Results      | Results      | Results           | Results           |  |
| TPH GROs (C6 to C10) | 500 | ND           | ND           | ND                | ND                |  |

| Our Lab I.D.               |             |        | 196377 | 196378 | 196379 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Bromofluorobenzene         | 70-120      | 96     | 96     | 99     | 100    |  |
| Dibromofluoromethane       | 70-120      | 99     | 73     | 107    | 100    |  |
| Toluene-d8                 | 70-120      | 106    | 101    | 106    | 106    |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 86          | 100             | 15.1     | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 97          | 88              | 9.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 114         | 104             | 9.2      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 81          | 83              | 2.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 86          | 89              | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 95          | 85              | 11.1     | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 5

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-1B

| Our Lab I.D.                                |       | Method Blank | 196377       | 196378            | 196379            |  |
|---|-------|--------------|--------------|-------------------|-------------------|--|
| Client Sample I.D.                          |       |              | B-1, 4.5-5.0 | B-1,<br>10.5-11.0 | B-1,<br>24.5-25.0 |  |
| Date Sampled                                |       |              | 06/01/2007   | 06/01/2007        | 06/01/2007        |  |
| Date Prepared                               |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Preparation Method                          |       | 5030A        | 5030A        | 5030A             | 5030A             |  |
| Date Analyzed                               |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Matrix                                      |       | Soil         | Soil         | Soil              | Soil              |  |
| Units                                       |       | ug/kg        | ug/kg        | ug/kg             | ug/kg             |  |
| Dilution Factor                             |       | 1            | 1            | 1                 | 1                 |  |
| Analytes                                    | PQL   | Results      | Results      | Results           | Results           |  |
| Acetone                                     | 50.0  | ND           | ND           | ND                | ND                |  |
| Benzene                                     | 2.00  | ND           | ND           | ND                | ND                |  |
| Bromobenzene (Phenyl bromide)               | 10.00 | ND           | ND           | ND                | ND                |  |
| Bromochloromethane (Chlorobromomethane)     | 10.00 | ND           | ND           | ND                | ND                |  |
| Bromodichloromethane (Dichlorobromomethane) | 10.00 | ND           | ND           | ND                | ND                |  |
| Bromoform (Tribromomethane)                 | 50.00 | ND           | ND           | ND                | ND                |  |
| Bromomethane (Methyl bromide)               | 30.00 | ND           | ND           | ND                | ND                |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 50.00 | ND           | ND           | ND                | ND                |  |
| n-Butylbenzene                              | 10.00 | ND           | ND           | ND                | ND                |  |
| sec-Butylbenzene                            | 10.00 | ND           | ND           | ND                | ND                |  |
| tert-Butylbenzene                           | 10.00 | ND           | ND           | ND                | ND                |  |
| Carbon disulfide                            | 10.00 | ND           | ND           | ND                | ND                |  |
| Carbon tetrachloride (Tetrachloromethane)   | 10.00 | ND           | ND           | ND                | ND                |  |
| Chlorobenzene                               | 10.00 | ND           | ND           | ND                | ND                |  |
| Chloroethane                                | 30.00 | ND           | ND           | ND                | ND                |  |
| 2-Chloroethyl vinyl ether                   | 50.00 | ND           | ND           | ND                | ND                |  |
| Chloroform (Trichloromethane)               | 10.00 | ND           | ND           | ND                | ND                |  |
| Chloromethane (Methyl chloride)             | 30.00 | ND           | ND           | ND                | ND                |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 10.00 | ND           | ND           | ND                | ND                |  |
| DIPE  | 5.00  | ND           | ND           | ND                | ND                |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 50.00 | ND           | ND           | ND                | ND                |  |
| Dibromochloromethane                        | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 10.00 | ND           | ND           | ND                | ND                |  |
| Dibromomethane                              | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 10.00 | ND           | ND           | ND                | ND                |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 6

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-1B

| Our Lab I.D.  |       | Method Blank | 196377       | 196378            | 196379            |  |
|---|-------|--------------|--------------|-------------------|-------------------|--|
| Client Sample I.D.                                  |       |              | B-1, 4.5-5.0 | B-1,<br>10.5-11.0 | B-1,<br>24.5-25.0 |  |
| Date Sampled  |       |              | 06/01/2007   | 06/01/2007        | 06/01/2007        |  |
| Date Prepared                                       |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Preparation Method                                  |       | 5030A        | 5030A        | 5030A             | 5030A             |  |
| Date Analyzed                                       |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Matrix  |       | Soil         | Soil         | Soil              | Soil              |  |
| Units   |       | ug/kg        | ug/kg        | ug/kg             | ug/kg             |  |
| Dilution Factor                                     |       | 1            | 1            | 1                 | 1                 |  |
| Analytes  | PQL   | Results      | Results      | Results           | Results           |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)             | 10.00 | ND           | ND           | ND                | ND                |  |
| Dichlorodifluoromethane                             | 30.00 | ND           | ND           | ND                | ND                |  |
| 1,1-Dichloroethane                                  | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2-Dichloroethane                                  | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 10.00 | ND           | ND           | ND                | ND                |  |
| cis-1,2-Dichloroethene                              | 10.00 | ND           | ND           | ND                | ND                |  |
| trans-1,2-Dichloroethene                            | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2-Dichloropropane                                 | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,3-Dichloropropane                                 | 10.00 | ND           | ND           | ND                | ND                |  |
| 2,2-Dichloropropane                                 | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,1-Dichloropropene                                 | 10.00 | ND           | ND           | ND                | ND                |  |
| cis-1,3-Dichloropropene                             | 10.00 | ND           | ND           | ND                | ND                |  |
| trans-1,3-Dichloropropene                           | 10.00 | ND           | ND           | ND                | ND                |  |
| ETBE  | 5.00  | ND           | ND           | ND                | ND                |  |
| Ethylbenzene  | 2.0   | ND           | ND           | ND                | ND                |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 30.00 | ND           | ND           | ND                | ND                |  |
| 2-Hexanone  | 50.00 | ND           | ND           | ND                | ND                |  |
| Isopropylbenzene                                    | 10.00 | ND           | ND           | ND                | ND                |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 10.00 | ND           | ND           | ND                | ND                |  |
| MTBE  | 5.00  | ND           | ND           | ND                | ND                |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 50.00 | ND           | ND           | ND                | ND                |  |
| Methylene chloride (Dichloromethane, DCM)           | 50.00 | ND           | ND           | ND                | ND                |  |
| Naphthalene   | 10.00 | ND           | ND           | ND                | ND                |  |
| n-Propylbenzene                                     | 10.00 | ND           | ND           | ND                | ND                |  |
| TAME  | 5.0   | ND           | ND           | ND                | ND                |  |
| TBA   | 20.0  | ND           | ND           | ND                | ND                |  |
| Styrene   | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,1,1,2-Tetrachloroethane                           | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,1,2,2-Tetrachloroethane                           | 10.00 | ND           | ND           | ND                | ND                |  |
| Tetrachloroethene (Tetrachloroethylene)             | 10.00 | ND           | ND           | ND                | ND                |  |
| Toluene (Methyl benzene)                            | 2.0   | ND           | ND           | ND                | ND                |  |
| 1,2,3-Trichlorobenzene                              | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2,4-Trichlorobenzene                              | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,1,1-Trichloroethane                               | 10.00 | ND           | ND           | ND                | ND                |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 7

Project ID: 717-2  
Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060807-1B

| Our Lab I.D.                  |       | Method Blank | 196377       | 196378            | 196379            |  |
|-------------------------------|-------|--------------|--------------|-------------------|-------------------|--|
| Client Sample I.D.            |       |              | B-1, 4.5-5.0 | B-1,<br>10.5-11.0 | B-1,<br>24.5-25.0 |  |
| Date Sampled                  |       |              | 06/01/2007   | 06/01/2007        | 06/01/2007        |  |
| Date Prepared                 |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Preparation Method            |       | 5030A        | 5030A        | 5030A             | 5030A             |  |
| Date Analyzed                 |       | 06/08/2007   | 06/08/2007   | 06/08/2007        | 06/08/2007        |  |
| Matrix                        |       | Soil         | Soil         | Soil              | Soil              |  |
| Units                         |       | ug/kg        | ug/kg        | ug/kg             | ug/kg             |  |
| Dilution Factor               |       | 1            | 1            | 1                 | 1                 |  |
| Analytes                      | PQL   | Results      | Results      | Results           | Results           |  |
| 1,1,2-Trichloroethane         | 10.00 | ND           | ND           | ND                | ND                |  |
| Trichloroethene (TCE)         | 10.00 | ND           | ND           | ND                | ND                |  |
| Trichlorofluoromethane        | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2,3-Trichloropropane        | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,2,4-Trimethylbenzene        | 10.00 | ND           | ND           | ND                | ND                |  |
| 1,3,5-Trimethylbenzene        | 10.00 | ND           | ND           | ND                | ND                |  |
| Vinyl acetate                 | 50.0  | ND           | ND           | ND                | ND                |  |
| Vinyl chloride (Chloroethene) | 30.00 | ND           | ND           | ND                | ND                |  |
| o-Xylene                      | 2.0   | ND           | ND           | ND                | ND                |  |
| m- & p-Xylenes                | 4.00  | ND           | ND           | ND                | ND                |  |

| Our Lab I.D.               |             |        | 196377 | 196378 | 196379 |  |
|----------------------------|-------------|--------|--------|--------|--------|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. | % Rec. |  |
| Surrogate Percent Recovery |             |        |        |        |        |  |
| Bromofluorobenzene         | 70-120      | 96     | 96     | 99     | 100    |  |
| Dibromofluoromethane       | 70-120      | 99     | 73     | 107    | 100    |  |
| Toluene-d8                 | 70-120      | 106    | 101    | 106    | 106    |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 86          | 100             | 15.1     | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 97          | 88              | 9.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 114         | 104             | 9.2      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 81          | 83              | 2.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 86          | 89              | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 95          | 85              | 11.1     | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 8

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, TPH GROs(Gasoline Range Organics)

**QC Batch No: 060807-1B**

| Our Lab I.D.         |     | Method Blank | 196375     | 196376     |  |  |
|----------------------|-----|--------------|------------|------------|--|--|
| Client Sample I.D.   |     |              | WW-1       | B-1        |  |  |
| Date Sampled         |     |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared        |     | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Preparation Method   |     | 5030B        | 5030B      | 5030B      |  |  |
| Date Analyzed        |     | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Matrix               |     | Water        | Water      | Water      |  |  |
| Units                |     | ug/L         | ug/L       | ug/L       |  |  |
| Dilution Factor      |     | 1            | 1          | 1          |  |  |
| Analytes             | PQL | Results      | Results    | Results    |  |  |
| TPH GROs (C6 to C10) | 50  | ND           | ND         | ND         |  |  |


| Our Lab I.D.               |             |        | 196375 | 196376 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Bromofluorobenzene         | 70-120      | 96     | 100    | 102    |  |  |
| Dibromofluoromethane       | 70-120      | 99     | 95     | 97     |  |  |
| Toluene-d8                 | 70-120      | 106    | 106    | 105    |  |  |

### QUALITY CONTROL REPORT

**QC Batch No: 060807-1B**

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 86          | 100             | 15.1     | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 97          | 88              | 9.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 114         | 104             | 9.2      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 86          | 89              | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 95          | 85              | 11.1     | 75-120            | 15                |  |  |  |  |  |





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By****Site**

Environmental Investg. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 9

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-1B

| Our Lab I.D.                                |       | Method Blank | 196375     | 196376     |  |  |
|---|-------|--------------|------------|------------|--|--|
| Client Sample I.D.                          |       |              | WW-1       | B-1        |  |  |
| Date Sampled                                |       |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared                               |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Preparation Method                          |       | 5030B        | 5030B      | 5030B      |  |  |
| Date Analyzed                               |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Matrix                                      |       | Water        | Water      | Water      |  |  |
| Units                                       |       | ug/L         | ug/L       | ug/L       |  |  |
| Dilution Factor                             |       | 1            | 1          | 1          |  |  |
| Analytes                                    | PQL   | Results      | Results    | Results    |  |  |
| Acetone                                     | 5.00  | ND           | ND         | ND         |  |  |
| Benzene                                     | 1.000 | ND           | ND         | ND         |  |  |
| Bromobenzene (Phenyl bromide)               | 1.000 | ND           | ND         | ND         |  |  |
| Bromochloromethane (Chlorobromomethane)     | 1.000 | ND           | ND         | ND         |  |  |
| Bromodichloromethane (Dichlorobromomethane) | 1.000 | ND           | ND         | ND         |  |  |
| Bromoform (Tribromomethane)                 | 5.000 | ND           | ND         | ND         |  |  |
| Bromomethane (Methyl bromide)               | 3.000 | ND           | ND         | ND         |  |  |
| 2-Butanone (MEK, Methyl ethyl ketone)       | 5.00  | ND           | ND         | ND         |  |  |
| n-Butylbenzene                              | 1.000 | ND           | ND         | ND         |  |  |
| sec-Butylbenzene                            | 1.000 | ND           | ND         | ND         |  |  |
| tert-Butylbenzene                           | 1.000 | ND           | ND         | ND         |  |  |
| Carbon disulfide                            | 1.000 | ND           | ND         | ND         |  |  |
| Carbon tetrachloride (Tetrachloromethane)   | 1.000 | ND           | ND         | ND         |  |  |
| Chlorobenzene                               | 1.000 | ND           | ND         | ND         |  |  |
| Chloroethane                                | 3.000 | ND           | ND         | ND         |  |  |
| 2-Chloroethyl vinyl ether                   | 5.000 | ND           | ND         | ND         |  |  |
| Chloroform (Trichloromethane)               | 1.000 | ND           | ND         | ND         |  |  |
| Chloromethane (Methyl chloride)             | 3.000 | ND           | ND         | ND         |  |  |
| 4-Chlorotoluene (p-Chlorotoluene)           | 1.000 | ND           | ND         | ND         |  |  |
| 2-Chlorotoluene (o-Chlorotoluene)           | 1.000 | ND           | ND         | ND         |  |  |
| DIPE  | 2.000 | ND           | ND         | ND         |  |  |
| 1,2-Dibromo-3-chloropropane (DBCP)          | 5.000 | ND           | ND         | ND         |  |  |
| Dibromochloromethane                        | 1.000 | ND           | ND         | ND         |  |  |
| 1,2-Dibromoethane (EDB, Ethylene dibromide) | 1.000 | ND           | ND         | ND         |  |  |
| Dibromomethane                              | 1.000 | ND           | ND         | ND         |  |  |
| 1,2-Dichlorobenzene (o-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         |  |  |
| 1,3-Dichlorobenzene (m-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         |  |  |
| 1,4-Dichlorobenzene (p-Dichlorobenzene)     | 1.000 | ND           | ND         | ND         |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 10

Project ID: 717-2


Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

QC Batch No: 060807-1B

| Our Lab I.D.  |       | Method Blank | 196375     | 196376     |  |  |
|---|-------|--------------|------------|------------|--|--|
| Client Sample I.D.                                  |       |              | WW-1       | B-1        |  |  |
| Date Sampled  |       |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared                                       |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Preparation Method                                  |       | 5030B        | 5030B      | 5030B      |  |  |
| Date Analyzed                                       |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Matrix  |       | Water        | Water      | Water      |  |  |
| Units   |       | ug/L         | ug/L       | ug/L       |  |  |
| Dilution Factor                                     |       | 1            | 1          | 1          |  |  |
| Analytes  | PQL   | Results      | Results    | Results    |  |  |
| Dichlorodifluoromethane                             | 3.000 | ND           | ND         | ND         |  |  |
| 1,1-Dichloroethane                                  | 1.000 | ND           | ND         | ND         |  |  |
| 1,2-Dichloroethane                                  | 1.000 | ND           | ND         | ND         |  |  |
| 1,1-Dichloroethene (1,1-Dichloroethylene)           | 1.000 | ND           | ND         | ND         |  |  |
| cis-1,2-Dichloroethene                              | 1.000 | ND           | ND         | ND         |  |  |
| trans-1,2-Dichloroethene                            | 1.000 | ND           | ND         | ND         |  |  |
| 1,2-Dichloropropane                                 | 1.000 | ND           | ND         | ND         |  |  |
| 1,3-Dichloropropane                                 | 1.000 | ND           | ND         | ND         |  |  |
| 2,2-Dichloropropane                                 | 1.000 | ND           | ND         | ND         |  |  |
| 1,1-Dichloropropene                                 | 1.000 | ND           | ND         | ND         |  |  |
| trans-1,3-Dichloropropene                           | 1.000 | ND           | ND         | ND         |  |  |
| cis-1,3-Dichloropropene                             | 1.000 | ND           | ND         | ND         |  |  |
| ETBE  | 2.000 | ND           | ND         | ND         |  |  |
| Ethylbenzene  | 1.000 | ND           | ND         | ND         |  |  |
| Hexachlorobutadiene (1,3-Hexachlorobutadiene)       | 3.000 | ND           | ND         | ND         |  |  |
| 2-Hexanone  | 5.000 | ND           | ND         | ND         |  |  |
| Isopropylbenzene                                    | 1.000 | ND           | ND         | ND         |  |  |
| p-Isopropyltoluene (4-Isopropyltoluene)             | 1.000 | ND           | ND         | ND         |  |  |
| MTBE  | 2.000 | ND           | ND         | ND         |  |  |
| 4-Methyl-2-pentanone (MIBK, Methyl isobutyl ketone) | 5.00  | ND           | ND         | ND         |  |  |
| Methylene chloride (Dichloromethane, DCM)           | 5.00  | ND           | ND         | ND         |  |  |
| Naphthalene   | 1.000 | ND           | ND         | ND         |  |  |
| n-Propylbenzene                                     | 1.000 | ND           | ND         | ND         |  |  |
| TAME  | 2.000 | ND           | ND         | ND         |  |  |
| Styrene   | 1.000 | ND           | ND         | ND         |  |  |
| TBA   | 10.00 | ND           | ND         | ND         |  |  |
| 1,1,1,2-Tetrachloroethane                           | 1.000 | ND           | ND         | ND         |  |  |
| 1,1,2,2-Tetrachloroethane                           | 1.000 | ND           | ND         | ND         |  |  |
| Tetrachloroethene (Tetrachloroethylene)             | 1.000 | ND           | ND         | ND         |  |  |
| Toluene (Methyl benzene)                            | 1.000 | ND           | ND         | ND         |  |  |
| 1,2,3-Trichlorobenzene                              | 1.000 | ND           | ND         | ND         |  |  |
| 1,2,4-Trichlorobenzene                              | 1.000 | ND           | ND         | ND         |  |  |
| 1,1,1-Trichloroethane                               | 1.000 | ND           | ND         | ND         |  |  |
| 1,1,2-Trichloroethane                               | 1.000 | ND           | ND         | ND         |  |  |
| Trichloroethene (TCE)                               | 1.000 | ND           | ND         | ND         |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 11

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 8260B, Volatile Organic Compounds + Oxygenates

#### QC Batch No: 060807-1B


| Our Lab I.D.                  |       | Method Blank | 196375     | 196376     |  |  |
|-------------------------------|-------|--------------|------------|------------|--|--|
| Client Sample I.D.            |       |              | WW-1       | B-1        |  |  |
| Date Sampled                  |       |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared                 |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Preparation Method            |       | 5030B        | 5030B      | 5030B      |  |  |
| Date Analyzed                 |       | 06/08/2007   | 06/08/2007 | 06/08/2007 |  |  |
| Matrix                        |       | Water        | Water      | Water      |  |  |
| Units                         |       | ug/L         | ug/L       | ug/L       |  |  |
| Dilution Factor               |       | 1            | 1          | 1          |  |  |
| Analytes                      | PQL   | Results      | Results    | Results    |  |  |
| Trichlorofluoromethane        | 1.000 | ND           | ND         | ND         |  |  |
| 1,2,3-Trichloropropane        | 1.000 | ND           | ND         | ND         |  |  |
| 1,2,4-Trimethylbenzene        | 1.000 | ND           | ND         | ND         |  |  |
| 1,3,5-Trimethylbenzene        | 1.000 | ND           | ND         | ND         |  |  |
| Vinyl acetate                 | 5.00  | ND           | ND         | ND         |  |  |
| Vinyl chloride (Chloroethene) | 3.000 | ND           | ND         | ND         |  |  |
| o-Xylene                      | 1.000 | ND           | ND         | ND         |  |  |
| m- & p-Xylenes                | 2.000 | ND           | ND         | ND         |  |  |

| Our Lab I.D.               |             |        | 196375 | 196376 |  |  |
|----------------------------|-------------|--------|--------|--------|--|--|
| Surrogates                 | % Rec.Limit | % Rec. | % Rec. | % Rec. |  |  |
| Surrogate Percent Recovery |             |        |        |        |  |  |
| Bromofluorobenzene         | 70-120      | 96     | 100    | 102    |  |  |
| Dibromofluoromethane       | 70-120      | 99     | 95     | 97     |  |  |
| Toluene-d8                 | 70-120      | 106    | 106    | 105    |  |  |

### QUALITY CONTROL REPORT

#### QC Batch No: 060807-1B

| Analytes                                     | MS<br>% REC | MS DUP<br>% REC | RPD<br>% | MS/MSD<br>% Limit | MS RPD<br>% Limit |  |  |  |  |  |
|--|-------------|-----------------|----------|-------------------|-------------------|--|--|--|--|--|
| Benzene                                      | 86          | 100             | 15.1     | 75-120            | 15                |  |  |  |  |  |
| Chlorobenzene                                | 97          | 88              | 9.7      | 75-120            | 15                |  |  |  |  |  |
| 1,1-Dichloroethene<br>(1,1-Dichloroethylene) | 114         | 104             | 9.2      | 75-120            | 15                |  |  |  |  |  |
| MTBE   | 81          | 83              | 2.4      | 75-120            | 15                |  |  |  |  |  |
| Toluene (Methyl benzene)                     | 86          | 89              | 3.4      | 75-120            | 15                |  |  |  |  |  |
| Trichloroethene (TCE)                        | 95          | 85              | 11.1     | 75-120            | 15                |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 12

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 6010B/7470A, CCR Title 22 Metals (TTLC)


QC Batch No: 061207-3

| Our Lab I.D.       |        | Method Blank | 196375     | 196376     |  |  |
|--------------------|--------|--------------|------------|------------|--|--|
| Client Sample I.D. |        |              | WW-1       | B-1        |  |  |
| Date Sampled       |        |              | 06/01/2007 | 06/01/2007 |  |  |
| Date Prepared      |        | 06/11/2007   | 06/11/2007 | 06/11/2007 |  |  |
| Preparation Method |        | 3010A        | 3010A      | 3010A      |  |  |
| Date Analyzed      |        | 06/11/2007   | 06/11/2007 | 06/11/2007 |  |  |
| Matrix             |        | Water        | Water      | Water      |  |  |
| Units              |        | mg/L         | mg/L       | mg/L       |  |  |
| Dilution Factor    |        | 1            | 1          | 1          |  |  |
| Analytes           | PQL    | Results      | Results    | Results    |  |  |
| <b>AA Metals</b>   |        |              |            |            |  |  |
| Mercury            | 0.002  | ND           | ND         | ND         |  |  |
| <b>ICP Metals</b>  |        |              |            |            |  |  |
| Antimony           | 0.010  | ND           | ND         | ND         |  |  |
| Arsenic            | 0.010  | ND           | ND         | ND         |  |  |
| Barium             | 0.010  | ND           | 0.108      | 0.183      |  |  |
| Beryllium          | 0.0050 | ND           | ND         | ND         |  |  |
| Cadmium            | 0.0050 | ND           | ND         | ND         |  |  |
| Chromium           | 0.010  | ND           | ND         | 0.028      |  |  |
| Cobalt             | 0.010  | ND           | ND         | ND         |  |  |
| Copper             | 0.010  | ND           | ND         | ND         |  |  |
| Lead               | 0.005  | ND           | ND         | ND         |  |  |
| Molybdenum         | 0.010  | ND           | ND         | 0.020      |  |  |
| Nickel             | 0.010  | ND           | ND         | ND         |  |  |
| Selenium           | 0.010  | ND           | 0.021      | 0.020      |  |  |
| Silver             | 0.010  | ND           | ND         | ND         |  |  |
| Thallium           | 0.010  | ND           | ND         | ND         |  |  |
| Vanadium           | 0.010  | ND           | ND         | ND         |  |  |
| Zinc               | 0.010  | ND           | 0.032      | ND         |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061207-3

|                   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|-------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>   |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>AA Metals</b>  |              |                  |                  |                     |                    |  |  |  |  |  |
| Mercury           | 91           | 100              | 9.4              | 80-120              | 20                 |  |  |  |  |  |
| <b>ICP Metals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony          | 99           | 96               | 3.1              | 80-120              | 20                 |  |  |  |  |  |



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 13

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |


Method: 6010B/7470A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061207-3

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Arsenic    | 101          | 99               | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Barium     | 103          | 100              | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Beryllium  | 105          | 100              | 4.9              | 80-120              | 20                 |  |  |  |  |  |
| Cadmium    | 101          | 98               | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Chromium   | 102          | 96               | 6.1              | 80-120              | 20                 |  |  |  |  |  |
| Cobalt     | 107          | 103              | 3.8              | 80-120              | 20                 |  |  |  |  |  |
| Copper     | 103          | 100              | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Lead       | 106          | 102              | 3.8              | 80-120              | 20                 |  |  |  |  |  |
| Molybdenum | 103          | 101              | 2.0              | 80-120              | 20                 |  |  |  |  |  |
| Nickel     | 108          | 104              | 3.8              | 80-120              | 20                 |  |  |  |  |  |
| Selenium   | 101          | 98               | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Silver     | 96           | 92               | 4.3              | 80-120              | 20                 |  |  |  |  |  |
| Thallium   | 102          | 99               | 3.0              | 80-120              | 20                 |  |  |  |  |  |
| Vanadium   | 101          | 94               | 7.2              | 80-120              | 20                 |  |  |  |  |  |
| Zinc       | 106          | 110              | 3.7              | 80-120              | 20                 |  |  |  |  |  |

[illegible]



# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

Page: 15

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34113          | 06/05/2007 | EIS    |

Method: 6010B/7471A, CCR Title 22 Metals (TTLC)

### QUALITY CONTROL REPORT

QC Batch No: 061207-3

| Analytes   | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| ICP Metals |              |                  |                  |                     |                    |  |  |  |  |  |
| Antimony   | 100          | 99               | 1.0              | 80-120              | <20                |  |  |  |  |  |
| Arsenic    | 102          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Barium     | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Beryllium  | 106          | 105              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cadmium    | 102          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Chromium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Cobalt     | 107          | 107              | <1               | 80-120              | <20                |  |  |  |  |  |
| Copper     | 104          | 102              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Lead       | 106          | 106              | <1               | 80-120              | <20                |  |  |  |  |  |
| Molybdenum | 105          | 103              | 1.9              | 80-120              | <20                |  |  |  |  |  |
| Nickel     | 109          | 108              | <1               | 80-120              | <20                |  |  |  |  |  |
| Selenium   | 101          | 101              | <1               | 80-120              | <20                |  |  |  |  |  |
| Silver     | 100          | 96               | 4.1              | 80-120              | <20                |  |  |  |  |  |
| Thallium   | 103          | 102              | <1               | 80-120              | <20                |  |  |  |  |  |
| Vanadium   | 105          | 101              | 3.9              | 80-120              | <20                |  |  |  |  |  |
| Zinc       | 111          | 106              | 4.6              | 80-120              | <20                |  |  |  |  |  |





**AMERICAN SCIENTIFIC LABORATORIES, LLC**  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

**Number of Pages 2**

**Date Received** 06/01/2007

**Date Reported** 06/25/2007

**Telephone** (408)395-7674  
**Attn** Jennifer Morris

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34252      | 06/18/2007 | EIS    |

**Project ID:** 717-2  
**Project Name:** Call Mac Transportation  
**Site:** 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 2 samples analyzed as specified on attached chain of custody.


Amolk MOLKY Brar  
Laboratory Manager

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

#### Ordered By

#### Site

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Jennifer Morris

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34252          | 06/01/2007 | EIS    |

Method: 218.6, Hexavalent Chromium by Ion Chromatography


QC Batch No: 061907-1

| Our Lab I.D.         |            | 197408         | 197409         |  |  |  |
|----------------------|------------|----------------|----------------|--|--|--|
| Client Sample I.D.   |            | B-3            | B-6            |  |  |  |
| Date Sampled         |            | 05/31/2007     | 05/31/2007     |  |  |  |
| Date Prepared        |            | 06/19/2007     | 06/19/2007     |  |  |  |
| Preparation Method   |            |                |                |  |  |  |
| Date Analyzed        |            | 06/19/2007     | 06/19/2007     |  |  |  |
| Matrix               |            | Water          | Water          |  |  |  |
| Units                |            | ug/L           | ug/L           |  |  |  |
| Dilution Factor      |            | 1              | 1              |  |  |  |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> | <b>Results</b> |  |  |  |
| <b>Conventionals</b> |            |                |                |  |  |  |
| Chromium (VI)        | 1.000      | ND             | 1.07           |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 061907-1

|                      | LCS<br>% REC | LCS DUP<br>% REC | LCS RPD<br>% REC | LCS/LCSD<br>% Limit | LCS RPD<br>% Limit |  |  |  |  |  |
|----------------------|--------------|------------------|------------------|---------------------|--------------------|--|--|--|--|--|
| <b>Analytes</b>      |              |                  |                  |                     |                    |  |  |  |  |  |
| <b>Conventionals</b> |              |                  |                  |                     |                    |  |  |  |  |  |
| Chromium (VI)        | 98           | 100              | 2.0              | 90-110              | 10                 |  |  |  |  |  |



AMERICAN SCIENTIFIC LABORATORIES, LLC  
*Environmental Testing Services*

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

Ordered By

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd. Ste. 109-062  
Los Gatos, CA 95032-

Telephone (408) 395-7674  
Attn Peter Littman

Number of Pages 2

Date Received 06/28/2007

Date Reported 07/02/2007

| Job Number | Ordered    | Client |
|------------|------------|--------|
| 34367      | 06/28/2007 | EIS    |

Project ID: 717-2  
Project Name: Call Mac Transportation  
Site: 461 McGraw Ave.  
Livermore, CA

Enclosed are the results of analyses on 1 sample analyzed as specified on attached chain of custody.

Wendy Lu  
Organics Supervisor

Rojert G. Araghi  
Laboratory Director

American Scientific Laboratories, LLC (ASL) accepts sample materials from clients for analysis with the assumption that all of the information provided to ASL verbally or in writing by our clients (and/or their agents), regarding samples being submitted to ASL, is complete and accurate. ASL accepts all samples subject to the following conditions:

- 1) ASL is not responsible for verifying any client-provided information regarding any samples submitted to the laboratory.
- 2) ASL is not responsible for any consequences resulting from any inaccuracies, omissions, or misrepresentations contained in client-provided information regarding samples submitted to the laboratory.



Due Date: 7-2-07





# AMERICAN SCIENTIFIC LABORATORIES, LLC

## Environmental Testing Services

2520 N. San Fernando Rd., Los Angeles, CA 90065 Tel: (323) 223-9700 Fax: (323) 223-9500

### ANALYTICAL RESULTS

**Ordered By**

Environmental Investig. Svcs, Inc.  
15466 Los Gatos Blvd.  
Ste. 109-062  
Los Gatos, CA 95032-

**Site**

461 McGraw Ave.  
Livermore, CA

Telephone: (408)395-7674

Attn: Peter Littman

Page: 2

Project ID: 717-2

Project Name: Call Mac Transportation

| ASL Job Number | Submitted  | Client |
|----------------|------------|--------|
| 34367          | 06/28/2007 | EIS    |

Method: 218.6, Hexavalent Chromium by Ion Chromatography

QC Batch No: 062907-1

|                      |            |                |  |  |  |  |
|----------------------|------------|----------------|--|--|--|--|
| <b>Our Lab I.D.</b>  |            | <b>198075</b>  |  |  |  |  |
| Client Sample I.D.   |            | B-5            |  |  |  |  |
| Date Sampled         |            | 05/31/2007     |  |  |  |  |
| Date Prepared        |            | 06/29/2007     |  |  |  |  |
| Preparation Method   |            |                |  |  |  |  |
| Date Analyzed        |            | 06/29/2007     |  |  |  |  |
| Matrix               |            | Water          |  |  |  |  |
| Units                |            | ug/L           |  |  |  |  |
| Dilution Factor      |            | 1              |  |  |  |  |
| <b>Analytes</b>      | <b>PQL</b> | <b>Results</b> |  |  |  |  |
| <b>Conventionals</b> |            |                |  |  |  |  |
| Chromium (VI)        | 1.000      | 4.70           |  |  |  |  |

### QUALITY CONTROL REPORT

QC Batch No: 062907-1

|                      |       |          |  |  |  |  |  |  |  |
|----------------------|-------|----------|--|--|--|--|--|--|--|
|                      | LCS   | LCS/LCSD |  |  |  |  |  |  |  |
| <b>Analytes</b>      | % REC | % Limit  |  |  |  |  |  |  |  |
| <b>Conventionals</b> |       |          |  |  |  |  |  |  |  |
| Chromium (VI)        | 96    | 90-110   |  |  |  |  |  |  |  |

**ATTACHMENT C**  
Golden State Soil Disposal Manifests and Weight Tickets

Golden State Metals, Inc.  
461 McGraw Avenue, Livermore, CA  
Contaminated Soil Disposal Summary

| Date                                      | Description                 | Manifest No. | Weight Ticket No. | Quantity          |
|---|-----------------------------|--------------|-------------------|-------------------|
| 06-11-07                                  | Petroleum Contaminated Soil | 001          | 748869            | 22.94 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 002          | 748879            | 22.17 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 003          | 748878            | 20.49 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 004          | 748915            | 22.52 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 005          | 748928            | 24.61 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 006          | 748934            | 21.40 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 007          | 748942            | 18.34 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 008          | 748962            | 23.01 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 009          | 748982            | 22.08 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 010          | 748983            | 22.37 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 011          | 748986            | 19.60 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 012          | 749006            | 21.79 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 013          | 749049            | 22.18 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 014          | 749056            | 22.47 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 015          | 749057            | 20.22 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 016          | 749065            | 23.32 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 017          | 749109            | 22.65 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 018          | 749110            | 23.90 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 019          | 749112            | 21.01 Ton         |
| <b>Petroleum Contaminated Soil Total:</b> |                             |              |                   | <b>417.07 Ton</b> |

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>001</b>                                   |  | 2. Page 1 of 1                                       |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |  |  |
| 4. Generator's Phone ( 714 ) <b>412-7526</b>  |  |   |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID  |  |  |  |
|   |  |   |  | B. Transporter 1 Phone <b>707-578-0960</b>                         |  |  |  |
| 7. Transporter 2 Company Name<br><b>MARKER Trucking</b>   |  | 8. US EPA ID Number<br><b>PAR000173070</b>            |  | C. State Transporter's ID  |  |  |  |
|   |  |   |  | D. Transporter 2 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>         |  | E. State Facility's ID   |  |  |  |
|   |  |   |  | F. Facility's Phone <b>925-455-7300</b>                            |  |  |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |   |  | No. Type   |  | Unit   |  |
| <b>Class II Cover Soil</b>  |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>  |  |
| b.  |  |   |  |  |  |  |  |
| c.  |  |   |  |  |  |  |  |
| d.  |  |   |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>  |  |   |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |  |  |
| Printed/Typed Name<br><b>Sean McDaniel</b>  |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| Printed/Typed Name<br><b>1</b>  |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |  |  |
| Printed/Typed Name  |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |

NON-HAZARDOUS WASTE

TRANSPORTER  
FACILITY





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748869  
Livermore, CA. 94561  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9B37446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 001  
Destination

55428600 (Class II Cover Golden State Metals  
Generator 164-Golden State Metals Golden State Metals

| Time                | Scale  | Deputy Weighmaster | Inbound | Gross    |          |
|---------------------|--------|--------------------|---------|----------|----------|
| 06/11/2007 07:41:42 | Scale1 | Inbound            | pratto  | 76940 lb |          |
| 06/11/2007 07:41:42 |        |                    | pratto  | Tare     | 31060 lb |
|                     |        |                    |         | Net      | 45880 lb |
|                     |        |                    |         | Tons     | 22.94    |

mmet

| Product | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|---------|-------|------|------|-----|--------|------------|
|         | 22.94 | Tons |      |     |        | Livermore, |
|         | 1     | Load |      |     |        | Livermore, |
|         |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: *M. J. Allen*

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>002</b>                                   |  | 2. Page 1 of 1                                       |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |  |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |   |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID  |  |  |  |
|   |  |   |  | B. Transporter 1 Phone <b>707-578-0960</b>                         |  |  |  |
| 7. Transporter 2 Company Name<br><b>Villaverde Trucking Co</b>  |  | 8. US EPA ID Number<br><b>CAE 000 174714</b>          |  | C. State Transporter's ID  |  |  |  |
|   |  |   |  | D. Transporter 2 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>         |  | E. State Facility's ID   |  |  |  |
|   |  |   |  | F. Facility's Phone <b>925-455-7300</b>                            |  |  |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |   |  | No. Type   |  | Unit Wt./Vol.  |  |
| <b>Class I Cover Soil</b>   |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>  |  |
| b.  |  |   |  |  |  |  |  |
| c.  |  |   |  |  |  |  |  |
| d.  |  |   |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |  |  |
| Printed/Typed Name<br><b>Sara McQuinn E. Golden State, Metals</b>   |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| Printed/Typed Name<br><b>Hector Villaverde</b>  |  |   |  |  |  |  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature  |  | Date   |  |
| Printed/Typed Name  |  |   |  |  |  | Month Day Year                                       |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |  |  |
| Printed/Typed Name  |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748879  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9044029 Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLAREAL TR 01  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 002  
Destination  
PO  
Profile 55428600 (Class II Cover: Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|--------|--------------------|---------|-------|----------|
| In  | 06/11/2007 08:03:18 | Scale1 | Inbound            | pratto  | Tare  | 74540 lb |
| Out | 06/11/2007 08:03:18 |        | pratto             |         | Net   | 30200 lb |
|     |                     |        |                    |         | Tons  | 44340 lb |
|     |                     |        |                    |         |       | 22.17    |

Comment

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| C2 Cover R6C-Tons- 100   |     | 22.17 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Harley

404WMCA

Please print or type (Form designed for use on elite (12 pitch) typewriter)

## NON-HAZAF



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 48878  
Livermore, CA, 94551  
Ph: (925)455-7300

Macy Resource

GEN A amor G  
1e# 90714 -DB1 Lum  
ine

#

Cover Golden  
den St Me Golden

1:0 1el 1 ou  
1:0

fm

mo

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Eric C. Kutz

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |   |  |
|---|--|---|--|--|--|---|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>004</b>                                   |  | 2. Page 1 of 1                            |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |   |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |   |  |  |  |   |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID  |  |   |  |
| 7. Transporter 2 Company Name<br><i>Villaverde Trucking</i>   |  | 8. US EPA ID Number<br><i>173070</i>                  |  | B. Transporter 1 Phone<br><b>707-578-0960</b>                      |  |   |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>         |  | C. State Transporter's ID  |  |   |  |
|   |  |   |  | D. Transporter 2 Phone   |  |   |  |
|   |  |   |  | E. State Facility's ID   |  |   |  |
|   |  |   |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |   |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                        |  |
|   |  |   |  | No. Type   |  | 14. Unit Wt./Vol.                         |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>                             |  |
| b.  |  |   |  |  |  |   |  |
| c.  |  |   |  |  |  |   |  |
| d.  |  |   |  |  |  |   |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |   |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |   |  |
| Printed/Typed Name<br><i>Sam McManis</i>  |  |   |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>06 17 07</i> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>1 11 07</i>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>6 11 7</i>   |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |   |  |
| Printed/Typed Name<br><i>[Signature]</i>  |  |   |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>6 11 7</i>   |  |



WEIGHMASTER-Altamont Landfill Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748915  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9B37446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 004  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals  
Generator 164-Golden State Metals Golden State Metals

|    | Time                | Scale          | Deputy Weighmaster | Inbound | Gross    |          |
|----|---------------------|----------------|--------------------|---------|----------|----------|
| In | 06/11/2007 09:03:30 | Scale1 inbound | ken jr             |         | 76100 lb |          |
|    | 06/11/2007 09:03:30 |                | ken jr             |         | tare     | 31060 lb |
|    |                     |                |                    |         | Net      | 45040 lb |
|    |                     |                |                    |         | Tons     | 22.52    |

Comments

| Product                | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|------------------------|-----|-------|------|------|-----|--------|-----------|
| CR Cover R60-Tons- 100 |     | 22.52 | Tons |      |     |        | Livermore |
| EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore |
| FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |   |  |  |            |
|---|--|---|--|---|--|--|------------|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>005</b>              |  | 2. Page <b>1</b> of <b>1</b>   |            |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |   |  |  |            |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |   |  |   |  |  |            |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  |   |  | 6. US EPA ID Number<br><b>Not Applicable</b>  |  | A. State Transporter's ID  |            |
| 7. Transporter 2 Company Name   |  |   |  | 8. US EPA ID Number                           |  | B. Transporter 1 Phone <b>707-578-0960</b>                               |            |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  |   |  | 10. US EPA ID Number<br><b>Not Applicable</b> |  | C. State Transporter's ID  |            |
|   |  |   |  |   |  | D. Transporter 2 Phone   |            |
|   |  |   |  |   |  | E. State Facility's ID   |            |
|   |  |   |  |   |  | F. Facility's Phone <b>925-455-7300</b>                                  |            |
| 11. WASTE DESCRIPTION   |  |   |  |   |  | 12. Containers   |            |
|   |  |   |  |   |  | No.  | Type       |
| a. <b>Class II Cover Soil</b>   |  |   |  |   |  | <b>001</b>   | <b>DT</b>  |
| b.  |  |   |  |   |  |  |            |
| c.  |  |   |  |   |  |  |            |
| d.  |  |   |  |   |  |  |            |
| 13. Total Quantity  |  |   |  |   |  | 14. Unit Wt./Vol.  |            |
|   |  |   |  |   |  | <b>20</b>  | <b>Ton</b> |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover 99.00</b> |            |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |   |  |  |            |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |   |  |  |            |
| Printed/Typed Name<br><b>Sen M. ...</b>   |  |   |  |   |  | Signature<br><i>[Signature]</i>  |            |
|   |  |   |  |   |  | Date<br>Month <b>3</b> Day <b>11</b> Year <b>97</b>                      |            |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  |   |  | Date   |            |
| Printed/Typed Name  |  |   |  |   |  | Signature  |            |
|   |  |   |  |   |  | Month <b>11</b> Day <b>11</b> Year <b>97</b>                             |            |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  |   |  | Date   |            |
| Printed/Typed Name  |  |   |  |   |  | Signature  |            |
|   |  |   |  |   |  | Month <b>11</b> Day <b>11</b> Year <b>97</b>                             |            |
| 19. Discrepancy Indication Space  |  |   |  |   |  |  |            |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |   |  |  |            |
| Printed/Typed Name  |  |   |  |   |  | Signature<br><i>[Signature]</i>  |            |
|   |  |   |  |   |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>97</b>                      |            |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road  
Livermore, CA, 94551  
Ph: (925)455-7300  
Ticket# 748928

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D44029 Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLAREAL TR 01  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 005  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale          | Deputy Weighmaster | Inbound | Gross         |  |
|-----|---------------------|----------------|--------------------|---------|---------------|--|
| In  | 06/11/2007 09:26:29 | Scale1 Inbound | ken jr             |         | 79420 lb      |  |
| Out | 06/11/2007 09:26:29 |                | ken jr             |         | Tare 30200 lb |  |
|     |                     |                |                    |         | Net 49220 lb  |  |
|     |                     |                |                    |         | Tons 24.61    |  |

Comments

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| C2 Cover R6C-Tons- 100   |     | 24.61 | Tons |      |     |        | Livermore. |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore. |
| 1 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore. |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Flater

404WMCA






# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |   |  |
|---|--|---|--|--|--|---|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No.  |  | 2. Page 1 of 1                            |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |   |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |   |  |  |  |   |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID  |  |   |  |
| 7. Transporter 2 Company Name   |  | 8. US EPA ID Number                                   |  | B. Transporter 1 Phone<br><b>707-576-0960</b>                      |  |   |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>         |  | C. State Transporter's ID  |  |   |  |
|   |  |   |  | D. Transporter 2 Phone   |  |   |  |
|   |  |   |  | E. State Facility's ID   |  |   |  |
|   |  |   |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |   |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                        |  |
|   |  |   |  | No. Type   |  | 14. Unit Wt./Vol.                         |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>                             |  |
| b.  |  |   |  |  |  |   |  |
| c.  |  |   |  |  |  |   |  |
| d.  |  |   |  |  |  |   |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |   |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |   |  |
| Printed/Typed Name<br><b>See M/C 1 E. Col. Asst. Mgr.</b>   |  |   |  | Signature  |  | Date<br>Month Day Year<br><b>06 11 07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature  |  | Date<br>Month Day Year                    |  |
| Printed/Typed Name  |  |   |  | Signature  |  | Date<br>Month Day Year                    |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature  |  | Date<br>Month Day Year                    |  |
| Printed/Typed Name  |  |   |  | Signature  |  | Date<br>Month Day Year                    |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |   |  |
| Printed/Typed Name  |  |   |  | Signature  |  | Date<br>Month Day Year<br><b>06 11 07</b> |  |



| Time                    | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-------------------------|--------|--------------------|---------|-------|----------|
| In 06/11/2007 09:37:30  | Scale1 | inbound            | ken jr  | Tare  | 30240 lb |
| Out 06/11/2007 09:37:30 |        | ken jr             |         | Net   | 42800 lb |
| Comment                 |        |                    |         | Tons  | 21.40    |

| Product                | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|------------------------|-----|-------|------|------|-----|--------|------------|
| C2 Cover R6C-Tons- 100 |     | 21.40 | Tons |      |     |        | Livermore. |
| EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore. |
| FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore. |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

**DRIVER:**

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |                                 |  |
|---|--|--|--|---|--|---------------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br>Not Applicable |  | Manifest Document No. 007                                   |  | 2. Page 1 of 1                  |  |
| 3. Generator's Name and Mailing Address<br>Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551  |  |  |  |   |  |                                 |  |
| 4. Generator's Phone (714) 412-7526   |  |  |  |   |  |                                 |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable          |  | A. State Transporter's ID<br>707-578-0960                   |  |                                 |  |
| 7. Transporter 2 Company Name<br>E F E TRUCKING   |  | 8. US EPA ID Number<br>CAR60012089             |  | B. Transporter 1 Phone                                      |  |                                 |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable         |  | C. State Transporter's ID                                   |  |                                 |  |
|   |  |  |  | D. Transporter 2 Phone                                      |  |                                 |  |
|   |  |  |  | E. State Facility's ID                                      |  |                                 |  |
|   |  |  |  | F. Facility's Phone   |  | 925-455-7300                    |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity              |  |
|   |  |  |  | No. Type  |  | Unit                            |  |
| a. Class II Cover Soil  |  |  |  | 001 DT  |  | 20 Ton                          |  |
| b.  |  |  |  |   |  |                                 |  |
| c.  |  |  |  |   |  |                                 |  |
| d.  |  |  |  |   |  |                                 |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |  |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover |  |                                 |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |  |  |   |  |                                 |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |                                 |  |
| Printed/Typed Name<br>Sean McGraw E. Golden State Metals  |  |  |  | Signature<br>   |  | Date<br>Month 06 Day 11 Year 97 |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br>Emilio Sanchez                                 |  | Date<br>Month 06 Day 11 Year 97 |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date                            |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Month Day Year                  |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |                                 |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |   |  |                                 |  |
| Printed/Typed Name  |  |  |  | Signature<br>   |  | Date<br>Month 06 Day 11 Year 97 |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748942  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D71497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TR 427WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 007  
Destination  
PO  
Profile 55429600 (Class II Cover~Golden State Metals  
Generator 164-Golden State Metals Golden State Metals

|                         | Scale         | Deputy Weighmaster | Inbound | Gross |          |
|-------------------------|---------------|--------------------|---------|-------|----------|
| In 06/11/2007 09:49:27  | Scale 2 Outbo | PRATTO             |         | Tare  | 71560 lb |
| Out 06/11/2007 09:49:27 |               | PRATTO             |         | Net   | 34880 lb |
|                         |               |                    |         | Tons  | 36680 lb |
|                         |               |                    |         |       | 18.34    |

Comments

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RDC-Tons- 100 |     | 18.34 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Emilio Caritez





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |   |  |
|---|--|--|--|--|--|---|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>008</b>                                   |  | 2. Page <b>1</b> of <b>1</b>              |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |   |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |  |  |  |  |   |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>                   |  |   |  |
| 7. Transporter 2 Company Name<br><i>Waste Transfer</i>  |  | 8. US EPA ID Number<br><i>73071</i>                |  | B. Transporter 1 Phone   |  |   |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID  |  |   |  |
|   |  |  |  | D. Transporter 2 Phone   |  |   |  |
|   |  |  |  | E. State Facility's ID   |  |   |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |   |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity                        |  |
|   |  |  |  | No. Type   |  | Unit WL/Vol.                              |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>                             |  |
| b.  |  |  |  |  |  |   |  |
| c.  |  |  |  |  |  |   |  |
| d.  |  |  |  |  |  |   |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |   |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macey Resources</b>   |  |  |  |  |  |   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |   |  |
| Printed/Typed Name<br><i>Scott M. ...</i>   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>06 11 07</i> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>11 11 07</i> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>11 11 07</i> |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><i>06 11 07</i> |  |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748962  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9B37446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WJ  
Hauling Ticket# License#  
Route Billing # 0387629  
State Waste Code Gen EPA 10  
Manifest 008  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|--------|--------------------|---------|-------|----------|
| In  | 06/11/2007 10:16:50 | Scale1 | Inbound            | ken jr  |       | 77080 lb |
| Out | 06/11/2007 10:16:50 |        | ken jr             |         | Tare  | 31060 lb |
|     |                     |        |                    |         | Net   | 46020 lb |
|     |                     |        |                    |         | Tons  | 23.01    |

Comments

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RGC-Tons- 100 |     | 23.01 | Tons |      |     |        | Livermore. |
| EVL-TAX-Taxable En 100   |     | 1     | Load |      |     |        | Livermore. |
| FUEL-TAX-Taxable F 100   |     |       | %    |      |     |        | Livermore. |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.




DRIVER: *M. J. Villarreal*

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |           |  |            |
|---|--|--|--|---|-----------|--|------------|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>009</b>  |           | 2. Page <b>1</b> of <b>1</b>                         |            |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 9455</b>  |  |  |  |   |           |  |            |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |  |  |   |           |  |            |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID <b>707-578-0960</b>   |           |  |            |
|   |  |  |  | B. Transporter 1 Phone  |           |  |            |
| 7. Transporter 2 Company Name<br><b>Villareal Trucking Co.</b>  |  | 8. US EPA ID Number<br><b>Not Applicable</b>       |  | C. State Transporter's ID   |           |  |            |
|   |  |  |  | D. Transporter 2 Phone  |           |  |            |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road.<br/>Livermore, CA 94550</b>  |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | E. State Facility's ID  |           |  |            |
|   |  |  |  | F. Facility's Phone <b>925-455-7300</b>   |           |  |            |
| 11. WASTE DESCRIPTION<br><br><b>Class II Cover Soil</b>   |  |  |  | 12. Containers  |           | 13. Total Quantity                                   |            |
|   |  |  |  | No.   | Type      |  |            |
|   |  |  |  | <b>001</b>  | <b>DT</b> | <b>20</b>  | <b>Ton</b> |
| b.  |  |  |  |   |           |  |            |
| d.  |  |  |  |   |           |  |            |
|   |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |           |  |            |
| 15. Special Handling Instructions and Additional Information<br><br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |           |  |            |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |           |  |            |
| Printed/Typed Name<br><b>Sean McGinnis for Golden State Metals</b>  |  |  |  | Signature<br> |           | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |            |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |           | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |            |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |           | Date   |            |
| Printed/Typed Name  |  |  |  | Signature   |           | Month Day Year                                       |            |
| 19. Discrepancy Indication Space  |  |  |  |   |           |  |            |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |   |           |  |            |
| Printed/Typed Name  |  |  |  | Signature<br> |           | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |            |



WEIGHMASTER-Altamont  
10840 Altamont Pass Road  
Livermore, CA, 94551  
Ph: (925)455-7300

111 & Resource Recovery Original  
Ticket# 748982

Customer Name MacoyResource Macoy Resource  
Ticket Date 06/11/2007  
Payment Type Credit Account  
Manual Ticket#  
Hauling Ticket#  
Route  
State Waste Code  
Manifest 009  
Destination  
PO  
Profile 65428600 (Class II Cover Golden State Metals  
Generator 164-Golden State Metals Golden State Metals

Carrier GEN Altamont Generic  
Vehicle# 9D44029 Volume  
Container  
VILLAGEAL TR 01  
License#  
Billing # 0387529  
Gen EPA 10

| Time                | Scale         | Deputy Weighmaster | Inbound | Gross |          |
|---------------------|---------------|--------------------|---------|-------|----------|
| 06/11/2007 10:43:41 | calel Inbound | PRATTO             |         | Tare  | 74360    |
| 06/11/2007 10:43:41 |               | PRATTO             |         | Net   | 30200    |
|                     |               |                    |         | Tons  | 44160 lb |
|                     |               |                    |         |       | 08       |

Comment

|                       | Qty   | UOM  | Rate | Tax | Amount    |
|-----------------------|-------|------|------|-----|-----------|
| over R6C-Tons- 100    | 12.08 | Tons |      |     | Livermore |
| VL-TAX-Taxable En 100 | 1     | Load |      |     | Livermore |
| DEL-TAX-Taxable F 100 |       |      |      |     | Livermore |

Total Tax  
Total Tack

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Alta




404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) type/writer)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>010</b>  |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 9455</b>  |  |  |  |   |  |  |  |
| 4. Generator's Phone <b>714 412-7526</b>  |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>  |  |  |  |
| 7. Transporter 2 Company Name<br><b>Coba Trucking</b>   |  | 8. US EPA ID Number<br><b>1CA10000270658</b>       |  | B. Transporter 1 Phone  |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID   |  |  |  |
|   |  |  |  | D. Transporter 2 Phone<br><b>714/425-2197</b>   |  |  |  |
|   |  |  |  | E. State Facility's ID  |  |  |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>  |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type  |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>   |  | <b>20 Ton</b>  |  |
| b.  |  |  |  |   |  |  |  |
| c.  |  |  |  |   |  |  |  |
| d.  |  |  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br><b>Sean McGraw E. Golden State Metals</b>   |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>97</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>97</b>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date   |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>107</b> |  |



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748983  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9804835 Volume  
Payment Type Credit Account Container  
Manual Ticket# L080 TRK 06  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 010  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|    | Time                | Scale          | Deputy Weighmaster | Inbound | Gross |          |
|----|---------------------|----------------|--------------------|---------|-------|----------|
| In | 06/11/2007 10:46:04 | Scale1 Inbound | PRAITO             |         | Tare  | 74980 lb |
|    | 06/11/2007 10:46:04 |                | PRAITO             |         | Net   | 30240 lb |
|    |                     |                |                    |         | Tons  | 44740 lb |
|    |                     |                |                    |         |       | 22.37    |

Comments

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover R6C-Tons- 100 |     | 22.37 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: [Signature]

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |                        |  |
|---|--|--|--|---|--|------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br>Not Applicable |  | Manifest Document No. 011                                   |  | 2. Page 1 of 1         |  |
| 3. Generator's Name and Mailing Address<br><br>Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551  |  |  |  |   |  |                        |  |
| 4. Generator's Phone ( 714 ) 412-7526   |  |  |  |   |  |                        |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable          |  | A. State Transporter's ID 707-578-0960                      |  |                        |  |
| 7. Transporter 2 Company Name   |  | 8. US EPA ID Number                            |  | B. Transporter 1 Phone                                      |  |                        |  |
|   |  |  |  | C. State Transporter's ID                                   |  |                        |  |
|   |  |  |  | D. Transporter 2 Phone                                      |  |                        |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable         |  | E. State Facility's ID                                      |  |                        |  |
|   |  |  |  | F. Facility's Phone 925-455-7300                            |  |                        |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity     |  |
|   |  |  |  | No. Type  |  | Unit Wt./Vol.          |  |
| a. Class II Cover Soil  |  |  |  | 001 DT  |  | 20 Ton                 |  |
| b.  |  |  |  |   |  |                        |  |
| c.  |  |  |  |   |  |                        |  |
| d.  |  |  |  |   |  |                        |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |  |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover |  |                        |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |  |  |   |  |                        |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |                        |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date<br>Month Day Year |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date<br>Month Day Year |  |
| Printed/Typed Name  |  |  |  |   |  |                        |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date<br>Month Day Year |  |
| Printed/Typed Name  |  |  |  |   |  |                        |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |                        |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |   |  |                        |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date<br>Month Day Year |  |

NON-HAZARDOUS WASTE





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 748986  
Livermore, CA, 94551  
Ph: (925) 455-7300

Customer Name: DyResource Macoy Resource Carrier: GEN Altamont General  
Date: 01/11/2007 Volume: 9071497-08131  
Payment Type: CR Oil Account Container:  
Manual Ticket# 5082701 00131  
Hauling Ticket License:  
Rough Bill To #  
Gen RFR 11

5428500 (Class II Cover Golden State Metals  
64 Golden State Metals Golden State Metals

|              | Scale              | Deputy Weighmaster Inbound | Gross |          |
|--------------|--------------------|----------------------------|-------|----------|
| 007 10:54:06 | 10011 Inbound R00Y |                            | Tare  | 14080 lb |
| 007 10:54:06 | R00Y               |                            | Net   | 34850 lb |
|              |                    |                            | Tons  | 39200 lb |
|              |                    |                            |       | 19.60    |

NOTE

|                  | Qty   | Unit | Rate | Amount | Tax   |
|------------------|-------|------|------|--------|-------|
| R00-Tons- 100    | 19.60 | tons |      |        | error |
| taxable LB 100   |       | lbs  |      |        | error |
| A Taxable LB 100 |       |      |      |        | error |

Total Tax  
Total Tax

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Emilia Sanchez

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>012</b>                                   |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |  |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |  |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>                   |  |  |  |
| 7. Transporter 2 Company Name<br><i>William Villalobos</i>  |  | 8. US EPA ID Number<br><b>Not Applicable</b>       |  | B. Transporter 1 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID  |  |  |  |
|   |  |  |  | D. Transporter 2 Phone   |  |  |  |
|   |  |  |  | E. State Facility's ID   |  |  |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type   |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>  |  |
| b. <i>[Handwritten scribble]</i>  |  |  |  |  |  |  |  |
| c. <i>[Handwritten scribble]</i>  |  |  |  |  |  |  |  |
| d. <i>[Handwritten scribble]</i>  |  |  |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |  |  |
| Printed/Typed Name<br><b>Sean McManis</b>   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>06</b> Day <b>18</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>06</b> Day <b>18</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>06</b> Day <b>18</b> Year <b>07</b> |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |  |  |
| 20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>06</b> Day <b>18</b> Year <b>07</b> |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749006  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9837446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 012  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|--------|--------------------|---------|-------|----------|
| In  | 06/11/2007 11:26:47 | Scale1 | Inbound            | RUDY    | Tare  | 74540 lb |
| Out | 06/11/2007 11:26:47 |        | RUDY               |         | Net   | 31060 lb |
|     |                     |        |                    |         | Tons  | 43580 lb |
|     |                     |        |                    |         |       | 21.79    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|---|--------------------|-----|-------|------|------|-----|--------|------------|
| 1 | C2 Cover RGC-Tons- | 100 | 21.79 | Tons |      |     |        | Livermore, |
| 2 | EVL-TAX-Taxable En | 100 | 1     | Load |      |     |        | Livermore, |
| 3 | FUEL-TAX-Taxable F | 100 |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: 

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |   |  |                                     |  |
|---|--|---|--|---|--|-------------------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. Not Applicable |  | Manifest Document No. 013                                       |  | 2. Page 1 of                        |  |
| 3. Generator's Name and Mailing Address   |  |   |  | Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551 |  |                                     |  |
| 4. Generator's Phone (714 412-7526)   |  |   |  |   |  |                                     |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable       |  | A. State Transporter's ID<br>707-578-0960                       |  | B. Transporter 1 Phone              |  |
| 7. Transporter 2 Company Name<br>Villarreal Trucking Co.  |  | 8. US EPA ID Number<br>#714                 |  | C. State Transporter's ID                                       |  | D. Transporter 2 Phone              |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable      |  | E. State Facility's ID  |  | F. Facility's Phone<br>925-455-7300 |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers  |  | 13. Total Quantity                  |  |
|   |  |   |  | No. Type  |  | Unit Wt./Vol.                       |  |
| a. Class II Cover Soil  |  |   |  | 001 DT  |  | 20 Ton                              |  |
| b.  |  |   |  |   |  |                                     |  |
| c.  |  |   |  |   |  |                                     |  |
| d.  |  |   |  |   |  |                                     |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |   |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover     |  |                                     |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |   |  |   |  |                                     |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |   |  |                                     |  |
| Printed/Typed Name<br>Sean McGuinn R. Golden State Metals   |  |   |  | Signature   |  | Date<br>Month Day Year<br>06 11 07  |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature   |  | Date                                |  |
| Printed/Typed Name<br>Hector Villarreal   |  |   |  | Signature   |  | Month Day Year<br>06 11 07          |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature   |  | Date                                |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Month Day Year                      |  |
| 19. Discrepancy Indication Space  |  |   |  |   |  |                                     |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |   |  |                                     |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Date<br>Month Day Year<br>06 11 07  |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery  
10840 Altamont Road  
Livermore, CA, 94551  
Ph: (925)455-7300

Original  
Ticket# 749049

Customer Name Shell Pipeline Shell Pipeline Carrier GEN Altamont Geheric  
Ticket Date 06/11/2007 Vehicle# 9044029 Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLAREAL TR 01  
Hauling Ticket# License#  
Route Billing # 0387455  
State Waste Code CA-C2 Cover RGC Gen EPA ID  
Manifest 013  
Destination  
PU  
Profile 55332700 (Shell Pipeline Company LP - Class II Cover Soil  
Generator 164-Shell Pipeline Shell Pipeline Company LP

|     | Time                | Scale          | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|----------------|--------------------|---------|-------|----------|
| In  | 06/11/2007 12:50:05 | Scale1 Inbound | PRATTO             |         | Tare  | 74560 lb |
| Out | 06/11/2007 12:50:05 |                | PRATTO             |         | Net   | 30200 lb |
|     |                     |                |                    |         | Tons  | 44360 lb |
|     |                     |                |                    |         |       | 22.18    |

Comments:

| Product               | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin |
|-----------------------|-----|-------|------|------|-----|--------|--------|
| 1 CA-C2 Cover, RGC-Co | 100 | 22.18 | Tons |      |     |        | Tracy  |
| 2 EVL-Env Fee Lg.     | 100 | 1     | Load |      |     |        | Tracy  |
| 3 FUEL-Fuel Surcharg  | 100 |       |      |      |     |        | Tracy  |
| 4 Transportation - 6  | 100 | 22.18 | Tons |      |     |        | Tracy  |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.





DRIVER: Hester

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <span style="float: right;">Not Applicable</span> |  | Manifest Document No. <span style="float: right;">014</span>                                      |  | 2. Page <span style="float: right;">1</span> of <span style="float: right;">1</span> |  |
| 3. Generator's Name and Mailing Address   |  |  |  | Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551                                   |  |  |  |
| 4. Generator's Phone ( <span style="float: right;">714</span> ) <span style="float: right;">412-7526</span>   |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable  |  | A. State Transporter's ID <span style="float: right;">707-578-0960</span>                         |  |  |  |
| 7. Transporter 2 Company Name<br>Lobo Trucking  |  | 8. US EPA ID Number<br>CALC00070658  |  | B. Transporter 1 Phone  |  |  |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable   |  | C. State Transporter's ID   |  | D. Transporter 2 Phone <span style="float: right;">714)975-2197</span>               |  |
|   |  |  |  | E. State Facility's ID  |  |  |  |
|   |  |  |  | F. Facility's Phone <span style="float: right;">925-455-7300</span>                               |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity   |  |
|   |  |  |  | No. Type  |  | Unit   |  |
| a. Class II Cover Soil  |  |  |  | 001 DT  |  | 20 Ton   |  |
| b.  |  |  |  |   |  |  |  |
| c.  |  |  |  |   |  |  |  |
| d.  |  |  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |  |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover                                       |  |  |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br>Sean McCormick for Golden State Metals  |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07   |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07   |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date   |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Month Day Year   |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |   |  |  |  |
| Printed/Typed Name<br>   |  |  |  | Signature<br>  |  | Date<br>Month Day Year<br>06 11 07   |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road  
Livermore, CA, 94551  
Ph: (925)455-7300  
Ticket# 749056

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9804835 Volume  
Payment Type Credit Account Container  
Manual Ticket# LOBO TRK 06  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA 10  
Manifest 014  
Destination  
PO  
Profile 55428600 (Class II Cover-Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

| Time                    | Scale  | Deputy Weighmaster | Inbound     | Gross |          |
|-------------------------|--------|--------------------|-------------|-------|----------|
| In 06/11/2007 13:05:32  | Scale1 | Inbound            | rrojasi1841 | Tare  | 75180 lb |
| Out 06/11/2007 13:05:32 |        |                    | rrojasi1841 | Net   | 30240 lb |
|                         |        |                    |             | Tons  | 44940 lb |
|                         |        |                    |             |       | 22.47    |

Comments

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RGC-Tons- 100 |     | 22.47 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: J. J. J.

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |   |  |                   |  |
|---|--|---|--|---|--|-------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b>           |  | Manifest Document No. <b>015</b>                            |  | 2. Page 1 of 1    |  |
| 3. Generator's Name and Mailing Address   |  | Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551 |  |   |  |                   |  |
| 4. Generator's Phone ( 714 ) 412-7526   |  |   |  |   |  |                   |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable                           |  | A. State Transporter's ID                                   |  |                   |  |
| 7. Transporter 2 Company Name<br>E & E TRUCKING   |  | 8. US EPA ID Number<br>CAR000152089                             |  | B. Transporter 1 Phone 707-578-0960                         |  |                   |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable                          |  | C. State Transporter's ID                                   |  |                   |  |
|   |  |   |  | D. Transporter 2 Phone                                      |  |                   |  |
|   |  |   |  | E. State Facility's ID                                      |  |                   |  |
|   |  |   |  | F. Facility's Phone 925-455-7300                            |  |                   |  |
| 11. WASTE DESCRIPTION   |  | 12. Containers  |  | 13. Total Quantity  |  | 14. Unit Wt./Vol. |  |
| a.  |  | No. Type  |  |   |  |                   |  |
| Class II Cover Soil   |  | 001 DT  |  | 20  |  | Ton               |  |
| b.  |  |   |  |   |  |                   |  |
| c.  |  |   |  |   |  |                   |  |
| d.  |  |   |  |   |  |                   |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |   |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover |  |                   |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |   |  |   |  |                   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |   |  |                   |  |
| Printed/Typed Name<br>Sean McGraw for Golden State Metals   |  |   |  | Signature<br><i>[Signature]</i>                             |  | Date<br>06/11/97  |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br><i>[Signature]</i>                             |  | Date<br>6/11/97   |  |
| Printed/Typed Name<br>Emilio Sanchez  |  |   |  | Signature<br><i>[Signature]</i>                             |  | Date<br>6/11/97   |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature   |  | Date              |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Date              |  |
| 19. Discrepancy Indication Space  |  |   |  |   |  |                   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |   |  |                   |  |
| Printed/Typed Name  |  |   |  | Signature<br><i>[Signature]</i>                             |  | Date<br>6/11/97   |  |



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749057  
Livermore, CA, 94551  
Ph: (925) 455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9071497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TRK427WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest WAF  
Destination  
PD  
Profile 55428500 (Class II Cover~Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale         | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|---------------|--------------------|---------|-------|----------|
| In  | 06/11/2007 13:06:04 | Scale 2 Outbo | RUDY               |         | Tare  | 75320 lb |
| Out | 06/11/2007 13:06:04 |               | RUDY               |         | Net   | 34880 lb |
|     |                     |               |                    |         | Tons  | 40440 lb |
|     |                     |               |                    |         |       | 20.22    |

Comments

| Product                  | LDX | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RSC-Tons- 100 |     | 20.22 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.






DRIVER: Emilio Sanchez

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type Form designed for use on elite (12 pitch) typewriter

|   |  |   |  |   |  |  |  |
|---|--|---|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>016</b>  |  | 2. Page 1 of 1                                       |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |   |  |  |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |   |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID   |  | B. Transporter 1 Phone<br><b>707-578-0960</b>        |  |
| 7. Transporter 2 Company Name<br><b>VILLARRO TRUCKING</b>   |  | 8. US EPA ID Number<br><b>CA000173070</b>             |  | C. State Transporter's ID   |  | D. Transporter 2 Phone                               |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>         |  | E. State Facility's ID  |  | F. Facility's Phone<br><b>925-451-7300</b>           |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  |   |  | No. Type  |  | Unit Wt./Vol.  |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | <b>001 DT</b>   |  | <b>20 Ton</b>  |  |
| b.  |  |   |  |   |  |  |  |
| c.  |  |   |  |   |  |  |  |
| d.  |  |   |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |   |  |  |  |
| Printed/Typed Name<br><b>Sean McCumick for Golden State Metals</b>  |  |   |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 19. Discrepancy Indication Space  |  |   |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |   |  |  |  |
| Printed/Typed Name<br>   |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749065  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9837446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 016  
Destination  
PO  
Profile 55428600 (Class II Cover Golden State Metals  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale          | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|----------------|--------------------|---------|-------|----------|
| In  | 06/11/2007 13:15:40 | Scale1 Inbound | rrojas1841         |         | Tare  | 77700 lb |
| Out | 06/11/2007 13:15:40 |                | rrojas1841         |         | Net   | 31060 lb |
|     |                     |                |                    |         | Tons  | 46640 lb |
|     |                     |                |                    |         |       | 23.32    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|---|--------------------|-----|-------|------|------|-----|--------|------------|
| 1 | C2 Cover RGC-Tons- | 100 | 23.32 | Tons |      |     |        | Livermore, |
| 2 | EVL-TAX-Taxable En | 100 | 1     | Load |      |     |        | Livermore, |
| 3 | FUEL-TAX-Taxable F | 100 |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER

404WMCA








# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>017</b>                                   |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |  |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |  |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID  |  | B. Transporter 1 Phone<br><b>707-578-0960</b>        |  |
| 7. Transporter 2 Company Name<br><b>Villalobos Trucking Co</b>  |  | 8. US EPA ID Number<br><b>174714</b>               |  | C. State Transporter's ID  |  | D. Transporter 2 Phone                               |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | E. State Facility's ID   |  | F. Facility's Phone<br><b>925-455-7300</b>           |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type   |  | Unit Wt./Vol.  |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>  |  |
| b.  |  |  |  |  |  |  |  |
| c.  |  |  |  |  |  |  |  |
| d.  |  |  |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macey Resources</b>   |  |  |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |  |  |
| Printed/Typed Name<br><b>Sean McGinnis for Golden State Metals</b>  |  |  |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature  |  | Date   |  |
| Printed/Typed Name  |  |  |  | Signature  |  | Month Day Year                                       |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |  |  |  |  |
| Printed/Typed Name<br>  |  |  |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |



| Time                    | Scale  | Deputy Weighmaster | Inbound    | Gross |                      |
|-------------------------|--------|--------------------|------------|-------|----------------------|
| In 06/11/2007 14:24:49  | Scale1 | Inbound            | rrajas1841 | Tare  | 75500 lb<br>30200 lb |
| Out 06/11/2007 14:24:49 |        |                    | rrajas1841 | Net   | 45300 lb             |
|                         |        |                    |            | Tons  | 22.65                |
| Comments                |        |                    |            |       |                      |

| Product              | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|----------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RGC-Tons- | 100 | 22.65 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En | 100 | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F | 100 |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket





THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

**DRIVER:**


404WMCA

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |                                    |  |
|---|--|--|--|---|--|------------------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <span style="float: right;">Not Applicable</span> |  | Manifest Document No. <span style="float: right;">018</span>                                      |  | 2. Page 1 of 1                     |  |
| 3. Generator's Name and Mailing Address<br><br>Golden State Metals<br>461 McGraw Avenue<br>Livermore, CA 94551  |  |  |  |   |  |                                    |  |
| 4. Generator's Phone ( 714 ) 412-7526   |  |  |  |   |  |                                    |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable  |  | A. State Transporter's ID<br>707-578-0960   |  |                                    |  |
| 7. Transporter 2 Company Name<br>Lobn Trucking  |  | 8. US EPA ID Number<br>CA 000270628  |  | B. Transporter 1 Phone  |  |                                    |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable   |  | C. State Transporter's ID   |  |                                    |  |
|   |  |  |  | D. Transporter 2 Phone<br>707-455-0807  |  |                                    |  |
|   |  |  |  | E. State Facility's ID  |  |                                    |  |
|   |  |  |  | F. Facility's Phone<br>925-455-7300   |  |                                    |  |
| 11. WASTE DESCRIPTION   |  | 12. Containers   |  | 13. Total Quantity  |  | 14. Unit                           |  |
|   |  | No. Type   |  |   |  | WT/Vol.                            |  |
| a. Class II Cover Soil  |  | 001 DT   |  | 20  |  | Ton                                |  |
| b.  |  |  |  |   |  |                                    |  |
| c.  |  |  |  |   |  |                                    |  |
| d.  |  |  |  |   |  |                                    |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428600   |  |  |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover                                       |  |                                    |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |  |  |   |  |                                    |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |                                    |  |
| Printed/Typed Name<br>Sean McGinnis For Golden State Metals   |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07 |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07 |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07 |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |                                    |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br> |  | Date<br>Month Day Year<br>06 11 07 |  |
| Printed/Typed Name  |  |  |  |   |  |                                    |  |





| Time                    | Scale         | Deputy Weighmaster | Inbound | Gross |          |
|-------------------------|---------------|--------------------|---------|-------|----------|
| In 06/11/2007 14:25:09  | Scale 2 Outbo | RUDY               |         | Tare  | 30240 lb |
| Out 06/11/2007 14:25:09 |               | RUDY               |         | Net   | 47800 lb |
|                         |               |                    |         | Tons  | 23.90    |

| Product                  | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|--------------------------|-----|-------|------|------|-----|--------|------------|
| 1 C2 Cover RBC-Tons- 100 |     | 23.90 | Tons |      |     |        | Livermore, |
| 2 EVL-TAX-Taxable En 100 |     | 1     | Load |      |     |        | Livermore, |
| 3 FUEL-TAX-Taxable F 100 |     |       | %    |      |     |        | Livermore. |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.




**DRIVER:**

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type. (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>019</b>  |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><br><b>Golden State Metals<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |   |  |  |  |
| 4. Generator's Phone ( <b>714</b> ) <b>412-7526</b>   |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>  |  |  |  |
| 7. Transporter 2 Company Name<br><b>E E TRUCKING</b>  |  | 8. US EPA ID Number<br><b>CAK000182089</b>         |  | B. Transporter 1 Phone  |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID   |  |  |  |
|   |  |  |  | D. Transporter 2 Phone  |  |  |  |
|   |  |  |  | E. State Facility's ID  |  |  |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>  |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type  |  | Unit   |  |
|   |  |  |  | a. <b>Class II Cover Soil</b>   |  | <b>001 DT 20 Ton</b>                                 |  |
|   |  |  |  | b.  |  |  |  |
|   |  |  |  | c.  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428600</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br><b>Sean McCormick for Golden State Metals</b>   |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><b>Emilio Sanchez</b>  |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date   |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |   |  |  |  |
| Printed/Typed Name<br>   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b>  |  |







WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749112  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macey Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D71497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TRK42/WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 019  
Destination  
PU  
Profile 55428600 (Class II Cover Golden State Metals )  
Generator 164-Golden State Metals Golden State Metals

|     | Time                | Scale  | Deputy Weighmaster | Inbound    | Gross    |          |
|-----|---------------------|--------|--------------------|------------|----------|----------|
| In  | 06/11/2007 14:28:18 | Scale1 | Inbound            | rrajas1841 | 77140 lb |          |
| Out | 06/11/2007 14:28:18 |        |                    | rrajas1841 | 35120 lb |          |
|     |                     |        |                    |            | Net      | 42020 lb |
|     |                     |        |                    |            | Tons     | 21.01    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin     |
|---|--------------------|-----|-------|------|------|-----|--------|------------|
| 1 | C2 Cover RGC-Tons- | 100 | 21.01 | Tons |      |     |        | Livermore, |
| 2 | EVL-TAX-Taxable En | 100 | 1     | Load |      |     |        | Livermore, |
| 3 | FUEL-TAX-Taxable F | 100 |       | %    |      |     |        | Livermore, |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Emilio Salcedo

404WMCA

**ATTACHMENT D**

Call Mac Soil Disposal Manifests and Weight Tickets



**Call Mac Transportation  
461 McGraw Avenue, Livermore, CA  
Contaminated Soil Disposal Summary**

| <b>Date</b>                               | <b>Description</b>          | <b>Manifest No.</b> | <b>Weight Ticket No.</b> | <b>Quantity</b>   |
|---|-----------------------------|---------------------|--------------------------|-------------------|
| 06-11-07                                  | Petroleum Contaminated Soil | 001                 | 749122                   | 23.43 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 002                 | 749151                   | 23.21 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 003                 | 749152                   | 24.30 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 004                 | 749159                   | 21.94 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 005                 | 749165                   | 22.76 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 006                 | 749180                   | 21.20 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 007                 | 749181                   | 17.39 Ton         |
| 06-11-07                                  | Petroleum Contaminated Soil | 008                 | 749182                   | 20.91 Ton         |
| 06-12-07                                  | Petroleum Contaminated Soil | 009                 | 749219                   | 23.58 Ton         |
| 06-12-07                                  | Petroleum Contaminated Soil | 010                 | 749230                   | 23.30 Ton         |
| 06-12-07                                  | Petroleum Contaminated Soil | 011                 | 749252                   | 21.82 Ton         |
| 06-12-07                                  | Petroleum Contaminated Soil | 012                 | 749251                   | 19.77 Ton         |
| 06-12-07                                  | Petroleum Contaminated Soil | 013                 | 749254                   | 19.61 Ton         |
| <b>Petroleum Contaminated Soil Total:</b> |                             |                     |                          | <b>283.22 Ton</b> |

# NON-HAZARDOUS WASTE MANIFEST

Please print or type

(Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | Generator's US EPA ID No. <b>Not Applicable</b> |  | 00   |  | 2. Page 1 of 1                                       |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |  |  |
| 4. Generator's Phone: <b>805, 965-7014</b>  |  |   |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>    |  | A. State Transporter's ID  |  | 707-578-0960   |  |
| 7. Transporter 2 Company Name<br><b>Villaverde Trucking</b>   |  | 8. US EPA ID Number<br><b>CA000173070</b>       |  | B. Transporter 1 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>   |  | C. State Transporter's ID  |  |  |  |
|   |  |   |  | D. Transporter 2 Phone   |  |  |  |
|   |  |   |  | E. State Facility's ID   |  |  |  |
|   |  |   |  | F. Facility's Phone  |  | 925-455-7300   |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |   |  | No. Type   |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | 001 DT   |  | 20 Ton   |  |
| b.  |  |   |  |  |  |  |  |
| c.  |  |   |  |  |  |  |  |
| d.  |  |   |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |  |  |
| Printed/Typed Name<br><b>Sean McCormick For Call Mac Transportation</b>   |  |   |  | Signature<br><b>[Signature]</b>                                    |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials<br>Printed/Typed Name<br><b>Miguel Villaverde</b>   |  |   |  | Signature<br><b>[Signature]</b>                                    |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials<br>Printed/Typed Name   |  |   |  | Signature  |  | Date<br>Month Day Year                               |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |  |  |
| Printed/Typed Name<br><b>[Signature]</b>  |  |   |  | Signature<br><b>[Signature]</b>                                    |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b>  |  |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749122  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9B37446WT Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 001  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale  | Deputy Weighmaster | Inbound    | Gross |          |
|-----|---------------------|--------|--------------------|------------|-------|----------|
| In  | 06/11/2007 14:46:10 | Scale1 | Inbound            | rrojas1841 | Tare  | 77920 lb |
| Out | 06/11/2007 14:46:10 |        | rrojas1841         |            | Net   | 31060 lb |
|     |                     |        |                    |            | Tons  | 46860 lb |
|     |                     |        |                    |            |       | 23.43    |

Comments

|   | Product                | D% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|------------------------|----|-------|------|------|-----|--------|-----------|
|   | C2 Cover RGC-Tons- 100 |    | 23.43 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee Lg. - 100  |    | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg 100 |    |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: M. G. [Signature]

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |                         |  |
|---|--|--|--|--|--|-------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>002</b>                                   |  | 2. Page 1 of 1          |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |                         |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |  |  |                         |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID  |  |                         |  |
|   |  |  |  | B. Transporter 1 Phone <b>707-578-0960</b>                         |  |                         |  |
| 7. Transporter 2 Company Name<br><b>Villarreal Trucking &amp; CAR 000174714</b>   |  | 8. US EPA ID Number                                |  | C. State Transporter's ID  |  |                         |  |
|   |  |  |  | D. Transporter 2 Phone   |  |                         |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | E. State Facility's ID   |  |                         |  |
|   |  |  |  | F. Facility's Phone <b>925-455-7300</b>                            |  |                         |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity      |  |
|   |  |  |  | No. Type   |  | 14. Unit Wt./Vol.       |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>           |  |
| b.  |  |  |  |  |  |                         |  |
| c.  |  |  |  |  |  |                         |  |
| d.  |  |  |  |  |  |                         |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |                         |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |  |  |                         |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |                         |  |
| Printed/Typed Name<br><b>Sean McLean for Call Mac Transportation</b>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br><b>06/11/07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br><b>06/11/07</b> |  |
| Printed/Typed Name<br><b>Hector Villarreal</b>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br><b>06/11/07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature  |  | Date                    |  |
| Printed/Typed Name  |  |  |  | Signature  |  | Date                    |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |                         |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |  |  |                         |  |
| Printed/Typed Name  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br><b>06/11/07</b> |  |





WEIGHMASTER-Altamont ~~San Jose~~ Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749151  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D44029 Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLAREAL TR 01  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 002  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CalMacTran Call MacTransportation Company

|     | Time                | Scale          | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|----------------|--------------------|---------|-------|----------|
| In  | 06/11/2007 15:45:10 | Scale1 Inbound | rudy               |         | Tara  | 75620 lb |
| Out | 06/11/2007 15:45:10 |                | rudy               |         | Net   | 30200 lb |
|     |                     |                |                    |         | Tons  | 46420 lb |
|     |                     |                |                    |         |       | 23.21    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|--------------------|-----|-------|------|------|-----|--------|-----------|
| 1 | C2 Cover R6C-Tons- | 100 | 23.21 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.




DRIVER: Hester

404WMCA




# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>003</b>  |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |   |  |  |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID   |  |  |  |
|   |  |  |  | B. Transporter 1 Phone <b>707-578-0960</b>  |  |  |  |
| 7. Transporter 2 Company Name<br><b>Lohn Trucking</b>   |  | 8. US EPA ID Number<br><b>CAL000270655</b>         |  | C. State Transporter's ID   |  |  |  |
|   |  |  |  | D. Transporter 2 Phone <b>714/725-7197</b>  |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | E. State Facility's ID  |  |  |  |
|   |  |  |  | F. Facility's Phone <b>925-455-7300</b>   |  |  |  |
| 11. WASTE DESCRIPTION   |  | 12. Containers                                     |  | 13. Total Quantity  |  | 14. Unit   |  |
|   |  | No. Type   |  |   |  | WL/Vol.  |  |
| a. <b>Class II Cover Soil</b>   |  | <b>001 DT</b>                                      |  | <b>20</b>   |  | <b>Ton</b>   |  |
| b.  |  |  |  |   |  |  |  |
| c.  |  |  |  |   |  |  |  |
| d.  |  |  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br><b>Sean McQuinnick For Call Mac Transportation</b>  |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date   |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date   |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date   |  |





| Time                    | Scale   | Deputy Weighmaster | Inbound    | Gross |          |
|-------------------------|---------|--------------------|------------|-------|----------|
| In 06/11/2007 15:46:20  | Scale 2 | Outbo              | RRDJAS1841 | Tare  | 30240 lb |
| Out 06/11/2007 15:46:20 |         |                    | RRDJAS1841 | Net   | 48600 lb |
|                         |         |                    |            | Tons  | 24.30    |

| Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|--------------------|-----|-------|------|------|-----|--------|-----------|
| C2 Cover RSC-Tons- | 100 | 24.30 | Tons |      |     |        | Livermore |
| EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| FUEL-Fuel Surchang | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

**DRIVER:**

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |
|---|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b>                  |  | Manifest Document No. <b>004</b>                     |  |
| 3. Generator's Name and Mailing Address   |  | Call Mac Transportation<br>461 McGraw Avenue<br>Livermore, CA 94551 |  |  |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>                        |  | A. State Transporter's ID<br><b>707-578-0960</b>     |  |
| 7. Transporter 2 Company Name<br><b>F &amp; F TRUCKING</b>  |  | 8. US EPA ID Number<br><b>CA000182089</b>                           |  | B. Transporter 1 Phone                               |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill</b><br>10840 Altamont Pass Road<br>Livermore, CA 94550   |  | 10. US EPA ID Number<br><b>Not Applicable</b>                       |  | C. State Transporter's ID                            |  |
|   |  |   |  | D. Transporter 2 Phone                               |  |
|   |  |   |  | E. State Facility's ID                               |  |
|   |  |   |  | F. Facility's Phone<br><b>925-455-7300</b>           |  |
| 11. WASTE DESCRIPTION   |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  | No. Type  |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  | <b>001 DT</b>   |  | <b>20 Ton</b>  |  |
| b.  |  |   |  |  |  |
| c.  |  |   |  |  |  |
| d.  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>  |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090</b><br><b>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |
| Printed/Typed Name<br><b>Sara McCulloch F. Call Mac Transportation</b>  |  | Signature<br>   |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>97</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  | Date  |  |  |  |
| Printed/Typed Name<br><b>Emilio Sanchez</b>   |  | Signature<br>   |  | Month <b>6</b> Day <b>11</b> Year <b>97</b>          |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  | Date  |  |  |  |
| Printed/Typed Name  |  | Signature   |  | Month Day Year                                       |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |
| Printed/Typed Name<br>  |  | Signature<br>   |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>97</b>  |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749159  
Livermore, CA, 94551  
Ph: (925) 455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D71497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TRK427WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 004  
Destination  
PO  
Profile 55428700 (\*Class II Cover/Macoy Resources\*)  
Generator 164-CallMacTran Call MacTransportation Company

| Time                    | Scale         | Deputy Weighmaster | Inbound | Gross |                      |
|-------------------------|---------------|--------------------|---------|-------|----------------------|
| In 06/11/2007 15:54:06  | Scale 2 Outbo | RROJAS1041         |         | Tare  | 78760 lb<br>34880 lb |
| Out 06/11/2007 15:54:06 |               | RROJAS1041         |         | Net   | 43880 lb             |
|                         |               |                    |         | Tons  | 21.94                |

Comments

| Product              | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|----------------------|-----|-------|------|------|-----|--------|-----------|
| C2 Cover RBC-Tons    | 100 | 21.94 | Tons |      |     |        | Livermore |
| 2 EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Emilio Sanchez

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type. (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |   |  |
|---|--|--|--|--|--|---|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>005</b>                                   |  | 2. Page <b>1</b> of <b>1</b>                        |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |   |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |  |  |   |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>                   |  |   |  |
| 7. Transporter 2 Company Name<br><b>Call Mac</b>  |  | 8. US EPA ID Number<br><b>Not Applicable</b>       |  | B. Transporter 1 Phone   |  |   |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID  |  |   |  |
|   |  |  |  | E. State Facility's ID   |  |   |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |   |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity                                  |  |
|   |  |  |  | No. Type   |  | Unit Wt./Vol.                                       |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>                                       |  |
| b.  |  |  |  |  |  |   |  |
| c.  |  |  |  |  |  |   |  |
| d.  |  |  |  |  |  |   |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |   |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |  |  |   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |   |  |
| Printed/Typed Name<br><b>Sam McLean, Call Mac Transportation</b>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>36</b> Day <b>1</b> Year <b>03</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b> |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |  |  |   |  |
| Printed/Typed Name  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>6</b> Day <b>11</b> Year <b>07</b> |  |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749165  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name: Macoy Resource Macoy Resource Carrier: GEN Altamont Generic  
Ticket Date: 06/11/2007 Vehicle#: 9837446WT Volume  
Payment Type: Credit Account Container  
Manual Ticket#: VILLARREAL 01WT  
Hauling Ticket#: License#  
Route: Billing #: 0387529  
State Waste Code: gen EPA ID  
Manifest: 005  
Destination:  
Profile: 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator: 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale   | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|---------|--------------------|---------|-------|----------|
| In  | 06/11/2007 16:10:54 | Scale 1 | Inbound            | rudy    | tare  | 31060 lb |
| Out | 06/11/2007 16:10:54 |         | rudy               |         | Net   | 45520 lb |
|     |                     |         |                    |         | Tons  | 22.76    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|--------------------|-----|-------|------|------|-----|--------|-----------|
| 1 | C2 Cover RGC-Tons- | 100 | 22.76 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

total tax  
total ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: 

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |                              |  |
|---|--|---|--|--|--|------------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b>                  |  | Manifest Document No.  |  | 2. Page <b>1</b> of <b>1</b> |  |
| 3. Generator's Name and Mailing Address   |  | Call Mac Transportation<br>461 McGraw Avenue<br>Livermore, CA 94551 |  |  |  |                              |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |   |  |  |  |                              |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>                        |  | A. State Transporter's ID<br><b>707 578 0960</b>                   |  |                              |  |
| 7. Transporter 2 Company Name   |  | 8. US EPA ID Number   |  | B. Transporter 1 Phone   |  |                              |  |
|   |  |   |  | C. State Transporter's ID  |  |                              |  |
|   |  |   |  | D. Transporter 2 Phone   |  |                              |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill</b><br><b>10840 Altamont Pass Road</b><br><b>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>                       |  | E. State Facility's ID   |  |                              |  |
|   |  |   |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |                              |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity           |  |
|   |  |   |  | No. Type   |  | Unit                         |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>                |  |
| b.  |  |   |  |  |  |                              |  |
| c.  |  |   |  |  |  |                              |  |
| d.  |  |   |  |  |  |                              |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |                              |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090</b><br><b>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |                              |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |                              |  |
| Printed/Typed Name<br><i>Samuel R. Call Mac Transportation</i>  |  |   |  | Signature<br><i>[Signature]</i>                                    |  |                              |  |
|   |  |   |  | Date<br>Month <b>06</b> Day <b>21</b> Year <b>07</b>               |  |                              |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Date   |  |                              |  |
| Printed/Typed Name  |  |   |  | Signature  |  |                              |  |
|   |  |   |  | Month Day Year   |  |                              |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Date   |  |                              |  |
| Printed/Typed Name  |  |   |  | Signature  |  |                              |  |
|   |  |   |  | Month Day Year   |  |                              |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |                              |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |                              |  |
| Printed/Typed Name  |  |   |  | Signature  |  |                              |  |
|   |  |   |  | Date<br>Month Day Year   |  |                              |  |







WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749180  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9804835 Volume  
Payment type Credit Account Container  
Manual Ticket# LOBO TRK 06  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA 10  
Manifest 006  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|--------|--------------------|---------|-------|----------|
| In  | 06/11/2007 17:17:51 | Scale1 | Inbound            | rudy    | Tare  | 72640 lb |
| Out | 06/11/2007 17:17:51 |        | rudy               |         | Net   | 30240 lb |
|     |                     |        |                    |         | Tons  | 42400 lb |
|     |                     |        |                    |         |       | 21.20    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|--------------------|-----|-------|------|------|-----|--------|-----------|
| 1 | C2 Cover RGC-Tons- | 100 | 21.20 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: \_\_\_\_\_

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |   |  |                    |  |
|---|--|---|--|---|--|--------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b>               |  | Manifest Document No. <b>007</b>                            |  | 2. Page 1 of 1     |  |
| 3. Generator's Name and Mailing Address   |  | Call Mac Transportation<br>461 McGraw Avenue<br>Livermore, CA 94551 |  |   |  |                    |  |
| 4. Generator's Phone <b>805 965-7014</b>  |  |   |  |   |  |                    |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br><b>Not Applicable</b>                        |  | A. State Transporter's ID                                   |  |                    |  |
|   |  |   |  | B. Transporter 1 Phone <b>707-578-0960</b>                  |  |                    |  |
| 7. Transporter 2 Company Name   |  | 8. US EPA ID Number   |  | C. State Transporter's ID                                   |  |                    |  |
|   |  |   |  | D. Transporter 2 Phone                                      |  |                    |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br><b>Not Applicable</b>                       |  | E. State Facility's ID                                      |  |                    |  |
|   |  |   |  | F. Facility's Phone <b>925-455-7300</b>                     |  |                    |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers  |  | 13. Total Quantity |  |
|   |  |   |  | No. Type  |  | Unit Wt./Vol.      |  |
| a. Class II Cover Soil  |  |   |  | 001 DT  |  | 20 Ton             |  |
| b.  |  |   |  |   |  |                    |  |
| c.  |  |   |  |   |  |                    |  |
| d.  |  |   |  |   |  |                    |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428700   |  |   |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover |  |                    |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |   |  |   |  |                    |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |   |  |                    |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Date               |  |
| Signature   |  |   |  | Signature   |  | Month Day Year     |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature   |  | Date               |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Month Day Year     |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature   |  | Date               |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Month Day Year     |  |
| 19. Discrepancy Indication Space  |  |   |  |   |  |                    |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |   |  |                    |  |
| Printed/Typed Name  |  |   |  | Signature   |  | Date               |  |
|   |  |   |  |   |  | Month Day Year     |  |

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY







WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749181  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/11/2007 Vehicle# 9D71497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TRK427WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA 10  
Manifest 007  
Destination  
PU  
Profile 55428700 (~\*Class II Cover/Macoy Resources\*)  
Generator 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale  | Deputy Weighmaster | Inbound | Gross |          |
|-----|---------------------|--------|--------------------|---------|-------|----------|
| In  | 06/11/2007 17:19:49 | Scale1 | Inbound            | rudy    |       | 69660 lb |
| Out | 06/11/2007 17:19:49 |        |                    | rudy    | Tare  | 34880 lb |
|     |                     |        |                    |         | Net   | 34780 lb |
|     |                     |        |                    |         | Tons  | 17.39    |

Commen

| Product                  | TD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|--------------------------|-----|-------|------|------|-----|--------|-----------|
| 1 C2 Cover R&C-Tons- 100 |     | 17.39 | Tons |      |     |        | Livermore |
| 2 EVL-Env Fee Lg. - 100  |     | 1     | Load |      |     |        | Livermore |
| FUEL-Fuel Surcharg 100   |     |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Emilio Sanchez

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |   |  |
|---|--|--|--|--|--|---|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>008</b>                                   |  | 2. Page <b>1</b> of                       |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |   |  |
| 4. Generator's Phone <b>805 965-7014</b>  |  |  |  |  |  |   |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>                   |  |   |  |
| 7. Transporter 2 Company Name<br><i>William's Trucking</i>  |  | 8.   |  | B. Transporter 1 Phone   |  |   |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID  |  |   |  |
|   |  |  |  | D. Transporter 2 Phone   |  |   |  |
|   |  |  |  | E. State Facility's ID   |  |   |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |   |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers<br>No. Type   |  | 13. Total Quantity                        |  |
|   |  |  |  |  |  | 14. Unit<br>Wt./Vol.                      |  |
| <b>Class II Cover Soil</b>  |  |  |  | <b>001 DT</b>  |  | <b>20 Ton</b>                             |  |
| b.  |  |  |  |  |  |   |  |
| c.  |  |  |  |  |  |   |  |
| d.  |  |  |  |  |  |   |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |   |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |  |  |   |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |   |  |
| Printed/Typed Name<br><i>Sam McLaughlin, Call Mac Transportation</i>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month Day Year<br><b>06 11 97</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  |  |  | Date                                      |  |
| Printed/Typed Name<br><i>[Signature]</i>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Month Day Year<br><b>6 11 97</b>          |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  |  |  | Date                                      |  |
| Printed/Typed Name  |  |  |  | Signature  |  | Month Day Year                            |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |   |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |  |  |   |  |
| Printed/Typed Name  |  |  |  | Signature  |  | Date<br>Month Day Year                    |  |

NON-HAZARDOUS WASTE

GENERATOR




TRANSPORTER

FACILITY


404WMCA

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>009</b>  |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |   |  |  |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>  |  |  |  |
| 7. Transporter 2 Company Name<br><b>TOT Enterprises</b>   |  | 8. US EPA ID Number                                |  | B. Transporter 1 Phone<br><b>707-645-2114</b>   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID   |  |  |  |
|   |  |  |  | D. Transporter 2 Phone  |  |  |  |
|   |  |  |  | E. State Facility's ID  |  |  |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>  |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type  |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | <b>001 DT</b>   |  | <b>20 Ton</b>  |  |
| b.  |  |  |  |   |  |  |  |
| c.  |  |  |  |   |  |  |  |
| d. <b>TRK # 025</b>   |  |  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br><b>Sam McManis For Call Mac Transportation</b>  |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>12</b> Year <b>07</b>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date   |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date   |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator, Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br>  |  | Date<br>Month <b>6</b> Day <b>12</b> Year <b>07</b>  |  |
| Printed/Typed Name  |  |  |  | Signature   |  | Date   |  |





|     | Time                | Scale  | Deputy Weighmaster | Inbound    | Gross |          |
|-----|---------------------|--------|--------------------|------------|-------|----------|
| In  | 06/12/2007 07:23:57 | Scale1 | Inbound            | rrojas1841 | Tare  | 31020 lb |
| Out | 06/12/2007 07:23:57 |        |                    | rrojas1841 | Net   | 47160 lb |
|     |                     |        |                    |            | Tons  | 23.58    |

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|--------------------|-----|-------|------|------|-----|--------|-----------|
| 1 | C2 Cover RGC-Tons- | 100 | 23.58 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket




THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

**DRIVER:**

404WMCA

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |  |  |
|---|--|--|--|---|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b>                                       |  | Manifest Document No. <b>010</b>  |  | 2. Page <b>1</b> of                                  |  |
| 3. Generator's Name and Mailing Address   |  | <b>Call Mac Transportation</b><br><b>461 McGraw Avenue</b><br><b>Livermore, CA 94551</b> |  |   |  |  |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |   |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>   |  | A. State Transporter's ID<br><b>707-578-0960</b>  |  | B. Transporter 1 Phone                               |  |
| 7. Transporter 2 Company Name<br><b>Villavicca Trucking</b>   |  | 8. US EPA ID Number<br><b>RAR000173070</b>   |  | C. State Transporter's ID   |  | D. Transporter 2 Phone                               |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill</b><br><b>10840 Altamont Pass Road</b><br><b>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>  |  | E. State Facility's ID  |  | F. Facility's Phone<br><b>925-455-7300</b>           |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type  |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |  |  | 001 DT  |  | 20 Ton   |  |
| b.  |  |  |  |   |  |  |  |
| c.  |  |  |  |   |  |  |  |
| d.  |  |  |  |   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b>                                |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090</b><br><b>Disposal Billing To: Macoy Resources</b>   |  |  |  |   |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |  |  |
| Printed/Typed Name<br><b>Sean McQuinn E. Call Mac Transportation</b>  |  |  |  | Signature<br> |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>12</b> Year <b>07</b>  |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date<br>Month Day Year                               |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br> |  | Date<br>Month <b>6</b> Day <b>12</b> Year <b>07</b>  |  |

NON-HAZARDOUS WASTE

TRANSPORTER

FACILITY







WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749230  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/12/2007 Vehicle# 9837446WT Volume  
Payment type Credit Account Container  
Manual Ticket# VIELARREAL 01WT  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 010  
Destination PG  
Profile 56428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale  | Deputy Weighmaster | Inbound    | Gross |          |
|-----|---------------------|--------|--------------------|------------|-------|----------|
| In  | 06/12/2007 07:41:33 | Scale1 | Inbound            | rrajas1841 | Tare  | 77660 lb |
| Out | 06/12/2007 07:41:33 |        | rrajas1841         |            | Net   | 31060 lb |
|     |                     |        |                    |            | Tons  | 46600 lb |
|     |                     |        |                    |            |       | 23.30    |

Comments

|   | Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---|--------------------|-----|-------|------|------|-----|--------|-----------|
| 1 | C2 Cover R6C-Tons- | 100 | 23.30 | Tons |      |     |        | Livermore |
| 2 | EVL-Env Fee lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| 3 | FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: *[Signature]*

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No. <b>Not Applicable</b> |  | Manifest Document No. <b>011</b>                                   |  | 2. Page <b>1</b> of <b>1</b>                         |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |  |  |  |  |  |  |
| 4. Generator's Phone ( <b>805</b> ) <b>965-7014</b>   |  |  |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>       |  | A. State Transporter's ID<br><b>707-578-0960</b>                   |  |  |  |
| 7. Transporter 2 Company Name<br><b>Villarreal Trucking Co.</b>   |  | 8. US EPA ID Number<br><b>CHK 000174714</b>        |  | B. Transporter 1 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  | 10. US EPA ID Number<br><b>Not Applicable</b>      |  | C. State Transporter's ID  |  |  |  |
|   |  |  |  | D. Transporter 2 Phone   |  |  |  |
|   |  |  |  | E. State Facility's ID   |  |  |  |
|   |  |  |  | F. Facility's Phone<br><b>925-455-7300</b>                         |  |  |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |  |  | No. Type   |  | Unit Wt./Vol.  |  |
|   |  |  |  | a. <b>Class II Cover Soil</b>                                      |  | <b>001 DT 20 Ton</b>                                 |  |
|   |  |  |  | b.   |  |  |  |
|   |  |  |  | c.   |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |  |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |  |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |  |  |  |  |
| Printed/Typed Name<br><b>Seni Macoy</b>   |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Date   |  |  |  |
| Printed/Typed Name<br><b>Hector Villarreal</b>  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Month <b>6</b> Day <b>12</b> Year <b>07</b>          |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Date   |  |  |  |
| Printed/Typed Name  |  |  |  | Signature  |  | Month Day Year                                       |  |
| 19. Discrepancy Indication Space  |  |  |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  |  |  |  |  |
| Printed/Typed Name  |  |  |  | Signature<br><i>[Signature]</i>                                    |  | Date<br>Month <b>6</b> Day <b>13</b> Year <b>07</b>  |  |



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749252  
Livermore, CA. 94551  
Ph: (925)455-7300

Customer Name Macoy Resource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/12/2007 Vehicle# 9044029 Volume  
Payment Type Credit Account Container  
Manual Ticket# VILLAREAL TR 01  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA 10  
Manifest 011  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CallMacTran Call MacTransportation Company

|     | Time                | Scale          | Deputy Weighmaster | Inbound | Gross         |  |
|-----|---------------------|----------------|--------------------|---------|---------------|--|
| In  | 06/12/2007 08:25:50 | Scale1 Inbound | PRATTO             |         | 73840 lb      |  |
| Out | 06/12/2007 08:25:50 |                | PRATTO             |         | Tare 30200 lb |  |
|     |                     |                |                    |         | Net 43640 lb  |  |
|     |                     |                |                    |         | Tons 21.82    |  |

Comments

| Product                   | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|---------------------------|-----|-------|------|------|-----|--------|-----------|
| 1. C2 Cover Rpt-Tons- 100 |     | 21.82 | Tons |      |     |        | Livermore |
| 2. EVL-Env Fee Lg. - 100  |     | 1     | Load |      |     |        | Livermore |
| 3. FUEL-Fuel Surcharg 100 |     |       |      |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Hester

404WMCA



# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |  |  |   |  |                                 |  |
|---|--|--|--|---|--|---------------------------------|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br>Not Applicable |  | Manifest Document No. 012                                   |  | 2. Page 1 of 1                  |  |
| 3. Generator's Name and Mailing Address<br>Call Mac Transportation<br>461 McGraw Avenue<br>Livermore, CA 94551  |  |  |  |   |  |                                 |  |
| 4. Generator's Phone ( 805 965-7014   |  |  |  |   |  |                                 |  |
| 5. Transporter 1 Company Name<br>Intrinsic Transportation   |  | 6. US EPA ID Number<br>Not Applicable          |  | A. State Transporter's ID                                   |  |                                 |  |
|   |  |  |  | B. Transporter 1 Phone 707-578-0960                         |  |                                 |  |
| 7. Transporter 2 Company Name<br>C J F TRUCKING   |  | 8. US EPA ID Number<br>CAR000182089            |  | C. State Transporter's ID                                   |  |                                 |  |
|   |  |  |  | D. Transporter 2 Phone                                      |  |                                 |  |
| 9. Designated Facility Name and Site Address<br>Altamont Landfill<br>10840 Altamont Pass Road<br>Livermore, CA 94550  |  | 10. US EPA ID Number<br>Not Applicable         |  | E. State Facility's ID                                      |  |                                 |  |
|   |  |  |  | F. Facility's Phone 925-455-7300                            |  |                                 |  |
| 11. WASTE DESCRIPTION   |  |  |  | 12. Containers  |  | 13. Total Quantity              |  |
|   |  |  |  | No. Type  |  | 14. Unit WL/Vol.                |  |
| a. Class II Cover Soil  |  |  |  | 001 DT  |  | 20 Ton                          |  |
| b.  |  |  |  |   |  |                                 |  |
| c.  |  |  |  |   |  |                                 |  |
| d.  |  |  |  | 111   |  |                                 |  |
| G. Additional Descriptions for Materials Listed Above<br>Waste Profile No. 55428700   |  |  |  | H. Handling Codes for Wastes Listed Above<br>Class II Cover |  |                                 |  |
| 15. Special Handling Instructions and Additional Information<br>24 Hour Emergency Phone: 805-227-1090<br>Disposal Billing To: Macoy Resources   |  |  |  |   |  |                                 |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |  |  |   |  |                                 |  |
| Printed/Typed Name<br>Sam McGraw E. Call Mac Transportation   |  |  |  | Signature<br>   |  | Date<br>Month 06 Day 11 Year 07 |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |  |  | Signature<br>Emilio Sanchez                                 |  | Date<br>Month 06 Day 12 Year 07 |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |  |  | Signature   |  | Date                            |  |
| 19. Discrepancy Indication Space  |  |  |  |   |  |                                 |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |  |  | Signature<br>   |  | Date<br>Month 06 Day 12 Year 07 |  |



WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749251  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/12/2007 Vehicle# 9D71497-DB131 Volume  
Payment Type Credit Account Container  
Manual Ticket# BOBBY C TRK427WT DB131  
Hauling Ticket# License#  
Route Billing # 0387529  
State Waste Code Gen EPA ID  
Manifest 012  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CalMacTran Call MacTransportation Company

| Time                    | Scale          | Deputy Weighmaster | Inbound | Gross         |
|-------------------------|----------------|--------------------|---------|---------------|
| In 06/12/2007 08:23:41  | Scale1 Inbound | PRATTO             |         | 74420 lb      |
| Out 06/12/2007 08:23:41 |                | PRATTO             |         | Tare 34880 lb |
|                         |                |                    |         | Net 39540 lb  |
|                         |                |                    |         | Tons 19.77    |

Comments

| Product            | LD% | Qty   | UOM  | Rate | Tax | Amount | Origin    |
|--------------------|-----|-------|------|------|-----|--------|-----------|
| C2 Cover R&C-Tons- | 100 | 19.77 | Tons |      |     |        | Livermore |
| EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticket

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Eric Carter

404WMCA





# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

|   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>NON-HAZARDOUS WASTE MANIFEST</b>   |  | 1. Generator's US EPA ID No.<br><b>Not Applicable</b> |  | Manifest Document No. <b>013</b>   |  | 2. Page 1 of 1                                       |  |
| 3. Generator's Name and Mailing Address<br><b>Call Mac Transportation<br/>461 McGraw Avenue<br/>Livermore, CA 94551</b>   |  |   |  |  |  |  |  |
| 4. Generator's Phone ( 805 ) <b>965-7014</b>  |  |   |  |  |  |  |  |
| 5. Transporter 1 Company Name<br><b>Intrinsic Transportation</b>  |  | 6. US EPA ID Number<br><b>Not Applicable</b>          |  | A. State Transporter's ID  |  |  |  |
|   |  |   |  | B. Transporter 1 Phone <b>707-578-0960</b>                               |  |  |  |
| 7. Transporter 2 Company Name<br><b>C. J. Price</b>   |  | 8. US EPA ID Number<br><b>1C9444-181172</b>           |  | C. State Transporter's ID  |  |  |  |
|   |  |   |  | D. Transporter 2 Phone   |  |  |  |
| 9. Designated Facility Name and Site Address<br><b>Altamont Landfill<br/>10840 Altamont Pass Road<br/>Livermore, CA 94550</b>   |  |   |  | E. State Facility's ID   |  |  |  |
|   |  |   |  | F. Facility's Phone<br><b>925-455-7300</b>                               |  |  |  |
| 11. WASTE DESCRIPTION   |  |   |  | 12. Containers   |  | 13. Total Quantity                                   |  |
|   |  |   |  | No. Type   |  | Unit   |  |
| a. <b>Class II Cover Soil</b>   |  |   |  | <b>001 DT</b>  |  | <b>20 Ton</b>  |  |
| b.  |  |   |  |  |  |  |  |
| c.  |  |   |  |  |  |  |  |
| d.  |  |   |  |  |  |  |  |
| G. Additional Descriptions for Materials Listed Above<br><b>Waste Profile No. 55428700</b>  |  |   |  | H. Handling Codes for Wastes Listed Above<br><b>Class II Cover 89.00</b> |  |  |  |
| 15. Special Handling Instructions and Additional Information<br><b>24 Hour Emergency Phone: 805-227-1090<br/>Disposal Billing To: Macoy Resources</b>   |  |   |  |  |  |  |  |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations. |  |   |  |  |  |  |  |
| Printed/Typed Name<br><b>Sam McLeish E. Call Mac Transportation</b>   |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>11</b> Year <b>07</b> |  |
| 17. Transporter 1 Acknowledgement of Receipt of Materials   |  |   |  | Signature<br><b>Clayton Price</b>  |  | Date<br>Month <b>06</b> Day <b>12</b> Year <b>07</b> |  |
| 18. Transporter 2 Acknowledgement of Receipt of Materials   |  |   |  | Signature  |  | Date   |  |
| Printed/Typed Name  |  |   |  | Signature  |  | Month Day Year                                       |  |
| 19. Discrepancy Indication Space  |  |   |  |  |  |  |  |
| 20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.   |  |   |  |  |  |  |  |
| Printed/Typed Name  |  |   |  | Signature<br>  |  | Date<br>Month <b>06</b> Day <b>12</b> Year <b>07</b> |  |





WEIGHMASTER-Altamont Landfill & Resource Recovery Original  
10840 Altamont Pass Road Ticket# 749254  
Livermore, CA, 94551  
Ph: (925)455-7300

Customer Name MacoyResource Macoy Resource Carrier GEN Altamont Generic  
Ticket Date 06/12/2007 Vehicle# 9857474 Volume  
Payment Type Credit Account Container  
Manual Ticket# CJ PRICE  
Hauling Ticket# License#  
Route Billing # 03875  
State Waste Code Gen EPA II  
Manifest 013  
Destination  
PO  
Profile 55428700 (\*\*Class II Cover/Macoy Resources\*\*)  
Generator 164-CallMacTran Call MacTransportation Compan

|                     | Scale         | Deputy Weighmaster | Inbound | Gros |          |
|---------------------|---------------|--------------------|---------|------|----------|
| 06/12/2007 08:29:03 | Scale1 Inboun | PRATTO             |         | Tare | 73800 lb |
| 06/12/2007 08:29:03 |               | PRATTO             |         | Net  | 34580 lb |
|                     |               |                    |         | Tons | 39220 lb |
|                     |               |                    |         |      | 19.61    |

Comment:

| Product            | D%  | Qty   | UOM  | Rate | Tax | Amount | Orig      |
|--------------------|-----|-------|------|------|-----|--------|-----------|
| C2 Cover R6C-Tons- | 100 | 19.61 | Tons |      |     |        | Livermore |
| EVL-Env Fee Lg. -  | 100 | 1     | Load |      |     |        | Livermore |
| FUEL-Fuel Surcharg | 100 |       | %    |      |     |        | Livermore |

Total Tax  
Total Ticke

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose name appears on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Dept. of Food and Agriculture.

DRIVER: Chris Pen

404WMCA



**ATTACHMENT E**  
Soil Boring Permit





ALAMEDA COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

100 NORTH CANYONS PARKWAY, LIVERMORE, CA 94551-9486

PHONE (925) 454-5000

May 23, 2007

Ms. Jennifer Morris  
Environmental Investigation Services, Inc.  
170 Knowles Drive  
Los Gatos, CA 95032

Dear Ms. Morris:

Enclosed is drilling permit 27093 for a contamination investigation at 461 McGraw Avenue in Livermore for the Estate of Crandel Mackey. Also enclosed is a current drilling permit application for your files. Drilling permit applications for future projects can also be downloaded from our web site at [www.zone7water.com](http://www.zone7water.com).

Please note that permit conditions A-2 and G requires that a report be submitted after completion of the work. The report should include drilling and completion logs, location sketch, permit number and any analysis of the soil and water samples. Please submit the original of your completion report. We will forward your submittal to the California Department of Water Resources.

If you have any questions, please contact me at extension 5056 or Matt Katen at extension 5071.

Sincerely,

A handwritten signature in black ink that reads "Wyman Hong".

Wyman Hong  
Water Resources Specialist

Enc.



# ZONE 7 WATER AGENCY

100 NORTH CANYONS PARKWAY, LIVERMORE, CALIFORNIA 94551 VOICE (925) 454-5000 FAX (925) 454-5728

## DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE

FOR OFFICE USE

LOCATION OF PROJECT 461 McGraw Ave.  
Livermore, CA 94550

PERMIT NUMBER 27093

WELL NUMBER \_\_\_\_\_

APN 099-0040-005-02

California Coordinates Source \_\_\_\_\_ ft. Accuracy \_\_\_\_\_ ft.  
CCN \_\_\_\_\_ ft. CCE \_\_\_\_\_ ft.  
APN 99-40-5-2

### PERMIT CONDITIONS

(Circled Permit Requirements Apply)

CLIENT Estate of Crandel Mackey % Weldon & Hagg  
Name \_\_\_\_\_  
Address 205 E. Anapamu St. Phone 805-965-7014 (A)  
City Santa Barbara Zip 93101

### GENERAL

1. A permit application should be submitted so as to arrive at the Zone 7 office five days prior to proposed starting date.
2. Submit to Zone 7 within 60 days after completion of permitted work the original Department of Water Resources Water Well Drillers Report or equivalent for well projects or drilling logs and location sketch for geotechnical projects.
3. Permit is void if project not begun within 90 days of approval date.

APPLICANT Environmental Investigation Services, Inc.  
Name \_\_\_\_\_  
Address 170 Knowles Dr. Ste. 212 Phone 408-871-1470  
City Los Gatos, CA Zip 95032

### B. WATER SUPPLY WELLS

1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved.
3. An access port at least 0.5 inches in diameter is required on the wellhead for water level measurements.
4. A sample port is required on the discharge pipe near the wellhead.

### C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS

1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.

(D.) GEOTECHNICAL. Backfill bore hole with compacted cuttings or heavy bentonite and upper two feet with compacted material. In areas of known or suspected contamination, tremied cement grout shall be used in place of compacted cuttings.

E. CATHODIC. Fill hole above anode zone with concrete placed by tremie.

F. WELL DESTRUCTION. See attached.

(G.) SPECIAL CONDITIONS. Submit to Zone 7 within 60 days after the completion of permitted work the well installation report including all soil and water laboratory analysis results.

### TYPE OF PROJECT

|                     |                            |
|---------------------|----------------------------|
| Well Construction   | Geotechnical Investigation |
| Cathodic Protection | General                    |
| Water Supply        | <u>Contamination</u>       |
| Monitoring          | Well Destruction           |

### PROPOSED WELL USE

|              |       |                        |      |
|--------------|-------|------------------------|------|
| New Domestic | ..    | Irrigation             | ..   |
| Municipal    | ..    | Remediation            | ..   |
| Industrial   | ..    | Groundwater Monitoring | ..   |
| Dewatering   | ..... | Other                  | .... |

### DRILLING METHOD:

|            |    |                    |    |                   |      |
|------------|----|--------------------|----|-------------------|------|
| Mud Rotary | .. | Air Rotary         | .. | Hollow Stem Auger | ..   |
| Cable Tool | .. | <u>Direct Push</u> | .. | Other             | .... |

DRILLING COMPANY Environmental Control Associates  
DRILLER'S LICENSE NO. 695970

### WELL PROJECTS

|                     |           |         |
|---------------------|-----------|---------|
| Drill Hole Diameter | _____ in. | Maximum |
| Casing Diameter     | _____ in. | Depth   |
| Surface Seal Depth  | _____ ft. | Number  |

### SOIL BORINGS

|                   |              |               |
|-------------------|--------------|---------------|
| Number of Borings | <u>6</u>     | Maximum       |
| Hole Diameter     | <u>2</u> in. | Depth         |
|                   |              | <u>20</u> ft. |

ESTIMATED STARTING DATE 5/31/07  
ESTIMATED COMPLETION DATE 5/31/07

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-68.

APPLICANT'S SIGNATURE Jennifer Morris Date 5/21/07  
Jennifer Morris

Approved \_\_\_\_\_

Wyman Hong

Date 5/22/07

ATTACH SITE PLAN OR SKETCH

Revised: April 27, 2005

**ATTACHMENT F**  
Soil Boring Logs



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 27 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 14.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 23.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: PANINDHAR R. KRISHNAMRAJU, Ph.D.

DATE: 6/1/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---|
| 0.0   |         |               |      |                   |                  |             |           |           | GRAVEL BASE ROCK  |
| 1.0   |         |               |      |                   |                  |             | CL        |           | CL: LEAN CLAY (CL): very dark grayish brown, low plasticity, hard, no staining, dry, no odor. |
| 2.0   |         |               |      | 0.2               | 3.5/4.0          |             |           |           |   |
| 3.0   |         |               |      |                   |                  |             |           |           |   |
| 4.0   |         |               |      |                   |                  |             |           |           | @ 4 feet: yellowish brown, medium plasticity, no staining, dry, no odor.                      |
| 5.0   |         | B-1<br>4.5-5' | 9:15 |                   |                  |             |           |           |   |
| 6.0   |         |               |      | 0.3               | 4.0/4.0          |             |           |           |   |
| 7.0   |         |               |      |                   |                  |             |           |           |   |
| 8.0   |         |               |      |                   |                  |             |           |           |   |
| 9.0   |         |               |      |                   | 3.75/4           |             | ML        |           | ML: SILT (ML): yellowish brown, slightly plastic, trace fine sand, no staining, dry, no odor. |
| 10.0  |         |               |      |                   |                  |             |           |           |   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 27 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 14.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 23.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: PANINDHAR R. KRISHNAMRAJU, Ph.D.

DATE: 6/1/2007

| DEPTH | SAMPLES | SAMPLE NUMBER   | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|-----------------|------|-------------------|------------------|-------------|-----------|-----------|--|
| 10.0  |         |                 |      |                   |                  |             |           |           | SILT(ML): continued  |
| 11.0  |         | B-1<br>10.5-11' | 9:30 | 1.3               |                  |             |           |           |  |
| 12.0  |         |                 |      |                   |                  |             | CL        |           | CL: LEAN CLAY (CL): yellowish brown, medium plasticity, hard, no staining, moist, no odor. |
| 13.0  |         |                 |      |                   | 4.0/4.0          |             |           |           |  |
| 14.0  |         |                 |      |                   |                  |             |           |           |  |
| 15.0  |         |                 |      | 1.2               |                  |             |           |           | @ 16 feet: very hard, dry, no odor.  |
| 16.0  |         |                 |      |                   | 4.0/4.0          |             |           |           |  |
| 17.0  |         |                 |      |                   |                  |             |           |           |  |
| 18.0  |         |                 |      |                   |                  |             |           |           |  |
| 19.0  |         |                 |      |                   |                  |             |           |           |  |
| 20.0  |         |                 |      |                   |                  |             |           |           | As above   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:





PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 27 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 14.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 23.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: PANINDHAR R. KRISHNAMRAJU, Ph.D.

DATE: 6/1/2007

| DEPTH | SAMPLES | SAMPLE NUMBER   | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|-----------------|-------|-------------------|------------------|-------------|-----------|-----------|--|
| 20.0  |         |                 |       |                   |                  |             |           |           | LEAN CLAY (CL): continued  |
| 21.0  |         |                 |       | 0.9               | 4.0/4.0          |             |           |           |  |
| 22.0  |         |                 |       |                   |                  |             |           |           |  |
| 23.0  |         |                 |       |                   |                  |             |           |           |  |
| 24.0  |         |                 |       | 0.6               | 4.0/4.0          |             | ML        |           | ML: SILT (ML): yellowish brown, slightly plastic, trace of fine sand, no staining, wet, no odor. |
| 25.0  |         | B-1<br>24.5-25' | 10:20 |                   |                  |             |           |           |  |
| 26.0  |         |                 |       |                   |                  |             | CL        |           | CL: LEAN CLAY (CL): yellowish brown, medium plasticity, hard, no staining, dry, no odor.         |
| 27.0  |         |                 |       |                   |                  |             |           |           | End of boring 27' bgs.   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 28 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 21.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 26.3 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|-------|-------------------|------------------|-------------|-----------|-----------|---|
| 0.0   |         |               |       |                   |                  |             |           |           | GRAVEL BASE ROCK  |
| 1.0   |         |               |       |                   |                  |             |           |           | LEAN CLAY (CL): very dark grayish brown(10 YR 3/2), low plasticity, hard, no staining, dry. |
| 2.0   |         |               |       | 0                 | 3.0/4.0          |             |           |           |   |
| 3.0   |         |               |       |                   |                  |             |           |           |   |
| 4.0   |         |               |       |                   |                  |             | CL        |           | @ 4 feet: brown(10 YR 5/3), caliche rich, no staining.                                      |
| 5.0   |         | B-2@5'        | 10:28 |                   |                  |             |           |           |   |
| 6.0   |         |               |       | 26                | 3.0/4.0          |             |           |           |   |
| 7.0   |         |               |       |                   |                  |             |           |           |   |
| 8.0   |         |               |       |                   |                  |             |           |           | As above  |
| 9.0   |         |               |       | 0                 | 2.0/3.0          |             |           |           |   |
| 10.0  |         | B-2 @9.5'     | 10:47 |                   |                  |             |           |           |   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:





PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 28 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 21.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 26.3 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|-------|-------------------|------------------|-------------|-----------|-----------|---|
| 10.0  |         |               |       |                   |                  |             |           |           | LEAN CLAY (CL): continued                             |
| 11.0  |         |               |       |                   |                  |             |           |           | @ 11 feet: no staining, moist.                        |
| 12.0  |         |               |       |                   |                  |             |           |           |   |
| 13.0  |         | B-2<br>@ 13'  | 10:59 | 0                 | 3.0/3.0          |             |           |           |   |
| 14.0  |         |               |       |                   |                  |             | CL        |           |   |
| 15.0  |         |               |       |                   |                  |             |           |           |   |
| 16.0  |         |               |       |                   |                  |             |           |           |   |
| 17.0  |         |               |       | 0                 | 2.2/4.0          |             |           |           |   |
| 18.0  |         |               |       |                   |                  |             |           |           |   |
| 19.0  |         |               |       |                   |                  |             |           |           |   |
| 20.0  |         | B-2<br>@ 20'  | 11:19 |                   |                  |             |           |           | @ 20 feet: less caliche, slight dark smearing, moist. |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 28 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 21.8 FEET

DRILLING COMPANY: ECA



FIRST GROUNDWATER ENCOUNTER: 26.3 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER   | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|-------|-------------------|------------------|---|-----------|-----------|---|
| 20.0  |         |               |       |                   |                  |   |           |           | LEAN CLAY (CL): continued   |
| 21.0  |         |               |       | 0                 | 2.3/4.0          |   |           |           |   |
| 22.0  |         |               |       |                   |                  |    |           |           |   |
| 23.0  |         |               |       |                   | 1.3/3.0          |   | CL        |           |   |
| 24.0  |         |               |       |                   |                  |   |           |           |   |
| 25.0  |         |               |       |                   |                  |   |           |           |   |
| 26.0  |         | B-2<br>@25.5' | 11:32 | 0                 |                  |  |           |           |   |
| 27.0  |         |               |       |                   | 2.0/3.0          |   | SC        |           | CLAYEY SAND WITH GRAVEL (SC): light yellowish brown (10 YR 6/4), 25% with medium plasticity, 55% fine to coarse sand, 20% fine gravel, wet. |
| 28.0  |         |               |       |                   |                  |   |           |           | End of boring 28' bgs.  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 25 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): N/A

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 17 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|-------|-------------------|------------------|-------------|-----------|-----------|---|
| 0.0   |         |               |       |                   |                  |             |           |           | GRAVEL BASE ROCK  |
| 1.0   |         |               |       |                   |                  |             |           |           | LEAN CLAY (CL): very dark grayish brown(10 YR 3/2), low plasticity, hard, dry, no odor. |
| 2.0   |         |               |       | 0                 | 3.0/4.0          |             |           |           |   |
| 3.0   |         |               |       |                   |                  |             |           |           |   |
| 4.0   |         |               |       |                   |                  |             |           |           | @ 4 feet: yellowish brown(10 YR 3/3), caliche rich.                                     |
| 5.0   |         | B-3@5'        | 16:21 |                   |                  |             |           |           |   |
| 6.0   |         |               |       |                   | 3.0/3.0          |             |           |           |   |
| 7.0   |         |               |       |                   |                  |             |           |           |   |
| 8.0   |         |               |       |                   |                  |             |           |           | As above  |
| 9.0   |         |               |       |                   | 2.5/3.0          |             |           |           |   |
| 10.0  |         |               |       |                   |                  |             |           |           |   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 25 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): N/A

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 17 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time  | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|---------------|-------|-------------------|------------------|-------------|-----------|-----------|--|
| 10.0  |         |               |       |                   |                  |             |           |           |  |
| 11.0  |         | B-3<br>@ 11'  | 16:33 |                   | 1.7/3.0          |             |           |           | SILT (ML): yellowish brown(10YR 5/4), low plasticity, firm, slightly iron oxide staining, some caliche, moist. |
| 12.0  |         |               |       |                   |                  |             |           |           |  |
| 13.0  |         |               |       |                   |                  |             |           |           |  |
| 14.0  |         |               |       |                   |                  |             |           |           |  |
| 15.0  |         | B-3<br>@ 15'  | 16:30 |                   | 2.5/3.0          |             |           |           | LEAN CLAY (CL): yellowish brown(10 YR 5/2), low plasticity, hard, abundant caliche, moist.                     |
| 16.0  |         |               |       |                   |                  |             |           |           |  |
| 17.0  |         |               |       |                   |                  |             |           |           | SILT (ML): yellowish brown(10YR 5/4), slight to low plasticity, soft.<br>@ 17 feet: wet                        |
| 18.0  |         |               |       |                   |                  |             |           |           |  |
| 19.0  |         |               |       |                   | 1.8/4.0          |             |           |           | LEAN CLAY (CL): yellowish brown(10 YR 5/4), low plasticity, some caliche, very moist.                          |
| 20.0  |         |               |       |                   |                  |             |           |           |  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 25 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): N/A

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 17 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION               |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---------------------------|
| 20.0  |         |               |      |                   |                  |             |           |           |                           |
| 21.0  |         |               |      |                   |                  |             |           |           |                           |
| 22.0  |         |               |      |                   |                  |             |           |           |                           |
| 23.0  |         | B-3<br>@22.5' |      |                   | 2.5/4.0          |             |           |           | LEAN CLAY (CL): continued |
| 24.0  |         |               |      |                   |                  |             |           |           |                           |
| 25.0  |         |               |      |                   |                  |             |           |           | End of boring 25' bgs.    |



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 15 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 27.4 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---|
| 0.0   |         |               |      |                   |                  |             | ML        |           | SILT (ML): grayish brown(10YR 5/2), slightly plastic, trace fine sand, hard, no staining, dry.                                    |
| 1.0   |         |               |      |                   |                  |             |           |           |   |
| 2.0   |         |               |      | 0                 | 3.2/4.0          |             | SC        |           | CLAYEY SAND WITH GRAVEL (SC): grayish brown(10YR 5/2), 15% low-plasticity fines, 60% medium to coarse sand, 25% fine gravel, dry. |
| 3.0   |         |               |      |                   |                  |             |           |           |   |
| 4.0   |         |               |      |                   |                  |             | CL        |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, trace caliche, trace magnesium oxide staining, hard, moist.            |
| 5.0   |         |               |      | 0                 |                  |             |           |           |   |
| 6.0   |         |               |      |                   | 2.0/4.0          |             |           |           |   |
| 7.0   |         |               |      |                   |                  |             |           |           |   |
| 8.0   |         |               |      |                   |                  |             | CL        |           | SANDY LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, 35% fine sand, firm, no staining, moist, no odor.                |
| 9.0   |         |               |      |                   | 2.8/4.0          |             |           |           |   |
| 10.0  |         |               |      |                   |                  |             | CL        |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, hard, moist, no odor.  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 15 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 27.4 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|--|
| 10.0  |         |               |      |                   |                  |             |           |           | LEAN CLAY(CL): continued<br>@10.5 feet: abundant caliche |
| 11.0  |         |               |      |                   |                  |             |           |           |  |
| 12.0  |         |               |      |                   |                  |             |           |           | @12 feet: trace caliche                                  |
| 13.0  |         |               |      |                   |                  |             |           |           |  |
| 14.0  |         |               |      |                   | 0.9/4.0          |             |           |           |  |
| 15.0  |         |               |      |                   |                  |             |           |           |  |
| 16.0  |         |               |      |                   |                  |             |           |           | @16 feet: firm, moist                                    |
| 17.0  |         |               |      |                   |                  |             |           |           |  |
| 18.0  |         |               |      | 0                 | 4.0/4.0          |             |           |           | @18 feet: thin sand layer, dry                           |
| 19.0  |         |               |      |                   |                  |             |           |           |  |
| 20.0  |         |               |      |                   |                  |             |           |           |  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:





PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 15 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 27.4 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---|
| 20.0  |         |               |      |                   |                  |             |           |           | LEAN CLAY(CL): continued                            |
| 21.0  |         |               |      |                   | 2.0/3.0          |             |           |           | @21 feet: hard, some caliche, no staining, no odor. |
| 22.0  |         |               |      |                   |                  |             |           |           |   |
| 23.0  |         |               |      |                   |                  |             |           |           |   |
| 24.0  |         |               |      |                   |                  |             |           |           | @24-24.5 feet: soft                                 |
| 25.0  |         |               |      |                   | 2.3/3.0          |             |           |           | @24.5 feet: hard                                    |
| 26.0  |         |               |      |                   |                  |             |           |           | @26 feet: caliche-rich, moist                       |
| 27.0  |         |               |      |                   |                  |             |           |           |   |
| 28.0  |         |               |      |                   | 1.4/4.0          |             |           |           |   |
| 29.0  |         |               |      |                   |                  |             |           |           |   |
| 30.0  |         |               |      |                   |                  |             |           |           | End of boring 30' bgs.                              |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 31 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 25.3 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 12.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|--|
| 0.0   |         |               |      |                   |                  |             |           |           | GRAVEL BASE ROCK   |
| 1.0   |         |               |      |                   |                  |             | CL        |           | LEAN CLAY (CL): very dark grayish brown(10YR 3/2), low plasticity, hard, dry.  |
| 2.0   |         |               |      | 1.6               | 3.2/4.0          |             | GC        |           | CLAYEY GRAVEL WITH SAND (GC): yellowish brown(10YR 5/4), 20% low plasticity fines, 35% fine to coarse sand, 45% fine gravel, no staining, dry. |
| 3.0   |         |               |      |                   |                  |             |           |           |  |
| 4.0   |         |               |      |                   |                  |             |           |           |  |
| 5.0   |         |               |      | 0                 | 3.0/3.0          |             | CL        |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity.   |
| 6.0   |         |               |      |                   |                  |             |           |           |  |
| 7.0   |         |               |      |                   |                  |             | SC        |           | POORLY GRADED SAND WITH CLAY (SC): yellowish brown(10YR 5/2), 45% low plasticity fines, 55% fine to medium sand, moist.                        |
| 8.0   |         |               |      |                   | 3.2/4.0          |             |           |           |  |
| 9.0   |         |               |      | 1.2               |                  |             | CL        |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, hard, moist.  |
| 10.0  |         |               |      |                   |                  |             |           |           |  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 31 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 25.3 FEET

DRILLING COMPANY: ECA


FIRST GROUNDWATER ENCOUNTER: 12.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER   | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|---|-----------|-----------|---|
| 10.0  |         |               |      |                   |                  |   |           |           | LEAN CLAY (CL): continued   |
| 11.0  |         |               |      |                   |                  |   | ML        |           | SILT (ML): yellowish brown(10YR 5/4), low plasticity, trace magnesium oxide staining. |
| 12.0  |         |               |      |                   | 2.5/3.0          |  |           |           | @ 12.5 feet: very thin wet zone on top of clay.                                       |
| 13.0  |         |               |      | 0.7               |                  |   | CL        |           | LEAN CLAY (CL): brown(10YR 5/3), low plasticity, hard, abundant caliche, moist.       |
| 14.0  |         |               |      |                   |                  |   |           |           |   |
| 15.0  |         |               |      |                   |                  |   |           |           |   |
| 16.0  |         |               |      |                   | 2.0/3.0          |   |           |           | As above  |
| 17.0  |         |               |      |                   |                  |   |           |           |   |
| 18.0  |         |               |      |                   |                  |   |           |           |   |
| 19.0  |         |               |      |                   | 1.5/3.0          |   |           |           |   |
| 20.0  |         |               |      |                   |                  |   |           |           |   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 31 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 25.3 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 12.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---|
| 20.0  |         |               |      |                   |                  |             |           |           | LEAN CLAY (CL): continued   |
| 21.0  |         |               |      |                   |                  |             | ML        |           | SILT (ML): yellowish brown(10 YR 5/4), low plasticity, some clay, hard, moist.                                  |
| 22.0  |         |               |      | 2.4               | 2.5/3.0          |             | CL        |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, abundant caliche, hard, moist.                       |
| 23.0  |         |               |      |                   |                  |             |           |           |   |
| 24.0  |         |               |      |                   |                  |             |           |           | measured for water at 24': dry  |
| 25.0  |         |               |      |                   |                  |             |           |           | @25.3 feet: caliche layer, nodular and dessiminated (11" thick), wet in places, very pale brown(10YR 7/2), dry. |
| 26.0  |         |               |      |                   | 2.4/3.0          |             |           |           |   |
| 27.0  |         |               |      |                   |                  |             |           |           | measured for water at 27': dry  |
| 28.0  |         |               |      |                   | 1.9/4.0          |             |           |           | Between 27 and 29 feet: interbedded caliche layers within the clay.   |
| 29.0  |         |               |      |                   |                  |             |           |           | no free water, clay is hard and moist.  |
| 30.0  |         |               |      |                   |                  |             |           |           |   |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 31 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 25.3 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 12.5 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION                |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|----------------------------|
| 30.0  |         |               |      |                   |                  |             |           |           | LEAN CLAY (CL): continued. |
| 31.0  |         |               |      |                   |                  |             |           |           | End of boring 31' bgs.     |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 11.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 30 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION  |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|--|
| 0.0   |         |               |      |                   |                  |             |           |           | GRAVEL BASE ROCK   |
| 1.0   |         |               |      |                   |                  |             |           |           | LEAN CLAY (CL): very dark grayish brown(10YR 3/2), low plasticity, hard, dry.  |
| 2.0   |         |               |      | 0                 | 3.5/4.0          |             |           |           |  |
| 3.0   |         |               |      |                   |                  |             |           |           |  |
| 4.0   |         |               |      |                   |                  |             |           |           | CLAYEY GRAVEL WITH SAND (GC): 20% low-plasticity fines, 30% fine to coarse sand, 50% fine gravel, no staining, dry.  |
| 5.0   |         |               |      |                   | 2.0/3.0          |             |           |           |  |
| 6.0   |         |               |      |                   |                  |             |           |           | LEAN CLAY (CL): yellowish brown(10YR 5/4), low plasticity, hard, trace caliche, trace magnesium oxide staining, dry. |
| 7.0   |         |               |      |                   |                  |             |           |           |  |
| 8.0   |         |               |      | 0                 | 2.5/3.0          |             |           |           |  |
| 9.0   |         |               |      |                   |                  |             |           |           |  |
| 10.0  |         |               |      |                   |                  |             |           |           | @ 10 feet: more caliche present, moist.  |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:



PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 MCGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 11.8 FEET

DRILLING COMPANY: ECA


FIRST GROUNDWATER ENCOUNTER: 30 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER   | SOIL TYPE | LITHOLOGY | DESCRIPTION                 |
|-------|---------|---------------|------|-------------------|------------------|---|-----------|-----------|-----------------------------|
| 10.0  |         |               |      |                   |                  |   |           |           | LEAN CLAY (CL): continued   |
| 11.0  |         |               |      |                   | 2.0/2.0          |   |           |           |                             |
| 12.0  |         |               |      |                   |                  |  |           |           | @ 12 feet: abundant caliche |
| 13.0  |         |               |      | 0                 | 2.2/3.0          |   |           |           |                             |
| 14.0  |         |               |      |                   |                  |   |           |           |                             |
| 15.0  |         |               |      |                   |                  |   |           |           |                             |
| 16.0  |         |               |      | 0                 | 2.2/3.0          |   |           |           |                             |
| 17.0  |         |               |      |                   |                  |   |           |           |                             |
| 18.0  |         |               |      |                   |                  |   |           |           |                             |
| 19.0  |         |               |      |                   | 2.6/3.0          |   |           |           |                             |
| 20.0  |         |               |      |                   |                  |   |           |           | As above                    |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:





PROJECT NUMBER: 717-2

BORING DIAMETER: 2 INCH

PROJECT NAME: CALL MAC TRANSPORTATION

TOTAL DEPTH: 30 FEET

LOCATION: 461 McGRAW AVENUE, LIVERMORE, CA 94550

STATIC WATER LEVEL (BGS): 11.8 FEET

DRILLING COMPANY: ECA

FIRST GROUNDWATER ENCOUNTER: 30 FEET

DRILLING METHOD: GEOPROBE DIRECT PUSH

SAMPLING EQUIPMENT: MACRO CORE

LOGGED BY: ALLEN J. WALDMAN, P.G. #6323

DATE: 5/31/2007

| DEPTH | SAMPLES | SAMPLE NUMBER | Time | PID READING (ppm) | RECOVERY (ft/ft) | GROUNDWATER | SOIL TYPE | LITHOLOGY | DESCRIPTION   |
|-------|---------|---------------|------|-------------------|------------------|-------------|-----------|-----------|---|
| 20.0  |         |               |      |                   |                  |             |           |           | LEAN CLAY (CL): continued                                   |
| 21.0  |         |               |      |                   |                  |             |           |           | As above, moist.  |
| 22.0  |         |               |      |                   | 2.8/3.0          |             |           |           |   |
| 23.0  |         |               |      |                   |                  |             |           |           |   |
| 24.0  |         |               |      |                   |                  |             |           |           |   |
| 25.0  |         |               |      |                   | 2.4/3.0          |             |           |           |   |
| 26.0  |         |               |      |                   |                  |             |           |           |   |
| 27.0  |         |               |      |                   |                  |             |           |           |   |
| 28.0  |         |               |      |                   | 2.5/3.0          |             |           |           |   |
| 29.0  |         |               |      |                   |                  |             |           |           | Encountered groundwater at 30' and rapidly raised to 11.8'. |
| 30.0  |         |               |      |                   |                  |             |           |           | End of boring 30' bgs.                                      |

**Environmental Investigation Services, Inc.**  
 170 Knowles Drive, Suite 212  
 Los Gatos, California 95032

Notes:

**ATTACHMENT G**  
Groundwater Sampling Record

# Environmental Investigation Services, Inc.



## GROUNDWATER SAMPLING RECORD

Well ID: 3S/2E-3H4

### Project Information

Project Name: Call Met Transportation Date: 5/31/2007  
 Site Address: 461 McGrath Ave, Lima Field Personnel: J. Morris and  
 Project Number: 717-2 P. Krishnamraju

### Well Information

Well Diameter: 6 inches  
 Depth to Water: 10.16 feet Time Measured: 14:00  
 Product Thickness: NA feet Time Measured: 11  
 Total Depth: 151.23 feet Time Measured: 14:01  
 Length of Water Column: 141.07 feet  
 Well Volume: 205.96 gallons Sheen: - NO -  
 80% Recharge Depth: 12.19 feet Purge Method: Submersible pump

### Field Measurements and Observations

| Time  | Depth to Water (feet) | Volume Purged (gallons) | Temp. (°C) | pH   | Cond. (µS/cm) | Turbidity (NTU) | Color            | Sheen | Odor |
|-------|-----------------------|-------------------------|------------|------|---------------|-----------------|------------------|-------|------|
| 14:45 | 20.30                 | 50                      | 19.2       | 7.20 | 759           | LOW             | Light Brown      | -     | -    |
| 15:25 | 21:10                 | 50                      | 19.4       | -    | 787           | LOW             | "                | -     | -    |
| 16:05 | 21:70                 | 50                      | 19.5       | -    | -             | Medium          | Dark Black Brown | -     | -    |
| 16:45 | 21.90                 | 50                      | 19.9       | -    | -             | Light           | "                | "     | -    |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |
|       |                       |                         |            |      |               |                 |                  |       |      |

Total Purge Volume: 200 gallons

### Sample Information

Sample ID: WW-1 Sample Time:    
 Sampling Method: Sub Pump Sampled By: P. Krishnamraju  
 Sample Containers (number/type): 3 VOA's w/HCL, 1 500 ml Amber  
1 500 ml Poly w/HNO3 filteres.

### Notes

Instrument fault. pH and Conductance  
Not working.