

Prepared for

Mr. Al Avendano  
3228 Hyde Street  
Oakland, CA 94601

MAR 27 2002

**QUARTERLY MONITORING AND SUMMARY REPORT**

**FORMER WESTERN STUCCO PRODUCTS**

**5115 EAST EIGHTH STREET**

**OAKLAND, CALIFORNIA**

March 2002 *RC 319*

**EBA Project No. 00-805**

*3/18/02*

Prepared by

*Erik Phenix*

Eriksen Phenix  
Environmental Specialist

Reviewed by


*David Noren*

David Noren, Manager  
Environmental Services

Supervised by

*Damon F. Brown*

Damon F. Brown, R.G., C.E.G., C.H.G.  
President





MAR 27 2002

March 18, 2002

Mr. Barney M. Chan  
Hazardous Materials Specialist  
Environmental Protection (LOP)  
Environmental Health Services  
Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**RE: QUARTERLY MONITORING AND SUMMARY REPORT  
FORMER WESTERN STUCCO PRODUCTS  
5115 EAST EIGHTH STREET, OAKLAND, CALIFORNIA  
EBA Project No. 00-805**

# 3688

Dear Mr. Chan:

Enclosed please find the Quarterly Monitoring and Summary Report prepared by EBA ENGINEERING (EBA) for the above referenced site. This report documents the results of the fourth quarterly monitoring event at the project site and provides a summary of the work performed to date as well as conclusions and recommendations regarding the status of the environmental conditions at the project site.

If you have any questions regarding this report, please contact EBA at (707) 544-0784.

Sincerely,  
**EBA ENGINEERING**

Eriksen Phenix  
Environmental Specialist

EP/mc

Attach: Quarterly Monitoring and Summary Report

cc: Mr. Al Avendano, 3228 Hyde Street, Oakland, CA 94601  
Mr. Lewis Winchell, P.O. Box 1166, Sacramento, CA 95691  
SFB-RWQCB

## TABLE OF CONTENTS

SECTION	PAGE
1.0 INTRODUCTION.....	1
2.0 QUARTERLY MONITORING .....	1
3.0 SITE SUMMARY .....	2
3.1 Site History.....	2
3.2 Findings.....	3
3.2.1 Groundwater Flow Direction.....	3
3.2.2 Analytical Results.....	4
3.2.3 Surrounding Site Issues.....	6
4.0 CONCLUSIONS .....	7
5.0 RECOMMENDATIONS.....	8
6.0 LIMITATIONS.....	9
7.0 REFERENCES.....	9

**APPENDIX A – Figures**

**APPENDIX B – Tables**

**APPENDIX C – Field Data Sheets**

**APPENDIX D – Certified Analytical Reports**

**APPENDIX E – Environmental Records Search**

## 1.0 INTRODUCTION

The following presents findings from the fourth quarterly groundwater monitoring event at the former Western Stucco Products facility located in Oakland, California. This report also includes a summary of the work that has been performed at the site to date and conclusions and recommendations regarding the status of the environmental work at the site.

## 2.0 QUARTERLY MONITORING

On November 26, 2001, EBA ENGINEERING (EBA) collected groundwater samples and recorded groundwater level measurements from groundwater monitoring wells located at 5115 East Eighth Street in Oakland, California (Figure 1, Appendix A). This was the fourth quarterly monitoring event at the project site. Quarterly sampling of the on-site monitoring wells was requested by the Alameda County Health Care Services Agency (ACHCSA) in a letter dated March 23, 2001. As requested in a letter dated October 8, 2001, from ACHCSA, the on-site observation well (OW-1) was included in this fourth quarterly sampling event.

On November 26, 2001, depth to groundwater from top of casing was measured in monitoring wells MW-1, MW-2, MW-3 and the observation well OW-1. Groundwater flow direction was calculated using water level measurements obtained from the wells. During the November sampling event, the groundwater flow direction was calculated to range from approximately N34°W to N84°E with a groundwater gradient of 0.02 to 0.01 foot/foot. Groundwater elevation data is shown on the Potentiometric Surface Map, Figure 3, Appendix A, and is summarized in Table 1, Appendix B.

Groundwater pH, electrical conductivity, and temperature were monitored during well purging. The wells were considered adequately purged when the water quality parameters had stabilized and a minimum of three well volumes were purged, or the wells were purged dry. Groundwater sampling logs recording sampling procedures and measurements are attached in Appendix C.

Water samples were collected from each monitoring well with a single sample disposable bailer fitted with a bottom-emptying device to minimize water degassing. Properly labeled, laboratory supplied, sterile sample containers were used for sample collection. The water samples were logged on a chain-of-custody form and placed in an ice chest. The refrigerated samples were transported by a courier from Alpha Analytical, a California State-certified laboratory, for chemical analytical testing. The laboratory report and chain-of-custody form are included with this report in Appendix D.

All monitoring well groundwater samples were handled and extracted using Environmental Protection Agency (EPA) Method 5030. All samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg), and TPH as diesel (TPHd) using EPA Method 8015M, and benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tert-butyl ether (MtBE) using EPA Method 8020. The results of these analyses are summarized in Table 2, Appendix B.

### 3.0 SITE SUMMARY

#### 3.1 Site History

The subject site was formerly a stucco products facility where the ingredients for stucco were stored and mixed. On March 26, 1991 two 8,000-gallon steel USTs were removed from the site under the supervision of Kaprealian Engineering, Inc. (KEI), of Benicia, California. One UST stored diesel fuel and the other UST stored unleaded gasoline. Each UST was removed from a separate excavation. Four holes with a maximum diameter of ½ inch were observed in the gasoline UST. Ms. Cynthia Chapman of the ACHCS was present during the USTs removal and following soil sampling.

Groundwater was encountered in the UST excavations at the time of removal at an approximate depth of nine feet below ground surface (bgs). Due to the groundwater in the UST excavations, samples from beneath the former USTs could not be collected. KEI collected four sidewall soil samples from the UST excavations approximately 6 inches above the groundwater level.

Approximately 4,000 gallons of groundwater was pumped from the UST excavations after the soil sampling was completed. On March 28, 1991 KEI collected a groundwater sample from the gasoline UST excavation. KEI returned to the site on March 29, 1991 and collected a groundwater sample from the diesel UST excavation. Ms. Cynthia Chapman with the ACHCS was present during the groundwater sampling.

The samples were analyzed by Sequoia Analytical Laboratory in Concord, California, for total petroleum hydrocarbons as gasoline (TPH-g), total petroleum hydrocarbons as diesel (TPH-d), benzene, toluene, ethyl benzene and xylenes (BTEX).

Analytical results of the two soil samples collected from the diesel UST excavation detected TPH-g at 120 mg/kg each and TPH-d at 100 and 21 mg/kg. The analytical results of the groundwater sample collected from the diesel UST excavation indicated TPH-g at 1,500 µg/l, TPH-d at 34,000 µg/l, and benzene at 240 µg/l. Analytical results of the two soil samples collected from the gasoline UST excavation were below laboratory detectable limits for all analytes except xylenes. The analytical results of the groundwater sample collected from the gasoline UST excavation indicated TPH-g at 800 µg/l, TPH-d at 13,000 µg/l and benzene at 1.8 µg/l.

On April 4, 1997, EBA personnel visited the subject site and collected samples from the three onsite soil stockpiles. The samples were analyzed by Legend Analytical Services of Santa Rosa, California, for TPH-g, TPH-d and BTEX. The soil stockpile samples were below detectable levels for TPH-g and BTEX. TPH-d was detected in the soil stockpile samples at concentrations of 290 mg/kg, 92 mg/kg and 78 mg/kg. On ~~May 19, 1997, Conti Material Services, Inc., of Stockton, California, transported and disposed of approximately 120 cubic yards of stockpiled soil at Farnwood Lane Landfill in Stockton, California.~~

In a June 16, 1997 letter Mr. Barney Chan of Alameda County Environmental Health Services requested a work plan to perform additional site characterization at the subject site. In response

to this request EBA prepared a groundwater investigation work plan, dated July 24, 1997. In the work plan, EBA proposed to advance six soil borings to 20 feet below grade surface for the collection of groundwater samples to aid in determining the impact of petroleum hydrocarbons to area groundwater. The Work Plan was accepted in a letter dated August 4, 1997, by Mr. Barney Chan.

On September 26, 1997, EBA supervised the drilling of seven soil borings (EBA-1 through EBA-7) at the project site. Soil borings EBA-1 through EBA-3 were installed in the presumed downgradient direction from the former USTs and soil borings EBA-4 and EBA-5 were installed in the presumed upgradient direction. Soil borings EBA-6 and EBA-7 were installed in a step-out pattern in the presumed downgradient direction (boring locations are depicted on the Site Map, Figure 2, Appendix A). Grab groundwater samples were obtained from three of the borings and soil samples were collected from six of the seven soil borings installed. Droplets of free phase hydrocarbons were noted on the groundwater sample collected from soil boring EBA-3. The analytical results generated from these samples are summarized in the Historical Analytical Tables (Tables 3 and 4, Appendix B).

Findings from the 1997 investigation indicated that soil and groundwater at the project site had been impacted by petroleum hydrocarbons consisting of TPH-g, TPH-d and BTEX constituents. Soil contamination was detected in the two presumed upgradient soil borings and the two step-out borings. Recommendations were made to install monitoring wells at the site and initiate a quarterly monitoring program.

In February, 2001, EBA personnel supervised the installation of three monitoring wells and one observation well at the project site. The locations of the wells are shown on Figure 2, Appendix A. The three monitoring wells were developed and have been sampled on a quarterly basis for one complete hydrogeologic cycle.

## 3.2 Findings

### 3.2.1 Groundwater Flow Direction

Throughout this investigation, groundwater flow direction at the project site has been calculated to be highly variable. ~~Flow directions to the southwest, north, and east have been observed throughout the course of the hydrogeologic cycle.~~ A northwest flow direction has been consistently observed in a portion of the area of study during the four quarterly monitoring events. Please note the overall groundwater flow gradient is skewed due to the recorded water levels in monitoring well MW-1 being consistently lower than the water levels recorded in the other three on-site wells (water levels are shown on Table 1, Appendix B).

Limited observations suggest that monitoring well MW-1 may not respond to changes in the shallow water bearing zone in concert with the other three on-site wells. An analysis of changes in groundwater levels between sampling events helps to illustrate this point. Between the February and May sampling events, groundwater levels were observed to decrease in all wells, with the exception of MW-1 in which the water level increased by 1.02 feet. Between the May, August, and November sampling events, a 4.5 foot variation is observed in the water levels recorded for monitoring well MW-1 while the water levels in the remaining wells changed by

only 2.25 feet or less. This may indicate a localized influence of subsurface lithology acting on monitoring well MW-1.

However, analytical data collected from monitoring well MW-1 suggests that this well is connected to a greater or lesser degree to the same shallow water bearing zone that influences the other three on-site wells. ~~Soil boring logs recorded during well installation indicate drastic differences in subsurface lithology between monitoring well MW-1 and the other on-site wells.~~ Even though the well exhibits a greater degree of variability, it appears there is no need to eliminate this well, or any other well, from the groundwater calculations as the measured variability may be simply indicative of existing site conditions. Elimination of this well from the previously calculated groundwater flow directions would continue to result in flow directions to the southwest, north, and east.

Although groundwater flow directions have been calculated to vary widely at the site, contaminant concentrations appear to suggest a southwesterly trend in the overall direction of groundwater flow towards monitoring well MW-2. This flow direction is more in keeping with the expected regional groundwater flow direction towards San Leandro Bay located approximately 2,400 feet southwest of the subject site.

### 3.2.2 Analytical Results

Analytical results from a one year cycle of groundwater monitoring events at the project site have indicated relatively stable concentrations of TPHg and TPHd in the groundwater. Concentrations of TPHg appear to be highest in monitoring well MW-2 and the observation well OW-1. Concentrations of TPHd in the groundwater appear to be highest in OW-1. Concentrations of TPHg and TPHd from the most recent groundwater sampling event are shown on the isoconcentration maps, Figures 5 and 6, respectively. Very low levels of BTEX constituents were detected in the groundwater samples collected from monitoring well MW-2 only during the February 6, 2001 sampling event, however, no other BTEX constituents have been detected during the quarterly monitoring program. MtBE has not been detected in any of the groundwater samples collected from the project site.

Analytical results from soil samples collected during well installation activities in February, 2001 indicate contamination from TPHg and TPHd in varying concentrations from 1.5 feet to 18.5 feet below ground surface (bgs). Analytical results indicate that the highest levels of soil contamination are located between 1 and 5 feet bgs. It appears that TPHd in the soil is most prevalent in the area represented by observation well OW-1. TPHg concentrations are highest in the soil in the area represented by soil boring EBA-8 (monitoring well MW-2) at a depth of 1.5 feet bgs. Soil sample analytical results from the February 2001 subsurface investigation are presented in Table 5, Appendix B. Soil Contaminant concentrations from the February 2001 investigation are depicted on the attached isoconcentration maps (Figures 4 and 5, Appendix A). In cases where more than one analytical result was available for a particular boring, the highest concentration of soil contamination for that boring was used to create the isoconcentration maps.

As requested in the October 8, 2001 letter from ACHCSA, soil and groundwater analytical results generated throughout the course of this investigation were evaluated using San Francisco Regional Water Quality Control Board (SFRWQCB) risk based screening levels (RBSLs) and City of Oakland risk based corrective action (RBCA) guidelines. These guidelines and screening levels were instituted by their respective agencies in an effort to address environmental protection goals established by the SFRWQCB and the City of Oakland.

When using the SFRWQCB RBSLs to evaluate contaminant concentrations, Table B was selected as most accurately representing the characteristics of the project site. Contaminant concentrations in Table B were generated for surface soil (<3 meters [9.8 feet] bgs) and groundwater contamination in which groundwater is not a current or potential source of drinking water. When using the RBSL reference table, the project site was characterized as being in an industrial/commercial area rather than a residential area. The SFBRWQCB RBSLs for the constituents of concern at the project site are indicated below:

**SFRWQCB Risk Based Screening Levels  
(August, 2000)**

Constituent of Concern	In Soil (mg/kg)	In Groundwater (ug/l)
TPH-g	400	500
TPH-d	500	640

In regards to the soil at the project site, concentrations of TPH-g appear to be below the RBSL in all samples with the exception of soil boring EBA-8 (MW-2) at 1.5 feet bgs. Concentrations of TPH-g in this sample were recorded at 460 mg/kg. Similarly, only one soil sample was above the RBSL for TPH-d. This sample was collected from soil boring OW-1 at a depth of 3 feet bgs and indicated TPH-d at 2000 mg/kg.

Analytical results from groundwater samples collected throughout this investigation indicate monitoring wells MW-1, MW-2 and MW-3 are consistently below the RBSL for TPH-d. Monitoring well MW-2 is consistently over the RBSL for TPH-g in groundwater and analytical results from the last three sampling events indicate that contaminant concentrations in MW-1 are approximately equal to the RBSL. Groundwater samples collected from monitoring well MW-3 are consistently below the RBSL for TPH-g. Groundwater samples collected from the observation well OW-1 are above the RBSLs for TPH-g and TPH-d. However, the concentrations observed in the observation well during the most recent sampling event appear to be lower than the concentrations observed during the February 2001 sampling event.

City of Oakland RBCA guidelines address concentrations of BTEX constituents in the soil and groundwater, however, no concentration levels are given for TPH-g and TPH-d. When using the City of Oakland RBCA Guidelines, the site was characterized as being in a commercial/industrial area with clayey silts as the underlying soil type. The most appropriate route of exposure for subsurface soil contamination was chosen as inhalation of outdoor air vapors. In order to determine RBCA concentrations for groundwater, ingestion of groundwater was chosen as the most appropriate route of exposure, although the possibility of this type of exposure at the project site is extremely low. The City of Oakland RBCA guidelines for BTEX constituents are indicated in the following table:

*Indoor*



### City of Oakland RBCA Guidelines

		Benzene	Ethylbenzene	Toluene	Xylenes
Surface Soil mg/kg	Carcinogenic	49	---	---	---
	Hazard	300	18,000	34,000	260,000
Subsurface Soil mg/kg	Carcinogenic	600	Saturated	---	---
	Hazard	Saturated	Saturated	Saturated	Saturated
Groundwater mg/l	Carcinogenic	0.001	0.70	0.15	18
	Hazard	0.001	0.70	0.15	18

As indicated in Tables 3 and 5 of this report, analytical results generated from soil samples collected from the project site reflect very low levels of BTEX constituents in samples obtained from soil borings EBA-4, EBA-6, EBA-7 and EBA-9. None of the concentrations of BTEX constituents observed in the soil samples collected during the 1997 and 2001 subsurface investigations exceed the City of Oakland RBCA guidelines.

Groundwater analytical data generated from sampling the four existing wells indicate that low levels of BTEX constituents were detected during the February 2001 sampling event. On this occasion, benzene was detected at 1.1 µg/l in the groundwater sample collected from monitoring well MW-2. As indicated in the above table, the City of Oakland RBCA level for this constituent when converted to micrograms per liter is 1.0µg/l. No other BTEX constituents exceeded the RBCA guidelines on this occasion. BTEX constituents have not been detected in the groundwater at any other time during the quarterly monitoring program.

Grab groundwater samples collected during the 1997 investigation contained considerably higher levels of BTEX constituents than those observed during the quarterly monitoring program. The highest concentration of benzene during the 1997 investigation was reported at 560 µg/l in a groundwater sample collected from soil boring EBA-3. Concentrations of Ethylbenzene and Toluene in the grab groundwater samples obtained from the 1997 investigation were also observed to be above the RBCA guidelines. Groundwater sample analytical results from the 1997 investigation are summarized in Table 4, Appendix B.

A comparison of the groundwater analytical results from the 1997 investigation and the results generated during the quarterly monitoring program appears to indicate a decrease in concentrations of BTEX constituents.

#### 3.2.3 Surrounding Site Issues

Properties in the surrounding areas have long been used for industrial and commercial purposes. The properties to the immediate north and across the street to the east of the subject property are known to have been operated as junk yards and auto dismantlers in the recent past. Neither site appears to be paved or covered with an impervious surface.

Vista Information Solutions, Inc. (Vista) of San Diego, California, was contracted to conduct a comprehensive Federal, State and local environmental records search for the project site and properties within a one-mile radius of the project site. The purpose of the database search was to identify known environmental investigations in the surrounding area and to place the project site within the context of these surrounding site investigations. The scope of the records search ranged from one-eighth to one-mile radius, depending on the type of environmental record source. The ERS, which is presented in Appendix E, consists of a map showing the location of the identified sites relative to the project site; a summary listing the identified sites by street names; and a final report describing the sources investigated and the resulting findings.

Several properties along Coliseum Way, to the west of the project site, are currently under investigation for groundwater related issues. An investigation at the PG&E General Construction Gas Yard located at 4930 Coliseum Way detected TPH-g in the groundwater at concentrations up to 880 µg/l and TPH-d up to 430 µg/l on June 28, 2000. Similarly, groundwater contamination has been documented at sites located at 5050, 5051, and 5200 Coliseum Way. Groundwater investigations conducted at these sites for the last four years have indicated contamination consisting of TPH-g up to 500 µg/l and TPH-d up to 430 µg/l as well as heavy metals including arsenic, barium, cadmium, and zinc (Clayton Environmental Group, Quarterly Groundwater Monitoring, June 11, 2001).

Several other sites in the surrounding area have been investigated and have received case closure from the ACHCSA. A site located at 4801 Oakport Street received closure on February 15, 1995. This site was documented to have concentrations of TPH-d in the soil up to 503 mg/kg at the time of site closure (SFBRWQCB, Case Closure Summary). A site located at 1066 47<sup>th</sup> Avenue received closure on February 23, 1994 with concentrations of TPH-d in the soil up to 3300 mg/kg and TPH-g up to 2300 mg/kg at the time of closure (SFBRWQCB, Case Closure Summary).

The project site is entirely covered by a concrete pad. The current uses for the project site include a stock yard and offices for a roofing company. Due to the industrial nature of the surrounding area, there are currently no beneficial uses for the groundwater table below the project site.

#### 4.0 CONCLUSIONS

Based on the findings presented in the previous sections, several conclusions can be made regarding the project site. Corrective action regarding the former USTs has consisted of excavation and disposal of approximately 130 cubic yards of soil in the vicinity of the former USTs. Analytical results obtained from soil samples collected following the excavation activities indicate that residual contamination at levels below the SFBRWQCB RBSL and City of Oakland RBCA guidelines may continue to exist in the area of the former diesel UST.

The current site investigation activities have consisted of the installation of eleven soil borings for the purpose of obtaining soil and groundwater samples. The results of the first round of drilling in September 1997 indicated small amounts of petroleum contamination in the soil samples submitted for the two presumed upgradient soil borings (EBA-4 and EBA-5) and concentrations of petroleum constituents in the two step-out borings (EBA-6 and EBA-7). Contaminants observed in the two presumed upgradient soil borings may indicate contamination from an upgradient off-site source. Groundwater samples collected from soil borings EBA-1, EBA-3, and EBA-6 indicated elevated concentrations of dissolved petroleum hydrocarbons

including free phase product observed in the sample collected from soil boring EBA-3. Soil borings EBA-8 through EBA-11 were subsequently converted into monitoring or observation wells and a quarterly monitoring program has been conducted at the project site for one complete hydrogeologic cycle.

Analytical results generated during the quarterly monitoring program indicate that residual concentrations of TPH-g and TPH-d continue to exist in the shallow water bearing zone beneath the project site. The groundwater analytical results observed during the current quarterly monitoring program suggest a considerable decrease in concentrations from the contaminant levels observed in groundwater samples collected during the September 1997 investigation. Free phase petroleum hydrocarbons have not been observed during the current quarterly monitoring program. The majority of the analytical results collected at the project site are below the risk based screening levels established by the SFRWQCB and the City of Oakland RBCA guidelines.

Analytical results generated during the last three quarterly sampling events suggest that BTEX constituents observed during the 1997 investigation appear to no longer be present in the groundwater at the project site. The City of Oakland RBCA Guidelines for BTEX constituents in groundwater were exceeded only during the February, 2001 sampling event in which benzene was detected at 0.1 parts per billion above the recommended RBCA level. However, this RBCA level was set for cases in which groundwater ingestion is the primary route of exposure. Considering that properties within the surrounding area are supplied with a municipal water supply, groundwater ingestion in the area surrounding the project site is highly unlikely.

Many of the surrounding properties in the area of the project site have documented soil and groundwater contamination issues. Potential source locations for soil and groundwater contamination exist at the junk yards located immediately north and east of the project and at the Southern Pacific Rail Road tracks located on the western border of the subject property. The subject property is currently paved and there are no indications that the use of the property will change in the near future. The project site and all properties in the surrounding area are supplied by a municipal water supply maintained by the city of Oakland. It does not appear that the soil or groundwater issues at the project site pose a significant threat to human health or the environment.

## 5.0 RECOMMENDATIONS

Considering the limited beneficial use of the groundwater and the very low potential for contact with contaminated soils at the project site, EBA recommends that the site be reviewed for closure. Pending agreement from the ACHCSA, the drummed soil cuttings and purge water generated during this investigation should be disposed of according to all applicable rules and regulations.

## 6.0 LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental geological practice at the place and time this investigation was performed. This warranty is in lieu of all other warranties, either expressed or implied. This investigation was conducted solely for the purpose of evaluating environmental conditions of the soil and first-encountered groundwater with respect to hydrocarbons previously detected at the site. No soil engineering or geotechnical references are implied or should be inferred. Evaluation of the geologic conditions at the site for the purpose of this investigation is made from a limited number of observation points. Subsurface conditions may vary away from the data points available. Additional work, including further subsurface investigation, can reduce the inherent uncertainties associated with this type of investigation. This report has been prepared solely for the Client and any reliance on this report by third parties shall be at such party's sole risk.


## 7.0 REFERENCES

EBA Wastechologies, December 1997; Subsurface Investigation, Former Western Stucco Products, 5115 East Eighth Street Oakland California.

EBA Wastechologies, October 13, 2000; Additional Groundwater Investigation Work Plan, Former Western Stucco Products, 5115 East Eighth Street Oakland California.

EBA Wastechologies, October 30, 2000; Former Western Stucco Site, 5115 East Eighth Street Oakland California, Work Plan Addendum.

EBA Wastechologies, March, 2001; Additional Groundwater Investigation, Former Western Stucco Products, 5115 East Eighth Street, Oakland, California.




NOT TO SCALE



WESTERN STUCCO PRODUCTS  
 5115 EAST 8TH STREET  
 OAKLAND, CALIFORNIA


**LOCATION MAP**

FIGURE  
 1  
 JULY 1997  
 484LM.DWG




**FORMER WESTERN STUCCO PRODUCTS**  
**5115 EAST 8TH STREET**  
**OAKLAND, CALIFORNIA**  
**SITE PLAN**

**FIGURE**  
**2**  
 MARCH 2002  
 00-805



**POTENTIOMETRIC SURFACE MAP**  
**NOVEMBER 26, 2001**  
 FORMER WESTERN STUCCO PRODUCTS  
 5115 EAST 8TH STREET  
 OAKLAND, CALIFORNIA


**FIGURE**  
**3**  
 NOV 2001  
 00-805



**SOIL CONCENTRATIONS OF TPH-g (mg/kg)**  
**FEBRUARY 2001**  
 FORMER WESTERN STUCCO PRODUCTS  
 5115 EAST 8TH STREET  
 OAKLAND, CALIFORNIA

FIGURE  
**4**  
 FEB 2002  
 JOB # 00-805






**SOIL CONCENTRATIONS OF TPH-d (mg/kg)  
FEBRUARY 2001**

FORMER WESTERN STUCCO PRODUCTS  
5115 EAST 8TH STREET  
OAKLAND, CALIFORNIA

FIGURE

**5**

FEB 2002  
JOB # 00-805




**LEGEND**

- MW-2 (EBA-8) ⊗ MONITORING WELL (SOIL BORING)
- OW-1 (EBA-11) ● OBSERVATION/EXTRACTION WELL (SOIL BORING)
- TPH-g IN GROUNDWATER ISO-CONCENTRATION CONTOUR



**GROUNDWATER CONCENTRATIONS OF TPH-g (ug/l)**  
**NOVEMBER 26, 2001**  
 FORMER WESTERN STUCCO PRODUCTS  
 5115 EAST 8TH STREET  
 OAKLAND, CALIFORNIA

**FIGURE**  
**6**  
 FEB 2002  
 JOB # 00-805



**GROUNDWATER CONCENTRATIONS OF TPH-d (ug/l)**  
**NOVEMBER 26, 2001**  
 FORMER WESTERN STUCCO PRODUCTS  
 5115 EAST 8TH STREET  
 OAKLAND, CALIFORNIA

FIGURE  
**7**  
 FEB 2002  
 JOB # 00-805

**TABLE 1. MONITORING WELL SURVEY AND WATER LEVEL DATA**  
**Former Western Stucco Facility**  
**5115 East 8<sup>th</sup> Street, Oakland, CA**

Monitoring Well ID	Well Depth (ft)	Screen Interval (ft)	BOC Elevation (ft)	Depth to Groundwater from BOC (ft)	Groundwater Elevation (ft. MSL)	Date
MW-1	19.60	5 - 19.60	7.01	13.49	-6.48	2/5/01
				16.51	-9.50	2/6/01
				9.30	-2.29	2/20/01 (1050)
				8.05	-1.04	2/20/01 (1605)
				6.45	0.56	2/28/01
				5.43	1.58	5/3/01
				7.81	-0.71	8/28/01
				5.51	1.50	11/26/01
MW-2	18.40	5 - 18.40	7.11	4.21	2.90	2/5/01
				6.61	0.50	2/6/01
				3.95	3.16	2/20/01 (1050)
				3.12	3.99	2/20/01 (1605)
				3.01	4.10	2/28/01
				3.25	3.86	5/3/01
				5.20	1.91	8/28/01
				4.63	2.48	11/26/01
MW-3	19.75	5 - 19.75	6.69	2.75	-2.35	2/5/01
				14.70	-8.01	2/6/01
				3.15	3.54	2/20/01 (1050)
				3.05	3.64	2/20/01 (1605)
				2.42	4.27	2/28/01
				3.94	2.75	5/3/01
				4.68	2.01	8/28/01
				4.64	2.05	11/26/01
OW-1	20	5 - 20	7.06	2.37	4.69	2/28/01
				3.98	3.08	5/3/01
				5.39	1.67	8/28/01
				4.90	2.16	11/26/01

ft. MSL = Feet relative to mean sea level

**TABLE 2**  
**QUARTERLY GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**Former Western Stucco Facility**  
**5115 East 8<sup>th</sup> Street, Oakland, CA**

SAMPLE ID	DATE	TPH-g µg/L	TPH-d µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L	MIBB µg/L
MW-1	2/6/01	950	260	ND	ND	ND	ND	ND
	5/3/01	450	490	ND	ND	ND	ND	ND
	8/28/01	540	130	ND	ND	ND	ND	ND
	11/26/01	460	140	<0.30	<0.30	<1.5	<7.3	<1.0
MW-2	2/6/01	2600	530	1.1	0.43	0.87	1.7	ND
	5/3/01	2400	530	ND	ND	ND	ND	ND
	8/28/01	1700	97	ND	ND	ND	ND	ND
	11/26/01	3400	470	<0.30	<9.6	<9.7	<6.6	<1.0
MW-3	2/6/01	340	250	ND	ND	ND	ND	ND
	5/3/01	260	420	ND	ND	ND	ND	ND
	8/28/01	490	130	ND	ND	ND	ND	ND
	11/26/01	330	120	<0.30	<0.30	<0.79	<1.8	<1.4
OW-1	2/28/01	2400	8200	ND	ND	ND	ND	ND
	11/26/01	1900	1200	<1.1	<1.1	<3.0	<8.7	<9.0

TPH-g = Total Petroleum Hydrocarbons as gasoline

TPH-d = Total Petroleum Hydrocarbons as diesel

ND = Not Detected above reporting limit

**HISTORICAL ANALYTICAL TABLES**  
**Former Western Stucco Facility**  
**5115 East 8<sup>th</sup> Street, Oakland, CA**

**TABLE 3. SOIL SAMPLE ANALYTICAL RESULTS**  
**September 1997 Investigation**

SAMPLE ID	DEPTH	DATE	TPHD mg/kg	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	TPHG mg/kg	MTBE mg/kg
EBA-1	7.5-8.0'	9/26/97	ND	ND	ND	ND	ND	ND	ND
EBA-2	7.5-8.0'	9/26/97	ND	ND	ND	ND	ND	ND	ND
EBA-4	3.5-4.0'	9/26/97	ND	ND	ND	ND	0.11	10	ND
EBA-5	4.0-4.5'	9/26/97	ND	ND	ND	ND	ND	ND	ND
	7.5-8.0'	9/26/97	ND	ND	ND	ND	ND	0.5	ND
EBA-6	5.5-6.0'	9/26/97	ND	ND	ND	ND	0.3	9.5	ND
EBA-7	3.0-3.5'	9/26/97	ND	<0.25	0.58	5.5	14	2,300	<0.25
<b>REPORTING LIMITS</b>			1.0	0.005	0.005	0.005	0.010	0.5	0.005

ND: Not detected above reporting limit

**TABLE 4. GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**September 1997 Investigation**

SAMPLE ID	DATE	TPHD mg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L	TPHG µg/L	MTBE µg/L
EBA-1	9/26/97	2	9	9	11	30	2,000	ND
EBA-3	9/26/97	250	560	290	1,700	3,800	590,000	<25
EBA-6	9/26/97	NS	<del>ND</del> <del>280</del>	<del>ND</del> <del>95</del>	<del>ND</del> <del>1,000</del>	<del>32</del> <del>2,300</del>	<del>1,900</del> <del>340,000</del>	<25
<b>REPORTING LIMIT</b>		0.05	0.5	0.5	0.5	1.0	50	0.5

ND: Not detected above reporting limit

NS: Not sampled

**TABLE 5.**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**FEBRUARY 2001 SUBSURFACE INVESTIGATION**  
**Former Western Stucco Facility**  
**5115 East 8<sup>th</sup> Street, Oakland, CA**

SAMPLE ID	DATE	TPH-g mg/kg	TPH-d mg/kg	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	MTBE mg/kg
EBA-8@1.5'	2/1/01	460	300	ND	ND	ND	ND	ND
EBA-8@18'	2/1/01	2.7	ND	ND	ND	ND	ND	ND
EBA-9@2.5'	2/1/01	110	100	ND	ND	0.11	ND	ND
EBA-9@9.5'	2/1/01	62	29	ND	ND	.065	ND	ND
EBA-9@18'	2/1/01	1.4	ND	ND	ND	ND	ND	ND
EBA-10@8'	2/1/01	1.5	ND	ND	ND	ND	ND	ND
EBA-10@18.5'	2/1/01	190	360	ND	ND	ND	ND	ND
OW-1@3'	2/20/01	ND	2000	ND	ND	ND	ND	ND
OW-1@7'	2/20/01	ND	360	ND	ND	ND	ND	ND
OW-1@17'	2/20/01	ND	160	ND	ND	ND	ND	ND

TPH-g = Total Petroleum Hydrocarbons as gasoline  
 TPH-d = Total Petroleum Hydrocarbons as diesel  
 ND = Not Detected above reporting limit

**APPENDIX C**  
**FIELD DATA SHEETS**



Project No. 00-805		Well No: MW-1			
Project Location: 5115 East Eighth Street, Oakland		Well Depth from TOC: 19.60'			
Date: 11/26/01		Well Diameter: 2"			
Time: 1030		Product Level from TOC: None			
Recorded by: E. Phenix		Water Level from TOC: 5.51'			
Purge Time (duration): 5 min.		Screened Interval: 5'-19.60'			
		Well Elevation (TOC): 7.01'			
<b>WEATHER</b>					
Wind: 0-5 mph		Precip. in last 5 days: 3"			
<b>VOLUME OF WATER TO BE REMOVED BEFORE SAMPLING</b>					
( 19.60 - 5.51 ) x ( 0.08333 ) <sup>2</sup> x 3.14 x 7.48 = 2.28 gallons in one well volume					
( Well Depth - Water Level )		( Well radius (ft) )			
6.85 gallons in 3 well volumes		3 gallons removed			
<b>CALIBRATION</b>					
Parameter	Time	Calibration	Before Sampling	Time	After Sampling
pH:					
EC:					
<b>FIELD MEASUREMENTS</b>					
Time	pH	EC x1000	Temp °C	Gallons Removed	Appearance
1100	6.88	1110	17.2	0	Clear
1102	6.96	1103	18.6	1	Clear
1103	6.92	1111	19.0	2	Clear
1105	6.90	1090	19.4	3	Clear
-----	DRY	AFTER	3 GALLONS	REMOVED	-----
Water Level After Purging: 19.60 ft. (TOC)      80% of Original Water Level: 8.33 ft. (TOC)					
Water Level Before Sampling: 17.61 ft. (TOC)					
APPEARANCE OF SAMPLE: Clear				Time: 1420	
Bailer:		Type: disposable		GPM:	
Submersible:		Type:		GPM:	
Dedicated:		Type:		GPM:	
DECONTAMINATION METHOD: TSP. and disposable bailers					
SAMPLE ANALYSIS: TPHg/BTEX/TPHd/MtBE					
LABORATORY: Alpha Analytical					

EBA Wastechologies, 825 Sonoma Ave. Santa Rosa CA

Project No. 00-805		Well No: MW-2			
Project Location: 5115 East Eighth Street, Oakland		Well Depth from TOC: 18.40'			
Date: 11/26/01		Well Diameter: 2"			
Time: 1030		Product Level from TOC: None			
Recorded by: E. Phenix		Water Level from TOC: 4.63			
Purge Time (duration): 6 min.		Screened Interval: 5' - 18.40'			
		Well Elevation (TOC): 7.11'			
<b>WEATHER</b>					
Wind: 0-5 mph		Precip. in last 5 days: 3"			
<b>VOLUME OF WATER TO BE REMOVED BEFORE SAMPLING</b>					
$(18.40 - 4.63) \times (0.08333)^2 \times 3.14 \times 7.48 = 2.23$ gallons in one well volume					
(Well Depth - Water Level)		{Well radius (ft)}			
6.69		3		3	
gallons in		well volumes		gallons removed	
<b>CALIBRATION</b>					
Parameter	Time	Calibration	Before Sampling	Time	After Sampling
pH:					
EC:					
<b>FIELD MEASUREMENTS</b>					
Time	pH	EC x1000	Temp °C	Gallons Removed	Appearance
1115	7.00	1008	18.6	0	Clear - slight odor
1117	6.90	1013	19.0	1	Clear
1118	6.89	1011	19.2	2	Cloudy
1121	6.88	1009	19.4	3	Silty, gray
-----	--DRY	AFTER	3 GALLONS	REMOVED	-----
Water Level After Purging: 18.40 ft. (TOC)			80% of Original Water Level: 7.38 ft. (TOC)		
Water Level Before Sampling: 13.58 ft. (TOC)					
APPEARANCE OF SAMPLE: Clear			Time: 1440		
Bailer:	Type: disposable		GPM:		
Submersible:	Type:		GPM:		
Dedicated:	Type:		GPM:		
DECONTAMINATION METHOD: TSP. and disposable bailers					
SAMPLE ANALYSIS: TPHg/BTEX/TPHd/MtBE					
LABORATORY: Alpha Analytical					

EBA Wastechologies, 825 Sonoma Ave. Santa Rosa, CA

Project No. 00-805		Well No: MW-3			
Project Location: 5115 East Eighth Street, Oakland		Well Depth from TOC: 19.75'			
Date: 11/26/01		Well Diameter: 2"			
Time: 1030		Product Level from TOC: None			
Recorded by: E. Phenix		Water Level from TOC: 4.64			
Purge Time (duration): 4 min.		Screened Interval: 5' -19.75'			
		Well Elevation (TOC): 6.69'			
<b>WEATHER</b>					
Wind: 0-5 mph		Precip. in last 5 days: 3"			
<b>VOLUME OF WATER TO BE REMOVED BEFORE SAMPLING</b>					
( 19.75 - 4.64 ) x ( 0.08333 ) <sup>2</sup> x 3.14 x 7.48 = 2.44 gallons in one well volume					
( Well Depth - Water Level ) { Well radius (ft) }					
7.34 gallons in 3 well volumes		3 gallons removed			
<b>CALIBRATION</b>					
Parameter	Time	Calibration	Before Sampling	Time	After Sampling
pH:					
EC:					
<b>FIELD MEASUREMENTS</b>					
Time	pH	EC x1000	Temp °C	Gallons Removed	Appearance
1516	6.96	920	18.8	0	Clear
1518	6.87	920	19.4	1	Clear
1519	6.84	936	19.8	2	Clear
1520	6.83	941	20.0	3	Clear
-----	DRY	AFTER	3 GALLONS	REMOVED	-----
Water Level After Purging: 19.75 ft. (TOC)			80% of Original Water Level: 7.66 ft. (TOC)		
Water Level Before Sampling: 17.40 ft. (TOC)					
APPEARANCE OF SAMPLE: Clear				Time: 1600	
Bailer:	Type: disposable		GPM:		
Submersible:	Type:		GPM:		
Dedicated:	Type:		GPM:		
DECONTAMINATION METHOD: TSP. and disposable bailers					
SAMPLE ANALYSIS: TPHg/BTEX/TPHd/MtBE					
LABORATORY: Alpha Analytical					

EBA Wastechologies, 825 Sonoma Ave. Santa Rosa CA

Project No. 00-805		Well No: OW-1			
Project Location: 5115 East Eighth Street, Oakland		Well Depth from TOC: 20'			
Date: 11/26/01		Well Diameter: 4"			
Time: 1030		Product Level from TOC: None			
Recorded by: E. Phenix		Water Level from TOC: 4.90			
Purge Time (duration): 35 min.		Screened Interval: 5' -20'			
		Well Elevation (TOC): 7.06'			
<b>WEATHER</b>					
Wind: 0-5 mph		Precip. in last 5 days: 3"			
<b>VOLUME OF WATER TO BE REMOVED BEFORE SAMPLING</b>					
$(20 - 4.90) \times (0.16667)^2 \times 3.14 \times 7.48 = 9.85$ gallons in one well volume					
(Well Depth - Water Level) (Well radius (ft))					
29.5 gallons in 3 well volumes		30 gallons removed			
<b>CALIBRATION</b>					
Parameter	Time	Calibration	Before Sampling	Time	After Sampling
pH:					
EC:					
<b>FIELD MEASUREMENTS</b>					
Time	pH	EC x1000	Temp °C	Gallons Removed	Appearance
1136	7.12	947	19.8	5	Cloudy, yellowish gray
1141	6.94	944	20.4	10	Cloudy
1151	6.91	940	20.5	15	Cloudy
1156	6.91	931	20.5	20	Cloudy
1203	6.96	924	20.6	25	Cloudy
1211	6.98	921	20.5	30	Slightly Silty
Water Level After Purging: 13.84 ft. (TOC)      80% of Original Water Level: 7.92 ft. (TOC)					
Water Level Before Sampling: 4.96 ft. (TOC)					
APPEARANCE OF SAMPLE: Clear      Time: 1500					
Bailer:		Type: disposable		GPM:	
Submersible:		Type:		GPM:	
Dedicated:		Type:		GPM:	
DECONTAMINATION METHOD: TSP, and disposable bailers					
SAMPLE ANALYSIS: TPHg/BTEX/TPHd/MtBE					
LABORATORY: Alpha Analytical					

EBA Wastechologies, 825 Sonoma Ave. Santa Rosa CA

**APPENDIX D**  
**CERTIFIED ANALYTICAL REPORTS**



Alpha

Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com) • Phone: (707) 468-0401 • Fax: (707) 468-5267

07 December 2001

EBA Wastechologies

Attn: Erik Phenix

825 Sonoma Ave. Suite C

Santa Rosa CA, 95404

RE: Western Stucco

Work Order: A111472

Enclosed are the results of analyses for samples received by the laboratory on 11/27/01 14:36. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager



Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

**CHEMICAL EXAMINATION REPORT**

Page 1 of 7

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

<u>Order Number</u>	<u>Receipt Date/Time</u>	<u>Client Code</u>	<u>Client PO/Reference</u>
A111472	11/27/2001 14:36	EBA	

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	A111472-01	Water	11/26/01 14:20	11/27/01 14:36
MW-2	A111472-02	Water	11/26/01 14:40	11/27/01 14:36
MW-3	A111472-03	Water	11/26/01 16:00	11/27/01 14:36
OW-1	A111472-04	Water	11/26/01 15:00	11/27/01 14:36

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01



Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

Order Number: A111472      Receipt Date/Time: 11/27/2001 14:36      Client Code: EBA      Client PO/Reference:

Alpha Analytical Laboratories, Inc.

METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT	PQL	NOTE				
<b>MW-1 (A111472-01)</b>											
TPH as Diesel by EPA Method 8015 Modified				Sample Type: Water				Sampled: 11/26/01 14:20			
TPH as Diesel	EPA 8015DRO	AL10513	12/05/01	12/06/01	1	140 ug/l	50	D-08			
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		64.5 %	25-132				
<b>TPH as Gasoline by GCFID/5030 and MBTXE by 8020</b>											
TPH as Gasoline	8015GRO/8020	AK13009	11/28/01	11/28/01	1	460 ug/l	50	D-06			
Benzene	"	"	"	"	"	ND "	0.30				
Toluene	"	"	"	"	"	ND "	0.30				
Ethylbenzene	"	"	"	"	"	ND "	1.5	R-01			
Xylenes (total)	"	"	"	"	"	ND "	7.3	R-01			
Methyl tert-butyl ether	"	"	"	"	"	ND "	1.0				
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		144 %	48-155				
<b>MW-2 (A111472-02)</b>											
TPH as Diesel by EPA Method 8015 Modified				Sample Type: Water				Sampled: 11/26/01 14:40			
TPH as Diesel	EPA 8015DRO	AL10513	12/05/01	12/06/01	1	470 ug/l	50	D-08			
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		70.7 %	25-132				
<b>TPH as Gasoline by GCFID/5030 and MBTXE by 8020</b>											
TPH as Gasoline	8015GRO/8020	AK13009	11/28/01	11/28/01	1	3400 ug/l	50	D-06			
Benzene	"	"	"	"	"	ND "	0.30				
Toluene	"	"	"	"	"	ND "	9.6	R-01			
Ethylbenzene	"	"	"	"	"	ND "	9.7	R-01			
Xylenes (total)	"	"	"	"	"	ND "	6.6	R-01			
Methyl tert-butyl ether	"	"	"	"	"	ND "	1.0				
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		91.3 %	48-155				
<b>MW-3 (A111472-03)</b>											
TPH as Diesel by EPA Method 8015 Modified				Sample Type: Water				Sampled: 11/26/01 16:00			
TPH as Diesel	EPA 8015DRO	AL10513	12/05/01	12/06/01	1	120 ug/l	50	D-08			
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		54.4 %	25-132				

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sheri Speaks

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01





Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 3 of 7

EBA Wastechologies  
.825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

Order Number: A111472      Receipt Date/Time: 11/27/2001 14:36      Client Code: EBA      Client PO/Reference:

Alpha Analytical Laboratories, Inc.

METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT	PQL	NOTE	
MW-3 (A111472-03)		Sample Type: Water			Sampled: 11/26/01 16:00			
TPH as Gasoline by GCFID/5030 and MBTXE by 8020								
TPH as Gasoline	8015GRO/8020	AK13009	11/28/01	11/28/01	1	330 ug/l	50 D-06	
Benzene	"	"	"	"	"	ND "	0.30	
Toluene	"	"	"	"	"	ND "	0.30	
Ethylbenzene	"	"	"	"	"	ND "	0.79 R-01	
Xylenes (total)	"	"	"	"	"	ND "	1.8 R-01	
Methyl tert-butyl ether	"	"	"	"	"	ND "	1.4 R-01	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		72.3 %	48-155	

W-1 (A111472-04)		Sample Type: Water			Sampled: 11/26/01 15:00			
TPH as Diesel by EPA Method 8015 Modified								
TPH as Diesel	EPA 8015DRO	AL10513	12/05/01	12/06/01	1.1765	1200 ug/l	59 D-06	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		68.5 %	25-132	

TPH as Gasoline by GCFID/5030 and MBTXE by 8020							
TPH as Gasoline	8015GRO/8020	AK13009	11/28/01	11/28/01	1	1900 ug/l	50 D-06
Benzene	"	"	"	"	3.7	ND "	1.1 R-01
Toluene	"	"	"	"	"	ND "	1.1 R-01
Ethylbenzene	"	"	"	"	1	ND "	3.0 R-01
Xylenes (total)	"	"	"	"	"	ND "	8.7 R-01
Methyl tert-butyl ether	"	"	"	"	9	ND "	9.0 R-01
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		105 %	48-155

The results in this report apply to the samples analyzed in accordance with the chain custody document. This analytical report must be reproduced in its entirety.

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01



Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

**CHEMICAL EXAMINATION REPORT**

Page 4 of 7

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

<u>Order Number</u> A111472	<u>Receipt Date/Time</u> 11/27/2001 14:36	<u>Client Code</u> EBA	<u>Client PO/Reference</u>
--------------------------------	--	---------------------------	----------------------------

**TPH as Diesel by EPA Method 8015 Modified - Quality Control**

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AL10513 - EPA 3510B Water</b>										
<b>Blank (AL10513-BLK1)</b>										
Prepared & Analyzed: 12/05/01										
TPH as Diesel	ND	50	ug/l							
Surrogate: 1,4-Bromofluorobenzene	265		"	502		52.8	25-132			
<b>LCS (AL10513-BS1)</b>										
Prepared & Analyzed: 12/05/01										
TPH as Diesel	2000	50	ug/l	2030		98.5	70-130			
Surrogate: 1,4-Bromofluorobenzene	278		"	502		55.4	25-132			
<b>LCS Dup (AL10513-BSD1)</b>										
Prepared & Analyzed: 12/05/01										
TPH as Diesel	1850	50	ug/l	2030		91.1	70-130	7.79	20	
Surrogate: 1,4-Bromofluorobenzene	276		"	502		55.0	25-132			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01



# Alpha

Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

## CHEMICAL EXAMINATION REPORT

Page 5 of 7

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
11472	11/27/2001 14:36	EBA	

### TPH as Gasoline by GCFID/5030 and MBTXE by 8020 - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC %REC	Limit	RPD	RPD Limit	Flag
<b>Batch AK13009 - EPA 5030 Water GC</b>										
<b>Blank (AK13009-BLK1)</b> Prepared & Analyzed: 11/28/01										
TPH as Gasoline	ND	50	ug/l							
Benzene	ND	0.30	"							
Toluene	ND	0.30	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	1.0	"							
Surrogate: 1,4-Bromofluorobenzene	23.3		"	23.1		101	48-155			
<b>LCS (AK13009-BS1)</b> Prepared & Analyzed: 11/28/01										
Benzene	5.00	0.30	ug/l	5.00		100	70-127			
Toluene	5.36	0.30	"	5.00		107	80-115			
Ethylbenzene	5.22	0.50	"	5.00		104	75-115			
Xylenes (total)	17.0	0.50	"	15.0		113	75-115			
Methyl tert-butyl ether	5.01	1.0	"	5.00		100	55-122			
Surrogate: 1,4-Bromofluorobenzene	21.9		"	20.0		110	48-155			
<b>LCS (AK13009-BS2)</b> Prepared & Analyzed: 11/28/01										
TPH as Gasoline	ND	50	ug/l	40.1		98.0	65-124			
Surrogate: 1,4-Bromofluorobenzene	22.4		"	20.0		112	48-155			
<b>LCS Dup (AK13009-BSD1)</b> Prepared & Analyzed: 11/28/01										
Benzene	4.80	0.30	ug/l	5.00		96.0	70-127	4.08	16	
Toluene	5.15	0.30	"	5.00		103	80-115	4.00	14	
Ethylbenzene	5.03	0.50	"	5.00		101	75-115	3.71	13	
Xylenes (total)	16.4	0.50	"	15.0		109	75-115	3.59	15	
Methyl tert-butyl ether	4.86	1.0	"	5.00		97.2	55-122	3.04	13	
Surrogate: 1,4-Bromofluorobenzene	21.1		"	20.0		106	48-155			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01



Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

**CHEMICAL EXAMINATION REPORT**

Page 6 of 7

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

<u>Order Number</u> A111472	<u>Receipt Date/Time</u> 11/27/2001 14:36	<u>Client Code</u> EBA	<u>Client PO/Reference</u>
--------------------------------	--	---------------------------	----------------------------

**TPH as Gasoline by GCFID/5030 and MBTXE by 8020 - Quality Control**

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AK13009 - EPA 5030 Water GC</b>										
<b>LCS Dup (AK13009-BSD2)</b>										
Prepared & Analyzed: 11/28/01										
TPH as Gasoline	ND	50	ug/l	40.1		95.0	65-124	3.10	14	
Surrogate: 1,4-Bromofluorobenzene	21.4		"	20.0		107	48-155			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Sheri Speaks*

Sheri L. Speaks For Karen A. Daly  
Project Manager

12/7/01



Alpha

Alpha Analytical Laboratories Inc.

860 Waugh Lane, H-1, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

**CHEMICAL EXAMINATION REPORT**

Page 7 of 7

EBA Wastechologies  
825 Sonoma Ave. Suite C  
Santa Rosa CA, 95404  
Attn: Erik Phenix

Report Date: 12/07/01 11:22  
Project No: 00-805  
Project ID: Western Stucco

Order Number  
1111472

Receipt Date/Time  
11/27/2001 14:36

Client Code  
EBA

Client PO/Reference

**Notes and Definitions**

- D-06 The sample chromatographic pattern does not resemble the fuel standard used for quantitation.
- D-08 Results in the diesel organics range are primarily due to overlap from a gasoline range product.
- R-01 The Reporting Limit for this analyte has been raised to account for matrix interference.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- PQL Practical Quantitation Limit



# WORK ORDER CHAIN OF CUSTODY RECORD

Alpha Analytical Laboratories Inc. • 860 Waugh Lane, H-1, Ukiah, CA 95482 • (707) 468-0401 • FAX (707) 468-5267

DATE 11/26/01 PAGE 1 OF 1

CLIENT'S NAME EBA Wastechologies  
 STREET ADDRESS 825 Sonoma Ave. Santa Rosa CA 95404  
 PROJECT NAME Western Stucco  
 CONTRACT/PURCHASE ORDER/QUOTE NUMBER 00-805  
 SIGNATURE OF PERSON AUTHORIZING WORK UNDER TERMS STATED ON REVERSE SIDE OF THIS FORM. Erik Phenix

PROJECT MANAGER Erik Phenix  
 PHONE NUMBER 544-0784  
 FAX NUMBER 544-0866  
 SITE CONTACT Al Avendano  
 SAMPLED BY E. Phenix

ANALYSES

SAMPLE CONDITION ON RECEIPT:  
 COLD/ICED? Yes  
 BUBBLES OR AIR SPACE? No  
 WERE SAMPLES PRESERVED? Yes

SAMPLE NUMBER/IDENTIFICATION	DATE	TIME	LAB SAMPLE NUMBER	SAMPLE TYPE					NO. OF CONTS.	EXPLAIN IRREGULARITIES BELOW	
				LIQ	AIR	SOLID	COMP	GRAB			
MW-1	11/26/01	1420	A 111472-1	X					5	X X X X	
MW-2		1440	-2						5	↓ ↓ ↓ ↓	
MW-3		1600	-3						5	↓ ↓ ↓ ↓	
OW-1		1500	-4						5	↓ ↓ ↓ ↓	

RELINQUISHED BY: Erik Phenix  
 (SIGNATURE)  
 RELINQUISHED BY: R Orenfeld  
 (SIGNATURE)  
 RELINQUISHED BY: \_\_\_\_\_  
 (SIGNATURE)  
 METHOD OF SHIPMENT \_\_\_\_\_  
 SPECIAL INSTRUCTIONS \_\_\_\_\_

RECEIVED BY: R Orenfeld  
 (SIGNATURE) DATE 11/27/01 TIME 12:10  
 RECEIVED BY: J Coley  
 (SIGNATURE) DATE 11/27/01 TIME 14:36  
 RECEIVED FOR LABORATORY BY: \_\_\_\_\_  
 AUTHORIZED BY: \_\_\_\_\_

TURN AROUND TIME REQUESTED Normal  
 SAMPLE CONTROL OFFICER [Signature]  
 SAMPLE DESPOSITION:  
 1. STORAGE TIME REQUESTED \_\_\_\_\_ DAYS  
 (SAMPLES WILL BE STORED FOR 30 DAYS WITHOUT ADDITIONAL CHARGES;  
 THEREAFTER STORAGE CHARGES WILL BE BILLED AT THE PUBLISHED RATES.)  
 2. SAMPLE TO BE RETURNED TO CLIENT?  YES  NO  
 HAZARDOUS MATERIALS ARE THE PROPERTY OF THE CLIENT. THE CLIENT IS  
 RESPONSIBLE FOR PROPER DISPOSAL OF HAZARDOUS WASTES. CLIENTS NOT  
 PICKING UP HAZARDOUS WASTES MAY BE ASSESSED AN APPROPRIATE FEE.


DRIVING TIME	SITE TIME	TOTAL TIME

**APPENDIX E**  
**ENVIRONMENTAL RECORDS SEARCH**

# SITE ASSESSMENT PLUS REPORT

PROPERTY INFORMATION	CLIENT INFORMATION
Project Name/Ref #: Western Stucco 5115 East 8th Street Oakland, CA 94601 Latitude/Longitude: ( 37.764710, 122.211192 )	Erik Phenix EBA Wastechnologies 825 Sonoma Avenue Santa Rosa, CA 95404

Site Distribution Summary	within 1/8 mile	1/8 to 1/4 mile	1/4 to 1/2 mile	1/2 to 1 mile
<b>Agency / Database - Type of Records</b>				
<b>A) Databases searched to 1 mile:</b>				
US EPA NPL National Priority List	0	0	0	0
US EPA CORRACTS RCRA Corrective Actions (w/o TSD)	0	0	0	0
US EPA TSD RCRA Corrective Actions and associated TSD	0	0	1	1
STATE SPL State equivalent priority list	0	0	1	0
<b>B) Databases searched to 1/2 mile:</b>				
STATE SCL State equivalent CERCLIS list	1	0	3	-
US EPA CERCLIS / NFRAP Sites currently or formerly under review by US EPA	2	2	5	-
US EPA TSD RCRA permitted treatment, storage, disposal facilities	0	0	0	-
STATE/REG CO LUST Leaking Underground Storage Tanks	3	6	38	-
STATE/REG/CO SWLF Permitted as solid waste landfills, incinerators, or transfer stations	0	0	1	-
STATE DEED RSTR Sites with deed restrictions	0	0	2	-
REGIONAL NORTH BAY Sites on North Bay Toxic List	3	2	7	-
REGIONAL SOUTH BAY Sites on South Bay Toxic List	0	0	0	-
STATE CORTESE State index of properties with hazardous waste	2	1	16	-
STATE TOXIC PITS Toxic Pits cleanup facilities	0	0	0	-
USGS/STATE WATER WELLS Federal and State Drinking Water Sources	0	0	0	-
STATE SPILLS State spills list	5	2	8	-










# SITE ASSESSMENT PLUS REPORT

## Map of Sites within One Mile



Subject Site	Category:	A	B	C	D
	Databases Searched to:	1 mi.	1/2 mi.	1/4 mi.	1/8 mi.
	Single Sites				
	Multiple Sites				
	Highways and Major Roads	NPL, SPL, CORRACTS (TSD)	CERCLIS\ NFRAP, TSD, LUST, SWLF, SCL	RCRA VIOL, TRIS, UST	ERNS, GENERATORS
	Roads				
	Railroads				
	Rivers or Water Bodies				
	Utilities				

If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.



For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403  
 Report ID: 844501901

Date of Report: January 29, 2002  
 Page #3



# SITE ASSESSMENT PLUS REPORT

## Map of Sites within Quarter Mile



Subject Site	Category:	A	B	C	D
★	Databases Searched to:	1 mi.	1/2 mi.	1/4 mi.	1/8 mi.
	Single Sites	◆	■	▲	○
	Multiple Sites	◆◆	■■	▲▲	○○
Highways and Major Roads		NPL, SPL, CORRACTS (TSD)	CERCLIS\ NFRAP, TSD, LUST, SWLF, SCL	RCRA VIOL, TRIS, UST	ERNS, GENERATORS
Roads		If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.			
Railroads					
Rivers or Water Bodies					
Utilities					


For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403  
 Report ID: 844501901

Date of Report: January 29, 2002  
 Page #4



# SITE ASSESSMENT PLUS REPORT

## Street Map



Subject Site




Highways and Major Roads  
Roads  
Railroads  
Rivers or Water Bodies  
Utilities

# SITE ASSESSMENT PLUS REPORT

## SITE INVENTORY

MAP ID	PROPERTY AND THE ADJACENT AREA (within 1/8 mile)	VISTA ID DISTANCE DIRECTION	A				B								C			D						
			NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERGLIS/NFRAP	TSD	LUST	SWLF	DEED RSIR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GNRR	NOTIFIERS
1A	VOLVO GM HEAVY TRUCK CORP. 750 50TH AVENUE OAKLAND, CA 94601	3072631 0.00 MI NA										X					X							
1A	UNKNOWN 745 FIFTIETH (50TH) AVE OAKLAND, CA 94601	8568919 <0.01 MI NW																				X		
1A	UNKNOWN 733 50TH AVE INFRONT OF PGE BLDG OAKLAND, CA 94601	2238614 <0.01 MI NW																				X		
1B	UNKNOWN 600 50TH AVENUE OAKLAND, CA 94601	2141283 <0.01 MI W																				X		
2A	UNKNOWN 5105 E. 8TH ST OAKLAND, CA 94601	8569226 0.00 MI NA																				X		
2A	WESTERN STUCCO 5115 8TH ST E OAKLAND, CA 94601	7252848 0.00 MI NA							X															
2B	WESTERN STUCCO AND SUPPLY 5209 E 8TH STREET OAKLAND, CA 94601	65107739 0.00 MI NA																			X			
2B	WESTERN STUCCO SUPPLY 5209 E 8TH OAKLAND, CA 94601	4017515 0.00 MI NA																			X			
3A	RW JOHNSTON SON 801 53RD OAKLAND, CA 94601	4017251 0.01 MI SE																			X			
3B	MATSON'S ENTERPRISES 5321 E 8TH ST OAKLAND, CA 94601	66339344 0.03 MI SE																					X	
4A	AMERICAN ELECTRO FINISHING CO 4933 SAN LEANDRO STREET OAKLAND, CA 94601	63871122 0.06 MI E																			X			



X = search criteria; \* = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #6

MAP ID	PROPERTY AND THE ADJACENT AREA (within 1/8 mile)	VISTA ID DISTANCE DIRECTION	A				B										C			D						
			NPL	CORRACTS	TSD CORRACTS	SPL	SCL	GERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GNRTR	NOTIFIERS		
4A	UNK 4933 SAN LEANDRO ST OAKLAND, CA 94601	8594585 0.06 MI E																						X		
4B	CUSTOM PRINTING INKS LTD N CAL 909 53RD AVE OAKLAND, CA 94601	3765693 0.06 MI E																							X	
5A	HM HOLDINGS INC 5200 COLISEUM WAY UNIT RD OAKLAND, CA 94621	6922176 0.06 MI SW																						X		
5A	GLIDDEN CO FORMER 5200 COLISEUM WY OAKLAND, CA 94621	6531937 0.06 MI SW															X									
5A	COLISEUM SELF STORAGE 5200 COLISEUM WAY OAKLAND, CA 94601	67313459 0.06 MI SW																						X		
5B	WHITE GMC TRUCKS OF OAKLA 5050 COLISEUM OAKLAND, CA 94621	2745749 0.07 MI SW																								
5B	CITY OF OAKLAND MSC 5050 COLISEUM WY OAKLAND, CA 94621	455911 0.07 MI SW						X		X																
5B	CITY OF OAKLAND MSC 5050 COLISEUM WAY OAKLAND, CA 94601	67414703 0.07 MI SW																						X		
5B	MILLENIUUM HOLDINGS INC 5051 COLISEUM WAY OAKLAND, CA 94601	67313553 0.08 MI SW																						X		
5B	PG E 5051 COLISEUM WY OAKLAND, CA 94621	62431162 0.08 MI SW															X									
5C	UNKNOWN 50TH AVE AND COLISEUM WAY OAKLAND, CA 94601	8574007 0.08 MI W																					X			
6A	VETERANS CAB CORP 829 54TH AVENUE OAKLAND, CA 94601	64505721 0.06 MI SE																					X			
6B	CHARLES S. CAMPANELLA, INC. 5401 SAN LEANDRO OAKLAND, CA 94621	67416 0.09 MI E																					X			



X = search criteria; \* = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #7

MAP ID	PROPERTY AND THE ADJACENT AREA (within 1/8 mile)	VISTA ID DISTANCE DIRECTION	A					B										C			D			
			NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	IRIS	UST/AST	ERNS	GNRTR	NOTIFIERS
7A	AMERICAN ELECTROFINISHING CO 4933 SAN LEANDRO ST OAKLAND, CA 94601	18875 0.06 MI N																X		X			X	
7B	CALIFORNIA STEEL PROCESSING CO INC 848 49TH AVE OAKLAND, CA 94601	73168 0.07 MI NW																						X
8	ECON GAST D 4930 COLISEUM WY. OAKLAND, CA 94621	3995811 0.10 MI W																			X			
8	G.C. GAS YARD 4930 COLISEUM OAKLAND, CA 94621	1223612 0.10 MI W																			X			
8	PGE OAKLAND 4930 COLISEUM WAY OAKLAND, CA 94621	327995 0.10 MI W								X		X		X			X							
9	L M PLATING DOHS TOXICS 420 54TH AVE OAKLAND, CA 94621	247883 0.11 MI E																						X
9	L M PLATING 920 54TH OAKLAND, CA 94601	1153026 0.11 MI E						X				X												
9	LM PLATING CO 920 54TH AVE OAKLAND, CA 94621	7529926 0.11 MI E							X								X							

MAP ID	SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile)	VISTA ID DISTANCE DIRECTION	A					B										C			D			
			NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	IRIS	UST/AST	ERNS	GNRTR	NOTIFIERS
10A	MEPACO, INC. 1226 49TH OAKLAND, CA 94601	1262059 0.14 MI N								X											X			
10B	VEISS-ZAKEN SCRAP METAL IRON 1249 49TH AVENUE OAKLAND, CA 94601	3867314 0.22 MI N										X					X							
11A	NL INDS INC PIGMENTS CHEM DIV 4701 SAN LEANDRO ST OAKLAND, CA 94601	297983 0.18 MI NW						X																



X = search criteria; \* = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #8





MAP ID	SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile)	VISTA ID DISTANCE DIRECTION	A			B							C			D								
			NPL	CORRACTS	ISD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GNRTR	NOTIFIERS
17A	PG E OAKLAND SVC CNTR 4801 OAKPORT STREET OAKLAND, CA 94601	65107579 0.25 MI W																			X			
18	BAY AREA RETREAD INC 1330 50TH AVENUE OAKLAND, CA 94601	65107408 0.25 MI NE																			X			

MAP ID	SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile)	VISTA ID DISTANCE DIRECTION	A			B							C			D									
			NPL	CORRACTS	ISD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GNRTR	NOTIFIERS	
16	COHN WAREHOUSE 1212 47TH OAKLAND, CA 94601	4222306 0.26 MI N							X																
16	NORCAL 1234 47TH OAKLAND, CA 94601	5350571 0.30 MI N						X					X												
17	EAST BAY CLARKLIFT 4701 OAKPORT ST OAKLAND, CA 94601	3200314 0.28 MI W						X																.	
17	BAUER PROPERTY 4701 OAKPORT OAKLAND, CA 94601	3982723 0.28 MI W											X												
19	CONTINENTAL BAKING COMPANY FORMER 1010 46TH AVE OAKLAND, CA 94601	65005023 0.25 MI NW						X																	
19	CHEVRON USA INC OAKLAND ASPHALT PLT 4525 SAN LEANDRO ST OAKLAND, CA 94601	82163 0.28 MI NW															X							.	
19	ARROW SIGN CO 1046 45TH AVE OAKLAND, CA 94601	27547 0.30 MI NW										X				X							.	.	
20	OAKPORT WET WEATHER TREATMENT 5597 OAKPORT ST OAKLAND, CA 94621	11498118 0.27 MI SW							X													.			
21	ROCK TRANSPORT 5900 COLISEUM WAY OAKLAND, CA 94621	358294 0.29 MI SE							X														.		



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #10

MAP ID	SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile)	VISTA ID DISTANCE DIRECTION	A				B										C			D					
			NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERCLIS/INFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	LIST/AST	ERNS	GNRTR	NOTIFIERS	
21	B J TIRES 5901 COLISEUM WAY OAKLAND, CA 94621	6831086 0.29 MI SE								X															
22	FERRO ENAMELING CO 1100-57TH AVE OAKLAND, CA 94621	1591657 0.29 MI SE					X				X					X								•	
22	SINCLAIR VALENTINE 1104 57 AVE OAKLAND, CA 94621	382583 0.30 MI E					X																		
23	HERTZ-PENSKE TRUCK LEASING, IN 725 JULIE ANN OAKLAND, CA 94621	3197583 0.35 MI SE							X												•				
23	PENSKE LEASING 725 JULIE ANN OAKLAND, CA 94621	1585643 0.35 MI SE											X												
23	INDEPENDENT CONSTRUCTION CO. Y 740 JULIE ANN OAKLAND, CA 94621	3197584 0.36 MI SE							X												•				
23	INDEPENDENT CONSTRUCTION COMPANY 740 JULIE ANN WY OAKLAND, CA 94621	67009358 0.36 MI SE							X																
24	ARMOR EQUIPMENT SALES CORP 1137 57TH OAKLAND, CA 94621	1154950 0.35 MI E							X												•				
24	ARMOR EQUIPMENT SALES 1137 57TH AVE OAKLAND, CA 94621	8568960 0.35 MI E							X																
25	BAYVIEW FEDERAL BANK 1437 48TH AVE OAKLAND, CA 94601	12639343 0.35 MI NE							X																
25	BAYVIEW FEDERAL BANK 1437 48TH AVE OAKLAND, CA 94601	4558149 0.35 MI NE							X																
26	YANDELL TRUCKING 563 JULIE ANN WAY OAKLAND, CA 94621	3781348 0.35 MI S							X																
26	COLOMBO BAKING COMPANY 580 JULIE ANN OAKLAND, CA 94621	1261949 0.36 MI S							X												•				



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #11







MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile)	A				B										C			D							
		VISTA ID	DISTANCE	DIRECTION	NPL	CORRACTS	TSD CORRACTS	SPL	SGI	GERGLIS/NFRAP	TSD	IUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GMRTR	NOTIFIERS
42	AMERICAN CAN PACKAGING INC 3801 E 8TH ST OAKLAND, CA 94601	64736814	0.70 MI	NW		X															•				•	



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #15

UNMAPPED SITES  VISTA ID	A				B										C			D					
	NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	JUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	JUST/AST	ERNS	GMRTR	NOTIFIERS	
ALAMEDA RED HANGER KLEANERS UNKNOWN HARBOR BAY LANNDING SHOPPING CEN ALAMEDA, CA 0 66990933																X							
ALAMEDA UNIFIED SCHOOL DISTRICT UNKNOWN AUGHINBAUGH WY ALAMEDA, CA 0 66990934																X							
KAISER ALUMINUM CHEMICAL UNKNOWN SUNOL BLVD ALAMEDA, CA 0 66991085																X							
NAVAL SUPPLY CENTER ALAMEDA ANNEX DOD UNKNOWN UNKNOWN ALAMEDA, CA 0 66997149																X							
ALAMEDA NAS NAVY UNKNOWN UNKNOWN ALAMEDA, CA 0 66990932																X							
BAY FARM ISLAND ELEMENTARY SCHOOL UNKNOWN AUGHINBAUGH WY ALAMEDA, CA 0 66990958																X							
KRUSI PARK UNKNOWN OTIS ST ALAMEDA, CA 0 66991093																X							
7 UNKNOWN L 827 TRACON OAKLAND, CA 94621 64546627								X															
FAA AIRWAY FACILITIES L 827 TRACON OAKLAND, CA 94621 3079106													X										
PORT OF OAKLAND HANGER 6 11007 AIRPORT OAKLAND, CA 94614 7431274													X										
FLEET INDUSTRIAL SUPPLY C 541 ACRES EASTERN SHORE OF TH OAKLAND, CA 94625 7431748													X										
EQUIPMENT BUILDING M-104 JOHN GLENN DRIVE M-104 OAKLAND, CA 94621 65107466																			X				
FORMER CHEVRON SS1001096 NORTH FIELD OAKLAND AIRPORT OAKLAND, CA 94621 65107481																			X				



X = search criteria; \* = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #16

UNMAPPED SITES	VISTA ID	A				B										C			D				
		NPL	CORRACTS	TSD CORRACTS	SPL	SCL	CERCLIS/NFRAP	TSD	LUST	SWLF	DEED RSTR	NORTH BAY	SOUTH BAY	CORTESE	TOXIC PITS	WATER WELLS	SPILLS	RCRA VIOL	TRIS	UST/AST	ERNS	GNRIR	NOTIFIERS
PORT OF OAKLAND BLDG M-105 SOUTH FIELD OAKLAND AIRPORT OAKLAND, CA 94621	65107585																			X			
OAKLAND INTERNATIONAL AIRPORT UNKNOWN OAKLAND INTERNATIONAL AIRPORT OAKLAND, CA 0	66991163																X						
PORT OF OAKLAND NINTH AVENUE TERMINAL UNKNOWN 8TH 9TH AVE OAKLAND, CA 0	66991212																X						
OAKLAND ARMY BASE (FORMERLY ASI LEA) OAKLAND, CA 94626	4823458										X												
UPTOWN THEATER DISTRICT UNKNOWN UNKNOWN OAKLAND, CA 0	66991371																X						
OAKLAND ARMY BASE (FORMERLY ASI LEA) OAKLAND, CA 0	4570445										X												
PORT OF OAKLAND SITE A PROPERTY UNKNOWN JACK LONDON SQUARE OAKLAND, CA 0	66991216																X						
PORT OAKLAND: OAKLAND AIRPORT HANGER #6 OAKLAND, CA 0	1593878										X												
PORT OF OAKLAND - KING INTERESTS SI OAKLAND AIRPORT OAKLAND, CA 0	1595209										X												
S SPILL-SCHNITZER STEEL PRODUCT CO. FOOT OF ADELINE ST. OAKLAND, CA 0	3593659										X												



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #17



# SITE ASSESSMENT PLUS REPORT

## DETAILS

### PROPERTY AND THE ADJACENT AREA (within 1/8 mile)

VISTA Address*	<b>VOLVO GM HEAVY TRUCK CORP.</b> <b>750 50TH AVENUE</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	3072631
		Distance/Direction:	0.00 MI. / N/A
		Plotted as:	Point


Map ID:  
**1A**

North Bay / SRC# 47	EPA/Agency ID:	N/A
---------------------	----------------	-----

<b>Agency Address:</b>	<i>VOLVO GM HEAVY TRUCK CORP. 750 50TH AVENUE OAKLAND, CA 0</i>
<b>Facility Name:</b>	<i>VOLVO GM HEAVY TRUCK CORP.</i>
<b>Facility Address:</b>	<i>750 50TH AVENUE</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>
<b>Facility Name:</b>	<i>VOLVO GM HEAVY TRUCK CORP.</i>
<b>Facility Address:</b>	<i>750 50TH AVENUE</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

<b>Agency Address:</b>	<i>VOLVO GM HEAVY TRUCK CORP 750 50TH AVE OAKLAND, CA 94607</i>
<b>Facility Name:</b>	<i>VOLVO GM HEAVY TRUCK CORP</i>
<b>Facility Address:</b>	<i>750 50TH AVE OAKLAND, CA 94607</i>
<b>Facility County:</b>	<i>ALAMEDA</i>
<b>Case ID #:</b>	<i>0150233</i>
<b>Staff:</b>	<i>BG</i>
<b>Facility Status:</b>	<i>ACTIVE</i>
<b>Lead Agency:</b>	<i>RWQCB</i>
<b>Municipal Wells:</b>	<i>0</i>
<b>Private Wells:</b>	<i>0</i>
<b>Soil Removal:</b>	<i>NOT REPORTED</i>
<b>Flow Rate(GPM):</b>	<i>0</i>
<b>Percent of Contamination Contained:</b>	<i>NOT BEGUN</i>
<b>Plume Depth I:</b>	<i>0</i>
<b>Plume Depth II:</b>	<i>0</i>
<b>Case Type:</b>	<i>NO TANKS</i>
<b>Air Release:</b>	<i>NOT REPORTED</i>
<b>Land Release:</b>	<i>NO</i>
<b>Water Release:</b>	<i>NO</i>
<b>Ground Release:</b>	<i>NO</i>



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #18


**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>State Spills / SRC# 106</b>	EPA/Agency ID: N/A
<b>Agency Address:</b>	DESERET INDUSTRIES 3751 BLACOW RD FREMONT, CA 0
<b>Facility Name:</b>	DESERET INDUSTRIES
<b>Facility Address:</b>	3751 BLACOW RD FREMONT, CA ALAMEDA
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	01S0232
<b>Staff:</b>	AOF
<b>Facility Status:</b>	INACTIVE
<b>Material(s) Spilled:</b>	(S)TCE: .063PPM (W)TCE: 160PPB
<b>Lead Agency:</b>	RWQCB
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Groundwater Extract/Decontamination Requ:</b>	YES
<b>Flow Rate (GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NO TANKS
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Facility Type(1), Comment(2), Discovery Date(2), Material(s) Spilled(1), (1), Sample Data(2), Soil/Contaminant Removal Started(2), Soil/Contaminant Removal Completed(2), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(4), Groundwater Extract/Decontamination Need(2), Flow Date(2), Contaminant Level(2), Communication Submitted(2), Facility Type(1), (1), Soil Removal(1)

<b>VISTA Address*</b>	<b>UNKNOWN</b> 745 FIFTIETH (50TH) AVE OAKLAND, CA 94601	<b>VISTA ID#:</b>	8568919
		<b>Distance/Direction:</b>	<0.01 MI / NW
		<b>Plotted as:</b>	Point

Map ID  
**1A**

<b>ERNS - Emergency Response Notification System / SRC# 8</b>	EPA/Agency ID: N/A
<b>Agency Address:</b>	UNKNOWN 745 FIFTIETH (50TH) AVE OAKLAND, CA 94607
<b>Vista ID:</b>	8568919
<b>Agency ID:</b>	94-1695
<b>Facility Name:</b>	UNKNOWN
<b>Facility Address:</b>	745 FIFTIETH (50TH) AVE
<b>Facility City:</b>	OAKLAND



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #19


**PROPERTY AND THE ADJACENT AREA (within 1/8-mile) CONT.**

Facility State: CA  
 Facility Zip: 94607  
 Facility County: ALAMEDA  
 Spill Date: 01/13/1994  
 Spill Time: 11:35 AM  
 Case Number: 94-1695  
 Spill Location: 745 FIFTIETH (50TH) AVE  
 Source Agency: E  
 Discharger Org: UNKNOWN  
 Material Spilled 1: UNK OILY SUBS(6.5 GAL CONTAINER)  
 Material Units 1: OTH  
 Is Air Release: NO  
 Is Land Release: NO  
 Is Water Release: NO  
 Is Ground Release: NO  
 Is Facility Release: NO  
 Is Other Release: NO  
 Fields Not Reported by the Source: *Epa ID(1), Discharger Name(1), Discharger Address(1), Discharger Phone(1), Discharger County(1), Discharger City(1), Discharger State(1), Discharger Zip(1), Material Quantity 1(1), Waterway Affected(1)*  
 Agency for this Site:

VISTA Address*	UNKNOWN 733 50TH AVE INFRONT OF PGE BLDG OAKLAND, CA 94601	VISTA ID#:	2238614
		Distance/Direction:	<0.01 MI / NW
		Plotted as:	Point
		ERNS - Emergency Response Notification System / SRC#:	18
		EPA/Agency ID:	N/A

Map ID  
**1A**

Agency Address: SAME AS ABOVE  
 Vista ID: 2238614  
 Agency ID: 91-6143  
 Facility Name: UNKNOWN  
 Facility Address: 733 50TH AVE INFRONT OF PGE BLDG  
 Facility City: OAKLAND  
 Facility State: CA  
 Facility Zip: 94601  
 Facility County: ALAMEDA  
 Spill Date: 09/13/1991  
 Spill Time: 08:15 AM  
 Case Number: 91-6143  
 Spill Location: 733 50TH AVE INFRONT OF PGE BLDG  
 Source Agency: E  
 Discharger Org: UNKNOWN  
 Material Spilled 1: MOTOR OIL  
 Material Quantity 1: 5.00000000  
 Material Units 1: GAL  
 Is Air Release: NO  
 Is Land Release: NO  
 Is Water Release: NO



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Is Ground Release: NO  
 Is Facility Release: NO  
 Is Other Release: NO  
 Waterway Affected: NONE

VISTA Address*	UNKNOWN 600 50TH AVENUE OAKLAND, CA 94601	VISTA ID#:	2141283
		Distance/Direction:	<0.01 MI / W
		Plotted as:	Point
ERNS - Emergency Response Notification System / SRC# 8		EPA/Agency ID:	N/A

Map ID  
**1B**

Agency Address: UNKNOWN  
600 50TH AVENUE  
OAKLAND, CA 0

Vista ID: 2141283

Agency ID: 90-10341

Facility Name: UNKNOWN

Facility Address: 600 50TH AVENUE

Facility City: OAKLAND

Facility State: CA

Facility County: ALAMEDA

Spill Date: 09/24/1990

Spill Time: 05:00 PM

Case Number: 90-10341

Spill Location: 600 50TH AVENUE

Source Agency: E

Discharger Org: UNKNOWN

Material Spilled 1: UNKNOWN WHITE MATERIAL

Material Units 1: UNK

Is Air Release: NO

Is Land Release: NO

Is Water Release: NO


Is Ground Release: NO

Is Facility Release: NO

Is Other Release: NO

Waterway Affected: UNNAMED SLOUGH

ERNS - Emergency Response Notification System / SRC# 8		EPA/Agency ID:	N/A
Agency Address:	UNKNOWN 601 50TH AVENUE OAKLAND, CA 94607	Vista ID:	2141283
Vista ID:	2141283	Agency ID:	94-2202
Agency ID:	94-2202	Facility Name:	UNKNOWN
Facility Name:	UNKNOWN	Facility Address:	601 50TH AVENUE
Facility Address:	601 50TH AVENUE	Facility City:	OAKLAND
Facility City:	OAKLAND	Facility State:	CA
Facility State:	CA	Facility Zip:	94607
Facility Zip:	94607	Facility County:	ALAMEDA
Facility County:	ALAMEDA	Spill Date:	02/12/1994
Spill Date:	02/12/1994		



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**


<b>Spill Time:</b>	03:54 PM
<b>Case Number:</b>	94-2202
<b>Spill Location:</b>	601 50TH AVENUE
<b>Source Agency:</b>	E
<b>Discharger Org:</b>	UNKNOWN
<b>Material Spilled 1:</b>	PAINT/PAINT RESIDUE/THINNERS
<b>Material Quantity 1:</b>	20.00000000
<b>Material Units 1:</b>	GAL
<b>Is Air Release:</b>	NO
<b>Is Land Release:</b>	NO
<b>Is Water Release:</b>	NO
<b>Is Ground Release:</b>	NO
<b>Is Facility Release:</b>	NO
<b>Is Other Release:</b>	NO
<b>Fields Not Reported by the Source Agency for this Site:</b>	Epa ID(1), Facility Zip(1), Discharger Name(2), Discharger Address(2), Discharger Phone(2), Discharger County(2), Discharger City(2), Discharger State(2), Discharger Zip(2), Material Quantity 1(1), Epa ID(1), Waterway Affected(1)

<b>VISTA Address*</b>	<b>UNKNOWN</b> 5105 E. 8TH ST OAKLAND, CA 94601	<b>VISTA ID#:</b>	8569226
		<b>Distance/Direction:</b>	0.00 MI./NA
		<b>Plotted as:</b>	Point

Map ID  
**2A**

<b>ERNS - Emergency Response Notification System / SRC# 8</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----

<b>Agency Address:</b>	UNKNOWN 5105 E. 8TH ST OAKLAND, CA 94607
<b>Vista ID:</b>	8569226
<b>Agency ID:</b>	93-5119
<b>Facility Name:</b>	UNKNOWN
<b>Facility Address:</b>	5105 E. 8TH ST
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94607
<b>Facility County:</b>	ALAMEDA
<b>Spill Date:</b>	07/09/1993
<b>Spill Time:</b>	12:32 PM
<b>Case Number:</b>	93-5119
<b>Spill Location:</b>	5105 E. 8TH ST
<b>Source Agency:</b>	E
<b>Discharger Org:</b>	UNKNOWN
<b>Material Spilled 1:</b>	MOTOR OIL
<b>Material Quantity 1:</b>	10.00000000
<b>Material Units 1:</b>	GAL
<b>Is Air Release:</b>	NO
<b>Is Land Release:</b>	NO
<b>Is Water Release:</b>	NO
<b>Is Ground Release:</b>	NO
<b>Is Facility Release:</b>	NO



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #22

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**


**Is Other Release:** NO  
**Fields Not Reported by the Source Agency for this Site:** *Epa ID(1), Discharger Name(1), Discharger Address(1), Discharger Phone(1), Discharger County(1), Discharger City(1), Discharger State(1), Discharger Zip(1), Waterway Affected(1)*

<b>VISTA Address*:</b>	<b>WESTERN STUCCO</b> 5115 8TH ST E OAKLAND, CA 94601	<b>VISTA ID#:</b>	7252848
		<b>Distance/Direction:</b>	0:00 MI / NA
		<b>Plotted as:</b>	Point

Map ID  
**2A**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164** EPA/Agency ID: N/A

<b>Agency Address:</b>	SAME AS ABOVE
<b>Site Name:</b>	WESTERN STUCCO
<b>Site Location:</b>	5115 8TH ST E OAKLAND CA 94601- ALAMEDA
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-2242
<b>Local Case ID #:</b>	3688
<b>Media Affected:</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status:</b>	LEAK BEING CONFIRMED
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	ED  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered:</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested:</b>	SITE NOT TESTED FOR MTBE
<b>Program Type:</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak:</b>	CORROSION
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7650516
<b>Latitude:</b>	-122.2122879
<b>Date Leak was Confirmed:</b>	8/26/97
<b>Date Leak was Discovered:</b>	3/26/91
<b>Reported Date:</b>	8/26/97
<b>Date Leak was Stopped:</b>	3/26/91
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Cross Street(1), Media Affected(1), Enforcement Type(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Summary(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)</i>




**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>STATE UST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-2242
<b>Agency Address:</b>	WESTERN STUCCO 5115 8TH ST E OAKLAND, CA 0		
<b>Case ID #:</b>	01-2242		
<b>Site Name:</b>	WESTERN STUCCO		
<b>Site Address:</b>	5115 8TH ST E OAKLAND, CA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	9/29/97		
<b>Maximum Soil:</b>	2300		
<b>Maximum Groundwater:</b>	.590000		
<b>Current Benzene:</b>	1		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.		
<b>Maximum MTBE:</b>	0		
<b>Current MTBE:</b>	ND		
<b>Fields Not Reported by the Source</b>	MTBE Qualifier(1)		
<b>Agency for this Site:</b>			

<b>VISTA Address*</b>	<b>WESTERN STUCCO AND SUPPLY</b> 5209 E 8TH STREET OAKLAND, CA 94601	<b>VISTA ID#:</b>	65107739
		<b>Distance/Direction:</b>	0.00 MI / NA
		<b>Plotted as:</b>	Point

Map ID  
**2B**

<b>County UST - County Underground Storage Tank / SRC# 92</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Site Name:</b>	WESTERN STUCCO AND SUPPLY		
<b>Address:</b>	5209 E 8TH STREET		
<b>City:</b>	OAKLAND		
<b>County:</b>	ALAMEDA		
<b>State:</b>	CA		
<b>Zip:</b>	94601		
<b>No Of Tanks:</b>	2		
<b>Site Status:</b>	U		
<b>Total Aboveground Tanks:</b>	NOT REPORTED		
<b>Total Underground Tanks:</b>	2		
<b>Total Tanks Removed:</b>	NOT REPORTED		
<b>Fields Not Reported by the Source</b>	Permitted(1)		
<b>Agency for this Site:</b>			



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

VISTA Address*:	<b>WESTERN STUCCO SUPPLY</b>	VISTA ID#:	4017515
	<b>5209 E 8TH</b>	Distance/Direction:	0:00 MI / NA
	<b>OAKLAND, CA 94601</b>	Plotted as:	Point

Map ID  
**2B**

<b>STATE UST - State Underground Storage Tank / SRC# 45</b>	EPA/Agency ID:	N/A
---	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	WESTERN STUCCO SUPPLY
Facility Address:	5209 E 8TH OAKLAND, CA 94601
Facility County:	01000
Total Underground Tanks:	2
Total Aboveground Tanks:	NOT REPORTED
Total Tanks Removed:	2

Tank ID #:	T001U
Tank Contents:	DIESEL
Tank Age:	0
Tank Capacity:	8000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	GALVANIZED STEEL
Tank Material:	BARE STEEL

Tank ID #:	T001U
Tank Contents:	UNLEADED GAS
Tank Age:	0
Tank Capacity:	8000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	GALVANIZED STEEL
Tank Material:	BARE STEEL


VISTA Address*:	<b>RW JOHNSTON SON</b>	VISTA ID#:	4017251
	<b>801 53RD</b>	Distance/Direction:	0:01 MI / SE
	<b>OAKLAND, CA 94601</b>	Plotted as:	Point

Map ID  
**3A**

<b>STATE UST - State Underground Storage Tank / SRC# 45</b>	EPA/Agency ID:	N/A
---	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	RW JOHNSTON SON
Facility Address:	801 53RD OAKLAND, CA 94601
Facility County:	01000
Total Underground Tanks:	1
Total Aboveground Tanks:	NOT REPORTED
Total Tanks Removed:	1

Tank ID #:	T001U
Tank Contents:	OIL (NOT SPECIFIED)
Tank Age:	0



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #25



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Tank Capacity: 1000  
GALLONS  
 Tank Status: CLOSED REMOVED  
 Leak Monitor: MONITOR PRESENT  
 Piping Type: GALVANIZED STEEL  
 Tank Material: FIBERGLASS

VISTA Address*	<b>MATSON'S ENTERPRISES</b> 5321 E 8TH ST OAKLAND, CA 94601	VISTA ID#:	66339344
		Distance/Direction:	0.03 MI / SE
		Plotted as:	Point

Map ID  
**3B**

RCRA-SmGen - RCRA-Small Generator / SRC# 15 EPA ID: CAD081844995

Agency Address: SAME AS ABOVE  
 EPA Handler ID: CAD081844995  
 Handler Name: MATSON'S ENTERPRISES  
 Handler Address: 5321 E 8TH ST  
 OAKLAND, CA  
 94601  
 Land Type: NOT ON INDIAN LAND, OTHERWISE UNKNOWN  
 County: ALAMEDA  
 Latitude: NOT REPORTED  
 Longitude: NOT REPORTED  
 Mailing Address: 5321 E EIGHTH STREET  
 OAKLAND, CA  
 94601 -  
 Acknowledgement Generated: 19910331  
 State District: 2  
 Sequence No: 1  
 Receipt Date: 19860603  
 Source Description: NOTIFICATION  
 Generator Regulatory Status: RCRA REGULATED  
 Generator Indicator: SMALL QUANTITY GENERATOR  
 Owner/Operator Indicator: CURRENT OWNER  
 Owner/Operator Type: PRIVATE  
 Owner/Operator Name: KEN MATSON  
 Phone: (415) 555-1212  
 Address: NOT REQUIRED  
 NOT REQUIRED  
 ME  
 99999  
 Owner/Operator Indicator: CURRENT OPERATOR  
 Owner/Operator Type: PRIVATE  
 Owner/Operator Name: NOT REQUIRED  
 Phone: (415) 555-1212  
 Address: NOT REQUIRED  
 NOT REQUIRED  
 ME  
 99999  
 Type of Information: NOTIFICATION



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Contact Name:</b>	ENVIRONMENTAL MANAGER
<b>Contact Title:</b>	ENVIRO MANAGER
<b>Contact Phone:</b>	4155321145
<b>Contact Address:</b>	5321 E EIGHTH STREET OAKLAND, CA 94601 -
<b>Small Quantity Generator:</b>	YES
<b>Fields Not Reported by the Source</b>	(2)
<b>Agency for this Site:</b>	

<b>VISTA Address*:</b>	<b>AMERICAN ELECTRO FINISHING CO</b> <b>4933 SAN LEANDRO STREET</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	63871122
		<b>Distance/Direction:</b>	0.06 MI / E
		<b>Plotted as:</b>	Point


Map ID  
**4A**

<b>County UST - County Underground Storage Tank / SRC# 92</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SAME AS ABOVE	
<b>Site Name:</b>	AMERICAN ELECTRO FINISHING CO	
<b>Address:</b>	4933 SAN LEANDRO STREET	
<b>City:</b>	OAKLAND	
<b>County:</b>	ALAMEDA	
<b>State:</b>	CA	
<b>Zip:</b>	94601	
<b>No Of Tanks:</b>	0	
<b>Site Status:</b>	1	
<b>Total Aboveground Tanks:</b>	NOT REPORTED	
<b>Total Underground Tanks:</b>	0	
<b>Total Tanks Removed:</b>	NOT REPORTED	
<b>Fields Not Reported by the Source</b>	Permitted(1)	
<b>Agency for this Site:</b>		

<b>VISTA Address*:</b>	<b>UNK</b> <b>4933 SAN LEANDRO ST</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	8594565
		<b>Distance/Direction:</b>	0.06 MI / E
		<b>Plotted as:</b>	Point

Map ID  
**4A**

<b>ERNS - Emergency Response Notification System / SRC# 8</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	UNK 4933 SAN LEANDRO ST OAKLAND, CA 0	
<b>Vista ID:</b>	8594565	
<b>Facility Name:</b>	UNK	
<b>Facility Address:</b>	4933 SAN LEANDRO ST	
<b>Facility City:</b>	OAKLAND	
<b>Facility State:</b>	CA	
<b>Facility County:</b>	ALAMEDA	
<b>Spill Date:</b>	07/10/1989	
<b>Spill Time:</b>	8:45 AM	
<b>Spill Location:</b>	4933 SAN LEANDRO ST	
<b>Discharger Org:</b>	UNK	
<b>Material Spilled 1:</b>	UNK	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #27


**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Material Units 1:	UNK
Is Air Release:	NO
Is Land Release:	NO
Is Water Release:	NO
Is Ground Release:	NO
Is Facility Release:	NO
Is Other Release:	NO
Waterway Affected	NONE
Fields Not Reported by the Source Agency for this Site:	Agency ID(1), Epa ID(1), Facility Zip(1), Case Number(1), Source Agency(1), Discharger Name(1), Discharger Address(1), Discharger Phone(1), Discharger County(1), Discharger City(1), Discharger State(1), Discharger Zip(1), Material Quantity 1(1)

VISTA Address*	<b>CUSTOM PRINTING INKS LTD N CAL</b> <b>909 53RD AVE</b> <b>OAKLAND, CA 94601</b>	VISTA ID#	3765693
		Distance/Direction	0.06 MI / E
		Plotted as	Point

Map ID  
**4B**

<b>RCRA-SmGen - RCRA-Small Generator / SRC# 15</b>		EPA ID:	CAD982356487
Agency Address:	SAME AS ABOVE		
EPA Handler ID:	CAD982356487		
Handler Name:	CUSTOM PRINTING INKS LTD N CAL		
Handler Address:	909 53RD AVE OAKLAND, CA 94601		
Land Type:	PRIVATE		
County:	ALAMEDA		
Latitude:	NOT REPORTED		
Longitude:	NOT REPORTED		
Mailing Address:	2275 MANYA ST SAN DIEGO, CA 92154 -		
Acknowledgement Generated:	19920929		
State District:	2		
Sequence No:	1		
Receipt Date:	19920903		
Source Description:	NOTIFICATION		
Generator Regulatory Status:	RCRA REGULATED		
Generator Indicator:	SMALL QUANTITY GENERATOR		
Owner/Operator Indicator:	CURRENT OWNER		
Owner/Operator Type:	PRIVATE		
Owner/Operator Name:	CUSTOM PRINTING INKS		
Phone:	(619) 429-6200		
Address:	2275 MANYA ST SAN DIEGO CA 92154 4713		
Owner/Operator Indicator:	CURRENT OPERATOR		
Owner/Operator Type:	PRIVATE		
Owner/Operator Name:	NOT REQUIRED		



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Phone:	(415) 555-1212
Address:	NOT REQUIRED NOT REQUIRED ME 99999
Type of Information:	NOTIFICATION
Contact Name:	RICK DUARTE
Contact Title:	N CAL MGR
Contact Phone:	5105322322
Contact Address:	909 FIFTY THIRD AVE OAKLAND, CA 94601 -
Small Quantity Generator:	YES
Fields Not Reported by the Source	(2)
Agency for this Site:	

VISTA Address*	HM HOLDINGS INC 5200 COLISEUM WAY UNIT RD OAKLAND, CA 94621	VISTA ID#	6922176	Map ID <b>5A</b>
		Distance/Direction	0.06 MI / SW	
		Plotted as:	Point	

RCRA SmGen - RCRA-Small Generator / SRC# 15	EPA ID	CAR000016790
---	--------	--------------

Agency Address:	HM HOLDINGS INC 5200 COLISEUM WAY UNIT RD OAKLAND, CA 94601
EPA Handler ID:	CAR000016790
Handler Name:	HM HOLDINGS INC
Handler Address:	5200 COLISEUM WAY UNIT RD OAKLAND, CA 94601
Land Type:	PRIVATE
County:	ALAMEDA
Latitude:	NOT REPORTED
Longitude:	NOT REPORTED
Mailing Address:	300 LAKESIDE DR 24TH FLOOR OAKLAND, CA 94612 -3524
Acknowledgement Generated:	19961212
Sequence No:	1
Receipt Date:	19961209
Source Description:	NOTIFICATION
Generator Regulatory Status:	RCRA REGULATED
Generator Indicator:	SMALL QUANTITY GENERATOR
Owner/Operator Indicator:	CURRENT OWNER
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	HM HOLDINGS
Phone:	(410) 229-4400
Address:	200 INTERNATIONAL CIR HUNT VALLEY MD 21030 1305



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #29

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

**Type of Information:** NOTIFICATION  
**Contact Name:** TIMOTHY COLVIG  
**Contact Title:** ATTORNEY  
**Contact Phone:** 5108359100  
**Contact Address:** 300 LAKESIDE DR 24TH FLOOR  
 OAKLAND, CA 94612 -3524  
**Small Quantity Generator:** YES  
**Fields Not Reported by the Source Agency for this Site:** (1)

<b>VISTA Address:</b>	<b>GLIDDEN CO FORMER 5200 COLISEUM WY OAKLAND, CA 94621</b>	<b>VISTA ID#:</b>	6531937
		<b>Distance/Direction:</b>	0.06 MI / SW
		<b>Plotted as:</b>	Point


Map ID  
**5A**

**State Spills / SRC# 106** EPA/Agency ID: N/A

**Agency Address:** GLIDDEN CO FORMER  
5200 COLISEUM WY  
OAKLAND, CA 94607

**Facility Name:** GLIDDEN CO FORMER  
**Facility Address:** 5200 COLISEUM WY  
OAKLAND, CA 94607  
**Facility County:** ALAMEDA  
**Case ID #:** 0150422  
**Staff:** BG  
**Facility Status:** REFERRED TO OTHER  
**Comment:** G  
**Municipal Wells:** 0  
**Private Wells:** 0  
**Soil Removal:** NOT REPORTED  
**Flow Rate (GPM):** 0  
**Percent of Contamination Contained:** NOT BEGUN  
**Plume Depth I:** 0  
**Plume Depth II:** 0  
**Case Type:** NOT REPORTED  
**Air Release:** NOT REPORTED  
**Land Release:** NO  
**Water Release:** NO  
**Ground Release:** NO  
**Facility Release:** NOT REPORTED  
**Other Release:** NOT REPORTED

**Fields Not Reported by the Source Agency for this Site:** Facility Type(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Lead Agency(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)




**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

VISTA Address*	<b>COLISEUM SELF STORAGE</b>	VISTA ID#:	67313459
	<b>5200 COLISEUM WAY</b>	Distance/Direction:	0.06 MI / SW
	<b>OAKLAND, CA 94601</b>	Plotted as:	Point

Map ID

**5A**

<b>RCRA-SmGen - RCRA-Small Generator / SRC# 15</b>		EPA ID:	CAR000002303
Agency Address:	SAME AS ABOVE		
EPA Handler ID:	CAR000002303		
Handler Name:	COLISEUM SELF STORAGE		
Handler Address:	5200 COLISEUM WAY OAKLAND, CA 94601		
Land Type:	PRIVATE		
County:	ALAMEDA		
Latitude:	NOT REPORTED		
Longitude:	NOT REPORTED		
Mailing Address:	5200 COLISEUM WY OAKLAND, CA 94601 -		
Acknowledgement Generated:	19950510		
Sequence No:	1		
Receipt Date:	19960901		
Source Description:	EPA INSPECTION		
Generator Regulatory Status:	RCRA REGULATED		
Generator Indicator:	SMALL QUANTITY GENERATOR		
Owner/Operator Indicator:	CURRENT OWNER		
Owner/Operator Type:	PRIVATE		
Owner/Operator Name:	MR WALLACE SLOUGH		
Phone:	(510) 283-5759		
Address:	1100 GLEN RD LAFAYETTE CA 94549 3012		
Type of Information:	NOTIFICATION		
Contact Name:	MEG MENDOZA		
Contact Title:	ENGINEER		
Contact Phone:	5102680461		
Contact Address:	171 12TH ST STE 201 OAKLAND, CA 94607 -		
Small Quantity Generator:	YES		
Fields Not Reported by the Source Agency for this Site:	(1)		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: **844501901**

Date of Report: **January 29, 2002**

Version 2.7

Page #31

PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.

VISTA Address:	WHITE GMC TRUCKS OF OAKLA 5050 COLISEUM OAKLAND, CA 94621	VISTA ID#:	2745749
		Distance/Direction:	0.07 MI / SW
		Plotted as:	Point

Map ID  
**5B**

CORTESE / SRC# 53	EPA/Agency ID:	N/A
-------------------	----------------	-----


Agency Address:	WHITE GMC TRUCKS OF OAKLA 5050 COLISEUM OAKLAND, CA 94601
Agency ID:	01-1673
Facility Name:	WHITE GMC TRUCKS OF OAKLA
Facility Address:	5050 COLISEUM
Facility City:	OAKLAND
Facility State:	CA
Facility Zip:	94601
Facility County:	1
Tracking Program:	LEAKING TANK
Site ID:	01-1673
Fields Not Reported by the Source	Epa ID(1), Is Sites(1)
Agency for this Site:	

VISTA Address:	CITY OF OAKLAND MSC 5050 COLISEUM WY OAKLAND, CA 94621	VISTA ID#:	455911
		Distance/Direction:	0.07 MI / SW
		Plotted as:	Point

Map ID  
**5B**

NFRAP / SRC# 18	Agency ID:	0904868
-----------------	------------	---------

Agency Address:	VOLVO WHITE TRUCK 5050 COLISEUM WAY OAKLAND, CA 94601
EPA ID:	CAD981964364
Site ID:	0904868
EPA Region:	09
USGS Hydrologic Unit Code:	18050004
Ownership Type:	PRIVATE
Federal Facility Indicator:	NOT A FEDERAL FACILITY
NPL Status:	NOT ON THE NPL
Hazardous Waste Docket Flag:	NOT ON THE HAZARDOUS WASTEDOCKET
Action:	DISCOVERY
Action Lead:	EPA FUND-FINANCED
Scheduled Completion Date:	SEPTEMBER 30, 1993
Actual Completion Date:	JULY 12, 1993
Action:	PRELIMINARY ASSESSMENT
Action Qualifier:	HIGH
Action Lead:	EPA FUND-FINANCED
Scheduled Completion Date:	SEPTEMBER 30, 1994
Actual Completion Date:	SEPTEMBER 11, 1994
Action:	SCREENING SITE INSPECTION
Action Qualifier:	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)
Action Lead:	EPA FUND-FINANCED
Scheduled Completion Date:	SEPTEMBER 30, 1994



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #32

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Actual Completion Date:</b>	SEPTEMBER 11, 1994
<b>Operable Unit ID:</b>	00
<b>Operable Unit Name:</b>	SITEWIDE
<b>Fields Not Reported by the Source Agency for this Site:</b>	Financial Management System ID(1), Site Incident Category Description(2), Action Qualifier(1), Scheduled Start Date(3), Actual Start Date(3), (1), (1), (1)
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	
<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	VOLVO GMC 5050 COLISEUM WY OAKLAND, CA 94601
<b>Site Name:</b>	VOLVO GMC
<b>Site Location:</b>	5050 COLISEUM WY OAKLAND CA 94601-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-1673
<b>Local Case ID #:</b>	584
<b>Media Affected:</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status:</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	NT  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type:</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered:</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested:</b>	SITE NOT TESTED FOR MTBE
<b>Program Type:</b>	LOCAL OVERSIGHT PROGRAM LUST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak:</b>	STRUCTRE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7639256
<b>Latitude:</b>	-122.2140519
<b>Summary:</b>	16,000PPM PB/5,600PPM ZN IN SOCKP SOIL, 100,000PPB ZN IN GW:REQ FOR CAP. BY COUNTY-6/96
<b>Date Preliminary Site Assessment Workpla</b>	9/3/91
<b>Date Preliminary Site Assessment Began</b>	UNKNOWN
<b>Date Leak was Discovered:</b>	4/9/91
<b>Reported Date:</b>	3/18/91
<b>Date Leak was Stopped:</b>	4/9/91
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #33



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	<b>01-1673</b>
<b>Agency Address:</b>	VOLVO GMC 5050 COLISEUM WY OAKLAND, CA 0		
<b>Case ID #:</b>	01-1673		
<b>Site Name:</b>	VOLVO GMC		
<b>Site Address:</b>	5050 COLISEUM WY OAKLAND, CA ALAMEDA		
<b>Date Entered:</b>	5/17/91		
<b>Maximum Soil:</b>	3500		
<b>Maximum Groundwater:</b>	3100		
<b>Current Benzene:</b>	ND		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY. IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWNGRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).		
<b>Maximum MTBE:</b>	0		
<b>Current MTBE:</b>	ND		
<b>Fields Not Reported by the Source</b>	MTBE Qualifier(1)		
<b>Agency for this Site:</b>			

<b>VISTA Address*</b>	<b>CITY OF OAKLAND MSC</b> <b>5050 COLISEUM WAY</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	<b>67414703</b>
		<b>Distance/Direction:</b>	<b>0.07 MI. / SW</b>
		<b>Plotted as:</b>	<b>Point</b>

Map ID

**5B**

<b>RCRA-SmGen - RCRA-Small Generator / SRC# 15</b>		<b>EPA ID:</b>	<b>CAD981964364</b>
<b>Agency Address:</b>	SAME AS ABOVE		
<b>EPA Handler ID:</b>	CAD981964364		
<b>Handler Name:</b>	CITY OF OAKLAND MSC		
<b>Handler Address:</b>	5050 COLISEUM WAY OAKLAND, CA 94601		
<b>Land Type:</b>	MUNICIPAL		
<b>County:</b>	ALAMEDA		
<b>Latitude:</b>	NOT REPORTED		
<b>Longitude:</b>	NOT REPORTED		
<b>Mailing Address:</b>	1333 BROADWAY STE 330 OAKLAND, CA 94612 -		
<b>Acknowledgement Generated:</b>	19950307		
<b>State District:</b>	2		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #34

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Sequence No:</b>	7
<b>Receipt Date:</b>	19960901
<b>Source Description:</b>	EPA INSPECTION
<b>Generator Regulatory Status:</b>	RCRA REGULATED
<b>Generator Indicator:</b>	SMALL QUANTITY GENERATOR
<b>Owner/Operator Indicator:</b>	PREVIOUS OWNER
<b>Owner/Operator Type:</b>	PRIVATE
<b>Owner/Operator Name:</b>	VOLVO WHITE TRUCK
<b>Phone:</b>	(415) 555-1212
<b>Address:</b>	NOT REQUIRED NOT REQUIRED ME 99999
<b>Owner/Operator Indicator:</b>	CURRENT OWNER
<b>Owner/Operator Type:</b>	MUNICIPAL
<b>Owner/Operator Name:</b>	CITY OF OAKLAND
<b>Phone:</b>	(510) 238-3301
<b>Address:</b>	475 14TH ST OAKLAND CA 94612 192B
<b>Owner/Operator Indicator:</b>	CURRENT OPERATOR
<b>Owner/Operator Type:</b>	PRIVATE
<b>Owner/Operator Name:</b>	NOT REQUIRED
<b>Phone:</b>	(415) 555-1212
<b>Address:</b>	NOT REQUIRED NOT REQUIRED ME 99999
<b>Type of Information:</b>	NOTIFICATION
<b>Contact Name:</b>	GARY GALINDO
<b>Contact Title:</b>	ENV PROG SPEC
<b>Contact Phone:</b>	5102387371
<b>Contact Address:</b>	1333 BROADWAY STE 330 OAKLAND, CA 94612 -
<b>Small Quantity Generator:</b>	YES
<b>Fields Not Reported by the Source</b>	(3)
<b>Agency for this Site:</b>	

<b>VISTA Address*:</b>	<b>MILLENUM HOLDINGS INC 5051 COLISEUM WAY OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	67313553
		<b>Distance/Direction:</b>	0:08 MI / SW
		<b>Plotted as:</b>	Point
<b>RCRA-SmGen - RCRA-Small Generator / SRC# 15</b>		<b>EPA ID:</b>	CAR000005231
<b>Agency Address:</b>	SAME AS ABOVE		
<b>EPA Handler ID:</b>	CAR000005231		
<b>Handler Name:</b>	MILLENUM HOLDINGS INC		
<b>Handler Address:</b>	5051 COLISEUM WAY		

Map ID  
**5B**



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #35

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

	OAKLAND, CA 94601
Land Type:	PRIVATE
County:	ALAMEDA
Latitude:	NOT REPORTED
Longitude:	NOT REPORTED
Mailing Address:	CLAYTON ENVIRONMENTAL CONSULS 1252 QUARRY LN PLEASANTON, CA 94566 - 19980826
Acknowledgement Generated:	19980826
Sequence No:	1
Receipt Date:	19980826
Source Description:	NOTIFICATION
Generator Regulatory Status:	RCRA REGULATED
Generator Indicator:	SMALL QUANTITY GENERATOR
Owner/Operator Indicator:	PREVIOUS OWNER
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	MILLENIUM HOLDINGS
Phone:	(925) 426-2679
Address:	200 INTERNATIONAL CIR. HUNT VALLEY MD 21030 1305
Owner/Operator Indicator:	CURRENT OWNER
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	MILLENIUM HOLDINGS
Phone:	(925) 426-2679
Address:	200 INTERNATIONAL CIR HUNT VALLEY MD 21030 1305
Type of Information:	IMPLEMENTER DEFINED
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRO MANAGER
Contact Address:	CLAYTON ENVIRONMENTAL CONSULS 1252 QUARRY LN PLEASANTON, CA 94566 -
Small Quantity Generator:	YES
Fields Not Reported by the Source Agency for this Site:	(2). Contact Phone(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #36

PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.

VISTA Address*	PG E 5051 COLISEUM WY OAKLAND, CA 94621	VISTA ID#	62431162
		Distance/Direction	0.08 MI / SW
		Plotted as:	Point

Map ID  
**5B**

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----


Agency Address:	PG E 5051 COLISEUM WY OAKLAND, CA 94607
Facility Name:	PG E
Facility Address:	5051 COLISEUM WY OAKLAND, CA 94607
Facility County:	ALAMEDA
Case ID #:	0150408
Staff:	BG
Facility Status:	INACTIVE
Comment	FORMER PAINT PIGMENT MANUFACTURING FACILITY
Lead Agency	711
Municipal Wells:	0
Private Wells:	0
Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NOT DETERMINED
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source	Facility Type(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)
Agency for this Site:	

VISTA Address*	UNKNOWN 50TH AVE AND COLISEUM WAY OAKLAND, CA 94601	VISTA ID#	8574007
		Distance/Direction	0.08 MI / W
		Plotted as:	Point

Map ID  
**5C**

ERNS - Emergency Response Notification System / SRC# 8	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	SAME AS ABOVE
Vista ID:	8574007
Agency ID	93-3318
Facility Name:	UNKNOWN
Facility Address:	50TH AVE AND COLISEUM WAY
Facility City:	OAKLAND
Facility State:	CA




**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

**Facility Zip:** 94601  
**Facility County:** ALAMEDA  
**Spill Date:** 04/05/1993  
**Spill Time:** 10:56 AM  
**Case Number:** 93-3318  
**Spill Location:** 50TH AVE AND COLISEUM WAY  
**Source Agency:** E  
**Discharger Org:** UNKNOWN  
**Material Spilled 1:** OIL  
**Material Quantity 1:** 30.00000000  
**Material Units 1:** GAL  
**Is Air Release:** NO  
**Is Land Release:** NO  
**Is Water Release:** NO  
**Is Ground Release:** NO  
**Is Facility Release:** NO  
**Is Other Release:** NO

**ERNS - Emergency Response Notification System / SRC# 8**      EPA/Agency ID:      N/A

**Agency Address:** SAME AS ABOVE  
**Vista ID:** 8574007  
**Agency ID:** 93-3318  
**Facility Name:** UNKNOWN  
**Facility Address:** 50TH AVE AND COLISEUM WAY  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 94601  
**Facility County:** ALAMEDA  
**Spill Date:** 04/05/1993  
**Spill Time:** 10:56 AM  
**Case Number:** 93-3318  
**Spill Location:** 50TH AVE AND COLISEUM WAY  
**Source Agency:** E  
**Discharger Org:** UNKNOWN  
**Material Spilled 1:** OIL  
**Material Quantity 1:** 30.00000000  
**Material Units 1:** GAL  
**Is Air Release:** NO  
**Is Land Release:** NO  
**Is Water Release:** NO  
**Is Ground Release:** NO  
**Is Facility Release:** NO  
**Is Other Release:** NO

**Fields Not Reported by the Source:** *Epa ID(1), Discharger Name(2), Discharger Address(2), Discharger Phone(2), Discharger County(2), Discharger City(2), Discharger State(2), Discharger Zip(2), Waterway Affected(2), Epa ID(1)*  
**Agency for this Site:**



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #38

PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.

VISTA Address*:	VETERANS CAB CORP 829 54TH AVENUE OAKLAND, CA 94601	VISTA ID#:	64505721
		Distance/Direction:	0.06 MI / SE
		Plotted as:	Point

Map ID  
**6A**

County UST - County Underground Storage Tank / SRC# 92	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	SAME AS ABOVE
Site Name:	VETERANS CAB CORP
Address:	829 54TH AVENUE
City:	OAKLAND
County:	ALAMEDA
State:	CA
Zip:	94601
No Of Tanks:	5
Site Status:	U
Total Aboveground Tanks:	NOT REPORTED
Total Underground Tanks:	5
Total Tanks Removed:	NOT REPORTED
Fields Not Reported by the Source	Permitted(1)
Agency for this Site:	

VISTA Address*:	CHARLES S. CAMPANELLA, INC. 5401 SAN LEANDRO OAKLAND, CA 94621	VISTA ID#:	67416
		Distance/Direction:	0.09 MI / E
		Plotted as:	Point

Map ID  
**6B**

STATE UST - State Underground Storage Tank / SRC# 45	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	CHARLES S. CAMPANELLA, INC. 5401 SAN LEANDRO OAKLAND, CA 94601
Facility Name:	CHARLES S. CAMPANELLA, INC.
Facility Address:	5401 SAN LEANDRO OAKLAND, CA 94601
Facility County:	01000
Total Underground Tanks:	3
Total Aboveground Tanks:	NOT REPORTED
Total Tanks Removed:	3
Tank ID #:	T001U
Tank Contents:	UNLEADED GAS
Tank Age:	0
Tank Capacity:	4000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	UNKNOWN
Tank ID #:	T001U
Tank Contents:	DIESEL
Tank Age:	0
Tank Capacity:	10000 GALLONS



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #39

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**


Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	UNKNOWN
Tank ID #:	T001U
Tank Contents:	LEADED GAS
Tank Age:	0
Tank Capacity:	6000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	UNKNOWN

VISTA Address*	<b>AMERICAN ELECTROFINISHING CO</b> 4933 SAN LEANDRO ST OAKLAND, CA 94601	VISTA ID#:	18875
		Distance/Direction:	0.06 MI / N
		Plotted as:	Point

Map ID  
**7A**


<b>RCRA-Violations / SRC# 11</b>	EPA ID:	CAD009162603
Agency Address:	SAME AS ABOVE	
EPA Handler ID:	CAD009162603	
Handler Name:	AMERICAN ELECTROFINISHING CO	
Handler Address:	4933 SAN LEANDRO ST OAKLAND, CA 94601	
Enforcement Sequence No:	001	
Enforcement Date:	19850206	
Responsible Agency:	STATE	
Enforcement Type:	120 - WRITTEN INFORMAL	
Violation Sequence No:	0001	
Determining Agency:	STATE	
Determined Date:	19850129	
Compliance Date:	19921223	
Responsible Agency:	STATE	
Area Of Violation:	GGR - GENERATOR-GENERAL REQUIREMENTS	
Fields Not Reported by the Source	Citation(1)	
Agency for this Site:		

<b>RCRA-LqGen - RCRA-Large Generator / SRC# 16</b>	EPA ID:	CAD009162603
Agency Address:	SAME AS ABOVE	
EPA Handler ID:	CAD009162603	
Handler Name:	AMERICAN ELECTROFINISHING CO	
Handler Address:	4933 SAN LEANDRO ST OAKLAND, CA 94601	
Land Type:	NOT ON INDIAN LAND, OTHERWISE UNKNOWN	
County:	ALAMEDA	
Latitude:	3745520	
Longitude:	12212331	



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Mailing Address:</b>	4933 SAN LEANDRO STREET OAKLAND, CA 94601 - 19910331
<b>Acknowledgement Generated:</b>	19910331
<b>State District:</b>	2
<b>Sequence No:</b>	1
<b>Receipt Date:</b>	19960901
<b>Source Description:</b>	EPA INSPECTION
<b>Generator Regulatory Status:</b>	RCRA REGULATED
<b>Generator Indicator:</b>	LARGE QUANTITY GENERATOR
<b>Owner/Operator Indicator:</b>	CURRENT OWNER
<b>Owner/Operator Type:</b>	PRIVATE
<b>Owner/Operator Name:</b>	LEEDY PLATING
<b>Phone:</b>	(415) 555-1212
<b>Address:</b>	NOT REQUIRED
<b>Owner/Operator Indicator:</b>	CURRENT OPERATOR
<b>Owner/Operator Type:</b>	PRIVATE
<b>Owner/Operator Name:</b>	NOT REQUIRED
<b>Phone:</b>	(415) 555-1212
<b>Address:</b>	NOT REQUIRED
<b>SIC Sequence No:</b>	0001
<b>Primary SIC Indicator:</b>	PRIMARY
<b>SIC Code Source:</b>	REPORTED BY FACILITY
<b>SIC Code and Description:</b>	3471 - MANUFACTURING - PLATING AND POLISHING
<b>Type of Information:</b>	NOTIFICATION
<b>Contact Name:</b>	ENVIRONMENTAL MANAGER
<b>Contact Title:</b>	ENVIRO MANAGER
<b>Contact Phone:</b>	4155336831
<b>Contact Address:</b>	4933 SAN LEANDRO ST OAKLAND, CA 94601 -
<b>Large Quantity Generator:</b>	YES
<b>Evaluation Date:</b>	19850129
<b>Responsible Agency:</b>	STATE
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19910708
<b>Responsible Agency:</b>	STATE CONTRACTOR
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19930202
<b>Responsible Agency:</b>	STATE CONTRACTOR
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19921223



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #41



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Responsible Agency:	STATE CONTRACTOR
Evaluation Type:	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Date:	19911226
Responsible Agency:	STATE CONTRACTOR
Evaluation Type:	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Date:	19940511
Responsible Agency:	STATE CONTRACTOR
Evaluation Type:	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
Fields Not Reported by the Source	(2)
Agency for this Site:	
<b>STATE UST - State Underground Storage Tank / SRC# 45</b>	
EPA/Agency ID:	N/A
Agency Address:	LEEDY PLATING INC AMERICAN 4933 SAN LEANDRO OAKLAND, CA 94601
Facility Name:	LEEDY PLATING INC AMERICAN
Facility Address:	4933 SAN LEANDRO OAKLAND, CA 94601
Facility County:	01000
Total Underground Tanks:	3
Total Aboveground Tanks:	NOT REPORTED
Total Tanks Removed:	0
Tank ID #:	T001U
Tank Age:	0
Tank Capacity:	375 GALLONS
Tank Status:	ACTIVE/IN SERVICE
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	CONCRETE
Tank ID #:	T001U
Tank Age:	0
Tank Capacity:	375 GALLONS
Tank Status:	ACTIVE/IN SERVICE
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	CONCRETE
Tank ID #:	T001U
Tank Age:	0
Tank Capacity:	7500 GALLONS
Tank Status:	ACTIVE/IN SERVICE
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	CONCRETE
Fields Not Reported by the Source	Tank Contents(3)
Agency for this Site:	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #42

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

VISTA Address*	<b>CALIFORNIA STEEL PROCESSING CO INC</b> <b>848 49TH AVE</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	73168
		Distance/Direction:	0.07 MI /NW
		Plotted as:	Point

Map ID

**7B**

<b>RCRA-LgGen - RCRA-Large Generator / SRC# 16</b>	EPA ID:	CAD074643701
--	---------	--------------

Agency Address:	SAME AS ABOVE
EPA Handler ID:	CAD074643701
Handler Name:	CALIFORNIA STEEL PROCESSING CO INC
Handler Address:	848 49TH AVE OAKLAND, CA 94601


Land Type:	NOT ON INDIAN LAND, OTHERWISE UNKNOWN
County:	ALAMEDA
Latitude:	3745592
Longitude:	12212446
Mailing Address:	848 49TH AVE OAKLAND, CA 94601 -

Acknowledgement Generated:	19910331
State District:	2
Sequence No:	1
Receipt Date:	19960901
Source Description:	EPA INSPECTION
Generator Regulatory Status:	RCRA REGULATED
Generator Indicator:	LARGE QUANTITY GENERATOR
Owner/Operator Indicator:	CURRENT OWNER
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	NOT REQUIRED
Phone:	(415) 555-1212
Address:	NOT REQUIRED ME 99999

Owner/Operator Indicator:	CURRENT OPERATOR
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	NOT REQUIRED
Phone:	(415) 555-1212
Address:	NOT REQUIRED ME 99999

SIC Sequence No:	0001
Primary SIC Indicator:	PRIMARY
SIC Code Source:	REPORTED BY FACILITY
SIC Code and Description:	3471 - MANUFACTURING - PLATING AND POLISHING

Type of Information:	NOTIFICATION
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRO MANAGER
Contact Phone:	4155363800



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #43

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

**Contact Address:** 848 49TH AVE  
OAKLAND, CA  
94601 -

**Large Quantity Generator:** YES

**Fields Not Reported by the Source:** (2)

**Agency for this Site:**

<b>VISTA Address*</b>	<b>ECON GAS T D</b> 4930 COLISEUM WY. OAKLAND, CA 94621	<b>VISTA ID#:</b>	3995811
		<b>Distance/Direction:</b>	0.10 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**8**

**AST - Above Ground Storage Tank / SRC# 60**

<b>Agency Address:</b>	ECON GAS T D 4930 COLISEUM WY. OAKLAND, CA 0
<b>Facility Name:</b>	ECON GAS T D
<b>Facility Address:</b>	4930 COLISEUM WY. OAKLAND
<b>Facility Region:</b>	CA 2
<b>Owner Name:</b>	PG E
<b>Owner Name II:</b>	GENERAL CONSTRUCTION, GAS DEPT
<b>Owner Address:</b>	4930 COLISEUM WY. OAKLAND CA 94601
<b>Total Underground Tanks:</b>	NOT REPORTED
<b>Total Tanks Removed:</b>	UNKNOWN
<b>Fields Not Reported by the Source</b>	Total Aboveground Tanks(1)
<b>Agency for this Site:</b>	

<b>VISTA Address*</b>	<b>G.C. GAS YARD</b> 4930 COLISEUM OAKLAND, CA 94621	<b>VISTA ID#:</b>	1223612
		<b>Distance/Direction:</b>	0.10 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**8**

**STATE UST - State Underground Storage Tank / SRC# 45**

<b>Agency Address:</b>	G.C. GAS YARD 4930 COLISEUM OAKLAND, CA 94604
<b>Facility Name:</b>	G.C. GAS YARD
<b>Facility Address:</b>	4930 COLISEUM OAKLAND, CA 94604
<b>Facility County:</b>	01000G.C.
<b>Total Underground Tanks:</b>	2
<b>Total Aboveground Tanks:</b>	NOT REPORTED
<b>Total Tanks Removed:</b>	2
<b>Tank ID #:</b>	001U
<b>Tank Contents</b>	DIESEL
<b>Tank Age:</b>	0



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Tank Capacity:	1000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	UNKNOWN
Tank ID #:	001U
Tank Contents:	OIL (NOT SPECIFIED)
Tank Age:	0
Tank Capacity:	500 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	UNKNOWN

VISTA Address*	<b>PGE OAKLAND</b> <b>4930 COLISEUM WAY</b> <b>OAKLAND, CA 94621</b>	VISTA ID#:	327995
		Distance/Direction:	0.10 MI / W
		Plotted as:	Point

Map ID


**8**

<b>North Bay / SRC# 47</b>	EPA/Agency ID:	N/A
----------------------------	----------------	-----

Agency Address:	PGE OAKLAND 4930 COLISEUM WAY OAKLAND, CA 94601
Facility Name:	PGE OAKLAND
Facility Address:	4930 COLISEUM WAY
Facility City:	OAKLAND
Facility State:	CA
Facility Zip:	94601
Facility Name:	PGE OAKLAND
Facility Address:	4930 COLISEUM WAY
Facility City:	OAKLAND
Facility State:	CA
Facility Zip:	94601
Fields Not Reported by the Source	Agency ID(2), Epa ID(2), Facility County(2)
Agency for this Site:	

<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
--------------------------	----------------	-----

Agency Address:	PG E ENCON GAS 4930 COLISEUM OAKLAND, CA 0 01-0278
Agency ID:	
Facility Name:	PG E ENCON GAS
Facility Address:	4930 COLISEUM
Facility City:	OAKLAND
Facility State:	CA
Facility County:	1
Tracking Program:	LEAKING TANK
Site ID:	01-0278
Fields Not Reported by the Source	Epa ID(1), Facility Zip(1), Is Sites(1)
Agency for this Site:	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #45

PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.

State Spills / SRC# 106	EPA/Agency ID:	N/A
Agency Address:	SINGER FRIDEN SITE 2350 WASHINGTON AVE SAN LEANDRO, CA 0	
Facility Name:	SINGER FRIDEN SITE	
Facility Address:	2350 WASHINGTON AVE SAN LEANDRO, CA ALAMEDA	
Facility County:	ALAMEDA	
Case ID #:	01S0278	
Staff:	CTH	
Facility Status:	INACTIVE	
Lead Agency	RWQCB	
Municipal Wells:	0	
Private Wells:	0	
Soil Removal	NOT REPORTED	
Flow Rate(GPM):	0	
Percent of Contamination Contained:	NOT BEGUN	
Plume Depth I:	0	
Plume Depth II:	0	
Case Type:	NO TANKS	
Air Release:	NOT REPORTED	
Land Release:	NO	
Water Release:	NO	
Ground Release:	NO	
Facility Release:	NOT REPORTED	
Other Release:	NOT REPORTED	

State Spills / SRC# 106	EPA/Agency ID:	N/A
Agency Address:	PG E 4930 COLISEUM WY OAKLAND, CA 94607	
Facility Name:	PG E	
Facility Address:	4930 COLISEUM WY OAKLAND, CA 94607 ALAMEDA	
Facility County:	ALAMEDA	
Case ID #:	01S0279	
Staff:	BG	
Facility Type	INDUSTRIAL	
Facility Status:	CLOSED	
Lead Agency	RWQCB/ACDEH	
Municipal Wells:	0	
Private Wells:	0	
Soil Removal	NOT REPORTED	
Flow Rate(GPM):	0	
Percent of Contamination Contained:	NOT BEGUN	
Plume Depth I:	0	
Plume Depth II:	0	
Case Type:	NO TANKS	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #46

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Facility Type(1), Comment(2), Discovery Date(2), Material(s) Spilled(2)Started(1), Soil/Contaminant Removal Completed(2), Groundwater Extract/Decontamination Requi(2), Groundwater Extract/Decontamination Star(4), Groundwater Extract/Decontamination Need(2), Flow Date(2), Contaminant Level(2), Communication Submitted(2), (1), Sample Data(1), Soil/Contaminant Removal Started(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164**    EPA/Agency ID:    N/A

<b>Agency Address:</b>	PG E GAS SERVICE 4930 COLISEUM WY OAKLAND, CA 94601
<b>Site Name:</b>	PG E GAS SERVICE
<b>Site Location:</b>	4930 COLISEUM WY
<b>Site County:</b>	OAKLAND CA 94601- ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-0278
<b>Local Case ID #:</b>	67
<b>Media Affected</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status:</b>	POLLUTION CHARACTERIZATION
<b>Substance Leaked:</b>	DIESEL
<b>Abatement Method:</b>	NT  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED NONE TAKEN
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM LIST
<b>Repsonsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7643096
<b>Latitude:</b>	-122.215063
<b>Summary</b>	ALSO A NBC CASE 01NBC0036 -LOW (VOC) ON SITE. CONTAMINANTS APPEAR TO CURRENTLY COMEFROM OFFSITE SOURCE TO THENORTH.
<b>Date Pollution Characterization Began</b>	7/1/92
<b>Date Leak was Discovered:</b>	7/1/92
<b>Reported Date:</b>	1/1/90
<b>Date Leak was Stopped:</b>	7/1/92



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #47

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile): CONT.**

**Fields Not Reported by the Source Agency for this Site:**

*Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)*

<b>STATE:</b> LUST - State Leaking Underground Storage Tank /	<b>SRC#:</b> 853	<b>Agency ID:</b>	01-0278
<b>Agency Address:</b>	PG E GAS SERVICE 4930 COLISEUM WY OAKLAND, CA 0 01-0278		
<b>Case ID #:</b>			
<b>Site Name:</b>	PG E GAS SERVICE		
<b>Site Address:</b>	4930 COLISEUM WY OAKLAND, CA ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	9/9/92		
<b>Maximum Soil:</b>	3900		
<b>Maximum Groundwater:</b>	16000		
<b>Current Benzene:</b>	15		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	POLLUTION CHARACTERIZATION UNDERWAY: THIS PHASE OF WORK INVOLVES THE DEFINITION OF THE BOUNDARIES OF THE CONTAMINATED PLUME. IN ORDER TO BEA SC THE RESPONSIBLE PARTY MUST BE TAKING STEPS TO FURTHER DEFINE THE LATERAL AND VERTICAL EXTENT OF CONTAMINATION IN THE SOIL AND GROUNDWATER. THIS PHASE IS CHARACTERIZED BY THE INSTALLATION OF ADDITIONAL MONITORING WELLS AND/OR BORINGS, AQUIFER TESTS, SOIL GAS SURVEYS, CONTINUAL GROUNDWATER GRADIENT DETERMINATIONS AND MONITORING, AND AN ASSESSMENT OF ALL IMPACTS ON SURFACE AND GROUNDWATER.		

**Fields Not Reported by the Source Agency for this Site:**

*MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)*

<b>VISTA Address*:</b>	<b>L M PLATING DOHS TOXICS</b> 420 54TH AVE OAKLAND, CA 94621	<b>VISTA ID#:</b>	247883
		<b>Distance/Direction:</b>	0.11 MI / E
		<b>Plotted as:</b>	Point

Map ID

9

<b>RCRA-SmGen - RCRA Small Generator /</b>	<b>SRC#:</b> 15	<b>EPA ID:</b>	CAD028797272
<b>Agency Address:</b>	L M PLATING DOHS TOXICS 420 54TH AVE OAKLAND, CA 94601 CAD028797272		
<b>EPA Handler ID:</b>	CAD028797272		
<b>Handler Name:</b>	L M PLATING DOHS TOXICS		
<b>Handler Address:</b>	420 54TH AVE OAKLAND, CA 94601 NOT ON INDIAN LAND, OTHERWISE UNKNOWN		
<b>Land Type:</b>	ALAMEDA		
<b>County:</b>	ALAMEDA		
<b>Latitude:</b>	NOT REPORTED		
<b>Longitude:</b>	NOT REPORTED		
<b>Mailing Address:</b>	2151 BERKELEY WAY ANNEX T BERKELEY, CA 94704 -		
<b>Acknowledgement Generated:</b>	19910331		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7.

Page #48


**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

State District:	2
Sequence No:	1
Receipt Date:	19960901
Source Description:	EPA INSPECTION
Generator Regulatory Status:	RCRA REGULATED
Generator Indicator:	SMALL QUANTITY GENERATOR
Owner/Operator Indicator:	CURRENT OWNER
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	VICTOR VASQUEZ
Phone:	(415) 555-1212
Address:	NOT REQUIRED NOT REQUIRED ME 99999
Owner/Operator Indicator:	CURRENT OPERATOR
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	NOT REQUIRED
Phone:	(415) 555-1212
Address:	NOT REQUIRED NOT REQUIRED ME 99999
Type of Information:	NOTIFICATION
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRO MANAGER
Contact Phone:	4155403414
Contact Address:	420 54TH AVE OAKLAND, CA 94601 -
Small Quantity Generator:	YES
Fields Not Reported by the Source	(2)
Agency for this Site:	

VISTA Address*	L M PLATING 920 54TH OAKLAND, CA 94601	VISTA ID#:	1153026
		Distance/Direction:	0.11 MI / E
		Plotted as:	Point

Map ID  
**9**

North Bay / SRC# 47		EPA/Agency ID:	N/A
Agency Address:	SAME AS ABOVE		
Facility Name:	L M PLATING		
Facility Address:	920 54TH		
Facility City:	OAKLAND		
Facility State:	CA		
Facility Zip:	94601		
Facility Name:	L M PLATING		
Facility Address:	920 54TH		
Facility City:	OAKLAND		
Facility State:	CA		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #49



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Facility Zip:</b>	94601
<b>Fields Not Reported by the Source</b>	Agency ID(2), Epa ID(2), Facility County(2)
<b>Agency for this Site:</b>	
<b>SCL - State Equivalent CERCLIS List / SRC# 112</b>	<b>Agency ID:</b> 01340109
<b>Agency Address:</b>	LM PLATING 920/930 54TH AVENUE OAKLAND, CA 94601
<b>Agency ID:</b>	01340109
<b>Facility Name:</b>	LM PLATING
<b>Facility Address:</b>	920/930 54TH AVENUE OAKLAND, CA. 94601
<b>Region:</b>	BERKELEY
<b>County:</b>	ALAMEDA
<b>Branch:</b>	NORTH COAST
<b>Status Date:</b>	11011989
<b>Status:</b>	CERT
<b>Status Description:</b>	CERTIFIED
<b>Lead Agency:</b>	DEPT OF TOXIC SUBSTANCES CONTROL
<b>Type Name:</b>	N/A
<b>NPL:</b>	N
<b>SIC Number:</b>	34
<b>SIC Name:</b>	MANU - FABRICATED METAL PRODUCTS
<b>Water Control Board Region:</b>	SAN FRANCISCO BAY
<b>Cortese:</b>	D
<b>Hazard Ranking Score:</b>	09.10
<b>Hazard Ranking Date:</b>	07041776
<b>Groundwater:</b>	N
<b>Number of Sources:</b>	0
<b>Latitude:</b>	0-DEG, 0-MIN, 0-SEC
<b>Latitude Direction:</b>	NOT REPORTED
<b>Longitude:</b>	0-DEG, 0-MIN, 0-SEC
<b>Longitude Direction:</b>	NOT REPORTED
<b>Alternate Address:</b>	920/930 54TH AVENUE OAKLAND, CA. 94601
<b>Alternate Name:</b>	LM PLATING
<b>Comment Key:</b>	10
<b>Activity Number:</b>	COST
<b>Type of Activity:</b>	COST RECOVERY
<b>Comment Description:</b>	FILED
<b>Completion Date:</b>	09031991
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	CERTIFIED
<b>Cubic Yards Removed:</b>	0
<b>Gallons Removed:</b>	0
<b>Yards Treated:</b>	0
<b>Gallons Treated:</b>	0
<b>Comment Key:</b>	9



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Activity Number:	RAP
Type of Activity:	REMEDIAL ACTION PLAN / RECORD OF DECISION
Comment Description:	1
Completion Date:	11301989
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	8
Activity Number:	CERT
Type of Activity:	CERTIFICATION
Completion Date:	11301989
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	7
Activity Number:	RA
Type of Activity:	REMOVAL ACTION
Comment Description:	SOILS
Completion Date:	03311989
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	6
Activity Number:	RIFS
Type of Activity:	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
Comment Description:	1
Completion Date:	03311988
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	5
Activity Number:	RA
Type of Activity:	REMOVAL ACTION



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #51

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Comment Description:	DMTK
Completion Date:	08311987
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	4
Activity Number:	RA
Type of Activity:	REMOVAL ACTION
Comment Description:	BERM
Completion Date:	01311987
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	3
Activity Number:	PPP
Type of Activity:	PUBLIC PARTICIPATION PLAN
Comment Description:	1
Completion Date:	11301986
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	2
Activity Number:	FDNC
Type of Activity:	FINAL DETERMINATION OF NON-COMPLIANCE
Completion Date:	06301986
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	1
Activity Number:	ORDER
Type of Activity:	1/SE, IORSE, FFA, FFSRA, VCA, EA
Comment Description:	1-ISE
Completion Date:	04301986



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #52

**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Agency ID:	01340109
Comments:	THIS IS THE DATE THE SITE WAS FIRST LISTED PURSUANT TO SECTION 25356. REMOVAL ACTION 1: FENCE POST, BERM. REMOVAL ACTION 2: DRUM AND TANK REMOVAL. REMOVAL ACTION 3: SOIL REMOVAL - APPROXIMATELY 755 CUBIC YARDS OF CONTAMINATED SOILS, CONCRETE AND BUILDING DEBRIS WERE REMOVED AND DISPOSED AT A CLASS I LANDFILL. APPROXIMATELY 350 CUBIC YARDS OF CLEAN SOIL WAS IMPORTED TO RESTORE THE EXCAVATED AREA. SEVERAL ABANDONED TRAILERS WHICH WERE ON THE SITE WERE DECONTAMINATED AND REMOVED. RECORDS SEARCH: SITE LISTED IN 1989 BONDEXPENDITURE PLAN. RECORDS SEARCH: LM PLATED METALS WITH ZINC, CHROME, AND NICKEL FINISH FROM 1977 UNTIL 1983 WHEN AN EXTENSIVE FIRE OCCURRED AND DESTROYED THE MAJORITY OF THE PLATING OPERATIONS. SOILS CONTAINED CYANIDE AND HEAVY METALS. THE SITE WAS CERTIFIED IN NOVEMBER 1989. COST RECOVERY CASE FOR LM PLATING WAS FILED ON THIS DATE. THE TOTAL COSTS TO THE DEPARTMENT WERE \$976,000. THE RP IS IN A DIRE FINANCIAL SITUATION AND CLOSE TO BANKRUPTCY. THE CASE WAS SETTLED FOR \$240,000 TO BE PAID OVER EIGHT YEARS. THE SETTLEMENT ALSO INCLUDES STIPULATED PENALTIES OF ABOUT \$80,000 IF THE RP FILES FOR BANKRUPTCY.
Fields Not Reported by the Source Agency for this Site:	Tier(1), Fund(1), Access(1), Comment Description(2)

VISTA Address*:	LM PLATING CO 920 54TH AVE OAKLAND, CA 94621	VISTA ID#:	7529926	Map ID <b>9</b>
		Distance/Direction:	0.11 MI / E	
		Plotted as:	Point	
NFRAP / SRC# 18		Agency ID:	0901277	

Agency Address:	LM PLATING CO 920 54TH AVE OAKLAND, CA 94601
EPA ID:	CAD028797272
Site ID:	0901277
EPA Region:	09
USGS Hydrologic Unit Code:	18050004
Ownership Type:	UNKNOWN
Federal Facility Indicator:	NOT A FEDERAL FACILITY
NPL Status:	NOT ON THE NPL
Hazardous Waste Docket Flag:	NOT ON THE HAZARDOUS WASTE DOCKET
Action:	DISCOVERY
Action Lead:	EPA FUND-FINANCED
Actual Completion Date:	NOVEMBER 1, 1979
Action:	PRELIMINARY ASSESSMENT
Action Qualifier:	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)
Action Lead:	EPA FUND-FINANCED
Actual Completion Date:	SEPTEMBER 1, 1982
Operable Unit ID:	00
Operable Unit Name:	SITEWIDE



**PROPERTY AND THE ADJACENT AREA (within 1/8 mile) CONT.**

<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Financial Management System ID(1), Site Incident Category Description(2), Action Qualifier(1), Scheduled Start Date(2), Scheduled Completion Date(2), Actual Start Date(2), (1), (1), (1)</i>
--	--

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	L M PLATING 920 54TH AVE OAKLAND, CA 94607	
<b>Facility Name:</b>	L M PLATING	
<b>Facility Address:</b>	920 54TH AVE OAKLAND, CA 94607	
<b>Facility County:</b>	ALAMEDA	
<b>Case ID #:</b>	01S0084	
<b>Staff:</b>	BG	
<b>Facility Status:</b>	INACTIVE	
<b>Lead Agency</b>	RWQCB	
<b>Municipal Wells:</b>	0	
<b>Private Wells:</b>	0	
<b>Soil Removal</b>	NOT REPORTED	
<b>Flow Rate(GPM):</b>	0	
<b>Percent of Contamination Contained:</b>	NOT BEGUN	
<b>Plume Depth I:</b>	0	
<b>Plume Depth II:</b>	0	
<b>Case Type:</b>	NO TANKS	
<b>Air Release:</b>	NOT REPORTED	
<b>Land Release:</b>	NO	
<b>Water Release:</b>	NO	
<b>Ground Release:</b>	NO	
<b>Facility Release:</b>	NOT REPORTED	
<b>Other Release:</b>	NOT REPORTED	
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)</i>	

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile)**

<b>VISTA Address*</b>	<b>MEPACO, INC.</b> 1226 49TH OAKLAND, CA 94601	<b>VISTA ID#:</b>	1262059
		<b>Distance/Direction:</b>	0.14 MI / N
		<b>Plotted as:</b>	Point
<b>STATE UST - State Underground Storage Tank / SRC# 45</b>	<b>EPA/Agency ID:</b>	N/A	
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Facility Name:</b>	MEPACO, INC.		
<b>Facility Address:</b>	1226 49TH OAKLAND, CA 94601		
<b>Facility County:</b>	01000MASAD		
<b>Total Underground Tanks:</b>	7		

Map ID

**10A**



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #54

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

<b>Total Aboveground Tanks:</b>	NOT REPORTED
<b>Total Tanks Removed:</b>	1
<b>Tank ID #:</b>	T001U
<b>Tank Contents:</b>	UNLEADED GAS
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	550
	GALLONS
<b>Tank Status:</b>	CLOSED REMOVED
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL

<b>STATE:</b> LUST	<b>State Leaking Underground Storage Tank / SRC#:</b> 164	<b>EPA/Agency ID:</b>	N/A
--------------------	---	-----------------------	-----

<b>Agency Address:</b>	MEPACO 1226 49TH AVE OAKLAND, CA 94601
<b>Site Name:</b>	MEPACO
<b>Site Location:</b>	1226 49TH AVE OAKLAND CA 94601-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-0962
<b>Local Case ID #:</b>	01-0962
<b>Media Affected:</b>	SOIL ONLY
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status:</b>	CASE CLOSED
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	NT CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/LK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type:</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered:</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested:</b>	SITE NOT TESTED FOR MTBE
<b>Program Type:</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak:</b>	STRUCTRE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7684095
<b>Latitude:</b>	-122.2109628
<b>Date Case was Closed:</b>	9/30/91
<b>Date Leak was Discovered:</b>	3/21/92
<b>Reported Date:</b>	3/21/92
<b>Date Leak was Stopped:</b>	3/21/92



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Fields Not Reported by the Source Agency for this Site:** *Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Summary(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)*

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853** Agency ID: 01-0962

**Agency Address:** MEPACO  
1226 49TH AVE  
OAKLAND, CA 0

**Case ID #:** 01-0962

**Site Name:** MEPACO

**Site Address:** 1226 49TH AVE  
OAKLAND, CA  
ALAMEDA

**Site County:** ALAMEDA

**Date Entered:** 4/26/91

**Maximum Soil:** 12

**Substance Leaked:** NOT REPORTED

**Media Affected:** NOT REPORTED

**Discovery Date:** NOT REPORTED

**Site Status:** CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.

**Fields Not Reported by the Source Agency for this Site:** *Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)*

<b>VISTA Address*</b>	<b>VEISS-ZAKEN SCRAP METAL IRON</b>	<b>VISTA ID#:</b>	3867314
	1249 49TH AVENUE	<b>Distance/Direction:</b>	0.22 MI./N
	OAKLAND, CA 94601	<b>Plotted as:</b>	Point

Map ID  
**10B**

**North Bay / SRC# 47** EPA/Agency ID: N/A

**Agency Address:** SAME AS ABOVE

**Facility Name:** VEISS-ZAKEN SCRAP METAL IRON

**Facility Address:** 1249 49TH AVENUE

**Facility City:** OAKLAND

**Facility State:** CA

**Facility Zip:** 94601

**Facility Name:** VEISS-ZAKEN SCRAP METAL IRON

**Facility Address:** 1249 49TH AVENUE

**Facility City:** OAKLAND

**Facility State:** CA

**Facility Zip:** 94601


**Fields Not Reported by the Source Agency for this Site:** *Agency ID(2), Epa ID(2), Facility County(2)*

**State Spills / SRC# 106** EPA/Agency ID: N/A

**Agency Address:** VEISS ZAKEN SCRAP METAL IRON  
1249 49TH AVE  
OAKLAND, CA 94607

**Facility Name:** VEISS ZAKEN SCRAP METAL IRON

**Facility Address:** 1249 49TH AVE  
OAKLAND, CA  
94607




**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

Facility County:	ALAMEDA
Case ID #:	01S0150
Staff:	BG
Facility Status:	INACTIVE
Lead Agency:	RWQCB
Municipal Wells:	0
Private Wells:	0
Soil Removal:	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NO TANKS
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

VISTA Address*	<b>NL INDS INC PIGMENTS CHEM DIV</b> <b>4701 SAN LEANDRO ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	297983
		Distance/Direction:	0.18 MI / NW
		Plotted as:	Point

Map ID  
**11A**

NFRAP / SRC# 18	Agency ID:	0901878
Agency Address:	SAME AS ABOVE	
EPA ID:	CAD980637151	
Site ID:	0901878	
EPA Region:	09	
USGS Hydrologic Unit Code:	18050004	
Ownership Type:	UNKNOWN	
Federal Facility Indicator:	NOT A FEDERAL FACILITY	
NPL Status:	NOT ON THE NPL	
Hazardous Waste Docket Flag:	NOT ON THE HAZARDOUS WASTEDOCKET	
Action:	DISCOVERY	
Action Lead:	EPA FUND-FINANCED	
Actual Completion Date:	JUNE 1, 1981	
Action:	PRELIMINARY ASSESSMENT	
Action Qualifier:	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)	
Action Lead:	EPA FUND-FINANCED	
Actual Completion Date:	JANUARY 1, 1986	
Operable Unit ID:	00	
Operable Unit Name:	SITEWIDE	





**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Fields Not Reported by the Source  
Agency for this Site:**

*Financial Management System ID(1), Site Incident Category Description(2), Action Qualifier(1), Scheduled Start Date(2), Scheduled Completion Date(2), Actual Start Date(2), (1), (1), (1)*


VISTA Address*	<b>WASTE OIL RECOVERY SYSTEM 4701 SAN LEANDRO BOULEVARD OAKLAND, CA 94601</b>	VISTA ID#:	460427
		Distance/Direction:	0.18 MI./NW
		Plotted as:	Point

Map ID

**11A**

**STATE UST - State Underground Storage Tank / SRC# 45** EPA/Agency ID: N/A

<b>Agency Address:</b>	WASTE OIL RECOVERY SYSTEMS 4701 SAN LEANDRO OAKLAND, CA 94601
<b>Facility Name:</b>	WASTE OIL RECOVERY SYSTEMS
<b>Facility Address:</b>	4701 SAN LEANDRO OAKLAND, CA 94601
<b>Facility County:</b>	01000
<b>Total Underground Tanks:</b>	3
<b>Total Aboveground Tanks:</b>	NOT REPORTED
<b>Total Tanks Removed:</b>	3
<b>Tank ID #:</b>	T001U
<b>Tank Contents</b>	OIL (NOT SPECIFIED)
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	20000 GALLONS
<b>Tank Status:</b>	CLOSED REMOVED
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL
<b>Tank ID #:</b>	T001U
<b>Tank Contents</b>	OIL (NOT SPECIFIED)
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	10000 GALLONS
<b>Tank Status:</b>	CLOSED REMOVED
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL
<b>Tank ID #:</b>	T001U
<b>Tank Contents</b>	OIL (NOT SPECIFIED)
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	10000 GALLONS
<b>Tank Status:</b>	CLOSED REMOVED
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

VISTA Address*	<b>NATIONAL LEAD CO</b> <b>47TH AVE E 10TH ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	290702
		Distance/Direction:	0.20 MI / NW
		Plotted as:	Point


Map ID  
**11B**

<b>NFRAP / SRC# 18</b>	Agency ID:	0901877
<b>Agency Address:</b>	SAME AS ABOVE	
<b>EPA ID:</b>	CAD980637144	
<b>Site ID:</b>	0901877	
<b>EPA Region:</b>	09	
<b>USGS Hydrologic Unit Code:</b>	18050004	
<b>Ownership Type:</b>	UNKNOWN	
<b>Federal Facility Indicator:</b>	NOT A FEDERAL FACILITY	
<b>NPL Status:</b>	NOT ON THE NPL	
<b>Hazardous Waste Docket Flag:</b>	NOT ON THE HAZARDOUS WASTEDOCKET	
<b>Action:</b>	DISCOVERY	
<b>Action Lead:</b>	EPA FUND-FINANCED	
<b>Actual Completion Date:</b>	JUNE 1, 1987	
<b>Action:</b>	PRELIMINARY ASSESSMENT	
<b>Action Qualifier:</b>	LOW	
<b>Action Lead:</b>	EPA FUND-FINANCED	
<b>Actual Completion Date:</b>	NOVEMBER 1, 1987	
<b>Action:</b>	PRELIMINARY ASSESSMENT	
<b>Action Qualifier:</b>	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)	
<b>Action Lead:</b>	EPA FUND-FINANCED	
<b>Actual Completion Date:</b>	AUGUST 1, 1988	
<b>Operable Unit ID:</b>	00	
<b>Operable Unit Name:</b>	SITEWIDE	
<b>Fields Not Reported by the Source</b>	Financial Management System ID(1), Site Incident Category Description(1), Action Qualifier(1), Scheduled Start Date(2), Scheduled Completion Date(2), Actual Start Date(1)	
<b>Agency for this Site:</b>		

VISTA Address*	<b>PETERSON PROPERTY</b> <b>1066 47TH ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	1152107
		Distance/Direction:	0.21 MI / N
		Plotted as:	Point

Map ID  
**11C**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
<b>Agency Address:</b>	PETERSON PROPERTY 1066 47TH AVE OAKLAND, CA 94601	
<b>Site Name:</b>	PETERSON PROPERTY	
<b>Site Location:</b>	1066 47TH AVE OAKLAND CA 94601- ALAMEDA	
<b>Site County:</b>	ALAMEDA	
<b>Water Quality Control Board Region:</b>	02	
<b>Case ID #:</b>	01-1161	
<b>Local Case ID #:</b>	3790	
<b>Media Affected</b>	OTHER GROUNDWATER	
<b>Lead Agency:</b>	LOCAL AGENCY LEAD	
<b>Remediation Status</b>	CASE CLOSED	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #59

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Substance Leaked:** DIESEL  
**Abatement Method:** ED  
*CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED*  
**Enforcement Type:** NONE TAKEN  
**Funding By:** FEDERAL FUNDS  
**How was Leak Discovered:** TANK CLOSURE  
**How was Leak Stopped:** CLOSE TANK  
**MTBE Tested:** NOT REQUIRED TO BE TESTED  
**Program Type:** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak:** STRUCTRE FAILURE  
**Source of Leak:** TANK  
**Longitude:** 37.7686625  
**Latitude:** -122.2134319  
**Summary:** ARCHIVED 6/6/96 CONTROL NO 120-085 SRC 0904735  
**Date Leak was Confirmed:** 12/23/88  
**Date Preliminary Site Assessment Began:** 9/19/89  
**Date Case was Closed:** 2/23/94  
**Date Leak was Discovered:** 11/18/88  
**Reported Date:** 11/18/88  
**Date Leak was Stopped:** 11/18/88

**Fields Not Reported by the Source Agency for this Site:** *Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)*

<b>STATE UST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-1161
<b>Agency Address:</b>	PETERSON PROPERTY 1066 47TH AVE OAKLAND, CA 0		
<b>Case ID #:</b>	01-1161		
<b>Site Name:</b>	PETERSON PROPERTY		
<b>Site Address:</b>	1066 47TH AVE OAKLAND, CA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	3/31/89		
<b>Maximum Soil:</b>	1000		
<b>Maximum Groundwater:</b>	28000		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)</i>		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #60

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

VISTA Address*	<b>BOSTROM BERGEN METAL PRODUCTS</b> 4700 COLISEUM OAKLAND, CA 94621	VISTA ID#:	54787
		Distance/Direction:	0.18 MI / W
		Plotted as:	Point

Map ID

**12**

STATE UST - State Underground Storage Tank / SRC# 45	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	BOSTROM BERGEN METAL PRODUCTS 4700 COLISEUM OAKLAND, CA 94601
Facility Name:	BOSTROM BERGEN METAL PRODUCTS
Facility Address:	4700 COLISEUM OAKLAND, CA 94601 01000
Facility County:	1
Total Underground Tanks:	NOT REPORTED
Total Aboveground Tanks:	0
Total Tanks Removed:	0
Tank ID #:	T001U
Tank Contents:	UNLEADED GAS
Tank Age:	0
Tank Capacity:	6000 GALLONS
Tank Status:	ACTIVE/IN SERVICE
Leak Monitor:	MONITOR PRESENT
Piping Type:	BARE STEEL
Tank Material:	BARE STEEL


VISTA Address*	<b>CUSTOMER SERVICE DISTRIBUTIO</b> 5420 E 012TH OAKLAND, CA 94601	VISTA ID#:	4015670
		Distance/Direction:	0.19 MI / E
		Plotted as:	Point

Map ID

**13**

STATE UST - State Underground Storage Tank / SRC# 45	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	CUSTOMER SERVICE DISTRIBUTIO
Facility Address:	5420 E 012TH OAKLAND, CA 94601 01000R. S.
Facility County:	7
Total Underground Tanks:	NOT REPORTED
Total Aboveground Tanks:	7
Total Tanks Removed:	7
Tank ID #:	T001U
Tank Contents:	UNKNOWN
Tank Age:	0
Tank Capacity:	1 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #61

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

Tank Contents	DIESEL
Tank Age:	0
Tank Capacity:	500 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U
Tank Contents	LEADED GAS
Tank Age:	0
Tank Capacity:	100 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U
Tank Contents	DIESEL
Tank Age:	0
Tank Capacity:	5000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U
Tank Contents	DIESEL
Tank Age:	0
Tank Capacity:	2500 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U
Tank Contents	LEADED GAS
Tank Age:	0
Tank Capacity:	1000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	UNKNOWN
Tank Material:	BARE STEEL
Tank ID #:	T001U
Tank Contents	DIESEL
Tank Age:	0
Tank Capacity:	1000 GALLONS



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #62

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

<b>Tank Status:</b>	<i>CLOSED REMOVED</i>
<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>
<b>Piping Type:</b>	<i>UNKNOWN</i>
<b>Tank Material:</b>	<i>BARE STEEL</i>


VISTA Address*:	<b>LEARNER</b>	VISTA ID#:	930126
	<b>768 46TH AVE</b>	Distance/Direction:	0.20 MI / W
	<b>OAKLAND, CA 94601</b>	Plotted as:	Point
<b>North Bay / SRC# 47</b>		EPA/Agency ID:	N/A

Map ID:  
**14A**

<b>Agency Address:</b>	<i>LEARNER 768 46TH AVE OAKLAND, CA 0</i>
<b>Facility Name:</b>	<i>LEARNER</i>
<b>Facility Address:</b>	<i>768 46TH AVE</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>
<b>Facility Name:</b>	<i>LEARNER</i>
<b>Facility Address:</b>	<i>768 46TH AVE</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>

<b>State Spills / SRC# 106</b>	EPA/Agency ID:	N/A
--------------------------------	----------------	-----

<b>Agency Address:</b>	<i>LEARNER COMPANY 768 46TH AVE OAKLAND, CA 94607</i>
<b>Facility Name:</b>	<i>LEARNER COMPANY</i>
<b>Facility Address:</b>	<i>768 46TH AVE OAKLAND, CA 94607</i>
<b>Facility County:</b>	<i>ALAMEDA</i>
<b>Case ID #:</b>	<i>0150161</i>
<b>Staff:</b>	<i>BG</i>
<b>Facility Status:</b>	<i>INACTIVE</i>
<b>Lead Agency</b>	<i>RWQCB</i>
<b>Municipal Wells:</b>	<i>0</i>
<b>Private Wells:</b>	<i>0</i>
<b>Soil Removal</b>	<i>NOT REPORTED</i>
<b>Flow Rate(GPM):</b>	<i>0</i>
<b>Percent of Contamination Contained:</b>	<i>NOT BEGUN</i>
<b>Plume Depth I:</b>	<i>0</i>
<b>Plume Depth II:</b>	<i>0</i>
<b>Case Type:</b>	<i>NO TANKS</i>
<b>Air Release:</b>	<i>NOT REPORTED</i>
<b>Land Release:</b>	<i>NO</i>
<b>Water Release:</b>	<i>NO</i>
<b>Ground Release:</b>	<i>NO</i>
<b>Facility Release:</b>	<i>NOT REPORTED</i>
<b>Other Release:</b>	<i>NOT REPORTED</i>



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #63

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Fields Not Reported by the Source  
Agency for this Site:**

*Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)*

VISTA Address*	<b>PACIFIC GALVANIZING 715 46TH AVE. OAKLAND, CA 94601</b>	VISTA ID#:	316429
		Distance/Direction:	0.23 MI / W
		Plotted as:	Point


Map ID  
**14B**

<b>RCRA-Violations / SRC# 11</b>	EPA ID:	CAD049091218
----------------------------------	---------	--------------

<b>Agency Address:</b>	PACIFIC GALVANIZING# 715 46TH AVE OAKLAND, CA 94601
<b>EPA Handler ID:</b>	CAD049091218
<b>Handler Name:</b>	PACIFIC GALVANIZING#
<b>Handler Address:</b>	715 46TH AVE OAKLAND, CA 94601
<b>Violation Sequence No:</b>	0001
<b>Determining Agency:</b>	STATE CONTRACTOR
<b>Determined Date:</b>	19860226
<b>Responsible Agency:</b>	STATE CONTRACTOR
<b>Area Of Violation:</b>	GGR - GENERATOR-GENERAL REQUIREMENTS
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Citation(1), Compliance Date(1)</i>

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

<b>Agency Address:</b>	PACIFIC GALVANIZING 715 46TH AVE OAKLAND, CA 94601
<b>Site Name:</b>	PACIFIC GALVANIZING
<b>Site Location:</b>	715 46TH AVE OAKLAND CA 94601-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-1121
<b>Local Case ID #:</b>	1141
<b>Media Affected</b>	SOIL ONLY
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	ED  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	13267 LETTERS FOR ENFORCEMENT
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #64

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**


<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	CORROSION
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7662456
<b>Latitude:</b>	-122.2176211
<b>Summary</b>	ARCHIVED 11/1/96 CONTROL NO120-104 SRC 0904754
<b>Date Leak was Confirmed</b>	3/9/92
<b>Date Case was Closed</b>	5/2/96
<b>Date Leak was Discovered:</b>	8/3/90
<b>Date of Enforcement Action</b>	3/9/92
<b>Reported Date:</b>	8/30/90
<b>Date Leak was Stopped:</b>	8/3/90
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-1121
<b>Agency Address:</b>	PACIFIC GALVANIZING 715 46TH AVE OAKLAND, CA 0 01-1121		
<b>Case ID #:</b>	01-1121		
<b>Site Name:</b>	PACIFIC GALVANIZING		
<b>Site Address:</b>	715 46TH AVE OAKLAND, CA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	5/7/91		
<b>Maximum Soil:</b>	440		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		

<b>VISTA Address*:</b>	<b>EAST OAKLAND YARD</b> 711 046TH OAKLAND, CA 94601	<b>VISTA ID#:</b>	4016039
		<b>Distance/Direction:</b>	0.23 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**14B**

<b>STATE UST - State Underground Storage Tank / SRC# 45</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Facility Name:</b>	EAST OAKLAND YARD		
<b>Facility Address:</b>	711 046TH OAKLAND, CA 94601		
<b>Facility County:</b>	01000PAUL		
<b>Total Underground Tanks:</b>	1		
<b>Total Aboveground Tanks:</b>	NOT REPORTED		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #65



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Total Tanks Removed:** 1  
**Tank ID #:** T001U  
**Tank Contents:** OIL (NOT SPECIFIED)  
**Tank Age:** 0  
**Tank Capacity:** 3000 GALLONS  
**Tank Status:** CLOSED REMOVED  
**Leak Monitor:** MONITOR PRESENT  
**Piping Type:** UNKNOWN  
**Tank Material:** BARE STEEL

<b>VISTA Address*</b>	<b>PAMCO 5601 SAN LEANDRO OAKLAND, CA 94621</b>	<b>VISTA ID#:</b>	3781472
		<b>Distance/Direction:</b>	0.21 MI./SE
		<b>Plotted as:</b>	Point


Map ID  
**15**

**STATE USE - State Underground Storage Tank / SRC# 45**      **EPA/Agency ID:** N/A

**Agency Address:** SAME AS ABOVE  
**Facility Name:** PAMCO  
**Facility Address:** 5601 SAN LEANDRO  
 OAKLAND, CA  
 94621  
**Facility County:** 01000  
**Total Underground Tanks:** 7  
**Total Aboveground Tanks:** NOT REPORTED  
**Total Tanks Removed:** 7  
**Tank ID #:** T001U  
**Tank Contents:** DIESEL  
**Tank Age:** 0  
**Tank Capacity:** 5000 GALLONS  
**Tank Status:** CLOSED REMOVED  
**Leak Monitor:** MONITOR PRESENT  
**Piping Type:** UNKNOWN  
**Tank Material:** BARE STEEL


**Tank ID #:** T001U  
**Tank Contents:** UNLEADED GAS  
**Tank Age:** 0  
**Tank Capacity:** 5000 GALLONS  
**Tank Status:** CLOSED REMOVED  
**Leak Monitor:** MONITOR PRESENT  
**Piping Type:** UNKNOWN  
**Tank Material:** BARE STEEL

**Tank ID #:** T001U  
**Tank Contents:** UNLEADED GAS  
**Tank Age:** 0  
**Tank Capacity:** 1000 GALLONS  
**Tank Status:** CLOSED REMOVED



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>	
<b>Piping Type:</b>	<i>BARE STEEL</i>	
<b>Tank Material:</b>	<i>BARE STEEL</i>	
<b>Tank ID #:</b>	<i>T001U</i>	
<b>Tank Contents</b>	<i>MISC. CHEMICAL</i>	
<b>Tank Age:</b>	<i>0</i>	
<b>Tank Capacity:</b>	<i>12000 GALLONS</i>	
<b>Tank Status:</b>	<i>CLOSED REMOVED</i>	
<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>	
<b>Piping Type:</b>	<i>BARE STEEL</i>	
<b>Tank Material:</b>	<i>BARE STEEL</i>	
<b>Tank ID #:</b>	<i>T001U</i>	
<b>Tank Contents</b>	<i>UNLEADED GAS</i>	
<b>Tank Age:</b>	<i>0</i>	
<b>Tank Capacity:</b>	<i>1000 GALLONS</i>	
<b>Tank Status:</b>	<i>CLOSED REMOVED</i>	
<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>	
<b>Piping Type:</b>	<i>BARE STEEL</i>	
<b>Tank Material:</b>	<i>BARE STEEL</i>	
<b>Tank ID #:</b>	<i>T001U</i>	
<b>Tank Contents</b>	<i>MISC. CHEMICAL</i>	
<b>Tank Age:</b>	<i>0</i>	
<b>Tank Capacity:</b>	<i>5000 GALLONS</i>	
<b>Tank Status:</b>	<i>CLOSED REMOVED</i>	
<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>	
<b>Piping Type:</b>	<i>BARE STEEL</i>	
<b>Tank Material:</b>	<i>BARE STEEL</i>	
<b>Tank ID #:</b>	<i>T001U</i>	
<b>Tank Contents</b>	<i>MISC. CHEMICAL</i>	
<b>Tank Age:</b>	<i>0</i>	
<b>Tank Capacity:</b>	<i>3000 GALLONS</i>	
<b>Tank Status:</b>	<i>CLOSED REMOVED</i>	
<b>Leak Monitor:</b>	<i>MONITOR PRESENT</i>	
<b>Piping Type:</b>	<i>BARE STEEL</i>	
<b>Tank Material:</b>	<i>BARE STEEL</i>	
<b>CORTESE / SRC# 53</b>	<b>EPA/Agency ID:</b>	<b>N/A</b>
<b>Agency Address:</b>	<i>SAME AS ABOVE</i>	
<b>Agency ID:</b>	<i>01-1280</i>	
<b>Facility Name:</b>	<i>PAMCO</i>	
<b>Facility Address:</b>	<i>5601 SAN LEANDRO</i>	
<b>Facility City:</b>	<i>OAKLAND</i>	
<b>Facility State:</b>	<i>CA</i>	
<b>Facility Zip</b>	<i>94621</i>	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: **B44501901**

Date of Report: **January 29, 2002**

Version 2.7


Page #67

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Facility County:** 1  
**Tracking Program:** LEAKING TANK  
**Site ID:** 01-1280  
**Fields Not Reported by the Source:** *Epa ID(1), Is Sites(1)*  
**Agency for this Site:**

<b>STATE/UST:</b> State Leaking Underground Storage Tank / SRC# 164	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----

**Agency Address:** PAMCO  
 5601 SAN LEANDRO ST  
 OAKLAND, CA 94621  
**Site Name:** PAMCO  
**Site Location:** 5601 SAN LEANDRO ST  
 OAKLAND CA 94621-  
 ALAMEDA  
**Site County:**  
**Water Quality Control Board Region:** 02  
**Case ID #:** 01-1280  
**Local Case ID #:** 1989  
**Media Affected:** OTHER GROUNDWATER  
**Lead Agency:** LOCAL AGENCY LEAD  
**Remediation Status:** CASE CLOSED  
**Substance Leaked:** GASOLINE  
**Abatement Method:** ET  
 CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED  
**Enforcement Type:** 13267 LETTERS FOR ENFORCEMENT  
**Funding By:** FEDERAL FUNDS  
**How was Leak Discovered:** TANK CLOSURE  
**How was Leak Stopped:** CLOSE TANK  
**MTBE Tested:** SITE NOT TESTED FOR MTBE  
**Program Type:** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak:** STRUCTRE FAILURE  
**Source of Leak:** TANK  
**Longitude:** 37.7629386  
**Latitude:** -122.2083337  
**Summary:** MAXSOIL=TPH-KEROSENE, MAXGW=MEK. CHLORINATED VOCs STILL ON SITE. CC PER ACHD - 2/8/99.  
**Date Leak was Confirmed:** 10/16/92  
**Date Case was Closed:** 2/8/99  
**Date Leak was Discovered:** 10/16/92  
**Date of Enforcement Action:** 10/16/92  
**Reported Date:** 10/16/92  
**Date Leak was Stopped:** 10/16/92



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #68

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)</i>
--	--

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	<b>Agency ID:</b>	01-1280
---	-------------------	---------

<b>Agency Address:</b>	PAMCO 5601 SAN LEANDRO ST OAKLAND, CA 0
<b>Case ID #:</b>	01-1280
<b>Site Name:</b>	PAMCO
<b>Site Address:</b>	5601 SAN LEANDRO ST OAKLAND, CA ALAMEDA
<b>Site County:</b>	ALAMEDA
<b>Date Entered:</b>	12/22/92
<b>Maximum Soil:</b>	23000
<b>Maximum Groundwater</b>	250000
<b>Current Benzene</b>	22
<b>Substance Leaked:</b>	NOT REPORTED
<b>Media Affected:</b>	NOT REPORTED
<b>Discovery Date:</b>	NOT REPORTED
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.


<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)</i>
--	--

<b>VISTA Address*</b>	<b>GAMCO INC.</b> 4726 E 012TH OAKLAND, CA 94601	<b>VISTA ID#:</b>	4015669
		<b>Distance/Direction:</b>	0.24 MI / N
		<b>Plotted as:</b>	Point

Map ID  
**16A**

<b>STATE UST - State Underground Storage Tank / SRC# 45</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----

<b>Agency Address:</b>	SAME AS ABOVE
<b>Facility Name:</b>	GAMCO INC.
<b>Facility Address:</b>	4726 E 012TH OAKLAND, CA 94601
<b>Facility County:</b>	01000RALPH
<b>Total Underground Tanks:</b>	2
<b>Total Aboveground Tanks:</b>	NOT REPORTED
<b>Total Tanks Removed:</b>	0
<b>Tank ID #:</b>	T001U
<b>Tank Contents</b>	UNKNOWN
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	600 GALLONS
<b>Tank Status:</b>	ACTIVE/IN SERVICE
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL
<b>Tank ID #:</b>	T001U



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #69

**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**


<b>Tank Contents</b>	UNKNOWN
<b>Tank Age:</b>	0
<b>Tank Capacity:</b>	600 GALLONS
<b>Tank Status:</b>	ACTIVE/IN SERVICE
<b>Leak Monitor:</b>	MONITOR PRESENT
<b>Piping Type:</b>	UNKNOWN
<b>Tank Material:</b>	BARE STEEL

<b>VISTA Address*</b>	<b>CHAU'S AUTO PORT 1259 48TH AVE OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	11498421
		<b>Distance/Direction:</b>	0.25 MI / N
		<b>Plotted as:</b>	Point

Map ID  
**16B**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----

<b>Agency Address:</b>	SAME AS ABOVE
<b>Site Name:</b>	CHAU'S AUTO PORT
<b>Site Location:</b>	1259 48TH AVE OAKLAND CA 94601- ALAMEDA
<b>Site County:</b>	
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-0605
<b>Local Case ID #:</b>	5131
<b>Media Affected</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	NT
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM LUST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTURE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7693005
<b>Latitude:</b>	-122.2115379
<b>Summary</b>	SENT FILE TO ACHD 9/94 REQ. CASE CLOSURE 1/13/96... CASE CLOSED 02/10/97.
<b>Date Case was Closed</b>	2/10/97
<b>Date Leak was Discovered:</b>	9/30/87
<b>Reported Date:</b>	9/30/87
<b>Date Leak was Stopped:</b>	9/30/87




**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

**Fields Not Reported by the Source Agency for this Site:** *Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)*

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-0605
<b>Agency Address:</b>	CHAUS AUTO PORT 1259 48TH AVE OAKLAND, CA 0		
<b>Case ID #:</b>	01-0605		
<b>Site Name:</b>	CHAUS AUTO PORT		
<b>Site Address:</b>	1259 48TH AVE OAKLAND, CA ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	9/30/87		
<b>Maximum Groundwater</b>	46		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>		<i>Maximum Soil(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)</i>	

<b>VISTA Address*</b>	<b>OAKLAND SERVICE CENTER 4801 OAKPORT OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	1255751	Map ID <b>17A</b>
		<b>Distance/Direction:</b>	0.25 MI / W	
		<b>Plotted as:</b>	Point	

<b>STATE UST - State Underground Storage Tank / SRC# 45</b>		EPA/Agency ID:	N/A
<b>Agency Address:</b>	OAKLAND SERVICE CENTER 4801 OAKPORT OAKLAND, CA 94501		
<b>Facility Name:</b>	OAKLAND SERVICE CENTER		
<b>Facility Address:</b>	4801 OAKPORT OAKLAND, CA 94501 01000		
<b>Facility County:</b>	01000		
<b>Total Underground Tanks:</b>	3		
<b>Total Aboveground Tanks:</b>	NOT REPORTED		
<b>Total Tanks Removed:</b>	3		
<b>Tank ID #:</b>	001U		
<b>Tank Contents</b>	DIESEL		
<b>Tank Age:</b>	0		
<b>Tank Capacity:</b>	10000 GALLONS		
<b>Tank Status:</b>	CLOSED REMOVED		
<b>Leak Monitor:</b>	MONITOR PRESENT		
<b>Piping Type:</b>	FIBERGLASS		
<b>Tank Material:</b>	STEEL		
<b>Tank ID #:</b>	001U		
<b>Tank Contents</b>	OIL (NOT SPECIFIED)		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #71


**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

Tank Age:	0
Tank Capacity:	1000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	FIBERGLASS
Tank Material:	STEEL
Tank ID #:	001U
Tank Contents:	UNLEADED GAS
Tank Age:	0
Tank Capacity:	12000 GALLONS
Tank Status:	CLOSED REMOVED
Leak Monitor:	MONITOR PRESENT
Piping Type:	FIBERGLASS
Tank Material:	STEEL

VISTA Address*	<b>PGE OAKPORT SERVICE CENTER</b> <b>4801 OAKPORT ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	327997
		Distance/Direction:	0.25 MI / W
		Plotted as:	Point

Map ID  
**17A**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	PG E 4801 OAKPORT ST OAKLAND, CA 94601		
Site Name:	PG E		
Site Location:	4801 OAKPORT ST OAKLAND CA 94601- ALAMEDA		
Site County:	ALAMEDA		
Water Quality Control Board Region:	02		
Case ID #:	01-1173		
Local Case ID #:	1421		
Media Affected:	OTHER GROUNDWATER		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status:	CASE CLOSED		
Substance Leaked:	GASOLINE		
Abatement Method:	ET  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
Enforcement Type:	NONE TAKEN		
Funding By:	FEDERAL FUNDS		
How was Leak Discovered:	TANK CLOSURE		
How was Leak Stopped:	CLOSE TANK		
MTBE Tested:	SITE NOT TESTED FOR MTBE		
Program Type:	LOCAL OVERSIGHT PROGRAM LUST		
Responsible Party:	BLANK RP		
Cause of Leak:	STRUCTRE FAILURE		



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

Source of Leak: TANK  
 Longitude: 37.7641436  
 Latitude: -122.2172361  
 Summary: ARCHIVED 6/6/96 CONTROL NO 120-085 SRC D904735  
 Date Leak was Confirmed: 9/29/95  
 Date Case was Closed: 11/25/98  
 Date Leak was Discovered: 8/11/87  
 Reported Date: 8/11/87  
 Date Leak was Stopped: 8/11/87

Fields Not Reported by the Source Agency for this Site: Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1)

STATE LUST - State Leaking Underground Storage Tank / SRC# :853 Agency ID: 01-1173

Agency Address: PG E  
 4801 OAKPORT ST  
 OAKLAND, CA 0  
 Case ID #: 01-1173  
 Site Name: PG E  
 Site Address: 4801 OAKPORT ST  
 OAKLAND, CA  
 Site County: ALAMEDA  
 Date Entered: 10/1/92  
 Maximum Soil: 13000  
 Maximum Groundwater: 10  
 Current Benzene: ND  
 Substance Leaked: NOT REPORTED  
 Media Affected: NOT REPORTED  
 Discovery Date: NOT REPORTED  
 Site Status: CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.

Fields Not Reported by the Source Agency for this Site: MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)


VISTA Address*	PG E OAKLAND SVC CNTR 4801 OAKPORT STREET OAKLAND, CA 94601	VISTA ID#:	65107579
		Distance/Direction:	0.25 MI / W
		Plotted as:	Point

Map ID  
**17A**

County UST - County Underground Storage Tank / SRC# :92 EPA/Agency ID: N/A

Agency Address: SAME AS ABOVE  
 Site Name: PG E OAKLAND SVC CNTR  
 Address: 4801 OAKPORT STREET  
 City: OAKLAND  
 County: ALAMEDA  
 State: CA  
 Zip: 94601

No Of Tanks: 2  
 Site Status: C  
 Permitted: P  
 Total Aboveground Tanks: NOT REPORTED



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #73



**SITES IN THE SURROUNDING AREA (within 1/8 - 1/4 mile) CONT.**

Total Underground Tanks: 2  
 Total Tanks Removed: NOT REPORTED

VISTA Address*	<b>BAY AREA RETREAD INC</b> 1330 50TH AVENUE OAKLAND, CA 94601	VISTA ID#:	65107408
		Distance/Direction:	0.25 MI / NE
		Plotted as:	Point

Map ID  
**18**


<b>County UST - County Underground Storage Tank / SRC# 92</b>		EPA/Agency ID:	N/A
Agency Address:	SAME AS ABOVE		
Site Name:	BAY AREA RETREAD INC		
Address:	1330 50TH AVENUE		
City:	OAKLAND		
County:	ALAMEDA		
State:	CA		
Zip:	94601		
No Of Tanks:	1		
Site Status:	U		
Total Aboveground Tanks:	NOT REPORTED		
Total Underground Tanks:	1		
Total Tanks Removed:	NOT REPORTED		
Fields Not Reported by the Source	Permitted(1)		
Agency for this Site:			

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile)**

VISTA Address*	<b>COHN WAREHOUSE</b> 1212 47TH OAKLAND, CA 94601	VISTA ID#:	4222306
		Distance/Direction:	0.26 MI / N
		Plotted as:	Point

Map ID  
**16**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	COHN WAREHOUSE 1212 47TH AVE OAKLAND, CA 94601		
Site Name:	COHN WAREHOUSE		
Site Location:	1212 47TH AVE OAKLAND CA 94601-		
Site County:	ALAMEDA		
Water Quality Control Board Region:	02		
Case ID #:	01-1700		
Local Case ID #:	4181		
Media Affected	UNDEFINED		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status	CASE CLOSED		
Substance Leaked:	GASOLINE		
Abatement Method:	ED		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #74

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Enforcement Type** CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED  
13267 LETTERS FOR ENFORCEMENT

**Funding By:** FEDERAL FUNDS

**How was Leak Discovered** TANK CLOSURE

**How was Leak Stopped:** CLOSE TANK

**MTBE Tested** SITE NOT TESTED FOR MTBE

**Program Type** LOCAL OVERSIGHT PROGRAM UST

**Responsible Party:** BLANK RP

**Cause of Leak** UNKNOWN

**Source of Leak:** TANK

**Longitude:** 37.7693445

**Latitude:** -122.2124779

**Summary** ARCHIVED 6/6/96 CONTROL NO 120-092 SRC 0904742

**Date Leak was Confirmed** 6/18/92

**Date Case was Closed** 8/18/93

**Date Leak was Discovered:** 6/2/92

**Date of Enforcement Action** 6/18/92

**Reported Date:** 6/2/92

**Date Leak was Stopped:** 6/2/92

**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 101-1700**

**Agency Address:** COHN WAREHOUSE  
1212 47TH AVE  
OAKLAND, CA 0  
01-1700

**Case ID #:**

**Site Name:** COHN WAREHOUSE

**Site Address:** 1212 47TH AVE  
OAKLAND, CA  
ALAMEDA

**Site County:**

**Date Entered:** 6/22/93


**Substance Leaked:** NOT REPORTED

**Media Affected:** NOT REPORTED

**Discovery Date:** NOT REPORTED

**Site Status:** CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.

**Fields Not Reported by the Source Agency for this Site:** Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>NORCAL 1234 47TH OAKLAND, CA 94601</b>	VISTA ID#:	5350571
		Distance/Direction:	0.30 MI / N
		Plotted as:	Point

Map ID

**16**

<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
--------------------------	----------------	-----

Agency Address: NORCAL  
1234 47TH  
OAKLAND, CA 0

Agency ID: 01-1053

Facility Name: NORCAL

Facility Address: 1234 47TH

Facility City: OAKLAND

Facility State: CA

Facility County: 1

Tracking Program: LEAKING TANK

Site ID: 01-1053

Fields Not Reported by the Source: Epa ID(1), Facility Zip(1), Is Sites(1)

Agency for this Site:

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

Agency Address: NORCAL  
1234 47TH AVE  
OAKLAND, CA 94601

Site Name: NORCAL

Site Location: 1234 47TH AVE

Site County: OAKLAND CA 94601-  
ALAMEDA

Water Quality Control Board Region: 02

Case ID #: 01-1053

Local Case ID #: 01-1053

Media Affected: SOIL ONLY

Lead Agency: LOCAL AGENCY LEAD

Remediation Status: LEAK BEING CONFIRMED

Substance Leaked: WASTE OIL

Abatement Method: NT

CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED

Enforcement Type: NONE TAKEN

Funding By: FEDERAL FUNDS

How was Leak Discovered: TANK CLOSURE

How was Leak Stopped: CLOSE TANK

MTBE Tested: NOT REQUIRED TO BE TESTED


Program Type: LOCAL OVERSIGHT PROGRAM LIST

Responsible Party: BLANK RP

Cause of Leak: STRUCTRE FAILURE

Source of Leak: TANK

Longitude: 37.7694785



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Latitude: -122.2122949  
 Summary: TPH ANAL INVALID, COC MISSING  
 Date Leak was Confirmed: 11/7/88  
 Date Leak was Discovered: 11/7/88  
 Reported Date: 11/7/88  
 Date Leak was Stopped: 11/7/88  
 Fields Not Reported by the Source Agency for this Site: Cross Street(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853** Agency ID: 01-1053


Agency Address: NORCAL  
 1234 47TH AVE  
 OAKLAND, CA 0  
 Case ID #: 01-1053  
 Site Name: NORCAL  
 Site Address: 1234 47TH AVE  
 OAKLAND, CA  
 ALAMEDA  
 Site County:  
 Date Entered: 11/7/88  
 Maximum Soil: 130  
 Substance Leaked: NOT REPORTED  
 Media Affected: NOT REPORTED  
 Discovery Date: NOT REPORTED  
 Site Status: LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.  
 Fields Not Reported by the Source Agency for this Site: Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

VISTA Address*	<b>EAST BAY CLARKLIFT</b> 4701 OAKPORT ST OAKLAND, CA 94601	VISTA ID#:	3200314
		Distance/Direction:	0.28 MI / W
		Plotted as:	Point

Map ID  
**17**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164** EPA/Agency ID: N/A

Agency Address: CLARKLIFT OAKLAND INC  
 4701 OAKPORT ST  
 OAKLAND, CA 94601  
 Site Name: CLARKLIFT OAKLAND INC  
 Site Location: 4701 OAKPORT ST  
 OAKLAND CA 94601-  
 ALAMEDA  
 Site County:  
 Water Quality Control Board Region: 02  
 Case ID #: 01-0490  
 Local Case ID #: 76  
 Media Affected: UNDEFINED  
 Lead Agency: LOCAL AGENCY LEAD  
 Remediation Status: CASE CLOSED  
 Substance Leaked: GASOLINE  
 Abatement Method: NT



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #77

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Enforcement Type</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED 13267 LETTERS FOR ENFORCEMENT
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTURE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7648256
<b>Latitude:</b>	-122.2182941
<b>Summary</b>	3 TNKS REM 4/90;1994 URF;SITE A CASE PER ALAMEDA COUNTY HEALTH 8/22/96. REQ. CASE CLOSURE!! 12/05/96..CASE CLOSED 02/25/97...
<b>Date Leak was Confirmed</b>	8/22/96
<b>Date Case was Closed</b>	2/25/97
<b>Date Leak was Discovered:</b>	4/26/89
<b>Date of Enforcement Action</b>	3/13/92
<b>Reported Date:</b>	4/26/89
<b>Date Leak was Stopped:</b>	4/26/89
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)

<b>STATE: LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-0490
<b>Agency Address:</b>	CLARKLIFT OAKLAND INC 4701 OAKPORT ST OAKLAND, CA 0 01-0490		
<b>Case ID #:</b>	01-0490		
<b>Site Name:</b>	CLARKLIFT OAKLAND INC		
<b>Site Address:</b>	4701 OAKPORT ST OAKLAND, CA ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	3/24/93		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>	Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #78

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>BAUER PROPERTY 4701 OAKPORT OAKLAND, CA 94601</b>	VISTA ID#:	3982723
		Distance/Direction:	0.28 MI / W
		Plotted as:	Point

Map ID  
**17**

<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
--------------------------	----------------	-----


<b>Agency Address:</b>	BAUER PROPERTY 4701 OAKPORT OAKLAND, CA 94621
<b>Agency ID:</b>	01-0490
<b>Facility Name:</b>	BAUER PROPERTY
<b>Facility Address:</b>	4701 OAKPORT
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94621
<b>Facility County:</b>	1
<b>Tracking Program:</b>	LEAKING TANK
<b>Site ID:</b>	01-0490
<b>Fields Not Reported by the Source Agency for this Site:</b>	Epa ID(1), Is Sites(1)

VISTA Address*	<b>CONTINENTAL BAKING COMPANY FORMER 1010 46TH AVE OAKLAND, CA 94601</b>	VISTA ID#:	65005023
		Distance/Direction:	0.25 MI / NW
		Plotted as:	Point

Map ID  
**19**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

<b>Agency Address:</b>	CONTINENTAL BAKING COMPANY FORMER 1010 46TH AVE OAKLAND, CA 94609
<b>Site Name:</b>	CONTINENTAL BAKING COMPANY FORMER
<b>Site Location:</b>	1010 46TH AVE OAKLAND CA 94609- ALAMEDA
<b>Site County:</b>	02
<b>Water Quality Control Board Region:</b>	01-1709
<b>Case ID #:</b>	6400
<b>Local Case ID #:</b>	UNDEFINED
<b>Media Affected:</b>	LOCAL AGENCY LEAD
<b>Lead Agency:</b>	CASE CLOSED
<b>Remediation Status:</b>	KEROSENE
<b>Substance Leaked:</b>	NT
<b>Abatement Method:</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/NS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OI-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type:</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered:</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested:</b>	NOT REQUIRED TO BE TESTED



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #79

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Program Type** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak** UNKNOWN  
**Source of Leak:** UNKNOWN  
**Longitude:** 37.7691285  
**Latitude:** -122.2143559  
**Summary** FORMER CASINO 3928, REASSIGNED TO INTERSTATE BRANDS CORPORATION FACILITY - 5/4/99. CURRENT MTBE DATE: 3/30/98. REQ FOR CC PER ACHD 10/25/99, CC PER ACHD 10/29/99.  
**Date Post Remedial Action Monitoring Beg** 11/12/97  
**Date Case was Closed** 10/29/99  
**Date Leak was Discovered:** 3/11/93  
**Reported Date:** 3/11/93  
**Date Leak was Stopped:** 3/11/93

**Fields Not Reported by the Source** Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1),  
**Agency for this Site:** Source of Leak(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853** Agency ID: 01-1709

**Agency Address:** CONTINENTAL BAKING COMPANY FORMER  
 1010 46TH AVE  
 OAKLAND, CA 0  
**Case ID #:** 01-1709  
**Site Name:** CONTINENTAL BAKING COMPANY FORMER  
**Site Address:** 1010 46TH AVE  
 OAKLAND, CA  
**Site County:** ALAMEDA

**Date Entered:** 6/21/93  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.

**Fields Not Reported by the Source** Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)  
**Agency for this Site:**

<b>VISTA Address*:</b>	<b>CHEVRON USA INC OAKLAND ASPHALT PLT</b>	<b>VISTA ID#:</b>	82163
	<b>4525 SAN LEANDRO ST</b>	<b>Distance/Direction:</b>	0.28 MI / NW
	<b>OAKLAND, CA 94601</b>	<b>Plotted as:</b>	Point

Map ID  
**19**

**State Spills / SRC# 106** EPA/Agency ID: N/A

**Agency Address:** UNKNOWN  
 2655 SHATTUCK AVE  
 BERKELEY, CA 0  
**Facility Name:** UNKNOWN  
**Facility Address:** 2655 SHATTUCK AVE  
 BERKELEY, CA  
**Facility County:** ALAMEDA  
**Case ID #:** 01S0482  
**Staff:** BG  
**Facility Type** CONSTRUCTION SITE




**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Facility Status:</b>	ACTIVE
<b>Material(s) Spilled</b>	PETROLEUM HYDROCARBONS
<b>Lead Agency</b>	CITY OF BERKELEY
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NOT REPORTED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	N/A
--------------------------------	-----------------------	-----

<b>Agency Address:</b>	CHEVRON ASPHALT PLANT NO 61273808 4525 SAN LEANDRO ST OAKLAND, CA 0
<b>Facility Name:</b>	CHEVRON ASPHALT PLANT NO 61273808
<b>Facility Address:</b>	4525 SAN LEANDRO ST OAKLAND, CA ALAMEDA
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	01S0483
<b>Staff:</b>	DCL
<b>Facility Status:</b>	NOT REPORTED
<b>Lead Agency</b>	ALAMEDA COUNTY HEALTH
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NOT REPORTED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #87




**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>State Spills / SRC# 106</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	CHEVRON ASPHALT PLANT PARCEL A FORMER 4525 SAN LEANDRO ST OAKLAND, CA 0		
<b>Facility Name:</b>	CHEVRON ASPHALT PLANT PARCELA FORMER		
<b>Facility Address:</b>	4525 SAN LEANDRO ST OAKLAND, CA ALAMEDA		
<b>Facility County:</b>	ALAMEDA		
<b>Case ID #:</b>	0150510		
<b>Staff:</b>	BG		
<b>Facility Type</b>	ASPHALT PRODUCTION?		
<b>Facility Status:</b>	ACTIVE		
<b>Comment</b>	NEW CASE.		
<b>Municipal Wells:</b>	0		
<b>Private Wells:</b>	0		
<b>Soil Removal</b>	NOT REPORTED		
<b>Flow Rate(GPM):</b>	0		
<b>Percent of Contamination Contained:</b>	NOT BEGUN		
<b>Plume Depth I:</b>	0		
<b>Plume Depth II:</b>	0		
<b>Case Type:</b>	NOT DETERMINED		
<b>Communication Submitted</b>	BEGUN CHARACTERIZATION/		
<b>Air Release:</b>	NOT REPORTED		
<b>Land Release:</b>	NO		
<b>Water Release:</b>	NO		
<b>Ground Release:</b>	NO		
<b>Facility Release:</b>	NOT REPORTED		
<b>Other Release:</b>	NOT REPORTED		
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Comment(1), Discovery Date(3), (1), Sample Data(3), Soil/Contaminant Removal Started(3), Soil/Contaminant Removal Completed(3), Groundwater Extract/Decontamination Requ(3), Groundwater Extract/Decontamination Star(6), Groundwater Extract/Decontamination Need(3), Flow Date(3), Contaminant Level(3), Communication Submitted(2), Facility Type(1), Comment(1), Material(s) Spilled(2), (1), Lead Agency(1)</i>		

<b>VISTA Address:</b>	<b>ARROW SIGN CO</b> 1046 45TH AVE OAKLAND, CA 94601	<b>VISTA ID#:</b>	27547
		<b>Distance/Direction:</b>	0.30 MI: / NW
		<b>Plotted as:</b>	Point

Map ID  
**19**

<b>North Bay / SRC# 47</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Facility Name:</b>	ARROW SIGN CO		
<b>Facility Address:</b>	1046 45TH AVE		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		
<b>Facility Zip:</b>	94601		
<b>Facility Name:</b>	ARROW SIGN CO		
<b>Facility Address:</b>	1046 45TH AVE		
<b>Facility City:</b>	OAKLAND		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #82

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Facility State:	CA
Facility Zip:	94607
Fields Not Reported by the Source Agency for this Site:	Agency ID(2), Epa ID(2), Facility County(2)
State Spills / SRC# 106	EPA/Agency ID: N/A
Agency Address:	ARROW SIGN COMPANY 1046 45TH AVE OAKLAND, CA 94607
Facility Name:	ARROW SIGN COMPANY
Facility Address:	1046 45TH AVE OAKLAND, CA 94607
Facility County:	ALAMEDA
Case ID #:	01S0053
Staff:	BG
Facility Status:	INACTIVE
Lead Agency	RWQCB
Municipal Wells:	0
Private Wells:	0
Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NO TANKS
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

VISTA Address*	<b>OAKPORT WET WEATHER TREATMENT</b> 5597 OAKPORT ST OAKLAND, CA 94621	VISTA ID#:	11499118
		Distance/Direction:	0.27 MI / SW
		Plotted as:	Point

Map ID  
**20**

STATE LUST - State Leaking Underground Storage Tank / SRC# 164	EPA/Agency ID:	N/A
Agency Address:	EBMUD 5597 OAKPORT ST OAKLAND, CA 94621	
Site Name:	EBMUD	
Site Location:	5597 OAKPORT ST OAKLAND CA 94621	
Site County:	ALAMEDA	
Water Quality Control Board Region:	02	
Case ID #:	01-0540	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #83

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Local Case ID #:</b>	4875
<b>Media Affected</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	DIESEL
<b>Abatement Method:</b>	NT
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	UNKNOWN
<b>Source of Leak</b>	UNKNOWN
<b>Longitude:</b>	37.7608287
<b>Latitude:</b>	-122.215179
<b>Summary</b>	ARCHIVED 11/1/96 CONTROL NO120-100 SRC 0904750
<b>Date Leak was Confirmed</b>	7/8/88
<b>Date Case was Closed</b>	3/7/96
<b>Date Leak was Discovered:</b>	7/8/88
<b>Reported Date:</b>	8/18/88
<b>Date Leak was Stopped:</b>	7/8/88
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Source of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-0540
<b>Agency Address:</b>	EBMUD 5597 OAKPORT ST OAKLAND, CA 0 01-0540		
<b>Case ID #:</b>	01-0540		
<b>Site Name:</b>	EBMUD		
<b>Site Address:</b>	5597 OAKPORT ST OAKLAND, CA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	1/26/94		
<b>Maximum Soil</b>	160		
<b>Maximum Groundwater</b>	25000		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #84

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED- REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.  
**Fields Not Reported by the Source Agency for this Site:** Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

<b>VISTA Address:</b>	<b>ROCK TRANSPORT 5900 COLISEUM WAY OAKLAND, CA 94621</b>	<b>VISTA ID#:</b>	358294
		<b>Distance/Direction:</b>	0.29 MI / SE
		<b>Plotted as:</b>	Point

Map ID  
**21**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164**      **EPA/Agency ID:** N/A

**Agency Address:** ROCK TRANSPORT INC  
5900 COLISEUM WY  
OAKLAND, CA 94621

**Site Name:** ROCK TRANSPORT INC

**Site Location:** 5900 COLISEUM WY  
OAKLAND CA 94621-

**Site County:** ALAMEDA

**Water Quality Control Board Region:** 02

**Case ID #:** 01-0790

**Local Case ID #:** 673

**Media Affected:** SOIL ONLY

**Lead Agency:** LOCAL AGENCY LEAD

**Remediation Status:** CASE CLOSED

**Substance Leaked:** GASOLINE

**Abatement Method:** ETPED

**Enforcement Type:** NONE TAKEN

**Funding By:** FEDERAL FUNDS

**How was Leak Discovered:** TANK CLOSURE

**How was Leak Stopped:** CLOSE TANK

**MTBE Tested:** SITE NOT TESTED FOR MTBE

**Program Type:** LOCAL OVERSIGHT PROGRAM UST

**Responsible Party:** BLANK RP

**Cause of Leak:** STRUCTRE FAILURE

**Source of Leak:** TANK

**Longitude:** 37.7598227

**Latitude:** -122.2098838

**Summary:** ARCHIVED 11/1/96 CONTROL NO120-103 SRC 0904753

**Date Preliminary Site Assessment Workpla:** 8/1/90

**Date Preliminary Site Assessment Began:** 8/8/90

**Date Case was Closed:** 3/25/96

**Date Leak was Discovered:** 7/10/90

**Reported Date:** 7/10/90

**Date Leak was Stopped:** 7/10/90



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Fields Not Reported by the Source Agency for this Site:** *Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)*

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-0790
<b>Agency Address:</b>	ROCK TRANSPORT INC 5900 COLISEUM WY OAKLAND, CA 0 01-0790		
<b>Case ID #:</b>	01-0790		
<b>Site Name:</b>	ROCK TRANSPORT INC		
<b>Site Address:</b>	5900 COLISEUM WY OAKLAND, CA ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	7/10/90		
<b>Maximum Soil Substance Leaked:</b>	25000 NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>		<i>Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)</i>	

<b>VISTA Address:</b>	<b>B J TIRES</b> 5901 COLISEUM WAY OAKLAND, CA 94621	<b>VISTA ID#:</b>	6831086
		<b>Distance/Direction:</b>	0.29 MI / SE
		<b>Plotted as:</b>	Point

Map ID  
**21**

<b>STATE SWLF - Solid Waste Landfill / SRC# 163</b>		<b>Agency ID:</b>	01-TI-0059
<b>Agency Address:</b>	B J TIRES 5901 COLISEUM WAY OAKLAND, CA 0		
<b>Site Name:</b>	B J TIRES		
<b>Site Address:</b>	5901 COLISEUM WAY OAKLAND CA ALAMEDA		
<b>Site City:</b>	OAKLAND		
<b>Site State:</b>	CA		
<b>Site County:</b>	ALAMEDA		
<b>SWIS No:</b>	01-TI-0059		
<b>Surrounding Land Use:</b>	INDUSTRIAL, COMMERCIAL		
<b>Latitude:</b>	37.8		
<b>Longitude:</b>	-122.26667		
<b>Operator Name:</b>	B J TIRES		
<b>Operator Phone:</b>	5105620210		
<b>Operator Address2:</b>	5901 COLISEUM WAY		
<b>Operator City:</b>	OAKLAND		
<b>Operator State:</b>	CA		
<b>Operator Zip:</b>	94601		
<b>Permit Date:</b>	6/16/98		
<b>Permit Status:</b>	REVOKED		
<b>Facility Life:</b>	NOT REPORTED		
<b>Unit No:</b>	01		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #86


**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Category:</b>	WASTE TIRE SITE
<b>Activity:</b>	TIRE DEALER
<b>Regulatory Status:</b>	EXCLUDED
<b>Operational Status:</b>	ACTIVE
<b>Inspection Frequency:</b>	30 MONTHS
<b>Waste Type(s):</b>	TIRES, PASSENGER, TIRES, TRUCK
<b>Throughput:</b>	1500 TIRES
<b>Capacity:</b>	0 TIRES
<b>Acreage:</b>	0
<b>Last Tire Inspection Count:</b>	0
<b>Last Tire Inspection Count Date:</b>	1/26/99
<b>Original Tire Count:</b>	13000
<b>Original Tire Count Date:</b>	1/26/99
<b>Owner Name:</b>	SOUZE, ANNABEL
<b>Owner Address:</b>	2636 LAKEVIEW DRIVE SAN LEANDRO, CA 94577
<b>Owner Phone:</b>	5108930772
<b>Fields Not Reported by the Source Agency for this Site:</b>	Operator Address(1), Closure Date(1), Closure Type(1), Disposal Acreage(1), Remaining Capacity(1)

<b>VISTA Address*</b>	<b>FERRO ENAMELING CO</b> 1100 57TH AVE OAKLAND, CA 94621	<b>VISTA ID#:</b>	1591657
		<b>Distance/Direction:</b>	0:29 MI / SE
		<b>Plotted as:</b>	Point
<b>NFRAP / SRC# 18</b>		<b>Agency ID:</b>	0901159

Map ID  
**22**

<b>Agency Address:</b>	FERRO ENAMELING CO 1100 57TH AVE OAKLAND, CA 94621
<b>EPA ID:</b>	CAD009132531
<b>Site ID:</b>	0901159
<b>EPA Region:</b>	09
<b>USGS Hydrologic Unit Code:</b>	18050004
<b>Ownership Type:</b>	UNKNOWN
<b>Federal Facility Indicator:</b>	NOT A FEDERAL FACILITY
<b>NPL Status:</b>	NOT ON THE NPL
<b>Hazardous Waste Docket Flag:</b>	NOT ON THE HAZARDOUS WASTEDOCKET
<b>Action:</b>	DISCOVERY
<b>Action Lead:</b>	STATE, FUND FINANCED
<b>Scheduled Completion Date:</b>	JUNE 30, 1986
<b>Actual Completion Date:</b>	JUNE 1, 1986
<b>Action:</b>	PRELIMINARY ASSESSMENT
<b>Action Qualifier:</b>	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)
<b>Action Lead:</b>	STATE, FUND FINANCED
<b>Scheduled Start Date:</b>	JUNE 30, 1986
<b>Scheduled Completion Date:</b>	JUNE 30, 1987
<b>Actual Start Date:</b>	JUNE 1, 1986



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Actual Completion Date:** JUNE 1, 1987  
**Operable Unit ID:** 00  
**Operable Unit Name:** SITEWIDE  
**Alias ID:** 101  
**Alias Name:** M HUMPHREY / A MILLION (OWNER)  
**Address:** P O BOX 2246  
 OAKLAND  
 CA  
 94621

**Fields Not Reported by the Source Agency for this Site:** Financial Management System ID(1), Site Incident Category Description(1), Action Qualifier(1), Scheduled Start Date(1), Actual Start Date(1), Description(1), (1), (1), (1)


**North Bay / SRC# 47** EPA/Agency ID: N/A

**Agency Address:** FERRO ENAMELING COMPANY  
 1100 57TH AVENUE  
 OAKLAND, CA 94621  
**Facility Name:** FERRO ENAMELING COMPANY  
**Facility Address:** 1100 57TH AVENUE  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 94621  
**Facility Name:** FERRO ENAMELING COMPANY  
**Facility Address:** 1100 57TH AVENUE  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 94621

**Fields Not Reported by the Source Agency for this Site:** Agency ID(2), Epa ID(2), Facility County(2)

**State Spills / SRC# 106** EPA/Agency ID: N/A

**Agency Address:** FERRO ENAMELING COMPANY  
 1100 57TH AVE  
 OAKLAND, CA 94607  
**Facility Name:** FERRO ENAMELING COMPANY  
**Facility Address:** 1100 57TH AVE  
 OAKLAND, CA  
 94607  
**Facility County:** ALAMEDA  
**Case ID #:** 01S0103  
**Staff:** BG  
**Facility Status:** INACTIVE  
**Lead Agency:** RWQCB  
**Municipal Wells:** 0  
**Private Wells:** 0  
**Soil Removal:** NOT REPORTED  
**Flow Rate(GPM):** 0  
**Percent of Contamination Contained:** NOT BEGUN  
**Plume Depth I:** 0  
**Plume Depth II:** 0  
**Case Type:** NO TANKS  
**Air Release:** NOT REPORTED



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #88

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

VISTA Address*	<b>SINCLAIR VALENTINE</b> <b>1104 57 AVE</b> <b>OAKLAND, CA 94621</b>	VISTA ID#:	382583
		Distance/Direction:	0.30 MI / E
		Plotted as:	Point

Map ID  
**22**


NFRAP / SRC# 18	Agency ID:	0900906
-----------------	------------	---------

Agency Address:	SINCLAIR VALENTINE 1104 57 AVE OAKLAND, CA 94609 CAD000095158
EPA ID:	0900906
Site ID:	09
EPA Region:	18050002
USGS Hydrologic Unit Code:	UNKNOWN
Ownership Type:	NOT A FEDERAL FACILITY
Federal Facility Indicator:	NOT ON THE NPL
NPL Status:	NOT ON THE HAZARDOUS WASTEDOCKET

Action:	DISCOVERY
Action Lead:	EPA FUND-FINANCED
Scheduled Completion Date:	JUNE 30, 1981
Actual Completion Date:	JUNE 1, 1981
Action:	PRELIMINARY ASSESSMENT
Action Qualifier:	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)
Action Lead:	STATE, FUND FINANCED
Scheduled Start Date:	MARCH 31, 1984
Scheduled Completion Date:	JUNE 30, 1984
Actual Start Date:	MARCH 1, 1984
Actual Completion Date:	MAY 1, 1984

Operable Unit ID:	00
Operable Unit Name:	SITEWIDE

Fields Not Reported by the Source Agency for this Site:	Financial Management System ID(1), Site Incident Category Description(1), Action Qualifier(1), Scheduled Start Date(1), Actual Start Date(1), Description(1), (1), (1), (1)
---	---





SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.


VISTA Address*	HERTZ-PENSKE TRUCK LEASING, IN 725 JULIE ANN OAKLAND, CA 94621	VISTA ID#:	3197583
		Distance/Direction:	0.35 MI / SE
		Plotted as:	Point

Map ID

23

STATE LUST-- State Leaking Underground Storage Tank / SRC# 164	EPA/Agency ID:	N/A
--	----------------	-----

Agency Address:	HERTZ PENSKE 725 JULIE ANN WY OAKLAND, CA 94621
Site Name:	HERTZ PENSKE
Site Location:	725 JULIE ANN WY OAKLAND CA 94621-
Site County:	ALAMEDA
Water Quality Control Board Region:	02
Case ID #:	01-1153
Local Case ID #:	554
Media Affected	UNDEFINED
Lead Agency:	LOCAL AGENCY LEAD
Remediation Status	PRELIMINARY SITE ASSESSMENT UNDERWAY
Substance Leaked:	GASOLINE
Abatement Method:	ED CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/V5-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED NONE TAKEN
Enforcement Type	FEDERAL FUNDS
Funding By:	TANK CLOSURE
How was Leak Discovered	CLOSE TANK
How was Leak Stopped:	SITE NOT TESTED FOR MTBE
MTBE Tested	LOCAL OVERSIGHT PROGRAM UST
Program Type	BLANK RP
Responsible Party:	STRUCTRE FAILURE
Cause of Leak	TANK
Source of Leak	37.7594767
Longitude:	-122.2092418
Latitude:	12/21/99--SEACOR WANTS TO USE FENTONS REAGENT--PILOT TEST IS REQUIRED PER RWQCB AND ACHD. ACHD APPROVED FENTONS REAGENT 4/21/00.
Summary	UNKNOWN
Date Preliminary Site Assessment Began	10/27/89
Date Leak was Discovered:	12/12/89
Reported Date:	10/27/89
Date Leak was Stopped:	
Fields Not Reported by the Source Agency for this Site:	Cross Street(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #90

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-1153
<b>Agency Address:</b>	HERTZ PENSKE 725 JULIE ANN WY OAKLAND, CA 0		
<b>Case ID #:</b>	01-1153		
<b>Site Name:</b>	HERTZ PENSKE		
<b>Site Address:</b>	725 JULIE ANN WY OAKLAND, CA ALAMEDA		
<b>Site County:</b>			
<b>Date Entered:</b>	11/22/89		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY; IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWNGRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).		
<b>Maximum MTBE</b>	0		
<b>Current MTBE</b>	ND		
<b>Fields Not Reported by the Source</b>	Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1)		
<b>Agency for this Site:</b>			

<b>VISTA Address*</b>	<b>PENSKE LEASING</b> <b>725 JULIE ANN</b> <b>OAKLAND, CA 94621</b>	<b>VISTA ID#:</b>	1585643
		<b>Distance/Direction:</b>	0.35 MI / SE
		<b>Plotted as:</b>	Point

Map ID  
**23**

<b>CORTESE / SRC# 53</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	PENSKE LEASING 725 JULIE ANN OAKLAND, CA 94606		
<b>Agency ID:</b>	01-1153		
<b>Facility Name:</b>	PENSKE LEASING		
<b>Facility Address:</b>	725 JULIE ANN		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		
<b>Facility Zip</b>	94606		
<b>Facility County:</b>	1		
<b>Tracking Program:</b>	LEAKING TANK		
<b>Site ID:</b>	01-1153		
<b>Fields Not Reported by the Source</b>	Epa ID(1), Is Sites(1)		
<b>Agency for this Site:</b>			



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #91

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>INDEPENDENT CONSTRUCTION CO. Y</b> <b>740 JULIE ANN</b> <b>OAKLAND, CA 94621</b>	VISTA ID#	3197584
		Distance/Direction	0.36 MI / SE
		Plotted as:	Point

Map ID

**23**


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-0791
<b>Agency Address:</b>	INDEPENDENT CONSTRUCTION COMPANY 740 JULIE ANN WY OAKLAND, CA 0 01-0791		
<b>Case ID #:</b>	INDEPENDENT CONSTRUCTION COMPANY		
<b>Site Name:</b>	INDEPENDENT CONSTRUCTION COMPANY		
<b>Site Address:</b>	740 JULIE ANN WY OAKLAND, CA ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Date Entered:</b>	9/24/90		
<b>Maximum Soil</b>	250		
<b>Maximum Groundwater</b>	18000		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source</b>	Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		
<b>Agency for this Site:</b>			

VISTA Address*	<b>INDEPENDENT CONSTRUCTION COMPANY</b> <b>740 JULIE ANN WY</b> <b>OAKLAND, CA 94621</b>	VISTA ID#	67009358
		Distance/Direction	0.36 MI / SE
		Plotted as:	Point

Map ID

**23**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Site Name:</b>	INDEPENDENT CONSTRUCTION COMPANY		
<b>Site Location:</b>	740 JULIE ANN WY OAKLAND CA 94621- ALAMEDA		
<b>Site County:</b>	ALAMEDA		
<b>Water Quality Control Board Region:</b>	02		
<b>Case ID #:</b>	01-0791		
<b>Local Case ID #:</b>	1067		
<b>Media Affected</b>	OTHER GROUNDWATER		
<b>Lead Agency:</b>	LOCAL AGENCY LEAD		
<b>Remediation Status</b>	CASE CLOSED		
<b>Substance Leaked:</b>	GASOLINE		
<b>Abatement Method:</b>	ETED CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
<b>Enforcement Type</b>	NONE TAKEN		
<b>Funding By:</b>	FEDERAL FUNDS		
<b>How was Leak Discovered</b>	TANK CLOSURE		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #92

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM LIST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7593627
<b>Latitude:</b>	-122.2089108
<b>Summary</b>	ARCHIVED 6/6/96 CONTROL NO 120-095 SRC 0904735
<b>Date Preliminary Site Assessment Workpla</b>	7/27/90
<b>Date Preliminary Site Assessment Began</b>	8/1/90
<b>Date Case was Closed</b>	12/3/93
<b>Date Leak was Discovered:</b>	6/21/90
<b>Reported Date:</b>	6/21/90
<b>Date Leak was Stopped:</b>	6/21/90
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)

<b>VISTA Address*</b>	<b>ARMOR EQUIPMENT SALES CORP</b>	<b>VISTA ID#:</b>	1154950
	<b>1137 57TH</b>	<b>Distance/Direction:</b>	0.35 MI / E
	<b>OAKLAND, CA 94621</b>	<b>Plotted as:</b>	Point

Map ID  
**24**

<b>STATE: LUST - State Leaking Underground Storage Tank / SRC# 853</b>	<b>Agency ID:</b>	01-1018
<b>Agency Address:</b>	ARMOR EQUIPMENT SALES 1137 57TH AVE OAKLAND, CA 0 01-1018	
<b>Case ID #:</b>	01-1018	
<b>Site Name:</b>	ARMOR EQUIPMENT SALES	
<b>Site Address:</b>	1137 57TH AVE OAKLAND, CA ALAMEDA	
<b>Site County:</b>	ALAMEDA	
<b>Date Entered:</b>	6/16/93	
<b>Maximum Soil</b>	790	
<b>Substance Leaked:</b>	NOT REPORTED	
<b>Media Affected:</b>	NOT REPORTED	
<b>Discovery Date:</b>	NOT REPORTED	
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.	
<b>Fields Not Reported by the Source Agency for this Site:</b>	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #93

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


VISTA Address*	<b>ARMOR EQUIPMENT SALES</b> <b>1137 57TH AVE</b> <b>OAKLAND, CA 94621</b>	VISTA ID#:	8568960
		Distance/Direction:	0.35 MI / E
		Plotted as:	Point

Map ID

**24**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

Agency Address:	SAME AS ABOVE
Site Name:	ARMOR EQUIPMENT SALES
Site Location:	1137 57TH AVE OAKLAND CA 94621-
Site County:	ALAMEDA
Water Quality Control Board Region:	02
Case ID #:	01-1018
Local Case ID #:	525
Media Affected:	SOIL ONLY
Lead Agency:	LOCAL AGENCY LEAD
Remediation Status:	CASE CLOSED
Substance Leaked:	GASOLINE
Abatement Method:	ED
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
Enforcement Type:	13267 LETTERS FOR ENFORCEMENT
Funding By:	FEDERAL FUNDS
How was Leak Discovered:	TANK CLOSURE
How was Leak Stopped:	CLOSE TANK
MTBE Tested:	SITE NOT TESTED FOR MTBE
Program Type:	LOCAL OVERSIGHT PROGRAM LUST
Responsible Party:	BLANK RP
Cause of Leak:	UNKNOWN
Source of Leak:	UNKNOWN
Longitude:	37.7633306
Latitude:	-122.2059977
Summary:	ARCHIVED 6/6/96 CONTROL NO 120-083 SRC 0904733
Date Leak was Confirmed:	7/15/93
Date Case was Closed:	2/15/95
Date Leak was Discovered:	2/4/93
Date of Enforcement Action:	3/22/93
Reported Date:	3/1/93
Date Leak was Stopped:	2/4/93
Fields Not Reported by the Source Agency for this Site:	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Source of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #94

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


VISTA Address*	<b>BAYVIEW FEDERAL BANK 1437 48TH AVE OAKLAND, CA 94601</b>	VISTA ID#	12639343
		Distance/Direction	0.35 MI / NE
		Plotted as	Point

Map ID

**25**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

<b>Agency Address:</b>	SAME AS ABOVE
<b>Site Name:</b>	BAYVIEW FEDERAL BANK
<b>Site Location:</b>	1437 48TH AVE OAKLAND CA 94601- ALAMEDA
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-1276
<b>Local Case ID #:</b>	4165
<b>Media Affected</b>	SOIL ONLY
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	DIESEL
<b>Abatement Method:</b>	ED
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7703654
<b>Latitude:</b>	-122.2096048
<b>Summary</b>	ARCHIVED 6/6/96 CONTROL NO 120-086 SRC 0904736
<b>Date Case was Closed</b>	2/15/94
<b>Date Leak was Discovered:</b>	6/22/92
<b>Reported Date:</b>	6/22/92
<b>Date Leak was Stopped:</b>	6/22/92
<b>Fields Not Reported by the Source</b>	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1)
<b>Agency for this Site:</b>	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #95

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>BAYVIEW FEDERAL BANK</b> 1437 48TH AVE OAKLAND, CA 94601	VISTA ID#:	4558149
		Distance/Direction:	0.35 MI / NE
		Plotted as:	Point

Map ID

**25**


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-1276
Agency Address:	BAYVIEW FEDERAL BANK 1437 48TH AVE OAKLAND, CA 0		
Case ID #:	01-1276		
Site Name:	BAYVIEW FEDERAL BANK		
Site Address:	1437 48TH AVE OAKLAND, CA ALAMEDA		
Site County:			
Date Entered:	12/22/92		
Maximum Soil	66		
Substance Leaked:	NOT REPORTED		
Media Affected:	NOT REPORTED		
Discovery Date:	NOT REPORTED		
Site Status:	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
Fields Not Reported by the Source Agency for this Site:	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		

VISTA Address*	<b>YANDELL TRUCKING</b> 563 JULIE ANN WAY OAKLAND, CA 94621	VISTA ID#:	3781348
		Distance/Direction:	0.35 MI / S
		Plotted as:	Point

Map ID

**26**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	YANDELL TRUCKING 563 JULIE ANN WY OAKLAND, CA 94621		
Site Name:	YANDELL TRUCKING		
Site Location:	563 JULIE ANN WY OAKLAND CA 94621- ALAMEDA		
Site County:			
Water Quality Control Board Region:	02		
Case ID #:	01-1686		
Local Case ID #:	3512		
Media Affected	SOIL ONLY		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status	CASE CLOSED		
Substance Leaked:	DIESEL		
Abatement Method:	NT		
Funding By:	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
How was Leak Discovered	FEDERAL FUNDS		
How was Leak Stopped:	TANK CLOSURE		
	CLOSE TANK		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: **844501901**

Date of Report: **January 29, 2002**

Version 2.7

Page #96

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**MTBE Tested** NOT REQUIRED TO BE TESTED  
**Program Type** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak** STRUCTRE FAILURE  
**Source of Leak** TANK  
**Longitude:** 37.7589617  
**Latitude:** -122.2105268  
**Summary** 1/23 TKCR; SENT FILE TO ACHD9/94. REQ CASE CLOSURE 6/10/96  
**Date Case was Closed** 9/26/96  
**Date Leak was Discovered:** 1/4/92  
**Reported Date:** 8/8/91  
**Date Leak was Stopped:** 1/4/92

**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), Remediation Status(1), Enforcement Type(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)

STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-1686

**Agency Address:** YANDELL TRUCKING  
 563 JULIE ANN WY  
 OAKLAND, CA 0  
**Case ID #:** 01-1686  
**Site Name:** YANDELL TRUCKING  
**Site Address:** 563 JULIE ANN WY  
 OAKLAND, CA  
**Site County:** ALAMEDA  
**Date Entered:** 12/16/92  
**Maximum Soil:** 1400  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.


**Fields Not Reported by the Source Agency for this Site:** Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

VISTA Address*	<b>COLOMBO BAKING COMPANY</b> 580 JULIE ANN OAKLAND, CA 94621	VISTA ID#:	1261949
		Distance/Direction:	0.36 MI / S
		Plotted as:	Point

Map ID  
**26**

STATE LUST - State Leaking Underground Storage Tank / SRC# 164 EPA/Agency ID: N/A


**Agency Address:** COLUMBO BAKERY  
 580 JULIE ANN WY  
 OAKLAND, CA 94621  
**Site Name:** COLUMBO BAKERY  
**Site Location:** 580 JULIE ANN WY  
 OAKLAND CA 94621-  
 ALAMEDA  
**Site County:**  
**Water Quality Control Board Region:** 02  
**Case ID #:** 01-2293





**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Local Case ID #:</b>	4008
<b>Media Affected</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	POLLUTION CHARACTERIZATION
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	ED
<b>How was Leak Discovered</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>How was Leak Stopped:</b>	SUBSURFACE MONITORING
<b>MTBE Tested</b>	OTHER MEANS
<b>Program Type</b>	MTBE DETECTED
<b>Responsible Party:</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Cause of Leak</b>	BLANK RP
<b>Source of Leak</b>	UNKNOWN
<b>Longitude:</b>	UNKNOWN
<b>Latitude:</b>	37.7588157
<b>Summary</b>	-122.2102778
<b>Date Pollution Characterization Began</b>	CC SUMMARY PER ACHD 5/8/00.
<b>Date Leak was Discovered:</b>	3/16/98
<b>MTBE Date</b>	6/1/91
<b>Reported Date:</b>	UNKNOWN
<b>Date Leak was Stopped:</b>	10/20/95
<b>Fields Not Reported by the Source Agency for this Site:</b>	1/1/93
<i>Cross Street(1), Media Affected(1), Remediation Status(1), Enforcement Type(1), Funding By(1), How was Leak Discovered(1), How was Leak Stopped(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Source of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1)</i>	
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	
<b>Agency Address:</b>	Agency ID: 01-2293
<b>Case ID #:</b>	COLUMBO BAKERY
<b>Site Name:</b>	580 JULIE ANN WY
<b>Site Address:</b>	OAKLAND, CA 0
<b>Site County:</b>	01-2293
<b>Date Entered:</b>	COLUMBO BAKERY
<b>Maximum Soil</b>	580 JULIE ANN WY
<b>Maximum Groundwater</b>	OAKLAND, CA
<b>Current Benzene</b>	ALAMEDA
<b>Substance Leaked:</b>	3/16/98
<b>Media Affected:</b>	4800
<b>Discovery Date:</b>	360000
	88
	NOT REPORTED
	NOT REPORTED
	NOT REPORTED



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Site Status:** POLLUTION CHARACTERIZATION UNDERWAY. THIS PHASE OF WORK INVOLVES THE DEFINITION OF THE BOUNDARIES OF THE CONTAMINATED PLUME. IN ORDER TO BE A 5C THE RESPONSIBLE PARTY MUST BE TAKING STEPS TO FURTHER DEFINE THE LATERAL AND VERTICAL EXTENT OF CONTAMINATION IN THE SOIL AND GROUNDWATER. THIS PHASE IS CHARACTERIZED BY THE INSTALLATION OF ADDITIONAL MONITORING WELLS AND/OR BORINGS, AQUIFER TESTS, SOIL GAS SURVEYS, CONTINUAL GROUNDWATER GRADIENT DETERMINATIONS AND MONITORING, AND AN ASSESSMENT OF ALL IMPACTS ON SURFACE AND GROUNDWATER.

**Maximum MTBE:** 60  
**Current MTBE:** 60

**Fields Not Reported by the Source:** MTBE Qualifier(1)  
**Agency for this Site:**

<b>VISTA Address*:</b>	<b>CAMPANELLA DEMOLITION</b> 5601 SAN LEANDRO OAKLAND, CA 94621	<b>VISTA ID#:</b>	5358002
		<b>Distance/Direction:</b>	0.36 MI / SE
		<b>Plotted as:</b>	Point

Map ID  
**27**

**CORTESE / SRC# 53** EPA/Agency ID: N/A

**Agency Address:** SAME AS ABOVE  
**Agency ID:** 01-0274  
**Facility Name:** CAMPANELLA DEMOLITION  
**Facility Address:** 5601 SAN LEANDRO  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 94621  
**Facility County:** 1  
**Tracking Program:** LEAKING TANK  
**Site ID:** 01-0274


**Fields Not Reported by the Source:** Epa ID(1), Is Sites(1)  
**Agency for this Site:**

<b>VISTA Address*:</b>	<b>SEVEN UP BOTTLING COMPANY</b> 6505 SAN LEANDRO ST OAKLAND, CA 94621	<b>VISTA ID#:</b>	6350427
		<b>Distance/Direction:</b>	0.39 MI / SE
		<b>Plotted as:</b>	Point

Map ID  
**27**


**STATE LUST - State Leaking Underground Storage Tank / SRC# 164** EPA/Agency ID: N/A

**Agency Address:** SAME AS ABOVE  
**Site Name:** SEVEN UP BOTTLING COMPANY  
**Site Location:** 6505 SAN LEANDRO ST  
OAKLAND CA 94621-  
ALAMEDA  
**Site County:**  
**Water Quality Control Board Region:** 02  
**Case ID #:** 01-0007  
**Local Case ID #:** 3151  
**Media Affected:** OTHER GROUNDWATER  
**Lead Agency:** LOCAL AGENCY LEAD  
**Remediation Status:** CASE CLOSED  
**Substance Leaked:** DIESEL  
**Abatement Method:** ED



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Enforcement Type</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Funding By</b>	NONE TAKEN
<b>How was Leak Discovered</b>	FEDERAL FUNDS
<b>How was Leak Stopped</b>	TANK CLOSURE
<b>MTBE Tested</b>	CLOSE TANK
<b>Program Type</b>	NOT REQUIRED TO BE TESTED
<b>Responsible Party:</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Cause of Leak</b>	BLANK RP
<b>Source of Leak</b>	STRUCTRE FAILURE
<b>Longitude:</b>	TANK
<b>Latitude:</b>	37.7572678
<b>Summary</b>	-122.2015735
<b>Date Preliminary Site Assessment Began</b>	MAXGW= BTEX, 310 PPM PIT WATER, 10/17OR;1/24OR; REQ CASECLOSURE 6/20/95; 3/27/95 URF
<b>Date Case was Closed</b>	8/14/90
<b>Date Leak was Discovered:</b>	4/16/99
<b>Reported Date:</b>	6/16/89
<b>Date Leak was Stopped:</b>	6/16/89
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1)
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-0007</b>	
<b>Agency Address:</b>	SEVEN UP BOTTLING COMPANY 6505 SAN LEANDRO ST OAKLAND, CA 0 01-0007
<b>Case ID #:</b>	01-0007
<b>Site Name:</b>	SEVEN UP BOTTLING COMPANY
<b>Site Address:</b>	6505 SAN LEANDRO ST OAKLAND, CA
<b>Site County:</b>	ALAMEDA
<b>Date Entered:</b>	8/24/90
<b>Maximum Soil</b>	1095
<b>Maximum Groundwater</b>	310700
<b>Current Benzene</b>	1
<b>Substance Leaked:</b>	NOT REPORTED
<b>Media Affected:</b>	NOT REPORTED
<b>Discovery Date:</b>	NOT REPORTED
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.
<b>Fields Not Reported by the Source Agency for this Site:</b>	MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #100

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>U-HAUL</b> <b>5330 E. 14TH ST</b> <b>OAKLAND, CA 94621</b>	VISTA ID#:	7430177
		Distance/Direction:	0.36 MI / NE
		Plotted as:	Point

Map ID  
**28**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
<b>Agency Address:</b>	U HAUL 5330 14TH ST E OAKLAND, CA 94601		
<b>Site Name:</b>	U HAUL		
<b>Site Location:</b>	5330 14TH ST E OAKLAND CA 94601-		
<b>Site County:</b>	ALAMEDA		
<b>Water Quality Control Board Region:</b>	02		
<b>Case ID #:</b>	01-2324		
<b>Local Case ID #:</b>	3912		
<b>Media Affected</b>	OTHER GROUNDWATER		
<b>Lead Agency:</b>	LOCAL AGENCY LEAD		
<b>Remediation Status</b>	CASE CLOSED		
<b>Substance Leaked:</b>	WASTE OIL		
<b>Abatement Method:</b>	EDGT		
<b>Enforcement Type</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW-RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
<b>Funding By</b>	NONE TAKEN		
<b>How was Leak Discovered</b>	FEDERAL FUNDS		
<b>How was Leak Stopped</b>	TANK CLOSURE		
<b>MTBE Tested</b>	CLOSE TANK		
<b>Program Type</b>	NOT REQUIRED TO BE TESTED		
<b>Responsible Party:</b>	LOCAL OVERSIGHT PROGRAM UST		
<b>Cause of Leak</b>	BLANK RP		
<b>Source of Leak</b>	STRUCTRE FAILURE		
<b>Longitude:</b>	TANK		
<b>Latitude:</b>	37.7681125		
<b>Summary</b>	-122.2056086		
<b>Date Leak was Confirmed</b>	REQ FOR CC BY ACHD--5/28/98.		
<b>Date Pollution Characterization Began</b>	3/20/98		
<b>Date Case was Closed</b>	7/8/98		
<b>Date Leak was Discovered:</b>	1/21/00		
<b>Reported Date:</b>	12/25/93		
<b>Date Leak was Stopped:</b>	2/22/94		
<b>Fields Not Reported by the Source Agency for this Site:</b>	12/25/93		
	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #101


**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-2324
Agency Address:	U HAUL 5330 14TH ST E OAKLAND, CA 0		
Case ID #:	01-2324		
Site Name:	U HAUL		
Site Address:	5330 14TH ST E OAKLAND, CA		
Site County:	ALAMEDA		
Date Entered:	6/15/94		
Maximum Soil	7100		
Maximum Groundwater	620		
Current Benzene	ND		
Substance Leaked:	NOT REPORTED		
Media Affected:	NOT REPORTED		
Discovery Date:	NOT REPORTED		
Site Status:	CASE CLOSED- REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
Fields Not Reported by the Source Agency for this Site:	MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		

VISTA Address*	<b>1X EVERETT STERN 1033 44TH AVE OAKLAND, CA 94601</b>	VISTA ID#:	1582101
		Distance/Direction:	0.37 MI./ NW
		Plotted as:	Point

Map ID  
**29**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	EVERETT STERN PROPERTY 1033 44TH AVE OAKLAND, CA 94601		
Site Name:	EVERETT STERN PROPERTY		
Site Location:	1033 44TH AVE OAKLAND CA 94601-		
Site County:	ALAMEDA		
Water Quality Control Board Region:	02		
Case ID #:	01-0577		
Local Case ID #:	4402		
Media Affected	SOIL ONLY		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status	CASE CLOSED		
Substance Leaked:	DIESEL		
Abatement Method:	ED  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
Enforcement Type	13267 LETTERS FOR ENFORCEMENT		
Funding By	FEDERAL FUNDS		
How was Leak Discovered	TANK CLOSURE		
How was Leak Stopped	CLOSE TANK		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #102

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**MTBE Tested** NOT REQUIRED TO BE TESTED  
**Program Type** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak** STRUCTRE FAILURE  
**Source of Leak** TANK  
**Longitude:** 37.7705465  
**Latitude:** -122.216017  
**Summary** CASE CLOSED:LOP UPDATE--10/21/93  
**Date Case was Closed** 8/18/93  
**Date Leak was Discovered:** 1/11/89  
**Date of Enforcement Action** 1/11/93  
**Reported Date:** 5/9/88  
**Date Leak was Stopped:** 1/11/89

**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workple(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853** Agency ID: 01-0577


**Agency Address:** EVERETT STERN PROPERTY  
 1033 44TH AVE  
 OAKLAND, CA 0  
**Case ID #:** 01-0577  
**Site Name:** EVERETT STERN PROPERTY  
**Site Address:** 1033 44TH AVE  
 OAKLAND, CA  
**Site County:** ALAMEDA  
**Date Entered:** 9/18/89  
**Maximum Soil** 253  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.  
**Fields Not Reported by the Source Agency for this Site:** Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

VISTA Address*	<b>DUTCH BOY PAINT</b> <b>4701 SAN LEANDRO STREET</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	65005091
		Distance/Direction:	0.43 MI / NW
		Plotted as:	Point

Map ID  
**29**


**SCL - State Equivalent CERCLIS List / SRC# 112** Agency ID: 01390003

**Agency Address:** SAME AS ABOVE  
**Agency ID:** 01390003  
**Facility Name:** DUTCH BOY PAINT  
**Facility Address:** 4701 SAN LEANDRO STREET  
 OAKLAND, CA. 94601  
**Region:** BERKELEY  
**County:** ALAMEDA



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Branch:	NORTH COAST
Status Date:	04212000
Status:	VCP
Status Description:	VOLUNTARY CLEANUP PROGRAM
Lead Agency:	DEPT OF TOXIC SUBSTANCES CONTROL
Type Name:	VOLUNTARY CLEANUP PROGRAM
NPL:	N
Fund	C
SIC Number:	39
SIC Name:	MISCELLANEOUS MANUFACTURING INDUSTRIES
Water Control Board Region:	SAN FRANCISCO BAY
Access	C
Number of Sources:	0
Latitude:	37-DEG, 46-MIN, 4-SEC
Latitude Direction:	N
Longitude:	122-DEG, 12-MIN, 52-SEC
Longitude Direction:	W
Alternate Address:	4701 SAN LEANDRO STREET OAKLAND, CA. 94601
Alternate Name:	DUTCH BOY PAINT
Comment Key:	4
Activity Number:	CERT
Type of Activity:	CERTIFICATION
Estimated Years to Finish:	0
Status at Start:	VOLUNTARY CLEANUP PROGRAM
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	3
Activity Number:	RA
Type of Activity:	REMOVAL ACTION
Estimated Years to Finish:	0
Status at Start:	VOLUNTARY CLEANUP PROGRAM
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	2
Activity Number:	RAW
Type of Activity:	REMOVAL ACTION WORKPLAN
Estimated Years to Finish:	0
Status at Start:	VOLUNTARY CLEANUP PROGRAM
Cubic Yards Removed:	0
Gallons Removed:	0



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: B44501901

Date of Report: January 29, 2002

Version 2.7

Page #104

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Yards Treated:	0
Gallons Treated:	0
Comment Key:	7
Activity Number:	ORDER
Type of Activity:	1/SE, 1ORSE, FFA, FFSRA, VCA, EA
Comment Description:	VCA
Completion Date:	06232000
Estimated Years to Finish:	0
Status at Start:	VOLUNTARY CLEANUP PROGRAM
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Fields Not Reported by the Source	Tier(1), Cortese(1), Hazard Ranking Score(1), Hazard Ranking Date(1), Groundwater(1), Comment Description(3), Completion Date(3)
Agency for this Site:	

VISTA Address*	DI SALVO TRUCKING CO. 4919 TIDEWATER OAKLAND, CA 94601	VISTA ID#:	1176565
		Distance/Direction:	0.38 MI / SW
		Plotted as:	Point

Map ID:  
**30**


<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
--------------------------	----------------	-----

Agency Address:	DISALVO TRUCKING 4919 TIDEWATER OAKLAND, CA 94601
Agency ID:	01-0495
Facility Name:	DISALVO TRUCKING
Facility Address:	4919 TIDEWATER
Facility City:	OAKLAND
Facility State:	CA
Facility Zip:	94601
Facility County:	1
Tracking Program:	LEAKING TANK
Site ID:	01-0495

Fields Not Reported by the Source	Epa ID(1), Is Sites(1)
Agency for this Site:	

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

Agency Address:	DI SALVO TRUCKING 4919 TIDEWATER AVE OAKLAND, CA 94601
Site Name:	DI SALVO TRUCKING
Site Location:	4919 TIDEWATER AVE OAKLAND CA 94601- ALAMEDA
Site County:	
Water Quality Control Board Region:	02
Case ID #:	01-0495
Local Case ID #:	3687
Media Affected:	OTHER GROUNDWATER
Lead Agency:	LOCAL AGENCY LEAD
Remediation Status:	PRELIMINARY SITE ASSESSMENT UNDERWAY



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #105




**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Substance Leaked:</b>	DIESEL
<b>Abatement Method:</b>	FPETIT
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GI-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	13267 LETTERS FOR ENFORCEMENT
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7614027
<b>Latitude:</b>	-122.2193501
<b>Summary</b>	ENFORCEMENT LTR 02/24/94, ENFORCEMENT LTR 06/08/95. ACHCSA REQUESTS GW MONITORING REPORTS AND AN INVESTIGATIVE WP(11/28/00).
<b>Date Preliminary Site Assessment Workpla</b>	8/15/89
<b>Date Preliminary Site Assessment Began</b>	UNKNOWN
<b>Date Leak was Discovered:</b>	3/16/89
<b>Date of Enforcement Action</b>	3/6/92
<b>Reported Date:</b>	3/16/89
<b>Date Leak was Stopped:</b>	3/16/89
<b>Fields Not Reported by the Source</b>	Cross Street(1), Media Affected(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), MTBE Date(1)
<b>Agency for this Site:</b>	

**STATE: LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-0495**

<b>Agency Address:</b>	DI SALVO TRUCKING 4919 TIDEWATER AVE OAKLAND, CA 0
<b>Case ID #:</b>	01-0495
<b>Site Name:</b>	DI SALVO TRUCKING
<b>Site Address:</b>	4919 TIDEWATER AVE OAKLAND, CA
<b>Site County:</b>	ALAMEDA
<b>Date Entered:</b>	6/19/89
<b>Maximum Soil</b>	18000
<b>Maximum Groundwater</b>	9999999
<b>Substance Leaked:</b>	NOT REPORTED
<b>Media Affected:</b>	NOT REPORTED
<b>Discovery Date:</b>	NOT REPORTED



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Site Status:** PRELIMINARY SITE ASSESSMENT UNDERWAY: IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWNGRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).

**Fields Not Reported by the Source Agency for this Site:** Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

<b>VISTA Address:</b>	<b>RELIABLE ROOFING COMPANY</b> 4905 TIDEWATER AVE OAKLAND, CA 94601	<b>VISTA ID#:</b>	4223091
		<b>Distance/Direction:</b>	0.39 MI / SW
		<b>Plotted as:</b>	Point

Map ID  
**30**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164** EPA/Agency ID: N/A

<b>Agency Address:</b>	SAME AS ABOVE
<b>Site Name:</b>	RELIABLE ROOFING COMPANY
<b>Site Location:</b>	4905 TIDEWATER AVE OAKLAND CA 94601-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-1621
<b>Local Case ID #:</b>	2405
<b>Media Affected:</b>	SOIL ONLY
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status:</b>	CASE CLOSED
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method:</b>	ED CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type:</b>	13267 LETTERS FOR ENFORCEMENT
<b>Funding By:</b>	FEDERAL FUNDS
<b>How was Leak Discovered:</b>	TANK CLOSURE
<b>How was Leak Stopped:</b>	CLOSE TANK
<b>MTBE Tested:</b>	SITE NOT TESTED FOR MTBE
<b>Program Type:</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak:</b>	STRUCTRE FAILURE
<b>Source of Leak:</b>	TANK
<b>Longitude:</b>	37.7609367
<b>Latitude:</b>	-122.2179541
<b>Summary:</b>	ARCHIVED 6/6/96 CONTROL NO 120-091 SRC 0904741
<b>Date Leak was Confirmed:</b>	1/22/93
<b>Date Case was Closed:</b>	1/11/95



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


Date Leak was Discovered:	9/29/89
Date of Enforcement Action	1/22/93
Reported Date:	9/29/89
Date Leak was Stopped:	10/6/89
Fields Not Reported by the Source Agency for this Site:	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-1621
Agency Address:	RELIABLE ROOFING COMPANY 4905 TIDEWATER AVE OAKLAND, CA 0		
Case ID #:	01-1621		
Site Name:	RELIABLE ROOFING COMPANY		
Site Address:	4905 TIDEWATER AVE OAKLAND, CA ALAMEDA		
Site County:	ALAMEDA		
Date Entered:	6/17/93		
Maximum Soil	79		
Substance Leaked:	NOT REPORTED		
Media Affected:	NOT REPORTED		
Discovery Date:	NOT REPORTED		
Site Status:	CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENT THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
Fields Not Reported by the Source Agency for this Site:	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		

VISTA Address*	<b>GENERAL ELECTRIC COMPANY</b> 5441 14TH ST E OAKLAND, CA 94601	VISTA ID#:	65501815
		Distance/Direction:	0.40 MI / E
		Plotted as:	Point

Map ID  
**31**

<b>State Spills / SRC# 106</b>		EPA/Agency ID:	N/A
Agency Address:	GENERAL ELECTRIC COMPANY 5441 14TH ST E OAKLAND, CA 94607		
Facility Name:	GENERAL ELECTRIC COMPANY		
Facility Address:	5441 14TH ST E OAKLAND, CA 94607 ALAMEDA		
Facility County:	ALAMEDA		
Case ID #:	01S0008		
Staff:	BG		
Facility Type	MANUFACTURES TRANSFORMERS AND SWITCHBOARDS		
Facility Status:	ACTIVE		
Material(s) Spilled	WASTE DISPOSAL PRACTICES		
Lead Agency	RWQCB		
Municipal Wells:	0		
Private Wells:	0		
Soil Removal	NO		
Flow Rate(GPM):	0		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #108

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NO TANKS
<b>Communication Submitted</b>	BEGUN CHARACTERIZATION/ COMPLETED CHARACTERIZATION/ BEGUN REMEDIATION/ NOT REPORTED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Comment(1), Discovery Date(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1)

<b>VISTA Address*</b>	<b>GENERAL ELECTRIC - OAKLAND</b> 5441 EAST 14TH ST OAKLAND, CA 94601	<b>VISTA ID#:</b>	66306100
		<b>Distance/Direction:</b>	0.40 MI / E
		<b>Plotted as:</b>	Point

Map ID  
**31**

<b>Deed Restriction / SRC# 46</b>	<b>Agency ID:</b>	1360059
-----------------------------------	-------------------	---------


<b>Agency Address:</b>	SAME AS ABOVE
<b>Site ID #:</b>	1360059
<b>Site Name:</b>	GENERAL ELECTRIC - OAKLAND
<b>Site Address:</b>	5441 EAST 14TH ST OAKLAND, CA 94601
<b>Site County:</b>	ALAMEDA
<b>Number of Deeds:</b>	1
<b>Alias Name:</b>	NOT REPORTED
<b>Senate Number:</b>	09
<b>Assembly Number:</b>	14

<b>VISTA Address*</b>	<b>GENERAL ELECTRIC CO</b> 5441 E 14TH ST OAKLAND, CA 94621	<b>VISTA ID#:</b>	167360
		<b>Distance/Direction:</b>	0.40 MI / E
		<b>Plotted as:</b>	Point

Map ID  
**31**


<b>NFRAP / SRC# 18</b>	<b>Agency ID:</b>	0901204
------------------------	-------------------	---------

<b>Agency Address:</b>	GENERAL ELECTRIC CO 5441 E 14TH ST OAKLAND, CA 94601
<b>EPA ID:</b>	CAD009208075
<b>Site ID:</b>	0901204
<b>EPA Region:</b>	09
<b>USGS Hydrologic Unit Code:</b>	18050004
<b>Ownership Type:</b>	UNKNOWN
<b>Federal Facility Indicator:</b>	NOT A FEDERAL FACILITY



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>NPL Status:</b>	NOT ON THE NPL
<b>Hazardous Waste Docket Flag:</b>	NOT ON THE HAZARDOUS WASTEDOCKET
<b>Action:</b>	DISCOVERY
<b>Action Lead:</b>	EPA FUND-FINANCED
<b>Scheduled Completion Date</b>	DECEMBER 31, 1979
<b>Actual Completion Date:</b>	NOVEMBER 1, 1979
<b>Action:</b>	HAZARD RANKING SCORE PACKAGE
<b>Action Lead:</b>	EPA FUND-FINANCED
<b>Scheduled Completion Date</b>	DECEMBER 31, 1981
<b>Actual Completion Date:</b>	OCTOBER 1, 1981
<b>Action:</b>	PRELIMINARY ASSESSMENT
<b>Action Qualifier</b>	LOW
<b>Action Lead:</b>	EPA FUND-FINANCED
<b>Scheduled Completion Date</b>	DECEMBER 31, 1980
<b>Actual Completion Date:</b>	OCTOBER 1, 1980
<b>Action:</b>	SCREENING SITE INSPECTION
<b>Action Qualifier</b>	NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)
<b>Action Lead:</b>	EPA FUND-FINANCED
<b>Scheduled Completion Date</b>	DECEMBER 31, 1981
<b>Actual Completion Date:</b>	OCTOBER 1, 1981
<b>Operable Unit ID:</b>	00
<b>Operable Unit Name:</b>	SITEWIDE
<b>Fields Not Reported by the Source</b>	Financial Management System ID(1), Site Incident Category Description(1), Action Qualifier(2), Scheduled Start Date(2), Actual Start Date(2)
<b>Agency for this Site:</b>	
<b>North Bay / SRC# 47</b>	<b>EPA/Agency ID:</b> N/A
<b>Agency Address:</b>	GENERAL ELECTRIC CO 5441 E 14TH ST OAKLAND, CA 94601
<b>Facility Name:</b>	GENERAL ELECTRIC CO
<b>Facility Address:</b>	5441 E 14TH ST
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94601
<b>Facility Name:</b>	GENERAL ELECTRIC CO
<b>Facility Address:</b>	5441 E 14TH ST
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94601
<b>Fields Not Reported by the Source</b>	Agency ID(2), Epa ID(2), Facility County(2)
<b>Agency for this Site:</b>	
<b>SPL - State Equivalent Priority List / SRC# 113</b>	<b>Agency ID:</b> 01360059
<b>Agency Address:</b>	GENERAL ELECTRIC - OAKLAND 5441 EAST 14TH STREET OAKLAND, CA 94601
<b>Agency ID:</b>	01360059
<b>Facility Name:</b>	GENERAL ELECTRIC - OAKLAND
<b>Facility Address:</b>	5441 EAST 14TH STREET



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #110

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Region:</b>	OAKLAND, CA. 94601
<b>County:</b>	BERKELEY
<b>Branch:</b>	ALAMEDA
<b>Status Date:</b>	NORTH COAST
<b>Status:</b>	06251997
<b>Status Description:</b>	AWP
<b>Lead Agency:</b>	ANNUAL WORKPLAN - ACTIVE SITE
<b>Type Name:</b>	DEPT OF TOXIC SUBSTANCES CONTROL
<b>NPL:</b>	RESPONSIBLE PARTY
<b>Fund:</b>	N
<b>SIC Number:</b>	C
<b>SIC Name:</b>	36
<b>Water Control Board Region:</b>	MANU - ELECTRONIC OTHER ELECTRIC EQUIP
<b>Cortese:</b>	SAN FRANCISCO BAY
<b>Groundwater:</b>	L
<b>Number of Sources:</b>	C
<b>Latitude:</b>	1
<b>Latitude Direction:</b>	37-DEG, 46-MIN, 8-SEC
<b>Longitude:</b>	N
<b>Longitude Direction:</b>	122-DEG, 12-MIN, 16-SEC
<b>Alternate Address:</b>	W
<b>Alternate Name:</b>	5441 EAST 14TH STREET
<b>Alternate Name:</b>	OAKLAND, CA. 94601
<b>Agency ID:</b>	PARCEL 41-384B-1
	GENERAL ELECTRIC - OAKLAND
	01360059



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #111

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Background:**

THE GENERAL ELECTRIC (G.E.) OAKLAND PLANT MANUFACTURED ELECTRICAL TRANSFORMERS FROM 1927, TO 1975. TRANS OIL AND POLYCHLORINATED BIPHENYLS (PCBS) WERE USED AS DIELECTRIC FLUIDS IN THE FINISHED PRODUCT. SOIL AND GROUNDWATER HAVE BEEN CONTAMINATED WITH THESE FLUIDS. G.E. OAKLAND COMPLETED CONSTRUCTION OF AN APPROVED SURFACE WATER AND GROUNDWATER OIL PLUME CONTROL SYSTEM IN 1981, AND SUBMITTED PROCEDURES FOR LONG-TERM MONITORING, OPERATIONS, AND MAINTENANCE. GROUNDWATER IS EXTRACTED AND TREATED WITH AN OIL/WATER SEPARATOR AND AIR STRIPPING COLUMN. ON JUNE 25, 1997, DTSC AND GENERAL ELECTRIC COMPANY ENTERED INTO A CONSENT ORDER TO INVESTIGATE AND REMEDIATE THE VOLATILE ORGANIC COMPOUNDS DETECTED IN THE GROUNDWATER. SOIL GAS ANALYSES DETECTED ONLY LOW LEVELS OF VOLATILE ORGANIC COMPOUNDS IN ONSITE SOIL. GROUNDWATER INVESTIGATION ONSITE DETECTED VOLATILE ORGANIC COMPOUNDS DOWN TO 351 FEET BELOW GROUND SURFACE. TRICHLOROETHENE WAS DETECTED AT CONCENTRATION OF 0.600 MICROGRAMS PER LITER FROM SAMPLES COLLECTED AT 350 FEET. IN NOVEMBER 1999, THE CONCENTRATION OF TRICHLOROETHENE DETECTED IN A GROUNDWATER MONITORING WELL WAS AS HIGH AS 15,000 MICROGRAMS PER LITER (PARTS-PER-BILLION OR PPB) AT 19 TO 24 FEET BELOW GROUND SURFACE IN NOVEMBER 1999. OTHER VOLATILE ORGANIC COMPOUNDS DETECTED DURING THE NOVEMBER 1999 GROUNDWATER SAMPLING INCLUDE: TETRACHLOROETHENE (UP TO 330 PPB), CIS-1,2-DICHLOROETHENE (UP TO 810 PPB), 1,2-DICHLOROETHANE (UP TO 11,000 PPB), CARBON TETRACHLORIDE (UP TO 37 PPB), CHLOROFORM (UP TO 140 PPB), VINYL CHLORIDE (UP TO 4.2 PPB), TRANS-1,2-DICHLOROETHENE (UP TO 160 PPB), BENZENE (UP TO 8.5 PPB), 1,1-DICHLOROETHENE (UP TO 0.7 PPB), 1,4-DICHLOROBENZENE (UP TO 21 PPB), 1,2,3-TRICHLOROBENZENE (UP TO 20 PPB) AND 1,2,4-TRICHLOROBENZENE (UP TO 61 PPB). BETWEEN JUNE AND OCTOBER 1999, GE COLLECTED SOIL SAMPLES FROM RESIDENTIAL PROPERTY LOCATED ADJACENT TO THE SITE ON 54TH AVENUE. SOIL SAMPLES WERE COLLECTED ONLY FROM THE PROPERTIES WHERE PERMISSION WAS

FOR INFORMATION ABOUT ADDITIONAL DETAILS NOT LISTED, PLEASE CALL CUSTOMER FULLFILLMENT AT 1-800-767-0403

**Comment Key:** 19  
**Activity Number:** CEQA  
**Type of Activity:** CEQA INCLUDING NEGATIVE DECS  
**Comment Description:** NOE  
**Completion Date:** 10032000  
**Estimated Years to Finish:** 0  
**Status at Start:** ANNUAL WORKPLAN - ACTIVE SITE  
**Cubic Yards Removed:** 0  
**Gallons Removed:** 0  
**Yards Treated:** 0  
**Gallons Treated:** 0

**Comment Key:** 18  
**Activity Number:** RAW  
**Type of Activity:** REMOVAL ACTION WORKPLAN  
**Comment Description:** BKYDS  
**Completion Date:** 10032000  
**Estimated Years to Finish:** 0  
**Status at Start:** ANNUAL WORKPLAN - ACTIVE SITE  
**Cubic Yards Removed:** 0  
**Gallons Removed:** 0  
**Yards Treated:** 0  
**Gallons Treated:** 0

**Comment Key:** 17



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #112

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Activity Number:</b>	CHP65
<b>Type of Activity:</b>	AMENDED ORDER/AGREEMENT, CHAPTER 6.5 TRANSITION
<b>Completion Date:</b>	01081999
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	ANNUAL WORKPLAN - ACTIVE SITE
<b>Cubic Yards Removed:</b>	0
<b>Gallons Removed:</b>	0
<b>Yards Treated:</b>	0
<b>Gallons Treated:</b>	0
<b>Comment Key:</b>	16
<b>Activity Number:</b>	DCERT
<b>Type of Activity:</b>	DECERTIFIED
<b>Completion Date:</b>	06251997
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	ANNUAL WORKPLAN - ACTIVE SITE
<b>Cubic Yards Removed:</b>	0
<b>Gallons Removed:</b>	0
<b>Yards Treated:</b>	0
<b>Gallons Treated:</b>	0
<b>Comment Key:</b>	15
<b>Activity Number:</b>	CERT
<b>Type of Activity:</b>	CERTIFICATION
<b>Activity Due Date:</b>	08312004
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	ANNUAL WORKPLAN - ACTIVE SITE
<b>Cubic Yards Removed:</b>	0
<b>Gallons Removed:</b>	0
<b>Yards Treated:</b>	0
<b>Gallons Treated:</b>	0
<b>Comment Key:</b>	14
<b>Activity Number:</b>	RMDL
<b>Type of Activity:</b>	REMEDIAL ACTION (RAP REQUIRED)
<b>Activity Due Date:</b>	07312003
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	ANNUAL WORKPLAN - ACTIVE SITE
<b>Cubic Yards Removed:</b>	0
<b>Gallons Removed:</b>	0
<b>Yards Treated:</b>	0
<b>Gallons Treated:</b>	0
<b>Comment Key:</b>	13
<b>Activity Number:</b>	DES
<b>Type of Activity:</b>	DESIGN
<b>Activity Due Date:</b>	06302002
<b>Estimated Years to Finish:</b>	0
<b>Status at Start:</b>	ANNUAL WORKPLAN - ACTIVE SITE



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #113



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	11
Activity Number:	RAP
Type of Activity:	REMEDIAL ACTION PLAN / RECORD OF DECISION
Activity Due Date:	01312002
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	10
Activity Number:	RIFS
Type of Activity:	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
Activity Due Date:	04302001
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	9
Activity Number:	ORDER
Type of Activity:	I/SE, IORSE, FFA, FFSRA, VCA, EA
Completion Date:	06251997
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	8
Activity Number:	CERT
Type of Activity:	CERTIFICATION
Completion Date:	05181993
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	7



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #114

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Activity Number:	DEED
Type of Activity:	DEED RESTRICTIONS
Completion Date:	04191993
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	6
Activity Number:	RA
Type of Activity:	REMOVAL ACTION
Comment Description:	PIPE
Completion Date:	03311993
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Removal Action Certificate:	N
Comment Key:	5
Activity Number:	FRFS
Type of Activity:	FOCUSED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
Comment Description:	PILOT
Completion Date:	05041991
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	4
Activity Number:	SS
Completion Date:	02181987
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	3
Activity Number:	RIFS
Type of Activity:	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
Completion Date:	08301980



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #115

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	2
Activity Number:	ORDER
Type of Activity:	I/SE, IORSE, FFA, FFSRA, VCA, EA
Completion Date:	11301979
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Comment Key:	1
Activity Number:	DISC
Type of Activity:	DISCOVERY
Completion Date:	07301979
Estimated Years to Finish:	0
Status at Start:	ANNUAL WORKPLAN - ACTIVE SITE
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0
Gallons Treated:	0
Agency ID:	01360059
Comments:	FACILITY IDENTIFIED. SAMPLES SHOW 14,000 PPM PCB IN THE SURFACE SOILS. HMMS/ENFORCEMENT INSPECTION: PCB CONTAMINATION. NOTICE AND ORDER ISSUED BY RWOCB 80-011. RA WATER SUPPLY PIPELINE REPLACEMENT: AN OLD LEAKY WATER SUPPLY PIPE WAS ABANDONED AND A NEW 2" LINE INSTALLED. PORTIONS OF THE NEW 2" LINE WAS INSTALLED IN AREAS THAT CONTAINED PCB'S EXCEEDING 50 PPM. THE SOILS EXCAVATED FROM THE TRENCH WAS DRUMMED AND SUBSEQUENTLY DISPOSED AT A CLASS I FACILITY. THE NEW PIPE THAT WAS INSTALLED IN A TRENCH WITH CLEAN FILL AND WITH A MINIMUM OF 1 FOOT BLANKET AROUND THE PIPE. A DEED RESTRICTION WAS RECORDED TO LIMIT THE USE OF THE PROPERTY TO INDUSTRIAL/COMMERCIAL AND MAINTAIN THE CAP. EXTRACTED, TREATED, AND DISCHARGED TO EAST BAY MUD APPROX. 2 MILLION GALLONS OF GROUNDWATER DURING THE PAST 10 YEARS. COMPLETE REMOVAL OF CONTAMINANTS VIA EXTRACTION, TREATMENT AERATION OF GROUNDWATER WITH VOC'S AND COLLECTION AND DISPOSED OF PCB'S TO CLASS I LANDFILL. CORRECTIVE ACTION INCLUDES AN UNDERGROUND OIL AND GROUNDWATER COLLECTION SYSTEM FOR THE REMOVAL OF OIL AND PCB'S. TREATMENT SYSTEM CONSISTING OF AN OIL/WATER/SOLIDS SEPARATOR AND AN EXTENSIVE SITE SEALING (COVER/CAP) AND DRAINAGE SYSTEM. THIS SITE HAS BEEN DECERTIFIED DUE TO ADDITIONAL CONTAMINATION OF VOLATILE ORGANIC COMPOUNDS (VOC'S) FOUND. GE ENTERED INTO A CONSENT ORDER TO INVESTIGATE AND REMEDIATE THE CONTAMINATION IN SOIL AND GROUNDWATER. DTSC AND GE SIGNED AN AMENDMENT TO THE CONSENT ORDER WHICH ALLOWS WORK TO CONTINUE UNDER CHAPTER 6.5 OF THE HEALTH AND SAFETY CODE.
ID Name:	CALSTARS CODE
ID Value:	200135
ID Name:	HWIS IDENTIFICATION CODE



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #116

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>ID Value:</b>	CAD009208075
<b>ID Name:</b>	BEP DATABASE PCODE
<b>ID Value:</b>	P22022
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Tier(1), Access(1), Hazard Ranking Score(1), Hazard Ranking Date(1), Activity Due Date(13), Revised Due Date(18), Size of Activity(18), Removal Action Certificate(17), Comment Description(14), Completion Date(5), Type of Activity(1)</i>
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	
<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	GENERAL ELECTRIC COMPANY 5441 14TH ST E OAKLAND, CA 94601
<b>Site Name:</b>	GENERAL ELECTRIC COMPANY
<b>Site Location:</b>	5441 14TH ST E OAKLAND CA 94601-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-0687
<b>Local Case ID #:</b>	2213
<b>Media Affected</b>	OTHER GROUNDWATER
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	LEAK BEING CONFIRMED
<b>Substance Leaked:</b>	MISC. MOTOR VEHICLE FUELS
<b>Abatement Method:</b>	NT  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/V-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7673315
<b>Latitude:</b>	-122.2044946
<b>Date Leak was Confirmed</b>	8/24/94
<b>Date Leak was Discovered:</b>	12/3/87
<b>Reported Date:</b>	12/3/87
<b>Date Leak was Stopped:</b>	12/3/87
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Cross Street(1), Media Affected(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Summary(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)</i>



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #117

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>RCRA TSD CORRACTS / SRC# 556</b>		EPA ID:	CAD009208075
<b>Agency Address:</b>	<i>GE INTERNATIONAL 5441 E 14TH ST OAKLAND, CA 94601</i>		
<b>EPA Handler ID:</b>	<i>CAD009208075</i>		
<b>Handler Name:</b>	<i>GE INTERNATIONAL</i>		
<b>Handler Address:</b>	<i>5441 E 14TH ST OAKLAND, CA 94601</i>		
<b>Land Type:</b>	<i>PRIVATE</i>		
<b>County:</b>	<i>ALAMEDA</i>		
<b>Latitude:</b>	<i>3746014</i>		
<b>Longitude:</b>	<i>12212120</i>		
<b>Mailing Address:</b>	<i>5441 E 14TH ST OAKLAND, CA 94601 - 19981103</i>		
<b>Acknowledgement Generated:</b>	<i>1</i>		
<b>Sequence No:</b>	<i>19981103</i>		
<b>Receipt Date:</b>	<i>NOTIFICATION</i>		
<b>Source Description:</b>	<i>RCRA REGULATED</i>		
<b>Generator Regulatory Status:</b>	<i>SMALL QUANTITY GENERATOR</i>		
<b>Generator Indicator:</b>	<i>CURRENT OWNER</i>		
<b>Owner/Operator Indicator:</b>	<i>PRIVATE</i>		
<b>Owner/Operator Name:</b>	<i>GE</i>		
<b>Phone:</b>	<i>(518) 385-3308</i>		
<b>Address:</b>	<i>1 RIVER RD SCHENECTADY NY 12345</i>		
<b>Owner/Operator Indicator:</b>	<i>CURRENT OPERATOR</i>		
<b>Owner/Operator Type:</b>	<i>PRIVATE</i>		
<b>Owner/Operator Name:</b>	<i>GE</i>		
<b>Phone:</b>	<i>(415) 436-9550</i>		
<b>Address:</b>	<i>5441 EAST 14TH ST CITY NOT REPORTED CA 99999</i>		
<b>SIC Sequence No:</b>	<i>0001</i>		
<b>Primary SIC Indicator:</b>	<i>PRIMARY</i>		
<b>SIC Code Source:</b>	<i>REPORTED BY FACILITY</i>		
<b>SIC Code and Description:</b>	<i>7629 - SERVICES - ELECTRICAL REPAIR SHOPS, NEC</i>		
<b>SIC Sequence No:</b>	<i>0002</i>		
<b>Primary SIC Indicator:</b>	<i>SECONDARY</i>		
<b>SIC Code Source:</b>	<i>REPORTED BY FACILITY</i>		
<b>SIC Code and Description:</b>	<i>7699 - SERVICES - REPAIR SERVICES, NEC</i>		
<b>SIC Sequence No:</b>	<i>0003</i>		
<b>Primary SIC Indicator:</b>	<i>SECONDARY</i>		
<b>SIC Code Source:</b>	<i>REPORTED BY FACILITY</i>		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #118

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>SIC Code and Description:</b>	7699 - SERVICES - REPAIR SERVICES, NEC
<b>Env. Priority Rank Date:</b>	19920827
<b>Env. Priority Rank Status:</b>	3
<b>Type of Information:</b>	NOTIFICATION
<b>Contact Name:</b>	RICK FATTEN
<b>Contact Title:</b>	COORDINATOR
<b>Contact Phone:</b>	7146304111
<b>Contact Address:</b>	3601 E LAPALMA ANAHEIM, CA 92806 -
<b>Small Quantity Generator:</b>	YES
<b>Permit Progress:</b>	YES
<b>Subject to Corrective Action:</b>	YES
<b>Storage:</b>	YES
<b>Treatment:</b>	YES
<b>Area Sequence No:</b>	1
<b>Area Name:</b>	ENTIRE FACILITY
<b>Facility Wide:</b>	YES
<b>Regulated Unit:</b>	NOT REPORTED
<b>CA Event Sequence No:</b>	1
<b>Responsible Agency:</b>	EPA
<b>Event Date:</b>	19911121
<b>Event Description:</b>	CA PRIORITIZATION-LOW CA PRIORITY
<b>CA Event Sequence No:</b>	2
<b>Responsible Agency:</b>	EPA
<b>Event Date:</b>	19920331
<b>Event Description:</b>	CA PRIORITIZATION-LOW CA PRIORITY
<b>CA Event Sequence No:</b>	1
<b>Responsible Agency:</b>	EPA
<b>Event Date:</b>	19920331
<b>Event Description:</b>	STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION
<b>Permit Series Seq. No:</b>	500
<b>Series Name:</b>	CLOSURE1
<b>Permit Event Seq. No:</b>	1
<b>Event Date:</b>	19890201
<b>Responsible Agency:</b>	EPA
<b>Event Code:</b>	CL310
<b>Event Description:</b>	PLAN RECEIVED - CLOSURE
<b>Permit Event Seq. No:</b>	1
<b>Event Date:</b>	19900619
<b>Responsible Agency:</b>	EPA
<b>Event Code:</b>	CL380CA
<b>Event Description:</b>	CLOSURE VERIFICATION
<b>Permit Event Seq. No:</b>	1
<b>Event Date:</b>	19801119



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #119

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Responsible Agency:</b>	EPA
<b>Event Code:</b>	OP001IS
<b>Event Description:</b>	PART A RECEIVED-INITIAL SUBMITTAL
<b>Permit Event Seq. No:</b>	1
<b>Event Date:</b>	19921015
<b>Responsible Agency:</b>	EPA
<b>Event Code:</b>	OP002VE
<b>Event Description:</b>	PART A DETERMINATION-VERIFIED BY INSPECTION TO EXIST
<b>Permit Series Seq. No:</b>	501
<b>Series Name:</b>	PERMIT1
<b>Process Unit Seq. No:</b>	1
<b>Unit Name:</b>	CONTAIN1
<b>Process Unit Detail Seq. No:</b>	1
<b>Process Code Type:</b>	STORAGE
<b>Process Code Description:</b>	CONTAINER
<b>Process Status Effective Date:</b>	19801119
<b>Process Capacity:</b>	2200 GALLONS
<b>Total Units within Process Unit Group:</b>	1
<b>Capacity Type:</b>	DESIGN
<b>Legal Operating Status:</b>	INTERIM STATUS - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
<b>Strange But True Flag:</b>	NO
<b>Subject To Inspection:</b>	YES
<b>Permit Progress:</b>	YES
<b>Permit Workload:</b>	YES
<b>Closure Workload:</b>	NO
<b>Post-Closure Workload:</b>	NO
<b>Subject To Corrective Action:</b>	YES
<b>Corrective Action Workload:</b>	YES
<b>Process Unit Detail Seq. No:</b>	2
<b>Process Code Type:</b>	STORAGE
<b>Process Code Description:</b>	CONTAINER
<b>Process Status Effective Date:</b>	19890201
<b>Process Capacity:</b>	2200 GALLONS
<b>Total Units within Process Unit Group:</b>	1
<b>Capacity Type:</b>	DESIGN
<b>Legal Operating Status:</b>	INTERIM STATUS - INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED
<b>Strange But True Flag:</b>	NO
<b>Subject To Inspection:</b>	YES
<b>Permit Progress:</b>	YES
<b>Permit Workload:</b>	NO
<b>Closure Workload:</b>	YES
<b>Post-Closure Workload:</b>	YES
<b>Subject To Corrective Action:</b>	YES
<b>Corrective Action Workload:</b>	YES



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #120

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Process Unit Detail Seq. No:	3
Process Code Type:	STORAGE
Process Code Description:	CONTAINER
Process Status Effective Date:	19900619
Process Capacity:	2200 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - CLEAN CLOSED
Strange But True Flag:	NO
Subject To Inspection:	NO
Permit Progress:	YES
Permit Workload:	NO
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	YES
Corrective Action Workload:	NO
Process Unit Seq. No:	2
Unit Name:	TANKSTR1
Process Unit Detail Seq. No:	1
Process Code Type:	STORAGE
Process Code Description:	TANK STORAGE
Process Status Effective Date:	19801119
Process Capacity:	2200 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
Strange But True Flag:	NO
Subject To Inspection:	YES
Permit Progress:	YES
Permit Workload:	YES
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	YES
Corrective Action Workload:	YES
Process Unit Detail Seq. No:	2
Process Code Type:	STORAGE
Process Code Description:	TANK STORAGE
Process Status Effective Date:	19890201
Process Capacity:	2200 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED
Strange But True Flag:	NO
Subject To Inspection:	YES



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #127



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Permit Progress:	YES
Permit Workload:	NO
Closure Workload:	YES
Post-Closure Workload:	YES
Subject To Corrective Action:	YES
Corrective Action Workload:	YES
Process Unit Detail Seq. No:	3
Process Code Type:	STORAGE
Process Code Description:	TANK STORAGE
Process Status Effective Date:	19900619
Process Capacity:	2200 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - CLEAN CLOSED
Strange But True Flag:	NO
Subject To Inspection:	NO
Permit Progress:	YES
Permit Workload:	NO
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	YES
Corrective Action Workload:	NO
Process Unit Seq. No:	3
Unit Name:	TANKTRT1
Process Unit Detail Seq. No:	1
Process Code Type:	TREATMENT
Process Code Description:	TANK TREATMENT
Process Status Effective Date:	19801119
Process Capacity:	2200 GALLONS PER DAY
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
Strange But True Flag:	NO
Subject To Inspection:	YES
Permit Progress:	YES
Permit Workload:	YES
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	YES
Corrective Action Workload:	YES
Process Unit Detail Seq. No:	2
Process Code Type:	TREATMENT
Process Code Description:	TANK TREATMENT
Process Status Effective Date:	19890201



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #122

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Process Capacity:</b>	2200 GALLONS PER DAY
<b>Total Units within Process Unit Group:</b>	1
<b>Capacity Type:</b>	DESIGN
<b>Legal Operating Status:</b>	INTERIM STATUS - INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED
<b>Strange But True Flag:</b>	NO
<b>Subject To Inspection:</b>	YES
<b>Permit Progress:</b>	YES
<b>Permit Workload:</b>	NO
<b>Closure Workload:</b>	YES
<b>Post-Closure Workload:</b>	YES
<b>Subject To Corrective Action:</b>	YES
<b>Corrective Action Workload:</b>	YES
<b>Process Unit Detail Seq. No:</b>	3
<b>Process Code Type:</b>	TREATMENT
<b>Process Code Description:</b>	TANK TREATMENT
<b>Process Status Effective Date:</b>	19900619
<b>Process Capacity:</b>	2200 GALLONS PER DAY
<b>Total Units within Process Unit Group:</b>	1
<b>Capacity Type:</b>	DESIGN
<b>Legal Operating Status:</b>	INTERIM STATUS - CLEAN CLOSED
<b>Strange But True Flag:</b>	NO
<b>Subject To Inspection:</b>	NO
<b>Permit Progress:</b>	YES
<b>Permit Workload:</b>	NO
<b>Closure Workload:</b>	NO
<b>Post-Closure Workload:</b>	NO
<b>Subject To Corrective Action:</b>	YES
<b>Corrective Action Workload:</b>	NO
<b>Evaluation Date:</b>	19861125
<b>Responsible Agency:</b>	STATE
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19911025
<b>Responsible Agency:</b>	STATE
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19920702
<b>Responsible Agency:</b>	EPA CONTRACTOR
<b>Evaluation Type:</b>	FRR - FINANCIAL RECORD REVIEW
<b>Evaluation Date:</b>	19900723
<b>Responsible Agency:</b>	STATE
<b>Evaluation Type:</b>	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
<b>Evaluation Date:</b>	19880906
<b>Responsible Agency:</b>	STATE
<b>Evaluation Type:</b>	FRR - FINANCIAL RECORD REVIEW
<b>Evaluation Date:</b>	19900710



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #123

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


Responsible Agency:	STATE
Evaluation Type:	FRR - FINANCIAL RECORD REVIEW
Evaluation Date:	19880926
Responsible Agency:	STATE
Evaluation Type:	FRR - FINANCIAL RECORD REVIEW
Evaluation Date:	19880926
Responsible Agency:	STATE
Evaluation Type:	OTH - OTHER EVALUATION
Evaluation Date:	19880926
Responsible Agency:	STATE
Evaluation Type:	CEI - COMPLIANCE EVALUATION INSPECTION ON-SITE
Fields Not Reported by the Source	(2)
Agency for this Site:	

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-0687
Agency Address:	GENERAL ELECTRIC COMPANY 5441 14TH ST E OAKLAND, CA 0		
Case ID #:	01-0687		
Site Name:	GENERAL ELECTRIC COMPANY		
Site Address:	5441 14TH ST E OAKLAND, CA ALAMEDA		
Site County:			
Date Entered:	3/13/87		
Maximum Groundwater	9999999		
Substance Leaked:	NOT REPORTED		
Media Affected:	NOT REPORTED		
Discovery Date:	NOT REPORTED		
Site Status:	LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.		
Fields Not Reported by the Source	Maximum Soil(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		
Agency for this Site:			

VISTA Address*	<b>GENERAL ELECTRIC COMPANY</b> 5441 14TH OAKLAND, CA 94601	VISTA ID#:	7430224
		Distance/Direction:	0.40 MI / E
		Plotted as:	Point
<b>CORTESE / SRC# 53</b>		EPA/Agency ID:	N/A

Agency Address:	SAME AS ABOVE
Agency ID:	01-0687
Facility Name:	GENERAL ELECTRIC COMPANY
Facility Address:	5441 14TH
Facility City:	OAKLAND
Facility State:	CA
Facility Zip:	946010000
Facility County:	7
Tracking Program:	LEAKING TANK
Site ID:	01-0687

Map ID  
**31**



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>CORTESE / SRC# 53</b>		EPA/Agency ID	N/A
<b>Agency Address:</b>	GENERAL ELECTRIC - OAKLAN 5441 14TH OAKLAND, CA 94601		
<b>Agency ID:</b>	01360059		
<b>Facility Name:</b>	GENERAL ELECTRIC - OAKLAN		
<b>Facility Address:</b>	5441 14TH		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		
<b>Facility Zip</b>	946010000		
<b>Facility County:</b>	1		
<b>Tracking Program:</b>	CALSITE		
<b>Site ID:</b>	01360059		
<b>Fields Not Reported by the Source</b>	Epa ID(2), Is Sites(2)		
<b>Agency for this Site:</b>			

<b>VISTA Address*</b>	<b>CLOROX COMPANY HIGH AND WATTLING ST. OAKLAND, CA 0</b>	<b>VISTA ID#</b>	3796271
		<b>Distance/Direction</b>	0.41 MI / NW
		<b>Plotted as:</b>	Point


Map ID  
**32**

<b>North Bay / SRC# 47</b>		EPA/Agency ID	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Facility Name:</b>	CLOROX COMPANY		
<b>Facility Address:</b>	HIGH AND WATTLING ST.		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		
<b>Facility Name:</b>	CLOROX COMPANY		
<b>Facility Address:</b>	HIGH AND WATTLING ST.		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		

<b>VISTA Address*</b>	<b>WHITE BROTHERS 4801 TIDEWATER AVE OAKLAND, CA 94601</b>	<b>VISTA ID#</b>	4223090
		<b>Distance/Direction</b>	0.41 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**33**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Site Name:</b>	WHITE BROTHERS		
<b>Site Location:</b>	4801 TIDEWATER AVE OAKLAND CA 94601- ALAMEDA		
<b>Site County:</b>			
<b>Water Quality Control Board Region:</b>	02		
<b>Case ID #:</b>	01-1755		
<b>Local Case ID #:</b>	3689		
<b>Media Affected</b>	SOIL ONLY		
<b>Lead Agency:</b>	LOCAL AGENCY LEAD		
<b>Remediation Status</b>	CASE CLOSED		
<b>Substance Leaked:</b>	DIESEL		
<b>Abatement Method:</b>	ED		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #125

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Enforcement Type** CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED  
 13267 LETTERS FOR ENFORCEMENT  
**Funding By** FEDERAL FUNDS  
**How was Leak Discovered** TANK CLOSURE  
**How was Leak Stopped** CLOSE TANK  
**MTBE Tested** NOT REQUIRED TO BE TESTED  
**Program Type** LOCAL OVERSIGHT PROGRAM LIST  
**Responsible Party:** BLANK RP  
**Cause of Leak** STRUCTRE FAILURE  
**Source of Leak** TANK  
**Longitude:** 37.7628757  
**Latitude:** -122.2205312  
**Summary** ARCHIVED 6/6/96 CONTROL NO 120-092 SRC 0904742  
**Date Preliminary Site Assessment Workpla** 3/4/93  
**Date Case was Closed** 7/6/94  
**Date Leak was Discovered:** 5/30/90  
**Date of Enforcement Action** 1/11/93  
**Reported Date:** 6/4/90  
**Date Leak was Stopped:** 5/30/90  
**Fields Not Reported by the Source** Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)  
**Agency for this Site:**

**STATE LUST - State Leaking Underground Storage Tank # 853** Agency ID: 01-1755  
**Agency Address:** WHITE BROTHERS  
 4801 TIDEWATER AVE  
 OAKLAND, CA 0  
 01-1755  
**Case ID #:**  
**Site Name:** WHITE BROTHERS  
**Site Address:** 4801 TIDEWATER AVE  
 OAKLAND, CA  
 ALAMEDA  
**Site County:**  
**Date Entered:** 4/27/93  
**Maximum Soil** 820  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.  
**Fields Not Reported by the Source** Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)  
**Agency for this Site:**



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #126

SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.

VISTA Address*	TIDEWATER BUSINESS PARK TIDEWATER AVE OAKLAND, CA 94601	VISTA ID#:	1589008
		Distance/Direction:	0.44 MI / W
		Plotted as:	Point

Map ID

33

CORTESE / SRC# 53	EPA/Agency ID:	N/A
-------------------	----------------	-----

Agency Address:	TIDEWATER BUSINESS PARK TIDEWATER AVE OAKLAND, CA 0
Agency ID:	01-1483
Facility Name:	TIDEWATER BUSINESS PARK
Facility Address:	TIDEWATER AVE
Facility City:	OAKLAND
Facility State:	CA
Facility County:	1
Tracking Program:	LEAKING TANK
Site ID:	01-1483

Fields Not Reported by the Source	Epa ID(1), Facility Zip(1), Is Sites(1)
Agency for this Site:	

STATE LUST - State Leaking Underground Storage Tank / SRC# 853	Agency ID:	01-1483
--	------------	---------

Agency Address:	TIDEWATER BUSINESS PARK TIDEWATER AVE OAKLAND, CA 0
Case ID #:	01-1483
Site Name:	TIDEWATER BUSINESS PARK
Site Address:	TIDEWATER AVE OAKLAND, CA
Site County:	ALAMEDA

Date Entered:	5/30/90
Maximum Soil	527
Substance Leaked:	NOT REPORTED
Media Affected:	NOT REPORTED
Discovery Date:	NOT REPORTED
Site Status:	LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.

Fields Not Reported by the Source	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)
Agency for this Site:	


VISTA Address*	OAKLAND UNIFIED SCHOOL DISTRICT 900 HIGH ST OAKLAND, CA 94601	VISTA ID#:	3781324
		Distance/Direction:	0.41 MI / NW
		Plotted as:	Point

Map ID

34

STATE LUST - State Leaking Underground Storage Tank / SRC# 853	Agency ID:	01-0015
--	------------	---------

Agency Address:	OAKLAND UNIFIED SCHOOL DISTRICT 900 HIGH ST OAKLAND, CA 0
Case ID #:	01-0015
Site Name:	OAKLAND UNIFIED SCHOOL DISTRICT
Site Address:	900 HIGH ST OAKLAND, CA
Site County:	ALAMEDA
Date Entered:	12/30/92



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #127


**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Maximum Soil	360
Substance Leaked:	NOT REPORTED
Media Affected:	NOT REPORTED
Discovery Date:	NOT REPORTED
Site Status:	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.
Fields Not Reported by the Source Agency for this Site:	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

VISTA Address:	<b>OAKLAND UNIFIED SCHOOL DISTRICT</b> <b>900 HIGH ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	7851187
		Distance/Direction:	0.41 MI / NW
		Plotted as:	Point
STATE UST - State Leaking Underground Storage Tank / SRC# 164		EPA/Agency ID:	N/A

Map ID  
**34**

Agency Address:	SAME AS ABOVE
Site Name:	OAKLAND UNIFIED SCHOOL DISTRICT
Site Location:	900 HIGH ST OAKLAND CA 94601- ALAMEDA
Site County:	ALAMEDA
Water Quality Control Board Region:	02
Case ID #:	01-0015
Local Case ID #:	2069
Media Affected:	SOIL ONLY
Lead Agency:	LOCAL AGENCY LEAD
Remediation Status:	CASE CLOSED
Substance Leaked:	HEATER FUEL
Abatement Method:	ED CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW-RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VIS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
Enforcement Type:	13267 LETTERS FOR ENFORCEMENT
Funding By:	FEDERAL FUNDS
How was Leak Discovered:	TANK CLOSURE
How was Leak Stopped:	CLOSE TANK
MTBE Tested:	NOT REQUIRED TO BE TESTED
Program Type:	LOCAL OVERSIGHT PROGRAM UST
Responsible Party:	BLANK RP
Cause of Leak:	STRUCTRE FAILURE
Source of Leak:	TANK
Longitude:	37.7698305
Latitude:	-122.2179801
Summary:	ARCHIVED 6/6/96 CONTROL NO 120-073 SRC 0904723
Date Leak was Confirmed:	12/1/92
Date Case was Closed:	9/12/95
Date Leak was Discovered:	11/18/92
Date of Enforcement Action:	12/1/92



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #128

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Reported Date:</b>	11/18/92
<b>Date Leak was Stopped:</b>	12/8/92
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), MTBE Date(1)</i>

<b>VISTA Address*</b>	<b>SOUTHERN PACIFIC RAILROAD PROPERTY</b>	<b>VISTA ID#:</b>	62430830
	<b>744 758 HIGH ST</b>	<b>Distance/Direction:</b>	0.42 MI / NW
	<b>OAKLAND, CA 94607</b>	<b>Plotted as:</b>	Point

Map ID  
**34**

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	N/A
--------------------------------	-----------------------	-----


<b>Agency Address:</b>	SAME AS ABOVE
<b>Facility Name:</b>	SOUTHERN PACIFIC RAILROAD PROPERTY
<b>Facility Address:</b>	744 758 HIGH ST OAKLAND, CA 94607
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	01S0163
<b>Staff:</b>	BG
<b>Facility Status:</b>	INACTIVE
<b>Lead Agency</b>	RWQCB
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NO TANKS
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)</i>

<b>VISTA Address*</b>	<b>RESIDENTIAL</b>	<b>VISTA ID#:</b>	12639339
	<b>1421 45TH AVE</b>	<b>Distance/Direction:</b>	0.41 MI / N
	<b>OAKLAND, CA 94601</b>	<b>Plotted as:</b>	Point

Map ID  
**35**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----


<b>Agency Address:</b>	SAME AS ABOVE
<b>Site Name:</b>	RESIDENTIAL
<b>Site Location:</b>	1421 45TH AVE





**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Site County:</b>	OAKLAND CA 94601- ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-2397
<b>Local Case ID #:</b>	6560
<b>Media Affected</b>	UNDEFINED
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	GASOLINE  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VIS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	UNKNOWN
<b>Source of Leak</b>	UNKNOWN
<b>Longitude:</b>	37.7716854
<b>Latitude:</b>	-122.2130469
<b>Summary</b>	NEW CASE PER ACHD UPDATE - 9/98. CC DURING DATABASE RECONCILIATION 9/29/99.
<b>Date Leak was Confirmed</b>	8/25/98
<b>Date Case was Closed</b>	7/2/99
<b>Date Leak was Discovered:</b>	9/28/98
<b>Reported Date:</b>	9/28/98
<b>Date Leak was Stopped:</b>	9/28/98
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Remediation Status(1), Abatement Method(1), Enforcement Type(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Source of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-2397</b>	
<b>Agency Address:</b>	RESIDENTIAL 1421 45TH AVE OAKLAND, CA 0
<b>Case ID #:</b>	01-2397
<b>Site Name:</b>	RESIDENTIAL
<b>Site Address:</b>	1421 45TH AVE OAKLAND, CA ALAMEDA
<b>Site County:</b>	
<b>Date Entered:</b>	9/28/98
<b>Substance Leaked:</b>	NOT REPORTED
<b>Media Affected:</b>	NOT REPORTED



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Discovery Date:** NOT REPORTED  
**Site Status:** CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.  
**Fields Not Reported by the Source:** Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)  
**Agency for this Site:**

<b>VISTA Address*:</b>	<b>1X WEST COAST FLOOR COMPANY</b> <b>1468 44TH AVE</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	<b>1591608</b>
		<b>Distance/Direction:</b>	<b>0.46 MI / N</b>
		<b>Plotted as:</b>	<b>Point</b>

Map ID  
**35**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164**    **EPA/Agency ID:** N/A

**Agency Address:** WEST COAST FLOOR COVERING  
1468 44TH AVE  
OAKLAND, CA 94601

**Site Name:** WEST COAST FLOOR COVERING

**Site Location:** 1468 44TH AVE  
OAKLAND CA 94601

**Site County:** ALAMEDA

**Water Quality Control Board Region:** 02

**Case ID #:** 01-1658

**Local Case ID #:** 837

**Media Affected:** SOIL ONLY

**Lead Agency:** LOCAL AGENCY LEAD

**Remediation Status:** CASE CLOSED

**Substance Leaked:** GASOLINE

**Abatement Method:** NT

**Enforcement Type:** NONE TAKEN

**Funding By:** FEDERAL FUNDS

**How was Leak Discovered:** TANK CLOSURE

**How was Leak Stopped:** CLOSE TANK

**MTBE Tested:** SITE NOT TESTED FOR MTBE

**Program Type:** LOCAL OVERSIGHT PROGRAM UST

**Responsible Party:** BLANK RP

**Cause of Leak:** STRUCTRE FAILURE

**Source of Leak:** TANK

**Longitude:** 37.7723164

**Latitude:** -122.2134699

**Summary:** SENT FILE TO ACHD 9/94; CASE CLOSED 4/90

**Date Case was Closed:** 4/13/90


**Date Leak was Discovered:** 3/12/90

**Reported Date:** 3/12/90

**Date Leak was Stopped:** 3/12/90

**Fields Not Reported by the Source:** Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1)

**Agency for this Site:**



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-1658
<b>Agency Address:</b>	WEST COAST FLOOR COVERING 1468 44TH AVE OAKLAND, CA 0 01-1658		
<b>Case ID #:</b>			
<b>Site Name:</b>	WEST COAST FLOOR COVERING		
<b>Site Address:</b>	1468 44TH AVE OAKLAND, CA ALAMEDA		
<b>Site County:</b>			
<b>Date Entered:</b>	3/7/91		
<b>Maximum Soil Substance Leaked:</b>	3		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD (AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCE THAT NO FURTHER ACTION IS NECESSARY AT THE SITE.		
<b>Fields Not Reported by the Source Agency for this Site:</b>	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)		

<b>VISTA Address*:</b>	<b>AC TRANSIT 1100 SEMINARY OAKLAND, CA 94621</b>	<b>VISTA ID#:</b>	930232
		<b>Distance/Direction:</b>	0.43 MI. / SE
		<b>Plotted as:</b>	Point

Map ID  
**36**

<b>CORTESE / SRC# 53</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	AC TRANSIT 1100 SEMINARY OAKLAND, CA 0 01-0024		
<b>Agency ID:</b>			
<b>Facility Name:</b>	AC TRANSIT		
<b>Facility Address:</b>	1100 SEMINARY		
<b>Facility City:</b>	OAKLAND		
<b>Facility State:</b>	CA		
<b>Facility County:</b>	1		
<b>Tracking Program:</b>	LEAKING TANK		
<b>Site ID:</b>	01-0024		
<b>Fields Not Reported by the Source Agency for this Site:</b>	Epa ID(1), Facility Zip(1), Is Sites(1)		

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	AC TRANSIT 1100 SEMINARY AVE OAKLAND, CA 94621		
<b>Site Name:</b>	AC TRANSIT		
<b>Site Location:</b>	1100 SEMINARY AVE OAKLAND CA 94621-		
<b>Site County:</b>	ALAMEDA		
<b>Water Quality Control Board Region:</b>	02		
<b>Case ID #:</b>	01-2348		
<b>Local Case ID #:</b>	01-1233		
<b>Media Affected:</b>	UNDEFINED		
<b>Lead Agency:</b>	LOCAL AGENCY LEAD		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #132

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Remediation Status</b>	LEAK BEING CONFIRMED
<b>Substance Leaked:</b>	GASOLINE CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	MTBE DETECTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	UNKNOWN
<b>Source of Leak</b>	UNKNOWN
<b>Longitude:</b>	37.7607827
<b>Latitude:</b>	-122.2055407
<b>Summary</b>	NEW CASE PER ACHD 2ND QTR 98' UPDATE.
<b>Date Leak was Confirmed</b>	8/13/98
<b>Date Leak was Discovered:</b>	8/13/98
<b>MTBE Date</b>	UNKNOWN
<b>Reported Date:</b>	8/13/98
<b>Date Leak was Stopped:</b>	8/13/98
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-0024
<b>Local Case ID #:</b>	1233
<b>Media Affected</b>	WELL USED FOR DRINKING WATER SUPPLY
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	POLLUTION CHARACTERIZATION
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method</b>	EDFP CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	MTBE DETECTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7607827
<b>Latitude:</b>	-122.2055407



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #133

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Summary</b>	<i>NFA PROPOSED</i>
<b>Date Preliminary Site Assessment Began</b>	<i>1/30/87</i>
<b>Date Pollution Characterization Began</b>	<i>3/20/87</i>
<b>Date Leak was Discovered:</b>	<i>1/7/88</i>
<b>MTBE Date</b>	<i>UNKNOWN</i>
<b>Reported Date:</b>	<i>1/7/88</i>
<b>Date Leak was Stopped:</b>	<i>1/7/88</i>
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Cross Street(1), Abatement Method(1), Enforcement Type(1), How was Leak Discovered(2), Program Type(2), Substance Quantity Leaked (G)(2)te Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(2), Date Remedial Action Underway(2), Date Post Remedial Action Monitoring Beg(2), Date Case was Closed(2), Date of Enforcement Action(2), Media Affected(1), Remediation Status(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1)</i>

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-2348**

<b>Agency Address:</b>	<i>AC TRANSIT 1100 SEMINARY AVE OAKLAND, CA 0 01-2348</i>
<b>Case ID #:</b>	<i>AC TRANSIT</i>
<b>Site Name:</b>	<i>1100 SEMINARY AVE</i>
<b>Site Address:</b>	<i>OAKLAND, CA ALAMEDA</i>
<b>Site County:</b>	<i>8/13/98</i>
<b>Date Entered:</b>	<i>NOT REPORTED</i>
<b>Substance Leaked:</b>	<i>NOT REPORTED</i>
<b>Media Affected:</b>	<i>NOT REPORTED</i>
<b>Discovery Date:</b>	<i>NOT REPORTED</i>
<b>Site Status:</b>	<i>LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.</i>
<b>Maximum MTBE</b>	<i>25</i>
<b>Current MTBE</b>	<i>25</i>

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-0024**

<b>Agency Address:</b>	<i>AC TRANSIT 1100 SEMINARY AVE OAKLAND, CA 0 01-0024</i>
<b>Case ID #:</b>	<i>AC TRANSIT</i>
<b>Site Name:</b>	<i>1100 SEMINARY AVE</i>
<b>Site Address:</b>	<i>OAKLAND, CA ALAMEDA</i>
<b>Site County:</b>	<i>4/24/98</i>
<b>Date Entered:</b>	<i>340000</i>
<b>Maximum Soil</b>	<i>9999999</i>
<b>Maximum Groundwater</b>	<i>13000</i>
<b>Current Benzene</b>	<i>NOT REPORTED</i>
<b>Substance Leaked:</b>	<i>NOT REPORTED</i>
<b>Media Affected:</b>	<i>NOT REPORTED</i>
<b>Discovery Date:</b>	<i>NOT REPORTED</i>



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #134

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Site Status:</b>	<i>POLLUTION CHARACTERIZATION UNDERWAY. THIS PHASE OF WORK INVOLVES THE DEFINITION OF THE BOUNDARIES OF THE CONTAMINATED PLUME. IN ORDER TO BE A 5C THE RESPONSIBLE PARTY MUST BE TAKING STEPS TO FURTHER DEFINE THE LATERAL AND VERTICAL EXTENT OF CONTAMINATION IN THE SOIL AND GROUNDWATER. THIS PHASE IS CHARACTERIZED BY THE INSTALLATION OF ADDITIONAL MONITORING WELLS AND/OR BORINGS, AQUIFER TESTS, SOIL GAS SURVEYS, CONTINUAL GROUNDWATER GRADIENT DETERMINATIONS AND MONITORING, AND AN ASSESSMENT OF ALL IMPACTS ON SURFACE AND GROUNDWATER.</i>
<b>Maximum MTBE</b>	25
<b>Current MTBE</b>	25
<b>Fields Not Reported by the Source</b>	<i>Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(2)</i>
<b>Agency for this Site:</b>	

<b>VISTA Address*</b>	<b>SOUTHERN PACIFIC RAILROAD PROPERTY</b> <b>744 758 HIGH STREET</b> <b>OAKLAND, CA 0</b>	<b>VISTA ID#:</b>	3781323
		<b>Distance/Direction:</b>	0.45 MI. / W
		<b>Plotted as:</b>	Point

Map ID

**37**

<b>North Bay / SRC# 47</b>	<b>EPA/Agency ID:</b>	N/A
----------------------------	-----------------------	-----

<b>Agency Address:</b>	<i>SAME AS ABOVE</i>
<b>Facility Name:</b>	<i>SOUTHERN PACIFIC RAILROAD PROPERTY</i>
<b>Facility Address:</b>	<i>744 758 HIGH STREET</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>
<b>Facility Name:</b>	<i>SOUTHERN PACIFIC RAILROAD PROPERTY</i>
<b>Facility Address:</b>	<i>744 758 HIGH STREET</i>
<b>Facility City:</b>	<i>OAKLAND</i>
<b>Facility State:</b>	<i>CA</i>


<b>VISTA Address*</b>	<b>ROY HATTON PROJECT</b> <b>752 HIGH ST</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	1585242
		<b>Distance/Direction:</b>	0.45 MI. / W
		<b>Plotted as:</b>	Point

Map ID

**37**


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----

<b>Agency Address:</b>	<i>SAME AS ABOVE</i>
<b>Site Name:</b>	<i>ROY HATTON PROJECT</i>
<b>Site Location:</b>	<i>752 HIGH ST</i> <i>OAKLAND CA 94601-</i>
<b>Site County:</b>	<i>ALAMEDA</i>
<b>Water Quality Control Board Region:</b>	<i>02</i>
<b>Case ID #:</b>	<i>01-0547</i>
<b>Local Case ID #:</b>	<i>4440</i>
<b>Media Affected</b>	<i>WELL USED FOR DRINKING WATER SUPPLY</i>
<b>Lead Agency:</b>	<i>LOCAL AGENCY LEAD</i>
<b>Remediation Status</b>	<i>CASE CLOSED</i>
<b>Substance Leaked:</b>	<i>MOTOR OIL</i>
<b>Abatement Method</b>	<i>ET</i>  <i>CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED</i>



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2-mile) CONT.**

<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM LIST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7689635
<b>Latitude:</b>	-122.2191451
<b>Summary</b>	BURNER FUEL-BUNKER C TYPE, RECOMMENDED CC BY ACHCS 4/29/91. REQ. CASE CLOSURE 10/31/97. . .CLOSED 12/3/97. . .
<b>Date Case was Closed</b>	12/5/97
<b>Date Leak was Discovered:</b>	1/23/89
<b>Reported Date:</b>	1/23/89
<b>Date Leak was Stopped:</b>	1/23/89
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)
<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	
<b>Agency Address:</b>	ROY HATTON PROJECT 752 HIGH ST OAKLAND, CA 0
<b>Case ID #:</b>	01-0547
<b>Site Name:</b>	ROY HATTON PROJECT
<b>Site Address:</b>	752 HIGH ST OAKLAND, CA
<b>Site County:</b>	ALAMEDA
<b>Date Entered:</b>	2/25/93
<b>Maximum Soil</b>	240
<b>Maximum Groundwater</b>	270
<b>Substance Leaked:</b>	NOT REPORTED
<b>Media Affected:</b>	NOT REPORTED
<b>Discovery Date:</b>	NOT REPORTED
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.
<b>Fields Not Reported by the Source Agency for this Site:</b>	Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #136

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address:	<b>ED'S AUTO WRECKERS</b> <b>752 HIGH</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	1585241
		Distance/Direction:	0.45 MI. / W
		Plotted as:	Point


Map ID  
**37**

<b>CORTESE / SRC# 53</b>		EPA/Agency ID:	N/A
Agency Address:	<i>ED'S AUTO WRECKERS 752 HIGH OAKLAND, CA 94541</i>		
Agency ID:	<i>01-0547</i>		
Facility Name:	<i>ED'S AUTO WRECKERS</i>		
Facility Address:	<i>752 HIGH</i>		
Facility City:	<i>OAKLAND</i>		
Facility State:	<i>CA</i>		
Facility Zip:	<i>945410000</i>		
Facility County:	<i>1</i>		
Tracking Program:	<i>LEAKING TANK</i>		
Site ID:	<i>01-0547</i>		
Fields Not Reported by the Source	<i>Epa ID(1), Is Sites(1)</i>		
Agency for this Site:			

VISTA Address:	<b>SOUTHERN PACIFIC TRANSPORT COMPANY</b> <b>744 HIGH ST</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	4558403
		Distance/Direction:	0.45 MI / W
		Plotted as:	Point

Map ID  
**37**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	<i>SAME AS ABOVE</i>		
Site Name:	<i>SOUTHERN PACIFIC TRANSPORT COMPANY</i>		
Site Location:	<i>744 HIGH ST OAKLAND CA 94601- ALAMEDA</i>		
Site County:	<i>ALAMEDA</i>		
Water Quality Control Board Region:	<i>02</i>		
Case ID #:	<i>01-1413</i>		
Local Case ID #:	<i>3722</i>		
Media Affected:	<i>UNDEFINED</i>		
Lead Agency:	<i>LOCAL AGENCY LEAD</i>		
Remediation Status:	<i>PRELIMINARY SITE ASSESSMENT UNDERWAY</i>		
Substance Leaked:	<i>GASOLINE</i>		
Abatement Method:	<i>ED</i>		
Enforcement Type:	<i>NONE TAKEN</i>		
Funding By:	<i>FEDERAL FUNDS</i>		
How was Leak Discovered:	<i>TANK CLOSURE</i>		
How was Leak Stopped:	<i>CLOSE TANK</i>		
MTBE Tested:	<i>SITE NOT TESTED FOR MTBE</i>		
Program Type:	<i>LOCAL OVERSIGHT PROGRAM UST</i>		





**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


Responsible Party:	BLANK RP
Cause of Leak	STRUCTRE FAILURE
Source of Leak	TANK
Longitude:	37.7689035
Latitude:	-122.2192231
Date Preliminary Site Assessment Workpla	7/15/86
Date Preliminary Site Assessment Began	UNKNOWWN
Date Leak was Discovered:	7/15/86
Reported Date:	7/15/86
Date Leak was Stopped:	7/15/86
Fields Not Reported by the Source	Cross Street(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Summary(1), Date Leak was Confirmed(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)
Agency for this Site:	

VISTA Address*	<b>SOUTHERN PACIFIC TRANS CO</b> <b>744 HIGH</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	7432639
		Distance/Direction:	0.45 MI./W
		Plotted as:	Point

Map ID  
**37**

<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
Agency Address:	SAME AS ABOVE	
Agency ID:	01-1413	
Facility Name:	SOUTHERN PACIFIC TRANS CO	
Facility Address:	744 HIGH	
Facility City:	OAKLAND	
Facility State:	CA	
Facility Zip	94601	
Facility County:	1	
Tracking Program:	LEAKING TANK	
Site ID:	01-1413	
Fields Not Reported by the Source	Epa ID(1), Is Sites(1)	
Agency for this Site:		

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	Agency ID:	01-1413
Agency Address:	SOUTHERN PACIFIC TRANSPORT COMPANY 744 HIGH ST OAKLAND, CA 0	
Case ID #:	01-1413	
Site Name:	SOUTHERN PACIFIC TRANSPORT COMPANY	
Site Address:	744 HIGH ST OAKLAND, CA	
Site County:	ALAMEDA	
Date Entered:	6/21/93	
Substance Leaked:	NOT REPORTED	
Media Affected:	NOT REPORTED	
Discovery Date:	NOT REPORTED	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #138

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Site Status:</b>	<i>PRELIMINARY SITE ASSESSMENT UNDERWAY. IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWNGRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).</i>
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)</i>

<b>VISTA Address:</b>	<b>BAYSIDE OIL CO</b> <b>4200 ALAMEDA AVE</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	40441
		<b>Distance/Direction:</b>	0.45 MI / W
		<b>Plotted as:</b>	Point

Map ID

**37**

<b>NERAP / SRC# 18</b>	<b>Agency ID:</b>	0901737
------------------------	-------------------	---------

<b>Agency Address:</b>	<i>SAME AS ABOVE</i>
<b>EPA ID:</b>	<i>CAD980496871</i>
<b>Site ID:</b>	<i>0901737</i>
<b>EPA Region:</b>	<i>09</i>
<b>USGS Hydrologic Unit Code:</b>	<i>18050004</i>
<b>Ownership Type:</b>	<i>UNKNOWN</i>
<b>Federal Facility Indicator:</b>	<i>NOT A FEDERAL FACILITY</i>
<b>NPL Status:</b>	<i>NOT ON THE NPL</i>
<b>Hazardous Waste Docket Flag:</b>	<i>NOT ON THE HAZARDOUS WASTE DOCKET</i>
<b>Action:</b>	<i>DISCOVERY</i>
<b>Action Lead:</b>	<i>STATE, FUND FINANCED</i>
<b>Scheduled Completion Date:</b>	<i>MARCH 31, 1979</i>
<b>Actual Completion Date:</b>	<i>FEBRUARY 1, 1979</i>
<b>Action:</b>	<i>PRELIMINARY ASSESSMENT</i>
<b>Action Qualifier:</b>	<i>LOW</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date:</b>	<i>SEPTEMBER 30, 1984</i>
<b>Actual Completion Date:</b>	<i>SEPTEMBER 1, 1984</i>
<b>Action:</b>	<i>PRELIMINARY ASSESSMENT</i>
<b>Action Qualifier:</b>	<i>NFRAP (NO FUTURE REMEDIAL ACTION PLANNED)</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date:</b>	<i>JUNE 30, 1988</i>
<b>Actual Completion Date:</b>	<i>MAY 1, 1988</i>
<b>Operable Unit ID:</b>	<i>00</i>
<b>Operable Unit Name:</b>	<i>SITEWIDE</i>
<b>Alias ID:</b>	<i>101</i>
<b>Alias Name:</b>	<i>FABIAN OIL CO</i>
	<i>CA</i>
<b>Alias ID:</b>	<i>201</i>
<b>Alias Name:</b>	<i>BONUS INTERNATIONAL OIL CO</i>
	<i>CA</i>



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #139

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


Alias ID:	301
Alias Name:	EKOTEK LUBE
	CA
Alias ID:	401
Alias Name:	ECONOMY OIL COMPANY
	CA
Fields Not Reported by the Source Agency for this Site:	Financial Management System ID(1), Site Incident Category Description(2), Action Qualifier(1), Scheduled Start Date(3), Actual Start Date(3), (1), (1), (1), Address(4)

VISTA Address*	<b>EK O TEK</b> <b>4200 ALAMEDA</b> <b>OAKLAND, CA 0</b>	VISTA ID#:	930148
		Distance/Direction:	0.45 MI./W
		Plotted as:	Point
<b>CORTESE / SRC# 53</b>		EPA/Agency ID:	N/A

Map ID  
**37**

Agency Address:	SAME AS ABOVE
Agency ID:	01-0551
Facility Name:	EK O TEK
Facility Address:	4200 ALAMEDA
Facility City:	OAKLAND
Facility State:	CA
Facility County:	1
Tracking Program:	LEAKING TANK
Site ID:	01-0551
Fields Not Reported by the Source Agency for this Site:	Epa ID(1), Facility Zip(1), Is Sites(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
Agency Address:	EK O TEK 4200 ALAMEDA AVE OAKLAND, CA 94601		
Site Name:	EK O TEK		
Site Location:	4200 ALAMEDA AVE OAKLAND CA 94601		
Site County:	ALAMEDA		
Water Quality Control Board Region:	02		
Case ID #:	01-0551		
Local Case ID #:	4808		
Media Affected	UNDEFINED		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status	LEAK BEING CONFIRMED		
Substance Leaked:	OIL AND GREASE WASTE		
Abatement Method	NT		
Enforcement Type	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREATGW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
How was Leak Discovered	NONE TAKEN		
How was Leak Stopped	TANK CLOSURE		
	CLOSE TANK		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #140

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**MTBE Tested:** NOT REQUIRED TO BE TESTED  
**Program Type:** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak:** STRUCTRE FAILURE  
**Source of Leak:** TANK  
**Longitude:** 37.7683105  
**Latitude:** -122.2224842  
**Summary:** 1996 ACHSC REQ TECH REPORTS FOR UGT REMOVALS; SITE A CASE PER AC HEALTH 8/22/96. ACHDIN CONCURRENCE W/ THE RWOCBON RWOCB ORDER - 12/16/98. 8/22/96  
**Date Leak was Confirmed:** 8/3/84  
**Date Leak was Discovered:** 8/3/84  
**Reported Date:** 8/3/84  
**Date Leak was Stopped:** 8/3/84

**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), Funding By(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853** Agency ID: 01-0551

**Agency Address:** EK O TEK  
 4200 ALAMEDA AVE  
 OAKLAND, CA 0  
**Case ID #:** 01-0551  
**Site Name:** EK O TEK  
**Site Address:** 4200 ALAMEDA AVE  
 OAKLAND, CA  
**Site County:** ALAMEDA  
**Date Entered:** 8/3/89  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** LEAK CONFIRMED: A LAB REPORT RECEIVED CONFIRMING A LEAK/SPILL FROM A TANK.


**Fields Not Reported by the Source Agency for this Site:** Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

VISTA Address:	<b>EKOTEK LUBE</b> 4200 ALAMEDA AVE OAKLAND, CA 0	VISTA ID#:	136005
		Distance/Direction:	0.45 MI / W
		Plotted as:	Point

Map ID  
**37**

**SCL - State Equivalent CERCLIS List / SRC# 112** Agency ID: 01290024

**Agency Address:** EKOTEK LUBE  
 4200 ALAMEDA AVENUE  
 OAKLAND, CA 94601  
**Agency ID:** 01290024  
**Facility Name:** EKOTEK LUBE  
**Facility Address:** 4200 ALAMEDA AVENUE  
 OAKLAND, CA. 94601  
**Region:** BERKELEY  
**County:** ALAMEDA  
**Branch:** NORTH COAST  
**Status Date:** 07011994  
**Status:** REFRW



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


<b>Status Description:</b>	PROPERTY/SITE REFERRED TO RWQCB
<b>Lead Agency:</b>	N/A
<b>Type Name:</b>	N/A
<b>NPL:</b>	N
<b>SIC Number:</b>	29
<b>SIC Name:</b>	MANU - PETROLEUM COAL PRODUCTS
<b>Water Control Board Region:</b>	SAN FRANCISCO BAY
<b>Groundwater</b>	S
<b>Number of Sources:</b>	1
<b>Latitude:</b>	0-DEG, 0-MIN, 0-SEC
<b>Latitude Direction:</b>	NOT REPORTED
<b>Longitude:</b>	0-DEG, 0-MIN, 0-SEC
<b>Longitude Direction:</b>	NOT REPORTED
<b>Alternate Address:</b>	4200 ALAMEDA AVENUE OAKLAND, CA. 94601
<b>Alternate Name:</b>	EKOTEK LUBE
<b>Agency ID:</b>	01290024
<b>Comments:</b>	THIS IS THE DATE THE SITE WAS FIRST LISTED AWP PURSUANT TO SECTION 25356. EKOTEK ISA WASTE OIL RECOVERY AND RECYCLING FACILITY. WASTE OIL AND STODDARD SOLVENT WERE TREATED AND STORED ONSITE. SOME OF THE HAZARDOUS WASTE MAY HAVE SPILLED ONTO THE SOIL. WASTE OIL AND SOLVENTS MAY CONTAMINATE SOIL AND MAY CONTAIN BENZENE, TOLUENE, PHENOL, AND LEAD. SITE IS SECURELY FENCED AND POSTED. THE SITE IS CURRENTLY BEING OVERSEEN BY THE COUNTY AND RWQCB.
<b>Fields Not Reported by the Source Agency for this Site:</b>	Tier(1), Fund(1), Access(1), Cortese(1), Hazard Ranking Score(1), Hazard Ranking Date(1), Comment Key(1), Activity Number(1), Type of Activity(1), Comment Description(1), Completion Date(1), Estimated Years to Finish(1), Status at Start(1), Cubic Yards Removed(1), Gallons Removed(1), Yards Treated(1), Gallons Treated(1)

<b>VISTA Address*</b>	<b>EKOTEK LUBE</b> <b>4200 ALAMEDA AVE</b> <b>OAKLAND, CA 94607</b>	<b>VISTA ID#:</b>	6531883
		<b>Distance/Direction:</b>	0.45 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**37**

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	N/A
--------------------------------	-----------------------	-----

<b>Agency Address:</b>	SAME AS ABOVE
<b>Facility Name:</b>	EKOTEK LUBE
<b>Facility Address:</b>	4200 ALAMEDA AVE OAKLAND, CA 94607
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	0150132
<b>Staff:</b>	BG
<b>Facility Status:</b>	INACTIVE
<b>Comment</b>	G
<b>Lead Agency</b>	RWQCB
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #142

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Plume Depth I:	0
Plume Depth II:	0
Case Type:	NO TANKS
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

VISTA Address:	<b>EXXON 720 HIGH OAKLAND, CA 94601</b>	VISTA ID#:	7432638
		Distance/Direction:	0.45 MI / W
		Plotted as:	Point


Map ID  
**37**

<b>CORTESE / SRC# 53</b>	EPA/Agency ID:	N/A
Agency Address:	SAME AS ABOVE	
Agency ID:	01-0599	
Facility Name:	EXXON	
Facility Address:	720 HIGH	
Facility City:	OAKLAND	
Facility State:	CA	
Facility Zip:	946010000	
Facility County:	1	
Tracking Program:	LEAKING TANK	
Site ID:	01-0599	

Fields Not Reported by the Source Agency for this Site:	Epa ID(1), Is Sites(1)
---	------------------------

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
Agency Address:	EXXON 720 HIGH ST OAKLAND, CA 94601	
Site Name:	EXXON	
Site Location:	720 HIGH ST OAKLAND CA 94601-	
Site County:	ALAMEDA	

Water Quality Control Board Region:	02
Case ID #:	01-0599
Local Case ID #:	136
Media Affected:	OTHER GROUNDWATER
Lead Agency:	LOCAL AGENCY LEAD
Remediation Status:	REMEDICATION PLAN
Substance Leaked:	GASOLINE
Abatement Method:	EDETFPVSQT




**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Enforcement Type** CODE LOOKUP: GD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-LINKNOWN/NA-NO ACTION REQUIRED  
**Funding By** NONE TAKEN  
**How was Leak Discovered** FEDERAL FUNDS  
**How was Leak Stopped** TANK CLOSURE  
**MTBE Tested** CLOSE TANK  
**Program Type** MTBE DETECTED  
**Responsible Party:** LOCAL OVERSIGHT PROGRAM UST  
**Cause of Leak** BLANK RP  
**Source of Leak** STRUCTRE FAILURE  
**Longitude:** TANK  
**Latitude:** 37.7687225  
**Summary** -122.2194591  
**Date Preliminary Site Assessment Began** 2.5' FP 5/88, 4/22/91 AQUIFER TEST. MAXGW=TPHG. CURRENT MTBE DATE 3/21/2000. VW-1 DESTROYED 3/8/00. WKPLN RCVD3/22/00.  
**Date Pollution Characterization Began** 9/9/87  
**Date Remediation Plan Submitted** 5/21/88  
**Date Leak was Discovered:** 11/14/90  
**MTBE Date** 5/1/87  
**Reported Date:** 12/30/98  
**Date Leak was Stopped:** 5/1/87  
**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workple(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-0599**

**Agency Address:** EXXON  
 720 HIGH ST  
 OAKLAND, CA 0  
**Case ID #:** 01-0599  
**Site Name:** EXXON  
**Site Address:** 720 HIGH ST  
 OAKLAND, CA  
**Site County:** ALAMEDA  
**Date Entered:** 10/26/92  
**Maximum Soil** 3400  
**Maximum Groundwater** 79000  
**Current Benzene** 690  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** REMEDIATION WORKPLAN (CORRECTIVE ACTION PLAN) SUBMITTED: A PROPOSAL AND IMPLEMENTATION SCHEDULE EVALUATING LONGTERM REMEDIATION OPTIONS HAS BEEN SUBMITTED. THE PROPOSAL SHOULD INCLUDE A FEASIBILITY STUDY, I.E. A REMEDIATION PLAN BASED ON THE CONSIDERATION OF A FEW OPTIONS.  
**Maximum MTBE** 860



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Current MTBE** 860  
**Fields Not Reported by the Source** MTBE Qualifier(1)  
**Agency for this Site:**

<b>VISTA Address*</b>	<b>EKOTEK LUBE</b> 4200 ALAMEDA AVENUE OAKLAND, CA 94605	<b>VISTA ID#:</b>	4570502
		<b>Distance/Direction:</b>	0.46 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**37**

**North Bay / SRC# 47** EPA/Agency ID: N/A

**Agency Address:** EKOTEK LUBE  
4200 ALAMEDA AVENUE  
ALAMEDA, CA 94605  
**Facility Name:** EKOTEK LUBE  
**Facility Address:** 4200 ALAMEDA AVENUE  
**Facility City:** ALAMEDA  
**Facility State:** CA  
**Facility Zip:** 94605

**North Bay / SRC# 47** EPA/Agency ID: N/A

**Agency Address:** EKOTEK LUBE  
4200 ALAMEDA AVENUE  
ALAMEDA, CA 94605  
**Facility Name:** EKOTEK LUBE  
**Facility Address:** 4200 ALAMEDA AVENUE  
**Facility City:** ALAMEDA  
**Facility State:** CA  
**Facility Zip:** 94605

**Fields Not Reported by the Source** Agency ID(2), Epa ID(2), Facility County(2)  
**Agency for this Site:**

<b>VISTA Address*</b>	<b>US COLD STORAGE</b> 3925 ALAMEDA OAKLAND, CA 90053	<b>VISTA ID#:</b>	930147
		<b>Distance/Direction:</b>	0.49 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**37**

**CORTESE / SRC# 53** EPA/Agency ID: N/A

**Agency Address:** SAME AS ABOVE  
**Agency ID:** 01-1622  
**Facility Name:** US COLD STORAGE  
**Facility Address:** 3925 ALAMEDA  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 900530000  
**Facility County:** 1  
**Tracking Program:** LEAKING TANK  
**Site ID:** 01-1622

**Fields Not Reported by the Source** Epa ID(1), Is Sites(1)  
**Agency for this Site:**

**STATE LUST - State Leaking Underground Storage Tank / SRC# 164** EPA/Agency ID: N/A

**Agency Address:** US COLD STORAGE  
3925 ALAMEDA AVE  
OAKLAND, CA 94601  
**Site Name:** US COLD STORAGE






**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Site Location:** 3925 ALAMEDA AVE  
 OAKLAND CA 94601-ALAMEDA  
**Site County:**  
**Water Quality Control Board Region:** 02  
**Case ID #:** 01-1622  
**Local Case ID #:** 3586  
**Media Affected:** SOIL ONLY  
**Lead Agency:** LOCAL AGENCY LEAD  
**Remediation Status:** PRELIMINARY SITE ASSESSMENT UNDERWAY  
**Substance Leaked:** GASOLINE  
**Abatement Method:** ED  
 CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED  
**Enforcement Type:** 13267 LETTERS FOR ENFORCEMENT  
**Funding By:** FEDERAL FUNDS  
**How was Leak Discovered:** TANK CLOSURE  
**How was Leak Stopped:** CLOSE TANK  
**MTBE Tested:** MTBE DETECTED  
**Program Type:** LOCAL OVERSIGHT PROGRAM UST  
**Responsible Party:** BLANK RP  
**Cause of Leak:** STRUCTRE FAILURE  
**Source of Leak:** TANK  
**Longitude:** 37.7681026  
**Latitude:** -122.2253073  
**Summary:** LOP UPDATE--10/21/93  
**Date Leak was Confirmed:** 1/22/93  
**Date Preliminary Site Assessment Began:** UNKNOWN  
**Date Leak was Discovered:** 3/18/88  
**Date of Enforcement Action:** 1/22/93  
**MTBE Date:** UNKNOWN  
**Reported Date:** 3/18/88  
**Date Leak was Stopped:** 8/2/88  
**Fields Not Reported by the Source Agency for this Site:** Cross Street(1), How was Leak Discovered(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1)

**STATE LUST - State Leaking Underground Storage Tank / SRC# 853 Agency ID: 01-1622**  
**Agency Address:** US COLD STORAGE  
 3925 ALAMEDA AVE  
 OAKLAND, CA 0  
**Case ID #:** 01-1622  
**Site Name:** US COLD STORAGE  
**Site Address:** 3925 ALAMEDA AVE  
 OAKLAND, CA  
**Site County:** ALAMEDA



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #146

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

**Date Entered:** 8/5/88  
**Maximum Soil:** 720  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** PRELIMINARY SITE ASSESSMENT UNDERWAY. IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWN GRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).  
**Maximum MTBE:** 17  
**Current MTBE:** 17  
**Fields Not Reported by the Source Agency for this Site:** Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1)

<b>VISTA Address:</b>	<b>EL MONTE RV CENTER 4341 HOWARD OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	3078736
		<b>Distance/Direction:</b>	0.45 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**38**


<b>CORTESE / SRC# 53</b>	<b>EPA/Agency ID:</b>	N/A
--------------------------	-----------------------	-----

**Agency Address:** SAME AS ABOVE  
**Agency ID:** 01-0554  
**Facility Name:** EL MONTE RV CENTER  
**Facility Address:** 4341 HOWARD  
**Facility City:** OAKLAND  
**Facility State:** CA  
**Facility Zip:** 94601  
**Facility County:** 1  
**Tracking Program:** LEAKING TANK  
**Site ID:** 01-0554

**Fields Not Reported by the Source Agency for this Site:** Epa ID(1), Is Sites(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	<b>EPA/Agency ID:</b>	N/A
---	-----------------------	-----


**Agency Address:** EL MONTE RV CENTER  
4341 HOWARD ST  
OAKLAND, CA 94601  
**Site Name:** EL MONTE RV CENTER  
**Site Location:** 4341 HOWARD ST  
OAKLAND CA 94601-  
ALAMEDA  
**Site County:**  
**Water Quality Control Board Region:** D2  
**Case ID #:** 01-0554  
**Local Case ID #:** 2623  
**Media Affected:** SOIL ONLY  
**Lead Agency:** LOCAL AGENCY LEAD



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Remediation Status</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY
<b>Substance Leaked:</b>	GASOLINE
<b>Abatement Method</b>	EDGT
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED
<b>Enforcement Type</b>	NONE TAKEN
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	SITE NOT TESTED FOR MTBE
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTURE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7661706
<b>Latitude:</b>	-122.2221292
<b>Summary</b>	12/2 TKCR
<b>Date Preliminary Site Assessment Began</b>	UNKNOWN
<b>Date Leak was Discovered:</b>	11/15/91
<b>Reported Date:</b>	11/15/91
<b>Date Leak was Stopped:</b>	12/6/91
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workple(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1), Date of Enforcement Action(1), MTBE Date(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	<b>Agency ID:</b>	01-0554
<b>Agency Address:</b>	EL MONTE RV CENTER 4341 HOWARD ST OAKLAND, CA 0 01-0554	
<b>Case ID #:</b>	01-0554	
<b>Site Name:</b>	EL MONTE RV CENTER	
<b>Site Address:</b>	4341 HOWARD ST OAKLAND, CA ALAMEDA	
<b>Site County:</b>	ALAMEDA	
<b>Date Entered:</b>	12/19/91	
<b>Maximum Soil</b>	18000	
<b>Substance Leaked:</b>	NOT REPORTED	
<b>Media Affected:</b>	NOT REPORTED	
<b>Discovery Date:</b>	NOT REPORTED	



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Site Status:</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY: IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWN GRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).
<b>Maximum MTBE</b>	0
<b>Current MTBE</b>	ND
<b>Fields Not Reported by the Source</b>	Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1)
<b>Agency for this Site:</b>	


<b>VISTA Address*</b>	<b>SHELL</b> 630 HIGH OAKLAND, CA 94601	<b>VISTA ID#:</b>	1585240
		<b>Distance/Direction:</b>	0.50 MI / W
		<b>Plotted as:</b>	Point

Map ID  
**38**

<b>CORTESE / SRC# 53</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SHELL 630 HIGH OAKLAND, CA 0	
<b>Agency ID:</b>	01-1378	
<b>Facility Name:</b>	SHELL	
<b>Facility Address:</b>	630 HIGH	
<b>Facility City:</b>	OAKLAND	
<b>Facility State:</b>	CA	
<b>Facility County:</b>	1	
<b>Tracking Program:</b>	LEAKING TANK	
<b>Site ID:</b>	01-1378	

<b>Fields Not Reported by the Source</b>	Epa ID(1), Facility Zip(1), Is Sites(1)
<b>Agency for this Site:</b>	


<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	SHELL 630 HIGH ST OAKLAND, CA 94601	
<b>Site Name:</b>	SHELL	
<b>Site Location:</b>	630 HIGH ST OAKLAND CA 94601-	
<b>Site County:</b>	ALAMEDA	
<b>Water Quality Control Board Region:</b>	02	
<b>Case ID #:</b>	01-1378	
<b>Local Case ID #:</b>	3737	
<b>Media Affected</b>	OTHER GROUNDWATER	
<b>Lead Agency:</b>	LOCAL AGENCY LEAD	
<b>Remediation Status</b>	POLLUTION CHARACTERIZATION	
<b>Substance Leaked:</b>	WASTE OIL	
<b>Abatement Method</b>	ETED	



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Enforcement Type</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED 13267 LETTERS FOR ENFORCEMENT
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	MTBE DETECTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE
<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7675376
<b>Latitude:</b>	-122.2209512
<b>Summary</b>	GREY SHEEN MW-1 BY FORMER WOTANK;LOP UPDATE--10/21/93
<b>Date Preliminary Site Assessment Began</b>	5/15/89
<b>Date Pollution Characterization Began</b>	6/1/89
<b>Date Leak was Discovered:</b>	6/6/85
<b>Date of Enforcement Action</b>	3/23/92
<b>MTBE Date</b>	UNKNOWN
<b>Reported Date:</b>	6/6/85
<b>Date Leak was Stopped:</b>	2/24/89
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Media Affected(1), Remediation Status(1), How was Leak Discovered(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Workpla(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date Case was Closed(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		<b>Agency ID:</b>	01-1378
<b>Agency Address:</b>	SHELL 630 HIGH ST OAKLAND, CA 0 01-1378		
<b>Case ID #:</b>	SHELL		
<b>Site Name:</b>	630 HIGH ST		
<b>Site Address:</b>	OAKLAND, CA ALAMEDA		
<b>Site County:</b>	6/14/89		
<b>Date Entered:</b>	2400		
<b>Maximum Soil</b>	777777		
<b>Maximum Groundwater</b>	170		
<b>Current Benzene</b>	NOT REPORTED		
<b>Substance Leaked:</b>	NOT REPORTED		
<b>Media Affected:</b>	NOT REPORTED		
<b>Discovery Date:</b>	NOT REPORTED		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #150


**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>Site Status:</b>	<i>POLLUTION CHARACTERIZATION UNDERWAY: THIS PHASE OF WORK INVOLVES THE DEFINITION OF THE BOUNDARIES OF THE CONTAMINATED PLUME. IN ORDER TO BEA 5C THE RESPONSIBLE PARTY MUST BE TAKING STEPS TO FURTHER DEFINE THE LATERAL AND VERTICAL EXTENT OF CONTAMINATION IN THE SOIL AND GROUNDWATER. THIS PHASE IS CHARACTERIZED BY THE INSTALLATION OF ADDITIONAL MONITORING WELLS AND/OR BORINGS, AQUIFER TESTS, SOIL GAS SURVEYS, CONTINUAL GROUNDWATER GRADIENT DETERMINATIONS AND MONITORING, AND AN ASSESSMENT OF ALL IMPACTS ON SURFACE AND GROUNDWATER.</i>
<b>Maximum MTBE</b>	29500
<b>Current MTBE</b>	29500
<b>Fields Not Reported by the Source</b>	MTBE Qualifer(1)
<b>Agency for this Site:</b>	

<b>VISTA Address*</b>	<b>CLOROX CO THE</b> <b>850 42ND AVE</b> <b>OAKLAND, CA 94601</b>	<b>VISTA ID#:</b>	88771
		<b>Distance/Direction:</b>	0.47 MI. / NW
		<b>Plotted as:</b>	Point
<b>NFRAP / SRC# 18</b>		<b>Agency ID:</b>	0900939


Map ID  
**39**

<b>Agency Address:</b>	<i>CLOROX CO OAKLAND PLT 850 42ND AVE OAKLAND, CA 94601</i>
<b>EPA ID:</b>	<i>CAD000629485</i>
<b>Site ID:</b>	<i>0900939</i>
<b>EPA Region:</b>	<i>09</i>
<b>USGS Hydrologic Unit Code:</b>	<i>18050004</i>
<b>Ownership Type:</b>	<i>UNKNOWN</i>
<b>Federal Facility Indicator:</b>	<i>NOT A FEDERAL FACILITY</i>
<b>NPL Status:</b>	<i>NOT ON THE NPL</i>
<b>Hazardous Waste Docket Flag:</b>	<i>NOT ON THE HAZARDOUS WASTEDOCKET</i>
<b>Action:</b>	<i>DISCOVERY</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date</b>	<i>SEPTEMBER 30, 1980</i>
<b>Actual Completion Date:</b>	<i>AUGUST 1, 1980</i>
<b>Action:</b>	<i>PRELIMINARY ASSESSMENT</i>
<b>Action Qualifier</b>	<i>LOW</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date</b>	<i>JUNE 30, 1982</i>
<b>Actual Completion Date:</b>	<i>JUNE 1, 1982</i>
<b>Action:</b>	<i>SCREENING SITE INSPECTION</i>
<b>Action Qualifier</b>	<i>HIGH</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date</b>	<i>SEPTEMBER 30, 1984</i>
<b>Actual Completion Date:</b>	<i>SEPTEMBER 1, 1984</i>
<b>Action:</b>	<i>SCREENING SITE INSPECTION</i>
<b>Action Qualifier</b>	<i>NFRAP (NO FUTHER REMEDIAL ACTION PLANNED)</i>
<b>Action Lead:</b>	<i>EPA FUND-FINANCED</i>
<b>Scheduled Completion Date</b>	<i>MARCH 31, 1990</i>
<b>Actual Completion Date:</b>	<i>MARCH 27, 1990</i>
<b>Operable Unit ID:</b>	<i>00</i>
<b>Operable Unit Name:</b>	<i>SITEWIDE</i>



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Alias ID:	101
Alias Name:	CLOROX CO THE CA
Fields Not Reported by the Source	Financial Management System ID(1), Site Incident Category Description(1), Action Qualifier(1), Scheduled Start Date(3), Actual Start Date(2)
Agency for this Site:	
<b>SCL - State Equivalent CERCLIS List / SRC# 112</b>	
Agency ID:	01280083
Agency Address:	CLOROX COMPANY 850 42ND AVENUE OAKLAND, CA 94601
Agency ID:	01280083
Facility Name:	CLOROX COMPANY
Facility Address:	850 42ND AVENUE OAKLAND, CA, 94601
Region:	BERKELEY
County:	ALAMEDA
Branch:	NORTH COAST
Status Date:	12131995
Status:	CERT
Status Description:	CERTIFIED
Lead Agency:	REGIONAL WATER QUALITY CONTROL BOARD
Type Name:	RESPONSIBLE PARTY
NPL:	N
Fund:	C
SIC Number:	28
SIC Name:	MANU - CHEMICALS ALLIED PRODUCTS
Water Control Board Region:	SAN FRANCISCO BAY
Hazard Ranking Score:	DB.34
Hazard Ranking Date:	07041776
Groundwater:	C
Number of Sources:	1
Latitude:	37-DEG, 46-MIN, 12-SEC
Latitude Direction:	N
Longitude:	122-DEG, 13-MIN, 20-SEC
Longitude Direction:	W
Alternate Address:	850 42ND AVENUE OAKLAND, CA. 94601
Alternate Name:	CLOROX COMPANY
Comment Key:	B
Activity Number:	DEED
Type of Activity:	DEED RESTRICTIONS
Comment Description:	HWDLU
Completion Date:	01081987
Estimated Years to Finish:	0
Status at Start:	CERTIFIED
Cubic Yards Removed:	0
Gallons Removed:	0
Yards Treated:	0



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #152

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Gallons Treated	0
Comment Key	7
Activity Number	5YEAR
Type of Activity	FIVE-YEAR REVIEW REQUIRED BY CERCLA
Completion Date	01051996
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	6
Activity Number	CERT
Type of Activity	CERTIFICATION
Completion Date	06301988
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	5
Activity Number	FRA
Type of Activity	FINAL REMEDIAL ACTION
Comment Description	1
Completion Date	10301987
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	4
Activity Number	DES
Type of Activity	DESIGN
Comment Description	1
Completion Date	06301987
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	3
Activity Number	ORDER



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #153



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Type of Activity	1/SE, IORSE, FFA, FFSRA, VCA, EA
Comment Description	1
Completion Date	10301986
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	2
Activity Number	RAP
Type of Activity	REMEDIAL ACTION PLAN / RECORD OF DECISION
Comment Description	1
Completion Date	03301986
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Comment Key	1
Activity Number	RIFS
Type of Activity	REMEDIAL INVESTIGATION / FEASIBILITY STUDY
Comment Description	1
Completion Date	10301985
Estimated Years to Finish	0
Status at Start	CERTIFIED
Cubic Yards Removed	0
Gallons Removed	0
Yards Treated	0
Gallons Treated	0
Agency ID:	01280083
Comments:	DEED RESTRICTION: A VOLUNTARY DEED RESTRICTION IS IN PLACE. DEED RESTRICTION WAS RECORDED LIMITING FUTURE USE TO INDUSTRIAL/COMMERCIAL GROUNDWATER EXTRACTION AND TREATMENT INSTALLED. ONGOING MONITORING WILL BE OVERSEEN BY THE REGIONAL WATER QUALITY CONTROL BOARD. RECORDS SEARCH: SITE IS LISTED IN THE 1989 BOND EXPENDITURE PLAN FOR COST RECOVERY/OPERATION AND MAINTENANCE. THE SITE IS SCHEDULED TO BE IN LONG TERM OPERATION AND MAINTENANCE FOR APPROXIMATELY 15 YEARS. SITE OPERATIONS: MANUFACTURER OF BLEACH AND OTHER PRODUCTS. CONTAMINANTS: MERCURY IN GROUNDWATER. DHS RECEIVED EPA'S REASSESSMENT OF SCREENING SITE INSPECTION -- EPA RECOMMENDATION IS NO FURTHER ACTION. 5 YEAR REVIEW COMPLETED. THE SITE HAS REACHED AN ASYMPTOTIC STATE. FURTHER INVESTIGATION BY CLOROX HAS FOUND A SOURCE AREA. CLOROX PROPOSES TO REMOVE THAT SOIL AND CONTINUE TREATING THE UNDERLYING GROUNDWATER FOR ONE YEAR. CLOROX THEN WILL SUBMIT A PROPOSAL THAT THE SITE SHOULD BE CONSIDERED A CONTAINMENT AREA AND WILL BE ALLOWED TO STOP TREATING THE GROUNDWATER.
Fields Not Reported by the Source	Tier(1), Access(1), Cortese(1), Comment Description(2)
Agency for this Site:	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #154

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>CLOROX COMPANY</b> <b>850 42ND AVE</b> <b>OAKLAND, CA 94601</b>	VISTA ID#:	7813272
		Distance/Direction:	0.47 MI / NW
		Plotted as:	Point


Map ID  
**39**

<b>Deed Restriction / SRC# 46</b>	Agency ID:	1280083
-----------------------------------	------------	---------

**Agency Address:** SAME AS ABOVE  
**Site ID #:** 1280083  
**Site Name:** CLOROX COMPANY  
**Site Address:** 850 42ND AVE  
 OAKLAND, CA  
 94601  
**Site County:** ALAMEDA  
**Number of Deeds:** 1  
**Alias Name:** NOT REPORTED  
**Senate Number:** 09  
**Assembly Number:** 16

<b>State Spills / SRC# 106</b>	EPA/Agency ID:	N/A
--------------------------------	----------------	-----

**Agency Address:** CLOROX COMPANY  
 850 42ND AVE  
 OAKLAND, CA 94607  
**Facility Name:** CLOROX COMPANY  
**Facility Address:** 850 42ND AVE  
 OAKLAND, CA  
 94607  
**Facility County:** ALAMEDA  
**Case ID #:** 01S0003  
**Staff:** BG  
**Facility Type:** PRODUCES CHLORINE BLEACH  
**Facility Status:** ACTIVE  
**Material(s) Spilled:** WASTE, DISPOSAL PRACTICES  
**Lead Agency:** RWQCB  
**Municipal Wells:** 0  
**Private Wells:** 0  
**Soil Removal:** NO  
**Flow Rate(GPM):** 0  
**Percent of Contamination Contained:** NOT BEGUN  
**Plume Depth I:** 0  
**Plume Depth II:** 0  
**Case Type:** NO TANKS  
**Communication Submitted:** BEGUN CHARACTERIZATION/  
 COMPLETED CHARACTERIZATION/  
 COMPLETED REMEDIATION/  
 SUBMITTED REMEDIATION PLAN/  
**Air Release:** NOT REPORTED  
**Land Release:** NO  
**Water Release:** NO  
**Ground Release:** NO




**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Comment(1), Discovery Date(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1)

VISTA Address:	<b>QUAKER OATS COMPANY</b> 5625 14TH ST E OAKLAND, CA 94621	VISTA ID#:	65501846
		Distance/Direction:	0.49 MI / E
		Plotted as:	Point

Map ID  
**40**

State Spills / SRC# 106	EPA/Agency ID:	N/A
Agency Address:	QUAKER OATS COMPANY 5625 14TH ST E OAKLAND, CA 94607	
Facility Name:	QUAKER OATS COMPANY	
Facility Address:	5625 14TH ST E OAKLAND, CA 94607	
Facility County:	ALAMEDA	
Case ID #:	07S0126	
Staff:	BG	
Facility Status:	INACTIVE	
Lead Agency	RWQCB	
Municipal Wells:	0	
Private Wells:	0	
Soil Removal	NOT REPORTED	
Flow Rate(GPM):	0	
Percent of Contamination Contained:	NOT BEGUN	
Plume Depth I:	0	
Plume Depth II:	0	
Case Type:	NO TANKS	
Air Release:	NOT REPORTED	
Land Release:	NO	
Water Release:	NO	
Ground Release:	NO	
Facility Release:	NOT REPORTED	
Other Release:	NOT REPORTED	
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)	



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #156

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

VISTA Address*	<b>QUAKER OATS CO. 5625 E. 14TH ST. OAKLAND, CA 94621</b>	VISTA ID#	500041
		Distance/Direction	0.49 MI./E
		Plotted as	Point

Map ID

**40**

<b>North Bay / SRC# 47</b>	EPA/Agency ID:	N/A
----------------------------	----------------	-----

<b>Agency Address:</b>	THE QUAKER OATS COMPANY 5625 E. 14TH STREET OAKLAND, CA 94621
<b>Facility Name:</b>	THE QUAKER OATS COMPANY
<b>Facility Address:</b>	5625 E. 14TH STREET
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94621
<b>Facility Name:</b>	THE QUAKER OATS COMPANY
<b>Facility Address:</b>	5625 E. 14TH STREET
<b>Facility City:</b>	OAKLAND
<b>Facility State:</b>	CA
<b>Facility Zip:</b>	94621

<b>Fields Not Reported by the Source</b>	Agency ID(2), Epa ID(2), Facility County(2)
<b>Agency for this Site:</b>	

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>	EPA/Agency ID:	N/A
---	----------------	-----

<b>Agency Address:</b>	QUAKER OATS COMPANY 5625 14TH ST E OAKLAND, CA 94621
<b>Site Name:</b>	QUAKER OATS COMPANY
<b>Site Location:</b>	5625 14TH ST E OAKLAND CA 94621-
<b>Site County:</b>	ALAMEDA
<b>Water Quality Control Board Region:</b>	02
<b>Case ID #:</b>	01-1213
<b>Local Case ID #:</b>	1495
<b>Media Affected</b>	UNDEFINED
<b>Lead Agency:</b>	LOCAL AGENCY LEAD
<b>Remediation Status</b>	CASE CLOSED
<b>Substance Leaked:</b>	DIESEL
<b>Abatement Method</b>	ED
<b>Enforcement Type</b>	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED NONE TAKEN
<b>Funding By</b>	FEDERAL FUNDS
<b>How was Leak Discovered</b>	TANK CLOSURE
<b>How was Leak Stopped</b>	CLOSE TANK
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM LIST
<b>Responsible Party:</b>	BLANK RP
<b>Cause of Leak</b>	STRUCTRE FAILURE



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #157

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


<b>Source of Leak</b>	TANK
<b>Longitude:</b>	37.7665425
<b>Latitude:</b>	-122.2023085
<b>Summary</b>	ARCHIVED 6/6/96 CONTROL NO 120-086 SRC 0904736
<b>Date Preliminary Site Assessment Workpla</b>	1/26/90
<b>Date Case was Closed</b>	11/30/95
<b>Date Leak was Discovered:</b>	6/7/89
<b>Reported Date:</b>	6/7/89
<b>Date Leak was Stopped:</b>	6/26/89
<b>Fields Not Reported by the Source Agency for this Site:</b>	Cross Street(1), Remediation Status(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1), Date Preliminary Site Assessment Began(1), Date Pollution Characterization Began(1), Date Remediation Plan Submitted(1), Date Remedial Action Underway(1), Date Post Remedial Action Monitoring Beg(1), Date of Enforcement Action(1), MTBE Date(1)

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>	<b>Agency ID:</b>	01-1213
<b>Agency Address:</b>	QUAKER OATS COMPANY 5625 14TH ST E OAKLAND, CA 0	
<b>Case ID #:</b>	01-1213	
<b>Site Name:</b>	QUAKER OATS COMPANY	
<b>Site Address:</b>	5625 14TH ST E OAKLAND, CA ALAMEDA	
<b>Date Entered:</b>	7/18/89	
<b>Substance Leaked:</b>	NOT REPORTED	
<b>Media Affected:</b>	NOT REPORTED	
<b>Discovery Date:</b>	NOT REPORTED	
<b>Site Status:</b>	CASE CLOSED: REGIONAL BOARD(AND LOCAL AGENCY WHERE APPROPRIATE) ARE IN CONCURRENCETHAT NO FURTHER ACTION IS NECESSARY AT THE SITE.	
<b>Fields Not Reported by the Source Agency for this Site:</b>	Maximum Soil(1), Maximum Groundwater(1), Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)	

<b>VISTA Address*:</b>	<b>ABF FREIGHT SYSTEMS INC</b> 4575 TIDEWATER AVE OAKLAND, CA 94601	<b>VISTA ID#:</b>	3178
		<b>Distance/Direction:</b>	0.49 MI. / W
		<b>Plotted as:</b>	Point

Map ID  
**41**


<b>CORTESE / SRC# 53</b>	<b>EPA/Agency ID:</b>	N/A
<b>Agency Address:</b>	ABF FREIGHT SYSTEMS 4575 TIDEWATER OAKLAND, CA 0	
<b>Agency ID:</b>	01-0022	
<b>Facility Name:</b>	ABF FREIGHT SYSTEMS	
<b>Facility Address:</b>	4575 TIDEWATER	
<b>Facility City:</b>	OAKLAND	
<b>Facility State:</b>	CA	
<b>Facility County:</b>	1	
<b>Tracking Program:</b>	LEAKING TANK	
<b>Site ID:</b>	01-0022	
<b>Fields Not Reported by the Source Agency for this Site:</b>	Epa ID(1), Facility Zip(1), Is Sites(1)	



**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 164</b>		EPA/Agency ID:	N/A
<b>Agency Address:</b>	ABF FREIGHT SYSTEMS 4575 TIDEWATER AVE OAKLAND, CA 94601		
<b>Site Name:</b>	ABF FREIGHT SYSTEMS		
<b>Site Location:</b>	4575 TIDEWATER AVE		
<b>Site County:</b>	OAKLAND CA 94601- ALAMEDA		
<b>Water Quality Control Board Region:</b>	02		
<b>Case ID #:</b>	01-0022		
<b>Local Case ID #:</b>	01-0022		
<b>Media Affected</b>	OTHER GROUNDWATER		
<b>Lead Agency:</b>	LOCAL AGENCY LEAD		
<b>Remediation Status</b>	PRELIMINARY SITE ASSESSMENT UNDERWAY		
<b>Substance Leaked:</b>	DIESEL		
<b>Abatement Method</b>	NT		
	CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
<b>Enforcement Type</b>	NONE TAKEN		
<b>Funding By</b>	FEDERAL FUNDS		
<b>How was Leak Discovered</b>	TANK CLOSURE		
<b>How was Leak Stopped</b>	CLOSE TANK		
<b>MTBE Tested</b>	NOT REQUIRED TO BE TESTED		
<b>Program Type</b>	LOCAL OVERSIGHT PROGRAM UST		
<b>Responsible Party:</b>	BLANK RP		
<b>Cause of Leak</b>	STRUCTURE FAILURE		
<b>Source of Leak</b>	TANK		
<b>Longitude:</b>	37.7643856		
<b>Latitude:</b>	-122.2223592		
<b>Summary</b>	NFAP; SENT FILE TO ACHD 11/94		
<b>Date Preliminary Site Assessment Began</b>	9/12/86		
<b>Date Leak was Discovered:</b>	7/3/86		
<b>Reported Date:</b>	7/3/86		
<b>Date Leak was Stopped:</b>	7/3/86		
<b>Fields Not Reported by the Source</b>	Cross Street(1), Media Affected(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Leak was Confirmed(1)		
<b>Agency for this Site:</b>			

<b>STATE LUST - State Leaking Underground Storage Tank / SRC# 853</b>		Agency ID:	01-0022
<b>Agency Address:</b>	ABF FREIGHT SYSTEMS 4575 TIDEWATER AVE OAKLAND, CA 0		
<b>Case ID #:</b>	01-0022		
<b>Site Name:</b>	ABF FREIGHT SYSTEMS		
<b>Site Address:</b>	4575 TIDEWATER AVE		
<b>Site County:</b>	OAKLAND, CA ALAMEDA		



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #159

**SITES IN THE SURROUNDING AREA (within 1/4 - 1/2 mile) CONT.**


**Date Entered:** 12/12/99  
**Maximum Soil:** 170  
**Maximum Groundwater:** 100000  
**Substance Leaked:** NOT REPORTED  
**Media Affected:** NOT REPORTED  
**Discovery Date:** NOT REPORTED  
**Site Status:** PRELIMINARY SITE ASSESSMENT UNDERWAY; IMPLEMENTATION OF WORKPLAN. THIS PHASE OF WORK INVOLVES DETERMINING IF GROUNDWATER HAS BEEN IMPACTED. WORK PERFORMED DURING THIS PHASE INCLUDES THE INSTALLATION OF UP TO THREE MONITORING WELLS IN ORDER TO DETERMINE THE SPECIFIC GRADIENT. AT LEAST ONE WELL SHOULD BE PLACED WITHIN 10' OF THE SUSPECTED POINT OF DISCHARGE IN A VERIFIED DOWNGRADIENT LOCATION. OTHER WORK PERFORMED DURING THIS PHASE MAY INCLUDE SOIL BORINGS, SOIL GAS SURVEYS, ADDITIONAL EXCAVATION AND INTERIM REMEDIATION MEASURES. THE CASE WOULD MOVE TO STATUS 5 WHEN THE WORK EXCEEDS THAT WHICH WAS REQUIRED FOR GRADIENT DEFINITION AND INITIAL GROUNDWATER VERIFICATION (USUALLY THE INSTALLATION OF MORE THAN THREE WELLS).  
**Fields Not Reported by the Source Agency for this Site:** Current Benzene(1), MTBE Qualifier(1), Maximum MTBE(1), Current MTBE(1)

**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile)**

<b>VISTA Address:</b>	<b>AMERICAN CAN PACKAGING INC</b> 3801 E 8TH ST OAKLAND, CA 94601	<b>VISTA ID#:</b>	64736814
		<b>Distance/Direction:</b>	0.70 MI / NW
		<b>Plotted as:</b>	Point
<b>RCRA-TSD CORRACTS / SRC# 556</b>		<b>EPA ID:</b>	CAD009162116
<b>Agency Address:</b>	SAME AS ABOVE		
<b>EPA Handler ID:</b>	CAD009162116		
<b>Handler Name:</b>	AMERICAN CAN PACKAGING INC		
<b>Handler Address:</b>	3801 E 8TH ST OAKLAND, CA 94601		
<b>Land Type:</b>	NOT ON INDIAN LAND, OTHERWISE UNKNOWN		
<b>County:</b>	ALAMEDA		
<b>Latitude:</b>	3746142		
<b>Longitude:</b>	12213212		
<b>Mailing Address:</b>	3801 EAST EIGHTH STREET PO2092 OAKLAND, CA 94604 - 19910331		
<b>Acknowledgement Generated:</b>	19910331		
<b>State District:</b>	2		
<b>Sequence No:</b>	1		
<b>Receipt Date:</b>	19960901		
<b>Source Description:</b>	EPA INSPECTION		
<b>Generator Regulatory Status:</b>	RCRA REGULATED		
<b>Generator Indicator:</b>	LARGE QUANTITY GENERATOR		
<b>Owner/Operator Indicator:</b>	CURRENT OWNER		
<b>Owner/Operator Type:</b>	PRIVATE		
<b>Owner/Operator Name:</b>	AMERICAN NATIONAL CAN		

Map ID

**42**



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #160

**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile): CONT.**

Phone:	(203) 552-2181
Address:	AMERICANLN1B9ENVIRONMENTALDEPT GREENWICH CT 06830
Owner/Operator Indicator:	CURRENT OPERATOR
Owner/Operator Type:	PRIVATE
Owner/Operator Name:	AMERICAN CAN PACKAGING
Phone:	(203) 552-2181
Address:	AMERICANLN1B9ENVIRONMENTALDEPT CITY NOT REPORTED CT 99999
SIC Sequence No:	0001
Primary SIC Indicator:	PRIMARY
SIC Code Source:	REPORTED BY FACILITY
SIC Code and Description:	3411 - MANUFACTURING - METALCANS
SIC Sequence No:	0002
Primary SIC Indicator:	SECONDARY
SIC Code Source:	REPORTED BY FACILITY
SIC Code and Description:	3411 - MANUFACTURING - METALCANS
SIC Sequence No:	0003
Primary SIC Indicator:	SECONDARY
SIC Code Source:	REPORTED BY FACILITY
SIC Code and Description:	3411 - MANUFACTURING - METALCANS
Env. Priority Rank Date:	19920827
Env. Priority Rank Status:	3
Type of Information:	NOTIFICATION
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRO MANAGER
Contact Phone:	4155362400
Contact Address:	3801 E EIGHTH ST OAKLAND, CA 94604 -
Corrective Action Workload:	YES
Large Quantity Generator:	YES
Permit Progress:	YES
Subject to Corrective Action:	YES
Storage:	YES
Area Sequence No:	1
Area Name:	ENTIRE FACILITY
Facility Wide:	YES
Regulated Unit:	NOT REPORTED
Responsible Agency:	STATE
Authority Type:	VOLUNTARY CA
CA Event Sequence No:	1
Responsible Agency:	EPA



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002


Version 2.7

Page #167



**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile) CONT.**

Event Date:	19910919
Event Description:	CA PRIORITIZATION-MEDIUM CAPRIORITY
CA Event Sequence No:	2
Responsible Agency:	EPA
Event Date:	19920228
Event Description:	CA PRIORITIZATION-MEDIUM CAPRIORITY
CA Event Sequence No:	1
Responsible Agency:	EPA
Event Date:	19960101
Event Description:	RFI IMPOSITION
CA Event Sequence No:	1
Responsible Agency:	STATE
Event Date:	19960601
Event Description:	RFI APPROVED
CA Event Sequence No:	1
Responsible Agency:	EPA
Event Date:	19920228
Event Description:	STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION
CA Event Sequence No:	1
Responsible Agency:	STATE
Event Date:	19940101
Event Description:	STABILIZATION MEASURES IMPLEMENTED-PRIMARY MEAS IS SOURCE REMOVL /OR TRT
CA Event Sequence No:	1
Responsible Agency:	STATE
Event Date:	19950701
Event Description:	STABILIZATION CONSTRUCTION COMPLETED
CA Event Sequence No:	1
Responsible Agency:	STATE
Event Date:	19970925
Event Description:	HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
CA Event Sequence No:	1
Responsible Agency:	STATE
Event Date:	19970925
Event Description:	RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Permit Series Seq. No:	500
Series Name:	CLOSURE1
Permit Event Seq. No:	1
Event Date:	19950505
Responsible Agency:	STATE
Event Code:	CL310
Event Description:	PLAN RECEIVED - CLOSURE
Permit Event Seq. No:	1
Event Date:	19960129
Responsible Agency:	STATE



**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile) CONT.**

Event Code:	CL370YE
Event Description:	RECEIVE CLOSURE CERTIFICATION-ACCORDING TO PLAN
Permit Series Seq. No:	501
Series Name:	PERMIT1
Permit Event Seq. No:	1
Event Date:	19861101
Responsible Agency:	EPA
Event Code:	OP001IS
Event Description:	PART A RECEIVED-INITIAL SUBMITTAL
Permit Event Seq. No:	1
Event Date:	19830209
Responsible Agency:	STATE
Event Code:	OP010
Event Description:	PART B CALL-IN
Permit Event Seq. No:	1
Event Date:	19830812
Responsible Agency:	STATE
Event Code:	OP160DP
Event Description:	PUBLIC NOTICE-DRAFT PERMIT ISSUED
Permit Event Seq. No:	1
Event Date:	19840313
Responsible Agency:	STATE
Event Code:	OP200PI
Event Description:	FINAL DETERMINATION-RCRA PERMIT ISSUED, HSWA NOT APPLIC.
Permit Event Seq. No:	1
Event Date:	19890313
Responsible Agency:	STATE
Event Code:	OP270
Event Description:	PERMIT EXPIRES
Process Unit Seq. No:	1
Unit Name:	CONTAIN1
Process Unit Detail Seq. No:	1
Process Code Type:	STORAGE
Process Code Description:	CONTAINER
Process Status Effective Date:	19830209
Process Capacity:	19580 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	INTERIM STATUS - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
Strange But True Flag:	NO
Subject To Inspection:	YES
Permit Progress:	YES
Permit Workload:	YES
Closure Workload:	NO
Post-Closure Workload:	NO



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #163

**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile) CONT.**

Subject To Corrective Action:	YES
Corrective Action Workload:	YES
Process Unit Detail Seq. No:	2
Process Code Type:	STORAGE
Process Code Description:	CONTAINER
Process Status Effective Date:	19840313
Process Capacity:	19580 GALLONS
Total Units within Process Unit Group:	1
Capacity Type:	DESIGN
Legal Operating Status:	PERMITTED - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
Strange But True Flag:	NO
Subject To Inspection:	YES
Permit Progress:	YES
Permit Workload:	YES
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	YES
Corrective Action Workload:	YES
Process Unit Detail Seq. No:	3
Process Code Type:	STORAGE
Process Code Description:	CONTAINER
Process Status Effective Date:	19950505
Process Capacity:	19580 GALLONS
Total Units within Process Unit Group:	2
Capacity Type:	DESIGN
Legal Operating Status:	PERMIT TERMINATED/PERMIT EXPIRED, NOT CONTINUED - OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
Strange But True Flag:	NO
Subject To Inspection:	NO
Permit Progress:	YES
Permit Workload:	NO
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	NO
Corrective Action Workload:	NO
Process Unit Detail Seq. No:	4
Process Code Type:	STORAGE
Process Code Description:	CONTAINER
Process Status Effective Date:	19960129
Process Capacity:	19580 GALLONS
Total Units within Process Unit Group:	2
Capacity Type:	DESIGN
Legal Operating Status:	PERMIT TERMINATED/PERMIT EXPIRED, NOT CONTINUED - CLEANCLOSED
Strange But True Flag:	NO



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #164

**SITES IN THE SURROUNDING AREA (within 1/2 - 1 mile) CONT.**

Subject To Inspection:	NO
Permit Progress:	YES
Permit Workload:	NO
Closure Workload:	NO
Post-Closure Workload:	NO
Subject To Corrective Action:	NO
Corrective Action Workload:	NO
Evaluation Date:	19911211
Responsible Agency:	STATE
Evaluation Type:	OTH - OTHER EVALUATION
Evaluation Date:	19920205
Responsible Agency:	EPA CONTRACTOR
Evaluation Type:	FRR - FINANCIAL RECORD REVIEW
Fields Not Reported by the Source Agency for this Site:	(2), Revocation Date(1), Repository(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #165

**UNMAPPED SITES**

VISTA Address*	<b>ALAMEDA RED HANGER KLEANERS UNKNOWN HARBOR BAY LANNDING SHOPPING CEN ALAMEDA, CA 0</b>	VISTA ID#:	66990933
----------------	---	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	ALAMEDA RED HANGER KLEANERS
Facility Address:	UNKNOWN HARBOR BAY LANNDINGSHOPPING CENTER
	ALAMEDA, CA
Facility County:	ALAMEDA
Case ID #:	01S0450
Staff:	DCL
Facility Status:	CLOSED
Municipal Wells:	0
Private Wells:	0
Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NOT REPORTED
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Lead Agency(1), Soil/Contaminant Removal Started(1)
Agency for this Site:	

VISTA Address*	<b>ALAMEDA UNIFIED SCHOOL DISTRICT UNKNOWN AUGHINBAUGH WY ALAMEDA, CA 0</b>	VISTA ID#:	66990934
----------------	---	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	ALAMEDA UNIFIED SCHOOL DISTRICT
Facility Address:	UNKNOWN AUGHINBAUGH WY
	ALAMEDA, CA
Facility County:	ALAMEDA
Case ID #:	01S0223
Staff:	BG
Facility Status:	INACTIVE
Lead Agency	RWQCB
Municipal Wells:	0
Private Wells:	0



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #166


**UNMAPPED SITES CONT.**

Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NO TANKS
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

VISTA Address*:	KAISER ALUMINUM CHEMICAL UNKNOWN SUNOL BLVD ALAMEDA, CA 0	VISTA ID#:	66991085
-----------------	---	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	KAISER ALUMINUM CHEMICAL
Facility Address:	UNKNOWN SUNOL BLVD ALAMEDA, CA ALAMEDA
Facility County:	ALAMEDA
Case ID #:	01S0027
Staff:	DCL
Facility Status:	CLOSED
Material(s) Spilled	PCB SPILL
Lead Agency	RWQCB
Municipal Wells:	0
Private Wells:	0
Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NOT REPORTED
Communication Submitted	BEGUN CHARACTERIZATION/
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED



**UNMAPPED SITES CONT.**

**Fields Not Reported by the Source Agency for this Site:**

*Facility Type(1), Comment(1), Discovery Date(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1)*

VISTA Address*	<b>NAVAL SUPPLY CENTER ALAMEDA ANNEX DOD UNKNOWN UNKNOWN ALAMEDA, CA 0</b>	VISTA ID#:	66991149
----------------	--	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

**Agency Address:** SAME AS ABOVE  
**Facility Name:** NAVAL SUPPLY CENTER ALAMEDA ANNEX DOD  
**Facility Address:** UNKNOWN UNKNOWN  
ALAMEDA, CA  
**Facility County:** ALAMEDA  
**Case ID #:** 01S0196  
**Staff:** BG  
**Facility Status:** INACTIVE  
**Lead Agency:** RWQCB  
**Municipal Wells:** 0  
**Private Wells:** 0  
**Soil Removal:** NOT REPORTED  
**Flow Rate (GPM):** 0  
**Percent of Contamination Contained:** NOT BEGUN  
**Plume Depth I:** 0  
**Plume Depth II:** 0  
**Case Type:** NO TANKS  
**Air Release:** NOT REPORTED  
**Land Release:** NO  
**Water Release:** NO  
**Ground Release:** NO  
**Facility Release:** NOT REPORTED  
**Other Release:** NOT REPORTED


**Fields Not Reported by the Source Agency for this Site:**

*Facility Type(1), Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)*

VISTA Address*	<b>ALAMEDA NAS NAVY UNKNOWN UNKNOWN ALAMEDA, CA 0</b>	VISTA ID#:	66990932
----------------	---	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

**Agency Address:** SAME AS ABOVE  
**Facility Name:** ALAMEDA NAS NAVY  
**Facility Address:** UNKNOWN UNKNOWN  
ALAMEDA, CA  
**Facility County:** ALAMEDA  
**Case ID #:** 01S0001



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #168

**UNMAPPED SITES CONT.**

<b>Staff:</b>	DOD
<b>Facility Type</b>	NAVAL AIR STATION - MILITARY
<b>Facility Status:</b>	ACTIVE
<b>Material(s) Spilled</b>	LEAKING UNDERGROUND STORAGE TANKS LANDFILLS
<b>Lead Agency</b>	RWQCB DOD DOE
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NO
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NO TANKS
<b>Communication Submitted</b>	BEGUN CHARACTERIZATION/
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Comment(1), Discovery Date(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1)

VISTA Address*	BAY FARM ISLAND ELEMENTARY SCHOOL UNKNOWN AUGHINBAUGH WY ALAMEDA, CA 0	VISTA ID#:	66990958
----------------	--	------------	----------

State Spills / SRC#:	106	EPA/Agency ID:	N/A
<b>Agency Address:</b>	SAME AS ABOVE		
<b>Facility Name:</b>	BAY FARM ISLAND ELEMENTARY SCHOOL		
<b>Facility Address:</b>	UNKNOWN AUGHINBAUGH WY		
<b>Facility County:</b>	ALAMEDA, CA		
<b>Case ID #:</b>	01S0227		
<b>Staff:</b>	BG		
<b>Facility Type</b>	ELEMENTARY SCHOOL		
<b>Facility Status:</b>	INACTIVE		
<b>Lead Agency</b>	RWQCB		
<b>Municipal Wells:</b>	0		
<b>Private Wells:</b>	0		
<b>Soil Removal</b>	NOT REPORTED		
<b>Flow Rate(GPM):</b>	0		
<b>Percent of Contamination Contained:</b>	NOT BEGUN		
<b>Plume Depth I:</b>	0		
<b>Plume Depth II:</b>	0		






**UNMAPPED SITES:CONT.**

<b>Case Type:</b>	NOT DETERMINED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)

<b>VISTA Address*</b>	<b>KRUSI PARK UNKNOWN OTIS ST ALAMEDA, CA 0</b>	<b>VISTA ID#:</b>	66991093
-----------------------	---	-------------------	----------

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	N/A
--------------------------------	-----------------------	-----

<b>Agency Address:</b>	SAME AS ABOVE
<b>Facility Name:</b>	KRUSI PARK
<b>Facility Address:</b>	UNKNOWN OTIS ST ALAMEDA, CA
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	01S0398
<b>Staff:</b>	BG
<b>Facility Type</b>	RECREATION PARK
<b>Facility Status:</b>	INACTIVE
<b>Lead Agency</b>	RWQCB
<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NO TANKS
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	Comment(1), Last Update(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901


Date of Report: January 29, 2002

Version 2.7

Page #170

**UNMAPPED SITES CONT.**

VISTA Address*	7 UNKNOWN L 827 TRACON OAKLAND, CA 94621	VISTA ID#:	64546627
STATE LUST - State Leaking Underground Storage Tank / SRC# 164		EPA/Agency ID:	N/A
Agency Address:	SAME AS ABOVE		
Site Name:	7		
Site Location:	UNKNOWN L 827 TRACON OAKLAND CA 94621- ALAMEDA		
Site County:	ALAMEDA		
Water Quality Control Board Region:	02		
Case ID #:	01-0606		
Local Case ID #:	01-0606		
Media Affected	OTHER GROUNDWATER		
Lead Agency:	LOCAL AGENCY LEAD		
Remediation Status	LEAK BEING CONFIRMED		
Substance Leaked:	DIESEL		
Abatement Method	NT  CODE LOOKUP: CD-CAP SITE/CB-CONTAINMENT BARRIER/ED-EXCAVATE AND DISPOSE/ET-EXCAVATE AND TREAT/FP-REMOVE FREE PRODUCT/GT-PUMP AND TREAT/GW/RS-REPLACE SUPPLY/HU-TREATMENT AT HOOKUP/VS-VENT SOIL/VE-VACUUM EXTRACT/AS-AIR SPARGING/IT-ENHANCED BIODEGRADATION/OT-OTHER/NT-NO ACTION TAKEN/UK-UNKNOWN/NA-NO ACTION REQUIRED		
Enforcement Type	NONE TAKEN		
Funding By	FEDERAL FUNDS		
How was Leak Discovered	TANK CLOSURE		
How was Leak Stopped	CLOSE TANK		
MTBE Tested	NOT REQUIRED TO BE TESTED		
Program Type	LOCAL OVERSIGHT PROGRAM UST		
Responsible Party:	BLANK RP		
Cause of Leak	STRUCTRE FAILURE		
Source of Leak	TANK		
Longitude:	37.7549158		
Latitude:	-122.1905391		
Summary	STOCKPILE SAMPLE ONLY. MAXSL=STKPLE.		
Date Leak was Confirmed	7/30/91		
Date Leak was Discovered:	7/30/91		
Reported Date:	7/30/91		
Date Leak was Stopped:	7/30/91		
Fields Not Reported by the Source	Cross Street(1), Media Affected(1), How was Leak Discovered(1), MTBE Tested(1), Program Type(1), Substance Quantity Leaked (G)(1), Cause of Leak(1), Date Preliminary Site Assessment Workpla(1)		
Agency for this Site:			



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #171

**UNMAPPED SITES CONT.**

VISTA Address*	<b>OAKLAND INTERNATIONAL AIRPORT UNKNOWN OAKLAND INTERNATIONAL AIRPORT OAKLAND, CA 0</b>	VISTA ID#:	66991163
----------------	--	------------	----------


State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	OAKLAND INTERNATIONAL AIRPORT
Facility Address:	UNKNOWN OAKLAND INTERNATIONAL AIRPORT OAKLAND, CA ALAMEDA
Facility County:	ALAMEDA
Case ID #:	01S0487
Staff:	BG
Facility Type	ASSESSMENT FOR NEW AIR TRAFFIC CONTROL TOWER
Facility Status:	INACTIVE
Municipal Wells:	0
Private Wells:	0
Soil Removal	NOT REPORTED
Flow Rate(GPM):	0
Percent of Contamination Contained:	NOT BEGUN
Plume Depth I:	0
Plume Depth II:	0
Case Type:	NO TANKS
Air Release:	NOT REPORTED
Land Release:	NO
Water Release:	NO
Ground Release:	NO
Facility Release:	NOT REPORTED
Other Release:	NOT REPORTED
Fields Not Reported by the Source Agency for this Site:	<i>Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Lead Agency(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)</i>

VISTA Address*	<b>PORT OF OAKLAND NINTH AVENUE TERMINAL UNKNOWN 8TH 9TH AVE OAKLAND, CA 0</b>	VISTA ID#:	66991212
----------------	--	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

Agency Address:	SAME AS ABOVE
Facility Name:	PORT OF OAKLAND NINTH AVENUE TERMINAL
Facility Address:	UNKNOWN 8TH 9TH AVE OAKLAND, CA ALAMEDA
Facility County:	ALAMEDA
Case ID #:	01S0494
Staff:	BG
Facility Type	PORT
Facility Status:	ACTIVE
Lead Agency	ALAMEDA COUNTY HEALTH



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #172

**UNMAPPED SITES CONT.**

<b>Municipal Wells:</b>	0
<b>Private Wells:</b>	0
<b>Soil Removal</b>	NOT REPORTED
<b>Flow Rate(GPM):</b>	0
<b>Percent of Contamination Contained:</b>	NOT BEGUN
<b>Plume Depth I:</b>	0
<b>Plume Depth II:</b>	0
<b>Case Type:</b>	NOT REPORTED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED
<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)</i>

<b>VISTA Address*</b>	<b>UPTOWN THEATER DISTRICT UNKNOWN UNKNOWN OAKLAND, CA 0</b>	<b>VISTA ID#:</b>	<b>66991371</b>
-----------------------	--	-------------------	-----------------

<b>State Spills / SRC# 106</b>	<b>EPA/Agency ID:</b>	<b>N/A</b>
--------------------------------	-----------------------	------------

<b>Agency Address:</b>	SAME AS ABOVE
<b>Facility Name:</b>	UPTOWN THEATER DISTRICT
<b>Facility Address:</b>	UNKNOWN UNKNOWN OAKLAND, CA ALAMEDA
<b>Facility County:</b>	ALAMEDA
<b>Case ID #:</b>	01S0520
<b>Staff:</b>	BG
<b>Facility Status:</b>	ACTIVE
<b>Lead Agency</b>	RWQCB
<b>Soil Removal</b>	NOT REPORTED
<b>Percent of Contamination Contained:</b>	NOT REPORTED
<b>Contaminant Level</b>	981 PPB PCE
<b>Case Type:</b>	NOT DETERMINED
<b>Air Release:</b>	NOT REPORTED
<b>Land Release:</b>	NO
<b>Water Release:</b>	NO
<b>Ground Release:</b>	NO
<b>Facility Release:</b>	NOT REPORTED
<b>Other Release:</b>	NOT REPORTED



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #173

**UNMAPPED SITES CONT.**


<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Latitude(1), Longitude(1), Facility Type(1), Comment(1), Match Level(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Municipal Wells(1), Private Wells(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Rate(GPM)(1), Flow Date(1), Plume Depth I(1), Plume Depth II(1), Communication Submitted(1)</i>
--	---

VISTA Address*	<b>PORT OF OAKLAND SITE A PROPERTY UNKNOWN JACK LONDON SQUARE OAKLAND, CA 0</b>	VISTA ID#:	66991215
----------------	---	------------	----------

State Spills / SRC# 106	EPA/Agency ID:	N/A
-------------------------	----------------	-----

<b>Agency Address:</b>	<i>SAME AS ABOVE</i>
<b>Facility Name:</b>	<i>PORT OF OAKLAND SITE A PROPERTY</i>
<b>Facility Address:</b>	<i>UNKNOWN JACK LONDON SQUARE OAKLAND, CA</i>
<b>Facility County:</b>	<i>ALAMEDA</i>
<b>Case ID #:</b>	<i>01S0479</i>
<b>Staff:</b>	<i>BG</i>
<b>Facility Type</b>	<i>PORT</i>
<b>Facility Status:</b>	<i>ACTIVE</i>
<b>Lead Agency</b>	<i>ALAMEDA COUNTY HEALTH</i>
<b>Municipal Wells</b>	<i>0</i>
<b>Private Wells</b>	<i>0</i>
<b>Soil Removal</b>	<i>NOT REPORTED</i>
<b>Flow Rate(GPM)</b>	<i>0</i>
<b>Percent of Contamination Contained:</b>	<i>NOT BEGUN</i>
<b>Plume Depth I</b>	<i>0</i>
<b>Plume Depth II</b>	<i>0</i>
<b>Case Type:</b>	<i>NOT REPORTED</i>
<b>Air Release:</b>	<i>NOT REPORTED</i>
<b>Land Release:</b>	<i>NO</i>
<b>Water Release:</b>	<i>NO</i>
<b>Ground Release:</b>	<i>NO</i>
<b>Facility Release:</b>	<i>NOT REPORTED</i>
<b>Other Release:</b>	<i>NOT REPORTED</i>

<b>Fields Not Reported by the Source Agency for this Site:</b>	<i>Comment(1), Discovery Date(1), Material(s) Spilled(1), (1), Sample Data(1), Soil/Contaminant Removal Started(1), Soil/Contaminant Removal Completed(1), Groundwater Extract/Decontamination Requ(1), Groundwater Extract/Decontamination Star(2), Groundwater Extract/Decontamination Need(1), Flow Date(1), Contaminant Level(1), Communication Submitted(1)</i>
--	--



\* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #174

# SITE ASSESSMENT PLUS REPORT

## DESCRIPTION OF DATABASES SEARCHED

### A) DATABASES SEARCHED TO 1 MILE

**NPL**  
**SRC#: 19** VISTA conducts a database search to identify all sites within 1 mile of your property.  
**The agency release date for National Priorities List was October, 2001.**

The NPL Report is the US EPA's registry of the nation's worst uncontrolled or abandoned hazardous waste sites. NPL sites are targeted for possible long-term remedial action under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980.

**SPL**  
**SRC#: 113** VISTA conducts a database search to identify all sites within 1 mile of your property.  
**The agency release date for CalSites Database was October, 2000.**


This database is provided by the Cal. Environmental Protection Agency, Dept. of Toxic Substances Control. The agency may be contacted at: 916-323-3400.

**CORRACTS**  
**SRC#: 14** VISTA conducts a database search to identify all sites within 1 mile of your property.  
**The agency release date for RCRIS Corrective Action Sites was August, 2001.**

The CORRACTS database contains information concerning RCRA facilities that have conducted, or are currently conducting a corrective action. A Corrective Action Order is issued pursuant to RCRA Section 3008 (h) when there has been a release of hazardous waste or constituents into the environment from a RCRA facility. Corrective actions may also be imposed as a requirement of receiving and maintaining a TSDF permit.

**RCRIS-TSDC**  
**SRC#: 556** VISTA conducts a database search to identify all sites within 1 mile of your property.  
**The agency release date for RCRIS TSDs Subject to Corrective Action was August, 2001.**

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA TSDCs are treatment, storage and/or disposal facilities that are subject to corrective action under RCRA.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #175

**B) DATABASES SEARCHED TO 1/2 MILE**

**CERCLIS**  
**SRC#: 17** VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Comprehensive Environmental Response, Compensation and Liability Information Sys was October, 2001.**

The CERCLIS database is a comprehensive listing of known or suspected uncontrolled or abandoned hazardous waste sites. These sites have either been investigated, or are currently under investigation by the U.S. EPA for the release, or threatened release of hazardous substances. Once a site is placed in CERCLIS, it may be subjected to several levels of review and evaluation, and ultimately placed on the National Priorities List (NPL).

**NFRAP**  
**SRC#: 18** VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for No Further Remedial Action Planned was October, 2001.**

The No Further Remedial Action Planned Report (NFRAP), also known as the CERCLIS Archive, contains information pertaining to sites which have been removed from the U.S. EPA's CERCLIS database. NFRAP sites may be sites where, following an initial investigation, either no contamination was found, contamination was removed quickly without need for the site to be placed on the NPL, or the contamination was not serious enough to require federal Superfund action or NPL consideration.

**SCL**  
**SRC#: 112** VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for CalSites Database was October, 2000.**


This database is provided by the Department of Toxic Substances Control. Two-thirds of these sites have been classified, based on available information, as needing "No Further Action" (NFA) by the Department of Toxic Substances Control. The remaining sites are in various stages of review and remediation to determine if a problem exists at the site. Several hundred sites have been remediated and are considered certified. Some of these sites may be in long term operation and maintenance.

**RCRIS-TSD**  
**SRC#: 12** VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for RCRIS Treatment, Storage and Disposal Facilities was August, 2001.**

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA TSDs are facilities which treat, store and/or dispose of hazardous waste.

**SWLF**  
**SRC#: 23** VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for USGS Solid Waste Landfills was December, 1991.**

This database is provided by the United States Geological Survey. The agency may be contacted at: 703-648-5613.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #176

**SWLF**  
**SRC#: 163**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Solid Waste Inventory System was November, 2001.**

This database is provided by the Integrated Waste Management Board. The agency may be contacted at: 916-255-4021.

**WMUDS**  
**SRC#: 68**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Waste Management Unit Data System was February, 1999.**

This database is provided by the State Water Resources Control Board. The agency may be contacted at: 530-892-0323. This is used for program tracking and inventory of waste management units. This system contains information from: Facility, Waste Management Unit, SWAT Program and Report Summary Information, Chapter 15 (formerly Subchapter 15), TPCA and RCRA Program Information, Closure Information; also some information from the WDS (Waste Discharge System).

**SPILLS**  
**SRC#: 106**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Region 2 SLIC Site List was July, 2001.**

This database is provided by the Regional Water Quality Control Board, Region #2. The agency may be contacted at: 510-286-1269.

**SPILLS**  
**SRC#: 147**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Region 5 SLIC/DOD/DOE Site List was July, 2001.**

This database is provided by the Regional Water Quality Control Board, Region #5. The agency may be contacted at: 916-255-3000.

**LUST-REG**  
**SRC#: 108**


VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Region 6 Leaking Underground Storage Tanks was July, 2001.**

This database is provided by the Lahontan Region Six South Lake Tahoe. The agency may be contacted at: 530-542-5400.

**LUST-REG**  
**SRC#: 145**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Region 5 Leaking Underground Storage Tanks was July, 2001.**

This database is provided by the Regional Water Quality Control Board, Region #5. The agency may be contacted at: 916-255-3125.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #177



**LUST**  
**SRC#: 164**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Leaking Underground Storage Tank Information System was August, 2001.**

This database is provided by the California Environmental Protection Agency. The agency may be contacted at: 916-341-5740.

**LUST-REG**  
**SRC#: 853**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Region 2 Fuel Leak List was July, 2001.**

This database is provided by the Regional Water Quality Control Board, Region #2. The agency may be contacted at: 510-286-1269.

**CORTESE**  
**SRC#: 53**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Cortese List - Hazardous Waste Substance Site List was April, 1998.**

This database is provided by the Office of Environmental Protection, Office of Hazardous Materials. The agency may be contacted at: 916-445-6532. The California Governor's Office of Planning and Research annually publishes a listing of potential and confirmed hazardous waste sites throughout the State of California under Government Code Section 65962.5. This database (CORTESE) is based on input from the following: (1)CALSTITES-Department of Toxic Substances Control, Abandoned Sites Program Information Systems; (2)SARA Title III Section III Toxic Chemicals Release Inventory for 1987, 1988, 1989, and 1990; (3)FINDS; (4)HWIS-Department of Toxic Substances Control, Hazardous Waste Information System. Vista has not included one time generator facilities from Cortese in our database.; (5)SWRCB-State Water Resources Control Board; (6)SWIS-Integrated Waste Management Control Board (solid waste facilities); (7)AGT25-Air Resources Board, dischargers of greater than 25 tons of criteria pollutants to the air; (8)A1025-Air Resources Board, dischargers of greater than 10 and less than 25 tons of criteria pollutants to the air; (9)LTANK-SWRCB Leaking Underground Storage Tanks; (10)UTANK-SWRCB Underground tanks reported to the SWEEPS systems; (11)IUR-Inventory Update Rule (Chemical Manufacturers); (12)WB-LF- Waste Board - Leaking Facility, site has known migration; (13)WDSE-Waste Discharge System - Enforcement Action; (14)DTSCD-Department of Toxic Substance Control Docket.

**BORDER-ZON**  
**SRC#: 46**


VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Deed Restriction Properties Report was October, 2001.**

The Deeds Restrictions list, also known as the Border Zone Property List, contains information concerning voluntary deed restriction. These agreements are made with owners of property who propose building residences, schools, hospitals, or day care centers on property that is on or within 2,000 feet of potentially hazardous waste site.

**TOXICPITS**  
**SRC#: 49**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for Toxic Pits was February, 1995.**

This database is provided by the Water Quality Control Board, Division of Loans Grants. The agency may be contacted at: 916-227-4396.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #178

**NORTHBAY**  
**SRC#: 47**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for North Bay Toxics List was April, 1994.**

This database is provided by the Regional Water Quality Control Board, Region 2.

**SOUTHBAY**  
**SRC#: 48**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for South Bay was April, 1994.**

This database is provided by the San Francisco Bay Region.

**USGS-WELLS**  
**SRC#: 3**

VISTA conducts a database search to identify all sites within 1/2 mile of your property.  
**The agency release date for USGS Water Wells was March, 1998.**

The Ground Water Site Inventory (GWSI) database was provided by the United States Geological Survey (USGS). The database contains information for over 1,000,000 wells and other sources of groundwater which the USGS has studied, used or documented during research.

**C) DATABASES SEARCHED TO 1/4 MILE**

**RCRIS-VIOL**  
**SRC#: 11**

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for RCRIS Facilities with Violations was August, 2001.**

The Resource Conservation and Recovery Act Information System (RCRIS) identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRIS Violations report contains information concerning facilities that have been cited for violations of RCRA, as well as any enforcement actions taken against the facility.

**UST**  
**SRC#: 45**

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for Underground Storage Tanks was January, 1994.**

This historical database is provided by the State Water Resources Control Board, Office of Underground Storage Tanks. Please refer to the local level UST list for more current information. Be advised that some states do not require registration of heating oil tanks, especially those used for residential purposes.

**UST-CO-ALA**  
**SRC#: 57**

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for Alameda County Underground Storage Tanks was July, 2001.**

This database is provided by the Department of Environmental Health. The agency may be contacted at: 510-567-6700. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.



UST-SL  
SRC#: 62

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for City of San Leandro Underground Storage Tanks was November, 2001.**

This database is provided by the City of San Leandro Environmental Services Division. The agency may be contacted at: 510-577-3331. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.

UST-UNIO  
SRC#: 80

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for Union City Underground Storage Tanks was October, 2001.**

This database is provided by the City of Union City - Environmental Programs Division. The agency may be contacted at: 510-471-1424. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.

UST-OAKL  
SRC#: 92

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for City of Oakland Underground Storage Tanks was March, 2000.**

This database is provided by the City of Oakland Fire Department, Office of Emergency Services. The agency may be contacted at: 510-238-3938. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.

UST-BERK  
SRC#: 127

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for City of Berkeley Underground Storage Tanks was April, 2000.**

This database is provided by the City of Berkeley. The agency may be contacted at: 510-705-8152. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.

UST-HAYW  
SRC#: 149

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for City of Hayward Underground Storage Tanks was November, 2001.**

This database is provided by the City of Hayward Fire Department. The agency may be contacted at: 510-583-4900. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.

UST-LIV  
SRC#: 155

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for City of Livermore Underground Storage Tanks was August, 2001.**

This database is provided by the City of Livermore Fire Department. The agency may be contacted at: 925-454-2361. Be advised: Many states do not require registration of heating oil tanks, especially those used for residential purposes.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #180

AST  
SRC#: 60

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for Aboveground Storage Tanks was January, 2001.**

This database is provided by the State Water Resources Control Board. The agency may be contacted at: 916-227-4364.

TRIS  
SRC#: 2

VISTA conducts a database search to identify all sites within 1/4 mile of your property.  
**The agency release date for Toxic Release Inventory System was January, 1998.**

All facilities that manufacture, process, or import toxic chemicals in quantities in excess of 25,000 pounds per year are required to register with the EPA under Section 313 of the Superfund Amendments and Reauthorization Act (SARA Title III) of 1986. Data contained in the TRIS system covers approximately 20,000 sites and 75,000 chemical releases.

**D) DATABASES SEARCHED TO 1/8 MILE**

ERNS  
SRC#: 8

VISTA conducts a database search to identify all sites within 1/8 mile of your property.  
**The agency release date for Emergency Response Notification System was December, 2000.**

ERNS is a national computer database system that is used to store information on the sudden and/or accidental release of hazardous substances, including petroleum, into the environment. The ERNS reporting system contains preliminary information on specific releases, including the spill location, the substance released, and the responsible party.

RCRA-LQG  
SRC#: 16


VISTA conducts a database search to identify all sites within 1/8 mile of your property.  
**The agency release date for RCRIS Large Quantity Generators was August, 2001.**

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Generators are facilities which generate at least 1000 kg./month of non-acutely hazardous waste (or 1 kg./month of acutely hazardous waste).

RCRIS-SQG  
SRC#: 15

VISTA conducts a database search to identify all sites within 1/8 mile of your property.  
**The agency release date for RCRIS Small Quantity Generators was August, 2001.**

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small Quantity Generators are facilities which generate less than 1000 kg./month of non-acutely hazardous waste.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7


Page #181

**RCRIS-NOTI**  
**SRC#: 1298**

VISTA conducts a database search to identify all sites within 1/8 mile of your property.  
The agency release date for RCRIS Notifiers was August, 2001.

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRIS Notifiers contains information on formerly regulated RCRA sites with more complete historical information.

End of Report



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 844501901

Date of Report: January 29, 2002

Version 2.7

Page #182