



Precision Castparts Corp.

February 15, 2012

**RECEIVED**

**11:05 am, Mar 20, 2012**

Alameda County  
Environmental Health

Mr. Mark E. Detterman, PG, CEG  
Environmental Protection  
Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**Subject: Fuel Leak Case No. R0000320, Former Paco Pumps, Inc., 9201 San Leandro Street,  
Oakland, CA: Groundwater Monitoring Report and Request to Conduct  
Semi-Annual Sampling**

Dear Mr. Detterman:

Please find enclosed the *Second Semi-Annual 2011 Groundwater Monitoring Report (GMR)* for the Former Paco Pumps facility located at 9201 San Leandro in Oakland, California, Case No. R0000320. The December 2011 monitoring data, which have been uploaded to Geotracker, represent groundwater conditions approximately one and one half year after the dual-phase extraction (DPE) near and downgradient of the former gasoline underground storage tank (UST) area, previously referred to as AREA 4. The sampling method and analyses included the silica gel analyses you requested, and the increased number of wells sampled. The results of the sampling as described in the attached report document essentially similar conditions to the previous sampling event. The Remedial Investigation (RI) Workplan submitted in January 2012 proposed the installation of an additional monitoring well southwest of the Area 4 building, and that new well is proposed to be sampled quarterly.

Therefore, while awaiting your approval of the RI Workplan, we are also requesting concurrence that semi-annual sampling as proposed in the attached report is acceptable for this site at this time.

I certify under penalty of law that this document and all attachments are prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who managed the system, or those persons directly responsible for gathering the information, the

Mr. Mark E. Detterman, PG, CEG

February 15, 2012

information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Sincerely,



Dave Murray  
PCC Flow Technologies, Inc.

Enclosure

cc: Mr. Scott Kaplan, Stoel Rives LLP  
Mr. Mark Zeppetello, Barg Coffin Lewis & Trapp, LLP  
Mr. Paul Parmentier, The Source Group

**FORMER PACO PUMPS OAKLAND FACILITY**  
**SECOND SEMI-ANNUAL 2011 GROUNDWATER MONITORING REPORT**  
**January 28, 2012**

<b>Location:</b>	9201 San Leandro St., Oakland, CA
<b>Former PACO Pumps Site Contact/Phone</b>	Mr. Dave Murray (503) 777-7494
<b>Primary Consultant/Contact Person/Phone</b>	SGI / Paul Parmentier / (562) 597-1055 x106
<b>SGI Project Number</b>	04-PFT-001
<b>Lead Agency / Contact Person</b>	ACEH / Mr. Mark E. Detterman
<b>Agency Case No.</b>	R0000320
<b>Other Agencies to Receive Copies</b>	N/A

**INTRODUCTION:**

This report presents the results of the second semi-annual 2011 groundwater monitoring and sampling event, and includes a section on data interpretation and recommendations. The fourth quarter 2011 monitoring event was conducted as part of the Alameda County Environmental Health (ACEH)-instructed semi-annual monitoring schedule, and as a means to further evaluate groundwater conditions following 2010 dual-phase extraction (DPE) activities.

**SITE REMEDIATION SUMMARY:**

In 1992, the gasoline underground storage tank (UST) at the site was removed, and soil around the former UST was excavated. Multiple phases of investigation, including pilot testing, have been conducted to evaluate the elevated petroleum hydrocarbon concentrations that remained in the subsurface following these activities.

Although a workplan for in-situ treatment was submitted in 2009, a revised workplan was submitted in November 2009 (The Source Group, October 2009). Due to the predominance of clay, in-situ remedial methods were not considered applicable to the site, and a temporary, aggressive extraction approach rather than semi-permanent low-flow remediation methods were proposed. In 2010, 12 extraction wells were installed in the vicinity and downgradient of the former UST. In April and June 2010, DPE of vapor and groundwater was conducted, resulting in the removal of an estimated 1,590 pounds of hydrocarbons, and approximately 41,000 gallons of hydrocarbon-bearing groundwater. The remediation activities confirmed that the subsurface consists of fine-grained (low permeability) vadose soil that would limit the effectiveness of any in-situ active remediation method.

An evaluation of the hydrocarbon concentrations, including benzene, in subsurface and potential exposures via indoor air inhalation indicated that the associated human health risk estimates were within acceptable ranges. At the request of ACEH, a workplan (*Sub-Slab Vapor Survey and Remedial Investigation Work Plan* (RI Workplan) for subslab soil gas sampling was submitted to ACEH to confirm the previous soil gas interpretations.

The RI workplan also included the proposed installation of a monitoring well located at the former soil boring location GP-8, and monitored attenuation sampling.

**GROUNDWATER MONITORING [SECOND SEMI-ANNUAL 2012]:**

1. Conducted the second semi-annual 2011 groundwater monitoring and sampling event on December 15 and 16, 2011.
2. Depth to groundwater measured in December 2011 was similar to previous measurements and ranged from approximately 6.88 to 9.73 feet below the top of well casings. Associated groundwater elevations ranged from 9.00 to 10.49 feet above Mean Sea Level. Groundwater elevation contours are presented on Figure 3 and are similar to previous groundwater gradient maps. The horizontal hydraulic gradient was toward the west approximately 0.006 ft/ft with local variations. As noted in recent monitoring events, no free-phase hydrocarbons were measured in any of the wells.

January 28, 2012

3. Gasoline-range organics (GRO, total petroleum hydrocarbons as gasoline [TPHg]) were reported in 18 of the 24 well samples. Where reported, concentrations were generally within historic ranges with 27.1 µg/L (estimated) to 35,100 µg/L reported (Figure 4 and Table 2). Since the second quarter of 2010, GRO concentrations increased slightly at well MW-6, AS-1S, and E11, and decreased in wells MW-3, MW-4, ASMW-2S, E1, E-7, and E-12. GRO was not reported at detected concentrations in samples collected from wells MW-2, MW-1, MW-5, MW-7, MW-8, ASMW-2D, E2, and MW-4.
4. Diesel-range organics (DRO, total petroleum hydrocarbons as diesel [TPHd]) were reported in 18 of the 24 well samples. Where reported, concentrations were generally within historic ranges with 69.9 µg/L (estimated) to 13,900 µg/L reported (Table 2). Since the second quarter of 2010, DRO concentrations increased slightly at well MW-3, MW-6, AS-1S, and ASMW-2S, and decreased in wells MW-5, E7, and E8. DRO was not reported at detected concentrations in samples collected from wells MW-1, MW-5, MW-7, MW-8, E2, and MW-4. As requested by the RWQCB, DRO was analyzed using Environmental Protection Agency (EPA) method 8015B with Silica Gel Cleanup (SGC).
5. Total petroleum hydrocarbons as motor oil [TPHmo] were reported in 14 of the 24 well samples. Where reported, concentrations were generally within historic ranges with 130 µg/L (estimated) to 15,600 µg/L reported (Table 2). Since the second quarter of 2010, TPHmo concentrations increased slightly at well MW-1, MW-6, and MW-7, and decreased in wells MW-2, MW-3, and E2. TPHmo was not reported at detected concentrations in samples collected from wells MW-3, AS-1D, ASMW-2D, E1, E7, E8, E9, E10, E11, and E12. As requested by the RWQCB, TPHmo was analyzed using EPA method 8015B with SGC.
6. Benzene was reported in 18 of the 24 well samples. Where reported, concentrations were generally within historic ranges with 0.76 µg/L (estimated) to 4,810 µg/L reported (Figure 4 and Table 2). Since the second quarter of 2010, benzene concentrations increased in wells MW-6, AS-1S, and E11, and decreased in wells MW-3, ASMW-2S, E1, E7, E12, and MW-4. Benzene was not reported at detected concentrations in samples collected from wells MW-2, MW-1, MW-5, MW-8, E2, and E5.
7. Methyl tertiary-butyl ether (MTBE) was reported in five of the 24 well samples (see Table 2). Where reported, concentrations ranged from 0.74 µg/L (estimated) to 4.4 µg/L, which are below State drinking water standards.
8. 1,2-Dichloroethane (1,2-DCA) was reported in five of the 24 wells samples. Where reported, concentrations ranged from 1.0 µg/L to 37 µg/L (Table 2). Since the second quarter 2010 sampling event, concentrations of 1,2-DCA decreased in wells MW-6, AS-1S, E2, and E-12.

## **MONITORING SUMMARY:**

Current Phase of Project:	Groundwater Monitoring
Frequency of Monitoring/Sampling:	Semi-annual (per RWQCB's directive letter dated 6/15/2009)
Wells Sampled and/or Gauged this Quarter	MW-1 through MW-8, AS-1S, AS-1D, ASMW-2S, ASMW-2D E1 through E12
Depth to Groundwater (all wells had no LPH):	6.88 to 9.73 feet below top of casings
Groundwater Gradient Direction/Magnitude:	West at approximately 0.006 ft/ft.
Gradient Consistent w/Previous Quarters:	Yes
GRO Concentration Range:	ND (27.1 µg/L) to 35,100 µg/L
Well with Highest GRO Concentration:	MW-3
Benzene Concentration Range:	ND (<1.0 µg/L) to 2,180 µg/L
Well with Highest Benzene Concentration:	E9
MTBE Concentration Range:	0.74 µg/L (estimated) to 4.4 µg/L
Well with Highest MTBE Concentration:	E7

January 28, 2012


Separate Phase Hydrocarbons Present:	Yes	No <b>X</b>	None
Maximum Hydrocarbon Thickness:			N/A
Wells and/or Surface Water within 2,000 feet:			None
Distance and Direction from Site:			N/A
Current Remediation Techniques:			Natural Attenuation
Free Product Recovered Manually this Quarter:			None
Gallons of Groundwater Purged this Quarter:			236.4
Disposal/Recycling Facility:			Demenno Kerdoon, Compton, CA-Pending
Summary of Unusual Activity:			None
Agency Directive Requirements:			Groundwater Monitoring, RI Workplan (submitted)

### Recommendations

In a November 1, 2011 correspondence, the RWQCB requested monitoring and sampling of recently installed monitoring wells (E1 through E12) be conducted on a quarterly basis for one year. However, these wells were installed as remediation wells that are spaced approximately 20-40 feet apart in an area already documented to contain dissolved hydrocarbons. Monitoring wells E2, E7, and E8 are located downgradient, southwest of the former UST area and have been sampled three to four times since June of 2010. SGI's January 2012 RI Workplan included a proposal to install one additional monitoring well southwest of wells E-6 and E-7, and that well will be monitored and sampled on a quarterly basis for one year.

Therefore SGI proposes that all wells at the site be sampled semi-annually, and that the proposed well be sampled quarterly after installation.

As recommended by ACEH, groundwater samples collected during upcoming monitoring and sampling events will be analyzed for TPHd and TPHmo using EPA method 8015B with SGC.



REVIEWED BY:

Paul Parmentier, CHG

DATE: Feb 13 2012

### ATTACHMENTS:

- Current Groundwater Analysis and Gauging Results (Table 1)
- Historical Groundwater Analysis and Gauging Results (Table 2)
- Site Location Map (Figure 1)
- Site Map With Well Locations (Figure 2)

- Groundwater Gradient Map – December 2011 (Figure 3)
- Groundwater Concentrations Benzene and Total Petroleum Hydrocarbons – December 2011 (Figure 4)
- Groundwater Monitoring Field Data Sheets
- Groundwater Sampling Laboratory Report and Chain-of-Custody

**DISTRIBUTION:**

- Mr. Dave Murray, PCC Flow Technologies
- Mr. Vignoles, Site Owner

## **TABLES**

**Table 1**  
**Current and Historical Groundwater Elevations**  
Paco Pump  
9201 San Leandro Street  
Oakland, California

Well Identification	Date Collected	Top-of-Casing Elevation <sup>(1)</sup>	Depth to Groundwater <sup>(2)</sup>	Groundwater Elevation <sup>(1)</sup>
MW-1	15-Nov-92	18.05	9.34	8.71
	9-Mar-93		8.50	9.55
	21-Jul-93		9.00	9.05
	26-May-94		9.06	8.99
	24-Aug-94		8.40	9.65
	22-Nov-94		8.20	9.85
	8-Feb-95		8.30	9.75
	31-May-95		9.35	8.70
	8-Aug-95		9.16	8.89
	29-Nov-95		9.28	8.77
	29-Feb-96		7.62	10.43
	23-May-96		8.28	9.77
	4-Nov-96		9.20	8.85
	13-May-97		9.04	9.01
	14-Nov-07		8.50	9.55
	17-Jun-08		9.04	9.01
	13-Jan-09	17.76	8.65	9.11
	28-Apr-09		8.67	9.09
	6-Nov-09		8.79	8.97
	28-Jun-10		8.77	8.99
	30-Dec-10		7.20	10.56
	8-Jun-11		8.12	9.64
	15-Dec-11		8.76	9.00
MW-2	15-Nov-92	19.40	10.05	9.35
	9-Mar-93		9.21	10.19
	21-Jul-93		9.72	9.68
	26-May-94		9.58	9.82
	24-Aug-94		9.98	9.42
	22-Nov-94		8.70	10.70
	8-Feb-95		8.68	10.72
	31-May-95		9.48	9.92
	8-Aug-95		9.64	9.76
	29-Nov-95		9.86	9.54
	29-Feb-96		8.12	11.28
	23-May-96		8.70	10.70
	4-Nov-96		9.50	9.90
	13-May-97		9.44	9.96
	14-Nov-07		8.94	10.46
	17-Jun-08		9.57	9.83
	13-Jan-09	19.12	9.21	9.91
	28-Apr-09		9.30	9.82
	6-Nov-09		8.91	10.21
	28-Jun-10		9.33	9.79
	30-Dec-10		7.52	11.60
	8-Jun-11		8.52	10.60
	15-Dec-11		9.25	9.87

**Table 1**  
**Current and Historical Groundwater Elevations**  
Paco Pump  
9201 San Leandro Street  
Oakland, California

Well Identification	Date Collected	Top-of-Casing Elevation <sup>(1)</sup>	Depth to Groundwater <sup>(2)</sup>	Groundwater Elevation <sup>(1)</sup>
MW-3	15-Nov-92	19.70	10.35	9.35
	9-Mar-93		9.19	10.51
	21-Jul-93		11.07	8.63
	26-May-94		10.04	9.66
	24-Aug-94		11.08	8.62
	22-Nov-94		8.92	10.78
	8-Feb-95		8.90	10.80
	31-May-95		10.16	9.54
	8-Aug-95		9.92	9.78
	29-Nov-95		10.7	9.00
	29-Feb-96		8.52	11.18
	23-May-96		8.15	11.55
	4-Nov-96		7.21	12.49
	13-May-97		9.82	9.88
	14-Nov-07		9.21	10.49
	17-Jun-08		9.81	9.89
	13-Jan-09	19.42	9.58	9.84
	28-Apr-09		9.59	9.83
	6-Nov-09		9.52	9.90
	28-Jun-10		9.60	9.82
	30-Dec-10		7.74	11.68
	8-Jun-11		8.80	10.62
	15-Dec-11		9.54	9.88
MW-4	15-Nov-92	19.65	8.87	10.78
	9-Mar-93		7.96	11.69
	21-Jul-93		8.06	11.59
	26-May-94		8.57	11.08
	24-Aug-94		8.75	10.90
	22-Nov-94		7.41	12.24
	8-Feb-95		7.20	12.45
	31-May-95		8.32	11.33
	8-Aug-95		8.66	10.99
	29-Nov-95		8.93	10.72
	29-Feb-96		6.54	13.11
	23-May-96		7.24	12.41
	4-Nov-96		8.58	11.07
	13-May-97		8.42	11.23
	14-Nov-07		7.61	12.04
	17-Jun-08		8.31	11.34
	13-Jan-09	19.37	NM	NM
	28-Apr-09		NM	NM
	6-Nov-09		8.00	11.37
	28-Jun-10		8.05	11.32
	30-Dec-10		5.70	13.67
	8-Jun-11		6.88	12.49
	15-Dec-11		8.88	10.49

**Table 1**  
**Current and Historical Groundwater Elevations**  
Paco Pump  
9201 San Leandro Street  
Oakland, California

Well Identification	Date Collected	Top-of-Casing Elevation <sup>(1)</sup>	Depth to Groundwater <sup>(2)</sup>	Groundwater Elevation <sup>(1)</sup>
MW-5	24-Aug-94	18.49	8.22	10.27
	22-Nov-94		7.90	10.59
	8-Feb-95		7.92	10.57
	31-May-95		8.74	9.75
	8-Aug-95		8.93	9.56
	29-Nov-95		9.11	9.38
	29-Feb-96		7.36	11.13
	23-May-96		7.92	10.57
	4-Nov-96		8.78	9.71
	13-May-97		8.82	9.67
	14-Nov-07		8.16	10.33
	17-Jun-08		8.75	9.74
	13-Jan-09	18.21	8.46	9.75
	28-Apr-09		8.50	9.71
	6-Nov-09		9.93	8.28
	28-Jun-10		8.42	9.79
	30-Dec-10		6.68	11.53
	8-Jun-11		7.64	10.57
	15-Dec-11		8.45	9.76
MW-6	13-Jan-09	19.46	9.59	9.87
	28-Apr-09		9.65	9.81
	6-Nov-09		9.60	9.86
	28-Jun-10		9.54	9.92
	30-Dec-10		7.80	11.66
	8-Jun-11		8.74	10.72
	15-Dec-11		9.64	9.82
MW-7	13-Jan-09	19.44	9.66	9.78
	28-Apr-09		9.67	9.77
	6-Nov-09		9.64	9.80
	28-Jun-10		NM	NM
	30-Dec-10		7.89	11.55
	8-Jun-11		8.79	10.65
	15-Dec-11		9.64	9.80
MW-8	28-Jun-10	18.27	8.07	10.20
	30-Dec-10		5.92	12.35
	8-Jun-11		7.30	10.97
	15-Dec-11		7.86	10.41
AS-1S	13-Jan-09	19.38	9.45	9.93
	28-Apr-09		9.67	9.71
	6-Nov-09		9.63	9.75
	28-Jun-10		9.90	9.48
	30-Dec-10		7.65	11.73
	8-Jun-11		8.65	10.73
	15-Dec-11		9.01	10.37
ASMW2S	13-Jan-09	19.38	9.51	9.87
	28-Apr-09		9.55	9.83
	6-Nov-09		9.53	9.85
	28-Jun-10		10.30	9.08

**Table 1**  
**Current and Historical Groundwater Elevations**  
Paco Pump  
9201 San Leandro Street  
Oakland, California

Well Identification	Date Collected	Top-of-Casing Elevation <sup>(1)</sup>	Depth to Groundwater <sup>(2)</sup>	Groundwater Elevation <sup>(1)</sup>
	30-Dec-10		7.73	11.65
	8-Jun-11		8.70	10.68
	15-Dec-11		9.51	9.87
AS-1D	13-Jan-09	19.31	9.42	9.89
	28-Apr-09		9.48	9.83
	6-Nov-09		9.50	9.81
	28-Jun-10		9.90	9.41
	30-Dec-10		7.65	11.66
	8-Jun-11		8.60	10.71
	15-Dec-11		9.47	9.84
ASMW-2D	13-Jan-09	19.52	9.65	9.87
	28-Apr-09		9.69	9.83
	6-Nov-09		9.70	9.82
	28-Jun-10		9.70	9.82
	30-Dec-10		7.88	11.64
	8-Jun-11		8.85	10.67
	15-Dec-11		9.65	9.87
E-1	15-Dec-11		9.43	
E-2	30-Dec-10	19.56	7.95	11.61
	8-Jun-11		8.91	10.65
	15-Dec-11		9.70	9.86
E-3	15-Dec-11		9.72	
E-4	15-Dec-11		9.60	
E-5	15-Dec-11		9.69	
E-6	15-Dec-11		9.61	
E-7	30-Dec-10	19.59	7.95	11.64
	8-Jun-11		8.89	10.70
	15-Dec-11		9.72	9.87
E-8	30-Dec-10	19.59	7.96	11.63
	8-Jun-11		8.88	10.71
	15-Dec-11		9.73	9.86
E-9	15-Dec-11		9.63	
E-10	15-Dec-11		9.44	
E-11	15-Dec-11		9.28	
E-12	15-Dec-11		8.89	

**Notes:**

<sup>(1)</sup> Top-of-casing and groundwater elevation in North America Vertical Datum 1988; wells re-surveyed by Tronoff Associates Land Surveying on February 2, 2009.

<sup>(2)</sup> Depth to water measured in feet below top of casing.

**Table 2**  
**Current and Historical Analytical Results for Volatile Organic Compounds in Groundwater**  
Paco Pump  
9201 San Leandro Street  
Oakland, California  
concentrations ( $\mu\text{g/L}$ )

Sample Location	Date Collected	Depth (feet bgs)	TPHd	TPHmo	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Other Fuel Additives
<b>LFR Area 1 - Southwestern Corner of the Site, west of the "workshop building"</b>											
MW-2	16-Nov-92	5.25-20.25	<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	9-Mar-93		<b>430</b>	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	21-Jul-93		<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	29-Jan-94		<50	NA	<50	<2.0	<2.0	<2.0	<2.0	NA	NA
	26-May-94		<50	NA	<50	<b>2.3</b>	0.8	<0.5	<0.5	NA	NA
	24-Aug-94		<50	NA	<50	<b>3.1</b>	1.4	0.5	0.6	NA	NA
	22-Nov-94		<50	NA	<50	<b>3.4</b>	1.8	<0.5	0.5	NA	NA
	8-Feb-95		<50	NA	<50	<b>4.5</b>	1.3	<0.5	0.5	NA	NA
	31-May-95		<50	NA	NA	NA	NA	NA	NA	NA	NA
	8-Aug-95		<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	29-Nov-95		<50	NA	NA	NA	NA	NA	NA	NA	NA
	29-Feb-96		<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	23-May-96		<50	NA	NA	NA	NA	NA	NA	NA	NA
	4-Nov-96		<50	NA	NA	NA	NA	NA	NA	ND	
	13-Nov-03		NA	NA	<50	<0.5	<0.5	<0.5	<2.0	NA	ND
	17-Jun-08		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	1.1	ND
	6-Nov-09		<b>360</b>	NA	<50	<0.5	<0.5	<0.5	<1.0	0.63	ND
	28-Jun-10		53.4J	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	30-Dec-10		<280	<b>3,240</b>	29.2 J <sup>a</sup>	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	8-Jun-11		NA	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	15-Dec-11		95/<94*	<b>422/311*</b>	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
<b>LFR Area 2 - Area South of the Warehouse Storage Area Building Adjacent to the Southern Property Boundary</b>											
MW-1	15-Nov-92	5.25-20.25	<50	NA	NA	NA	NA	NA	NA	NA	NA
	9-Mar-93		<b>140</b>	NA	NA	NA	NA	NA	NA	NA	NA
	21-Jul-93		<50	NA	NA	NA	NA	NA	NA	NA	NA
	29-Jan-94		<50	NA	NA	NA	NA	NA	NA	NA	NA
	26-May-94		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	24-Aug-94		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	22-Nov-94		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	8-Feb-95		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	31-May-95		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	23-May-96		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	27-Oct-00		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NA
	14-Nov-07		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<2.0	NA
	17-Jun-08		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	0.67	NA
	6-Nov-09		<51	NA	<50	<0.5	<0.5	<0.5	<1.0	<0.5	ND
	28-Jun-10		56.8J	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	30-Dec-10		<94	<b>114 J</b>	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	16-Dec-11		<94*	<b>522*</b>	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
<b>LFR Area 4 - Former UST near Groundwater Monitoring Well MW-3</b>											
MW-3	16-Nov-92	5.25-20.25	<50	NA	<b>40,000</b>	<b>2,900</b>	<b>6,100</b>	<b>550</b>	<b>1,700</b>	NA	NA
	9-Mar-93		<b>290</b>	NA	<b>12,000</b>	<b>1,000</b>	<b>300</b>	<b>110</b>	<b>170</b>	NA	NA
	21-Jul-93		<50	NA	<b>3,400</b>	<b>420</b>	<b>63</b>	<b>36</b>	<b>37</b>	NA	NA
	29-Jan-94		<50	NA	<b>5,600</b>	<b>910</b>	<b>220</b>	<b>47</b>	<b>36</b>	NA	NA
	26-May-94		<50	NA	<b>5,200</b>	<b>890</b>	<b>180</b>	<b>45</b>	<b>43</b>	NA	NA
	24-Aug-94		<50	NA	<b>5,200</b>	<b>580</b>	<b>76</b>	<b>29</b>	<b>22</b>	NA	NA
	22-Nov-94		<50	NA	<b>2,200</b>	<b>670</b>	<b>130</b>	<b>31</b>	<b>28</b>	NA	NA
	8-Feb-95		<50	NA	<b>2,900</b>	<b>780</b>	<b>120</b>	<b>31</b>	<b>33</b>	NA	NA
	31-May-95		NA	NA	<b>9,100</b>	<b>2,800</b>	<b>160</b>	<b>91</b>	<b>72</b>	NA	NA
D	31-May-95		NA	NA	<b>5,300</b>	<b>1,300</b>	<b>170</b>	<b>37</b>	<b>44</b>	NA	NA

**Table 2**  
**Current and Historical Analytical Results for Volatile Organic Compounds in Groundwater**  
Paco Pump  
9201 San Leandro Street  
Oakland, California  
concentrations ( $\mu\text{g/L}$ )

Sample Location	Date Collected	Depth (feet bgs)	TPHd	TPHmo	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Other Fuel Additives
MW-3	28-Aug-95		NA	NA	1,400	<0.5	<0.5	1.7	8.9	NA	NA
D	28-Aug-95		NA	NA	4,800	2,500	150	53	44	NA	NA
	29-Nov-95		NA	NA	3,000	780	43	32	32	NA	NA
D	29-Nov-95		NA	NA	2,400	830	38	21	16	NA	NA
	29-Feb-96		NA	NA	3,800	1,200	130	36	35	NA	NA
D	29-Feb-96		NA	NA	8,000	3,400	430	100	99	NA	NA
	23-May-96		NA	NA	6,900	3,300	340	71	74	NA	NA
D	23-May-96		NA	NA	4,300	3,200	350	72	74	NA	NA
	4-Nov-96		NA	NA	4,900	2,100	110	70	44	NA	NA
D	4-Nov-96		NA	NA	4,500	2,100	130	61	39	NA	NA
	13-May-97		NA	NA	10,000	4,800	530	100	92	<100	NA
	26-Jan-98		NA	NA	12,000	5,000	250	91	100	NA	NA
	27-Oct-00		NA	NA	19,000	9,000	1,000	250	130	NA	NA
	3-Nov-03		NA	NA	13,000	3,900	370	300	130	<40	NA
	17-Jun-08		NA	NA	13,000	4,400	600	300	150	<100	NA
	6-Nov-09		710	NA	13,000	3,400	400	310	220	<2.5	4.1 (1,2-DCA)
	28-Jun-10		699	NA	22,200	1,740	2,100	318	1,060	<50	ND
D	28-Jun-10		722	NA	31,000	1,560	2,210	380	1,240	<50	ND
	10-Aug-10		NA	NA	12,000	1,400	1,200	190	540	<13	ND
	30-Dec-10		36,500	3,900	22,200	1,730	2,030	406	1,530	<50	ND
	8-Jun-11		NA	NA	20,400	2,180	2,040	273	765	<25	ND
	16-Dec-11		1,710/832*	312 J/<190*	9,000	1,220	1,290	163	518	<25	ND
D	16-Dec-11		1,530/2,530*	<570/<750*	13,200	1,590	1,680	207	671	<50	ND
MW-5	24-Aug-94	5.25-20.25	130	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
D	22-Nov-94		<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	8-Feb-95		<50	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	31-May-95		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	8-Aug-95		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	29-Feb-96		NA	NA	<50	0.6	<0.5	<0.5	<0.5	NA	NA
	13-May-97		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	27-Oct-00		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	NA	NA
	13-Nov-03		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<2.0	NA
	17-Jun-08		NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	ND
	6-Nov-09		1,300	NA	<50	<0.5	<0.5	<0.5	<1.0	<0.5	ND
	28-Jun-10		289	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	30-Dec-10		<94	808	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	16-Dec-11		<94/<95*	681/547*	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
MW-6	14-Jan-09	10-17	NA	NA	740	66	48	6.3	23	1.2	17 (1,2-DCA)
	6-Nov-09		1,200	NA	4,500	1,300	270	110	44	<2.5	39 (1,2-DCA)
	28-Jun-10		474	NA	3,810	484	284	78.7	233	<10	20.8 (1,2-DCA)
	10-Aug-10		NA	NA	4,600	800	160	160	210	<6.3	12 (1,2-DCA)
	30-Dec-10		2,470	<380	9,720	1,130	469	364	1,360	<20	20.7 (1,2-DCA)
	8-Jun-11		NA	NA	8,140	1,460	377	206	515	<20	15.4 (1,2-DCA)
	16-Dec-11		2,200/874*	2,350/1,670	5,920	1,500	74.9	135	254	<25	12.4 (1,2-DCA)
AS-1S	13-Jan-09	14-17	NA	NA	41,000	4,100	2,700	510	1,000	<25	ND
	6-Nov-09		1,300	NA	3,800	950	7.3	76	42	<0.5	3.1 (1,2-DCA)
	28-Jun-10		214	NA	1,630	202	26.2	9.1	25.4	2.1	3.1 (1,2-DCA)
	10-Aug-10		NA	NA	1,200	370	44	34		<2.5	2.6 (1,2 DCA)
	30-Dec-10		2,790	<570	30,000	4,530	4,040	538	1,100	<100	ND
	15-Dec-11		1,340*	582*	7,640	772	788	290	590	<20	ND

**Table 2**  
**Current and Historical Analytical Results for Volatile Organic Compounds in Groundwater**  
Paco Pump  
9201 San Leandro Street  
Oakland, California  
concentrations ( $\mu\text{g/L}$ )

Sample Location	Date Collected	Depth (feet bgs)	TPHd	TPHmo	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Other Fuel Additives
ASMW-2S	13-Jan-09	10-17	NA	NA	<b>9,100</b>	<b>2,800</b>	<b>430</b>	<b>140</b>	<b>230</b>	<10	<b>25 (1,2-DCA)</b>
	6-Nov-09		<b>2,400</b>	NA	<b>18,000</b>	<b>4,700</b>	<b>540</b>	<b>330</b>	<b>530</b>	<2.5	<b>50 (1,2-DCA), 46 (TBA)</b>
	28-Jun-10		<b>479</b>	NA	<b>8,330</b>	<b>416</b>	<b>434</b>	<b>151</b>	<b>583</b>	<33	ND
	10-Aug-10		NA	NA	<b>3,200</b>	<b>420</b>	<b>69</b>	<b>61</b>	<b>130</b>	<3.1	<b>3.4 (1,2 DCA)</b>
	30-Dec-10		<b>3,440</b>	<2,000	<b>5,300</b>	<b>447</b>	<b>80.1</b>	<b>95.0</b>	<b>181</b>	ND<10	<b>5.7 (1,2 DCA)</b>
	15-Dec-11		<b>998*</b>	<b>148*</b>	<b>2,250</b>	<b>253</b>	<b>19.8</b>	<b>49.9</b>	<b>77.4</b>	<10	ND
MW-7	14-Jan-09	20-28	NA	NA	<50	<0.5	<0.5	<0.5	<0.5	1.1	ND
	6-Nov-09		<52	NA	<50	<0.5	<0.5	<0.5	<1.0	1.3	ND
	30-Dec-10		<96	<190	<50	<1.0	<1.0	<1.0	<2.0	1.1	ND
	8-Jun-11		NA	NA	<50	<1.0	<1.0	<1.0	<2.0	1.0	ND
	16-Dec-11		<94*	832*	<50	0.67	<1.0	0.35 J	<2.0	0.88 J	ND
	D	16-Dec-11	<94*	<b>1,730*</b>	<50	0.62 J	<1.0	0.33 J	<2.0	0.91 J	ND
MW-8	28-Jun-10	8-18	<100	NA	<50	0.81 J	1.3	0.41 J	1.6 J	0.62 J	ND
	30-Dec-10		<95	<190	<50	<1.0	<1.0	<1.0	<2.0	0.53 J	ND
	8-Jun-11		NA	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	16-Dec-11		<95*	155 J*	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
AS-1D	13-Jan-09	31-34	NA	NA	<50	0.69	0.54	<0.5	<0.5	<0.5	ND
	6-Nov-09		<53	NA	<50	<0.5	<0.5	<0.5	<1.0	<0.5	ND
	28-Jun-10		<94	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	30-Dec-10		<94	<190	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	15-Dec-11		86.2 J*	<190*	27.6	1.7	3.1	0.54	2.3	<1.0	ND
ASMW-2D	13-Jan-09	24-34	NA	NA	<50	0.80	0.78	<0.5	<0.5	0.56	ND
	6-Nov-09		<51	NA	<50	<0.5	<0.5	<0.5	<1.0	0.58	ND
	28-Jun-10		<94	NA	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	30-Dec-10		<100	<200	<50	<1.0	<1.0	<1.0	<2.0	<1.0	ND
	15-Dec-11		96.1*	<190*	<50	0.76 J	0.99	<1.0	1.1	<1.0	ND
E1	16-Jun-10	8-18	NA	NA	<b>36,000</b>	<b>3,200</b>	<b>2,300</b>	<b>750</b>	<b>2,170</b>	<25	<25
	30-Jun-10		NA	NA	<b>124</b>	<b>11.7</b>	<b>9.4</b>	1.5	7.7	<1	0.31 (1,2 DCA)
	16-Dec-11		<b>323*</b>	<190*	<b>1,700</b>	<b>55.5</b>	22.1	16.1	<b>27.6</b>	<5.0	ND
E2	16-Jun-10	8-18	NA	NA	72	<b>5.3</b>	5.9	0.89	4.9	2.1	<b>0.68 (1,2 DCA)</b>
	30-Jun-10		NA	NA	<50	<1.0	<1.0	<1.0	<2.0	2.0	<b>0.5 (1,2 DCA)</b>
	30-Dec-10		<190	<b>3,740</b>	<50	<1.0	<1.0	<1.0	<2.0	1.8	0.41 (1,2 DCA)
	8-Jun-11		NA	NA	<50	<1.0	<1.0	<1.0	<2.0	1.7	0.45 (1,2-DCA)
	15-Dec-11		<95/<96*	<b>1,570/1,270*</b>	<50	<1.0	<1.0	<1.0	<2.0	1.2	ND
E3	16-Dec-11		<b>13,900*</b>	<b>15,600*</b>	<b>185</b>	1.2	<1.0	<1.0	<2.0	0.74 J	1.0 (1,2-DCA)
E4	16-Dec-11		<b>264*</b>	<b>447*</b>	<b>1,580</b>	<b>240</b>	9.9	18.3	5.8 J	<5.0	2.7 (1,2-DCA)
E5	15-Dec-11		<b>11,100*</b>	<b>11,500*</b>	27.1 J	<1.0	<1.0	<1.0	<2.0	0.83 J	ND
E6	15-Dec-11		<b>1,460*</b>	<b>931*</b>	<b>617</b>	<b>17.6</b>	<2.0	3.3	<4.0	<2.0	ND
E7	16-Jun-10	8-18	NA	NA	<b>780</b>	<b>100</b>	<b>73</b>	20	<b>80</b>	<b>5.2</b>	<b>1.9 (1,2 DCA)</b>
	30-Jun-10		NA	NA	<b>3,460</b>	<b>207</b>	<b>258</b>	<25	<b>360</b>	3.8	<b>2.5 (1,2 DCA)</b>
	30-Dec-10		<b>1,360</b>	<190	<b>3,380</b>	<b>339</b>	20.0	<b>83.3</b>	<b>23.9</b>	<b>5.4</b>	<b>3.5 (1,2 DCA)</b>
	8-Jun-11		NA	NA	<b>1,580</b>	<b>143</b>	17.4	26.9	<b>21.7</b>	4.3	<b>2.2 (1,2-DCA)</b>
	15-Dec-11		<b>373/287*</b>	<190/<190*	<b>1,070</b>	<b>144</b>	29.5	16	<b>27.2</b>	4.4	<b>3.1 (1,2-DCA)</b>
E8	30-Dec-10		<b>1,220</b>	<190	<b>8,930</b>	<b>480</b>	19.1	<b>164</b>	<b>51.8</b>	<10	<b>4.8 (1,2-DCA)</b>
	8-Jun-11		NA	NA	<b>3,520</b>	<b>178</b>	9.6	<b>56</b>	<b>49.5</b>	<5	<b>2.7 (1,2-DCA)</b>
	15-Dec-11		<b>508*</b>	<190*	<b>2,000</b>	<b>208</b>	4	<b>43</b>	14.0	<5.0	ND
E9	15-Dec-11		<b>7,950*</b>	<190*	<b>35,100</b>	<b>4,810</b>	<b>5,710</b>	<b>768</b>	<b>3,260</b>	<100	ND
E10	15-Dec-11		<b>10,400*</b>	<190*	<b>32,800</b>	<b>4,350</b>	<b>6,450</b>	<b>667</b>	<b>2,880</b>	<100	<b>37 (1,2-DCA)</b>

**Table 2**  
**Current and Historical Analytical Results for Volatile Organic Compounds in Groundwater**  
Paco Pump  
9201 San Leandro Street  
Oakland, California  
concentrations ( $\mu\text{g/L}$ )

Sample Location	Date Collected	Depth (feet bgs)	TPHd	TPHmo	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Other Fuel Additives
E11	16-Jun-10	8-18	NA	NA	<b>25,000</b>	<b>1,800</b>	<b>1,500</b>	<b>480</b>	<b>980</b>	<13	<13
	30-Jun-10		NA	NA	<b>15,300</b>	<b>268</b>	<b>509</b>	<b>473</b>	<b>1,140</b>	<40	<40
	16-Dec-11		<b>3,920*</b>	<970*	<b>17,200</b>	<b>634</b>	<b>916</b>	<b>384</b>	<b>934</b>	<50	ND
E12	16-Jun-10	8-18	NA	NA	<b>4,300</b>	<b>190</b>	15	43	<b>49</b>	<2	<b>2.0 (1,2 DCA)</b>
	30-Jun-10		NA	NA	<b>1,570</b>	<b>130</b>	6.6	<3	<b>24.2</b>	<3	<3
	16-Dec-11	69.9 J*	<190*		<b>297</b>	<b>27.5</b>	1.1 J	3.2	<4.0	<2.0	ND
<b>LFR Area 5 - Suspected Former UST near Groundwater Monitoring Well MW-4</b>											
MW-4	16-Nov-92	5.25-20.25	<50	NA	<b>560</b>	<b>66</b>	<b>73</b>	16	<b>130</b>	NA	NA
D	16-Nov-92		<50	NA	<b>520</b>	<b>63</b>	<b>67</b>	15	<b>140</b>	NA	NA
	9-Mar-93		<50	NA	<b>750</b>	<b>67</b>	12	29	<b>62</b>	NA	NA
	21-Jul-93		<50	NA	<b>250</b>	<b>21</b>	4.2	8.4	11	NA	NA
	29-Jan-94		<50	NA	<b>180</b>	<b>28</b>	2.2	6.2	10	NA	NA
	26-May-94		NA	NA	<b>130</b>	<b>14</b>	3.2	6.1	4.7	NA	NA
	24-Aug-94		NA	NA	70	<b>6.7</b>	0.9	2.8	2.6	NA	NA
	22-Nov-94		NA	NA	90	<b>16</b>	1.7	5.6	3.4	NA	NA
	8-Feb-95		NA	NA	90	<b>17</b>	1.3	5.5	3.0	NA	NA
	31-May-95		NA	NA	90	<b>13</b>	0.6	2.3	1.2	NA	NA
	8-Aug-95		NA	NA	80	<b>3.6</b>	<0.5	1.4	0.6	NA	NA
	29-Nov-95		NA	NA	<50	<b>4.5</b>	0.7	1.0	0.7	NA	NA
	29-Feb-96		NA	NA	<50	<b>7.4</b>	1.0	3.2	2.4	NA	NA
	23-May-96		NA	NA	80	<b>11</b>	2.0	2.3	1.0	NA	NA
	3-Nov-03		<50	NA	<50	<b>6.3</b>	0.56	3.4	1.0	<2.0	NA
	18-Jun-08		<50	NA	81	<b>11</b>	0.51	4.7	1.6	<0.5	ND
	6-Nov-09		<50	NA	<50	<b>4.0</b>	<0.5	1.3	<1.0	<0.5	ND
	28-Jun-10		<100	NA	<b>186</b>	<b>12.3</b>	0.9	5.9	2.3	<1.0	ND
	30-Dec-10		<94	<190	77.4	<b>7.4</b>	<1.0	2.6	0.98	<1.0	ND
	8-Jun-11		NA	NA	94.2	<b>10.2</b>	1	3.4	1.60	<1.0	ND
	16-Dec-11		<97*	<b>130 J*</b>	<50	<b>2.6</b>	<1.0	<1.0	<2.0	<1.0	ND
<b>ESL's Groundwater is current or potential drinking water source</b>			100	100	100	1.0	40	30	20	5.0	0.5 (1,2-DCA), 12 (TBA)

**Notes:**

bgs = below ground surface

NA = parameter not analyzed

ND = parameter not present above laboratory reporting limits

TPHd = total petroleum hydrocarbons as diesel

TPHg = total petroleum hydrocarbons as gasoline

D = duplicate sample

TBA - tertiary butyl alcohol


ESL = San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels Table F-1a and Table F-1b RWQCB May 2008

**Bold Font** denotes concentration was greater than the ESL .

J = Estimated value above method detection limit but below laboratory reporting limit.


\* = TPH Extracable with Silica Gel Cleanup


## **FIGURES**



SOURCE: 7.5 MINUTE USGS TOPOGRAPHIC MAP FROM ARCGIS MAP SERVICE

<b>SGI</b> environmental <b>THE SOURCE GROUP, INC.</b> 1962 FREEMAN AVE. SIGNAL HILL, CA 90755	PROJECT NO.:	DATE:	DR.BY:	APP.BY:	SCALE 1:24,000	N
	04-PFT-001	10/14/2009	AC	SS	0 875 1,750 3,500 Feet	
<b>FORMER PACO PUMPS FACILITY</b> 9201 SAN LEANDRO STREET OAKLAND, CALIFORNIA			<b>SITE LOCATION MAP</b>			FIGURE 1





## LEGEND


- Site Boundary
- Project areas of concern
- Groundwater contours December 2011.
- AS1D
- AS1S
- SVMW3
- MW6
- MIP3
- GGW320
- Area of excavation
- Groundwater gradient feet per foot and percent
- 10.49
- \*

0 40 80  
APPROXIMATE SCALE IN FEET

DATE: 01/2012 FILE NAME: PCC-Q4-11.DWG SOURCE: LFR, MAY 2009

## GROUNDWATER GRADIENT MAP DECEMBER 2011

9201 SAN LEANDRO STREET  
OAKLAND, CALIFORNIA



**GROUNDWATER MONITORING FIELD DATA SHEETS**

# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: Paco Pumps  
 PROJECT NO.: 04-PFT-003  
 TASK NO.: 5  
 WELL ID: MW-1  
 PURGE DATE: 12-16-11  
 SAMPLE TIME: 1435  
 SAMPLE DATE: 12-16-11  
 PERSONNEL: H. Newton

Historical rate: \_\_\_\_\_

# of volumes: \_\_\_\_\_

INITIAL DTW (ft): 3.76 1035

DEPTH TO BOTTOM (ft): 19.89

WELL DIAM. (in): 4"

3 VOLUMES (gals): 22


$h^3 \cdot 0.064$  (1.25") ;  $h^3 \cdot 0.16$  (2") ;  $h^3 \cdot 0.26$  (2.5") ;  
 $h^3 \cdot 0.38$  (3") ;  $h^3 \cdot 0.65$  (4") ;  $h^3 \cdot 1.5$  (6")

### PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	(check units!)	
										Other Observations	
8.68	1410	0	7.36	747	19.09	1.92	213	clear	X		
10.59	1416	7	7.06	751	19.42	0.69	17.0	" "			
11.00	1422	14	7.03	770	19.46	0.32	17.1	" "			
11.08	1428	21	7.02	776	19.47	0.10	13.9	" "			

Total Gallons Purged: 22

Purging  
Method



12 Volt Pump


Peristaltic  
Pump

Bailer

### WELL SAMPLING:

DTW at Time of Sampling: 11.08

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: MW-1

### QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES  NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON:

Yes

No

### COMMENTS:

---

---

---

---

---

---

---



# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: Paco Pump 9

PROJECT NO.: 04-PFT-003

TASK NO.:

WELL ID: MW-3

PURGE DATE: 12-16-11

SAMPLE TIME: 945

SAMPLE DATE: 12-16-11


PERSONNEL: b. Taylor

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	(check units!)	
										Initial	Final
9.78	950	0	6.98	1108	21.67	5.52	+96.3	Brown	—		
10.21	1005	6.8	7.06	1067	19.30	5.19	+116.1	Cloudy	—		
10.21	1022	13.6	7.11	1041	19.24	3.86	+114.8	Clear	—		
10.21	1037	20.4	6.84	1027	19.12	3.09	+116.3	Clear	—		

Total Gallons Purged: 20.4

Purging  
Method



12 Volt Pump


Peristaltic  
Pump

Bailer

WELL SAMPLING:

DTW at Time of Sampling: 10.21

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: MW-3

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES /  NO

IF SO, SAMPLE ID: MW-3-DUP 950

TYPE: Rinsate Blank

Duplicate  Field Blank

PROPER DECON:

Yes

No

COMMENTS:

No well lid !!, cap intact though





## **Groundwater Monitoring Well Field Sampling Form**



PROJECT NAME: Poco Pumps  
PROJECT NO.: 04-PFT-003  
TASK NO.: 5  
WELL ID: MW-6  
PURGE DATE: 12-16-11  
SAMPLE TIME: 1200  
SAMPLE DATE: 12-16-11  
PERSONNEL: H. Newt

Historical rate: \_\_\_\_\_  
# of volumes:

INITIAL DTW (ft): 9.64 1015  
 DEPTH TO BOTTOM (ft): 16.24  
 WELL DIAM. (in): 2"  
 3 VOLUMES (gals): 3.2  
 h<sup>3</sup>\*0.064 (1.25"); h<sup>3</sup>\*0.16 (2"); h<sup>3</sup>\*0.26 (2.5")  
 h<sup>3</sup>\*0.38 (3"); h<sup>3</sup>\*0.65 (4"); h<sup>3</sup>\*1.5 (6")

## PURGE LOG:

(check units!)

Total Gallons Purged: 3

Purging Method	2" Submersible Pump	12 Volt Pump	Peristaltic Pump	Bailer
----------------	------------------------	--------------	------------------	--------

#### **WELL SAMPLING:**

DTW at Time of Sampling: 10.34

Sampling Method	2" Submersible Pump	12 Volt Pump	Peristaltic Pump	Bailer	PDB
-----------------	------------------------	--------------	------------------	--------	-----

**SAMPLE ID:** mw-6

### QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

**IF SO, SAMPLE ID:**

**TYPE:** Rinsate Blank

Duplicate Field Blank

## **PROPER DECON:**

Yes                          No

**COMMENTS:**

# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: Reo Rmps  
 PROJECT NO.: 04-PFT-003  
 TASK NO.: 5  
 WELL ID: MW-7  
 PURGE DATE: 12-16-11  
 SAMPLE TIME: 0946  
 SAMPLE DATE: 12-16-11  
 PERSONNEL: H. Newton

Historical rate: \_\_\_\_\_  
 # of volumes: \_\_\_\_\_


INITIAL DTW (ft): 9.64 1013  
 DEPTH TO BOTTOM (ft): 26.96  
 WELL DIAM. (in): 2"  
 3 VOLUMES (gals): 3.3  
h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");  
h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	(check units!)	
										Other Observations	
9.34	0924	0	7.15	852	16.60	5.39	67.8	cloudy	X		
9.65	0928	2	7.01	970	17.46	0.92	52.1	brown	X		
9.72	0933	4	7.06	953	19.28	0.80	47.6	" "	X		
9.75	0937	6	6.98	930	19.17	0.60	35.7	cloudy	X		
9.75	0941	8.5	6.97	923	19.15	0.57	35.6	" "			

Total Gallons Purged: 3.5

Purging  
Method



12 Volt Pump




Bailer

WELL SAMPLING:

DTW at Time of Sampling: 9.75

Sampling  
Method



12 Volt Pump



PDB

SAMPLE ID: MW-7

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES /  NO

IF SO, SAMPLE ID: MW-7 dvp 0950

TYPE: Rinsate Blank

Duplicate  Field Blank

PROPER DECON:

Yes

No

COMMENTS:



# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: 04-RFT:003

PROJECT NO.: \_\_\_\_\_

TASK NO.: \_\_\_\_\_

WELL ID: A5-1S

PURGE DATE: 12-15-11

SAMPLE TIME: 1450

SAMPLE DATE: 12-15-11

PERSONNEL: B. Taylor

Historical rate: \_\_\_\_\_

# of volumes: \_\_\_\_\_

INITIAL DTW (ft): 901 1025

DEPTH TO BOTTOM (ft): 1652

WELL DIAM. (in): 20

3 VOLUMES (gals): 36

$h^3 \cdot 0.064$  (1.25");  $h^3 \cdot 0.16$  (2");  $h^3 \cdot 0.26$  (2.5");


$h^3 \cdot 0.38$  (3");  $h^3 \cdot 0.65$  (4");  $h^3 \cdot 1.5$  (6")

### PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	(check units!)		Color	Turbidity	Other Observations
						Dissolved Oxygen	REDOX ( )			
9.33	1636	0	6.67	1027	12.75	2.90	-10.2	Murky		
11.60	1641	1.2	6.89	1083	19.16	0.41	-10.4	Murky		
11.40	1644	2.4	6.88	1096	19.27	0.59	-10.7	Clear		
11.20	1648	3.6	6.87	1095	19.30	0.41	-10.8	Clear		

Total Gallons Purged: 3.6

Purging  
Method



12 Volt Pump


Peristaltic  
Pump

Bailer

### WELL SAMPLING:

DTW at Time of Sampling: 10.47

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: A5-1S

### QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON:

Yes

No

### COMMENTS:

---



---



---



---



---





# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: Pace Pump

PROJECT NO.: 04-PFT-003

TASK NO.: \_\_\_\_\_

WELL ID: ASMW-20

PURGE DATE: 12-15-11

SAMPLE TIME: 1310

SAMPLE DATE: 12-15-11

PERSONNEL: G. Taylor

Historical rate: \_\_\_\_\_

# of volumes: \_\_\_\_\_

INITIAL DTW (ft): 9.65 1040

DEPTH TO BOTTOM (ft): 33.71

WELL DIAM. (in): 2"

3 VOLUMES (gals): 11.5

h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");

h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	(check units!)	
										Water	Water
9.65	1240	0	7.06	891	18.04	1.21	-0.41.0	Dark	-		
9.65	1248	11.5	7.04	885	18.59	0.40	-0.9	Dark	-		
9.66	1256	8.0	7.03	883	18.47	0.37	-0.64	Clear	-		
9.66	1305	11.5	7.01	886	18.44	0.37	-3.0	Clear	-		

Total Gallons Purged: 11.5

Purging  
Method

2"  
Submersible  
Pump

12 Volt Pump

Peristaltic  
Pump

Bailer

WELL SAMPLING:

DTW at Time of Sampling: 9.66

Sampling  
Method

2"  
Submersible  
Pump

12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: ASMW-20

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

IF SO, SAMPLE ID:       

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON:

Yes

No

COMMENTS:

# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: Poco Purple  
 PROJECT NO.: 04-PFT-067  
 TASK NO.: 5  
 WELL ID: E-1  
 PURGE DATE: 12-16-11  
 SAMPLE TIME: 1040  
 SAMPLE DATE: 12-16-11  
 PERSONNEL: G. Taylor

Historical rate: \_\_\_\_\_

# of volumes: \_\_\_\_\_


INITIAL DTW (ft): 943      1006  
 DEPTH TO BOTTOM (ft): 17.81  
 WELL DIAM. (in): 2  
 3 VOLUMES (gals): 4.05  
h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");  
 h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	(check units!)
										Other Observations
9.72	1018	0	7.35	623	18.47	6.29	-26.2	Brown	—	
11.23	1023	1.4	7.20	6.21	19.27	5.80	-14.5	clearly	—	
11.41	1032	2.8	7.20	6.12	20.05	2.47	-19.7	clearly	—	
11.33	1038	4.2	7.22	6.10	20.77	1.72	-27.1	clearing	—	

Total Gallons Purged: 4.1

Purging  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

WELL SAMPLING:

DTW at Time of Sampling: 11.35

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: E-1

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES /  NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON: \_\_\_\_\_

Yes

No

COMMENTS:





# Groundwater Monitoring Well

## Field Sampling Form



PROJECT NAME: \_\_\_\_\_

Historical rate: \_\_\_\_\_

PROJECT NO.: \_\_\_\_\_

# of volumes: \_\_\_\_\_

TASK NO.: \_\_\_\_\_

WELL ID: E-4

INITIAL DTW (ft): 9.60 1007

PURGE DATE: 12-16-11

DEPTH TO BOTTOM (ft): 18.07

SAMPLE TIME: 1333

WELL DIAM. (in): 2"

SAMPLE DATE: 12-16-11

3 VOLUMES (gals): 4

PERSONNEL: H. Newton


h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");  
h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

### PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	(check units!)		Disolved Oxygen ( )	REDOX ( )	Color	Turbidity	Other Observations
				EC ( )	Temp. ( )					
9.60	1315	0	7.10	924	18.34	4.48	-100.1	Cloudy	/	
9.99	1318	1	7.01	931	19.70	0.19	-134.7	" "	X	
10.00	1321	2	7.00	919	20.10	0.05	-150.3	" "	X	
10.01	1324	3	7.00	918	20.15	0.05	-150.0	" "	X	
10.01	1327	4	7.06	917	20.21	0.04	-149.7	" "	X	

Total Gallons Purged: 4

Purging  
Method



12 Volt Pump


Peristaltic  
Pump

Bailer

### WELL SAMPLING:

DTW at Time of Sampling: 10.01

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: E-4

### QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON:

Yes

No

### COMMENTS:

---



---



---



---



---



---







## **Groundwater Monitoring Well Field Sampling Form**



PROJECT NAME: Paco Pumps  
PROJECT NO.: 04-PFT-003  
TASK NO.: 5  
WELL ID: 6-8  
PURGE DATE: 12-15-11  
SAMPLE TIME: 1245  
SAMPLE DATE: 12-15-11  
PERSONNEL: H. Newt

Historical rate: \_\_\_\_\_  
# of volumes: \_\_\_\_\_

INITIAL DTW (ft): 9.73 0948  
 EPTH TO BOTTOM (ft): 17.90  
 WELL DIAM. (in): 2"  
 3 VOLUMES (gals): 3.9  
 h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");  
 h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

## PURGE LOG:

Total Gallons Purged: 4

Purging Method	Submersible Pump	12 Volt Pump	Peristaltic Pump	Bailer
----------------	------------------	--------------	------------------	--------

#### **WELL SAMPLING:**

DTW at Time of Sampling: 10.27

<b>Sampling Method</b>	2"	Submersible Pump	12 Volt Pump	Peristaltic Pump		PDB
------------------------	----	------------------	--------------	------------------	---	-----

SAMPLE ID: E-2

### **QA/QC SAMPLING:**

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

IF SO, SAMPLE ID:

**TYPE:** Rinsate Blank

Duplicate Field Blank

**PROPER DECON:** Yes \_\_\_\_\_ No \_\_\_\_\_

**COMMENTS:**

# Groundwater Monitoring Well

## Field Sampling Form

Racco Pumps



PROJECT NAME: 04-PFT-003  
 PROJECT NO.:  
 TASK NO.:  
 WELL ID: E-9  
 PURGE DATE: 12-15-11  
 SAMPLE TIME: 12:10  
 SAMPLE DATE: 12-15-11  
 PERSONNEL: G. Taylor

Historical rate: \_\_\_\_\_

# of volumes: \_\_\_\_\_


INITIAL DTW (ft): 9.63      1055  
 DEPTH TO BOTTOM (ft): 18.02  
 WELL DIAM. (in): 2"  
 3 VOLUMES (gals): 4.02  
h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5");  
 h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	(check units!)				Color	Turbidity	Other Observations
				EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )			
9.97	11:45	0	6.69	1366	16.70	1.37	-69.2	Murky	-	—
9.97	11:51	1.28	6.83	1377	18.15	0.34	-99.1	Murky	-	—
10.00	11:58	2.5	6.83	1376	18.58	0.31	-102.0	Murky	-	—
10.08	10:04	4.0	6.83	1361	18.44	0.27	-104.7	Murky	-	—

Total Gallons Purged: 4.0

Purging  
Method




12 Volt Pump      Peristaltic Pump

Bailer

WELL SAMPLING:

DTW at Time of Sampling: 10.08

Sampling  
Method



12 Volt Pump

Peristaltic  
Pump

Bailer

PDB

SAMPLE ID: E-9

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?


YES / NO

IF SO, SAMPLE ID:       

TYPE: Rinsate Blank

Duplicate      Field Blank

PROPER DECON:



Yes

No

COMMENTS:

Strong diesel/gas smell



# Groundwater Monitoring Well Field Sampling Form



PROJECT NAME: Paco Pumps  
 PROJECT NO.: 04-PFT-001  
 TASK NO.:   
 WELL ID: E-11  
 PURGE DATE: 12-16-11  
 SAMPLE TIME: 1125  
 SAMPLE DATE: 12-16-11  
 PERSONNEL: B. Taylor

Historical rate: \_\_\_\_\_  
 # of volumes: \_\_\_\_\_

INITIAL DTW (ft): 928 10:00  
 DEPTH TO BOTTOM (ft): 17.91  
 WELL DIAM. (in): 2"  
 3 VOLUMES (gals): 4.14  
h\*3\*0.064 (1.25"); h\*3\*0.16 (2"); h\*3\*0.26 (2.5")  
 h\*3\*0.38 (3"); h\*3\*0.65 (4"); h\*3\*1.5 (6")

PURGE LOG:

DTW	Time (24 hr)	No. Gallons	pH	(check units!)						
				EC ( )	Temp. ( )	Dissolved Oxygen ( )	REDOX ( )	Color	Turbidity	Other Observations
9.65	11:00	0	19.06	975	19.04	2.46	-140.3	Brown	-	
9.92	1103	1.4	19.97	963	19.48	0.99	-156.5	clearing	-	
9.89	1111	2.8	20.26	956	20.27	0.81	-160.8	clearing	-	
9.87	1114	3.8	20.29	973	20.30	0.83	-160.5	clear	-	
9.85	1118	4.2	20.37	981	20.35	0.83	-159.0	clear	-	

Total Gallons Purged: 4.2

Purging Method	<u>2"</u> Submersible Pump	12 Volt Pump	Peristaltic Pump	Bailer
-------------------	----------------------------------	--------------	---------------------	--------

WELL SAMPLING:

DTW at Time of Sampling: 9.80

Sampling Method	<u>2"</u> Submersible Pump	12 Volt Pump	Peristaltic Pump	Bailer
--------------------	----------------------------------	--------------	---------------------	--------

SAMPLE ID: E-11

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED FOR THIS WELL?

YES / NO

IF SO, SAMPLE ID:        Yes        No       

TYPE: Rinsate Blank

Duplicate Field Blank

PROPER DECON:

COMMENTS:



## **Groundwater Monitoring Well Water Level Gauging Form**

**SGI** environmental THE SOURCE GROUP, INC.

**PROJECT NAME:**

Paco Pumps

**DATE:** 12-15-11

**PROJECT NO.:**

DB-PFT-003

PERSONNEL: G. Taylor H. Newton

**TASK NO.:**

10

Project No.	
Project Name	
Date	Data Entry
Category	

## Daily Field Log

Site: Paco Pump Project #: 04-PFT-003/5  
 Date: 12-15-11 Page \_\_\_\_\_ of \_\_\_\_\_  
 Weather: Sunny Overcast 50°  
 Field Activities: GW Sampling  
 Report Prepared By: B. Taylor  
 Field Personnel on Site: B. Taylor, H. Newton

Notes:   
 905 Arrived on site, 80  
 940 Started gouging after getting equipment secured away.  
 1120 Finished gouging  
 1125 Started E-9, #1n  
 1220 Finished E-9  
 1225 Started ASMW-20  
 1315 Finished ASMW-20  
 1330-1400 Took lunch  
 1410 Started ASMW - 25  
 1450 Finished ASMW-25  
 1455 Started E-10  
 1540 Finished E-10  
 1545 Started AS-10  
 1625 Finished AS-10  
 1630 Started AS-15  
 1655 Finished AS-15

Project No.	
Project Name	
Date	Data Entry
Category	

## Daily Field Log

Site: Paco Pumps Project #: \_\_\_\_\_  
 Date: 12-15-11 Page \_\_\_\_\_ of \_\_\_\_\_  
 Weather: Overscast 50's  
 Field Activities: (W) Sampling  
 Report Prepared By: G. Taylor  
 Field Personnel on Site: G. Taylor, H. Newton

Notes: 805 arrived onsite  
826 started MW-3, issues getting pump to work  
950 finished MW-3  
955 started E-1  
1045 finished E-1  
1050 started E-11  
1132 finished E-11  
1135 started E-12  
1225 finished E-12  
1230-1300 took break  
1315 started MW-8, pump not work...hot to the touch  
1330 talk to equipo, recommend letting the pump cool down in the water and try it again  
1345 help Horacio finish his well  
1350 fill out chain and go out for ice  
1430 (unten arrives, behind)  
1530 trying to open well MW-4

**GROUNDWATER SAMPLING LABORATORY REPORT  
AND  
CHAIN OF CUSTODY**



12/30/11



## Technical Report for

### The Source Group

T0600101592-9201 San Leandro Street, Oakland CA

04-PFT-003

Accutest Job Number: C19437

Sampling Date: 12/15/11

### Report to:

The Source Group  
3451C Vincent Road  
Pleasant Hill, CA 94523  
pparmentier@thesourcegroup.net; sdaro@thesourcegroup.net

ATTN: Paul Parmentier

Total number of pages in report: **63**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "Kesavulu M. Bagawandoss".

Kesavulu M. Bagawandoss,  
Ph.D., J.D., Lab Director

Client Service contact: Nutan Kabir 408-588-0200

Certifications: CA (08258CA) AZ (AZ0762) DoD/ISO/IEC 17025:2005 (L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Test results relate only to samples analyzed.

# Table of Contents

-1-

<table style="width: 100%; border-collapse: collapse;"> <tr> <td><b>Section 1: Sample Summary .....</b></td> <td style="text-align: right;"><b>3</b></td> </tr> <tr> <td><b>Section 2: Sample Results .....</b></td> <td style="text-align: right;"><b>4</b></td> </tr> <tr> <td>    <b>2.1: C19437-1: E-7 .....</b></td> <td style="text-align: right;">5</td> </tr> <tr> <td>    <b>2.2: C19437-1A: E-7 .....</b></td> <td style="text-align: right;">9</td> </tr> <tr> <td>    <b>2.3: C19437-2: E-8 .....</b></td> <td style="text-align: right;">10</td> </tr> <tr> <td>    <b>2.4: C19437-3: E-9 .....</b></td> <td style="text-align: right;">14</td> </tr> <tr> <td>    <b>2.5: C19437-4: ASMW-2D .....</b></td> <td style="text-align: right;">18</td> </tr> <tr> <td>    <b>2.6: C19437-5: E-6 .....</b></td> <td style="text-align: right;">22</td> </tr> <tr> <td>    <b>2.7: C19437-6: ASMW-2S .....</b></td> <td style="text-align: right;">26</td> </tr> <tr> <td>    <b>2.8: C19437-7: TRIP BLANK .....</b></td> <td style="text-align: right;">30</td> </tr> <tr> <td><b>Section 3: Misc. Forms .....</b></td> <td style="text-align: right;"><b>33</b></td> </tr> <tr> <td>    <b>3.1: Chain of Custody .....</b></td> <td style="text-align: right;">34</td> </tr> <tr> <td><b>Section 4: GC/MS Volatiles - QC Data Summaries .....</b></td> <td style="text-align: right;"><b>36</b></td> </tr> <tr> <td>    <b>4.1: Method Blank Summary .....</b></td> <td style="text-align: right;">37</td> </tr> <tr> <td>    <b>4.2: Blank Spike/Blank Spike Duplicate Summary .....</b></td> <td style="text-align: right;">43</td> </tr> <tr> <td>    <b>4.3: Laboratory Control Sample Summary .....</b></td> <td style="text-align: right;">49</td> </tr> <tr> <td>    <b>4.4: Matrix Spike/Matrix Spike Duplicate Summary .....</b></td> <td style="text-align: right;">51</td> </tr> <tr> <td><b>Section 5: GC Semi-volatiles - QC Data Summaries .....</b></td> <td style="text-align: right;"><b>57</b></td> </tr> <tr> <td>    <b>5.1: Method Blank Summary .....</b></td> <td style="text-align: right;">58</td> </tr> <tr> <td>    <b>5.2: Blank Spike/Blank Spike Duplicate Summary .....</b></td> <td style="text-align: right;">60</td> </tr> <tr> <td>    <b>5.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b></td> <td style="text-align: right;">62</td> </tr> </table>	<b>Section 1: Sample Summary .....</b>	<b>3</b>	<b>Section 2: Sample Results .....</b>	<b>4</b>	<b>2.1: C19437-1: E-7 .....</b>	5	<b>2.2: C19437-1A: E-7 .....</b>	9	<b>2.3: C19437-2: E-8 .....</b>	10	<b>2.4: C19437-3: E-9 .....</b>	14	<b>2.5: C19437-4: ASMW-2D .....</b>	18	<b>2.6: C19437-5: E-6 .....</b>	22	<b>2.7: C19437-6: ASMW-2S .....</b>	26	<b>2.8: C19437-7: TRIP BLANK .....</b>	30	<b>Section 3: Misc. Forms .....</b>	<b>33</b>	<b>3.1: Chain of Custody .....</b>	34	<b>Section 4: GC/MS Volatiles - QC Data Summaries .....</b>	<b>36</b>	<b>4.1: Method Blank Summary .....</b>	37	<b>4.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	43	<b>4.3: Laboratory Control Sample Summary .....</b>	49	<b>4.4: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	51	<b>Section 5: GC Semi-volatiles - QC Data Summaries .....</b>	<b>57</b>	<b>5.1: Method Blank Summary .....</b>	58	<b>5.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	60	<b>5.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	62	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #000080; color: white; padding: 2px 5px;">1</td> </tr> <tr> <td style="background-color: #008000; color: white; padding: 2px 5px;">2</td> </tr> <tr> <td style="background-color: #CC9933; color: white; padding: 2px 5px;">3</td> </tr> <tr> <td style="background-color: #C00000; color: white; padding: 2px 5px;">4</td> </tr> <tr> <td style="background-color: #808000; color: white; padding: 2px 5px;">5</td> </tr> </table>	1	2	3	4	5
<b>Section 1: Sample Summary .....</b>	<b>3</b>																																															
<b>Section 2: Sample Results .....</b>	<b>4</b>																																															
<b>2.1: C19437-1: E-7 .....</b>	5																																															
<b>2.2: C19437-1A: E-7 .....</b>	9																																															
<b>2.3: C19437-2: E-8 .....</b>	10																																															
<b>2.4: C19437-3: E-9 .....</b>	14																																															
<b>2.5: C19437-4: ASMW-2D .....</b>	18																																															
<b>2.6: C19437-5: E-6 .....</b>	22																																															
<b>2.7: C19437-6: ASMW-2S .....</b>	26																																															
<b>2.8: C19437-7: TRIP BLANK .....</b>	30																																															
<b>Section 3: Misc. Forms .....</b>	<b>33</b>																																															
<b>3.1: Chain of Custody .....</b>	34																																															
<b>Section 4: GC/MS Volatiles - QC Data Summaries .....</b>	<b>36</b>																																															
<b>4.1: Method Blank Summary .....</b>	37																																															
<b>4.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	43																																															
<b>4.3: Laboratory Control Sample Summary .....</b>	49																																															
<b>4.4: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	51																																															
<b>Section 5: GC Semi-volatiles - QC Data Summaries .....</b>	<b>57</b>																																															
<b>5.1: Method Blank Summary .....</b>	58																																															
<b>5.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	60																																															
<b>5.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	62																																															
1																																																
2																																																
3																																																
4																																																
5																																																



Accutest Laboratories

## Sample Summary

The Source Group

Job No: C19437

T0600101592-9201 San Leandro Street, Oakland CA  
Project No: 04-PFT-003

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
C19437-1	12/15/11	11:55 HNGT	12/15/11	AQ	Ground Water
C19437-1A	12/15/11	11:55 HNGT	12/15/11	AQ	Ground Water
C19437-2	12/15/11	12:45 HNGT	12/15/11	AQ	Ground Water
C19437-3	12/15/11	12:10 HNGT	12/15/11	AQ	Ground Water
C19437-4	12/15/11	13:10 HNGT	12/15/11	AQ	Ground Water
C19437-5	12/15/11	14:25 HNGT	12/15/11	AQ	Ground Water
C19437-6	12/15/11	14:40 HNGT	12/15/11	AQ	Ground Water
C19437-7	12/15/11	14:50 HNGT	12/15/11	AQ	Trip Blank Water
					TRIP BLANK



## Sample Results

---

### Report of Analysis

---

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-7	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-1	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID R6764.D	DF 2	Analyzed 12/22/11
Run #2			By BD
			Prep Date n/a
			Prep Batch n/a
			Analytical Batch VR237
<b>Purge Volume</b>			
Run #1	10.0 ml		
Run #2			

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	20	ug/l	
71-43-2	Benzene	144	2.0	0.60	ug/l	
108-86-1	Bromobenzene	ND	2.0	0.60	ug/l	
74-97-5	Bromochloromethane	ND	2.0	1.0	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.60	ug/l	
75-25-2	Bromoform	ND	2.0	1.0	ug/l	
104-51-8	n-Butylbenzene	ND	10	1.0	ug/l	
135-98-8	sec-Butylbenzene	1.6	10	1.0	ug/l	J
98-06-6	tert-Butylbenzene	1.7	10	1.0	ug/l	J
108-90-7	Chlorobenzene	ND	2.0	0.60	ug/l	
75-00-3	Chloroethane	ND	2.0	0.60	ug/l	
67-66-3	Chloroform	ND	2.0	0.60	ug/l	
95-49-8	o-Chlorotoluene	ND	10	1.0	ug/l	
106-43-4	p-Chlorotoluene	ND	10	1.0	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.40	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	0.60	ug/l	
75-35-4	1,1-Dichloroethylene	ND	2.0	0.40	ug/l	
563-58-6	1,1-Dichloropropene	ND	2.0	0.60	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	10	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.40	ug/l	
107-06-2	1,2-Dichloroethane	3.1	2.0	0.60	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.60	ug/l	
142-28-9	1,3-Dichloropropane	ND	2.0	0.60	ug/l	
108-20-3	Di-Isopropyl ether	ND	10	1.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	2.0	0.60	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	0.40	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.60	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	1.0	ug/l	
541-73-1	m-Dichlorobenzene	ND	2.0	0.60	ug/l	
95-50-1	o-Dichlorobenzene	ND	2.0	0.60	ug/l	
106-46-7	p-Dichlorobenzene	ND	2.0	0.60	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 2 of 3

<b>Client Sample ID:</b>	E-7	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-1	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.40	ug/l	
100-41-4	Ethylbenzene	16.0	2.0	0.60	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	10	1.0	ug/l	
591-78-6	2-Hexanone	ND	40	20	ug/l	
87-68-3	Hexachlorobutadiene	ND	10	1.0	ug/l	
98-82-8	Isopropylbenzene	5.4	2.0	0.40	ug/l	
99-87-6	p-Isopropyltoluene	1.1	10	1.0	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	40	10	ug/l	
74-83-9	Methyl bromide	ND	10	3.0	ug/l	
74-87-3	Methyl chloride	ND	2.0	0.60	ug/l	
74-95-3	Methylene bromide	ND	2.0	0.40	ug/l	
75-09-2	Methylene chloride	ND	40	10	ug/l	
78-93-3	Methyl ethyl ketone	ND	40	10	ug/l	
1634-04-4	Methyl Tert Butyl Ether	4.4	2.0	1.0	ug/l	
91-20-3	Naphthalene	5.9	10	1.0	ug/l	J
103-65-1	n-Propylbenzene	12.1	10	1.0	ug/l	
100-42-5	Styrene	ND	2.0	0.40	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	10	1.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	10	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	0.40	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.40	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	10	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	10	1.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	1.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	21.5	10	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	10	1.0	ug/l	
127-18-4	Tetrachloroethylene	ND	2.0	0.40	ug/l	
108-88-3	Toluene	29.5	2.0	1.0	ug/l	
79-01-6	Trichloroethylene	ND	2.0	0.60	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.60	ug/l	
1330-20-7	Xylene (total)	27.2	4.0	1.4	ug/l	
	TPH-GRO (C6-C10)	1070	100	50	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-7	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-1	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	105%		60-130%
460-00-4	4-Bromofluorobenzene	105%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-7	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-1	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19539.D	DF 1	Analyzed 12/17/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5073
			Analytical Batch GHH627
	<b>Initial Volume</b>	<b>Final Volume</b>	
Run #1	1030 ml	1.0 ml	
Run #2			

**TPH Extractable**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	0.332	0.097	0.049	mg/l	
	TPH (Motor Oil)	0.118	0.19	0.097	mg/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	87%		45-140%

(a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-7	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-1A	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19538.D	DF 1	Analyzed 12/17/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH627
	<b>Initial Volume</b> Run #1 1040 ml	<b>Final Volume</b> 1.0 ml	

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	0.287	0.096	0.048	mg/l	
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	89%		45-140%

(a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 1 of 3

<b>Client Sample ID:</b>	E-8	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-2	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	R6765.D	5	12/22/11	BD	n/a	n/a	VR237
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	50	ug/l	
71-43-2	Benzene	208	5.0	1.5	ug/l	
108-86-1	Bromobenzene	ND	5.0	1.5	ug/l	
74-97-5	Bromochloromethane	ND	5.0	2.5	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	1.5	ug/l	
75-25-2	Bromoform	ND	5.0	2.5	ug/l	
104-51-8	n-Butylbenzene	ND	25	2.5	ug/l	
135-98-8	sec-Butylbenzene	3.1	25	2.5	ug/l	J
98-06-6	tert-Butylbenzene	ND	25	2.5	ug/l	
108-90-7	Chlorobenzene	ND	5.0	1.5	ug/l	
75-00-3	Chloroethane	ND	5.0	1.5	ug/l	
67-66-3	Chloroform	ND	5.0	1.5	ug/l	
95-49-8	o-Chlorotoluene	ND	25	2.5	ug/l	
106-43-4	p-Chlorotoluene	ND	25	2.5	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	1.5	ug/l	
75-35-4	1,1-Dichloroethylene	ND	5.0	1.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	1.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	50	25	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	1.5	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	1.5	ug/l	
142-28-9	1,3-Dichloropropane	ND	5.0	1.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	25	2.5	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	1.5	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.5	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.5	ug/l	
541-73-1	m-Dichlorobenzene	ND	5.0	1.5	ug/l	
95-50-1	o-Dichlorobenzene	ND	5.0	1.5	ug/l	
106-46-7	p-Dichlorobenzene	ND	5.0	1.5	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 2 of 3

<b>Client Sample ID:</b>	E-8	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-2	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.0	ug/l	
100-41-4	Ethylbenzene	42.9	5.0	1.5	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	25	2.5	ug/l	
591-78-6	2-Hexanone	ND	100	50	ug/l	
87-68-3	Hexachlorobutadiene	ND	25	2.5	ug/l	
98-82-8	Isopropylbenzene	8.5	5.0	1.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	25	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	100	25	ug/l	
74-83-9	Methyl bromide	ND	25	7.5	ug/l	
74-87-3	Methyl chloride	ND	5.0	1.5	ug/l	
74-95-3	Methylene bromide	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	100	25	ug/l	
78-93-3	Methyl ethyl ketone	ND	100	25	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
91-20-3	Naphthalene	4.8	25	2.5	ug/l	J
103-65-1	n-Propylbenzene	20.8	25	2.5	ug/l	J
100-42-5	Styrene	ND	5.0	1.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	25	2.5	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	50	25	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	1.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	25	2.5	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	25	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	25	2.5	ug/l	
95-63-6	1,2,4-Trimethylbenzene	53.3	25	2.5	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	25	2.5	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	1.0	ug/l	
108-88-3	Toluene	4.0	5.0	2.5	ug/l	J
79-01-6	Trichloroethylene	ND	5.0	1.5	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	1.5	ug/l	
75-01-4	Vinyl chloride	ND	5.0	1.5	ug/l	
1330-20-7	Xylene (total)	14.0	10	3.5	ug/l	
	TPH-GRO (C6-C10)	2000	250	130	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-8	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-2	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	104%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-8	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-2	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19533.D	DF 1	Analyzed 12/17/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH627
	<b>Initial Volume</b> Run #1 1040 ml	<b>Final Volume</b> 1.0 ml	

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	0.508	0.096	0.048	mg/l	
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	84%		45-140%

(a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-9	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-3	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID R6784.D	DF 100	Analyzed 12/23/11
Run #2			By BD
			Prep Date n/a
			Prep Batch n/a
			Analytical Batch VR238
<b>Purge Volume</b>			
Run #1	10.0 ml		
Run #2			

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	2000	1000	ug/l	
71-43-2	Benzene	4810	100	30	ug/l	
108-86-1	Bromobenzene	ND	100	30	ug/l	
74-97-5	Bromochloromethane	ND	100	50	ug/l	
75-27-4	Bromodichloromethane	ND	100	30	ug/l	
75-25-2	Bromoform	ND	100	50	ug/l	
104-51-8	n-Butylbenzene	ND	500	50	ug/l	
135-98-8	sec-Butylbenzene	ND	500	50	ug/l	
98-06-6	tert-Butylbenzene	ND	500	50	ug/l	
108-90-7	Chlorobenzene	ND	100	30	ug/l	
75-00-3	Chloroethane	ND	100	30	ug/l	
67-66-3	Chloroform	ND	100	30	ug/l	
95-49-8	o-Chlorotoluene	ND	500	50	ug/l	
106-43-4	p-Chlorotoluene	ND	500	50	ug/l	
56-23-5	Carbon tetrachloride	ND	100	20	ug/l	
75-34-3	1,1-Dichloroethane	ND	100	30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	100	20	ug/l	
563-58-6	1,1-Dichloropropene	ND	100	30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	1000	500	ug/l	
106-93-4	1,2-Dibromoethane	ND	100	20	ug/l	
107-06-2	1,2-Dichloroethane	ND	100	30	ug/l	
78-87-5	1,2-Dichloropropane	ND	100	30	ug/l	
142-28-9	1,3-Dichloropropane	ND	100	30	ug/l	
108-20-3	Di-Isopropyl ether	ND	500	50	ug/l	
594-20-7	2,2-Dichloropropane	ND	100	30	ug/l	
124-48-1	Dibromochloromethane	ND	100	20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	100	30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	100	30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	100	50	ug/l	
541-73-1	m-Dichlorobenzene	ND	100	30	ug/l	
95-50-1	o-Dichlorobenzene	ND	100	30	ug/l	
106-46-7	p-Dichlorobenzene	ND	100	30	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 2 of 3

<b>Client Sample ID:</b>	E-9	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-3	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	100	30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	100	20	ug/l	
100-41-4	Ethylbenzene	768	100	30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	500	50	ug/l	
591-78-6	2-Hexanone	ND	2000	1000	ug/l	
87-68-3	Hexachlorobutadiene	ND	500	50	ug/l	
98-82-8	Isopropylbenzene	89.0	100	20	ug/l	J
99-87-6	p-Isopropyltoluene	ND	500	50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2000	500	ug/l	
74-83-9	Methyl bromide	ND	500	150	ug/l	
74-87-3	Methyl chloride	ND	100	30	ug/l	
74-95-3	Methylene bromide	ND	100	20	ug/l	
75-09-2	Methylene chloride	ND	2000	500	ug/l	
78-93-3	Methyl ethyl ketone	ND	2000	500	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	50	ug/l	
91-20-3	Naphthalene	403	500	50	ug/l	J
103-65-1	n-Propylbenzene	228	500	50	ug/l	J
100-42-5	Styrene	ND	100	20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	500	50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	1000	500	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	100	20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	100	20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	100	20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	100	20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	500	50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	500	50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	500	50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2410	500	50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	540	500	50	ug/l	
127-18-4	Tetrachloroethylene	ND	100	20	ug/l	
108-88-3	Toluene	5710	100	50	ug/l	
79-01-6	Trichloroethylene	ND	100	30	ug/l	
75-69-4	Trichlorofluoromethane	ND	100	30	ug/l	
75-01-4	Vinyl chloride	ND	100	30	ug/l	
1330-20-7	Xylene (total)	3260	200	70	ug/l	
	TPH-GRO (C6-C10)	35100	5000	2500	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-9	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-3	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	107%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-9	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-3	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19604.D	DF 10	Analyzed 12/18/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH628
	<b>Initial Volume</b> Run #1 1040 ml	<b>Final Volume</b> 1.0 ml	

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	7.95	0.96	0.48	mg/l	
	TPH (Motor Oil)	ND	1.9	0.96	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	80%		45-140%

(a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	ASMW-2D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-4	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6758.D	1	12/22/11	BD	n/a	n/a	VR237
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	0.76	1.0	0.30	ug/l	J
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	0.52	5.0	0.50	ug/l	J
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 2 of 3

<b>Client Sample ID:</b>	ASMW-2D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-4	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	1.0	5.0	0.50	ug/l	J
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2.3	5.0	0.50	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	0.76	5.0	0.50	ug/l	J
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	0.99	1.0	0.50	ug/l	J
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	1.1	2.0	0.70	ug/l	J
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	ASMW-2D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-4	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	106%		60-130%
460-00-4	4-Bromofluorobenzene	107%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	ASMW-2D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-4	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19535.D	DF 1	Analyzed 12/17/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH627
	<b>Initial Volume</b>	<b>Final Volume</b>	
Run #1	1060 ml	1.0 ml	
Run #2			

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.0954	0.19	0.094	mg/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	89%		45-140%		

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 1 of 3

<b>Client Sample ID:</b>	E-6	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-5	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID R6785.D	DF 2	Analyzed 12/23/11
Run #2			By BD
			Prep Date n/a
			Prep Batch n/a
			Analytical Batch VR238
<b>Purge Volume</b>			
Run #1	10.0 ml		
Run #2			

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	40	20	ug/l	
71-43-2	Benzene	17.6	2.0	0.60	ug/l	
108-86-1	Bromobenzene	ND	2.0	0.60	ug/l	
74-97-5	Bromochloromethane	ND	2.0	1.0	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.60	ug/l	
75-25-2	Bromoform	ND	2.0	1.0	ug/l	
104-51-8	n-Butylbenzene	2.0	10	1.0	ug/l	J
135-98-8	sec-Butylbenzene	2.3	10	1.0	ug/l	J
98-06-6	tert-Butylbenzene	3.6	10	1.0	ug/l	J
108-90-7	Chlorobenzene	ND	2.0	0.60	ug/l	
75-00-3	Chloroethane	ND	2.0	0.60	ug/l	
67-66-3	Chloroform	ND	2.0	0.60	ug/l	
95-49-8	o-Chlorotoluene	ND	10	1.0	ug/l	
106-43-4	p-Chlorotoluene	ND	10	1.0	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.40	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	0.60	ug/l	
75-35-4	1,1-Dichloroethylene	ND	2.0	0.40	ug/l	
563-58-6	1,1-Dichloropropene	ND	2.0	0.60	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	10	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.40	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	0.60	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.60	ug/l	
142-28-9	1,3-Dichloropropane	ND	2.0	0.60	ug/l	
108-20-3	Di-Isopropyl ether	ND	10	1.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	2.0	0.60	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	0.40	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.60	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	2.0	1.0	ug/l	
541-73-1	m-Dichlorobenzene	ND	2.0	0.60	ug/l	
95-50-1	o-Dichlorobenzene	ND	2.0	0.60	ug/l	
106-46-7	p-Dichlorobenzene	ND	2.0	0.60	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 2 of 3

<b>Client Sample ID:</b>	E-6	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-5	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.40	ug/l	
100-41-4	Ethylbenzene	3.3	2.0	0.60	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	10	1.0	ug/l	
591-78-6	2-Hexanone	ND	40	20	ug/l	
87-68-3	Hexachlorobutadiene	ND	10	1.0	ug/l	
98-82-8	Isopropylbenzene	7.1	2.0	0.40	ug/l	
99-87-6	p-Isopropyltoluene	ND	10	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	40	10	ug/l	
74-83-9	Methyl bromide	ND	10	3.0	ug/l	
74-87-3	Methyl chloride	ND	2.0	0.60	ug/l	
74-95-3	Methylene bromide	ND	2.0	0.40	ug/l	
75-09-2	Methylene chloride	ND	40	10	ug/l	
78-93-3	Methyl ethyl ketone	ND	40	10	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	1.0	ug/l	
91-20-3	Naphthalene	ND	10	1.0	ug/l	
103-65-1	n-Propylbenzene	10.9	10	1.0	ug/l	
100-42-5	Styrene	ND	2.0	0.40	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	10	1.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	10	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	0.40	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.40	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	10	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	10	1.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	1.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	10	1.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	10	1.0	ug/l	
127-18-4	Tetrachloroethylene	ND	2.0	0.40	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
79-01-6	Trichloroethylene	ND	2.0	0.60	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.60	ug/l	
1330-20-7	Xylene (total)	ND	4.0	1.4	ug/l	
	TPH-GRO (C6-C10)	617	100	50	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-6	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-5	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	102%		60-130%
460-00-4	4-Bromofluorobenzene	105%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-6	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-5	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH20096.D	DF 2	Analyzed 12/29/11
Run #2			By MT
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH637
	<b>Initial Volume</b> Run #1 1060 ml	<b>Final Volume</b> 1.0 ml	

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	0.225	0.19	0.094	mg/l	
	TPH (Motor Oil) <sup>b</sup>	1.81	0.38	0.19	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
630-01-3	Hexacosane	77%		45-140%

- (a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).  
 (b) Atypical Motor Oil pattern (C28-C40).

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

Page 1 of 3

<b>Client Sample ID:</b>	ASMW-2S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-6	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID R6766.D	DF 10	Analyzed 12/22/11
Run #2			By BD
			Prep Date n/a
			Prep Batch n/a
			Analytical Batch VR237
<b>Purge Volume</b>			
Run #1	10.0 ml		
Run #2			

## VOA 8260 List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	200	100	ug/l	
71-43-2	Benzene	253	10	3.0	ug/l	
108-86-1	Bromobenzene	ND	10	3.0	ug/l	
74-97-5	Bromochloromethane	ND	10	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	10	3.0	ug/l	
75-25-2	Bromoform	ND	10	5.0	ug/l	
104-51-8	n-Butylbenzene	15.3	50	5.0	ug/l	J
135-98-8	sec-Butylbenzene	ND	50	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	50	5.0	ug/l	
108-90-7	Chlorobenzene	ND	10	3.0	ug/l	
75-00-3	Chloroethane	ND	10	3.0	ug/l	
67-66-3	Chloroform	ND	10	3.0	ug/l	
95-49-8	o-Chlorotoluene	ND	50	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	50	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	10	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	3.0	ug/l	
75-35-4	1,1-Dichloroethylene	ND	10	2.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	10	3.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	100	50	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	2.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	3.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	3.0	ug/l	
142-28-9	1,3-Dichloropropane	ND	10	3.0	ug/l	
108-20-3	Di-Isopropyl ether	ND	50	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	10	3.0	ug/l	
124-48-1	Dibromochloromethane	ND	10	2.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	10	3.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	5.0	ug/l	
541-73-1	m-Dichlorobenzene	ND	10	3.0	ug/l	
95-50-1	o-Dichlorobenzene	ND	10	3.0	ug/l	
106-46-7	p-Dichlorobenzene	ND	10	3.0	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	ASMW-2S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-6	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	10	3.0	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	2.0	ug/l	
100-41-4	Ethylbenzene	49.9	10	3.0	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	50	5.0	ug/l	
591-78-6	2-Hexanone	ND	200	100	ug/l	
87-68-3	Hexachlorobutadiene	ND	50	5.0	ug/l	
98-82-8	Isopropylbenzene	14.0	10	2.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	50	5.0	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	200	50	ug/l	
74-83-9	Methyl bromide	ND	50	15	ug/l	
74-87-3	Methyl chloride	ND	10	3.0	ug/l	
74-95-3	Methylene bromide	ND	10	2.0	ug/l	
75-09-2	Methylene chloride	ND	200	50	ug/l	
78-93-3	Methyl ethyl ketone	ND	200	50	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.0	ug/l	
91-20-3	Naphthalene	31.1	50	5.0	ug/l	J
103-65-1	n-Propylbenzene	32.1	50	5.0	ug/l	J
100-42-5	Styrene	ND	10	2.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	50	5.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	100	50	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	10	2.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	2.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	2.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	2.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	50	5.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	50	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	50	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	221	50	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	34.6	50	5.0	ug/l	J
127-18-4	Tetrachloroethylene	ND	10	2.0	ug/l	
108-88-3	Toluene	19.8	10	5.0	ug/l	
79-01-6	Trichloroethylene	ND	10	3.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	3.0	ug/l	
75-01-4	Vinyl chloride	ND	10	3.0	ug/l	
1330-20-7	Xylene (total)	77.4	20	7.0	ug/l	
	TPH-GRO (C6-C10)	2250	500	250	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	ASMW-2S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-6	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	106%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	ASMW-2S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-6	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID HH19537.D	DF 1	Analyzed 12/17/11
Run #2			By JH
			Prep Date 12/16/11
			Prep Batch OP5078
			Analytical Batch GHH627
	<b>Initial Volume</b>	<b>Final Volume</b>	
Run #1	1060 ml	1.0 ml	
Run #2			

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel) <sup>a</sup>	0.998	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.148	0.19	0.094	mg/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
630-01-3	Hexacosane	90%		45-140%		

(a) Not a typical Diesel pattern; value due higher boiling gasoline compounds in the Diesel range (C10-C16).

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	TRIP BLANK	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-7	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Trip Blank Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		
Run #1	File ID R6753.D	DF 1	Analyzed 12/22/11
Run #2			By BD
			Prep Date n/a
			Prep Batch n/a
			Analytical Batch VR237
<b>Purge Volume</b>			
Run #1	10.0 ml		
Run #2			

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	TRIP BLANK	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-7	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Trip Blank Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	100%		60-130%
2037-26-5	Toluene-D8	103%		60-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	TRIP BLANK	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19437-7	<b>Date Received:</b>	12/15/11
<b>Matrix:</b>	AQ - Trip Blank Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
460-00-4	4-Bromofluorobenzene	104%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody



# ACCUTEST<sup>®</sup> LABORATORIES

## **CHAIN OF CUSTODY**

2105 Lundy Ave, San Jose, CA 95131  
(408) 588-0200 FAX: (408) 588-0201

SGP PAAUW 805

Client / Reporting Information			Project Information			Requested Analysis			Matrix Codes	
Company Name <i>Source Group Inc</i>	Project Name: <i>Paco Pumps</i>		Street <i>San Fernando St</i>	City <i>Oakland CA</i>	State <i>CA</i>	City <i>Oakland CA</i>	State <i>CA</i>	Project # <i>64-PFT-003</i>	EMAIL: <i>ktdowell@thesourcegroupinc.com</i>	Ww- Wastewater
Address <i>3478 Bustard Ave Ste 100</i>	Street <i>Bustard St</i>	Zip <i>94523</i>	City <i>Oakland</i>	State <i>CA</i>	Project Contact: <i>Kristene Tidwell</i>	Phone # <i>925-944-2856</i>	Sample's Name <i>Harlow Newton / Geoff Taylor</i>	Client Purchase Order # <i>ktidwell@thesourcegroupinc.com</i>	GW- Ground Water	
Accutest Sample ID / Field Point / Point of Collection			Collection			Number of preserved Bottles			SW- Surface Water	
	Date <i>12-15-11</i>	Time <i>1155</i>	Sampled by <i>H.N.</i>	Matrix <i>GW</i>	# of bottles <i>5</i>	0 <i>2</i>	1 <i>2</i>	2 <i>2</i>	SO- Soil	
-1	E-7						X	X	OL- Oil	
-2	E-8						X	X	WP-Wipe	
-3	E-9						X	X	LIQ - Non-aqueous Liquid	
-4	ASmw-2D						X	X	AIR	
-5	E-6						X	X	DW- Drinking Water (Perchlorate Only)	
-6	ASmw-2S						X	X	LAB USE ONLY	
-7	Trip blank						X			
Turnaround Time ( Business days)			Data Deliverable Information			Comments / Remarks				
<input checked="" type="checkbox"/> Standard TAT 15 Business Days	Approved By/ Date:		<input type="checkbox"/> Commercial "A" - Results only							
<input type="checkbox"/> 10 Day (Workload dependent)			<input checked="" type="checkbox"/> Commercial "B" - Results with QC summaries							
<input type="checkbox"/> 5 Day (Workload dependent)			<input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms							
<input type="checkbox"/> 3 Day (125% markup)			<input type="checkbox"/> FULT1 - Level 4 data package							
<input type="checkbox"/> 2 Day (150% markup)			<input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format							
<input type="checkbox"/> 1 Day (200% markup)			Provide EDF Global ID							
<input type="checkbox"/> Same Day (300% markup)			Provide EDF Logcode:							
Emergency T/A data available VIA Lablink										
Sample Custody must be documented below each time samples change possession, including courier delivery.										
Relinquished by Sampler: <i>CC Nunn</i>	Date Time: <i>12-15-11 1453</i>	Received By: <i>Mike Marquardt</i>	Relinquished By: <i>Mike Marquardt</i>	Date Time: <i>12/15/11 15:55</i>	Received By: <i>John</i>	1555				
Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:					
3		3	4		4					
5	Date Time:	Received By:	Custody Seal #	Appropriate Bottle / Pres. <input checked="" type="checkbox"/> N	Headspace <input checked="" type="checkbox"/> N	On Ice <input checked="" type="checkbox"/> N	8.8 + 0.1 = 9.9°C	Cooler Temp. <i>44°C</i>		
		5		Labels match CCR <input checked="" type="checkbox"/> N	Separate Receiving Check List used <input checked="" type="checkbox"/> N					

୩

## C19437: Chain of Custody

Page 1 of 2





4

### GC/MS Volatiles

#### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

## Method Blank Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-MB	R6749.D	1	12/22/11	BD	n/a	n/a	VR237

4.1.1  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	

## Method Blank Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-MB	R6749.D	1	12/22/11	BD	n/a	n/a	VR237

4.1.1

4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

## Method Blank Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-MB	R6749.D	1	12/22/11	BD	n/a	n/a	VR237

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Surrogate Recoveries	Limits	
1868-53-7	Dibromofluoromethane	101%	60-130%
2037-26-5	Toluene-D8	106%	60-130%
460-00-4	4-Bromofluorobenzene	105%	60-130%

4.1.1  
4

## Method Blank Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

4.1.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	

## Method Blank Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

4.1.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

## Method Blank Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

### CAS No. Surrogate Recoveries Limits

1868-53-7	Dibromofluoromethane	101%	60-130%
2037-26-5	Toluene-D8	106%	60-130%
460-00-4	4-Bromofluorobenzene	106%	60-130%

4.1.2  
4

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-BS	R6746.D	1	12/22/11	BD	n/a	n/a	VR237
VR237-BSD	R6747.D	1	12/22/11	BD	n/a	n/a	VR237

4.2.1

4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	84.3	105	78.9	99	7	60-130/30
71-43-2	Benzene	20	20.6	103	19.9	100	3	60-130/30
108-86-1	Bromobenzene	20	18.5	93	17.7	89	4	60-130/30
74-97-5	Bromochloromethane	20	20.9	105	20.1	101	4	60-130/30
75-27-4	Bromodichloromethane	20	21.6	108	20.8	104	4	60-130/30
75-25-2	Bromoform	20	19.9	100	19.1	96	4	60-130/30
104-51-8	n-Butylbenzene	20	19.8	99	19.7	99	1	60-130/30
135-98-8	sec-Butylbenzene	20	19.5	98	19.5	98	0	60-130/30
98-06-6	tert-Butylbenzene	20	19.3	97	19.0	95	2	60-130/30
108-90-7	Chlorobenzene	20	19.7	99	19.1	96	3	60-130/30
75-00-3	Chloroethane	20	21.3	107	21.5	108	1	60-130/30
67-66-3	Chloroform	20	20.9	105	20.3	102	3	60-130/30
95-49-8	o-Chlorotoluene	20	19.9	100	19.4	97	3	60-130/30
106-43-4	p-Chlorotoluene	20	19.8	99	19.1	96	4	60-130/30
56-23-5	Carbon tetrachloride	20	19.7	99	19.8	99	1	60-130/30
75-34-3	1,1-Dichloroethane	20	21.3	107	21.0	105	1	60-130/30
75-35-4	1,1-Dichloroethylene	20	20.8	104	21.1	106	1	60-130/30
563-58-6	1,1-Dichloropropene	20	20.6	103	20.6	103	0	60-130/30
96-12-8	1,2-Dibromo-3-chloropropane	20	19.3	97	18.6	93	4	60-130/30
106-93-4	1,2-Dibromoethane	20	20.6	103	19.8	99	4	60-130/30
107-06-2	1,2-Dichloroethane	20	20.5	103	19.6	98	4	60-130/30
78-87-5	1,2-Dichloropropane	20	21.0	105	20.4	102	3	60-130/30
142-28-9	1,3-Dichloropropane	20	21.5	108	20.6	103	4	60-130/30
108-20-3	Di-Isopropyl ether	20	20.8	104	20.4	102	2	60-130/30
594-20-7	2,2-Dichloropropane	20	20.1	101	20.3	102	1	60-130/30
124-48-1	Dibromochloromethane	20	20.8	104	19.9	100	4	60-130/30
75-71-8	Dichlorodifluoromethane	20	23.4	117	23.4	117	0	60-130/30
156-59-2	cis-1,2-Dichloroethylene	20	20.2	101	19.7	99	3	60-130/30
10061-01-5	cis-1,3-Dichloropropene	20	22.2	111	21.2	106	5	60-130/30
541-73-1	m-Dichlorobenzene	20	19.1	96	18.5	93	3	60-130/30
95-50-1	o-Dichlorobenzene	20	18.9	95	18.3	92	3	60-130/30
106-46-7	p-Dichlorobenzene	20	19.3	97	18.7	94	3	60-130/30
156-60-5	trans-1,2-Dichloroethylene	20	20.6	103	20.4	102	1	60-130/30
10061-02-6	trans-1,3-Dichloropropene	20	18.9	95	18.1	91	4	60-130/30
100-41-4	Ethylbenzene	20	20.6	103	20.2	101	2	60-130/30
637-92-3	Ethyl Tert Butyl Ether	20	20.0	100	19.5	98	3	60-130/30

# Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-BS	R6746.D	1	12/22/11	BD	n/a	n/a	VR237
VR237-BSD	R6747.D	1	12/22/11	BD	n/a	n/a	VR237

4.2.1

4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	90.3	113	86.5	108	4	60-130/30
87-68-3	Hexachlorobutadiene	20	16.2	81	16.9	85	4	60-130/30
98-82-8	Isopropylbenzene	20	20.3	102	20.0	100	1	60-130/30
99-87-6	p-Isopropyltoluene	20	19.1	96	19.0	95	1	60-130/30
108-10-1	4-Methyl-2-pentanone	80	84.5	106	81.4	102	4	60-130/30
74-83-9	Methyl bromide	20	21.1	106	20.8	104	1	60-130/30
74-87-3	Methyl chloride	20	19.3	97	19.0	95	2	60-130/30
74-95-3	Methylene bromide	20	21.6	108	20.6	103	5	60-130/30
75-09-2	Methylene chloride	20	20.6	103	20.1	101	2	60-130/30
78-93-3	Methyl ethyl ketone	80	84.7	106	81.1	101	4	60-130/30
1634-04-4	Methyl Tert Butyl Ether	20	21.1	106	20.5	103	3	60-130/30
91-20-3	Naphthalene	20	18.8	94	18.5	93	2	60-130/30
103-65-1	n-Propylbenzene	20	19.6	98	19.2	96	2	60-130/30
100-42-5	Styrene	20	21.1	106	20.5	103	3	60-130/30
994-05-8	Tert-Amyl Methyl Ether	20	19.7	99	19.3	97	2	60-130/30
75-65-0	Tert-Butyl Alcohol	100	103	103	99.6	100	3	60-130/30
630-20-6	1,1,1,2-Tetrachloroethane	20	19.8	99	19.0	95	4	60-130/30
71-55-6	1,1,1-Trichloroethane	20	19.9	100	20.2	101	1	60-130/30
79-34-5	1,1,2,2-Tetrachloroethane	20	20.4	102	19.5	98	5	60-130/30
79-00-5	1,1,2-Trichloroethane	20	21.6	108	20.6	103	5	60-130/30
87-61-6	1,2,3-Trichlorobenzene	20	17.7	89	17.7	89	0	60-130/30
96-18-4	1,2,3-Trichloropropane	20	19.9	100	19.1	96	4	60-130/30
120-82-1	1,2,4-Trichlorobenzene	20	17.6	88	17.4	87	1	60-130/30
95-63-6	1,2,4-Trimethylbenzene	20	19.9	100	19.5	98	2	60-130/30
108-67-8	1,3,5-Trimethylbenzene	20	19.5	98	19.2	96	2	60-130/30
127-18-4	Tetrachloroethylene	20	17.8	89	18.6	93	4	60-130/30
108-88-3	Toluene	20	20.8	104	20.2	101	3	60-130/30
79-01-6	Trichloroethylene	20	20.0	100	19.4	97	3	60-130/30
75-69-4	Trichlorofluoromethane	20	20.6	103	20.8	104	1	60-130/30
75-01-4	Vinyl chloride	20	21.5	108	21.7	109	1	60-130/30
1330-20-7	Xylene (total)	60	58.8	98	57.2	95	3	60-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	104%	105%	60-130%

## Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-BS	R6746.D	1	12/22/11	BD	n/a	n/a	VR237
VR237-BSD	R6747.D	1	12/22/11	BD	n/a	n/a	VR237

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	106%	106%	60-130%
460-00-4	4-Bromofluorobenzene	108%	107%	60-130%

4.2.1

4

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

4.2.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	88.4	111	88.2	110	0	60-130/30
71-43-2	Benzene	20	21.6	108	21.9	110	1	60-130/30
108-86-1	Bromobenzene	20	19.3	97	19.6	98	2	60-130/30
74-97-5	Bromochloromethane	20	22.0	110	21.9	110	0	60-130/30
75-27-4	Bromodichloromethane	20	22.4	112	22.8	114	2	60-130/30
75-25-2	Bromoform	20	20.7	104	20.8	104	0	60-130/30
104-51-8	n-Butylbenzene	20	20.9	105	21.3	107	2	60-130/30
135-98-8	sec-Butylbenzene	20	20.7	104	21.0	105	1	60-130/30
98-06-6	tert-Butylbenzene	20	20.2	101	20.7	104	2	60-130/30
108-90-7	Chlorobenzene	20	20.5	103	20.7	104	1	60-130/30
75-00-3	Chloroethane	20	21.9	110	22.7	114	4	60-130/30
67-66-3	Chloroform	20	22.0	110	22.1	111	0	60-130/30
95-49-8	o-Chlorotoluene	20	19.9	100	20.6	103	3	60-130/30
106-43-4	p-Chlorotoluene	20	21.5	108	21.2	106	1	60-130/30
56-23-5	Carbon tetrachloride	20	21.2	106	21.3	107	0	60-130/30
75-34-3	1,1-Dichloroethane	20	22.5	113	22.6	113	0	60-130/30
75-35-4	1,1-Dichloroethylene	20	22.8	114	22.7	114	0	60-130/30
563-58-6	1,1-Dichloropropene	20	21.9	110	22.3	112	2	60-130/30
96-12-8	1,2-Dibromo-3-chloropropane	20	19.9	100	20.7	104	4	60-130/30
106-93-4	1,2-Dibromoethane	20	21.2	106	21.6	108	2	60-130/30
107-06-2	1,2-Dichloroethane	20	21.1	106	21.5	108	2	60-130/30
78-87-5	1,2-Dichloropropane	20	21.8	109	22.2	111	2	60-130/30
142-28-9	1,3-Dichloropropane	20	22.0	110	22.3	112	1	60-130/30
108-20-3	Di-Isopropyl ether	20	21.8	109	21.9	110	0	60-130/30
594-20-7	2,2-Dichloropropane	20	21.9	110	21.6	108	1	60-130/30
124-48-1	Dibromochloromethane	20	21.4	107	21.6	108	1	60-130/30
75-71-8	Dichlorodifluoromethane	20	24.3	122	24.9	125	2	60-130/30
156-59-2	cis-1,2-Dichloroethylene	20	21.4	107	21.4	107	0	60-130/30
10061-01-5	cis-1,3-Dichloropropene	20	23.0	115	23.4	117	2	60-130/30
541-73-1	m-Dichlorobenzene	20	20.0	100	20.3	102	1	60-130/30
95-50-1	o-Dichlorobenzene	20	19.8	99	20.0	100	1	60-130/30
106-46-7	p-Dichlorobenzene	20	20.1	101	20.4	102	1	60-130/30
156-60-5	trans-1,2-Dichloroethylene	20	22.1	111	22.1	111	0	60-130/30
10061-02-6	trans-1,3-Dichloropropene	20	19.2	96	19.5	98	2	60-130/30
100-41-4	Ethylbenzene	20	21.4	107	21.8	109	2	60-130/30
637-92-3	Ethyl Tert Butyl Ether	20	21.0	105	21.0	105	0	60-130/30

# Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

4.2.2  
4

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	93.3	117	94.9	119	2	60-130/30
87-68-3	Hexachlorobutadiene	20	17.3	87	18.3	92	6	60-130/30
98-82-8	Isopropylbenzene	20	21.3	107	21.6	108	1	60-130/30
99-87-6	p-Isopropyltoluene	20	20.4	102	20.7	104	1	60-130/30
108-10-1	4-Methyl-2-pentanone	80	87.1	109	88.8	111	2	60-130/30
74-83-9	Methyl bromide	20	21.6	108	22.2	111	3	60-130/30
74-87-3	Methyl chloride	20	19.7	99	20.0	100	2	60-130/30
74-95-3	Methylene bromide	20	22.6	113	22.8	114	1	60-130/30
75-09-2	Methylene chloride	20	21.7	109	21.8	109	0	60-130/30
78-93-3	Methyl ethyl ketone	80	88.8	111	90.2	113	2	60-130/30
1634-04-4	Methyl Tert Butyl Ether	20	22.2	111	22.2	111	0	60-130/30
91-20-3	Naphthalene	20	19.7	99	20.7	104	5	60-130/30
103-65-1	n-Propylbenzene	20	20.6	103	20.9	105	1	60-130/30
100-42-5	Styrene	20	21.8	109	22.1	111	1	60-130/30
994-05-8	Tert-Amyl Methyl Ether	20	20.8	104	20.7	104	0	60-130/30
75-65-0	Tert-Butyl Alcohol	100	112	112	115	115	3	60-130/30
630-20-6	1,1,1,2-Tetrachloroethane	20	20.5	103	20.7	104	1	60-130/30
71-55-6	1,1,1-Trichloroethane	20	21.7	109	21.3	107	2	60-130/30
79-34-5	1,1,2,2-Tetrachloroethane	20	21.3	107	21.5	108	1	60-130/30
79-00-5	1,1,2-Trichloroethane	20	22.1	111	22.3	112	1	60-130/30
87-61-6	1,2,3-Trichlorobenzene	20	18.8	94	19.7	99	5	60-130/30
96-18-4	1,2,3-Trichloropropane	20	20.6	103	20.9	105	1	60-130/30
120-82-1	1,2,4-Trichlorobenzene	20	18.4	92	19.1	96	4	60-130/30
95-63-6	1,2,4-Trimethylbenzene	20	21.0	105	21.2	106	1	60-130/30
108-67-8	1,3,5-Trimethylbenzene	20	20.7	104	20.9	105	1	60-130/30
127-18-4	Tetrachloroethylene	20	18.4	92	19.0	95	3	60-130/30
108-88-3	Toluene	20	21.5	108	21.8	109	1	60-130/30
79-01-6	Trichloroethylene	20	20.8	104	21.3	107	2	60-130/30
75-69-4	Trichlorofluoromethane	20	21.2	106	22.2	111	5	60-130/30
75-01-4	Vinyl chloride	20	22.3	112	23.0	115	3	60-130/30
1330-20-7	Xylene (total)	60	61.3	102	62.0	103	1	60-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	105%	104%	60-130%

## Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	105%	105%	60-130%
460-00-4	4-Bromofluorobenzene	106%	105%	60-130%

4.2.2  
4

# Laboratory Control Sample Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR237-LCS	R6748.D	1	12/22/11	BD	n/a	n/a	VR237

4.3.1  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	115	92	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	99%	60-130%
2037-26-5	Toluene-D8	107%	60-130%
460-00-4	4-Bromofluorobenzene	106%	60-130%

# Laboratory Control Sample Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-LCS	R6776.D	1	12/23/11	BD	n/a	n/a	VR238

4.3.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	98.5	79	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	101%	60-130%
2037-26-5	Toluene-D8	106%	60-130%
460-00-4	4-Bromofluorobenzene	105%	60-130%

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19415-1MS	R6767.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1MSD	R6768.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1	R6754.D	1	12/22/11	BD	n/a	n/a	VR237

4.4.1  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	C19415-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND	80	81.3	102	86.2	108	6	60-130/25	
71-43-2	Benzene	ND	20	22.3	112	22.1	111	1	60-130/25	
108-86-1	Bromobenzene	ND	20	19.8	99	19.9	100	1	60-130/25	
74-97-5	Bromochloromethane	ND	20	22.2	111	22.2	111	0	60-130/25	
75-27-4	Bromodichloromethane	ND	20	22.3	112	22.3	112	0	60-130/25	
75-25-2	Bromoform	ND	20	18.1	91	18.3	92	1	60-130/25	
104-51-8	n-Butylbenzene	ND	20	21.6	108	21.3	107	1	60-130/25	
135-98-8	sec-Butylbenzene	ND	20	21.7	109	21.3	107	2	60-130/25	
98-06-6	tert-Butylbenzene	ND	20	21.0	105	20.6	103	2	60-130/25	
108-90-7	Chlorobenzene	ND	20	21.1	106	21.0	105	0	60-130/25	
75-00-3	Chloroethane	ND	20	23.6	118	23.0	115	3	60-130/25	
67-66-3	Chloroform	ND	20	22.5	113	22.3	112	1	60-130/25	
95-49-8	o-Chlorotoluene	ND	20	21.3	107	21.0	105	1	60-130/25	
106-43-4	p-Chlorotoluene	ND	20	21.3	107	21.1	106	1	60-130/25	
56-23-5	Carbon tetrachloride	ND	20	21.6	108	21.0	105	3	60-130/25	
75-34-3	1,1-Dichloroethane	ND	20	23.0	115	22.7	114	1	60-130/25	
75-35-4	1,1-Dichloroethylene	ND	20	22.9	115	22.1	111	4	60-130/25	
563-58-6	1,1-Dichloropropene	ND	20	22.6	113	22.2	111	2	60-130/25	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	19.4	97	20.0	100	3	60-130/25	
106-93-4	1,2-Dibromoethane	ND	20	21.3	107	21.7	109	2	60-130/25	
107-06-2	1,2-Dichloroethane	ND	20	21.2	106	21.6	108	2	60-130/25	
78-87-5	1,2-Dichloropropane	ND	20	22.5	113	22.7	114	1	60-130/25	
142-28-9	1,3-Dichloropropane	ND	20	22.3	112	22.4	112	0	60-130/25	
108-20-3	Di-Isopropyl ether	ND	20	22.3	112	22.4	112	0	60-130/25	
594-20-7	2,2-Dichloropropane	ND	20	20.8	104	20.2	101	3	60-130/25	
124-48-1	Dibromochloromethane	ND	20	20.3	102	20.2	101	0	60-130/25	
75-71-8	Dichlorodifluoromethane	ND	20	20.9	105	20.0	100	4	60-130/25	
156-59-2	cis-1,2-Dichloroethylene	ND	20	21.8	109	21.8	109	0	60-130/25	
10061-01-5	cis-1,3-Dichloropropene	ND	20	21.6	108	22.1	111	2	60-130/25	
541-73-1	m-Dichlorobenzene	ND	20	20.5	103	20.5	103	0	60-130/25	
95-50-1	o-Dichlorobenzene	ND	20	20.2	101	20.1	101	0	60-130/25	
106-46-7	p-Dichlorobenzene	ND	20	20.7	104	20.5	103	1	60-130/25	
156-60-5	trans-1,2-Dichloroethylene	ND	20	22.4	112	21.9	110	2	60-130/25	
10061-02-6	trans-1,3-Dichloropropene	ND	20	17.5	88	18.1	91	3	60-130/25	
100-41-4	Ethylbenzene	ND	20	22.2	111	21.9	110	1	60-130/25	
637-92-3	Ethyl Tert Butyl Ether	ND	20	21.4	107	21.5	108	0	60-130/25	

# Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19415-1MS	R6767.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1MSD	R6768.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1	R6754.D	1	12/22/11	BD	n/a	n/a	VR237

4.4.1  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Compound	C19415-1 ug/l	Spike Q	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	ND	80	90.4	113	92.6	116	2	60-130/25
87-68-3	Hexachlorobutadiene	ND	20	17.7	89	18.3	92	3	60-130/25
98-82-8	Isopropylbenzene	ND	20	22.2	111	21.8	109	2	60-130/25
99-87-6	p-Isopropyltoluene	ND	20	20.8	104	20.5	103	1	60-130/25
108-10-1	4-Methyl-2-pentanone	ND	80	85.4	107	87.2	109	2	60-130/25
74-83-9	Methyl bromide	ND	20	22.3	112	22.4	112	0	60-130/25
74-87-3	Methyl chloride	ND	20	19.6	98	19.1	96	3	60-130/25
74-95-3	Methylene bromide	ND	20	22.5	113	22.8	114	1	60-130/25
75-09-2	Methylene chloride	ND	20	22.0	110	21.9	110	0	60-130/25
78-93-3	Methyl ethyl ketone	ND	80	84.0	105	86.4	108	3	60-130/25
1634-04-4	Methyl Tert Butyl Ether	ND	20	22.2	111	22.5	113	1	60-130/25
91-20-3	Naphthalene	ND	20	19.3	97	20.3	102	5	60-130/25
103-65-1	n-Propylbenzene	ND	20	21.4	107	21.0	105	2	60-130/25
100-42-5	Styrene	ND	20	17.7	89	17.4	87	2	60-130/25
994-05-8	Tert-Amyl Methyl Ether	ND	20	21.1	106	21.2	106	0	60-130/25
75-65-0	Tert-Butyl Alcohol	ND	100	110	110	116	116	5	60-130/25
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	21.1	106	20.8	104	1	60-130/25
71-55-6	1,1,1-Trichloroethane	ND	20	22.2	111	21.7	109	2	60-130/25
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	21.1	106	21.4	107	1	60-130/25
79-00-5	1,1,2-Trichloroethane	ND	20	22.3	112	22.7	114	2	60-130/25
87-61-6	1,2,3-Trichlorobenzene	ND	20	18.1	91	19.4	97	7	60-130/25
96-18-4	1,2,3-Trichloropropane	ND	20	18.5	93	19.3	97	4	60-130/25
120-82-1	1,2,4-Trichlorobenzene	ND	20	18.2	91	18.9	95	4	60-130/25
95-63-6	1,2,4-Trimethylbenzene	ND	20	19.0	95	18.4	92	3	60-130/25
108-67-8	1,3,5-Trimethylbenzene	ND	20	20.6	103	20.2	101	2	60-130/25
127-18-4	Tetrachloroethylene	ND	20	19.0	95	18.7	94	2	60-130/25
108-88-3	Toluene	ND	20	22.4	112	22.0	110	2	60-130/25
79-01-6	Trichloroethylene	ND	20	21.8	109	21.7	109	0	60-130/25
75-69-4	Trichlorofluoromethane	ND	20	23.3	117	22.3	112	4	60-130/25
75-01-4	Vinyl chloride	ND	20	23.3	117	22.5	113	3	60-130/25
1330-20-7	Xylene (total)	ND	60	62.7	105	61.6	103	2	60-130/25

CAS No.	Surrogate Recoveries	MS	MSD	C19415-1	Limits
1868-53-7	Dibromofluoromethane	104%	104%	102%	60-130%

## Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19415-1MS	R6767.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1MSD	R6768.D	1	12/22/11	BD	n/a	n/a	VR237
C19415-1	R6754.D	1	12/22/11	BD	n/a	n/a	VR237

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-1, C19437-2, C19437-4, C19437-6, C19437-7

CAS No.	Surrogate Recoveries	MS	MSD	C19415-1	Limits
2037-26-5	Toluene-D8	105%	104%	105%	60-130%
460-00-4	4-Bromofluorobenzene	106%	106%	105%	60-130%

4.4.1  
4

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

4.4.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	C19472-1 ug/l	Spike Q	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND	80	85.2	107	84.6	106	1	60-130/25
71-43-2	Benzene	ND	20	23.1	116	22.5	113	3	60-130/25
108-86-1	Bromobenzene	ND	20	20.7	104	20.1	101	3	60-130/25
74-97-5	Bromochloromethane	ND	20	22.9	115	22.6	113	1	60-130/25
75-27-4	Bromodichloromethane	ND	20	23.3	117	22.8	114	2	60-130/25
75-25-2	Bromoform	ND	20	19.6	98	19.3	97	2	60-130/25
104-51-8	n-Butylbenzene	ND	20	22.2	111	21.4	107	4	60-130/25
135-98-8	sec-Butylbenzene	ND	20	22.4	112	21.6	108	4	60-130/25
98-06-6	tert-Butylbenzene	ND	20	22.0	110	21.1	106	4	60-130/25
108-90-7	Chlorobenzene	ND	20	22.2	111	21.5	108	3	60-130/25
75-00-3	Chloroethane	ND	20	23.9	120	23.2	116	3	60-130/25
67-66-3	Chloroform	ND	20	23.4	117	22.6	113	3	60-130/25
95-49-8	o-Chlorotoluene	ND	20	21.8	109	21.1	106	3	60-130/25
106-43-4	p-Chlorotoluene	ND	20	22.1	111	21.5	108	3	60-130/25
56-23-5	Carbon tetrachloride	ND	20	22.3	112	21.4	107	4	60-130/25
75-34-3	1,1-Dichloroethane	ND	20	23.8	119	23.2	116	3	60-130/25
75-35-4	1,1-Dichloroethylene	ND	20	23.2	116	22.4	112	4	60-130/25
563-58-6	1,1-Dichloropropene	ND	20	23.3	117	22.5	113	3	60-130/25
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	19.9	100	20.0	100	1	60-130/25
106-93-4	1,2-Dibromoethane	ND	20	22.3	112	22.1	111	1	60-130/25
107-06-2	1,2-Dichloroethane	0.41	J 20	22.7	111	22.2	109	2	60-130/25
78-87-5	1,2-Dichloropropane	ND	20	23.2	116	22.9	115	1	60-130/25
142-28-9	1,3-Dichloropropane	ND	20	23.2	116	22.8	114	2	60-130/25
108-20-3	Di-Isopropyl ether	ND	20	22.9	115	22.5	113	2	60-130/25
594-20-7	2,2-Dichloropropane	ND	20	21.3	107	20.5	103	4	60-130/25
124-48-1	Dibromochloromethane	ND	20	21.3	107	20.8	104	2	60-130/25
75-71-8	Dichlorodifluoromethane	ND	20	17.7	89	16.6	83	6	60-130/25
156-59-2	cis-1,2-Dichloroethylene	ND	20	22.6	113	22.0	110	3	60-130/25
10061-01-5	cis-1,3-Dichloropropene	ND	20	23.2	116	22.7	114	2	60-130/25
541-73-1	m-Dichlorobenzene	ND	20	21.3	107	20.8	104	2	60-130/25
95-50-1	o-Dichlorobenzene	ND	20	21.0	105	20.7	104	1	60-130/25
106-46-7	p-Dichlorobenzene	ND	20	21.4	107	21.0	105	2	60-130/25
156-60-5	trans-1,2-Dichloroethylene	ND	20	23.3	117	22.4	112	4	60-130/25
10061-02-6	trans-1,3-Dichloropropene	ND	20	19.3	97	18.8	94	3	60-130/25
100-41-4	Ethylbenzene	ND	20	23.1	116	22.4	112	3	60-130/25
637-92-3	Ethyl Tert Butyl Ether	ND	20	21.9	110	21.7	109	1	60-130/25

# Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

4.4.2  
4

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Compound	C19472-1 ug/l	Spike Q	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	ND	80	93.6	117	93.4	117	0	60-130/25
87-68-3	Hexachlorobutadiene	ND	20	18.4	92	18.4	92	0	60-130/25
98-82-8	Isopropylbenzene	ND	20	23.1	116	22.3	112	4	60-130/25
99-87-6	p-Isopropyltoluene	ND	20	21.5	108	20.8	104	3	60-130/25
108-10-1	4-Methyl-2-pentanone	ND	80	87.7	110	88.0	110	0	60-130/25
74-83-9	Methyl bromide	ND	20	23.1	116	22.6	113	2	60-130/25
74-87-3	Methyl chloride	ND	20	18.8	94	18.3	92	3	60-130/25
74-95-3	Methylene bromide	ND	20	23.4	117	23.4	117	0	60-130/25
75-09-2	Methylene chloride	ND	20	22.7	114	22.5	113	1	60-130/25
78-93-3	Methyl ethyl ketone	ND	80	87.7	110	87.3	109	0	60-130/25
1634-04-4	Methyl Tert Butyl Ether	1.2	20	23.9	114	23.8	113	0	60-130/25
91-20-3	Naphthalene	ND	20	20.3	102	20.6	103	1	60-130/25
103-65-1	n-Propylbenzene	ND	20	22.1	111	21.2	106	4	60-130/25
100-42-5	Styrene	ND	20	19.0	95	18.3	92	4	60-130/25
994-05-8	Tert-Amyl Methyl Ether	ND	20	21.7	109	21.4	107	1	60-130/25
75-65-0	Tert-Butyl Alcohol	ND	100	112	112	114	114	2	60-130/25
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	21.9	110	21.5	108	2	60-130/25
71-55-6	1,1,1-Trichloroethane	ND	20	23.0	115	22.3	112	3	60-130/25
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	21.9	110	21.8	109	0	60-130/25
79-00-5	1,1,2-Trichloroethane	ND	20	23.2	116	22.9	115	1	60-130/25
87-61-6	1,2,3-Trichlorobenzene	ND	20	18.9	95	19.7	99	4	60-130/25
96-18-4	1,2,3-Trichloropropane	ND	20	19.9	100	19.6	98	2	60-130/25
120-82-1	1,2,4-Trichlorobenzene	ND	20	18.9	95	19.3	97	2	60-130/25
95-63-6	1,2,4-Trimethylbenzene	ND	20	20.4	102	19.7	99	3	60-130/25
108-67-8	1,3,5-Trimethylbenzene	ND	20	20.5	103	19.7	99	4	60-130/25
127-18-4	Tetrachloroethylene	ND	20	20.2	101	19.2	96	5	60-130/25
108-88-3	Toluene	ND	20	23.1	116	22.3	112	4	60-130/25
79-01-6	Trichloroethylene	ND	20	22.8	114	22.1	111	3	60-130/25
75-69-4	Trichlorofluoromethane	ND	20	22.9	115	22.0	110	4	60-130/25
75-01-4	Vinyl chloride	ND	20	22.6	113	21.9	110	3	60-130/25
1330-20-7	Xylene (total)	ND	60	64.5	108	62.1	104	4	60-130/25

CAS No.	Surrogate Recoveries	MS	MSD	C19472-1	Limits
1868-53-7	Dibromofluoromethane	104%	104%	101%	60-130%

## Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19437-3, C19437-5

CAS No.	Surrogate Recoveries	MS	MSD	C19472-1	Limits
2037-26-5	Toluene-D8	104%	104%	105%	60-130%
460-00-4	4-Bromofluorobenzene	107%	107%	105%	60-130%

4.4.2  
4



### GC Semi-volatiles

5

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

## Method Blank Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5073-MB	HH19518.D	1	12/16/11	JH	12/15/11	OP5073	GHH627

5.1.1  
5

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19437-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	93%      45-140%

## Method Blank Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5078-MB	HH19515.D	1	12/16/11	JH	12/16/11	OP5078	GHH627

5.1.2  
5

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19437-2, C19437-3, C19437-4, C19437-5, C19437-6, C19437-1A

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	90%      45-140%

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5073-BS	HH19519.D	1	12/16/11	JH	12/15/11	OP5073	GHH627
OP5073-BSD	HH19520.D	1	12/16/11	JH	12/15/11	OP5073	GHH627

5.2.1  
**5**

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19437-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	1	0.897	90	0.888	89	1	45-140/30
	TPH (Motor Oil)	1	0.755	76	0.787	79	4	45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	87%	89%	45-140%

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5078-BS	HH19516.D	1	12/16/11	JH	12/16/11	OP5078	GHH627
OP5078-BSD	HH19517.D	1	12/16/11	JH	12/16/11	OP5078	GHH627

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19437-2, C19437-3, C19437-4, C19437-5, C19437-6, C19437-1A

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	1	0.994	99	0.983	98	1	45-140/30
	TPH (Motor Oil)	1	0.847	85	0.833	83	2	45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	95%	92%	45-140%

5.2.2  
**5**

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5073-MS	HH19666.D	1	12/19/11	JH	12/15/11	OP5073	GHH630
OP5073-MSD	HH19667.D	1	12/19/11	JH	12/15/11	OP5073	GHH630
C19374-4	HH19525.D	1	12/16/11	JH	12/15/11	OP5073	GHH627

5.3.1  
5

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19437-1

CAS No.	Compound	C19374-4		Spike mg/l	MS mg/l	MS %	MSD mg/l	MSD %	RPD	Limits Rec/RPD
		mg/l	Q							
	TPH (Diesel)	0.0596	J	1.89	1.78	91	1.64	84	8	45-140/25
	TPH (Motor Oil)	ND		1.89	1.49	79	1.50	80	1	45-140/25
CAS No.		Surrogate Recoveries		MS	MSD	C19374-4		Limits		
630-01-3	Hexacosane			88%	84%		86%	45-140%		

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19437

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5078-MS	HH19700.D	1	12/20/11	JH	12/16/11	OP5078	GHH630
OP5078-MSD	HH19701.D	1	12/20/11	JH	12/16/11	OP5078	GHH630
C19437-2	HH19533.D	1	12/17/11	JH	12/16/11	OP5078	GHH627

5.3.2  
5

The QC reported here applies to the following samples:


Method: SW846 8015B M

C19437-2, C19437-3, C19437-4, C19437-5, C19437-6, C19437-1A

CAS No.	Compound	C19437-2		Spike mg/l	MS mg/l	MS %	MSD mg/l	MSD %	RPD	Limits Rec/RPD
		mg/l	Q							
	TPH (Diesel)	0.508		1.92	2.01	78	2.03	79	1	45-140/25
	TPH (Motor Oil)	ND		1.92	1.63	85	1.60	83	2	45-140/25
CAS No.		Surrogate Recoveries		MS	MSD	C19437-2		Limits		
630-01-3	Hexacosane			90%	88%			45-140%		



01/03/12



## Technical Report for

### The Source Group

T0600101592-9201 San Leandro Street, Oakland CA

**04-PFT-003**

Accutest Job Number: C19472

**Sampling Dates: 12/15/11 - 12/16/11**

### Report to:

**The Source Group  
3451C Vincent Road  
Pleasant Hill, CA 94523  
pparmentier@thesourcegroup.net; sdaro@thesourcegroup.net  
ATTN: Paul Parmentier**

**Total number of pages in report: 141**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read "Kesavalu M. Bagawandoss".

**Kesavalu M. Bagawandoss,  
Ph.D., J.D., Lab Director**

**Client Service contact: Nutan Kabir 408-588-0200**

Certifications: CA (08258CA) AZ (AZ0762) DoD/ISO/IEC 17025:2005 (L2242)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>6</b>
<b>2.1: C19472-1: E-2 .....</b>	7
<b>2.2: C19472-1A: E-2 .....</b>	11
<b>2.3: C19472-2: E-10 .....</b>	12
<b>2.4: C19472-3: AS-1D .....</b>	16
<b>2.5: C19472-4: MW-2 .....</b>	20
<b>2.6: C19472-4A: MW-2 .....</b>	24
<b>2.7: C19472-5: AS-1S .....</b>	25
<b>2.8: C19472-6: MW-5 .....</b>	29
<b>2.9: C19472-6A: MW-5 .....</b>	33
<b>2.10: C19472-7: MW-3 .....</b>	34
<b>2.11: C19472-7A: MW-3 .....</b>	38
<b>2.12: C19472-8: MW-7 .....</b>	39
<b>2.13: C19472-9: MW-3-DUP .....</b>	43
<b>2.14: C19472-9A: MW-3-DUP .....</b>	47
<b>2.15: C19472-10: MW-7-DUP .....</b>	48
<b>2.16: C19472-11: E-1 .....</b>	52
<b>2.17: C19472-12: E-5 .....</b>	56
<b>2.18: C19472-13: E-3 .....</b>	60
<b>2.19: C19472-14: E-11 .....</b>	64
<b>2.20: C19472-15: MW-6 .....</b>	68
<b>2.21: C19472-15A: MW-6 .....</b>	72
<b>2.22: C19472-16: E-12 .....</b>	73
<b>2.23: C19472-17: MW-4 .....</b>	77
<b>2.24: C19472-18: MW-8 .....</b>	81
<b>2.25: C19472-19: TRIP BLANK .....</b>	85
<b>2.26: C19472-20: E-4 .....</b>	88
<b>2.27: C19472-21: MW-1 .....</b>	92
<b>Section 3: Misc. Forms .....</b>	<b>96</b>
<b>3.1: Chain of Custody .....</b>	97
<b>Section 4: GC/MS Volatiles - QC Data Summaries .....</b>	<b>100</b>
<b>4.1: Method Blank Summary .....</b>	101
<b>4.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	110
<b>4.3: Laboratory Control Sample Summary .....</b>	119
<b>4.4: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	122
<b>Section 5: GC Semi-volatiles - QC Data Summaries .....</b>	<b>131</b>
<b>5.1: Method Blank Summary .....</b>	132
<b>5.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	135
<b>5.3: Matrix Spike/Matrix Spike Duplicate Summary .....</b>	138



## Sample Summary

The Source Group

Job No: C19472

T0600101592-9201 San Leandro Street, Oakland CA  
Project No: 04-PFT-003

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
C19472-1	12/15/11	15:24 HNGT	12/16/11 AQ	Ground Water	E-2
C19472-1A	12/15/11	15:24 HNGT	12/16/11 AQ	Ground Water	E-2
C19472-2	12/15/11	15:35 HNGT	12/16/11 AQ	Ground Water	E-10
C19472-3	12/15/11	16:20 HNGT	12/16/11 AQ	Ground Water	AS-1D
C19472-4	12/15/11	16:30 HNGT	12/16/11 AQ	Ground Water	MW-2
C19472-4A	12/15/11	16:30 HNGT	12/16/11 AQ	Ground Water	MW-2
C19472-5	12/15/11	16:50 HNGT	12/16/11 AQ	Ground Water	AS-1S
C19472-6	12/16/11	08:47 HNGT	12/16/11 AQ	Ground Water	MW-5
C19472-6A	12/16/11	08:47 HNGT	12/16/11 AQ	Ground Water	MW-5
C19472-7	12/16/11	09:45 HNGT	12/16/11 AQ	Ground Water	MW-3
C19472-7A	12/16/11	09:45 HNGT	12/16/11 AQ	Ground Water	MW-3
C19472-8	12/16/11	09:46 HNGT	12/16/11 AQ	Ground Water	MW-7
C19472-9	12/16/11	09:50 HNGT	12/16/11 AQ	Ground Water	MW-3-DUP

## Sample Summary

(continued)

The Source Group

Job No: C19472

T0600101592-9201 San Leandro Street, Oakland CA  
Project No: 04-PFT-003

Sample Number	Collected Date	Time By	Matrix Received	Client Code Type	Sample ID
C19472-9A	12/16/11	09:50 HNGT	12/16/11 AQ	Ground Water	MW-3-DUP
C19472-10	12/16/11	09:50 HNGT	12/16/11 AQ	Ground Water	MW-7-DUP
C19472-11	12/16/11	10:40 HNGT	12/16/11 AQ	Ground Water	E-1
C19472-12	12/16/11	10:50 HNGT	12/16/11 AQ	Ground Water	E-5
C19472-13	12/16/11	11:25 HNGT	12/16/11 AQ	Ground Water	E-3
C19472-14	12/16/11	11:25 HNGT	12/16/11 AQ	Ground Water	E-11
C19472-15	12/16/11	12:00 HNGT	12/16/11 AQ	Ground Water	MW-6
C19472-15A	12/16/11	12:00 HNGT	12/16/11 AQ	Ground Water	MW-6
C19472-16	12/16/11	12:15 HNGT	12/16/11 AQ	Ground Water	E-12
C19472-17	12/16/11	15:40 HNGT	12/16/11 AQ	Ground Water	MW-4
C19472-18	12/16/11	16:33 HNGT	12/16/11 AQ	Ground Water	MW-8
C19472-19	12/16/11	16:35 HNGT	12/16/11 AQ	Trip Blank Water	TRIP BLANK
C19472-20	12/16/11	13:33 HNGT	12/16/11 AQ	Ground Water	E-4



## Sample Summary

(continued)

The Source Group

Job No: C19472

T0600101592-9201 San Leandro Street, Oakland CA  
Project No: 04-PFT-003

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
C19472-21	12/16/11	14:35 HNGT	12/16/11	AQ	Ground Water MW-1



## Sample Results

---

### Report of Analysis

---

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-1	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	0.41	1.0	0.30	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-1	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	1.2	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-1	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	105%		60-130%
460-00-4	4-Bromofluorobenzene	105%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-1	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30742.D	1	12/21/11	JH	12/19/11	OP5086	GGG823
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.095	0.048	mg/l	
	TPH (Motor Oil)	1.57	0.19	0.095	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	75%		45-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-1A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30739.D	1	12/20/11	JH	12/19/11	OP5089	GGG823
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.096	0.048	mg/l	
	TPH (Motor Oil)	1.27	0.19	0.096	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	74%		45-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-10	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-2	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6790.D	100	12/23/11	BD	n/a	n/a	VR238
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	2000	1000	ug/l	
71-43-2	Benzene	4350	100	30	ug/l	
108-86-1	Bromobenzene	ND	100	30	ug/l	
74-97-5	Bromo(chloromethane)	ND	100	50	ug/l	
75-27-4	Bromodichloromethane	ND	100	30	ug/l	
75-25-2	Bromoform	ND	100	50	ug/l	
104-51-8	n-Butylbenzene	ND	500	50	ug/l	
135-98-8	sec-Butylbenzene	ND	500	50	ug/l	
98-06-6	tert-Butylbenzene	ND	500	50	ug/l	
108-90-7	Chlorobenzene	ND	100	30	ug/l	
75-00-3	Chloroethane	ND	100	30	ug/l	
67-66-3	Chloroform	ND	100	30	ug/l	
95-49-8	o-Chlorotoluene	ND	500	50	ug/l	
106-43-4	p-Chlorotoluene	ND	500	50	ug/l	
56-23-5	Carbon tetrachloride	ND	100	20	ug/l	
75-34-3	1,1-Dichloroethane	ND	100	30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	100	20	ug/l	
563-58-6	1,1-Dichloropropene	ND	100	30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	1000	500	ug/l	
106-93-4	1,2-Dibromoethane	ND	100	20	ug/l	
107-06-2	1,2-Dichloroethane	37.0	100	30	ug/l	J
78-87-5	1,2-Dichloropropane	ND	100	30	ug/l	
142-28-9	1,3-Dichloropropane	ND	100	30	ug/l	
108-20-3	Di-Isopropyl ether	ND	500	50	ug/l	
594-20-7	2,2-Dichloropropane	ND	100	30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	100	20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	100	30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	100	30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	100	50	ug/l	
541-73-1	m-Dichlorobenzene	ND	100	30	ug/l	
95-50-1	o-Dichlorobenzene	ND	100	30	ug/l	
106-46-7	p-Dichlorobenzene	ND	100	30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-10	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-2	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	100	30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	100	20	ug/l	
100-41-4	Ethylbenzene	667	100	30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	500	50	ug/l	
591-78-6	2-Hexanone	ND	2000	1000	ug/l	
87-68-3	Hexachlorobutadiene	ND	500	50	ug/l	
98-82-8	Isopropylbenzene	106	100	20	ug/l	
99-87-6	p-Isopropyltoluene	ND	500	50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2000	500	ug/l	
74-83-9	Methyl bromide	ND	500	150	ug/l	
74-87-3	Methyl chloride	ND	100	30	ug/l	
74-95-3	Methylene bromide	ND	100	20	ug/l	
75-09-2	Methylene chloride	ND	2000	500	ug/l	
78-93-3	Methyl ethyl ketone	ND	2000	500	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	50	ug/l	
91-20-3	Naphthalene	480	500	50	ug/l	J
103-65-1	n-Propylbenzene	273	500	50	ug/l	J
100-42-5	Styrene	ND	100	20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	500	50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	1000	500	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	100	20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	100	20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	100	20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	100	20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	500	50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	500	50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	500	50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2790	500	50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	631	500	50	ug/l	
127-18-4	Tetrachloroethylene	ND	100	20	ug/l	
108-88-3	Toluene	6450	100	50	ug/l	
79-01-6	Trichloroethylene	ND	100	30	ug/l	
75-69-4	Trichlorofluoromethane	ND	100	30	ug/l	
75-01-4	Vinyl chloride	ND	100	30	ug/l	
1330-20-7	Xylene (total)	2880	200	70	ug/l	
	TPH-GRO (C6-C10)	32800	5000	2500	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	99%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-10	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-2	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	106%		60-130%
460-00-4	4-Bromofluorobenzene	105%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-10	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-2	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30787.D	10	12/22/11	JH	12/19/11	OP5089	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	10.4	0.96	0.48	mg/l	
	TPH (Motor Oil)	ND	1.9	0.96	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	55%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	AS-1D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-3	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6781.D	1	12/23/11	BD	n/a	n/a	VR238
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	1.7	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	AS-1D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-3	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	0.54	1.0	0.30	ug/l	J
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	0.72	5.0	0.50	ug/l	J
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2.0	5.0	0.50	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	0.78	5.0	0.50	ug/l	J
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	3.1	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	2.3	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	27.6	50	25	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	AS-1D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-3	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	105%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	AS-1D	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-3	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30741.D	1	12/20/11	JH	12/19/11	OP5089	GGG823
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.0862	0.096	0.048	mg/l	J
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	77%		45-140%

(a) Value due to multiple discrete peaks in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-4	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6782.D	1	12/23/11	BD	n/a	n/a	VR238
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-4	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	101%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-4	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	105%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-4	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30784.D	1	12/21/11	JH	12/19/11	OP5086	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.095	0.048	mg/l	
	TPH (Motor Oil)	0.422	0.19	0.095	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	58%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-2	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-4A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19778.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.311	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	90%		45-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	AS-1S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-5	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27192.D	20	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	400	200	ug/l	
71-43-2	Benzene	772	20	6.0	ug/l	
108-86-1	Bromobenzene	ND	20	6.0	ug/l	
74-97-5	Bromo(chloromethane)	ND	20	10	ug/l	
75-27-4	Bromodichloromethane	ND	20	6.0	ug/l	
75-25-2	Bromoform	ND	20	10	ug/l	
104-51-8	n-Butylbenzene	ND	100	10	ug/l	
135-98-8	sec-Butylbenzene	ND	100	10	ug/l	
98-06-6	tert-Butylbenzene	ND	100	10	ug/l	
108-90-7	Chlorobenzene	ND	20	6.0	ug/l	
75-00-3	Chloroethane	ND	20	6.0	ug/l	
67-66-3	Chloroform	ND	20	6.0	ug/l	
95-49-8	o-Chlorotoluene	ND	100	10	ug/l	
106-43-4	p-Chlorotoluene	ND	100	10	ug/l	
56-23-5	Carbon tetrachloride	ND	20	4.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	20	6.0	ug/l	
75-35-4	1,1-Dichloroethylene	ND	20	4.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	20	6.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	200	100	ug/l	
106-93-4	1,2-Dibromoethane	ND	20	4.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	20	6.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	20	6.0	ug/l	
142-28-9	1,3-Dichloropropane	ND	20	6.0	ug/l	
108-20-3	Di-Isopropyl ether	ND	100	10	ug/l	
594-20-7	2,2-Dichloropropane	ND	20	6.0	ug/l	
124-48-1	Dibromo(chloromethane)	ND	20	4.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	6.0	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	20	6.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	20	10	ug/l	
541-73-1	m-Dichlorobenzene	ND	20	6.0	ug/l	
95-50-1	o-Dichlorobenzene	ND	20	6.0	ug/l	
106-46-7	p-Dichlorobenzene	ND	20	6.0	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	AS-1S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-5	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	20	6.0	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	20	4.0	ug/l	
100-41-4	Ethylbenzene	290	20	6.0	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	100	10	ug/l	
591-78-6	2-Hexanone	ND	400	200	ug/l	
87-68-3	Hexachlorobutadiene	ND	100	10	ug/l	
98-82-8	Isopropylbenzene	33.5	20	4.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	100	10	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	400	100	ug/l	
74-83-9	Methyl bromide	ND	100	30	ug/l	
74-87-3	Methyl chloride	ND	20	6.0	ug/l	
74-95-3	Methylene bromide	ND	20	4.0	ug/l	
75-09-2	Methylene chloride	ND	400	100	ug/l	
78-93-3	Methyl ethyl ketone	ND	400	100	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	20	10	ug/l	
91-20-3	Naphthalene	227	100	10	ug/l	
103-65-1	n-Propylbenzene	72.4	100	10	ug/l	J
100-42-5	Styrene	ND	20	4.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	100	10	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	200	100	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	4.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	20	4.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	4.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	20	4.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	100	10	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	100	10	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	100	10	ug/l	
95-63-6	1,2,4-Trimethylbenzene	736	100	10	ug/l	
108-67-8	1,3,5-Trimethylbenzene	116	100	10	ug/l	
127-18-4	Tetrachloroethylene	ND	20	4.0	ug/l	
108-88-3	Toluene	788	20	10	ug/l	
79-01-6	Trichloroethylene	ND	20	6.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	20	6.0	ug/l	
75-01-4	Vinyl chloride	ND	20	6.0	ug/l	
1330-20-7	Xylene (total)	590	40	14	ug/l	
	TPH-GRO (C6-C10)	7640	1000	500	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	99%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	AS-1S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-5	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	AS-1S	<b>Date Sampled:</b>	12/15/11
<b>Lab Sample ID:</b>	C19472-5	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19746.D	3	12/20/11	JH	12/19/11	OP5089	GHH631
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	1.34	0.29	0.14	mg/l	
	TPH (Motor Oil)	0.582	0.58	0.29	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	84%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-6	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6783.D	1	12/23/11	BD	n/a	n/a	VR238
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-6	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-6	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	105%		60-130%
460-00-4	4-Bromofluorobenzene	105%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-6	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30785.D	1	12/22/11	JH	12/19/11	OP5086	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.681	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	56%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-6A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30812.D	1	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.095	0.048	mg/l	
	TPH (Motor Oil)	0.547	0.19	0.095	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	83%		45-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-7	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	R6794.D	25	12/23/11	BD	n/a	n/a	VR238
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	500	250	ug/l	
71-43-2	Benzene	1220	25	7.5	ug/l	
108-86-1	Bromobenzene	ND	25	7.5	ug/l	
74-97-5	Bromo(chloromethane)	ND	25	13	ug/l	
75-27-4	Bromodichloromethane	ND	25	7.5	ug/l	
75-25-2	Bromoform	ND	25	13	ug/l	
104-51-8	n-Butylbenzene	51.9	130	13	ug/l	J
135-98-8	sec-Butylbenzene	ND	130	13	ug/l	
98-06-6	tert-Butylbenzene	ND	130	13	ug/l	
108-90-7	Chlorobenzene	ND	25	7.5	ug/l	
75-00-3	Chloroethane	ND	25	7.5	ug/l	
67-66-3	Chloroform	ND	25	7.5	ug/l	
95-49-8	o-Chlorotoluene	ND	130	13	ug/l	
106-43-4	p-Chlorotoluene	ND	130	13	ug/l	
56-23-5	Carbon tetrachloride	ND	25	5.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	25	7.5	ug/l	
75-35-4	1,1-Dichloroethylene	ND	25	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	25	7.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	250	130	ug/l	
106-93-4	1,2-Dibromoethane	ND	25	5.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	25	7.5	ug/l	
78-87-5	1,2-Dichloropropane	ND	25	7.5	ug/l	
142-28-9	1,3-Dichloropropane	ND	25	7.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	130	13	ug/l	
594-20-7	2,2-Dichloropropane	ND	25	7.5	ug/l	
124-48-1	Dibromo(chloromethane)	ND	25	5.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	25	7.5	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	25	7.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene <sup>a</sup>	ND	25	13	ug/l	
541-73-1	m-Dichlorobenzene	ND	25	7.5	ug/l	
95-50-1	o-Dichlorobenzene	ND	25	7.5	ug/l	
106-46-7	p-Dichlorobenzene	ND	25	7.5	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

**Client Sample ID:** MW-3  
**Lab Sample ID:** C19472-7  
**Matrix:** AQ - Ground Water  
**Method:** SW846 8260B  
**Project:** T0600101592-9201 San Leandro Street, Oakland CA

**Date Sampled:** 12/16/11  
**Date Received:** 12/16/11  
**Percent Solids:** n/a

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	25	7.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	25	5.0	ug/l	
100-41-4	Ethylbenzene	163	25	7.5	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	130	13	ug/l	
591-78-6	2-Hexanone	ND	500	250	ug/l	
87-68-3	Hexachlorobutadiene	ND	130	13	ug/l	
98-82-8	Isopropylbenzene	36.2	25	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	130	13	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	500	130	ug/l	
74-83-9	Methyl bromide	ND	130	38	ug/l	
74-87-3	Methyl chloride	ND	25	7.5	ug/l	
74-95-3	Methylene bromide	ND	25	5.0	ug/l	
75-09-2	Methylene chloride	ND	500	130	ug/l	
78-93-3	Methyl ethyl ketone	ND	500	130	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	25	13	ug/l	
91-20-3	Naphthalene	159	130	13	ug/l	
103-65-1	n-Propylbenzene	87.5	130	13	ug/l	J
100-42-5	Styrene	ND	25	5.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	130	13	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	250	130	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	25	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	25	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	25	5.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	25	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	130	13	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	130	13	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	130	13	ug/l	
95-63-6	1,2,4-Trimethylbenzene	999	130	13	ug/l	
108-67-8	1,3,5-Trimethylbenzene	234	130	13	ug/l	
127-18-4	Tetrachloroethylene	ND	25	5.0	ug/l	
108-88-3	Toluene	1290	25	13	ug/l	
79-01-6	Trichloroethylene	ND	25	7.5	ug/l	
75-69-4	Trichlorofluoromethane	ND	25	7.5	ug/l	
75-01-4	Vinyl chloride	ND	25	7.5	ug/l	
1330-20-7	Xylene (total)	518	50	18	ug/l	
	TPH-GRO (C6-C10)	9000	1300	630	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-7	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	106%		60-130%
460-00-4	4-Bromofluorobenzene	106%		60-130%

(a) CCV outside of control limits (biased high); not detected in sample.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-7	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19727.D	3	12/20/11	JH	12/19/11	OP5086	GHH631
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	1.71	0.29	0.14	mg/l	
	TPH (Motor Oil) <sup>b</sup>	0.312	0.57	0.29	mg/l	J

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	81%		45-140%

- (a) Higher boiling gasoline compounds in Diesel range.  
 (b) Atypical Motor Oil pattern (C26-32).

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-7A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30813.D	1	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.832	0.096	0.048	mg/l	
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	66%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-7	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-8	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27193.D	1	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	0.67	1.0	0.30	ug/l	J
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-7	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-8	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	0.35	1.0	0.30	ug/l	J
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.88	1.0	0.50	ug/l	J
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1.4	5.0	0.50	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-7	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-8	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	94%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-7	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-8	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19779.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.832	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	93%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-3-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-9	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27194.D	50	12/27/11	TN	n/a	n/a	VW928
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	1000	500	ug/l	
71-43-2	Benzene	1590	50	15	ug/l	
108-86-1	Bromobenzene	ND	50	15	ug/l	
74-97-5	Bromo(chloromethane)	ND	50	25	ug/l	
75-27-4	Bromodichloromethane	ND	50	15	ug/l	
75-25-2	Bromoform	ND	50	25	ug/l	
104-51-8	n-Butylbenzene	ND	250	25	ug/l	
135-98-8	sec-Butylbenzene	ND	250	25	ug/l	
98-06-6	tert-Butylbenzene	ND	250	25	ug/l	
108-90-7	Chlorobenzene	ND	50	15	ug/l	
75-00-3	Chloroethane	ND	50	15	ug/l	
67-66-3	Chloroform	ND	50	15	ug/l	
95-49-8	o-Chlorotoluene	ND	250	25	ug/l	
106-43-4	p-Chlorotoluene	ND	250	25	ug/l	
56-23-5	Carbon tetrachloride	ND	50	10	ug/l	
75-34-3	1,1-Dichloroethane	ND	50	15	ug/l	
75-35-4	1,1-Dichloroethylene	ND	50	10	ug/l	
563-58-6	1,1-Dichloropropene	ND	50	15	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	500	250	ug/l	
106-93-4	1,2-Dibromoethane	ND	50	10	ug/l	
107-06-2	1,2-Dichloroethane	ND	50	15	ug/l	
78-87-5	1,2-Dichloropropane	ND	50	15	ug/l	
142-28-9	1,3-Dichloropropane	ND	50	15	ug/l	
108-20-3	Di-Isopropyl ether	ND	250	25	ug/l	
594-20-7	2,2-Dichloropropane	ND	50	15	ug/l	
124-48-1	Dibromo(chloromethane)	ND	50	10	ug/l	
75-71-8	Dichlorodifluoromethane	ND	50	15	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	50	15	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	50	25	ug/l	
541-73-1	m-Dichlorobenzene	ND	50	15	ug/l	
95-50-1	o-Dichlorobenzene	ND	50	15	ug/l	
106-46-7	p-Dichlorobenzene	ND	50	15	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-3-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-9	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	50	15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	50	10	ug/l	
100-41-4	Ethylbenzene	207	50	15	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	250	25	ug/l	
591-78-6	2-Hexanone	ND	1000	500	ug/l	
87-68-3	Hexachlorobutadiene	ND	250	25	ug/l	
98-82-8	Isopropylbenzene	43.3	50	10	ug/l	J
99-87-6	p-Isopropyltoluene	ND	250	25	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	1000	250	ug/l	
74-83-9	Methyl bromide	ND	250	75	ug/l	
74-87-3	Methyl chloride	ND	50	15	ug/l	
74-95-3	Methylene bromide	ND	50	10	ug/l	
75-09-2	Methylene chloride	ND	1000	250	ug/l	
78-93-3	Methyl ethyl ketone	ND	1000	250	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	50	25	ug/l	
91-20-3	Naphthalene	189	250	25	ug/l	J
103-65-1	n-Propylbenzene	112	250	25	ug/l	J
100-42-5	Styrene	ND	50	10	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	250	25	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	500	250	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	50	10	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	50	10	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	50	10	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	50	10	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	250	25	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	250	25	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	250	25	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1280	250	25	ug/l	
108-67-8	1,3,5-Trimethylbenzene	284	250	25	ug/l	
127-18-4	Tetrachloroethylene	ND	50	10	ug/l	
108-88-3	Toluene	1680	50	25	ug/l	
79-01-6	Trichloroethylene	ND	50	15	ug/l	
75-69-4	Trichlorofluoromethane	ND	50	15	ug/l	
75-01-4	Vinyl chloride	ND	50	15	ug/l	
1330-20-7	Xylene (total)	671	100	35	ug/l	
	TPH-GRO (C6-C10)	13200	2500	1300	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-3-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-9	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-3-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-9	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19728.D	3	12/20/11	JH	12/19/11	OP5086	GHH631
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	1.53	0.29	0.14	mg/l	
	TPH (Motor Oil)	ND	0.57	0.29	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	80%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-3-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-9A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30811.D	4	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	2.53	0.38	0.19	mg/l	
	TPH (Motor Oil)	ND	0.75	0.38	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	65%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-7-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-10	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27195.D	1	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	0.62	1.0	0.30	ug/l	J
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-7-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-10	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	0.33	1.0	0.30	ug/l	J
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.91	1.0	0.50	ug/l	J
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1.3	5.0	0.50	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-7-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-10	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-7-DUP	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-10	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19780.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	1.73	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	88%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-11	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27236.D	5	12/28/11	TN	n/a	n/a	VW929
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	100	50	ug/l	
71-43-2	Benzene	55.5	5.0	1.5	ug/l	
108-86-1	Bromobenzene	ND	5.0	1.5	ug/l	
74-97-5	Bromo(chloromethane)	ND	5.0	2.5	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	1.5	ug/l	
75-25-2	Bromoform	ND	5.0	2.5	ug/l	
104-51-8	n-Butylbenzene	ND	25	2.5	ug/l	
135-98-8	sec-Butylbenzene	ND	25	2.5	ug/l	
98-06-6	tert-Butylbenzene	ND	25	2.5	ug/l	
108-90-7	Chlorobenzene	ND	5.0	1.5	ug/l	
75-00-3	Chloroethane	ND	5.0	1.5	ug/l	
67-66-3	Chloroform	ND	5.0	1.5	ug/l	
95-49-8	o-Chlorotoluene	ND	25	2.5	ug/l	
106-43-4	p-Chlorotoluene	ND	25	2.5	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	1.5	ug/l	
75-35-4	1,1-Dichloroethylene	ND	5.0	1.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	1.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	50	25	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	1.5	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	1.5	ug/l	
142-28-9	1,3-Dichloropropane	ND	5.0	1.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	25	2.5	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	1.5	ug/l	
124-48-1	Dibromo(chloromethane)	ND	5.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.5	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.5	ug/l	
541-73-1	m-Dichlorobenzene	ND	5.0	1.5	ug/l	
95-50-1	o-Dichlorobenzene	ND	5.0	1.5	ug/l	
106-46-7	p-Dichlorobenzene	ND	5.0	1.5	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-11	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.0	ug/l	
100-41-4	Ethylbenzene	16.1	5.0	1.5	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	25	2.5	ug/l	
591-78-6	2-Hexanone	ND	100	50	ug/l	
87-68-3	Hexachlorobutadiene	ND	25	2.5	ug/l	
98-82-8	Isopropylbenzene	7.0	5.0	1.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	25	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	100	25	ug/l	
74-83-9	Methyl bromide	ND	25	7.5	ug/l	
74-87-3	Methyl chloride	ND	5.0	1.5	ug/l	
74-95-3	Methylene bromide	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	100	25	ug/l	
78-93-3	Methyl ethyl ketone	ND	100	25	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
91-20-3	Naphthalene	21.7	25	2.5	ug/l	J
103-65-1	n-Propylbenzene	14.4	25	2.5	ug/l	J
100-42-5	Styrene	ND	5.0	1.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	25	2.5	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	50	25	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	1.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	25	2.5	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	25	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	25	2.5	ug/l	
95-63-6	1,2,4-Trimethylbenzene	137	25	2.5	ug/l	
108-67-8	1,3,5-Trimethylbenzene	30.6	25	2.5	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	1.0	ug/l	
108-88-3	Toluene	22.1	5.0	2.5	ug/l	
79-01-6	Trichloroethylene	ND	5.0	1.5	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	1.5	ug/l	
75-01-4	Vinyl chloride	ND	5.0	1.5	ug/l	
1330-20-7	Xylene (total)	27.6	10	3.5	ug/l	
	TPH-GRO (C6-C10)	1700	250	130	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-11	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	102%		60-130%
460-00-4	4-Bromofluorobenzene	94%		60-130%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-11	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19781.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.323	0.096	0.048	mg/l	
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	65%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-12	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27197.D	1	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	0.35	1.0	0.30	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-12	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.83	1.0	0.50	ug/l	J
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	27.1	50	25	ug/l	J

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-12	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	96%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-5	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-12	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30800.D	10	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	11.1	0.94	0.47	mg/l	
	TPH (Motor Oil)	11.5	1.9	0.94	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	75%		45-140%

(a) Atypical Diesel pattern (C14-C28).

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-13	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27240.D	1	12/28/11	TN	n/a	n/a	VW929
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	1.2	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	1.0	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-13	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	0.23	1.0	0.20	ug/l	J
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.74	1.0	0.50	ug/l	J
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	185	50	25	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	98%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-13	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	97%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-3	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-13	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30801.D	10	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	13.9	0.95	0.48	mg/l	
	TPH (Motor Oil)	15.6	1.9	0.95	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	99%		45-140%

(a) Atypical Diesel pattern (C14-C28).

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-11	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-14	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27198.D	50	12/27/11	TN	n/a	n/a	VW928
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	1000	500	ug/l	
71-43-2	Benzene	634	50	15	ug/l	
108-86-1	Bromobenzene	ND	50	15	ug/l	
74-97-5	Bromo(chloromethane)	ND	50	25	ug/l	
75-27-4	Bromodichloromethane	ND	50	15	ug/l	
75-25-2	Bromoform	ND	50	25	ug/l	
104-51-8	n-Butylbenzene	74.8	250	25	ug/l	J
135-98-8	sec-Butylbenzene	ND	250	25	ug/l	
98-06-6	tert-Butylbenzene	ND	250	25	ug/l	
108-90-7	Chlorobenzene	ND	50	15	ug/l	
75-00-3	Chloroethane	ND	50	15	ug/l	
67-66-3	Chloroform	ND	50	15	ug/l	
95-49-8	o-Chlorotoluene	ND	250	25	ug/l	
106-43-4	p-Chlorotoluene	ND	250	25	ug/l	
56-23-5	Carbon tetrachloride	ND	50	10	ug/l	
75-34-3	1,1-Dichloroethane	ND	50	15	ug/l	
75-35-4	1,1-Dichloroethylene	ND	50	10	ug/l	
563-58-6	1,1-Dichloropropene	ND	50	15	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	500	250	ug/l	
106-93-4	1,2-Dibromoethane	ND	50	10	ug/l	
107-06-2	1,2-Dichloroethane	ND	50	15	ug/l	
78-87-5	1,2-Dichloropropane	ND	50	15	ug/l	
142-28-9	1,3-Dichloropropane	ND	50	15	ug/l	
108-20-3	Di-Isopropyl ether	ND	250	25	ug/l	
594-20-7	2,2-Dichloropropane	ND	50	15	ug/l	
124-48-1	Dibromo(chloromethane)	ND	50	10	ug/l	
75-71-8	Dichlorodifluoromethane	ND	50	15	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	50	15	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	50	25	ug/l	
541-73-1	m-Dichlorobenzene	ND	50	15	ug/l	
95-50-1	o-Dichlorobenzene	ND	50	15	ug/l	
106-46-7	p-Dichlorobenzene	ND	50	15	ug/l	

ND = Not detected      MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-11	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-14	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	50	15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	50	10	ug/l	
100-41-4	Ethylbenzene	384	50	15	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	250	25	ug/l	
591-78-6	2-Hexanone	ND	1000	500	ug/l	
87-68-3	Hexachlorobutadiene	ND	250	25	ug/l	
98-82-8	Isopropylbenzene	76.5	50	10	ug/l	
99-87-6	p-Isopropyltoluene	ND	250	25	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	1000	250	ug/l	
74-83-9	Methyl bromide	ND	250	75	ug/l	
74-87-3	Methyl chloride	ND	50	15	ug/l	
74-95-3	Methylene bromide	ND	50	10	ug/l	
75-09-2	Methylene chloride	ND	1000	250	ug/l	
78-93-3	Methyl ethyl ketone	ND	1000	250	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	50	25	ug/l	
91-20-3	Naphthalene	355	250	25	ug/l	
103-65-1	n-Propylbenzene	186	250	25	ug/l	J
100-42-5	Styrene	ND	50	10	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	250	25	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	500	250	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	50	10	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	50	10	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	50	10	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	50	10	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	250	25	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	250	25	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	250	25	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2240	250	25	ug/l	
108-67-8	1,3,5-Trimethylbenzene	435	250	25	ug/l	
127-18-4	Tetrachloroethylene	ND	50	10	ug/l	
108-88-3	Toluene	916	50	25	ug/l	
79-01-6	Trichloroethylene	ND	50	15	ug/l	
75-69-4	Trichlorofluoromethane	ND	50	15	ug/l	
75-01-4	Vinyl chloride	ND	50	15	ug/l	
1330-20-7	Xylene (total)	934	100	35	ug/l	
	TPH-GRO (C6-C10)	17200	2500	1300	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-11	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-14	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-11	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-14	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30810.D	5	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1030 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	3.92	0.49	0.24	mg/l	
	TPH (Motor Oil)	ND	0.97	0.49	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	51%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-6	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-15	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27199.D	25	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	500	250	ug/l	
71-43-2	Benzene	1500	25	7.5	ug/l	
108-86-1	Bromobenzene	ND	25	7.5	ug/l	
74-97-5	Bromo(chloromethane)	ND	25	13	ug/l	
75-27-4	Bromodichloromethane	ND	25	7.5	ug/l	
75-25-2	Bromoform	ND	25	13	ug/l	
104-51-8	n-Butylbenzene	17.7	130	13	ug/l	J
135-98-8	sec-Butylbenzene	ND	130	13	ug/l	
98-06-6	tert-Butylbenzene	ND	130	13	ug/l	
108-90-7	Chlorobenzene	ND	25	7.5	ug/l	
75-00-3	Chloroethane	ND	25	7.5	ug/l	
67-66-3	Chloroform	ND	25	7.5	ug/l	
95-49-8	o-Chlorotoluene	ND	130	13	ug/l	
106-43-4	p-Chlorotoluene	ND	130	13	ug/l	
56-23-5	Carbon tetrachloride	ND	25	5.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	25	7.5	ug/l	
75-35-4	1,1-Dichloroethylene	ND	25	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	25	7.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	250	130	ug/l	
106-93-4	1,2-Dibromoethane	ND	25	5.0	ug/l	
107-06-2	1,2-Dichloroethane	12.4	25	7.5	ug/l	J
78-87-5	1,2-Dichloropropane	ND	25	7.5	ug/l	
142-28-9	1,3-Dichloropropane	ND	25	7.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	130	13	ug/l	
594-20-7	2,2-Dichloropropane	ND	25	7.5	ug/l	
124-48-1	Dibromo(chloromethane)	ND	25	5.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	25	7.5	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	25	7.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	25	13	ug/l	
541-73-1	m-Dichlorobenzene	ND	25	7.5	ug/l	
95-50-1	o-Dichlorobenzene	ND	25	7.5	ug/l	
106-46-7	p-Dichlorobenzene	ND	25	7.5	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-6	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-15	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	25	7.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	25	5.0	ug/l	
100-41-4	Ethylbenzene	135	25	7.5	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	130	13	ug/l	
591-78-6	2-Hexanone	ND	500	250	ug/l	
87-68-3	Hexachlorobutadiene	ND	130	13	ug/l	
98-82-8	Isopropylbenzene	38.5	25	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	130	13	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	500	130	ug/l	
74-83-9	Methyl bromide	ND	130	38	ug/l	
74-87-3	Methyl chloride	ND	25	7.5	ug/l	
74-95-3	Methylene bromide	ND	25	5.0	ug/l	
75-09-2	Methylene chloride	ND	500	130	ug/l	
78-93-3	Methyl ethyl ketone	ND	500	130	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	25	13	ug/l	
91-20-3	Naphthalene	101	130	13	ug/l	J
103-65-1	n-Propylbenzene	92.3	130	13	ug/l	J
100-42-5	Styrene	ND	25	5.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	130	13	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	250	130	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	25	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	25	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	25	5.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	25	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	130	13	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	130	13	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	130	13	ug/l	
95-63-6	1,2,4-Trimethylbenzene	810	130	13	ug/l	
108-67-8	1,3,5-Trimethylbenzene	124	130	13	ug/l	J
127-18-4	Tetrachloroethylene	ND	25	5.0	ug/l	
108-88-3	Toluene	74.9	25	13	ug/l	
79-01-6	Trichloroethylene	ND	25	7.5	ug/l	
75-69-4	Trichlorofluoromethane	ND	25	7.5	ug/l	
75-01-4	Vinyl chloride	ND	25	7.5	ug/l	
1330-20-7	Xylene (total)	254	50	18	ug/l	
	TPH-GRO (C6-C10)	5920	1300	630	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-6	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-15	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-6	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-15	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30786.D	3	12/22/11	JH	12/19/11	OP5086	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	2.20	0.28	0.14	mg/l	
	TPH (Motor Oil)	2.35	0.57	0.28	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	51%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-6	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-15A	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	GG30814.D	1	12/22/11	JH	12/20/11	OP5096	GGG824
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.874	0.094	0.047	mg/l	
	TPH (Motor Oil)	1.67	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	76%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-12	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-16	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1 <sup>a</sup>	W27200.D	2	12/27/11	TN	n/a	n/a	VW928
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	40	20	ug/l	
71-43-2	Benzene	27.5	2.0	0.60	ug/l	
108-86-1	Bromobenzene	ND	2.0	0.60	ug/l	
74-97-5	Bromo(chloromethane)	ND	2.0	1.0	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.60	ug/l	
75-25-2	Bromoform	ND	2.0	1.0	ug/l	
104-51-8	n-Butylbenzene	ND	10	1.0	ug/l	
135-98-8	sec-Butylbenzene	ND	10	1.0	ug/l	
98-06-6	tert-Butylbenzene	ND	10	1.0	ug/l	
108-90-7	Chlorobenzene	ND	2.0	0.60	ug/l	
75-00-3	Chloroethane	ND	2.0	0.60	ug/l	
67-66-3	Chloroform	ND	2.0	0.60	ug/l	
95-49-8	o-Chlorotoluene	ND	10	1.0	ug/l	
106-43-4	p-Chlorotoluene	ND	10	1.0	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.40	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	0.60	ug/l	
75-35-4	1,1-Dichloroethylene	ND	2.0	0.40	ug/l	
563-58-6	1,1-Dichloropropene	ND	2.0	0.60	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	10	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.40	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	0.60	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.60	ug/l	
142-28-9	1,3-Dichloropropane	ND	2.0	0.60	ug/l	
108-20-3	Di-Isopropyl ether	ND	10	1.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	2.0	0.60	ug/l	
124-48-1	Dibromo(chloromethane)	ND	2.0	0.40	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.60	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	1.0	ug/l	
541-73-1	m-Dichlorobenzene	ND	2.0	0.60	ug/l	
95-50-1	o-Dichlorobenzene	ND	2.0	0.60	ug/l	
106-46-7	p-Dichlorobenzene	ND	2.0	0.60	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-12	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-16	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	2.0	0.60	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.40	ug/l	
100-41-4	Ethylbenzene	3.2	2.0	0.60	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	10	1.0	ug/l	
591-78-6	2-Hexanone	ND	40	20	ug/l	
87-68-3	Hexachlorobutadiene	ND	10	1.0	ug/l	
98-82-8	Isopropylbenzene	2.6	2.0	0.40	ug/l	
99-87-6	p-Isopropyltoluene	ND	10	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	40	10	ug/l	
74-83-9	Methyl bromide	ND	10	3.0	ug/l	
74-87-3	Methyl chloride	ND	2.0	0.60	ug/l	
74-95-3	Methylene bromide	ND	2.0	0.40	ug/l	
75-09-2	Methylene chloride	ND	40	10	ug/l	
78-93-3	Methyl ethyl ketone	ND	40	10	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	1.0	ug/l	
91-20-3	Naphthalene	1.4	10	1.0	ug/l	J
103-65-1	n-Propylbenzene	6.1	10	1.0	ug/l	J
100-42-5	Styrene	ND	2.0	0.40	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	10	1.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	10	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	0.40	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	0.40	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.40	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	10	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	10	1.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	1.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	7.1	10	1.0	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	ND	10	1.0	ug/l	
127-18-4	Tetrachloroethylene	ND	2.0	0.40	ug/l	
108-88-3	Toluene	1.1	2.0	1.0	ug/l	J
79-01-6	Trichloroethylene	ND	2.0	0.60	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.60	ug/l	
1330-20-7	Xylene (total)	ND	4.0	1.4	ug/l	
	TPH-GRO (C6-C10)	297	100	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	96%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-12	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-16	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	94%		60-130%

(a) Dilution required due to nature of sample matrix.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-12	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-16	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19783.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1040 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.0699	0.096	0.048	mg/l	J
	TPH (Motor Oil)	ND	0.19	0.096	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	83%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-17	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27241.D	1	12/28/11	TN	n/a	n/a	VW929
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	2.6	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-17	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-17	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	99%		60-130%
460-00-4	4-Bromofluorobenzene	95%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-17	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19784.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1030 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.097	0.049	mg/l	
	TPH (Motor Oil)	0.130	0.19	0.097	mg/l	J

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	84%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-8	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-18	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27242.D	1	12/28/11	TN	n/a	n/a	VW929
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-8	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-18	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	99%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-8	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-18	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	93%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-8	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-18	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19785.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.095	0.048	mg/l	
	TPH (Motor Oil)	0.155	0.19	0.095	mg/l	J

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	89%		45-140%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	TRIP BLANK	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-19	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Trip Blank Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27234.D	1	12/28/11	TN	n/a	n/a	VW929
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

**Client Sample ID:** TRIP BLANK  
**Lab Sample ID:** C19472-19  
**Matrix:** AQ - Trip Blank Water  
**Method:** SW846 8260B  
**Project:** T0600101592-9201 San Leandro Street, Oakland CA

**Date Sampled:** 12/16/11  
**Date Received:** 12/16/11  
**Percent Solids:** n/a

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		60-130%
2037-26-5	Toluene-D8	100%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	TRIP BLANK	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-19	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Trip Blank Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
460-00-4	4-Bromofluorobenzene	94%		60-130%

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	E-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-20	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27243.D	5	12/28/11	TN	n/a	n/a	VW929
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	100	50	ug/l	
71-43-2	Benzene	240	5.0	1.5	ug/l	
108-86-1	Bromobenzene	ND	5.0	1.5	ug/l	
74-97-5	Bromo(chloromethane)	ND	5.0	2.5	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	1.5	ug/l	
75-25-2	Bromoform	ND	5.0	2.5	ug/l	
104-51-8	n-Butylbenzene	2.9	25	2.5	ug/l	J
135-98-8	sec-Butylbenzene	ND	25	2.5	ug/l	
98-06-6	tert-Butylbenzene	ND	25	2.5	ug/l	
108-90-7	Chlorobenzene	ND	5.0	1.5	ug/l	
75-00-3	Chloroethane	ND	5.0	1.5	ug/l	
67-66-3	Chloroform	ND	5.0	1.5	ug/l	
95-49-8	o-Chlorotoluene	ND	25	2.5	ug/l	
106-43-4	p-Chlorotoluene	ND	25	2.5	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	1.5	ug/l	
75-35-4	1,1-Dichloroethylene	ND	5.0	1.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	1.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	50	25	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	2.7	5.0	1.5	ug/l	J
78-87-5	1,2-Dichloropropane	ND	5.0	1.5	ug/l	
142-28-9	1,3-Dichloropropane	ND	5.0	1.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	25	2.5	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	1.5	ug/l	
124-48-1	Dibromo(chloromethane)	ND	5.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.5	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.5	ug/l	
541-73-1	m-Dichlorobenzene	ND	5.0	1.5	ug/l	
95-50-1	o-Dichlorobenzene	ND	5.0	1.5	ug/l	
106-46-7	p-Dichlorobenzene	ND	5.0	1.5	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	E-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-20	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
156-60-5	trans-1,2-Dichloroethylene	ND	5.0	1.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.0	ug/l	
100-41-4	Ethylbenzene	18.3	5.0	1.5	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	25	2.5	ug/l	
591-78-6	2-Hexanone	ND	100	50	ug/l	
87-68-3	Hexachlorobutadiene	ND	25	2.5	ug/l	
98-82-8	Isopropylbenzene	9.2	5.0	1.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	25	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	100	25	ug/l	
74-83-9	Methyl bromide	ND	25	7.5	ug/l	
74-87-3	Methyl chloride	ND	5.0	1.5	ug/l	
74-95-3	Methylene bromide	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	100	25	ug/l	
78-93-3	Methyl ethyl ketone	ND	100	25	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
91-20-3	Naphthalene	2.9	25	2.5	ug/l	J
103-65-1	n-Propylbenzene	22.1	25	2.5	ug/l	J
100-42-5	Styrene	ND	5.0	1.0	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	25	2.5	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	50	25	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	1.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	25	2.5	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	25	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	25	2.5	ug/l	
95-63-6	1,2,4-Trimethylbenzene	39.5	25	2.5	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	25	2.5	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	1.0	ug/l	
108-88-3	Toluene	9.9	5.0	2.5	ug/l	
79-01-6	Trichloroethylene	ND	5.0	1.5	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	1.5	ug/l	
75-01-4	Vinyl chloride	ND	5.0	1.5	ug/l	
1330-20-7	Xylene (total)	5.8	10	3.5	ug/l	J
	TPH-GRO (C6-C10)	1580	250	130	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	97%		60-130%

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	E-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-20	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	102%		60-130%
460-00-4	4-Bromofluorobenzene	93%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	E-4	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-20	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19786.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1050 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel) <sup>a</sup>	0.264	0.095	0.048	mg/l	
	TPH (Motor Oil)	0.447	0.19	0.095	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	79%		45-140%

(a) Higher boiling gasoline compounds in Diesel range.

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 3

<b>Client Sample ID:</b>	MW-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-21	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W27244.D	1	12/28/11	TN	n/a	n/a	VW929
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**VOA 8260 List**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromo(chloromethane)	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromo(chloromethane)	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 2 of 3

<b>Client Sample ID:</b>	MW-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-21	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

CAS No.	Compound	Result	RL	MDL	Units	Q
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		60-130%

ND = Not detected      MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 3 of 3

<b>Client Sample ID:</b>	MW-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-21	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

**VOA 8260 List**

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
2037-26-5	Toluene-D8	102%		60-130%
460-00-4	4-Bromofluorobenzene	94%		60-130%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

**Report of Analysis**

Page 1 of 1

<b>Client Sample ID:</b>	MW-1	<b>Date Sampled:</b>	12/16/11
<b>Lab Sample ID:</b>	C19472-21	<b>Date Received:</b>	12/16/11
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600101592-9201 San Leandro Street, Oakland CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	HH19777.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
Run #2							

	<b>Initial Volume</b>	<b>Final Volume</b>
Run #1	1060 ml	1.0 ml
Run #2		

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>	<b>Q</b>
	TPH (Diesel)	ND	0.094	0.047	mg/l	
	TPH (Motor Oil)	0.522	0.19	0.094	mg/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane	90%		45-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody



**ACCUTEST®**  
LABORATORIES

# CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131  
(408) 588-0200 FAX: (408) 588-0201

"SGRPCAPHT2805"

10f2

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest NC Job #: C C19472

Requested Analysis	Matrix Codes
	WW- Wastewater GW- Ground Water SW- Surface Water SO- Soil OI- Oil WP- Wipe LIQ - Non-aqueous Liquid AIR DW- Drinking Water (Perchlorate Only)

Project Information	Client / Reporting Information
---------------------	--------------------------------

Company Name	Project Name:
--------------	---------------

The Source Group, INC	Pace Pump
-----------------------	-----------

Address	Street
---------	--------

City	State
------	-------

Project Contact:	Project #
------------------	-----------

Phone #	EMAIL:
---------	--------

Samplers Name	Client Purchase Order #
---------------	-------------------------

Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection	# of bottles	Number of preserved Bottles	Comments / Remarks
1	E-2	12/15/11 1524	H.N. GW	5 3	X X X X
2	E-10	12/15/11 1535	G.T. GW	5 3	X X X
3	AS-1D	12/15/11 1620	G.T. GW	5 3	X X X
4	MW-2	12/15/11 1630	H.N. GW	5 3	+ X X X
5	AS-1S	12/15/11 1650	G.T. GW	5 3	X X X
6	MW-5	12/16/11 0847	H.N. GW	5 3	X X X X
7	MW-3	12/16/11 0945	G.T. GW	5 3	X X X X
8	MW-7	12/16/11 0946	H.N. GW	5 3	X (X) (X) + 10ms.
9	MW-3 DUP	12/16/11 0950	G.T. GW	5 3	X X X X
10	MW-7 DUP	12/16/11 0950	H.N. GW	5 3	X X X

Turnaround Time (Business days)	Data Deliverable Information	Comments / Remarks
---------------------------------	------------------------------	--------------------

Standard TAT 15 Business Days	Approved By/ Date:	
-------------------------------	--------------------	--

10 Day (Workload dependent)	<input type="checkbox"/> Commercial "A" - Results only
-----------------------------	--

5 Day (Workload dependent)	<input type="checkbox"/> Commercial "B" - Results, QC, and chromatograms
----------------------------	--

3 Day (125% markup)	<input type="checkbox"/> FULT1 - Level 4 data package
---------------------	---

2 Day (150% markup)	<input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format
---------------------	---

1 Day (200% markup)	Provide EDF Global ID
---------------------	-----------------------

Same Day (300% markup)	Provide EDF Logocode:
------------------------	-----------------------

Emergency T/A data available VIA Lablink	Sample Custody must be documented below each time samples change possession including courier delivery.
--	---

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
--------------------------	------------	--------------	------------------	------------	--------------

1	163 12/14/11	2	163	1742	2
---	--------------	---	-----	------	---

Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
------------------	------------	--------------	------------------	------------	--------------

3		3	4		4
---	--	---	---	--	---

5	Date Time:	Received By:	Custody Seal	Appropriate Bottle / Press Y/N	Headspace Y/N	On Ice Y/N	Cooler Temp. °C
---	------------	--------------	--------------	--------------------------------	---------------	------------	-----------------

Labels match Coo Y/N	Separate Receiving Check List used Y/N
----------------------	--

4- Coolers
------------

3-1

3

**C19472: Chain of Custody**

**Page 1 of 3**



# CHAIN OF CUSTODY

2105 Lundy Ave, San Jose, CA 95131  
 (408) 588-0200 FAX: (408) 588-0201

2-52

Client / Reporting Information			Project Information			FED-EX Tracking #		Bottle Order Control #				
						Accutest Quote #		Accutest NC Job #: C				
								C19472				
Company Name The Source Group, INC			Project Name: Paco Ramps									
Address 3478 Bushich Ave Ste 100			Street San Leandro St									
City Pleasant Hill	State CA	Zip 94523	City Oakland	State CA								
Project Contact: Kristene Tidwell			Project # 04-PFT-003									
Phone # 925 944-2056			EMAIL: Ktiddwell@thesourcegrp.net									
Sampler's Name Hortense Newton/Kristen Taylor			Client Purchase Order #									
Accutest Sample ID	Collection		# of bottles	Number of preserved Bottles				Requested Analysis		Matrix Codes		
	Date	Time		Sampled by	Matrix	HCl	NaOH	EDTA	None		NaHSO4	NEON
11	E1	12/16/11	1040	G.T.	GW	5	3	2		X X	X	
12	E5		1050	H.W.	GW	5	3			X X	X	
13	E-3		1125	H.W.	GW	5	3			X X	X	
14	E-11		1125	G.T.	GW	5	3			X X	X	
15	MW-6		1200	H.H.N.	GW	5	3			X X	X	
16	E-12		1215	G.T.	GW	5	3			X X	X	
17	MW-4		1540	H.H.N.	GW	5	3			X X	X	
18	MW-8		1633	H.H.N.	SW	5	3			X X	X	
-19	Trsp blank	K	1635	H.H.N.	GW	3	3			X		
Turnaround Time ( Business days)			Data Deliverable Information				Comments / Remarks					
<input checked="" type="checkbox"/> Standard TAT 15 Business Days		Approved By/ Date:		<input type="checkbox"/> Commercial "A" - Results only <input type="checkbox"/> Commercial "B" - Results with QC summaries <input type="checkbox"/> Commercial "B+" - Results, QC, and chromatograms <input type="checkbox"/> FULT1 - Level 4 data package <input type="checkbox"/> EDF for Geotracker <input type="checkbox"/> EDD Format				(20) → E-4 12-16-11 @ 1333 > Water (0.01) Rec'd. <input type="checkbox"/> Provide EDF Global ID <input type="checkbox"/> Provide EDF Logcode:				
<input type="checkbox"/> 10 Day (Workload dependent)												
<input type="checkbox"/> 5 Day (Workload dependent)												
<input type="checkbox"/> 3 Day (125% markup)												
<input type="checkbox"/> 2 Day (150% markup)												
<input type="checkbox"/> 1 Day (200% markup)												
<input type="checkbox"/> Same Day (300% markup)												
<b>* Samples added for analysis as per KT.</b>												PA-16-11
Emergency T/A data available VIA Lablink												
Sample Custody must be documented below each time samples change possession, including courier delivery.												
1	Relinquished by Sampler: 	Date/Time: 12/16/11 (163)	Received By: 1	Relinquished By: 2	Date/Time: 12/16/11	Received By: 2	Relinquished By: 3	Custody Seal #	Appropriate Bottle / Pres. Y/N	Headspace Y/N	On Ice Y/N	Cooler Temp. 0C
3	Relinquished by: 	Date/Time:	Received By: 3	Relinquished By: 4	Date/Time:	Received By: 4	5		Labels match Coc? Y / N	Separate Receiving Check List used: Y / N		
5												

**C19472: Chain of Custody**

**Page 2 of 3**





## GC/MS Volatiles

---

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

## Method Blank Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	

4.1  
4

## Method Blank Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

4.1.1  
4

## Method Blank Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-MB	R6777.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Surrogate Recoveries	Limits
---------	----------------------	--------

1868-53-7	Dibromofluoromethane	101%	60-130%
2037-26-5	Toluene-D8	106%	60-130%
460-00-4	4-Bromofluorobenzene	106%	60-130%

## Method Blank Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-MB	W27185.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	

## Method Blank Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-MB	W27185.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

## Method Blank Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-MB	W27185.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Surrogate Recoveries	Limits
---------	----------------------	--------

1868-53-7	Dibromofluoromethane	97%	60-130%
2037-26-5	Toluene-D8	100%	60-130%
460-00-4	4-Bromofluorobenzene	94%	60-130%

## Method Blank Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-MB	W27233.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	10	ug/l	
71-43-2	Benzene	ND	1.0	0.30	ug/l	
108-86-1	Bromobenzene	ND	1.0	0.30	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.50	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.30	ug/l	
75-25-2	Bromoform	ND	1.0	0.50	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.50	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.50	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.50	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.30	ug/l	
75-00-3	Chloroethane	ND	1.0	0.30	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.50	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.20	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.30	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.20	ug/l	
563-58-6	1,1-Dichloropropene	ND	1.0	0.30	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	5.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.30	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.30	ug/l	
142-28-9	1,3-Dichloropropane	ND	1.0	0.30	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.50	ug/l	
594-20-7	2,2-Dichloropropane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.20	ug/l	
75-71-8	Dichlorodifluoromethane	ND	1.0	0.30	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.50	ug/l	
541-73-1	m-Dichlorobenzene	ND	1.0	0.30	ug/l	
95-50-1	o-Dichlorobenzene	ND	1.0	0.30	ug/l	
106-46-7	p-Dichlorobenzene	ND	1.0	0.30	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.30	ug/l	
637-92-3	Ethyl Tert Butyl Ether	ND	5.0	0.50	ug/l	

## Method Blank Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-MB	W27233.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	20	10	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.50	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.20	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.50	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	20	5.0	ug/l	
74-83-9	Methyl bromide	ND	5.0	1.5	ug/l	
74-87-3	Methyl chloride	ND	1.0	0.30	ug/l	
74-95-3	Methylene bromide	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	20	5.0	ug/l	
78-93-3	Methyl ethyl ketone	ND	20	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.50	ug/l	
91-20-3	Naphthalene	ND	5.0	0.50	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.50	ug/l	
100-42-5	Styrene	ND	1.0	0.20	ug/l	
994-05-8	Tert-Amyl Methyl Ether	ND	5.0	0.50	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	10	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.50	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.50	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.50	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.50	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.30	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.30	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.70	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

## Method Blank Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-MB	W27233.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Surrogate Recoveries	Limits
---------	----------------------	--------

1868-53-7	Dibromofluoromethane	95%	60-130%
2037-26-5	Toluene-D8	100%	60-130%
460-00-4	4-Bromofluorobenzene	93%	60-130%

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	88.4	111	88.2	110	0	60-130/30
71-43-2	Benzene	20	21.6	108	21.9	110	1	60-130/30
108-86-1	Bromobenzene	20	19.3	97	19.6	98	2	60-130/30
74-97-5	Bromochloromethane	20	22.0	110	21.9	110	0	60-130/30
75-27-4	Bromodichloromethane	20	22.4	112	22.8	114	2	60-130/30
75-25-2	Bromoform	20	20.7	104	20.8	104	0	60-130/30
104-51-8	n-Butylbenzene	20	20.9	105	21.3	107	2	60-130/30
135-98-8	sec-Butylbenzene	20	20.7	104	21.0	105	1	60-130/30
98-06-6	tert-Butylbenzene	20	20.2	101	20.7	104	2	60-130/30
108-90-7	Chlorobenzene	20	20.5	103	20.7	104	1	60-130/30
75-00-3	Chloroethane	20	21.9	110	22.7	114	4	60-130/30
67-66-3	Chloroform	20	22.0	110	22.1	111	0	60-130/30
95-49-8	o-Chlorotoluene	20	19.9	100	20.6	103	3	60-130/30
106-43-4	p-Chlorotoluene	20	21.5	108	21.2	106	1	60-130/30
56-23-5	Carbon tetrachloride	20	21.2	106	21.3	107	0	60-130/30
75-34-3	1,1-Dichloroethane	20	22.5	113	22.6	113	0	60-130/30
75-35-4	1,1-Dichloroethylene	20	22.8	114	22.7	114	0	60-130/30
563-58-6	1,1-Dichloropropene	20	21.9	110	22.3	112	2	60-130/30
96-12-8	1,2-Dibromo-3-chloropropane	20	19.9	100	20.7	104	4	60-130/30
106-93-4	1,2-Dibromoethane	20	21.2	106	21.6	108	2	60-130/30
107-06-2	1,2-Dichloroethane	20	21.1	106	21.5	108	2	60-130/30
78-87-5	1,2-Dichloropropane	20	21.8	109	22.2	111	2	60-130/30
142-28-9	1,3-Dichloropropane	20	22.0	110	22.3	112	1	60-130/30
108-20-3	Di-Isopropyl ether	20	21.8	109	21.9	110	0	60-130/30
594-20-7	2,2-Dichloropropane	20	21.9	110	21.6	108	1	60-130/30
124-48-1	Dibromochloromethane	20	21.4	107	21.6	108	1	60-130/30
75-71-8	Dichlorodifluoromethane	20	24.3	122	24.9	125	2	60-130/30
156-59-2	cis-1,2-Dichloroethylene	20	21.4	107	21.4	107	0	60-130/30
10061-01-5	cis-1,3-Dichloropropene	20	23.0	115	23.4	117	2	60-130/30
541-73-1	m-Dichlorobenzene	20	20.0	100	20.3	102	1	60-130/30
95-50-1	o-Dichlorobenzene	20	19.8	99	20.0	100	1	60-130/30
106-46-7	p-Dichlorobenzene	20	20.1	101	20.4	102	1	60-130/30
156-60-5	trans-1,2-Dichloroethylene	20	22.1	111	22.1	111	0	60-130/30
10061-02-6	trans-1,3-Dichloropropene	20	19.2	96	19.5	98	2	60-130/30
100-41-4	Ethylbenzene	20	21.4	107	21.8	109	2	60-130/30
637-92-3	Ethyl Tert Butyl Ether	20	21.0	105	21.0	105	0	60-130/30

4.2.1  
4

# Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	93.3	117	94.9	119	2	60-130/30
87-68-3	Hexachlorobutadiene	20	17.3	87	18.3	92	6	60-130/30
98-82-8	Isopropylbenzene	20	21.3	107	21.6	108	1	60-130/30
99-87-6	p-Isopropyltoluene	20	20.4	102	20.7	104	1	60-130/30
108-10-1	4-Methyl-2-pentanone	80	87.1	109	88.8	111	2	60-130/30
74-83-9	Methyl bromide	20	21.6	108	22.2	111	3	60-130/30
74-87-3	Methyl chloride	20	19.7	99	20.0	100	2	60-130/30
74-95-3	Methylene bromide	20	22.6	113	22.8	114	1	60-130/30
75-09-2	Methylene chloride	20	21.7	109	21.8	109	0	60-130/30
78-93-3	Methyl ethyl ketone	80	88.8	111	90.2	113	2	60-130/30
1634-04-4	Methyl Tert Butyl Ether	20	22.2	111	22.2	111	0	60-130/30
91-20-3	Naphthalene	20	19.7	99	20.7	104	5	60-130/30
103-65-1	n-Propylbenzene	20	20.6	103	20.9	105	1	60-130/30
100-42-5	Styrene	20	21.8	109	22.1	111	1	60-130/30
994-05-8	Tert-Amyl Methyl Ether	20	20.8	104	20.7	104	0	60-130/30
75-65-0	Tert-Butyl Alcohol	100	112	112	115	115	3	60-130/30
630-20-6	1,1,1,2-Tetrachloroethane	20	20.5	103	20.7	104	1	60-130/30
71-55-6	1,1,1-Trichloroethane	20	21.7	109	21.3	107	2	60-130/30
79-34-5	1,1,2,2-Tetrachloroethane	20	21.3	107	21.5	108	1	60-130/30
79-00-5	1,1,2-Trichloroethane	20	22.1	111	22.3	112	1	60-130/30
87-61-6	1,2,3-Trichlorobenzene	20	18.8	94	19.7	99	5	60-130/30
96-18-4	1,2,3-Trichloropropane	20	20.6	103	20.9	105	1	60-130/30
120-82-1	1,2,4-Trichlorobenzene	20	18.4	92	19.1	96	4	60-130/30
95-63-6	1,2,4-Trimethylbenzene	20	21.0	105	21.2	106	1	60-130/30
108-67-8	1,3,5-Trimethylbenzene	20	20.7	104	20.9	105	1	60-130/30
127-18-4	Tetrachloroethylene	20	18.4	92	19.0	95	3	60-130/30
108-88-3	Toluene	20	21.5	108	21.8	109	1	60-130/30
79-01-6	Trichloroethylene	20	20.8	104	21.3	107	2	60-130/30
75-69-4	Trichlorofluoromethane	20	21.2	106	22.2	111	5	60-130/30
75-01-4	Vinyl chloride	20	22.3	112	23.0	115	3	60-130/30
1330-20-7	Xylene (total)	60	61.3	102	62.0	103	1	60-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	105%	104%	60-130%

4.2.1  
4

## Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-BS	R6774.D	1	12/23/11	BD	n/a	n/a	VR238
VR238-BSD	R6775.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	105%	105%	60-130%
460-00-4	4-Bromofluorobenzene	106%	105%	60-130%

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-BS	W27182.D	1	12/27/11	TN	n/a	n/a	VW928
VW928-BSD	W27183.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	70.6	88	66.8	84	6	60-130/30
71-43-2	Benzene	20	21.3	107	20.1	101	6	60-130/30
108-86-1	Bromobenzene	20	20.8	104	20.6	103	1	60-130/30
74-97-5	Bromochloromethane	20	22.7	114	22.2	111	2	60-130/30
75-27-4	Bromodichloromethane	20	20.5	103	20.2	101	1	60-130/30
75-25-2	Bromoform	20	19.2	96	19.1	96	1	60-130/30
104-51-8	n-Butylbenzene	20	21.9	110	19.6	98	11	60-130/30
135-98-8	sec-Butylbenzene	20	22.2	111	20.0	100	10	60-130/30
98-06-6	tert-Butylbenzene	20	21.7	109	19.8	99	9	60-130/30
108-90-7	Chlorobenzene	20	21.7	109	20.8	104	4	60-130/30
75-00-3	Chloroethane	20	20.7	104	19.6	98	5	60-130/30
67-66-3	Chloroform	20	21.9	110	20.9	105	5	60-130/30
95-49-8	o-Chlorotoluene	20	22.5	113	20.8	104	8	60-130/30
106-43-4	p-Chlorotoluene	20	20.7	104	20.1	101	3	60-130/30
56-23-5	Carbon tetrachloride	20	22.4	112	19.7	99	13	60-130/30
75-34-3	1,1-Dichloroethane	20	22.1	111	20.8	104	6	60-130/30
75-35-4	1,1-Dichloroethylene	20	22.3	112	19.8	99	12	60-130/30
563-58-6	1,1-Dichloropropene	20	21.8	109	19.5	98	11	60-130/30
96-12-8	1,2-Dibromo-3-chloropropane	20	16.4	82	16.5	83	1	60-130/30
106-93-4	1,2-Dibromoethane	20	20.1	101	20.1	101	0	60-130/30
107-06-2	1,2-Dichloroethane	20	19.5	98	19.3	97	1	60-130/30
78-87-5	1,2-Dichloropropane	20	21.3	107	20.8	104	2	60-130/30
142-28-9	1,3-Dichloropropane	20	20.6	103	20.5	103	0	60-130/30
108-20-3	Di-Isopropyl ether	20	21.1	106	20.3	102	4	60-130/30
594-20-7	2,2-Dichloropropane	20	22.5	113	20.0	100	12	60-130/30
124-48-1	Dibromochloromethane	20	19.4	97	19.2	96	1	60-130/30
75-71-8	Dichlorodifluoromethane	20	20.7	104	19.4	97	6	60-130/30
156-59-2	cis-1,2-Dichloroethylene	20	23.0	115	21.9	110	5	60-130/30
10061-01-5	cis-1,3-Dichloropropene	20	22.0	110	21.7	109	1	60-130/30
541-73-1	m-Dichlorobenzene	20	21.0	105	20.3	102	3	60-130/30
95-50-1	o-Dichlorobenzene	20	21.1	106	20.6	103	2	60-130/30
106-46-7	p-Dichlorobenzene	20	21.3	107	20.5	103	4	60-130/30
156-60-5	trans-1,2-Dichloroethylene	20	22.9	115	20.8	104	10	60-130/30
10061-02-6	trans-1,3-Dichloropropene	20	19.6	98	19.6	98	0	60-130/30
100-41-4	Ethylbenzene	20	21.7	109	19.9	100	9	60-130/30
637-92-3	Ethyl Tert Butyl Ether	20	22.6	113	22.2	111	2	60-130/30

4.2.2  
4

# Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-BS	W27182.D	1	12/27/11	TN	n/a	n/a	VW928
VW928-BSD	W27183.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	76.0	95	73.6	92	3	60-130/30
87-68-3	Hexachlorobutadiene	20	21.3	107	18.6	93	14	60-130/30
98-82-8	Isopropylbenzene	20	18.9	95	17.1	86	10	60-130/30
99-87-6	p-Isopropyltoluene	20	20.5	103	18.5	93	10	60-130/30
108-10-1	4-Methyl-2-pentanone	80	76.1	95	73.8	92	3	60-130/30
74-83-9	Methyl bromide	20	20.0	100	19.3	97	4	60-130/30
74-87-3	Methyl chloride	20	17.0	85	17.0	85	0	60-130/30
74-95-3	Methylene bromide	20	19.8	99	19.7	99	1	60-130/30
75-09-2	Methylene chloride	20	20.8	104	20.5	103	1	60-130/30
78-93-3	Methyl ethyl ketone	80	76.4	96	73.7	92	4	60-130/30
1634-04-4	Methyl Tert Butyl Ether	20	21.5	108	21.4	107	0	60-130/30
91-20-3	Naphthalene	20	19.5	98	18.5	93	5	60-130/30
103-65-1	n-Propylbenzene	20	21.5	108	19.7	99	9	60-130/30
100-42-5	Styrene	20	21.7	109	20.8	104	4	60-130/30
994-05-8	Tert-Amyl Methyl Ether	20	22.4	112	22.0	110	2	60-130/30
75-65-0	Tert-Butyl Alcohol	100	89.3	89	83.1	83	7	60-130/30
630-20-6	1,1,1,2-Tetrachloroethane	20	22.2	111	21.5	108	3	60-130/30
71-55-6	1,1,1-Trichloroethane	20	22.5	113	20.1	101	11	60-130/30
79-34-5	1,1,2,2-Tetrachloroethane	20	20.8	104	20.9	105	0	60-130/30
79-00-5	1,1,2-Trichloroethane	20	20.5	103	20.5	103	0	60-130/30
87-61-6	1,2,3-Trichlorobenzene	20	20.2	101	18.8	94	7	60-130/30
96-18-4	1,2,3-Trichloropropane	20	18.8	94	18.4	92	2	60-130/30
120-82-1	1,2,4-Trichlorobenzene	20	19.6	98	18.4	92	6	60-130/30
95-63-6	1,2,4-Trimethylbenzene	20	21.7	109	20.3	102	7	60-130/30
108-67-8	1,3,5-Trimethylbenzene	20	22.3	112	20.7	104	7	60-130/30
127-18-4	Tetrachloroethylene	20	22.0	110	19.9	100	10	60-130/30
108-88-3	Toluene	20	21.6	108	20.2	101	7	60-130/30
79-01-6	Trichloroethylene	20	21.3	107	19.6	98	8	60-130/30
75-69-4	Trichlorofluoromethane	20	20.3	102	18.8	94	8	60-130/30
75-01-4	Vinyl chloride	20	18.5	93	18.1	91	2	60-130/30
1330-20-7	Xylene (total)	60	65.8	110	61.3	102	7	60-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	102%	102%	60-130%

## Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-BS	W27182.D	1	12/27/11	TN	n/a	n/a	VW928
VW928-BSD	W27183.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	98%	99%	60-130%
460-00-4	4-Bromofluorobenzene	96%	95%	60-130%

# Blank Spike/Blank Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-BS	W27230.D	1	12/28/11	TN	n/a	n/a	VW929
VW929-BSD	W27231.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	80	74.0	93	65.6	82	12	60-130/30
71-43-2	Benzene	20	20.8	104	20.8	104	0	60-130/30
108-86-1	Bromobenzene	20	20.4	102	20.7	104	1	60-130/30
74-97-5	Bromochloromethane	20	22.9	115	22.8	114	0	60-130/30
75-27-4	Bromodichloromethane	20	20.9	105	20.7	104	1	60-130/30
75-25-2	Bromoform	20	19.9	100	19.3	97	3	60-130/30
104-51-8	n-Butylbenzene	20	20.5	103	20.6	103	0	60-130/30
135-98-8	sec-Butylbenzene	20	20.7	104	20.8	104	0	60-130/30
98-06-6	tert-Butylbenzene	20	20.4	102	20.5	103	0	60-130/30
108-90-7	Chlorobenzene	20	21.4	107	21.4	107	0	60-130/30
75-00-3	Chloroethane	20	20.5	103	20.8	104	1	60-130/30
67-66-3	Chloroform	20	21.6	108	21.6	108	0	60-130/30
95-49-8	o-Chlorotoluene	20	21.3	107	21.2	106	0	60-130/30
106-43-4	p-Chlorotoluene	20	20.0	100	20.4	102	2	60-130/30
56-23-5	Carbon tetrachloride	20	20.8	104	20.5	103	1	60-130/30
75-34-3	1,1-Dichloroethane	20	21.5	108	21.4	107	0	60-130/30
75-35-4	1,1-Dichloroethylene	20	20.5	103	20.5	103	0	60-130/30
563-58-6	1,1-Dichloropropene	20	20.6	103	20.2	101	2	60-130/30
96-12-8	1,2-Dibromo-3-chloropropane	20	18.5	93	16.4	82	12	60-130/30
106-93-4	1,2-Dibromoethane	20	21.0	105	20.4	102	3	60-130/30
107-06-2	1,2-Dichloroethane	20	20.3	102	19.9	100	2	60-130/30
78-87-5	1,2-Dichloropropane	20	21.6	108	21.3	107	1	60-130/30
142-28-9	1,3-Dichloropropane	20	21.6	108	21.0	105	3	60-130/30
108-20-3	Di-Isopropyl ether	20	21.1	106	21.1	106	0	60-130/30
594-20-7	2,2-Dichloropropane	20	21.3	107	21.1	106	1	60-130/30
124-48-1	Dibromochloromethane	20	19.8	99	19.3	97	3	60-130/30
75-71-8	Dichlorodifluoromethane	20	20.5	103	20.6	103	0	60-130/30
156-59-2	cis-1,2-Dichloroethylene	20	22.6	113	22.6	113	0	60-130/30
10061-01-5	cis-1,3-Dichloropropene	20	22.5	113	22.5	113	0	60-130/30
541-73-1	m-Dichlorobenzene	20	20.6	103	20.8	104	1	60-130/30
95-50-1	o-Dichlorobenzene	20	20.7	104	21.0	105	1	60-130/30
106-46-7	p-Dichlorobenzene	20	20.8	104	20.9	105	0	60-130/30
156-60-5	trans-1,2-Dichloroethylene	20	21.5	108	21.6	108	0	60-130/30
10061-02-6	trans-1,3-Dichloropropene	20	20.3	102	20.2	101	0	60-130/30
100-41-4	Ethylbenzene	20	20.8	104	20.8	104	0	60-130/30
637-92-3	Ethyl Tert Butyl Ether	20	23.0	115	22.9	115	0	60-130/30

# Blank Spike/Blank Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-BS	W27230.D	1	12/28/11	TN	n/a	n/a	VW929
VW929-BSD	W27231.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
591-78-6	2-Hexanone	80	83.7	105	74.8	94	11	60-130/30
87-68-3	Hexachlorobutadiene	20	20.5	103	20.5	103	0	60-130/30
98-82-8	Isopropylbenzene	20	17.9	90	17.8	89	1	60-130/30
99-87-6	p-Isopropyltoluene	20	19.2	96	19.4	97	1	60-130/30
108-10-1	4-Methyl-2-pentanone	80	83.6	105	75.5	94	10	60-130/30
74-83-9	Methyl bromide	20	20.4	102	20.7	104	1	60-130/30
74-87-3	Methyl chloride	20	17.3	87	18.4	92	6	60-130/30
74-95-3	Methylene bromide	20	20.6	103	20.3	102	1	60-130/30
75-09-2	Methylene chloride	20	19.6	98	19.9	100	2	60-130/30
78-93-3	Methyl ethyl ketone	80	84.3	105	74.6	93	12	60-130/30
1634-04-4	Methyl Tert Butyl Ether	20	22.4	112	22.0	110	2	60-130/30
91-20-3	Naphthalene	20	20.8	104	19.8	99	5	60-130/30
103-65-1	n-Propylbenzene	20	20.1	101	20.3	102	1	60-130/30
100-42-5	Styrene	20	21.4	107	21.4	107	0	60-130/30
994-05-8	Tert-Amyl Methyl Ether	20	23.0	115	22.7	114	1	60-130/30
75-65-0	Tert-Butyl Alcohol	100	93.0	93	79.2	79	16	60-130/30
630-20-6	1,1,1,2-Tetrachloroethane	20	21.9	110	21.9	110	0	60-130/30
71-55-6	1,1,1-Trichloroethane	20	21.0	105	20.9	105	0	60-130/30
79-34-5	1,1,2,2-Tetrachloroethane	20	21.8	109	20.8	104	5	60-130/30
79-00-5	1,1,2-Trichloroethane	20	21.7	109	21.1	106	3	60-130/30
87-61-6	1,2,3-Trichlorobenzene	20	20.9	105	20.5	103	2	60-130/30
96-18-4	1,2,3-Trichloropropane	20	20.5	103	19.1	96	7	60-130/30
120-82-1	1,2,4-Trichlorobenzene	20	20.0	100	19.6	98	2	60-130/30
95-63-6	1,2,4-Trimethylbenzene	20	20.6	103	20.9	105	1	60-130/30
108-67-8	1,3,5-Trimethylbenzene	20	20.9	105	21.2	106	1	60-130/30
127-18-4	Tetrachloroethylene	20	20.9	105	20.6	103	1	60-130/30
108-88-3	Toluene	20	20.8	104	20.8	104	0	60-130/30
79-01-6	Trichloroethylene	20	20.7	104	20.5	103	1	60-130/30
75-69-4	Trichlorofluoromethane	20	19.1	96	19.4	97	2	60-130/30
75-01-4	Vinyl chloride	20	20.2	101	20.8	104	3	60-130/30
1330-20-7	Xylene (total)	60	63.7	106	63.6	106	0	60-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	101%	101%	60-130%

## Blank Spike/Blank Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-BS	W27230.D	1	12/28/11	TN	n/a	n/a	VW929
VW929-BSD	W27231.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
2037-26-5	Toluene-D8	98%	99%	60-130%
460-00-4	4-Bromofluorobenzene	98%	96%	60-130%

# Laboratory Control Sample Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VR238-LCS	R6776.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	98.5	79	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	101%	60-130%
2037-26-5	Toluene-D8	106%	60-130%
460-00-4	4-Bromofluorobenzene	105%	60-130%

# Laboratory Control Sample Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW928-LCS	W27184.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	118	94	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	98%	60-130%
2037-26-5	Toluene-D8	100%	60-130%
460-00-4	4-Bromofluorobenzene	94%	60-130%

# Laboratory Control Sample Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VW929-LCS	W27232.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	116	93	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	97%	60-130%
2037-26-5	Toluene-D8	99%	60-130%
460-00-4	4-Bromofluorobenzene	94%	60-130%

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	C19472-1		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
67-64-1	Acetone	ND	80	85.2	107	84.6	106	1	60-130/25	
71-43-2	Benzene	ND	20	23.1	116	22.5	113	3	60-130/25	
108-86-1	Bromobenzene	ND	20	20.7	104	20.1	101	3	60-130/25	
74-97-5	Bromochloromethane	ND	20	22.9	115	22.6	113	1	60-130/25	
75-27-4	Bromodichloromethane	ND	20	23.3	117	22.8	114	2	60-130/25	
75-25-2	Bromoform	ND	20	19.6	98	19.3	97	2	60-130/25	
104-51-8	n-Butylbenzene	ND	20	22.2	111	21.4	107	4	60-130/25	
135-98-8	sec-Butylbenzene	ND	20	22.4	112	21.6	108	4	60-130/25	
98-06-6	tert-Butylbenzene	ND	20	22.0	110	21.1	106	4	60-130/25	
108-90-7	Chlorobenzene	ND	20	22.2	111	21.5	108	3	60-130/25	
75-00-3	Chloroethane	ND	20	23.9	120	23.2	116	3	60-130/25	
67-66-3	Chloroform	ND	20	23.4	117	22.6	113	3	60-130/25	
95-49-8	o-Chlorotoluene	ND	20	21.8	109	21.1	106	3	60-130/25	
106-43-4	p-Chlorotoluene	ND	20	22.1	111	21.5	108	3	60-130/25	
56-23-5	Carbon tetrachloride	ND	20	22.3	112	21.4	107	4	60-130/25	
75-34-3	1,1-Dichloroethane	ND	20	23.8	119	23.2	116	3	60-130/25	
75-35-4	1,1-Dichloroethylene	ND	20	23.2	116	22.4	112	4	60-130/25	
563-58-6	1,1-Dichloropropene	ND	20	23.3	117	22.5	113	3	60-130/25	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	19.9	100	20.0	100	1	60-130/25	
106-93-4	1,2-Dibromoethane	ND	20	22.3	112	22.1	111	1	60-130/25	
107-06-2	1,2-Dichloroethane	0.41	J	20	22.7	111	22.2	109	2	60-130/25
78-87-5	1,2-Dichloropropane	ND	20	23.2	116	22.9	115	1	60-130/25	
142-28-9	1,3-Dichloropropane	ND	20	23.2	116	22.8	114	2	60-130/25	
108-20-3	Di-Isopropyl ether	ND	20	22.9	115	22.5	113	2	60-130/25	
594-20-7	2,2-Dichloropropane	ND	20	21.3	107	20.5	103	4	60-130/25	
124-48-1	Dibromochloromethane	ND	20	21.3	107	20.8	104	2	60-130/25	
75-71-8	Dichlorodifluoromethane	ND	20	17.7	89	16.6	83	6	60-130/25	
156-59-2	cis-1,2-Dichloroethylene	ND	20	22.6	113	22.0	110	3	60-130/25	
10061-01-5	cis-1,3-Dichloropropene	ND	20	23.2	116	22.7	114	2	60-130/25	
541-73-1	m-Dichlorobenzene	ND	20	21.3	107	20.8	104	2	60-130/25	
95-50-1	o-Dichlorobenzene	ND	20	21.0	105	20.7	104	1	60-130/25	
106-46-7	p-Dichlorobenzene	ND	20	21.4	107	21.0	105	2	60-130/25	
156-60-5	trans-1,2-Dichloroethylene	ND	20	23.3	117	22.4	112	4	60-130/25	
10061-02-6	trans-1,3-Dichloropropene	ND	20	19.3	97	18.8	94	3	60-130/25	
100-41-4	Ethylbenzene	ND	20	23.1	116	22.4	112	3	60-130/25	
637-92-3	Ethyl Tert Butyl Ether	ND	20	21.9	110	21.7	109	1	60-130/25	

4.1  
4

# Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Compound	C19472-1		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
591-78-6	2-Hexanone	ND	80	93.6	117	93.4	117	0	60-130/25	
87-68-3	Hexachlorobutadiene	ND	20	18.4	92	18.4	92	0	60-130/25	
98-82-8	Isopropylbenzene	ND	20	23.1	116	22.3	112	4	60-130/25	
99-87-6	p-Isopropyltoluene	ND	20	21.5	108	20.8	104	3	60-130/25	
108-10-1	4-Methyl-2-pentanone	ND	80	87.7	110	88.0	110	0	60-130/25	
74-83-9	Methyl bromide	ND	20	23.1	116	22.6	113	2	60-130/25	
74-87-3	Methyl chloride	ND	20	18.8	94	18.3	92	3	60-130/25	
74-95-3	Methylene bromide	ND	20	23.4	117	23.4	117	0	60-130/25	
75-09-2	Methylene chloride	ND	20	22.7	114	22.5	113	1	60-130/25	
78-93-3	Methyl ethyl ketone	ND	80	87.7	110	87.3	109	0	60-130/25	
1634-04-4	Methyl Tert Butyl Ether	1.2	20	23.9	114	23.8	113	0	60-130/25	
91-20-3	Naphthalene	ND	20	20.3	102	20.6	103	1	60-130/25	
103-65-1	n-Propylbenzene	ND	20	22.1	111	21.2	106	4	60-130/25	
100-42-5	Styrene	ND	20	19.0	95	18.3	92	4	60-130/25	
994-05-8	Tert-Amyl Methyl Ether	ND	20	21.7	109	21.4	107	1	60-130/25	
75-65-0	Tert-Butyl Alcohol	ND	100	112	112	114	114	2	60-130/25	
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	21.9	110	21.5	108	2	60-130/25	
71-55-6	1,1,1-Trichloroethane	ND	20	23.0	115	22.3	112	3	60-130/25	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	21.9	110	21.8	109	0	60-130/25	
79-00-5	1,1,2-Trichloroethane	ND	20	23.2	116	22.9	115	1	60-130/25	
87-61-6	1,2,3-Trichlorobenzene	ND	20	18.9	95	19.7	99	4	60-130/25	
96-18-4	1,2,3-Trichloropropane	ND	20	19.9	100	19.6	98	2	60-130/25	
120-82-1	1,2,4-Trichlorobenzene	ND	20	18.9	95	19.3	97	2	60-130/25	
95-63-6	1,2,4-Trimethylbenzene	ND	20	20.4	102	19.7	99	3	60-130/25	
108-67-8	1,3,5-Trimethylbenzene	ND	20	20.5	103	19.7	99	4	60-130/25	
127-18-4	Tetrachloroethylene	ND	20	20.2	101	19.2	96	5	60-130/25	
108-88-3	Toluene	ND	20	23.1	116	22.3	112	4	60-130/25	
79-01-6	Trichloroethylene	ND	20	22.8	114	22.1	111	3	60-130/25	
75-69-4	Trichlorofluoromethane	ND	20	22.9	115	22.0	110	4	60-130/25	
75-01-4	Vinyl chloride	ND	20	22.6	113	21.9	110	3	60-130/25	
1330-20-7	Xylene (total)	ND	60	64.5	108	62.1	104	4	60-130/25	

CAS No.	Surrogate Recoveries	MS	MSD	C19472-1	Limits
1868-53-7	Dibromofluoromethane	104%	104%	101%	60-130%

4.1  
4

## Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-1MS	R6795.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1MSD	R6796.D	1	12/23/11	BD	n/a	n/a	VR238
C19472-1	R6780.D	1	12/23/11	BD	n/a	n/a	VR238

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-1, C19472-2, C19472-3, C19472-4, C19472-6, C19472-7

CAS No.	Surrogate Recoveries	MS	MSD	C19472-1	Limits
2037-26-5	Toluene-D8	104%	104%	105%	60-130%
460-00-4	4-Bromofluorobenzene	107%	107%	105%	60-130%

4.1  
4

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-12MS	W27201.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12MSD	W27202.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12	W27197.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	C19472-12		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
67-64-1	Acetone	ND	80	63.4	79	63.3	79	0	60-130/25	
71-43-2	Benzene	ND	20	19.8	99	20.4	102	3	60-130/25	
108-86-1	Bromobenzene	ND	20	19.6	98	19.9	100	2	60-130/25	
74-97-5	Bromochloromethane	ND	20	22.1	111	22.3	112	1	60-130/25	
75-27-4	Bromodichloromethane	ND	20	20.1	101	20.5	103	2	60-130/25	
75-25-2	Bromoform	ND	20	19.4	97	19.5	98	1	60-130/25	
104-51-8	n-Butylbenzene	ND	20	18.2	91	19.2	96	5	60-130/25	
135-98-8	sec-Butylbenzene	ND	20	18.6	93	19.7	99	6	60-130/25	
98-06-6	tert-Butylbenzene	ND	20	18.7	94	19.7	99	5	60-130/25	
108-90-7	Chlorobenzene	ND	20	20.1	101	20.7	104	3	60-130/25	
75-00-3	Chloroethane	ND	20	19.1	96	19.3	97	1	60-130/25	
67-66-3	Chloroform	ND	20	20.2	101	20.9	105	3	60-130/25	
95-49-8	o-Chlorotoluene	ND	20	19.9	100	20.6	103	3	60-130/25	
106-43-4	p-Chlorotoluene	ND	20	18.7	94	19.2	96	3	60-130/25	
56-23-5	Carbon tetrachloride	ND	20	19.6	98	20.9	105	6	60-130/25	
75-34-3	1,1-Dichloroethane	ND	20	20.2	101	20.8	104	3	60-130/25	
75-35-4	1,1-Dichloroethylene	ND	20	19.3	97	20.2	101	5	60-130/25	
563-58-6	1,1-Dichloropropene	ND	20	19.1	96	20.0	100	5	60-130/25	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	17.0	85	17.5	88	3	60-130/25	
106-93-4	1,2-Dibromoethane	ND	20	20.3	102	20.5	103	1	60-130/25	
107-06-2	1,2-Dichloroethane	0.35	J	20	20.0	98	20.3	100	1	60-130/25
78-87-5	1,2-Dichloropropane	ND	20	20.6	103	21.1	106	2	60-130/25	
142-28-9	1,3-Dichloropropane	ND	20	20.7	104	21.0	105	1	60-130/25	
108-20-3	Di-Isopropyl ether	ND	20	20.1	101	20.5	103	2	60-130/25	
594-20-7	2,2-Dichloropropane	ND	20	18.1	91	18.4	92	2	60-130/25	
124-48-1	Dibromochloromethane	ND	20	19.1	96	19.4	97	2	60-130/25	
75-71-8	Dichlorodifluoromethane	ND	20	18.8	94	18.7	94	1	60-130/25	
156-59-2	cis-1,2-Dichloroethylene	ND	20	21.4	107	21.8	109	2	60-130/25	
10061-01-5	cis-1,3-Dichloropropene	ND	20	21.2	106	21.5	108	1	60-130/25	
541-73-1	m-Dichlorobenzene	ND	20	19.1	96	19.5	98	2	60-130/25	
95-50-1	o-Dichlorobenzene	ND	20	19.6	98	20.1	101	3	60-130/25	
106-46-7	p-Dichlorobenzene	ND	20	19.4	97	19.9	100	3	60-130/25	
156-60-5	trans-1,2-Dichloroethylene	ND	20	20.2	101	21.0	105	4	60-130/25	
10061-02-6	trans-1,3-Dichloropropene	ND	20	19.1	96	19.3	97	1	60-130/25	
100-41-4	Ethylbenzene	ND	20	19.4	97	20.2	101	4	60-130/25	
637-92-3	Ethyl Tert Butyl Ether	ND	20	22.1	111	22.4	112	1	60-130/25	

# Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-12MS	W27201.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12MSD	W27202.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12	W27197.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Compound	C19472-12		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
591-78-6	2-Hexanone	ND	80	78.4	98	76.8	96	2	60-130/25	
87-68-3	Hexachlorobutadiene	ND	20	17.7	89	19.1	96	8	60-130/25	
98-82-8	Isopropylbenzene	ND	20	16.5	83	17.4	87	5	60-130/25	
99-87-6	p-Isopropyltoluene	ND	20	17.3	87	18.2	91	5	60-130/25	
108-10-1	4-Methyl-2-pentanone	ND	80	80.0	100	79.2	99	1	60-130/25	
74-83-9	Methyl bromide	ND	20	18.3	92	18.6	93	2	60-130/25	
74-87-3	Methyl chloride	ND	20	15.7	79	16.1	81	3	60-130/25	
74-95-3	Methylene bromide	ND	20	20.0	100	20.4	102	2	60-130/25	
75-09-2	Methylene chloride	ND	20	19.6	98	20.1	101	3	60-130/25	
78-93-3	Methyl ethyl ketone	ND	80	76.7	96	75.6	95	1	60-130/25	
1634-04-4	Methyl Tert Butyl Ether	0.83	J	20	22.4	108	22.7	109	1	60-130/25
91-20-3	Naphthalene	ND	20	19.4	97	19.9	100	3	60-130/25	
103-65-1	n-Propylbenzene	ND	20	18.4	92	19.3	97	5	60-130/25	
100-42-5	Styrene	ND	20	20.2	101	20.9	105	3	60-130/25	
994-05-8	Tert-Amyl Methyl Ether	ND	20	22.2	111	22.5	113	1	60-130/25	
75-65-0	Tert-Butyl Alcohol	ND	100	87.2	87	91.9	92	5	60-130/25	
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	20.7	104	21.4	107	3	60-130/25	
71-55-6	1,1,1-Trichloroethane	ND	20	19.9	100	20.8	104	4	60-130/25	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	20.9	105	21.1	106	1	60-130/25	
79-00-5	1,1,2-Trichloroethane	ND	20	20.7	104	21.0	105	1	60-130/25	
87-61-6	1,2,3-Trichlorobenzene	ND	20	18.9	95	19.3	97	2	60-130/25	
96-18-4	1,2,3-Trichloropropane	ND	20	19.3	97	19.5	98	1	60-130/25	
120-82-1	1,2,4-Trichlorobenzene	ND	20	17.6	88	18.0	90	2	60-130/25	
95-63-6	1,2,4-Trimethylbenzene	ND	20	19.0	95	19.6	98	3	60-130/25	
108-67-8	1,3,5-Trimethylbenzene	ND	20	19.3	97	20.2	101	5	60-130/25	
127-18-4	Tetrachloroethylene	ND	20	18.3	92	19.2	96	5	60-130/25	
108-88-3	Toluene	ND	20	19.4	97	20.2	101	4	60-130/25	
79-01-6	Trichloroethylene	ND	20	19.1	96	20.0	100	5	60-130/25	
75-69-4	Trichlorofluoromethane	ND	20	18.2	91	18.6	93	2	60-130/25	
75-01-4	Vinyl chloride	ND	20	19.4	97	18.9	95	3	60-130/25	
1330-20-7	Xylene (total)	ND	60	59.1	99	62.0	103	5	60-130/25	

CAS No.	Surrogate Recoveries	MS	MSD	C19472-12	Limits
1868-53-7	Dibromofluoromethane	102%	101%	97%	60-130%

4.4.2  
4

## Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19472-12MS	W27201.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12MSD	W27202.D	1	12/27/11	TN	n/a	n/a	VW928
C19472-12	W27197.D	1	12/27/11	TN	n/a	n/a	VW928

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-5, C19472-8, C19472-9, C19472-10, C19472-12, C19472-14, C19472-15, C19472-16

CAS No.	Surrogate Recoveries	MS	MSD	C19472-12	Limits
2037-26-5	Toluene-D8	98%	98%	99%	60-130%
460-00-4	4-Bromofluorobenzene	97%	97%	96%	60-130%

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19557-3MS	W27248.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3MSD	W27249.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3	W27247.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	C19557-3		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
67-64-1	Acetone	ND	80	57.9	72	54.8	69	6	60-130/25	
71-43-2	Benzene	ND	20	19.1	96	19.2	96	1	60-130/25	
108-86-1	Bromobenzene	ND	20	19.7	99	19.5	98	1	60-130/25	
74-97-5	Bromochloromethane	ND	20	21.3	107	21.1	106	1	60-130/25	
75-27-4	Bromodichloromethane	ND	20	19.6	98	19.5	98	1	60-130/25	
75-25-2	Bromoform	ND	20	19.3	97	18.6	93	4	60-130/25	
104-51-8	n-Butylbenzene	ND	20	17.5	88	18.2	91	4	60-130/25	
135-98-8	sec-Butylbenzene	ND	20	17.9	90	18.5	93	3	60-130/25	
98-06-6	tert-Butylbenzene	ND	20	18.0	90	18.3	92	2	60-130/25	
108-90-7	Chlorobenzene	ND	20	20.2	101	20.0	100	1	60-130/25	
75-00-3	Chloroethane	ND	20	18.4	92	18.1	91	2	60-130/25	
67-66-3	Chloroform	ND	20	19.8	99	19.6	98	1	60-130/25	
95-49-8	o-Chlorotoluene	ND	20	19.9	100	20.1	101	1	60-130/25	
106-43-4	p-Chlorotoluene	ND	20	18.6	93	18.6	93	0	60-130/25	
56-23-5	Carbon tetrachloride	ND	20	18.1	91	18.8	94	4	60-130/25	
75-34-3	1,1-Dichloroethane	ND	20	19.6	98	19.4	97	1	60-130/25	
75-35-4	1,1-Dichloroethylene	ND	20	17.7	89	18.0	90	2	60-130/25	
563-58-6	1,1-Dichloropropene	ND	20	17.7	89	18.2	91	3	60-130/25	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	16.3	82	16.1	81	1	60-130/25	
106-93-4	1,2-Dibromoethane	ND	20	20.2	101	19.6	98	3	60-130/25	
107-06-2	1,2-Dichloroethane	ND	20	19.1	96	18.8	94	2	60-130/25	
78-87-5	1,2-Dichloropropane	ND	20	20.3	102	20.2	101	0	60-130/25	
142-28-9	1,3-Dichloropropane	ND	20	20.9	105	20.2	101	3	60-130/25	
108-20-3	Di-Isopropyl ether	ND	20	19.8	99	19.5	98	2	60-130/25	
594-20-7	2,2-Dichloropropane	ND	20	17.7	89	17.6	88	1	60-130/25	
124-48-1	Dibromochloromethane	ND	20	19.1	96	18.5	93	3	60-130/25	
75-71-8	Dichlorodifluoromethane	ND	20	18.6	93	17.9	90	4	60-130/25	
156-59-2	cis-1,2-Dichloroethylene	0.96	J	20	21.8	104	21.5	103	1	60-130/25
10061-01-5	cis-1,3-Dichloropropene	ND	20	20.7	104	20.5	103	1	60-130/25	
541-73-1	m-Dichlorobenzene	ND	20	19.2	96	19.3	97	1	60-130/25	
95-50-1	o-Dichlorobenzene	ND	20	19.9	100	19.7	99	1	60-130/25	
106-46-7	p-Dichlorobenzene	ND	20	19.6	98	19.5	98	1	60-130/25	
156-60-5	trans-1,2-Dichloroethylene	ND	20	19.2	96	19.3	97	1	60-130/25	
10061-02-6	trans-1,3-Dichloropropene	ND	20	19.3	97	18.6	93	4	60-130/25	
100-41-4	Ethylbenzene	ND	20	19.2	96	19.2	96	0	60-130/25	
637-92-3	Ethyl Tert Butyl Ether	ND	20	21.6	108	21.3	107	1	60-130/25	

# Matrix Spike/Matrix Spike Duplicate Summary

Page 2 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19557-3MS	W27248.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3MSD	W27249.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3	W27247.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Compound	C19557-3		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
		ug/l	Q							
591-78-6	2-Hexanone	ND	80	78.1	98	74.6	93	5	60-130/25	
87-68-3	Hexachlorobutadiene	ND	20	16.5	83	17.7	89	7	60-130/25	
98-82-8	Isopropylbenzene	ND	20	16.2	81	16.3	82	1	60-130/25	
99-87-6	p-Isopropyltoluene	ND	20	16.7	84	17.1	86	2	60-130/25	
108-10-1	4-Methyl-2-pentanone	ND	80	77.0	96	74.3	93	4	60-130/25	
74-83-9	Methyl bromide	ND	20	18.4	92	17.9	90	3	60-130/25	
74-87-3	Methyl chloride	ND	20	16.3	82	15.9	80	2	60-130/25	
74-95-3	Methylene bromide	ND	20	19.6	98	19.2	96	2	60-130/25	
75-09-2	Methylene chloride	ND	20	18.3	92	18.0	90	2	60-130/25	
78-93-3	Methyl ethyl ketone	ND	80	71.7	90	69.4	87	3	60-130/25	
1634-04-4	Methyl Tert Butyl Ether	ND	20	21.0	105	20.6	103	2	60-130/25	
91-20-3	Naphthalene	ND	20	19.1	96	19.3	97	1	60-130/25	
103-65-1	n-Propylbenzene	ND	20	18.0	90	18.2	91	1	60-130/25	
100-42-5	Styrene	ND	20	20.2	101	19.1	96	6	60-130/25	
994-05-8	Tert-Amyl Methyl Ether	ND	20	21.6	108	21.1	106	2	60-130/25	
75-65-0	Tert-Butyl Alcohol	ND	100	79.1	79	75.2	75	5	60-130/25	
630-20-6	1,1,1,2-Tetrachloroethane	ND	20	21.0	105	20.6	103	2	60-130/25	
71-55-6	1,1,1-Trichloroethane	ND	20	18.5	93	18.9	95	2	60-130/25	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	21.1	106	20.5	103	3	60-130/25	
79-00-5	1,1,2-Trichloroethane	ND	20	20.9	105	20.3	102	3	60-130/25	
87-61-6	1,2,3-Trichlorobenzene	ND	20	18.7	94	19.2	96	3	60-130/25	
96-18-4	1,2,3-Trichloropropane	ND	20	19.6	98	18.4	92	6	60-130/25	
120-82-1	1,2,4-Trichlorobenzene	ND	20	17.5	88	18.1	91	3	60-130/25	
95-63-6	1,2,4-Trimethylbenzene	ND	20	18.8	94	18.6	93	1	60-130/25	
108-67-8	1,3,5-Trimethylbenzene	ND	20	19.0	95	19.1	96	1	60-130/25	
127-18-4	Tetrachloroethylene	13.8	20	31.7	90	31.8	90	0	60-130/25	
108-88-3	Toluene	ND	20	19.4	97	19.2	96	1	60-130/25	
79-01-6	Trichloroethylene	3.1	20	21.3	91	21.6	93	1	60-130/25	
75-69-4	Trichlorofluoromethane	ND	20	16.9	85	16.7	84	1	60-130/25	
75-01-4	Vinyl chloride	ND	20	19.5	98	19.4	97	1	60-130/25	
1330-20-7	Xylene (total)	ND	60	58.9	98	58.8	98	0	60-130/25	

CAS No.	Surrogate Recoveries	MS	MSD	C19557-3	Limits
1868-53-7	Dibromofluoromethane	101%	101%	97%	60-130%

## Matrix Spike/Matrix Spike Duplicate Summary

Page 3 of 3

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C19557-3MS	W27248.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3MSD	W27249.D	1	12/28/11	TN	n/a	n/a	VW929
C19557-3	W27247.D	1	12/28/11	TN	n/a	n/a	VW929

The QC reported here applies to the following samples:

Method: SW846 8260B

C19472-11, C19472-13, C19472-17, C19472-18, C19472-19, C19472-20, C19472-21

CAS No.	Surrogate Recoveries	MS	MSD	C19557-3	Limits
2037-26-5	Toluene-D8	100%	100%	101%	60-130%
460-00-4	4-Bromofluorobenzene	97%	96%	92%	60-130%



## GC Semi-volatiles

---

5

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

## Method Blank Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5086-MB	GG30712.D	1	12/20/11	JH	12/19/11	OP5086	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-1, C19472-4, C19472-6, C19472-7, C19472-9, C19472-15

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	77% 45-140%

## Method Blank Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5089-MB	GG30715.D	1	12/20/11	JH	12/19/11	OP5089	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-2, C19472-3, C19472-5, C19472-1A

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	84% 45-140%

## Method Blank Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5096-MB	HH19766.D	1	12/21/11	JH	12/20/11	OP5096	GHH632

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-8, C19472-10, C19472-11, C19472-12, C19472-13, C19472-14, C19472-16, C19472-17, C19472-18, C19472-20, C19472-21, C19472-4A, C19472-6A, C19472-7A, C19472-9A, C19472-15A

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH (Diesel)	ND	0.10	0.050	mg/l	
	TPH (Motor Oil)	ND	0.20	0.10	mg/l	

CAS No.	Surrogate Recoveries	Limits
630-01-3	Hexacosane	91% 45-140%

## Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5086-BS	GG30713.D	1	12/20/11	JH	12/19/11	OP5086	GGG823
OP5086-BSD	GG30714.D	1	12/20/11	JH	12/19/11	OP5086	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-1, C19472-4, C19472-6, C19472-7, C19472-9, C19472-15

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	1	1.05	105	1.06	106	1	45-140/30
	TPH (Motor Oil)	1	0.957	96	0.928	93	3	45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	85%	80%	45-140%

## Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5089-BS	GG30716.D	1	12/20/11	JH	12/19/11	OP5089	GGG823
OP5089-BSD	GG30717.D	1	12/20/11	JH	12/19/11	OP5089	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-2, C19472-3, C19472-5, C19472-1A

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	BSD mg/l	BSD %	RPD	Limits Rec/RPD
	TPH (Diesel)	1	0.805	81	0.920	92	13	45-140/30
	TPH (Motor Oil)	1	0.779	78	0.809	81	4	45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	81%	83%	45-140%

## Blank Spike/Blank Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5096-BS	HH19767.D	1	12/21/11	JH	12/20/11	OP5096	GHH632
OP5096-BSD	HH19768.D	1	12/21/11	JH	12/20/11	OP5096	GHH632

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-8, C19472-10, C19472-11, C19472-12, C19472-13, C19472-14, C19472-16, C19472-17, C19472-18, C19472-20, C19472-21, C19472-4A, C19472-6A, C19472-7A, C19472-9A, C19472-15A

CAS No.	Compound	Spike	BSP	BSP	BSD	BSD	Limits	
		mg/l	mg/l	%	mg/l	%	RPD	Rec/RPD
	TPH (Diesel)	1	1.01	101	1.01	101	0	45-140/30
	TPH (Motor Oil)	1	0.813	81	0.903	90	10	45-140/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
630-01-3	Hexacosane	87%	91%	45-140%

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5086-MS	HH19750.D	1	12/20/11	JH	12/19/11	OP5086	GHH631
OP5086-MSD	HH19751.D	1	12/20/11	JH	12/19/11	OP5086	GHH631
C19444-1	HH19796.D	1	12/22/11	JH	12/19/11	OP5086	GHH632

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-1, C19472-4, C19472-6, C19472-7, C19472-9, C19472-15

CAS No.	Compound	C19444-1		Spike	MS	MS	MSD	MSD	Limits	
		mg/l	Q	mg/l	mg/l	%	mg/l	%	RPD	Rec/RPD
	TPH (Diesel)	0.620		0.952	1.90	134	1.74	118	9	45-140/25
	TPH (Motor Oil)	ND		0.952	1.02	107	1.04	109	2	45-140/25
CAS No.	Surrogate Recoveries	MS		MSD		C19444-1		Limits		
630-01-3	Hexacosane	89%		91%		72%		45-140%		

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5089-MS	GG30794.D	3	12/22/11	JH	12/19/11	OP5089	GGG824
OP5089-MSD	GG30795.D	3	12/22/11	JH	12/19/11	OP5089	GGG824
C19480-5	GG30734.D	1	12/20/11	JH	12/19/11	OP5089	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-2, C19472-3, C19472-5, C19472-1A

CAS No.	Compound	C19480-5		Spike	MS	MS	MSD	MSD	Limits
		mg/l	Q	mg/l	mg/l	%	mg/l	%	RPD
	TPH (Diesel)	1.87	1	2.43	56	2.40	54	1	45-140/25
	TPH (Motor Oil)	ND	1	0.744	74	0.757	77	2	45-140/25
CAS No.	Surrogate Recoveries	MS		MSD		C19480-5		Limits	
630-01-3	Hexacosane	67%		72%		81%		45-140%	

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5089-MS	GG30794.D	3	12/22/11	JH	12/19/11	OP5089	GGG824
OP5089-MSD	HH19816.D	3	12/22/11	JH	12/19/11	OP5089	GHH633
C19480-5	GG30734.D	1	12/20/11	JH	12/19/11	OP5089	GGG823

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-2, C19472-3, C19472-5, C19472-1A

CAS No.	Compound	C19480-5		Spike	MS	MS	MSD	MSD	Limits
		mg/l	Q	mg/l	mg/l	%	mg/l	%	RPD
	TPH (Diesel)	1.87	1	2.43	56	2.66	81	1	45-140/25
	TPH (Motor Oil)	ND	1	0.744	74	0.769	78	1	45-140/25
CAS No.	Surrogate Recoveries	MS		MSD		C19480-5		Limits	
630-01-3	Hexacosane	67%		75%		81%		45-140%	

# Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: C19472

Account: SGRPCAPH The Source Group

Project: T0600101592-9201 San Leandro Street, Oakland CA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP5096-MS	HH19832.D	1	12/22/11	JH	12/20/11	OP5096	GHH633
OP5096-MSD	HH19833.D	1	12/22/11	JH	12/20/11	OP5096	GHH633
C19472-21	HH19777.D	1	12/21/11	JH	12/20/11	OP5096	GHH632

The QC reported here applies to the following samples:

Method: SW846 8015B M

C19472-8, C19472-10, C19472-11, C19472-12, C19472-13, C19472-14, C19472-16, C19472-17, C19472-18, C19472-20, C19472-21, C19472-4A, C19472-6A, C19472-7A, C19472-9A, C19472-15A

CAS No.	Compound	C19472-21		Spike	MS	MS	MSD	MSD	Limits	
		mg/l	Q	mg/l	mg/l	%	mg/l	%	RPD	Rec/RPD
	TPH (Diesel)	ND		1.92	2.28	119	2.30	120	1	45-140/25
	TPH (Motor Oil)	0.522		1.92	2.57	106	2.56	106	0	45-140/25

CAS No.	Surrogate Recoveries	MS	MSD	C19472-21	Limits
630-01-3	Hexacosane	93%	89%	90%	45-140%