

C A M B R I A

June 15, 2001

JUN 21 2001

Mr. Barney Chan
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Second Quarter 2001 Monitoring Report**
Former Shell Service Station
461 8th Street
Oakland, California
Incident #97093399
Cambria Project #243-1501-002

4254



Dear Mr. Chan:

On behalf of Equiva Services LLC, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

SECOND QUARTER 2001 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California checked wells for separate-phase hydrocarbon (SPH), gauged and sampled the scheduled site wells, calculated groundwater elevations, and compiled the analytical data. Well S-5 was inaccessible during the initial second quarter 2001 monitoring event on April 6, 2001, and was gauged and sampled on April 13, 2001. No SPH has been detected since January 1998. Cambria prepared a vicinity map (Figure 1) and a groundwater elevation map (Figure 2). Due to anomalous data, groundwater elevation contours are not presented. Blaine's report, presenting the laboratory report and supporting field documents, is presented as Attachment A.

Monitoring Well Purging: Blaine purged monitoring well S-5 and 10 ~~in the second quarter~~ this quarter. Cumulative groundwater purge volume and estimated mass removal data are presented in Table 1. The cumulative estimated mass of total hydrocarbons as gasoline and methyl tertiary-butyl ether removed to date is approximately 1.84 pounds and 0.016 pounds, respectively. not much removed

Oakland, CA
San Ramon, CA
Sonoma, CA

**Cambria
Environmental
Technology, Inc.**

1144 65th Street
Suite B
Oakland, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

Agency Response: Cambria received an Alameda County Health Care Services Agency letter dated April 11, 2001 and responded in a May 14, 2001 *Agency Response* letter.

ANTICIPATED THIRD QUARTER 2001 ACTIVITIES

Groundwater Monitoring: Blaine will gauge and sample all wells and tabulate the data. Cambria will prepare a monitoring report.

Monitoring Well Purging: Blaine will purge groundwater from wells S-5 and S-6. Cambria will tabulate purge volumes and calculate mass removal data.


**CLOSING**

We appreciate the opportunity to work with you on this project. Please call Jacquelyn Jones at (510) 420-3316 if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc

Jacquelyn L. Jones
Project Geologist

Diane M. Lundquist, P.E.
Principal Engineer




Figures: 1 - Vicinity Map
2 - Groundwater Elevation Map

Table: 1 - Groundwater Extraction - Estimated Mass Removal Data

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes


cc: Karen Petryna, Equiva Services LLC, P.O. Box 7869, Burbank, California 91510-7869
Rory Campbell, Hanson, Bridgett, Marcus, Vlahos, & Rudy, 333 Market Street, Suite
2300, San Francisco, California 94105-2173
Wells Fargo Bank National Association, Tr. (Property Owners), c/o Pacific Property,
364 Bush Street, San Francisco, CA 94104-2805
R. Casteel & Co., P.O. Box 6839, Moraga, California 94570
Leroy Griffin, City of Oakland Fire Department, 1605 Martin Luther King, Jr. Way,
Second Floor, Oakland, CA 94612

ATTACHMENT A
Blaine Groundwater Monitoring Report
and Field Notes



G:\OAK451\FIGURES\VICINITY-MAP.A1

SOURCE: TOPOI MAPS



Former Shell Service Station
 461 Eighth Street
 Oakland, California
 Incident #97093399



C A M B R I A

Vicinity Map

EXPLANATION

- S-4 Monitoring well location
- NA Not available
- Groundwater flow direction
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl), approximately located; dashed where inferred

Well	Well designation
ELEV	Groundwater elevation, in feet above msl
Benzene	Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8020; MTBE results in parentheses are analyzed by EPA Method 8260.
MTBE	

Former Blue and White Cab Co.
807 Broadway

S-10
2.67
7.62 - 1/10/01
<2.50 - 1/9/01

S-8
4.75
182
42.5

approximate location of former UST

Former Shell Service Station
461 Eighth Street

approximate location of former dispenser island and fuel lines

S-9
2.45
1.45 - 1/9/01
<2.50 - 1/9/01

NINTH STREET

Former Phillips 66 Station

Former Richfield Station
800 Franklin

8th Street Garage
362 8th

EIGHTH STREET

S-4
4.27
10.500 - 1/9/01
<2.50 - 1/9/01

Former True B Service
713 Franklin

WASHINGTON STREET

Former Service Station
625 Washington

City of Oakland Hall of Justice
Police Administration Building
455 Seventh Street

S-6
3.83
7.800
(<20.0)

BROADWAY

SEVENTH SRTEET

Former Chevron
636 Broadway

Former Flying A Service
629 Franklin

FRANKLIN STREET

INTERSTATE 880

approximate UST Location - Oakland Police Motorpool

0 50 100
Scale (ft)

FIGURE
2



Table 1: Groundwater Extraction - Estimated Mass Removal Data - Former Shell Service Station, Incident #97093399, 461 Eighth Street, Oakland, California

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
05/13/93	S-5	0	0	07/31/90	53,000	0.00000	0.00000	14,000	0.00000	0.00000	NA	0.00000	0.00000
07/22/93	S-5	200	200	07/31/90	53,000	0.08845	0.08845	14,000	0.02336	0.02336	NA	0.00000	0.00000
10/20/93	S-5	200	400	07/31/90	53,000	0.08845	0.17690	14,000	0.02336	0.04673	NA	0.00000	0.00000
01/25/94	S-5	150	550	07/31/90	53,000	0.06634	0.24324	14,000	0.01752	0.06425	NA	0.00000	0.00000
04/25/94	S-5	36	586	07/31/90	53,000	0.01592	0.25916	14,000	0.00421	0.06846	NA	0.00000	0.00000
05/26/94	S-5	130	716	07/31/90	53,000	0.05749	0.31665	14,000	0.01519	0.08364	NA	0.00000	0.00000
06/16/94	S-5	50	766	07/31/90	53,000	0.02211	0.33876	14,000	0.00584	0.08948	NA	0.00000	0.00000
07/21/94	S-5	50	816	07/31/90	53,000	0.02211	0.36088	14,000	0.00584	0.09533	NA	0.00000	0.00000
08/25/94	S-5	80	896	07/31/90	53,000	0.03538	0.39626	14,000	0.00935	0.10467	NA	0.00000	0.00000
09/22/94	S-5	45	941	07/31/90	53,000	0.01990	0.41616	14,000	0.00526	0.10993	NA	0.00000	0.00000
10/24/94	S-5	40	981	07/31/90	53,000	0.01769	0.43385	14,000	0.00467	0.11460	NA	0.00000	0.00000
11/29/94	S-5	85	1,066	07/31/90	53,000	0.03759	0.47144	14,000	0.00993	0.12453	NA	0.00000	0.00000
12/22/94	S-5	0	1,066	07/31/90	53,000	0.00000	0.47144	14,000	0.00000	0.12453	NA	0.00000	0.00000
01/03/95	S-5	40	1,106	07/31/90	53,000	0.01769	0.48913	14,000	0.00467	0.12920	NA	0.00000	0.00000
02/22/95	S-5	60	1,166	07/31/90	53,000	0.02654	0.51566	14,000	0.00701	0.13621	NA	0.00000	0.00000
03/31/95	S-5	40	1,206	07/31/90	53,000	0.01769	0.53335	14,000	0.00467	0.14089	NA	0.00000	0.00000
04/20/95	S-5	60	1,266	07/31/90	53,000	0.02654	0.55989	14,000	0.00701	0.14790	NA	0.00000	0.00000
05/26/95	S-5	50	1,316	07/31/90	53,000	0.02211	0.58200	14,000	0.00584	0.15374	NA	0.00000	0.00000
06/30/95	S-5	60	1,376	07/31/90	53,000	0.02654	0.60854	14,000	0.00701	0.16075	NA	0.00000	0.00000
10/04/95	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
01/03/96	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
04/11/96	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
07/11/96	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
10/02/96	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
01/22/97	S-5	0	1,376	07/31/90	53,000	0.00000	0.60854	14,000	0.00000	0.16075	NA	0.00000	0.00000
07/21/97	S-5	75	1,451	07/31/90	53,000	0.03317	0.64171	14,000	0.00876	0.16951	NA	0.00000	0.00000
10/29/97	S-5	60	1,511	07/31/90	53,000	0.02654	0.66824	14,000	0.00701	0.17652	NA	0.00000	0.00000
01/22/98	S-5	60	1,571	07/31/90	53,000	0.02654	0.69478	14,000	0.00701	0.18353	NA	0.00000	0.00000

Table 1: Groundwater Extraction - Estimated Mass Removal Data - Former Shell Service Station, Incident #97093399, 461 Eighth Street, Oakland, California

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE To Date (pounds)
05/01/98	S-5	50	1,621	07/31/90	53,000	0.02211	0.71689	14,000	0.00584	0.18937	NA	0.00000	0.00000
07/08/98	S-5	100	1,721	07/31/90	53,000	0.04423	0.76111	14,000	0.01168	0.20105	NA	0.00000	0.00000
10/26/98	S-5	100	1,821	07/31/90	53,000	0.04423	0.80534	14,000	0.01168	0.21273	NA	0.00000	0.00000
01/28/99	S-5	100	1,921	01/28/99	51,000	0.04256	0.84790	13,000	0.01085	0.22358	2,400	0.00200	0.00200
04/23/99	S-5	100	2,021	04/23/99	65,600	0.05474	0.90263	2,540	0.00212	0.22570	<1,000	<0.00083	<0.00284
07/29/99	S-5	0	2,021	07/29/99	61,400	0.00000	0.90263	3,320	0.00000	0.22570	<1,000	<0.00000	<0.00284
11/01/99	S-5	100	2,121	11/01/99	48,200	0.04022	0.94285	2,700	0.00225	0.22795	<40.0	<0.00003	<0.00287
01/07/00	S-5	100	2,221	01/07/00	39,000	0.03254	0.97540	3,900	0.00325	0.23121	1,500	0.00125	<0.00412
04/11/00	S-5	100	2,321	04/11/00	29,300	0.02445	0.99985	1,680	0.00140	0.23261	<250	<0.00021	<0.00433
07/19/00	S-5	100	2,421	07/19/00	6,420	0.00536	1.00520	2,110	0.00176	0.23437	253	0.00021	<0.00454
10/12/00	S-5	100	2,521	10/12/00	41,500	0.03463	1.03983	2,940	0.00245	0.23682	<66.7	<0.00006	<0.00460
01/09/01	S-5	100	2,621	01/09/01	142,000	0.11849	1.15832	7,030	0.00587	0.24269	779	0.00065	<0.00525
04/13/01	S-5	100	2,721	04/13/01	59,800	0.04990	1.20822	4,810	0.00401	0.24670	<10	<0.00001	<0.00526
05/13/93	S-6	0	0	05/13/93	58,000	0.00000	0.00000	21,000	0.00000	0.00000	NA	NA	NA
07/22/93	S-6	0	0	07/22/93	70,000	0.00000	0.00000	31,000	0.00000	0.00000	NA	NA	NA
10/20/93	S-6	0	0	10/20/93	48,000	0.00000	0.00000	28,000	0.00000	0.00000	NA	NA	NA
01/25/94	S-6	0	0	01/25/94	70,000	0.00000	0.00000	23,000	0.00000	0.00000	NA	NA	NA
04/25/94	S-6	0	0	04/25/94	61,000	0.00000	0.00000	23,000	0.00000	0.00000	NA	NA	NA
05/26/94	S-6	NA	0	04/25/94	61,000	0.00000	0.00000	23,000	0.00000	0.00000	NA	NA	NA
06/16/94	S-6	NA	0	04/25/94	61,000	0.00000	0.00000	23,000	0.00000	0.00000	NA	NA	NA
07/21/94	S-6	NA	0	07/21/94	44,000	0.00000	0.00000	8,200	0.00000	0.00000	NA	NA	NA
08/25/94	S-6	NA	0	07/21/94	44,000	0.00000	0.00000	8,200	0.00000	0.00000	NA	NA	NA
09/22/94	S-6	NA	0	07/21/94	44,000	0.00000	0.00000	8,200	0.00000	0.00000	NA	NA	NA
10/24/94	S-6	0	0	10/24/94	2,936	0.00000	0.00000	1,184	0.00000	0.00000	NA	NA	NA
11/29/94	S-6	NA	0	10/24/94	2,936	0.00000	0.00000	1,184	0.00000	0.00000	NA	NA	NA
12/22/94	S-6	0	0	12/22/94	32,000	0.00000	0.00000	7,000	0.00000	0.00000	NA	NA	NA
01/03/95	S-6	NA	0	12/22/94	32,000	0.00000	0.00000	7,000	0.00000	0.00000	NA	NA	NA

Table 1: Groundwater Extraction - Estimated Mass Removal Data - Former Shell Service Station, Incident #97093399, 461 Eighth Street, Oakland, California

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
02/22/95	S-6	NA	0	12/22/94	32,000	0.00000	0.00000	7,000	0.00000	0.00000	NA	NA	NA
03/31/95	S-6	NA	0	12/22/94	32,000	0.00000	0.00000	7,000	0.00000	0.00000	NA	NA	NA
04/20/95	S-6	0	0	04/20/95	56,000	0.00000	0.00000	15,000	0.00000	0.00000	NA	NA	NA
05/26/95	S-6	NA	0	04/20/95	56,000	0.00000	0.00000	15,000	0.00000	0.00000	NA	NA	NA
06/30/95	S-6	NA	0	04/20/95	56,000	0.00000	0.00000	15,000	0.00000	0.00000	NA	NA	NA
10/04/95	S-6	0	0	10/04/95	49,000	0.00000	0.00000	8,400	0.00000	0.00000	NA	NA	NA
01/03/96	S-6	0	0	01/03/96	52,000	0.00000	0.00000	9,100	0.00000	0.00000	NA	NA	NA
04/11/96	S-6	0	0	04/11/96	59,000	0.00000	0.00000	11,000	0.00000	0.00000	NA	NA	NA
07/11/96	S-6	0	0	07/11/96	72,000	0.00000	0.00000	18,000	0.00000	0.00000	NA	NA	NA
10/02/96	S-6	0	0	10/02/96	57,000	0.00000	0.00000	11,000	0.00000	0.00000	NA	NA	NA
01/22/97	S-6	0	0	01/22/97	67,000	0.00000	0.00000	15,000	0.00000	0.00000	NA	NA	NA
07/21/97	S-6	0	0	07/21/97	61,000	0.00000	0.00000	15,000	0.00000	0.00000	NA	NA	NA
10/29/97	S-6	40	40	07/21/97	61,000	0.02036	0.02036	15,000	0.00501	0.00501	NA	NA	NA
01/22/98	S-6	60	100	01/22/98	46,000	0.02303	0.04339	14,000	0.00701	0.01202	NA	NA	NA
05/01/98	S-6	200	300	01/22/98	46,000	0.07677	0.12016	14,000	0.02336	0.03538	NA	NA	NA
07/08/98	S-6	150	450	07/08/98	74,000	0.09262	0.21278	26,000	0.03254	0.06792	NA	NA	NA
10/26/98	S-6	100	550	07/08/98	74,000	0.06175	0.27453	26,000	0.02170	0.08962	NA	NA	NA
01/28/99	S-6	150	700	01/28/99	120,000	0.15020	0.42473	9,000	0.01126	0.10088	3,700	0.00463	0.00463
04/23/99	S-6	150	850	04/23/99	58,500	0.07322	0.49795	15,900	0.01990	0.12078	<2,500	<0.00313	<0.00776
07/29/99	S-6	0	850	07/29/99	36,200	0.00000	0.49795	10,300	0.00000	0.12078	<1,000	<0.00000	<0.00776
11/01/99	S-6	150	1,000	11/01/99	36,000	0.04506	0.54301	11,700	0.01464	0.13543	<40.0	<0.00005	<0.00781
01/07/00	S-6	0	1,000	01/07/00	36,000	0.00000	0.54301	7,600	0.00000	0.13543	<1,000	<0.00000	<0.00781
04/11/00	S-6	150	1,150	04/11/00	14,600	0.01827	0.56128	7,540	0.00944	0.14487	621	0.00078	<0.00859
07/19/00	S-6	150	1,300	07/19/00	2,590	0.00324	0.56452	629	0.00079	0.14565	72.7	0.00009	<0.00868
10/28/00	S-6	45	1,345	10/12/00	32,900	0.01235	0.57688	14,200	0.00533	0.15099	<100	<0.00004	<0.00872
02/05/01	S-6	150	1,495	01/09/01	27,600	0.03455	0.61142	11,200	0.01402	0.16500	1,430	0.00179	<0.01051
04/06/01	S-6	150	1,645	04/06/01	16,900	0.02115	0.63258	7,800	0.00976	0.17477	<20	<0.00003	<0.01053

Table 1: Groundwater Extraction - Estimated Mass Removal Data - Former Shell Service Station, Incident #97093399, 461 Eighth Street, Oakland, California

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE			
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)	
Total Gallons Extracted:		4,366		Total Pounds Removed:			1.84080	Total Pounds Removed:			0.42147	Total Pounds Removed:		<0.01579
				Total Gallons Removed:			0.30177				0.05774			<0.00255

Abbreviations and Notes:

TPPH = Total purgeable hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

µg/L = Micrograms per liter

ppb = Parts per billion, equivalent to µg/L

L = Liter

gal = Gallon

g = Gram

NA = Not available/not analyzed

Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10⁶µg) x (pound/453.6g) x (3.785 L/gal)

Volume removal data based on the formula: density (in gms/cc) x 9.339 (ccxlbs/gmsxgals)

TPPH, benzene analyzed by EPA Method 8015/8020

MTBE analyzed by EPA Method 8260 in bold font, all other MTBE analyzed by EPA Method 8020

Purging performed by Blaine Technologies of San Jose, California

ATTACHMENT A
Blaine Groundwater Monitoring Report
and Field Notes

BLAINE
TECH SERVICES, INC.



1680 ROGERS AVENUE
SAN JOSE, CA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE
CONTRACTOR'S LICENSE #746684
www.blainetech.com

May 4, 2001

Karen Petryna
Equiva Services LLC
P.O. Box 7869
Burbank, CA 91510-7869

Second Quarter 2001 Groundwater Monitoring at
Former Shell Service Station
461 8th Street
Oakland, CA

Monitoring performed on April 6 and 13, 2001

Groundwater Monitoring Report 010406-A-1

This report covers the routine monitoring of groundwater wells at this Former Shell facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Deidre Kerwin". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Deidre Kerwin
Operations Manager

DK/jt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Anni Kreml
Cambria Environmental Technology, Inc.
1144 65th Street, Suite C
Oakland, CA 94608-2411

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-4	10/26/1988	130	3.8	13	4.0	30	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	02/14/1989	<50	0.5	<1	<1	3.0	NA	NA	93.51 (TOC)	12.82	80.69	NA
S-4	05/01/1989	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	16.48	77.03	NA
S-4	07/27/1989	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.84	77.67	NA
S-4	10/05/1989	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.98	77.53	NA
S-4	01/09/1990	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.86	77.65	NA
S-4	04/30/1990	<50	<0.5	<0.5	<0.5	<1	NA	NA	93.51 (TOC)	14.48	79.03	NA
S-4	07/31/1990	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	10/30/1990	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	05/06/1991	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.23	78.28	NA
S-4	06/27/1991	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	93.51 (TOC)	13.54	79.97	NA
S-4	09/24/1991	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.85	77.66	NA
S-4	11/07/1991	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	15.60	77.91	NA
S-4	02/13/1992	<50	<0.5	<0.5	<0.5	3.0	NA	NA	93.51 (TOC)	14.27	79.24	NA
S-4	05/11/1992	Well dry	NA	NA	NA	NA	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	12/03/1992	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	05/13/1993	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	14.81	78.70	NA
S-4	07/22/1993	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	14.42	79.09	NA
S-4	10/20/1993	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	NA	NA	NA
S-4	01/25/1994	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	14.60	78.91	NA
S-4	04/25/1994	Well inaccessible		NA	NA	NA	NA	NA	93.51 (TOC)	14.39	79.12	NA
S-4	07/21/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	93.51 (TOC)	22.29	71.22	NA
S-4	10/24/1994	<500	<0.3	<0.3	<0.3	<0.6	NA	NA	93.51 (TOC)	22.72	70.79	NA
S-4	12/22/1994	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	25.77*	22.25	3.52	NA
S-4	04/20/1995	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	25.77	21.16	4.61	NA
S-4	10/04/1995	<50	1.2	0.7	<0.5	<0.5	NA	NA	25.77	22.25	3.52	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

S-4	01/03/1996	<50	0.6	<0.5	<0.5	1.7	NA	NA	25.77	23.28	2.49	NA
S-4	04/11/1996	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	25.77	21.58	4.19	NA
S-4	07/11/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	21.60	4.17	NA
S-4	10/02/1996	<50	<0.50	<0.50	<0.50	<0.50	2.6	NA	25.77	22.46	3.31	NA
S-4	01/22/1997	<50	0.73	<0.50	<0.50	0.63	<2.5	NA	25.77	20.06	5.71	NA
S-4	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	22.10	3.67	NA
S-4	01/22/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	20.50	5.27	NA
S-4	07/08/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	20.86	4.91	NA
S-4	10/26/1998	NA	NA	NA	NA	NA	NA	NA	25.77	21.41	4.36	NA
S-4	01/28/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	22.34	3.43	NA
S-4	04/23/1999	NA	NA	NA	NA	NA	NA	NA	25.77	21.43	4.34	NA
S-4	07/29/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	25.77	21.45	4.32	NA
S-4	11/01/1999	NA	NA	NA	NA	NA	NA	NA	25.77	22.08	3.69	NA
S-4	01/07/2000	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	25.77	22.29	3.48	NA
S-4	04/11/2000	NA	NA	NA	NA	NA	NA	NA	25.77	21.11	4.66	NA
S-4	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	25.77	21.19	4.58	NA
S-4	10/12/2000	NA	NA	NA	NA	NA	NA	NA	25.77	22.22	3.55	NA
S-4	01/09/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	25.77	22.17	3.60	NA
S-4	04/06/2001	NA	NA	NA	NA	NA	NA	NA	25.77	21.50	4.27	NA

S-5	04/16/1987	130000	15000	16000	NA	14000a	NA	NA	99.36 (TOC)	NA	NA	NA
S-5	10/26/1988	110000	20000	25000	2300	10000	NA	NA	99.36 (TOC)	NA	NA	NA
S-5	02/14/1989	94000	16000	21000	1800	10000	NA	NA	99.36 (TOC)	19.87	79.49	NA
S-5	05/01/1989	120000	29000	35000	3100	15000	NA	NA	99.36 (TOC)	21.23	78.13	NA
S-5	07/27/1989	110000	20000	29000	2400	14000	NA	NA	99.36 (TOC)	20.41	78.95	NA
S-5	10/05/1989	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	20.43	78.94	0.01
S-5	01/09/1990	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.16	78.21	0.01

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-5	04/30/1990	100000	13000	22000	2100	11000	NA	NA	99.36 (TOC)	20.96	78.40	NA
S-5	07/31/1990	53000	8300	14000	1200	7400	NA	NA	99.36 (TOC)	20.88	78.48	NA
S-5	10/30/1990	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.96	77.42	0.03
S-5	05/06/1991	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	23.00	76.46	0.13
S-5	06/27/1991	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	20.53	78.85	0.03
S-5	09/24/1991	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.40	78.01	0.06
S-5	11/07/1991	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.33	78.23	0.25
S-5	02/13/1992	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.52	77.09	0.31
S-5	05/11/1992	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.46	77.36	0.58
S-5	12/03/1992	Well inaccessible		NA	NA	NA	NA	NA	99.36 (TOC)	NA	NA	NA
S-5	05/13/1993	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.22	77.36	0.27
S-5	07/22/1993	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.68	77.88	0.25
S-5	10/20/1993	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	20.51	79.03	0.23
S-5	01/25/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.93	77.57	0.18
S-5	04/25/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.97	77.67	0.35
S-5	05/26/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	20.84	78.80	0.35
S-5	06/10/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	21.01	78.61	0.32
S-5	07/21/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.18	77.56	0.47
S-5	08/25/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.01	77.70	0.44
S-5	09/22/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.00	77.48	0.15
S-5	10/24/1994	NA	NA	NA	NA	NA	NA	NA	99.36 (TOC)	22.28	77.53	0.56
S-5	12/22/1994	NA	NA	NA	NA	NA	NA	NA	22.94*	22.88	0.85	0.99
S-5	04/20/1995	NA	NA	NA	NA	NA	NA	NA	22.94	21.66	1.54	0.33
S-5	10/04/1995	NA	NA	NA	NA	NA	NA	NA	22.94	22.18	0.76	NA
S-5	01/03/1996	NA	NA	NA	NA	NA	NA	NA	22.94	22.80	0.80	0.83
S-5	04/11/1996	NA	NA	NA	NA	NA	NA	NA	22.94	21.15	2.33	0.67
S-5	07/11/1996	NA	NA	NA	NA	NA	NA	NA	22.94	22.62	1.04	0.90

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

S-5	10/02/1996	NA	NA	NA	NA	NA	NA	NA	22.94	23.07	0.38	0.64
S-5	01/22/1997	NA	NA	NA	NA	NA	NA	NA	22.94	20.83	2.24	0.16
S-5	07/21/1997	NA	NA	NA	NA	NA	NA	NA	22.94	21.16	1.82	0.05
S-5	01/22/1998	NA	NA	NA	NA	NA	NA	NA	22.94	20.04	2.93	0.04
S-5	07/08/1998	220	14	40	5.8	34	3.3	NA	22.94	18.61	4.33	NA
S-5	10/26/1998	NA	NA	NA	NA	NA	NA	NA	22.94	17.31	5.63	NA
S-5	01/28/1999	51000	13000	1200	1200	2400	2400	NA	22.94	20.11	2.83	NA
S-5	04/23/1999	65600	2540	7300	1790	9840	<1000	NA	22.94	19.21	3.73	NA
S-5	07/29/1999	61400	3320	6980	1520	7700	<1000	NA	22.94	14.77	8.17	NA
S-5	11/01/1999	48200	2700	5740	1290	7850	<500	<40.0	22.94	15.56	7.38	NA
S-5	01/07/2000	39000	3900	8500	790	8300	1500	NA	22.94	15.82	7.12	NA
S-5	04/11/2000	29300	1680	5060	1130	6220	<250	NA	22.94	18.19	4.75	NA
S-5	07/19/2000	6420	2110	207	252	681	355	253b	22.94	19.01	3.93	NA
S-5	10/12/2000	41500	2940	4940	1520	7770	<250	<66.7	22.94	19.62	3.32	NA
S-5	01/09/2001	142000	7030	9550	2340	12600	779	NA	22.94	19.94	3.00	NA
S-5	04/06/2001	Well inaccessible		NA	NA	NA	NA	NA	22.94	NA	NA	NA
S-5	04/13/2001	59800	4810	10800	1950	10100	842	<10.0	22.94	14.72	8.22	NA

S-6	04/16/1987	81000	16000	9000	NA	6400a	NA	NA	100.58 (TOC)	NA	NA	NA
S-6	10/26/1988	110000	29000	18000	2500	8200	NA	NA	100.58 (TOC)	NA	NA	NA
S-6	02/14/1989	54000	18000	4500	1400	4000	NA	NA	100.58 (TOC)	20.87	79.71	NA
S-6	05/01/1989	93000	43000	9900	3000	8000	NA	NA	100.58 (TOC)	20.49	80.09	NA
S-6	07/27/1989	52000	20000	3200	1700	5500	NA	NA	100.58 (TOC)	21.01	79.57	NA
S-6	10/05/1989	55000	20000	2900	1600	5500	NA	NA	100.58 (TOC)	21.24	79.34	NA
S-6	01/09/1990	76000	35000	9100	2300	8600	NA	NA	100.58 (TOC)	22.62	77.96	SHEEN
S-6	04/30/1990	39000	13000	2300	900	2800	NA	NA	100.58 (TOC)	22.10	78.48	NA
S-6	07/31/1990	48000	20000	4600	1500	4900	NA	NA	100.58 (TOC)	22.00	78.58	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-6	10/30/1990	27000	7400	900	600	1400	NA	NA	100.58 (TOC)	22.14	78.44	NA
S-6	05/06/1991	35000	3900	2700	2300	3500	NA	NA	100.58 (TOC)	22.40	78.18	NA
S-6	06/27/1991	51000	19000	5600	1700	6300	NA	NA	100.58 (TOC)	21.21	79.37	NA
S-6	09/24/1991	42000	14000	4300	1200	4000	NA	NA	100.58 (TOC)	22.26	78.32	NA
S-6	11/07/1991	39000	11000	2000	800	2300	NA	NA	100.58 (TOC)	22.35	78.23	NA
S-6	02/13/1992	64000	21000	6200	1600	5100	NA	NA	100.58 (TOC)	22.28	78.30	NA
S-6	05/11/1992	57000	22000	7600	2200	7700	NA	NA	100.58 (TOC)	22.10	78.48	NA
S-6	12/03/1992	110000	26000	9400	2100	8700	NA	NA	100.58 (TOC)	22.14	78.44	NA
S-6	05/13/1993	58000	21000	6800	2500	9800	NA	NA	100.58 (TOC)	22.16	78.42	NA
S-6	07/22/1993	70000	31000	14000	3000	13000	NA	NA	100.58 (TOC)	21.64	78.94	NA
S-6	10/20/1993	48000	28000	9800	3200	12000	NA	NA	100.58 (TOC)	21.62	78.96	NA
S-6	01/25/1994	70000	23000	7500	2500	8000	NA	NA	100.58 (TOC)	21.80	78.78	NA
S-6	04/25/1994	61000	16000	4000	1800	5100	NA	NA	100.58 (TOC)	21.68	78.90	NA
S-6	07/21/1994	44000	8200	3600	1400	3900	NA	NA	100.58 (TOC)	21.78	78.80	NA
S-6 (D)	07/21/1994	32000	7800	3400	1300	3700	NA	NA	22.08	NA	NA	NA
S-6	10/24/1994	2936	1184	440.6	163	648.4	NA	NA	100.58 (TOC)	22.06	78.52	NA
S-6 (D)	10/24/1994	2968	770.8	325.3	144	622	NA	NA	22.08	NA	NA	NA
S-6	12/22/1994	32000	7000	2900	790	2400	NA	NA	22.08*	21.91	0.17	NA
S-6 (D)	12/22/1994	32000	8000	3800	1100	3400	NA	NA	22.08	NA	NA	NA
S-6	04/20/1995	56000	15000	3800	1900	4900	NA	NA	22.08	21.38	0.70	NA
S-6 (D)	04/20/1995	49000	13000	3500	1800	4700	NA	NA	22.08	NA	NA	NA
S-6	10/04/1995	49000	8400	4700	1800	4800	NA	NA	22.08	21.80	0.28	NA
S-6 (D)	10/04/1995	41000	8400	4100	1400	4400	NA	NA	22.08	NA	NA	NA
S-6	01/03/1996	52000	9100	7100	1800	5800	NA	NA	22.08	21.70	0.38	NA
S-6	04/11/1996	59000	11000	7100	2100	6400	<500	NA	22.08	21.62	0.46	NA
S-6 (D)	04/11/1996	59000	11000	6800	1900	6400	<500	NA	22.08	NA	NA	NA
S-6	07/11/1996	72000	18000	6600	2500	8400	<1000	NA	22.08	21.65	2.78	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

S-6	10/02/1996	57000	11000	6500	1500	5100	<500	NA	22.08	21.80	2.63	NA
S-6	01/22/1997	67000	15000	5000	1800	5400	<1000	NA	22.08	19.95	2.13	NA
S-6 (D)	01/22/1997	63000	15000	4800	1800	5200	<1000	NA	22.08	NA	NA	NA
S-6	07/21/1997	61000	15000	2100	1100	3500	1900	NA	22.08	20.61	1.47	NA
S-6	01/22/1998	46000	14000	3200	1300	3400	<500	NA	22.08	19.82	2.26	NA
S-6	07/08/1998	74000	26000	7500	2200	6200	<1000	NA	22.08	18.20	3.88	NA
S-6	10/26/1998	NA	NA	NA	NA	NA	NA	NA	22.08	18.81	3.27	NA
S-6	01/28/1999	120000	9000	14000	2700	14000	3700	NA	22.08	19.73	2.35	NA
S-6	04/23/1999	58500	15900	1360	1640	3030	<2500	NA	22.08	17.58	4.50	NA
S-6	07/29/1999	36200	10300	760	930	1360	<1000	NA	22.08	21.35	0.73	NA
S-6	11/01/1999	36000	11700	767	865	1670	<1250	<40.0	22.08	19.23	2.85	NA
S-6	01/07/2000	36000	7600	4600	840	3600	<1000	NA	22.08	19.53	2.55	NA
S-6	04/11/2000	14600	7540	205	306	609	621	NA	22.08	18.16	3.92	NA
S-6	07/19/2000	2590	629	63.9	99.6	267	124	72.7b	22.08	18.40	3.68	NA
S-6	10/12/2000	32900	14200	966	1060	1790	<500	<100	22.08	19.52	2.56	NA
S-6	01/09/2001	27600	11200	675	666	1580	1430	<10.0b	22.08	19.69	2.39	NA
S-6	02/05/2001	NA	NA	NA	NA	NA	NA	NA	22.08	19.20	2.88	NA
S-6	04/06/2001	16900	7800	343	172	966	809	<20.0	22.08	18.25	3.83	NA

S-8	12/22/1994	600	120	32	5.2	34	NA	NA	27.21	24.87	2.34	NA
S-8	04/20/1995	460	180	23	5.2	21	NA	NA	27.21	23.90	3.31	NA
S-8	10/04/1995	830	210	38	11	42	NA	NA	27.21	24.48	2.73	NA
S-8	01/03/1996	350	61	12	2.5	12	NA	NA	27.21	24.62	2.59	NA
S-8 (D)	01/03/1996	340	54	12	2.4	12	NA	NA	27.21	NA	NA	NA
S-8	04/11/1996	570	140	37	12	47	<6.2	NA	27.21	24.32	2.89	NA
S-8	07/11/1996	980	98	32	9.1	160	<12	NA	27.21	24.10	3.11	NA
S-8	10/02/1996	280	62	13	3.3	25	15	NA	27.21	25.38	1.83	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

S-8 (D)	10/02/1996	490	110	24	7.0	45	22	<2.0	27.21	NA	NA	NA
S-8	01/22/1997	400	90	13	4.9	25	12	NA	27.21	23.91	3.30	NA
S-8	07/21/1997	2900	380	110	26	260	85	NA	27.21	23.62	3.59	NA
S-8 (D)	07/21/1997	3200	420	120	32	300	130	NA	27.21	NA	NA	NA
S-8	01/22/1998	3800	790	140	42	330	160	NA	27.21	23.52	3.69	NA
S-8 (D)	01/22/1998	3500	780	120	33	300	160	NA	27.21	NA	NA	NA
S-8	07/08/1998	3600	1800	<25	<25	<25	<125	NA	27.21	21.52	5.69	NA
S-8 (D)	07/08/1998	4000	1800	<25	<25	31	<125	NA	27.21	NA	NA	NA
S-8	10/26/1998	NA	NA	NA	NA	NA	NA	NA	27.21	22.01	5.20	NA
S-8	01/28/1999	2000	630	6.2	24	51	43	NA	27.21	23.03	4.18	NA
S-8	04/23/1999	1050	408	<5.00	<5.00	6.65	<50.0	NA	27.21	22.15	5.06	NA
S-8	07/29/1999	955	344	<2.50	6.90	16.2	<25.0	NA	27.21	21.95	5.26	NA
S-8	11/01/1999	1800	550	6.45	15	40.4	<50.0	NA	27.21	22.55	4.66	NA
S-8	01/07/2000	1300	600	11	29	48	<13	NA	27.21	22.87	4.34	NA
S-8	04/11/2000	342	101	4.42	4.24	14.7	21.4	NA	27.21	21.86	5.35	NA
S-8	07/19/2000	579	228	6.37	6.45	25.0	<12.5	NA	27.21	21.93	5.28	NA
S-8	10/12/2000	947	340	8.64	3.26	38.3	<12.5	<2.00	27.21	22.92	4.29	NA
S-8	01/09/2001	1090	394	<10.0	<10.0	33.3	57.6	NA	27.21	23.19	4.02	NA
S-8	04/06/2001	671	182	12.5	16.4	47.1	42.5	NA	27.21	22.46	4.75	NA

S-9	12/22/1994	2600	400	150	42	310	NA	NA	26.06	24.37	1.69	NA
S-9	04/20/1995	1900	400	130	51	200	NA	NA	26.06	23.49	2.57	NA
S-9	10/04/1995	3200	590	260	68	280	NA	NA	26.06	24.01	2.05	NA
S-9	01/03/1996	Well inaccessible		NA	NA	NA	NA	NA	26.06	NA	NA	NA
S-9	04/11/1996	2100	440	1500	42	210	<25	NA	26.06	23.61	2.45	NA
S-9	07/11/1996	5200	940	450	120	520	<50	NA	26.06	23.78	2.28	NA
S-9 (D)	07/11/1996	4800	890	430	110	500	<50	NA	26.06	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

S-9	10/02/1996	3000	680	220	56	270	<62	NA	26.06	24.31	1.75	NA
S-9	01/22/1997	1500	230	71	36	130	<12	NA	26.06	23.08	2.98	NA
S-9	07/21/1997	3400	590	57	19	210	96	NA	26.06	22.83	3.23	NA
S-9	01/22/1998	2600	300	46	<10	270	62	NA	26.06	21.96	4.10	NA
S-9	07/08/1998	820	150	6.2	8	57	<10	NA	26.06	20.85	5.21	NA
S-9	10/26/1998	NA	NA	NA	NA	NA	NA	NA	26.06	21.39	4.67	NA
S-9	01/28/1999	<50	1.0	<0.50	<0.50	<0.50	<2.5	NA	26.06	22.32	3.74	NA
S-9	04/23/1999	NA	NA	NA	NA	NA	NA	NA	26.06	21.41	4.65	NA
S-9	07/29/1999	117	7.77	0.817	0.683	5.05	<5.00	NA	26.06	21.25	4.81	NA
S-9	11/01/1999	NA	NA	NA	NA	NA	NA	NA	26.06	21.92	4.14	NA
S-9	01/07/2000	<50	1.2	<0.50	<0.50	<0.50	<2.5	NA	26.06	22.11	3.95	NA
S-9	04/11/2000	NA	NA	NA	NA	NA	NA	NA	26.06	21.14	4.92	NA
S-9	07/19/2000	Well inaccessible		NA	NA	NA	NA	NA	26.06	NA	NA	NA
S-9	10/12/2000	NA	NA	NA	NA	NA	NA	NA	26.06	22.24	3.82	NA
S-9	01/09/2001	<50.0	1.45	<0.500	<0.500	<0.500	<2.50	NA	26.06	22.52	3.54	NA
S-9	04/06/2001	NA	NA	NA	NA	NA	NA	NA	26.06	23.61	2.45	NA

S-10	12/22/1994	420	27	8.0	18	45	NA	NA	28.04	25.84	2.20	NA
S-10	04/20/1995	820	49	3.7	97	52	NA	NA	28.04	24.92	3.12	NA
S-10	10/04/1995	240	6.5	1.1	16	12	NA	NA	28.04	25.47	2.57	NA
S-10	01/03/1996	1100	27	4.9	110	70	NA	NA	28.04	25.60	2.44	NA
S-10	04/11/1996	530	19	1.6	82	52	<5.0	NA	28.04	25.27	2.77	NA
S-10	07/11/1996	570	16	3.2	53	53	<2.5	NA	28.04	25.46	2.58	NA
S-10	10/02/1996	270	8.2	0.77	24	23	3.3	NA	28.04	25.81	2.23	NA
S-10	01/22/1997	160	4.8	0.73	16	11	<2.5	NA	28.04	24.74	3.30	NA
S-10	07/21/1997	530	5.7	0.70	29	69	<2.5	NA	28.04	24.50	3.54	NA
S-10	01/22/1998	1500	15	<5.0	88	130	<25	NA	28.04	24.44	3.60	NA

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-10	07/08/1998	530	4.8	1.1	47	51	<2.5	NA	28.04	22.36	5.68	NA
S-10	10/26/1998	NA	NA	NA	NA	NA	NA	NA	28.04	22.81	5.23	NA
S-10	01/28/1999	630	4.6	0.98	<0.50	59	<2.5	NA	28.04	23.82	4.22	NA
S-10	04/23/1999	NA	NA	NA	NA	NA	NA	NA	28.04	22.96	5.08	NA
S-10	07/29/1999	728	3.40	<1.00	41.8	38.0	<10.0	NA	28.04	22.63	5.41	NA
S-10	11/01/1999	NA	NA	NA	NA	NA	NA	NA	28.04	23.02	5.02	NA
S-10	01/07/2000	870	8.5	1.3	110	110	<2.5	NA	28.04	23.33	4.71	NA
S-10	04/11/2000	NA	NA	NA	NA	NA	NA	NA	28.04	22.64	5.40	NA
S-10	07/19/2000	612	3.75	<0.500	41.6	43.6	<2.50	NA	28.04	23.04	5.00	NA
S-10	10/12/2000	NA	NA	NA	NA	NA	NA	NA	28.04	23.92	4.12	NA
S-10	01/09/2001	647	7.62	1.01	66.2	42.4	<2.50	NA	28.04	24.13	3.91	NA
S-10	04/06/2001	NA	NA	NA	NA	NA	NA	NA	28.04	25.37	2.67	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020

MTBE = methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

TOB = Top of Wellbox Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

ug/L = parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

NA = Not applicable

WELL CONCENTRATIONS
Former Shell Service Station
461 8th Street
Oakland, CA
Wic #204-5508-6200

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOB (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	---------------------------

Notes:

* = Prior to December 22, 1994, well elevations taken from Top of Casing.

a = Ethylbenzene and xylenes combined

b = This sample analyzed outside of EPA recommended holding time.



Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

23 April, 2001

Nick Sudano
Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose, CA 95112

RE: 461 8th St
Sequoia Report: MKD0263

Enclosed are the results of analyses for samples received by the laboratory on 04/09/01 11:17. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Smyly
Project Manager

CA ELAP Certificate #1210





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S-6	MKD0263-01	Water	04/06/01 12:43	04/09/01 11:17
S-8	MKD0263-02	Water	04/06/01 12:25	04/09/01 11:17

Sequoia Analytical Morgan Hill

Jeff Smyly, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 461 8th St. Project Number: 461 8th St./ Oakland Project Manager: Nick Sudano	Reported: 04/23/01 13:32
--	--	------------------------------------

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 1D13001 - EPA 5030B [P/T]

Blank (1D13001-BLK1)				Prepared & Analyzed: 04/13/01						
Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.7		"	10.0		107	70-130			

LCS (1D13001-BS1)				Prepared & Analyzed: 04/13/01						
Benzene	9.97	0.500	ug/l	10.0		99.7	70-130			
Toluene	10.1	0.500	"	10.0		101	70-130			
Ethylbenzene	10.0	0.500	"	10.0		100	70-130			
Xylenes (total)	30.4	0.500	"	30.0		101	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.2		"	10.0		102	70-130			

Matrix Spike (1D13001-MS1)				Source: MKD0264-01		Prepared & Analyzed: 04/13/01				
Benzene	10.4	0.500	ug/l	10.0	ND	104	60-140			
Toluene	10.3	0.500	"	10.0	ND	103	60-140			
Ethylbenzene	10.1	0.500	"	10.0	ND	101	60-140			
Xylenes (total)	30.7	0.500	"	30.0	ND	102	60-140			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.4		"	10.0		104	70-130			

Matrix Spike Dup (1D13001-MSD1)				Source: MKD0264-01		Prepared & Analyzed: 04/13/01				
Benzene	10.0	0.500	ug/l	10.0	ND	100	60-140	3.92	25	
Toluene	9.97	0.500	"	10.0	ND	99.7	60-140	3.26	25	
Ethylbenzene	9.76	0.500	"	10.0	ND	97.6	60-140	3.42	25	
Xylenes (total)	29.8	0.500	"	30.0	ND	99.3	60-140	2.98	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.3		"	10.0		103	70-130			





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D13004 - EPA 5030B [P/T]

Blank (1D13004-BLK1)

Prepared & Analyzed: 04/13/01

Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.43		"	10.0		94.3	70-130			

LCS (1D13004-BS1)

Prepared & Analyzed: 04/13/01

Purgeable Hydrocarbons	233	50.0	ug/l	250		93.2	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	19.0		"	10.0		190	70-130			S-02

Matrix Spike (1D13004-MS1)

Source: MKD0255-01

Prepared & Analyzed: 04/13/01

Purgeable Hydrocarbons	239	50.0	ug/l	250	ND	95.6	60-140			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	14.9		"	10.0		149	70-130			S-02

Matrix Spike Dup (1D13004-MSD1)

Source: MKD0255-01

Prepared & Analyzed: 04/13/01

Purgeable Hydrocarbons	231	50.0	ug/l	250	ND	92.4	60-140	3.40	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	18.4		"	10.0		184	70-130			S-02





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

**MTBE Confirmation by EPA Method 8260A - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1D23005 - EPA 5030B P/T										
Blank (1D23005-BLK1) Prepared & Analyzed: 04/19/01										
Methyl tert-butyl ether	ND	1.00	ug/l							
Surrogate: 1,2-Dichloroethane-d4	12.3		"	10.0		123	70-130			A-01
LCS (1D23005-BS1) Prepared & Analyzed: 04/19/01										
Methyl tert-butyl ether	11.9	1.00	ug/l	10.0		119	70-130			
Surrogate: 1,2-Dichloroethane-d4	12.4		"	10.0		124	70-130			A-01
LCS Dup (1D23005-BSD1) Prepared & Analyzed: 04/19/01										
Methyl tert-butyl ether	11.3	1.00	ug/l	10.0		113	70-130	5.17	25	
Surrogate: 1,2-Dichloroethane-d4	12.4		"	10.0		124	70-130			A-01





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

Notes and Definitions

- A-01 The reported result is from Toluene-d8 which is the secondary surrogate.
- P-01 Chromatogram Pattern: Gasoline C6-C12
- S-02 The surrogate recovery for this sample cannot be accurately quantified due to interference from coeluting organic compounds present in the sample.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/27/01 14:03

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S-5 (MKD0420-01) Water Sampled: 04/13/01 15:32 Received: 04/16/01 10:46									
Purgeable Hydrocarbons	59800	10000	ug/l	200	1D20001	04/20/01	04/20/01	DHS LUFT	P-01
Benzene	4810	100	"	"	"	"	"	"	
Toluene	10800	100	"	"	"	"	"	"	
Ethylbenzene	1950	100	"	"	"	"	"	"	
Xylenes (total)	10100	100	"	"	"	"	"	"	
Methyl tert-butyl ether	842	500	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		108 %		70-130	"	"	"	"	





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/27/01 14:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S-5	MKD0420-01	Water	04/13/01 15:32	04/16/01 10:46

Sequoia Analytical - Morgan Hill

Jeff Smyly, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/27/01 14:03

MTBE Confirmation by EPA Method 8260A

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S-5 (MKD0420-01) Water Sampled: 04/13/01 15:32 Received: 04/16/01 10:46									
Methyl tert-butyl ether	ND	10.0	ug/l	10	1D26007	04/25/01	04/25/01	EPA 8260A	
Surrogate: 1,2-Dichloroethane-d4		98.1 %	70-130		"	"	"	"	





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/27/01 14:03

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D20001 - EPA 5030B [P/T]

Blank (1D20001-BLK1)

Prepared & Analyzed: 04/20/01

Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							

Surrogate: *a,a,a-Trifluorotoluene*

10.4

"

10.0

104

70-130

LCS (1D20001-BS1)

Prepared & Analyzed: 04/20/01

Purgeable Hydrocarbons	246	50.0	ug/l	250		98.4	70-130			
Surrogate: <i>a,a,a-Trifluorotoluene</i>	9.08		"	10.0		90.8	70-130			

LCS Dup (1D20001-BSD1)

Prepared & Analyzed: 04/20/01

Purgeable Hydrocarbons	232	50.0	ug/l	250		92.8	70-130	5.86	25	
Surrogate: <i>a,a,a-Trifluorotoluene</i>	9.02		"	10.0		90.2	70-130			





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/27/01 14:03

Notes and Definitions

- P-01 Chromatogram Pattern: Gasoline C6-C12
- Q-01 The spike recovery for this QC sample is outside of established control limits. Review of associated batch QC indicates the recovery for this analyte does not represent an out-of-control condition for the batch.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference





Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose CA, 95112	Project: 461 8th St. Project Number: 461 8th St./ Oakland Project Manager: Nick Sudano	Reported: 04/27/01 14:03
--	--	------------------------------------

**MTBE Confirmation by EPA Method 8260A - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D26007 - EPA 5030B P/T

Blank (1D26007-BLK1)				Prepared & Analyzed: 04/25/01						
Methyl tert-butyl ether	ND	1.00	ug/l							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.72		"	10.0		87.2	70-130			
LCS (1D26007-BS1)				Prepared & Analyzed: 04/25/01						
Methyl tert-butyl ether	8.05	1.00	ug/l	10.0		80.5	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	9.11		"	10.0		91.1	70-130			
Matrix Spike (1D26007-MS1)				Source: MKD0557-02		Prepared & Analyzed: 04/25/01				
Methyl tert-butyl ether	84700	2000	ug/l	20000	77700	35.0	70-130			Q-01
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.83		"	10.0		88.3	70-130			
Matrix Spike Dup (1D26007-MSD1)				Source: MKD0557-02		Prepared & Analyzed: 04/25/01				
Methyl tert-butyl ether	92000	2000	ug/l	20000	77700	71.5	70-130	8.26	25	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	9.14		"	10.0		91.4	70-130			



EQUIVA WELL MONITORING DATA SHEET

BTS #: 010413-52	Site: 97093399
Sampler: Hoyt / Sean	Date: 4/13/01
Well I.D.: S-5	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 34.39	Depth to Water: 14.72
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: Yve Grade	D.O. Meter (if req'd): YSI HACH

Purge Method:

- | | |
|--|--|
| <input type="checkbox"/> Bailer
<input type="checkbox"/> Disposable Bailer
<input type="checkbox"/> Middleburg
<input checked="" type="checkbox"/> Electric Submersible | <input type="checkbox"/> Waterra
<input type="checkbox"/> Peristaltic
<input type="checkbox"/> Extraction Pump
<input type="checkbox"/> Other _____ |
|--|--|

Sampling Method:

- | | |
|---|---------------------------------------|
| <input checked="" type="checkbox"/> Bailer
<input type="checkbox"/> Disposable Bailer
<input type="checkbox"/> Extraction Port
<input type="checkbox"/> Dedicated Tubing | <input type="checkbox"/> Other: _____ |
|---|---------------------------------------|

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

_____ (Gals.) X _____ = _____ Gals.
 I Case Volume Specified Volumes Calculated Volume

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
1531	64.1	6.7	1042	00.6	0	ODOR / Sheen
1549	65.7	6.6	922	> 200	50	
1559	66.1	6.6	897	> 200	100	

Did well dewater? Yes No Gallons actually evacuated: 100

Sampling Time: 1532 Sampling Date: 4/13/01

Sample I.D.: S-2 Laboratory: Sequoia Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL GAUGING DATA

Project # 010406-A1 Date 4-6-01 Client Equiva

Site 461 8th St. Oakland (97093399)

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
S-4	4					21.50	29.06	TOB
S-5	4		unable to sample			rain in vault	36.42	↓
S-6	4					18.25	36.42	
S-8	4					22.46	29.22	
S-9	4					23.61	30.6	
S-10	4					25.37	36.36	

EQUIVA WELL MONITORING DATA SHEET

BTS #: <u>010406-AZ</u>	Site: <u>970a33aa</u>
Sampler: <u>#</u>	Date: <u>4-6-01</u>
Well I.D.: <u>S-S</u>	Well Diameter: 2 3 4 6 8 <u> </u>
Total Well Depth:	Depth to Water:
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH

Purge Method: Sampling Method: Bailer

Bailer Waterra Disposable Bailer

Disposable Bailer Peristaltic Extraction Port

Middleburg Extraction Pump Dedicated Tubing

Electric Submersible Other _____ Other: _____

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

_____ (Gals.) X _____ = _____ Gals.

I Case Volume Specified Volumes Calculated Volume

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
<u>*</u>						<u>unable to sample</u>
						<u>Rain falling in drain.</u>

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Time: _____ Sampling Date: _____

Sample I.D.: _____ Laboratory: Sequoia Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

EQUIVA WELL MONITORING DATA SHEET

BTS #: 010406-A2	Site: 97093399
Sampler: A	Date: 4-6-01
Well I.D.: S-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 36.42	Depth to Water: 18.25
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC <u>Grade</u>	D.O. Meter (if req'd): YSI HACH

Purge Method:

- Bailer
- Disposable Bailer
- Middleburg
- Electric Submersible

- Watera
- Peristaltic
- Extraction Pump
- Other: 2" Grundfos

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

_____ (Gals.) X GRAB = _____ Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	<u>4"</u>	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
1238	61.5	6.6	969	4	0	odor
1246	64.2	6.7	1013	>200	50	↓
1253	65.2	6.7	957	>200	100	
1259	65.4	6.7	939	>200	150	

Did well dewater? Yes No Gallons actually evacuated: ~~0~~ 150

Sampling Time: 1233 Sampling Date: 4-6-01

Sample I.D.: S-6 Laboratory: Sequoia Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

EQUIVA WELL MONITORING DATA SHEET

BTS #: 010406-A2	Site: 97093399
Sampler: A	Date: 4-6-01
Well I.D.: S-8	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 29.22	Depth to Water: 22.46
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC <u>Grade</u>	D.O. Meter (if req'd): YSI HACH

Purge Method:

- Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- ~~Bailer~~
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

_____ (Gals.) X GRAB = _____ Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	<u>4"</u>	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Observations
1220	63.0	6.3	740	12	0	

Did well dewater? Yes No Gallons actually evacuated: 0

Sampling Time: ~~102~~ 1225 Sampling Date: 4-6-01

Sample I.D.: S-8 Laboratory: Sequoia Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

LAB: Sequoia


EQUIVA Services LLC Chain Of Custody Record

Lab Identification (if necessary):

Address:

City, State, Zip:

Equiva Project Manager to be invoiced:



Karen Petryna

INCIDENT NUMBER (S&E ONLY)

9 7 0 9 3 3 9 9

SAP or CRMT NUMBER (TS/CRMT)

DATE: 4-6-01

PAGE: 1 of 1

CONSULTANT COMPANY:
laine Tech Services
ADDRESS:
580 Rogers Avenue
CITY:
San Jose, CA 95112
TELEPHONE:
08-673-0556
FAX:
408-673-7771
E-MAIL:
nsudano@blainetech.com

SITE ADDRESS (Street and City):
461 8th Street, Oakland
PROJECT CONTACT (Report to):
Nick Sudano
CONSULTANT PROJECT NO.:
BTS # 010407A2

TURNAROUND TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

SAMPLER NAME(S) (Print):
Oscar Angulo
LAB USE ONLY

LA - RWQCB REPORT FORMAT UST AGENCY:
 HIGHEST per BORING ALL
 SPECIAL INSTRUCTIONS OR NOTES: TEMPERATURE ON RECEIPT °C

REQUESTED ANALYSIS

MKDD0263

Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8015m)	BTEX (8021B)	MTBE (8021B)	MTBE (8260B)	TPH - Diesel, Extractable (8015m)	Oxygenates (5) by (8260B)	Ethanol, Methanol (8015B)	MTBE (8260B) Confirmation, See Note	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
S-4 01	4-6-01	1243	W	3	x	x	x					X	
S-8 02	4-6-01	1255	W	3	x	x	x					X	

LAB USE ONLY

Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8015m)	BTEX (8021B)	MTBE (8021B)	MTBE (8260B)	TPH - Diesel, Extractable (8015m)	Oxygenates (5) by (8260B)	Ethanol, Methanol (8015B)	MTBE (8260B) Confirmation, See Note
S-4 01	4-6-01	1243	W	3	x	x	x					X
S-8 02	4-6-01	1255	W	3	x	x	x					X

Received by: (Signature) [Signature] Date: 4/9/01 Time: _____
 Received by: (Signature) _____ Date: 4/9/01 Time: _____
 Received by: (Signature) _____ Date: _____ Time: _____



Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

27 April, 2001

Nick Sudano
Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose, CA 95112

RE: 461 8th St.
Sequoia Report: MKD0420

Enclosed are the results of analyses for samples received by the laboratory on 04/16/01 10:46. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Smyly
Project Manager

CA ELAP Certificate #1210



LAB: Equiva

EQUIVA Services LLC Chain Of Custody Record

Lab Identification (if necessary):

Address:

City, State, Zip:

Equiva Project Manager to be involved:

Karen Petryna

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT HOUSTON

INCIDENT NUMBER (S&E ONLY)

9 - 7 0 9 3 3 9 9

SAP or CRMT NUMBER (TS/CRMT)

DATE: 4/13/01

PAGE: 1 of 1

CONSULTANT COMPANY:

Blaine Tech Services

ADDRESS:

10 Rogers Avenue

CITY:

San Jose, CA 95112

PHONE:

408-573-0555

FAX:

408-573-7771

E-MAIL:

nsudano@blainetech.com

SITE ADDRESS (Street and City):

461 8th Street, Oakland

PROJECT CONTACT (Report to):

Nick Sudano

SAMPLER NAME(S) (Print):

Seon DUNN

CONSULTANT PROJECT NO.:

BTS # 010413-S2

LAB USE ONLY

MKDD920

TURNAROUND TIME (BUSINESS DAYS):

10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY: _____

AMS MTBE CONFIRMATION: HIGHEST HIGHEST per BORING ALL

SPECIAL INSTRUCTIONS OR NOTES: TEMPERATURE ON RECEIPT

FIELD NOTES:

Container/Preservative
or PID Readings
or Laboratory Notes

Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8015m)	BTEX (8021B)	MTBE (8021B)	MTBE (8260B)	TPH - Diesel, Extractable (8015m)	Oxygenates (S) by (8260B)	Ethanol, Methanol (8015B)	MTBE (8260B) Confirmation, See Note	FIELD NOTES
	DATE	TIME											
S-5	4/13/01	1532	W	3	X	X						X	01

Requested by: (Signature) [Signature]

Received by: (Signature) [Signature]

Date: 4-16

Time: 9.20

Requested by: (Signature) [Signature]

Received by: (Signature) [Signature]

Date: 4-16

Time: 1045

Requested by: (Signature)

Received by: (Signature)

Date:

Time:

* report, Green to File, Yellow and Pink to Client.

WELL GAUGING DATA

Project # 010413-SZ Date 4/13/01 Client EQUIVA

Site 461 8th St 970 93399

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
S-5	4	Sheen / ODOR				14.72	14.39	FEEL
							38.61	TOB



Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

MTBE Confirmation by EPA Method 8260A

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S-6 (MKD0263-01) Water Sampled: 04/06/01 12:43 Received: 04/09/01 11:17									
Methyl tert-butyl ether	ND	20.0	ug/l	20	1D23005	04/19/01	04/19/01	EPA 8260A	
Surrogate: 1,2-Dichloroethane-d4		121 %		70-130	"	"	"	"	A-01





Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose CA, 95112

Project: 461 8th St.
Project Number: 461 8th St./ Oakland
Project Manager: Nick Sudano

Reported:
04/23/01 13:32

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
S-6 (MKD0263-01) Water Sampled: 04/06/01 12:43 Received: 04/09/01 11:17									
Purgeable Hydrocarbons	16900	10000	ug/l	200	1D13001	04/13/01	04/13/01	DHS LUFT	P-01
Benzene	7800	100	"	"	"	"	"	"	
Toluene	343	100	"	"	"	"	"	"	
Ethylbenzene	172	100	"	"	"	"	"	"	
Xylenes (total)	966	100	"	"	"	"	"	"	
Methyl tert-butyl ether	809	500	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		113 %	70-130		"	"	"	"	
S-8 (MKD0263-02) Water Sampled: 04/06/01 12:25 Received: 04/09/01 11:17									
Purgeable Hydrocarbons	671	250	ug/l	5	1D13004	04/13/01	04/13/01	DHS LUFT	P-01
Benzene	182	2.50	"	"	"	"	"	"	
Toluene	12.5	2.50	"	"	"	"	"	"	
Ethylbenzene	16.4	2.50	"	"	"	"	"	"	
Xylenes (total)	47.1	2.50	"	"	"	"	"	"	
Methyl tert-butyl ether	42.5	12.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		106 %	70-130		"	"	"	"	

