



76 Broadway  
Sacramento, California 95818

**RECEIVED**

2:42 pm, Apr 07, 2008

Alameda County  
Environmental Health

April 1, 2008

Ms. Donna Drogos  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502

Re: **Report Transmittal**  
**Semi-Annual Summary Report – Fourth Quarter 2007 through First Quarter 2008**  
**76 Service Station #5760**  
**376 Lewelling Boulevard**  
**San Lorenzo, California**

Dear Ms. Drogos:

I declare under penalty of perjury that, to the best of my knowledge, the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call:

Ted Moise (Contractor)  
ConocoPhillips  
Risk Management & Remediation  
76 Broadway  
Sacramento, CA 95818

Phone: (916) 558-7666  
Fax: (918) 662-4480

Sincerely,

Eric G. Hetrick  
Site Manager  
Risk Management & Remediation

Attachment

March 31, 2008

Ms. Donna Drogos  
Alameda County Health Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502



**DELTA**

**Re: Semi-Annual Summary Report – Fourth Quarter  
2007 through First Quarter 2008**  
Delta Project No. C1Q5760604

Dear Ms. Drogos:

On behalf of ConocoPhillips Company (COP), Delta Consultants (Delta) is submitting the Semi-Annual Summary Report – Fourth Quarter 2007 through First Quarter 2008 and forwarding a copy of TRC's *Semi-Annual Monitoring Report, October 2007 through March 2008*, dated February 13, 2008, for the following location:

**Service Station**


76 Service Station No. 5760

**Location**

376 Lewelling Boulevard  
San Lorenzo, California

Sincerely,  
**DELTA CONSULTANTS**

Dennis S. Dettloff, P.G.  
Senior Project Manager  
California Registered Professional Geologist No. 7480



cc: Mr. Ted Moise, ConocoPhillips (electronic copy)

a member of:



3164 GOLD CAMP DRIVE SUITE 200 RANCHO CORDOVA, CALIFORNIA 95670 USA  
PHONE 916.638.2085 / 800.477.7411 FAX 916.638.8385 [WWW.DELTAENV.COM](http://WWW.DELTAENV.COM)

**SEMI-ANNUAL SUMMARY REPORT**  
**Fourth Quarter 2007 through First Quarter 2008**  
**76 Service Station No. 5760**  
**376 Lewelling Boulevard**  
**San Lorenzo, California**

**SITE DESCRIPTION**

The site is located at the southeast corner of the intersection of Lewelling Boulevard and Usher Street in San Lorenzo California. The site is currently an active service station with two fuel dispenser islands, one underground waste-oil tank, two underground gasoline storage tanks (USTs), and a station building with two mechanic's bays.

**PREVIOUS ASSESSMENT**

The underground storage tanks (USTs) were removed and replaced in November 1987. At that time monitoring well U-1 was installed in response to the petroleum hydrocarbon impact observed during the UST replacement. Information on the installation of well U-1 is documented in a report *Well Installation* prepared by Woodward-Clyde Consultants dated March 25, 1988.

Three additional monitoring wells (U-2, U-3 and U-4) were installed in August 1990 by GeoStrategies Incorporated (GSI). The installation of these monitoring wells is documented in a report *Monitoring Well Installation Report* prepared by GSI dated November 16, 1990.

In March 1992 GSI installed four off-site monitoring wells (U-5 through U-8) to further assess the petroleum hydrocarbon impact to the groundwater west and south of the site. The installation of these monitoring wells is documented in the *Well Installation Report* prepared by GSI dated June 15, 1992.

An additional off-site monitoring well, U-9, was installed by GSI in May 1993. The installation of this monitoring well is documented in a report *Well Installation Report* prepared by GSI dated August 9, 1993.

In September 1993, twelve borings were advanced as part of a property divestment program. Due to petroleum hydrocarbon impacted soils encountered, three of the borings were converted to soil vapor extraction (SVE) wells.

In March 1994, the assessment of the petroleum hydrocarbon-impacted soils was completed with the advancement of two additional soil borings.

Between August 8 and 13, 1994, a SVE feasibility test was conducted by Pacific Environmental Group (PEG). The results of the test indicated SVE to be an applicable technology for remediation of petroleum hydrocarbons from soil and groundwater beneath the site.

In September 1995 a combination SVE and groundwater treatment (GWT) system was constructed at the site. Start-up activities for the GWT system began on October 3, 1995. SVE system start-up and continuous GWT operation began in mid-October 1995.

In July 2007 Delta abandoned monitoring wells U-1 and U-3 and replaced them with monitoring wells U-1R and U-3R.

### **SENSITIVE RECEPTOR SURVEY**

In 2006 Delta reviewed the public records of the Alameda County Assessors office to obtain a list of parcel numbers, property owner's names, and addresses of properties within a 1,000-foot radius of the site. A Public Health Assessment Questionnaire (Questionnaire) presenting specific queries regarding the presence of sensitive receptors was mailed to each property owner. One Hundred Sixty Four questionnaires were mailed on April 25, 2006. Delta received thirteen responses. Four of the surveys were returned by the post office due to invalid addresses.

A well is not present on any of the eight respondent properties and none of the properties have sumps.

Delta also reviewed the public records of the Department of Water Resources to obtain a list of parcel numbers, property owner's names, and addresses of potential receptors within a one-mile radius of the site. Questionnaires were mailed to addresses on June 1, 2006. None of the questionnaires were returned to Delta.

Based on the U.S. Geological Survey Topographic Map for this area (San Leandro quadrangle, 1980), the nearest surface water body is San Lorenzo Creek located approximately 500 feet southeast to southwest of the site.

Delta personnel searched for nearby schools, daycare centers, and hospitals within the 1,000-foot radius of the site. No hospitals, daycare centers or schools were identified within the search radius during Delta's search.

### **MONITORING AND SAMPLING**

Groundwater sampling began in the second quarter 1988. In the first quarter 1990, quarterly monitoring and sampling began and continued at quarterly intervals until March 1996 when the frequency changed to semi-annual. Monitoring wells U-2 and U-4 are currently monitored and not sampled. Monitoring wells U-5 and U-9 are sampled during the first quarter only. Groundwater samples are analyzed for total purgeable petroleum hydrocarbons (TPPH), benzene, toluene, ethyl-benzene, and total xylenes (BTEX), methyl tertiary butyl ether (MTBE), and ethanol by Environmental Protection Agency Method 8260.

Monitoring and sampling activities were conducted on January 7, 2008 using monitor wells U-1R, U-3R, U-5, U-6, U-7, U-8, and U-9. Monitoring wells U-2 and U-4 were monitored only.

## **CHARACTERIZATION STATUS**

The extent of the petroleum hydrocarbon impact to the soil has been adequately accessed. The groundwater petroleum hydrocarbon plume, composed primarily of TPPH, is considered stable and located in the southwest portion of the property.

During the most recent groundwater monitoring event, conducted on January 7, 2008, depth to groundwater ranged from 13.50 feet (U-7) to 17.73 feet (U-2) below top of casing (TOC). The groundwater flow direction was interpreted to be to the southwest at a gradient of 0.002 foot per foot (ft/ft). Historic groundwater flow directions are shown in a rose diagram presented as Attachment A.

### **Contaminants of Concern:**

- **TPPH:** TPPH was above the laboratory's indicated reporting limit in monitoring wells U-1R and U-6 at 28,000 µg/L and 65 µg/L, respectively.
- **Benzene:** Benzene was below the laboratory's indicated reporting limits in each of the monitoring wells purged and sampled during the most recent monitoring event.
- **MTBE:** MTBE was below the laboratory's indicated reporting limits in each of the monitoring wells purged and sampled during the most recent monitoring event.

Ethyl-benzene and total xylenes were above the laboratory's indicated reporting limits in monitoring well U-1R at 1,900 µg/L and 7,300 µg/L, respectively during the most recent monitoring event. Ethanol was below the laboratory's indicated reporting limits in each of the monitoring wells purged and sampled during the most recent monitoring event.

## **REMEDIATION STATUS**

In September 1995 a combination SVE and groundwater treatment (GWT) system was constructed at the site. Start-up activities for the GWT system began on October 3, 1995. SVE system start-up and continuous GWT operation began in mid-October 1995.

The system continued to operate until February 1997 when it was shut down due to diminishing incremental benefit.

Active remediation is not currently being conducted at the site.

## **RECOMMENDATION**

Monitoring well U-1R consistently contains elevated levels of petroleum hydrocarbons while the other monitoring wells show little or no impact. Therefore, Delta recommends that spot remediation be conducted on monitoring well U-1R using hydrogen-peroxide. Delta recommends that a work plan be prepared for this work and submitted to the Alameda County Health Agency for their approval.

**RECENT CORRESPONDENCE**

No recent correspondence was documented during this reporting period.

**ACTIVITIES CONDUCTED (Fourth Quarter 2007 through First Quarter 2008)**

1. TRC conducted the semi-annual monitoring and sampling event at the site.
2. Delta submitted the Semi-Annual Report – Second Quarter through Third Quarter 2007 dated, October 16, 2007.

**NEXT QUARTER ACTIVITIES (Second Quarter through Third Quarter 2008)**

1. TRC will conduct the next semi-annual monitoring and sampling event at the site.

**CONSULTANT:** Delta Consultants

Attachment A – Historic Groundwater Flow Directions

**Attachment A**  
**Historic Groundwater Flow Directions**


### **Historic Groundwater Flow Directions**

**ConocoPhillips Site No. 5760**

376 Lewelling Boulevard

San Lorenzo, California

N



#### **Legend**

Concentric circles represent quarterly monitoring events  
Fourth Quarter 1990 through First Quarter 2008  
39 data points shown


 Groundwater Flow Direction



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

[www.TRCsolutions.com](http://www.TRCsolutions.com)



DATE: February 13, 2008

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. TED MOISE

SITE: 76 STATION 5760  
376 LEWELLING BOULEVARD  
SAN LORENZO, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT  
OCTOBER 2007 THROUGH MARCH 2008

Dear Mr. Moise:

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 5760, located at 376 Lewelling Boulevard, San Lorenzo, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental (1 copy)

Enclosures  
20-0400/5760R10.QMS


**SEMI-ANNUAL MONITORING REPORT  
OCTOBER 2007 THROUGH MARCH 2008**

76 STATION 5760  
376 Lewelling Boulevard  
San Lorenzo, California

Prepared For:

Mr. Ted Moise  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 2/12/08



### LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 01/07/08 Groundwater Sampling Field Notes – 01/07/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

## **Summary of Gauging and Sampling Activities**

**October 2007 through March 2008**

**76 Station 5760**

**376 Lewelling Road**

**San Lorenzo, CA**

---

Project Coordinator: **Ted Moise**  
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**  
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **01/07/08**

### **Sample Points**

Groundwater wells: **4** onsite, **5** offsite      Wells gauged: **9**      Wells sampled: **7**

Purging method: **Bailer/submersible pump**

Purge water disposal: **Onyx/Rodeo Unit 100**

Other Sample Points: **0**      Type: **n/a**

### **Liquid Phase Hydrocarbons (LPH)**

Wells with LPH: **0**      Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a**      Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

### **Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **13.5 feet**      Maximum: **17.73 feet**

Average groundwater elevation (relative to available local datum): **26.03 feet**

Average change in groundwater elevation since previous event: **0.59 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.002 ft/ft, west**

Previous event: **0.003 ft/ft, southwest (07/06/07)**

### **Selected Laboratory Results**

Wells with detected **Benzene**: **0**      Wells above MCL (1.0 µg/l): **n/a**

Maximum reported benzene concentration: **n/a**

Wells with **TPH-G by GC/MS**      **2**      Maximum: **28,000 µg/l (U-1R)**

Wells with **MTBE 8260B**      **0**

### **Notes:**

---

U-2=Monitored Only, U-4=Monitored Only,

# **TABLES**

## TABLE KEY

### STANDARD ABBREVIATIONS

--	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
Trace	= less than 0.01 foot of LPH in well
ug/l	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)

### ANALYTES

BTEX	= benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MTBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
TCA	= trichloroethane
TCE	= trichloroethylene
TPH-G	= total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	= total petroleum hydrocarbons with diesel distinction
TRPH	= total recoverable petroleum hydrocarbons
TAME	= tertiary amyl methyl ether
1,1-DCA	= 1,1-dichloroethane
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	= 1,1-dichloroethene
1,2-DCE	= 1,2-dichloroethylene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5760 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

## Contents of Tables 1 and 2

### Site: 76 Station 5760

#### Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 1a	Well/ Date	Ethanol (8260B)												

#### Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	DIPE	ETBE	TAME	1,1-DCA	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen				

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

January 7, 2008

76 Station 5760

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-1R</b> (Screen Interval in feet: 10-25)														
01/07/08	42.65	16.51	0.00	26.14	0.73	--	28000	ND<12	ND<12	1900	7300	--	ND<12	
<b>U-2</b> (Screen Interval in feet: 15.0-30.0)														Monitored Only
01/07/08	43.65	17.73	0.00	25.92	0.07	--	--	--	--	--	--	--	--	
<b>U-3R</b> (Screen Interval in feet: 10-25)														
01/07/08	41.58	15.46	0.00	26.12	0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-4</b> (Screen Interval in feet: 15.0-28.0)														Monitored Only
01/07/08	42.69	16.65	0.00	26.04	0.50	--	--	--	--	--	--	--	--	
<b>U-5</b> (Screen Interval in feet: 15.0-30.0)														
01/07/08	41.74	15.81	0.00	25.93	0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-6</b> (Screen Interval in feet: 13.0-28.0)														
01/07/08	40.07	14.02	0.00	26.05	0.74	--	65	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-7</b> (Screen Interval in feet: 15.0-35.0)														
01/07/08	39.50	13.50	0.00	26.00	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-8</b> (Screen Interval in feet: 15.0-30.0)														
01/07/08	40.95	14.79	0.00	26.16	0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-9</b> (Screen Interval in feet: 13.0-28.0)														
01/07/08	39.72	13.85	0.00	25.87	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 5760**

Date      Ethanol  
Sampled    (8260B)

( $\mu\text{g/l}$ )

---

**U-1R**

01/07/08 ND<6200

**U-3R**

01/07/08 ND<250

**U-5**

01/07/08 ND<250

**U-6**

01/07/08 ND<250

**U-7**

01/07/08 ND<250

**U-8**

01/07/08 ND<250

**U-9**

01/07/08 ND<250

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-1</b>	<b>(Screen Interval in feet: 10.5-30.5)</b>													
02/09/88	--	--	--	--	--	93000	--	3600	11000	--	20000	--	--	
03/20/90	--	--	--	--	--	36000	--	2100	5500	1900	9300	--	--	
06/05/90	--	--	--	--	--	46000	--	2300	5500	2500	11000	--	--	
08/24/90	--	--	--	--	--	27000	--	1200	1800	1400	5500	--	--	
12/05/90	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
03/04/91	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
06/03/91	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
09/19/91	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
12/04/91	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
03/05/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
04/07/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
08/06/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
11/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Not sampled due to free product
02/12/93	--	--	--	--	--	70000	--	2200	8400	3100	18000	--	--	
06/04/93	40.51	16.72	0.00	23.79	--	35000	--	1300	5700	900	9200	--	--	
09/09/93	40.51	17.77	0.00	22.74	-1.05	67000	--	2900	18000	6200	32000	--	--	
12/02/93	40.20	18.36	0.01	21.85	-0.89	--	--	--	--	--	--	--	--	Not sampled due to free product

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-1 continued</b>														
03/09/94	40.20	17.20	0.00	23.00	1.15	45000	--	930	4100	2000	11000	--	--	
06/09/94	40.20	17.42	0.00	22.78	-0.22	59000	--	5200	1300	5200	15000	--	--	
09/07/94	40.20	18.17	0.00	22.03	-0.75	41000	--	1600	6200	3100	16000	--	--	
12/05/94	40.20	16.67	0.00	23.53	1.50	1300	--	55	20	16	330	--	--	
03/09/95	40.20	15.82	0.00	24.38	0.85	49000	--	860	3200	1900	10000	1500	--	
06/13/95	40.20	14.70	0.00	25.50	1.12	53000	--	1400	5000	2500	14000	2800	--	
09/12/95	40.01	16.77	0.00	23.24	-2.26	43000	--	910	2700	1700	9600	1400	--	
12/14/95	40.20	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/20/96	40.20	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/22/96	40.20	--	--	--	--	13000	--	200	590	640	4000	790	--	
09/24/96	40.20	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/27/97	40.20	15.29	0.00	24.91	--	1300	--	8	ND	ND	400	ND	--	
09/23/97	40.20	17.20	0.00	23.00	-1.91	2000	--	15	ND	ND	530	ND	--	
03/10/98	40.20	12.68	0.00	27.52	4.52	2200	--	19	4.8	ND	980	38	--	
09/04/98	40.20	16.84	0.00	23.36	-4.16	5300	--	53	ND	410	620	ND	--	
03/04/99	40.20	13.04	0.00	27.16	3.80	1500	--	19	ND	56	110	310	--	
09/13/99	40.20	17.14	0.00	23.06	-4.10	5850	--	32.7	ND	520	925	ND	--	
03/21/00	40.20	14.36	0.00	25.84	2.78	4820	--	17.4	7.74	297	1370	ND	--	
09/18/00	40.20	16.72	0.00	23.48	-2.36	647	--	6.44	ND	22.3	6.86	22.2	--	
10/13/00	40.20	16.85	0.00	23.35	-0.13	--	--	--	--	--	--	--	29	
03/16/01	40.20	15.84	0.00	24.36	1.01	4950	--	1.73	1.77	429	536	613	--	
09/04/01	40.20	17.16	0.00	23.04	-1.32	11000	--	25	ND<10	1100	1800	370	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-1 continued</b>														
03/18/02	40.20	15.60	--	24.60	1.56	8100	--	ND<20	ND<20	740	1300	ND<200	--	
09/17/02	40.20	17.35	0.00	22.85	-1.75	--	4200	ND<2.5	ND<2.5	120	43	--	280	
03/28/03	40.20	15.72	0.00	24.48	1.63	--	560	ND<0.50	ND<0.50	0.96	ND<1.0	--	69	
09/05/03	40.20	16.77	--	23.43	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2	
03/04/04	40.20	14.64	0.00	25.56	2.13	--	20000	ND<20	ND<20	1900	8300	--	ND<80	
09/09/04	40.20	16.64	0.00	23.56	-2.00	--	22000	ND<20	ND<20	1800	6100	--	ND<20	
03/01/05	40.20	14.70	0.00	25.50	1.94	--	25000	ND<13	ND<13	1900	6800	--	ND<13	
08/02/05	40.20	15.44	0.00	24.76	-0.74	--	11000	ND<10	ND<10	780	2600	--	ND<10	
01/20/06	40.20	14.66	0.00	25.54	0.78	--	65000	5.0	ND<0.50	5000	18000	--	2.6	
07/11/06	40.20	15.01	0.00	25.19	-0.35	--	9200	ND<50	ND<50	680	2400	--	ND<50	
03/09/07	40.20	15.52	0.00	24.68	-0.51	--	15000	6.7	ND<5.0	890	3200	--	ND<5.0	
07/06/07	40.20	--	--	--	--	--	--	--	--	--	--	--	--	Abandoned on 7/18/07
<b>U-1R (Screen Interval in feet: 10-25)</b>														
07/06/07	42.65	17.24	0.00	25.41	--	--	36000	7.2	8.3	2200	10000	--	ND<0.50	Gauged and sampled on 8/10/07
01/07/08	42.65	16.51	0.00	26.14	0.73	--	28000	ND<12	ND<12	1900	7300	--	ND<12	
<b>U-2 (Screen Interval in feet: 15.0-30.0)</b>														
08/23/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/05/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/04/91	--	--	--	--	--	ND	--	ND	0.9	ND	2.6	--	--	
06/03/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
09/19/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/04/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/05/92	--	--	--	--	--	ND	--	ND	0.36	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-2 continued</b>														
04/07/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/06/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/04/93	41.62	17.59	0.00	24.03	--	ND	--	ND	ND	ND	ND	--	--	
09/09/93	41.62	18.68	0.00	22.94	-1.09	ND	--	ND	ND	ND	ND	--	--	
12/02/93	41.26	19.23	0.00	22.03	-0.91	ND	--	ND	ND	ND	ND	--	--	
03/09/94	41.26	18.05	0.00	23.21	1.18	62	--	1.1	5.4	1.1	9.7	--	--	
04/13/94	41.26	18.18	0.00	23.08	-0.13	ND	--	ND	ND	ND	ND	--	--	
06/09/94	41.26	18.26	0.00	23.00	-0.08	ND	--	ND	ND	ND	ND	--	--	
09/07/94	41.26	19.28	0.00	21.98	-1.02	ND	--	ND	0.63	ND	0.61	--	--	
12/05/94	41.26	18.82	0.00	22.44	0.46	ND	--	ND	ND	ND	ND	--	--	
03/09/95	41.26	16.96	0.00	24.30	1.86	ND	--	ND	ND	ND	ND	ND	--	
06/13/95	41.26	16.71	0.00	24.55	0.25	ND	--	ND	ND	ND	ND	ND	--	
09/12/95	41.26	17.80	0.00	23.46	-1.09	ND	--	ND	ND	ND	ND	ND	--	
12/14/95	41.26	18.18	0.00	23.08	-0.38	ND	--	ND	ND	ND	ND	ND	--	
03/20/96	41.26	15.02	0.00	26.24	3.16	--	--	--	--	--	--	--	--	
09/24/96	41.26	17.90	0.00	23.36	-2.88	--	--	--	--	--	--	--	--	
03/27/97	41.26	16.45	0.00	24.81	1.45	ND	--	ND	ND	ND	ND	ND	--	
09/23/97	41.26	18.40	0.00	22.86	-1.95	--	--	--	--	--	--	--	--	
03/10/98	41.26	13.79	0.00	27.47	4.61	ND	--	ND	ND	ND	ND	ND	--	
09/04/98	41.26	17.98	0.00	23.28	-4.19	--	--	--	--	--	--	--	--	
03/04/99	41.26	14.96	0.00	26.30	3.02	ND	--	ND	ND	ND	ND	ND	--	
09/13/99	41.26	18.25	0.00	23.01	-3.29	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-2 continued</b>														
03/21/00	41.26	15.54	0.00	25.72	2.71	ND	--	ND	ND	ND	ND	ND	--	
09/18/00	41.26	17.55	0.00	23.71	-2.01	--	--	--	--	--	--	--	--	
03/16/01	41.26	17.06	0.00	24.20	0.49	--	--	--	--	--	--	--	--	
09/04/01	41.26	18.39	0.00	22.87	-1.33	--	--	--	--	--	--	--	--	
03/18/02	41.26	16.87	--	24.39	1.52	--	--	--	--	--	--	--	--	
09/17/02	41.26	18.33	0.00	22.93	-1.46	--	--	--	--	--	--	--	--	
03/28/03	41.26	16.95	0.00	24.31	1.38	--	--	--	--	--	--	--	--	
09/05/03	41.26	18.00	0.00	23.26	-1.05	--	--	--	--	--	--	--	--	Monitored Only
03/04/04	41.26	16.17	0.00	25.09	1.83	--	--	--	--	--	--	--	--	Monitored Only
09/09/04	41.26	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible-car parked on well
03/01/05	41.26	--	--	--	--	--	--	--	--	--	--	--	--	Car parked on well
08/02/05	41.26	16.62	0.00	24.64	--	--	--	--	--	--	--	--	--	Monitored only
01/20/06	41.26	16.24	0.00	25.02	0.38	--	--	--	--	--	--	--	--	Monitored only
07/11/06	41.26	16.15	0.00	25.11	0.09	--	--	--	--	--	--	--	--	Monitored Only
03/09/07	41.26	16.71	0.00	24.55	-0.56	--	--	--	--	--	--	--	--	Monitored Only
07/06/07	43.65	17.80	0.00	25.85	1.30	--	--	--	--	--	--	--	--	Monitored Only
01/07/08	43.65	17.73	0.00	25.92	0.07	--	--	--	--	--	--	--	--	Monitored Only
<b>U-3</b> <b>(Screen Interval in feet: 15.0-25.0)</b>														
08/23/90	--	--	--	--	--	110000	--	4400	13000	2800	17000	--	--	
12/05/90	--	--	--	--	--	69000	--	1900	3500	1600	9800	--	--	
01/18/91	--	--	--	--	--	51000	--	1700	3100	1500	7500	--	--	
03/04/91	--	--	--	--	--	84000	--	1400	10000	2900	17000	--	--	
06/03/91	--	--	--	--	--	130000	--	5800	19000	4600	24000	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-3 continued</b>														
09/19/91	--	--	--	--	--	61000	--	3300	9700	2800	15000	--	--	
12/04/91	--	--	--	--	--	75000	--	2500	6100	1900	11000	--	--	
03/05/92	--	--	--	--	--	160000	--	5300	15000	5400	26000	--	--	
04/07/92	--	--	--	--	--	97000	--	6100	16000	5400	28000	--	--	
08/06/92	--	--	--	--	--	140000	--	5100	13000	5000	23000	--	--	
11/20/92	--	--	--	--	--	50000	--	3200	4700	1900	10000	--	--	
02/12/93	--	--	--	--	--	80000	--	3700	9400	3700	18000	--	--	
06/04/93	39.64	15.48	0.00	24.16	--	92000	--	2900	8700	4300	20000	--	--	
09/09/93	39.64	17.04	0.00	22.60	-1.56	110000	--	2800	10000	6500	31000	--	--	
12/02/93	39.26	17.55	0.00	21.71	-0.89	110000	--	3200	7700	5600	26000	--	--	
03/09/94	39.26	16.35	0.00	22.91	1.20	120000	--	4500	8300	5600	28000	--	--	
06/09/94	39.26	16.60	0.00	22.66	-0.25	120000	--	3300	6100	5200	26000	--	--	
09/07/94	39.26	17.61	0.00	21.65	-1.01	100000	--	2400	4900	4200	21000	--	--	
12/05/94	39.26	17.08	0.00	22.18	0.53	140000	--	3100	5100	4900	21000	--	--	
03/09/95	39.26	15.20	0.00	24.06	1.88	100000	--	2300	3300	4800	21000	54000	--	
06/13/95	39.26	15.11	0.00	24.15	0.09	64000	--	1700	1500	3800	18000	900	--	
09/12/95	39.26	16.11	0.00	23.15	-1.00	69000	--	1700	820	4000	19000	29000	--	
12/14/95	39.26	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/20/96	39.26	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/22/96	39.26	--	--	--	--	15000	--	150	490	480	3100	400	--	
09/24/96	39.26	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible; system not running
03/27/97	39.26	14.77	0.00	24.49	--	110	--	ND	ND	ND	0.62	9.6	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	( $\mu\text{g/l}$ )								
<b>U-3 continued</b>														
09/23/97	39.26	16.74	0.00	22.52	-1.97	ND	--	ND	ND	ND	ND	ND	--	
03/10/98	39.26	12.18	0.00	27.08	4.56	ND	--	ND	ND	ND	3.1	ND	--	
09/04/98	39.26	16.46	0.00	22.80	-4.28	ND	--	ND	ND	1.2	2.3	ND	--	
03/04/99	39.26	13.48	0.00	25.78	2.98	ND	--	ND	ND	ND	ND	ND	--	
09/13/99	39.26	16.71	0.00	22.55	-3.23	ND	--	ND	ND	1.77	ND	1.06	9.08	--
03/21/00	39.26	13.87	--	25.39	2.84	18700	--	ND	ND	1290	4770	ND	--	
09/18/00	39.26	16.12	0.00	23.14	-2.25	ND	--	ND	ND	ND	ND	ND	--	
03/16/01	39.26	15.35	0.00	23.91	0.77	2310	--	ND	ND	184	618	ND	--	
09/04/01	39.26	16.71	0.00	22.55	-1.36	340	--	0.95	ND<0.50	8.1	18	ND<5.0	--	
03/18/02	39.26	15.11	--	24.15	1.60	6500	--	ND<10	ND<10	390	1400	ND<100	--	
09/17/02	39.26	17.67	0.00	21.59	-2.56	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.0	
03/28/03	39.26	15.25	0.00	24.01	2.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/05/03	39.26	16.30	0.00	22.96	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/04	39.26	14.11	0.00	25.15	2.19	--	14000	ND<10	ND<10	940	3500	--	ND<40	
09/09/04	39.26	16.22	0.00	23.04	-2.11	--	1300	ND<2.5	ND<2.5	66	160	--	ND<2.5	
03/01/05	39.26	14.18	0.00	25.08	2.04	--	14000	ND<5.0	ND<5.0	690	2000	--	ND<5.0	
08/02/05	39.26	14.93	0.00	24.33	-0.75	--	6300	ND<2.5	ND<2.5	320	970	--	ND<2.5	
01/20/06	39.26	14.14	0.00	25.12	0.79	--	7600	ND<0.50	ND<0.50	390	890	--	ND<0.50	
07/11/06	39.26	14.52	0.00	24.74	-0.38	--	3800	ND<5.0	ND<5.0	190	420	--	ND<5.0	
03/09/07	39.26	15.05	0.00	24.21	-0.53	--	3800	ND<2.5	ND<2.5	130	240	--	ND<2.5	
07/06/07	39.26	16.17	0.00	23.09	-1.12	--	390	ND<0.50	ND<0.50	11	16	--	ND<0.50	Abandoned on 7/19/07
<b>U-3R (Screen Interval in feet: 10-25)</b>														
07/06/07	41.58	16.29	0.00	25.29	--	--	290	ND<0.50	ND<0.50	ND<0.50	0.99	--	ND<0.50	Gauged and sampled on 8/10/07

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethylbenzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>U-3R continued</b>														
01/07/08	41.58	15.46	0.00	26.12	0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-4</b> (Screen Interval in feet: 15.0-28.0)														
08/23/90	--	--	--	--	--	ND	--	ND	1.0	ND	1.8	--	--	
12/05/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
01/18/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/04/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/03/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
09/19/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/04/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/05/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
04/07/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/06/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/92	--	--	--	--	--	ND	--	ND	2.5	ND	ND	--	--	
02/12/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/04/93	40.53	16.73	0.00	23.80	--	ND	--	ND	ND	ND	ND	--	--	
09/09/93	40.53	16.89	0.00	23.64	-0.16	ND	--	ND	ND	ND	ND	--	--	
12/02/93	40.25	18.46	0.00	21.79	-1.85	ND	--	ND	ND	ND	2.6	--	--	
03/09/94	40.25	17.30	0.00	22.95	1.16	ND	--	1.4	4.7	1.1	8.1	--	--	
04/13/94	40.25	17.44	0.00	22.81	-0.14	ND	--	ND	ND	ND	ND	--	--	
06/09/94	40.25	17.53	0.00	22.72	-0.09	ND	--	ND	ND	ND	ND	--	--	
09/07/94	40.28	18.52	0.00	21.76	-0.96	ND	--	ND	1.1	ND	1.0	--	--	
12/05/94	40.28	18.08	0.00	22.20	0.44	ND	--	ND	ND	ND	ND	--	--	
03/09/95	40.28	16.16	0.00	24.12	1.92	ND	--	ND	ND	ND	ND	ND	--	
06/13/95	40.25	15.95	0.00	24.30	0.18	ND	--	ND	ND	ND	ND	2.7	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-4 continued</b>														
09/12/95	40.25	17.10	0.00	23.15	-1.15	ND	--	ND	ND	ND	ND	ND	--	
12/14/95	40.25	17.43	0.00	22.82	-0.33	ND	--	ND	ND	ND	ND	1.3	--	
03/20/96	40.25	14.93	0.00	25.32	2.50	--	--	--	--	--	--	--	--	
09/24/96	40.25	17.19	0.00	23.06	-2.26	--	--	--	--	--	--	--	--	
03/27/97	40.25	15.66	0.00	24.59	1.53	ND	--	ND	ND	ND	ND	ND	--	
09/23/97	40.25	17.69	0.00	22.56	-2.03	--	--	--	--	--	--	--	--	
03/10/98	40.25	12.99	0.00	27.26	4.70	ND	--	ND	ND	ND	ND	ND	--	
09/04/98	40.25	17.28	0.00	22.97	-4.29	--	--	--	--	--	--	--	--	
03/04/99	40.25	14.17	0.00	26.08	3.11	ND	--	ND	ND	ND	ND	ND	--	
09/13/99	40.25	17.55	0.00	22.70	-3.38	--	--	--	--	--	--	--	--	
03/21/00	40.25	14.74	0.00	25.51	2.81	ND	--	ND	ND	ND	ND	ND	--	
09/18/00	40.25	16.88	0.00	23.37	-2.14	--	--	--	--	--	--	--	--	
03/16/01	40.25	16.32	0.00	23.93	0.56	--	--	--	--	--	--	--	--	
09/04/01	40.25	17.70	0.00	22.55	-1.38	--	--	--	--	--	--	--	--	
03/18/02	40.25	16.08	--	24.17	1.62	--	--	--	--	--	--	--	--	
09/17/02	40.25	16.56	0.00	23.69	-0.48	--	--	--	--	--	--	--	--	
03/28/03	40.25	16.15	0.00	24.10	0.41	--	--	--	--	--	--	--	--	
09/05/03	40.25	17.20	0.00	23.05	-1.05	--	--	--	--	--	--	--	--	Monitored Only
03/04/04	40.25	15.39	0.00	24.86	1.81	--	--	--	--	--	--	--	--	Monitored Only
09/09/04	40.25	16.98	0.00	23.27	-1.59	--	--	--	--	--	--	--	--	Monitored Only
03/01/05	40.25	14.97	0.00	25.28	2.01	--	--	--	--	--	--	--	--	Monitor Only
08/02/05	40.25	15.82	0.00	24.43	-0.85	--	--	--	--	--	--	--	--	Monitored Only
01/20/06	40.25	15.04	0.00	25.21	0.78	--	--	--	--	--	--	--	--	Monitored only
07/11/06	40.25	15.38	0.00	24.87	-0.34	--	--	--	--	--	--	--	--	Monitored Only

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>U-4 continued</b>														
03/09/07	40.25	16.00	0.00	24.25	-0.62	--	--	--	--	--	--	--	--	Monitored Only
07/06/07	42.69	17.15	0.00	25.54	1.29	--	--	--	--	--	--	--	--	Monitored Only
01/07/08	42.69	16.65	0.00	26.04	0.50	--	--	--	--	--	--	--	--	Monitored Only
<b>U-5</b> (Screen Interval in feet: 15.0-30.0)														
04/07/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/06/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/04/93	39.61	16.05	0.00	23.56	--	ND	--	ND	ND	ND	ND	--	--	
09/09/93	39.61	16.90	0.00	22.71	-0.85	ND	--	ND	ND	ND	ND	--	--	
12/02/93	39.31	17.66	0.00	21.65	-1.06	ND	--	ND	ND	ND	ND	--	--	
03/09/94	39.31	16.45	0.00	22.86	1.21	71	--	1.7	6.3	1.5	10	--	--	
04/13/94	39.31	16.64	0.00	22.67	-0.19	ND	--	ND	ND	ND	ND	--	--	
06/09/94	39.31	16.70	0.00	22.61	-0.06	ND	--	ND	ND	ND	ND	--	--	
09/07/94	39.31	17.73	0.00	21.58	-1.03	ND	--	ND	0.73	ND	0.84	--	--	
12/05/94	39.31	17.23	0.00	22.08	0.50	ND	--	ND	ND	ND	ND	--	--	
03/09/95	39.31	15.35	0.00	23.96	1.88	ND	--	ND	ND	ND	ND	ND	--	
06/13/95	39.31	15.16	0.00	24.15	0.19	ND	--	ND	ND	ND	ND	0.87	--	
09/12/95	39.31	16.30	0.00	23.01	-1.14	ND	--	ND	ND	ND	ND	ND	--	
12/14/95	39.31	16.56	0.00	22.75	-0.26	ND	--	ND	ND	ND	ND	ND	--	
03/20/96	39.31	14.07	0.00	25.24	2.49	--	--	--	--	--	--	--	--	
09/24/96	39.31	16.55	0.00	22.76	-2.48	--	--	--	--	--	--	--	--	
03/27/97	39.31	14.85	0.00	24.46	1.70	ND	--	ND	ND	ND	ND	ND	--	
09/23/97	39.31	16.90	0.00	22.41	-2.05	--	--	--	--	--	--	--	--	Sampled annually

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-5 continued</b>														
03/10/98	39.31	12.21	0.00	27.10	4.69	ND	--	ND	ND	ND	ND	ND	--	
09/04/98	39.31	16.57	0.00	22.74	-4.36	--	--	--	--	--	--	--	--	
03/04/99	39.31	13.42	0.00	25.89	3.15	ND	--	ND	0.67	ND	ND	ND	--	
09/13/99	39.31	17.02	0.00	22.29	-3.60	--	--	--	--	--	--	--	--	
03/21/00	39.31	13.93	0.00	25.38	3.09	ND	--	ND	ND	ND	ND	ND	--	
09/18/00	39.31	16.17	0.00	23.14	-2.24	--	--	--	--	--	--	--	--	
03/16/01	39.31	15.51	0.00	23.80	0.66	ND	--	ND	ND	ND	ND	ND	--	
09/04/01	39.31	16.88	0.00	22.43	-1.37	--	--	--	--	--	--	--	--	
03/18/02	39.31	15.25	--	24.06	1.63	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
09/17/02	39.31	16.71	0.00	22.60	-1.46	--	--	--	--	--	--	--	--	Sampled annually
03/28/03	39.31	15.21	0.00	24.10	1.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/05/03	39.31	16.26	0.00	23.05	-1.05	--	--	--	--	--	--	--	--	Sampled annually
03/04/04	39.31	14.79	0.00	24.52	1.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/09/04	39.31	16.30	0.00	23.01	-1.51	--	--	--	--	--	--	--	--	Monitored Only
03/01/05	39.31	14.38	0.00	24.93	1.92	--	ND<50	ND<0.50	ND<0.50	0.53	2.0	--	ND<0.50	
08/02/05	39.31	15.02	0.00	24.29	-0.64	--	--	--	--	--	--	--	--	Sampled Annually
01/20/06	39.31	14.23	0.00	25.08	0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/11/06	39.31	14.60	0.00	24.71	-0.37	--	--	--	--	--	--	--	--	Sampled Q1 only
03/09/07	39.31	15.10	0.00	24.21	-0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/06/07	41.74	16.23	0.00	25.51	1.30	--	--	--	--	--	--	--	--	Sampled Q1 only
01/07/08	41.74	15.81	0.00	25.93	0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-6</b>														
(Screen Interval in feet: 13.0-28.0)														
04/07/92	--	--	--	--	--	6600	--	90	ND	820	1200	--	--	
08/06/92	--	--	--	--	--	9200	--	160	ND	360	150	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-6 continued</b>													
11/20/92	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
02/12/93	--	--	--	--	2600	--	27	ND	120	51	--	--	
06/04/93	37.94	14.45	0.00	23.49	--	13000	--	100	38	450	320	--	
09/09/93	37.94	15.56	0.00	22.38	-1.11	6300	--	29	ND	120	34	--	
12/02/93	37.68	16.08	0.00	21.60	-0.78	2100	--	12	1.6	21	1.1	--	
03/09/94	37.68	14.90	0.00	22.78	1.18	2200	--	11	8.2	24	16	--	
06/09/94	37.68	15.18	0.00	22.50	-0.28	2600	--	16	ND	29	ND	--	
09/07/94	37.68	16.20	0.00	21.48	-1.02	16004	--	ND	ND	ND	ND	--	
12/05/94	37.68	15.60	0.00	22.08	0.60	450	--	ND	ND	ND	ND	--	
03/09/95	37.68	13.74	0.00	23.94	1.86	2500	--	29	ND	70	120	320	
06/13/95	37.68	13.73	0.00	23.95	0.01	1300	--	ND	ND	20	46	5400	
09/12/95	37.68	14.85	0.00	22.83	-1.12	ND	--	ND	ND	ND	ND	6600	
12/14/95	37.68	14.89	0.00	22.79	-0.04	760	--	ND	ND	7	8.4	1100	
03/20/96	37.68	12.41	0.00	25.27	2.48	52	--	1.1	0.98	ND	0.75	1200	
09/24/96	37.68	15.06	0.00	22.62	-2.65	ND	--	ND	ND	ND	ND	750	
03/27/97	37.68	13.48	0.00	24.20	1.58	ND	--	ND	ND	ND	ND	150	
09/23/97	37.68	15.36	0.00	22.32	-1.88	66	--	0.81	ND	ND	ND	150	
03/10/98	37.68	10.90	0.00	26.78	4.46	ND	--	ND	ND	ND	ND	18	
09/04/98	37.68	14.85	0.00	22.83	-3.95	ND	--	ND	ND	ND	ND	ND	
03/04/99	37.68	12.10	0.00	25.58	2.75	ND	--	ND	ND	ND	ND	6.5	
09/13/99	37.68	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
03/21/00	37.68	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-6 continued</b>														
09/18/00	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
03/16/01	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/04/01	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
03/18/02	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/17/02	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/05/03	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
03/04/04	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
09/09/04	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
03/01/05	37.68	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate-Paved over
09/08/05	37.68	13.98	0.00	23.70	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	Paved over on 8/2/05
01/20/06	37.68	12.76	0.00	24.92	1.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/11/06	37.68	13.23	0.00	24.45	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/09/07	37.68	13.67	0.00	24.01	-0.44	--	140	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/06/07	40.07	14.76	0.00	25.31	1.30	--	79	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/07/08	40.07	14.02	0.00	26.05	0.74	--	65	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-7</b> <b>(Screen Interval in feet: 15.0-35.0)</b>														
04/07/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/06/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-7 continued</b>														
06/04/93	37.49	14.17	0.00	23.32	--	ND	--	ND	ND	ND	ND	--	--	
09/09/93	37.49	15.23	0.00	22.26	-1.06	ND	--	ND	ND	ND	ND	--	--	
12/02/93	37.11	15.61	0.00	21.50	-0.76	ND	--	ND	ND	ND	ND	--	--	
03/09/94	37.11	14.45	0.00	22.66	1.16	ND	--	1.4	4.4	0.96	7.5	--	--	
04/13/94	37.11	14.63	0.00	22.48	-0.18	ND	--	ND	ND	ND	ND	--	--	
06/09/94	37.11	14.70	0.00	22.41	-0.07	ND	--	ND	ND	ND	ND	--	--	
09/07/94	37.11	15.72	0.00	21.39	-1.02	ND	--	ND	ND	ND	ND	--	--	
12/05/94	37.11	15.10	0.00	22.01	0.62	ND	--	ND	ND	ND	ND	--	--	
03/09/95	37.11	13.36	0.00	23.75	1.74	ND	--	ND	ND	ND	ND	ND	--	
06/13/95	37.11	13.33	0.00	23.78	0.03	ND	--	ND	ND	ND	ND	3.5	--	
09/12/95	37.11	14.40	0.00	22.71	-1.07	ND	--	ND	ND	ND	ND	ND	--	
12/14/95	37.11	14.39	0.00	22.72	0.01	ND	--	ND	ND	ND	ND	1.4	--	
03/20/96	37.11	11.96	0.00	25.15	2.43	--	--	--	--	--	--	--	--	
09/24/96	37.11	14.59	0.00	22.52	-2.63	--	--	--	--	--	--	--	--	
03/27/97	37.11	13.08	0.00	24.03	1.51	ND	--	ND	ND	ND	ND	ND	--	
09/23/97	37.11	14.90	0.00	22.21	-1.82	--	--	--	--	--	--	--	--	
03/10/98	37.11	10.46	0.00	26.65	4.44	ND	--	ND	ND	ND	ND	ND	--	
09/04/98	37.11	14.42	0.00	22.69	-3.96	--	--	--	--	--	--	--	--	
03/04/99	37.11	11.64	0.00	25.47	2.78	ND	--	ND	ND	ND	ND	6.6	--	
09/13/99	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
03/21/00	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/18/00	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>U-7 continued</b>														
03/16/01	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/04/01	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/17/02	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible covered with asphalt
09/05/03	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
03/04/04	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
09/09/04	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
03/01/05	37.11	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate-Paved over
09/08/05	37.11	13.59	0.00	23.52	--	--	ND<50	ND<0.50	0.89	ND<0.50	1.7	--	ND<0.50	Paved over on 8/2/05
01/20/06	37.11	12.33	0.00	24.78	1.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/11/06	37.11	12.84	0.00	24.27	-0.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/09/07	37.11	13.25	0.00	23.86	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/06/07	39.50	--	--	--	--	--	--	--	--	--	--	--	--	Car over well
01/07/08	39.50	13.50	0.00	26.00	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-8</b>														
(Screen Interval in feet: 15.0-30.0)														
04/07/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/06/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/04/93	38.94	15.26	0.00	23.68	--	ND	--	ND	ND	ND	ND	--	--	
09/09/93	38.94	16.38	0.00	22.56	-1.12	ND	--	ND	ND	ND	ND	--	--	
12/02/93	38.57	16.80	0.00	21.77	-0.79	ND	--	ND	ND	ND	ND	--	--	
03/09/94	38.57	15.62	0.00	22.95	1.18	ND	--	1.2	3.7	0.79	6.1	--	--	
04/13/94	38.57	15.80	0.00	22.77	-0.18	ND	--	ND	0.78	ND	0.98	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-8 continued</b>														
06/09/94	38.57	15.86	0.00	22.71	-0.06	ND	--	ND	ND	ND	ND	--	--	
09/07/94	38.57	16.87	0.00	21.70	-1.01	ND	--	ND	ND	ND	ND	--	--	
12/05/94	38.57	16.32	0.00	22.25	0.55	ND	--	ND	ND	ND	ND	--	--	
03/09/95	38.57	14.56	0.00	24.01	1.76	ND	--	ND	ND	ND	ND	ND	--	
06/13/95	38.57	14.40	0.00	24.17	0.16	ND	--	ND	ND	ND	ND	ND	--	
09/12/95	38.57	15.50	0.00	23.07	-1.10	ND	--	ND	ND	ND	ND	ND	--	
12/14/95	38.57	15.67	0.00	22.90	-0.17	ND	--	ND	ND	ND	ND	ND	--	
03/20/96	38.57	13.25	0.00	25.32	2.42	--	--	--	--	--	--	--	--	
09/24/96	38.57	15.75	0.00	22.82	-2.50	--	--	--	--	--	--	--	--	
03/27/97	38.57	14.18	0.00	24.39	1.57	ND	--	ND	ND	ND	ND	ND	--	
09/23/97	38.57	16.05	0.00	22.52	-1.87	--	--	--	--	--	--	--	--	Sampled annually
03/10/98	38.57	11.63	0.00	26.94	4.42	ND	--	ND	ND	ND	ND	ND	--	
09/04/98	38.57	15.81	0.00	22.76	-4.18	--	--	--	--	--	--	--	--	
03/04/99	38.57	12.81	0.00	25.76	3.00	ND	--	ND	ND	ND	ND	ND	--	
09/13/99	38.57	16.37	0.00	22.20	-3.56	--	--	--	--	--	--	--	--	
03/21/00	38.57	13.25	0.00	25.32	3.12	ND	--	ND	ND	ND	ND	ND	--	
09/18/00	38.57	15.31	0.00	23.26	-2.06	--	--	--	--	--	--	--	--	
03/16/01	38.57	14.71	0.00	23.86	0.60	ND	--	ND	ND	ND	ND	ND	--	
09/04/01	38.57	16.01	0.00	22.56	-1.30	--	--	--	--	--	--	--	--	
03/18/02	38.57	14.46	--	24.11	1.55	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
09/17/02	38.57	15.93	0.00	22.64	-1.47	--	--	--	--	--	--	--	--	Sampled annually
03/28/03	38.57	14.40	0.00	24.17	1.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/05/03	38.57	15.46	0.00	23.11	-1.06	--	--	--	--	--	--	--	--	Sampled annually
03/04/04	38.57	13.98	0.00	24.59	1.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-8 continued</b>														
09/09/04	38.57	15.53	0.00	23.04	-1.55	--	--	--	--	--	--	--	--	Monitored Only
03/01/05	38.57	13.56	0.00	25.01	1.97	--	ND<50	ND<0.50	ND<0.50	0.80	2.8	--	ND<0.50	
08/02/05	38.57	14.31	0.00	24.26	-0.75	--	--	--	--	--	--	--	--	Sampled annually
01/20/06	38.57	13.51	0.00	25.06	0.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/11/06	38.57	13.94	0.00	24.63	-0.43	--	--	--	--	--	--	--	--	Sampled Q1 only
03/09/07	38.57	14.40	0.00	24.17	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/06/07	40.95	15.44	0.00	25.51	1.34	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/07/08	40.95	14.79	0.00	26.16	0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-9</b> (Screen Interval in feet: 13.0-28.0)														
06/04/93	37.88	14.67	0.00	23.21	--	2100	--	ND	ND	ND	ND	--	--	
09/09/93	37.88	15.79	0.00	22.09	-1.12	1200	--	ND	ND	ND	ND	--	--	
12/02/93	37.31	15.93	0.00	21.38	-0.71	ND	--	ND	ND	ND	ND	--	--	
03/09/94	37.31	14.74	0.00	22.57	1.19	5700	--	ND	ND	ND	ND	--	--	
04/13/94	37.31	14.96	0.00	22.35	-0.22	ND	--	ND	ND	ND	ND	--	--	
06/09/94	37.31	15.05	0.00	22.26	-0.09	2900	--	ND	ND	ND	ND	--	--	
09/07/94	37.31	16.06	0.00	21.25	-1.01	2700	--	ND	ND	ND	ND	--	--	
12/05/94	37.31	15.43	0.00	21.88	0.63	3700	--	ND	ND	ND	ND	--	--	
03/09/95	37.31	13.50	0.00	23.81	1.93	2500	--	ND	ND	ND	ND	5800	--	
06/13/95	37.31	13.63	0.00	23.68	-0.13	ND	--	ND	ND	ND	ND	1200	--	
09/12/95	37.31	14.73	0.00	22.58	-1.10	ND	--	ND	ND	ND	ND	1600	--	
12/14/95	37.31	14.67	0.00	22.64	0.06	ND	--	ND	ND	ND	ND	4400	--	
03/20/96	37.31	12.27	0.00	25.04	2.40	ND	--	ND	ND	ND	ND	480	--	
09/24/96	37.31	14.92	0.00	22.39	-2.65	ND	--	ND	ND	ND	ND	ND	--	
03/27/97	37.31	13.36	0.00	23.95	1.56	ND	--	ND	ND	ND	ND	42	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**February 1988 Through January 2008**  
**76 Station 5760**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-9 continued</b>													
09/23/97	37.31	15.28	0.00	22.03	-1.92	ND	--	ND	ND	ND	ND	--	
03/10/98	37.31	10.86	0.00	26.45	4.42	ND	--	ND	ND	ND	3.1	ND	
09/04/98	37.31	15.03	0.00	22.28	-4.17	ND	--	ND	ND	ND	ND	ND	
03/04/99	37.31	11.95	0.00	25.36	3.08	ND	--	ND	ND	ND	ND	ND	
09/13/99	37.31	15.61	0.00	21.70	-3.66	ND	--	ND	1.67	ND	1.01	7.85	
03/21/00	37.31	12.38	0.00	24.93	3.23	ND	--	ND	ND	ND	ND	ND	
09/18/00	37.31	14.87	0.00	22.44	-2.49	ND	--	ND	1.42	ND	1.06	ND	
03/16/01	37.31	13.85	0.00	23.46	1.02	ND	--	ND	ND	ND	ND	ND	
09/04/01	37.31	15.22	0.00	22.09	-1.37	--	--	--	--	--	--	--	Sampled annually
03/18/02	37.31	13.56	--	23.75	1.66	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
09/17/02	37.31	15.14	0.00	22.17	-1.58	--	--	--	--	--	--	--	Sampled annually
03/28/03	37.31	13.61	0.00	23.70	1.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0
09/05/03	37.31	14.64	0.00	22.67	-1.03	--	--	--	--	--	--	--	Sampled annually
03/04/04	37.31	13.07	0.00	24.24	1.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0
09/09/04	37.31	14.75	0.00	22.56	-1.68	--	--	--	--	--	--	--	Monitored Only
03/01/05	37.31	12.68	0.00	24.63	2.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.1
08/02/05	37.31	13.47	0.00	23.84	-0.79	--	--	--	--	--	--	--	Sampled annually
01/20/06	37.31	12.61	0.00	24.70	0.86	--	ND<50	ND<0.50	ND<0.50	0.78	2.8	--	ND<0.50
07/11/06	37.31	13.10	0.00	24.21	-0.49	--	--	--	--	--	--	--	Sampled Q1 only
03/09/07	37.31	13.55	0.00	23.76	-0.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
07/06/07	39.72	14.63	0.00	25.09	1.33	--	--	--	--	--	--	--	Sampled Q1 only
01/07/08	39.72	13.85	0.00	25.87	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5760**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	1,1-DCA Dissolved Oxygen (µg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-1</b>									
03/27/97	--	--	--	--	--	--	--	2.35	2.41
10/13/00	ND	ND	ND	ND	ND	ND	ND	--	--
09/17/02	ND<500	ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10	--	--
09/05/03	--	ND<500	--	--	--	--	--	--	--
03/04/04	--	ND<20000	--	--	--	--	--	--	--
09/09/04	--	ND<2000	--	--	--	--	--	--	--
03/01/05	--	ND<1300	--	--	--	--	--	--	--
08/02/05	--	ND<1000	--	--	--	--	--	--	--
01/20/06	--	ND<250	--	--	--	--	--	--	--
07/11/06	--	ND<25000	--	--	--	--	--	--	--
03/09/07	--	ND<2500	--	--	--	--	--	--	--
<b>U-1R</b>									
07/06/07	--	ND<250	--	--	--	--	--	--	--
01/07/08	--	ND<6200	--	--	--	--	--	--	--
<b>U-2</b>									
03/27/97	--	--	--	--	--	--	--	4.49	4.36
<b>U-3</b>									
03/27/97	--	--	--	--	--	--	--	3.32	3.18
09/05/03	--	ND<500	--	--	--	--	--	--	--
03/04/04	--	ND<10000	--	--	--	--	--	--	--
09/09/04	--	ND<250	--	--	--	--	--	--	--
03/01/05	--	ND<500	--	--	--	--	--	--	--
08/02/05	--	ND<250	--	--	--	--	--	--	--
01/20/06	--	ND<250	--	--	--	--	--	--	--
07/11/06	--	ND<2500	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5760**

Date Sampled	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )	1,1-DCA ( $\mu\text{g/l}$ )	Post-purge Dissolved Oxygen (mg/l)		Pre-purge Dissolved Oxygen (mg/l)	
								Dissolved Oxygen (mg/l)	Oxygen (mg/l)	Dissolved Oxygen (mg/l)	Oxygen (mg/l)
<b>U-3 continued</b>											
03/09/07	--	ND<1200	--	--	--	--	--	--	--	--	
07/06/07	--	ND<250	--	--	--	--	--	--	--	--	
<b>U-3R</b>											
07/06/07	--	ND<250	--	--	--	--	--	--	--	--	
01/07/08	--	ND<250	--	--	--	--	--	--	--	--	
<b>U-4</b>											
03/27/97	--	--	--	--	--	--	--	3.26	3.32		
<b>U-5</b>											
03/27/97	--	--	--	--	--	--	--	3.77	3.74		
03/04/04	--	ND<500	--	--	--	--	--	--	--		
03/01/05	--	ND<50	--	--	--	--	--	--	--		
01/20/06	--	ND<250	--	--	--	--	--	--	--		
03/09/07	--	ND<250	--	--	--	--	--	--	--		
01/07/08	--	ND<250	--	--	--	--	--	--	--		
<b>U-6</b>											
03/20/96	--	--	--	--	--	--	--	3.89	3.85		
09/24/96	--	--	--	--	--	--	--	3.81	3.73		
03/27/97	--	--	--	--	--	--	--	4.36	4.43		
09/23/97	--	--	--	--	--	--	--	4.14	--		
03/10/98	--	--	--	--	--	--	--	3.95	--		
09/08/05	--	ND<1000	--	--	--	--	--	--	--		
01/20/06	--	ND<250	--	--	--	--	--	--	--		
07/11/06	--	ND<250	--	--	--	--	--	--	--		
03/09/07	--	ND<250	--	--	--	--	--	--	--		
07/06/07	--	ND<250	--	--	--	--	--	--	--		


**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5760**

Date Sampled	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )	1,1-DCA Dissolved Oxygen ( $\mu\text{g/l}$ )	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-6 continued</b>									
01/07/08	--	ND<250	--	--	--	--	--	--	--
<b>U-7</b>									
03/27/97	--	--	--	--	--	--	3.38	3.29	
09/08/05	--	ND<1000	--	--	--	--	--	--	--
01/20/06	--	ND<250	--	--	--	--	--	--	--
07/11/06	--	ND<250	--	--	--	--	--	--	--
03/09/07	--	ND<250	--	--	--	--	--	--	--
01/07/08	--	ND<250	--	--	--	--	--	--	--
<b>U-8</b>									
03/27/97	--	--	--	--	--	--	3.11	3.04	
03/04/04	--	ND<500	--	--	--	--	--	--	--
03/01/05	--	ND<50	--	--	--	--	--	--	--
01/20/06	--	ND<250	--	--	--	--	--	--	--
03/09/07	--	ND<250	--	--	--	--	--	--	--
07/06/07	--	ND<250	--	--	--	--	--	--	--
01/07/08	--	ND<250	--	--	--	--	--	--	--
<b>U-9</b>									
03/20/96	--	--	--	--	--	--	4	4.02	
09/24/96	--	--	--	--	--	--	3.98	3.85	
03/27/97	--	--	--	--	--	--	3.57	3.65	
09/23/97	--	--	--	--	--	--	3.8	--	
03/10/98	--	--	--	--	--	--	3.62	--	
03/04/04	--	ND<500	--	--	--	--	--	--	--
03/01/05	--	ND<50	--	--	--	--	--	--	--
01/20/06	--	ND<250	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5760**

Date Sampled	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )	1,1-DCA ( $\mu\text{g/l}$ )	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-9 continued</b>									
03/09/07	--	ND<250	--	--	--	--	--	--	--
01/07/08	--	ND<250	--	--	--	--	--	--	--

# **FIGURES**



0      1/4      1/2      3/4      1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Hayward Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 5760  
376 LEWELLING BOULEVARD  
SAN LORENZO, CALIFORNIA

VICINITY MAP

FIGURE 1

## LEGEND

U-9 Monitoring Well with  
Groundwater Elevation (feet)


U-3 Abandoned Well

26.10 — Groundwater Elevation  
Contour

General Direction of  
Groundwater Flow



## LEWELLING BOULEVARD



## ALBION AVENUE

### NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells.  
Elevations are in feet above mean sea level. \* = not included in contour interpretation.  
UST = underground storage tank.

### SCALE (FEET)



GROUNDWATER ELEVATION  
CONTOUR MAP  
January 7, 2008

**FIGURE 2**

## LEGEND


U-9 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ( $\mu\text{g/l}$ )

U-3  $\otimes$  Abandoned Well

$10,000$  — Dissolved-Phase TPH-G (GC/MS) Contour ( $\mu\text{g/l}$ )




## LEWELLING BOULEVARD



### NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. NA = not analyzed, measured or collected. UST = underground storage tank.

SCALE (FEET)



DISSOLVED-PHASE TPH-G (GC/MS)  
CONCENTRATION MAP  
January 7, 2008



PROJECT: 154771

FACILITY:  
76 STATION 5760  
376 LEWELLING BOULEVARD  
SAN LORENZO, CALIFORNIA

FIGURE 3


## **LEGEND**

**U-9** Monitoring Well with Dissolved-Phase Benzene Concentration ( $\mu\text{g/l}$ )

U-3 Ø Abandoned Well



## *LEWELLING BOULEVARD*



**NOTES:**

$\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. NA = not analyzed, measured or collected. UST = underground storage tank.

**SCALE (FEET)**


0 60

 TRC	PROJECT: 154771	DISSOLVED-PHASE BENZENE CONCENTRATION MAP January 7, 2008
	FACILITY:  76 STATION 5760 376 LEWELLING BOULEVARD SAN LORENZO, CALIFORNIA	
<b>FIGURE 4</b>		

## LEGEND

U-9 Monitoring Well with  
Dissolved-Phase MTBE  
Concentration ( $\mu\text{g/l}$ )

U-3 Abandoned Well



## NOTES:

MTBE = methyl tertiary butyl ether.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. NA = not analyzed, measured, or collected.

UST = underground storage tank. Results obtained using EPA Method 8260B.

SCALE (FEET)




DISSOLVED-PHASE MTBE  
CONCENTRATION MAP  
January 7, 2008




# **GRAPHS**

Groundwater Elevations vs. Time  
76 Station 5760




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 5760




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 5760






Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time  
76 Station 5760



Benzene Concentrations vs Time  
76 Station 5760



## GENERAL FIELD PROCEDURES

### Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

### Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

### Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable,  $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

## **FIELD MONITORING DATA SHEET**

Technician: Juan

Job #/Task #: 154771

Date: 1/7/08

**Site #** 5760

Project Manager A. Collins

Page 1 of 1

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Juan

Site: 5760

Project No.: 154771

Date: 1/7/08

Well No. V-9

Purge Method: Sub

Depth to Water (feet): 13.85

Depth to Product (feet):   

Total Depth (feet) 28.11

LPH & Water Recovered (gallons):   

Water Column (feet): 14.26

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 16.70

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
0857			2	922.6	6.3	7.39			
			4	952.3	7.6	7.09			
0901			6	949.9	8.1	7.05			
Static at Time Sampled				Total Gallons Purged			Sample Time		
13.89				6			0910		
Comments:									

Well No. V-5

Purge Method: Sub

Depth to Water (feet): 15.81

Depth to Product (feet):   

Total Depth (feet) 28.48

LPH & Water Recovered (gallons):   

Water Column (feet): 12.67

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 18.34

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
0924			2	1098	7.1	7.49			
			4	1088	8.7	7.28			
0927			6	1080	9.2	7.21			
Static at Time Sampled				Total Gallons Purged			Sample Time		
15.83				6			0933		
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Juan

Site: 5760

Project No.: 154771

Date: 1/7/08

Well No. U-6

Depth to Water (feet): 14.02

Total Depth (feet) 28.23

Water Column (feet): 14.21

80% Recharge Depth(feet): 14.84

Purge Method: Sub

Depth to Product (feet): /

LPH & Water Recovered (gallons): /

Casing Diameter (Inches): 2

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
0946			2	924.0	17.8	7.42			
			4	923.1	19.0	7.34			
0949			6	919.3	19.4	7.21			
Static at Time Sampled			Total Gallons Purged				Sample Time		
14.19			6				0953		
Comments:									

Well No. U-7

Depth to Water (feet): 13.50

Total Depth (feet) 34.79

Water Column (feet): 21.29

80% Recharge Depth(feet): 17.75

Purge Method: Sub

Depth to Product (feet): /

LPH & Water Recovered (gallons): /

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1007			3	756.3	17.4	7.52			
			6	759.5	17.6	7.51			
1012			9	762.6	18.3	7.26			
Static at Time Sampled			Total Gallons Purged				Sample Time		
13.61			9				1019		
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Juan

Site: 5760

Project No.: 154771

Date: 1/7/08

Well No. U-8

Purge Method: Sub

Depth to Water (feet): 14.79

Depth to Product (feet):   

Total Depth (feet) 29.78

LPH & Water Recovered (gallons):   

Water Column (feet): 14.99

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 17.78

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1031			2	592.7	15.7	7.75			
			4	597.3	17.4	7.49			
1035			6	592.0	17.8	7.44			
Static at Time Sampled			Total Gallons Purged				Sample Time		
14.84			6				1043		
Comments:									

Well No. U-3R

Purge Method: Sub HB

Depth to Water (feet): 15.46

Depth to Product (feet):   

Total Depth (feet) 24.75

LPH & Water Recovered (gallons):   

Water Column (feet): 9.29

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 17.31

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1055			1	1217	17.5	7.45			
			2	1238	18.4	7.27			
1102			3	1196	18.8	7.23			
Static at Time Sampled			Total Gallons Purged				Sample Time		
15.61			3				1107		
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Juan

Site: 5760

Project No.: 154771

Date: 1/7/04

Well No. U-112

Depth to Water (feet): 16.51

Total Depth (feet) 24.36

Water Column (feet): 7.85

80% Recharge Depth(feet): 18.08

Purge Method: ~~SUB~~ HB

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): —

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O.	ORP	Turbidity
1156		1	1030	17.5	7.57				
		2	951.9	18.3	7.25				
	1158	3	945.5	18.6	7.15				
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>16.57</u>			<u>3</u>			<u>1204</u>			
Comments:									

Well No. —

Purge Method: —

Depth to Water (feet): —

Depth to Product (feet): —

Total Depth (feet) —

LPH & Water Recovered (gallons): —

Water Column (feet): —

Casing Diameter (Inches): —

80% Recharge Depth(feet): —

1 Well Volume (gallons): —

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>—</u>			<u>—</u>			<u>—</u>			
Comments:									



Date of Report: 01/15/2008

Anju Farfan

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

RE: 5760

BC Work Order: 0800347

Enclosed are the results of analyses for samples received by the laboratory on 01/08/2008 20:25. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature of 'Molly Meyers' in cursive script.

Contact Person: Molly Meyers  
Client Service Rep

A horizontal line intended for an authorized signature.

Authorized Signature



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0800347-01	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5760 U-9 U-9 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	01/08/2008 20:25 01/07/2008 09:10 --- Water	Delivery Work Order: Global ID: T0600101469 Matrix: W Samle QC Type (SACode): CS Cooler ID:
0800347-02	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5760 U-5 U-5 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	01/08/2008 20:25 01/07/2008 09:33 --- Water	Delivery Work Order: Global ID: T0600101469 Matrix: W Samle QC Type (SACode): CS Cooler ID:
0800347-03	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5760 U-6 U-6 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	01/08/2008 20:25 01/07/2008 09:55 --- Water	Delivery Work Order: Global ID: T0600101469 Matrix: W Samle QC Type (SACode): CS Cooler ID:
0800347-04	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5760 U-7 U-7 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	01/08/2008 20:25 01/07/2008 10:19 --- Water	Delivery Work Order: Global ID: T0600101469 Matrix: W Samle QC Type (SACode): CS Cooler ID:
0800347-05	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 5760 U-8 U-8 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	01/08/2008 20:25 01/07/2008 10:43 --- Water	Delivery Work Order: Global ID: T0600101469 Matrix: W Samle QC Type (SACode): CS Cooler ID:



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information	Receive Date:	01/08/2008 20:25	Delivery Work Order:
0800347-06	COC Number: --- Project Number: 5760 Sampling Location: U-3R Sampling Point: U-3R Sampled By: TRCI	Sampling Date:	01/07/2008 11:07	Global ID: T0600101469
		Sample Depth:	---	Matrix: W
		Sample Matrix:	Water	Samle QC Type (SACode): CS
				Cooler ID:
0800347-07	COC Number: --- Project Number: 5760 Sampling Location: U-1R Sampling Point: U-1R Sampled By: TRCI	Receive Date:	01/08/2008 20:25	Delivery Work Order:
		Sampling Date:	01/07/2008 12:04	Global ID: T0600101469
		Sample Depth:	---	Matrix: W
		Sample Matrix:	Water	Samle QC Type (SACode): CS
				Cooler ID:



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-01	Client Sample Name: 5760, U-9, U-9, 1/7/2008 9:10:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)	EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457			
Toluene-d8 (Surrogate)	96.1	%	88 - 110 (LCL - UCL)	EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457			
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)	EPA-8260	01/09/08	01/09/08 17:33	SDU	MS-V10	1	BRA0457			

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-02	Client Sample Name: 5760, U-5, U-5, 1/7/2008 9:33:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457		
Toluene-d8 (Surrogate)	97.8	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457		
4-Bromofluorobenzene (Surrogate)	99.1	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 17:51	SDU	MS-V10	1	BRA0457		



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-03	Client Sample Name: 5760, U-6, U-6, 1/7/2008 9:55:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
Total Purgeable Petroleum Hydrocarbons	65	ug/L	50		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457		
Toluene-d8 (Surrogate)	97.6	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:09	SDU	MS-V10	1	BRA0457		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5760  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-04	Client Sample Name: 5760, U-7, U-7, 1/7/2008 10:19:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457	ND	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457		
Toluene-d8 (Surrogate)	98.5	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457		
4-Bromofluorobenzene (Surrogate)	98.7	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:26	SDU	MS-V10	1	BRA0457		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	Client Sample Name: 5760, U-8, U-8, 1/7/2008 10:43:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	ND
1,2-Dichloroethane-d4 (Surrogate)	111	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	
4-Bromofluorobenzene (Surrogate)	99.3	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 18:44	SDU	MS-V10	1	BRA0457	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5760  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-06	Client Sample Name: 5760, U-3R, U-3R, 1/7/2008 11:07:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457	ND	
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457		
Toluene-d8 (Surrogate)	98.2	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457		
4-Bromofluorobenzene (Surrogate)	98.4	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 19:02	SDU	MS-V10	1	BRA0457		

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800347-07	Client Sample Name: 5760, U-1R, U-1R, 1/7/2008 12:04:00PM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	12		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
Ethylbenzene	1900	ug/L	12		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
Methyl t-butyl ether	ND	ug/L	12		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
Toluene	ND	ug/L	12		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
Total Xylenes	7300	ug/L	50		EPA-8260	01/09/08	01/11/08 10:12	SDU	MS-V10	50	BRA0457	ND	A01
Ethanol	ND	ug/L	6200		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
Total Purgeable Petroleum Hydrocarbons	28000	ug/L	1200		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/11/08 10:12	SDU	MS-V10	50	BRA0457		
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457		
Toluene-d8 (Surrogate)	98.7	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/11/08 10:12	SDU	MS-V10	50	BRA0457		
Toluene-d8 (Surrogate)	99.3	%	88 - 110 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457		
4-Bromofluorobenzene (Surrogate)	95.0	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/09/08 15:28	SDU	MS-V10	25	BRA0457		
4-Bromofluorobenzene (Surrogate)	99.0	%	86 - 115 (LCL - UCL)		EPA-8260	01/09/08	01/11/08 10:12	SDU	MS-V10	50	BRA0457		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5760  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	Control Limits			
								RPD	Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BRA0457	Matrix Spike	0800334-01	0	23.860	25.000	ug/L	95.4	104	20	70 - 130
		Matrix Spike Duplicate	0800334-01	0	25.940	25.000	ug/L	8.6	104	20	70 - 130
Toluene	BRA0457	Matrix Spike	0800334-01	0.11000	24.910	25.000	ug/L	99.2	108	20	70 - 130
		Matrix Spike Duplicate	0800334-01	0.11000	27.190	25.000	ug/L	8.5	108	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRA0457	Matrix Spike	0800334-01	ND	10.370	10.000	ug/L	104	104	20	76 - 114
		Matrix Spike Duplicate	0800334-01	ND	10.240	10.000	ug/L	102	102	20	76 - 114
Toluene-d8 (Surrogate)	BRA0457	Matrix Spike	0800334-01	ND	10.040	10.000	ug/L	100	100	20	88 - 110
		Matrix Spike Duplicate	0800334-01	ND	10.060	10.000	ug/L	101	101	20	88 - 110
4-Bromofluorobenzene (Surrogate)	BRA0457	Matrix Spike	0800334-01	ND	9.8000	10.000	ug/L	98.0	98.0	20	86 - 115
		Matrix Spike Duplicate	0800334-01	ND	9.9800	10.000	ug/L	99.8	99.8	20	86 - 115



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits			
								Percent Recovery	RPD	Percent Recovery	RPD
Benzene	BRA0457	BRA0457-BS1	LCS	25.790	25.000	0.50	ug/L	103		70 - 130	
Toluene	BRA0457	BRA0457-BS1	LCS	26.570	25.000	0.50	ug/L	106		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BRA0457	BRA0457-BS1	LCS	10.450	10.000		ug/L	104		76 - 114	
Toluene-d8 (Surrogate)	BRA0457	BRA0457-BS1	LCS	10.160	10.000		ug/L	102		88 - 110	
4-Bromofluorobenzene (Surrogate)	BRA0457	BRA0457-BS1	LCS	9.9000	10.000		ug/L	99.0		86 - 115	



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRA0457	BRA0457-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRA0457	BRA0457-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRA0457	BRA0457-BLK1	ND	ug/L	0.50		
Toluene	BRA0457	BRA0457-BLK1	ND	ug/L	0.50		
Total Xylenes	BRA0457	BRA0457-BLK1	ND	ug/L	1.0		
Ethanol	BRA0457	BRA0457-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BRA0457	BRA0457-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRA0457	BRA0457-BLK1	105	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRA0457	BRA0457-BLK1	98.1	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRA0457	BRA0457-BLK1	100	%	86 - 115 (LCL - UCL)		



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5760  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/15/2008 14:43

### Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.

Submission #: 0800347

Project Code:

TB Batch #

**SHIPPING INFORMATION**

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

**SHIPPING CONTAINER**

Ice Chest  None   
 Box  Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments: \_\_\_\_\_

Custody Seals: Ice Chest  Containers  None  Comments:  
 Intact? Yes  No  Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

**COC Received**  
 YES  NO

Ice Chest ID DW  
 Temperature: 2.2 °C  
 Thermometer ID: \_\_\_\_\_

Emissivity .95  
 Container PTP

Date/Time 1/8/08  
2125  
 Analyst Init JRW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.3	A.3	A.3	A.3	O.3	O.3	O.3	C.3	1	1
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: \_\_\_\_\_

Sample Numbering Completed By: CB/CDate/Time: 1-9-08 8:25

## BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308  
 (661) 327-4911 FAX (661) 327-1918

## CHAIN OF CUSTODY

## Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		<b>MATRIX</b> (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015						
Address: 376 Lewelling Blvd		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan			TPH GAS by 8015M						
City: San Lorenzo		4-digit site#: 5760			TPH DIESEL by 8015						
		Workorder #			8260 full list w/ oxygenates						
State: CA	Zip:	Project #: 154771			BTEX/MTBE BY 8260B						
Conoco Phillips Mgr: Bill Borgh		Sampler Name: Juan Lopez-Amelio			ETHANOL by 8260B						
Lab#	Sample Description	Field Point Name	Date & Time Sampled								Turnaround Time Requested
-1	V-9		1/7/08 0910	GW							STP
-2	V-5			0933							
-3	V-6			0955							
-4	V-7			1019							
-5	V-8			1043							
CHK BY	DISTRIBUTION										
<i>Cd</i>	<i>JK</i>										
SUB-OUT <input checked="" type="checkbox"/>	V-12			1107							
				1204							

Comments:  GLOBAL ID: T0600101469	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Juan Lopez-Amelio</i>	<i>Refrigerated</i>	1/7/08 1325
	<i>John Ell</i>	<i>Ross Dickey</i>	Date & Time 1/8/08 1500
	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Ross Dickey 1/8/08</i>	<i>R (Refrigerated)</i>	Date & Time 1-8-08 1630

Relinquish 1-8-08 2025 Return 1-8-8 2025

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.