



Received 10/27/95

104

May 3, 1995

Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, CA 94501

RE: Unocal Service Station #5484
~~18950 Lake Chabot Road~~
Castro Valley, California

Per the request of the Unocal Corporation Project Manager, Ms. Tina R. Berry, enclosed please find our report (MPDS-UN5484-06) dated March 24, 1995 for the above referenced site.

Should you have any questions regarding the reporting of data, please feel free to call our office at (510) 602-5120. Any other questions may be directed to the Project Manager at (510) 277-2321.

Sincerely,

MPDS Services, Inc.

Jarrel F. Cade

Jarrel F. Crider

/jfc

Enclosure

cc: Ms. Tina R. Berry

EXPERIMENTAL

MPDS-UN5484-06
March 24, 1995

Unocal Corporation
2000 Crow Canyon Place, Suite 400
P.O. Box 5155
San Ramon, California 94583

Attention: Ms. Tina R. Berry

RE: Quarterly Data Report
Unocal Service Station #5484
18950 Lake Chabot Road
Castro Valley, California

Dear Ms. Berry:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations are summarized in Table 1. The ground water flow direction during the most recent quarter is shown on the attached Figure 1.

Ground water samples were collected on March 1, 1995. Prior to sampling, the wells were each purged of between 8 and 53 gallons of water. Samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials and/or one-liter amber bottles, as appropriate, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date are summarized in Tables 2 and 3. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline, TPH as diesel, and benzene detected in the ground water samples collected this quarter are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation are attached to this report.

MPDS-UN5484-06
March 24, 1995
Page 2

LIMITATIONS

Environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants.

DISTRIBUTION

A copy of this report should be sent to the Alameda County Health Care Services Agency.

If you have any questions regarding this report, please do not hesitate to call Mr. Nubar Srabian at (510) 602-5120.

Sincerely,

MPDS Services, Inc.


Sarkis A. Karkarian
~~Staff Engineer~~


Joel G. Greger, C.E.G.
Senior Engineering Geologist

License No. EG 1633
Exp. Date 8/31/96

/jfc



Attachments: Tables 1, 2 & 3
Location Map
Figures 1 & 2
Laboratory Analyses
Chain of Custody documentation

cc: Mr. Thomas Berkins, Kaprealian Engineering, Inc.

TABLE 1
SUMMARY OF MONITORING DATA

<u>Well #</u>	<u>Ground Water Elevation (feet)</u>	<u>Depth to Water (feet)♦</u>	<u>Total Well Depth (feet)♦</u>	<u>Product Thickness (feet)</u>	<u>Sheen</u>	<u>Water Purged (gallons)</u>
---------------	--	-----------------------------------	-------------------------------------	-------------------------------------	--------------	-----------------------------------

(Monitored and Sampled on March 1, 1995)

MW2	224.28	4.60	19.25	0	No	10
MW4	220.48	7.29	27.35	0	No	53
MW5	217.13	7.98	23.82	0	No	42
MW6*	233.87	5.17	27.06	0	--	0
MW7	223.36	8.03	19.60	0	No	8

(Monitored and Sampled on December 1, 1994)

MW2	221.90	6.98	19.18	0	No	8.5
MW4	217.76	10.01	27.31	0	No	25
MW5	215.93	9.18	23.87	0	No	24
MW6	232.12	6.92	26.96	0	No	22
MW7	220.44	10.95	19.53	0	No	6

(Monitored and Sampled on September 2, 1994)

MW2	221.83	7.05	19.20	0	No	8.5
MW4	217.69	10.08	27.29	0	No	26
MW5	215.88	9.23	23.85	0	No	25
MW6*	232.06	6.98	26.98	0	--	0
MW7	220.39	11.00	19.55	0	No	6

(Monitored and Sampled on June 3, 1994)

MW2	223.17	5.71	19.23	0	No	9.5
MW4	219.51	8.26	27.32	0	No	50
MW5	216.10	9.01	23.80	0	No	38.5
MW6	233.23	5.81	27.00	0	No	55.5
MW7	222.66	8.73	19.60	0	No	7.5

TABLE 1 (Continued)
SUMMARY OF MONITORING DATA

<u>Well #</u>	<u>Well Casing Elevation (feet)**</u>
MW2	228.88
MW4	227.77
MW5	225.11
MW6	239.04
MW7	231.39

- ♦ The depth to water level and total well depth measurements were taken from the top of the well casings.
- * Monitored only.
- ** The elevations of the top of the well casings are relative to Mean Sea Level (MSL), per the Alameda County Benchmark (elevation = 219.68 feet MSL).
- Sheen determination was not performed.

TABLE 2
SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE
3/01/95	MW2	--	ND	ND	ND	ND	ND	--
	MW4	--	ND	ND	1.1	ND	0.75	--
	MW5	ND	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	1,900♦♦	3,300	200	3.9	300	350	--
12/01/94	MW2	--	200	0.70	ND	0.58	ND	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	79♦	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	260♦	3,100	80	ND	250	190	--
9/02/94	MW2	--	720	ND	ND	ND	4.6	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	130♦	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	490♦	3,800	77	ND	180	42	--
6/03/94	MW2	--	190*	ND	ND	ND	ND	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	80♦♦	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	2,000♦	9,400	380	5.0	820	240	--
3/03/94	MW2	--	240*	ND	ND	ND	ND	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	ND	ND	ND	ND	0.71	1.7	ND
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	1,400♦	9,300	290	ND	590	400	1.7
12/09/93	MW2	--	96*	ND	ND	ND	ND	--
	MW4	WELL WAS INACCESSIBLE						
	MW5	87♦♦	ND	ND	ND	ND	ND	--
	MW6	--	150	ND	ND	ND	1.7	--
	MW7	250♦	980	54	4.6	71	5.6	--
9/09/93	MW2	--	210*	ND	ND	ND	ND	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	58♦♦	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	550♦♦	2,600**	160	19	250	120	--

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE
6/09/93	MW2	--	120*	ND	ND	ND	ND	300
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	64	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	830♦♦	4,600	430	ND	510	430	--
3/10/93	MW2	--	110*	ND	ND	ND	ND	350
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	69♦	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	1,100♦	4,400	310	ND	300	330	--
12/10/92	MW2	--	100*	ND	ND	ND	ND	170
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	83♦♦	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	200♦♦	1,200	28	ND	37	13	--
9/10/92	MW2	--	61*	ND	ND	ND	ND	110
	MW4	SAMPLED SEMI-ANNUALLY						
	MW5	110♦	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	290♦	2,100	160	1.9	140	150	--
6/18/92	MW2	--	140*	ND	ND	ND	ND	--
	MW4	--	ND	0.41	0.84	ND	0.55	--
	MW5	ND	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	990♦	5,500	340	4.2	380	410	--
3/20/92	MW2	--	120	ND	ND	ND	ND	--
	MW4	SAMPLED SEMI-ANNUALLY						
	MW5	170	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	3,200	11,000	980	ND	990	1,600	--
12/19/91	MW2	--	140	0.66	ND	0.64	1.2	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	--	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	770	3,900	240	2.4	280	270	--
10/10/91	MW5	ND	--	--	--	--	--	--

TABLE 2 (Continued)
SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE
9/20/91	MW2	--	ND	ND	ND	ND	ND	--
	MW4	SAMPLED SEMI-ANNUALLY						
	MW5	450	ND	ND	ND	ND	ND	--
	MW6	SAMPLED SEMI-ANNUALLY						
	MW7	580	1,400	160	0.75	89	130	--
5/23/91	MW2	--	ND	ND	ND	ND	ND	--
	MW4	--	ND	ND	ND	ND	ND	--
	MW5	--	ND	ND	ND	ND	ND	--
	MW6	--	ND	ND	ND	ND	ND	--
	MW7	540	3,000	160	1.2	25	120	--

MTBE = Methyl tert butyl ether.

- ◆ Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be diesel.
- ◆◆ Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a diesel and non-diesel mixture.
- * Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be gasoline.
- ** Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a gasoline and non-gasoline mixture.

ND = Non-detectable.

-- Indicates analysis was not performed.

Results are in micrograms per liter ($\mu\text{g/L}$), unless otherwise indicated.

Note: Laboratory analyses data prior to December 9, 1993, were provided by Kaprealian Engineering, Inc.

TABLE 3
SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	Total Oil & Grease (mg/L)	Bis(2-ethylhexyl) phthalate	2-Methyl-naphthalene	Naphthalene	1,2-Dichloroethane
3/01/95	MW5	--	--	--	--	ND
	MW7▲	--	ND	40	120	1.6
12/01/94	MW5	--	--	--	--	ND
	MW7	--	ND	ND	2.5	1.0
9/02/94	MW5	--	--	--	--	ND
	MW7	--	ND	ND	ND	1.1
6/03/94	MW5	--	--	--	--	ND
	MW7	--	ND	18	61	1.4
3/03/94	MW5	--	--	--	--	ND
	MW7	--	ND	34	130	1.7
12/09/93	MW5	--	--	--	--	ND
	MW7	--	ND	ND	15	1.5
9/09/93	MW5	--	--	--	--	ND
	MW7◆	--	ND	11	48	1.5
6/09/93	MW5	--	--	--	--	ND
	MW7◆◆	--	13	19	83	1.3
3/10/93	MW5	--	ND	ND	ND	ND
	MW7◆◆◆	--	13	19	83	1.3
12/10/92	MW7	--	--	--	--	2.0
9/10/92	MW7	--	--	--	--	2.3
6/18/92	MW7	ND	--	--	--	ND
3/20/92	MW7	ND	--	--	--	ND
12/19/91	MW7	ND	--	--	--	3.1

TABLE 3 (Continued)

SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	Total Oil & Grease (mg/L)	Bis(2-ethylhexyl) phthalate	2-Methyl-naphthalene	Naphthalene	1,2-Dichloro-ethane
9/20/91	MW7	ND	--	--	--	ND
5/23/91	MW7	ND	--	--	--	3.4

- ♦ Seven "tentatively identified compounds" were detected by the EPA method 8270 open scan at concentrations ranging 11 µg/L to 88 µg/L. Refer to laboratory analysis sheets for the specific compounds and concentrations.
- ♦♦ Ten "tentatively identified compounds" were detected by the EPA method 8270 open scan at concentrations ranging from 14 µg/L to 150 µg/L. Refer to laboratory analysis sheets for the specified compounds and concentrations.
- ♦♦♦ Nine "tentatively identified compounds" were detected by the EPA method 8270 open scan at concentrations ranging from 10 µg/L to 59 µg/L. Refer to laboratory analysis sheets for the specific compounds and concentrations.

▲ Phenol was detected at a concentration of 2.1 µg/L.


ND = Non-detectable.

-- Indicates analysis was not performed.

mg/L = milligrams per liter.

Results are in micrograms per liter (µg/L), unless otherwise indicated.

Note: - All EPA methods 8010 and 8270 compounds were non-detectable, except for the compounds listed.
- Laboratory analyses data prior to December 9, 1993, were provided by Kaprealian Engineering, Inc.




Base modified from 7.5 minute U.S.G.S. Hayward Quadrangle
(photorevised 1980)

0 2000 4000
feet
Approx. scale

MPDS SERVICES, INCORPORATED

UNOCAL SERVICE STATION #5484
18950 LAKE CHABOT ROAD
CASTRO VALLEY, CALIFORNIA


LOCATION
MAP



LEGEND

- Monitoring well (by KEI)
 - Monitoring well (by AGS)
 - () Ground water elevation in feet above Mean Sea Level
 - # # Direction of ground water flow with approximate hydraulic gradient
 - Contours of ground water elevation
- TPHg / Benzene*
- * MW-7 100' off naphthalene
- 0 40 80
feet

POTENTIOMETRIC SURFACE MAP FOR THE MARCH 1, 1995 MONITORING EVENT



LEGEND

- Monitoring well (by KEI)
- Monitoring well (by AGS)
- () Concentration of TPH as gasoline in µg/L
- [] Concentration of benzene in µg/L
- < > Concentration of TPH as diesel in µg/L
- ND = Non-detectable, NA = Not analyzed

0 40 80
Approx. scale feet

PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON MARCH 1, 1995



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Sampled: Mar 1, 1995
Matrix Descript: Water Castro Valley Received: Mar 1, 1995
Analysis Method: EPA 5030/8015/8020 Reported: Mar 21, 1995
First Sample #: 503-0037

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Purgeable Hydrocarbons µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L
503-0037	MW-2	ND	ND	ND	ND	ND
503-0038	MW-4	ND	ND	1.1	ND	0.75
503-0039	MW-5	ND	ND	ND	ND	ND
503-0040	MW-7	3,300	200	3.9	300	350

Detection Limits:	50	0.50	0.50	0.50	0.50
-------------------	----	------	------	------	------

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard.
Analytes reported as ND were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #2000

Signature on File

Alan B. Kemp
Project Manager

5030037.MPD <1>



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road,
Matrix Descript: Water Castro Valley
Analysis Method: EPA 5030/8015/8020
First Sample #: 503-0037

Sampled: Mar 1, 1995
Received: Mar 1, 1995
Reported: Mar 21, 1995

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Chromatogram Pattern	DL Mult. Factor	Date Analyzed	Instrument ID	Surrogate Recovery, % QC Limits: 70-130
503-0037	MW-2	--	1.0	3/15/95	HP-1	96
503-0038	MW-4	--	1.0	3/15/95	HP-1	92
503-0039	MW-5	--	1.0	3/15/95	HP-1	97
503-0040	MW-7	Gasoline	1.0	3/15/95	HP-1	109

SEQUOIA ANALYTICAL, #2000

Signature on File

Alan B. Kemp
Project Manager

5030037.MPD <2>



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarlan

Client Project ID: Unocal #5484, 18950 Lake Chabot Road,
Sample Matrix: Water Castro Valley
Analysis Method: EPA 3510/3520/8015
First Sample #: 503-0039

Sampled: Mar 1, 1995
Received: Mar 1, 1995
Reported: Mar 21, 1995

TOTAL EXTRACTABLE PETROLEUM HYDROCARBONS

Analyte	Reporting Limit µg/L	Sample I.D. 503-0039 MW-5	Sample I.D. 503-0040 MW-7^
---------	-------------------------	---------------------------------	----------------------------------

Extractable Hydrocarbons 50 N.D. 1,900

Chromatogram Pattern: -- Diesel and Unidentified Hydrocarbons <C14

Quality Control Data

Report Limit Multiplication Factor:	1.0	1.0
Date Extracted:	3/3/95	3/3/95
Date Analyzed:	3/7/95	3/6/95
Instrument Identification:	HP-3B	HP-3B

Extractable Hydrocarbons are quantitated against a fresh diesel standard.
Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

Please Note:

^ "This sample appears to contain diesel and non-diesel mixtures. "Unidentified Hydrocarbons <C14" are probably gasoline."



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road,
Sample Descript: Water, MW-5 Castro Valley
Analysis Method: EPA 5030/8010
Lab Number: 503-0039

Sampled: Mar 1, 1995
Received: Mar 1, 1995
Analyzed: Mar 7, 1995
Reported: Mar 21, 1995

HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50
Bromoform.....	0.50
Bromomethane.....	1.0
Carbon tetrachloride.....	0.50
Chlorobenzene.....	0.50
Chloroethane.....	1.0
2-Chloroethylvinyl ether.....	1.0
Chloroform.....	0.50
Chloromethane.....	1.0
Dibromochloromethane.....	0.50
1,3-Dichlorobenzene.....	0.50
1,4-Dichlorobenzene.....	0.50
1,2-Dichlorobenzene.....	0.50
1,1-Dichloroethane.....	0.50
1,2-Dichloroethane.....	0.50
1,1-Dichloroethene.....	0.50
cis-1,2-Dichloroethene.....	0.50
trans-1,2-Dichloroethene.....	0.50
1,2-Dichloropropane.....	0.50
cis-1,3-Dichloropropene.....	0.50
trans-1,3-Dichloropropene.....	0.50
Methylene chloride.....	5.0
1,1,2,2-Tetrachloroethane.....	0.50
Tetrachloroethene.....	0.50
1,1,1-Trichloroethane.....	0.50
1,1,2-Trichloroethane.....	0.50
Trichloroethene.....	0.50
Trichlorofluoromethane.....	0.50
Vinyl chloride.....	1.0

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

5030037.MPD <4>





Sequoia
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Sampled: Mar 1, 1995
Sample Descript: Water, MW-7 Castro Valley Received: Mar 1, 1995
Analysis Method: EPA 5030/8010 Analyzed: Mar 7, 1995
Lab Number: 503-0040 Reported: Mar 21, 1995

HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50
Bromoform.....	0.50
Bromomethane.....	1.0
Carbon tetrachloride.....	0.50
Chlorobenzene.....	0.50
Chloroethane.....	1.0
2-Chloroethylvinyl ether.....	1.0
Chloroform.....	0.50
Chloromethane.....	1.0
Dibromochloromethane.....	0.50
1,3-Dichlorobenzene.....	0.50
1,4-Dichlorobenzene.....	0.50
1,2-Dichlorobenzene.....	0.50
1,1-Dichloroethane.....	0.50
1,2-Dichloroethane..	0.50	1.6
1,1-Dichloroethene.....	0.50
cis-1,2-Dichloroethene.....	0.50
trans-1,2-Dichloroethene.....	0.50
1,2-Dichloropropane.....	0.50
cis-1,3-Dichloropropene.....	0.50
trans-1,3-Dichloropropene.....	0.50
Methylene chloride.....	5.0
1,1,2,2-Tetrachloroethane.....	0.50
Tetrachloroethene.....	0.50
1,1,1-Trichloroethane.....	0.50
1,1,2-Trichloroethane.....	0.50
Trichloroethene.....	0.50
Trichlorofluoromethane.....	0.50
Vinyl chloride.....	1.0

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

5030037.MPD <5>



Sequoia
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Sampled: Mar 1, 1995
Sample Descript: Water, MW-7 Castro Valley Received: Mar 1, 1995
Analysis Method: EPA 8270 Extracted: Mar 3, 1995
Lab Number: 503-0040 Analyzed: Mar 6, 1995
Reported: Mar 21, 1995

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/L	Sample Results µg/L
Acenaphthene.....	2.0 N.D.
Acenaphthylene.....	2.0 N.D.
Aniline.....	2.0 N.D.
Anthracene.....	2.0 N.D.
Benzidine.....	50 N.D.
Benzoic Acid.....	10 N.D.
Benzo(a)anthracene.....	2.0 N.D.
Benzo(b)fluoranthene.....	2.0 N.D.
Benzo(k)fluoranthene.....	2.0 N.D.
Benzo(g,h,i)perylene.....	2.0 N.D.
Benzo(a)pyrene.....	2.0 N.D.
Benzyl alcohol.....	2.0 N.D.
Bis(2-chloroethoxy)methane.....	2.0 N.D.
Bis(2-chloroethyl)ether.....	2.0 N.D.
Bis(2-chloroisopropyl)ether.....	2.0 N.D.
Bis(2-ethylhexyl)phthalate.....	10 N.D.
4-Bromophenyl phenyl ether.....	2.0 N.D.
Butyl benzyl phthalate.....	2.0 N.D.
4-Chloroaniline.....	2.0 N.D.
2-Chloronaphthalene.....	2.0 N.D.
4-Chloro-3-methylphenol.....	2.0 N.D.
2-Chlorophenol.....	2.0 N.D.
4-Chlorophenyl phenyl ether.....	2.0 N.D.
Chrysene.....	2.0 N.D.
Dibenz(a,h)anthracene.....	2.0 N.D.
Dibenzofuran.....	2.0 N.D.
Di-N-butyl phthalate.....	10 N.D.
1,3-Dichlorobenzene.....	2.0 N.D.
1,4-Dichlorobenzene.....	2.0 N.D.
1,2-Dichlorobenzene.....	2.0 N.D.
3,3-Dichlorobenzidine.....	10 N.D.
2,4-Dichlorophenol.....	2.0 N.D.
Diethyl phthalate.....	2.0 N.D.
2,4-Dimethylphenol.....	2.0 N.D.
Dimethyl phthalate.....	2.0 N.D.
4,6-Dinitro-2-methylphenol.....	10 N.D.
2,4-Dinitrophenol.....	10 N.D.
2,4-Dinitrotoluene.....	2.0 N.D.
2,6-Dinitrotoluene.....	2.0 N.D.
Di-N-octyl phthalate.....	2.0 N.D.





**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Sample Descript: Water, MW-7 Analysis Method: EPA 8270 Lab Number: 503-0040	Castro Valley	Sampled: Mar 1, 1995 Received: Mar 1, 1995 Extracted: Mar 3, 1995 Analyzed: Mar 6, 1995 Reported: Mar 21, 1995
---	---------------	--

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

Analyte	Detection Limit µg/L	Sample Results µg/L
Fluoranthene.....	2.0	N.D.
Fluorene.....	2.0	N.D.
Hexachlorobenzene.....	2.0	N.D.
Hexachlorobutadiene.....	2.0	N.D.
Hexachlorocyclopentadiene.....	2.0	N.D.
Hexachloroethane.....	2.0	N.D.
Indeno(1,2,3-cd)pyrene.....	2.0	N.D.
Isophorone.....	2.0	N.D.
2-Methylnaphthalene.....	2.0	40
2-Methylphenol.....	2.0	N.D.
4-Methylphenol.....	2.0	N.D.
Naphthalene.....	2.0	120
2-Nitroaniline.....	10	N.D.
3-Nitroaniline.....	10	N.D.
4-Nitroaniline.....	10	N.D.
Nitrobenzene.....	2.0	N.D.
2-Nitrophenol.....	2.0	N.D.
4-Nitrophenol.....	10	N.D.
N-Nitrosodiphenylamine.....	2.0	N.D.
N-Nitroso-di-N-propylamine.....	2.0	N.D.
Pentachlorophenol.....	10	N.D.
Phenanthrene.....	2.0	N.D.
Phenol.....	2.0	2.1
Pyrene.....	2.0	N.D.
1,2,4-Trichlorobenzene.....	2.0	N.D.
2,4,5-Trichlorophenol.....	10	N.D.
2,4,6-Trichlorophenol.....	2.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Castro Valley
Matrix: Liquid

QC Sample Group: 5030037-040

Reported: Mar 21, 1995

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes	Diesel
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015 Mod
Analyst:	N. Zehedi	N. Zehedi	N. Zehedi	N. Zehedi	J. Dinsay

MS/MSD
Batch#: 5030115 5030115 5030115 5030115 BLK030395

Date Prepared: 3/15/95 3/15/95 3/15/95 3/15/95 3/3/95
Date Analyzed: 3/15/95 3/15/95 3/15/95 3/15/95 3/7/95
Instrument I.D.#: HP-1 HP-1 HP-1 HP-1 HP-3B
Conc. Spiked: 10 µg/L 10 µg/L 10 µg/L 30 µg/L 300 µg/L

Matrix Spike % Recovery: 100 101 103 105 90

Matrix Spike Duplicate % Recovery: 103 105 107 109 88

Relative % Difference: 2.0 3.9 3.8 3.7 2.2

LCS Batch#: LCS031595 LCS031595 LCS031595 LCS031595 BLK030395

Date Prepared: 3/15/95 3/15/95 3/15/95 3/15/95 3/3/95
Date Analyzed: 3/15/95 3/15/95 3/15/95 3/15/95 3/7/95
Instrument I.D.#: HP-1 HP-1 HP-1 HP-1 HP-3B

LCS % Recovery: 91 92 95 98 90

% Recovery Control Limits:	71-133	72-128	72-130	71-120	75-125
-----------------------------------	--------	--------	--------	--------	--------

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #6000

Signature on File

Alan B. Kemp
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Castro Valley
Matrix: Liquid

QC Sample Group: 5030039-040

Reported: Mar 21, 1995

QUALITY CONTROL DATA REPORT

ANALYTE	1,1-Dichloro-ethene	Trichloro-ethene	Chloro-benzene
Method:	EPA 8010	EPA 8010	EPA 8010
Analyst:	K. Nill	K. Nill	K. Nill

MS/MSD
Batch#: 5030178 5030178 5030178

Date Prepared: 3/7/95 3/7/95 3/7/95
Date Analyzed: 3/7/95 3/7/95 3/7/95
Instrument I.D.#: HP5890/7 HP5890/7 HP5890/7
Conc. Spiked: 10 µg/L 10 µg/L 10 µg/L

Matrix Spike % Recovery: 92 101 93

Matrix Spike Duplicate % Recovery: 92 102 94

Relative % Difference: 0.0 0.99 1.1

LCS Batch#: LCS030795 LCS030795 LCS030795

Date Prepared: 3/7/95 3/7/95 3/7/95
Date Analyzed: 3/7/95 3/7/95 3/7/95
Instrument I.D.#: HP5890/7 HP5890/7 HP5890/7

LCS % Recovery: 90 99 94

% Recovery Control Limits:	28-167	35-146	38-150
-----------------------------------	--------	--------	--------

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

5030037.MPD <9>





**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Castro Valley
Matrix: Liquid

QC Sample Group: 503-0040

Reported: Mar 21, 1995

QUALITY CONTROL DATA REPORT

ANALYTE	Phenol	2-Chlorophenol	1,4-Dichloro-benzene	N-Nitroso-Di-N-propylamine	1,2,4-Trichloro-benzene	4-Chloro-3-Methylphenol
Method:	EPA 8270	EPA 8270	EPA 8270	EPA 8270	EPA 8270	EPA 8270
Analyst:	S. Le	S. Le	S. Le	S. Le	S. Le	S. Le

MS/MSD Batch#: BLK030395 BLK030395 BLK030395 BLK030395 BLK030395 BLK030395

Date Prepared: 3/3/95 3/3/95 3/3/95 3/3/95 3/3/95 3/3/95
Date Analyzed: 3/7/95 3/7/95 3/7/95 3/7/95 3/7/95 3/7/95
Instrument I.D.#: GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1
Conc. Spiked: 200 µg/L 200 µg/L 100 µg/L 100 µg/L 100 µg/L 200 µg/L

Matrix Spike % Recovery: 61 66 70 60 70 61

Matrix Spike Duplicate % Recovery: 64 68 70 62 68 59

Relative % Difference: 4.8 3.0 0.0 3.3 2.9 3.3

LCS Batch#: LCS030395 LCS030395 LCS030395 LCS030395 LCS030395 LCS030395

Date Prepared: 3/3/95 3/3/95 3/3/95 3/3/95 3/3/95 3/3/95
Date Analyzed: 3/7/95 3/7/95 3/7/95 3/7/95 3/7/95 3/7/95
Instrument I.D.#: GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1 GC/MS 1

LCS % Recovery: 61 66 70 60 70 61

% Recovery Control Limits: 12-89 27-123 36-97 41-116 39-98 23-97

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Sarkis Karkarian

Client Project ID: Unocal #5484, 18950 Lake Chabot Road, Castro Valley
Matrix: Liquid

QC Sample Group: 503-0040

Reported: Mar 21, 1995

QUALITY CONTROL DATA REPORT

ANALYTE	Acenaphthene	4-Nitrophenol	2,4-Dinitrotoluene	Pentachlorophenol	Pyrene
Method:	EPA 8270	EPA 8270	EPA 8270	EPA 8270	EPA 8270
Analyst:	S. Le	S. Le	S. Le	S. Le	S. Le
MS/MSD Batch#:	BLK030395	BLK030395	BLK030395	BLK030395	BLK030395
Date Prepared:	3/3/95	3/3/95	3/3/95	3/3/95	3/3/95
Date Analyzed:	3/7/95	3/7/95	3/7/95	3/7/95	3/7/95
Instrument I.D. #:	GC/MS 1	GC/MS 1	GC/MS 1	GC/MS 1	GC/MS 1
Conc. Spiked:	100 µg/L	200 µg/L	100 µg/L	200 µg/L	100 µg/L
Matrix Spike % Recovery:	74	43	56	73	68
Matrix Spike Duplicate % Recovery:	72	41	54	71	66
Relative % Difference:	2.7	4.8	3.6	2.8	3.0
LCS Batch#:	LCS030395	LCS030395	LCS030395	LCS030395	LCS030395
Date Prepared:	3/3/95	3/3/95	3/3/95	3/3/95	3/3/95
Date Analyzed:	3/7/95	3/7/95	3/7/95	3/7/95	3/7/95
Instrument I.D. #:	GC/MS 1	GC/MS 1	GC/MS 1	GC/MS 1	GC/MS 1
LCS % Recovery:	74	43	56	73	68
% Recovery Control Limits:	46-118	10-80	24-96	9-103	26-127

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520
Tel: (510) 602-5120 Fax: (510) 889-1918

CHAIN OF CUSTODY

THE FOLLOWING MUST BE COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES:

RELINQUISHED BY:

DATE/TIME

RECEIVED BY 3/1/95

STEVE BALIEN 3-1-95 14:45

RJ Kellam
SIGNATURE

- 1 HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE?

14(2) 13

SIGNATURE

SIGNATURE

- 2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYSIS?**

165

10 of 10

— 1 —

3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE?

1

SIGNATURE

• 100 •

4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?

卷之三

卷之三

SIGNATURE

SIGNATURE

TITLE

DATE: