

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, CA 94611
510.547.8196
510.547.8706 FAX
jennifer.c.sedlachek@exxonmobil.com

RECEIVED

11:19 am, Jan 29, 2009

Alameda County
Environmental Health

Jennifer C. Sedlachek
Project Manager

ExxonMobil

January 28, 2009

Mr. Jerry T. Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

Subject: Former Exxon RAS #73399, 2991 Hopyard Road, Pleasanton, California,
ACHCSA File No. RO-362

Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Fourth Quarter 2008* for the above-referenced site. The report, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the December 2008 sampling event.

Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,




Jennifer C. Sedlachek
Project Manager

Attachment: ETIC Groundwater Monitoring Report

c: w/ attachment:
Mr. Matthew Katen - Zone 7 Water Agency
Mr. Stephen Cusenza - City of Pleasanton Public Works Department
Mr. Thomas Elson - Luhdorff and Scalmanini Consulting Engineers
Mr. Robert Ehlers - Valero Energy Corporation (pdf copy via e-mail to <robert.ehlers@valero.com>)

c: w/o attachment:
Mr. Bryan Campbell - ETIC Engineering, Inc.



Report of Groundwater Monitoring Fourth Quarter 2008

**Former Exxon Retail Site 73399
2991 Hopyard Road
Pleasanton, California**

ACHCSA File No. RO-362

Prepared for

ExxonMobil Oil Corporation

Prepared by

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710



A handwritten signature in black ink, appearing to read "K. Erik Appel".

K. Erik Appel, P.G. #8092
Senior Project Geologist

A handwritten date in black ink, "January 20, 2009".

Date

January 2009

SITE CONTACTS

Site Name: Former Exxon Retail Site 73399

Site Address: 2991 Hopyard Road
Pleasanton, California

ExxonMobil Project Manager: Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Karthika Thurairajah

Regulatory Oversight: Jerry T. Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94502-6577
(510) 567-6700

Cherie McCaulou
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2342

Matthew Katen
Zone 7 Water Agency
100 North Canyons Parkway
Livermore, California 94551
(925) 454-5000

INTRODUCTION

ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for ExxonMobil Environmental Services Company on behalf of ExxonMobil Oil Corporation for former Exxon Retail Site 73399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 17 and 18 September 2008, the dates of the previous monitoring event, until 22 and 23 December 2008, the dates of the most recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 73399
Site address:	2991 Hopyard Road, Pleasanton, California
Current property owner:	Kirk D. Morrison Trust
Current site use:	Active Valero-branded station and auto repair facility operated by Steve Asmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
Current phase of project:	Groundwater monitoring
Tanks at site:	Three underground storage tanks (three grades of gasoline)
Number of wells:	22 (16 onsite, 6 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	22 and 23 December 2008
Wells gauged and sampled:	MW1, MW4, MW5D, MW5S, MW7, MW8, MW9A, MW10, MW11, MW12A, MW13, MW14, OW1, OW2, PMW1-PMW3, PMW5, PMW6, VR1, VR2
Wells gauged only:	PMW4
Groundwater flow direction (Perched zone):	East-northeast
Groundwater gradient (Perched zone):	0.043
Groundwater flow direction (Zone 1):	Not calculated
Groundwater gradient (Zone 1):	Not calculated
Groundwater flow direction (Zone 3):	South
Groundwater gradient (Zone 3):	0.00072
Remediation system status during groundwater monitoring event:	Groundwater extraction system operating
Well screens submerged:	MW1, MW4, MW5D, MW5S, MW8, MW9A, MW10, MW11, MW12A, MW13, MW14, VR2
Well screens not submerged:	MW7, OW1, OW2, PMW1-PMW6, VR1
Liquid-phase hydrocarbons:	Not observed or detected

Laboratory:

TestAmerica, Inc., Morgan Hill, California

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline (TPH-g) by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and xylenes by EPA Method 8021B
- Methyl tertiary butyl ether (MTBE) by EPA Method 8260B
- Ethanol by EPA Method 8260B (selected samples)

Additional comments:

None.

REMEDIATION SYSTEM SUMMARY

Groundwater Extraction System

System description:

The groundwater extraction system (GES) is capable of extracting groundwater from four wells: MW9A, OW1, OW2, and VR1. When the system is operated, groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The pneumatic pumps were shut down in October 2004 due to low well groundwater concentrations and are currently not being operated. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

System startup date: 12 March 2001

Active extraction wells: MW9A, VR1

Inactive extraction wells/reason: OW1, OW2

Modifications made during reporting period/reasons for modifications:

No modifications were made during the reporting period.

Status of system operation during reporting period/reasons for downtime:

The GES operated continuously during the reporting period.

System performance data totals (totals since system startup, as of 29 December 2008):

Groundwater extracted: 5,179,460 gallons

Pounds of TPH removed: 5.504 (calculated as the sum of TPH-g and TPH as diesel)

Pounds of benzene removed: 0.0422

Pounds of MTBE removed: 3.230

GES proposed work:

The GES will continue to be operated and monitored.

ADDITIONAL ACTIVITIES PERFORMED

No additional activities were performed.

CONCLUSIONS AND RECOMMENDATIONS

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.


Attachments:

- Figure 1: Site Map Showing Groundwater Elevations, Analytical Results, and Rose Diagrams
- Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
- Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
- Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction

- Table 1: Well Construction Details
- Table 2: Groundwater Monitoring Data
- Table 3: Groundwater Analytical Results for Oxygenates and Additives
- Table 4: Groundwater Monitoring Plan
- Table 5: Operation and Performance Data - Groundwater Extraction System
- Table 6: Summary of Analytical Results - Groundwater Extraction System
- Table 7A: Rose Diagram Data: Perched Zone
- Table 7B: Rose Diagram Data: Zone 1
- Table 7C: Rose Diagram Data: Zone 3

- Appendix A: Field Protocols
- Appendix B: Field Documents
- Appendix C: Laboratory Analytical Reports and Chain-of-Custody Documentation

Figures




SITE MAP SHOWING GROUNDWATER ELEVATIONS, ANALYTICAL RESULTS, AND ROSE DIAGRAMS
 FORMER EXXON RS 73399
 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA
 22 AND 23 DECEMBER 2008

FIGURE:
1

FILENAME: 402008.DWG 01/08/09




**Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
Former Exxon RS 73399, 2991 Hopyard Road, Pleasanton, California**




Notes: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.
 TPH = Total Petroleum Hydrocarbons.
 µg/L = Micrograms per liter.

**Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
Former Exxon RS 73399, 2991 Hopyard Road, Pleasanton, California**



Notes: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.
µg/L = Micrograms per liter.

**Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction
Former Exxon RS 73399, 2991 Hopyard Road, Pleasanton, California**



Notes: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.
 MTBE = Methyl tertiary butyl ether.
 µg/L = Micrograms per liter.

Tables

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW1	d	04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--	Zone 1
MW2	a	04/02/88		--	57	57	--	4	37-57	0.020	34-57	--	--
MW3	a	04/04/88		--	60	56	--	4	36-56	0.020	35-60	--	--
MW4	d	04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--	Zone 1
MW5D	d	05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--	Zone 2
MW5S	d	05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--	Zone 1
MW6	a	05/11/88		--	59	55	--	4	40-55	0.020	36-59	--	--
MW7	d	07/12/88	321.27	--	56.5 f	53	--	5	28-53	0.020	25-56.5	--	Zone 1
MW8	d	09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--	Zone 3
MW9	a	10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--	--
MW9A	d	11/03/00	321.27	PVC	59	58	12.25	6	35-55 55-58 c	0.020	33-58	#3 Sand	Zone 1
MW10	d	10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--	Zone 1
MW11	d	11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--	Zone 1
MW12	a	08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand	--
MW12A	d	08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand	Zone 3
MW13	d, b	08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand	Zone 2

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone	
MW14	d	08/29/00	321.24	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand	Zone 3
OW1		Tank backfill well	321.44	--	--	--	--	4	e	--	--	--	Tank backfill
OW2	d	Tank backfill well	321.55	--	--	--	--	4	e	--	--	--	Tank backfill
PMW1	d	12/16/99	322.75	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW2	d	12/16/99	322.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW3	d	12/16/99	321.27	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW4	d	12/16/99	321.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW5	d	12/16/99	320.04	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW6	d	12/17/99	321.38	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
VR1	d	10/24/88	321.00	PVC	30	30	10	4	10-30	0.020	10-30	--	Tank backfill
VR2		11/20/89	320.18	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--	Zone 1
VR3	a	11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--	--
VR4	a	11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--	--

Notes:

- a Well destroyed.
- b PVC screen from 61.5-72 feet, stainless steel blank from 11.5-61.5 feet, PVC blank from surface to 11.5 feet.
- c Depth of PVC sump at base of well.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
d	Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet north of the southeast corner of the southbound bridge over Mocho Canal. Elevation = 330.55 feet.											
e	Well screen is visible near surface and is assumed to extend to near total depth.											
f	The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.											
NM	Not measured.											
PVC	Polyvinyl chloride.											
TOC	Top of casing.											
--	Information not available.											

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW1	04/02/88	321.44	NM	NC	NM	<0.5	1.7	<0.5	<0.5	<20	NA
MW1	04/06/88	321.44	36.34	285.10	0.00	NS	NS	NS	NS	NS	NS
MW1	04/08/88	321.44	36.29	285.15	0.00	NS	NS	NS	NS	NS	NS
MW1	04/19/88	321.44	36.36	285.08	0.00	NS	NS	NS	NS	NS	NS
MW1	06/06/88	321.44	38.16	283.28	0.00	NS	NS	NS	NS	NS	NS
MW1	06/23/88	321.44	38.71	282.73	0.00	NS	NS	NS	NS	NS	NS
MW1	06/28/88	321.44	39.16	282.28	0.00	NS	NS	NS	NS	NS	NS
MW1	07/06/88	321.44	39.73	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/13/88	321.44	40.22	281.22	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/12/88	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/26/88	321.44	41.90	279.54	0.00	NS	NS	NS	NS	NS	NS
MW1	09/07/88	321.44	42.27	279.17	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	12/07/88	321.44	43.94	277.50	0.00	NS	NS	NS	NS	NS	NS
MW1	12/19/88	321.44	43.70	277.74	0.00	NS	NS	NS	NS	NS	NS
MW1	02/09/89	321.44	42.53	278.91	0.00	NS	NS	NS	NS	NS	NS
MW1	03/03/89	321.44	NM	NC	NM	1.6	<0.5	<0.5	<0.5	<20	NA
MW1	03/08/89	321.44	41.96	279.48	0.00	NS	NS	NS	NS	NS	NS
MW1	04/03/89	321.44	41.59	279.85	0.00	NS	NS	NS	NS	NS	NS
MW1	04/26/89	321.44	41.67	279.77	0.00	NS	NS	NS	NS	NS	NS
MW1	06/30/89	321.44	43.79	277.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/17/89	321.44	44.74	276.70	0.00	<0.5	<0.5	<0.5	<0.5	23	NA
MW1	07/18/89	321.44	44.76	276.68	0.00	NS	NS	NS	NS	NS	NS
MW1	07/19/89	321.44	44.82	276.62	0.00	NS	NS	NS	NS	NS	NS
MW1	07/20/89	321.44	44.85	276.59	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/21/89	321.44	44.95	276.49	0.00	NS	NS	NS	NS	NS	NS
MW1	07/26/89	321.44	45.42	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/02/89	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/03/89	321.44	46.18	275.26	0.00	NS	NS	NS	NS	NS	NS
MW1	08/17/89	321.44	47.12	274.32	0.00	NS	NS	NS	NS	NS	NS
MW1	09/13/89	321.44	49.08	272.36	0.00	39	0.6	<0.5	5.1	220	NA
MW1	11/28/89	321.44	50.21	271.23	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/89	321.44	NM	NC	NM	56	0.72	<0.5	0.71	220	NA
MW1	01/09/90	321.44	49.31	272.13	0.00	NS	NS	NS	NS	NS	NS
MW1	01/25/90	321.44	NM	NC	NM	18	1.6	<0.5	1.8	57	NA
MW1	01/26/90	321.44	49.29	272.15	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW1	02/23/90	321.44	49.02 ^a	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/27/90	321.44	NM	NC	NM	3.2	2.3	<0.5	3.2	55	NA
MW1	03/26/90	321.44	48.71 ^a	272.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	03/26/90	321.44	48.70	272.74	0.00	NS	NS	NS	NS	NS	NS
MW1	04/18/90	321.44	48.79	272.65	0.00	1.1	1.6	<0.5	3.1	25	NA
MW1	05/17/90	321.44	49.40	272.04	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	06/11/90	321.44	50.83	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/30/90	321.44	52.17	269.27	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/27/90	321.44	53.44	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	09/28/90	321.44	53.40	268.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/20/91	321.44	53.35	268.09	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/91	321.44	53.55	267.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	10/07/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW1	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/26/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/11/93	321.44	53.09	268.35	0.00	NS	NS	NS	NS	NS	NS
MW1	04/12/93	321.44	53.32	268.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/01/93	321.44	53.40	268.04	0.00	NS	NS	NS	NS	NS	NS
MW1	07/15/93	321.44	59.80	261.64	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW1	08/15/93	321.44	53.45	267.99	0.00	NS	NS	NS	NS	NS	NS
MW1	09/29/93	321.44	53.43	268.01	0.00	NS	NS	NS	NS	NS	NS
MW1	09/30/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	10/28/93	321.44	53.38	268.06	0.00	NS	NS	NS	NS	NS	NS
MW1	11/23/93	321.44	53.46	267.98	0.00	NS	NS	NS	NS	NS	NS
MW1	11/24/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/10-11/94	321.44	53.46	267.98	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/04-05/94	321.44	53.34	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	09/01/94 ^e	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	11/16/94	321.44	52.09	269.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	02/15/95	321.44	49.41	272.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/09/95	321.44	39.97	281.47	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	08/21/95	321.44	40.68	280.76	0.00	<0.5	0.83	<0.5	<0.5	<50	<2.5
MW1	11/30/95	321.44	38.99	282.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	03/28/96	321.44	35.70	285.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	05/31/96	321.44	34.17	287.27	0.00	<0.5	<0.5	<0.5	<0.5	52	<5.0
MW1	08/28/96	321.44	38.37	283.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	11/18/96	321.44	38.40	283.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	02/28/97	321.44	33.29	288.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	05/23/97	321.44	33.63	287.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/23/97	321.44	38.05	283.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	29
MW1	12/30/97	321.44	36.74	284.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/24/98	321.44	31.65	289.79	0.00	1.4	2.5	<0.5	1.4	<50	16
MW1	06/15/98	321.44	29.28	292.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	22
MW1	09/11/98	321.44	34.94	286.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	12/09/98	321.44	31.14	290.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW1	03/31/99	321.44	28.10	293.34	0.00	<0.5	<0.5	<0.5	<0.5	<50	124/131f
MW1	06/30/99	321.44	33.94	287.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	08/03/99	321.44	37.94	283.50	0.00	NS	NS	NS	NS	NS	NS
MW1	09/24/99	320.52	44.92	275.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	12/22/99	320.52	9.93	310.59	0.00	1.9	1.4	1.5	7.3	<50	990f
MW1	01/21/00	320.52	39.35	281.17	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW1	04/04/00	320.52	34.70	285.82	0.00	<1	<1	<1	<1	<50	<1
MW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW1	06/28/00	320.52	39.72	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW1	09/26/00	320.52	43.26	277.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW1	12/28/00	320.52	42.90	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW1	03/28/01	320.52	42.36	278.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW1	06/25/01	320.52	45.51	275.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/26/01	320.52	53.21	267.31	0.00	3.0	4.4	1.2	5.2	<50	<2.5
MW1	12/17/01	320.52	53.21	267.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	03/18/02	320.52	52.31	268.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	06/17/02	320.52	52.67	267.85	0.00	NS	NS	NS	NS	NS	NS
MW1	06/18/02	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/16/02	320.52	53.46	267.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	12/17/02	320.52	53.53	266.99	0.00	NS	NS	NS	NS	NS	NS
MW1	03/28/03	320.52	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/16/03	320.52	53.23	267.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/22/03	320.52	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/22/03	320.52	53.52	267.00	0.00	NS	NS	NS	NS	NS	NS
MW1	03/23/04	320.52	53.45	267.07	0.00	NS	NS	NS	NS	NS	NS
MW1	06/21/04	320.52	53.47	267.05	0.00	NS	NS	NS	NS	NS	NS
MW1	06/22/04	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	09/20/04	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/21/04	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	12/20/04	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	03/28/05	320.52	50.48	270.04	0.00	NS	NS	NS	NS	NS	NS
MW1	03/29/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.70f
MW1	06/20/05	320.52	43.40	277.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/21/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	09/25/05	320.52	43.88	276.64	0.00	<0.5	<0.5	1.37	8.07	<50	<0.5f
MW1	12/21/05	320.52	38.80	281.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW1	03/21/06	320.52	28.70	291.82	0.00	NS	NS	NS	NS	NS	NS
MW1	03/22/06	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW1	06/22/06	320.52	26.63	293.89	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW1	09/19/06	320.52	28.21	292.31	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW1	12/19/06	320.52	23.80	296.72	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/06	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	1.94f
MW1	03/20/07	320.52	17.67	302.85	0.00	NS	NS	NS	NS	NS	NS
MW1	03/21/07	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW1	06/19/07	320.52	26.13	294.39	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/07	320.52	NM	NC	NM	0.63	<0.50	<0.50	2.12	<50.0	<0.500f
MW1	09/18/07	320.52	25.47	295.05	0.00	NS	NS	NS	NS	NS	NS
MW1	09/19/07	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW1	12/26/07	320.52	19.30	301.22	0.00	NS	NS	NS	NS	NS	NS
MW1	12/27/07	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	0.500f
MW1	03/26/08	320.52	20.35	300.17	0.00	NS	NS	NS	NS	NS	NS
MW1	03/27/08	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW1	06/25/08	320.52	26.40	294.12	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW1	09/17/08*	320.52	31.40	289.12	0.00	<0.50	<0.50	<0.50	<0.50	<50	0.73f
MW1	12/22/08*	320.52	28.64	291.88	0.00	<0.50	<0.50	<0.50	<0.50	<50	1.7f
MW2	04/02/88	NM	NM	NC	0.25	NS	NS	NS	NS	NS	NS
MW2	04/04/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/05/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/06/88	NM	39.31	NC	3.2	NS	NS	NS	NS	NS	NS
MW2	04/08/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW2	04/19/88	NM	38.90	NC	2.48	NS	NS	NS	NS	NS	NS
MW2	06/06/88	NM	38.78	NC	0.26	NS	NS	NS	NS	NS	NS
MW2	06/23/88	NM	39.23	NC	0.13	NS	NS	NS	NS	NS	NS
MW2	06/28/88	NM	39.72	NC	NM	NS	NS	NS	NS	NS	NS
MW2	07/06/88	NM	40.31	NC	Slight sheen	25,700	18,500	2,900	21,400	62,000	NA
MW2	07/12/88		Well destroyed.								
MW3	04/06/88	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW3	04/08/88	NM	37.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	04/19/88	NM	37.22	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/06/88	NM	39.02	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/23/88	NM	39.58	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/28/88	NM	40.04	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	07/06/88	NM	40.60	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	07/13/88	NM	41.09	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/12/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW3	08/26/88	NM	42.77	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/29/88		Well destroyed.								

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW4	04/08/88	321.56	36.41	285.15	0.00	NS	NS	NS	NS	NS	NS
MW4	04/11/88	321.56	NM	NC	NM	1.8	16.3	0.6	7.1	80	NA
MW4	04/19/88	321.56	36.51	285.05	0.00	NS	NS	NS	NS	NS	NS
MW4	06/06/88	321.56	38.26	283.30	0.00	NS	NS	NS	NS	NS	NS
MW4	06/23/88	321.56	38.83	282.73	0.00	NS	NS	NS	NS	NS	NS
MW4	06/28/88	321.56	39.28	282.28	0.00	NS	NS	NS	NS	NS	NS
MW4	07/06/88	321.56	39.85	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	07/13/88	321.56	40.31	281.25	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW4	08/12/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/26/88	321.56	42.01	279.55	0.00	NS	NS	NS	NS	NS	NS
MW4	09/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/19/88	321.56	43.83	277.73	0.00	NS	NS	NS	NS	NS	NS
MW4	02/09/89	321.56	42.67	278.89	0.00	NS	NS	NS	NS	NS	NS
MW4	03/08/89	321.56	42.11	279.45	0.00	3.8	1.0	<0.5	<0.5	440	NA
MW4	04/03/89	321.56	41.73	279.83	0.00	NS	NS	NS	NS	NS	NS
MW4	04/26/89	321.56	41.79	279.77	0.00	NS	NS	NS	NS	NS	NS
MW4	06/30/89	321.56	43.88	277.68	0.00	<0.5	<0.5	<0.5	<0.5	100	NA
MW4	07/17/89	321.56	44.85	276.71	0.00	<0.5	<0.5	<0.5	<0.5	390	NA
MW4	07/18/89	321.56	44.88	276.68	0.00	NS	NS	NS	NS	NS	NS
MW4	07/19/89	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	07/20/89	321.56	44.98	276.58	0.00	<0.5	<0.5	<0.5	<0.5	200	NA
MW4	07/21/89	321.56	45.04	276.52	0.00	NS	NS	NS	NS	NS	NS
MW4	07/26/89	321.56	45.50	276.06	0.00	<0.5	<0.5	<0.5	<0.5	66	NA
MW4	08/02/89	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/03/89	321.56	46.28	275.28	0.00	NS	NS	NS	NS	NS	NS
MW4	08/17/89	321.56	47.22	274.34	0.00	NS	NS	NS	NS	NS	NS
MW4	09/13/89	321.56	49.19	272.37	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	11/28/89	321.56	50.34	271.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/89	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	01/09/90	321.56	49.47	272.09	0.00	NS	NS	NS	NS	NS	NS
MW4	01/26/90	321.56	49.36	272.20	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.18 ^a	272.38	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.15	272.41	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW4	03/26/90	321.56	48.84 ^a	272.72	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	03/26/90	321.56	48.83	272.73	0.00	NS	NS	NS	NS	NS	NS
MW4	04/18/90	321.56	48.90	272.66	0.00	NS	NS	NS	NS	NS	NS
MW4	05/17/90	321.56	50.03	271.53	0.00	NS	NS	NS	NS	NS	NS
MW4	06/11/90	321.56	50.98	270.58	0.00	NS	NS	NS	NS	NS	NS
MW4	07/30/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	08/01/90	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	08/27/90	321.56	53.61	267.95	0.00	NS	NS	NS	NS	NS	NS
MW4	09/28/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/90	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/20/91	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	06/20/91	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/12/91	321.56	53.70	267.86	0.00	NS	NS	NS	NS	NS	NS
MW4	12/30/91	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	01/30/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	03/02/92	321.56	53.83	267.73	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/92	321.56	53.73	267.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	04/14/92	321.56	53.76	267.80	0.00	NS	NS	NS	NS	NS	NS
MW4	05/21/92	321.56	54.73	266.83	0.00	NS	NS	NS	NS	NS	NS
MW4	06/08/92	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	07/14/92	321.56	53.60	267.96	0.00	NS	NS	NS	NS	NS	NS
MW4	08/10/92	321.56	53.71	267.85	0.00	NS	NS	NS	NS	NS	NS
MW4	09/16/92	321.56	53.89	267.67	0.00	NS	NS	NS	NS	NS	NS
MW4	10/07/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	11/09/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	12/10/92	321.56	53.83	267.73	0.00	57	34	11	200	600	NA
MW4	01/26/93	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	02/16/93	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	03/11/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	04/12/93	321.56	53.62	267.94	0.00	20	10	22	80	360	NA
MW4	06/01/93	321.56	53.52	268.04	0.00	NS	NS	NS	NS	NS	NS
MW4	07/15/93	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	08/15/93	321.56	53.65	267.91	0.00	NS	NS	NS	NS	NS	NS
MW4	09/29/93	321.56	54.23	267.33	0.00	NS	NS	NS	NS	NS	NS
MW4	09/30/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW4	10/28/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	11/23/93	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	11/24/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/10-11/94	321.56	53.64	267.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/04-05/94	321.56	53.54	268.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	09/01/94 ^e	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	11/16/94	321.56	52.96	268.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	02/15/95	321.56	50.37	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/09/95	321.56	44.86	276.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	08/21/95	321.56	41.71	279.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.6
MW4	11/30/95	321.56	39.95	281.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	03/28/96	321.56	36.76	284.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	05/31/96	321.56	35.19	286.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	08/28/96	321.56	39.39	282.17	0.00	NS	NS	NS	NS	NS	NS
MW4	11/18/96	321.56	39.42	282.14	0.00	NS	NS	NS	NS	NS	NS
MW4	02/28/97	321.56	34.38	287.18	0.00	NS	NS	NS	NS	NS	NS
MW4	05/23/97	321.56	34.66	286.90	0.00	NS	NS	NS	NS	NS	NS
MW4	09/23/97	321.56	39.05	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/30/97	321.56	37.78	283.78	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/98	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/98	321.56	30.32	291.24	0.00	NS	NS	NS	NS	NS	NS
MW4	09/11/98	321.56	35.97	285.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/09/98	321.56	32.93	288.63	0.00	NS	NS	NS	NS	NS	NS
MW4	03/31/99	321.56	29.71	291.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW4	06/30/99	321.56	34.99	286.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.65/3.12f,h
MW4	08/03/99	321.56	38.52	283.04	0.00	NS	NS	NS	NS	NS	NS
MW4	09/24/99	321.56	42.93	278.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.12f
MW4	12/22/99	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	04/04/00	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW4	06/28/00	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW4	09/26/00	321.56	44.24	277.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW4	12/28/00	321.56	43.92	277.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW4	03/28/01	321.56	43.39	278.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW4	06/25/01	321.56	46.56	275.00	0.00	<0.5	<0.5	<0.5	0.66	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW4	09/26/01	321.56	53.51	268.05	0.00	<0.5	0.69	<0.5	0.96	<50	<2.5
MW4	12/17/01	321.56	53.51	268.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	03/18/02	321.56	53.28	268.28	0.00	NS	NS	NS	NS	NS	NS
MW4	03/19/02	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/17/02	321.56	53.57	267.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/16/02	321.56	53.63	267.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW4	12/17/02	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/28/03	321.56	53.70	267.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/16/03	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/22/03	321.56	53.69	267.87	0.00	<0.5	1.0	<0.5	0.8	<50	<0.5
MW4	12/22/03	321.56	53.66	267.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/23/04	321.56	53.61	267.95	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/21/04	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	06/22/04	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW4	09/20/04	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/21/04	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	12/20/04	321.56	53.67	267.89	0.00	<0.5	0.5	<0.5	<0.5	<50	<0.5
MW4	03/28/05	321.56	51.62	269.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.10f
MW4	06/20/05	321.56	44.40	277.16	0.00	NS	NS	NS	NS	NS	NS
MW4	09/25/05	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	09/26/05	321.56	NM	NC	NM	0.57	<0.5	<0.5	1.20	<50	<0.5f
MW4	12/21/05	321.56	39.81	281.75	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW4	03/21/06	321.56	29.66	291.90	0.00	NS	NS	NS	NS	NS	NS
MW4	03/22/06	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW4	06/22/06	321.56	25.21	296.35	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	09/19/06	321.56	29.24	292.32	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	12/19/06	321.56	24.88	296.68	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/06	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	03/20/07	321.56	18.70	302.86	0.00	NS	NS	NS	NS	NS	NS
MW4	03/21/07	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	06/19/07	321.56	27.17	294.39	0.00	NS	NS	NS	NS	NS	NS
MW4	06/20/07	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	09/18/07	321.56	26.60	294.96	0.00	<0.50	<0.50	<0.50	0.51	<50.0	<0.500f
MW4	12/26/07	321.56	20.34	301.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/07	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW4	03/26/08	321.56	21.45	300.11	0.00	NS	NS	NS	NS	NS	NS
MW4	03/27/08	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW4	06/25/08	321.56	27.55	294.01	0.00	NS	NS	NS	NS	NS	NS
MW4	06/26/08	321.56	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW4	09/17/08	321.56	32.44	289.12	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW4	12/22/08*	321.56	29.69	291.87	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5D	05/25/88	321.79	38.55	283.24	0.00	<0.5	3.1	<0.5	<0.5	<20	NA
MW5D	06/06/88	321.79	38.90	282.89	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/23/88	321.79	39.56	282.23	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/28/88	321.79	40.23	281.56	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/06/88	321.79	40.69	281.10	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/13/88	321.79	41.22	280.57	0.00	<0.5	<0.5	<0.5	<0.5	40	NA
MW5D	08/12/88	321.79	42.34	279.45	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/26/88	321.79	42.60	279.19	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/07/88	321.79	42.99	278.80	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/07/88	321.79	44.58	277.21	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/09/89 ^c	321.79	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW5D	03/08/89 ^d	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	03/08/89	321.79	42.49	279.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/03/89	321.79	42.21	279.58	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/26/89	321.79	42.36	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/30/89	321.79	44.79	277.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/17/89	321.79	45.73	276.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/18/89	321.79	45.75	276.04	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/19/89	321.79	44.89	276.90	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/20/89	321.79	46.02	275.77	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/21/89	321.79	46.18	275.61	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW5D	12/30/91	321.79	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW5D	03/02/92	321.79	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.64	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	266.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 ^e	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	11/16/94	321.79	54.36	267.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^D	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^R	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5D ^D	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D ^D	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D ^R	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D ^D	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D	06/30/99	321.79	35.90	285.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5f,h
MW5D ^R	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^D	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^D	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D ^R	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5D ^D	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47f
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	12/17/02	321.79	61.56	260.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/03	321.79	58.90	262.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/16/03	321.79	55.73	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/22/03	321.79	60.57	261.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5D	12/22/03	321.79	60.24	261.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/23/04	321.79	58.65	263.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/21/04	321.79	57.54	264.25	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	09/20/04	321.79	61.56	260.23	0.00	<0.5	6.1	0.9	6.8	<50	<0.5
MW5D	12/20/04	321.79	58.58	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/05	321.79	51.25	270.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	06/20/05	321.79	44.76	277.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	09/25/05	321.79	45.28	276.51	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/26/05	321.79	NM	NC	NM	<0.5	<0.5	<0.5	0.66	<50	<0.5f
MW5D	12/21/05	321.79	39.90	281.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5D	03/21/06	321.79	29.76	292.03	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5D	06/22/06	321.79	25.51	296.28	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	09/19/06	321.79	29.56	292.23	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	12/19/06	321.79	25.19	296.60	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/06	321.79	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	03/20/07	321.79	18.96	302.83	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	06/19/07	321.79	27.88	293.91	0.00	<0.50	<0.50	<0.50	0.65	<50.0	<0.500f
MW5D	09/18/07	321.79	26.73	295.06	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/19/07	321.79	NM	NC	NM	<0.50	<0.50	<0.50	0.52	<50.0	<0.500f
MW5D	12/26/07	321.79	20.60	301.19	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	03/26/08	321.79	21.78	300.01	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5D	06/25/08	321.79	28.20	293.59	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5D	09/17/08	321.79	33.09	288.70	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5D	12/22/08	321.79	29.92	291.87	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 ^b	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 ^a	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 ^a	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 ^e	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	12/17/02	320.52	53.67	266.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	03/28/03	320.52	53.60	266.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/16/03	320.52	53.49	NC	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/22/03	320.52	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW5S	12/22/03	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/23/04	320.52	53.61	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/21/04	320.52	53.57	266.95	0.00	<0.5	1.0	<0.5	1.4	<50	<0.5f
MW5S ^j	09/20/04	320.52	53.80	266.72	0.00	<0.5	2.2	<0.5	2.2	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW5S ^j	12/20/04	320.52	53.79	266.73	0.00	<0.5	0.8	<0.5	1.0	<50	<0.5
MW5S	03/28/05	320.52	51.76	268.76	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	06/20/05	320.52	44.50	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW5S	09/25/05	320.52	44.97	275.55	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/26/05	320.52	NM	NC	NM	<0.5	<0.5	<0.5	0.52	<50	<0.5f
MW5S	12/21/05	320.52	39.83	280.69	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW5S	03/21/06	320.52	29.57	290.95	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5S	06/22/06	320.52	25.26	295.26	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	09/19/06	320.52	29.31	291.21	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	12/19/06	320.52	25.01	295.51	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/06	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	03/20/07	320.52	18.77	301.75	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	06/19/07	320.52	27.25	293.27	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	09/18/07	320.52	26.54	293.98	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/19/07	320.52	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	12/26/07	320.52	20.50	300.02	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	03/26/08	320.52	21.47	299.05	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW5S	06/25/08	320.52	27.49	293.03	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5S	09/17/08	320.52	32.55	287.97	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW5S	12/22/08	320.52	29.71	290.81	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88		Well destroyed.								
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW7	07/22/88	321.27	41.85 ^a	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 ^a	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 ^a	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW7	01/09/90	321.27	57.57 ^a	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 ^a	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 ^a	266.01	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 ^a	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 ^a	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 ^a	263.87	0.00	NS	NS	NS	NS	NS	NS
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.33	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 ^e	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7f
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0f
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88f
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17f
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40f
MW7	09/16/02	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/17/02	321.27	54.17	267.10	0.00	NS	NS	NS	NS	NS	NS
MW7	03/28/03	321.27	54.45	266.82	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/16/03	321.27	53.33	267.94	0.00	--	--	--	--	--	--
MW7	06/17/03	321.27	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	09/22/03	321.27	54.57	266.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	12/22/03	321.27	54.70	266.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	03/23/04	321.27	54.36	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/21/04	321.27	53.92	267.35	0.00	NS	NS	NS	NS	NS	NS
MW7	06/22/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	09/20/04	321.27	55.09	266.18	0.00	NS	NS	NS	NS	NS	NS
MW7	09/21/04	321.27	NM	NC	NM	<0.5	2.1	<0.5	3.6	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW7	12/20/04	321.27	54.53	266.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	03/28/05	321.27	51.50	269.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	06/20/05	321.27	44.30	276.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	09/25/05	321.27	44.83	276.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	12/21/05	321.27	39.65	281.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW7	03/21/06	321.27	29.40	291.87	0.00	NS	NS	NS	NS	NS	NS
MW7	03/22/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW7	06/22/06	321.27	25.06	296.21	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW7	09/19/06	321.27	29.08	292.19	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW7	12/19/06	321.27	24.66	296.61	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	3.14f
MW7	03/20/07	321.27	18.39	302.88	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	6.81f
MW7	06/19/07	321.27	26.79	294.48	0.00	1.14	<0.50	<0.50	<0.50	<50.0	15.3f
MW7	09/18/07	321.27	26.11	295.16	0.00	NS	NS	NS	NS	NS	NS
MW7	09/19/07	321.27	NM	NC	NM	<0.50	<0.50	<0.50	0.51	<50.0	7.14f
MW7	12/26/07	321.27	20.22	301.05	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	9.76f
MW7	03/26/08	321.27	21.05	300.22	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	10.2f
MW7	06/25/08	321.27	27.20	294.07	0.00	<0.50	<0.50	<0.50	<0.50	<50	6.0f
MW7	09/17/08*	321.27	32.10	289.17	0.00	<0.50	<0.50	<0.50	<0.50	<50	2.1f
MW7	12/22/08	321.27	29.40	291.87	0.00	0.87	<0.50	<0.50	<0.50	<50	4.8f
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 ^a	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	254.33	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	257.18	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/01/94 ^c	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^R	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2f
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW8 ^D	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW8 ^R	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0f
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^D	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^R	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18f,h
MW8 ^R	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672f
MW8 ^D	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659f
MW8 ^R	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777f
MW8 ^D	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776f
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8 ^D	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8 ^R	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5f
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1f
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2f
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00f
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	12/17/02	321.86	67.76	254.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/03	321.86	62.40	259.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/16/03	321.86	62.99	258.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/22/03	321.86	74.94	246.92	0.00	<0.5	2.4	<0.5	1.1	<50	<0.5
MW8	12/22/03	321.86	67.09	254.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW8	03/23/04	321.86	68.27	253.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.6/0.60f
MW8	06/21/04	321.86	62.18	259.68	0.00	NS	NS	NS	NS	NS	NS
MW8	06/22/04	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.80f
MW8	09/20/04	321.86	69.10	252.76	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/04	321.86	58.62	263.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/05	321.86	50.40	271.46	0.00	NS	NS	NS	NS	NS	NS
MW8	03/29/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	06/20/05	321.86	45.30	276.56	0.00	NS	NS	NS	NS	NS	NS
MW8	06/21/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.70f
MW8	09/25/05	321.86	46.46	275.40	0.00	NS	NS	NS	NS	NS	NS
MW8	09/26/05	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW8	12/21/05	321.86	39.15	282.71	0.00	<0.5	<0.5	<0.5	0.78	<50	<0.5f
MW8	03/21/06	321.86	29.10	292.76	0.00	NS	NS	NS	NS	NS	NS
MW8	03/22/06	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW8	06/22/06	321.86	26.65	295.21	0.00	NS	NS	NS	NS	NS	NS
MW8	06/23/06	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	09/19/06	321.86	30.68	291.18	0.00	NS	NS	NS	NS	NS	NS
MW8	09/20/06	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	12/19/06	321.86	26.28	295.58	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/06	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	03/20/07	321.86	19.36	302.50	0.00	NS	NS	NS	NS	NS	NS
MW8	03/21/07	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	09/18/07	321.86	27.54	294.32	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	12/26/07	321.86	20.82	301.04	0.00	NS	NS	NS	NS	NS	NS
MW8	12/27/07	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	03/26/08	321.86	22.63	299.23	0.00	NS	NS	NS	NS	NS	NS
MW8	03/27/08	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW8	06/25/08	321.86	38.11	283.75	0.00	NS	NS	NS	NS	NS	NS
MW8	06/26/08	321.86	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW8	09/17/08	321.86	39.56	282.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW8	12/22/08*	321.86	30.15	291.71	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 ^a	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 ^a	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100f
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9f
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950f
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81f,h
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5f
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 ⁱ	1.06	<0.5	1.17	<50	3.92f
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 ⁱ	380/380 ⁱ	<5.0/<5.0 ⁱ	2,190/2,170 ⁱ	7,300	4,300f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300f
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488f
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2f
MW9	11/03/00	Well destroyed									
MW9A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5f
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	03/28/03	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	06/16/03	321.27	56.17	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/22/03	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/22/03	321.27	56.28	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/23/04	321.27	56.42	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/21/04	321.27	56.33	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/20/04	321.27	56.45	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/20/04	321.27	56.50	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/28/05	321.27	51.12	270.15	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/29/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.00f
MW9A	06/20/05	321.27	44.03	277.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.60f
MW9A	09/25/05	321.27	44.44	276.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW9A	12/21/05	321.27	39.42	281.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW9A	03/21/06	321.27	29.40	291.87	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/22/06	321.27	NM	NC	NM	22	9.0	26	56	420	230f
MW9A	06/22/06	321.27	24.90	296.37	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/23/06	321.27	NM	NC	NM	15.6	6.51	16.2	27.7	456	266f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW9A	09/19/06	321.27	29.79	291.48	0.00	<0.50	<0.50	2.55	2.45	94.9	70.4f
MW9A	12/19/06	321.27	24.65	296.62	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/20/06	321.27	NM	NC	NM	15.7	2.21	18.3	12.9	780	695f
MW9A	03/20/07	321.27	18.25	303.02	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/21/07	321.27	NM	NC	NM	11.2	2.22	11.4	8.34	212	193f
MW9A	06/19/07	321.27	27.05	294.22	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/20/07	321.27	NM	NC	NM	1.18	<0.50	0.56	1.29	68.9	55.6f
MW9A	09/18/07	321.27	26.41	294.86	0.00	0.98	<0.50	<0.50	1.16	91.3	50.8f
MW9A	12/26/07	321.27	22.05	299.22	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/27/07	321.27	NM	NC	NM	0.57	<0.50	<0.50	0.71	55.2	64.4f
MW9A	03/26/08	321.27	22.96	298.31	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/27/08	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	54.1f
MW9A	06/25/08	321.27	27.13	294.14	0.00	<0.50	<0.50	<0.50	0.53	<50	73f
MW9A	09/17/08*	321.27	32.40	288.87	0.00	<0.50	<0.50	<0.50	<0.50	<50	64f
MW9A	12/22/08*	321.27	31.21	290.06	0.00	3.7	<0.50	<0.50	1.6	79	80f
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 ^a	272.32	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 ^a	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 ^c	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30f
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0f
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39f
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/17/02	322.99	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW10	03/28/03	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	06/16/03	322.99	56.89	266.10	0.00	--	--	--	--	--	--
MW10	06/17/03	322.99	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/22/03	322.99	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/22/03	322.99	58.10	264.89	0.00	NS	NS	NS	NS	NS	NS
MW10	03/23/04	322.99	57.60	265.39	0.00	NS	NS	NS	NS	NS	NS
MW10	06/21/04	322.99	57.72	265.27	0.00	NS	NS	NS	NS	NS	NS
MW10	09/20/04	322.99	58.26	264.73	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/04	322.99	57.94	265.05	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW10	03/28/05	322.99	53.31	269.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	06/20/05	322.99	47.93	275.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	09/25/05	322.99	46.50	276.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW10	12/21/05	322.99	41.24	281.75	0.00	<0.5	<0.5	<0.5	0.76	<50	<0.5f
MW10	03/21/06	322.99	31.29	291.70	0.00	NS	NS	NS	NS	NS	NS
MW10	03/22/06	322.99	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW10	06/22/06	322.99	26.68	296.31	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	09/19/06	322.99	30.74	292.25	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	12/19/06	322.99	26.28	296.71	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	03/20/07	322.99	20.16	302.83	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	06/19/07	322.99	28.52	294.47	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	09/18/07	322.99	28.15	294.84	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	12/26/07	322.99	21.87	301.12	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	03/26/08	322.99	22.77	300.22	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW10	06/25/08	322.99	28.87	294.12	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW10	09/17/08	322.99	33.78	289.21	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW10	12/22/08	322.99	31.10	291.89	0.00	<0.50	<0.50	<0.50	<0.50	<50	49f
MW11	11/10/89	321.77	50.64	271.13	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	271.26	0.00	NS	NS	NS	NS	NS	NS
MW11	12/20/89	321.77	51.47	270.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	272.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	272.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 ^a	272.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	272.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 ^a	272.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	272.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	271.47	0.00	NS	NS	NS	NS	NS	NS
MW11	06/11/90	321.77	51.16	270.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	268.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	268.51	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW11	06/20/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/91	321.77	53.95	267.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	268.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	268.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	268.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	268.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	10/07/92	321.77	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	Dry	Dry	NM	NS	NS	NS	NS	NS	NS
MW11	12/10/92	321.77	53.59	268.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	268.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	268.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	08/15/93	321.77	53.55	268.22	0.00	NS	NS	NS	NS	NS	NS
MW11	09/29/93	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/98	321.77	32.86	288.91	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64f
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93f
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0f
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71f
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0f
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70f
MW11	03/28/03	321.73	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW11	06/16/03	321.73	53.63	NC	0.00	NS	NS	NS	NS	NS	NS
MW11	09/22/03	321.73	Dry	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/22/03	321.73	53.67	NC	0.00	NS	NS	NS	NS	NS	NS
MW11 ^j	03/23/04	321.73	53.64	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/21/04	321.73	53.57	268.16	0.00	<0.5	<0.5	<0.5	2.4	<50	0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW11	09/20/04	321.73	53.11	268.62	0.00	NS	NS	NS	NS	NS	NS
MW11 ^j	12/20/04	321.73	53.45	268.28	0.00	<0.5	3.6	<0.5	1.2	<50	<0.5
MW11	03/28/05	321.73	51.92	269.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	06/20/05	321.73	44.65	277.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	09/25/05	321.73	45.19	276.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	12/21/05	321.73	39.98	281.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW11	03/21/06	321.73	29.69	292.04	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW11	06/22/06	321.73	25.38	296.35	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	09/19/06	321.73	29.41	292.32	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	12/19/06	321.73	25.05	296.68	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	03/20/07	321.73	18.85	302.88	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	06/19/07	321.73	27.26	294.47	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	09/18/07	321.73	26.78	294.95	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	12/26/07	321.73	20.54	301.19	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	03/26/08	321.73	21.50	300.23	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW11	06/25/08	321.73	27.60	294.13	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW11	09/17/08*	321.73	32.57	289.16	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW11	12/22/08	321.73	29.81	291.92	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW12	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12	08/30/00	Well destroyed.									
MW12A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0f
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	12/17/02	322.62	68.54	254.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/03	322.62	62.78	259.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/16/03	322.62	63.85	258.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW12A ¹	09/22/03	322.62	76.30	246.32	0.00	<0.5	2.3	<0.5	1.9	<50	<0.5
MW12A	12/22/03	322.62	88.71	233.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/23/04	322.62	68.16	254.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/21/04	322.62	63.12	259.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	09/20/04	322.62	70.15	252.47	0.00	<0.5	4.2	0.6	4.9	<50	<0.5
MW12A	12/20/04	322.62	59.00	263.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/05	322.62	51.18	271.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	06/20/05	322.62	45.99	276.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	09/25/05	322.62	47.00	275.62	0.00	NS	NS	NS	NS	NS	NS
MW12A	09/26/05	322.62	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW12A	12/21/05	322.62	39.84	282.78	0.00	<0.5	0.69	<0.5	1.34	<50	<0.5f
MW12A	03/21/06	322.62	30.73	291.89	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW12A	06/22/06	322.62	27.28	295.34	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	09/19/06	322.62	31.14	291.48	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	12/19/06	322.62	26.18	296.44	0.00	NS	NS	NS	NS	NS	NS
MW12A	12/20/06	322.62	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	03/20/07	322.62	20.11	302.51	0.00	NS	NS	NS	NS	NS	NS
MW12A	03/21/07	322.62	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	06/19/07	322.62	37.97	284.65	0.00	NS	NS	NS	NS	NS	NS
MW12A	06/20/07	322.62	NM	NC	NM	<0.50	<0.50	<0.50	3.90	63.4	<0.500f
MW12A	09/18/07	322.62	28.09	294.53	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	12/26/07	322.62	21.50	301.12	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	03/26/08	322.62	23.74	298.88	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW12A	06/25/08	322.62	29.91	292.71	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW12A	09/17/08	322.62	32.40	290.22	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW12A	12/22/08	322.62	30.81	291.81	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW13	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW13	09/26/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62f
MW13	12/28/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17f
MW13	03/28/01	322.62	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0f
MW13	06/25/01	322.62	48.24	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	09/26/01	322.62	56.05	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	12/17/01	322.71	56.40	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW13	06/17/02	322.71	55.38	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	12/17/02	322.71	62.05	260.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/03	322.71	59.50	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/16/03	322.71	56.33	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/22/03	322.71	60.71	262.00	0.00	<0.5	2.3	<0.5	2.0	<50	<0.5
MW13	12/22/03	322.71	60.83	261.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/23/04	322.71	59.21	263.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/21/04	322.71	57.99	264.72	0.00	<0.5	0.5	<0.5	0.9	<50	<0.5f
MW13	09/20/04	322.71	61.78	260.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	12/20/04	322.71	59.52	263.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/05	322.71	52.10	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	06/20/05	322.71	45.51	277.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	09/25/05	322.71	45.97	276.74	0.00	NS	NS	NS	NS	NS	NS
MW13	09/26/05	322.71	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW13	12/21/05	322.71	40.70	282.01	0.00	<0.5	0.97	<0.5	0.80	<50	<0.5f
MW13	03/21/06	322.71	31.51	291.20	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW13	06/22/06	322.71	26.16	296.55	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	09/19/06	322.71	30.24	292.47	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	12/19/06	322.71	25.89	296.82	0.00	NS	NS	NS	NS	NS	NS
MW13	12/20/06	322.71	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	06/19/07	322.71	28.75	293.96	0.00	NS	NS	NS	NS	NS	NS
MW13	06/20/07	322.71	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	09/18/07	322.71	27.52	295.19	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	12/26/07	322.71	21.31	301.40	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	03/26/08	322.71	22.45	300.26	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW13	06/25/08	322.71	28.68	294.03	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW13	09/17/08	322.71	33.61	289.10	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW13	12/22/08	322.71	30.65	292.06	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW14	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW14	09/26/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
MW14	12/28/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2f
MW14	03/28/01	321.16	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0f
MW14	06/25/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
MW14	09/26/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	12/17/01	321.24	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	03/18/02	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	57.51	263.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	12/17/02	321.24	67.05	254.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/03	321.24	61.70	259.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/16/03	321.24	62.34	258.90	0.00	--	--	--	--	--	--
MW14	06/17/03	321.24	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14 ¹	09/22/03	321.24	74.50	246.74	0.00	<0.5	0.9	<0.5	0.8	<50	<0.5
MW14	12/22/03	321.24	66.61	254.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/23/04	321.24	66.91	254.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/21/04	321.24	61.18	260.06	0.00	<0.5	0.6	<0.5	0.8	<50	<0.5f
MW14	09/20/04	321.24	68.51	252.73	0.00	NS	NS	NS	NS	NS	NS
MW14	09/21/04	321.24	NM	NC	NM	<0.5	5.0	0.7	5.9	<50	<0.5
MW14	12/20/04	321.24	57.61	263.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/05	321.24	49.81	271.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	06/20/05	321.24	44.62	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	09/25/05	321.24	45.77	275.47	0.00	NS	NS	NS	NS	NS	NS
MW14	09/26/05	321.24	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
MW14	12/21/05	321.24	38.37	282.87	0.00	<0.5	<0.5	<0.5	0.75	<50	<0.5f
MW14	03/21/06	321.24	29.36	291.88	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW14	06/22/06	321.24	25.95	295.29	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	09/19/06	321.24	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW14	12/19/06	321.24	24.84	296.40	0.00	NS	NS	NS	NS	NS	NS
MW14	12/20/06	321.24	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	03/20/07	321.24	18.82	302.42	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	06/19/07	321.24	36.56	284.68	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	09/18/07	321.24	27.40	293.84	0.00	NS	NS	NS	NS	NS	NS
MW14	09/19/07	321.24	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	12/26/07	321.24	20.18	301.06	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	03/26/08	321.24	22.40	298.84	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
MW14	06/25/08	321.24	37.57	283.67	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW14	09/17/08	321.24	39.39	281.85	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
MW14	12/22/08	321.24	29.47	291.77	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810f
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000f
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800f
OW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530f
OW1	09/26/00	322.45	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97f
OW1	06/25/01	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220f
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0f
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5f
OW1	06/17/02	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/16/02	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/17/02	321.44	9.24	312.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1/4.80f
OW1	03/28/03	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	06/16/03	321.44	11.40	NC	0.00	NS	NS	NS	NS	NS	NS
OW1	09/22/03	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/22/03	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW1	03/23/04	321.44	10.56	310.88	0.00	NS	NS	NS	NS	NS	NS
OW1	06/21/04	321.44	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/20/04	321.44	10.69	310.75	0.00	NS	NS	NS	NS	NS	NS
OW1	12/20/04	321.44	10.66	310.78	0.00	NS	NS	NS	NS	NS	NS
OW1	03/28/05	321.44	8.50	312.94	0.00	NS	NS	NS	NS	NS	NS
OW1	03/29/05	321.44	NM	NC	NM	<0.5	0.6	<0.5	<0.5	<50	<0.5f
OW1	06/20/05	321.44	10.44	311.00	0.00	NS	NS	NS	NS	NS	NS
OW1	06/21/05	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW1	09/25/05	321.44	10.51	310.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW1	12/21/05	321.44	10.35	311.09	0.00	<0.5	0.86	<0.5	0.54	<50	<0.5f
OW1	03/21/06	321.44	9.01	312.43	0.00	NS	NS	NS	NS	NS	NS
OW1	03/22/06	321.44	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
OW1	06/22/06	321.44	9.49	311.95	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	0.560f
OW1	09/19/06	321.44	10.43	311.01	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW1	12/19/06	321.44	9.81	311.63	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
OW1	12/20/06	321.44	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW1	03/20/07	321.44	9.90	311.54	0.00	NS	NS	NS	NS	NS	NS
OW1	03/21/07	321.44	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW1	06/19/07	321.44	9.74	311.70	0.00	NS	NS	NS	NS	NS	NS
OW1	06/20/07	321.44	NM	NC	NM	62.0	132	7.61	40.9	763	<0.500f
OW1	09/18/07	321.44	10.42	311.02	0.00	NS	NS	NS	NS	NS	NS
OW1	09/19/07	321.44	NM	NC	NM	8.34	1.36	<0.50	3.54	153	0.580f
OW1	12/26/07	321.44	9.93	311.51	0.00	NS	NS	NS	NS	NS	NS
OW1	12/27/07	321.44	NM	NC	NM	199	59.4	<0.50	74.5	1,180	1.42f
OW1	03/26/08	321.44	9.76	311.68	0.00	NS	NS	NS	NS	NS	NS
OW1	03/27/08	321.44	NM	NC	NM	27.8	96.3	2.06	66.1	624	<0.500f
OW1	06/25/08	321.44	10.01	311.43	0.00	<0.50	0.65	<0.50	0.78	<50	<0.50f
OW1	09/17/08	321.44	10.95	310.49	0.00	10	2.8	<0.50	5.1	97	3.4f
OW1	12/22/08*	321.44	9.40	312.04	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 ^b	177,000f
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000f
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400f
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690f
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520f
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650f
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000f
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130f
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630f
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720f
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800f
OW2	09/16/02	321.55	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/17/02	321.55	6.14	315.41	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.3/5.00f
OW2	03/28/03	321.55	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/16/03	321.55	12.08	309.47	0.00	--	--	--	--	--	--
OW2 ^j	06/17/03	321.55	--	--	--	<0.5	<0.5	<0.5	<0.5	587	552/575f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
OW2	09/22/03	321.55	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/22/03	321.55	9.46	312.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	50.2/59.6f
OW2	03/23/04	321.55	10.42	311.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.4/3.70f
OW2	06/21/04	321.55	Dry	NC	NM	NS	NS	NS	NS	NS	NS
OW2	09/20/04	321.55	12.22	309.33	0.00	NS	NS	NS	NS	NS	NS
OW2	12/20/04	321.55	10.50	311.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW2	03/28/05	321.55	8.25	313.30	0.00	NS	NS	NS	NS	NS	NS
OW2	03/29/05	321.55	NM	NC	NM	<0.5	<0.5	<0.5	0.6	<50	8.50f
OW2	06/20/05	321.55	10.31	311.24	0.00	NS	NS	NS	NS	NS	NS
OW2	06/21/05	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW2	09/25/05	321.55	10.40	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
OW2	12/21/05	321.55	10.24	311.31	0.00	<0.5	<0.5	<0.5	0.82	<50	<0.5f
OW2	03/21/06	321.55	8.87	312.68	0.00	NS	NS	NS	NS	NS	NS
OW2	03/22/06	321.55	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	2.5f
OW2	06/22/06	321.55	9.75	311.80	0.00	NS	NS	NS	NS	NS	NS
OW2	06/23/06	321.55	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	0.650f
OW2	09/19/06	321.55	10.21	311.34	0.00	NS	NS	NS	NS	NS	NS
OW2	09/20/06	321.55	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW2	12/19/06	321.55	9.67	311.88	0.00	NS	NS	NS	NS	NS	NS
OW2	12/20/06	321.55	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW2	03/20/07	321.55	9.73	311.82	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
OW2	06/19/07	321.55	9.63	311.92	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	1.15f
OW2	09/18/07	321.55	10.35	311.20	0.00	<0.50	<0.50	<0.50	0.60	<50.0	3.24f
OW2	12/26/07	321.55	9.80	311.75	0.00	147	8.36	<0.50	9.09	707	4.81f
OW2	03/26/08	321.55	9.61	311.94	0.00	71.4	1.48	1.00	11	659	1.25f,l
OW2	06/25/08	321.55	9.85	311.70	0.00	1.7	<0.50	<0.50	<0.50	<50	4.2f
OW2	09/17/08	321.55	11.92	309.63	0.00	1.4	<0.50	<0.50	<0.50	<50	1.9f
OW2	12/22/08	321.55	9.33	312.22	0.00	<0.50	<0.50	<0.50	<0.50	<50	0.60f
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1f
PMW1	09/26/00	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethylbenzene	Total Xylenes	TPH-g	MTBE
PMW1	03/28/01	322.74	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS
PMW1	12/17/01	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/16/02	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/17/02	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/03	322.75	13.25	309.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/16/03	322.75	13.90	308.85	0.00	--	--	--	--	--	--
PMW1	06/17/03	322.75	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	0.6/<0.5f
PMW1	09/22/03	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/22/03	322.75	12.69	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	03/23/04	322.75	13.42	309.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/21/04	322.75	15.35	307.40	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/20/04	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/20/04	322.75	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/05	322.75	14.67	308.08	0.00	NS	NS	NS	NS	NS	NS
PMW1	06/20/05	322.75	12.05	310.70	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/25/05	322.75	11.47	311.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW1	12/21/05	322.75	11.82	310.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW1	03/21/06	322.75	12.55	310.20	0.00	NS	NS	NS	NS	NS	NS
PMW1	03/22/06	322.75	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW1	06/22/06	322.75	11.29	311.46	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	09/19/06	322.75	11.61	311.14	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	12/19/06	322.75	11.99	310.76	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f,k
PMW1	03/20/07	322.75	13.89	308.86	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	06/19/07	322.75	11.40	311.35	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	09/18/07	322.75	12.05	310.70	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	12/26/07	322.75	13.50	309.25	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	03/26/08	322.75	12.25	310.50	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW1	06/25/08	322.75	12.37	310.38	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW1	09/17/08	322.75	13.90	308.85	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW1	12/22/08	322.75	11.93	310.82	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720f
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570f
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157f
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234f
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284f
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7f
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46f
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10f
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8f
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30f
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW2	12/17/02	322.37	14.14	308.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.5/<0.5f
PMW2	03/28/03	322.37	13.05	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.4/6.50f
PMW2	06/16/03	322.37	13.89	308.48	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/22/03	322.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW2	12/22/03	322.37	10.86	311.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW2	03/23/04	322.37	11.33	311.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.0/11.2f
PMW2	06/21/04	322.37	14.09	308.28	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/22/04	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	2.70f
PMW2	09/20/04	322.37	15.39	306.98	0.00	NS	NS	NS	NS	NS	NS
PMW2	12/20/04	322.37	14.93	307.44	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/28/05	322.37	9.62	312.75	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/29/05	322.37	NM	NC	NM	<0.5	0.9	<0.5	1.4	<50	7.50f
PMW2	06/20/05	322.37	11.10	311.27	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/21/05	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW2	09/25/05	322.37	12.11	310.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	29.7f
PMW2	12/21/05	322.37	13.52	308.85	0.00	<0.5	<0.5	<0.5	0.72	<50	7.78f
PMW2	03/21/06	322.37	14.37	308.00	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/22/06	322.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW2	06/22/06	322.37	11.74	310.63	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/23/06	322.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	0.940f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW2	09/19/06	322.37	10.93	311.44	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/20/06	322.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	6.12f
PMW2	12/19/06	322.37	10.56	311.81	0.00	NS	NS	NS	NS	NS	NS
PMW2	12/20/06	322.37	NM	NC	NM	<0.50	1.08	<0.50	<0.50	<50.0	2.21f
PMW2	03/20/07	322.37	10.53	311.84	0.00	<0.50	0.64	<0.50	<0.50	<50.0	9.41f
PMW2	06/19/07	322.37	10.39	311.98	0.00	<0.50	0.64	<0.50	<0.50	<50.0	0.720f
PMW2	09/18/07	322.37	11.18	311.19	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	0.840f
PMW2	12/26/07	322.37	10.72	311.65	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	1.88f
PMW2	03/26/08	322.37	10.30	312.07	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW2	06/25/08	322.37	11.24	311.13	0.00	<0.50	<0.50	<0.50	<0.50	<50	0.78f
PMW2	09/17/08	322.37	13.10	309.27	0.00	<0.50	<0.50	<0.50	<0.50	<50	8.4f
PMW2	12/22/08	322.37	13.10	309.27	0.00	<0.50	<0.50	<0.50	<0.50	<50	1.5f
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310f
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5f
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6f
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2f
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08f
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7f
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	09/16/02	321.27	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/17/02	321.27	7.76	313.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/03	321.27	11.00	310.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/16/03	321.27	10.76	310.51	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/22/03	321.27	10.17	311.10	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/22/03	321.27	9.11	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/23/04	321.27	10.27	311.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/21/04	321.27	10.94	310.33	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/22/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW3	09/20/04	321.27	10.44	310.83	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/21/04	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	1.5/1.30f
PMW3	12/20/04	321.27	10.61	310.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/05	321.27	8.36	312.91	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/29/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	06/20/05	321.27	10.09	311.18	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/21/05	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	09/25/05	321.27	10.08	311.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW3	12/21/05	321.27	10.20	311.07	0.00	<0.5	0.89	<0.5	0.80	<50	3.67f
PMW3	03/21/06	321.27	11.01	310.26	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/22/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	≤0.50f
PMW3	06/22/06	321.27	9.79	311.48	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW3	09/19/06	321.27	10.15	311.12	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW3	12/19/06	321.27	9.77	311.50	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/20/06	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	1.02f
PMW3	03/20/07	321.27	9.75	311.52	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/21/07	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500
PMW3	06/19/07	321.27	9.30	311.97	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/20/07	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW3	09/18/07	321.27	10.08	311.19	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/19/07	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	0.700f
PMW3	12/26/07	321.27	9.93	311.34	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/27/07	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	1.03f
PMW3	03/26/08	321.27	9.66	311.61	0.00	NS	NS	NS	NS	NS	NS
PMW3	03/27/08	321.27	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW3	06/25/08	321.27	8.58	312.69	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW3	09/17/08*	321.27	12.45	308.82	0.00	<0.50	<0.50	<0.50	<0.50	<50	1.2f
PMW3	12/22/08*	321.27	8.31	312.96	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27f
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73f
PMW4	09/26/00	321.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11f
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/17/02	321.37	15.22	306.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	03/28/03	321.37	14.95	306.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/16/03	321.37	14.80	NC	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/22/03	321.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/22/03	321.37	15.28	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/23/04	321.37	14.40	306.97	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/21/04	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/22/04	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW4	09/20/04	321.37	15.50	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/21/04	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	12/20/04	321.37	13.52	307.85	0.00	<0.5	0.7	<0.5	0.7	<50	<0.5
PMW4	03/28/05	321.37	10.30	311.07	0.00	<0.5	0.5	<0.5	<0.5	<50	<0.5f
PMW4	06/20/05	321.37	12.91	308.46	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/21/05	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5f
PMW4	09/25/05	321.37	14.55	306.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/21/05	321.37	13.37	308.00	0.00	<0.5	1.17	<0.5	1.83	<50	<0.5f
PMW4	03/21/06	321.37	14.12	307.25	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/22/06	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW4	06/22/06	321.37	11.39	309.98	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW4	09/19/06	321.37	13.22	308.15	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW4	12/19/06	321.37	13.22	308.15	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/20/06	321.37	NM	NC	NM	<0.50	1.13	<0.50	<0.50	<50.0	<0.500f
PMW4	03/20/07	321.37	12.27	309.10	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/21/07	321.37	NM	NC	NM	<0.50	0.84	<0.50	<0.50	<50.0	<0.500f
PMW4	06/19/07	321.37	11.57	309.80	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/20/07	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW4	09/18/07	321.37	12.50	308.87	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW4	12/26/07	321.37	13.08	308.29	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/27/07	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW4	03/26/08	321.37	10.51	310.86	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/27/08	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW4	06/25/08	321.37	13.20	308.17	0.00	NS	NS	NS	NS	NS	NS
PMW4	06/26/08	321.37	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
PMW4	09/17/08	321.37	15.40	305.97	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/22/08	321.37	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810f
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890f
PMW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629f
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743f
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919f
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304f
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560f
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440f
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94f
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35f
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226f
PMW5	09/16/02	320.04	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/17/02	320.04	13.05	306.99	0.00	1.2	<0.5	<0.5	<0.5	172	228/192f
PMW5	03/28/03	320.04	14.95	305.09	0.00	0.80	<0.5	<0.5	<0.5	192	234/244f
PMW5	06/16/03	320.04	12.94	307.10	0.00	NS	NS	NS	NS	NS	NS
PMW5	09/22/03	320.04	14.10	305.94	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/03	320.04	13.55	306.49	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/23/04	320.04	10.85	309.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	34.7/34.5f
PMW5	06/21/04	320.04	13.25	306.79	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/22/04	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	18.8f
PMW5	09/20/04	320.04	13.95	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW5 ^j	09/21/04	320.04	NM	NC	NM	<0.5	5.7	0.9	6.8	<50	<0.5
PMW5 ^j	12/20/04	320.04	13.89	306.15	0.00	<0.5	1.1	<0.5	1.4	<50	1.2/1.47f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW5	03/28/05	320.04	9.98	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	34.0f
PMW5	06/20/05	320.04	10.40	309.64	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/21/05	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	46.0f
PMW5	09/25/05	320.04	12.24	307.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	70.1f
PMW5	12/21/05	320.04	13.29	306.75	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/21/06	320.04	14.03	306.01	0.00	NS	NS	NS	NS	NS	NS
PMW5 ^j	03/22/06	320.04	NM	NC	NM	<0.50	0.84	<0.50	<0.50	<50	1.5f
PMW5	06/22/06	320.04	9.02	311.02	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/23/06	320.04	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	109	40.6f
PMW5	09/19/06	320.04	10.96	309.08	0.00	NS	NS	NS	NS	NS	NS
PMW5	09/20/06	320.04	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	27.1f
PMW5	12/19/06	320.04	10.38	309.66	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/20/06	320.04	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	32.0f
PMW5	03/20/07	320.04	9.79	310.25	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/21/07	320.04	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	1.05f
PMW5	06/19/07	320.04	10.01	310.03	0.00	<0.50	1.26	<0.50	<0.50	<50.0	25.3f
PMW5	09/18/07	320.04	10.72	309.32	0.00	<0.50	2.53	<0.50	<0.50	<50.0	23.2f
PMW5	12/26/07	320.04	10.51	309.53	0.00	<0.50	<0.50	<0.50	<0.50	67.7	15.8f
PMW5	03/26/08	320.04	8.80	311.24	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	15.2f
PMW5	06/25/08	320.04	10.69	309.35	0.00	<0.50	<0.50	<0.50	<0.50	<50	25f
PMW5	09/17/08	320.04	13.00	307.04	0.00	<0.50	<0.50	<0.50	<0.50	<50	37f
PMW5	12/22/08	320.04	13.35	306.69	0.00	<0.50	<0.50	<0.50	<0.50	<50	4.0f
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW6	06/28/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/28/00	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
PMW6	09/16/02	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/17/02	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/03	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/16/03	321.38	14.88	NC	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/22/03	321.38	Dry	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/22/03	321.38	15.48	305.90	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/23/04	321.38	14.39	306.99	0.00	0.50	<0.5	<0.5	<0.5	<50	<0.5
PMW6	06/21/04	321.38	15.45	305.93	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/22/04	321.38	NM	NC	NM	<0.5	0.6	<0.5	0.8	<50	<0.5f
PMW6	09/20/04	321.38	15.57	305.81	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/20/04	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/28/05	321.38	14.44	306.94	0.00	<0.5	0.7	<0.5	0.9	<50	<0.5f
PMW6	06/20/05	321.38	14.67	306.71	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/25/05	321.38	15.36	306.02	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/21/05	321.38	15.32	306.06	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/21/06	321.38	14.43	306.95	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/22/06	321.38	NM	NC	NM	<0.50	<0.50	<0.50	0.79	<50	<0.50f
PMW6	06/22/06	321.38	14.59	306.79	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW6	09/19/06	321.38	15.43	305.95	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW6	12/19/06	321.38	15.21	306.17	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/20/06	321.38	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW6	03/20/07	321.38	15.44	305.94	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW6	06/19/07	321.38	15.61	305.77	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/18/07	321.38	15.75	305.63	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/26/07	321.38	15.78	305.60	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/26/08	321.38	13.56	307.82	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
PMW6	06/25/08	321.38	15.47	305.91	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/17/08	321.38	15.54	305.84	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/22/08	321.38	12.71	308.67	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50f
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31f,h
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49f
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94f
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500f
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370f
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387f
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200f
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9f
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130f
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39f
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450f
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160f
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175f
VR1	12/17/02	321.00	24.25	296.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.3/2.50f
VR1	03/28/03	321.00	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR1	06/16/03	321.00	25.85	295.15	0.00	--	--	--	--	--	--
VR1	06/17/03	321.00	--	--	--	<0.5	<0.5	<0.5	<0.5	90.2	42.8/34.8f
VR1	09/22/03	321.00	28.07	292.93	0.00	<0.5	0.5	<0.5	<0.5	78.1	80.7/85.6f
VR1	12/22/03	321.00	24.86	296.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	42.5/42.1f
VR1	03/23/04	321.00	25.86	295.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.7/4.70f
VR1	06/21/04	321.00	27.73	293.27	0.00	NS	NS	NS	NS	NS	NS
VR1	06/22/04	321.00	NM	NC	NM	2.20	2.6	8.6	77.4	988	43.3f
VR1	09/20/04	321.00	27.86	293.14	0.00	NS	NS	NS	NS	NS	NS
VR1	12/20/04	321.00	26.73	294.27	0.00	<0.5	0.5	1.4	14.1	93.3	5.6/6.60f
VR1	03/28/05	321.00	24.87	296.13	0.00	NS	NS	NS	NS	NS	NS
VR1	03/29/05	321.00	NM	NC	NM	<0.5	<0.5	0.6	7.3	50.4	2.30f
VR1	06/20/05	321.00	25.88	295.12	0.00	<0.5	<0.5	<0.5	3.6	<50	6.30f
VR1	09/25/05	321.00	23.65	297.35	0.00	<0.5	<0.5	<0.5	0.76	<50	21.5f
VR1	12/21/05	321.00	23.82	297.18	0.00	<0.5	0.51	<0.5	2.64	<50	8.99f
VR1	03/21/06	321.00	23.44	297.56	0.00	NS	NS	NS	NS	NS	NS
VR1	03/22/06	321.00	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50	6.1f
VR1	06/22/06	321.00	9.79	311.21	0.00	NS	NS	NS	NS	NS	NS
VR1	06/23/06	321.00	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	1.36f
VR1	09/19/06	321.00	30.10	290.90	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
VR1	12/19/06	321.00	18.59	302.41	0.00	NS	NS	NS	NS	NS	NS
VR1	12/20/06	321.00	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	<0.500f
VR1	03/20/07	321.00	17.91	303.09	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	0.560f
VR1	06/19/07	321.00	24.05	296.95	0.00	<0.50	<0.50	<0.50	<0.50	<50.0	0.560f
VR1	06/20/07	321.00	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	<50.0	37.20f
VR1	09/18/07	321.00	23.99	297.01	0.00	<0.50	<0.50	<0.50	<0.50	92.3	55.0f
VR1	12/26/07	321.00	17.15	303.85	0.00	0.53	<0.50	<0.50	<0.50	149	186f
VR1	03/26/08	321.00	18.42	302.58	0.00	NS	NS	NS	NS	NS	NS
VR1	03/27/08	321.00	NM	NC	NM	7.18	0.63	2.12	0.90	<0.50	64.0f
VR1	06/25/08	321.00	24.37	296.63	0.00	<0.50	<0.50	<0.50	<0.50	<50	55f
VR1	09/17/08	321.00	27.99	293.01	0.00	<0.50	<0.50	<0.50	<0.50	<50	59f
VR1	12/22/08*	321.00	27.65	293.35	0.00	<0.50	<0.50	<0.50	<0.50	110m	150f
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160f,h
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390f
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030f
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34f
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17f
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400f
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268f
VR2	09/26/00	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6f
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98f
VR2	06/25/01	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/26/01	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/02	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/03	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/16/03	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/22/03	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/22/03	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethylbenzene	Total Xylenes	TPH-g	MTBE
VR2	03/23/04	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/21/04	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/20/04	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/20/04	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/05	320.18	Dry	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/20/05	320.18	43.06	277.12	0.00	NS	NS	NS	NS	NS	NS
VR2	09/25/05	320.18	Dry	NC	0.00	NS	NS	NS	NS	NS	NS
VR2	12/21/05	320.18	38.43	281.75	0.00	<0.5	<0.5	<0.5	0.95	<50	3.60f
VR2	03/21/06	320.18	39.44	280.74	0.00	NS	NS	NS	NS	NS	NS
VR2	03/22/06	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	830	1,500f
VR2	06/22/06	320.18	23.93	296.25	0.00	NS	NS	NS	NS	NS	NS
VR2	06/23/06	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	1,560	1,420f
VR2	09/19/06	320.18	27.32	292.86	0.00	NS	NS	NS	NS	NS	NS
VR2	09/20/06	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	2,690	1,150f
VR2	12/19/06	320.18	23.51	296.67	0.00	NS	NS	NS	NS	NS	NS
VR2	12/20/06	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	3,720	3,380f
VR2	03/20/07	320.18	17.25	302.93	0.00	NS	NS	NS	NS	NS	NS
VR2	03/21/07	320.18	NM	NC	NM	<0.50	<0.50	<0.50	<0.50	1,270	863f
VR2	06/19/07	320.18	25.74	294.44	0.00	<0.50	<0.50	<0.50	<0.50	2,120	2,630f
VR2	09/18/07	320.18	25.20	294.98	0.00	<0.50	<0.50	<0.50	<0.50	2,990	1,680f
VR2	12/26/07	320.18	19.06	301.12	0.00	<0.50	<0.50	<0.50	<0.50	1,530	1,770f
VR2	03/26/08	320.18	19.98	300.20	0.00	<0.50	<0.50	<0.50	<0.50	1,780k	2,050f
VR2	06/25/08	320.18	26.10	294.08	0.00	<0.50	<0.50	<0.50	<0.50	1,300m	2,300f
VR2	09/17/08	320.18	31.10	289.08	0.00	<0.50	<0.50	<0.50	<0.50	390m	1,900f
VR2	12/22/08	320.18	28.40	291.78	0.00	<0.50	<0.50	<0.50	<0.50	1,300m	1,700f
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380f,h
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100f
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900f
VR3	11/05/99		Well destroyed.								
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 ^g	3.96f
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6f
VR4	11/05/99		Well destroyed.								

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Concentration (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	MTBE
Notes:	TPH-g results beginning March 2002 include MTBE. Groundwater elevations adjusted for LPH, when present, using an average specific gravity of 0.75 for gasoline.										
a	Water level recorded during pumping of MW7.										
b	Anomalous water level possibly due to recharge from a perched water zone.										
c	Casing head cut to lower elevation.										
d	Casing head damaged by construction.										
e	Results obtained past the technical holding time.										
f	Analysis of MTBE by EPA Method 8260.										
g	Unidentified hydrocarbon C6-C12.										
h	Analysis performed outside of EPA recommended holding time.										
i	Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.										
j	Grab groundwater sample collected.										
k	Initial analysis within holding time. Reanalysis for the required dilution or confirmation was past holding time.										
l	Secondary ion abundances were outside method requirements. Identification based on analytical judgment.										
m	Hydrocarbon result partly due to individual peak(s) in quantitation range.										
D	Duplicate.										
LPH	Liquid-phase hydrocarbons.										
MTBE	Methyl tertiary butyl ether.										
NA	Not analyzed.										
NC	Not calculated.										
ND	Not detected at or above the laboratory reporting limits.										
NM	Not measured.										
NS	Not sampled.										
R	Rinseate.										
TPH-g	Total Petroleum Hydrocarbons as gasoline.										
*	Groundwater samples for laboratory analysis collected one day after (measurement of depth to) groundwater gauging event.										
µg/L	Micrograms per liter.										

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW1	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	09/21/04	<100	h	--	--	--	--	--	--
MW1	12/20/04	<100	--	--	--	--	--	--	--
MW1	03/29/05	<100	--	1.70	--	--	--	--	--
MW1	06/21/05	<100	--	<0.5	--	--	--	--	--
MW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW1	06/22/06	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW1	09/19/06	<100	--	<0.500	--	--	--	--	--
MW1	12/20/06	<100	--	1.94	--	--	--	--	--
MW1	03/21/07	<100	--	<0.500	--	--	--	--	--
MW1	06/20/07	<50.0	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW1	09/19/07	<100	--	<0.500	--	--	--	--	--
MW1	12/27/07	<100	--	0.500	--	--	--	--	--
MW1	03/27/08	<100	--	<0.500	--	--	--	--	--
MW1	06/25/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW1	09/18/08	<100	<20	0.73	<0.50	<0.50	<0.50	<0.50	<0.50
MW1	12/23/08	<100	--	1.7	--	--	--	--	--
MW4	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	09/21/04	<100	--	--	--	--	--	--	--
MW4	03/28/05	--	--	1.10	--	--	--	--	--
MW4	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW4	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW4	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW4	09/19/06	--	--	<0.500	--	--	--	--	--
MW4	12/20/06	--	--	<0.500	--	--	--	--	--
MW4	03/21/07	--	--	<0.500	--	--	--	--	--
MW4	06/20/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW4	09/18/07	--	--	<0.500	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW4	12/27/07	--	--	<0.500	--	--	--	--	--
MW4	03/27/08	--	--	<0.500	--	--	--	--	--
MW4	06/26/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW4	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW4	12/23/08	--	--	<0.50	--	--	--	--	--
MW5D	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	09/20/04	<100	--	--	--	--	--	--	--
MW5D	03/28/05	--	--	<0.5	--	--	--	--	--
MW5D	06/20/05	--	--	<0.5	--	--	--	--	--
MW5D	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5D	03/21/06	62	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5D	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW5D	09/19/06	--	--	<0.500	--	--	--	--	--
MW5D	12/20/06	--	--	<0.500	--	--	--	--	--
MW5D	03/20/07	--	--	<0.500	--	--	--	--	--
MW5D	06/19/07	--	--	<0.500	--	--	--	--	--
MW5D	09/19/07	--	--	<0.500	--	--	--	--	--
MW5D	12/26/07	--	--	<0.500	--	--	--	--	--
MW5D	03/26/08	--	--	<0.500	--	--	--	--	--
MW5D	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5D	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5D	12/22/08	--	--	<0.50	--	--	--	--	--
MW5S	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S ^a	09/20/04	<100	--	--	--	--	--	--	--
MW5S	03/28/05	--	--	<0.5	--	--	--	--	--
MW5S	06/20/05	--	--	<0.5	--	--	--	--	--
MW5S	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW5S	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW5S	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW5S	09/19/06	--	--	<0.500	--	--	--	--	--
MW5S	12/20/06	--	--	<0.500	--	--	--	--	--
MW5S	03/20/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW5S	06/19/07	--	--	<0.500	--	--	--	--	--
MW5S	09/19/07	--	--	<0.500	--	--	--	--	--
MW5S	12/26/07	--	--	<0.500	--	--	--	--	--
MW5S	03/26/08	--	--	<0.500	--	--	--	--	--
MW5S	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5S	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW5S	12/22/08	--	--	<0.50	--	--	--	--	--
MW7	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	09/21/04	<100	--	--	--	--	--	--	--
MW7	03/28/05	--	--	<0.5	--	--	--	--	--
MW7	06/20/05	--	--	<0.5	--	--	--	--	--
MW7	09/25/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW7	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW7	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	2.18	<0.500
MW7	09/19/06	--	--	<0.500	--	--	--	--	--
MW7	12/20/06	--	--	3.14	--	--	--	--	--
MW7	03/20/07	--	--	6.81	--	--	--	--	--
MW7	06/19/07	--	<10.0	15.3	<0.500	<0.500	<0.500	<0.500	<0.500
MW7	09/19/07	--	--	7.14	--	--	--	--	--
MW7	12/26/07	--	--	9.76	--	--	--	--	--
MW7	03/26/08	--	--	10.2	--	--	--	--	--
MW7	06/25/08	--	<20	6.0	<0.50	<0.50	<0.50	<0.50	<0.50
MW7	09/18/08	--	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50
MW7	12/22/08	--	--	4.8	--	--	--	--	--
MW8	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/22/03	--	--	0.5	--	--	--	--	--
MW8	03/23/04	--	--	0.60	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW8	06/22/04	<100	<10	0.80	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/20/04	<100	--	--	--	--	--	--	--
MW8	03/29/05	<100	--	<0.5	--	--	--	--	--
MW8	06/21/05	<100	--	0.70	--	--	--	--	--
MW8	09/26/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	06/23/06	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW8	09/20/06	<100	--	<0.500	--	--	--	--	--
MW8	12/20/06	<100	--	<0.500	--	--	--	--	--
MW8	03/21/07	<100	--	<0.500	--	--	--	--	--
MW8	06/20/07	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW8	09/18/07	<100	--	<0.500	--	--	--	--	--
MW8	12/27/07	<100	--	<0.500	--	--	--	--	--
MW8	03/27/08	<100	--	<0.500	--	--	--	--	--
MW8	06/26/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/17/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	12/23/08	<100	--	<0.50	--	--	--	--	--
MW9A	03/29/05	<100	<10	1.00	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	06/20/05	<100	<10	1.60	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW9A	03/22/06	<50	<10	230	<0.50	<0.50	<0.50	<0.50	<0.50
MW9A	06/23/06	<100	49.0	266	<0.500	<0.500	<0.500	<0.500	<0.500
MW9A	09/19/06	<100	--	70.4	--	--	--	--	--
MW9A	12/20/06	<100	--	695	--	--	--	--	--
MW9A	03/21/07	<100	--	193	--	--	--	--	--
MW9A	06/20/07	<100	<10	55.6	<0.500	<0.500	<0.500	<0.500	<0.500
MW9A	09/18/07	<100	--	50.8	--	--	--	--	--
MW9A	12/27/07	<100	--	64.4	--	--	--	--	--
MW9A	03/27/08	<100	--	54.1	--	--	--	--	--
MW9A	06/25/08	<100	<20	73	<0.50	<0.50	<0.50	<0.50	<0.50
MW9A	09/18/08	<100	<20	64	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW9A	12/23/08	<100	--	80	--	--	--	--	--
MW10	03/28/05	<100	--	<0.5	--	--	--	--	--
MW10	06/20/05	<100	--	<0.5	--	--	--	--	--
MW10	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW10	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW10	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW10	06/22/06	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW10	09/19/06	<100	--	<0.500	--	--	--	--	--
MW10	12/19/06	<100	--	<0.500	--	--	--	--	--
MW10	03/20/07	<100	--	<0.500	--	--	--	--	--
MW10	06/19/07	<100	--	<0.500	--	--	--	--	--
MW10	12/26/07	<100	--	<0.500	--	--	--	--	--
MW10	03/26/08	<100	--	<0.500	--	--	--	--	--
MW10	06/25/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW10	09/17/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW10	12/22/08	<100	--	49	--	--	--	--	--
MW11	12/17/02	--	--	0.70	--	--	--	--	--
MW11	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	03/28/05	--	--	<0.5	--	--	--	--	--
MW11	06/20/05	--	--	<0.5	--	--	--	--	--
MW11	09/25/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW11	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW11	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW11	09/19/06	--	--	<0.500	--	--	--	--	--
MW11	12/19/06	--	--	<0.500	--	--	--	--	--
MW11	03/20/07	--	--	<0.500	--	--	--	--	--
MW11	06/19/07	--	--	<0.500	--	--	--	--	--
MW11	09/18/07	--	--	<0.500	--	--	--	--	--
MW11	12/26/07	--	--	<0.500	--	--	--	--	--
MW11	03/26/08	--	--	<0.500	--	--	--	--	--
MW11	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW11	09/18/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW11	12/22/08	--	--	<0.50	--	--	--	--	--
MW12A	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	09/20/04	<100	--	--	--	--	--	--	--
MW12A	03/28/05	--	--	<0.5	--	--	--	--	--
MW12A	06/20/05	--	--	<0.5	--	--	--	--	--
MW12A	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	03/21/06	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW12A	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW12A	09/19/06	--	--	<0.500	--	--	--	--	--
MW12A	12/20/06	--	--	<0.500	--	--	--	--	--
MW12A	03/21/07	--	--	<0.500	--	--	--	--	--
MW12A	06/20/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW12A	09/18/07	--	--	<0.500	--	--	--	--	--
MW12A	12/26/07	--	--	<0.500	--	--	--	--	--
MW12A	03/26/08	--	--	<0.500	--	--	--	--	--
MW12A	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW12A	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW12A	12/22/08	--	--	<0.50	--	--	--	--	--
MW13	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	09/20/04	<100	--	--	--	--	--	--	--
MW13	03/28/05	--	--	<0.5	--	--	--	--	--
MW13	06/20/05	--	--	<0.5	--	--	--	--	--
MW13	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW13	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW13	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW13	09/19/06	--	--	<0.500	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
MW13	12/20/06	--	--	<0.500	--	--	--	--	--
MW13	03/21/07	--	--	<0.500	--	--	--	--	--
MW13	06/20/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW13	09/18/07	--	--	<0.500	--	--	--	--	--
MW13	12/26/07	--	--	<0.500	--	--	--	--	--
MW13	03/26/08	--	--	<0.500	--	--	--	--	--
MW13	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW13	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW13	12/22/08	--	--	<0.50	--	--	--	--	--
MW14	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	06/21/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	09/21/04	<100	--	--	--	--	--	--	--
MW14	03/28/05	--	--	<0.5	--	--	--	--	--
MW14	06/20/05	--	--	<0.5	--	--	--	--	--
MW14	09/26/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW14	03/21/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW14	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW14	12/20/06	--	--	<0.500	--	--	--	--	--
MW14	03/20/07	--	--	<0.500	--	--	--	--	--
MW14	06/19/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
MW14	09/19/07	--	--	<0.500	--	--	--	--	--
MW14	12/26/07	--	--	<0.500	--	--	--	--	--
MW14	03/26/08	--	--	<0.500	--	--	--	--	--
MW14	06/25/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW14	09/17/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW14	12/22/08	--	--	<0.50	--	--	--	--	--
OW1	12/17/02	--	--	4.80	--	--	--	--	--
OW1	03/29/05	<100	--	<0.5	--	--	--	--	--
OW1	06/21/05	<100	--	<0.5	--	--	--	--	--
OW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
OW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
OW1	06/22/06	<100	<10.0	0.560	<0.500	<0.500	<0.500	<0.500	<0.500
OW1	09/19/06	<100	--	<0.500	--	--	--	--	--
OW1	12/20/06	<100	--	<0.500	--	--	--	--	--
OW1	03/21/07	<100	--	<0.500	--	--	--	--	--
OW1	06/20/07	<50.0	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
OW1	09/19/07	<100	--	0.580	--	--	--	--	--
OW1	12/27/07	<100	--	1.42	--	--	--	--	--
OW1	03/27/08	<100	--	<0.500	--	--	--	--	--
OW1	06/25/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
OW1	09/17/08	<100	33	3.4	<0.50	<0.50	<0.50	<0.50	<0.50
OW1	12/23/08	<100	--	<0.50	--	--	--	--	--
OW2	12/17/02	--	--	5.00	--	--	--	--	--
OW2 ^a	06/17/03	--	--	575	--	--	--	--	--
OW2	12/22/03	--	--	59.6	--	--	--	--	--
OW2	03/23/04	--	--	3.70	--	--	--	--	--
OW2	12/20/04	<100	--	--	--	--	--	--	--
OW2	03/29/05	<100	--	8.50	--	--	--	--	--
OW2	06/21/05	<100	--	<0.5	--	--	--	--	--
OW2	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW2	12/21/05	<50	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
OW2	03/22/06	<50	<10	2.5	<0.50	<0.50	<0.50	<0.50	<0.50
OW2	06/23/06	<100	<10.0	0.650	<0.500	<0.500	<0.500	<0.500	<0.500
OW2	09/20/06	<100	--	<0.500	--	--	--	--	--
OW2	12/20/06	<100	--	<0.500	--	--	--	--	--
OW2	03/20/07	<100	--	<0.500	--	--	--	--	--
OW2	06/19/07	<50.0	<10.0	1.15	<0.500	<0.500	<0.500	<0.500	<0.500
OW2	09/18/07	<100	--	3.24	--	--	--	--	--
OW2	12/26/07	<100	--	4.81	--	--	--	--	--
OW2	03/26/08	<100	--	1.25c	--	--	--	--	--
OW2	06/25/08	<100	330	4.2	<0.50	<0.50	<0.50	<0.50	<0.50
OW2	09/17/08	<100	55	1.9	<0.50	<0.50	<0.50	<0.50	<0.50
OW2	12/22/08	<100	--	0.60	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
PMW1	06/17/03	--	--	<0.5	--	--	--	--	--
PMW1	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW1	12/21/05	<50	<10	<0.5	<0.5	<0.5	<1	<0.5	<0.5
PMW1	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW1	06/22/06	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW1	09/19/06	<100	--	<0.500	--	--	--	--	--
PMW1	12/19/06	<100 ^b	--	<0.500 ^b	--	--	--	--	--
PMW1	03/20/07	<100	--	<0.500	--	--	--	--	--
PMW1	06/19/07	<50.0	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW1	09/18/07	<100	--	<0.500	--	--	--	--	--
PMW1	12/26/07	<100	--	<0.500	--	--	--	--	--
PMW1	03/26/08	<100	--	<0.500	--	--	--	--	--
PMW1	06/25/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW1	09/17/08	<100 ^f	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW1	12/22/08	<100	--	<0.50	--	--	--	--	--
PMW2	09/16/02	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW2	12/17/02	--	--	<0.5	--	--	--	--	--
PMW2	03/28/03	--	--	6.50	--	--	--	--	--
PMW2	03/23/04	--	--	11.2	--	--	--	--	--
PMW2	06/22/04	<100	<10	2.70	<0.5	<0.5	<0.5	<0.5	<0.5
PMW2	03/29/05	<100	--	7.50	--	--	--	--	--
PMW2	06/21/05	<100	--	<0.5	--	--	--	--	--
PMW2	09/25/05	<100	<10	29.7	<0.5	<0.5	<0.5	<0.5	<0.5
PMW2	12/21/05	<50	<10	7.78	<0.5	<0.5	<1	<0.5	<0.5
PMW2	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW2	06/23/06	<100	<10.0	0.940	<0.500	<0.500	<0.500	<0.500	<0.500
PMW2	09/20/06	<100	--	6.12	--	--	--	--	--
PMW2	12/20/06	<100	--	2.21	--	--	--	--	--
PMW2	03/20/07	<100	--	9.41	--	--	--	--	--
PMW2	06/19/07	<50.0	<10.0	0.72	<0.500	<0.500	<0.500	<0.500	<0.500
PMW2	09/18/07	<100	--	0.840	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
PMW2	12/26/07	<100	--	1.88	--	--	--	--	--
PMW2	03/26/08	<100	--	<0.500	--	--	--	--	--
PMW2	06/25/08	<100	<20	0.78	<0.50	<0.50	<0.50	<0.50	<0.50
PMW2	09/17/08	<100	<20	8.4	<0.50	<0.50	<0.50	<0.50	<0.50
PMW2	12/22/08	<100	--	1.5	--	--	--	--	--
PMW3	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW3	09/21/04	<100	--	1.30	--	--	--	--	--
PMW3	12/20/04	<100	--	--	--	--	--	--	--
PMW3	03/29/05	<100	--	<0.5	--	--	--	--	--
PMW3	06/21/05	<100	--	<0.5	--	--	--	--	--
PMW3	09/25/05	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW3	12/21/05	<50	<10	3.67	<0.5	<0.5	<1	<0.5	<0.5
PMW3	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW3	06/22/06	<100	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW3	09/19/06	<100	--	<0.500	--	--	--	--	--
PMW3	12/20/06	<100	--	1.02	--	--	--	--	--
PMW3	03/21/07	<100	--	<0.500	--	--	--	--	--
PMW3	06/20/07	<50.0	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW3	09/18/07	<100	--	0.700	--	--	--	--	--
PMW3	12/27/07	<100	--	1.03	--	--	--	--	--
PMW3	03/27/08	<100	--	<0.500	--	--	--	--	--
PMW3	06/25/08	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW3	09/18/08	<100	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50
PMW3	12/23/08	<100	--	<0.50	--	--	--	--	--
PMW4	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW4	09/21/04	<100	--	--	--	--	--	--	--
PMW4	03/28/05	--	--	<0.5	--	--	--	--	--
PMW4	06/21/05	--	--	<0.5	--	--	--	--	--
PMW4	12/21/05	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW4	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW4	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW4	09/19/06	--	--	<0.500	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
PMW4	12/20/06	--	--	<0.500	--	--	--	--	--
PMW4	03/21/07	--	--	<0.500	--	--	--	--	--
PMW4	06/20/07	--	<10.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
PMW4	09/18/07	--	--	<0.500	--	--	--	--	--
PMW4	12/27/07	--	--	<0.500	--	--	--	--	--
PMW4	03/27/08	--	--	<0.500	--	--	--	--	--
PMW4 ^{d,e}	06/26/08	--	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
PMW5	12/17/02	--	--	192	--	--	--	--	--
PMW5	03/28/03	--	--	244	--	--	--	--	--
PMW5	03/23/04	--	--	34.5	--	--	--	--	--
PMW5	06/22/04	<100	<10	18.8	<0.5	<0.5	<0.5	<0.5	<0.5
PMW5 ^a	09/21/04	<100	--	--	--	--	--	--	--
PMW5 ^a	12/20/04	<100	--	1.47	--	--	--	--	--
PMW5	03/28/05	<100	--	34.0	--	--	--	--	--
PMW5	06/21/05	<100	--	46.0	--	--	--	--	--
PMW5	09/25/05	<100	<10	70.1	<0.5	<0.5	<0.5	<0.5	<0.5
PMW5 ^a	03/22/06	<50	<10	1.5	<0.50	<0.50	<0.50	<0.50	<0.50
PMW5	06/23/06	<100	<10.0	40.6	<0.500	<0.500	<0.500	2.24	<0.500
PMW5	09/20/06	<100	--	27.1	--	--	--	--	--
PMW5	12/20/06	<100	--	32.0	--	--	--	--	--
PMW5	03/21/07	<100	--	1.05	--	--	--	--	--
PMW5	06/19/07	<50.0	<10.0	25.30	<0.500	<0.500	<0.500	<0.500	<0.500
PMW5	09/18/07	<100	--	23.2	--	--	--	--	--
PMW5	12/26/07	<100	--	15.8	--	--	--	--	--
PMW5	03/26/08	<100	--	15.2	--	--	--	--	--
PMW5	06/25/08	<100	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50
PMW5	09/17/08	<100	<20	37	<0.50	<0.50	<0.50	<0.50	<0.50
PMW5	12/22/08	<100	--	4.0	--	--	--	--	--
PMW6	06/22/04	<100	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
PMW6	03/28/05	--	--	<0.5	--	--	--	--	--
PMW6	03/22/06	<50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
PMW6	06/22/06	--	<10.0	<0.500	<0.500	<0.500	<0.500	2.17	<0.500
PMW6	09/19/06	--	--	<0.500	--	--	--	--	--
PMW6	12/20/06	--	--	<0.500	--	--	--	--	--
PMW6	03/20/07	--	--	<0.500	--	--	--	--	--
PMW6	03/26/08	--	--	<0.500	--	--	--	--	--
PMW6	12/22/08	--	--	<0.50	--	--	--	--	--
VR1	09/16/02	--	<10	175	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/17/02	--	--	2.50	--	--	--	--	--
VR1	06/17/03	--	--	34.8	--	--	--	--	--
VR1	09/22/03	--	--	85.6	--	--	--	--	--
VR1	12/22/03	--	--	42.1	--	--	--	--	--
VR1	03/23/04	--	--	4.70	--	--	--	--	--
VR1	06/22/04	<100	<10	43.3	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/20/04	<100	--	6.60	--	--	--	--	--
VR1	03/29/05	<100	--	2.30	--	--	--	--	--
VR1	06/20/05	<100	--	6.30	--	--	--	--	--
VR1	09/25/05	<100	<10	21.5	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	12/21/05	<50	<10	8.99	<0.5	<0.5	<0.5	<0.5	<0.5
VR1	03/22/06	<50	<10	6.1	<0.50	<0.50	<0.50	<0.50	<0.50
VR1	06/23/06	<100	<10.0	1.36	<0.500	<0.500	<0.500	<0.500	<0.500
VR1	09/19/06	<100	--	<0.500	--	--	--	--	--
VR1	12/20/06	<100	--	<0.500	--	--	--	--	--
VR1	03/20/07	<100	--	0.560	--	--	--	--	--
VR1	06/20/07	<50.0	<10.0	37.200	<0.500	<0.500	<0.500	<0.500	<0.500
VR1	09/18/07	<100	--	55.0	--	--	--	--	--
VR1	12/26/07	<100	--	186	--	--	--	--	--
VR1	03/27/08	<100	--	64.0	--	--	--	--	--
VR1	06/25/08	<100	<20	55	<0.50	<0.50	<0.50	<0.50	<0.50
VR1	09/17/08	<100	<20	59	<0.50	<0.50	<0.50	<0.50	<0.50
VR1	12/23/08	<100	--	150	--	--	--	--	--
VR2	12/21/05	<50	<10	3.60	<0.5	<0.5	<1	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Date	Concentration (µg/L)							
		Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB
VR2	03/22/06	<50	<500	1,500	<0.50	<0.50	1.2	<0.50	<0.50
VR2	06/23/06	<100	239	1,420	<0.500	<0.500	1.97	<0.500	<0.500
VR2	09/20/06	<100	--	1,150	--	--	--	--	--
VR2	12/20/06	<100	--	3,380	--	--	--	--	--
VR2	03/21/07	<100	--	863	--	--	--	--	--
VR2	06/19/07	<50.0	504.00	2,630	<0.500	<0.500	3.47	<0.500	<0.500
VR2	09/18/07	<100	--	1,680	--	--	--	--	--
VR2	12/26/07	<100	--	1,770	--	--	--	--	--
VR2	03/26/08	<100	--	2,050	--	--	--	--	--
VR2	06/25/08	<100	380	2,300	<0.50	<0.50	2.8	<0.50	<0.50
VR2	09/17/08	<100	320	1,900	<0.50	<0.50	2.1	<0.50	<0.50
VR2	12/22/08	<100	--	1,700	--	--	--	--	--

Notes: All analyses by EPA Method 8260, unless otherwise noted.
Analytical results prior to 16 September 2002 are not presented in this table.

- a Grab sample collected.
- b Initial analysis within holding time. Reanalysis for the required dilution or confirmation was past holding time.
- c Secondary ion abundances were outside method requirements. Identification based on analytical judgment.
- d The sample, as received, was not preserved in accordance to the referenced analytical method.
- e pH=7
- f Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.

1,2-DCA 1,2-Dichloroethane.
DIPE Diisopropyl ether.
EDB 1,2-Dibromoethane.
ETBE Ethyl tertiary butyl ether.
MTBE Methyl tertiary butyl ether.
TAME Tertiary amyl methyl ether.
TBA Tertiary butyl alcohol.

µg/L Micrograms per liter.
-- Not analyzed.

TABLE 4

GROUNDWATER MONITORING PLAN, FORMER EXXON RS 73399,
2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5D	Q	Q	Q
MW5S	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q

Notes:

BTEX	Benzene, toluene, ethylbenzene, and xylenes.
MTBE	Methyl tertiary butyl ether.
Q	Quarterly.
TPH-g	Total Petroleum Hydrocarbons as gasoline.

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
03/12/01	0	0%	185	0.0				0.000	0.000	0.0000	0.0000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.0000	0.0000	0.001	0.001
03/15/01	2.00	72%	30,740	9.8				0.024	0.026	0.0001	0.0001	0.008	0.009
03/23/01	4.04	50%	73,030	7.3				0.036	0.062	0.0002	0.0003	0.012	0.021
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.0003	0.0006	0.019	0.040
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.0003	0.0009	0.020	0.060
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.0003	0.0012	0.001	0.061
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.0002	0.0014	0.001	0.062
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.0003	0.0017	0.002	0.064
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.0000	0.0017	0.002	0.066
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.0005	0.0022	0.002	0.069
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.0001	0.0023	0.001	0.069
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.0003	0.0026	0.001	0.071
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.0003	0.0029	0.001	0.072
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.0003	0.0032	0.001	0.073
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.0000	0.0032	0.000	0.074
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.0004	0.0036	0.002	0.076
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.0003	0.0039	0.001	0.077
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.0000	0.0039	0.000	0.077
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.0000	0.0039	0.000	0.077
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.0002	0.0041	0.001	0.078
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.0002	0.0043	0.001	0.079
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.0000	0.0044	0.000	0.080
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.0002	0.0046	0.001	0.081
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.0002	0.0048	0.001	0.082
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.0001	0.0049	0.000	0.082
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.0000	0.0049	0.000	0.082
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.0001	0.0049	0.002	0.084
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.0000	0.0049	0.000	0.084
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.0000	0.0049	0.000	0.084
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	29	0.000	0.989	0.0000	0.0049	0.000	0.084
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.0000	0.0049	0.001	0.085
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.0000	0.0049	0.001	0.086
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.0000	0.0049	0.000	0.086
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.0000	0.0049	0.002	0.088
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.0000	0.0049	0.000	0.088
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.0000	0.0049	0.000	0.088
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.0000	0.0049	0.000	0.088
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.0000	0.0049	0.000	0.089
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.0000	0.0049	0.000	0.089
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.0000	0.0050	0.013	0.102

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
12/17/01	2.31	100%	NM	NC				NC	0.998	NC	0.0050	NC	0.102
12/18/01	0.00	0%	NM	NC				NC	0.998	NC	0.0050	NC	0.102
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50	800	0.002	1.000	0.0000	0.0050	0.003	0.105
12/28/01	3.59	50%	1,191,340	0.4				0.005	1.005	0.0000	0.0050	0.015	0.120
01/04/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.0000	0.0050	0.000	0.120
01/07/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.0000	0.0050	0.000	0.120
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57	920	0.002	1.007	0.0000	0.0050	0.004	0.124
01/15/02	3.50	50%	1,194,700	0.5				0.005	1.011	0.0000	0.0050	0.011	0.135
01/22/02	3.48	50%	1,198,310	0.7				0.006	1.018	0.0000	0.0050	0.014	0.149
01/25/02	0.00	0%	1,198,310	0.0				0.000	1.018	0.0000	0.0050	0.000	0.149
01/29/02	4.09	100%	1,198,950	0.1				0.001	1.019	0.0000	0.0050	0.003	0.152
01/30/02	0.70	100%	NM	NC				NC	1.019	NC	0.0050	NC	0.152
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50	38	0.000	1.019	0.0000	0.0050	0.001	0.153
02/08/02	2.36	100%	NM	NC				NC	1.019	NC	0.0050	NC	0.153
02/11/02	3.60	100%	1,199,310	0.0				0.000	1.019	0.0000	0.0050	0.000	0.153
02/19/02	8.00	100%	1,199,420	0.0				0.000	1.019	0.0000	0.0050	0.000	0.153
02/26/02	7.03	100%	1,199,590	0.0				0.000	1.020	0.0000	0.0050	0.000	0.153
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50	14	0.000	1.020	0.0000	0.0050	0.000	0.153
03/12/02	3.49	50%	1,199,600	0.0				0.000	1.020	0.0000	0.0050	0.000	0.153
03/19/02	3.51	50%	1,203,100	0.7				0.016	1.036	0.0000	0.0050	0.000	0.153
03/26/02	6.99	100%	1,207,200	0.4				0.018	1.054	0.0000	0.0050	0.000	0.154
03/27/02	0.97	100%	1,207,768	0.4				0.003	1.057	0.0000	0.0050	0.000	0.154
04/04/02	7.82	100%	1,210,690	0.3				0.013	1.070	0.0000	0.0050	0.000	0.154
04/09/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/16/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/17/02	0.00	0%	1,210,696	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
04/23/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/14/02	0.00	0%	1,210,840	0.0				0.001	1.070	0.0000	0.0050	0.000	0.154
05/28/02	0.00	0%	1,210,840	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/29/02	0.00	0%	1,210,850	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
05/30/02	0.88	100%	1,210,850	0.0				0.000	1.070	0.0000	0.0050	0.000	0.154
06/05/02	6.13	100%	1,213,350	0.3				0.011	1.082	0.0000	0.0051	0.000	0.154
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50	9.2	0.000	1.082	0.0000	0.0051	0.000	0.154
06/18/02	5.98	100%	1,216,120	0.3				0.106	1.188	0.0006	0.0056	0.295	0.449
06/28/02	10.02	100%	1,217,040	0.1				0.036	1.224	0.0002	0.0058	0.100	0.549
07/05/02	6.99	100%	1,217,040	0.0				0.000	1.224	0.0000	0.0058	0.000	0.549
07/08/02	2.43	100%	1,217,040	0.0				0.000	1.224	0.0000	0.0058	0.000	0.549
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00	26,000	0.000	1.224	0.0000	0.0058	0.000	0.549
07/16/02	4.04	100%	1,217,200	0.0				0.006	1.230	0.0000	0.0059	0.017	0.566
07/23/02	7.05	100%	1,217,200	0.0				0.000	1.230	0.0000	0.0059	0.000	0.566
08/02/02	9.87	100%	1,217,200	0.0				0.000	1.230	0.0000	0.0059	0.000	0.566

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
08/07/02	5.18	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0				0.000	1.230	0.0000	0.0059	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0				0.005	1.235	0.0000	0.0059	0.015	0.582
09/24/02	6.98	100%	1,217,350	0.0	NA	NA	NA	0.000	1.235	0.0000	0.0059	0.000	0.582
10/01/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/16/02	6.32	79%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.0000	0.0059	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1				0.011	1.246	0.0001	0.0060	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1	< 105	< 0.50	< 2.5	0.017	1.263	0.0001	0.0061	0.052	0.667
11/19/02	6.92	100%	1,220,110	0.2				0.019	1.282	0.0004	0.0065	0.003	0.670
11/25/02	6.04	100%	1,220,110	0.0				0.000	1.282	0.0000	0.0065	0.000	0.670
12/05/02	10.06	100%	1,220,110	0.0				0.000	1.282	0.0000	0.0065	0.000	0.670
12/10/02	4.97	100%	1,220,120	0.0	2,230	< 50	420	0.000	1.282	0.0000	0.0065	0.000	0.670
12/17/02	7.00	100%	1,221,220	0.1				0.014	1.296	0.0003	0.0067	0.005	0.676
12/24/02	7.01	100%	1,221,640	0.0				0.005	1.301	0.0001	0.0068	0.002	0.677
12/30/02	6.00	100%	1,221,670	0.0				0.000	1.301	0.0000	0.0068	0.000	0.678
01/06/03	6.96	100%	1,221,850	0.0	745	< 5.0	690	0.002	1.303	0.0000	0.0069	0.001	0.678
01/10/03	3.42	84%	1,221,880	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/14/03	3.90	100%	1,221,890	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/21/03	7.02	100%	1,221,900	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
01/27/03	6.04	100%	1,221,910	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
02/04/03	7.91	100%	1,221,920	0.0	< 190	< 0.50	8.6	0.000	1.304	0.0000	0.0069	0.000	0.679
02/12/03	8.05	100%	1,221,920	0.0				0.000	1.304	0.0000	0.0069	0.000	0.679
02/19/03	6.94	100%	1,222,060	0.0				0.001	1.305	0.0000	0.0069	0.002	0.680
02/20/03	0.00	0%	1,222,060	0.0				0.000	1.305	0.0000	0.0069	0.000	0.680
02/25/03	5.04	100%	1,222,060	0.0				0.000	1.305	0.0000	0.0069	0.000	0.680
03/05/03	7.97	100%	1,224,310	0.2	2,061	< 25	2,900	0.021	1.326	0.0002	0.0071	0.027	0.708
03/11/03	5.94	100%	1,224,930	0.1				0.006	1.332	0.0001	0.0072	0.008	0.715
03/18/03	7.04	100%	1,225,680	0.1				0.007	1.338	0.0001	0.0073	0.009	0.724
03/25/03	7.00	100%	1,226,890	0.1				0.011	1.349	0.0001	0.0074	0.015	0.739
04/01/03	7.04	100%	1,227,060	0.0				0.002	1.351	0.0000	0.0074	0.002	0.741
04/08/03	3.52	50%	1,227,470	0.1				0.004	1.355	0.0000	0.0075	0.005	0.746
04/15/03	3.45	50%	1,227,990	0.1				0.005	1.359	0.0001	0.0075	0.006	0.752
04/22/03	7.06	100%	1,230,320	0.2	< 102	< 0.50	25	0.021	1.380	0.0002	0.0078	0.028	0.781

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
04/29/03	7.00	100%	1,233,510	0.3				0.005	1.385	0.0000	0.0078	0.000	0.781
05/06/03	6.99	100%	1,235,160	0.2				0.003	1.388	0.0000	0.0078	0.000	0.781
05/13/03	6.99	100%	1,235,490	0.0	< 280	< 0.50	< 2.5	0.001	1.389	0.0000	0.0078	0.000	0.781
05/20/03	7.06	100%	1,235,950	0.0				0.001	1.390	0.0000	0.0078	0.000	0.781
05/28/03	7.98	100%	1,236,460	0.0				0.001	1.391	0.0000	0.0078	0.000	0.781
06/02/03	4.99	100%	1,236,480	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/10/03	7.99	100%	1,236,480	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/17/03	6.81	100%	1,236,490	0.0				0.000	1.391	0.0000	0.0078	0.000	0.781
06/20/03	3.19	100%	1,236,650	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
06/24/03	4.08	100%	1,236,650	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
06/25/03	1.00	100%	1,236,650	0.0	NA	NA	NA	0.000	1.391	0.0000	0.0078	0.000	0.782
06/27/03	1.92	100%	1,236,680	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/01/03	4.01	100%	1,236,680	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/08/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/15/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/22/03	7.02	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
07/29/03	6.81	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/05/03	7.17	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/13/03	8.06	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/19/03	6.02	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
08/26/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/02/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/09/03	6.96	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/16/03	7.03	100%	1,236,690	0.0				0.000	1.391	0.0000	0.0078	0.000	0.782
09/23/03	7.00	100%	1,236,780	0.0	175	< 2.5	60	0.000	1.391	0.0000	0.0078	0.000	0.782
09/29/03	1.51	25%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/08/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/14/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/20/03	5.77	100%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
10/27/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/03/03	0.00	0%	1,236,810	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/11/03	8.15	100%	1,236,950	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/13/03	0.82	43%	1,236,950	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/18/03	5.12	100%	1,236,960	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
11/25/03	7.04	100%	1,236,960	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/02/03	6.97	100%	1,236,970	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/08/03	5.85	100%	1,237,060	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/11/03	3.08	100%	1,237,160	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/16/03	4.79	100%	1,237,310	0.0				0.000	1.392	0.0000	0.0078	0.000	0.782
12/22/03	6.13	100%	1,237,580	0.0	108	< 0.5	2.5	0.000	1.392	0.0000	0.0078	0.000	0.782
12/29/03	7.14	100%	1,237,740	0.0				0.000	1.393	0.0000	0.0078	0.000	0.782

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
01/08/04	9.96	100%	1,238,160	0.0	450	< 0.50	< 2.5	0.001	1.394	0.0000	0.0078	0.000	0.782
01/13/04	4.99	100%	1,238,160	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
01/20/04	7.00	100%	1,238,160	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
01/27/04	7.00	100%	1,238,200	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
02/04/04	8.01	100%	1,238,360	0.0				0.000	1.394	0.0000	0.0078	0.000	0.782
02/11/04	7.03	100%	1,238,360	0.0	250	< 0.50	< 2.5	0.000	1.394	0.0000	0.0078	0.000	0.782
02/17/04	5.96	100%	1,238,410	0.0				0.000	1.395	0.0000	0.0078	0.000	0.782
02/25/04	8.06	100%	1,238,700	0.0				0.001	1.396	0.0000	0.0078	0.000	0.782
03/03/04	7.01	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/11/04	7.96	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/17/04	6.00	100%	1,238,770	0.0				0.000	1.396	0.0000	0.0078	0.000	0.782
03/23/04	6.02	100%	1,238,770	0.0	590	< 0.50	< 2.5	0.000	1.396	0.0000	0.0078	0.000	0.782
03/31/04	7.96	100%	1,239,030	0.0				0.001	1.397	0.0000	0.0078	0.000	0.782
04/07/04	7.04	100%	1,239,030	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
04/14/04	6.96	100%	1,239,030	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
04/21/04	7.02	100%	1,239,050	0.0	180	< 0.50	7.8	0.000	1.397	0.0000	0.0078	0.000	0.782
04/28/04	7.04	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/03/04	4.94	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/11/04	7.92	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
05/18/04	7.08	100%	1,239,050	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
06/22/04	34.81	100%	1,239,050	0.0	230	< 0.50	< 2.5	0.000	1.397	0.0000	0.0078	0.000	0.782
07/01/04	9.02	100%	1,239,270	0.0				0.001	1.397	0.0000	0.0078	0.000	0.782
07/22/04	21.17	100%	1,239,270	0.0				0.000	1.397	0.0000	0.0078	0.000	0.782
08/02/04	10.96	100%	1,239,300	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
08/18/04	16.06	100%	1,239,320	0.0	600	< 0.50	33	0.000	1.398	0.0000	0.0078	0.000	0.782
08/30/04	10.81	92%	1,239,320	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
09/21/04	22.04	100%	1,239,370	0.0	1,450	< 0.50	< 2.5	0.000	1.398	0.0000	0.0078	0.000	0.782
09/23/04	2.15	100%	1,239,380	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
10/07/04	14.05	100%	1,239,380	0.0				0.000	1.398	0.0000	0.0078	0.000	0.782
10/27/04	20.00	100%	1,240,120	0.0	104	< 0.50	< 2.5	0.005	1.403	0.0000	0.0078	0.000	0.782
The GES was shut down on 10/27/04. A source test was performed on 2/21/07 prior to restarting the GES.													
02/21/07	Source test												
02/21/07	0.08	100%	1,241,360	11.3	150	2.8	97	0.002	1.404	0.0000	0.0078	0.001	0.783
03/23/07	0.00	0%	1,241,740	0.0				0.000	1.405	0.0000	0.0078	0.000	0.783
03/30/07	7.10	100%	1,319,940	7.6	< 123	1.1	90	0.089	1.494	0.0013	0.0091	0.061	0.844
04/04/07	4.98	100%	1,365,760	6.4	< 97	0.570	108	0.042	1.536	0.0003	0.0094	0.038	0.882
04/12/07	8.08	100%	1,436,140	6.0				0.057	1.593	0.0004	0.0098	0.051	0.933
04/17/07	4.29	93%	1,473,770	6.1				0.031	1.624	0.0002	0.0100	0.027	0.961
04/23/07	6.23	100%	1,528,250	6.1				0.044	1.668	0.0003	0.0103	0.040	1.000
04/30/07	4.11	59%	1,562,899	5.9				0.028	1.696	0.0002	0.0105	0.025	1.026
05/07/07	7.04	100%	1,625,080	6.1	< 97.6	0.700	66.8	0.050	1.746	0.0003	0.0108	0.045	1.071

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
05/14/07	6.95	100%	1,684,690	6.0				0.093	1.839	0.0003	0.0111	0.042	1.113
05/23/07	9.16	100%	1,716,590	2.4				0.050	1.889	0.0002	0.0113	0.023	1.136
05/30/07	6.96	100%	1,774,620	5.8				0.090	1.979	0.0003	0.0116	0.041	1.177
06/04/07	4.78	100%	1,814,140	5.7	276	< 0.500	103	0.062	2.041	0.0002	0.0118	0.028	1.205
06/11/07	7.21	100%	1,871,910	5.6				0.090	2.131	0.0002	0.0120	0.043	1.248
06/18/07	6.79	100%	1,923,920	5.3				0.081	2.211	0.0002	0.0122	0.039	1.287
06/25/07	6.92	97%	1,964,270	4.1				0.063	2.274	0.0002	0.0124	0.030	1.317
07/02/07	6.80	100%	2,014,090	5.1				0.078	2.352	0.0002	0.0126	0.037	1.354
07/09/07	7.22	100%	2,066,620	5.1	< 97	< 0.500	75.9	0.082	2.433	0.0002	0.0128	0.039	1.393
07/16/07	6.68	100%	2,113,710	4.9				0.038	2.472	0.0002	0.0130	0.031	1.424
07/25/07	9.06	100%	2,177,250	4.9				0.051	2.523	0.0003	0.0133	0.041	1.465
07/30/07	5.26	100%	2,214,210	4.9				0.030	2.553	0.0002	0.0134	0.024	1.489
08/06/07	6.81	100%	2,262,340	4.9	< 97	< 0.500	79.7	0.039	2.592	0.0002	0.0136	0.031	1.520
08/15/07	9.24	100%	2,327,750	4.9				0.054	2.646	0.0003	0.0139	0.040	1.560
08/24/07	8.71	100%	2,388,660	4.9				0.051	2.697	0.0003	0.0142	0.037	1.597
08/30/07	6.11	100%	2,430,930	4.8				0.035	2.732	0.0002	0.0144	0.026	1.623
09/04/07	5.07	100%	2,465,680	4.8				0.029	2.761	0.0002	0.0146	0.021	1.644
09/14/07	9.82	100%	2,531,045	4.6	< 102	0.60	67	0.054	2.815	0.0003	0.0149	0.040	1.684
09/17/07	3.23	100%	2,552,320	4.6				0.018	2.833	0.0001	0.0150	0.012	1.697
09/24/07	6.85	100%	2,596,710	4.5				0.037	2.870	0.0002	0.0152	0.026	1.723
10/05/07	10.94	100%	2,667,610	4.5				0.059	2.928	0.0003	0.0155	0.041	1.764
10/11/07	6.20	100%	2,707,360	4.5	< 97	< 0.50	73	0.033	2.961	0.0002	0.0157	0.023	1.787
10/19/07	8.04	100%	2,759,470	4.5				0.064	3.025	0.0002	0.0159	0.033	1.820
10/24/07	4.93	100%	2,791,470	4.5				0.039	3.065	0.0001	0.0160	0.020	1.840
10/31/07	7.08	100%	2,833,770	4.1				0.052	3.116	0.0002	0.0162	0.027	1.867
11/09/07	2.15	24%	2,848,260	4.7				0.018	3.134	0.0001	0.0163	0.009	1.876
11/16/07	6.76	100%	2,892,760	4.6	< 197	< 0.50	78	0.055	3.189	0.0002	0.0164	0.028	1.904
11/19/07	3.25	100%	2,913,970	4.5				0.027	3.216	0.0001	0.0165	0.014	1.918
11/30/07	10.81	100%	2,984,470	4.5				0.090	3.306	0.0003	0.0168	0.046	1.963
12/07/07	7.01	100%	3,026,000	4.1	< 110	< 0.50	77	0.053	3.359	0.0002	0.0170	0.027	1.990
12/14/07	2.42	33%	3,038,200	3.5				0.020	3.379	0.0001	0.0170	0.008	1.997
12/21/07	6.76	100%	3,083,730	4.7				0.073	3.452	0.0002	0.0172	0.028	2.026
12/31/07	9.96	100%	3,148,700	4.5				0.105	3.557	0.0003	0.0175	0.040	2.066
01/02/08	2.17	100%	3,162,668	4.5	< 276	< 0.50	71.7	0.022	3.579	0.0001	0.0176	0.009	2.075
01/11/08	7.50	85%	3,174,730	1.1				0.019	3.598	0.0000	0.0176	0.008	2.082
01/18/08	7.45	100%	3,226,110	4.8				0.081	3.679	0.0002	0.0178	0.033	2.115
01/25/08	6.69	100%	3,270,075	4.6				0.069	3.748	0.0001	0.0179	0.028	2.143
02/01/08	7.18	100%	3,317,390	4.6				0.074	3.822	0.0001	0.0181	0.030	2.173
02/04/08	2.83	100%	3,336,580	4.7				0.030	3.852	0.0001	0.0181	0.012	2.185
02/14/08	9.97	100%	3,403,210	4.6				0.104	3.956	0.0002	0.0183	0.042	2.228
02/20/08	5.91	100%	3,441,713	4.5	< 100	0.26	81	0.060	4.017	0.0001	0.0184	0.025	2.252

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
02/29/08	9.43	100%	3,502,720	4.5				0.051	4.068	0.0002	0.0186	0.034	2.286
03/07/08	6.89	100%	3,545,160	4.3	< 100	< 0.50	51	0.035	4.103	0.0001	0.0188	0.023	2.309
03/13/08	5.69	100%	3,579,430	4.2				0.029	4.132	0.0009	0.0196	0.019	2.328
03/20/08	7.32	100%	3,622,300	4.1				0.036	4.167	0.0011	0.0207	0.024	2.352
03/28/08	7.99	100%	3,667,030	3.9				0.037	4.205	0.0011	0.0219	0.025	2.377
04/03/08	6.17	100%	3,703,430	4.1				0.030	4.235	0.0009	0.0228	0.020	2.397
04/09/08	5.97	100%	3,738,360	4.1	< 100	5.6	82	0.029	4.264	0.0009	0.0237	0.019	2.416
04/18/08	8.60	100%	3,787,550	4.0				0.043	4.308	0.0013	0.0249	0.031	2.448
04/22/08	2.77	67%	3,790,920	0.8				0.003	4.311	0.0001	0.0250	0.002	2.450
04/28/08	5.74	100%	3,824,900	4.1				0.030	4.341	0.0009	0.0259	0.022	2.471
05/05/08	7.01	100%	3,865,740	4.0	< 112	< 0.50	71	0.036	4.377	0.0010	0.0269	0.026	2.498
05/16/08	11.48	100%	3,933,000	4.1				0.063	4.440	0.0003	0.0272	0.043	2.540
05/20/08	4.03	100%	3,956,760	4.1				0.022	4.462	0.0001	0.0273	0.015	2.556
05/28/08	7.75	96%	3,983,210	2.4				0.025	4.487	0.0001	0.0274	0.017	2.572
06/06/08	8.35	100%	4,030,580	3.9				0.044	4.531	0.0002	0.0276	0.030	2.603
06/09/08	3.47	100%	4,051,110	4.1	< 113	< 0.50	82	0.019	4.551	0.0001	0.0277	0.013	2.616
06/17/08	8.11	100%	4,098,860	4.1				0.042	4.593	0.0002	0.0279	0.028	2.644
06/25/08	7.51	100%	4,143,780	4.2				0.040	4.632	0.0002	0.0281	0.026	2.670
07/01/08	5.97	100%	4,176,990	3.9				0.029	4.662	0.0001	0.0282	0.019	2.689
07/08/08	7.16	100%	4,219,600	4.1	< 99	< 0.50	58	0.038	4.699	0.0002	0.0284	0.025	2.714
07/17/08	8.89	100%	4,243,920	1.9				0.020	4.720	0.0001	0.0285	0.012	2.726
07/23/08	5.98	100%	4,279,270	4.1				0.029	4.749	0.0001	0.0287	0.018	2.744
07/28/08	5.13	100%	4,309,930	4.2				0.025	4.774	0.0001	0.0288	0.015	2.759
08/04/08	6.98	100%	4,351,330	4.1	< 100	< 0.50	61	0.034	4.809	0.0002	0.0290	0.021	2.779
08/12/08	3.64	45%	4,370,396	3.6				0.016	4.825	0.0002	0.0292	0.011	2.791
08/20/08	7.90	100%	4,417,185	4.1				0.040	4.864	0.0006	0.0298	0.028	2.818
08/25/08	5.06	100%	4,447,305	4.1				0.025	4.890	0.0004	0.0302	0.018	2.836
09/02/08	7.89	100%	4,494,353	4.1	< 103	< 2.5	81	0.040	4.930	0.0006	0.0307	0.028	2.864
09/09/08	7.24	100%	4,537,210	4.1				0.036	4.966	0.0009	0.0316	0.025	2.889
09/17/08	7.72	99%	4,583,283	4.1				0.039	5.005	0.0010	0.0326	0.027	2.917
09/23/08	6.23	100%	4,618,085	3.9				0.029	5.034	0.0007	0.0333	0.021	2.937
09/29/08	6.01	100%	4,652,906	4.0				0.029	5.064	0.0007	0.0340	0.021	2.958
10/08/08	8.92	100%	4,704,805	4.0	< 100	< 2.5	61	0.044	5.108	0.0011	0.0351	0.031	2.989
10/16/08	7.99	100%	4,751,377	4.0				0.039	5.147	0.0006	0.0357	0.023	3.011
10/22/08	5.86	100%	4,785,720	4.1				0.029	5.175	0.0004	0.0361	0.017	3.028
10/28/08	5.96	100%	4,820,800	4.1				0.029	5.205	0.0004	0.0366	0.017	3.045
11/07/08	10.15	100%	4,884,329	4.3	< 100	< 0.50	56	0.053	5.258	0.0008	0.0374	0.031	3.076
11/12/08	5.11	100%	4,913,789	4.0				0.025	5.282	0.0005	0.0379	0.015	3.092
11/19/08	7.04	100%	4,953,530	3.9				0.033	5.315	0.0006	0.0385	0.021	3.112
11/25/08	5.95	100%	4,986,790	3.9				0.028	5.343	0.0005	0.0390	0.017	3.130
12/03/08	8.05	100%	5,029,800	3.7	< 100	3.4	69	0.036	5.379	0.0007	0.0397	0.022	3.152

TABLE 5 OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow Rate (gpm)	Influent Concentration Total TPH (µg/L)	Influent Concentration Benzene (µg/L)	Influent Concentration MTBE (µg/L)	Estimated Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Estimated Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Estimated Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
12/10/08	6.92	100%	5,065,010	3.5				0.029	5.408	0.0006	0.0403	0.018	3.170
12/19/08	8.71	100%	5,117,470	4.2				0.044	5.452	0.0009	0.0412	0.027	3.198
12/24/08	5.18	100%	5,148,880	4.2				0.026	5.478	0.0005	0.0417	0.016	3.214
12/29/08	5.06	100%	5,179,460	4.2				0.025	5.504	0.0005	0.0422	0.016	3.230
Total / Average	1735.34		5,179,460					5.504		0.0422		3.230	

Notes: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

* Estimated Pounds Removed = Average influent concentration (µg/L) * period flow total (gallons) * 1 lb/454 g * 1 g/1,000,000 µg * 3.785 L/gallon.

g = Grams.

GES = Groundwater extraction system.

gpm = Gallons per minute.

L/gallon = Liters per gallon.

MTBE = Methyl tertiary butyl ether.

NA = Not analyzed.

NC = Not calculated.

NM = Not measured.

TPH = Total Petroleum Hydrocarbons as gasoline and diesel.

µg/L = Micrograms per liter.

TABLE 6 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Sample Location	Date	Concentration (µg/L)							
		TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
Influent									
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000
	09/24/02	NA	NA	NA	NA	NA	NA	NA	NA
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0
	12/10/02	230	< 50	< 50	< 50	< 50	2,000	NA	420
	01/06/03	670	< 5.0	< 5.0	< 5.0	< 5.0	75	690	670
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	140	8.6	8.7
	03/05/03	2,000	< 25	< 25	< 25	< 25	61	NA	2,900
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	52	NA	25
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	230	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	55	< 2.5	< 2.5	< 2.5	< 2.5	120	60	NA
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	1.1	58	2.5	NA
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	NA
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	200	< 2.5	NA
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	540	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	130	7.8	NA
	06/22/04	< 50	< 0.50	2.5	< 0.50	2.6	180	< 2.5	NA
	08/18/04	150	< 0.50	< 0.50	< 0.50	< 0.50	450	33	NA
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,400	< 2.5	NA
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	54	< 2.5	NA
Source test									
	02/21/07	100	2.8	0.99	3.4	2.5	< 50	NA	97
	03/30/07	76	1.1	< 0.50	< 0.50	1.8	< 47	NA	90
	04/04/07	< 50.0	0.570	< 0.500	< 0.500	0.870	< 47	NA	108
	05/07/07	< 50.0	0.700	0.600	< 0.500	0.540	< 47.6	NA	66.8
	06/04/07	226	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	NA	103
	07/09/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	75.9
	08/06/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	79.7
	09/14/07	55	0.60	< 0.50	< 0.50	< 0.50	< 47	NA	67
	10/11/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	73
	11/16/07	150	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	78
	12/07/07	63	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	77
	01/02/08	229	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	71.7
	02/20/08	< 50	0.26	0.34	< 0.50	< 0.50	< 50	NA	81
	03/07/08	< 50	< 0.50	< 0.50	0.67	0.81	< 50	NA	51
	04/09/08	< 50	5.60	< 0.50	1.0	< 0.50	< 50	NA	82
	05/05/08	62	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	71
	06/09/08	63	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	82
	07/08/08	J 49	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	58
	08/04/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	61
	09/02/08	53	< 2.5	< 2.5	< 2.5	< 2.5	< 50	NA	81
	10/08/08	< 50	< 2.5	< 2.5	< 2.5	< 2.5	< 50	NA	61
	11/07/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	56
	12/03/08	< 50	3.4	< 1.0	< 1.0	0.77	< 50	NA	69
After First Carbon Vessel (Intermediate)									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA

TABLE 6 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM, FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Sample Location	Date	Concentration (µg/L)							
		TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	71	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	81	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 1.0	< 1.0	< 1.7	100	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	< 2.5	NA
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	06/22/04	< 50	< 0.50	2.1	< 0.50	2.4	< 50	< 2.5	NA
	08/18/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	97	< 2.5	NA
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	NA
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
Source test	02/21/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50
	03/30/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	49	NA	< 0.50
	04/04/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47	NA	< 0.500
	05/07/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.6	NA	2.84
	06/04/07	79.8	< 0.500	< 0.500	< 0.500	< 0.500	186	NA	12.2
	07/09/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.6	NA	12.3
	08/06/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	< 0.500
	09/14/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	10/11/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	0.79
	11/16/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	12/07/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	01/02/08	62.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	1.50
	02/20/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	03/07/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	04/09/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	0.82
	05/05/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	2.5
	06/09/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	07/08/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	J 0.53
	08/04/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	J 0.72
	09/02/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	4.2
	10/08/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50
	11/07/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	J 0.39
	12/03/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	0.88
Effluent									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA

TABLE 6 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Sample Location	Date	Concentration (µg/L)							
		TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0
	07/06/01		TPH-d result confirmed with spare sample.				< 50		
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	700	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	58	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	< 0.50
	05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,200	< 2.5	< 0.50
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	460	< 2.5	< 0.50
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	59	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	73	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	74	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	75	< 2.5	< 0.50
	06/25/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	< 2.5	< 0.50
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	150	< 2.5	< 0.50
	11/26/03	< 50	< 0.50	1.5	< 0.50	1.4	< 47	< 2.5	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	NA
	04/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	54	< 2.5	NA
	06/22/04	< 50	< 0.50	3.1	< 0.50	3.6	100	< 2.5	< 0.50
	08/18/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	< 2.5	< 0.50
	09/21/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50
	10/27/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
Source test	02/21/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	03/30/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/04/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47	NA	< 0.500
	05/07/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.6	NA	< 0.500
	06/04/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	NA	< 0.500
	07/09/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.6	NA	< 0.500
	08/06/07	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	< 0.500
	09/14/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	10/11/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	11/16/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	12/07/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	01/02/08	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 47.2	NA	< 0.500
	02/20/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	03/07/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	04/09/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	05/05/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	06/09/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	07/08/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	08/04/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 1.0
	09/02/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50
	10/08/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50
	11/07/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50
	12/03/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 0.50

Notes:

- J = Reported value is estimated.
- MTBE = Methyl tertiary butyl ether.
- NA = Not analyzed.
- TPH-d = Total Petroleum Hydrocarbons as diesel.

TABLE 6 SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Sample Location	Date	Concentration (µg/L)							
		TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B

TPH-g = Total Petroleum Hydrocarbons as gasoline.

µg/L = Micrograms per liter.

TABLE 7A ROSE DIAGRAM DATA: PERCHED ZONE,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	04/04/00	0.0180	S	62	E
2	06/28/00	0.031	S	89	E
3	09/26/00	0.051	S	66	E
4	12/28/00	0.038	N	85	E
--	03/28/01	NC	--	--	--
--	09/25/05	NC	--	--	--
--	12/21/05	NC	--	--	--
--	03/21/06	NC	--	--	--
5	06/22/06	0.018	S	80	E
6	09/19/06	0.031	N	86	E
7	12/19/06	0.046	S	89	E
8	03/20/07	0.027	S	68	E
9	06/19/07	0.0489	S	88	E
10	09/18/07	0.0363	S	84	E
11	12/26/07	0.06	S	73	E
12	03/26/08	0.05	S	72	E
13	06/25/08	0.057	S	75	E
14	09/17/08	0.036	N	73	E
15	12/22/08	0.043	N	58	E

Notes:

NC Not calculated.

TABLE 7B ROSE DIAGRAM DATA: ZONE 1,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	06/23/88	0.0045	N	40	W
2	08/26/88	0.0035	N	40	W
--	12/07/88	NC	--	--	--
3	03/08/89	0.006	S	68	E
4	06/30/89	0.0053	S	23	W
--	08/03/89	NC	--	--	--
5	11/28/89	0.0045	N	65	W
--	01/09/90	NC	--	--	--
6	06/11/90	0.0068	N	0	W
--	09/28/90	NC	--	--	--
7	12/27/90	0.017	S	58	W
8	03/20/91	0.014	S	64	W
9	06/20/91	0.016	S	59	W
10	09/12/91	0.007	N	25	W
--	12/30/91	NC	--	--	--
11	03/02/92	0.0069	N	24	W
12	06/08/92	0.0076	N	25	W
13	09/16/92	0.0068	N	23	W
14	12/10/92	0.008	N	25	W
15	03/11/93	0.01	S	45	W
16	06/01/93	0.0023	S	71	W
--	09/29/93	NC	--	--	--
--	11/23/93	NC	--	--	--
--	03/10/94	NC	--	--	--
17	05/04/94	0.017	S	60	W
--	09/01/94	NC	--	--	--
18	11/16/94	0.067	N	40	E
19	02/15/95	0.006	S	85	E
20	05/09/95	0.01	N	67	E
21	08/21/95	0.01	N	85	E
22	11/30/95	0.016	N	66	E
23	03/28/96	0.01	N	82	E
24	05/31/96	0.01	N	62	E
25	08/28/96	0.02	N	70	E
26	11/18/96	0.017	N	68	E
27	02/28/97	0.023	N	81	E
28	05/23/97	0.017	N	66	E
--	09/23/97	NC	--	--	--
29	12/30/97	0.01	N	55	E
30	03/24/98	0.016	S	58	W
31	06/15/98	0.02	S	64	W

TABLE 7B ROSE DIAGRAM DATA: ZONE 1,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
32	09/11/98	0.14	S	80	W
33	12/09/98	0.11	S	47	W
34	03/31/99	0.013	N	60	E
35	06/30/99	0.003	N	72	E
36	08/03/99	0.018	N	57	E
37	09/24/99	0.009	N	85	W
38	12/22/99	0.009	N	38	W
39	04/04/00	0.005	N	35	W
40	06/28/00	0.004	N	35	W
41	09/26/00	0.004	N	46	W
42	12/28/00	0.009	N	85	E
43	03/28/01	0.004	N	52	W
44	06/25/01	0.001	N	52	W
45	09/26/01	0.019	S	67	W
46	12/17/01	0.023	S	65	W
47	03/18/02	0.006	N	55	W
48	6/17-18/02	0.0064	N	52	W
49	09/16/02	0.0145	S	65	W
50	12/17/02	0.016	S	76	W
51	03/28/03	0.029	S	57	W
52	6/16-17/03	0.007	S	51	W
--	09/22/03	NC	--	--	--
53	12/22/03	0.02	S	55	W
54	03/23/04	0.02	S	50	W
55	6/21-22/04	0.02	S	55	W
56	9/20-21/04	0.02	S	47	W
57	12/20/04	0.02	S	29	W
58	03/28/05	0.016	N	83	W
59	06/20/05	0.0070	N	47	W
--	09/25/05	NC	--	--	--
--	12/21/05	NC	--	--	--
--	03/21/06	NC	--	--	--
--	06/22/06	NC	--	--	--
--	09/19/06	NC	--	--	--
60	12/19/06	0.001	N	74	E
61	03/20/07	0.002	S	78	W
62	06/19/07	0.0007	N	63	W
63	09/18/07	0.004	N	41	W
--	12/26/07	NC	--	--	--
--	03/26/08	NC	--	--	--
--	06/25/08	NC	--	--	--

TABLE 7B ROSE DIAGRAM DATA: ZONE 1,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
--	09/17/08	NC	--	--	--
--	12/22/08	NC	--	--	--

Notes:

NC Not calculated.

TABLE 7C ROSE DIAGRAM DATA: ZONE 3,
FORMER EXXON RS 73399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

ID	Date	Gradient		Direction	
1	06/25/01	0.042	S	41	W
2	09/26/01	0.0005	N	10	W
3	12/17/01	0.0015	N	20	W
4	03/18/02	0.0051	N	57	W
5	6/17-18/02	0.0011	S	17	E
6	09/16/02	0.0006	N	48	E
7	12/17/02	0.0008	S	70	E
8	03/28/03	0.002	S	9	W
9	6/16-17/03	0.0006	N	73	E
10	09/22/03	0.0030	N	17	E
11	12/22/03	0.1	N	44	E
12	03/23/04	0.007	S	21	E
13	6/21-22/04	0.004	S	76	E
14	9/20-21/04	0.001	N	35	E
15	12/20/04	0.003	N	29	W
16	03/28/05	0.0002	N	38	W
17	06/20/05	<0.001	N	27	W
18	09/25/05	0.0011	S	16	W
19	12/21/05	0.001	S	44	E
20	03/21/06	0.008	N	29	W
21	06/22/06	0.0008	S	9	E
--	09/19/06	NC	--	--	--
22	12/19/06	0.007	S	26	E
23	03/20/07	0.0007	N	62	W
24	06/19/07	0.0214	N	27	W
25	09/18/07	0.005	N	83	W
26	12/26/07	0.0005	S	32	W
27	03/26/08	0.0004	N	25	W
28	06/25/08	0.053	S	47	W
29	09/17/08	0.049	S	49	W
30	12/22/08	0.00072	S	3	E

Notes:

NC Not calculated.

Appendix A
Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered “functionally dry.” Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler’s initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B
Field Documents



MONITORING WELL DATA FORM

Client: **ExxonMobil**

Date: *12-22-08*

Project Number: **UP3399.Task 1.6**

Station Number: **73399**

Site Location:
2991 Hopyard Road. Pleasanton, CA

Samplers: *ALEX*

MONITORING WELL NUMBER	DEPTH TO WATER (TOC) FT.	DEPTH TO PRODUCT (TOC) FT.	APPARENT PRODUCT THICKNESS (FT.)	AMOUNT OF PRODUCT REMOVED (L)	Well Completion Depth	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	<i>28.04</i>				57	55.05	4"
MW4	<i>29.69</i>				57	56.80	4"
MW5D	<i>29.92</i>				77.5	77.50	4"
MW5S	<i>29.71</i>				55	54.60	4"
MW7	<i>29.40</i>				53	59.59	6"
MW8	<i>30.15</i>				133	132.70	4"
MW9A	<i>31.21</i>				58	57.05	6"
MW10	<i>31.10</i>				60	58.55	4"
MW11	<i>29.81</i>				55	54.50	4"
MW12A	<i>30.81</i>				130.5	128.40	2"
MW13	<i>30.65</i>				72	70.55	2"
MW14	<i>29.47</i>				136	132.05	2"
OW1	<i>9.40</i>				backfill well	11.64	4"
OW2	<i>9.33</i>				Tank backfill	12.60	4"
VR1	<i>27.65</i>				30	30.15	4"
VR2	<i>28.40</i>				45	43.53	2"
PMW1	<i>11.93</i>				16	15.75	4"
PMW2	<i>13.10</i>				16	15.60	4"
PMW3	<i>8.81</i>				16	15.95	4"
PMW4	<i>DRY</i>				16	15.92	4"
PMW5	<i>13.35</i>				16	14.7	4"
PMW6	<i>12.71</i>				16	15.9	4"



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW1	Date: 12-23-08
Project No: UP3399. Task 1.6	Personnel: ALEX	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		55.05	28.64	26.41	1	2	4	6	1690
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0806	0817	0829			
Volume Purge (gal)	17	34	51			
Temperature (C)	16.7	18.8	17.9			
pH	6.84	6.85	6.85			
Spec. Cond. (umhos)	2087	2033	2009			
Turbidity/Color	CLEAR/NONE	CLEAR/NONE	CLEAR/NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 0835 Approximate Depth to Water During Sampling: 29.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 51 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK / N

Well Head Conditions Requiring Correction: NONE GROUT / N

Problems Encountered During Purging and Sampling: NONE WELL BOX / N

Comments: SECURED / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW4	Date: 12-23-08
Project No: UP3399, Task 1.6	Personnel: ZINDER	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		56.80	29.69	27.01	1 0.04	2 0.16	4 0.64	6 1.44	1735

PURGING DATA

Purge Method: WATERFILL / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0731	0750	0813			
Volume Purge (gal)	17.50	35.00	52.50			
Temperature (C)	16.7	15.1	17.9			
pH	6.52	6.62	6.68			
Spec Cond. (umhos)	1791	1724	1744			
Turbidity/Color	SILTY CLEAR	SILTY CLEAR	SILTY CLEAR			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 0830 Approximate Depth to Water During Sampling: 30 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 52.50 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: MW5D Date: 12-22-08
 Project No: UP3399. Task 1.6 Personnel: AWX

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		<u>77.50</u>	<u>29.92</u>	<u>47.58</u>	1 0.04	2 0.16	<u>4</u> 0.64	6 1.44	<u>37.28</u> <u>30.45</u>

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1129	1145	1201			
Volume Purge (gal)	<u>30.5</u>	<u>61</u>	<u>91.5</u>			
Temperature (C)	<u>17.6</u>	<u>18.2</u>	<u>18.3</u>			
pH	<u>7.05</u>	<u>6.93</u>	<u>6.94</u>			
Spec Cond. (umhos)	<u>1423</u>	<u>1456</u>	<u>1462</u>			
Turbidity/Color	<u>CLEAR/NONE</u>	<u>CLEAR/NONE</u>	<u>CLEAR/NONE</u>			
Odor (Y/N)	<u>N</u>	<u>N</u>	<u>N</u>			
Casing Volumes	<u>1</u>	<u>2</u>	<u>3</u>			
Dewatered (Y/N)	<u>N</u>	<u>N</u>	<u>N</u>			

Comments/Observations:

SAMPLING DATA

Time Sampled: 1210 Approximate Depth to Water During Sampling: 30.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MW5D</u>	<u>6</u>	<u>Voa</u>	<u>HCL</u>	<u>40 ml</u>		<u>TPH-g, BTEX, MTBE</u>

Total Purge Volume: 91.5 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS Y / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK Y / N

Well Head Conditions Requiring Correction: NONE GROUT Y / N

Problems Encountered During Purging and Sampling: NONE WELL BOX Y / N

Comments: SECURED Y / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: <i>MW55</i>	Date: <i>12-22-08</i>
Project No: UP3399. Task 1.6	Personnel: <i>AMK</i>	

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		54.66	29.71	24.89	1	2	<u>4</u>	6	15.92
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1230	1240	1302			
Volume Purge (gal)	14	32	48			
Temperature (C)	18.1	18.4	18.6			
pH	6.80	6.78	6.79			
Spec. Cond. (umhos)	1967	2010	2009			
Turbidity/Color	<i>CLEAR/NONE</i>	<i>CLEAR/NONE</i>	<i>CLEAR/NONE</i>			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA
 Time Sampled: *1310* Approximate Depth to Water During Sampling: *30.0* (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>MW55</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: *48* (gallons) Disposal: SYSTEM

Weather Conditions: <i>OK</i>	BOLTS	<u>Y</u> / N
Condition of Well Box and Casing at Time of Sampling: <i>OK</i>	CAP & LOCK	<u>Y</u> / N
Well Head Conditions Requiring Correction: <i>NONE</i>	GROUT	<u>Y</u> / N
Problems Encountered During Purging and Sampling: <i>NONE</i>	WELL BOX	<u>Y</u> / N
Comments:	SECURED	<u>Y</u> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW7	Date: 12/22/08
Project No: UP3399. Task 1.6	Personnel: <i>TSINKER</i>	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		59.59	29.40	30.19	1	2	4	6	43.47
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: <u>WATERRA</u> / BAILER / SUB	Purge Depth:	Screen	Purge Rate:	(gpm)		
Time	1156	1236	1306			
Volume Purge (gal)	44.00	88.00	132.00			
Temperature (C)	21.7	21.4	20.4			
pH	6.59	6.36	6.34			
Spec Cond. (umhos)	1592	1629	1680			
Turbidity/Color	<u>CLEAR</u> NONE	<u>CLEAR</u> NONE	<u>CLEAR</u> NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 1315	Approximate Depth to Water During Sampling: 30 (feet)

Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW7	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 132 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW8	Date: 12-23-03
Project No: UP3399, Task 1.6	Personnel:	

GAUGING DATA							
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC			
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Total Purge Volume (gal)	
	132.70	30.15	102.55	1	2	6	
				0.04	0.16	1.44	
	-		=		X		65.63 = 196.85

PURGING DATA						
Purge Method: WATERB / BAILER / SUB			Purge Depth: Screen	Purge Rate: (gpm)		
Time	0755	0840	0930			
Volume Purge (gal)	66.0	132.00	198.00			
Temperature (C)	16.7	15.1	17.1			
pH	7.25	7.20	7.13			
Spec. Cond. (umhos)	768	750	750			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 0940	Approximate Depth to Water During Sampling: 31 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW8	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 198' (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: MW9A Date: 12-23-08
 Project No: UP3399, Task 1.6 Personnel: Axx

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		57.05	31.21	-	X	1	2	4	6
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec Cond (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
							1	
							2	
							3	

Comments/Observations: SYSTEM SAMPLE

SAMPLING DATA

Time Sampled: 0940 Approximate Depth to Water During Sampling: 32.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MW9A</u>	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS (Y) / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK (Y) / N

Well Head Conditions Requiring Correction: NONE GROUT (Y) / N

Problems Encountered During Purging and Sampling: NONE WELL BOX (Y) / N

Comments: SECURED (Y) / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: *MW10* Date: *12-22-08*
 Project No: UP3399. Task 1.6 Personnel: *BINDOFF*

GAUGING DATA
 Water Level Measuring Method: *WLM* / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
				1	2	4	6		
	<i>53.55</i>	<i>31.10</i>	<i>22.45</i>	<i>X</i>				<i>1756</i>	<i>= 53.70</i>
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: *WATERRA* / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	08:04	08:13	08:28			
Volume Purge (gal)	<i>1803</i>	<i>360</i>	<i>5403</i>			
Temperature (C)	<i>17.9</i>	<i>15.3</i>	<i>18.5</i>			
pH	<i>6.24</i>	<i>6.43</i>	<i>6.45</i>			
Spec. Cond. (umhos)	<i>1557</i>	<i>1589</i>	<i>1584</i>			
Turbidity/Color	<i>CLEAR NONE</i>	<i>CLEAR NONE</i>	<i>CLEAR NONE</i>			
Odor (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			
Casing Volumes	<i>1</i>	<i>2</i>	<i>3</i>			
Dewatered (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			

Comments/Observations:

SAMPLING DATA
 Time Sampled: *02:35* Approximate Depth to Water During Sampling: *32* (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>MW10</i>	<i>6</i>	<i>Voa</i>	<i>HCL</i>	<i>40 ml</i>		<i>TPH-g, BTEX, MTBE</i>

Total Purge Volume: *54* (gallons) Disposal: SYSTEM
 Weather Conditions: *OK* BOLTS *Y* / N
 Condition of Well Box and Casing at Time of Sampling: *OK* CAP & LOCK *Y* / N
 Well Head Conditions Requiring Correction: *NONE* GROUT *Y* / N
 Problems Encountered During Purging and Sampling: *NONE* WELL BOX *Y* / N
 Comments: SECURED *Y* / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW11	Date: 12/22/08
Project No: UP3399. Task 1.6	Personnel: <u>BINDER</u>	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		54.50	29.81	24.69	1 0.04	2 0.16	4 0.64	6 1.44	15.80

PURGING DATA

Purge Method: WATERFALL / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1021	1029	1037			
Volume Purge (gal)	16.00	32.00	48.00			
Temperature (C)	16.5	18.4	19.			
pH	6.55	6.53	6.54			
Spec. Cond. (umhos)	1607	1521	1533			
Turbidity/Color	<u>Slightly CLEAR</u>	<u>Slightly CLEAR</u>	<u>Slightly CLEAR</u>			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 1045 Approximate Depth to Water During Sampling: 30. (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW11	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: <u>48.</u> (gallons)	Disposal: SYSTEM
Weather Conditions: <u>ok</u>	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: <u>ok</u>	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: <u>N/A</u>	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: <u>N/A</u>	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: MW12A	Date: 12-22-08
Project No: UP3399. Task 1.6	Personnel: ANX	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		128.40	30.81	97.59	1 0.04	2 0.16	4 0.64	6 1.44	15.61

PURGING DATA

Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1013	1028	1043			
Volume Purge (gal)	16	52	48			
Temperature (C)	17.6	17.7	17.8			
pH	7.30	7.27	7.29			
Spec Cond. (umhos)	769	762	773			
Turbidity/Color	clear/none	clear/none	clear/none			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 1050 Approximate Depth to Water During Sampling: 21.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW12A	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 48 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: MW13 Date: 12-23-08
 Project No: UP3399. Task 1.6 Personnel: AWA

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		70.55	30.65	39.9	1	2	4	6	6.38
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0935	0942	0949			
Volume Purge (gal)	6.5	13	19.5			
Temperature (C)	17.4	18.4	18.5			
pH	7.00	6.93	6.90			
Spec. Cond. (umhos)	839	1680	1681			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 0955 Approximate Depth to Water During Sampling: 31.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW13	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 19.5 (gallons) Disposal: SYSTEM
 Weather Conditions: OK BOLTS Y / N
 Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK Y / N
 Well Head Conditions Requiring Correction: N/A GROUT Y / N
 Problems Encountered During Purging and Sampling: NONE WELL BOX Y / N
 Comments: SECURED Y / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: MW 14 Date: 12-22-08
 Project No: UP3399. Task 1.6 Personnel: ALEX

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		132.05	29.47	162.58	1 0.04	2 0.16	4 0.64	6 1.44	16.41

PURGING DATA

Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

	1	2	3			
Time	1120	1140	1200			
Volume Purge (gal)	14.5	33	49.5			
Temperature (C)	17.4	17.4	17.5			
pH	7.20	7.23	7.26			
Spec. Cond. (umhos)	850	842	858			
Turbidity/Color	CLEAR/NONE	CLEAR/NONE	CLEAR/NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 1215 Approximate Depth to Water During Sampling: 30.0 (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW 14	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 49.5 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS (Y) / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK (Y) / N

Well Head Conditions Requiring Correction: NONE GROUT (Y) / N

Problems Encountered During Purging and Sampling: NONE WELL BOX (Y) / N

Comments: SECURED (Y) / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: *OW1* Date: *12-23-09*
 Project No: UP3399, Task 1.6 Personnel: *Aux*

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		11.64	9.40	2.24	1 0.04	2 0.16	<u>4</u> 0.64	6 1.44	1.43

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0825	0828	0832			
Volume Purge (gal)	1.5	3	4.5			
Temperature (C)	17.5	17.2	17.3			
pH	6.84	6.83	6.84			
Spec. Cond. (umhos)	430	442	409			
Turbidity/Color	<i>SILTS / PEN</i>	<i>SILTS / PEN</i>	<i>SILTS / PEN</i>			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: *0850* Approximate Depth to Water During Sampling: *10.0* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>OW1</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: *4.5* (gallons) Disposal: SYSTEM

Weather Conditions: *OK* BOLTS / N

Condition of Well Box and Casing at Time of Sampling: *OK* CAP & LOCK / N

Well Head Conditions Requiring Correction: *NONE* GROUT / N

Problems Encountered During Purging and Sampling: *NONE* WELL BOX / N

Comments: SECURED / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: <u>OW2</u>	Date: <u>12/22/08</u>
Project No: UP3399. Task 1.6	Personnel: <u>BINDER</u>	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
		<u>19.60</u>	<u>9.33</u>	<u>3.27</u>	<u>X</u>	1	2	<u>4</u>	6	<u>2.09</u>
					0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	<u>0925</u>	<u>0928</u>	<u>0931</u>			
Volume Purge (gal)	<u>2.00</u>	<u>4.00</u>	<u>6.00</u>			
Temperature (C)	<u>16.1</u>	<u>17.3</u>	<u>17.6</u>			
pH	<u>6.65</u>	<u>6.22</u>	<u>6.17</u>			
Spec. Cond. (umhos)	<u>517</u>	<u>509</u>	<u>497</u>			
Turbidity/Color	<u>SILTY CLEAR</u>	<u>SILTY CLEAR</u>	<u>SILTY CLEAR</u>			
Odor (Y/N)	<u>N</u>	<u>N</u>	<u>N</u>			
Casing Volumes	<u>1</u>	<u>2</u>	<u>3</u>			
Dewatered (Y/N)	<u>N</u>	<u>N</u>	<u>N</u>			

Comments/Observations:

SAMPLING DATA

Time Sampled: 0935 Approximate Depth to Water During Sampling: 10' (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>OW2</u>	<u>6</u>	<u>Voa</u>	<u>HCL</u>	<u>40 ml</u>	/	<u>TPH-g, BTEX, MTBE</u>
					/	
					/	

Total Purge Volume: <u>6.56</u> (gallons)	Disposal: <u>SYSTEM</u>
Weather Conditions: <u>OK</u>	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: <u>NONE</u>	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: <u>NONE</u>	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399	Well No: <i>VR1</i>	Date: <i>12-23-08</i>
Project No: UP3399. Task 1.6	Personnel: <i>Alex</i>	

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		<i>20.15</i> <input checked="" type="checkbox"/>	<i>27.65</i> <input checked="" type="checkbox"/>	-	<input checked="" type="checkbox"/> 1	2	<input checked="" type="checkbox"/> 4	6	-
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	Volume Purge (gal)	Temperature (C)	pH	Spec. Cond. (umhos)	Turbidity/Color	Odor (Y/N)	Casing Volumes	Dewatered (Y/N)
							1	
							2	
							3	

Comments/Observations: *SYSTEM SAMPLE*

SAMPLING DATA

Time Sampled: *1000* Approximate Depth to Water During Sampling: *28.0* (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>VR1</i>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: <i>-</i> (gallons)	Disposal: SYSTEM
Weather Conditions: <i>ok</i>	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: <i>ok</i>	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: <i>none</i>	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: <i>none</i>	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: VR2	Date: 12-31-08
Project No: UP3399. Task 1.6	Personnel: AVX	

GAUGING DATA									
Water Level Measuring Method: WLM / IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)	
	43.53	28.4	15.13	1	2	4	6	2.42	7.20
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATER / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)	
Time	0837	0840	0843			
Volume Purge (gal)	2.5	5	7.5			
Temperature (C)	15.5	19.0	19.0			
pH	6.84	6.82	6.83			
Spec. Cond. (umhos)	1406	1434	1438			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA	
Time Sampled: 0850	Approximate Depth to Water During Sampling: 29.0 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
VR2	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: 7.5 (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: NONE	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: PMW1	Date: 12-29-03
Project No: UP3399, Task 1.6	Personnel: BINDER	

GAUGING DATA								
Water Level Measuring Method: <u>WLM</u> / IP				Measuring Point Description: TOC				
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)
	15.75	11.93	3.62	1	2	6	2.32	6.98
				0.04	0.16	0.64	1.44	

PURGING DATA							
Purge Method: <u>WATERRA</u> / BAILER / SUB		Purge Depth:	Screen	Purge Rate:	(gpm)		
Time	0728	0732	/				
Volume Purge (gal)	2.50	5.00		7.50			
Temperature (C)	17.3	20.5					
pH	5.82	5.94					
Spec. Cond. (umhos)	763	707					
Turbidity/Color	<u>CLMA</u> NWE	<u>CLMA</u> NoAlc					
Odor (Y/N)	N	N					
Casing Volumes	1	2		3			
Dewatered (Y/N)	N	N					
Comments/Observations: <u>Dewatered at 5.5 gallons</u>							

SAMPLING DATA						
Time Sampled: 0750		Approximate Depth to Water During Sampling: 12 (feet)				
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 5.5 ² (gallons)	Disposal: SYSTEM
Weather Conditions: OK	BOLTS <input checked="" type="checkbox"/> / N
Condition of Well Box and Casing at Time of Sampling: OK	CAP & LOCK <input checked="" type="checkbox"/> / N
Well Head Conditions Requiring Correction: NONE	GROUT <input checked="" type="checkbox"/> / N
Problems Encountered During Purging and Sampling: <u>Dewatered</u>	WELL BOX <input checked="" type="checkbox"/> / N
Comments:	SECURED <input checked="" type="checkbox"/> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: PMW2 Date: 12/22/08
 Project No: UP3399, Task 1.6 Personnel: BINDER

GAUGING DATA
 Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		15.60	13.10	2.50	X 1	2	4	6	1.60
				0.04	0.16	0.64	1.44		

PURGING DATA
 Purge Method: WATER / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	1	2	3			
Time	0850					
Volume Purge (gal)	2.00	4.00	6.00			
Temperature (C)	15.3					
pH	6.80					
Spec. Cond. (umhos)	1159					
Turbidity/Color	<u>CLEAR</u> N/A					
Odor (Y/N)	N					
Casing Volumes	1	2	3			
Dewatered (Y/N)	N					

Comments/Observations: Dewatered at 3. Gallons

SAMPLING DATA
 Time Sampled: 0910 Approximate Depth to Water During Sampling: 14. (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>PMW2</u>	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons) Disposal: SYSTEM

Weather Conditions: OK BOLTS / N

Condition of Well Box and Casing at Time of Sampling: OK CAP & LOCK / N

Well Head Conditions Requiring Correction: N/A GROUT / N

Problems Encountered During Purging and Sampling: Dewatered OK WELL BOX / N

Comments: SECURED / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: FMW3	Date: 12-23-08
Project No: UP3399. Task 1.6	Personnel: ALEX	

GAUGING DATA

Water Level Measuring Method: **WLM** / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		15.95	8.81	7.14	1 0.04	2 0.16	4 0.64	6 1.44	4.56

PURGING DATA

Purge Method: **WATERRA** / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	0843	0855	0903			
Volume Purge (gal)	5	10	15			
Temperature (C)	19.6	20.2	20.1			
pH	6.84	7.13	6.89			
Spec. Cond. (umhos)	799	810	804			
Turbidity/Color	CLEAR / NONE	CLEAR / NONE	CLEAR / NONE			
Odor (Y/N)	N	N	N			
Casing Volumes	1	2	3			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: **0910** Approximate Depth to Water During Sampling: **9.0** (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
FMW3	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: **15** (gallons) Disposal: SYSTEM

Weather Conditions: **OK** BOLTS **Y** / N

Condition of Well Box and Casing at Time of Sampling: **OK** CAP & LOCK **Y** / N

Well Head Conditions Requiring Correction: **NONE** GROUT **Y** / N

Problems Encountered During Purging and Sampling: **NONE** WELL BOX **Y** / N

Comments: SECURED **Y** / N

GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399	Well No: <u>FMWS</u>	Date: <u>12-22-08</u>
Project No: UP3399, Task 1.6	Personnel: <u>AMX</u>	

GAUGING DATA									
Water Level Measuring Method: <u>WLM</u> IP				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	14.7	13.35	1.35	1	2	4	6	.86	2.59
				0.04	0.16	0.64	1.44		

PURGING DATA						
Purge Method: WATERRA / <u>BAILER</u> / SUB		Purge Depth: Screen		Purge Rate: (gpm)		
Time	0207					
Volume Purge (gal)	1	2	3			
Temperature (C)	17.3					
pH	7.32					
Spec Cond. (umhos)	497					
Turbidity/Color	<u>None</u>					
Odor (Y/N)	N					
Casing Volumes	1	2	3			
Dewatered (Y/N)	N					
Comments/Observations: <u>DEWATERED AT 1.5 GALLON</u>						

SAMPLING DATA	
Time Sampled: <u>0225</u>	Approximate Depth to Water During Sampling: <u>14.0</u> (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>FMWS</u>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	

Total Purge Volume: <u>1.5</u> (gallons)	Disposal: SYSTEM
Weather Conditions: <u>OK</u>	BOLTS <u>Y</u> / N
Condition of Well Box and Casing at Time of Sampling: <u>OK</u>	CAP & LOCK <u>Y</u> / N
Well Head Conditions Requiring Correction: <u>NONE</u>	GROUT <u>Y</u> / N
Problems Encountered During Purging and Sampling: <u>NONE & DEWATERED</u>	WELL BOX <u>Y</u> / N
Comments:	SECURED <u>Y</u> / N



GROUNDWATER PURGE AND SAMPLE

Project Name: Former Exxon RS 73399 Well No: PMWG Date: 12-22-08
 Project No: UP3399. Task 1.6 Personnel: TZINDEP

GAUGING DATA

Water Level Measuring Method: WLM / IP Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)				
		15.90	-	12.71	=	3.19	X	1	2	4	6	2.07	=
							0.04	0.16	0.64	1.44			

PURGING DATA

Purge Method: WATERRA / BAILER / SUB Purge Depth: Screen Purge Rate: (gpm)

Time	<u>1115</u>					
Volume Purge (gal)	<u>2.50</u>	<u>5.00</u>	<u>7.50</u>			
Temperature (C)	<u>21.9</u>					
pH	<u>6.90</u>					
Spec Cond. (umhos)	<u>1253</u>					
Turbidity/Color	<u>Slut CLEAR</u>					
Odor (Y/N)	<u>N</u>					
Casing Volumes	<u>1</u>	<u>2</u>	<u>3</u>			
Dewatered (Y/N)	<u>N</u>					

Comments/Observations: Dewatered at 3 GALLONS

SAMPLING DATA

Time Sampled: 1140 Approximate Depth to Water During Sampling: 13.0 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>PMWG</u>	<u>6</u>	<u>Voa</u>	<u>HCL</u>	<u>40 ml</u>		<u>TPH-g, BTEX, MTBE</u>

Total Purge Volume: 3 (gallons) Disposal: SYSTEM

Weather Conditions: ok BOLTS / N

Condition of Well Box and Casing at Time of Sampling: ok CAP & LOCK / N

Well Head Conditions Requiring Correction: None GROUT / N

Problems Encountered During Purging and Sampling: Dewatered WELL BOX / N

Comments: SECURED / N

Appendix C

Laboratory Analytical Reports and Chain-of-Custody Documentation


6 January, 2009

Karthika Thurairajah
ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill, CA 94523

RE: Exxon 7-3399
Work Order: MRL0606

Enclosed are the results of analyses for samples received by the laboratory on 12/23/08 21:30. The samples arrived at a temperature of 5° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Megan Tran
VOA

CA ELAP Certificate #2682

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW1	MRL0606-01	Water	12/23/08 08:35	12/23/08 21:30
MW4	MRL0606-02	Water	12/23/08 08:30	12/23/08 21:30
MW5D	MRL0606-03	Water	12/22/08 12:10	12/23/08 21:30
MW5S	MRL0606-04	Water	12/22/08 13:10	12/23/08 21:30
MW7	MRL0606-05	Water	12/22/08 13:15	12/23/08 21:30
MW8	MRL0606-06	Water	12/23/08 09:40	12/23/08 21:30
MW9A	MRL0606-07	Water	12/23/08 09:40	12/23/08 21:30
MW10	MRL0606-08	Water	12/22/08 08:35	12/23/08 21:30
MW11	MRL0606-09	Water	12/22/08 10:45	12/23/08 21:30
MW12A	MRL0606-10	Water	12/22/08 10:50	12/23/08 21:30
MW13	MRL0606-11	Water	12/22/08 09:55	12/23/08 21:30
MW14	MRL0606-12	Water	12/22/08 12:15	12/23/08 21:30
OW1	MRL0606-13	Water	12/23/08 08:50	12/23/08 21:30
OW2	MRL0606-14	Water	12/22/08 09:35	12/23/08 21:30
VR1	MRL0606-15	Water	12/23/08 10:00	12/23/08 21:30
VR2	MRL0606-16	Water	12/22/08 08:50	12/23/08 21:30
PMW1	MRL0606-17	Water	12/22/08 07:50	12/23/08 21:30
PMW2	MRL0606-18	Water	12/22/08 09:10	12/23/08 21:30
PMW3	MRL0606-19	Water	12/23/08 09:10	12/23/08 21:30
PMW5	MRL0606-20	Water	12/22/08 08:25	12/23/08 21:30
PMW6	MRL0606-21	Water	12/22/08 11:40	12/23/08 21:30

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW1 (MRL0606-01) Water Sampled: 12/23/08 08:35 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		110 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		127 %		75-125	"	"	"	"	Z2
MW4 (MRL0606-02) Water Sampled: 12/23/08 08:30 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		106 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		113 %		75-125	"	"	"	"	
MW5D (MRL0606-03) Water Sampled: 12/22/08 12:10 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		105 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		113 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW5S (MRL0606-04) Water Sampled: 12/22/08 13:10 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		108 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		106 %		75-125	"	"	"	"	
MW7 (MRL0606-05) Water Sampled: 12/22/08 13:15 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	0.87	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		109 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		103 %		75-125	"	"	"	"	
MW8 (MRL0606-06) Water Sampled: 12/23/08 09:40 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		104 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		107 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW9A (MRL0606-07) Water Sampled: 12/23/08 09:40 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	79	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	3.7	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	1.6	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		109 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		112 %		75-125	"	"	"	"	
MW10 (MRL0606-08) Water Sampled: 12/22/08 08:35 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		107 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		107 %		75-125	"	"	"	"	
MW11 (MRL0606-09) Water Sampled: 12/22/08 10:45 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		108 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW12A (MRL0606-10) Water Sampled: 12/22/08 10:50 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		103 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		105 %		75-125	"	"	"	"	
MW13 (MRL0606-11) Water Sampled: 12/22/08 09:55 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		110 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		110 %		75-125	"	"	"	"	
MW14 (MRL0606-12) Water Sampled: 12/22/08 12:15 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		110 %		85-120	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		103 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
OW1 (MRL0606-13) Water Sampled: 12/23/08 08:50 Received: 12/23/08 21:30										
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		108 %		85-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %		75-125		"	"	"	"	
OW2 (MRL0606-14) Water Sampled: 12/22/08 09:35 Received: 12/23/08 21:30										
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Benzene	ND	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		107 %		85-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %		75-125		"	"	"	"	
VR1 (MRL0606-15) Water Sampled: 12/23/08 10:00 Received: 12/23/08 21:30										
Gasoline Range Organics (C4-C12)	110	50		ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	QP
Benzene	ND	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		107 %		85-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		106 %		75-125		"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
VR2 (MRL0606-16) Water Sampled: 12/22/08 08:50 Received: 12/23/08 21:30									
Benzene	ND	0.50	ug/l	1	8L26003	12/26/08	12/26/08	EPA 8015B/8021B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>113 %</i>	<i>85-120</i>						
VR2 (MRL0606-16RE1) Water Sampled: 12/22/08 08:50 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	1300	250	ug/l	5	8L29007	12/29/08	12/30/08	EPA 8015B/8021B	QP
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>98 %</i>	<i>75-125</i>						
PMW1 (MRL0606-17) Water Sampled: 12/22/08 07:50 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/27/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>109 %</i>	<i>85-120</i>						
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>106 %</i>	<i>75-125</i>						
PMW2 (MRL0606-18) Water Sampled: 12/22/08 09:10 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/27/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>103 %</i>	<i>85-120</i>						
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>102 %</i>	<i>75-125</i>						

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
PMW3 (MRL0606-19) Water Sampled: 12/23/08 09:10 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/27/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		106 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		109 %		75-125	"	"	"	"	
PMW5 (MRL0606-20) Water Sampled: 12/22/08 08:25 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L26003	12/26/08	12/27/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		106 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %		75-125	"	"	"	"	
PMW6 (MRL0606-21) Water Sampled: 12/22/08 11:40 Received: 12/23/08 21:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8L29007	12/29/08	12/30/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		115 %		85-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		98 %		75-125	"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Volatile Organic Compounds by EPA Method 8260B TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW1 (MRL0606-01) Water Sampled: 12/23/08 08:35 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	1.7	0.50	"	"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4		113 %	75-130		"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		93 %	70-120		"	"	"	"	"
Surrogate: Dibromofluoromethane		106 %	80-120		"	"	"	"	"
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	"
MW4 (MRL0606-02) Water Sampled: 12/23/08 08:30 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		106 %	80-120		"	"	"	"	"
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		94 %	70-120		"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4		116 %	75-130		"	"	"	"	"
MW5D (MRL0606-03) Water Sampled: 12/22/08 12:10 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		107 %	80-120		"	"	"	"	"
Surrogate: Toluene-d8		94 %	80-120		"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4		117 %	75-130		"	"	"	"	"
MW5S (MRL0606-04) Water Sampled: 12/22/08 13:10 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		107 %	80-120		"	"	"	"	"
Surrogate: Toluene-d8		95 %	80-120		"	"	"	"	"
Surrogate: 4-Bromofluorobenzene		93 %	70-120		"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4		122 %	75-130		"	"	"	"	"

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW7 (MRL0606-05) Water Sampled: 12/22/08 13:15 Received: 12/23/08 21:30									
Methyl tert-butyl ether	4.8	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		107 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		95 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		121 %	75-130		"	"	"	"	
MW8 (MRL0606-06) Water Sampled: 12/23/08 09:40 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		118 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		91 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		108 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
MW9A (MRL0606-07) Water Sampled: 12/23/08 09:40 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	80	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		121 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		109 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	
MW10 (MRL0606-08) Water Sampled: 12/22/08 08:35 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	49	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		122 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		91 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		108 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW11 (MRL0606-09) Water Sampled: 12/22/08 10:45 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		109 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		125 %	75-130		"	"	"	"	
MW12A (MRL0606-10) Water Sampled: 12/22/08 10:50 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		111 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		124 %	75-130		"	"	"	"	
MW13 (MRL0606-11) Water Sampled: 12/22/08 09:55 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		108 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		91 %	70-120		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		124 %	75-130		"	"	"	"	
MW14 (MRL0606-12) Water Sampled: 12/22/08 12:15 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: Dibromofluoromethane		109 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		90 %	70-120		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		121 %	75-130		"	"	"	"	

ETIC Engineering Inc. - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
---	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
OW1 (MRL0606-13) Water Sampled: 12/23/08 08:50 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		127 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		90 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
OW2 (MRL0606-14) Water Sampled: 12/22/08 09:35 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	0.60	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		129 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		89 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
VR1 (MRL0606-15) Water Sampled: 12/23/08 10:00 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	150	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		127 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		91 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
VR2 (MRL0606-16) Water Sampled: 12/22/08 08:50 Received: 12/23/08 21:30									
Methyl tert-butyl ether	1700	5.0	ug/l	10	8L26001	12/26/08	12/26/08	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		124 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		88 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		110 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
VR2 (MRL0606-16RE1) Water Sampled: 12/22/08 08:50 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L30001	12/30/08	12/30/08	EPA 8260B	
Surrogate: 1,2-Dichloroethane-d4		117 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		91 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		108 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		93 %	80-120		"	"	"	"	
PMW1 (MRL0606-17) Water Sampled: 12/22/08 07:50 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		124 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		89 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		110 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
PMW2 (MRL0606-18) Water Sampled: 12/22/08 09:10 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L26001	12/26/08	12/26/08	EPA 8260B	
Methyl tert-butyl ether	1.5	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		127 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	
PMW3 (MRL0606-19) Water Sampled: 12/23/08 09:10 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L30001	12/30/08	12/30/08	EPA 8260B	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		105 %	75-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		93 %	70-120		"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	80-120		"	"	"	"	
Surrogate: Toluene-d8		95 %	80-120		"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
PMW5 (MRL0606-20) Water Sampled: 12/22/08 08:25 Received: 12/23/08 21:30									
Ethanol	ND	100	ug/l	1	8L30001	12/30/08	12/30/08	EPA 8260B	
Methyl tert-butyl ether	4.0	0.50	"	"	"	"	"	"	"
<i>Surrogate: 1,2-Dichloroethane-d4</i>		111 %	75-130		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		93 %	70-120		"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		104 %	80-120		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		94 %	80-120		"	"	"	"	
PMW6 (MRL0606-21) Water Sampled: 12/22/08 11:40 Received: 12/23/08 21:30									
Methyl tert-butyl ether	ND	0.50	ug/l	1	8L30001	12/30/08	12/30/08	EPA 8260B	
<i>Surrogate: Dibromofluoromethane</i>		104 %	80-120		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92 %	70-120		"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		114 %	75-130		"	"	"	"	

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	------------	--------------	-------

Batch 8L26003 - EPA 5030B [P/T]

Blank (8L26003-BLK1)

Prepared & Analyzed: 12/26/08

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.42	"							
Surrogate: a,a,a-Trifluorotoluene	41.3		"	40.0		103	85-120			
Surrogate: 4-Bromofluorobenzene	41.6		"	40.0		104	75-125			

LCS (8L26003-BS1)

Prepared & Analyzed: 12/26/08

Benzene	10.6	0.50	ug/l	10.0		106	70-130			
Toluene	10.5	0.50	"	10.0		105	70-130			
Ethylbenzene	10.1	0.50	"	10.0		101	70-130			
Xylenes (total)	30.3	0.50	"	30.0		101	70-130			
Surrogate: a,a,a-Trifluorotoluene	42.8		"	40.0		107	85-120			

LCS (8L26003-BS2)

Prepared & Analyzed: 12/26/08

Gasoline Range Organics (C4-C12)	234	50	ug/l	250		94	70-130			
Surrogate: 4-Bromofluorobenzene	47.0		"	40.0		118	75-125			

LCS Dup (8L26003-BSD2)

Prepared & Analyzed: 12/26/08

Gasoline Range Organics (C4-C12)	237	50	ug/l	250		95	70-130	1	25	
Surrogate: 4-Bromofluorobenzene	45.6		"	40.0		114	75-125			

Matrix Spike (8L26003-MS1)

Source: MRL0606-01

Prepared & Analyzed: 12/26/08

Gasoline Range Organics (C4-C12)	103	50	ug/l	91.0	ND	113	70-130			
Benzene	11.0	0.50	"	10.0	0.239	108	70-130			
Toluene	11.7	0.50	"	10.0	ND	117	70-130			
Ethylbenzene	10.9	0.50	"	10.0	ND	109	70-130			
Xylenes (total)	32.6	0.50	"	30.0	ND	109	70-130			
Surrogate: a,a,a-Trifluorotoluene	43.2		"	40.0		108	85-120			
Surrogate: 4-Bromofluorobenzene	42.9		"	40.0		107	75-125			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 8L26003 - EPA 5030B [P/T]

Matrix Spike Dup (8L26003-MSD1)

Source: MRL0606-01

Prepared & Analyzed: 12/26/08

Gasoline Range Organics (C4-C12)	99.5	50	ug/l	91.0	ND	109	70-130	3	25	
Benzene	10.7	0.50	"	10.0	0.239	104	70-130	3	25	
Toluene	9.93	0.50	"	10.0	ND	99	70-130	17	25	
Ethylbenzene	10.5	0.50	"	10.0	ND	105	70-130	4	25	
Xylenes (total)	31.4	0.50	"	30.0	ND	105	70-130	4	25	
Surrogate: a,a,a-Trifluorotoluene	41.8		"	40.0		104	85-120			
Surrogate: 4-Bromofluorobenzene	43.3		"	40.0		108	75-125			

Batch 8L29007 - EPA 5030B [P/T]

Blank (8L29007-BLK1)

Prepared & Analyzed: 12/29/08

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.42	"							
Surrogate: a,a,a-Trifluorotoluene	46.0		"	40.0		115	85-120			
Surrogate: 4-Bromofluorobenzene	38.8		"	40.0		97	75-125			

LCS (8L29007-BS1)

Prepared & Analyzed: 12/29/08

Benzene	10.5	0.50	ug/l	10.0		105	70-130			
Toluene	10.6	0.50	"	10.0		106	70-130			
Ethylbenzene	10.3	0.50	"	10.0		103	70-130			
Xylenes (total)	32.2	0.50	"	30.0		107	70-130			
Surrogate: a,a,a-Trifluorotoluene	45.4		"	40.0		113	85-120			

LCS (8L29007-BS2)

Prepared & Analyzed: 12/29/08

Gasoline Range Organics (C4-C12)	225	50	ug/l	250		90	70-130			
Surrogate: 4-Bromofluorobenzene	43.1		"	40.0		108	75-125			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 8L29007 - EPA 5030B [P/T]									
LCS Dup (8L29007-BSD2)					Prepared & Analyzed: 12/29/08				
Gasoline Range Organics (C4-C12)	231	50	ug/l	250		92 70-130	2	25	
Surrogate: 4-Bromofluorobenzene	42.1		"	40.0		105 75-125			
Matrix Spike (8L29007-MS1)					Source: MRL0608-04 Prepared & Analyzed: 12/29/08				
Gasoline Range Organics (C4-C12)	108	50	ug/l	91.0	ND	119 70-130			
Benzene	10.8	0.50	"	10.0	ND	108 70-130			
Toluene	10.8	0.50	"	10.0	ND	108 70-130			
Ethylbenzene	10.6	0.50	"	10.0	ND	106 70-130			
Xylenes (total)	33.4	0.50	"	30.0	ND	111 70-130			
Surrogate: a,a,a-Trifluorotoluene	46.0		"	40.0		115 85-120			
Surrogate: 4-Bromofluorobenzene	40.6		"	40.0		102 75-125			
Matrix Spike Dup (8L29007-MSD1)					Source: MRL0608-04 Prepared & Analyzed: 12/29/08				
Gasoline Range Organics (C4-C12)	106	50	ug/l	91.0	ND	116 70-130	2	25	
Benzene	10.6	0.50	"	10.0	ND	106 70-130	2	25	
Toluene	10.6	0.50	"	10.0	ND	106 70-130	2	25	
Ethylbenzene	10.7	0.50	"	10.0	ND	107 70-130	1	25	
Xylenes (total)	32.5	0.50	"	30.0	ND	108 70-130	3	25	
Surrogate: a,a,a-Trifluorotoluene	46.1		"	40.0		115 85-120			
Surrogate: 4-Bromofluorobenzene	40.4		"	40.0		101 75-125			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8L26001 - EPA 5030B P/T										
Blank (8L26001-BLK1)					Prepared & Analyzed: 12/26/08					
Methyl tert-butyl ether	ND	0.25	ug/l							
Ethanol	ND	50	"							
Methyl tert-butyl ether	ND	0.25	"							
<i>Surrogate: Dibromofluoromethane</i>	7.89		"	7.50		105	80-120			
<i>Surrogate: Toluene-d8</i>	7.01		"	7.50		93	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.19		"	7.50		96	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.46		"	7.50		113	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.46		"	7.50		113	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.19		"	7.50		96	70-120			
<i>Surrogate: Dibromofluoromethane</i>	7.89		"	7.50		105	80-120			
<i>Surrogate: Toluene-d8</i>	7.01		"	7.50		93	80-120			
LCS (8L26001-BS1)					Prepared & Analyzed: 12/26/08					
Methyl tert-butyl ether	11.5	0.50	ug/l	10.0		115	70-130			
Ethanol	252	100	"	200		126	15-150			
Methyl tert-butyl ether	11.5	0.50	"	10.0		115	50-140			
<i>Surrogate: Dibromofluoromethane</i>	8.12		"	7.50		108	80-120			
<i>Surrogate: Toluene-d8</i>	7.15		"	7.50		95	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.26		"	7.50		97	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.50		"	7.50		113	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.50		"	7.50		113	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.26		"	7.50		97	70-120			
<i>Surrogate: Dibromofluoromethane</i>	8.12		"	7.50		108	80-120			
<i>Surrogate: Toluene-d8</i>	7.15		"	7.50		95	80-120			
Matrix Spike (8L26001-MS1)					Source: MRL0606-01 Prepared & Analyzed: 12/26/08					
Methyl tert-butyl ether	12.6	0.50	ug/l	10.0	1.72	109	70-130			
Ethanol	235	100	"	200	ND	117	15-150			
Methyl tert-butyl ether	12.6	0.50	"	10.0	1.72	109	50-140			
<i>Surrogate: Dibromofluoromethane</i>	8.02		"	7.50		107	80-120			
<i>Surrogate: Toluene-d8</i>	7.23		"	7.50		96	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.36		"	7.50		98	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.46		"	7.50		113	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.46		"	7.50		113	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.36		"	7.50		98	70-120			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 8L26001 - EPA 5030B P/T

Matrix Spike (8L26001-MS1)

Source: MRL0606-01

Prepared & Analyzed: 12/26/08

Surrogate: Dibromofluoromethane	8.02		ug/l	7.50		107	80-120			
Surrogate: Toluene-d8	7.23		"	7.50		96	80-120			

Matrix Spike Dup (8L26001-MSD1)

Source: MRL0606-01

Prepared & Analyzed: 12/26/08

Methyl tert-butyl ether	14.0	0.50	ug/l	10.0	1.72	122	70-130	10	25	
Ethanol	222	100	"	200	ND	111	15-150	6	25	
Methyl tert-butyl ether	14.0	0.50	"	10.0	1.72	122	50-140	10	25	
Surrogate: Dibromofluoromethane	8.13		"	7.50		108	80-120			
Surrogate: Toluene-d8	7.24		"	7.50		97	80-120			
Surrogate: 4-Bromofluorobenzene	7.40		"	7.50		99	70-120			
Surrogate: 1,2-Dichloroethane-d4	8.74		"	7.50		117	75-130			
Surrogate: 1,2-Dichloroethane-d4	8.74		"	7.50		117	75-130			
Surrogate: 4-Bromofluorobenzene	7.40		"	7.50		99	70-120			
Surrogate: Dibromofluoromethane	8.13		"	7.50		108	80-120			
Surrogate: Toluene-d8	7.24		"	7.50		97	80-120			

Batch 8L30001 - EPA 5030B P/T

Blank (8L30001-BLK1)

Prepared & Analyzed: 12/30/08

Methyl tert-butyl ether	ND	0.25	ug/l							
Ethanol	ND	50	"							
Methyl tert-butyl ether	ND	0.25	"							
Surrogate: Dibromofluoromethane	7.85		"	7.50		105	80-120			
Surrogate: Toluene-d8	7.13		"	7.50		95	80-120			
Surrogate: 4-Bromofluorobenzene	6.89		"	7.50		92	70-120			
Surrogate: 1,2-Dichloroethane-d4	8.05		"	7.50		107	75-130			
Surrogate: 1,2-Dichloroethane-d4	8.05		"	7.50		107	75-130			
Surrogate: 4-Bromofluorobenzene	6.89		"	7.50		92	70-120			
Surrogate: Dibromofluoromethane	7.85		"	7.50		105	80-120			
Surrogate: Toluene-d8	7.13		"	7.50		95	80-120			

ETIC Engineering Inc - Pleasant Hill (Exxon) 2285 Morello Avenue Pleasant Hill CA, 94523	Project: Exxon 7-3399 Project Number: 7-3399 Project Manager: Karthika Thurairajah	MRL0606 Reported: 01/06/09 11:18
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8L30001 - EPA 5030B P/T										
LCS (8L30001-BS1)				Prepared & Analyzed: 12/30/08						
Methyl tert-butyl ether	11.2	0.50	ug/l	10.0		112	70-130			
Ethanol	193	100	"	200		97	15-150			
Methyl tert-butyl ether	11.2	0.50	"	10.0		112	50-140			
<i>Surrogate: Dibromofluoromethane</i>	7.87		"	7.50		105	80-120			
<i>Surrogate: Toluene-d8</i>	7.14		"	7.50		95	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.17		"	7.50		96	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	7.99		"	7.50		107	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	7.99		"	7.50		107	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.17		"	7.50		96	70-120			
<i>Surrogate: Dibromofluoromethane</i>	7.87		"	7.50		105	80-120			
<i>Surrogate: Toluene-d8</i>	7.14		"	7.50		95	80-120			
Matrix Spike (8L30001-MS1)				Source: MRL0608-04		Prepared & Analyzed: 12/30/08				
Methyl tert-butyl ether	10.8	0.50	ug/l	10.0	ND	108	70-130			
Ethanol	210	100	"	200	ND	105	15-150			
Methyl tert-butyl ether	10.8	0.50	"	10.0	ND	108	50-140			
<i>Surrogate: Dibromofluoromethane</i>	8.02		"	7.50		107	80-120			
<i>Surrogate: Toluene-d8</i>	7.22		"	7.50		96	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.25		"	7.50		97	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.17		"	7.50		109	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.17		"	7.50		109	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.25		"	7.50		97	70-120			
<i>Surrogate: Dibromofluoromethane</i>	8.02		"	7.50		107	80-120			
<i>Surrogate: Toluene-d8</i>	7.22		"	7.50		96	80-120			
Matrix Spike Dup (8L30001-MSD1)				Source: MRL0608-04		Prepared & Analyzed: 12/30/08				
Methyl tert-butyl ether	11.1	0.50	ug/l	10.0	ND	111	70-130	3	25	
Ethanol	218	100	"	200	ND	109	15-150	4	25	
Methyl tert-butyl ether	11.1	0.50	"	10.0	ND	111	50-140	3	25	
<i>Surrogate: Dibromofluoromethane</i>	7.99		"	7.50		107	80-120			
<i>Surrogate: Toluene-d8</i>	7.25		"	7.50		97	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.19		"	7.50		96	70-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.21		"	7.50		109	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	8.21		"	7.50		109	75-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	7.19		"	7.50		96	70-120			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	------------	--------------	-------

Batch 8L30001 - EPA 5030B P/T

Matrix Spike Dup (8L30001-MSD1)

Source: MRL0608-04

Prepared & Analyzed: 12/30/08

Surrogate: Dibromofluoromethane	7.99		ug/l	7.50		107	80-120			
Surrogate: Toluene-d8	7.25		"	7.50		97	80-120			

ETIC Engineering Inc - Pleasant Hill (Exxon)
2285 Morello Avenue
Pleasant Hill CA, 94523

Project: Exxon 7-3399
Project Number: 7-3399
Project Manager: Karthika Thurairajah

MRL0606
Reported:
01/06/09 11:18

Notes and Definitions

Z2 Surrogate recovery was above the acceptance limits. Data not impacted.

QP Hydrocarbon result partly due to individual peak(s) in quantitation range.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: ETIC
 REC. BY (PRINT) JULIE (H.)
 WORKORDER: MRL0606

DATE REC'D AT LAB: 12/23/08
 TIME REC'D AT LAB: 2:30
 DATE LOGGED IN: 12/24/08

For Regulatory Purposes?
 DRINKING WATER
 WASTE WATER
 OTHER

CIRCLE THE APPROPRIATE RESPONSE		LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH**	SAMPLE MATRIX	DATE SAMPLED	Temp. >6°C	REMARKS: CONDITION
1. Custody Seal(s)	Present / Absent Intact / Broken*									JULIE H. 12/23/08 SEE COC
2. Chain-of-Custody	Present / Absent*									
3. Traffic Reports or Packing List:	Present / Absent*									
4. Airbill / Sticker - Present / Absent										
Tracking #										
5. Sample Condition: Intact / Leaking* / Broken*										
6. Samples labeled	Yes / No*									
7. Sample ID's listed on COC	Yes / No*									
8. Does information on COC and sample labels agree?	Yes / No*									
9. Sample received within hold time:	Yes / No*									
10. Adequate sample volume received	Yes / No*									
11. Proper preservatives used	Yes / No*									
12. Trip Blank / Temp Blank Received? (circle which if yes)	Yes / No*									
13. Thermometer Used : IR-1 / IR-3 / Backup										
14. Cooler	RT*** CF*** CT***									
1. 5.8	-1.0	4.8								
2.										
3.										
4.										
5.										
15. Is/Are corrected temp 0-6°C?	Yes / No*									

**Exception (if any): Metals / Perchlorate / W/in 24hrs of sampling-on ice / Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION

**CHECK SAMPLE PREP LOG IF NOT INDICATED

*** Read Temperature/Correction Factor/Corrected Temperature