CAMBRIA

March 28, 2005

Mr. and Mrs. Castillo 1180 Rex Road Hayward, CA 94541

Re:

Residential Well Sampling Results - 1180 Rex Road

Associated with Former Chevron SS 9-0260

21995 Foothill Blvd. Hayward, California

Cambria Project No. 31H-1915, ACHCSA No. RO0000383

Dear Mr. and Mrs. Castillo:



On behalf of Chevron Environmental Management Company (ChevronTexaco), Cambria Environmental Technology Inc. (Cambria) submits this letter summarizing the results of the sampling of the private well on your property.

On September 29, 2004, Sarah Owen of Cambria and Kendal Smeeth of SmeethCo visited you to sample the private well on your property. Specific details, such as depth and construction, were and remain unknown at this time. Groundwater samples were collected from the well with a clean disposable bailer, and decanted into the appropriate laboratory supplied containers. The samples were transported to Lancaster Laboratories under the proper chain of custody. The laboratory analytic results are presented in Attachment A.

The laboratory results show that the groundwater sample we collected from your well contain no detectable concentrations of the analyzed chemicals. There was no total petroleum hydrocarbons TPHg (gasoline), methyl tertiary butyl ether (MTBE), benzene, toluene, ethylbenzene, or xylenes in the groundwater sample collected from your well.

Cambria Environmental Technology, inc.

5900 Hollis Street Suite A Emeryville, CA 94608 Tel (510) 420-0700 Fax (510) 420-9170

CAMBRIA

If you have any questions about this letter, please contact Robert Foss at (510) 420-3348, or Kendal Smeeth at (925) 631-6700.

Sincerely,

Cambria Environmental Technology, Inc.

Charlotte Evans Staff Geologist

Robert For Robert Foss, P.G. No. 7445

Associate Geologist



Attachment:

A – Laboratory Analytic Results for Groundwater

cc:

Barney Chan, Alameda County Health Care Services Agency, 1131 Harbor Bay

Parkway, Suite 250, Alameda CA 94502

Mark Inglis, Chevron Environmental Management Company, P.O. Box 6012,

San Ramon, CA 94583

Kendal Smeeth, SmeethCo, 1100 Moraga Way, Suite 108, Moraga, CA 94556

ATTACHMENT A

Laboratory Analytical Results for Groundwater

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco 6001 Bollinger Canyon Rd L4310 San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories 2425 New Holland Pike Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 914590. Samples arrived at the laboratory on Saturday, October 02, 2004. The PO# for this group is 99011184 and the release number is STREICH.

Client Description
Castillo Grab Water Sample

Lancaster Labs Number

4366912

1 COPY TO

Cambria Environmental

Attn: Bob Foss

Questions? Contact your Client Services Representative Alison M O'Connor at (717) 656-2300.

Respectfully Submitted,

Lancaster Laboratories Sample No. WW 4366912

Castillo Grab Water Sample Facility# 90260

21995 Foothill Blvd. - Hayward, CA

Collected: 09/29/2004 18:45 by SO

Submitted: 10/02/2004 09:20 Reported: 10/13/2004 at 13:19 Discard: 11/13/2004

Account Number: 10880

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CASTI

				As Received		
CAT			As Received	Method		Dilution
No.	Analysis Name	CAS Number	Result	Detection Limit	Units	Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of gasoline constituents eluting part time.	TPH-GRO does no prior to the C6	t include MTBE o (n-hexane) TPH-0	r other GRO range		
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/1	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/1	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116 Trip blank vials were not received by the laboratory for this sample group.

Laboratory Chronicle

CAT		-		Analysis		Dilution
No.	Analysis Name	Method	Trial#	Date and Time	Analyst	Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	10/04/2004 18:07	Martha L Seidel	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	10/12/2004 09:58	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	10/04/2004 18:07	Martha L Seidel	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	10/12/2004 09:58	Anita M Dale	n.a.

Quality Control Summary

Client Name: ChevronTexaco

Reported: 10/13/04 at 01:19 PM

Group Number: 914590

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank MDL	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD Max
Batch number: 04278A56A TPH-GRO - Waters	Sample nu N.D.	umber(s): 50.	4366912 ug/l	120	119	70-130	1	30
Batch number: Z042862AA Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sample nu N.D. N.D. N.D. N.D. N.D.	umber(s): 0.5 0.5 0.5 0.5 0.5	4366912 ug/l ug/l ug/l ug/l ug/l	95 98 98 99 99		77-127 85-117 85-115 82-119 83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD <u>%REC</u>	MS/MSD Limits	RPD	RPD <u>MAX</u>	BKG Conc	DUP Conc	DUP RPD	Dup RPD
Batch number: 04278A56A TPH-GRO - Waters	Sample 128	number 133	(s): 4366912 63-154	4	30				
Batch number: Z042862AA	Sample	number	(s): 4366912	2					
Methyl Tertiary Butyl Ether	89 [^]	92	69-134	4	30				
Benzene	96	101	83-128	5	30				
Toluene	93	99	83-127	5	30				
Ethylbenzene	95	99	82-129	4	30				
Xylene (Total)	91	94	82-130	3	30				

Surrogate Quality Control

Analysis Name: TPH-GRO - Waters Batch number: 04278A56A Trifluorotoluene-F

4366912	106
Blank	105
LCS	113
LCSD	104
MS	106
MSD	111

- *- Outside of specification
- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco Reported: 10/13/04 at 01:19 PM

Group Number: 914590

Surrogate Quality Control

Limits: 57-146

Analysis Name: BTEX+MTBE by 8260B

Batch number: ZU42862AA Dibromofluoromethane		1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene		
4366912	106	102	105	103		
Blank	105	102	105	103		
LCS	105	102	105	104		
MS	106	103	104	104		
MSD	106	103	104	103		
Limits:	81-120	82-112	85-112	83-113		

^{*-} Outside of specification

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The background result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody

Lancaster Laborator	ies
Where quality is a science.	

| 100|04-0| Acct. #: 10880 | For Lancaster Laboratories use only | Sample #: 4300913

						: (•			Г			Α	naly	ses	Reques	ted					
Facility#:	026	0								•				F	res	ervat	on Co	des	, .		Preservat	ive Code	s
Site Address: 21	195	Foot	4:11	Blu	id.	Hayn	sard				1	H	dnu						+		N = HNO ₃	T = Thiosi B = NaOl	1
Chevron PM: _S+	<u>ما به</u>	٠	Lead C	onsultant:_				-		100			Silica Gel Cleanup						İ			O = Other	
Consultant/Office: \underline{C}	aml	oria		<u>.</u>	<u> </u>		<u></u>			aj.			3					İ			☐ J value reporti	-	an limite
Consultant Prj. Mgr.: _	Foc	5								ĕ	Ŝ,		S C								possible for 82		
Consultant Phone #: 5	510 Y	2033	<u> १</u> ८०	Fax#: <u>5</u>	10	120 91	70		1	ĕ	8260 🔀 8021 🗆	GRO					1		1		8021 MTBE Cont	imation	
Sampler: Same	A	<u> </u>	yen.	<u>-</u>					۰	ē	Į.	8	8	ا ہ	rates] 74			1		☐ Confirm highest hit by 8260		
Service Order #:				SAR:					SS	Ž	Ę	M 51	15 M	SCS	Oxygenates	Lead 7420 🗀 7421		.	☐ Confirm all hits ☐ Run oxy'	-	et hit		
Field Point Name	Matrix	Repeat Sample	Top Depth	Year Mont	h Day	Time Collected	New Field Pt.	g E G	Composite	Total Number of Containers	BTEX + MTBE	TPH 8015 MOD	TPH 8015 MOD DRO	8260 full scan)	read 7.					Runoxy		L
Castillo	W	30	10	9/29	104	18:45	no	X	5	Ø	区	X									Comments / R	emarks	
		500.		1 1			<u> </u>			4	72	ļ								ļ	,		
	-						<u> </u>		1	7	[-				+	-		-			
	 					 		\vdash	\vdash		┢	 	 			_	_		+	\vdash			
	1												<u> </u>				1	+	 	\vdash			
	-							┞	<u> </u>										_				
								├-	├		├	-				\vdash	-						ļ
	- 				**			╁╌	├				-			\dashv			+-	\vdash			
	1.							1									_		+		:	,	
					γ																		
Turnaround Time Re	-			e)		Relinquished	h Ca	dr	, d	2w	en	,	9	Date <i> 30 </i>	04 1	Time %00		iyed by		$\sqrt{3}$		Date 1/30/04	Time §`.DD
STD. TAT 24 hour	72 hour 4 day	•	8 hour day			Relinquished	Ion	V	9				lo	Dale,	y4 1:	Time 2:45	Rece	rived by	امد	\mathcal{Q}	naye	Date 19/1/84	Time 7245
Data Package Option			ired)			Reinquiste	by:/			-			10	Date /1/6		Time らな	Rece	ived by) <i>H</i> .)	Date 10/1/64	Time
	ype I – Fu 1 Coelt De	II liverable <u>no</u>	t neede	d		Relinquished							` 			 ر	Fied	iyed by	. /	egiliar		Date	Time
WIP (RWQCB)				r	- 1	UPS	FedEX			her_						-		de a	<u>الر</u>	<u> </u>	neve 10	2-04	0350
Disk						Temperature	Upon Re	ceipt	<u>۵.3</u>	<u>-న</u>	<u> </u>	. ·	-1				Cust	ody Sea	als Inta	ct?	Yes No		ļ

3460 Rev. 10/04/01



Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)		liter(s)
m3	cubic meter(s)	ul	microliter(s)

- tess than The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than
- estimated value The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ). J

parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For ppm aqueous liquids, pom is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

parts per billion ppb

Dry weight Results printed under this heading have been adjusted for moisture content. This increases the analyte weight basis

concentration to approximate the value present in a similar sample without moisture. All other results are reported

on an as-received basis.

U.S. EPA CLP Data Qualifiers:

	Organic Qualifiers		Inorganic Qualifiers
Α	TIC is a possible aldol-condensation product	В	Value is <crdl, but="" th="" ≥idl<=""></crdl,>
В	Analyte was also detected in the blank	E	Estimated due to interference
С	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
Р	Concentration difference between primary and	W	Post digestion spike out of control limits
	confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA < 0.995
X,Y,Z	Defined in case narrative		

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.