

GETTLER-RYAN INC.

TRANSMITTAL

RECEIVED

2:36 pm, Jul 29, 2008

Alameda County
Environmental Health

July 28, 2008

G-R #385110

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Aaron Costa
Chevron EMC
6111 Bollinger Canyon Road,
Room 3660
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-0260
21995 Foothill Boulevard
Hayward, California
RO 0000383**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	July 22, 2008	Groundwater Monitoring and Sampling Report Second Quarter Event of May 21, 2008 Special Event of June 24, 2008

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for **your use and distribution to the following (via PDF):**

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by CRA via PDF)**

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to ***August 11, 2008***, at which time this final report will be distributed to the following:

cc: Mr. Hugh Murphy, City of Hayward Fire Department, 777 B Street, Hayward, CA 94541-5007
Mr. Thomas Wong, 1180 Rex Road, Hayward, CA 94541

Enclosures



Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-0424
Fax (925) 842-8370
acosta@chevron.com

July 28, 2008

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0260
Address 21995 Foothill Blvd.

I have reviewed the attached routine groundwater monitoring report dated
July 28, 2008

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Aaron Costa".

Aaron Costa
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-0260**
 Site Address: **21995 Foothill Blvd.**
 City: **Hayward, CA**

Job # **385110**
 Event Date: **5/21/08**
 Sampler: **SH**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
P-1	ok							~	~	12" emu	~
MW-16	ok			3x5" ~	ok			~	~	8" Bant Long you	~
MW-15	ok							~	~	12" emu	~
MW-14	ok	M	ok		Cracked	ok		~	~	"	~
MW-13	ok	N/A			ok			~	~	cl/2034	~
MW-8	ok	N/A			ok			~	~	24" Vault	~
MW-9	ok	N/A			ok			~	~	"	~
MW-18	ok							~	~	10" emeo	~
MW-10	ok	M		2x3 ~	M	ok	ok	~	~	12" Pomeu	~

Comments _____

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job # 385110
 Event Date: 5-21-08
 Sampler: Att

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
DVE-20	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	N
DVE-9	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	
DVE-12	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	
MW-11	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	
MW-12	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	
MW-5	OK	OK	OK	OK	OK	OK	OK	N	N	36" Round Vault	
MW-4	NONE	NONE	NONE	NONE	NONE	OK	OK	N	N	4" Bare Casing	
MW-6	OK	NONE	N	B	G	OK	poor	N	N	STOVE PIPE IN well Box	
MW-7	OK	OK	OK	OK	OK	OK	OK	N	N	12" Morrison	
MW-19	OK	OK	OK	OK	OK	res for OK	OK	N	N	12" EMCO	

Comments _____

WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-0260**
 Site Address: **21995 Foothill Blvd.**
 City: **Hayward, CA**

Job # **385110**
 Event Date: **6/24/08**
 Sampler: **SV**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y / N	REPLACE CAP Y / N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
P-1	ok									12" emco	
MW-15	ok									"	
MW-16	ok									8" Bont honyer	
MW-14	ok									12" emco	
MW-13	ok	N/A			ok					chrisz	
MW-18	ok									8" emco	
MW-10	ok									12" univac	
MW-8	ok	N/A			ok					24" univac	
MW-9	ok	N/A			ok					"	

Comments _____


WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-0260**
 Site Address: **21995 Foothill Blvd.**
 City: **Hayward, CA**

Job # **385110**
 Event Date: **6-24-08**
 Sampler: **ATT**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-5	OK						→	N	N	Large Round Vault	N
MW-12	OK						→	N	N	Round vault	
MW-11	OK						→	N	N	Round vault	
DVE-20	OK						→	N	N	Round vault	
DVE-12	OK						→	N	N	Round vault	
DVE-9	OK						→	N	N	Round vault	
MW-11	N/A	N/A	M	N/A	G	a/a	OK	N	N	Boxless open casing	
MW-19	OK					yes 9'	→	N	N	12" EMCO	
MW-6	OK	M	M	B	OK	OK	OK	N	N	4" stove pipe inside a 12" Christy vault frame	N
MW-7	OK	OK	OK	OK	OK	OK	OK	N	N	12" Morrison	

Comments _____



GETTLER-RYAN INC.

July 22, 2008
G-R Job #385110

Mr. Aaron Costa
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3660
San Ramon, CA 94583

RE: Second Quarter Event of May 21, 2008
Special Event of June 24, 2008
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

Dear Mr. Costa:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm and Cambria, Dated: 11/16/05 and 04/25/06

FIGURE

1

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
					REMOVED (gallons)									
MW-4														
02/05/88	--	--	--	--	--	--	88,000	24,000	19,000	1,700	10,000	--	--	--
06/15/88	--	87.83	12.92	--	--	--	95,000	45,000	30,000	2,100	17,000	--	--	--
09/27/88	100.75	86.53	14.22	--	--	--	500,000	41,000	27,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	100.75	--	--	--	--	--	88,000	1,200	4,100	1,600	12,000	--	230	270
01/05/89	100.75	87.55	13.20	--	--	--	64,000	41,000	29,000	2,700	14,000	--	--	--
04/06/89	100.75	88.43	12.32	--	--	--	--	--	--	--	--	--	--	--
06/28/89	100.75	86.50	14.25	--	--	--	110,000	34,000	24,000	2,400	13,000	--	--	--
10/03/89	100.75	86.00	14.75	--	--	--	240,000	36,000	31,000	3,200	19,000	--	--	--
01/04/90	100.75	86.00	14.75	--	--	--	130,000	33,000	28,000	2,400	14,000	--	--	--
04/03/90	100.75	86.94	13.81	--	--	--	110,000	41,000	32,000	2,900	17,000	--	--	--
07/03/90	100.75	86.69	14.06	--	--	--	180,000	32,000	30,000	2,600	15,000	--	--	--
11/06/90	100.75	85.09	15.66	--	--	--	170,000	31,000	30,000	2,700	17,000	--	--	--
01/04/91	100.75	85.87	15.18	--	--	--	--	--	--	--	--	--	--	--
04/03/91	100.75	89.75	11.00	--	--	--	130,000	21,000	24,000	2,300	14,000	--	--	--
07/02/91	100.75	86.50	14.25	--	--	--	--	--	--	--	--	--	--	--
10/02/91	100.75	84.59	16.16	--	--	--	240,000	27,000	33,000	2,600	16,000	--	--	--
01/02/92	100.75	85.49	15.26	--	--	--	--	--	--	--	--	--	--	--
04/07/92	100.75	88.37	12.38	--	--	--	--	--	--	--	--	--	--	--
08/13/92	100.75	84.05	16.68	--	--	--	--	--	--	--	--	--	--	--
12/03/92	100.73	84.58	16.17	--	--	--	1,300,000	17,000	41,000	12,000	90,000	--	--	--
03/25/93	100.73	90.23	10.50	--	--	--	--	--	--	--	--	--	--	--
10/04/94	100.73	87.89	12.84	--	--	--	--	--	--	--	--	--	--	--
11/14/94	100.73	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--	--
05/15/95	100.73	89.36	11.37	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.73	88.43	12.30	--	--	--	--	--	--	--	--	--	--	--
11/28/95	100.73	86.08	14.65	--	--	--	97,000	23,000	18,000	1,400	8,800	430	--	--
02/20/96	100.73	92.83	7.90	--	--	SAMPLED SEMI-ANNUALLY					--	--	--	
05/29/96	100.73	89.73	11.00	--	--	--	59,000	11,000	11,000	740	4,400	<500	--	--
08/27/96	100.73	87.49	13.24	--	--	--	--	--	--	--	--	--	--	--
11/22/96	100.73	89.23	11.50	--	--	--	130,000	20,000	14,000	1,200	7,000	21,000	--	--
02/18/97	100.73	91.26	9.47	--	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁴	100.73	88.10	12.63	--	--	--	120,000	23,000	21,000	1,400	8,400	50,000	--	--
08/04/97	100.73	87.51	13.22	--	--	--	120,000	25,000	22,000	1,600	8,000	15,000	--	--
11/25/97 ⁵	100.73	86.83	13.90	--	--	--	460,000	44,000	45,000	4,000	19,000	290,000	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
02/25/98	100.73	87.03	13.70	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/98	100.73	88.74	11.99	--	--	100,000	11,000	8,600	720	4,200	3,100	--	--
08/19/98	100.73	80.70	20.03	--	--	--	--	--	--	--	--	--	--
11/19/98	100.73	81.05	19.68	--	--	51,000	5,200	8,900	1,200	6,400	1,600	--	--
02/12/99	100.73	87.52	13.21	--	--	--	--	--	--	--	--	--	--
05/10/99	100.73	87.99	12.74	--	--	68,800	9,680	11,500	1,450	7,700	2,080/328 ⁷	--	--
09/02/99	100.73	85.14	15.59	--	--	--	--	--	--	--	--	--	--
02/03/00	100.73	87.83	12.90	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.73	88.01	12.72	0.00	0.00	3,400 ⁸	24	<10	<10	890	430	--	--
08/02/00 ¹⁵	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.73	85.34	15.39	0.00	0.00	66,700	13,900	12,400	1,460	7,940	<250	--	--
02/08/01 ¹⁵	100.73	84.99	15.74	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.73	84.24	16.49	0.00	0.00	490,000	2,990	<5,000	<5,000	8,660	18.8	--	--
08/28/01 ¹⁵	100.73	82.77	17.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	100.73	85.43	15.30	0.00	0.00	39,000	2,700	2,900	1,200	5,700	<100	--	--
02/22/02 ¹⁵	100.73	88.84	11.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	100.73	85.52	15.21	0.00	0.00	55,000	4,300	4,900	1,700	9,900	<100	--	--
08/29/02 ¹⁵	100.73	85.01	15.72	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02 ¹⁵	100.73	85.50	15.23	0.00	0.00	39,000	3,600	4,200	1,500	7,300	<50	--	--
02/28/03	100.73	89.03	11.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	100.73	88.34	12.39	0.00	0.00	51,000	4,400	5,200	1,300	7,000	5	--	--
08/22/03	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	100.73	85.76	14.97	0.00	0.00	50,000	3,500	6,300	1,400	7,200	1	--	--
02/27/04	100.73	89.78	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	100.73	86.13	14.60	0.00	0.00	61,000	3,900	11,000	2,000	11,000	<10	--	--
08/26/04	100.73	85.26	15.47	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	100.73	85.64	15.09	0.00	0.00	61,000	1,900	5,000	1,700	8,600	<5	--	--
02/11/05	100.73	UNABLE TO LOCATE - DUE TO OVERGROWN VEGETATION						--	--	--	--	--	--
06/16/05 ¹⁷	100.73	88.68	12.05	0.00	0.00	45,000	1,700	6,300	1,300	6,800	<5	--	--
08/31/05	100.73	88.77	11.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	100.73	85.54	15.19	0.00	0.00	56,000	2,200	7,800	1,400	8,100	<10	--	--
02/27/06	100.73	89.11	11.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ¹⁷	100.73	89.26	11.47	0.00	0.00	36,000	1,200	6,000	1,100	5,700	6	--	--
08/29/06	100.73	86.91	13.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
12/13/06 ¹⁷	100.73	88.22	12.51	0.00	0.00	59,000	1,600	10,000	1,900	10,000	<10	--	--
02/28/07	100.73	90.36	10.37	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ¹⁷	100.73	86.96	13.77	0.00	0.00	550	9	70	12	58	<0.5	--	--
08/29/07	100.73	83.84	16.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07 ¹⁷	103.89	89.12	14.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08	103.89	91.53	12.36	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08¹⁷	103.89	90.17	13.72	0.00	0.00	17,000	88	1,200	740	4,600	5	--	--
06/24/08¹⁷	103.89	89.74	14.15	0.00	0.00	27,000	190	4,100	1,100	6,100	9	--	--
MW-5													
02/05/88	--	--	--	--	--	80,000	16,000	15,000	2,600	17,000	--	--	--
06/15/88	--	87.67	12.30	--	--	77,000	42,000	38,000	2,500	16,000	--	--	--
09/27/88	99.97	86.72	13.25	--	--	470,000	39,000	32,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	99.97	--	--	--	--	48,000	1,800	3,500	1,600	10,000	--	420	410
01/05/89	99.97	87.27	12.70	--	--	82,000	44,000	37,000	2,400	14,000	--	--	--
04/06/89	99.97	87.75	12.22	--	--	--	--	--	--	--	--	--	--
06/28/89	99.97	86.16	13.81	--	--	80,000	36,000	24,000	2,400	13,000	--	--	--
10/03/89	99.97	85.70	14.27	--	--	240,000	40,000	35,000	2,600	15,000	--	--	--
01/04/90	99.97	85.66	14.31	--	--	130,000	37,000	31,000	2,400	13,000	--	--	--
04/03/90	99.97	86.47	13.50	--	--	120,000	41,000	33,000	2,500	14,000	--	--	--
07/03/90	99.97	86.33	13.64	--	--	200,000	28,000	25,000	1,800	10,000	--	--	--
11/06/90	99.97	84.83	15.14	--	--	370,000	38,000	36,000	4,700	31,000	--	--	--
01/04/91	99.97	85.08	14.90	0.01	--	--	--	--	--	--	--	--	--
04/03/91	99.97	88.41	11.56	--	--	140,000	36,000	32,000	2,700	17,000	--	--	--
07/02/91	99.97	86.08	13.89	--	--	--	--	--	--	--	--	--	--
10/02/91	99.97	84.71	15.26	--	--	230,000	34,000	31,000	2,700	16,000	--	--	--
01/02/92	99.97	85.00	14.97	--	--	--	--	--	--	--	--	--	--
04/07/92	99.97	86.53	13.44	--	--	220,000	35,000	30,000	2,500	14,000	--	--	--
08/13/92	99.97	84.36	15.61	--	--	--	--	--	--	--	--	--	--
12/03/92	99.97	83.68	16.29	<0.02 ²	--	--	--	--	--	--	--	--	--
03/25/93	99.97	89.00	10.97	--	--	--	--	--	--	--	--	--	--
06/23/93	99.97	87.40	12.60	0.04	--	--	--	--	--	--	--	--	--
09/21/93	99.97	85.99	14.00	0.03	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
12/02/93	99.97	85.73	14.27	0.04	--	--	--	--	--	--	--	--	--
03/08/94	99.97	87.81	12.16	--	--	--	--	--	--	--	--	--	--
06/13/94	99.97	87.22	13.01	0.32	--	--	--	--	--	--	--	--	--
10/04/94	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
11/14/94	99.97	86.62	13.35	--	--	1,100,000	64,000	69,000	9,200	61,000	--	--	--
05/15/95	99.97	89.79	10.18	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.97	88.20	11.77	--	--	--	--	--	--	--	--	--	--
11/28/95	99.97	85.75	14.22	--	--	320,000	34,000	38,000	5,800	31,000	2,000	--	--
02/20/96	99.97	89.60	10.37	Sheen	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.97	89.08	10.89	--	--	150,000	23,000	25,000	2,200	12,000	<500	--	--
08/27/96	99.97	87.22	12.75	--	--	--	--	--	--	--	--	--	--
11/22/96	99.97	87.50	12.47	--	--	170,000	25,000	27,000	2,000	12,000	<500	--	--
02/18/97	99.97	90.46	9.51	--	--	--	--	--	--	--	--	--	--
05/23/97	99.97	87.72	12.25	--	--	160,000	29,000	34,000	2,900	16,000	<250	--	--
08/04/97	99.97	87.09	12.88	--	--	130,000	27,000	31,000	2,500	13,000	<500	--	--
11/25/97	99.97	85.16	14.81	--	--	310,000 ⁵	52,000	59,000	5,500	28,000	3,300	--	--
02/25/98	99.97	82.51	17.46	--	--	--	--	--	--	--	--	--	--
05/21/98	99.97	88.37	11.60	--	--	220,000	20,000	26,000	2,000	10,000	8,500	--	--
08/19/98	99.97	82.27	17.70	--	--	--	--	--	--	--	--	--	--
11/19/98	99.97	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	99.97	87.18	12.79	--	--	--	--	--	--	--	--	--	--
05/10/99	99.97	87.25	12.72	--	--	102,000	13,300	17,200	1,240	<200	7,560/<250 ⁷	--	--
09/02/99	99.97	85.18	14.79	--	--	--	--	--	--	--	--	--	--
02/03/00	99.97	86.86	13.11	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.97	87.28	12.69	0.00	0.00	360 ⁸	6.2	<2.5	<2.5	13	13	--	--
08/02/00 ¹⁵	99.97	85.81	14.16	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.97	85.36	14.61	0.00	0.00	3,280	331	235	35.7	260	9.41	--	--
02/08/01 ¹⁵	99.97	84.76	15.21	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.97	83.77	16.20	0.00	0.00	26,700	5,490	6,310	145	2,910	<0.500	--	--
08/28/01 ¹⁵	99.97	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	99.97	84.61	15.36	0.00	0.00	88,000	14,000	19,000	1,300	8,000	<200	--	--
02/22/02 ¹⁵	99.97	87.75	12.22	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.97	84.74	15.23	0.00	0.00	92,000	11,000	17,000	1,600	9,400	<200	--	--
08/29/02 ¹⁵	99.97	84.65	15.32	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
11/29/02	99.97	85.21	14.76	0.00	0.00	62	4.9	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	99.97	88.22	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.97	87.36	12.61	0.00	0.00	8,100	1,600	1,100	72	700	8	--	--
08/22/03	99.97	86.12	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.97	85.01	14.96	0.00	0.00	86,000	9,300	16,000	1,200	6,200	<10	--	--
02/27/04	99.97	89.54	10.43	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.97	85.39	14.58	0.00	0.00	45,000	4,700	12,000	870	5,000	<10	--	--
08/26/04	99.97	84.29	15.68	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.97	84.77	15.20	0.00	0.00	71,000	5,000	13,000	870	5,200	<10	--	--
02/11/05	99.97	87.46	12.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.97	88.84	11.13	0.00	0.00	17,000	1,400	3,900	220	1,700	<5	--	--
08/31/05	99.97	85.99	13.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	99.97	85.03	14.94	0.00	0.00	49,000	2,900	12,000	840	5,000	<25	--	--
02/27/06	99.97	87.98	11.99	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,19}	99.97	89.14	10.83	0.00	0.00	89,000	6,500	19,000	2,600	13,000	<25	--	--
08/29/06 ¹⁷	99.97	86.89	13.08	0.00	0.00	110,000	5,900	22,000	2,400	13,000	<50	--	--
12/13/06 ¹⁷	99.97	87.95	12.02	0.00	0.00	110,000	6,100	23,000	1,600	10,000	<25	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.97	88.52	11.45	0.00	0.00	100,000	4,200	17,000	1,600	8,700	<25	--	--
08/29/07 ^{17,18}	99.97	--	-- ⁵	0.00	0.00	84,000	3,200	22,000	1,800	10,000	<13	--	--
11/21/07 ¹⁸	101.74	88.70**	13.06	0.03	0.28	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
02/20/08	101.74	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.74	89.77	11.97	0.00	0.00	57,000 ²²	1,400	22,000	1,700	9,900	<10	--	--
06/24/08 ^{15,17,18} NP	101.74	89.16	12.58	0.00	0.00	25,000	1,300	22,000	1,400	10,000	<10	--	--
MW-6													
02/05/88	--	--	--	--	--	53,000	5,100	4,400	2,100	14,000	--	--	--
06/15/88	--	87.92	13.51	--	--	33,000	9,200	5,500	520	20,000	--	--	--
09/27/88	101.43	86.87	14.56	--	--	17,000	2,200	2,800	1,700	5,100	--	--	--
01/05/89	101.43	87.95	13.48	--	--	37,000	5,000	3,400	2,200	10,000	--	--	--
04/06/89	101.43	88.83	12.60	--	--	--	--	--	--	--	--	--	--
06/28/89	101.43	86.85	14.58	--	--	80,000	7,000	4,100	2,000	9,700	--	--	--
10/03/89	101.43	88.40	13.03	--	--	110,000	8,500	5,100	2,600	14,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
					REMOVED (gallons)									
MW-6 (cont)														
01/04/90	101.43	86.35	15.08	--	--		59,000	5,200	2,600	2,000	11,000	--	--	--
04/03/90	101.43	87.37	14.06	--	--		31,000	6,600	2,600	2,200	12,000	--	--	--
07/03/90	101.43	87.15	14.28	--	--		66,000	5,800	2,900	2,000	9,800	--	--	--
11/06/90	101.43	85.33	16.10	--	--		--	--	--	--	--	--	--	--
01/04/91	101.43	85.91	15.52	--	--		50,000	5,600	2,200	1,800	9,400	--	--	--
04/03/91	101.43	90.40	11.03	--	--		--	--	--	--	--	--	--	--
07/02/91	101.43	86.99	14.44	--	--		81,000	11,000	2,700	2,100	13,000	--	--	--
10/02/91	101.43	85.21	16.22	--	--		--	--	--	--	--	--	--	--
01/02/92	101.43	85.72	15.71	--	--		67,000	7,500	1,900	1,800	9,500	--	--	--
04/07/92	101.43	87.96	13.47	--	--		--	--	--	--	--	--	--	--
08/13/92	101.43	85.46	15.97	--	--		--	--	--	--	--	--	--	--
12/03/92	101.43	84.81	16.62	--	--		--	--	--	--	--	--	--	--
03/25/93	101.43	90.85	10.58	--	--		110,000	12,000	2,900	4,200	14,000	--	--	--
06/23/93	101.43	88.42	13.01	--	--		--	--	--	--	--	--	--	--
09/21/93	101.43	86.69	14.74	--	--		62,000	12,000	1,400	2,100	12,000	--	--	--
12/02/93	101.43	86.56	14.87	--	--		--	--	--	--	--	--	--	--
03/08/94	101.43	89.39	12.04	--	--		61,000	7,000	1,500	1,500	7,400	--	--	--
06/13/94	101.43	88.06	13.37	--	--		--	--	--	--	--	--	--	--
10/04/94	101.43	85.87	15.56	--	--		78,000	13,000	940	1,900	10,000	--	--	--
11/14/94	101.43	87.90	13.53	--	--		--	--	--	--	--	--	--	--
05/15/95	101.43	90.90	10.53	--	--		--	--	--	--	--	--	--	--
08/04/95	101.43	89.05	12.38	--	--		51,000	8,600	1,400	1,900	7,800	--	--	--
11/28/95	101.43	86.80	14.63	--	--		SAMPLED SEMI-ANNUALLY				--	--	--	
02/20/96	101.43	91.71	9.72	--	--		59,000	11,000	1,600	2,100	9,400	<500	--	--
05/29/96	101.43	90.49	10.94	--	--		--	--	--	--	--	--	--	--
08/27/96	101.43	88.03	13.40	--	--		84,000	11,000	960	2,300	7,700	<500	--	--
11/22/96	101.43	88.53	12.90	--	--		--	--	--	--	--	--	--	--
02/18/97	101.43	91.42	10.01	--	--		14,000	3,700	160	720	1,800	400	--	--
05/23/97	101.43	88.68	12.75	--	--		--	--	--	--	--	--	--	--
08/04/97	101.43	87.95	13.48	--	--		62,000	13,000	930	3,500	8,500	710	--	--
11/25/97	101.43	87.22	14.21	--	--		--	--	--	--	--	--	--	--
02/25/98	101.43	86.58	14.85	--	--		30,000	2,400	910	740	4,000	2,600	--	--
05/21/98	101.43	89.76	11.67	--	--		--	--	--	--	--	--	--	--
08/19/98	101.43	85.57	15.86	--	--		37,000	390	220	160	3,600	1,600/1,000 ⁷	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
11/19/98	101.43	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	101.43	89.60	11.83	--	--	80	2.4	<0.5	0.68	6.2	<2.5	--	--
05/10/99	101.43	88.43	13.00	--	--	--	--	--	--	--	--	--	--
09/02/99	101.43	85.71	15.72	--	--	4,440	23.4	<5.0	45.3	46.2	<50	--	--
02/03/00	101.43	88.23	13.20	--	--	8,300	22	<10	43	140	77	--	--
05/09/00 ¹⁵	101.43	88.38	13.05	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.43	86.68	14.75	0.00	0.00	1,700 ⁸	32	4.9	<2.5	<2.5	55	--	--
11/09-10/00 ¹⁵	101.43	85.87	15.56	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.43	85.56	15.87	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	101.43	85.97	15.46	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.43	89.49	11.94	0.00	0.00	6,300	<10	1.7	17	26	<25	--	--
05/24/02 ¹⁵	101.43	85.89	15.54	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/29/02 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/02	101.43	85.65	15.78	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/28/03	101.43	89.36	12.07	0.00	0.00	180	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03	101.43	88.59	12.84	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/22/03	101.43	87.03	14.40	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/24-25/03	101.43	86.31	15.12	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/27/04 ¹⁷	101.43	91.37	10.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04	101.43	86.97	14.46	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/26/04	101.43	DRY AT 15.21 FEET		--	--	--	--	--	--	--	--	--	--
11/29/04	101.43	DRY AT 14.61 FEET		--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁷	101.43	88.76	12.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05	101.43	89.12	12.31	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/31/05	101.43	86.90	14.53	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/30/05	101.43	86.32	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/27/06 ¹⁷	101.43	89.46	11.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06	101.43	89.68	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/29/06 ¹⁷	101.43	87.07	14.36	0.00	0.00	110	0.6	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06	101.43	88.38	13.05	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/28/07 ¹⁷	101.43	91.66	9.77	0.00	0.00	1,400	<0.5	<0.5	0.7	<0.5	<0.5	--	--
05/30/07	101.43	88.81	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
08/29/07	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/07	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/20/08 ¹⁷	104.01	92.15	11.86	0.00	0.00	1,200	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08	104.01	90.92	13.09	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
06/24/08	104.01	90.04	13.97	0.00	0.00	--	--	--	--	--	--	--	--
MW-7													
02/05/88	--	--	--	--	--	81,000	34,000	36,000	2,400	16,000	--	--	--
06/15/88	--	88.34	12.57	--	--	77,000	40,000	41,000	1,400	24,000	--	--	--
09/27/88	100.91	87.31	13.60	--	--	30,000	9,700	8,900	400	4,100	--	<10	2,600
01/05/89	100.91	87.93	12.98	--	--	96,000	36,000	38,000	2,800	16,000	--	--	--
04/06/89	100.91	88.57	12.34	--	--	--	--	--	--	--	--	--	--
06/28/89	100.91	86.83	14.08	--	--	110,000	31,000	30,000	2,600	16,000	--	--	--
10/03/89	100.91	86.38	14.53	--	--	230,000	34,000	34,000	2,400	15,000	--	--	--
01/04/90	100.91	86.42	14.49	--	--	150,000	41,000	40,000	2,400	15,000	--	--	--
04/03/90	100.91	87.25	13.66	--	--	100,000	31,000	28,000	2,100	16,000	--	--	--
07/03/90	100.91	87.05	13.86	--	--	190,000	30,000	27,000	1,800	13,000	--	--	--
11/06/90	100.91	85.33	15.58	--	--	160,000	27,000	25,000	1,900	15,000	--	--	--
01/04/91	100.91	85.66	15.25	--	--	--	--	--	--	--	--	--	--
04/03/91	100.91	89.50	11.41	--	--	240,000	40,000	36,000	2,400	18,000	--	--	--
07/02/91	100.91	86.73	14.18	--	--	--	--	--	--	--	--	--	--
10/02/91	100.91	85.13	15.78	--	--	220,000	26,000	27,000	2,500	18,000	--	--	--
01/02/92	100.91	85.46	15.45	--	--	--	--	--	--	--	--	--	--
04/07/92	100.91	87.43	13.48	--	--	260,000	27,000	26,000	2,400	15,000	--	--	--
08/13/92	100.91	85.02	15.89	--	--	--	--	--	--	--	--	--	--
12/03/92	100.91	84.48	16.43	--	--	330,000	29,000	31,000	3,300	18,000	--	--	--
03/25/93	100.91	89.81	11.10	--	--	--	--	--	--	--	--	--	--
06/23/93	100.91	88.13	13.63	1.06	--	--	--	--	--	--	--	--	--
09/21/93	100.91	86.57	14.88	0.67	--	--	--	--	--	--	--	--	--
12/02/93	100.91	86.32	14.74	0.19	--	--	--	--	--	--	--	--	--
03/08/94	100.91	88.54	12.37	--	--	--	--	--	--	--	--	--	--
06/13/94	100.91	88.03	13.12	0.30	--	--	--	--	--	--	--	--	--
10/04/94	100.91	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
11/14/94	100.91	87.22	13.83	0.18	0.50	--	--	--	--	--	--	--	--
05/15/95	100.91	89.85	11.07	0.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.91	88.38	12.53	--	--	--	--	--	--	--	--	--	--
11/28/95	100.91	86.53	14.62	0.30	2.00	--	--	--	--	--	--	--	--
02/20/96	100.91	90.84	10.09	0.02	0.0625	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	100.91	90.00	10.93	0.02	0.50	--	--	--	--	--	--	--	--
08/27/96	100.91	88.18	12.75	0.02	0.50	--	--	--	--	--	--	--	--
11/22/96	100.91	87.94	12.99	0.02	0.50	--	--	--	--	--	--	--	--
02/18/97	100.91	91.33	9.58	0.01	0.50	--	--	--	--	--	--	--	--
05/23/97	100.91	88.36	12.55	--	--	8,300	210	580	130	1,400	<250	--	--
08/04/97	100.91	87.68	13.23	--	--	96,000	12,000	16,000	2,300	14,000	3,600	--	--
02/25/98	100.91	83.89	17.02	--	--	--	--	--	--	--	--	--	--
05/21/98	100.91	88.98	11.93	--	--	150,000	7,100	15,000	1,700	9,600	21,000	--	--
08/19/98	100.91	82.72	18.19	--	--	--	--	--	--	--	--	--	--
11/19/98	100.91	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
02/12/99	100.91	88.10	12.81	--	--	--	--	--	--	--	--	--	--
05/10/99	100.91	87.87	13.04	--	--	11,200	384	764	116	618	<1,000/558 ⁷	--	--
09/02/99	100.91	85.16	15.75	--	--	--	--	--	--	--	--	--	--
02/03/00	100.91	86.84	14.07	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.91	87.55	13.36	0.00	0.00	150 ⁸	0.52	<0.50	<0.50	2.1	130	--	--
08/02/00 ¹⁵	100.91	85.94	14.97	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/09-10/00 ¹⁵	100.91	85.93	14.98	0.00	0.00	559	24.1	12.4	2.34	12.5	5.32	--	--
02/08/01 ¹⁵	100.91	84.89	16.02	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.91	83.21	17.70	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/28/01 ¹⁵	100.91	82.92	17.99	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/26/01 ¹⁵	100.91	84.76	16.15	0.00	0.00	82,000	12,000	23,000	840	6,500	<100	--	--
02/22/02 ¹⁵	100.91	88.22	12.69	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/24/02 ¹⁵	100.91	84.73	16.18	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/29/02 ¹⁵	100.91	84.74	16.17	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/29/02	100.91	85.59	15.32	0.00	0.00	890	50	150	14	77	<10	--	--
02/28/03	-- ¹⁶	-- ¹⁶	10.07	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/30/03 ¹⁷	-- ¹⁶	-- ¹⁶	11.12	0.00	0.00	190	0.8	1	1	3	62	--	--
08/22/03	-- ¹⁶	-- ¹⁶	DRY	--	--	--	--	--	--	--	--	--	--
11/24-25/03 ¹⁷	-- ¹⁶	-- ¹⁶	13.99	0.00	0.00	1,000	110	6	18	6	6	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
02/27/04	-- ¹⁶	-- ¹⁶	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04	-- ¹⁶	-- ¹⁶	13.48	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/26/04	-- ¹⁶	-- ¹⁶	14.33	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	-- ¹⁶	-- ¹⁶	14.15	0.00	0.00	1,800	480	2	32	14	28	--	--
02/11/05	-- ¹⁶	-- ¹⁶	11.16	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	-- ¹⁶	-- ¹⁶	10.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	29	--	--
08/31/05	-- ¹⁶	-- ¹⁶	12.15	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	-- ¹⁶	-- ¹⁶	13.91	0.00	0.00	120	10	1	<0.5	<0.5	9	--	--
02/27/06	-- ¹⁶	-- ¹⁶	10.47	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ¹⁷	-- ¹⁶	-- ¹⁶	10.10	0.00	0.00	91	1	3	0.6	0.9	99	--	--
08/29/06	-- ¹⁶	-- ¹⁶	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
12/13/06 ¹⁷	-- ¹⁶	-- ¹⁶	12.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07	-- ¹⁶	-- ¹⁶	9.54	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ¹⁷	-- ¹⁶	-- ¹⁶	12.01	0.00	0.00	<50	<0.5	1	<0.5	<0.5	28	--	--
08/29/07	-- ¹⁶	-- ¹⁶	14.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07 ¹⁷	103.17	89.30	13.87	0.00	0.00	9,900	340	4,100	190	840	11	--	--
02/20/08	103.17	91.56	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	103.17	90.56	12.61	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	31	--	--
06/24/08 ¹⁷	103.17	90.20	12.97	0.00	0.00	<50	1	1	<0.5	2	47	--	--
MW-8													
10/27/88	--	--	--	--	--	190,000	27,000	43,000	2,200	15,000	--	--	--
01/05/89	--	87.65	12.02	--	--	87,000	24,000	39,000	3,000	15,000	--	--	--
04/06/89	99.67	87.89	11.78	--	--	--	--	--	--	--	--	--	--
06/28/89	99.67	86.27	13.40	--	--	120,000	22,000	35,000	2,900	16,000	--	--	--
10/03/89	99.67	85.92	13.84	0.11	--	--	--	--	--	--	--	--	--
01/04/90	99.67	85.76	13.99	0.10	--	--	--	--	--	--	--	--	--
04/03/90	99.67	86.84	13.07	0.30	--	--	--	--	--	--	--	--	--
07/03/90	99.67	86.59	13.11	0.04	--	--	--	--	--	--	--	--	--
11/06/90	99.67	85.02	14.77	0.15	--	--	--	--	--	--	--	--	--
01/04/91	99.67	85.22	14.59	0.18	--	--	--	--	--	--	--	--	--
04/03/91	99.67	88.18	11.53	0.05	--	--	--	--	--	--	--	--	--
07/02/91	99.67	86.34	13.71	0.48	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
					REMOVED (gallons)									
MW-8 (cont)														
10/02/91	99.67	85.05	14.84	0.27	--	--	--	--	--	--	--	--	--	--
01/02/92	99.67	84.86	15.05	0.30	--	--	--	--	--	--	--	--	--	--
04/07/92	99.67	87.73	12.17	0.29	--	--	--	--	--	--	--	--	--	--
08/13/92	99.67	84.96	14.96	0.31	--	--	--	--	--	--	--	--	--	--
12/03/92	99.67	84.44	15.85	0.78	--	--	--	--	--	--	--	--	--	--
03/25/93	99.67	88.89	10.78	--	--	--	--	--	--	--	--	--	--	--
06/23/93	99.67	87.60	12.27	0.25	--	--	--	--	--	--	--	--	--	--
09/21/93	99.67	86.25	13.68	0.32	--	--	--	--	--	--	--	--	--	--
12/02/93	99.67	85.86	14.00	0.24	--	--	--	--	--	--	--	--	--	--
03/08/94	99.67	87.83	11.84	--	--	--	--	--	--	--	--	--	--	--
06/13/94	99.67	87.58	12.11	0.03	--	--	--	--	--	--	--	--	--	--
10/04/94	99.67	85.47	14.20	--	--	--	--	--	--	--	--	--	--	--
11/14/94	99.67	85.61	14.06	--	--	140,000	12,000	36,000	2,400	17,000	--	--	--	--
05/15/95	99.67	89.72	9.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
08/04/95	99.67	88.53	11.14	--	--	--	--	--	--	--	--	--	--	--
11/28/95	99.67	86.35	13.32	--	--	100,000	6,900	34,000	2,700	16,000	650	--	--	--
02/20/96	99.67	89.67	10.00	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--	--
05/29/96	99.67	89.37	10.30	--	--	130,000	8,800	30,000	2,300	14,000	<500	--	--	--
08/27/96	99.67	87.42	12.25	--	--	--	--	--	--	--	--	--	--	--
11/22/96	99.67	87.66	12.01	--	--	150,000	7,400	33,000	2,400	14,000	<500	--	--	--
02/18/97	99.67	90.56	9.11	--	--	--	--	--	--	--	--	--	--	--
05/23/97	99.67	88.09	11.58	--	--	140,000	11,000	38,000	3,200	18,000	<250	--	--	--
08/04/97	99.67	87.49	12.18	--	--	140,000	8,000	38,000	3,500	18,000	<500	--	--	--
11/25/97	99.67	82.62	17.05	--	--	290,000 ⁵	15,000	71,000	7,400	36,000	3,600	--	--	--
02/25/98	99.67	89.64	10.03	--	--	--	--	--	--	--	--	--	--	--
05/21/98	99.67	90.26	9.41	--	--	110,000	2,800	11,000	1,200	9,800	660	--	--	--
08/19/98	99.67	82.47	17.20	--	--	--	--	--	--	--	--	--	--	--
11/19/98	99.67	83.00	16.67	--	--	51,000	3,100	25,000	2,300	15,000	3,100	--	--	--
02/12/99	99.67	89.15	10.52	--	--	--	--	--	--	--	--	--	--	--
05/10/99	99.67	88.72	10.95	--	--	104,000	2,980	22,000	1,960	12,800	<2,500/<333 ⁷	--	--	--
09/02/99	99.67	89.40	10.27	--	--	--	--	--	--	--	--	--	--	--
02/03/00	99.67	88.22	11.45	--	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.67	88.77	10.90	0.00	0.00	37,000 ⁸	2,200	12,000	<100	8,400	1,900	--	--	--
08/02/00 ¹⁵	99.67	87.42	12.25	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8 (cont)													
11/09-10/00 ¹⁵	99.67	86.73	12.94	0.00	0.00	63,100	2,330	17,200	1,520	11,300	<250	--	--
02/08/01 ¹⁵	99.67	86.42	13.25	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.67	85.51	14.16	0.00	0.00	79,400	1,120	18,900	<2,500	13,400	47.6	--	--
08/28/01 ¹⁵	99.67	84.08	15.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.67	86.07	13.60	0.00	0.00	48,000	640	10,000	980	8,500	<100	--	--
02/22/02 ¹⁵	99.67	89.16	10.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.67	86.61	13.06	0.00	0.00	62,000	1,100	14,000	1,300	9,600	<200	--	--
08/29/02 ¹⁵	99.67	86.11	13.56	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.67	86.63	13.04	0.00	0.00	57,000	590	11,000	1,200	10,000	<50	--	--
02/28/03	99.67	89.59	10.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.67	88.67	11.00	0.00	0.00	13,000	100	650	270	2,100	<0.5	--	--
08/22/03 ¹⁵	99.67	86.97	12.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.67	86.39	13.28	0.00	0.00	64,000	450	17,000	1,300	9,900	<5	--	--
02/27/04	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.67	86.87	12.80	0.00	0.00	18,000	140	2,100	540	4,400	<3	--	--
08/26/04	99.67	85.82	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.67	86.22	13.45	0.00	0.00	67,000	250	13,000	1,000	6,800	<10	--	--
02/11/05	99.67	88.75	10.92	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.67	89.29	10.38	0.00	0.00	15,000	120	920	390	2,500	<1	--	--
08/31/05	99.67	86.91	12.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	99.67	86.65	13.02	0.00	0.00	32,000	88	5,600	650	4,000	<10	--	--
02/27/06	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,20}	99.67	89.59	10.08	0.00	0.00	53,000	200	9,800	1,400	6,700	<5	--	--
08/29/06	99.67	87.60	12.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
12/13/06 ^{17,18}	99.67	87.46	12.21	0.00	0.00	23,000	54	2,500	680	3,400	<3	--	--
02/28/07	99.67	89.53	10.14	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ^{17,18}	99.67	88.09	11.58	0.00	0.00	16,000	43	870	470	2,400	<1	--	--
08/29/07 ¹⁸	99.67	86.02	13.65	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07	102.02	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/20/08	102.02	90.96	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	102.02	89.63	12.39	0.00	0.00	3,800 ²²	3	84	150	220	<0.5	--	--
06/24/08 ^{17,20}	102.02	89.44	12.58	0.00	0.00	3,700	4	1,000	190	970	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH SPHT (ft.)	REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9													
10/27/88	--	--	--	--	--	50,000	2,000	9,900	2,000	14,000	--	--	--
01/05/89	--	88.52	12.63	--	--	55,000	670	8,900	3,400	16,000	--	--	--
04/06/89	101.15	88.69	12.46	--	--	--	--	--	--	--	--	--	--
06/28/89	101.15	87.11	14.04	--	--	100,000	510	4,500	2,600	13,000	--	--	--
10/03/89	101.15	86.54	14.61	--	--	130,000	540	8,000	3,200	17,000	--	--	--
01/04/90	101.15	86.56	14.59	--	--	83,000	600	4,600	2,600	14,000	--	--	--
04/03/90	101.15	87.40	13.75	--	--	52,000	1,600	5,400	3,100	16,000	--	--	--
07/03/90	101.15	87.31	13.84	--	--	100,000	520	5,400	3,200	16,000	--	--	--
11/06/90	101.15	85.73	15.42	--	--	--	--	--	--	--	--	--	--
01/04/91	101.15	85.78	15.37	--	--	59,000	1,100	5,600	2,500	13,000	--	--	--
04/03/91	101.15	88.88	12.27	--	--	--	--	--	--	--	--	--	--
07/02/91	101.15	86.98	14.17	--	--	130,000	1,900	7,600	3,600	20,000	--	--	--
10/02/91	101.15	85.47	15.68	--	--	--	--	--	--	--	--	--	--
01/02/92	101.15	85.50	15.65	--	--	100,000	3,300	8,200	2,800	14,000	--	--	--
04/07/92	101.15	87.31	13.84	--	--	--	--	--	--	--	--	--	--
08/13/92	101.15	85.65	15.50	--	--	45,000	1,300	3,000	1,500	7,100	--	--	--
12/03/92	101.15	84.49	16.66	--	--	--	--	--	--	--	--	--	--
03/25/93	101.15	89.67	11.48	--	--	220,000	540	3,200	2,100	18,000	--	--	--
06/23/93	101.15	88.32	12.83	--	--	--	--	--	--	--	--	--	--
09/21/93	101.15	86.84	14.31	--	--	54,000	1,900	3,400	1,700	9,100	--	--	--
12/02/93	101.15	86.46	14.70	0.01	--	--	--	--	--	--	--	--	--
03/08/94	101.15	88.52	12.63	--	--	49,000	800	780	390	3,600	--	--	--
06/13/94	101.15	87.50	13.65	--	--	--	--	--	--	--	--	--	--
10/04/94	101.15	85.95	15.20	--	--	180,000	2,600	5,400	1,700	11,000	--	--	--
11/14/94	101.15	86.90	14.25	--	--	--	--	--	--	--	--	--	--
05/15/95	101.15	90.51	10.64	--	--	--	--	--	--	--	--	--	--
08/04/95	101.15	89.26	11.89	--	--	42,000	1,400	2,700	1,700	9,000	--	--	--
11/28/95	101.15	87.23	13.92	--	--	SAMPLED SEMI-ANNUALLY					--	--	--
02/20/96	101.15	90.54	10.61	Sheen	--	41,000	1,600	1,700	750	6,500	<100	--	--
05/29/96	101.15	90.34	10.81	--	--	--	--	--	--	--	--	--	--
08/27/96	101.15	88.25	12.90	Sheen	--	71,000	2,700	3,600	920	5,900	290	--	--
11/22/96	101.15	88.27	12.88	--	--	--	--	--	--	--	--	--	--
02/18/97	101.15	91.49	9.66	0.01	--	78,000	1,800	3,800	2,300	13,000	510	--	--
05/23/97	101.15	88.62	12.53	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
08/04/97	101.15	88.15	13.00	--	--	73,000	2,600	2,200	440	9,600	370	--	--
11/25/97	101.15	84.03	17.12	--	--	--	--	--	--	--	--	--	--
02/25/98	101.15	88.46	12.69	--	--	34,000	150	510	1,300	6,400	<250	--	--
05/21/98	101.15	91.01	10.14	--	--	--	--	--	--	--	--	--	--
08/19/98	101.15	86.05	15.10	--	--	42,000	<50	330	890	4,200	<250	--	--
11/19/98	101.15	85.18	15.97	--	--	--	--	--	--	--	--	--	--
02/12/99	101.15	89.90	11.25	--	--	13,000	<100	200	560	2,200	<500	--	--
05/10/99	101.15	88.81	12.34	--	--	16,900	<50	112	506	1,850	<500/<20 ⁷	--	--
09/02/99	101.15	89.81	11.34	--	--	7,200	<25	<25	185	493	<250	--	--
02/03/00	101.15	88.93	12.22	--	--	11,000	68	22	380	1,000	66	--	--
05/09/00 ¹⁵	101.15	89.55	11.60	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.15	88.10	13.05	0.00	0.00	3,400 ⁸	41	10	<5.0	360	77	--	--
11/09-10/00 ¹⁵	101.15	87.51	13.64	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.15	87.09	14.06	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.15	86.20	14.95	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.15	85.03	16.12	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/26/01 ¹⁵	101.15	86.49	14.66	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.15	90.20	10.95	0.00	0.00	5,300	<10	4.5	79	190	<20	--	--
05/24/02 ¹⁵	101.15	87.52	13.63	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/29/02 ¹⁵	101.15	86.75	14.40	0.00	0.00	4,200	<5.0	2.7	80	37	<2.5	--	--
11/29/02	101.15	87.27	13.88	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/28/03	101.15	90.68	10.47	0.00	0.00	6,300	<100	11	130	210	<100	--	--
05/30/03	101.15	89.54	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/22/03 ¹⁷	101.15	87.64	13.51	0.00	0.00	5,500	1	5	150	38	<0.5	--	--
11/24-25/03	101.15	87.21	13.94	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/27/04 ¹⁷	101.15	90.60	10.55	0.00	0.00	6,300	0.7	6	160	39	<0.5	--	--
06/21/04	101.15	87.48	13.67	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/26/04 ¹⁷	101.15	86.37	14.78	0.00	0.00	2,400	<0.5	1	19	4	<0.5	--	--
11/29/04	101.15	86.74	14.41	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/11/05 ¹⁷	101.15	89.44	11.71	0.00	0.00	6,200	<1	5	84	35	<1	--	--
06/16/05	101.15	89.74	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/31/05	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05	101.15	90.20	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/27/06 ¹⁷	101.15	90.20	10.95	0.00	0.00	20,000	<1	23	360	1,000	<1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
05/30-31/06 ²⁰	101.15	90.56	10.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/06 ¹⁷	101.15	88.37	12.78	0.00	0.00	7,800	<0.5	6	150	98	<0.5	--	--
12/13/06	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/28/07 ¹⁷	101.15	90.42	10.73	0.00	0.00	8,500	<0.5	11	210	530	<0.5	--	--
05/30/07 ¹⁸	101.15	89.12	12.03	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ^{17,18}	101.15	87.00	14.15	0.00	0.00	7,200	<0.5	4	120	49	<0.5	--	--
11/21/07	103.57	89.29	14.28	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	103.57	91.44	12.13	0.00	0.00	4,300	<0.5	2	88	25	<0.5	--	--
05/21/08	103.57	90.83	12.74	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08²⁰	103.57	90.14	13.43	0.00	0.00	--	--	--	--	--	--	--	--
MW-10													
10/27/88	--	--	--	--	--	<500	26	13	<5.0	<5.0	--	--	--
01/05/89	--	89.72	12.64	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
04/06/89	102.36	90.98	11.38	--	--	--	--	--	--	--	--	--	--
06/28/89	102.36	88.72	13.64	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
10/03/89	102.36	88.51	13.85	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	102.36	88.61	13.75	--	--	<50	0.5	1.1	<0.5	1.7	--	--	--
04/03/90	102.36	89.50	12.86	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	102.36	88.93	13.43	--	--	--	--	--	--	--	--	--	--
11/06/90	102.36	87.54	14.82	--	--	--	--	--	--	--	--	--	--
01/04/91	102.36	88.38	13.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	102.36	92.57	9.79	--	--	--	--	--	--	--	--	--	--
07/02/91	102.36	90.08	12.28	--	--	--	--	--	--	--	--	--	--
10/02/91	102.36	87.83	14.53	--	--	--	--	--	--	--	--	--	--
01/02/92	102.36	88.76	13.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	102.36	90.53	11.83	--	--	--	--	--	--	--	--	--	--
08/13/92	102.36	88.41	13.95	--	--	--	--	--	--	--	--	--	--
12/03/92	102.36	88.40	13.96	--	--	--	--	--	--	--	--	--	--
03/25/93	102.36	93.91	8.45	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	102.36	91.03	11.60	--	--	--	--	--	--	--	--	--	--
09/21/93	102.36	89.31	13.32	--	--	--	--	--	--	--	--	--	--
12/02/93	102.36	89.36	13.27	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
03/08/94	102.36	91.51	10.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	102.36	--	--	--	--	--	--	--	--	--	--	--	--
10/04/94	102.36	88.46	13.90	--	--	--	--	--	--	--	--	--	--
11/14/94	102.36	90.56	11.80	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	102.36	93.38	8.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	102.36	91.92	10.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	102.36	88.81	13.55	--	--	<50	1.6	0.81	<0.5	<0.5	<0.6	--	--
02/20/96	102.36	93.84	8.52	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	102.36	93.16	9.20	--	--	<50	<0.5	<0.5	<0.5	0.9	<5.0	--	--
08/27/96	102.36	90.35	12.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	102.36	90.84	11.52	--	--	<50	<0.5	<0.5	<0.5	1.0	<5.0	--	--
02/18/97	102.36	93.87	8.49	--	--	<50	0.7	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	102.36	91.48	10.88	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	102.36	89.07	13.29	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	102.36	89.06	13.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	102.36	94.54	7.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	102.36	96.22	6.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	102.36	90.62	11.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	102.36	88.96	13.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	102.36	93.94	8.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	102.36	92.14	10.22	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	102.36	93.13	9.23	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	102.36	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/09/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/02/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/09-10/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/08/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
05/02/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/28/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/26/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/22/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
05/24/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/29/02	102.36	88.90	13.46	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	102.36	89.30	13.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
02/28/03	102.36	92.79	9.57	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	102.36	92.37	9.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ^{15,17}	102.36	90.54	11.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	102.36	89.42	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	102.36	94.32	8.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	102.36	91.65	10.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	102.36	88.56	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	102.36	89.30	13.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	102.36	92.49	9.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	102.36	93.08	9.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	102.36	90.09	12.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	102.36	89.44	12.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	102.36	93.54	8.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	102.36	94.09	8.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	102.36	90.55	11.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	102.36	86.42	15.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	102.36	94.14	8.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07	102.36	91.87	10.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	102.36	92.21	10.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
02/20/08	104.74	95.47	9.27	0.00	0.00	--	--	--	--	--	--	--	--
05/21/08	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
06/24/08	104.74	93.46	11.28	0.00	0.00	--	--	--	--	--	--	--	--
MW-11													
06/28/89	--	85.64	14.33	--	--	60,000	36,000	13,000	2,500	12,000	--	--	--
10/03/89	--	85.36	14.61	--	--	14,000	4,200	1,400	240	1,300	--	--	--
01/04/90	99.97	85.42	14.55	--	--	82,000	33,000	11,000	2,000	10,000	--	--	--
04/03/90	99.97	86.15	13.82	--	--	78,000	35,000	12,000	2,300	12,000	--	--	--
07/03/90	99.97	85.97	14.00	--	--	140,000	32,000	12,000	2,100	10,000	--	--	--
11/06/90	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
01/04/91	99.97	85.09	14.88	0.30	--	--	--	--	--	--	--	--	--
04/03/91	99.97	89.22	10.75	0.21	--	340,000	29,000	14,000	3,700	24,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC*	GWE	DTW	SPHT	SPH		TPH-G	B	T	E	X	MTBE	EDB	DCE
					REMOVED									
	(ft.)	(msl)	(ft.)	(ft.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-11 (cont)														
07/02/91	99.97	86.00	13.97	0.02	--	130,000	27,000	14,000	2,200	12,000	--	--	--	
10/02/91	99.97	84.37	15.60	--	--	--	--	--	--	--	--	--	--	
01/02/92	99.97	85.46	14.51	--	--	77,000	18,000	14,000	1,900	10,000	--	--	--	
04/07/92	99.97	86.84	13.13	--	--	--	--	--	--	--	--	--	--	
08/13/92	99.97	82.53	17.04	--	--	--	--	--	--	--	--	--	--	
12/03/92	99.57	83.98	15.59	--	--	--	--	--	--	--	--	--	--	
03/25/93	99.57	89.51	10.06	--	--	110,000	13,000	2,100	5,900	9,800	--	--	--	
03/08/94	99.57	87.87	11.70	--	--	--	--	--	--	--	--	--	--	
06/13/94	99.57	87.41	12.16	--	--	--	--	--	--	--	--	--	--	
10/04/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--	
11/14/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--	
05/15/95	99.57	89.55	10.02	--	--	--	--	--	--	--	--	--	--	
08/04/95	99.57	87.75	11.82	--	--	33,000	9,400	3,000	1,800	6,100	--	--	--	
11/28/95	99.57	82.85	16.72	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	
02/20/96	99.57	89.57	10.00	--	--	22,000	4,500	2,200	560	3,500	<120	--	--	
05/29/96	99.57	88.43	11.14	--	--	--	--	--	--	--	--	--	--	
08/27/96	99.57	86.44	13.13	--	--	85,000	10,000	6,600	1,500	6,500	260	--	--	
11/22/96	99.57	87.47	12.10	--	--	--	--	--	--	--	--	--	--	
02/18/97	99.57	90.34	9.23	--	--	42,000	7,100	3,100	830	4,200	510	--	--	
05/23/97	99.57	87.29	12.28	--	--	--	--	--	--	--	--	--	--	
08/04/97	99.57	86.72	12.85	--	--	79,000	14,000	8,400	2,300	9,900	6,900	--	--	
11/25/97	99.57	85.71	13.86	--	--	--	--	--	--	--	--	--	--	
02/25/98	99.57	82.55	17.02	--	--	34,000	5,200	2,200	1,200	4,400	5,000/5,300 ⁷	--	--	
05/21/98	99.57	88.40	11.17	--	--	--	--	--	--	--	--	--	--	
08/19/98	99.57	80.79	18.78	--	--	--	--	--	--	--	--	--	--	
11/19/98	99.57	81.22	18.35	--	--	16,000	1,200	<100	690	1,200	540	--	--	
02/12/99	99.57	88.15	11.42	--	--	4,200	580	41	220	470	<50	--	--	
05/10/99	99.57	87.01	12.56	--	--	--	--	--	--	--	--	--	--	
09/02/99	99.57	84.83	14.74	--	--	5,150	496	43.6	150	405	<250	--	--	
02/03/00	99.57	87.23	12.34	--	--	14,000	3,400	150	860	1,500	<250	--	--	
05/09/00 ¹⁵	99.57	87.24	12.33	0.00	0.00	--	--	--	--	--	--	--	--	
08/02/00 ¹⁵	99.57	85.52	14.05	0.00	0.00	7,100 ⁸	2,900	61	<20	1,200	<100	--	--	
11/09-10/00 ¹⁵	99.57	84.85	14.72	0.00	0.00	--	--	--	--	--	--	--	--	
02/08/01 ¹⁵	99.57	84.68	14.89	0.00	0.00	18,100 ¹¹	4,300	146	743	819	<250	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11 (cont)													
05/02/01 ¹⁵	99.57	83.82	15.75	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	99.57	82.55	17.02	0.00	0.00	2,900 ¹³	600	35	120	91	100	--	--
11/26/01 ¹⁵	99.57	84.90	14.67	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/22/02 ¹⁵	99.57	88.00	11.57	0.00	0.00	7,700	710	61	370	500	<20	--	--
05/24/02 ¹⁵	99.57	84.81	14.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	99.57	84.41	15.16	0.00	0.00	14,000	1,300	82	630	910	<20	--	--
11/29/02 ¹⁵	99.57	84.82	14.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	99.57	87.97	11.60	0.00	0.00	5,100	600	95	150	390	<50	--	--
05/30/03	99.57	87.17	12.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/22/03 ¹⁷	99.57	85.14	14.43	0.00	0.00	25,000	3,000	980	1,200	2,000	7	--	--
11/24-25/03	99.57	84.52	15.05	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	99.57	89.79	9.78	0.00	0.00	10,000	970	570	430	1,100	1	--	--
06/21/04	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/26/04 ¹⁷	99.57	84.44	15.13	0.00	0.00	22,000	1,500	790	1,000	2,200	4	--	--
11/29/04	99.57	84.75	14.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/11/05 ¹⁷	99.57	87.59	11.98	0.00	0.00	18,000	830	310	680	1,500	1	--	--
06/16/05	99.57	87.86	11.71	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	99.57	85.99	13.58	0.00	0.00	20,000	1,200	740	1,100	1,800	4	--	--
11/30/05	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	99.57	88.27	11.30	0.00	0.00	18,000	700	340	770	1,300	8	--	--
05/30-31/06 ^{17,19}	99.57	89.12	10.45	0.00	0.00	13,000	620	270	700	1,000	7	--	--
08/29/06 ¹⁷	99.57	86.78	12.79	0.00	0.00	12,000	540	210	600	560	14	--	--
12/13/06 ¹⁷	99.57	87.50	12.07	0.00	0.00	13,000	1,100	180	710	490	22	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.57	87.52	12.05	0.00	0.00	15,000	720	180	1,100	910	12	--	--
08/29/07 ¹⁷	99.57	-- ²¹	-- ²¹	--	--	13,000	500	370	640	960	22	--	--
11/21/07 ^{17,18}	101.90	88.60	13.30	0.00	0.00	9,700	380	110	410	830	43	--	--
02/20/08	101.90	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.90	89.52	12.38	0.00	0.00	4,400 ²²	94	44	150	200	4	--	--
06/24/08 ^{15,17,18} NP	101.90	89.14	12.76	0.00	0.00	4,500	140	30	280	250	9	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12													
06/28/89	--	85.54	14.10	--	--	55,000	30,000	21,000	2,900	19,000	--	--	--
10/03/89	--	85.34	14.30	--	--	170,000	30,000	23,000	2,700	15,000	--	--	--
01/04/90	99.64	85.29	14.35	--	--	110,000	24,000	19,000	2,300	12,000	--	--	--
04/03/90	99.64	86.05	13.59	--	--	89,000	41,000	28,000	3,300	17,000	--	--	--
07/03/90	99.64	85.87	13.77	--	--	170,000	27,000	20,000	2,200	12,000	--	--	--
11/06/90	99.64	84.45	15.19	0.06	--	110,000	28,000	21,000	2,400	14,000	--	--	--
01/04/91	99.64	--	14.52	--	--	--	--	--	--	--	--	--	--
04/03/91	99.64	--	10.91	--	--	--	--	--	--	--	--	--	--
04/09/91	99.64	--	--	--	--	170,000	39,000	17,000	2,400	14,000	--	--	--
07/02/91	99.64	--	13.51	--	--	--	--	--	--	--	--	--	--
10/02/91	99.64	--	14.93	--	--	170,000	27,000	15,000	2,600	17,000	--	--	--
01/02/92	99.64	85.19	14.45	--	--	--	--	--	--	--	--	--	--
04/07/92	99.64	86.59	13.05	--	--	--	--	--	--	--	--	--	--
08/13/92	99.22	81.83	17.39	--	--	--	--	--	--	--	--	--	--
12/03/92	99.22	83.88	15.34	--	--	2,400,000	19,000	21,000	14,000	110,000	--	--	--
03/25/93	99.22	88.85	10.37	--	--	--	--	--	--	--	--	--	--
06/23/93	99.22	87.01	12.21	--	--	110,000	30,000	19,000	2,000	12,000	--	--	--
03/08/94	99.22	87.27	11.95	--	--	--	--	--	--	--	--	--	--
06/13/94	99.22	86.87	12.35	--	--	62,000	6,600	6,900	2,400	9,900	--	--	--
10/04/94	99.22	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
11/14/94	99.22	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
05/15/95	99.22	89.16	10.06	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.22	87.62	11.60	--	--	--	--	--	--	--	--	--	--
11/28/95	99.22	82.59	16.63	--	--	110,000	26,000	22,000	2,300	12,000	1,100	--	--
02/20/96	99.22	88.12	11.10	--	--	SAMPLED SEMI-ANNUALLY					--	--	--
05/29/96	99.22	87.74	11.48	--	--	120,000	18,000	18,000	2,000	11,000	710	--	--
08/27/96	99.22	86.72	12.50	--	--	--	--	--	--	--	--	--	--
11/22/96	99.22	86.30	12.92	--	--	160,000	24,000	22,000	1,900	11,000	980	--	--
02/18/97	99.22	90.02	9.20	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁶	99.22	87.22	12.00	--	--	130,000	27,000	22,000	2,700	15,000	6,200	--	--
08/04/97	99.22	86.64	12.58	--	--	130,000	23,000	28,000	2,700	13,000	11,000	--	--
11/25/97	99.22	85.30	13.92	--	--	290,000 ⁵	53,000	31,000	6,400	30,000	35,000	--	--
02/25/98	99.22	81.01	18.21	--	--	--	--	--	--	--	--	--	--
05/21/98	99.22	88.04	11.18	--	--	150,000	14,000	16,000	1,800	250	66,000/69,000 ⁷	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
08/19/98	99.22	80.82	18.40	--	--	--	--	--	--	--	--	--	--
11/19/98	99.22	81.24	17.98	--	--	68,000	15,000	10,000	2,000	8,800	14,000	--	--
02/12/99	99.22	84.27	14.95	--	--	--	--	--	--	--	--	--	--
05/10/99	99.22	86.75	12.47	--	--	72,600	9,920	8,100	1,600	7,480	25,800/32,500 ⁷	--	--
09/02/99	99.22	85.37	13.85	--	--	--	--	--	--	--	--	--	--
2/3/000	99.22	86.77	12.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.22	86.96	12.26	0.00	0.00	27,000 ⁸	7,800	4,000	<100	6,600	6,100	--	--
08/02/00 ¹⁵	99.22	85.37	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.22	84.73	14.49	0.00	0.00	46,400	9,550	5,470	1,240	7,660	5,150	--	--
02/08/01 ¹⁵	99.22	84.43	14.79	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.22	83.49	15.73	0.00	0.00	94,000	8,720	3,630	<2,500	8,800	3,410	--	--
08/28/01 ¹⁵	99.22	82.16	17.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.22	84.27	14.95	0.00	0.00	5,000	770	72	150	470	230	--	--
02/22/02 ¹⁵	99.22	87.43	11.79	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.22	84.42	14.80	0.00	0.00	52,000	5,200	4,500	1,800	8,300	990	--	--
08/29/02 ¹⁵	99.22	84.24	14.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.22	84.69	14.53	0.00	0.00	40,000	4,900	3,800	1,100	7,000	1,000	--	--
02/28/03	99.22	87.81	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.22	86.97	12.25	0.00	0.00	46,000	4,300	3,100	1,400	7,500	670	--	--
08/22/03	99.22	85.16	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.22	84.62	14.60	0.00	0.00	45,000	5,200	3,100	1,400	8,400	480	--	--
02/27/04	99.22	88.16	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.22	85.39	13.83	0.00	0.00	53,000	6,100	5,400	1,800	11,000	370	--	--
08/26/04	99.22	85.30	13.92	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.22	85.70	13.52	0.00	0.00	62,000	7,300	5,700	1,600	12,000	370	--	--
02/11/05	99.22	88.35	10.87	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.22	88.20	11.02	0.00	0.00	49,000	3,400	4,100	1,600	7,900	180	--	--
08/31/05	99.22	86.76	12.46	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05	99.22	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--	--
02/27/06	99.22	88.26	10.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,19}	99.22	89.05	10.17	0.00	0.00	54,000	3,800	4,900	1,900	6,400	230	--	--
08/29/06 ¹⁷	99.22	86.83	12.39	0.00	0.00	63,000	3,300	4,900	1,400	5,900	210	--	--
12/13/06 ¹⁷	99.22	87.27	11.95	0.00	0.00	70,000	6,200	10,000	1,900	8,600	230	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING												--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
05/30/07 ^{17,18}	99.22	87.42	11.80	0.00	0.00	71,000	3,500	6,700	1,500	5,900	150	--	--
08/29/07 ¹⁷	99.22	-- ²¹	-- ²¹	--	--	58,000	5,200	8,800	1,500	7,400	120	--	--
11/21/07 ^{17,18}	101.65	88.32	13.33	0.00	0.00	30,000	5,000	4,400	720	4,200	45	--	--
02/20/08	101.65	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.65	89.47	12.18	0.00	0.00	37,000 ²²	5,300	6,100	1,100	6,700	36	--	--
06/24/08 ^{15,17,18} NP	101.65	89.11	12.54	0.00	0.00	24,000	6,700	7,600	1,300	6,900	80	--	--
MW-13													
06/28/89	--	85.25	13.22	--	--	54,000	12,000	10,000	1,900	15,000	--	--	--
10/03/89	--	84.93	13.54	--	--	120,000	10,000	10,000	2,300	15,000	--	--	--
01/04/90	98.47	84.83	13.64	--	--	87,000	6,800	10,000	2,000	12,000	--	--	--
04/03/90	98.47	85.52	12.95	--	--	53,000	12,000	14,000	2,900	17,000	--	--	--
07/03/90	98.47	85.42	13.05	--	--	90,000	8,400	11,000	2,000	11,000	--	--	--
11/06/90	98.47	84.35	14.12	--	--	--	--	--	--	--	--	--	--
01/04/91	98.47	84.42	14.05	--	--	72,000	5,500	12,000	2,300	12,000	--	--	--
04/03/91	98.47	87.06	11.41	--	--	--	--	--	--	--	--	--	--
07/02/91	98.47	85.30	13.17	--	--	120,000	12,000	13,000	2,500	14,000	--	--	--
10/02/91	98.47	84.23	14.24	--	--	--	--	--	--	--	--	--	--
01/02/92	98.47	84.34	14.13	0.03	--	--	--	--	--	--	--	--	--
04/07/92	98.47	85.41	13.06	--	--	--	--	--	--	--	--	--	--
08/13/92	98.47	84.21	14.26	--	--	84,000	7,400	11,000	2,600	13,000	--	--	--
12/03/92	98.47	83.65	14.82	--	--	--	--	--	--	--	--	--	--
03/25/93	98.47	87.74	10.73	--	--	97,000	5,200	2,500	7,200	12,000	--	--	--
06/23/93	98.47	86.50	11.97	--	--	--	--	--	--	--	--	--	--
09/21/93	98.47	85.39	13.08	--	--	80,000	7,600	9,000	2,900	14,000	--	--	--
12/02/93	98.47	85.02	13.45	--	--	--	--	--	--	--	--	--	--
03/08/94	98.47	86.72	11.75	--	--	78,000	5,300	7,600	2,600	10,000	--	--	--
06/13/94	98.47	86.17	12.30	--	--	--	--	--	--	--	--	--	--
10/04/94	98.47	84.29	14.18	--	--	39,000	2,300	2,700	850	4,600	--	--	--
11/14/94	98.47	85.85	12.62	--	--	--	--	--	--	--	--	--	--
05/15/95	98.47	88.54	9.93	--	--	--	--	--	--	--	--	--	--
08/04/95	98.47	87.39	11.08	--	--	47,000	7,700	10,000	2,900	10,000	--	--	--
11/28/95	98.47	85.52	12.95	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
					REMOVED (gallons)									
MW-13 (cont)														
02/20/96	98.47	88.61	9.86	--	--	59,000	5,500	5,500	2,900	8,800	<120	--	--	
05/29/96	98.47	88.17	10.30	--	--	--	--	--	--	--	--	--	--	
08/27/96	98.47	86.50	11.97	--	--	65,000	3,500	2,800	2,200	6,900	200	--	--	
11/22/96	98.47	86.76	11.71	--	--	--	--	--	--	--	--	--	--	
02/18/97	98.47	89.31	9.16	--	--	69,000	4,500	4,100	2,500	7,900	310	--	--	
05/23/97	98.47	86.91	11.56	--	--	--	--	--	--	--	--	--	--	
08/04/97	98.47	86.32	12.15	--	--	61,000	5,700	5,100	3,600	9,200	230	--	--	
11/25/97	98.47	85.35	13.12	--	--	--	--	--	--	--	--	--	--	
02/25/98	98.47	87.96	10.51	--	--	42,000	3,800	1,000	2,000	5,000	<250	--	--	
05/21/98	98.47	89.12	9.35	--	--	--	--	--	--	--	--	--	--	
08/19/98	98.47	84.47	14.00	--	--	57,000	1,600	440	1,900	4,500	<250	--	--	
11/19/98	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	
02/12/99	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	
03/26/99	98.47	89.17	9.30	--	--	30,800	473	101	1,430	2,800	106	--	--	
05/10/99	98.47	87.74	10.73	--	--	--	--	--	--	--	--	--	--	
09/02/99	98.47	87.48	10.99	--	--	87,000	2,610	19,100	1,510	12,000	<2,500	--	--	
02/03/00	98.47	88.02	10.45	--	--	2,900	200	16	200	340	68	--	--	
05/09/00	98.47	87.95	10.52	0.00	0.00	--	--	--	--	--	--	--	--	
08/02/00	98.47	86.69	11.78	0.00	0.00	1,600 ⁸	15	4.1	7.3	160	<13	--	--	
11/09-10/00	98.47	86.18	12.29	0.00	0.00	--	--	--	--	--	--	--	--	
02/08/01	98.47	85.76	12.71	0.00	0.00	--	--	--	--	--	--	--	--	
05/02/01	98.47	84.98	13.49	0.00	0.00	--	--	--	--	--	--	--	--	
08/28/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--	
11/26/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--	
02/22/02	98.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--	
05/24/02	98.47	86.06	12.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	
08/29/02	98.47	85.57	12.90	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--	
11/29/02	98.47	85.86	12.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	
02/28/03	98.47	88.48	9.99	0.00	0.00	340	<5.0	0.94	0.52	5.0	<10	--	--	
05/30/03	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--	--	
08/22/03 ^{17,18}	98.47	86.47	12.00	0.00	0.00	770	10	2	8	2	<0.5	--	--	
11/24-25/03	98.47	85.85	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	
02/27/04 ¹⁷	98.47	87.94	10.53	0.00	0.00	2,300	27	7	14	10	<0.5	--	--	
06/21/04	98.47	86.24	12.23	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)												
08/26/04	98.47	85.25	13.22	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
11/29/04	98.47	DRY AT 13.50 FEET		--	--	--	--	--	--	--	--	--
02/11/05	98.47	85.63	12.84	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
06/16/05	98.47	88.28	10.19	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--
08/31/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--
11/30/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--
02/27/06	98.47	INACCESSIBLE - UNABLE TO LOCATE					--	--	--	--	--	--
05/30-31/06	98.47	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--
08/29/06	98.47	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--
12/13/06	98.47	86.66	11.81	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--
02/28/07 ¹⁷	98.47	88.36	10.11	0.00	0.00	14,000	31	100	720	1,100	<3	--
05/30/07	98.47	86.83	11.64	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--
08/29/07 ¹⁷	98.47	85.49	12.98	0.00	0.00	14,000	41	380	810	1,300	<1	--
11/21/07	98.47	85.40	13.07	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--
02/20/08 ¹⁷	98.47	88.12	10.35	0.00	0.00	2,800	4	8	95	130	<0.5	--
05/21/08	98.47	86.21	12.26	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--
06/24/08	98.47	86.09	12.38	0.00	0.00	--	--	--	--	--	--	--
MW-14												
08/29/90	--	78.29	21.39	--	--	970	4.0	2.0	0.7	2.0	--	1.0
11/06/90	--	78.06	21.62	--	--	920	10	10	4.0	9.0	--	--
01/04/91	99.68	77.99	21.69	--	--	1,000	<0.5	4.0	2.6	4.2	--	--
04/03/91	99.68	80.15	19.53	--	--	1,200	380	6.0	7.0	18	--	--
07/02/91	99.68	78.75	20.93	--	--	460	27	1.0	1.2	1.0	--	--
10/02/91	99.68	78.16	21.52	--	--	480	6.7	0.8	1.4	1.8	--	--
01/02/92	99.68	78.25	21.43	--	--	1,100	2.4	1.5	6.2	18	--	--
04/07/92	99.68	78.32	21.36	--	--	290	<0.5	1.4	<0.5	1.2	--	--
08/13/92	99.68	78.61	21.07	--	--	370	10	1.2	<0.5	0.9	--	--
12/03/92	99.68	78.01	21.67	--	--	230	1.3	<0.5	<0.5	<0.5	--	--
03/25/93	99.68	80.65	19.03	--	--	390	57	2.1	1.3	1.7	--	--
06/23/93	99.68	79.74	19.94	--	--	4,400	460	220	16	62	--	--
09/21/93	99.68	79.03	20.65	--	--	680	8.7	1.7	3.2	12	--	--
12/02/93	99.68	78.63	21.05	--	--	900	0.8	7.0	3.0	7.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-14 (cont)													
03/08/94	99.68	79.63	20.05	--	--	1,700	2.4	7.7	5.6	14	--	--	--
06/13/94	99.68	79.47	20.21	--	--	750	0.8	8.0	3.2	5.7	--	--	--
10/04/94	99.68	78.98	20.70	--	--	130	3.4	5.4	<0.5	2.0	--	--	--
11/14/94	99.68	79.68	20.00	--	--	9,900	620	1,600	120	920	--	--	--
05/15/95	99.68	81.19	18.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.68	80.30	19.38	--	--	1,000	170	58	6.6	20	--	--	--
11/28/95	99.68	79.35	20.33	--	--	1,500	300	72	65	190	<6.0	--	--
02/20/96	99.68	82.72	16.96	--	--	70	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	99.68	81.10	18.58	--	--	1,600	170	39	5.0	21	6.3	--	--
08/27/96	99.68	79.89	19.79	--	--	80	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	99.68	80.13	19.55	--	--	620	49	13	7.2	22	210	--	--
02/18/97	99.68	82.37	17.31	--	--	190	14	9.6	3.1	15	<5.0	--	--
05/23/97	99.68	80.12	19.56	--	--	130	18	16	3.4	17	<5.0	--	--
08/04/97	99.68	79.80	19.88	--	--	200	8.3	7.9	4.1	10	<5.0	--	--
11/25/97	99.68	79.91	19.77	--	--	530	42	62	10	37	<5.0	--	--
02/25/98	99.68	85.40	14.28	--	--	220	26	10	7.0	22	23	--	--
05/21/98	99.68	81.90	17.78	--	--	8,300	1,400	48	29	59	<50	--	--
08/19/98	99.68	80.35	19.33	--	--	7,900	610	390	51	300	<250	--	--
11/19/98	99.68	79.40	20.28	--	--	87	1.0	<0.5	<0.5	<0.5	27	--	--
02/12/99	99.68	81.36	18.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	99.68	80.57	19.11	--	--	1,930	254	41.2	6.71	23	76.4/<5.0 ⁷	--	--
09/02/99	99.68	79.57	20.11	--	--	647	38.1	1.45	<0.5	1.32	10.8	--	--
02/03/00	99.68	80.80	18.88	--	--	UNABLE TO SAMPLE		--	--	--	--	--	--
05/09/00	99.68	80.99	18.69	0.00	0.00	370 ⁹	9.7	2.2	1.3	1.5	13	--	--
08/02/00	99.68	79.99	19.69	0.00	0.00	80 ¹⁰	1.2	1.8	0.85	1.2	3.1	--	--
11/09-10/00	99.68	79.49	20.19	0.00	0.00	92.3	<0.500	0.921	<0.500	<0.500	<2.50	--	--
02/08/01	99.68	79.01	20.67	0.00	0.00	728 ¹¹	33.7	<5.00	<5.00	<5.00	<25.0	--	--
05/02/01	99.68	79.68	20.00	0.00	0.00	338	3.28	<5.00	<5.00	<5.00	1.35	--	--
08/28/01	99.68	79.06	20.62	0.00	0.00	83 ¹⁴	1.7	0.64	<0.50	<0.50	2.6	--	--
11/26/01	99.68	79.13	20.55	0.00	0.00	240	2.8	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	99.68	80.41	19.27	0.00	0.00	4,000	460	140	55	51	<20	--	--
05/24/02	99.68	79.98	19.70	0.00	0.00	5,800	580	360	61	340	<20	--	--
08/29/02	99.68	79.16	20.52	0.00	0.00	360	14	0.98	<0.50	2.3	<2.5	--	--
11/29/02	99.68	78.98	20.70	0.00	0.00	1,400	32	1.8	0.62	2.6	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-14 (cont)													
02/28/03	99.68	80.41	19.27	0.00	0.00	320	<5.0	0.64	<0.50	<1.5	<10	--	--
05/30/03 ¹⁷	99.68	80.58	19.10	0.00	0.00	560	150	7	4	8	<0.5	--	--
08/22/03 ¹⁷	99.68	79.96	19.72	0.00	0.00	690	<0.5	<0.5	<0.5	0.6	<0.5	--	--
11/24-25/03 ¹⁷	99.68	79.10	20.58	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	99.68	80.48	19.20	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	99.68	79.66	20.02	0.00	0.00	<50	1	<0.5	<0.5	1	<0.5	--	--
08/26/04 ¹⁷	99.68	79.08	20.60	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	99.68	79.16	20.52	0.00	0.00	57	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	99.68	80.10	19.58	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	99.68	80.94	18.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	99.68	80.05	19.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05	99.68	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/06	99.68	INACCESSIBLE - WELL BOX FLOODED					--	--	--	--	--	--	--
05/30-31/06 ¹⁷	99.68	81.57	18.11	0.00	0.00	630	41	17	9	21	<0.5	--	--
08/29/06 ¹⁷	99.68	80.34	19.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	99.68	80.50	19.18	0.00	0.00	97	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	99.68	81.30	18.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	99.68	79.77	19.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	99.68	79.39	20.29	0.00	0.00	<50	<0.5	<0.5	0.8	1	<0.5	--	--
11/21/07 ¹⁷	101.99	81.51	20.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	101.99	83.35	18.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	101.99	82.23	19.76	0.00	0.00	52 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	101.99	82.02	19.97	0.00	0.00	<50	<0.5	3	0.7	4	<0.5	--	--
MW-15													
08/29/90	--	79.48	16.58	--	--	2,000	26	2.0	72	110	--	--	--
11/06/90	--	78.63	17.43	--	--	1,300	40	5.0	45	63	--	--	--
01/04/91	96.06	79.69	16.37	--	--	1,700	46	2.8	58	86	--	--	--
04/03/91	96.06	83.60	12.46	--	--	2,100	74	0.8	44	85	--	--	--
07/02/91	96.06	79.53	16.53	--	--	1,700	39	<0.5	35	46	--	--	--
10/02/91	96.06	78.73	17.33	--	--	1,100	50	<0.5	40	33	--	--	--
01/02/92	96.06	79.60	16.46	--	--	1,300	51	<0.5	30	30	--	--	--
04/07/92	96.06	81.36	14.70	--	--	2,600	98	<5.0	64	36	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
08/13/92	96.06	79.34	16.72	--	--	510	55	<0.5	35	2.8	--	--	--
12/03/92	96.06	78.63	17.43	--	--	1,000	64	0.9	22	4.4	--	--	--
03/25/93	96.06	82.73	13.33	--	--	1,300	86	52	0.7	7.7	--	--	--
06/23/93	96.06	80.83	15.23	--	--	7,300	34	<0.5	85	160	--	--	--
09/21/93	96.06	79.74	16.32	--	--	1,500	39	<0.5	32	33	--	--	--
12/02/93	96.06	79.49	16.57	--	--	990	28	4.0	8.0	10	--	--	--
03/08/94	96.06	81.45	14.61	--	--	3,400	44	4.0	28	53	--	--	--
10/04/94	96.06	79.58	16.48	--	--	310	11	10	2.2	12	--	--	--
11/14/94	96.06	81.86	14.20	--	--	450	27	2.4	2.2	4.2	--	--	--
05/15/95	96.06	82.68	13.38	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	96.06	81.15	14.91	--	--	<50	0.6	<0.5	<0.5	0.8	--	--	--
11/28/95	96.06	79.94	16.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	96.06	85.08	10.98	--	--	1,600	25	0.5	20	38	16	--	--
05/29/96 ⁴	96.06	--	--	--	--	--	--	--	--	--	--	--	--
08/27/96	96.06	80.62	15.44	--	--	80	<0.5	<0.5	<0.5	0.7	<5.0	--	--
11/22/96	96.06	81.57	14.49	--	--	1,500	14	<0.5	6.1	12	7.2	--	--
02/18/97	96.06	83.89	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	96.06	81.03	15.03	--	--	130	20	9.7	0.9	1.5	<5.0	--	--
08/04/97	96.06	80.58	15.48	--	--	60	1.3	<0.5	<0.5	1.1	<5.0	--	--
11/25/97	96.06	80.67	15.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	96.06	89.53	6.53	--	--	4,300	27	<10	37	46	<50	--	--
05/21/98	96.06	83.09	12.97	--	--	430	25	<0.5	2.3	1.2	<2.5	--	--
08/19/98	96.06	81.16	14.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	96.06	80.01	16.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	96.06	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/10/99	96.06	81.67	14.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	96.06	80.53	15.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	96.06	83.82	12.24	--	--	480	2.5	<1.0	2.6	1.4	<5.0	--	--
05/09/00	96.06	82.41	13.65	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	96.06	81.04	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	96.06	80.54	15.52	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	96.06	80.36	15.70	0.00	0.00	92.6 ¹¹	0.894	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	96.06	81.44	14.62	0.00	0.00	<50.0 ¹²	0.830	<5.00	<5.00	5.94	<0.500	--	--
08/28/01	96.06	80.15	15.91	0.00	0.00	<50	<0.50	0.71	<0.50	<0.50	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
11/26/01	96.06	80.65	15.41	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	96.06	82.51	13.55	0.00	0.00	99	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	96.06	81.45	14.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/28/03	96.06	81.80	14.26	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	96.06	81.86	14.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	96.06	81.00	15.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/04 ¹⁷	96.06	85.59	10.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	96.06	80.88	15.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	96.06	80.74	15.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	96.06	80.58	15.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	96.06	82.17	13.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	96.06	82.11	13.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05 ¹⁷	96.06	80.34	15.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	96.06	82.57	13.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	96.06	83.08	12.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	96.06	81.51	14.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	96.06	82.38	13.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	96.06	83.98	12.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	96.06	80.82	15.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	96.06	80.35	15.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	98.28	82.49	15.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	98.28	85.03	13.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	98.28	82.93	15.35	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	98.28	82.68	15.60	0.00	0.00	<50	<0.5	6	2	10	<0.5	--	--
MW-16													
08/29/90	--	77.26	20.89	--	--	11,000	6,000	51	1,100	20	--	--	--
11/06/90	--	76.88	21.27	--	--	15,000	6,300	340	1,300	540	--	--	--
01/04/91	98.15	76.52	21.63	--	--	16,000	6,800	820	1,300	1,500	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
					REMOVED (gallons)									
MW-16 (cont)														
04/03/91	98.15	78.83	19.32	--	--	45,000	7,300	2,200	1,800	4,900	--	--	--	--
07/02/91	98.15	77.47	20.68	--	--	30,000	6,400	530	1,500	1,800	--	--	--	--
10/02/91	98.15	76.97	21.18	--	--	24,000	4,600	450	1,400	1,600	--	--	--	--
01/02/92	98.15	76.85	21.30	--	--	20,000	4,700	240	1,200	1,100	--	--	--	--
04/07/92	98.15	77.96	20.19	--	--	40,000	5,000	980	1,100	2,100	--	--	--	--
08/13/92	98.15	77.38	20.77	--	--	17,000	4,500	240	860	530	--	--	--	--
12/03/92	98.15	76.71	21.44	--	--	39,000	4,600	410	1,100	2,200	--	--	--	--
03/25/93	98.15	79.32	18.83	--	--	39,000	5,500	1,400	690	2,000	--	--	--	--
06/23/93	98.15	78.43	19.72	--	--	29,000	6,600	1,200	1,400	3,700	--	--	--	--
09/21/93	98.15	77.77	20.38	--	--	36,000	6,300	340	1,200	1,800	--	--	--	--
12/02/93	98.15	77.31	20.84	--	--	28,000	5,600	230	900	820	--	--	--	--
03/08/94	98.15	77.88	20.27	--	--	35,000	6,500	760	1,000	1,300	--	--	--	--
10/04/94	98.15	77.57	20.58	--	--	39,000	9,700	680	1,300	3,300	--	--	--	--
11/14/94	98.15	78.03	20.12	--	--	26,000	5,500	640	690	1,800	--	--	--	--
05/15/95	98.15	79.99	18.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
08/04/95	98.15	78.85	19.30	--	--	23,000	6,200	1,900	1,500	4,500	--	--	--	--
11/28/95	98.15	77.73	20.42	--	--	38,000	6,200	1,700	1,800	5,700	<120	--	--	--
02/20/96	98.15	81.75	16.40	--	--	46,000	6,600	2,200	2,400	7,300	<250	--	--	--
05/29/96	98.15	79.61	18.54	--	--	54,000	6,300	1,600	2,200	7,900	<250	--	--	--
08/27/96	98.15	78.73	19.42	--	--	45,000	4,100	260	1,600	2,800	<250	--	--	--
11/22/96	98.15	78.79	19.36	--	--	36,000	3,500	120	1,400	1,500	260	--	--	--
02/18/97	98.15	80.93	17.22	--	--	62,000	5,800	1,300	2,200	8,900	160	--	--	--
05/23/97	98.15	78.67	19.48	--	--	32,000	4,000	370	1,900	2,900	<250	--	--	--
08/04/97	98.15	78.43	19.72	--	--	26,000	3,300	280	2,100	1,500	200	--	--	--
11/25/97	98.15	78.42	19.73	--	--	38,000	3,900	370	2,400	3,000	250	--	--	--
02/25/98	98.15	84.13	14.02	--	--	60,000	6,400	1,400	2,200	13,000	<1,000	--	--	--
05/21/98	98.15	80.24	17.91	--	--	71,000	5,100	1,200	2,300	8,200	560	--	--	--
08/19/98	98.15	78.90	19.25	--	--	40,000	2,300	740	1,700	2,700	<250	--	--	--
11/19/98	98.15	77.85	20.30	--	--	51,000	2,900	<200	2,200	6,300	<1,000	--	--	--
02/12/99	98.15	80.24	17.91	--	--	11,000	1,100	81	810	470	130	--	--	--
05/10/99	98.15	79.02	19.13	--	--	52,300	4,100	587	2,430	8,800	708/<66.7 ⁷	--	--	--
09/02/99	98.15	78.16	19.99	--	--	26,600	1,400	1,540	1,480	2,940	<500	--	--	--
02/03/00	98.15	79.50	18.65	--	--	47,000	5,600	620	3,000	14,000	450	--	--	--
05/09/00	99.15	80.58	18.57	0.00	0.00	15,000 ⁸	990	100	800	2,000	410	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16 (cont)													
08/02/00	99.15	79.57	19.58	0.00	0.00	10,000 ⁸	1,100	95	1,000	2,300	<130	--	--
11/09-10/00	99.15	79.13	20.02	0.00	0.00	5,580	334	49.3	530	256	33.6	--	--
02/08/01	99.15	78.56	20.59	0.00	0.00	25,400 ¹¹	1,340	99.9	1,380	2,700	350	--	--
05/02/01	99.15	79.44	19.71	0.00	0.00	45,600	2,130	83.6	<2,500	7,460	13.3	--	--
08/28/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
11/26/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
02/22/02	99.15	80.05	19.10	0.00	0.00	32,000	1,300	110	1,800	6,100	<50	--	--
05/24/02	99.15	79.65	19.50	0.00	0.00	13,000	590	29	830	1,000	<20	--	--
08/29/02	99.15	78.94	20.21	0.00	0.00	9,800	500	28	670	430	<10	--	--
11/29/02	99.15	78.66	20.49	0.00	0.00	23,000	1,600	110	1,200	3,400	<10	--	--
02/28/03	99.15	79.97	19.18	0.00	0.00	20,000	1,300	90	1,000	3,300	<100	--	--
05/30/03 ¹⁷	99.15	80.34	18.81	0.00	0.00	47,000	2,100	160	2,000	8,100	<3	--	--
08/22/03 ¹⁷	99.15	79.59	19.56	0.00	0.00	25,000	1,300	94	1,200	3,200	2	--	--
11/24-25/03 ¹⁷	99.15	78.77	20.38	0.00	0.00	13,000	660	47	800	950	4	--	--
02/27/04 ¹⁷	99.15	82.32	16.83	0.00	0.00	20,000	1,000	70	1,000	3,100	3	--	--
06/21/04 ¹⁷	99.15	82.93	16.22	0.00	0.00	11,000	780	23	680	530	7	--	--
08/26/04 ¹⁷	99.15	78.90	20.25	0.00	0.00	7,600	540	16	450	100	8	--	--
11/29/04 ¹⁷	99.15	78.83	20.32	0.00	0.00	7,600	370	15	370	310	6	--	--
02/11/05 ¹⁷	99.15	79.77	19.38	0.00	0.00	42,000	1,800	120	1,800	6,900	3	--	--
06/16/05 ¹⁷	99.15	80.52	18.63	0.00	0.00	2,000	170	13	170	250	4	--	--
08/31/05 ¹⁷	99.15	79.72	19.43	0.00	0.00	30,000	1,800	100	1,800	5,700	3	--	--
11/30/05 ¹⁷	99.15	78.88	20.27	0.00	0.00	8,600	370	27	400	620	8	--	--
02/27/06 ¹⁷	99.15	80.22	18.93	0.00	0.00	4,600	110	9	120	220	7	--	--
05/30-31/06 ¹⁷	99.15	81.03	18.12	0.00	0.00	13,000	590	<1	860	1,400	3	--	--
08/29/06 ¹⁷	99.15	80.04	19.11	0.00	0.00	14,000	470	38	480	1,300	2	--	--
12/13/06 ¹⁷	99.15	80.08	19.07	0.00	0.00	17,000	590	43	860	1,600	5	--	--
02/28/07 ¹⁷	99.15	81.09	18.06	0.00	0.00	15,000	510	42	560	1,600	5	--	--
05/30/07 ¹⁷	99.15	79.51	19.64	0.00	0.00	11,000	440	25	470	510	7	--	--
08/29/07 ¹⁷	99.15	79.33	19.82	0.00	0.00	6,200	320	14	250	120	6.00	--	--
11/21/07 ¹⁷	100.56	80.45	20.11	0.00	0.00	5,900	410	17	260	35	13	--	--
02/20/08 ¹⁷	100.56	82.00	18.56	0.00	0.00	27,000	1,200	91	1,500	4,700	4	--	--
05/21/08 ¹⁷	100.56	81.11	19.45	0.00	0.00	17,000 ²²	920	58	1,200	2,800	7	--	--
06/24/08 ¹⁷	100.56	80.98	19.58	0.00	0.00	6,500	360	21	380	510	10	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-18													
08/04/97	--	--	16.60	--	--	66,000	8,600	6,100	2,800	12,000	190	--	--
11/25/97	--	--	16.22	--	--	90,000	8,500	6,000	3,400	14,000	1,200	--	--
02/25/98	--	--	12.75	--	--	60,000	6,600	4,000	2,300	11,000	<120	--	--
05/21/98	--	--	15.24	--	--	70,000	4,700	1,800	1,700	9,600	880	--	--
08/19/98	--	--	16.34	--	--	93,000	4,900	1,700	2,100	9,000	<250	--	--
11/19/98	--	--	17.15	--	--	62,000	5,600	2,300	2,700	12,000	1,800	--	--
02/12/99	--	--	16.08	--	--	48,000	3,700	2,400	1,900	8,800	1,900	--	--
05/10/99	--	--	14.98	--	--	54,700	3,250	1,770	1,900	7,570	1,270/<66.7 ⁷	--	--
09/02/99	--	--	15.86	--	--	34,400	2,120	1,230	1,420	5,460	<500	--	--
02/03/00	--	--	15.91	--	--	46,000	2,500	1,100	1,900	8,800	<1,000	--	--
05/09/00	--	--	13.93	0.00	0.00	30,000 ⁸	1,400	410	440	4,700	1,300	--	--
08/02/00	--	--	15.25	0.00	0.00	22,000 ⁸	1,200	480	1,400	5,800	<130	--	--
11/09-10/00	--	--	15.85	0.00	0.00	29,500	1,130	474	2,020	6,270	333	--	--
02/08/01	--	--	16.27	0.00	0.00	61,600 ¹¹	1,700	<500	2,690	8,110	<2,500	--	--
05/02/01	--	--	16.15	0.00	0.00	57,800	1,040	104	<2,500	6,670	20.1	--	--
08/28/01	--	--	17.03	0.00	0.00	32,000 ¹³	1,200	370	2,100	5,600	790	--	--
11/26/01	--	--	16.64	0.00	0.00	41,000	780	320	1,800	5,600	<200	--	--
02/22/02	--	--	14.93	0.00	0.00	44,000	950	270	1,300	3,900	<100	--	--
05/24/02	--	--	15.92	0.00	0.00	36,000	1,200	460	1,600	4,800	<50	--	--
08/29/02	--	--	16.56	0.00	0.00	37,000	970	520	1,900	4,800	<50	--	--
11/29/02	--	--	16.51	0.00	0.00	36,000	710	350	1,900	5,300	<20	--	--
02/28/03	--	--	14.53	0.00	0.00	19,000	350	130	270	2,500	<200	--	--
05/30/03 ¹⁷	--	--	14.56	0.00	0.00	29,000	390	110	890	2,700	<3	--	--
08/22/03 ¹⁷	--	--	14.70	0.00	0.00	17,000	270	67	600	1,700	<1	--	--
11/24-25/03 ¹⁷	--	--	16.39	0.00	0.00	23,000	320	39	980	2,100	<1	--	--
02/27/04 ¹⁷	--	--	13.77	0.00	0.00	18,000	200	29	310	1,400	<1	--	--
06/21/04 ¹⁷	--	--	15.55	0.00	0.00	30,000	380	40	1,700	2,800	<3	--	--
08/26/04 ¹⁷	--	--	16.69	0.00	0.00	25,000	360	27	1,100	1,800	<3	--	--
11/29/04 ¹⁷	--	--	16.45	0.00	0.00	27,000	380	30	1,200	1,900	<2	--	--
02/11/05 ¹⁷	--	--	14.48	0.00	0.00	26,000	450	44	1,600	2,500	<1	--	--
06/16/05	--	--	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	--	--	15.08	0.00	0.00	27,000	440	57	1,900	2,400	<3	--	--
11/30/05	--	--	16.01	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	--	--	13.63	0.00	0.00	31,000	440	81	1,500	1,900	<1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-18 (cont)													
05/30-31/06	--	--	12.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/06 ¹⁷	--	--	14.85	0.00	0.00	28,000	270	49	1,600	1,500	<3	--	--
12/13/06	--	--	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/07 ¹⁷	--	--	13.37	0.00	0.00	27,000	280	61	1,400	1,400	<3	--	--
05/30/07	--	--	15.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ¹⁷	--	--	16.14	0.00	0.00	26,000	200	42	1,700	1,600	<5	--	--
11/21/07	--	--	16.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	--	--	12.83	0.00	0.00	24,000	190	44	1,700	1,700	<2	--	--
05/21/08	--	--	14.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08	--	--	15.55	0.00	0.00	--	--	--	--	--	--	--	--
MW-19													
05/30-31/06 ^{17,19}	--	--	10.68	0.00	0.00	3,100	94	170	59	310	100	--	--
08/29/06 ¹⁷	--	--	12.62	0.00	0.00	13,000	1,900	480	150	870	120	--	--
12/13/06 ¹⁷	--	--	12.26	0.00	0.00	8,800	1,600	100	18	360	88	--	--
02/28/07 ¹⁷	--	--	10.24	0.00	0.00	3,100	480	17	3	170	83	--	--
05/30/07	--	--	12.71	0.00	0.00	25,000	7,800	160	31	450	63	--	--
08/29/07 ¹⁷	--	--	14.02	0.00	0.00	25,000	8,900	170	34	390	56	--	--
11/21/07 ¹⁷	--	--	13.81	0.00	0.00	13,000	6,100	120	21	270	60	--	--
02/20/08 ¹⁷	--	--	11.62	0.00	0.00	66	3	<0.5	<0.5	<0.5	29	--	--
05/21/08¹⁷	--	--	13.02	0.00	0.00	130²²	40	0.5	2	0.8	29	--	--
06/24/08¹⁷	--	--	13.40	0.00	0.00	700	730	12	39	7	31	--	--
P-1													
08/13/92	--	76.41	10.02	--	--	--	--	--	--	--	--	--	--
12/03/92	--	75.63	10.80	--	--	--	--	--	--	--	--	--	--
03/25/93	86.43	77.48	8.95	--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁹	86.43	77.23	9.20	0.00	0.00	110	4	0.6	<0.5	0.5	10	--	--
06/16/05 ¹⁷	86.43	78.06	8.37	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	7	--	--
08/31/05 ¹⁷	NP	77.48	8.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	9	--	--
11/30/05 ¹⁷	86.43	76.57	9.86	0.00	0.00	60	<0.5	<0.5	<0.5	<0.5	13	--	--
02/27/06 ¹⁷	86.43	77.48	8.95	0.00	0.00	310	31	0.9	1	1	7	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE		TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
P-1 (cont)														
05/30-31/06 ¹⁷	NP	86.43	78.23	8.20	0.00	0.00	84	3	0.6	<0.5	0.7	4	--	--
08/29/06		86.43	INACCESSIBLE - UNABLE TO GET ACCESS				--	--	--	--	--	--	--	--
12/13/06 ¹⁷		86.43	77.30	9.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	--	--
02/28/07 ¹⁷		86.43	77.82	8.61	0.00	0.00	160	8	<0.5	<0.5	<0.5	8	--	--
05/30/07 ¹⁷	NP	86.43	77.23	9.20	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	6	--	--
08/29/07 ¹⁷		86.43	77.25	9.18	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
11/21/07		88.63	INACCESSIBLE - UNABLE TO ACCESS WELL				--	--	--	--	--	--	--	--
02/20/08 ¹⁷		88.63	80.10	8.53	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	8	--	--
05/21/08 ¹⁷		88.63	79.62	9.01	0.00	0.00	<50 ²²	<0.5	0.9	<0.5	<0.5	7	--	--
06/24/08 ¹⁷		88.63	79.55	9.08	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
DVE-9														
05/30-31/06 ^{17,19}		--	--	11.09	0.00	0.00	54,000	2,700	9,100	1,800	7,700	190	--	--
08/29/06 ¹⁷		--	--	13.51	0.00	0.00	65,000	2,200	8,600	1,400	5,900	190	--	--
12/13/06 ¹⁷		--	--	12.60	0.00	0.00	73,000	3,400	12,000	2,100	8,700	140	--	--
02/28/07		DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}		--	--	12.21	0.00	0.00	80,000	2,100	14,000	2,300	9,800	51	--	--
08/29/07 ¹⁷		--	-- ²¹	-- ²¹	--	--	57,000	2,400	12,000	1,500	7,200	96	--	--
11/21/07 ^{17,18}		102.60	88.87	13.73	0.00	0.00	60,000	2,700	15,000	1,200	7,500	44	--	--
02/20/08 ²²		102.60	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}		102.60	89.80	12.80	0.00	0.00	43,000 ²²	1,300	12,000	1,200	6,900	60	--	--
06/24/08 ^{15,17,18}	NP	102.60	89.38	13.22	0.00	0.00	15,000	1,200	13,000	1,300	7,100	44	--	--
DVE-12														
05/30-31/06 ^{17,19}		--	--	9.93	0.00	0.00	110,000	5,900	20,000	2,100	11,000	210	--	--
08/29/06 ¹⁷		--	--	12.16	0.00	0.00	100,000	5,300	25,000	2,200	11,000	110	--	--
12/13/06 ¹⁷		--	--	12.11	0.00	0.00	120,000	4,400	28,000	1,800	9,300	140	--	--
02/28/07		DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}		--	--	12.41	0.00	0.00	120,000	4,600	29,000	2,300	12,000	95	--	--
08/29/07 ¹⁷		--	-- ²¹	-- ²¹	--	--	86,000	38,000	21,000	1,500	8,300	79	--	--
11/21/07 ^{17,18}		101.77	88.74	13.03	0.00	0.00	52,000	3,100	11,000	800	5,800	11	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
DVE-12 (cont)													
02/20/08 ²²	101.77	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.77	89.76	12.01	0.00	0.00	56,000 ²²	3,600	18,000	1,100	8,600	29	--	--
06/24/08 ^{15,17,18} NP	101.77	89.11	12.66	0.00	0.00	52,000	3,900	20,000	1,200	9,000	36	--	--
DVE-20													
05/30-31/06 ^{17,19}	--	--	10.30	0.00	0.00	64,000	1,500	6,000	1,600	7,700	6	--	--
08/29/06 ¹⁷	--	--	12.73	0.00	0.00	37,000	840	1,800	1,800	6,400	7	--	--
12/13/06 ¹⁷	--	--	12.34	0.00	0.00	43,000	540	1,800	1,800	9,700	<5	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	--	--	12.19	0.00	0.00	53,000	590	4,000	1,900	10,000	<5	--	--
08/29/07 ¹⁷	--	-- ²¹	-- ²¹	--	--	42,000	490	3,800	1,800	9,100	<10	--	--
11/21/07 ^{17,18}	102.64	89.00	13.64	0.00	0.00	27,000	92	530	790	5,600	<3	--	--
02/20/08 ²²	102.64	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	102.64	89.67	12.97	0.00	0.00	20,000 ²²	78	540	910	5,400	2	--	--
06/24/08 ^{15,17,18} NP	102.64	89.67	12.97	0.00	0.00	12,000	61	540	1,000	5,900	1	--	--
MW-17													
08/13/92	--	82.70	23.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	81.26	24.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	106.00	83.86	22.14	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	106.00	82.98	23.02	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
09/21/93	106.00	82.91	23.09	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	106.00	82.63	23.37	--	--	--	--	--	--	--	--	--	--
03/08/94	106.00	83.17	22.83	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	106.00	83.38	22.62	--	--	<50	1.2	1.1	<0.5	0.9	--	--	--
10/04/94	106.00	83.00	23.00	--	--	62	8.0	2.9	0.7	3.1	--	--	--
11/14/94	106.00	82.97	23.03	--	--	550	22	120	8.9	84	--	--	--
05/15/95	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	106.00	83.63	22.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	106.00	83.03	22.97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.6	--	--
02/20/96	106.00	84.22	21.78	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
08/27/96	106.00	83.57	22.43	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	106.00	83.18	22.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	106.00	84.69	21.31	--	--	140	34	11	1.6	7.7	71	--	--
05/23/97	106.00	83.75	22.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	106.00	83.47	22.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	106.00	83.09	22.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	106.00	86.37	19.63	--	--	<50	3.8	3.3	1.3	4.2	3.5	--	--
05/21/98	106.00	95.39	10.61	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	106.00	84.26	21.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	106.00	83.64	22.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	106.00	84.16	21.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	106.00	84.55	21.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	106.00	83.54	22.46	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	106.00	83.81	22.19	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	106.00	84.21	21.79	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	106.00	83.76	22.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	106.00	83.43	22.57	0.00	0.00	<1,000	<10.0	<10.0	<10.0	<10.0	<50.0	--	--
02/08/01	106.00	83.18	22.82	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	106.00	83.52	22.48	0.00	0.00	55.8	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	106.00	83.05	22.95	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/26/01	106.00	82.92	23.08	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	106.00	83.97	22.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	106.00	83.84	22.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	106.00	82.27	23.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	106.00	83.02	22.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	106.00	84.02	21.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	106.00	84.15	21.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	106.00	83.52	22.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	106.00	83.16	22.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	106.00	84.07	21.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	106.00	83.68	22.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	106.00	82.91	23.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	106.00	83.21	22.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	106.00	84.03	21.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
06/16/05 ¹⁷	106.00	84.72	21.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	106.00	83.95	22.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	--
11/30/05 ¹⁷	106.00	83.45	22.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--
02/27/06 ¹⁷	106.00	84.44	21.56	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	106.00	85.26	20.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--
08/29/06 ¹⁷	106.00	84.18	21.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	106.00	83.36	22.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	106.00	83.63	22.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	106.00	83.34	22.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	106.00	82.99	23.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
DISCONTINUED MONITORING / SAMPLING -- --													
EQUIPMENT BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
03/08/94	--	--	--	--	--	<50	1.0	1.4	<0.5	1.5	--	--	--
TRIP BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
10/03/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/06/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/02/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/13/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
TRIP BLANK (cont)													
09/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/08/94	--	--	--	--	--	<50	0.6	0.8	<0.5	0.6	--	--	--
06/13/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/04/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/14/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/26/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
05/10/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
09/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	--	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
QA													
11/26/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	--	--	--	--	--	<50	<0.5	1	<0.5	0.9	<0.5	--	--
08/26/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH-G = Total Petroleum Hydrocarbons as Gasoline	
(ft.) = Feet	B = Benzene	DCE = 1,2-Dichloroethane
GWE = Groundwater Elevation	T = Toluene	(ppb) = Parts per billion
(msl) = Mean sea level	E = Ethyl benzene	(µg/L) = Micrograms per liters
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
SPHT = Separate Phase Hydrocarbons Thickness	MTBE = Methyl Tertiary Butyl Ether	NP = No Purge
SPH = Separate Phase Hydrocarbons	EDB = Ethylene Dibromide/ 1,2-Dibromoethane	QA = Quality Assurance/Trip Blank

* TOC data surveyed on October 17, 2007 by Morrow Surveying. Vertical datum is NAVD 88.

** GWE has been corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

¹ Repeat analysis.

² Estimated thickness.

³ Well inaccessible due to downhole equipment.

⁴ The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.

⁵ Laboratory report indicates results were taken from both a low level and a diluted analysis.

⁶ The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.

⁷ Confirmation run.

⁸ Laboratory report indicates gasoline C6-C12.

⁹ Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

¹⁰ Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.

¹¹ Laboratory report indicates weathered gasoline C6-C12.

¹² Laboratory report indicates analyte was initially analyzed within hold time; however, due to instrument carryover, the sample was reanalyzed outside the method specified hold time to confirm the carryover.

¹³ Laboratory report indicates gasoline C6-C10.

¹⁴ Laboratory report indicates unidentified hydrocarbons C6-C10.

¹⁵ Connected to remediation system.

¹⁶ TOC was altered during removal of extraction system; unable to determine GWE.

¹⁷ BTEX and MTBE by EPA Method 8260.

¹⁸ Hose/tube or pump in well.

¹⁹ Well development performed.

²⁰ Extraction stinger in well.

²¹ Unable to measure DTW due to pump in well, grab sample taken.

²² Laboratory report indicates the sample was analyzed 1 day outside the method hold time.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.

***CHEVRON SERVICE STATION #9-0260
HAYWARD, CA***

***QUARTERLY MONITORING & SAMPLING
May 21, 2008***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: ALH

Well ID: MW-4
Well Diameter: 2 1/4 in.
Total Depth: 24.80 ft.
Depth to Water: 13.72 ft.

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.54
x3 case volume = Estimated Purge Volume: 21.93 gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1115
Sample Time/Date: 1145 5-21-08
Approx. Flow Rate: 2.2 gpm.
Did well de-water? NO If yes, Time: _____

Weather Conditions: Clear
Water Color: Clear Odor: Y 1
Sediment Description: Light
gal DTW @ Sampling: 11.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - µS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1119</u>	<u>8</u>	<u>6.71</u>	<u>0.96</u>	<u>18.7</u>		
<u>1123</u>	<u>16</u>	<u>6.76</u>	<u>0.94</u>	<u>18.7</u>		
<u>1127</u>	<u>22</u>	<u>6.73</u>	<u>0.94</u>	<u>19.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-4	6 x vial	YES	HCL	LANCASTER	

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: AH

Well ID: MW-5
Well Diameter: 2 1/4 in.
Total Depth: 14.09 ft.
Depth to Water: 11.97 ft.
7.12 xVF

Date Monitored: 5-21-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:
x3 case volume = Estimated Purge Volume: gal.

Purge Equipment:

~~Disposable Bailer~~
~~Stainless Steel Bailer~~
~~Stack Pump~~
~~Suction Pump~~
~~Grundfos~~
~~Peristaltic Pump~~
~~OED Bladder Pump~~
Other:


Sampling Equipment:

~~Disposable Bailer~~
~~Pressure Bailer~~
~~Discrete Bailer~~
~~Peristaltic Pump~~
~~OED Bladder Pump~~
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1050
Sample Time/Date: 1055/5-21-08
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:

Weather Conditions: Clear
Water Color: Cloudy
Sediment Description: Light
Odor: D/N very strong
Volume: gal. DTW @ Sampling: 11.97



LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-5	6 x vov vial	YES	HCL	LANCASTER	

COMMENTS: Pump in well well Hooked to System
NO purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: Alt

Well ID: MW-6
Well Diameter: 210 in.
Total Depth: 16.20 ft.
Depth to Water: 130.9 ft.
3.11 xVF

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: 5/21/08
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: _____

Water Color: _____ Odor: Y / N

Sediment Description: _____

Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vda vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: M 10

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: ATT

Well ID: MW-7
Well Diameter: 210 in.
Total Depth: 16.60 ft.
Depth to Water: 12.61 ft.

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.40
xVF 0.66 = 2.63 x3 case volume = Estimated Purge Volume: 7.90 gal.

Purge Equipment:

Disposable Bailer X
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1200
Sample Time/Date: 1200/5-21-08
Approx. Flow Rate: _____ gpm.
Did well de-water? no If yes, Time: _____

Weather Conditions: Clear
Water Color: cloudy Odor: oil faint odor
Sediment Description: light
Volume: _____ gal. DTW @ Sampling: 1280

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μ mhos/cm) - μ S	Temperature ($^{\circ}$ / F)	D.O. (mg/L)	ORP (mV)
<u>1207</u>	<u>3</u>	<u>6.83</u>	<u>0.86</u>	<u>18.6</u>		
<u>1214</u>	<u>5.5</u>	<u>6.81</u>	<u>0.84</u>	<u>18.6</u>		
<u>1220</u>	<u>8</u>	<u>6.85</u>	<u>0.85</u>	<u>18.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW- <u>7</u>	<u>6</u> x voc vial	YES	HCL	LANCASTER	

COMMENTS: Sampled @ 12:40

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/08 (inclusive)
Sampler: 3H

Well ID: MW-8
Well Diameter: 2 1/4 in.
Total Depth: 17.43 ft.
Depth to Water: 12.39 ft.

Date Monitored: 5/21/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

5.04 5.05 xVF .66 = 3.33 x3 case volume = Estimated Purge Volume: 9.99 gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.40

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1310
Sample Time/Date: 1415 5/21/08
Approx. Flow Rate: 1 gpm.
Did well de-water? Yes If yes, Time: 1315

Weather Conditions: clear
Water Color: cloudy Odor: Y 10
Sediment Description: 1.5L
Volume: 5 gal. DTW @ Sampling: 13.30

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>GS</u>)	Temperature (<u>C</u> / <u>F</u>)	D.O. (mg/L)	ORP (mV)
<u>1313</u>	<u>3</u>	<u>7.02</u>	<u>634</u>	<u>18.6</u>		
<u>—</u>	<u>6</u>	<u>—</u>	<u>—</u>	<u>—</u>		
<u>—</u>	<u>10</u>	<u>—</u>	<u>—</u>	<u>—</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>8</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Well De-watered -

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/07 (inclusive)
Sampler: SV

Well ID: MW-9
Well Diameter: 214 in.
Total Depth: 17.36 ft.
Depth to Water: 12.74 ft.

Date Monitored: 5/21/07

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: _____
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions:

Water Color: _____ Odor: Y / N
Sediment Description: _____
Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/02 (inclusive)
Sampler: JD

Well ID: MW-10
Well Diameter: 214 in.
Total Depth: 26.59 ft.
Depth to Water: 10.36 ft.

Date Monitored: 5/21/02

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: 5/21/02
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____
Weather Conditions: _____
Water Color: _____
Sediment Description: _____
Odor: Y / N
Volume: _____ gal. DTW @ Sampling: _____

Time/ (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: AA

Well ID: MW-11
Well Diameter: 214 in.
Total Depth: 27.42 ft.
Depth to Water: 12.38 ft.

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.
xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:


Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 0935
Sample Time/Date: 0940 5-21-08
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: Clear
Water Color: Clear Odor: DIN Strong odor
Sediment Description: Light
Volume: _____ gal. DTW @ Sampling: 12.38

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	------------------------	----------------	-------------



LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-11	6 x voa vial	YES	HCL	LANCASTER	

COMMENTS: Pump in well, well hooked to system
NO PURGE SAMPLE TAKEN

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: ATK

Well ID: MW-12
Well Diameter: 210 in.
Total Depth: 19.08 ft.
Depth to Water: 12.18 ft.
6.9 xVF

Date Monitored: 5-21-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: x3 case volume = Estimated Purge Volume: gal.

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
OED Bladder Pump
Other:


Sampling Equipment:

Disposable Bailer X
Pressure Bailer
Discrete Bailer
Peristaltic Pump
OED Bladder Pump
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1030 Weather Conditions: Clear
Sample Time/Date: 1035 5-21-08 Water Color: Clear Odor: PIN Strong
Approx. Flow Rate: gpm. Sediment Description: Light
Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling: 12.18

Time (2400 hr.) Volume (gal.) pH Conductivity (µmhos/cm - µS) Temperature (C / F) D.O. (mg/L) ORP (mV)



LABORATORY INFORMATION

SAMPLE ID	#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-12	6 x vva vial	YES	HCL	LANCASTER	

COMMENTS: Pump in well, well hooked to system
No purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/08 (inclusive)
Sampler: JD

Well ID: MW-13
Well Diameter: 21/4 in.
Total Depth: 17.72 ft.
Depth to Water: 12.26 ft.

Date Monitored: 5/21/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:
xVF 6 = x3 case volume = Estimated Purge Volume: gal.

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
QED Bladder Pump
Other:

Sampling Equipment:

Disposable Bailer
Pressure Bailer
Discrete Bailer
Peristaltic Pump
QED Bladder Pump
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge):
Sample Time/Date:
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:

Weather Conditions:

Water Color: Odor: Y / N

Sediment Description:

Volume: gal. DTW @ Sampling:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-	x voa vial	YES	HCL	LANCASTER	

COMMENTS:

Add/Replaced Lock:

Add/Replaced Plug:

Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/08 (inclusive)
Sampler: SH

Well ID: MW-14
Well Diameter: 2.4 in.
Total Depth: 90.96 ft.
Depth to Water: 19.76 ft.
21.20 xVF .17 = 3.60

Date Monitored: 5/21/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 10.81 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.00

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1150
Sample Time/Date: 1230 5/21/08
Approx. Flow Rate: 1 gpm.
Did well de-water? No If yes, Time: _____

Weather Conditions: clear

Water Color: clear

Odor: Y 100

Sediment Description: 1.5 ft

Volume: _____ gal. DTW @ Sampling: 22.91

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 65)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1154</u>	<u>3.5</u>	<u>7.38</u>	<u>394</u>	<u>19.8</u>		
<u>1159</u>	<u>7.0</u>	<u>7.08</u>	<u>433</u>	<u>20.1</u>		
<u>1204</u>	<u>11</u>	<u>6.91</u>	<u>471</u>	<u>20.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>6</u> x vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job Number: 385110
 Event Date: 5/21/08 (inclusive)
 Sampler: SH

Well ID: MW-15
 Well Diameter: (2) 4 in.
 Total Depth: 22.06 ft.
 Depth to Water: 15.35 ft.
6.71 xVF = 1.14

Date Monitored: 5/21/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Estimated Purge Volume: 3.42 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.69

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1100
 Sample Time/Date: 1130 15/21/08
 Approx. Flow Rate: _____ gpm.
 Did well de-water? no If yes, Time: _____

Weather Conditions: clear
 Water Color: clear Odor: Y/N
 Sediment Description: 1.5H
 Volume: _____ gal. DTW @ Sampling: 15.82

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25°C)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1103</u>	<u>1</u>	<u>7.18</u>	<u>437</u>	<u>19.2</u>		
<u>1106</u>	<u>2</u>	<u>7.04</u>	<u>452</u>	<u>19.6</u>		
<u>1110</u>	<u>3.5</u>	<u>6.93</u>	<u>479</u>	<u>19.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/08 (inclusive)
Sampler: JH

Well ID: MW-16
Well Diameter: (2) 14 in.
Total Depth: 37.82 ft.
Depth to Water: 19.45 ft.
18.37 xVF .17 = 3.12

Date Monitored: 5/21/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 9.36 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.12

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): 1020
Sample Time/Date: 1045 5/21/08
Approx. Flow Rate: 1 gpm.
Did well de-water? NO If yes, Time: _____

Weather Conditions: clear

Water Color: cloudy

Odor: GIN

Sediment Description: 1.5" / 1.5"

Volume: _____ gal. DTW @ Sampling: 21.14

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1023</u>	<u>3</u>	<u>7.41</u>	<u>623</u>	<u>19.4</u>		
<u>1026</u>	<u>6</u>	<u>7.32</u>	<u>636</u>	<u>19.7</u>		
<u>1030</u>	<u>9.5</u>	<u>7.29</u>	<u>658</u>	<u>19.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
MW-16	6 x vov vial	YES	HCL	LANCASTER	

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5/21/08 (inclusive)
Sampler: SD

Well ID: MW-18
Well Diameter: 3/4 in.
Total Depth: 23.26 ft.
Depth to Water: 19.61 ft.

Date Monitored: 5/21/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: _____
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: _____

Water Color: _____ Odor: Y / N

Sediment Description: _____

Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vob vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: M10

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: AT

Well ID: MW-19
Well Diameter: 2 1/4 in.
Total Depth: 44.93 ft.
Depth to Water: 13.02 ft.
31.91 xVF .17 = 5.42

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 16.27 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.40

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1305
Sample Time/Date: 1340 5-21-08
Approx. Flow Rate: 2.75 gpm.
Did well de-water? no If yes, Time: _____

Weather Conditions: Clear
Water Color: Clear Odor: DIN Faint odor
Sediment Description: Light
Volume: _____ gal. DTW @ Sampling: 13.30

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1307</u>	<u>5.5</u>	<u>6.81</u>	<u>0.94</u>	<u>19.2</u>		
<u>1309</u>	<u>11</u>	<u>6.78</u>	<u>0.96</u>	<u>19.6</u>		
<u>1311</u>	<u>16.5</u>	<u>6.83</u>	<u>0.94</u>	<u>19.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTX+MTBE(8260)
MW-19	6 x vva vial	YES	HCL	LANCASTER	

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 5/21/08 (inclusive)
City: Hayward, CA Sampler: SH

Well ID: P-1 Date Monitored: 5/21/08
Well Diameter: 1 in.
Total Depth: 19.62 ft.
Depth to Water: 9.01 ft. ☐ Check if water column is less than 0.50 ft.
10.61 xVF 0.09 = .42 x3 case volume = Estimated Purge Volume: 1.27 gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.13

Purge Equipment: X P.n
Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____
Sampling Equipment: X P.n
Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 0915 Weather Conditions: clear
Sample Time/Date: 0955 / 5/21/08 Water Color: clay Odor: pin
Approx. Flow Rate: _____ gpm. Sediment Description: 1.5#L
Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.72

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm / µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>0920</u>	<u>.5</u>	<u>7.13</u>	<u>824</u>	<u>17.6</u>		
<u>0925</u>	<u>1.0</u>	<u>7.01</u>	<u>871</u>	<u>17.9</u>		
<u>0930</u>	<u>1.3</u>	<u>6.95</u>	<u>905</u>	<u>18.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
P-1	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-24-08 (inclusive)
Sampler: AT

Well ID: DVE-9
Well Diameter: 4 in.
Total Depth: 27.22 ft.
Depth to Water: 12.80 ft.

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.
Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): 14.42 xVF 1 = 14.42 x3 case volume = Estimated Purge Volume: 14.42 gal.

Purge Equipment:

Disposable Bailer /
Stainless Steel Bailer /
Stack Pump /
Suction Pump /
Grundfos /
Peristaltic Pump /
QED Bladder Pump /
Other: /

Sampling Equipment:

Disposable Bailer X
Pressure Bailer /
Discrete Bailer /
Peristaltic Pump /
QED Bladder Pump /
Other: /

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 0950
Sample Time/Date: 0955 5-21-08
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:

Weather Conditions: Clear
Water Color: Clear Odor: DIN Strong
Sediment Description: Light
Volume: gal. DTW @ Sampling: 12.80

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	--------------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#)	CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
						TPH-G(8015)/BTX-MTBE(8260)
DVE-9	6	x voa vial	YES	HCL	LANCASTER	

COMMENTS: Pump in well, well hooked to system
no purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: 4H

Well ID: DVE-12
Well Diameter: 4 in.
Total Depth: 27.67 ft.
Depth to Water: 12.01 ft.

Date Monitored: 5-21-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.66 xVF 1 = 15.66 x3 case volume = Estimated Purge Volume: 15.66 gal.

Purge Equipment:


Disposable Bailer /
Stainless Steel Bailer /
Stack Pump /
Suction Pump /
Grundfos /
Peristaltic Pump /
QED Bladder Pump /
Other: /

Sampling Equipment:

Disposable Bailer X
Pressure Bailer /
Discrete Bailer /
Peristaltic Pump /
QED Bladder Pump /
Other: /

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 1010
Sample Time/Date: 1015 / 5-21-08
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time: Volume: gal.
Weather Conditions: Clear
Water Color: Clear
Sediment Description: Light
Odor: Oil Strong
DTW @ Sampling: 12.01



LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-12	6 x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump is well, well hooked to system
NO PURGE SAMPLE TAKEN

Add/Replaced Lock:

Add/Replaced Plug:

Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 5-21-08 (inclusive)
Sampler: AHB

Well ID: DVE-20
Well Diameter: 4 in.
Total Depth: 27.70 ft.
Depth to Water: 12.97 ft.
14.73 xVF = _____

Date Monitored: 5-21-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 0915 Weather Conditions: Clear
Sample Time/Date: 0920 / 5-21-08 Water Color: Clear Odor: Y/N Strong odor
Approx. Flow Rate: _____ gpm. Sediment Description: Light
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.97

Time (2400 hr.) Volume (gal.) pH Conductivity (µmhos/cm - µS) Temperature (C / F) D.O. (mg/L) ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-20	6 x vca vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
NO PURGE Sample taken

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



052308-05 10f2

For Lancaster Laboratories use only
 Acct. #: 10904 Sample # 5370999-1013 Group #: 005203

874 1092926

Facility #: SS#9-0260 (QML) G-R#385110 Global ID#T0600100315 Site Address: 21995 FOOTHILL BLVD., HAYWARD, CA Chevron PM: OS Lead Consultant: CRACE Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #925-551-7555 Fax #: 925-551-7899 Sampler: J. Heenan				Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Preservation Codes</th> </tr> <tr> <td>H H</td> <td></td> </tr> <tr> <td>TPH 8015 MOD GRO</td> <td></td> </tr> <tr> <td>TPH 8015 MOD DRO</td> <td></td> </tr> <tr> <td>8260 full scan</td> <td></td> </tr> <tr> <td>Oxygenates</td> <td></td> </tr> <tr> <td>Total Lead</td> <td></td> </tr> <tr> <td>Dissolved Lead</td> <td></td> </tr> </table>		Preservation Codes		H H		TPH 8015 MOD GRO		TPH 8015 MOD DRO		8260 full scan		Oxygenates		Total Lead		Dissolved Lead		Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other ☐ J value reporting needed ☒ Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run ____ oxy's on highest hit ☐ Run ____ oxy's on all hits	
Preservation Codes																							
H H																							
TPH 8015 MOD GRO																							
TPH 8015 MOD DRO																							
8260 full scan																							
Oxygenates																							
Total Lead																							
Dissolved Lead																							
Matrix ☐ Potable ☐ NPDES ☐ Water ☐ Oil ☐ Air																							
Sample Identification																							
Date Collected	Time Collected	Grab	Composite																				
5/21/08		X																					
	1145	X																					
	1055	X																					
	1240	X																					
	1415	X																					
	0940	X																					
	1035	X																					
	1230	X																					
	1130	X																					
	1045	X																					
	1340	X																					
	0955	X																					
	0958	X																					
Turnaround Time Requested (TAT) (please circle) STD TAT 24 hour 72 hour 48 hour 4 day 5 day																							
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) ☐ Coelt Deliverable not needed WIP (RWQCB) Disk																							
Relinquished by: [Signature] Date: 5/21/08 Time: 2:00 PM		Received by: [Signature] Date: 5/23/08 Time: 11:00 AM																					
Relinquished by: [Signature] Date: 5/23/08 Time: 11:00 AM		Received by: [Signature] Date: 5/23/08 Time: 13:00																					
Relinquished by: [Signature] Date: 23 MAY 08 Time: 1636		Received by: [Signature] Date: 5/23/08 Time: 1636																					
Relinquished by Commercial Carrier: UPS FedEx Other [Signature]		Received by: [Signature] Date: 5/23/08 Time: 1636																					
Temperature Upon Receipt: 65.4 C°		Custody Seals Intact? Yes [Signature]																					

10f2

**Lancaster
Laboratories**

052308-05 242

For Lancaster Laboratories use only
Acct. #: 10904 Sample # 5370999-1013 Group #: 005204

Snd 1092926

Lancaster Laboratories, Inc., 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 (717) 656-2300
Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

4804.01 (north) Rev. 10/12/06



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1092926. Samples arrived at the laboratory on Saturday, May 24, 2008. The PO# for this group is 0015028049 and the release number is SKANCE.

Client Description

QA-T-080521 NA Water
MW-4-W-080521 Grab Water
MW-5-W-080521 Grab Water
MW-7-W-080521 Grab Water
MW-8-W-080521 Grab Water
MW-11-W-080521 Grab Water
MW-12-W-080521 Grab Water
MW-14-W-080521 Grab Water
MW-15-W-080521 Grab Water
MW-16-W-080521 Grab Water
MW-19-W-080521 Grab Water
P-1-W-080521 Grab Water
DVE-9-W-080521 Grab Water
DVE-12-W-080521 Grab Water
DVE-20-W-080521 Grab Water

Lancaster Labs Number

5370999
5371000
5371001
5371002
5371003
5371004
5371005
5371006
5371007
5371008
5371009
5371010
5371011
5371012
5371013

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dorothy M. Love".

Dorothy M. Love
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5370999

Group No. 1092926

QA-T-080521 NA Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 QA
Collected: 05/21/2008

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAYQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/03/2008 14:40	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 03:59	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/03/2008 14:40	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008 03:59	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371000

Group No. 1092926

MW-4-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-4
Collected: 05/21/2008 11:45 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAYM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	17,000.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	5.	1.	ug/l	2
05401	Benzene	71-43-2	88.	1.	ug/l	2
05407	Toluene	108-88-3	1,200.	5.	ug/l	10
05415	Ethylbenzene	100-41-4	740.	5.	ug/l	10
06310	Xylene (Total)	1330-20-7	4,600.	5.	ug/l	10

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/04/2008 16:34		John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 04:24		Michael A Ziegler	2
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 04:48		Michael A Ziegler	10
01146	GC VOA Water Prep	SW-846 5030B	1	06/04/2008 16:34		John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008 04:24		Michael A Ziegler	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/03/2008 04:48		Michael A Ziegler	10



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371001

Group No. 1092926

MW-5-W-080521 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill Blvd-Hayward T0600100315 MW-5

Collected: 05/21/2008 10:55 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00

Reported: 06/13/2008 at 11:58

Discard: 07/14/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

HAYM5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	57,000.	2,500.	ug/l	50
The sample was analyzed 1 day outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	10.	ug/l	20
05401	Benzene	71-43-2	1,400.	10.	ug/l	20
05407	Toluene	108-88-3	22,000.	100.	ug/l	200
05415	Ethylbenzene	100-41-4	1,700.	10.	ug/l	20
06310	Xylene (Total)	1330-20-7	9,900.	100.	ug/l	200

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008	19:48	John L Polson	50
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008	05:12	Michael A Ziegler	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008	05:36	Michael A Ziegler	200
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008	19:48	John L Polson	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008	05:12	Michael A Ziegler	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/03/2008	05:36	Michael A Ziegler	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371002

Group No. 1092926

MW-7-W-080521 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill Blvd-Hayward T0600100315 MW-7

Collected: 05/21/2008 12:40 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00

Reported: 06/13/2008 at 11:58

Discard: 07/14/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

HAYM7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The sample was analyzed 1 day outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	31.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 20:17	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 06:00	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 20:17	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008 06:00	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371003

Group No. 1092926

MW-8-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-8
Collected: 05/21/2008 14:15 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAYM8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	3,800.	50.	ug/l	1
The sample was analyzed 1 day outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	3.	0.5	ug/l	1
05407	Toluene	108-88-3	84.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	150.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	220.	3.	ug/l	5

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 20:46	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/31/2008 17:01	Ginelle L Feister	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/31/2008 17:25	Ginelle L Feister	5
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 20:46	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/31/2008 17:01	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/31/2008 17:25	Ginelle L Feister	5



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371004

Group No. 1092926

MW-11-W-080521 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill Blvd-Hayward T0600100315 MW-11

Collected: 05/21/2008 09:40 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00

Reported: 06/13/2008 at 11:58

Discard: 07/14/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

HAY11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	4,400.	50.	ug/l	1
The sample was analyzed 1 day outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	4.	0.5	ug/l	1
05401	Benzene	71-43-2	94.	0.5	ug/l	1
05407	Toluene	108-88-3	44.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	150.	3.	ug/l	5
06310	Xylene (Total)	1330-20-7	200.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 21:16		John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/31/2008 17:50		Ginelle L Feister	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 09:37		Ginelle L Feister	5
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 21:16		John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/31/2008 17:50		Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 09:37		Ginelle L Feister	5



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371005

Group No. 1092926

MW-12-W-080521 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill Blvd-Hayward T0600100315 MW-12

Collected: 05/21/2008 10:35 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00

Reported: 06/13/2008 at 11:58

Discard: 07/14/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

HAY12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	37,000.	1,000.	ug/l	20
The sample was analyzed 2 days outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	36.	13.	ug/l	25
05401	Benzene	71-43-2	5,300.	25.	ug/l	50
05407	Toluene	108-88-3	6,100.	25.	ug/l	50
05415	Ethylbenzene	100-41-4	1,100.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	6,700.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/06/2008 22:21	John L Polson	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/31/2008 18:38	Ginelle L Feister	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 10:00	Ginelle L Feister	50
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2008 22:21	John L Polson	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/31/2008 18:38	Ginelle L Feister	25
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 10:00	Ginelle L Feister	50



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371006

Group No. 1092926

MW-14-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-14
Collected: 05/21/2008 12:30 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAY14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	52.	50.	ug/l	1
The sample was analyzed 5 days outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/09/2008 22:51	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 10:23	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/09/2008 22:51	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 10:23	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371007

Group No. 1092926

MW-15-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-15
Collected: 05/21/2008 11:30 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAY15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The sample was analyzed 1 day outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 19:18	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 10:47	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 19:18	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 10:47	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371008

Group No. 1092926

MW-16-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-16
Collected: 05/21/2008 10:45 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAY16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters The sample was analyzed 1 day outside the method hold time.	n.a.	17,000.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	7.	0.5	ug/l	1
05401	Benzene	71-43-2	920.	5.	ug/l	10
05407	Toluene	108-88-3	58.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1,200.	5.	ug/l	10
06310	Xylene (Total)	1330-20-7	2,800.	5.	ug/l	10

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 22:44	John L Polson	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 11:57	Ginelle L Feister	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 12:21	Ginelle L Feister	10
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 22:44	John L Polson	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 11:57	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 12:21	Ginelle L Feister	10



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371009

Group No. 1092926

MW-19-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 MW-19
Collected: 05/21/2008 13:40 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAY19

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method Detection Limit		
01728	TPH-GRO - Waters The sample was analyzed 1 day outside the method hold time.	n.a.	130.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	29.	0.5	ug/l	1
05401	Benzene	71-43-2	40.	0.5	ug/l	1
05407	Toluene	108-88-3	0.5	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	2.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	0.8	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/05/2008 23:14	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 11:34	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2008 23:14	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008 11:34	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371010

Group No. 1092926

P-1-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 P-1
Collected: 05/21/2008 09:55 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HAYP1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The sample was analyzed 2 days outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	7.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	0.9	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/06/2008	07:41	John L Polson	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008	11:58	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2008	07:41	John L Polson	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/03/2008	11:58	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371011

Group No. 1092926

DVE-9-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 DVE-9
Collected: 05/21/2008 09:55 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HDVE9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	43,000.	1,000.	ug/l	20
The sample was analyzed 2 days outside the method hold time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	60.	1.	ug/l	2.5
05401	Benzene	71-43-2	1,300.	13.	ug/l	25
05407	Toluene	108-88-3	12,000.	250.	ug/l	500
05415	Ethylbenzene	100-41-4	1,200.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	6,900.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/06/2008 17:55	John L Polson	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 13:32	Ginelle L Feister	2.5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 13:56	Ginelle L Feister	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 12:21	Ginelle L Feister	500
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2008 17:55	John L Polson	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 13:32	Ginelle L Feister	2.5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 13:56	Ginelle L Feister	25
01163	GC/MS VOA Water Prep	SW-846 5030B	3	06/03/2008 12:21	Ginelle L Feister	500



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371012

Group No. 1092926

DVE-12-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 DVE-12
Collected: 05/21/2008 10:15 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HDV12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters The sample was analyzed 2 days outside the method hold time.	n.a.	56,000.	1,000.	ug/l	20
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	29.	1.	ug/l	2.5
05401	Benzene	71-43-2	3,600.	13.	ug/l	25
05407	Toluene	108-88-3	18,000.	250.	ug/l	500
05415	Ethylbenzene	100-41-4	1,100.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	8,600.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/06/2008 18:24	John L Polson	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 14:19	Ginelle L Feister	2.5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 14:43	Ginelle L Feister	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 12:44	Ginelle L Feister	500
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2008 18:24	John L Polson	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 14:19	Ginelle L Feister	2.5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 14:43	Ginelle L Feister	25
01163	GC/MS VOA Water Prep	SW-846 5030B	3	06/03/2008 12:44	Ginelle L Feister	500



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5371013

Group No. 1092926

DVE-20-W-080521 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill Blvd-Hayward T0600100315 DVE-20
Collected: 05/21/2008 09:20 by JH

Account Number: 10904

Submitted: 05/24/2008 10:00
Reported: 06/13/2008 at 11:58
Discard: 07/14/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HDV20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters The sample was analyzed 2 days outside the method hold time.	n.a.	20,000.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
05401	Benzene	71-43-2	78.	0.5	ug/l	1
05407	Toluene	108-88-3	540.	3.	ug/l	5
05415	Ethylbenzene	100-41-4	910.	3.	ug/l	5
06310	Xylene (Total)	1330-20-7	5,400.	50.	ug/l	100

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	06/06/2008 22:50	John L Polson	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 15:06	Ginelle L Feister	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/02/2008 15:29	Ginelle L Feister	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/03/2008 13:08	Ginelle L Feister	100
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2008 22:50	John L Polson	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/02/2008 15:06	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/02/2008 15:29	Ginelle L Feister	5
01163	GC/MS VOA Water Prep	SW-846 5030B	3	06/03/2008 13:08	Ginelle L Feister	100

Quality Control Summary

Client Name: Chevron
Reported: 06/13/08 at 11:59 AM

Group Number: 1092926

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 08154A08A TPH-GRO - Waters	Sample number(s): 5370999-5371000 N.D.	50.	ug/l	91	91	75-135	0	30
Batch number: 08155A08A TPH-GRO - Waters	Sample number(s): 5371001-5371004, 5371007-5371012 N.D.	50.	ug/l	82	90	75-135	10	30
Batch number: 08155A08B TPH-GRO - Waters	Sample number(s): 5371005, 5371013 N.D.	50.	ug/l	82	90	75-135	10	30
Batch number: 08161A08A TPH-GRO - Waters	Sample number(s): 5371006 N.D.	50.	ug/l	91	91	75-135	0	30
Batch number: D081542AA Methyl Tertiary Butyl Ether	Sample number(s): 5371004-5371008, 5371011-5371013 N.D.	0.5	ug/l	100		73-119		
Benzene	N.D.	0.5	ug/l	100		78-119		
Toluene	N.D.	0.5	ug/l	99		85-115		
Ethylbenzene	N.D.	0.5	ug/l	99		82-119		
Xylene (Total)	N.D.	0.5	ug/l	99		83-113		
Batch number: D081552AA Methyl Tertiary Butyl Ether	Sample number(s): 5371009-5371013 N.D.	0.5	ug/l	96		73-119		
Benzene	N.D.	0.5	ug/l	94		78-119		
Toluene	N.D.	0.5	ug/l	92		85-115		
Ethylbenzene	N.D.	0.5	ug/l	91		82-119		
Xylene (Total)	N.D.	0.5	ug/l	93		83-113		
Batch number: Z081522AA Methyl Tertiary Butyl Ether	Sample number(s): 5371003-5371005 N.D.	0.5	ug/l	85		73-119		
Benzene	N.D.	0.5	ug/l	89		78-119		
Toluene	N.D.	0.5	ug/l	97		85-115		
Ethylbenzene	N.D.	0.5	ug/l	100		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		
Batch number: Z081544AA Methyl Tertiary Butyl Ether	Sample number(s): 5370999-5371002 N.D.	0.5	ug/l	98		73-119		
Benzene	N.D.	0.5	ug/l	95		78-119		
Toluene	N.D.	0.5	ug/l	97		85-115		
Ethylbenzene	N.D.	0.5	ug/l	101		82-119		
Xylene (Total)	N.D.	0.5	ug/l	103		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup RPD
----	-----	--------	-----	-----	-----	-----	---------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1092926

Reported: 06/13/08 at 11:59 AM

<u>Analysis Name</u>	<u>%REC</u>	<u>%REC</u>	<u>Limits</u>	<u>RPD</u>	<u>MAX</u>	<u>Conc</u>	<u>Conc</u>	<u>RPD</u>	<u>Max</u>
Batch number: 08154A08A TPH-GRO - Waters	Sample number(s): 5370999-5371000 UNSPK: P369730 128 63-154								
Batch number: 08155A08A TPH-GRO - Waters	Sample number(s): 5371001-5371004, 5371007-5371012 UNSPK: 5371009 88 63-154								
Batch number: 08155A08B TPH-GRO - Waters	Sample number(s): 5371005, 5371013 UNSPK: P371009 88 63-154								
Batch number: 08161A08A TPH-GRO - Waters	Sample number(s): 5371006 UNSPK: P374479 82 63-154								
Batch number: D081542AA Methyl Tertiary Butyl Ether	Sample number(s): 5371004-5371008, 5371011-5371013 UNSPK: 5371007								
Benzene	105	105	69-127	0	30				
Toluene	105	106	83-128	2	30				
Ethylbenzene	104	107	83-127	2	30				
Xylene (Total)	104	104	82-129	0	30				
	105	107	82-130	2	30				
Batch number: D081552AA Methyl Tertiary Butyl Ether	Sample number(s): 5371009-5371013 UNSPK: P369042								
Benzene	107	107	69-127	0	30				
Toluene	110	108	83-128	2	30				
Ethylbenzene	107	107	83-127	1	30				
Xylene (Total)	107	105	82-129	1	30				
	108	107	82-130	1	30				
Batch number: Z081522AA Methyl Tertiary Butyl Ether	Sample number(s): 5371003-5371005 UNSPK: P371046								
Benzene	87	88	69-127	1	30				
Toluene	130 (2)	-45 (2)	83-128	9	30				
Ethylbenzene	100	97	83-127	2	30				
Xylene (Total)	111	106	82-129	2	30				
	106	105	82-130	1	30				
Batch number: Z081544AA Methyl Tertiary Butyl Ether	Sample number(s): 5370999-5371002 UNSPK: P372696								
Benzene	99	98	69-127	1	30				
Toluene	101	99	83-128	2	30				
Ethylbenzene	101	100	83-127	2	30				
Xylene (Total)	103	102	82-129	1	30				
	101	101	82-130	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO - Waters

Batch number: 08154A08A
Trifluorotoluene-F

5370999	90
5371000	96
Blank	93
LCS	105
LCSD	103
MS	103

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/13/08 at 11:59 AM

Group Number: 1092926

Surrogate Quality Control

Limits: 63-135

Analysis Name: TPH-GRO - Waters
Batch number: 08155A08A
Trifluorotoluene-F

5371001	88
5371002	86
5371003	106
5371004	113
5371007	88
5371008	100
5371009	90
5371010	101
5371011	93
5371012	95
Blank	90
LCS	90
LCSD	96
MS	101

Limits: 63-135

Analysis Name: TPH-GRO - Waters
Batch number: 08155A08B
Trifluorotoluene-F

5371005	91
5371013	100
Blank	88
LCS	90
LCSD	96
MS	101

Limits: 63-135

Analysis Name: TPH-GRO - Waters
Batch number: 08161A08A
Trifluorotoluene-F

5371006	86
Blank	86
LCS	97
LCSD	96
MS	89

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: D081542AA
Dibromofluoromethane

		1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5371006	92	90	94	107
5371007	90	90	91	103
5371008	89	87	97	113
5371011	85	86	96	105
5371012	89	88	108	108

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/13/08 at 11:59 AM

Group Number: 1092926

Surrogate Quality Control

5371013	88	87	93	110
Blank	89	89	94	103
LCS	92	93	95	108
MS	96	96	94	108
MSD	94	94	94	108

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: BTEX+MTBE by 8260B
Batch number: D081552AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5371009	84	83	87	103
5371010	87	86	89	104
Blank	82	85	89	103
LCS	88	89	91	109
MS	91	90	93	113
MSD	87	87	91	109

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z081522AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5371003	93	84	111	104
5371004	93	83	112	107
5371005	94	86	109	103
Blank	95	86	109	99
LCS	94	86	107	104
MS	90	84	106	104
MSD	91	84	107	106

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z081544AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5370999	102	95	102	101
5371000	96	88	106	109
5371001	97	91	104	105
5371002	101	94	103	100
Blank	103	96	103	101
LCS	101	93	102	106
MS	100	94	101	104
MSD	101	93	101	105

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

***CHEVRON SERVICE STATION #9-0260
HAYWARD, CA***

***SPECIAL EVENT OF
June 24 , 2008***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 6-24-08 (inclusive)
City: Hayward, CA Sampler: AL

Well ID: MW- 4
Well Diameter: 21 1/4 in.
Total Depth: 24.80 ft.
Depth to Water: 14.15 ft.
10.65 xVF 0.66 = 7.02

Date Monitored: 6-24-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 21.08 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.28

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1120
Sample Time/Date: 1155 / 6-25-08
Approx. Flow Rate: 2.38 gpm.
Did well de-water? no If yes, Time: _____

Weather Conditions: Clear

Water Color: cloudy

Odor: DI 10 Faint odor

Sediment Description: Light

Volume: _____ gal. DTW @ Sampling: 15.73

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1123</u>	<u>7.25</u>	<u>6.91</u>	<u>0.92</u>	<u>21.0</u>		
<u>1126</u>	<u>14.5</u>	<u>6.87</u>	<u>0.91</u>	<u>21.3</u>		
<u>1129</u>	<u>21.5</u>	<u>6.90</u>	<u>0.92</u>	<u>21.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTX+MTBE(8260)
MW- <u>4</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6-24-08 (inclusive)
Sampler: AT

Well ID: MW-5
Well Diameter: 21 in.
Total Depth: 19.09 ft.
Depth to Water: 12.58 ft.
6.51 xVF

Date Monitored: 6-24-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:
x3 case volume = Estimated Purge Volume: gal.

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
QED Bladder Pump
Other:

Sampling Equipment:

Disposable Bailer X
Pressure Bailer
Discrete Bailer
Peristaltic Pump
QED Bladder Pump
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge):
Sample Time/Date: 1105 16-24-08
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:
Weather Conditions: Clear
Water Color:
Odor: DN Strong odor
Sediment Description:
Volume: gal. DTW @ Sampling: 12.58

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>5</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
No Purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/02 (inclusive)
Sampler: SD

Well ID: MW-6
Well Diameter: 2 1/4 in.
Total Depth: 16.20 ft.
Depth to Water: 13.97 ft.

Date Monitored: 6/24/02

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump ☒ _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: _____ / _____
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: _____
Water Color: _____ Odor: Y / N
Sediment Description: _____
Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6-24-08 (inclusive)
Sampler: AP

Well ID: MW-7
Well Diameter: 2 1/4 in.
Total Depth: 16.60 ft.
Depth to Water: 12.97 ft.

Date Monitored: 6-24-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water 3.63 xVF .66 = 2.39 x3 case volume = Estimated Purge Volume: 7.18 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.69

Purge Equipment:

Disposable Bailer X
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1310
Sample Time/Date: 1347 / 6-24-08
Approx. Flow Rate: _____ gpm.
Did well de-water? NO If yes, Time: _____

Weather Conditions: Clear
Water Color: Cloudy Odor: Y / 0
Sediment Description: Light
Volume: _____ gal. DTW @ Sampling: 12.51

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1315</u>	<u>2.5</u>	<u>7.32</u>	<u>0.79</u>	<u>21.5</u>		
<u>1320</u>	<u>5</u>	<u>7.36</u>	<u>0.82</u>	<u>21.8</u>		
<u>1325</u>	<u>7.5</u>	<u>7.33</u>	<u>0.87</u>	<u>21.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- 7	4 x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/08 (inclusive)
Sampler: SH

Well ID: MW-8
Well Diameter: 21/4 in.
Total Depth: 17.43 ft.
Depth to Water: 12.58 ft.
4.85 xVF = 3.20

Date Monitored: 6/24/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 9.60 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.56

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): 12:45
Sample Time/Date: 1320 6/24/08
Approx. Flow Rate: 1 gpm.
Did well de-water? no If yes, Time: _____

Weather Conditions: Cloudy

Water Color: Cloudy

Odor: Oil

Sediment Description: 1.5 ft

Volume: _____ gal. DTW @ Sampling: 13.11

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25°C)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1248</u>	<u>3</u>	<u>7.13</u>	<u>581</u>	<u>21.2</u>		
<u>1252</u>	<u>6</u>	<u>7.09</u>	<u>595</u>	<u>21.8</u>		
<u>1258</u>	<u>9.5</u>	<u>6.92</u>	<u>614</u>	<u>21.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-8	6 x vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: 6 ft stringer in well - Former system well

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/08 (inclusive)
Sampler: JK

Well ID: DVE MW-9
Well Diameter: 4 in.
Total Depth: 17.36 ft.
Depth to Water: 13.43 ft.

Date Monitored: 6/24/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: /
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: _____
Water Color: _____ Odor: Y / N
Sediment Description: _____
Volume: _____ gal. DTW @ Sampling: _____

Time / (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: String in well - former system well- m/d

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/08 (inclusive)
Sampler: JD

Well ID: ~~099~~ - ML-10

Date Monitored: 6/24/08

Well Diameter: 4 in.

Total Depth: 26.59 ft.

Depth to Water: 16.28 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Sample Time/Date: _____ / _____

Approx. Flow Rate: _____ gpm.

Did well de-water? _____ If yes, Time: _____

Weather Conditions: _____

Water Color: _____

Odor: Y / N

Sediment Description: _____

Volume: _____ gal.

DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-	x voa yial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6-24-08 (inclusive)
Sampler: ALL

Well ID: MW-11
Well Diameter: 210 in.
Total Depth: 27.42 ft.
Depth to Water: 12.76 ft.
14.66 x VF = x3 case volume = Estimated Purge Volume: gal.

Date Monitored: 6-24-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
QED Bladder Pump
Other:

Sampling Equipment:

Disposable Bailer
Pressure Bailer
Discrete Bailer
Peristaltic Pump
QED Bladder Pump
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge):
Sample Time/Date: 1040 16-24-08
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:

Weather Conditions: Clear
Water Color: Odor: Y/N
Sediment Description:
Volume: gal. DTW @ Sampling: 12.76

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	--------------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-11a	6 x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: PUMP in well & well Hooked to system
no purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 6-24-08 (inclusive)
City: Hayward, CA Sampler: AB

Well ID: MW-12
Well Diameter: 21 in.
Total Depth: 19.08 ft.
Depth to Water: 12.54 ft.
6.54 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 6-24-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: Clear
Sample Time/Date: 1050 / 6-24-08 Water Color: _____ Odor: Y N
Approx. Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.54

Time (2400 hr.) Volume (gal.) pH Conductivity (µmhos/cm - µS) Temperature (°C / °F) D.O. (mg/L) ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-12	6 x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
no purge sample taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/08 (inclusive)
Sampler: JK

Well ID: MW-13
Well Diameter: 21.4 in.
Total Depth: 17.72 ft.
Depth to Water: 12.38 ft.

Date Monitored: 6/24/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

xVF .66 = x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
QED Bladder Pump
Other:

Sampling Equipment:

Disposable Bailer
Pressure Bailer
Discrete Bailer
Peristaltic Pump
QED Bladder Pump
Other:

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge):
Sample Time/Date: /
Approx. Flow Rate: gpm.
Did well de-water? If yes, Time:

Weather Conditions:

Water Color: Odor: Y / N

Sediment Description:

Volume: gal. DTW @ Sampling:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	------------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(6260)

COMMENTS:

Add/Replaced Lock:

Add/Replaced Plug:

Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
 Site Address: 21995 Foothill Blvd. Event Date: 6/24/08 (inclusive)
 City: Hayward, CA Sampler: JH

Well ID: MW-14
 Well Diameter: 2 1/4 in.
 Total Depth: 40.96 ft.
 Depth to Water: 19.97 ft.
20.99 xVF .17 = 3.56

Date Monitored: 6/24/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 29.16
 x3 case volume = Estimated Purge Volume: 10.70 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump X
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1130 Weather Conditions: Clear
 Sample Time/Date: 1155 / 6/24/08 Water Color: clear Odor: Y1(N)
 Approx. Flow Rate: _____ gpm. Sediment Description: clear
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 21.04

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (uS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1134</u>	<u>3.5</u>	<u>7.38</u>	<u>561</u>	<u>21.4</u>		
<u>1138</u>	<u>7.0</u>	<u>7.31</u>	<u>592</u>	<u>21.2</u>		
<u>1142</u>	<u>11</u>	<u>7.22</u>	<u>604</u>	<u>21.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-14	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job Number: 385110
 Event Date: 6/24/08 (inclusive)
 Sampler: SH

Well ID: MW-15
 Well Diameter: 214 in.
 Total Depth: 22.06 ft.
 Depth to Water: 13.66 ft.
6.46 xVF .17 = 1.09

Date Monitored: 6/24/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.89
 x3 case volume = Estimated Purge Volume: 3.29 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1005
 Sample Time/Date: 1030 16/24/08
 Approx. Flow Rate: - gpm.
 Did well de-water? W If yes, Time: _____

Weather Conditions: clear
 Water Color: cloudy Odor: Y10
 Sediment Description: 1.54
 Volume: _____ gal. DTW @ Sampling: 16.25

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - DS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1008</u>	<u>1</u>	<u>6.87</u>	<u>519</u>	<u>23.4</u>		
<u>1012</u>	<u>2</u>	<u>6.80</u>	<u>595</u>	<u>23.1</u>		
<u>1016</u>	<u>3</u>	<u>6.55</u>	<u>614</u>	<u>23.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-15	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/08 (inclusive)
Sampler: JH

Well ID: MW-16
Well Diameter: 21.4 in.
Total Depth: 37.82 ft.
Depth to Water: 19.58 ft.
18.24 xVF .17 = 3.10

Date Monitored: 6/24/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.22
x3 case volume = Estimated Purge Volume: 9.30 gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump X _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1050
Sample Time/Date: 1115 / 6/24/08
Approx. Flow Rate: 1 gpm.
Did well de-water? No If yes, Time: _____

Weather Conditions: clear

Water Color: cloudy

Odor: Y / N

Sediment Description: 1.5/16"

Volume: _____ gal. DTW @ Sampling: 22.08

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1053</u>	<u>3</u>	<u>7.23</u>	<u>864</u>	<u>22.8</u>		
<u>1056</u>	<u>6</u>	<u>7.07</u>	<u>839</u>	<u>22.7</u>		
<u>1059</u>	<u>9.5</u>	<u>6.94</u>	<u>910</u>	<u>22.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>16</u>	<u>6</u> x vba vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6/24/02 (inclusive)
Sampler: SH

Well ID: MW-18
Well Diameter: (2) 4 in.
Total Depth: 23.26 ft.
Depth to Water: 15.55 ft.

Date Monitored: 6/24/02

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: _____ / _____
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions:

Water Color: _____

Odor: Y / N

Sediment Description:

Volume: _____

gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voc vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6-24-08 (inclusive)
Sampler: AA

Well ID: MW-19
Well Diameter: 214 in.
Total Depth: 44.93 ft.
Depth to Water: 13.40 ft.

Date Monitored: 6-24-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.70
xVF 17 = 5.36 x3 case volume = Estimated Purge Volume: 16.08 gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump Y
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
OED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1220
Sample Time/Date: 1250 6-24-08
Approx. Flow Rate: 2.75 gpm.
Did well de-water? NO If yes, Time: _____

Weather Conditions: Clear
Water Color: Clear Odor: Y / N
Sediment Description: Light
Volume: _____ gal. DTW @ Sampling: 15.63

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>1222</u>	<u>5.5</u>	<u>7.62</u>	<u>0.93</u>	<u>21.7</u>		
<u>1227</u>	<u>11</u>	<u>7.58</u>	<u>0.93</u>	<u>21.2</u>		
<u>1226</u>	<u>16.5</u>	<u>7.61</u>	<u>0.91</u>	<u>21.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>17</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job Number: 385110
 Event Date: 6/24/08 (inclusive)
 Sampler: SH

Well ID: P-1
 Well Diameter: 1 in.
 Total Depth: 19.62 ft.
 Depth to Water: 9.08 ft.
10.54 xVF

Date Monitored: 6/24/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.18
 x3 case volume = Estimated Purge Volume: 1.26 gal.

Purge Equipment:

Disposable Bailer X P.n
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X P.n
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0910
 Sample Time/Date: 0940 / 6/24/08
 Approx. Flow Rate: — gpm.
 Did well de-water? No If yes, Time: _____

Weather Conditions: clear
 Water Color: clear Odor: Y/N
 Sediment Description: 1.5 hr
 Volume: _____ gal. DTW @ Sampling: 10.35

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
0913	.4	7.31	812	22.6		
0916	.8	7.26	800	22.1		
0919	1.2	7.24	792	22.0		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
P-1	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 6-24-08 (inclusive)
City: Hayward, CA Sampler: ALL

Well ID: DVE-9
Well Diameter: 4 in.
Total Depth: 27.22 ft.
Depth to Water: 13.22 ft.

Date Monitored: 6-24-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14 xVF — = — x3 case volume = Estimated Purge Volume: — gal.

Purge Equipment:

~~Disposable Bailer~~
~~Stainless Steel Bailer~~
~~Stack Pump~~
~~Suction Pump~~
~~Grundfos~~
~~Peristaltic Pump~~
~~OED Bladder Pump~~
Other: —

Sampling Equipment:

~~Disposable Bailer~~ X
~~Pressure Bailer~~
~~Discrete Bailer~~
~~Peristaltic Pump~~
~~OED Bladder Pump~~
Other: —

Time Started: — (2400 hrs)
Time Completed: — (2400 hrs)
Depth to Product: — ft
Depth to Water: — ft
Hydrocarbon Thickness: — ft
Visual Confirmation/Description: —
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: — gal
Amt Removed from Well: — gal
Water Removed: —
Product Transferred to: —

Start Time (purge): 0 Weather Conditions: Clear
Sample Time/Date: 0955 / 6-24-08 Water Color: — Odor: 0 / N
Approx. Flow Rate: — gpm. Sediment Description: —
Did well de-water? — If yes, Time: — Volume: — gal. DTW @ Sampling: 13.22

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE- 9	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
no purge sample taken

Add/Replaced Lock: — Add/Replaced Plug: — Add/Replaced Bolt: —



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 6-24-08 (inclusive)
City: Hayward, CA Sampler: ATL

Well ID: DVE-12

Date Monitored: 6-24-08

Well Diameter: 4 in.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Total Depth: 27.67 ft.

Depth to Water: 12.66 ft.

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.01 xVF 1.50 = 22.51 x3 case volume = Estimated Purge Volume: 22.51 gal.

Purge Equipment:

Disposable Bailer /
Stainless Steel Bailer /
Stack Pump /
Suction Pump /
Grundfos /
Peristaltic Pump /
QED Bladder Pump /
Other: /


Sampling Equipment:

Disposable Bailer X
Pressure Bailer /
Discrete Bailer /
Peristaltic Pump /
QED Bladder Pump /
Other: /

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): Weather Conditions: Clear
Sample Time/Date: 1010 6-24-08 Water Color: Odor: Q/N
Approx. Flow Rate: gpm. Sediment Description:
Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling: 12.66

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	--------------------------	----------------	-------------



LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-12	6 x vba vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
No purge sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 6-24-08 (inclusive)
Sampler: AM

Well ID: DVE-20
Well Diameter: 4 in.
Total Depth: 27.70 ft.
Depth to Water: 12.97 ft.
14.73 xVF = _____

Date Monitored: 6-24-08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer X
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____
Sample Time/Date: 1025 / 6-24-08
Approx. Flow Rate: _____ gpm.
Did well de-water? _____ If yes, Time: _____

Weather Conditions: Clear
Water Color: _____ Odor: N
Sediment Description: _____
Volume: _____ gal. DTW @ Sampling: 12.97

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
--------------------	---------------	----	---------------------------------	--------------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-20	6 x vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: Pump in well, well hooked to system
no purge sample taken

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



062508-07 *2012*

For Lancaster Laboratories use only
 Acct. #: 10904 Sample # 5400509-23 Group #: 003310

1097936

Facility #: <u>SS#9-0260(OMD) G-R#385110 Global ID#T0600100315</u> Site Address: <u>21995 FOOTHILL BLVD., HAYWARD, CA</u> Chevron PM: <u>AC</u> Lead Consultant: <u>CRACE</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Jim Herren</u>				Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Preservation Codes</th> </tr> <tr> <td>H</td> <td>H</td> </tr> </table>		Preservation Codes		H	H	Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other ☐ J value reporting needed ☒ Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run ____ oxy's on highest hit ☐ Run ____ oxy's on all hits	
Preservation Codes											
H	H										
Matrix ☐ Potable ☐ NPDES ☐ Water ☐ Air											
Sample Identification											
Date Collected	Time Collected	Grab	Composite								
<u>06/24/08</u>	<u>1105</u>	<u>X</u>	<u>X</u>								
<u>MW-4</u>	<u>1105</u>	<u>X</u>	<u>X</u>								
<u>MW-5</u>	<u>1105</u>	<u>X</u>	<u>X</u>								
<u>MW-7</u>	<u>1347</u>	<u>X</u>	<u>X</u>								
<u>MW-8</u>	<u>1320</u>	<u>X</u>	<u>X</u>								
<u>MW-11</u>	<u>1040</u>	<u>X</u>	<u>X</u>								
<u>MW-12</u>	<u>1050</u>	<u>X</u>	<u>X</u>								
<u>MW-14</u>	<u>1155</u>	<u>X</u>	<u>X</u>								
<u>MW-15</u>	<u>1030</u>	<u>X</u>	<u>X</u>								
<u>MW-16</u>	<u>1115</u>	<u>X</u>	<u>X</u>								
<u>MW-19</u>	<u>1250</u>	<u>X</u>	<u>X</u>								
<u>P-1</u>	<u>0940</u>	<u>X</u>	<u>X</u>								
<u>DVE-9</u>	<u>0905</u>	<u>X</u>	<u>X</u>								
Turnaround Time Requested (TAT) (please circle) 24 hour 72 hour 48 hour 4 day 5 day											
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) ☐ Coeff Deliverable not needed EDF/EDD WIP (RWQCB) Disk											
Relinquished by: <u>[Signature]</u> Date: <u>06/24/08</u> Time: <u>1600</u> Relinquished by: <u>[Signature]</u> Date: <u>06/25/08</u> Time: <u>1115</u> Relinquished by: <u>[Signature]</u> Date: <u>06/25/08</u> Time: <u>1630</u>		Received by: <u>[Signature]</u> Date: <u>06-25-08</u> Time: <u>1115</u> Received by: <u>[Signature]</u> Date: <u>06/25/08</u> Time: <u>1387</u> Received by: <u>[Signature]</u> Date: <u>06/25/08</u> Time: <u>1606</u>									
Relinquished by Commercial Carrier: UPS FedEx Other <u>Aut</u> Temperature Upon Receipt: <u>0-1-30</u> °C		Received by: <u>[Signature]</u> Date: <u>06/25/08</u> Time: <u>1606</u> Custody Seals Intact? Yes ☒ No ☐									

Chevron California Region Analysis Request/Chain of Custody



062508-07 ^{10f2}

For Lancaster Laboratories use only
 Acct. #: 10904 Sample # 5400509-23 Group #: 003311

1097936

Facility #: SS#9-0260-OML G-R#385110 Global ID#T0600100315 Site Address: 21995 FOOTHILL BLVD., HAYWARD, CA Chevron PM: AC Lead Consultant: CRACE Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: Jim Heron				Matrix ☐ Potable ☐ NPDES ☐ Soil ☐ Water ☐ Oil ☐ Air		Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="10">Preservation Codes</th> </tr> <tr> <td>BTEX + MTBE 8260</td> <td>8021</td> <td>TPH 8015 MOD GRO</td> <td>TPH 8015 MOD DRO</td> <td>Silica Gel Cleanup</td> <td>8260 full scan</td> <td>Oxygenates</td> <td>Total Lead</td> <td>Method</td> <td>Dissolved Lead</td> <td>Method</td> </tr> </table>										Preservation Codes										BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method	Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other ☐ J value reporting needed ☒ Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run ____ oxy's on highest hit ☐ Run ____ oxy's on all hits	
Preservation Codes																																						
BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method																												
Sample Identification			Date Collected	Time Collected	Grab	Composite											Comments / Remarks																					
DVE-12			6/24/08	1010	X													201-2																				
DVE-20			↓	1025	X																																	

Turnaround Time Requested (TAT) (please circle) STD TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <i>[Signature]</i> Date/Time: 6/24/08 1600 Relinquished by: <i>[Signature]</i> Date/Time: 6/25/08 1115 Relinquished by: <i>[Signature]</i> Date/Time: 25 JUN 08 1636			Received by: <i>[Signature]</i> Date/Time: 6/25/08 1115 Received by: <i>[Signature]</i> Date/Time: 6/25/08 1300 Received by: <i>[Signature]</i> Date/Time: <i>[Blank]</i>		
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) ☐ Cost Deliverable not needed WIP (RWQCB) Disk			Relinquished by Commercial Carrier: UPS FedEx Other <i>DHL</i> Temperature Upon Receipt: 0-9-3 C°			Received by: <i>[Signature]</i> Date/Time: 6/26/08 0900 Custody Seals Intact? Yes ☒		



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Analysis Report

RECEIVED

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GETTLER-RYAN INC.
GENERAL CONTRACTORS

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1097936. Samples arrived at the laboratory on Thursday, June 26, 2008. The PO# for this group is 0015025028 and the release number is COSTA.

Client Description

QA-T-080624 NA Water
MW-4-W-080624 Grab Water
MW-5-W-080624 Grab Water
MW-7-W-080624 Grab Water
MW-8-W-080624 Grab Water
MW-11-W-080624 Grab Water
MW-12-W-080624 Grab Water
MW-14-W-080624 Grab Water
MW-15-W-080624 Grab Water
MW-16-W-080624 Grab Water
MW-19-W-080624 Grab Water
P-1-W-080624 Grab Water
DVE-9-W-080624 Grab Water
DVE-12-W-080624 Grab Water
DVE-20-W-080624 Grab Water

Lancaster Labs Number

5400509
5400510
5400511
5400512
5400513
5400514
5400515
5400516
5400517
5400518
5400519
5400520
5400521
5400522
5400523

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script, reading "Christine Dulaney".

Christine Dulaney
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400509

Group No. 1097936

QA-T-080624 NA Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 QA
Collected: 06/24/2008

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

0260Q

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/02/2008 21:56	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 01:25	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/02/2008 21:56	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 01:25	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400510

Group No. 1097936

MW-4-W-080624 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-4

Collected: 06/24/2008 11:55 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00

Reported: 07/09/2008 at 13:39

Discard: 08/09/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

02604

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	27,000.		1,000.	ug/l	20
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	9.	3.		ug/l	5
05401	Benzene	71-43-2	190.	3.		ug/l	5
05407	Toluene	108-88-3	4,100.	25.		ug/l	50
05415	Ethylbenzene	100-41-4	1,100.	25.		ug/l	50
06310	Xylene (Total)	1330-20-7	6,100.	25.		ug/l	50

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:02	Carrie E Youtzy	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 01:48	Michael A Ziegler	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 02:11	Michael A Ziegler	50
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:02	Carrie E Youtzy	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 01:48	Michael A Ziegler	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/30/2008 02:11	Michael A Ziegler	50

Lancaster Laboratories Sample No. WW5400511

Group No. 1097936

MW-5-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-5
Collected: 06/24/2008 11:05 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

02605

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	25,000.		2,500.	ug/l	50
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		10.	ug/l	20
05401	Benzene	71-43-2	1,300.		10.	ug/l	20
05407	Toluene	108-88-3	22,000.		100.	ug/l	200
05415	Ethylbenzene	100-41-4	1,400.		10.	ug/l	20
06310	Xylene (Total)	1330-20-7	10,000.		10.	ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality
Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:13	Carrie E Youtzy	50
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 02:34	Michael A Ziegler	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 02:58	Michael A Ziegler	200
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:13	Carrie E Youtzy	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 02:34	Michael A Ziegler	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/30/2008 02:58	Michael A Ziegler	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400512

Group No. 1097936

MW-7-W-080624 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-7

Collected: 06/24/2008 13:47 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00

Reported: 07/09/2008 at 13:39

Discard: 08/09/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

02607

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	47.		0.5	ug/l	1
05401	Benzene	71-43-2	1.		0.5	ug/l	1
05407	Toluene	108-88-3	1.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	2.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:24		Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 03:21		Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:24		Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 03:21		Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400513

Group No. 1097936

MW-8-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-8
Collected: 06/24/2008 13:20 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

02608

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
01728	TPH-GRO - Waters	n.a.	3,700.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	4.	0.5	ug/l	1
05407	Toluene	108-88-3	1,000.	5.	ug/l	10
05415	Ethylbenzene	100-41-4	190.	5.	ug/l	10
06310	Xylene (Total)	1330-20-7	970.	5.	ug/l	10

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:35	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 22:24	Michael A Ziegler	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 22:47	Michael A Ziegler	10
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:35	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 22:24	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/30/2008 22:47	Michael A Ziegler	10



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400514

Group No. 1097936

MW-11-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-11
Collected: 06/24/2008 10:40 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26011

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	4,500.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	9.	0.5	ug/l	1
05401	Benzene	71-43-2	140.	0.5	ug/l	1
05407	Toluene	108-88-3	30.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	280.	3.	ug/l	5
06310	Xylene (Total)	1330-20-7	250.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:46	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 23:10	Michael A Ziegler	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 23:34	Michael A Ziegler	5
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:46	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 23:10	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	06/30/2008 23:34	Michael A Ziegler	5



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400515

Group No. 1097936

MW-12-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-12
Collected: 06/24/2008 10:50 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26012

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	24,000.		1,300.	ug/l	25
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	80.	5.		ug/l	10
05401	Benzene	71-43-2	6,700.	50.		ug/l	100
05407	Toluene	108-88-3	7,600.	50.		ug/l	100
05415	Ethylbenzene	100-41-4	1,300.	5.		ug/l	10
06310	Xylene (Total)	1330-20-7	6,900.	50.		ug/l	100

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 01:57	Carrie E Youtzy	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	06/30/2008 23:57	Michael A Ziegler	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 00:20	Michael A Ziegler	100
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 01:57	Carrie E Youtzy	25
01163	GC/MS VOA Water Prep	SW-846 5030B	1	06/30/2008 23:57	Michael A Ziegler	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	07/01/2008 00:20	Michael A Ziegler	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400516

Group No. 1097936

MW-14-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-14
Collected: 06/24/2008 11:55 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26014

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	3.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.7	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	4.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 02:07	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 00:43	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 02:07	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 00:43	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400517

Group No. 1097936

MW-15-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-15
Collected: 06/24/2008 10:30 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26015

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	6.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	2.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	10.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 02:18	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 01:06	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 02:18	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 01:06	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400518

Group No. 1097936

MW-16-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-16
Collected: 06/24/2008 11:15 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26016

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	6,500.		250.	ug/l	5
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	10.		1.	ug/l	2
05401	Benzene	71-43-2	360.		1.	ug/l	2
05407	Toluene	108-88-3	21.		1.	ug/l	2
05415	Ethylbenzene	100-41-4	380.		1.	ug/l	2
06310	Xylene (Total)	1330-20-7	510.		1.	ug/l	2

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 02:29	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 01:30	Michael A Ziegler	2
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 02:29	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 01:30	Michael A Ziegler	2



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400519

Group No. 1097936

MW-19-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 MW-19
Collected: 06/24/2008 12:50 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

26019

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	700.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	31.	0.5	ug/l	1
05401	Benzene	71-43-2	730.	5.	ug/l	10
05407	Toluene	108-88-3	12.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	39.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	7.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 02:40	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 02:17	Michael A Ziegler	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 02:40	Michael A Ziegler	10
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 02:40	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 02:17	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	07/01/2008 02:40	Michael A Ziegler	10



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400520

Group No. 1097936

P-1-W-080624 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 P-1

Collected: 06/24/2008 09:40 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00

Reported: 07/09/2008 at 13:39

Discard: 08/09/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

260P1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	8.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	0.6	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 02:51		Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 03:03		Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 02:51		Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 03:03		Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400521

Group No. 1097936

DVE-9-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 DVE-9
Collected: 06/24/2008 09:55 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

260D9

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	15,000.	2,500.	ug/l	50
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	44.	10.	ug/l	20
05401	Benzene	71-43-2	1,200.	10.	ug/l	20
05407	Toluene	108-88-3	13,000.	100.	ug/l	200
05415	Ethylbenzene	100-41-4	1,300.	10.	ug/l	20
06310	Xylene (Total)	1330-20-7	7,100.	10.	ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 03:02	Carrie E Youtzy	50
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 08:39	Anita M Dale	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 09:00	Anita M Dale	200
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 03:02	Carrie E Youtzy	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 08:39	Anita M Dale	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	07/01/2008 09:00	Anita M Dale	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400522

Group No. 1097936

DVE-12-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 DVE-12
Collected: 06/24/2008 10:10 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

60D12

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	52,000.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	36.	13.	ug/l	25
05401	Benzene	71-43-2	3,900.	13.	ug/l	25
05407	Toluene	108-88-3	20,000.	130.	ug/l	250
05415	Ethylbenzene	100-41-4	1,200.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	9,000.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/08/2008 01:33	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 09:21	Anita M Dale	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 09:42	Anita M Dale	250
01146	GC VOA Water Prep	SW-846 5030B	1	07/08/2008 01:33	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 09:21	Anita M Dale	25
01163	GC/MS VOA Water Prep	SW-846 5030B	2	07/01/2008 09:42	Anita M Dale	250



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5400523

Group No. 1097936

DVE-20-W-080624 Grab Water
Facility# 90260 Job# 385110 GRD
21995 Foothill-Hayward T0600100315 DVE-20
Collected: 06/24/2008 10:25 by JH

Account Number: 10904

Submitted: 06/26/2008 10:00
Reported: 07/09/2008 at 13:39
Discard: 08/09/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

60D20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	12,000.	500.	ug/l	10
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	1.	ug/l	2.5
05401	Benzene	71-43-2	61.	1.	ug/l	2.5
05407	Toluene	108-88-3	540.	13.	ug/l	25
05415	Ethylbenzene	100-41-4	1,000.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	5,900.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/03/2008 03:24	Carrie E Youtzy	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 10:03	Anita M Dale	2.5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/01/2008 10:24	Anita M Dale	25
01146	GC VOA Water Prep	SW-846 5030B	1	07/03/2008 03:24	Carrie E Youtzy	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/01/2008 10:03	Anita M Dale	2.5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	07/01/2008 10:24	Anita M Dale	25

Quality Control Summary

Client Name: Chevron
Reported: 07/09/08 at 01:39 PM

Group Number: 1097936

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 08184A20A TPH-GRO - Waters	N.D.	50.	ug/l	121	129	75-135	6	30
Batch number: 08184B20A TPH-GRO - Waters	N.D.	50.	ug/l	110	115	75-135	5	30
Batch number: 08189A07A TPH-GRO - Waters	N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: D081813AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		73-119		
Benzene	N.D.	0.5	ug/l	107		78-119		
Toluene	N.D.	0.5	ug/l	106		85-115		
Ethylbenzene	N.D.	0.5	ug/l	104		82-119		
Xylene (Total)	N.D.	0.5	ug/l	107		83-113		
Batch number: D081823AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	99		73-119		
Benzene	N.D.	0.5	ug/l	101		78-119		
Toluene	N.D.	0.5	ug/l	99		85-115		
Ethylbenzene	N.D.	0.5	ug/l	97		82-119		
Xylene (Total)	N.D.	0.5	ug/l	100		83-113		
Batch number: F081832AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	100		85-115		
Ethylbenzene	N.D.	0.5	ug/l	98		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 08184B20A TPH-GRO - Waters	48*		63-154						
Batch number: 08189A07A TPH-GRO - Waters	100		63-154						

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 07/09/08 at 01:39 PM

Group Number: 1097936

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: D081813AA	Sample number(s): 5400509-5400512 UNSPK: P400537								
Methyl Tertiary Butyl Ether	118	100	69-127	16	30				
Benzene	106	100	83-128	6	30				
Toluene	104	98	83-127	6	30				
Ethylbenzene	102	96	82-129	6	30				
Xylene (Total)	104	97	82-130	7	30				
Batch number: D081823AA	Sample number(s): 5400513-5400520 UNSPK: P400548								
Methyl Tertiary Butyl Ether	85	83	69-127	2	30				
Benzene	99	97	83-128	2	30				
Toluene	96	95	83-127	1	30				
Ethylbenzene	95	94	82-129	1	30				
Xylene (Total)	97	96	82-130	1	30				
Batch number: F081832AA	Sample number(s): 5400521-5400523 UNSPK: P400530								
Methyl Tertiary Butyl Ether	91	94	69-127	4	30				
Benzene	98	102	83-128	4	30				
Toluene	102	104	83-127	2	30				
Ethylbenzene	100	104	82-129	3	30				
Xylene (Total)	100	103	82-130	3	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO - Waters
Batch number: 08184A20A
Trifluorotoluene-F

5400510	85
5400512	81
5400514	87
5400516	82
5400518	91
5400520	79
Blank	81
LCS	112
LCSD	111

Limits: 63-135

Analysis Name: TPH-GRO - Waters
Batch number: 08184B20A
Trifluorotoluene-F

5400509	91
5400511	79
5400513	87
5400515	85

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 07/09/08 at 01:39 PM

Group Number: 1097936

Surrogate Quality Control

5400517 82
5400519 79
5400521 81
5400523 89
Blank 89
LCS 111
LCSD 113
MS 101

Limits: 63-135

Analysis Name: TPH-GRO - Waters
Batch number: 08189A07A
Trifluorotoluene-F

5400522 91
Blank 80
LCS 82
LCSD 97
MS 98

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: D081813AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5400509	99	100	96	96
5400510	96	95	94	97
5400511	100	101	96	101
5400512	99	100	95	97
Blank	103	104	99	99
LCS	100	100	97	102
MS	100	102	96	99
MSD	100	104	95	100

Limits: 80-116

77-113

80-113

78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: D081823AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5400513	98	97	97	102
5400514	98	96	99	103
5400515	98	98	100	100
5400516	97	100	93	97
5400517	98	98	93	98
5400518	98	98	97	103
5400519	96	96	96	99
5400520	95	96	93	97
Blank	99	102	95	98
LCS	99	102	95	100
MS	100	101	96	102
MSD	99	102	95	102

Limits: 80-116

77-113

80-113

78-113

Analysis Name: BTEX+MTBE by 8260B

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 07/09/08 at 01:39 PM

Group Number: 1097936

Surrogate Quality Control

Batch number: F081832AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5400521	86	86	95	92
5400522	84	85	95	93
5400523	86	85	94	93
Blank	86	88	93	85
LCS	88	89	93	93
MS	86	89	92	92
MSD	88	90	95	95
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.