



RECEIVED

10:39 am, May 03, 2010

**Alameda County
Environmental Health**

Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0260
21995 Foothill Boulevard
Hayward, CA

I have reviewed the attached report dated April 30, 2010

The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron Costa".

Aaron Costa
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

April 30, 2010

Reference No. 311915

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Quarter 2010 Groundwater Monitoring and Sampling Report
Former Chevron Station 9-0260
21995 Foothill Boulevard
Hayward, California
Fuel Leak Case No. RO0000383

Dear Mr. Mark Detterman

Conestoga-Rovers & Associates (CRA) is submitting this *First Quarter 2010 Groundwater Monitoring Report* on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. Groundwater monitoring data is being submitted in accordance with the reporting requirements of 23CCR2652d. Presented below are the site background, current monitoring and sampling results, CRA's conclusions, and anticipated future activities.

SITE BACKGROUND

Site Description

The site is a former Chevron gasoline service station located on the western corner of the intersection of Foothill Boulevard and Rex Road in Hayward, California (Figure 1). The Alameda County Assessor's Office identified Chevron Products Company as the current record fee title owner of the site. The site was originally purchased by Chevron in 1985 from USA Petroleum Corporation. In October 1996, all station facilities, including three 10,000-gallon fuel underground storage tanks (USTs) and product lines were removed (Figure 2). The site is currently a vacant landscaped lot and surrounding land use is residential and commercial.

Equal
Employment Opportunity
Employer



April 30, 2010

Reference No. 311972

- 2 -

Site Geology

The site is part of the San Lorenzo sub-area of the East Bay Plain. Sediments beneath the site are likely Holocene and late Pleistocene alluvial fans interbedded with the Yerba Buena Mud Member.¹ Unconsolidated sediments beneath the site and site vicinity consist primarily of clayey silts and silty clays to an approximate depth of 15 feet below grade (fbg). A water-bearing sand unit is encountered at approximately 15 to 20 fbg and is underlain by sands, silts and clays. From approximately 35 to 43 fbg, there is another sandy unit that varies in thickness from 3 to 5 feet. This second sandy unit is underlain by silts and clays to the maximum depth explored of 60 fbg. Subsurface soils are consistent across the site as far away as well MW 18. Starting at well MW-18, the upper sand unit becomes thicker and extends as deep as 44.5 fbg.

Hydrogeology

Groundwater in the East Bay Plain basin is designated as a potential drinking water source; however, groundwater in the basin is not currently used as a municipal drinking water supply due to readily available imported surface water¹. The site is approximately 102 feet above mean sea level (ft amsl). Historical average groundwater elevations range from approximately 80 feet above mean sea level (ft amsl) to 90 ft amsl, with annual fluctuations as much as 10 feet. Groundwater historically flows toward the southwest at an average gradient of 0.03. The nearest surface water is San Lorenzo Creek, approximately 600 feet downgradient. This creek is concrete lined in the site vicinity and appears to act as a hydraulic barrier to downgradient groundwater flow based on the creek thalweg and groundwater depth.

¹ East Bay Plain Groundwater Basin Beneficial Use Evaluation Report, Alameda and Contra Costa Counties, CA prepared by the California Regional Water Quality Control Board San Francisco Bay Region Groundwater Committee, June 1999



RESULTS OF 2009 MONITORING EVENTS

Groundwater Monitoring

On February 2, 2010, Blaine Tech Services (Blaine) of San Jose, California monitored and sampled the site wells. Depth to groundwater ranged from 8.5 to 22.6 fbg and flowed toward the southeast at a gradient of approximately 0.02. Blaine's First Quarter 2010 Monitoring report is included as Attachment A and Lancaster Laboratories' *Analytical Results* report is included as Attachment B. The most recent total petroleum hydrocarbons as gasoline (TPHg), benzene and methyl tertiary butyl ether (MTBE) concentrations and groundwater elevations are included on Figure 2.

Current hydrocarbon concentrations are presented and compared to environmental screening levels (ESLs) where groundwater is a potential source of drinking water² in Table A. TPHg, benzene, toluene, ethylbenzene, xylenes (BTEX), and MTBE concentrations are within historical ranges and consistent with seasonal fluctuations.

TABLE A: CURRENT CONCENTRATIONS IN GROUNDWATER

	TPHg	B	T	E	X	MTBE
ESLs	100	1	30	40	20	5
	<i>concentrations in micrograms per liter (µg/L)</i>					
MW-5	100,000	750	27,000	2,500	16,000	<25
MW-6	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	1,400	<0.5	2	14	27	<0.5
MW-11	53 J	<0.5	<0.5	<0.5	<0.5	0.6 J
MW-12	8,500	360	220	530	1,000	52
MW-13	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-15	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-16	30,000	1,500	73	2,600	6,800	<5
MW-17	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-18	14,000	54	17	150	890	<1
MW-19	<50	<0.5	0.6 J	<0.5	<0.5	1
DVE-9	10,000	610	130	470	1,000	160
DVE-12	29,000	330	4,700	1,100	6,400	20
DVE-20	2,400	16	4	180	300	<0.5

J = Estimated value

² Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Prepared by California Regional Water Quality Control Board San Francisco Bay Region, Interim Final - November 2007, (Revised May 2008), Table F-1a-Groundwater Screening Levels-Current or Potential Drinking Water Resource.



**CONESTOGA-ROVERS
& ASSOCIATES**

April 30, 2010

Reference No. 311972

- 4 -

Dissolved Hydrocarbon Delineation

The extent of hydrocarbons in groundwater is adequately defined to near or below detection limits to the north by MW-10, to the west by MW-15, to the east by MW-13, and to the south by MW-17.

CONCLUSIONS

Conclusions based on the first quarter 2010 sampling event results include:

- Dissolved hydrocarbon concentrations are less than historical maximums or decreasing in all wells.
- The dissolved hydrocarbon plume is defined, stable and continues to decrease in size and mass.

ANTICIPATED FUTURE ACTIVITIES

Semi-Annual Groundwater Sampling

Blaine will monitor and sample selected wells, following the established gauging and sampling schedule, and CRA will prepare a monitoring and sampling report. CRA will prepare a summary of site conditions and submit the sampling report within 60 days of the sampling date.



**CONESTOGA-ROVERS
& ASSOCIATES**

April 30, 2010

Reference No. 311972

- 5 -

We appreciate the opportunity to work with you on this project. Please contact Nathan Lee at (510) 420-3333, if you have any questions or comments regarding this report.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Nathan Lee #8486




DG/doh/3
Encl.

Figure 1	Site Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentrations Map - February 2, 2010
Table 1	Groundwater Monitoring Data and Analytical Results
Attachment A	Blaine Tech's February 3, 2010 <i>First Quarter 2010 Monitoring Report</i>
Attachment B	Lancaster Laboratories' February 16, 2010 analytical report

cc: Mr. Aaron Costa, Chevron Environmental Management Company
Mr. Hugh Murphy, City of Hayward Fire Department
Mr. Thomas Wong, Nearby Property Owner

FIGURES



0 1/8 1/4 1/2 1
SCALE : 1" = 1/4 MILE

Former Chevron Station 9-0260


21995 Foothill Boulevard

Hayward, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map



TABLE

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4													
02/05/88	--	--	--	--	--	88,000	24,000	19,000	1,700	10,000	--	--	--
06/15/88	--	87.83	12.92	--	--	95,000	45,000	30,000	2,100	17,000	--	--	--
09/27/88	100.75	86.53	14.22	--	--	500,000	41,000	27,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	100.75	--	--	--	--	88,000	1,200	4,100	1,600	12,000	--	230	270
01/05/89	100.75	87.55	13.20	--	--	64,000	41,000	29,000	2,700	14,000	--	--	--
04/06/89	100.75	88.43	12.32	--	--	--	--	--	--	--	--	--	--
06/28/89	100.75	86.50	14.25	--	--	110,000	34,000	24,000	2,400	13,000	--	--	--
10/03/89	100.75	86.00	14.75	--	--	240,000	36,000	31,000	3,200	19,000	--	--	--
01/04/90	100.75	86.00	14.75	--	--	130,000	33,000	28,000	2,400	14,000	--	--	--
04/03/90	100.75	86.94	13.81	--	--	110,000	41,000	32,000	2,900	17,000	--	--	--
07/03/90	100.75	86.69	14.06	--	--	180,000	32,000	30,000	2,600	15,000	--	--	--
11/06/90	100.75	85.09	15.66	--	--	170,000	31,000	30,000	2,700	17,000	--	--	--
01/04/91	100.75	85.87	15.18	--	--	--	--	--	--	--	--	--	--
04/03/91	100.75	89.75	11.00	--	--	130,000	21,000	24,000	2,300	14,000	--	--	--
07/02/91	100.75	86.50	14.25	--	--	--	--	--	--	--	--	--	--
10/02/91	100.75	84.59	16.16	--	--	240,000	27,000	33,000	2,600	16,000	--	--	--
01/02/92	100.75	85.49	15.26	--	--	--	--	--	--	--	--	--	--
04/07/92	100.75	88.37	12.38	--	--	--	--	--	--	--	--	--	--
08/13/92	100.75	84.05	16.68	--	--	--	--	--	--	--	--	--	--
12/03/92	100.73	84.58	16.17	--	--	1,300,000	17,000	41,000	12,000	90,000	--	--	--
03/25/93	100.73	90.23	10.50	--	--	--	--	--	--	--	--	--	--
10/04/94	100.73	87.89	12.84	--	--	--	--	--	--	--	--	--	--
11/14/94	100.73	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
05/15/95	100.73	89.36	11.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.73	88.43	12.30	--	--	--	--	--	--	--	--	--	--
11/28/95	100.73	86.08	14.65	--	--	97,000	23,000	18,000	1,400	8,800	430	--	--
02/20/96	100.73	92.83	7.90	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	100.73	89.73	11.00	--	--	59,000	11,000	11,000	740	4,400	<500	--	--
08/27/96	100.73	87.49	13.24	--	--	--	--	--	--	--	--	--	--
11/22/96	100.73	89.23	11.50	--	--	130,000	20,000	14,000	1,200	7,000	21,000	--	--
02/18/97	100.73	91.26	9.47	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁴	100.73	88.10	12.63	--	--	120,000	23,000	21,000	1,400	8,400	50,000	--	--
08/04/97	100.73	87.51	13.22	--	--	120,000	25,000	22,000	1,600	8,000	15,000	--	--
11/25/97 ⁵	100.73	86.83	13.90	--	--	460,000	44,000	45,000	4,000	19,000	290,000	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
02/25/98	100.73	87.03	13.70	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/98	100.73	88.74	11.99	--	--	100,000	11,000	8,600	720	4,200	3,100	--	--
08/19/98	100.73	80.70	20.03	--	--	--	--	--	--	--	--	--	--
11/19/98	100.73	81.05	19.68	--	--	51,000	5,200	8,900	1,200	6,400	1,600	--	--
02/12/99	100.73	87.52	13.21	--	--	--	--	--	--	--	--	--	--
05/10/99	100.73	87.99	12.74	--	--	68,800	9,680	11,500	1,450	7,700	2,080/328 ⁷	--	--
09/02/99	100.73	85.14	15.59	--	--	--	--	--	--	--	--	--	--
02/03/00	100.73	87.83	12.90	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.73	88.01	12.72	0.00	0.00	3,400 ⁸	24	<10	<10	890	430	--	--
08/02/00 ¹⁵	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.73	85.34	15.39	0.00	0.00	66,700	13,900	12,400	1,460	7,940	<250	--	--
02/08/01 ¹⁵	100.73	84.99	15.74	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.73	84.24	16.49	0.00	0.00	490,000	2,990	<5,000	<5,000	8,660	18.8	--	--
08/28/01 ¹⁵	100.73	82.77	17.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	100.73	85.43	15.30	0.00	0.00	39,000	2,700	2,900	1,200	5,700	<100	--	--
02/22/02 ¹⁵	100.73	88.84	11.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	100.73	85.52	15.21	0.00	0.00	55,000	4,300	4,900	1,700	9,900	<100	--	--
08/29/02 ¹⁵	100.73	85.01	15.72	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02 ¹⁵	100.73	85.50	15.23	0.00	0.00	39,000	3,600	4,200	1,500	7,300	<50	--	--
02/28/03	100.73	89.03	11.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	100.73	88.34	12.39	0.00	0.00	51,000	4,400	5,200	1,300	7,000	5	--	--
08/22/03	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	100.73	85.76	14.97	0.00	0.00	50,000	3,500	6,300	1,400	7,200	1	--	--
02/27/04	100.73	89.78	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	100.73	86.13	14.60	0.00	0.00	61,000	3,900	11,000	2,000	11,000	<10	--	--
08/26/04	100.73	85.26	15.47	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	100.73	85.64	15.09	0.00	0.00	61,000	1,900	5,000	1,700	8,600	<5	--	--
02/11/05	100.73	UNABLE TO LOCATE - DUE TO OVERGROWN VEGETATION						--	--	--	--	--	--
06/16/05 ¹⁷	100.73	88.68	12.05	0.00	0.00	45,000	1,700	6,300	1,300	6,800	<5	--	--
08/31/05	100.73	88.77	11.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	100.73	85.54	15.19	0.00	0.00	56,000	2,200	7,800	1,400	8,100	<10	--	--
02/27/06	100.73	89.11	11.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ¹⁷	100.73	89.26	11.47	0.00	0.00	36,000	1,200	6,000	1,100	5,700	6	--	--
08/29/06	100.73	86.91	13.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
12/13/06 ¹⁷	100.73	88.22	12.51	0.00	0.00	59,000	1,600	10,000	1,900	10,000	<10	--	--
02/28/07	100.73	90.36	10.37	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ¹⁷	100.73	86.96	13.77	0.00	0.00	550	9	70	12	58	<0.5	--	--
08/29/07	100.73	83.84	16.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07 ¹⁷	103.89	89.12	14.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08	103.89	91.53	12.36	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	103.89	90.17	13.72	0.00	0.00	17,000	88	1,200	740	4,600	5	--	--
06/24/08 ¹⁷	103.89	89.74	14.15	0.00	0.00	27,000	190	4,100	1,100	6,100	9	--	--
08/22/08	103.89	85.07	18.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/08	103.89	81.74	22.15	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/03/09	103.89	82.34	21.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/28/09 ^{17,22}	103.89	82.47	21.42	0.00	0.00	10,000 J	110 J	260 J	200 J	1,600 J	5 J	--	--
08/06/09 ¹⁷	103.89	88.21	15.68	0.00	0.00	--	--	--	--	--	--	--	--
11/16/09 ¹⁷	103.89	83.16	20.73	0.00	0.00	20,000	36	290	490	3,500	<3	--	--
02/02/10 ¹⁷	103.89	93.47	10.42	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-5													
02/05/88	--	--	--	--	--	80,000	16,000	15,000	2,600	17,000	--	--	--
06/15/88	--	87.67	12.30	--	--	77,000	42,000	38,000	2,500	16,000	--	--	--
09/27/88	99.97	86.72	13.25	--	--	470,000	39,000	32,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	99.97	--	--	--	--	48,000	1,800	3,500	1,600	10,000	--	420	410
01/05/89	99.97	87.27	12.70	--	--	82,000	44,000	37,000	2,400	14,000	--	--	--
04/06/89	99.97	87.75	12.22	--	--	--	--	--	--	--	--	--	--
06/28/89	99.97	86.16	13.81	--	--	80,000	36,000	24,000	2,400	13,000	--	--	--
10/03/89	99.97	85.70	14.27	--	--	240,000	40,000	35,000	2,600	15,000	--	--	--
01/04/90	99.97	85.66	14.31	--	--	130,000	37,000	31,000	2,400	13,000	--	--	--
04/03/90	99.97	86.47	13.50	--	--	120,000	41,000	33,000	2,500	14,000	--	--	--
07/03/90	99.97	86.33	13.64	--	--	200,000	28,000	25,000	1,800	10,000	--	--	--
11/06/90	99.97	84.83	15.14	--	--	370,000	38,000	36,000	4,700	31,000	--	--	--
01/04/91	99.97	85.08	14.90	0.01	--	--	--	--	--	--	--	--	--
04/03/91	99.97	88.41	11.56	--	--	140,000	36,000	32,000	2,700	17,000	--	--	--
07/02/91	99.97	86.08	13.89	--	--	--	--	--	--	--	--	--	--
10/02/91	99.97	84.71	15.26	--	--	230,000	34,000	31,000	2,700	16,000	--	--	--
01/02/92	99.97	85.00	14.97	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
04/07/92	99.97	86.53	13.44	--	--	220,000	35,000	30,000	2,500	14,000	--	--	--
08/13/92	99.97	84.36	15.61	--	--	--	--	--	--	--	--	--	--
12/03/92	99.97	83.68	16.29	<0.02 ²	--	--	--	--	--	--	--	--	--
03/25/93	99.97	89.00	10.97	--	--	--	--	--	--	--	--	--	--
06/23/93	99.97	87.40	12.60	0.04	--	--	--	--	--	--	--	--	--
09/21/93	99.97	85.99	14.00	0.03	--	--	--	--	--	--	--	--	--
12/02/93	99.97	85.73	14.27	0.04	--	--	--	--	--	--	--	--	--
03/08/94	99.97	87.81	12.16	--	--	--	--	--	--	--	--	--	--
06/13/94	99.97	87.22	13.01	0.32	--	--	--	--	--	--	--	--	--
10/04/94	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
11/14/94	99.97	86.62	13.35	--	--	1,100,000	64,000	69,000	9,200	61,000	--	--	--
05/15/95	99.97	89.79	10.18	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.97	88.20	11.77	--	--	--	--	--	--	--	--	--	--
11/28/95	99.97	85.75	14.22	--	--	320,000	34,000	38,000	5,800	31,000	2,000	--	--
02/20/96	99.97	89.60	10.37	Sheen	--	SAMPLED SEMI-ANNUALLY					--	--	--
05/29/96	99.97	89.08	10.89	--	--	150,000	23,000	25,000	2,200	12,000	<500	--	--
08/27/96	99.97	87.22	12.75	--	--	--	--	--	--	--	--	--	--
11/22/96	99.97	87.50	12.47	--	--	170,000	25,000	27,000	2,000	12,000	<500	--	--
02/18/97	99.97	90.46	9.51	--	--	--	--	--	--	--	--	--	--
05/23/97	99.97	87.72	12.25	--	--	160,000	29,000	34,000	2,900	16,000	<250	--	--
08/04/97	99.97	87.09	12.88	--	--	130,000	27,000	31,000	2,500	13,000	<500	--	--
11/25/97	99.97	85.16	14.81	--	--	310,000 ⁵	52,000	59,000	5,500	28,000	3,300	--	--
02/25/98	99.97	82.51	17.46	--	--	--	--	--	--	--	--	--	--
05/21/98	99.97	88.37	11.60	--	--	220,000	20,000	26,000	2,000	10,000	8,500	--	--
08/19/98	99.97	82.27	17.70	--	--	--	--	--	--	--	--	--	--
11/19/98	99.97	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	99.97	87.18	12.79	--	--	--	--	--	--	--	--	--	--
05/10/99	99.97	87.25	12.72	--	--	102,000	13,300	17,200	1,240	<200	7,560/<250 ⁷	--	--
09/02/99	99.97	85.18	14.79	--	--	--	--	--	--	--	--	--	--
02/03/00	99.97	86.86	13.11	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.97	87.28	12.69	0.00	0.00	360 ⁸	6.2	<2.5	<2.5	13	13	--	--
08/02/00 ¹⁵	99.97	85.81	14.16	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/09-10/00 ¹⁵	99.97	85.36	14.61	0.00	0.00	3,280	331	235	35.7	260	9.41	--	--
02/08/01 ¹⁵	99.97	84.76	15.21	0.00	0.00	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
05/02/01 ¹⁵	99.97	83.77	16.20	0.00	0.00	26,700	5,490	6,310	145	2,910	<0.500	--	--
08/28/01 ¹⁵	99.97	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	99.97	84.61	15.36	0.00	0.00	88,000	14,000	19,000	1,300	8,000	<200	--	--
02/22/02 ¹⁵	99.97	87.75	12.22	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.97	84.74	15.23	0.00	0.00	92,000	11,000	17,000	1,600	9,400	<200	--	--
08/29/02 ¹⁵	99.97	84.65	15.32	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.97	85.21	14.76	0.00	0.00	62	4.9	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	99.97	88.22	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.97	87.36	12.61	0.00	0.00	8,100	1,600	1,100	72	700	8	--	--
08/22/03	99.97	86.12	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.97	85.01	14.96	0.00	0.00	86,000	9,300	16,000	1,200	6,200	<10	--	--
02/27/04	99.97	89.54	10.43	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.97	85.39	14.58	0.00	0.00	45,000	4,700	12,000	870	5,000	<10	--	--
08/26/04	99.97	84.29	15.68	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.97	84.77	15.20	0.00	0.00	71,000	5,000	13,000	870	5,200	<10	--	--
02/11/05	99.97	87.46	12.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.97	88.84	11.13	0.00	0.00	17,000	1,400	3,900	220	1,700	<5	--	--
08/31/05	99.97	85.99	13.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	99.97	85.03	14.94	0.00	0.00	49,000	2,900	12,000	840	5,000	<25	--	--
02/27/06	99.97	87.98	11.99	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,19}	99.97	89.14	10.83	0.00	0.00	89,000	6,500	19,000	2,600	13,000	<25	--	--
08/29/06 ¹⁷	99.97	86.89	13.08	0.00	0.00	110,000	5,900	22,000	2,400	13,000	<50	--	--
12/13/06 ¹⁷	99.97	87.95	12.02	0.00	0.00	110,000	6,100	23,000	1,600	10,000	<25	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.97	88.52	11.45	0.00	0.00	100,000	4,200	17,000	1,600	8,700	<25	--	--
08/29/07 ^{17,18}	99.97	--	-- ⁵	0.00	0.00	84,000	3,200	22,000	1,800	10,000	<13	--	--
11/21/07 ¹⁸	101.74	88.70**	13.06	0.03	0.28	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
02/20/08	101.74	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.74	89.77	11.97	0.00	0.00	57,000 ²²	1,400	22,000	1,700	9,900	<10	--	--
06/24/08 ^{15,17,18} NP	101.74	89.16	12.58	0.00	0.00	25,000	1,300	22,000	1,400	10,000	<10	--	--
08/22/08 ^{15,17,18} NP	101.74	77.12	24.62	0.00	0.00	65,000	1,400	18,000	1,600	8,800	<10	--	--
11/21/08 ^{15,17,18} NP	101.74	77.85	23.89	0.00	0.00	61,000	1,100	17,000	1,300	10,000	<5	--	--
02/03/09 ^{15,17,18} NP	101.74	--	-- ²¹	0.00	0.00	54,000	1,000	13,000	1,500	8,600	<10	--	--
05/28/09 ¹⁷	101.74	78.63	23.11	0.00	0.00	86,000	380	19,000	860	9,500	<10	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
08/07/09 ¹⁷	101.74	87.74	14.00	0.00	0.00	89,000	190	23,000	2,100	13,000	<10	--	--
11/16/09 ¹⁷	101.74	78.84	22.90	0.00	0.00	62,000	470	13,000	1,300	9,800	<10	--	--
02/02/10¹⁷	101.74	91.94	9.80	0.00	0.00	100,000	750	27,000	2,500	16,000	<25	--	--
MW-6													
02/05/88	--	--	--	--	--	53,000	5,100	4,400	2,100	14,000	--	--	--
06/15/88	--	87.92	13.51	--	--	33,000	9,200	5,500	520	20,000	--	--	--
09/27/88	101.43	86.87	14.56	--	--	17,000	2,200	2,800	1,700	5,100	--	--	--
01/05/89	101.43	87.95	13.48	--	--	37,000	5,000	3,400	2,200	10,000	--	--	--
04/06/89	101.43	88.83	12.60	--	--	--	--	--	--	--	--	--	--
06/28/89	101.43	86.85	14.58	--	--	80,000	7,000	4,100	2,000	9,700	--	--	--
10/03/89	101.43	88.40	13.03	--	--	110,000	8,500	5,100	2,600	14,000	--	--	--
01/04/90	101.43	86.35	15.08	--	--	59,000	5,200	2,600	2,000	11,000	--	--	--
04/03/90	101.43	87.37	14.06	--	--	31,000	6,600	2,600	2,200	12,000	--	--	--
07/03/90	101.43	87.15	14.28	--	--	66,000	5,800	2,900	2,000	9,800	--	--	--
11/06/90	101.43	85.33	16.10	--	--	--	--	--	--	--	--	--	--
01/04/91	101.43	85.91	15.52	--	--	50,000	5,600	2,200	1,800	9,400	--	--	--
04/03/91	101.43	90.40	11.03	--	--	--	--	--	--	--	--	--	--
07/02/91	101.43	86.99	14.44	--	--	81,000	11,000	2,700	2,100	13,000	--	--	--
10/02/91	101.43	85.21	16.22	--	--	--	--	--	--	--	--	--	--
01/02/92	101.43	85.72	15.71	--	--	67,000	7,500	1,900	1,800	9,500	--	--	--
04/07/92	101.43	87.96	13.47	--	--	--	--	--	--	--	--	--	--
08/13/92	101.43	85.46	15.97	--	--	--	--	--	--	--	--	--	--
12/03/92	101.43	84.81	16.62	--	--	--	--	--	--	--	--	--	--
03/25/93	101.43	90.85	10.58	--	--	110,000	12,000	2,900	4,200	14,000	--	--	--
06/23/93	101.43	88.42	13.01	--	--	--	--	--	--	--	--	--	--
09/21/93	101.43	86.69	14.74	--	--	62,000	12,000	1,400	2,100	12,000	--	--	--
12/02/93	101.43	86.56	14.87	--	--	--	--	--	--	--	--	--	--
03/08/94	101.43	89.39	12.04	--	--	61,000	7,000	1,500	1,500	7,400	--	--	--
06/13/94	101.43	88.06	13.37	--	--	--	--	--	--	--	--	--	--
10/04/94	101.43	85.87	15.56	--	--	78,000	13,000	940	1,900	10,000	--	--	--
11/14/94	101.43	87.90	13.53	--	--	--	--	--	--	--	--	--	--
05/15/95	101.43	90.90	10.53	--	--	--	--	--	--	--	--	--	--
08/04/95	101.43	89.05	12.38	--	--	51,000	8,600	1,400	1,900	7,800	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
11/28/95	101.43	86.80	14.63	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/96	101.43	91.71	9.72	--	--	59,000	11,000	1,600	2,100	9,400	<500	--	--
05/29/96	101.43	90.49	10.94	--	--	--	--	--	--	--	--	--	--
08/27/96	101.43	88.03	13.40	--	--	84,000	11,000	960	2,300	7,700	<500	--	--
11/22/96	101.43	88.53	12.90	--	--	--	--	--	--	--	--	--	--
02/18/97	101.43	91.42	10.01	--	--	14,000	3,700	160	720	1,800	400	--	--
05/23/97	101.43	88.68	12.75	--	--	--	--	--	--	--	--	--	--
08/04/97	101.43	87.95	13.48	--	--	62,000	13,000	930	3,500	8,500	710	--	--
11/25/97	101.43	87.22	14.21	--	--	--	--	--	--	--	--	--	--
02/25/98	101.43	86.58	14.85	--	--	30,000	2,400	910	740	4,000	2,600	--	--
05/21/98	101.43	89.76	11.67	--	--	--	--	--	--	--	--	--	--
08/19/98	101.43	85.57	15.86	--	--	37,000	390	220	160	3,600	1,600/1,000 ⁷	--	--
11/19/98	101.43	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
02/12/99	101.43	89.60	11.83	--	--	80	2.4	<0.5	0.68	6.2	<2.5	--	--
05/10/99	101.43	88.43	13.00	--	--	--	--	--	--	--	--	--	--
09/02/99	101.43	85.71	15.72	--	--	4,440	23.4	<5.0	45.3	46.2	<50	--	--
02/03/00	101.43	88.23	13.20	--	--	8,300	22	<10	43	140	77	--	--
05/09/00 ¹⁵	101.43	88.38	13.05	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.43	86.68	14.75	0.00	0.00	1,700 ⁸	32	4.9	<2.5	<2.5	55	--	--
11/09-10/00 ¹⁵	101.43	85.87	15.56	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.43	85.56	15.87	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	101.43	85.97	15.46	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.43	89.49	11.94	0.00	0.00	6,300	<10	1.7	17	26	<25	--	--
05/24/02 ¹⁵	101.43	85.89	15.54	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/02	101.43	85.65	15.78	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	101.43	89.36	12.07	0.00	0.00	180	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03	101.43	88.59	12.84	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/22/03	101.43	87.03	14.40	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/24-25/03	101.43	86.31	15.12	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	101.43	91.37	10.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04	101.43	86.97	14.46	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
08/26/04	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/04	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁷	101.43	88.76	12.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05	101.43	89.12	12.31	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/31/05	101.43	86.90	14.53	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
11/30/05	101.43	86.32	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/27/06 ¹⁷	101.43	89.46	11.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06	101.43	89.68	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/06 ¹⁷	101.43	87.07	14.36	0.00	0.00	110	0.6	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06	101.43	88.38	13.05	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/28/07 ¹⁷	101.43	91.66	9.77	0.00	0.00	1,400	<0.5	<0.5	0.7	<0.5	<0.5	--	--
05/30/07	101.43	88.81	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/07	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/07	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/20/08 ¹⁷	104.01	92.15	11.86	0.00	0.00	1,200	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08	104.01	90.92	13.09	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
06/24/08	104.01	90.04	13.97	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/08	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/03/09	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
05/28/09	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
08/06/09	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
11/16/09	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/02/10 ¹⁷	104.01	94.31	9.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-7													
02/05/88	--	--	--	--	--	81,000	34,000	36,000	2,400	16,000	--	--	--
06/15/88	--	88.34	12.57	--	--	77,000	40,000	41,000	1,400	24,000	--	--	--
09/27/88	100.91	87.31	13.60	--	--	30,000	9,700	8,900	400	4,100	--	<10	2,600
01/05/89	100.91	87.93	12.98	--	--	96,000	36,000	38,000	2,800	16,000	--	--	--
04/06/89	100.91	88.57	12.34	--	--	--	--	--	--	--	--	--	--
06/28/89	100.91	86.83	14.08	--	--	110,000	31,000	30,000	2,600	16,000	--	--	--
10/03/89	100.91	86.38	14.53	--	--	230,000	34,000	34,000	2,400	15,000	--	--	--
01/04/90	100.91	86.42	14.49	--	--	150,000	41,000	40,000	2,400	15,000	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
04/03/90	100.91	87.25	13.66	--	--	100,000	31,000	28,000	2,100	16,000	--	--	--
07/03/90	100.91	87.05	13.86	--	--	190,000	30,000	27,000	1,800	13,000	--	--	--
11/06/90	100.91	85.33	15.58	--	--	160,000	27,000	25,000	1,900	15,000	--	--	--
01/04/91	100.91	85.66	15.25	--	--	--	--	--	--	--	--	--	--
04/03/91	100.91	89.50	11.41	--	--	240,000	40,000	36,000	2,400	18,000	--	--	--
07/02/91	100.91	86.73	14.18	--	--	--	--	--	--	--	--	--	--
10/02/91	100.91	85.13	15.78	--	--	220,000	26,000	27,000	2,500	18,000	--	--	--
01/02/92	100.91	85.46	15.45	--	--	--	--	--	--	--	--	--	--
04/07/92	100.91	87.43	13.48	--	--	260,000	27,000	26,000	2,400	15,000	--	--	--
08/13/92	100.91	85.02	15.89	--	--	--	--	--	--	--	--	--	--
12/03/92	100.91	84.48	16.43	--	--	330,000	29,000	31,000	3,300	18,000	--	--	--
03/25/93	100.91	89.81	11.10	--	--	--	--	--	--	--	--	--	--
06/23/93	100.91	88.13	13.63	1.06	--	--	--	--	--	--	--	--	--
09/21/93	100.91	86.57	14.88	0.67	--	--	--	--	--	--	--	--	--
12/02/93	100.91	86.32	14.74	0.19	--	--	--	--	--	--	--	--	--
03/08/94	100.91	88.54	12.37	--	--	--	--	--	--	--	--	--	--
06/13/94	100.91	88.03	13.12	0.30	--	--	--	--	--	--	--	--	--
10/04/94	100.91	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	100.91	87.22	13.83	0.18	0.50	--	--	--	--	--	--	--	--
05/15/95	100.91	89.85	11.07	0.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.91	88.38	12.53	--	--	--	--	--	--	--	--	--	--
11/28/95	100.91	86.53	14.62	0.30	2.00	--	--	--	--	--	--	--	--
02/20/96	100.91	90.84	10.09	0.02	0.0625	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	100.91	90.00	10.93	0.02	0.50	--	--	--	--	--	--	--	--
08/27/96	100.91	88.18	12.75	0.02	0.50	--	--	--	--	--	--	--	--
11/22/96	100.91	87.94	12.99	0.02	0.50	--	--	--	--	--	--	--	--
02/18/97	100.91	91.33	9.58	0.01	0.50	--	--	--	--	--	--	--	--
05/23/97	100.91	88.36	12.55	--	--	8,300	210	580	130	1,400	<250	--	--
08/04/97	100.91	87.68	13.23	--	--	96,000	12,000	16,000	2,300	14,000	3,600	--	--
02/25/98	100.91	83.89	17.02	--	--	--	--	--	--	--	--	--	--
05/21/98	100.91	88.98	11.93	--	--	150,000	7,100	15,000	1,700	9,600	21,000	--	--
08/19/98	100.91	82.72	18.19	--	--	--	--	--	--	--	--	--	--
11/19/98	100.91	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	100.91	88.10	12.81	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
05/10/99	100.91	87.87	13.04	--	--	11,200	384	764	116	618	<1,000/558 ⁷	--	--
09/02/99	100.91	85.16	15.75	--	--	--	--	--	--	--	--	--	--
02/03/00	100.91	86.84	14.07	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.91	87.55	13.36	0.00	0.00	150 ⁸	0.52	<0.50	<0.50	2.1	130	--	--
08/02/00 ¹⁵	100.91	85.94	14.97	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.91	85.93	14.98	0.00	0.00	559	24.1	12.4	2.34	12.5	5.32	--	--
02/08/01 ¹⁵	100.91	84.89	16.02	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.91	83.21	17.70	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/28/01 ¹⁵	100.91	82.92	17.99	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	100.91	84.76	16.15	0.00	0.00	82,000	12,000	23,000	840	6,500	<100	--	--
02/22/02 ¹⁵	100.91	88.22	12.69	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	100.91	84.73	16.18	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/29/02 ¹⁵	100.91	84.74	16.17	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	100.91	85.59	15.32	0.00	0.00	890	50	150	14	77	<10	--	--
02/28/03	-- ¹⁶	-- ¹⁶	10.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	-- ¹⁶	-- ¹⁶	11.12	0.00	0.00	190	0.8	1	1	3	62	--	--
08/22/03	-- ¹⁶	-- ¹⁶	DRY	--	--	--	--	--	--	--	--	--	--
11/24-25/03 ¹⁷	-- ¹⁶	-- ¹⁶	13.99	0.00	0.00	1,000	110	6	18	6	6	--	--
02/27/04	-- ¹⁶	-- ¹⁶	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04	-- ¹⁶	-- ¹⁶	13.48	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/26/04	-- ¹⁶	-- ¹⁶	14.33	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	-- ¹⁶	-- ¹⁶	14.15	0.00	0.00	1,800	480	2	32	14	28	--	--
02/11/05	-- ¹⁶	-- ¹⁶	11.16	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	-- ¹⁶	-- ¹⁶	10.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	29	--	--
08/31/05	-- ¹⁶	-- ¹⁶	12.15	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	-- ¹⁶	-- ¹⁶	13.91	0.00	0.00	120	10	1	<0.5	<0.5	9	--	--
02/27/06	-- ¹⁶	-- ¹⁶	10.47	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ¹⁷	-- ¹⁶	-- ¹⁶	10.10	0.00	0.00	91	1	3	0.6	0.9	99	--	--
08/29/06	-- ¹⁶	-- ¹⁶	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
12/13/06 ¹⁷	-- ¹⁶	-- ¹⁶	12.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07	-- ¹⁶	-- ¹⁶	9.54	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ¹⁷	-- ¹⁶	-- ¹⁶	12.01	0.00	0.00	<50	<0.5	1	<0.5	<0.5	28	--	--
08/29/07	-- ¹⁶	-- ¹⁶	14.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07 ¹⁷	103.17	89.30	13.87	0.00	0.00	9,900	340	4,100	190	840	11	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
02/20/08	103.17	91.56	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	103.17	90.56	12.61	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	31	--	--
06/24/08 ¹⁷	103.17	90.20	12.97	0.00	0.00	<50	1	1	<0.5	2	47	--	--
08/22/08	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/08	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
02/03/09	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
05/28/09	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
08/06/09 ¹⁷	103.17	87.99	15.18	0.00	0.00	--	--	--	--	--	--	--	--
11/16/09	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
02/02/10 ¹⁷	103.17	93.22	9.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-8													
10/27/88	--	--	--	--	--	190,000	27,000	43,000	2,200	15,000	--	--	--
01/05/89	--	87.65	12.02	--	--	87,000	24,000	39,000	3,000	15,000	--	--	--
04/06/89	99.67	87.89	11.78	--	--	--	--	--	--	--	--	--	--
06/28/89	99.67	86.27	13.40	--	--	120,000	22,000	35,000	2,900	16,000	--	--	--
10/03/89	99.67	85.92	13.84	0.11	--	--	--	--	--	--	--	--	--
01/04/90	99.67	85.76	13.99	0.10	--	--	--	--	--	--	--	--	--
04/03/90	99.67	86.84	13.07	0.30	--	--	--	--	--	--	--	--	--
07/03/90	99.67	86.59	13.11	0.04	--	--	--	--	--	--	--	--	--
11/06/90	99.67	85.02	14.77	0.15	--	--	--	--	--	--	--	--	--
01/04/91	99.67	85.22	14.59	0.18	--	--	--	--	--	--	--	--	--
04/03/91	99.67	88.18	11.53	0.05	--	--	--	--	--	--	--	--	--
07/02/91	99.67	86.34	13.71	0.48	--	--	--	--	--	--	--	--	--
10/02/91	99.67	85.05	14.84	0.27	--	--	--	--	--	--	--	--	--
01/02/92	99.67	84.86	15.05	0.30	--	--	--	--	--	--	--	--	--
04/07/92	99.67	87.73	12.17	0.29	--	--	--	--	--	--	--	--	--
08/13/92	99.67	84.96	14.96	0.31	--	--	--	--	--	--	--	--	--
12/03/92	99.67	84.44	15.85	0.78	--	--	--	--	--	--	--	--	--
03/25/93	99.67	88.89	10.78	--	--	--	--	--	--	--	--	--	--
06/23/93	99.67	87.60	12.27	0.25	--	--	--	--	--	--	--	--	--
09/21/93	99.67	86.25	13.68	0.32	--	--	--	--	--	--	--	--	--
12/02/93	99.67	85.86	14.00	0.24	--	--	--	--	--	--	--	--	--
03/08/94	99.67	87.83	11.84	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8 (cont)													
06/13/94	99.67	87.58	12.11	0.03	--	--	--	--	--	--	--	--	--
10/04/94	99.67	85.47	14.20	--	--	--	--	--	--	--	--	--	--
11/14/94	99.67	85.61	14.06	--	--	140,000	12,000	36,000	2,400	17,000	--	--	--
05/15/95	99.67	89.72	9.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.67	88.53	11.14	--	--	--	--	--	--	--	--	--	--
11/28/95	99.67	86.35	13.32	--	--	100,000	6,900	34,000	2,700	16,000	650	--	--
02/20/96	99.67	89.67	10.00	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.67	89.37	10.30	--	--	130,000	8,800	30,000	2,300	14,000	<500	--	--
08/27/96	99.67	87.42	12.25	--	--	--	--	--	--	--	--	--	--
11/22/96	99.67	87.66	12.01	--	--	150,000	7,400	33,000	2,400	14,000	<500	--	--
02/18/97	99.67	90.56	9.11	--	--	--	--	--	--	--	--	--	--
05/23/97	99.67	88.09	11.58	--	--	140,000	11,000	38,000	3,200	18,000	<250	--	--
08/04/97	99.67	87.49	12.18	--	--	140,000	8,000	38,000	3,500	18,000	<500	--	--
11/25/97	99.67	82.62	17.05	--	--	290,000 ⁵	15,000	71,000	7,400	36,000	3,600	--	--
02/25/98	99.67	89.64	10.03	--	--	--	--	--	--	--	--	--	--
05/21/98	99.67	90.26	9.41	--	--	110,000	2,800	11,000	1,200	9,800	660	--	--
08/19/98	99.67	82.47	17.20	--	--	--	--	--	--	--	--	--	--
11/19/98	99.67	83.00	16.67	--	--	51,000	3,100	25,000	2,300	15,000	3,100	--	--
02/12/99	99.67	89.15	10.52	--	--	--	--	--	--	--	--	--	--
05/10/99	99.67	88.72	10.95	--	--	104,000	2,980	22,000	1,960	12,800	<2,500/<333 ⁷	--	--
09/02/99	99.67	89.40	10.27	--	--	--	--	--	--	--	--	--	--
02/03/00	99.67	88.22	11.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.67	88.77	10.90	0.00	0.00	37,000 ⁸	2,200	12,000	<100	8,400	1,900	--	--
08/02/00 ¹⁵	99.67	87.42	12.25	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.67	86.73	12.94	0.00	0.00	63,100	2,330	17,200	1,520	11,300	<250	--	--
02/08/01 ¹⁵	99.67	86.42	13.25	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.67	85.51	14.16	0.00	0.00	79,400	1,120	18,900	<2,500	13,400	47.6	--	--
08/28/01 ¹⁵	99.67	84.08	15.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.67	86.07	13.60	0.00	0.00	48,000	640	10,000	980	8,500	<100	--	--
02/22/02 ¹⁵	99.67	89.16	10.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.67	86.61	13.06	0.00	0.00	62,000	1,100	14,000	1,300	9,600	<200	--	--
08/29/02 ¹⁵	99.67	86.11	13.56	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.67	86.63	13.04	0.00	0.00	57,000	590	11,000	1,200	10,000	<50	--	--
02/28/03	99.67	89.59	10.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8 (cont)													
05/30/03 ¹⁷	99.67	88.67	11.00	0.00	0.00	13,000	100	650	270	2,100	<0.5	--	--
08/22/03 ¹⁵	99.67	86.97	12.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.67	86.39	13.28	0.00	0.00	64,000	450	17,000	1,300	9,900	<5	--	--
02/27/04	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.67	86.87	12.80	0.00	0.00	18,000	140	2,100	540	4,400	<3	--	--
08/26/04	99.67	85.82	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.67	86.22	13.45	0.00	0.00	67,000	250	13,000	1,000	6,800	<10	--	--
02/11/05	99.67	88.75	10.92	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.67	89.29	10.38	0.00	0.00	15,000	120	920	390	2,500	<1	--	--
08/31/05	99.67	86.91	12.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	99.67	86.65	13.02	0.00	0.00	32,000	88	5,600	650	4,000	<10	--	--
02/27/06	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,20}	99.67	89.59	10.08	0.00	0.00	53,000	200	9,800	1,400	6,700	<5	--	--
08/29/06	99.67	87.60	12.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
12/13/06 ^{17,18}	99.67	87.46	12.21	0.00	0.00	23,000	54	2,500	680	3,400	<3	--	--
02/28/07	99.67	89.53	10.14	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ^{17,18}	99.67	88.09	11.58	0.00	0.00	16,000	43	870	470	2,400	<1	--	--
08/29/07 ¹⁸	99.67	86.02	13.65	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07	102.02	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/20/08	102.02	90.96	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	102.02	89.63	12.39	0.00	0.00	3,800 ²²	3	84	150	220	<0.5	--	--
06/24/08 ^{17,20}	102.02	89.44	12.58	0.00	0.00	3,700	4	1,000	190	970	<0.5	--	--
08/22/08	102.02	86.94	15.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/08 ²⁰	102.02	85.23	16.79	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/03/09	102.02	85.17	16.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/28/09 ¹⁷	102.02	86.13	15.89	0.00	0.00	41,000	23	9,300	1,000	8,300	<5	--	--
08/06/09 ¹⁷	102.02	87.92	14.10	0.00	0.00	--	--	--	--	--	--	--	--
11/16/09 ¹⁷	102.02	85.92	16.10	0.00	0.00	60,000	33	8,900	1,500	10,000	<10	--	--
02/02/10 ¹⁷	102.02	91.27	10.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-9													
10/27/88	--	--	--	--	--	50,000	2,000	9,900	2,000	14,000	--	--	--
01/05/89	--	88.52	12.63	--	--	55,000	670	8,900	3,400	16,000	--	--	--
04/06/89	101.15	88.69	12.46	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
06/28/89	101.15	87.11	14.04	--	--	100,000	510	4,500	2,600	13,000	--	--	--
10/03/89	101.15	86.54	14.61	--	--	130,000	540	8,000	3,200	17,000	--	--	--
01/04/90	101.15	86.56	14.59	--	--	83,000	600	4,600	2,600	14,000	--	--	--
04/03/90	101.15	87.40	13.75	--	--	52,000	1,600	5,400	3,100	16,000	--	--	--
07/03/90	101.15	87.31	13.84	--	--	100,000	520	5,400	3,200	16,000	--	--	--
11/06/90	101.15	85.73	15.42	--	--	--	--	--	--	--	--	--	--
01/04/91	101.15	85.78	15.37	--	--	59,000	1,100	5,600	2,500	13,000	--	--	--
04/03/91	101.15	88.88	12.27	--	--	--	--	--	--	--	--	--	--
07/02/91	101.15	86.98	14.17	--	--	130,000	1,900	7,600	3,600	20,000	--	--	--
10/02/91	101.15	85.47	15.68	--	--	--	--	--	--	--	--	--	--
01/02/92	101.15	85.50	15.65	--	--	100,000	3,300	8,200	2,800	14,000	--	--	--
04/07/92	101.15	87.31	13.84	--	--	--	--	--	--	--	--	--	--
08/13/92	101.15	85.65	15.50	--	--	45,000	1,300	3,000	1,500	7,100	--	--	--
12/03/92	101.15	84.49	16.66	--	--	--	--	--	--	--	--	--	--
03/25/93	101.15	89.67	11.48	--	--	220,000	540	3,200	2,100	18,000	--	--	--
06/23/93	101.15	88.32	12.83	--	--	--	--	--	--	--	--	--	--
09/21/93	101.15	86.84	14.31	--	--	54,000	1,900	3,400	1,700	9,100	--	--	--
12/02/93	101.15	86.46	14.70	0.01	--	--	--	--	--	--	--	--	--
03/08/94	101.15	88.52	12.63	--	--	49,000	800	780	390	3,600	--	--	--
06/13/94	101.15	87.50	13.65	--	--	--	--	--	--	--	--	--	--
10/04/94	101.15	85.95	15.20	--	--	180,000	2,600	5,400	1,700	11,000	--	--	--
11/14/94	101.15	86.90	14.25	--	--	--	--	--	--	--	--	--	--
05/15/95	101.15	90.51	10.64	--	--	--	--	--	--	--	--	--	--
08/04/95	101.15	89.26	11.89	--	--	42,000	1,400	2,700	1,700	9,000	--	--	--
11/28/95	101.15	87.23	13.92	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	101.15	90.54	10.61	Sheen	--	41,000	1,600	1,700	750	6,500	<100	--	--
05/29/96	101.15	90.34	10.81	--	--	--	--	--	--	--	--	--	--
08/27/96	101.15	88.25	12.90	Sheen	--	71,000	2,700	3,600	920	5,900	290	--	--
11/22/96	101.15	88.27	12.88	--	--	--	--	--	--	--	--	--	--
02/18/97	101.15	91.49	9.66	0.01	--	78,000	1,800	3,800	2,300	13,000	510	--	--
05/23/97	101.15	88.62	12.53	--	--	--	--	--	--	--	--	--	--
08/04/97	101.15	88.15	13.00	--	--	73,000	2,600	2,200	440	9,600	370	--	--
11/25/97	101.15	84.03	17.12	--	--	--	--	--	--	--	--	--	--
02/25/98	101.15	88.46	12.69	--	--	34,000	150	510	1,300	6,400	<250	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
05/21/98	101.15	91.01	10.14	--	--	--	--	--	--	--	--	--	--
08/19/98	101.15	86.05	15.10	--	--	42,000	<50	330	890	4,200	<250	--	--
11/19/98	101.15	85.18	15.97	--	--	--	--	--	--	--	--	--	--
02/12/99	101.15	89.90	11.25	--	--	13,000	<100	200	560	2,200	<500	--	--
05/10/99	101.15	88.81	12.34	--	--	16,900	<50	112	506	1,850	<500/<20 ⁷	--	--
09/02/99	101.15	89.81	11.34	--	--	7,200	<25	<25	185	493	<250	--	--
02/03/00	101.15	88.93	12.22	--	--	11,000	68	22	380	1,000	66	--	--
05/09/00 ¹⁵	101.15	89.55	11.60	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.15	88.10	13.05	0.00	0.00	3,400 ⁸	41	10	<5.0	360	77	--	--
11/09-10/00 ¹⁵	101.15	87.51	13.64	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.15	87.09	14.06	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.15	86.20	14.95	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.15	85.03	16.12	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/26/01 ¹⁵	101.15	86.49	14.66	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.15	90.20	10.95	0.00	0.00	5,300	<10	4.5	79	190	<20	--	--
05/24/02 ¹⁵	101.15	87.52	13.63	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/02 ¹⁵	101.15	86.75	14.40	0.00	0.00	4,200	<5.0	2.7	80	37	<2.5	--	--
11/29/02	101.15	87.27	13.88	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/28/03	101.15	90.68	10.47	0.00	0.00	6,300	<100	11	130	210	<100	--	--
05/30/03	101.15	89.54	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/22/03 ¹⁷	101.15	87.64	13.51	0.00	0.00	5,500	1	5	150	38	<0.5	--	--
11/24-25/03	101.15	87.21	13.94	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/27/04 ¹⁷	101.15	90.60	10.55	0.00	0.00	6,300	0.7	6	160	39	<0.5	--	--
06/21/04	101.15	87.48	13.67	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/26/04 ¹⁷	101.15	86.37	14.78	0.00	0.00	2,400	<0.5	1	19	4	<0.5	--	--
11/29/04	101.15	86.74	14.41	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/11/05 ¹⁷	101.15	89.44	11.71	0.00	0.00	6,200	<1	5	84	35	<1	--	--
06/16/05	101.15	89.74	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/31/05	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05	101.15	90.20	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/27/06 ¹⁷	101.15	90.20	10.95	0.00	0.00	20,000	<1	23	360	1,000	<1	--	--
05/30-31/06 ²⁰	101.15	90.56	10.59	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/06 ¹⁷	101.15	88.37	12.78	0.00	0	7,800	<0.5	6	150	98	<0.5	--	--
12/13/06	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
02/28/07 ¹⁷	101.15	90.42	10.73	0.00	0.00	8,500	<0.5	11	210	530	<0.5	--	--
05/30/07 ¹⁸	101.15	89.12	12.03	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
08/29/07 ^{17,18}	101.15	87.00	14.15	0.00	0.00	7,200	<0.5	4	120	49	<0.5	--	--
11/21/07	103.57	89.29	14.28	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
02/20/08 ¹⁷	103.57	91.44	12.13	0.00	0.00	4300	<0.5	2	88	25	<0.5	--	--
05/21/08	103.57	90.83	12.74	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
06/24/08 ²⁰	103.57	90.14	13.43	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	103.57	88.27	15.30	0.00	0.00	3,500 ²²	<0.5	1	54	10	<0.5	--	--
11/21/08 ²⁰	103.57	-- ²⁶	17.09	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
02/03/09	103.57	-- ²⁶	16.89	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER	--	--	--	--	--	--	--
05/28/09	103.57	88.11	15.46	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
08/06/09 ¹⁷	103.57	88.28	15.29	0.00	0.00	1,200	<0.5	0.5 J	25	4	<0.5	--	--
11/16/09	103.57	87.60	15.97	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
02/02/10	103.57	91.89	11.68	0.00	0.00	1,400	<0.5	2	14	27	<0.5	--	--
MW-10													
10/27/88	--	--	--	--	--	<500	26	13	<5.0	<5.0	--	--	--
01/05/89	--	89.72	12.64	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
04/06/89	102.36	90.98	11.38	--	--	--	--	--	--	--	--	--	--
06/28/89	102.36	88.72	13.64	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
10/03/89	102.36	88.51	13.85	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	102.36	88.61	13.75	--	--	<50	0.5	1.1	<0.5	1.7	--	--	--
04/03/90	102.36	89.50	12.86	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	102.36	88.93	13.43	--	--	--	--	--	--	--	--	--	--
11/06/90	102.36	87.54	14.82	--	--	--	--	--	--	--	--	--	--
01/04/91	102.36	88.38	13.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	102.36	92.57	9.79	--	--	--	--	--	--	--	--	--	--
07/02/91	102.36	90.08	12.28	--	--	--	--	--	--	--	--	--	--
10/02/91	102.36	87.83	14.53	--	--	--	--	--	--	--	--	--	--
01/02/92	102.36	88.76	13.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	102.36	90.53	11.83	--	--	--	--	--	--	--	--	--	--
08/13/92	102.36	88.41	13.95	--	--	--	--	--	--	--	--	--	--
12/03/92	102.36	88.40	13.96	--	--	--	--	--	--	--	--	--	--
03/25/93	102.36	93.91	8.45	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
06/23/93	102.36	91.03	11.60	--	--	--	--	--	--	--	--	--	--
09/21/93	102.36	89.31	13.32	--	--	--	--	--	--	--	--	--	--
12/02/93	102.36	89.36	13.27	--	--	--	--	--	--	--	--	--	--
03/08/94	102.36	91.51	10.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	102.36	--	--	--	--	--	--	--	--	--	--	--	--
10/04/94	102.36	88.46	13.90	--	--	--	--	--	--	--	--	--	--
11/14/94	102.36	90.56	11.80	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	102.36	93.38	8.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	102.36	91.92	10.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	102.36	88.81	13.55	--	--	<50	1.6	0.81	<0.5	<0.5	<0.6	--	--
02/20/96	102.36	93.84	8.52	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	102.36	93.16	9.20	--	--	<50	<0.5	<0.5	<0.5	0.9	<5.0	--	--
08/27/96	102.36	90.35	12.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	102.36	90.84	11.52	--	--	<50	<0.5	<0.5	<0.5	1.0	<5.0	--	--
02/18/97	102.36	93.87	8.49	--	--	<50	0.7	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	102.36	91.48	10.88	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	102.36	89.07	13.29	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	102.36	89.06	13.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	102.36	94.54	7.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	102.36	96.22	6.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	102.36	90.62	11.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	102.36	88.96	13.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	102.36	93.94	8.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	102.36	92.14	10.22	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	102.36	93.13	9.23	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	102.36	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/09/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/02/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/09-10/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/08/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
05/02/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/28/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/26/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/22/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
05/24/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/29/02	102.36	88.90	13.46	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	102.36	89.30	13.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	102.36	92.79	9.57	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	102.36	92.37	9.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ^{15,17}	102.36	90.54	11.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	102.36	89.42	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	102.36	94.32	8.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	102.36	91.65	10.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	102.36	88.56	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	102.36	89.30	13.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	102.36	92.49	9.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	102.36	93.08	9.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	102.36	90.09	12.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	102.36	89.44	12.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	102.36	93.54	8.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	102.36	94.09	8.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	102.36	90.55	11.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	102.36	86.42	15.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	102.36	94.14	8.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07	102.36	91.87	10.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	102.36	92.21	10.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
02/20/08	104.74	95.47	9.27	0.00	0.00	--	--	--	--	--	--	--	--
05/21/08	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
06/24/08	104.74	93.46	11.28	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08	104.74	91.47	13.27	0.00	0.00	--	--	--	--	--	--	--	--
11/21/08	104.74	87.70	17.04	0.00	0.00	--	--	--	--	--	--	--	--
02/03/09	104.74	91.49	13.25	0.00	0.00	--	--	--	--	--	--	--	--
05/28/09	104.74	92.79	11.95	0.00	0.00	--	--	--	--	--	--	--	--
08/06/09 ¹⁷	104.74	92.12	12.62	0.00	0.00	--	--	--	--	--	--	--	--
11/16/09	104.74	92.53	12.21	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--
02/02/10	104.74	96.2	8.54	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11													
06/28/89	--	85.64	14.33	--	--	60,000	36,000	13,000	2,500	12,000	--	--	--
10/03/89	--	85.36	14.61	--	--	14,000	4,200	1,400	240	1,300	--	--	--
01/04/90	99.97	85.42	14.55	--	--	82,000	33,000	11,000	2,000	10,000	--	--	--
04/03/90	99.97	86.15	13.82	--	--	78,000	35,000	12,000	2,300	12,000	--	--	--
07/03/90	99.97	85.97	14.00	--	--	140,000	32,000	12,000	2,100	10,000	--	--	--
11/06/90	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
01/04/91	99.97	85.09	14.88	0.30	--	--	--	--	--	--	--	--	--
04/03/91	99.97	89.22	10.75	0.21	--	340,000	29,000	14,000	3,700	24,000	--	--	--
07/02/91	99.97	86.00	13.97	0.02	--	130,000	27,000	14,000	2,200	12,000	--	--	--
10/02/91	99.97	84.37	15.60	--	--	--	--	--	--	--	--	--	--
01/02/92	99.97	85.46	14.51	--	--	77,000	18,000	14,000	1,900	10,000	--	--	--
04/07/92	99.97	86.84	13.13	--	--	--	--	--	--	--	--	--	--
08/13/92	99.97	82.53	17.04	--	--	--	--	--	--	--	--	--	--
12/03/92	99.57	83.98	15.59	--	--	--	--	--	--	--	--	--	--
03/25/93	99.57	89.51	10.06	--	--	110,000	13,000	2,100	5,900	9,800	--	--	--
03/08/94	99.57	87.87	11.70	--	--	--	--	--	--	--	--	--	--
06/13/94	99.57	87.41	12.16	--	--	--	--	--	--	--	--	--	--
10/04/94	99.57	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
11/14/94	99.57	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
05/15/95	99.57	89.55	10.02	--	--	--	--	--	--	--	--	--	--
08/04/95	99.57	87.75	11.82	--	--	33,000	9,400	3,000	1,800	6,100	--	--	--
11/28/95	99.57	82.85	16.72	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	99.57	89.57	10.00	--	--	22,000	4,500	2,200	560	3,500	<120	--	--
05/29/96	99.57	88.43	11.14	--	--	--	--	--	--	--	--	--	--
08/27/96	99.57	86.44	13.13	--	--	85,000	10,000	6,600	1,500	6,500	260	--	--
11/22/96	99.57	87.47	12.10	--	--	--	--	--	--	--	--	--	--
02/18/97	99.57	90.34	9.23	--	--	42,000	7,100	3,100	830	4,200	510	--	--
05/23/97	99.57	87.29	12.28	--	--	--	--	--	--	--	--	--	--
08/04/97	99.57	86.72	12.85	--	--	79,000	14,000	8,400	2,300	9,900	6,900	--	--
11/25/97	99.57	85.71	13.86	--	--	--	--	--	--	--	--	--	--
02/25/98	99.57	82.55	17.02	--	--	34,000	5,200	2,200	1,200	4,400	5,000/5,300 ⁷	--	--
05/21/98	99.57	88.40	11.17	--	--	--	--	--	--	--	--	--	--
08/19/98	99.57	80.79	18.78	--	--	--	--	--	--	--	--	--	--
11/19/98	99.57	81.22	18.35	--	--	16,000	1,200	<100	690	1,200	540	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11 (cont)													
02/12/99	99.57	88.15	11.42	--	--	4,200	580	41	220	470	<50	--	--
05/10/99	99.57	87.01	12.56	--	--	--	--	--	--	--	--	--	--
09/02/99	99.57	84.83	14.74	--	--	5,150	496	43.6	150	405	<250	--	--
02/03/00	99.57	87.23	12.34	--	--	14,000	3,400	150	860	1,500	<250	--	--
05/09/00 ¹⁵	99.57	87.24	12.33	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	99.57	85.52	14.05	0.00	0.00	7,100 ⁸	2,900	61	<20	1,200	<100	--	--
11/09-10/00 ¹⁵	99.57	84.85	14.72	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	99.57	84.68	14.89	0.00	0.00	18,100 ¹¹	4,300	146	743	819	<250	--	--
05/02/01 ¹⁵	99.57	83.82	15.75	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	99.57	82.55	17.02	0.00	0.00	2,900 ¹³	600	35	120	91	100	--	--
11/26/01 ¹⁵	99.57	84.90	14.67	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/22/02 ¹⁵	99.57	88.00	11.57	0.00	0.00	7,700	710	61	370	500	<20	--	--
05/24/02 ¹⁵	99.57	84.81	14.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	99.57	84.41	15.16	0.00	0.00	14,000	1,300	82	630	910	<20	--	--
11/29/02 ¹⁵	99.57	84.82	14.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	99.57	87.97	11.60	0.00	0.00	5,100	600	95	150	390	<50	--	--
05/30/03	99.57	87.17	12.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/22/03 ¹⁷	99.57	85.14	14.43	0.00	0.00	25,000	3,000	980	1,200	2,000	7	--	--
11/24-25/03	99.57	84.52	15.05	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	99.57	89.79	9.78	0.00	0.00	10,000	970	570	430	1,100	1	--	--
06/21/04	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/26/04 ¹⁷	99.57	84.44	15.13	0.00	0.00	22,000	1,500	790	1,000	2,200	4	--	--
11/29/04	99.57	84.75	14.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/11/05 ¹⁷	99.57	87.59	11.98	0.00	0.00	18,000	830	310	680	1,500	1	--	--
06/16/05	99.57	87.86	11.71	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	99.57	85.99	13.58	0.00	0.00	20,000	1,200	740	1,100	1,800	4	--	--
11/30/05	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	99.57	88.27	11.30	0.00	0.00	18,000	700	340	770	1,300	8	--	--
05/30-31/06 ^{17,19}	99.57	89.12	10.45	0.00	0.00	13,000	620	270	700	1,000	7	--	--
08/29/06 ¹⁷	99.57	86.78	12.79	0.00	0.00	12,000	540	210	600	560	14	--	--
12/13/06 ¹⁷	99.57	87.50	12.07	0.00	0.00	13,000	1,100	180	710	490	22	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.57	87.52	12.05	0.00	0.00	15,000	720	180	1,100	910	12	--	--
08/29/07 ¹⁷	99.57	--	-- ²¹	--	--	13,000	500	370	640	960	22	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11 (cont)													
11/21/07 ^{17,18}	101.90	88.60	13.30	0.00	0.00	9,700	380	110	410	830	43	--	--
02/20/08	101.90	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.90	89.52	12.38	0.00	0.00	4,400 ²²	94	44	150	200	4	--	--
06/24/08 ^{15,17,18} NP	101.90	89.14	12.76	0.00	0.00	4,500	140	30	280	250	9	--	--
08/22/08 ^{15,17,18} NP	101.90	78.00	23.90	0.00	0.00	3,900 ²²	230	42	33	260	36	--	--
11/21/08 ^{15,17,18} NP	101.90	77.59	24.31	0.00	0.00	1,400	75	20	13	59	33	--	--
02/03/09 ^{15,17,18} NP	101.90	--	-- ²¹	0.00	0.00	560	19	3	4	21	30	--	--
05/28/09 ¹⁷	101.90	78.36	23.54	0.00	0.00	110	4	<0.5	0.9 J	<0.5	4	--	--
08/07/09 ¹⁷	101.90	87.32	14.58	0.00	0.00	74 J	5	<0.5	0.8 J	<0.5	2	--	--
11/16/09 ¹⁷	101.90	78.90	23.00	0.00	0.00	120	0.8 J	<0.5	<0.5	<0.5	7	--	--
02/02/10¹⁷	101.9	92.8	9.1	0.00	0.00	53 J	<0.5	<0.5	<0.5	<0.5	0.6 J	--	--
MW-12													
06/28/89	--	85.54	14.10	--	--	55,000	30,000	21,000	2,900	19,000	--	--	--
10/03/89	--	85.34	14.30	--	--	170,000	30,000	23,000	2,700	15,000	--	--	--
01/04/90	99.64	85.29	14.35	--	--	110,000	24,000	19,000	2,300	12,000	--	--	--
04/03/90	99.64	86.05	13.59	--	--	89,000	41,000	28,000	3,300	17,000	--	--	--
07/03/90	99.64	85.87	13.77	--	--	170,000	27,000	20,000	2,200	12,000	--	--	--
11/06/90	99.64	84.45	15.19	0.06	--	110,000	28,000	21,000	2,400	14,000	--	--	--
01/04/91	99.64	--	14.52	--	--	--	--	--	--	--	--	--	--
04/03/91	99.64	--	10.91	--	--	--	--	--	--	--	--	--	--
04/09/91	99.64	--	--	--	--	170,000	39,000	17,000	2,400	14,000	--	--	--
07/02/91	99.64	--	13.51	--	--	--	--	--	--	--	--	--	--
10/02/91	99.64	--	14.93	--	--	170,000	27,000	15,000	2,600	17,000	--	--	--
01/02/92	99.64	85.19	14.45	--	--	--	--	--	--	--	--	--	--
04/07/92	99.64	86.59	13.05	--	--	--	--	--	--	--	--	--	--
08/13/92	99.22	81.83	17.39	--	--	--	--	--	--	--	--	--	--
12/03/92	99.22	83.88	15.34	--	--	2,400,000	19,000	21,000	14,000	110,000	--	--	--
03/25/93	99.22	88.85	10.37	--	--	--	--	--	--	--	--	--	--
06/23/93	99.22	87.01	12.21	--	--	110,000	30,000	19,000	2,000	12,000	--	--	--
03/08/94	99.22	87.27	11.95	--	--	--	--	--	--	--	--	--	--
06/13/94	99.22	86.87	12.35	--	--	62,000	6,600	6,900	2,400	9,900	--	--	--
10/04/94	99.22	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	99.22	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
05/15/95	99.22	89.16	10.06	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.22	87.62	11.60	--	--	--	--	--	--	--	--	--	--
11/28/95	99.22	82.59	16.63	--	--	110,000	26,000	22,000	2,300	12,000	1,100	--	--
02/20/96	99.22	88.12	11.10	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.22	87.74	11.48	--	--	120,000	18,000	18,000	2,000	11,000	710	--	--
08/27/96	99.22	86.72	12.50	--	--	--	--	--	--	--	--	--	--
11/22/96	99.22	86.30	12.92	--	--	160,000	24,000	22,000	1,900	11,000	980	--	--
02/18/97	99.22	90.02	9.20	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁶	99.22	87.22	12.00	--	--	130,000	27,000	22,000	2,700	15,000	6,200	--	--
08/04/97	99.22	86.64	12.58	--	--	130,000	23,000	28,000	2,700	13,000	11,000	--	--
11/25/97	99.22	85.30	13.92	--	--	290,000 ⁵	53,000	31,000	6,400	30,000	35,000	--	--
02/25/98	99.22	81.01	18.21	--	--	--	--	--	--	--	--	--	--
05/21/98	99.22	88.04	11.18	--	--	150,000	14,000	16,000	1,800	250	66,000/69,000 ⁷	--	--
08/19/98	99.22	80.82	18.40	--	--	--	--	--	--	--	--	--	--
11/19/98	99.22	81.24	17.98	--	--	68,000	15,000	10,000	2,000	8,800	14,000	--	--
02/12/99	99.22	84.27	14.95	--	--	--	--	--	--	--	--	--	--
05/10/99	99.22	86.75	12.47	--	--	72,600	9,920	8,100	1,600	7,480	25,800/32,500 ⁷	--	--
09/02/99	99.22	85.37	13.85	--	--	--	--	--	--	--	--	--	--
2/3/000	99.22	86.77	12.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.22	86.96	12.26	0.00	0.00	27,000 ⁸	7,800	4,000	<100	6,600	6,100	--	--
08/02/00 ¹⁵	99.22	85.37	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.22	84.73	14.49	0.00	0.00	46,400	9,550	5,470	1,240	7,660	5,150	--	--
02/08/01 ¹⁵	99.22	84.43	14.79	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.22	83.49	15.73	0.00	0.00	94,000	8,720	3,630	<2,500	8,800	3,410	--	--
08/28/01 ¹⁵	99.22	82.16	17.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.22	84.27	14.95	0.00	0.00	5,000	770	72	150	470	230	--	--
02/22/02 ¹⁵	99.22	87.43	11.79	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.22	84.42	14.80	0.00	0.00	52,000	5,200	4,500	1,800	8,300	990	--	--
08/29/02 ¹⁵	99.22	84.24	14.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.22	84.69	14.53	0.00	0.00	40,000	4,900	3,800	1,100	7,000	1,000	--	--
02/28/03	99.22	87.81	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.22	86.97	12.25	0.00	0.00	46,000	4,300	3,100	1,400	7,500	670	--	--
08/22/03	99.22	85.16	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.22	84.62	14.60	0.00	0.00	45,000	5,200	3,100	1,400	8,400	480	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
02/27/04	99.22	88.16	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
06/21/04 ¹⁷	99.22	85.39	13.83	0.00	0.00	53,000	6,100	5,400	1,800	11,000	370	--	--
08/26/04	99.22	85.30	13.92	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
11/29/04 ¹⁷	99.22	85.70	13.52	0.00	0.00	62,000	7,300	5,700	1,600	12,000	370	--	--
02/11/05	99.22	88.35	10.87	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
06/16/05 ¹⁷	99.22	88.20	11.02	0.00	0.00	49,000	3,400	4,100	1,600	7,900	180	--	--
08/31/05	99.22	86.76	12.46	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
11/30/05	99.22	UNABLE TO LOCATE	--	--	--	--	--	--	--	--	--	--	--
02/27/06	99.22	88.26	10.96	0.00	0.00	SAMPLED SEMI-ANNUALLY	--	--	--	--	--	--	--
05/30-31/06 ^{17,19}	99.22	89.05	10.17	0.00	0.00	54,000	3,800	4,900	1,900	6,400	230	--	--
08/29/06 ¹⁷	99.22	86.83	12.39	0.00	0.00	63,000	3,300	4,900	1,400	5,900	210	--	--
12/13/06 ¹⁷	99.22	87.27	11.95	0.00	0.00	70,000	6,200	10,000	1,900	8,600	230	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.22	87.42	11.80	0.00	0.00	71,000	3,500	6,700	1,500	5,900	150	--	--
08/29/07 ¹⁷	99.22	-- ²¹	-- ²¹	--	--	58,000	5,200	8,800	1,500	7,400	120	--	--
11/21/07 ^{17,18}	101.65	88.32	13.33	0.00	0.00	30,000	5,000	4,400	720	4,200	45	--	--
02/20/08	101.65	CONNECTED TO REMEDIATION SYSTEM	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.65	89.47	12.18	0.00	0.00	37,000 ²²	5,300	6,100	1,100	6,700	36	--	--
06/24/08 ^{15,17,18} NP	101.65	89.11	12.54	0.00	0.00	24,000	6,700	7,600	1,300	6,900	80	--	--
08/22/08 ^{15,17,18} NP	101.65	77.41	24.24	0.00	0.00	29,000 ²²	3,200	5,100	360	5,700	38	--	--
11/21/08 ^{15,17,18} NP	101.65	77.70	23.95	0.00	0.00	19,000	1,500	2,500	350	2,400	<25	--	--
02/03/09 ^{15,17,18} NP	101.65	-- ²¹	--	0.00	0.00	16,000	1,600	2,500	380	2,800	22	--	--
05/28/09 ¹⁷	101.65	79.02	22.63	0.00	0.00	35,000	1,400	4,400	760	6,100	25	--	--
08/07/09 ¹⁷	101.65	86.74	14.91	0.00	0.00	40,000	760	3,900	1,700	7,000	19	--	--
11/16/09 ¹⁷	101.65	78.74	22.91	0.00	0.00	15,000	650	890	160	2,700	24	--	--
02/02/10¹⁷	101.65	91.98	9.67	0.00	0.00	8,500	360	220	530	1,000	52	--	--
MW-13													
06/28/89	--	85.25	13.22	--	--	54,000	12,000	10,000	1,900	15,000	--	--	--
10/03/89	--	84.93	13.54	--	--	120,000	10,000	10,000	2,300	15,000	--	--	--
01/04/90	98.47	84.83	13.64	--	--	87,000	6,800	10,000	2,000	12,000	--	--	--
04/03/90	98.47	85.52	12.95	--	--	53,000	12,000	14,000	2,900	17,000	--	--	--
07/03/90	98.47	85.42	13.05	--	--	90,000	8,400	11,000	2,000	11,000	--	--	--
11/06/90	98.47	84.35	14.12	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)													
01/04/91	98.47	84.42	14.05	--	--	72,000	5,500	12,000	2,300	12,000	--	--	--
04/03/91	98.47	87.06	11.41	--	--	--	--	--	--	--	--	--	--
07/02/91	98.47	85.30	13.17	--	--	120,000	12,000	13,000	2,500	14,000	--	--	--
10/02/91	98.47	84.23	14.24	--	--	--	--	--	--	--	--	--	--
01/02/92	98.47	84.34	14.13	0.03	--	--	--	--	--	--	--	--	--
04/07/92	98.47	85.41	13.06	--	--	--	--	--	--	--	--	--	--
08/13/92	98.47	84.21	14.26	--	--	84,000	7,400	11,000	2,600	13,000	--	--	--
12/03/92	98.47	83.65	14.82	--	--	--	--	--	--	--	--	--	--
03/25/93	98.47	87.74	10.73	--	--	97,000	5,200	2,500	7,200	12,000	--	--	--
06/23/93	98.47	86.50	11.97	--	--	--	--	--	--	--	--	--	--
09/21/93	98.47	85.39	13.08	--	--	80,000	7,600	9,000	2,900	14,000	--	--	--
12/02/93	98.47	85.02	13.45	--	--	--	--	--	--	--	--	--	--
03/08/94	98.47	86.72	11.75	--	--	78,000	5,300	7,600	2,600	10,000	--	--	--
06/13/94	98.47	86.17	12.30	--	--	--	--	--	--	--	--	--	--
10/04/94	98.47	84.29	14.18	--	--	39,000	2,300	2,700	850	4,600	--	--	--
11/14/94	98.47	85.85	12.62	--	--	--	--	--	--	--	--	--	--
05/15/95	98.47	88.54	9.93	--	--	--	--	--	--	--	--	--	--
08/04/95	98.47	87.39	11.08	--	--	47,000	7,700	10,000	2,900	10,000	--	--	--
11/28/95	98.47	85.52	12.95	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	98.47	88.61	9.86	--	--	59,000	5,500	5,500	2,900	8,800	<120	--	--
05/29/96	98.47	88.17	10.30	--	--	--	--	--	--	--	--	--	--
08/27/96	98.47	86.50	11.97	--	--	65,000	3,500	2,800	2,200	6,900	200	--	--
11/22/96	98.47	86.76	11.71	--	--	--	--	--	--	--	--	--	--
02/18/97	98.47	89.31	9.16	--	--	69,000	4,500	4,100	2,500	7,900	310	--	--
05/23/97	98.47	86.91	11.56	--	--	--	--	--	--	--	--	--	--
08/04/97	98.47	86.32	12.15	--	--	61,000	5,700	5,100	3,600	9,200	230	--	--
11/25/97	98.47	85.35	13.12	--	--	--	--	--	--	--	--	--	--
02/25/98	98.47	87.96	10.51	--	--	42,000	3,800	1,000	2,000	5,000	<250	--	--
05/21/98	98.47	89.12	9.35	--	--	--	--	--	--	--	--	--	--
08/19/98	98.47	84.47	14.00	--	--	57,000	1,600	440	1,900	4,500	<250	--	--
11/19/98	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/12/99	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
03/26/99	98.47	89.17	9.30	--	--	30,800	473	101	1,430	2,800	106	--	--
05/10/99	98.47	87.74	10.73	--	--	--	--	--	--	--	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)													
09/02/99	98.47	87.48	10.99	--	--	87,000	2,610	19,100	1,510	12,000	<2,500	--	--
02/03/00	98.47	88.02	10.45	--	--	2,900	200	16	200	340	68	--	--
05/09/00	98.47	87.95	10.52	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00	98.47	86.69	11.78	0.00	0.00	1,600 ⁸	15	4.1	7.3	160	<13	--	--
11/09-10/00	98.47	86.18	12.29	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01	98.47	85.76	12.71	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01	98.47	84.98	13.49	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
02/22/02	98.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
05/24/02	98.47	86.06	12.41	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/02	98.47	85.57	12.90	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
11/29/02	98.47	85.86	12.61	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/28/03	98.47	88.48	9.99	0.00	0.00	340	<5.0	0.94	0.52	5.0	<10	--	--
05/30/03	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--	--
08/22/03 ^{17,18}	98.47	86.47	12.00	0.00	0.00	770	10	2	8	2	<0.5	--	--
11/24-25/03	98.47	85.85	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/27/04 ¹⁷	98.47	87.94	10.53	0.00	0.00	2,300	27	7	14	10	<0.5	--	--
06/21/04	98.47	86.24	12.23	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/26/04	98.47	85.25	13.22	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
11/29/04	98.47	DRY AT 13.50 FEET		--	--	--	--	--	--	--	--	--	--
02/11/05	98.47	85.63	12.84	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
06/16/05	98.47	88.28	10.19	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/31/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--	--
11/30/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--	--
02/27/06	98.47	INACCESSIBLE - UNABLE TO LOCATE				--	--	--	--	--	--	--	--
05/30-31/06	98.47	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--	--
08/29/06	98.47	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--	--
12/13/06	98.47	86.66	11.81	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/28/07 ¹⁷	98.47	88.36	10.11	0.00	0.00	14,000	31	100	720	1,100	<3	--	--
05/30/07	98.47	86.83	11.64	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/07 ¹⁷	98.47	85.49	12.98	0.00	0.00	14,000	41	380	810	1,300	<1	--	--
11/21/07	98.47	85.40	13.07	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/08 ¹⁷	98.47	88.12	10.35	0.00	0.00	2,800	4	8	95	130	<0.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)													
05/21/08	98.47	86.21	12.26	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08	98.47	86.09	12.38	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	98.47	84.27	14.20	0.00	0.00	7,500 ²⁴	5	26	380	400	<0.5	--	--
11/21/08	98.47	82.64	15.83	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/03/09 ¹⁷	98.47	82.77	15.70	0.00	0.00	8,400	21	36	630	920	<1	--	--
05/28/09	98.47	83.27	15.20	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/06/09 ¹⁷	98.47	85.10	13.37	0.00	0.00	4,600	2	3	100	110	<0.5	--	--
11/16/09	98.47	82.50	15.97	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/02/10	98.47	88.69	9.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-14													
08/29/90	--	78.29	21.39	--	--	970	4.0	2.0	0.7	2.0	--	--	1.0
11/06/90	--	78.06	21.62	--	--	920	10	10	4.0	9.0	--	--	--
01/04/91	99.68	77.99	21.69	--	--	1,000	<0.5	4.0	2.6	4.2	--	--	--
04/03/91	99.68	80.15	19.53	--	--	1,200	380	6.0	7.0	18	--	--	--
07/02/91	99.68	78.75	20.93	--	--	460	27	1.0	1.2	1.0	--	--	--
10/02/91	99.68	78.16	21.52	--	--	480	6.7	0.8	1.4	1.8	--	--	--
01/02/92	99.68	78.25	21.43	--	--	1,100	2.4	1.5	6.2	18	--	--	--
04/07/92	99.68	78.32	21.36	--	--	290	<0.5	1.4	<0.5	1.2	--	--	--
08/13/92	99.68	78.61	21.07	--	--	370	10	1.2	<0.5	0.9	--	--	--
12/03/92	99.68	78.01	21.67	--	--	230	1.3	<0.5	<0.5	<0.5	--	--	--
03/25/93	99.68	80.65	19.03	--	--	390	57	2.1	1.3	1.7	--	--	--
06/23/93	99.68	79.74	19.94	--	--	4,400	460	220	16	62	--	--	--
09/21/93	99.68	79.03	20.65	--	--	680	8.7	1.7	3.2	12	--	--	--
12/02/93	99.68	78.63	21.05	--	--	900	0.8	7.0	3.0	7.0	--	--	--
03/08/94	99.68	79.63	20.05	--	--	1,700	2.4	7.7	5.6	14	--	--	--
06/13/94	99.68	79.47	20.21	--	--	750	0.8	8.0	3.2	5.7	--	--	--
10/04/94	99.68	78.98	20.70	--	--	130	3.4	5.4	<0.5	2.0	--	--	--
11/14/94	99.68	79.68	20.00	--	--	9,900	620	1,600	120	920	--	--	--
05/15/95	99.68	81.19	18.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.68	80.30	19.38	--	--	1,000	170	58	6.6	20	--	--	--
11/28/95	99.68	79.35	20.33	--	--	1,500	300	72	65	190	<6.0	--	--
02/20/96	99.68	82.72	16.96	--	--	70	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	99.68	81.10	18.58	--	--	1,600	170	39	5.0	21	6.3	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-14 (cont)													
08/27/96	99.68	79.89	19.79	--	--	80	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	99.68	80.13	19.55	--	--	620	49	13	7.2	22	210	--	--
02/18/97	99.68	82.37	17.31	--	--	190	14	9.6	3.1	15	<5.0	--	--
05/23/97	99.68	80.12	19.56	--	--	130	18	16	3.4	17	<5.0	--	--
08/04/97	99.68	79.80	19.88	--	--	200	8.3	7.9	4.1	10	<5.0	--	--
11/25/97	99.68	79.91	19.77	--	--	530	42	62	10	37	<5.0	--	--
02/25/98	99.68	85.40	14.28	--	--	220	26	10	7.0	22	23	--	--
05/21/98	99.68	81.90	17.78	--	--	8,300	1,400	48	29	59	<50	--	--
08/19/98	99.68	80.35	19.33	--	--	7,900	610	390	51	300	<250	--	--
11/19/98	99.68	79.40	20.28	--	--	87	1.0	<0.5	<0.5	<0.5	27	--	--
02/12/99	99.68	81.36	18.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	99.68	80.57	19.11	--	--	1,930	254	41.2	6.71	23	76.4/<5.0 ⁷	--	--
09/02/99	99.68	79.57	20.11	--	--	647	38.1	1.45	<0.5	1.32	10.8	--	--
02/03/00	99.68	80.80	18.88	--	--	UNABLE TO SAMPLE			--	--	--	--	--
05/09/00	99.68	80.99	18.69	0.00	0.00	370 ⁹	9.7	2.2	1.3	1.5	13	--	--
08/02/00	99.68	79.99	19.69	0.00	0.00	80 ¹⁰	1.2	1.8	0.85	1.2	3.1	--	--
11/09-10/00	99.68	79.49	20.19	0.00	0.00	92.3	<0.500	0.921	<0.500	<0.500	<2.50	--	--
02/08/01	99.68	79.01	20.67	0.00	0.00	728 ¹¹	33.7	<5.00	<5.00	<5.00	<25.0	--	--
05/02/01	99.68	79.68	20.00	0.00	0.00	338	3.28	<5.00	<5.00	<5.00	1.35	--	--
08/28/01	99.68	79.06	20.62	0.00	0.00	83 ¹⁴	1.7	0.64	<0.50	<0.50	2.6	--	--
11/26/01	99.68	79.13	20.55	0.00	0.00	240	2.8	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	99.68	80.41	19.27	0.00	0.00	4,000	460	140	55	51	<20	--	--
05/24/02	99.68	79.98	19.70	0.00	0.00	5,800	580	360	61	340	<20	--	--
08/29/02	99.68	79.16	20.52	0.00	0.00	360	14	0.98	<0.50	2.3	<2.5	--	--
11/29/02	99.68	78.98	20.70	0.00	0.00	1,400	32	1.8	0.62	2.6	<2.5	--	--
02/28/03	99.68	80.41	19.27	0.00	0.00	320	<5.0	0.64	<0.50	<1.5	<10	--	--
05/30/03 ¹⁷	99.68	80.58	19.10	0.00	0.00	560	150	7	4	8	<0.5	--	--
08/22/03 ¹⁷	99.68	79.96	19.72	0.00	0.00	690	<0.5	<0.5	<0.5	0.6	<0.5	--	--
11/24-25/03 ¹⁷	99.68	79.10	20.58	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	99.68	80.48	19.20	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	99.68	79.66	20.02	0.00	0.00	<50	1	<0.5	<0.5	1	<0.5	--	--
08/26/04 ¹⁷	99.68	79.08	20.60	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	99.68	79.16	20.52	0.00	0.00	57	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	99.68	80.10	19.58	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-14 (cont)													
06/16/05 ¹⁷	99.68	80.94	18.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	99.68	80.05	19.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05	99.68	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/06	99.68	INACCESSIBLE - WELL BOX FLOODED					--	--	--	--	--	--	--
05/30-31/06 ¹⁷	99.68	81.57	18.11	0.00	0.00	630	41	17	9	21	<0.5	--	--
08/29/06 ¹⁷	99.68	80.34	19.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	99.68	80.50	19.18	0.00	0.00	97	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	99.68	81.30	18.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	99.68	79.77	19.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	99.68	79.39	20.29	0.00	0.00	<50	<0.5	<0.5	0.8	1	<0.5	--	--
11/21/07 ¹⁷	101.99	81.51	20.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	101.99	83.35	18.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	101.99	82.23	19.76	0.00	0.00	52 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	101.99	82.02	19.97	0.00	0.00	<50	<0.5	3	0.7	4	<0.5	--	--
08/22/08 ¹⁷	101.99	81.68	20.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	101.99	80.13	21.86	0.00	0.00	87	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	101.99	80.96	21.03	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/28/09 ¹⁷	101.99	81.76	20.23	0.00	0.00	530	1	<0.5	<0.5	<0.5	<0.5	--	--
08/06/09 ¹⁷	101.99	81.49	20.50	0.00	0.00	--	--	--	--	--	--	--	--
11/16/09 ¹⁷	101.99	81.31	20.68	0.00	0.00	58 J	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/02/10 ¹⁷	101.99	83.34	18.65	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-15													
08/29/90	--	79.48	16.58	--	--	2,000	26	2.0	72	110	--	--	--
11/06/90	--	78.63	17.43	--	--	1,300	40	5.0	45	63	--	--	--
01/04/91	96.06	79.69	16.37	--	--	1,700	46	2.8	58	86	--	--	--
04/03/91	96.06	83.60	12.46	--	--	2,100	74	0.8	44	85	--	--	--
07/02/91	96.06	79.53	16.53	--	--	1,700	39	<0.5	35	46	--	--	--
10/02/91	96.06	78.73	17.33	--	--	1,100	50	<0.5	40	33	--	--	--
01/02/92	96.06	79.60	16.46	--	--	1,300	51	<0.5	30	30	--	--	--
04/07/92	96.06	81.36	14.70	--	--	2,600	98	<5.0	64	36	--	--	--
08/13/92	96.06	79.34	16.72	--	--	510	55	<0.5	35	2.8	--	--	--
12/03/92	96.06	78.63	17.43	--	--	1,000	64	0.9	22	4.4	--	--	--
03/25/93	96.06	82.73	13.33	--	--	1,300	86	52	0.7	7.7	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
06/23/93	96.06	80.83	15.23	--	--	7,300	34	<0.5	85	160	--	--	--
09/21/93	96.06	79.74	16.32	--	--	1,500	39	<0.5	32	33	--	--	--
12/02/93	96.06	79.49	16.57	--	--	990	28	4.0	8.0	10	--	--	--
03/08/94	96.06	81.45	14.61	--	--	3,400	44	4.0	28	53	--	--	--
10/04/94	96.06	79.58	16.48	--	--	310	11	10	2.2	12	--	--	--
11/14/94	96.06	81.86	14.20	--	--	450	27	2.4	2.2	4.2	--	--	--
05/15/95	96.06	82.68	13.38	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	96.06	81.15	14.91	--	--	<50	0.6	<0.5	<0.5	0.8	--	--	--
11/28/95	96.06	79.94	16.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	96.06	85.08	10.98	--	--	1,600	25	0.5	20	38	16	--	--
05/29/96 ⁴	96.06	--	--	--	--	--	--	--	--	--	--	--	--
08/27/96	96.06	80.62	15.44	--	--	80	<0.5	<0.5	<0.5	0.7	<5.0	--	--
11/22/96	96.06	81.57	14.49	--	--	1,500	14	<0.5	6.1	12	7.2	--	--
02/18/97	96.06	83.89	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	96.06	81.03	15.03	--	--	130	20	9.7	0.9	1.5	<5.0	--	--
08/04/97	96.06	80.58	15.48	--	--	60	1.3	<0.5	<0.5	1.1	<5.0	--	--
11/25/97	96.06	80.67	15.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	96.06	89.53	6.53	--	--	4,300	27	<10	37	46	<50	--	--
05/21/98	96.06	83.09	12.97	--	--	430	25	<0.5	2.3	1.2	<2.5	--	--
08/19/98	96.06	81.16	14.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	96.06	80.01	16.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	96.06	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/10/99	96.06	81.67	14.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	96.06	80.53	15.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	96.06	83.82	12.24	--	--	480	2.5	<1.0	2.6	1.4	<5.0	--	--
05/09/00	96.06	82.41	13.65	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	96.06	81.04	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	96.06	80.54	15.52	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	96.06	80.36	15.70	0.00	0.00	92.6 ¹¹	0.894	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	96.06	81.44	14.62	0.00	0.00	<50.0 ¹²	0.830	<5.00	<5.00	5.94	<0.500	--	--
08/28/01	96.06	80.15	15.91	0.00	0.00	<50	<0.50	0.71	<0.50	<0.50	<2.5	--	--
11/26/01	96.06	80.65	15.41	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	96.06	82.51	13.55	0.00	0.00	99	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	96.06	81.45	14.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
08/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/28/03	96.06	81.80	14.26	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	96.06	81.86	14.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	96.06	81.00	15.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/04 ¹⁷	96.06	85.59	10.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	96.06	80.88	15.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	96.06	80.74	15.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	96.06	80.58	15.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	96.06	82.17	13.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	96.06	82.11	13.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05 ¹⁷	96.06	80.34	15.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	96.06	82.57	13.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	96.06	83.08	12.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	96.06	81.51	14.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	96.06	82.38	13.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	96.06	83.98	12.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	96.06	80.82	15.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	96.06	80.35	15.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	98.28	82.49	15.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	98.28	85.03	13.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	98.28	82.93	15.35	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	98.28	82.68	15.60	0.00	0.00	<50	<0.5	6	2	10	<0.5	--	--
08/22/08 ¹⁷	98.28	82.17	16.11	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	98.28	81.66	16.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	98.28	81.99	16.29	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/28/09 ¹⁷	98.28	82.60	15.68	0.00	0.00	82 J	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/06/09 ¹⁷	98.28	82.57	15.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/16/09	98.28	82.21	16.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/02/10¹⁷	98.28	86.04	12.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16													
08/29/90	--	77.26	20.89	--	--	11,000	6,000	51	1,100	20	--	--	--
11/06/90	--	76.88	21.27	--	--	15,000	6,300	340	1,300	540	--	--	--
01/04/91	98.15	76.52	21.63	--	--	16,000	6,800	820	1,300	1,500	--	--	--
04/03/91	98.15	78.83	19.32	--	--	45,000	7,300	2,200	1,800	4,900	--	--	--
07/02/91	98.15	77.47	20.68	--	--	30,000	6,400	530	1,500	1,800	--	--	--
10/02/91	98.15	76.97	21.18	--	--	24,000	4,600	450	1,400	1,600	--	--	--
01/02/92	98.15	76.85	21.30	--	--	20,000	4,700	240	1,200	1,100	--	--	--
04/07/92	98.15	77.96	20.19	--	--	40,000	5,000	980	1,100	2,100	--	--	--
08/13/92	98.15	77.38	20.77	--	--	17,000	4,500	240	860	530	--	--	--
12/03/92	98.15	76.71	21.44	--	--	39,000	4,600	410	1,100	2,200	--	--	--
03/25/93	98.15	79.32	18.83	--	--	39,000	5,500	1,400	690	2,000	--	--	--
06/23/93	98.15	78.43	19.72	--	--	29,000	6,600	1,200	1,400	3,700	--	--	--
09/21/93	98.15	77.77	20.38	--	--	36,000	6,300	340	1,200	1,800	--	--	--
12/02/93	98.15	77.31	20.84	--	--	28,000	5,600	230	900	820	--	--	--
03/08/94	98.15	77.88	20.27	--	--	35,000	6,500	760	1,000	1,300	--	--	--
10/04/94	98.15	77.57	20.58	--	--	39,000	9,700	680	1,300	3,300	--	--	--
11/14/94	98.15	78.03	20.12	--	--	26,000	5,500	640	690	1,800	--	--	--
05/15/95	98.15	79.99	18.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	98.15	78.85	19.30	--	--	23,000	6,200	1,900	1,500	4,500	--	--	--
11/28/95	98.15	77.73	20.42	--	--	38,000	6,200	1,700	1,800	5,700	<120	--	--
02/20/96	98.15	81.75	16.40	--	--	46,000	6,600	2,200	2,400	7,300	<250	--	--
05/29/96	98.15	79.61	18.54	--	--	54,000	6,300	1,600	2,200	7,900	<250	--	--
08/27/96	98.15	78.73	19.42	--	--	45,000	4,100	260	1,600	2,800	<250	--	--
11/22/96	98.15	78.79	19.36	--	--	36,000	3,500	120	1,400	1,500	260	--	--
02/18/97	98.15	80.93	17.22	--	--	62,000	5,800	1,300	2,200	8,900	160	--	--
05/23/97	98.15	78.67	19.48	--	--	32,000	4,000	370	1,900	2,900	<250	--	--
08/04/97	98.15	78.43	19.72	--	--	26,000	3,300	280	2,100	1,500	200	--	--
11/25/97	98.15	78.42	19.73	--	--	38,000	3,900	370	2,400	3,000	250	--	--
02/25/98	98.15	84.13	14.02	--	--	60,000	6,400	1,400	2,200	13,000	<1,000	--	--
05/21/98	98.15	80.24	17.91	--	--	71,000	5,100	1,200	2,300	8,200	560	--	--
08/19/98	98.15	78.90	19.25	--	--	40,000	2,300	740	1,700	2,700	<250	--	--
11/19/98	98.15	77.85	20.30	--	--	51,000	2,900	<200	2,200	6,300	<1,000	--	--
02/12/99	98.15	80.24	17.91	--	--	11,000	1,100	81	810	470	130	--	--
05/10/99	98.15	79.02	19.13	--	--	52,300	4,100	587	2,430	8,800	708/<66.7 ⁷	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16 (cont)													
09/02/99	98.15	78.16	19.99	--	--	26,600	1,400	1,540	1,480	2,940	<500	--	--
02/03/00	98.15	79.50	18.65	--	--	47,000	5,600	620	3,000	14,000	450	--	--
05/09/00	99.15	80.58	18.57	0.00	0.00	15,000 ⁸	990	100	800	2,000	410	--	--
08/02/00	99.15	79.57	19.58	0.00	0.00	10,000 ⁸	1,100	95	1,000	2,300	<130	--	--
11/09-10/00	99.15	79.13	20.02	0.00	0.00	5,580	334	49.3	530	256	33.6	--	--
02/08/01	99.15	78.56	20.59	0.00	0.00	25,400 ¹¹	1,340	99.9	1,380	2,700	350	--	--
05/02/01	99.15	79.44	19.71	0.00	0.00	45,600	2,130	83.6	<2,500	7,460	13.3	--	--
08/28/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
11/26/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
02/22/02	99.15	80.05	19.10	0.00	0.00	32,000	1,300	110	1,800	6,100	<50	--	--
05/24/02	99.15	79.65	19.50	0.00	0.00	13,000	590	29	830	1,000	<20	--	--
08/29/02	99.15	78.94	20.21	0.00	0.00	9,800	500	28	670	430	<10	--	--
11/29/02	99.15	78.66	20.49	0.00	0.00	23,000	1,600	110	1,200	3,400	<10	--	--
02/28/03	99.15	79.97	19.18	0.00	0.00	20,000	1,300	90	1,000	3,300	<100	--	--
05/30/03 ¹⁷	99.15	80.34	18.81	0.00	0.00	47,000	2,100	160	2,000	8,100	<3	--	--
08/22/03 ¹⁷	99.15	79.59	19.56	0.00	0.00	25,000	1,300	94	1,200	3,200	2	--	--
11/24-25/03 ¹⁷	99.15	78.77	20.38	0.00	0.00	13,000	660	47	800	950	4	--	--
02/27/04 ¹⁷	99.15	82.32	16.83	0.00	0.00	20,000	1,000	70	1,000	3,100	3	--	--
06/21/04 ¹⁷	99.15	82.93	16.22	0.00	0.00	11,000	780	23	680	530	7	--	--
08/26/04 ¹⁷	99.15	78.90	20.25	0.00	0.00	7,600	540	16	450	100	8	--	--
11/29/04 ¹⁷	99.15	78.83	20.32	0.00	0.00	7,600	370	15	370	310	6	--	--
02/11/05 ¹⁷	99.15	79.77	19.38	0.00	0.00	42,000	1,800	120	1,800	6,900	3	--	--
06/16/05 ¹⁷	99.15	80.52	18.63	0.00	0.00	2,000	170	13	170	250	4	--	--
08/31/05 ¹⁷	99.15	79.72	19.43	0.00	0.00	30,000	1,800	100	1,800	5,700	3	--	--
11/30/05 ¹⁷	99.15	78.88	20.27	0.00	0.00	8,600	370	27	400	620	8	--	--
02/27/06 ¹⁷	99.15	80.22	18.93	0.00	0.00	4,600	110	9	120	220	7	--	--
05/30-31/06 ¹⁷	99.15	81.03	18.12	0.00	0.00	13,000	590	<1	860	1,400	3	--	--
08/29/06 ¹⁷	99.15	80.04	19.11	0.00	0.00	14,000	470	38	480	1,300	2	--	--
12/13/06 ¹⁷	99.15	80.08	19.07	0.00	0.00	17,000	590	43	860	1,600	5	--	--
02/28/07 ¹⁷	99.15	81.09	18.06	0.00	0.00	15,000	510	42	560	1,600	5	--	--
05/30/07 ¹⁷	99.15	79.51	19.64	0.00	0.00	11,000	440	25	470	510	7	--	--
08/29/07 ¹⁷	99.15	79.33	19.82	0.00	0.00	6,200	320	14	250	120	6.00	--	--
11/21/07 ¹⁷	100.56	80.45	20.11	0.00	0.00	5,900	410	17	260	35	13	--	--
02/20/08 ¹⁷	100.56	82.00	18.56	0.00	0.00	27,000	1,200	91	1,500	4,700	4	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16 (cont)													
05/21/08 ¹⁷	100.56	81.11	19.45	0.00	0.00	17,000 ²²	920	58	1,200	2,800	7	--	--
06/24/08 ¹⁷	100.56	80.98	19.58	0.00	0.00	6,500	360	21	380	510	10	--	--
08/22/08 ¹⁷	100.56	80.61	19.95	0.00	0.00	12,000 ²⁵	260	10	320	330	10	--	--
11/21/08 ¹⁷	100.56	81.10	19.46	0.00	0.00	3,300	120	6	100	76	12	--	--
02/03/09 ¹⁷	100.56	79.88	20.68	0.00	0.00	4,700	160	6	160	33	14	--	--
05/28/09 ¹⁷	100.56	81.80	18.76	0.00	0.00	6,000	190	8	190	180	9	--	--
08/06/09 ¹⁷	101.56	81.49	20.07	0.00	0.00	7,400	250	10	210	270	11	--	--
11/16/09 ¹⁷	101.56	81.38	20.18	0.00	0.00	7,900	260	6	260	51	10	--	--
02/02/10¹⁷	101.56	83.66	17.90	0.00	0.00	30,000	1,500	73	2,600	6,800	<5	--	--
MW-18													
08/04/97	--	--	16.60	--	--	66,000	8,600	6,100	2,800	12,000	190	--	--
11/25/97	--	--	16.22	--	--	90,000	8,500	6,000	3,400	14,000	1,200	--	--
02/25/98	--	--	12.75	--	--	60,000	6,600	4,000	2,300	11,000	<120	--	--
05/21/98	--	--	15.24	--	--	70,000	4,700	1,800	1,700	9,600	880	--	--
08/19/98	--	--	16.34	--	--	93,000	4,900	1,700	2,100	9,000	<250	--	--
11/19/98	--	--	17.15	--	--	62,000	5,600	2,300	2,700	12,000	1,800	--	--
02/12/99	--	--	16.08	--	--	48,000	3,700	2,400	1,900	8,800	1,900	--	--
05/10/99	--	--	14.98	--	--	54,700	3,250	1,770	1,900	7,570	1,270/<66.7 ⁷	--	--
09/02/99	--	--	15.86	--	--	34,400	2,120	1,230	1,420	5,460	<500	--	--
02/03/00	--	--	15.91	--	--	46,000	2,500	1,100	1,900	8,800	<1,000	--	--
05/09/00	--	--	13.93	0.00	0.00	30,000 ⁸	1,400	410	440	4,700	1,300	--	--
08/02/00	--	--	15.25	0.00	0.00	22,000 ⁸	1,200	480	1,400	5,800	<130	--	--
11/09-10/00	--	--	15.85	0.00	0.00	29,500	1,130	474	2,020	6,270	333	--	--
02/08/01	--	--	16.27	0.00	0.00	61,600 ¹¹	1,700	<500	2,690	8,110	<2,500	--	--
05/02/01	--	--	16.15	0.00	0.00	57,800	1,040	104	<2,500	6,670	20.1	--	--
08/28/01	--	--	17.03	0.00	0.00	32,000 ¹³	1,200	370	2,100	5,600	790	--	--
11/26/01	--	--	16.64	0.00	0.00	41,000	780	320	1,800	5,600	<200	--	--
02/22/02	--	--	14.93	0.00	0.00	44,000	950	270	1,300	3,900	<100	--	--
05/24/02	--	--	15.92	0.00	0.00	36,000	1,200	460	1,600	4,800	<50	--	--
08/29/02	--	--	16.56	0.00	0.00	37,000	970	520	1,900	4,800	<50	--	--
11/29/02	--	--	16.51	0.00	0.00	36,000	710	350	1,900	5,300	<20	--	--
02/28/03	--	--	14.53	0.00	0.00	19,000	350	130	270	2,500	<200	--	--
05/30/03 ¹⁷	--	--	14.56	0.00	0.00	29,000	390	110	890	2,700	<3	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-18 (cont)													
08/22/03 ¹⁷	--	--	14.70	0.00	0.00	17,000	270	67	600	1,700	<1	--	--
11/24-25/03 ¹⁷	--	--	16.39	0.00	0.00	23,000	320	39	980	2,100	<1	--	--
02/27/04 ¹⁷	--	--	13.77	0.00	0.00	18,000	200	29	310	1,400	<1	--	--
06/21/04 ¹⁷	--	--	15.55	0.00	0.00	30,000	380	40	1,700	2,800	<3	--	--
08/26/04 ¹⁷	--	--	16.69	0.00	0.00	25,000	360	27	1,100	1,800	<3	--	--
11/29/04 ¹⁷	--	--	16.45	0.00	0.00	27,000	380	30	1,200	1,900	<2	--	--
02/11/05 ¹⁷	--	--	14.48	0.00	0.00	26,000	450	44	1,600	2,500	<1	--	--
06/16/05	--	--	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	--	--	15.08	0.00	0.00	27,000	440	57	1,900	2,400	<3	--	--
11/30/05	--	--	16.01	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	--	--	13.63	0.00	0.00	31,000	440	81	1,500	1,900	<1	--	--
05/30-31/06	--	--	12.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/06 ¹⁷	--	--	14.85	0.00	0.00	28,000	270	49	1,600	1,500	<3	--	--
12/13/06	--	--	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/07 ¹⁷	--	--	13.37	0.00	0.00	27,000	280	61	1,400	1,400	<3	--	--
05/30/07	--	--	15.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ¹⁷	--	--	16.14	0.00	0.00	26,000	200	42	1,700	1,600	<5	--	--
11/21/07	--	--	16.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	--	--	12.83	0.00	0.00	24,000	190	44	1,700	1,700	<2	--	--
05/21/08	--	--	14.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08	--	--	15.55	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	--	--	16.78	0.00	0.00	23,000	180	55	1,600	1,700	<1	--	--
11/21/08	--	--	17.80	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/03/09 ¹⁷	--	--	17.89	0.00	0.00	23,000	280	77	1,600	1,500	<1	--	--
05/28/09	--	--	17.01	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/06/09 ¹⁷	100.94	84.31	16.63	0.00	0.00	30,000	150	45	2,100	1,900	<3	--	--
11/16/09	100.94	83.34	17.60	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/02/10¹⁷	100.94	87.14	13.8	0.00	0.00	14,000	54	17	150	890	<1	--	--
MW-19													
05/30-31/06 ^{17,19}	--	--	10.68	0.00	0.00	3,100	94	170	59	310	100	--	--
08/29/06 ¹⁷	--	--	12.62	0.00	0.00	13,000	1,900	480	150	870	120	--	--
12/13/06 ¹⁷	--	--	12.26	0.00	0.00	8,800	1,600	100	18	360	88	--	--
02/28/07 ¹⁷	--	--	10.24	0.00	0.00	3,100	480	17	3	170	83	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-19 (cont)													
05/30/07	--	--	12.71	0.00	0.00	25,000	7,800	160	31	450	63	--	--
08/29/07 ¹⁷	--	--	14.02	0.00	0.00	25,000	8,900	170	34	390	56	--	--
11/21/07 ¹⁷	--	--	13.81	0.00	0.00	13,000	6,100	120	21	270	60	--	--
02/20/08 ¹⁷	--	--	11.62	0.00	0.00	66	3	<0.5	<0.5	<0.5	29	--	--
05/21/08 ¹⁷	--	--	13.02	0.00	0.00	130 ²²	40	0.5	2	0.8	29	--	--
06/24/08 ¹⁷	--	--	13.40	0.00	0.00	700	730	12	39	7	31	--	--
08/22/08 ¹⁷	--	--	15.07	0.00	0.00	310	16	<0.5	1	0.7	11	--	--
11/21/08 ¹⁷	--	--	16.06	0.00	0.00	55	5	<0.5	<0.5	<0.5	1	--	--
02/03/09 ¹⁷	--	--	15.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--
05/28/09 ¹⁷	--	--	14.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	--	--
08/07/09 ¹⁷	100.34	86.03	14.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	--	--
11/16/09 ¹⁷	100.34	84.94	15.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1 J	--	--
02/02/10¹⁷	100.34	89.70	10.64	0.00	0.00	<50	<0.5	0.6 J	<0.5	<0.5	1	--	--
P-1													
08/13/92	--	76.41	10.02	--	--	--	--	--	--	--	--	--	--
12/03/92	--	75.63	10.80	--	--	--	--	--	--	--	--	--	--
03/25/93	86.43	77.48	8.95	--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁹	86.43	77.23	9.20	0.00	0.00	110	4	0.6	<0.5	0.5	10	--	--
06/16/05 ¹⁷	86.43	78.06	8.37	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	7	--	--
08/31/05 ¹⁷	NP	86.43	77.48	8.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	9	--	--
11/30/05 ¹⁷	86.43	76.57	9.86	0.00	0.00	60	<0.5	<0.5	<0.5	<0.5	13	--	--
02/27/06 ¹⁷	86.43	77.48	8.95	0.00	0.00	310	31	0.9	1	1	7	--	--
05/30-31/06 ¹⁷	NP	86.43	78.23	8.20	0.00	84	3	0.6	<0.5	0.7	4	--	--
08/29/06	86.43	INACCESSIBLE - UNABLE TO GET ACCESS				--	--	--	--	--	--	--	--
12/13/06 ¹⁷	86.43	77.30	9.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	--	--
02/28/07 ¹⁷	86.43	77.82	8.61	0.00	0.00	160	8	<0.5	<0.5	<0.5	8	--	--
05/30/07 ¹⁷	NP	86.43	77.23	9.20	0.00	<50	<0.5	0.6	<0.5	<0.5	6	--	--
08/29/07 ¹⁷	86.43	77.25	9.18	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
11/21/07	88.63	INACCESSIBLE - UNABLE TO ACCESS WELL				--	--	--	--	--	--	--	--
02/20/08 ¹⁷	88.63	80.10	8.53	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	8	--	--
05/21/08 ¹⁷	88.63	79.62	9.01	0.00	0.00	<50 ²²	<0.5	0.9	<0.5	<0.5	7	--	--
06/24/08 ¹⁷	88.63	79.55	9.08	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
08/22/08 ¹⁷	88.63	79.39	9.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	7	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)	
P-1 (cont)														
11/21/08 ¹⁷	88.63	78.85	9.78	0.00	0.00	<50	<0.5	0.7	<0.5	<0.5	9	--	--	
02/03/09 ¹⁷	NP	88.63	78.45	10.18	0.00	0.00	<50	2	<0.5	<0.5	14	--	--	
05/28/09 ¹⁷		88.63	79.41	9.22	0.00	0.00	<50	<0.5	<0.5	<0.5	11	--	--	
08/06/09 ¹⁷		88.63	79.22	9.41	0.00	0.00	--	--	--	--	--	--	--	
11/16/09 ¹⁷		88.63	78.84	9.79	0.00	0.00	<50	<0.5	<0.5	<0.5	20	--	--	
02/02/10 ¹⁷		88.63	80.13	8.50	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	
DVE-9														
05/30-31/06 ^{17,19}	--	--	11.09	0.00	0.00	54,000	2,700	9,100	1,800	7,700	190	--	--	
08/29/06 ¹⁷	--	--	13.51	0.00	0.00	65,000	2,200	8,600	1,400	5,900	190	--	--	
12/13/06 ¹⁷	--	--	12.60	0.00	0.00	73,000	3,400	12,000	2,100	8,700	140	--	--	
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--	
05/30/07 ^{17,18}	--	--	12.21	0.00	0.00	80,000	2,100	14,000	2,300	9,800	51	--	--	
08/29/07 ¹⁷	--	--	-- ²¹	--	--	57,000	2,400	12,000	1,500	7,200	96	--	--	
11/21/07 ^{17,18}	102.60	88.87	13.73	0.00	0.00	60,000	2,700	15,000	1,200	7,500	44	--	--	
02/20/08 ²²	102.60	--	--	--	--	--	--	--	--	--	--	--	--	
05/21/08 ^{15,17,18}	102.60	89.80	12.80	0.00	0.00	43,000 ²²	1,300	12,000	1,200	6,900	60	--	--	
06/24/08 ^{15,17,18}	NP	102.60	89.38	13.22	0.00	15,000	1,200	13,000	1,300	7,100	44	--	--	
08/22//08 ^{15,17,18}	NP	102.60	78.63	23.97	0.00	57,000	1,400	15,000	1,300	7,700	130	--	--	
11/21/08 ^{15,17,18}	NP	102.60	77.65	24.95	0.00	45,000	1,700	7,800	1,100	8,500	180	--	--	
02/03/09 ^{15,17,18}	NP	102.60	--	-- ²¹	--	15,000	920	1,100	140	2,000	190	--	--	
05/28/09 ¹⁷		102.60	78.21	24.39	0.00	0.00	30,000	2,600	1,900	770	3,800	370	--	--
08/07/09 ¹⁷		102.60	87.22	15.38	0.00	0.00	17,000	1,300	480	630	2,000	190	--	--
11/16/09 ¹⁷		102.60	79.60	23.00	0.00	0.00	15,000	1,100	670	520	2,000	190	--	--
02/02/10 ¹⁷		102.6	92.79	9.81	0.00	0.00	10,000	610	130	470	1,000	160	--	--
DVE-12														
05/30-31/06 ^{17,19}	--	--	9.93	0.00	0.00	110,000	5,900	20,000	2,100	11,000	210	--	--	
08/29/06 ¹⁷	--	--	12.16	0.00	0.00	100,000	5,300	25,000	2,200	11,000	110	--	--	
12/13/06 ¹⁷	--	--	12.11	0.00	0.00	120,000	4,400	28,000	1,800	9,300	140	--	--	
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--	
05/30/07 ^{17,18}	--	--	12.41	0.00	0.00	120,000	4,600	29,000	2,300	12,000	95	--	--	
08/29/07 ¹⁷	--	-- ²¹	-- ²¹	--	--	86,000	38,000	21,000	1,500	8,300	79	--	--	
11/21/07 ^{17,18}	101.77	88.74	13.03	0.00	0.00	52,000	3,100	11,000	800	5,800	11	--	--	

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
DVE-12 (cont)													
02/20/08 ²²	101.77	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.77	89.76	12.01	0.00	0.00	56,000 ²²	3,600	18,000	1,100	8,600	29	--	--
06/24/08 ^{15,17,18} NP	101.77	89.11	12.66	0.00	0.00	52,000	3,900	20,000	1,200	9,000	36	--	--
08/22/08 ^{15,17,18} NP	101.77	78.10	23.67	0.00	0.00	60,000	2,900	16,000	910	8,900	24	--	--
11/21/08 ^{15,17,18} NP	101.77	77.50	24.27	0.00	0.00	54,000	790	13,000	550	6,900	18	--	--
02/03/09 ^{15,17,18} NP	101.77	--	-- ²¹	--	--	43,000	850	12,000	800	6,100	12	--	--
05/28/09 ¹⁷	101.77	77.15	24.62	0.00	0.00	45,000	420	8,400	450	7,500	6 J	--	--
08/06/09 ¹⁷	101.77	87.67	14.10	0.00	0.00	63,000	1,200	1,3000	1,400	9,800	11	--	--
11/16/09 ¹⁷	101.77	78.29	23.48	0.00	0.00	24,000	530	5,000	200	3,200	12	--	--
02/02/10¹⁷	101.77	92.27	9.50	0.00	0.00	29,000	330	4,700	1,100	6,400	20	--	--
DVE-20													
05/30-31/06 ^{17,19}	--	--	10.30	0.00	0.00	64,000	1,500	6,000	1,600	7,700	6	--	--
08/29/06 ¹⁷	--	--	12.73	0.00	0.00	37,000	840	1,800	1,800	6,400	7	--	--
12/13/06 ¹⁷	--	--	12.34	0.00	0.00	43,000	540	1,800	1,800	9,700	<5	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	--	--	12.19	0.00	0.00	53,000	590	4,000	1,900	10,000	<5	--	--
08/29/07 ¹⁷	--	-- ²¹	-- ²¹	--	--	42,000	490	3,800	1,7800	9,100	<10	--	--
11/21/07 ^{17,18}	102.64	89.00	13.64	0.00	0.00	27,000	92	530	790	5,600	<3	--	--
02/20/08 ²²	102.64	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	102.64	89.67	12.97	0.00	0.00	20,000 ²²	78	540	910	5,400	2	--	--
06/24/08 ^{15,17,18} NP	102.64	89.67	12.97	0.00	0.00	12,000	61	540	1,000	5,900	1	--	--
08/22/08 ^{15,17,18} NP	102.64	79.53	23.11	0.00	0.00	23,000	220	1,600	510	5,800	19	--	--
11/21/08 ^{15,17,18} NP	102.64	78.11	24.53	0.00	0.00	4,400	93	120	16	890	10	--	--
02/03/09 ^{15,17,18} NP	102.64	--	-- ²¹	--	--	920	11	2	0.9	69	10	--	--
05/28/09 ¹⁷	102.64	80.63	22.01	0.00	0.00	1,200	8	1	<0.5	43	2	--	--
08/07/09 ¹⁷	102.64	88.13	14.51	0.00	0.00	9,100	9	3	520	1,200	<0.5	--	--
11/16/09 ¹⁷	102.64	79.65	22.99	0.00	0.00	4,200	65	21	14	660	7	--	--
02/02/10¹⁷	102.64	93.35	9.29	0.00	0.00	2,400	16	4	180	300	<0.5	--	--
MW-17													
08/13/92	--	82.70	23.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	81.26	24.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	106.00	83.86	22.14	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
06/23/93	106.00	82.98	23.02	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
09/21/93	106.00	82.91	23.09	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	106.00	82.63	23.37	--	--	--	--	--	--	--	--	--	--
03/08/94	106.00	83.17	22.83	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	106.00	83.38	22.62	--	--	<50	1.2	1.1	<0.5	0.9	--	--	--
10/04/94	106.00	83.00	23.00	--	--	62	8.0	2.9	0.7	3.1	--	--	--
11/14/94	106.00	82.97	23.03	--	--	550	22	120	8.9	84	--	--	--
05/15/95	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	106.00	83.63	22.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	106.00	83.03	22.97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.6	--	--
02/20/96	106.00	84.22	21.78	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	106.00	83.57	22.43	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	106.00	83.18	22.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	106.00	84.69	21.31	--	--	140	34	11	1.6	7.7	71	--	--
05/23/97	106.00	83.75	22.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	106.00	83.47	22.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	106.00	83.09	22.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	106.00	86.37	19.63	--	--	<50	3.8	3.3	1.3	4.2	3.5	--	--
05/21/98	106.00	95.39	10.61	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	106.00	84.26	21.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	106.00	83.64	22.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	106.00	84.16	21.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	106.00	84.55	21.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	106.00	83.54	22.46	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	106.00	83.81	22.19	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	106.00	84.21	21.79	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	106.00	83.76	22.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	106.00	83.43	22.57	0.00	0.00	<1,000	<10.0	<10.0	<10.0	<10.0	<50.0	--	--
02/08/01	106.00	83.18	22.82	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	106.00	83.52	22.48	0.00	0.00	55.8	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	106.00	83.05	22.95	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/26/01	106.00	82.92	23.08	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	106.00	83.97	22.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
05/24/02	106.00	83.84	22.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	106.00	82.27	23.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	106.00	83.02	22.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	106.00	84.02	21.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	106.00	84.15	21.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	106.00	83.52	22.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	106.00	83.16	22.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	106.00	84.07	21.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	106.00	83.68	22.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	106.00	82.91	23.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	106.00	83.21	22.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	106.00	84.03	21.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--
06/16/05 ¹⁷	106.00	84.72	21.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	106.00	83.95	22.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	--
11/30/05 ¹⁷	106.00	83.45	22.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--
02/27/06 ¹⁷	106.00	84.44	21.56	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	106.00	85.26	20.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--
08/29/06 ¹⁷	106.00	84.18	21.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	106.00	83.36	22.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	106.00	83.63	22.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	106.00	83.34	22.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	106.00	82.99	23.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/29/09 ¹⁷	106.00	83.60	22.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/06/09 ¹⁷	106.00	83.00	23.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/16/09	106.00	83.53	22.47	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--
02/02/10¹⁷	106.00	83.37	22.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EQUIPMENT BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
03/08/94	--	--	--	--	--	<50	1.0	1.4	<0.5	1.5	--	--	--
TRIP BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
10/03/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
TRIP BLANK (cont)													
01/04/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/06/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/02/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/13/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/08/94	--	--	--	--	--	<50	0.6	0.8	<0.5	0.6	--	--	--
06/13/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/04/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/14/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
TRIP BLANK (cont)													
11/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/26/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
05/10/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
09/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	--	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
QA													
11/26/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	--	--	--	--	--	<50	<0.5	1	<0.5	0.9	<0.5	--	--
08/26/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
QA (cont)													
12/13/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/28/09 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/06/09 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/16/09¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
------------------	---------------	--------------	--------------	---------------	-----------------------------	-----------------------	-------------	-------------	-------------	-------------	----------------	---------------	---------------

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing GRO = Gas DCE = 1,2-Dichloroethane

(ft.) = Feet B = Benzer (mg/L) = milligrams per liter

GWE = Groundwater T = Toluen (µg/L) = Micrograms per liter

(msl) = Mean sea leve E = Ethyl b (ppb) = Parts per billion

DTW = Depth to Wat X = Xylene -- = Not Measured/Not Analyzed

SPHT = Separate Pha MTBE = M NP = No Purge

SPH = Separate Phase EDB = Eth QA = Quality Assurance/Trip Blank

TPH = Total Petroleum Hydrocarbons

* TOC data surveyed on October 17, 2007 by Morrow Surveying. Vertical datum is NAVD 88.

** GWE has been corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

1 Repeat analysis.

2 Estimated thickness.

3 Well inaccessible due to downhole equipment.

4 The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.

5 Laboratory report indicates results were taken from both a low level and a diluted analysis.

6 The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.

7 Confirmation run.

8 Laboratory report indicates gasoline C6-C12.

9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

10 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.

11 Laboratory report indicates weathered gasoline C6-C12.

12 Laboratory report indicates analyte was initially analyzed within hold time; however, due to instrument carryover, the sample was reanalyzed outside the method specified hold time to confirm the carryover.

13 Laboratory report indicates gasoline C6-C10.

14 Laboratory report indicates unidentified hydrocarbons C6-C10.

15 Connected to remediation system.

16 TOC was altered during removal of extraction system; unable to determine GWE.

17 BTEX and MTBE by EPA Method 8260.

18 Hose/tube or pump in well.

19 Well development performed.

20 Extraction stinger in well.

GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
CHEVRON SERVICE STATION 9-0260
21995 FOOTHILL BOULEVARD, HAYWARD, CALIFORNIA

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
------------------	---------------	--------------	--------------	---------------	-----------------------------	-----------------------	-------------	-------------	-------------	-------------	----------------	---------------	---------------

21	Unable to measure DTW due to pump in well, grab sample taken.												
22	Laboratory report indicates the sample was analyzed 1 day outside the method hold time.												
23	Laboratory report indicates that the surrogate recovery is outside the lower statistical limit (63-135) at 58%. The recovery is high enough to ensure no adverse effect of the data.												
24	Laboratory report indicates that this sample was analyzed 1 day outside of the method hold time. The surrogate recovery is outside the upper QC limit (63-135) 137%.												
	The value for the TPH-GRO is estimated because the value is outside the calibration range of the system. The system is calibrated to 5500 ug/L.												
25	Laboratory report indicates that the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The system is calibrated to 5500 ug/L.												
	The surrogate recovery is outside the upper QC limit. A re-analysis was not performed because the hold time had expired.												
26	Insufficient water to determine GWE.												
27	The vial submitted did not have pH<2. The pH of this sample used for the undiluted analysis was pH = 3.												

ATTACHMENT A

BLAINE TECH'S FEBRUARY 3, 2010 FIRST QUARTER 2010 MONITORING REPORT



February 3, 2010

Chevron Environmental Management Company
Aaron Costa
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

First Quarter 2010 Monitoring at
Chevron Service Station 90260
21995 Foothill Blvd
Hayward, CA

Monitoring performed on February 2, 2010

Blaine Tech Services, Inc. Groundwater Monitoring Event 100202-WW1

This submission covers the routine monitoring of groundwater wells conducted on February 2, 2010 at this location. 20 monitoring wells were measured for depth to groundwater (DTW). 14 monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

First Quarter Groundwater Monitoring at Chevron 90260, 21995 Foothill Blvd, Hayward, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Pete Cornish
Blaine Tech Services, Inc.
Project Manager

attachments: SOP
 Well Gauging Sheet
 Individual Well Monitoring Data Sheets
 Chain of Custody
 Wellhead Inspection Form
 Bill of Lading
 Calibration Log

cc: CRA
 Attn: Charlotte Evans
 5900 Hollis St. Suite A
 Emeryville, CA 94608

First Quarter Groundwater Monitoring at Chevron 90260, 21995 Foothill Blvd, Hayward, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

WELL GAUGING DATA

Project # 100202-WM Date 2-2-10 Client Chawon

Site 21995 Foothill Blvd Hayward CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-4	0918	4		—	—	—	10.42	22.03		
MW-5	0940	4	ODOR	—	—	—	9.80	26.18		
MW-6	0920	4					9.70	14.65		
MW-7	0913	4					9.95	16.40		
MW-8	0915	4					10.75	17.62		
MW-9	0920	4					11.68	17.30		
MW-10	0950	4					8.54	27.41		
MW-11	0935	4	ODOR	—	—	—	9.10	26.80		
MW-12	0930	4	ODOR	—	—	—	9.67	26.12		
MW-13	0910	4					9.78	16.73		
MW-14	0905	2					18.65	40.71		
MW-15	0900	2					12.24	21.84		
MW-16	0850	2					17.90	37.67		
MW-17	0842	2					22.63	32.87		
MW-18	0905	2					13.80	23.03		
MW-19	0910	2					10.64	44.68		
P-1	0920	1					8.50	19.27	✓	

WELL GAUGING DATA

Project # 100202- WUL Date 2-2-10 Client Chevron

Site 2995 Foothill Blvd Hayward CA

[illegible]

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature (°F): 69.8
Well I.D.: MW-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 26.18	Depth to Water: 9.80
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.08	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other

10.6 (Gals.) X 3 = 31.8 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1209	70.0	7.25	1268	81	10.6	odor
1210	70.7	7.02	1314	103	21.2	"
1211 1212	71.1	7.92	1260	90	31.8	"

Did well dewater? Yes ☒ No Gallons actually evacuated: 31.8

Sampling Date: 2/2/10 Sampling Time: 1355 Depth to Water: 10.05

Sample I.D.: MW-5 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature: (°F): 61.7
Well I.D.: MW-6	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 14.65	Depth to Water: 9.70
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.69	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other: _____

3.2 (Gals.)	X	3	=	9.6	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1101	58.5	7.48	1183	69	3.2	
1102	62.6	7.41	914	49	6.4	
1103	63.6	7.42	883	58	9.6	

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 9.6

Sampling Date: 2/2/10 Sampling Time: 1110 Depth to Water: 10.59

Sample I.D.: MW-6 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: JO	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature: (°F): 63.5
Well I.D.: MW-9	Well Diameter: 2 3 4 6 8
Total Well Depth: 17.30	Depth to Water: 11.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.80	

Purge Method:

- ☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
- ☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other:

Sampling Method:

- ☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other:

3.6 (Gals.) X	3	= 10.8 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1150	63.3	6.57	1268	2.12	3.6	
Dewatered	@		4 gallons			
1155	64.1	6.37	1408	1.72	—	

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 4.0

Sampling Date: 2/2/10 Sampling Time: 1155 Depth to Water: 12.40'

Sample I.D.: MW-9 Laboratory: Lancaster Other:

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L
	Post-purge:	mg/L

O.R.P. (if req'd):	Pre-purge:	mV
	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: sunny	Ambient Air Temperature: (°F): 57.9
Well I.D.: MW-11	Well Diameter: 2 3 4 6 8
Total Well Depth: 26.80	Depth to Water: 9.10
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.64	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other: _____

11.5 (Gals.) X 3 = 34.5 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1117	65.5	7.65	1356	47	11.5	odor
1119	66.0	7.39	1386	21	23	"
1120	66.9	7.27	1209	64	34.5	"

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 34.5

Sampling Date: 2/2/10 Sampling Time: 1340 Depth to Water: 9.38

Sample I.D.: MW-11 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: sunny	Ambient Air Temperature: (°F) 63.8
Well I.D.: MW-12	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 26.12	Depth to Water: 9.67
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.96	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other: _____

10.7 (Gals.) X	3	= 32.1 Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1149	66.9	7.47	1250	245	10.7	odor
1151	67.5	7.12	1133	129	21.4	"
1153	67.8	7.03	1107	402	32.1	"

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 32.1

Sampling Date: 2/2/10 Sampling Time: 1350 Depth to Water: 9.75

Sample I.D.: MW-12 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L
	Post-purge:	mg/L

O.R.P. (if req'd):	Pre-purge:	mV
	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: JS	Date: 2/2/10
Weather: sunny	Ambient Air Temperature: (°F): 59.9
Well I.D.: MW-13	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 16.73	Depth to Water: 9.78
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.17	

Purge Method:

- ☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
- ☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

- ☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other: _____

4.5 (Gals.) X	3	= 13.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1221	64.0	6.62	1285	129	4.5	
	downed		@ 5 gallons			
1230	63.8	6.41	1299	107	—	

Did well dewater? <u>Yes</u> No		Gallons actually evacuated: 5.0	
Sampling Date: 2/2/10	Sampling Time: 1230	Depth to Water: 11.09	
Sample I.D.: MW-13	Laboratory: <u>Lancaster</u> Other _____		
Analyzed for: <u>TPH-G BTEX MTBE</u> OXYS Other:			
Duplicate I.D.:		Analyzed for: TPH-G BTEX MTBE OXYS Other:	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: JD	Date: 2/2/10
Weather: light showers	Ambient Air Temperature: (°F) 68
Well I.D.: MW-15	Well Diameter: (2) 3 4 6 8
Total Well Depth: 21.84	Depth to Water: 12.24
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.16	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

1.5 (Gals.) X	3	= 4.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1058	64.1	6.72	833.4	798	1.5	
1100	64.3	6.81	834.7	821	3.0	
1102	64.6	6.80	840.2	874	4.5	

Did well dewater? Yes ☐ No ☒		Gallons actually evacuated: 13.0 4.5	
Sampling Date: 2/2/10		Sampling Time: 1105	Depth to Water: 13.00
Sample I.D.: MW-15		Laboratory: <u>Lancaster</u> Other _____	
Analyzed for: <u>TPH-G BTEX MTBE</u> OXYS Other: _____			
Duplicate I.D.:		Analyzed for: TPH-G BTEX MTBE OXYS Other: _____	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: JCI	Date: 2/2/10
Weather: sunny	Ambient Air Temperature (°F): 670
Well I.D.: MW-16	Well Diameter: (2) 3 4 6 8
Total Well Depth: 37.67	Depth to Water: 17.90
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.85	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other:

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other:

3.2 (Gals.) X 3 = 9.6 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1116	63.0	6.32	970.8	499	3.2	grey / cloudy ↓
1120	63.1	6.23	974.2	512	6.4	
1124	63.5	6.22	981.2	587	9.6	

Did well dewater? Yes ☐ No ☒		Gallons actually evacuated: 9.6	
Sampling Date: 2/2/10		Sampling Time: 1130	Depth to Water: 19.91
Sample I.D.: MW-16		Laboratory: (Lancaster) Other:	
Analyzed for: (TPH-G BTEX MTBE) OXYS Other:			
Duplicate I.D.:		Analyzed for: TPH-G BTEX MTBE OXYS Other:	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

①

Project #: 100202-WW1	Station #: 9-0260
Sampler: JO	Date: 2/2/10
Weather: overcast	Ambient Air Temperature: (°F): 68°
Well I.D.: MW-17	Well Diameter: (2) 3 4 6 8
Total Well Depth: 32.82	Depth to Water: 22.63
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.67	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

1.6 (Gals.)	X	3	=	4.8	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1027	64.8	6.82	1180	621	1.6	cloudy
1030	64.4	6.80	1185	742	3.2	↓
1033	64.5	6.79	1184	828	4.8	↓

Did well dewater? Yes ☐ No ☒		Gallons actually evacuated: 4.8	
Sampling Date: 2/2/10		Sampling Time: 10:35	
Depth to Water: 23.10			
Sample I.D.: MW-17		Laboratory: (Lancaster) Other _____	
Analyzed for: (TPH-G BTEX MTBE) OXYS Other: _____			
Duplicate I.D.: _____		Analyzed for: TPH-G BTEX MTBE OXYS Other: _____	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: JD	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature: (°F): 60.1
Well I.D.: MW-12	Well Diameter: ☒ 3 ☐ 4 ☐ 6 ☐ 8
Total Well Depth: 23.03	Depth to Water: 13.80
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: ☒ PVC ☐ Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.65	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other:

1.5	(Gals.) X	3	=	4.5	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1233	65.6	6.47	1031	421	1.5	OK
1235	65.6	6.51	1029	436	3.0	↓
1237	65.7	6.56	2021	441	4.5	↓

Did well dewater? Yes ☒ No		Gallons actually evacuated: 45	
Sampling Date: 2/2/10		Sampling Time: 1240 Depth to Water: 14.22	
Sample I.D.: MW-12		Laboratory: ☒ Lancaster Other	
Analyzed for: ☒ TPH-G ☒ BTEX ☒ MTBE ☐ OXYS Other:			
Duplicate I.D.:		Analyzed for: TPH-G BTEX MTBE OXYS Other:	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature: (°F): 57.7
Well I.D.: MW-19	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: 27.02 44.68	Depth to Water: 9.21 10.64
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.48	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☒ Positive Air Displacement
☐ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other: _____

5.4 (Gals.) X 3 = 16.2 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1032	67.9	7.89	1438	>1000	5.4	odor
1037	67.6	7.75	1442	>1000	10.8	"
1040	67.0	7.95	1396	>1000	16.2	"

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 16.2

Sampling Date: 2/2/10 Sampling Time: 1055 ⁰⁰/₁₀₅₅ Depth to Water: 11.29

Sample I.D.: MW-19 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: WW	Date: 2/2/10
Weather: Sunny	Ambient Air Temperature (°F): 64.6
Well I.D.: DVE-9	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 27.08	Depth to Water: 9.81
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.26	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Watera
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

11.2	(Gals.) X	3	=	33.6	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1218	68.1	7.33	1535	67	11.2	odor
1220	69.2	7.24	1542	51	22.4	"
1221	69.8	7.18	1487	36	33.6	"

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 33.6

Sampling Date: 2/2/10 Sampling Time: 1400 Depth to Water: 10.28

Sample I.D.: DVE-9 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: ww	Date: 2/2/10
Weather: cloudy	Ambient Air Temperature: (°F): 63.4
Well I.D.: DVE-12	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 27.35	Depth to Water: 9.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.07	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other:

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other:

11.6 (Gals.) X 3 = 34.8 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1228	69.9	7.08	1842	61	11.6	odor
1230	70.4	7.94	1787	57	23.2	"
1232	70.9	7.10	1609	56	34.8	"

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 34.8

Sampling Date: 2/2/10 Sampling Time: 1405 Depth to Water: 9.82

Sample I.D.: DVE-12 Laboratory: Lancaster Other:

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 100202-WW1	Station #: 9-0260
Sampler: ww	Date: 2/2/10
Weather: sunny	Ambient Air Temperature: (°F): 65.4
Well I.D.: DVE-20	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 26.65	Depth to Water: 9.29
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.76	

Purge Method:

Bailer

Disposable Bailer

Positive Air Displacement

☒ Electric Submersible

Waterra

Peristaltic

Extraction Pump

Other _____

Sampling Method:

Bailer

☒ Disposable Bailer

Extraction Port

Dedicated Tubing

Other: _____

11.3	(Gals.) X	3	=	33.9	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1130	69.0	7.12	1498	70	11.3	0.4hr
1132	69.6	6.98	1502	49	22.6	"
1133	70.5	7.08	1352	48	33.9	

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 33.9

Sampling Date: 2/2/10 Sampling Time: 1138 Depth to Water: 12.76

Sample I.D.: DVE-20 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

020210-07 142

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 2

Chevron Site Number: 90260

Chevron Site Global ID: T0600100315

Chevron Site Address: 21995 Foothill Blvd.
Hayward, CA

Chevron PM: AARON COSTA

Chevron PM Phone No.: (925)543-2961

☒ Retail and Terminal Business Unit (RTBU) Job

☒ Construction/Retail Job

Chevron Consultant: CRA

Address: 5900 Hollis St. Suite A Emeryville

CA Consultant Contact: Charlotte Evans

Consultant Phone No. 510-420-3351

Consultant Project No. 106202-ww1

Sampling Company: Blaine Tech Services

Sampled By (Print): Long, W. Way

Sampler Signature: [Signature]

Charge Code: NWRTB-0090260-0-OML

NWRTB 00SITE NUMBER-0- WBS

(WBS ELEMENTS:

SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L

SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L

THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT
CORRECTLY AND COMPLETELY.

Lancaster Laboratories

☒ Lancaster, PA
Lab Contact: Jill Parker

2425 New Holland Pike,
Lancaster, PA 17601
Phone No:
(717)656-2300

Other Lab

Temp. Blank Check
Time Temp.

0800 00°C
1000 10°C
1200 08°C

ANALYSES REQUIRED

Preservation Codes

H = HCL T =
Thiosulfate

N = HNO₃ B = NaOH

S = H₂SO₄ O =
Other

Special
Instructions
Must meet lowest
detection limits possible
for 8260 Compounds

SAMPLE ID				Sample Time	# of Containers	Container Type	ANALYSES REQUIRED												Notes/Comments														
Field Point Name	Matrix	Top Depth	Date (yymmdd)				EPA 8260B/GC/MS TPH-G	BTEX	MTBE	OXYGENATES	HVOC	HC SCREEN	ORO	DRO	GRO	MTBE	EPA 8015B	EPA 8021B		EPA 8010	EPA 6010/7000	TITLE 22 METALS	TLCL	STLC	EPA 310.1	ALKALINITY	SM2510B	SPECIFIC CONDUCTIVITY	EPA 418.1	TRPH	EPA 8260	ETHANOL	EPA 8015
MW-5	W		100202	1355	6	VOCs	X	X																									
MW-6				1110			X	X																									
MW-9				1155			X	X																									
MW-11				1340			X	X																									
MW-12				1350			X	X																									
MW-13				1230			X	X																									
MW-15				1105			X	X																									
MW-16				1130			X	X																									
MW-17				1035			X	X																									
MW-18				1240			X	X																									
Relinquished By		Company	Date/Time	Relinquished To		Company	Date/Time	Turnaround Time:																									
[Signature]		BLAINE TECH SERVICES	2/2/10 1428	[Signature]		LLI	2/2/10 1428	Standard 24 Hours ☒ 48 hours ☐ 72																									
Relinquished By		Company	Date/Time	Relinquished To		Company	Date/Time	Sample Integrity: (Check by lab on arrival)																									
								Intact: On Ice: Temp:																									
Relinquished By		Company	Date/Time	Relinquished To		Company	Date/Time	COC #																									

WELLHEAD INSPECTION CHECKLIST

Page 1 of 2

Client Chewon Date 2-2-10

Site Address 21995 Foothill Blvd Hayward CA

Job Number 100202-~~100202~~ NW1 Technician WJ/SJ

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-4				NO WELL BOX PRESENT						
MW-5	X	X	X							
MW-6				NO WELL LID PRESENT						
MW-7	X	X	X							
MW-8				SQUARE VAULT						
MW-9				SQUARE VAULT						
MW-10	X	X	X	X	2 1/2 BOLTS	MISSING				
MW-11	X	X	X							
MW-12	X	X	X							
MW-13				SQUARE VAULT						
MW-14	X	X	X							
MW-15	X	X	X							
MW-16		X	X	1/3 BOLTS STRIPPED						
MW-17	X	X	X							
MW-18		X	X	2 1/2 BOLTS STRIPPED						
MW-19		X	X	ANNULAR SEAL HOLE (3' DEEP)						
P-1	X	X	X							

NOTES:

Page 2 of 2

Job Number 100202-441 Technician WFO

[illegible]

NOTES: _____

CHEVRON-NORTHERN CALIFORNIA TYPE A BILL OF LADING

SOURCE RECORD BILL OF LADING
 FOR NON-HAZARDOUS PURGEWATER RECOVERED
 FROM GROUNDWATER WELLS AT CHEVRON
 FACILITIES IN THE STATE OF CALIFORNIA. THE NON-
 HAZARDOUS PURGE- WATER WHICH HAS BEEN
 RECOVERED FROM GROUND- WATER WELLS IS
 COLLECTED BY THE CONTRACTOR, MADE UP INTO
 LOADS OF APPROPRIATE SIZE AND HAULED BY IWM
 TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-0260
 CHEVRON # Aaron Costa
 Chevron Engineer

21995 Foothill Blvd Hayward CA
 street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
MW-5	31.8	MW-17	4.8
MW-6	9.6	MW-18	4.5
MW-9	4	MW-19	16.2
MW-11	34.5	MW	
MW-12	32.1	DVE-9	33.6
MW-13	5	DVE-12	34.8
MW-15	4.5	DVE-20	33.9
MW-16	9.6		
added equip.		any other	
rinse water	14 gals	adjustments	
TOTAL GALS.	273	loaded onto	
RECOVERED		BTS vehicle #	76
BTS event #	100202 - 86W1	time	1420
signature		date	2/2/10

REC'D AT	BTS	time	1600
signature		date	2/2/10
unloaded by			
signature			

TEST EQUIPMENT CALIBRATION LOG

[illegible]

SITE DEPARTURE CHECKLIST

Client Chevron Date 2-2-10
 Site Address 21995 Foothill Blvd Hayward CA
 Job Number 100202- WW1 Technician WW/ JD

Caps, Locks and Wellbox Bolts Secured at all Accessed Wells (except as noted on Wellhead Repair Order)	☒	
Drum(s) Labeled and Secured	☐	N/A
Equipment Decontaminated	☒	N/A
Housekeeping of Site Checked (clean or cleaner)	☒	N/A
Scope Of Work (SOW) Reviewed for Completion	☒	
Sample Container Set(s) Complete, Present and Secure	☒	N/A
Bill of Lading Completed	☒	N/A
Chain of Custody Completed	☒	N/A
Call In to Project Coordinator / Base Completed	☒	N/A
Route to Next Destination Known, Mapped and Understood	☒	
Traffic Control Devices Collected	☒	N/A
Cargo Secured on Truck	☒	N/A
Check Out of Facility / Site	☐	N/A
Secure Site / Close and Lock Gate	☒	N/A

If Checklist Task cannot be completed, explain:

PROJECT COORDINATOR ONLY

Checklist Reviewed

R

Initial/Date

Notes

Permit To Work

for Chevron EMC Sites

Client: ChevronDate 2-2-10Site Address: 21995 Foot Hill Blvd Hayward CAJob Number: 100202-ww1 Technician(s): ww/sd

Pre-Job Safety Review

1. JMP reviewed, site restrictions and parking/access issues addressed.

Reviewed: ☒

2. Special Permit Required Task Review

Are there any conditions or tasks that would require:

Yes No

Confined space entry ☐ ☒Working at height ☐ ☒Lock-out/Tag-out ☐ ☒Excavations greater than 4 feet deep ☐ ☒Excavations within 3 feet of a buried active electrical line or product piping
or within 10 feet of a high pressure gas line. ☐ ☒Use of overhead equipment within 15 feet of an overhead electrical power
line or pole supporting one ☐ ☒Hot work ☐ ☒

If "Yes" was the answer to any of the Special Permit Required Tasks above, the Project Manager will contact the client and arrange to modify the Scope of Work so that the Special Permit Required Tasks are not required to be performed by Blaine Tech Services employees.

3. Is a Traffic Control Permit required for today's work?

Yes No

☐ ☒If so is it in the folder? ☐ ☐Is it current? ☐ ☐Do you understand the Traffic Control Plan and what equipment you will need? ☐ ☐

On site Pre-Job Safety Review

1. Reviewed and signed the site specific HASP. ☒
2. Route to hospital understood. ☒
3. Reviewed "Groundwater Monitoring Well Sampling General Job Safety Analysis included in the HASP. ☒
4. Exceptional circumstances today that are not covered by the HASP, JSA or JMP have been addressed and mitigated. ☒
5. Understands procedure to follow, if site circumstances change, to address new site hazards. ☒
6. There are no unexpected conditions which would make your task a Special Permit Required Task. If there is, contact your Project Manager. ☒
7. All site hazards have been communicated to all necessary onsite personnel during tailgate safety meeting. ☒
8. After lunch tailgate safety meeting refresher conducted. ☒

If Checklist Task cannot be completed, explain:

Permit To Work Authority: WILLIAM WOMB

Name

ENVIR. SAMP. TECH

Title

2/2/10

Date

Time

ATTACHMENT B

LANCASTER LABORATORIES' FEBRUARY 16, 2010 ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

February 16, 2010

Project: 90260

Samples arrived at the laboratory on Wednesday, February 03, 2010. The PO# for this group is 0015040460 and the release number is COSTA. The group number for this submittal is 1181137.

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-5-W-100202 NA Water	5898606
MW-6-W-100202 NA Water	5898607
MW-9-W-100202 NA Water	5898608
MW-11-W-100202 NA Water	5898609
MW-12-W-100202 NA Water	5898610
MW-13-W-100202 NA Water	5898611
MW-15-W-100202 NA Water	5898612
MW-16-W-100202 NA Water	5898613
MW-17-W-100202 NA Water	5898614
MW-18-W-100202 NA Water	5898615
MW-19-W-100202 NA Water	5898616
DVE-9-W-100202 NA Water	5898617
DVE-12-W-100202 NA Water	5898618
DVE-20-W-100202 NA Water	5898619
QA-T-100202 NA Water	5898620


The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

COPY TO
ELECTRONIC CRA
COPY TO

Attn: Charlotte Evans

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,



Susan M. Goshert
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-5-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-5

LLI Sample # WW 5898606
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 13:55 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

02605

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	750	25	50	50
06054	Ethylbenzene	100-41-4	2,500	25	50	50
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	25	50	50
06054	Toluene	108-88-3	27,000	250	500	500
06054	Xylene (Total)	1330-20-7	16,000	25	50	50
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	100,000	5,000	10,000	100

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 12:51	Ginelle L Feister	50
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 13:16	Ginelle L Feister	500
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 12:51	Ginelle L Feister	50
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 13:16	Ginelle L Feister	500
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 02:47	Marie D John	100
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 02:47	Marie D John	100

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-6-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-6

LLI Sample # WW 5898607
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 11:10 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

02606

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 21:11	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 21:11	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 21:39	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 21:39	Marie D John	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-9-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-9

LLI Sample # WW 5898608
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 11:55 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

02609

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	14	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	2	0.5	1	1
06054	Xylene (Total)	1330-20-7	27	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	1,400	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 13:41	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 13:41	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 22:04	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 22:04	Marie D John	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-11-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-11

LLI Sample # WW 5898609
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 13:40 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26011

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	0.6 J	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	53 J	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 14:06	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 14:06	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 22:30	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 22:30	Marie D John	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-12-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-12

LLI Sample # WW 5898610
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 13:50 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26012

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	360	5	10	10
06054	Ethylbenzene	100-41-4	530	5	10	10
06054	Methyl Tertiary Butyl Ether	1634-04-4	52	0.5	1	1
06054	Toluene	108-88-3	220	5	10	10
06054	Xylene (Total)	1330-20-7	1,000	5	10	10
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	8,500	500	1,000	10

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 14:31	Ginelle L Feister	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 14:56	Ginelle L Feister	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 14:31	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 14:56	Ginelle L Feister	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 03:13	Marie D John	10
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 03:13	Marie D John	10

Sample Description: MW-13-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-13

LLI Sample # WW 5898611
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 12:30 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26013

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 11:36	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 11:36	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 22:56	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 22:56	Marie D John	1

Sample Description: MW-15-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-15

LLI Sample # WW 5898612
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 11:05 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26015

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 15:21	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 15:21	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 23:22	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 23:22	Marie D John	1

Sample Description: MW-16-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-16

LLI Sample # WW 5898613
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 11:30 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26016

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	1,500	5	10	10
06054	Ethylbenzene	100-41-4	2,600	50	100	100
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
06054	Toluene	108-88-3	73	5	10	10
06054	Xylene (Total)	1330-20-7	6,800	50	100	100
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	30,000	1,000	2,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 15:46	Ginelle L Feister	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 16:11	Ginelle L Feister	100
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 15:46	Ginelle L Feister	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 16:11	Ginelle L Feister	100
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 03:38	Marie D John	20
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 03:38	Marie D John	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-17-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-17

LLI Sample # WW 5898614
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 10:35 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26017

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 16:36	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 16:36	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 23:47	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 23:47	Marie D John	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-18-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-18

LLI Sample # WW 5898615
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 12:40 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26018

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	54	1	2	2
06054	Ethylbenzene	100-41-4	150	1	2	2
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	1	2	2
06054	Toluene	108-88-3	17	1	2	2
06054	Xylene (Total)	1330-20-7	890	10	20	20
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	14,000	1,000	2,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 17:01	Ginelle L Feister	2
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 17:26	Ginelle L Feister	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 17:01	Ginelle L Feister	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 17:26	Ginelle L Feister	20
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 04:04	Marie D John	20
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 04:04	Marie D John	20

Sample Description: MW-19-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 MW-19

LLI Sample # WW 5898616
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 10:55 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

26019

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	1	1
06054	Toluene	108-88-3	0.6 J	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 17:51	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 17:51	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 00:13	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 00:13	Marie D John	1

Sample Description: DVE-9-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 DVE-9

LLI Sample # WW 5898617
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 14:00 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

260D9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	610	10	20	20
06054	Ethylbenzene	100-41-4	470	10	20	20
06054	Methyl Tertiary Butyl Ether	1634-04-4	160	1	2	2
06054	Toluene	108-88-3	130	1	2	2
06054	Xylene (Total)	1330-20-7	1,000	10	20	20
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	10,000	250	500	5

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 18:16	Ginelle L Feister	2
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 18:41	Ginelle L Feister	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 18:16	Ginelle L Feister	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 18:41	Ginelle L Feister	20
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 04:30	Marie D John	5
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 04:30	Marie D John	5

Sample Description: DVE-12-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 DVE-12

LLI Sample # WW 5898618
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 14:05 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

60D12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	330	3	5	5
06054	Ethylbenzene	100-41-4	1,100	25	50	50
06054	Methyl Tertiary Butyl Ether	1634-04-4	20	3	5	5
06054	Toluene	108-88-3	4,700	25	50	50
06054	Xylene (Total)	1330-20-7	6,400	25	50	50
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	29,000	1,000	2,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 19:06	Ginelle L Feister	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 19:31	Ginelle L Feister	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 19:06	Ginelle L Feister	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z100432AA	02/12/2010 19:31	Ginelle L Feister	50
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 04:56	Marie D John	20
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 04:56	Marie D John	20

Sample Description: DVE-20-W-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 DVE-20

LLI Sample # WW 5898619
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 11:38 by JO

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

60D20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	16	0.5	1	1
06054	Ethylbenzene	100-41-4	180	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	4	0.5	1	1
06054	Xylene (Total)	1330-20-7	300	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	2,400	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 19:56	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 19:56	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/05/2010 00:39	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/05/2010 00:39	Marie D John	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: QA-T-100202 NA Water
Facility #90260 BTST
21995 Foothill-Hayward T0600100315 QA

LLI Sample # WW 5898620
LLI Group # 1181137
CA

Project Name: 90260

Collected: 02/02/2010 07:40

Account Number: 10991

Submitted: 02/03/2010 09:30

Chevron

Reported: 02/16/2010 at 14:19

6001 Bollinger Canyon Rd L4310

Discard: 03/19/2010

San Ramon CA 94583

0260Q

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
06054	Toluene	108-88-3	N.D.	0.5	1	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z100432AA	02/12/2010 20:21	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100432AA	02/12/2010 20:21	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10035A07A	02/04/2010 20:47	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	10035A07A	02/04/2010 20:47	Marie D John	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron

Group Number: 1181137

Reported: 02/16/10 at 02:19 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: Z100432AA	Sample number(s): 5898606-5898620								
Benzene	N.D.	0.5	1	ug/l	108		79-120		
Ethylbenzene	N.D.	0.5	1	ug/l	114		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	112		76-120		
Toluene	N.D.	0.5	1	ug/l	114		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	113		80-120		
Batch number: 10035A07A	Sample number(s): 5898606-5898620								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	91	91	75-135	0	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: Z100432AA	Sample number(s): 5898606-5898620 UNSPK: 5898611								
Benzene	121	122	80-126	0	30				
Ethylbenzene	128	130	71-134	2	30				
Methyl Tertiary Butyl Ether	120	120	72-126	0	30				
Toluene	127*	127*	80-125	0	30				
Xylene (Total)	126*	126*	79-125	0	30				
Batch number: 10035A07A	Sample number(s): 5898606-5898620 UNSPK: P897544								
TPH-GRO N. CA water C6-C12	100		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX+MTBE by 8260B

Batch number: Z100432AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5898606	94	91	105	97
5898607	94	89	105	97
5898608	95	90	105	99
5898609	95	90	105	99
5898610	92	87	105	101

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1181137

Reported: 02/16/10 at 02:19 PM

Surrogate Quality Control

5898611	95	89	103	97
5898612	94	90	105	98
5898613	94	89	106	97
5898614	95	89	104	98
5898615	93	89	108	99
5898616	94	90	105	97
5898617	94	90	106	98
5898618	93	89	106	97
5898619	94	89	106	99
5898620	94	90	105	97
Blank	95	91	104	99
LCS	96	93	104	99
MS	96	93	104	99
MSD	94	92	104	99

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 10035A07A

Trifluorotoluene-F

5898606	104
5898607	103
5898608	109
5898609	102
5898610	112
5898611	100
5898612	102
5898613	110
5898614	102
5898615	107
5898616	102
5898617	121
5898618	106
5898619	132
5898620	102
Blank	104
LCS	112
LCSD	111
MS	116

Limits:	63-135
---------	--------

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

A10991/1181137/5898606-20

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 7

Chevron Site Number: 90260				Chevron Consultant: CRA				ANALYSES REQUIRED													
Chevron Site Global ID: T0600100315				Address: 5900 Hollis St. Suite A Emeryville,																	
Chevron Site Address: 21995 Foothill Blvd.,				CA Consultant Contact: Charlotte Evans																	
Hayward, CA				Consultant Phone No. 510-420-3351																	
Chevron PM: AARON COSTA				Consultant Project No. 100202-ww1																	
Chevron PM Phone No.: (925)543-2961				Sampling Company: Blaine Tech Services																	
☒ Retail and Terminal Business Unit (RTBU) Job				Sampled By (Print): Long, W. Way																	
☒ Construction/Retail Job				Sampler Signature: [Signature]																	
Charge Code: NWRTB-0090260-0-OML				Lancaster Laboratories		Other Lab		Temp. Blank Check													
NWRTB 00SITE NUMBER-0- WBS								Time Temp.													
(WBS ELEMENTS:				☒ Lancaster, PA				0800 00C													
SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L				Lab Contact: Jill Parker				1000 10C													
SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L								1200 00C													
THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.				2425 New Holland Pike, Lancaster, PA 17601																	
				Phone No: (717)656-2300																	
SAMPLE ID																					
Field Point Name		Matrix	Top Depth	Date (yyymmdd)	Sample Time	# of Containers	Container Type														
MW-5		W		100202	1355	6	VOCs														
MW-6					1110																
MW-9					1155																
MW-11					1340																
MW-12					1350																
MW-13					1230																
MW-15					1105																
MW-16					1130																
MW-17					1035																
MW-18					1240																
Relinquished By [Signature]				Company BLAINE TECH SVCS		Date/Time: 2/2/10 1428		Relinquished To [Signature]				Company LCI		Date/Time: 2/2/10 1428		Turnaround Time: Standard 24 Hours 48 hours 72					
Relinquished By [Signature]				Company LCI		Date/Time: 2/6/10 1600		Relinquished To [Signature]				Company		Date/Time		Sample Integrity: (Check by lab on arrival)					
Relinquished By [Signature]				Company		Date/Time		Relinquished To [Signature]				Company		Date/Time		Intact: On Ice: Temp: 0-7-1.3.0					
																COC #					

COC Revision 12, 11/10/09

Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.