



Dave Patten
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-7877
drpatten@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RECEIVED

By Alameda County Environmental Health 12:37 pm, Aug 28, 2017

Re: Former Chevron Service Station No. 90260
21995 Foothill Boulevard
Hayward, California
Fuel Leak Case No. RO0000383

I have read and acknowledged the content, recommendations and/or conclusions contained in the attached document submitted on my behalf to Alameda County Department of Public Health's (ACEDH) FTP server and the State Water Resource Control Board's GeoTracker website.

This report was prepared by GHD Services Inc., upon whose assistance and advice I have relied. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

Sincerely,

A handwritten signature in black ink, appearing to be "D. Patten".

Dave Patten
Project Manager

Attachment: *Second Quarter 2017 Groundwater Monitoring and Sampling Report*



August 25, 2017

Reference No. 311915

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

**Re: Second Quarter 2017 Groundwater Monitoring and Sampling Report
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California
Fuel Leak Case No. RO0000383**

Dear Mr. Detterman:


GHD is submitting this *Second Quarter 2017 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California and their *Second Quarter 2017 Monitoring Report* is included as Attachment A. Current and historical groundwater monitoring and sampling data are summarized in Table 1 and current data are presented on Figures 2 and 3. Eurofins Lancaster Laboratory Environmental, LLCs' of Lancaster, Pennsylvania, *Analytical Results Report* is included as Attachment B.



Please contact Kiersten Hoey (510) 420 3347 if you have any questions or require additional information.

Cordially,

GHD


Kiersten Hoey

KH/cw/65
Encl.


Ana Friel, PG 6452




Figure 1 Vicinity Map
Figure 2 Shallow Groundwater Elevation and Hydrocarbon Concentration Map
Figure 3 Deep Groundwater Elevation and Hydrocarbon Concentration Map

Table 1 Groundwater Monitoring and Sampling Data

Attachment A Monitoring Data Package
Attachment B Laboratory Analytical Report

cc: Mr. Dave Patten, Chevron (*electronic copy*)
Mr. Hugh Murphy, City of Hayward Fire Department (*electronic copy*)

Figures



SOURCE: TOPOI MAPS





FORMER CHEVRON-BRANDED SERVICE STATION 90260
21995 FOOTHILL BOULEVARD
HAYWARD, CALIFORNIA

311915-95
Aug 3, 2017

VICINITY MAP

FIGURE 1





Table

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	02/05/1988	-	-	-	-	-	88,000	24,000	19,000	1,700	10,000	-	-	-
MW-4	06/15/1988	-	12.92	87.83	-	-	95,000	45,000	30,000	2,100	17,000	-	-	-
MW-4	09/27/1988 ¹	100.75	14.22	86.53	-	-	500,000 / 88,000	41,000 / 1,200	27,000 / 4,100	<5,000 / 1,600	16,000 / 12,000	-	<5,000 / 230	270
MW-4	01/05/1989	100.75	13.20	87.55	-	-	64,000	41,000	29,000	2,700	14,000	-	-	-
MW-4	04/06/1989	100.75	12.32	88.43	-	-	-	-	-	-	-	-	-	-
MW-4	06/28/1989	100.75	14.25	86.50	-	-	110,000	34,000	24,000	2,400	13,000	-	-	-
MW-4	10/03/1989	100.75	14.75	86.00	-	-	240,000	36,000	31,000	3,200	19,000	-	-	-
MW-4	01/04/1990	100.75	14.75	86.00	-	-	130,000	33,000	28,000	2,400	14,000	-	-	-
MW-4	04/03/1990	100.75	13.81	86.94	-	-	110,000	41,000	32,000	2,900	17,000	-	-	-
MW-4	07/03/1990	100.75	14.06	86.69	-	-	180,000	32,000	30,000	2,600	15,000	-	-	-
MW-4	11/06/1990	100.75	15.66	85.09	-	-	170,000	31,000	30,000	2,700	17,000	-	-	-
MW-4	01/04/1991	100.75	15.18	85.87	-	-	-	-	-	-	-	-	-	-
MW-4	04/03/1991	100.75	11.00	89.75	-	-	130,000	21,000	24,000	2,300	14,000	-	-	-
MW-4	07/02/1991	100.75	14.25	86.50	-	-	-	-	-	-	-	-	-	-
MW-4	10/02/1991	100.75	16.16	84.59	-	-	240,000	27,000	33,000	2,600	16,000	-	-	-
MW-4	01/02/1992	100.75	15.26	85.49	-	-	-	-	-	-	-	-	-	-
MW-4	04/07/1992	100.75	12.38	88.37	-	-	-	-	-	-	-	-	-	-
MW-4	08/13/1992	100.75	16.68	84.05	-	-	-	-	-	-	-	-	-	-
MW-4	12/03/1992	100.73	16.17	84.58	-	-	1,300,000	17,000	41,000	12,000	90,000	-	-	-
MW-4	03/25/1993	100.73	10.50	90.23	-	-	-	-	-	-	-	-	-	-
MW-4	10/04/1994	100.73	12.84	87.89	-	-	-	-	-	-	-	-	-	-
MW-4	11/14/1994 ³	100.73	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	05/15/1995	100.73	11.37	89.36	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-4	08/04/1995	100.73	12.30	88.43	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	11/28/1995	100.73	14.65	86.08	-	-	97,000	23,000	18,000	1,400	8,800	430	-	-
MW-4	02/20/1996 ²⁸	100.73	7.90	92.83	-	-	-	-	-	-	-	-	-	-
MW-4	05/29/1996	100.73	11.00	89.73	-	-	59,000	11,000	11,000	740	4,400	<500	-	-
MW-4	08/27/1996	100.73	13.24	87.49	-	-	-	-	-	-	-	-	-	-
MW-4	11/22/1996	100.73	11.50	89.23	-	-	130,000	20,000	14,000	1,200	7,000	21,000	-	-
MW-4	02/18/1997	100.73	9.47	91.26	-	-	-	-	-	-	-	-	-	-
MW-4	05/23/1997 ⁴	100.73	12.63	88.10	-	-	120,000	23,000	21,000	1,400	8,400	50,000	-	-
MW-4	08/04/1997	100.73	13.22	87.51	-	-	120,000	25,000	22,000	1,600	8,000	15,000	-	-
MW-4	11/25/1997 ⁵	100.73	13.90	86.83	-	-	460,000	44,000	45,000	4,000	19,000	290,000	-	-
MW-4	02/25/1998 ²⁸	100.73	13.70	87.03	-	-	-	-	-	-	-	-	-	-
MW-4	05/21/1998	100.73	11.99	88.74	-	-	100,000	11,000	8,600	720	4,200	3,100	-	-
MW-4	08/19/1998	100.73	20.03	80.70	-	-	-	-	-	-	-	-	-	-
MW-4	11/19/1998	100.73	19.68	81.05	-	-	51,000	5,200	8,900	1,200	6,400	1,600	-	-
MW-4	02/12/1999	100.73	13.21	87.52	-	-	-	-	-	-	-	-	-	-
MW-4	05/10/1999	100.73	12.74	87.99	-	-	68,800	9,680	11,500	1,450	7,700	2,080 / 328 ⁷	-	-
MW-4	09/02/1999	100.73	15.59	85.14	-	-	-	-	-	-	-	-	-	-
MW-4	02/03/2000	100.73	12.90	87.83	-	-	-	-	-	-	-	-	-	-
MW-4	05/09/2000 ¹⁵	100.73	12.72	88.01	0.00	0.00	3,400 ⁸	24	<10	<10	890	430	-	-
MW-4	08/02/2000 ^{15,28}	100.73	14.55	86.18	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/09/2000 ¹⁵	100.73	15.39	85.34	0.00	0.00	66,700	13,900	12,400	1,460	7,940	<250	-	-
MW-4	02/08/2001 ¹⁵	100.73	15.74	84.99	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/02/2001 ¹⁵	100.73	16.49	84.24	0.00	0.00	490,000	2,990	<5,000	<5,000	8,660	18.8	-	-
MW-4	08/28/2001 ^{15,28}	100.73	17.96	82.77	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/26/2001 ¹⁵	100.73	15.30	85.43	0.00	0.00	39,000	2,700	2,900	1,200	5,700	<100	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	02/22/2002 ^{15,28}	100.73	11.89	88.84	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/24/2002 ¹⁵	100.73	15.21	85.52	0.00	0.00	55,000	4,300	4,900	1,700	9,900	<100	-	-
MW-4	08/29/2002 ^{15,28}	100.73	15.72	85.01	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/29/2002 ¹⁵	100.73	15.23	85.50	0.00	0.00	39,000	3,600	4,200	1,500	7,300	<50	-	-
MW-4	02/28/2003 ²⁸	100.73	11.70	89.03	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/30/2003 ¹⁷	100.73	12.39	88.34	0.00	0.00	51,000	4,400	5,200	1,300	7,000	5	-	-
MW-4	08/22/2003 ²⁸	100.73	14.55	86.18	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/24/2003 ¹⁷	100.73	14.97	85.76	0.00	0.00	50,000	3,500	6,300	1,400	7,200	1	-	-
MW-4	02/27/2004 ²⁸	100.73	10.95	89.78	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/21/2004 ¹⁷	100.73	14.60	86.13	0.00	0.00	61,000	3,900	11,000	2,000	11,000	<10	-	-
MW-4	08/26/2004 ²⁸	100.73	15.47	85.26	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/29/2004 ¹⁷	100.73	15.09	85.64	0.00	0.00	61,000	1,900	5,000	1,700	8,600	<5	-	-
MW-4	02/11/2005 ³⁵	100.73	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	06/16/2005 ¹⁷	100.73	12.05	88.68	0.00	0.00	45,000	1,700	6,300	1,300	6,800	<5	-	-
MW-4	08/31/2005 ²⁸	100.73	11.96	88.77	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/30/2005 ¹⁷	100.73	15.19	85.54	0.00	0.00	56,000	2,200	7,800	1,400	8,100	<10	-	-
MW-4	02/27/2006 ²⁸	100.73	11.62	89.11	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/30/2006 ¹⁷	100.73	11.47	89.26	0.00	0.00	36,000	1,200	6,000	1,100	5,700	6	-	-
MW-4	08/29/2006 ²⁸	100.73	13.82	86.91	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/13/2006 ¹⁷	100.73	12.51	88.22	0.00	0.00	59,000	1,600	10,000	1,900	10,000	<10	-	-
MW-4	02/28/2007 ²⁸	100.73	10.37	90.36	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/30/2007 ¹⁷	100.73	13.77	86.96	0.00	0.00	550	9	70	12	58	<0.5	-	-
MW-4	08/29/2007 ²⁸	100.73	16.89	83.84	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/21/2007 ¹⁷	103.89	14.77	89.12	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	02/20/2008 ²⁸	103.89	12.36	91.53	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/21/2008 ¹⁷	103.89	13.72	90.17	0.00	0.00	17,000	88	1,200	740	4,600	5	-	-
MW-4	06/24/2008 ¹⁷	103.89	14.15	89.74	0.00	0.00	27,000	190	4,100	1,100	6,100	9	-	-
MW-4	08/22/2008 ²⁸	103.89	18.82	85.07	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/21/2008 ³⁴	103.89	22.15	81.74	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	02/03/2009 ²⁸	103.89	21.55	82.34	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/28/2009	103.89	21.42	82.47	0.00	0.00	10,000	110	260	200	1,600	5	-	-
MW-4	08/06/2009	103.89	15.68	88.21	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	11/16/2009	103.89	20.73	83.16	0.00	0.00	20,000	36	290	490	3,500	<3	-	-
MW-4	02/02/2010	103.89	10.42	93.47	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/20/2010	103.89	11.21	92.68	0.00	0.00	19,000	35	460	680	3,800	2 J	-	-
MW-4	08/23/2010 ²⁸	103.89	14.08	89.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/07/2010	103.89	12.90	90.99	0.00	0.00	19,000	23	330	700	2,600	<3	-	-
MW-4	02/03/2011 ²⁸	103.89	11.89	92.00	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	05/06/2011	103.89	11.03	92.86	0.00	0.00	3,500	3	55	120	490	<0.5	-	-
MW-4	09/16/2011 ²⁸	103.89	13.83	90.06	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/06/2011 ²⁸	103.89	14.17	89.72	0.00	0.00	5,600	1 J	27	150	600	<1	-	-
MW-4	03/16/2012 ²⁸	103.89	13.00	90.89	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/21/2012	103.89	13.12	90.77	0.00	0.00	7,600	3 J	69	230	930	<1	-	<1
MW-4	09/10/2012 ²⁸	103.89	14.32	89.57	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/21/2012	103.89	11.19	92.70	0.00	0.00	4,500	<5	14	81	340	<5	-	-
MW-4	03/28/2013 ²⁸	103.89	12.61	91.28	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/25/2013	103.89	14.25	89.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	09/16/2013 ²⁸	103.89	15.44	88.45	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	12/20/2013	103.89	15.04	88.85	0.00	0.00	74 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	03/07/2014 ²⁸	103.89	13.96	89.93	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/04/2014	103.89	14.32	89.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	09/17/2014 ²⁸	103.89	16.09	87.80	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/29/2014	103.89	9.47	94.42	0.00	0.00	56 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	03/20/2015 ²⁸	103.89	12.62	91.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/16/2015	103.89	15.53	88.36	0.00	0.00	1,600	<0.5	22	77	170	<0.5	-	-
MW-4	09/24/2015 ²⁸	103.89	16.95	86.94	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/07/2015	103.89	17.06	86.83	0.00	0.00	3,800	3	41	340	180	<0.5	-	-
MW-4	03/29/2016	103.89	10.98	92.91	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	06/27/2016	103.89	14.91	88.98	0.00	0.00	2,700	1	19	67	140	<1	-	-
MW-4	09/01/2016 ²⁸	103.89	16.20	87.69	0.00	0.00	-	-	-	-	-	-	-	-
MW-4	12/07/2016	103.89	15.50	88.39	0.00	0.00	7,400	<10	140	610	1,200	<10	-	-
MW-4	02/01/2017	103.89	9.93	93.96	0.00	0.00	1,100	<5	<5	23	7	<5	-	-
MW-4	05/18/2017	103.89	11.40	92.49	0.00	0.00	1,400	<5	<5	20	10	<5	-	-
MW-5	02/05/1988	-	-	-	-	-	80,000	16,000	15,000	2,600	17,000	-	-	-
MW-5	06/15/1988	-	12.30	87.67	-	-	77,000	42,000	38,000	2,500	16,000	-	-	-
MW-5	09/27/1988 ¹	99.97	13.25	86.72	-	-	470,000 / 48,000	39,000 / 1,800	32,000 / 3,500	<5,000 / 1,600	16,000 / 10,000	-	<5,000 / 420	410
MW-5	01/05/1989	99.97	12.70	87.27	-	-	82,000	44,000	37,000	2,400	14,000	-	-	-
MW-5	04/06/1989	99.97	12.22	87.75	-	-	-	-	-	-	-	-	-	-
MW-5	06/28/1989	99.97	13.81	86.16	-	-	80,000	36,000	24,000	2,400	13,000	-	-	-
MW-5	10/03/1989	99.97	14.27	85.70	-	-	240,000	40,000	35,000	2,600	15,000	-	-	-
MW-5	01/04/1990	99.97	14.31	85.66	-	-	130,000	37,000	31,000	2,400	13,000	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	04/03/1990	99.97	13.50	86.47	-	-	120,000	41,000	33,000	2,500	14,000	-	-	-
MW-5	07/03/1990	99.97	13.64	86.33	-	-	200,000	28,000	25,000	1,800	10,000	-	-	-
MW-5	11/06/1990	99.97	15.14	84.83	-	-	370,000	38,000	36,000	4,700	31,000	-	-	-
MW-5	01/04/1991	99.97	14.90	85.08	0.01	-	-	-	-	-	-	-	-	-
MW-5	04/03/1991	99.97	11.56	88.41	-	-	140,000	36,000	32,000	2,700	17,000	-	-	-
MW-5	07/02/1991	99.97	13.89	86.08	-	-	-	-	-	-	-	-	-	-
MW-5	10/02/1991	99.97	15.26	84.71	-	-	230,000	34,000	31,000	2,700	16,000	-	-	-
MW-5	01/02/1992	99.97	14.97	85.00	-	-	-	-	-	-	-	-	-	-
MW-5	04/07/1992	99.97	13.44	86.53	-	-	220,000	35,000	30,000	2,500	14,000	-	-	-
MW-5	08/13/1992	99.97	15.61	84.36	-	-	-	-	-	-	-	-	-	-
MW-5	12/03/1992 ²	99.97	16.29	83.68	<0.02 ²	-	-	-	-	-	-	-	-	-
MW-5	03/25/1993	99.97	10.97	89.00	-	-	-	-	-	-	-	-	-	-
MW-5	06/23/1993	99.97	12.60	87.40	0.04	-	-	-	-	-	-	-	-	-
MW-5	09/21/1993	99.97	14.00	85.99	0.03	-	-	-	-	-	-	-	-	-
MW-5	12/02/1993	99.97	14.27	85.73	0.04	-	-	-	-	-	-	-	-	-
MW-5	03/08/1994	99.97	12.16	87.81	-	-	-	-	-	-	-	-	-	-
MW-5	06/13/1994	99.97	13.01	87.22	0.32	-	-	-	-	-	-	-	-	-
MW-5	10/04/1994	99.97	15.56	84.41	-	-	-	-	-	-	-	-	-	-
MW-5	11/14/1994	99.97	13.35	86.62	-	-	1,100,000	64,000	69,000	9,200	61,000	-	-	-
MW-5	05/15/1995	99.97	10.18	89.79	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-5	08/04/1995	99.97	11.77	88.20	-	-	-	-	-	-	-	-	-	-
MW-5	11/28/1995	99.97	14.22	85.75	-	-	320,000	34,000	38,000	5,800	31,000	2,000	-	-
MW-5	02/20/1996 ²⁸	99.97	10.37	89.60	Sheen	-	-	-	-	-	-	-	-	-
MW-5	05/29/1996	99.97	10.89	89.08	-	-	150,000	23,000	25,000	2,200	12,000	<500	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	08/27/1996	99.97	12.75	87.22	-	-	-	-	-	-	-	-	-	-
MW-5	11/22/1996	99.97	12.47	87.50	-	-	170,000	25,000	27,000	2,000	12,000	<500	-	-
MW-5	02/18/1997	99.97	9.51	90.46	-	-	-	-	-	-	-	-	-	-
MW-5	05/23/1997	99.97	12.25	87.72	-	-	160,000	29,000	34,000	2,900	16,000	<250	-	-
MW-5	08/04/1997	99.97	12.88	87.09	-	-	130,000	27,000	31,000	2,500	13,000	<500	-	-
MW-5	11/25/1997	99.97	14.81	85.16	-	-	310,000 ⁵	52,000	59,000	5,500	28,000	3,300	-	-
MW-5	02/25/1998	99.97	17.46	82.51	-	-	-	-	-	-	-	-	-	-
MW-5	05/21/1998	99.97	11.60	88.37	-	-	220,000	20,000	26,000	2,000	10,000	8,500	-	-
MW-5	08/19/1998	99.97	17.70	82.27	-	-	-	-	-	-	-	-	-	-
MW-5	11/19/1998 ³⁴	99.97	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	02/12/1999	99.97	12.79	87.18	-	-	-	-	-	-	-	-	-	-
MW-5	05/10/1999	99.97	12.72	87.25	-	-	102,000	13,300	17,200	1,240	<200	7,560 / <250 ⁷	-	-
MW-5	09/02/1999	99.97	14.79	85.18	-	-	-	-	-	-	-	-	-	-
MW-5	02/03/2000	99.97	13.11	86.86	-	-	-	-	-	-	-	-	-	-
MW-5	05/09/2000 ¹⁵	99.97	12.69	87.28	0.00	0.00	360 ⁸	6.2	<2.5	<2.5	13	13	-	-
MW-5	08/02/2000 ^{15,28}	99.97	14.16	85.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	11/09/2000 ¹⁵	99.97	14.61	85.36	0.00	0.00	3,280	331	235	35.7	260	9.41	-	-
MW-5	02/08/2001 ¹⁵	99.97	15.21	84.76	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	05/02/2001 ¹⁵	99.97	16.20	83.77	0.00	0.00	26,700	5,490	6,310	145	2,910	<0.500	-	-
MW-5	08/28/2001 ^{15,41}	99.97	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	11/26/2001 ¹⁵	99.97	15.36	84.61	0.00	0.00	88,000	14,000	19,000	1,300	8,000	<200	-	-
MW-5	02/22/2002 ^{15,28}	99.97	12.22	87.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	05/24/2002 ¹⁵	99.97	15.23	84.74	0.00	0.00	92,000	11,000	17,000	1,600	9,400	<200	-	-
MW-5	08/29/2002 ^{15,28}	99.97	15.32	84.65	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	11/29/2002	99.97	14.76	85.21	0.00	0.00	62	4.9	<0.50	<0.50	<1.5	<2.5	-	-
MW-5	02/28/2003 ²⁸	99.97	11.75	88.22	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	05/30/2003 ¹⁷	99.97	12.61	87.36	0.00	0.00	8,100	1,600	1,100	72	700	8	-	-
MW-5	08/22/2003 ²⁸	99.97	13.85	86.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	11/24/2003 ¹⁷	99.97	14.96	85.01	0.00	0.00	86,000	9,300	16,000	1,200	6,200	<10	-	-
MW-5	02/27/2004 ²⁸	99.97	10.43	89.54	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	06/21/2004 ¹⁷	99.97	14.58	85.39	0.00	0.00	45,000	4,700	12,000	870	5,000	<10	-	-
MW-5	08/26/2004 ²⁸	99.97	15.68	84.29	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	11/29/2004 ¹⁷	99.97	15.20	84.77	0.00	0.00	71,000	5,000	13,000	870	5,200	<10	-	-
MW-5	02/11/2005 ²⁸	99.97	12.51	87.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	06/16/2005 ¹⁷	99.97	11.13	88.84	0.00	0.00	17,000	1,400	3,900	220	1,700	<5	-	-
MW-5	08/31/2005 ²⁸	99.97	13.98	85.99	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	11/30/2005 ¹⁷	99.97	14.94	85.03	0.00	0.00	49,000	2,900	12,000	840	5,000	<25	-	-
MW-5	02/27/2006 ²⁸	99.97	11.99	87.98	0.00	0.00	-	-	-	-	-	-	-	-
MW-5	05/30/2006 ^{17,19}	99.97	10.83	89.14	0.00	0.00	89,000	6,500	19,000	2,600	13,000	<25	-	-
MW-5	08/29/2006 ¹⁷	99.97	13.08	86.89	0.00	0.00	110,000	5,900	22,000	2,400	13,000	<50	-	-
MW-5	12/13/2006 ¹⁷	99.97	12.02	87.95	0.00	0.00	110,000	6,100	23,000	1,600	10,000	<25	-	-
MW-5	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	05/30/2007 ^{17,18}	99.97	11.45	88.52	0.00	0.00	100,000	4,200	17,000	1,600	8,700	<25	-	-
MW-5	08/29/2007 ^{17,18}	99.97	-	-	0.00	0.00	84,000	3,200	22,000	1,800	10,000	<13	-	-
MW-5	11/21/2007 ^{18,39}	101.74	13.06	88.70	0.03	0.28	-	-	-	-	-	-	-	-
MW-5	02/20/2008 ¹⁵	101.74	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	05/21/2008 ^{15,17,18}	101.74	11.97	89.77	0.00	0.00	57,000 ²²	1,400	22,000	1,700	9,900	<10	-	-
MW-5	06/24/2008 ^{15,17,18,33}	101.74	12.58	89.16	0.00	0.00	25,000	1,300	22,000	1,400	10,000	<10	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	08/22/2008 ^{15,17,18,33}	101.74	24.62	77.12	0.00	0.00	65,000	1,400	18,000	1,600	8,800	<10	-	-
MW-5	11/21/2008 ^{15,17,18,33}	101.74	23.89	77.85	0.00	0.00	61,000	1,100	17,000	1,300	10,000	<5	-	-
MW-5	02/03/2009 ^{15,17,18,33}	101.74	-	-	0.00	0.00	54,000	1,000	13,000	1,500	8,600	<10	-	-
MW-5	05/28/2009	101.74	23.11	78.63	0.00	0.00	86,000	380	19,000	860	9,500	<10	-	-
MW-5	08/07/2009	101.74	14.00	87.74	0.00	0.00	89,000	190	23,000	2,100	13,000	<10	-	-
MW-5	11/16/2009	101.74	22.90	78.84	0.00	0.00	62,000	470	13,000	1,300	9,800	<10	-	-
MW-5	02/02/2010	101.74	9.80	91.94	0.00	0.00	100,000	750	27,000	2,500	16,000	<25	-	-
MW-5	05/20/2010	101.74	9.86	91.88	0.00	0.00	91,000	940	19,000	2,000	9,800	10 J	-	-
MW-5	08/23/2010 ²⁰	101.74	12.56	89.18	0.00	0.00	77,000	530	23,000	2,300	14,000	<5	-	-
MW-5	12/07/2010 ²⁰	101.74	11.18	90.56	0.00	0.00	110,000	430	24,000	2,000	15,000	<5	-	-
MW-5	02/03/2011 ²⁰	101.74	10.40	91.34	0.00	0.00	83,000	420	21,000	1,900	9,700	<10	-	-
MW-5	05/06/2011	101.74	9.62	92.12	0.00	0.00	74,000	360	20,000	2,400	13,000	<5	-	-
MW-5	09/16/2011	101.74	12.01	89.73	0.00	0.00	85,000	180	24,000	2,500	15,000	<25	-	-
MW-5	12/06/2011	101.74	12.47	89.27	0.00	0.00	98,000	160	17,000	2,600	16,000	<5	-	-
MW-5	03/16/2012	101.74	11.83	89.91	0.00	0.00	83,000	230	14,000	2,800	16,000	<50	-	-
MW-5	06/21/2012	101.74	11.69	90.05	0.00	0.00	99,000	190 J	13,000	2,700	14,700	<25	-	<25
MW-5	09/10/2012	101.74	12.80	88.94	0.00	0.00	73,000	170	11,000	2,900	17,000	<5	-	-
MW-5	12/21/2012	101.74	10.63	91.11	0.00	0.00	65,000	200	7,600	2,400	14,000	<50	-	-
MW-5	03/28/2013	101.74	11.61	90.13	0.00	0.00	80,000	130	9,700	2,200	13,000	4 J	-	-
MW-5	06/25/2013	101.74	12.73	89.01	0.00	0.00	46,000	100	4,400	2,300	12,000	<5	-	-
MW-5	09/16/2013	101.74	13.60	88.14	0.00	0.00	77,000	110	7,000	3,000	17,000	<5	-	-
MW-5	12/20/2013	101.74	13.58	88.16	0.00	0.00	68,000	92	5,500	2,600	15,000	<5	-	-
MW-5	03/07/2014	101.74	11.09	90.65	0.00	0.00	56,000	91	6,000	2,700	14,000	<3	-	-
MW-5	06/04/2014	101.74	14.06	87.68	0.00	0.00	22,000	32	650	1,500	5,200	3 J	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
		Units	ft	ft	ft-amsl	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	09/17/2014	101.74	14.36	87.38	0.00	0.00	61,000	85	4,300	3,000	17,000	<5	-	-
MW-5	12/29/2014	101.74	9.66	92.08	0.00	0.00	59,000	110	6,300	2,900	16,000	34	-	-
MW-5	03/20/2015	101.74	12.30	89.44	0.00	0.00	57,000	44	6,000	2,100	11,000	45	-	-
MW-5	06/16/2015	101.74	13.78	87.96	0.00	0.00	47,000	59	1,800	2,500	15,000	11 J	-	-
MW-5	09/24/2015	101.74	14.97	86.77	0.00	0.00	62,000	78	1,200	2,500	17,000	<10	-	-
MW-5	12/07/2015	101.74	15.21	86.53	0.00	0.00	38,000	44	470	1,600	8,700	4 J	-	-
MW-5	03/30/2016	101.74	10.31	91.43	0.00	0.00	61,000	120	2,300	2,500	13,000	16 J	-	-
MW-5	06/27/2016	101.74	12.99	88.75	0.00	0.00	57,000	90	2,000	2,200	12,000	47	-	-
MW-5	09/01/2016	101.74	14.12	87.62	0.00	0.00	50,000	92	850	2,000	9,900	21	-	-
MW-5	12/07/2016	101.74	13.88	87.86	0.00	0.00	64,000	150	1,100	3,300	17,000	6 J	-	-
MW-5	02/01/2017	101.74	9.38	92.36	0.00	0.00	63,000	160	1,500	2,700	14,000	<50	-	-
MW-5	05/18/2017	101.74	10.03	91.71	0.00	0.00	83,000	110	3,500	2,700	15,000	33 J	-	-
MW-6	02/05/1988	-	-	-	-	-	53,000	5,100	4,400	2,100	14,000	-	-	-
MW-6	06/15/1988	-	13.51	87.92	-	-	33,000	9,200	5,500	520	20,000	-	-	-
MW-6	09/27/1988	101.43	14.56	86.87	-	-	17,000	2,200	2,800	1,700	5,100	-	-	-
MW-6	01/05/1989	101.43	13.48	87.95	-	-	37,000	5,000	3,400	2,200	10,000	-	-	-
MW-6	04/06/1989	101.43	12.60	88.83	-	-	-	-	-	-	-	-	-	-
MW-6	06/28/1989	101.43	14.58	86.85	-	-	80,000	7,000	4,100	2,000	9,700	-	-	-
MW-6	10/03/1989	101.43	13.03	88.40	-	-	110,000	8,500	5,100	2,600	14,000	-	-	-
MW-6	01/04/1990	101.43	15.08	86.35	-	-	59,000	5,200	2,600	2,000	11,000	-	-	-
MW-6	04/03/1990	101.43	14.06	87.37	-	-	31,000	6,600	2,600	2,200	12,000	-	-	-
MW-6	07/03/1990	101.43	14.28	87.15	-	-	66,000	5,800	2,900	2,000	9,800	-	-	-
MW-6	11/06/1990	101.43	16.10	85.33	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	01/04/1991	101.43	15.52	85.91	-	-	50,000	5,600	2,200	1,800	9,400	-	-	-
MW-6	04/03/1991	101.43	11.03	90.40	-	-	-	-	-	-	-	-	-	-
MW-6	07/02/1991	101.43	14.44	86.99	-	-	81,000	11,000	2,700	2,100	13,000	-	-	-
MW-6	10/02/1991	101.43	16.22	85.21	-	-	-	-	-	-	-	-	-	-
MW-6	01/02/1992	101.43	15.71	85.72	-	-	67,000	7,500	1,900	1,800	9,500	-	-	-
MW-6	04/07/1992	101.43	13.47	87.96	-	-	-	-	-	-	-	-	-	-
MW-6	08/13/1992	101.43	15.97	85.46	-	-	-	-	-	-	-	-	-	-
MW-6	12/03/1992	101.43	16.62	84.81	-	-	-	-	-	-	-	-	-	-
MW-6	03/25/1993	101.43	10.58	90.85	-	-	110,000	12,000	2,900	4,200	14,000	-	-	-
MW-6	06/23/1993	101.43	13.01	88.42	-	-	-	-	-	-	-	-	-	-
MW-6	09/21/1993	101.43	14.74	86.69	-	-	62,000	12,000	1,400	2,100	12,000	-	-	-
MW-6	12/02/1993	101.43	14.87	86.56	-	-	-	-	-	-	-	-	-	-
MW-6	03/08/1994	101.43	12.04	89.39	-	-	61,000	7,000	1,500	1,500	7,400	-	-	-
MW-6	06/13/1994	101.43	13.37	88.06	-	-	-	-	-	-	-	-	-	-
MW-6	10/04/1994	101.43	15.56	85.87	-	-	78,000	13,000	940	1,900	10,000	-	-	-
MW-6	11/14/1994	101.43	13.53	87.90	-	-	-	-	-	-	-	-	-	-
MW-6	05/15/1995	101.43	10.53	90.90	-	-	-	-	-	-	-	-	-	-
MW-6	08/04/1995	101.43	12.38	89.05	-	-	51,000	8,600	1,400	1,900	7,800	-	-	-
MW-6	11/28/1995 ²⁸	101.43	14.63	86.80	-	-	-	-	-	-	-	-	-	-
MW-6	02/20/1996	101.43	9.72	91.71	-	-	59,000	11,000	1,600	2,100	9,400	<500	-	-
MW-6	05/29/1996	101.43	10.94	90.49	-	-	-	-	-	-	-	-	-	-
MW-6	08/27/1996	101.43	13.40	88.03	-	-	84,000	11,000	960	2,300	7,700	<500	-	-
MW-6	11/22/1996	101.43	12.90	88.53	-	-	-	-	-	-	-	-	-	-
MW-6	02/18/1997	101.43	10.01	91.42	-	-	14,000	3,700	160	720	1,800	400	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	05/23/1997	101.43	12.75	88.68	-	-	-	-	-	-	-	-	-	-
MW-6	08/04/1997	101.43	13.48	87.95	-	-	62,000	13,000	930	3,500	8,500	710	-	-
MW-6	11/25/1997	101.43	14.21	87.22	-	-	-	-	-	-	-	-	-	-
MW-6	02/25/1998	101.43	14.85	86.58	-	-	30,000	2,400	910	740	4,000	2,600	-	-
MW-6	05/21/1998	101.43	11.67	89.76	-	-	-	-	-	-	-	-	-	-
MW-6	08/19/1998	101.43	15.86	85.57	-	-	37,000	390	220	160	3,600	1,600 / 1,000 ⁷	-	-
MW-6	11/19/1998 ³⁴	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/12/1999	101.43	11.83	89.60	-	-	80	2.4	<0.5	0.68	6.2	<2.5	-	-
MW-6	05/10/1999	101.43	13.00	88.43	-	-	-	-	-	-	-	-	-	-
MW-6	09/02/1999	101.43	15.72	85.71	-	-	4,440	23.4	<5.0	45.3	46.2	<50	-	-
MW-6	02/03/2000	101.43	13.20	88.23	-	-	8,300	22	<10	43	140	77	-	-
MW-6	05/09/2000 ¹⁵	101.43	13.05	88.38	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/02/2000 ¹⁵	101.43	14.75	86.68	0.00	0.00	1,700 ⁸	32	4.9	<2.5	<2.5	55	-	-
MW-6	11/09/2000 ¹⁵	101.43	15.56	85.87	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/08/2001 ¹⁵	101.43	15.87	85.56	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	05/02/2001 ^{15,41}	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/28/2001 ^{15,41}	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/26/2001 ¹⁵	101.43	15.46	85.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/22/2002 ¹⁵	101.43	11.94	89.49	0.00	0.00	6,300	<10	1.7	17	26	<25	-	-
MW-6	05/24/2002 ^{15,28}	101.43	15.54	85.89	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/29/2002 ^{15,41}	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/29/2002 ²⁸	101.43	15.78	85.65	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/28/2003	101.43	12.07	89.36	0.00	0.00	180	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-6	05/30/2003 ²⁸	101.43	12.84	88.59	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	08/22/2003 ³⁴	101.43	14.40	87.03	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	11/24/2003 ²⁸	101.43	15.12	86.31	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/27/2004 ¹⁷	101.43	10.06	91.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	06/21/2004 ²⁸	101.43	14.46	86.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/26/2004 ⁴¹	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/29/2004 ⁴¹	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/11/2005 ¹⁷	101.43	12.67	88.76	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	06/16/2005 ²⁸	101.43	12.31	89.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/31/2005 ³⁴	101.43	14.53	86.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	11/30/2005 ²⁸	101.43	15.11	86.32	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/27/2006 ¹⁷	101.43	11.97	89.46	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	05/30/2006 ²⁸	101.43	11.75	89.68	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/29/2006 ¹⁷	101.43	14.36	87.07	0.00	0.00	110	0.6	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	12/13/2006 ²⁸	101.43	13.05	88.38	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	02/28/2007 ¹⁷	101.43	9.77	91.66	0.00	0.00	1,400	<0.5	<0.5	0.7	<0.5	<0.5	-	-
MW-6	05/30/2007 ²⁸	101.43	12.62	88.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/29/2007 ⁴¹	101.43	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/21/2007 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/20/2008 ¹⁷	104.01	11.86	92.15	0.00	0.00	1,200	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	05/21/2008 ²⁸	104.01	13.09	90.92	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	06/24/2008	104.01	13.97	90.04	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	08/22/2008 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/21/2008 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/03/2009 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	05/28/2009	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/06/2009	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	11/16/2009	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/02/2010	104.01	9.70	94.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	05/20/2010	104.01	10.60	93.41	0.00	0.00	53 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	08/23/2010 ²⁸	104.01	13.58	90.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	12/07/2010	104.01	12.34	91.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	02/03/2011 ²⁸	104.01	11.24	92.77	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	05/06/2011	104.01	10.25	93.76	0.00	0.00	95 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	09/16/2011 ²⁸	104.01	13.43	90.58	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	12/06/2011 ²⁸	104.01	13.79	90.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	03/16/2012 ²⁸	104.01	12.20	91.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	06/21/2012	104.01	12.68	91.33	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5
MW-6	09/10/2012 ²⁸	104.01	13.82	90.19	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	12/21/2012	104.01	10.50	93.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	03/28/2013 ²⁸	104.01	11.90	92.11	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	06/25/2013	104.01	13.76	90.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	09/16/2013 ²⁸	104.01	14.77	89.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	12/19/2013	104.01	14.30	89.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	03/07/2014 ²⁸	104.01	12.04	91.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	06/04/2014	104.01	14.20	89.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	09/17/2014 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/29/2014	104.01	8.85	95.16	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	03/20/2015 ²⁸	104.01	12.82	91.19	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	06/16/2015 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/24/2015 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/07/2015 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/29/2016 ²⁸	104.01	10.60	93.41	0.00	0.00	-	-	-	-	-	-	-	-
MW-6	06/26/2016 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/01/2016 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/07/2016	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/07/2016 ⁴¹	104.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	02/01/2017	104.01	10.11	93.90	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-
MW-6	05/18/2017	104.01	11.01	93.00	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
MW-7	02/05/1988	-	-	-	-	-	81,000	34,000	36,000	2,400	16,000	-	-	-
MW-7	06/15/1988	-	12.57	88.34	-	-	77,000	40,000	41,000	1,400	24,000	-	-	-
MW-7	09/27/1988	100.91	13.60	87.31	-	-	30,000	9,700	8,900	400	4,100	-	<10	2,600
MW-7	01/05/1989	100.91	12.98	87.93	-	-	96,000	36,000	38,000	2,800	16,000	-	-	-
MW-7	04/06/1989	100.91	12.34	88.57	-	-	-	-	-	-	-	-	-	-
MW-7	06/28/1989	100.91	14.08	86.83	-	-	110,000	31,000	30,000	2,600	16,000	-	-	-
MW-7	10/03/1989	100.91	14.53	86.38	-	-	230,000	34,000	34,000	2,400	15,000	-	-	-
MW-7	01/04/1990	100.91	14.49	86.42	-	-	150,000	41,000	40,000	2,400	15,000	-	-	-
MW-7	04/03/1990	100.91	13.66	87.25	-	-	100,000	31,000	28,000	2,100	16,000	-	-	-
MW-7	07/03/1990	100.91	13.86	87.05	-	-	190,000	30,000	27,000	1,800	13,000	-	-	-
MW-7	11/06/1990	100.91	15.58	85.33	-	-	160,000	27,000	25,000	1,900	15,000	-	-	-
MW-7	01/04/1991	100.91	15.25	85.66	-	-	-	-	-	-	-	-	-	-
MW-7	04/03/1991	100.91	11.41	89.50	-	-	240,000	40,000	36,000	2,400	18,000	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	07/02/1991	100.91	14.18	86.73	-	-	-	-	-	-	-	-	-	-
MW-7	10/02/1991	100.91	15.78	85.13	-	-	220,000	26,000	27,000	2,500	18,000	-	-	-
MW-7	01/02/1992	100.91	15.45	85.46	-	-	-	-	-	-	-	-	-	-
MW-7	04/07/1992	100.91	13.48	87.43	-	-	260,000	27,000	26,000	2,400	15,000	-	-	-
MW-7	08/13/1992	100.91	15.89	85.02	-	-	-	-	-	-	-	-	-	-
MW-7	12/03/1992	100.91	16.43	84.48	-	-	330,000	29,000	31,000	3,300	18,000	-	-	-
MW-7	03/25/1993	100.91	11.10	89.81	-	-	-	-	-	-	-	-	-	-
MW-7	06/23/1993	100.91	13.63	88.13	1.06	-	-	-	-	-	-	-	-	-
MW-7	09/21/1993	100.91	14.88	86.57	0.67	-	-	-	-	-	-	-	-	-
MW-7	12/02/1993	100.91	14.74	86.32	0.19	-	-	-	-	-	-	-	-	-
MW-7	03/08/1994	100.91	12.37	88.54	-	-	-	-	-	-	-	-	-	-
MW-7	06/13/1994	100.91	13.12	88.03	0.30	-	-	-	-	-	-	-	-	-
MW-7	10/04/1994 ³	100.91	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/14/1994	100.91	13.83	87.22	0.18	0.50	-	-	-	-	-	-	-	-
MW-7	05/15/1995	100.91	11.07	89.85	0.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	08/04/1995	100.91	12.53	88.38	-	-	-	-	-	-	-	-	-	-
MW-7	11/28/1995	100.91	14.62	86.53	0.30	2.00	-	-	-	-	-	-	-	-
MW-7	02/20/1996 ²⁸	100.91	10.09	90.84	0.02	0.0625	-	-	-	-	-	-	-	-
MW-7	05/29/1996	100.91	10.93	90.00	0.02	0.50	-	-	-	-	-	-	-	-
MW-7	08/27/1996	100.91	12.75	88.18	0.02	0.50	-	-	-	-	-	-	-	-
MW-7	11/22/1996	100.91	12.99	87.94	0.02	0.50	-	-	-	-	-	-	-	-
MW-7	02/18/1997	100.91	9.58	91.33	0.01	0.50	-	-	-	-	-	-	-	-
MW-7	05/23/1997	100.91	12.55	88.36	-	-	8,300	210	580	130	1,400	<250	-	-
MW-7	08/04/1997	100.91	13.23	87.68	-	-	96,000	12,000	16,000	2,300	14,000	3,600	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	02/25/1998	100.91	17.02	83.89	-	-	-	-	-	-	-	-	-	-
MW-7	05/21/1998	100.91	11.93	88.98	-	-	150,000	7,100	15,000	1,700	9,600	21,000	-	-
MW-7	08/19/1998	100.91	18.19	82.72	-	-	-	-	-	-	-	-	-	-
MW-7	11/19/1998 ³⁴	100.91	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/12/1999	100.91	12.81	88.10	-	-	-	-	-	-	-	-	-	-
MW-7	05/10/1999	100.91	13.04	87.87	-	-	11,200	384	764	116	618	<1,000 / 558 ⁷	-	-
MW-7	09/02/1999	100.91	15.75	85.16	-	-	-	-	-	-	-	-	-	-
MW-7	02/03/2000	100.91	14.07	86.84	-	-	-	-	-	-	-	-	-	-
MW-7	05/09/2000 ¹⁵	100.91	13.36	87.55	0.00	0.00	150 ⁸	0.52	<0.50	<0.50	2.1	130	-	-
MW-7	08/02/2000 ^{15,28}	100.91	14.97	85.94	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/09/2000 ¹⁵	100.91	14.98	85.93	0.00	0.00	559	24.1	12.4	2.34	12.5	5.32	-	-
MW-7	02/08/2001 ¹⁵	100.91	16.02	84.89	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/02/2001 ^{15,34}	100.91	17.70	83.21	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	08/28/2001 ^{15,28}	100.91	17.99	82.92	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/26/2001 ¹⁵	100.91	16.15	84.76	0.00	0.00	82,000	12,000	23,000	840	6,500	<100	-	-
MW-7	02/22/2002 ^{15,28}	100.91	12.69	88.22	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/24/2002 ^{15,34}	100.91	16.18	84.73	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	08/29/2002 ^{15,28}	100.91	16.17	84.74	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/29/2002	100.91	15.32	85.59	0.00	0.00	890	50	150	14	77	<10	-	-
MW-7	02/28/2003 ^{16,28}	-	10.07	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/30/2003 ^{16,17}	-	11.12	-	0.00	0.00	190	0.8	1	1	3	62	-	-
MW-7	08/22/2003 ¹⁶	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/24/2003 ^{16,17}	-	13.99	-	0.00	0.00	1,000	110	6	18	6	6	-	-
MW-7	02/27/2004 ^{16,28}	-	11.31	-	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	06/21/2004 ^{16,34}	-	13.48	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	08/26/2004 ^{16,28}	-	14.33	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/29/2004 ^{16,17}	-	14.15	-	0.00	0.00	1,800	480	2	32	14	28	-	-
MW-7	02/11/2005 ^{16,28}	-	11.16	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/16/2005 ^{16,17}	-	10.84	-	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	29	-	-
MW-7	08/31/2005 ^{16,28}	-	12.15	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/30/2005 ^{16,17}	-	13.91	-	0.00	0.00	120	10	1	<0.5	<0.5	9	-	-
MW-7	02/27/2006 ^{16,28}	-	10.47	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/30/2006 ^{16,17}	-	10.10	-	0.00	0.00	91	1	3	0.6	0.9	99	-	-
MW-7	08/29/2006 ^{16,28}	-	12.62	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/13/2006 ^{16,17}	-	12.57	-	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-7	02/28/2007 ^{16,28}	-	9.54	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/30/2007 ^{16,17}	-	12.01	-	0.00	0.00	<50	<0.5	1	<0.5	<0.5	28	-	-
MW-7	08/29/2007 ^{16,28}	-	14.62	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/21/2007 ¹⁷	103.17	13.87	89.30	0.00	0.00	9,900	340	4,100	190	840	11	-	-
MW-7	02/20/2008 ²⁸	103.17	11.61	91.56	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/21/2008 ¹⁷	103.17	12.61	90.56	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	31	-	-
MW-7	06/24/2008 ¹⁷	103.17	12.97	90.20	0.00	0.00	<50	1	1	<0.5	2	47	-	-
MW-7	08/22/2008 ⁴¹	103.17	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/21/2008 ⁴¹	103.17	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/03/2009 ⁴¹	103.17	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	05/28/2009	103.17	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	08/06/2009	103.17	15.18	87.99	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	11/16/2009	103.17	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	02/02/2010	103.17	9.95	93.22	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/20/2010	103.17	10.21	92.96	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	14	-	-
MW-7	08/23/2010 ²⁸	103.17	12.95	90.22	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/07/2010	103.17	11.82	91.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	-	-
MW-7	02/03/2011 ²⁸	103.17	10.74	92.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	05/06/2011	103.17	9.96	93.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	42	-	-
MW-7	09/16/2011 ²⁸	103.17	12.72	90.45	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/06/2011 ²⁸	103.17	13.14	90.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	42	-	-
MW-7	03/16/2012 ²⁸	103.17	12.21	90.96	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/21/2012	103.17	12.23	90.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	140	-	<0.5
MW-7	09/10/2012 ²⁸	103.17	13.56	89.61	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/21/2012	103.17	10.62	92.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	-
MW-7	03/28/2013 ²⁸	103.17	11.60	91.57	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/25/2013	103.17	13.25	89.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	44	-	-
MW-7	09/16/2013 ²⁸	103.17	14.27	88.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/19/2013	103.17	13.69	89.48	0.00	0.00	410	<0.5	4	7	22	<0.5	-	-
MW-7	03/07/2014 ²⁸	103.17	11.46	91.71	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/04/2014	103.17	13.20	89.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	36	-	-
MW-7	09/17/2014 ²⁸	103.17	15.07	88.10	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/29/2014	103.17	9.12	94.05	0.00	0.00	<50	<0.5	<0.5	<0.5	3	2	-	-
MW-7	03/20/2015 ²⁸	103.17	12.52	90.65	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/16/2015	103.17	14.64	88.53	0.00	0.00	1,200	<0.5	4	35	170	30	-	-
MW-7	09/24/2015 ²⁸	103.17	15.93	87.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/07/2015 ³⁴	103.17	16.34	86.83	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	03/29/2016 ²⁸	103.17	10.47	92.70	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	06/26/2016	103.17	13.91	89.26	0.00	0.00	1,500	<1	3	34	110	22	-	-
MW-7	09/01/2016 ²⁸	103.17	13.20	89.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-7	12/07/2016	103.17	14.41	88.76	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-
MW-7	02/01/2017	103.17	9.50	93.67	0.00	0.00	130	<1	<1	1	3	13	-	-
MW-7	05/18/2017	103.17	10.40	92.77	0.00	0.00	610	<1	0.5 J	15	18	16	-	-
MW-8	10/27/1988	-	-	-	-	-	190,000	27,000	43,000	2,200	15,000	-	-	-
MW-8	01/05/1989	-	12.02	87.65	-	-	87,000	24,000	39,000	3,000	15,000	-	-	-
MW-8	04/06/1989	99.67	11.78	87.89	-	-	-	-	-	-	-	-	-	-
MW-8	06/28/1989	99.67	13.40	86.27	-	-	120,000	22,000	35,000	2,900	16,000	-	-	-
MW-8	10/03/1989	99.67	13.84	85.92	0.11	-	-	-	-	-	-	-	-	-
MW-8	01/04/1990	99.67	13.99	85.76	0.10	-	-	-	-	-	-	-	-	-
MW-8	04/03/1990	99.67	13.07	86.84	0.30	-	-	-	-	-	-	-	-	-
MW-8	07/03/1990	99.67	13.11	86.59	0.04	-	-	-	-	-	-	-	-	-
MW-8	11/06/1990	99.67	14.77	85.02	0.15	-	-	-	-	-	-	-	-	-
MW-8	01/04/1991	99.67	14.59	85.22	0.18	-	-	-	-	-	-	-	-	-
MW-8	04/03/1991	99.67	11.53	88.18	0.05	-	-	-	-	-	-	-	-	-
MW-8	07/02/1991	99.67	13.71	86.34	0.48	-	-	-	-	-	-	-	-	-
MW-8	10/02/1991	99.67	14.84	85.05	0.27	-	-	-	-	-	-	-	-	-
MW-8	01/02/1992	99.67	15.05	84.86	0.30	-	-	-	-	-	-	-	-	-
MW-8	04/07/1992	99.67	12.17	87.73	0.29	-	-	-	-	-	-	-	-	-
MW-8	08/13/1992	99.67	14.96	84.96	0.31	-	-	-	-	-	-	-	-	-
MW-8	12/03/1992	99.67	15.85	84.44	0.78	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	03/25/1993	99.67	10.78	88.89	-	-	-	-	-	-	-	-	-	-
MW-8	06/23/1993	99.67	12.27	87.60	0.25	-	-	-	-	-	-	-	-	-
MW-8	09/21/1993	99.67	13.68	86.25	0.32	-	-	-	-	-	-	-	-	-
MW-8	12/02/1993	99.67	14.00	85.86	0.24	-	-	-	-	-	-	-	-	-
MW-8	03/08/1994	99.67	11.84	87.83	-	-	-	-	-	-	-	-	-	-
MW-8	06/13/1994	99.67	12.11	87.58	0.03	-	-	-	-	-	-	-	-	-
MW-8	10/04/1994	99.67	14.20	85.47	-	-	-	-	-	-	-	-	-	-
MW-8	11/14/1994	99.67	14.06	85.61	-	-	140,000	12,000	36,000	2,400	17,000	-	-	-
MW-8	05/15/1995	99.67	9.95	89.72	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-8	08/04/1995	99.67	11.14	88.53	-	-	-	-	-	-	-	-	-	-
MW-8	11/28/1995	99.67	13.32	86.35	-	-	100,000	6,900	34,000	2,700	16,000	650	-	-
MW-8	02/20/1996 ²⁸	99.67	10.00	89.67	-	-	-	-	-	-	-	-	-	-
MW-8	05/29/1996	99.67	10.30	89.37	-	-	130,000	8,800	30,000	2,300	14,000	<500	-	-
MW-8	08/27/1996	99.67	12.25	87.42	-	-	-	-	-	-	-	-	-	-
MW-8	11/22/1996	99.67	12.01	87.66	-	-	150,000	7,400	33,000	2,400	14,000	<500	-	-
MW-8	02/18/1997	99.67	9.11	90.56	-	-	-	-	-	-	-	-	-	-
MW-8	05/23/1997	99.67	11.58	88.09	-	-	140,000	11,000	38,000	3,200	18,000	<250	-	-
MW-8	08/04/1997	99.67	12.18	87.49	-	-	140,000	8,000	38,000	3,500	18,000	<500	-	-
MW-8	11/25/1997	99.67	17.05	82.62	-	-	290,000 ⁵	15,000	71,000	7,400	36,000	3,600	-	-
MW-8	02/25/1998	99.67	10.03	89.64	-	-	-	-	-	-	-	-	-	-
MW-8	05/21/1998	99.67	9.41	90.26	-	-	110,000	2,800	11,000	1,200	9,800	660	-	-
MW-8	08/19/1998	99.67	17.20	82.47	-	-	-	-	-	-	-	-	-	-
MW-8	11/19/1998	99.67	16.67	83.00	-	-	51,000	3,100	25,000	2,300	15,000	3,100	-	-
MW-8	02/12/1999	99.67	10.52	89.15	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	05/10/1999	99.67	10.95	88.72	-	-	104,000	2,980	22,000	1,960	12,800	<2,500 / <333 ⁷	-	-
MW-8	09/02/1999	99.67	10.27	89.40	-	-	-	-	-	-	-	-	-	-
MW-8	02/03/2000	99.67	11.45	88.22	-	-	-	-	-	-	-	-	-	-
MW-8	05/09/2000 ¹⁵	99.67	10.90	88.77	0.00	0.00	37,000 ⁸	2,200	12,000	<100	8,400	1,900	-	-
MW-8	08/02/2000 ^{15,28}	99.67	12.25	87.42	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/09/2000 ¹⁵	99.67	12.94	86.73	0.00	0.00	63,100	2,330	17,200	1,520	11,300	<250	-	-
MW-8	02/08/2001 ¹⁵	99.67	13.25	86.42	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/02/2001 ¹⁵	99.67	14.16	85.51	0.00	0.00	79,400	1,120	18,900	<2,500	13,400	47.6	-	-
MW-8	08/28/2001 ^{15,28}	99.67	15.59	84.08	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/26/2001 ¹⁵	99.67	13.60	86.07	0.00	0.00	48,000	640	10,000	980	8,500	<100	-	-
MW-8	02/22/2002 ^{15,28}	99.67	10.51	89.16	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/24/2002 ¹⁵	99.67	13.06	86.61	0.00	0.00	62,000	1,100	14,000	1,300	9,600	<200	-	-
MW-8	08/29/2002 ^{15,28}	99.67	13.56	86.11	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/29/2002	99.67	13.04	86.63	0.00	0.00	57,000	590	11,000	1,200	10,000	<50	-	-
MW-8	02/28/2003 ²⁸	99.67	10.08	89.59	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/30/2003 ¹⁷	99.67	11.00	88.67	0.00	0.00	13,000	100	650	270	2,100	<0.5	-	-
MW-8	08/22/2003 ^{15,28}	99.67	12.70	86.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/24/2003 ¹⁷	99.67	13.28	86.39	0.00	0.00	64,000	450	17,000	1,300	9,900	<5	-	-
MW-8	02/27/2004 ²⁸	99.67	10.21	89.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/21/2004 ¹⁷	99.67	12.80	86.87	0.00	0.00	18,000	140	2,100	540	4,400	<3	-	-
MW-8	08/26/2004 ²⁸	99.67	13.85	85.82	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/29/2004 ¹⁷	99.67	13.45	86.22	0.00	0.00	67,000	250	13,000	1,000	6,800	<10	-	-
MW-8	02/11/2005 ²⁸	99.67	10.92	88.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/16/2005 ¹⁷	99.67	10.38	89.29	0.00	0.00	15,000	120	920	390	2,500	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	08/31/2005 ²⁸	99.67	12.76	86.91	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/30/2005 ¹⁷	99.67	13.02	86.65	0.00	0.00	32,000	88	5,600	650	4,000	<10	-	-
MW-8	02/27/2006 ²⁸	99.67	10.21	89.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/30/2006 ^{17,20}	99.67	10.08	89.59	0.00	0.00	53,000	200	9,800	1,400	6,700	<5	-	-
MW-8	08/29/2006 ²⁸	99.67	12.07	87.60	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/13/2006 ^{17,18}	99.67	12.21	87.46	0.00	0.00	23,000	54	2,500	680	3,400	<3	-	-
MW-8	02/28/2007 ²⁸	99.67	10.14	89.53	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/30/2007 ^{17,18}	99.67	11.58	88.09	0.00	0.00	16,000	43	870	470	2,400	<1	-	-
MW-8	08/29/2007 ^{18,28}	99.67	13.65	86.02	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/21/2007 ³¹	102.02	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	02/20/2008 ²⁸	102.02	11.06	90.96	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/21/2008 ¹⁷	102.02	12.39	89.63	0.00	0.00	3,800 ²²	3	84	150	220	<0.5	-	-
MW-8	06/24/2008 ^{17,20}	102.02	12.58	89.44	0.00	0.00	3,700	4	1,000	190	970	<0.5	-	-
MW-8	08/22/2008 ²⁸	102.02	15.08	86.94	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/21/2008 ^{20,34}	102.02	16.79	85.23	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	02/03/2009 ²⁸	102.02	16.85	85.17	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/28/2009	102.02	15.89	86.13	0.00	0.00	41,000	23	9,300	1,000	8,300	<5	-	-
MW-8	08/06/2009	102.02	14.10	87.92	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	11/16/2009	102.02	16.10	85.92	0.00	0.00	60,000	33	8,900	1,500	10,000	<10	-	-
MW-8	02/02/2010	102.02	10.75	91.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	05/20/2010	102.02	10.17	91.85	0.00	0.00	2,900	6	170	43	410	<0.5	-	-
MW-8	08/23/2010 ²⁸	102.02	12.21	89.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/07/2010	102.02	11.46	90.56	0.00	0.00	52,000	14	7,100	1,400	11,000	<5	-	-
MW-8	02/03/2011 ²⁸	102.02	10.72	91.30	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
		Units	ft	ft	ft-amsl	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	05/06/2011	102.02	9.85	92.17	0.00	0.00	13,000	3	1,100	370	2,400	<1	-	-
MW-8	09/16/2011 ²⁸	102.02	12.31	89.71	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/06/2011 ²⁸	102.02	12.63	89.39	0.00	0.00	27,000	<5	3,600	920	6,400	<5	-	-
MW-8	03/16/2012 ²⁸	102.02	12.33	89.69	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/21/2012	102.02	12.05	89.97	0.00	0.00	8,300	1 J	400	390	1,170	<1	-	<1
MW-8	09/10/2012 ²⁸	102.02	13.13	88.89	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/21/2012	102.02	11.27	90.75	0.00	0.00	28,000	<10	2,300	940	6,900	<10	-	-
MW-8	03/28/2013 ²⁸	102.02	12.17	89.85	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/25/2013	102.02	13.12	88.90	0.00	0.00	29,000	<5	2,700	1,100	6,600	<5	-	-
MW-8	09/16/2013 ²⁸	102.02	13.92	88.10	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/19/2013	102.02	14.00	88.02	0.00	0.00	31,000	<5	1,900	1,400	8,200	<5	-	-
MW-8	03/07/2014 ²⁸	102.02	11.96	90.06	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/05/2014	102.02	13.26	88.76	0.00	0.00	12,000	1	400	640	2,300	<0.5	-	-
MW-8	09/17/2014 ²⁸	102.02	14.82	87.20	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/29/2014	102.02	10.76	91.26	0.00	0.00	20,000	9 J	1,100	1,000	6,100	<5	-	-
MW-8	03/20/2015 ²⁸	102.02	12.94	89.08	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/16/2015	102.02	14.11	87.91	0.00	0.00	2,300	0.9 J	47	150	190	<0.5	-	-
MW-8	09/24/2015 ²⁸	102.02	15.31	86.71	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/07/2015 ³⁴	102.02	17.61	84.41	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	03/29/2016 ²⁸	102.02	11.51	90.51	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	06/26/2016 ³¹	102.02	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	09/01/2016 ³¹	102.02	14.37	87.65	0.00	0.00	-	-	-	-	-	-	-	-
MW-8	12/07/2016	102.02	14.51	87.51	0.00	0.00	9,500	<10	180	330	1,800	<10	-	-
MW-8	02/01/2017	102.02	10.22	91.80	0.00	0.00	14,000	8	530	530	2,700	<5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	05/18/2017	102.02	10.44	91.58	0.00	0.00	28,000	5 J	920	970	4,600	<10	-	-
MW-9	10/27/1988	-	-	-	-	-	50,000	2,000	9,900	2,000	14,000	-	-	-
MW-9	01/05/1989	-	12.63	88.52	-	-	55,000	670	8,900	3,400	16,000	-	-	-
MW-9	04/06/1989	101.15	12.46	88.69	-	-	-	-	-	-	-	-	-	-
MW-9	06/28/1989	101.15	14.04	87.11	-	-	100,000	510	4,500	2,600	13,000	-	-	-
MW-9	10/03/1989	101.15	14.61	86.54	-	-	130,000	540	8,000	3,200	17,000	-	-	-
MW-9	01/04/1990	101.15	14.59	86.56	-	-	83,000	600	4,600	2,600	14,000	-	-	-
MW-9	04/03/1990	101.15	13.75	87.40	-	-	52,000	1,600	5,400	3,100	16,000	-	-	-
MW-9	07/03/1990	101.15	13.84	87.31	-	-	100,000	520	5,400	3,200	16,000	-	-	-
MW-9	11/06/1990	101.15	15.42	85.73	-	-	-	-	-	-	-	-	-	-
MW-9	01/04/1991	101.15	15.37	85.78	-	-	59,000	1,100	5,600	2,500	13,000	-	-	-
MW-9	04/03/1991	101.15	12.27	88.88	-	-	-	-	-	-	-	-	-	-
MW-9	07/02/1991	101.15	14.17	86.98	-	-	130,000	1,900	7,600	3,600	20,000	-	-	-
MW-9	10/02/1991	101.15	15.68	85.47	-	-	-	-	-	-	-	-	-	-
MW-9	01/02/1992	101.15	15.65	85.50	-	-	100,000	3,300	8,200	2,800	14,000	-	-	-
MW-9	04/07/1992	101.15	13.84	87.31	-	-	-	-	-	-	-	-	-	-
MW-9	08/13/1992	101.15	15.50	85.65	-	-	45,000	1,300	3,000	1,500	7,100	-	-	-
MW-9	12/03/1992	101.15	16.66	84.49	-	-	-	-	-	-	-	-	-	-
MW-9	03/25/1993	101.15	11.48	89.67	-	-	220,000	540	3,200	2,100	18,000	-	-	-
MW-9	06/23/1993	101.15	12.83	88.32	-	-	-	-	-	-	-	-	-	-
MW-9	09/21/1993	101.15	14.31	86.84	-	-	54,000	1,900	3,400	1,700	9,100	-	-	-
MW-9	12/02/1993	101.15	14.70	86.46	0.01	-	-	-	-	-	-	-	-	-
MW-9	03/08/1994	101.15	12.63	88.52	-	-	49,000	800	780	390	3,600	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	06/13/1994	101.15	13.65	87.50	-	-	-	-	-	-	-	-	-	-
MW-9	10/04/1994	101.15	15.20	85.95	-	-	180,000	2,600	5,400	1,700	11,000	-	-	-
MW-9	11/14/1994	101.15	14.25	86.90	-	-	-	-	-	-	-	-	-	-
MW-9	05/15/1995	101.15	10.64	90.51	-	-	-	-	-	-	-	-	-	-
MW-9	08/04/1995	101.15	11.89	89.26	-	-	42,000	1,400	2,700	1,700	9,000	-	-	-
MW-9	11/28/1995 ²⁸	101.15	13.92	87.23	-	-	-	-	-	-	-	-	-	-
MW-9	02/20/1996	101.15	10.61	90.54	Sheen	-	41,000	1,600	1,700	750	6,500	<100	-	-
MW-9	05/29/1996	101.15	10.81	90.34	-	-	-	-	-	-	-	-	-	-
MW-9	08/27/1996	101.15	12.90	88.25	Sheen	-	71,000	2,700	3,600	920	5,900	290	-	-
MW-9	11/22/1996	101.15	12.88	88.27	-	-	-	-	-	-	-	-	-	-
MW-9	02/18/1997	101.15	9.66	91.49	0.01	-	78,000	1,800	3,800	2,300	13,000	510	-	-
MW-9	05/23/1997	101.15	12.53	88.62	-	-	-	-	-	-	-	-	-	-
MW-9	08/04/1997	101.15	13.00	88.15	-	-	73,000	2,600	2,200	440	9,600	370	-	-
MW-9	11/25/1997	101.15	17.12	84.03	-	-	-	-	-	-	-	-	-	-
MW-9	02/25/1998	101.15	12.69	88.46	-	-	34,000	150	510	1,300	6,400	<250	-	-
MW-9	05/21/1998	101.15	10.14	91.01	-	-	-	-	-	-	-	-	-	-
MW-9	08/19/1998	101.15	15.10	86.05	-	-	42,000	<50	330	890	4,200	<250	-	-
MW-9	11/19/1998	101.15	15.97	85.18	-	-	-	-	-	-	-	-	-	-
MW-9	02/12/1999	101.15	11.25	89.90	-	-	13,000	<100	200	560	2,200	<500	-	-
MW-9	05/10/1999	101.15	12.34	88.81	-	-	16,900	<50	112	506	1,850	<500 / <20 ⁷	-	-
MW-9	09/02/1999	101.15	11.34	89.81	-	-	7,200	<25	<25	185	493	<250	-	-
MW-9	02/03/2000	101.15	12.22	88.93	-	-	11,000	68	22	380	1,000	66	-	-
MW-9	05/09/2000 ¹⁵	101.15	11.60	89.55	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/02/2000 ¹⁵	101.15	13.05	88.10	0.00	0.00	3,400 ⁸	41	10	<5.0	360	77	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	11/09/2000 ¹⁵	101.15	13.64	87.51	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/08/2001 ¹⁵	101.15	14.06	87.09	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	05/02/2001 ¹⁵	101.15	14.95	86.20	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/28/2001 ^{15,34}	101.15	16.12	85.03	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	11/26/2001 ¹⁵	101.15	14.66	86.49	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/22/2002 ¹⁵	101.15	10.95	90.20	0.00	0.00	5,300	<10	4.5	79	190	<20	-	-
MW-9	05/24/2002 ^{15,28}	101.15	13.63	87.52	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/29/2002 ¹⁵	101.15	14.40	86.75	0.00	0.00	4,200	<5.0	2.7	80	37	<2.5	-	-
MW-9	11/29/2002 ²⁸	101.15	13.88	87.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/28/2003	101.15	10.47	90.68	0.00	0.00	6,300	<100	11	130	210	<100	-	-
MW-9	05/30/2003 ²⁸	101.15	11.61	89.54	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/22/2003 ¹⁷	101.15	13.51	87.64	0.00	0.00	5,500	1	5	150	38	<0.5	-	-
MW-9	11/24/2003 ²⁸	101.15	13.94	87.21	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/27/2004 ¹⁷	101.15	10.55	90.60	0.00	0.00	6,300	0.7	6	160	39	<0.5	-	-
MW-9	06/21/2004 ²⁸	101.15	13.67	87.48	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/26/2004 ¹⁷	101.15	14.78	86.37	0.00	0.00	2,400	<0.5	1	19	4	<0.5	-	-
MW-9	11/29/2004 ²⁸	101.15	14.41	86.74	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/11/2005 ¹⁷	101.15	11.71	89.44	0.00	0.00	6,200	<1	5	84	35	<1	-	-
MW-9	06/16/2005 ²⁸	101.15	11.41	89.74	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/31/2005	101.15	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	11/30/2005 ²⁸	101.15	10.95	90.20	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/27/2006 ¹⁷	101.15	10.95	90.20	0.00	0.00	20,000	<1	23	360	1,000	<1	-	-
MW-9	05/30/2006 ^{20,28}	101.15	10.59	90.56	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/29/2006 ¹⁷	101.15	12.78	88.37	0.00	0	7,800	<0.5	6	150	98	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	12/13/2006 ³¹	101.15	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	02/28/2007 ¹⁷	101.15	10.73	90.42	0.00	0.00	8,500	<0.5	11	210	530	<0.5	-	-
MW-9	05/30/2007 ^{18,28}	101.15	12.03	89.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/29/2007 ^{17,18}	101.15	14.15	87.00	0.00	0.00	7,200	<0.5	4	120	49	<0.5	-	-
MW-9	11/21/2007 ²⁸	103.57	14.28	89.29	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/20/2008 ¹⁷	103.57	12.13	91.44	0.00	0.00	4,300	<0.5	2	88	25	<0.5	-	-
MW-9	05/21/2008 ²⁸	103.57	12.74	90.83	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/24/2008 ²⁰	103.57	13.43	90.14	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/22/2008 ¹⁷	103.57	15.30	88.27	0.00	0.00	3,500 ²²	<0.5	1	54	10	<0.5	-	-
MW-9	11/21/2008 ^{20,26,28}	103.57	17.09	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/03/2009 ^{26,34}	103.57	16.89	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	05/28/2009	103.57	15.46	88.11	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	08/06/2009	103.57	15.29	88.28	0.00	0.00	1,200	<0.5	0.5 J	25	4	<0.5	-	-
MW-9	11/16/2009	103.57	15.97	87.60	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	02/02/2010	103.57	11.68	91.89	0.00	0.00	1,400	<0.5	2	14	27	<0.5	-	-
MW-9	05/20/2010	103.57	11.11	92.46	0.00	0.00	1,900	2	3	12	13	<0.5	-	-
MW-9	08/23/2010 ²⁸	103.57	13.05	90.52	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/07/2010	103.57	11.85	91.72	0.00	0.00	2,400	<0.5	1	15	8	<0.5	-	-
MW-9	02/03/2011 ²⁸	103.57	11.26	92.31	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	05/06/2011	103.57	10.24	93.33	0.00	0.00	1,600	<0.5	0.6 J	8	5	<0.5	-	-
MW-9	09/16/2011 ²⁸	103.57	12.90	90.67	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/06/2011 ²⁸	103.57	13.24	90.33	0.00	0.00	2,200	<0.5	0.9 J	13	5	<0.5	-	-
MW-9	03/16/2012 ²⁸	103.57	12.98	90.59	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/21/2012	103.57	12.84	90.73	0.00	0.00	3,700	<1	4 J	39	20	<1	-	<1

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	09/10/2012 ²⁸	103.57	14.00	89.57	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/21/2012	103.57	11.82	91.75	0.00	0.00	3,600	<5	<5	27	6 J	<5	-	-
MW-9	03/28/2013 ²⁸	103.57	12.24	91.33	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/25/2013	103.57	13.75	89.82	0.00	0.00	5,100	<0.5	<0.5	18	3	<0.5	-	-
MW-9	09/16/2013 ²⁸	103.57	14.30	89.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/19/2013	103.57	14.38	89.19	0.00	0.00	1,700	<0.5	<0.5	8	1	<0.5	-	-
MW-9	03/07/2014 ²⁸	103.57	11.72	91.85	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/05/2014	103.57	13.52	90.05	0.00	0.00	400	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-9	09/17/2014 ²⁸	103.57	15.32	88.25	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/29/2014	103.57	11.14	92.43	0.00	0.00	2,000	<0.5	0.9 J	18	2	<0.5	-	-
MW-9	03/20/2015 ²⁸	103.57	13.06	90.51	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/16/2015	103.57	14.62	88.95	0.00	0.00	1,100	<0.5	<0.5	0.8 J	<0.5	<0.5	-	-
MW-9	09/24/2015 ²⁸	103.57	15.91	87.66	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	12/07/2015 ³¹	103.57	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/29/2016 ²⁸	103.57	11.79	91.78	0.00	0.00	-	-	-	-	-	-	-	-
MW-9	06/26/2016	103.57	13.82	89.75	0.00	0.00	1,300	<1	<1	0.7 J	<1	<1	-	-
MW-9	09/01/2016 ¹⁸	103.57	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	12/07/2016 ³¹	103.57	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	02/01/2017	103.57	11.11	92.46	0.00	0.00	1,200	<1	<1	5	0.6 J	<1	-	-
MW-9	05/18/2017	103.57	10.51	93.06	0.00	0.00	440	<1	<1	<1	<1	<1	-	-
MW-10	10/27/1988	-	-	-	-	-	<500	26	13	<5.0	<5.0	-	-	-
MW-10	01/05/1989	-	12.64	89.72	-	-	<1,000	<0.3	<0.3	<0.3	<0.3	-	-	-
MW-10	04/06/1989	102.36	11.38	90.98	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	06/28/1989	102.36	13.64	88.72	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	10/03/1989	102.36	13.85	88.51	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	01/04/1990	102.36	13.75	88.61	-	-	<50	0.5	1.1	<0.5	1.7	-	-	-
MW-10	04/03/1990	102.36	12.86	89.50	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	07/03/1990	102.36	13.43	88.93	-	-	-	-	-	-	-	-	-	-
MW-10	11/06/1990	102.36	14.82	87.54	-	-	-	-	-	-	-	-	-	-
MW-10	01/04/1991	102.36	13.98	88.38	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	04/03/1991	102.36	9.79	92.57	-	-	-	-	-	-	-	-	-	-
MW-10	07/02/1991	102.36	12.28	90.08	-	-	-	-	-	-	-	-	-	-
MW-10	10/02/1991	102.36	14.53	87.83	-	-	-	-	-	-	-	-	-	-
MW-10	01/02/1992	102.36	13.60	88.76	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	04/07/1992	102.36	11.83	90.53	-	-	-	-	-	-	-	-	-	-
MW-10	08/13/1992	102.36	13.95	88.41	-	-	-	-	-	-	-	-	-	-
MW-10	12/03/1992	102.36	13.96	88.40	-	-	-	-	-	-	-	-	-	-
MW-10	03/25/1993	102.36	8.45	93.91	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	-	-
MW-10	06/23/1993	102.36	11.60	91.03	-	-	-	-	-	-	-	-	-	-
MW-10	09/21/1993	102.36	13.32	89.31	-	-	-	-	-	-	-	-	-	-
MW-10	12/02/1993	102.36	13.27	89.36	-	-	-	-	-	-	-	-	-	-
MW-10	03/08/1994	102.36	10.85	91.51	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	06/13/1994	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	10/04/1994	102.36	13.90	88.46	-	-	-	-	-	-	-	-	-	-
MW-10	11/14/1994	102.36	11.80	90.56	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	05/15/1995	102.36	8.98	93.38	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-10	08/04/1995	102.36	10.44	91.92	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	11/28/1995	102.36	13.55	88.81	-	-	<50	1.6	0.81	<0.5	<0.5	<0.6	-	-
MW-10	02/20/1996	102.36	8.52	93.84	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	05/29/1996	102.36	9.20	93.16	-	-	<50	<0.5	<0.5	<0.5	0.9	<5.0	-	-
MW-10	08/27/1996	102.36	12.01	90.35	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	11/22/1996	102.36	11.52	90.84	-	-	<50	<0.5	<0.5	<0.5	1.0	<5.0	-	-
MW-10	02/18/1997	102.36	8.49	93.87	-	-	<50	0.7	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	05/23/1997	102.36	10.88	91.48	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	08/04/1997	102.36	13.29	89.07	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	11/25/1997	102.36	13.30	89.06	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	02/25/1998	102.36	7.82	94.54	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-10	05/21/1998	102.36	6.14	96.22	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-10	08/19/1998	102.36	11.74	90.62	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-10	11/19/1998	102.36	13.40	88.96	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-10	02/12/1999	102.36	8.42	93.94	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-10	05/10/1999	102.36	10.22	92.14	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0 / <2.0 ⁷	-	-
MW-10	09/02/1999	102.36	9.23	93.13	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-10	02/03/2000 ³⁶	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	05/09/2000 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	08/02/2000 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	11/09/2000 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	02/08/2001 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	05/02/2001 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	08/28/2001 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	11/26/2001 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	02/22/2002 ³⁵	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	05/24/2002	102.36	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	08/29/2002	102.36	13.46	88.90	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-10	11/29/2002	102.36	13.06	89.30	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-10	02/28/2003	102.36	9.57	92.79	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-10	05/30/2003 ¹⁷	102.36	9.99	92.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/22/2003 ^{15,17}	102.36	11.82	90.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/24/2003 ¹⁷	102.36	12.94	89.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	02/27/2004 ¹⁷	102.36	8.04	94.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	06/21/2004 ¹⁷	102.36	10.71	91.65	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/26/2004 ¹⁷	102.36	13.80	88.56	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/29/2004 ¹⁷	102.36	13.06	89.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	02/11/2005 ¹⁷	102.36	9.87	92.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	06/16/2005 ¹⁷	102.36	9.28	93.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/31/2005 ¹⁷	102.36	12.27	90.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/30/2005 ¹⁷	102.36	12.92	89.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	02/27/2006 ¹⁷	102.36	8.82	93.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	05/30/2006 ¹⁷	102.36	8.27	94.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/29/2006 ¹⁷	102.36	11.81	90.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	12/13/2006 ¹⁷	102.36	15.94	86.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	02/28/2007 ¹⁷	102.36	8.22	94.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	05/30/2007	102.36	10.49	91.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/29/2007 ¹⁷	102.36	10.15	92.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/21/2007	104.74	10.36	94.38	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	02/20/2008	104.74	9.27	95.47	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	05/21/2008	104.74	10.36	94.38	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	06/24/2008	104.74	11.28	93.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	08/22/2008	104.74	13.27	91.47	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	11/21/2008	104.74	17.04	87.70	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	02/03/2009	104.74	13.25	91.49	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	05/28/2009	104.74	11.95	92.79	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	08/06/2009	104.74	12.62	92.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	11/16/2009	104.74	12.21	92.53	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	02/02/2010	104.74	8.54	96.20	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	05/20/2010	104.74	9.62	95.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	08/23/2010 ³²	104.74	10.10	94.64	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	12/07/2010 ³²	104.74	9.50	95.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	02/03/2011 ³²	104.74	10.01	94.73	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	05/06/2011 ³²	104.74	8.60	96.14	0.00	0.00	-	-	-	-	-	-	-	-
MW-10	07/21/2011							Well Destroyed						
MW-11	06/28/1989	-	14.33	85.64	-	-	60,000	36,000	13,000	2,500	12,000	-	-	-
MW-11	10/03/1989	-	14.61	85.36	-	-	14,000	4,200	1,400	240	1,300	-	-	-
MW-11	01/04/1990	99.97	14.55	85.42	-	-	82,000	33,000	11,000	2,000	10,000	-	-	-
MW-11	04/03/1990	99.97	13.82	86.15	-	-	78,000	35,000	12,000	2,300	12,000	-	-	-
MW-11	07/03/1990	99.97	14.00	85.97	-	-	140,000	32,000	12,000	2,100	10,000	-	-	-
MW-11	11/06/1990	99.97	15.56	84.41	-	-	-	-	-	-	-	-	-	-
MW-11	01/04/1991	99.97	14.88	85.09	0.30	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	04/03/1991	99.97	10.75	89.22	0.21	-	340,000	29,000	14,000	3,700	24,000	-	-	-
MW-11	07/02/1991	99.97	13.97	86.00	0.02	-	130,000	27,000	14,000	2,200	12,000	-	-	-
MW-11	10/02/1991	99.97	15.60	84.37	-	-	-	-	-	-	-	-	-	-
MW-11	01/02/1992	99.97	14.51	85.46	-	-	77,000	18,000	14,000	1,900	10,000	-	-	-
MW-11	04/07/1992	99.97	13.13	86.84	-	-	-	-	-	-	-	-	-	-
MW-11	08/13/1992	99.97	17.04	82.53	-	-	-	-	-	-	-	-	-	-
MW-11	12/03/1992	99.57	15.59	83.98	-	-	-	-	-	-	-	-	-	-
MW-11	03/25/1993	99.57	10.06	89.51	-	-	110,000	13,000	2,100	5,900	9,800	-	-	-
MW-11	03/08/1994	99.57	11.70	87.87	-	-	-	-	-	-	-	-	-	-
MW-11	06/13/1994	99.57	12.16	87.41	-	-	-	-	-	-	-	-	-	-
MW-11	10/04/1994 ³	99.57	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	11/14/1994 ³	99.57	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/15/1995	99.57	10.02	89.55	-	-	-	-	-	-	-	-	-	-
MW-11	08/04/1995	99.57	11.82	87.75	-	-	33,000	9,400	3,000	1,800	6,100	-	-	-
MW-11	11/28/1995 ²⁸	99.57	16.72	82.85	-	-	-	-	-	-	-	-	-	-
MW-11	02/20/1996	99.57	10.00	89.57	-	-	22,000	4,500	2,200	560	3,500	<120	-	-
MW-11	05/29/1996	99.57	11.14	88.43	-	-	-	-	-	-	-	-	-	-
MW-11	08/27/1996	99.57	13.13	86.44	-	-	85,000	10,000	6,600	1,500	6,500	260	-	-
MW-11	11/22/1996	99.57	12.10	87.47	-	-	-	-	-	-	-	-	-	-
MW-11	02/18/1997	99.57	9.23	90.34	-	-	42,000	7,100	3,100	830	4,200	510	-	-
MW-11	05/23/1997	99.57	12.28	87.29	-	-	-	-	-	-	-	-	-	-
MW-11	08/04/1997	99.57	12.85	86.72	-	-	79,000	14,000	8,400	2,300	9,900	6,900	-	-
MW-11	11/25/1997	99.57	13.86	85.71	-	-	-	-	-	-	-	-	-	-
MW-11	02/25/1998	99.57	17.02	82.55	-	-	34,000	5,200	2,200	1,200	4,400	5,000 / 5,300 ⁷	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	05/21/1998	99.57	11.17	88.40	-	-	-	-	-	-	-	-	-	-
MW-11	08/19/1998	99.57	18.78	80.79	-	-	-	-	-	-	-	-	-	-
MW-11	11/19/1998	99.57	18.35	81.22	-	-	16,000	1,200	<100	690	1,200	540	-	-
MW-11	02/12/1999	99.57	11.42	88.15	-	-	4,200	580	41	220	470	<50	-	-
MW-11	05/10/1999	99.57	12.56	87.01	-	-	-	-	-	-	-	-	-	-
MW-11	09/02/1999	99.57	14.74	84.83	-	-	5,150	496	43.6	150	405	<250	-	-
MW-11	02/03/2000	99.57	12.34	87.23	-	-	14,000	3,400	150	860	1,500	<250	-	-
MW-11	05/09/2000 ¹⁵	99.57	12.33	87.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	08/02/2000 ¹⁵	99.57	14.05	85.52	0.00	0.00	7,100 ⁸	2,900	61	<20	1,200	<100	-	-
MW-11	11/09/2000 ¹⁵	99.57	14.72	84.85	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/08/2001 ¹⁵	99.57	14.89	84.68	0.00	0.00	18,100 ¹¹	4,300	146	743	819	<250	-	-
MW-11	05/02/2001 ¹⁵	99.57	15.75	83.82	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	08/28/2001 ¹⁵	99.57	17.02	82.55	0.00	0.00	2,900 ¹³	600	35	120	91	100	-	-
MW-11	11/26/2001 ^{15,28}	99.57	14.67	84.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/22/2002 ¹⁵	99.57	11.57	88.00	0.00	0.00	7,700	710	61	370	500	<20	-	-
MW-11	05/24/2002 ^{15,28}	99.57	14.76	84.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	08/29/2002 ¹⁵	99.57	15.16	84.41	0.00	0.00	14,000	1,300	82	630	910	<20	-	-
MW-11	11/29/2002 ^{15,28}	99.57	14.75	84.82	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/28/2003	99.57	11.60	87.97	0.00	0.00	5,100	600	95	150	390	<50	-	-
MW-11	05/30/2003 ²⁸	99.57	12.40	87.17	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	08/22/2003 ¹⁷	99.57	14.43	85.14	0.00	0.00	25,000	3,000	980	1,200	2,000	7	-	-
MW-11	11/24/2003 ²⁸	99.57	15.05	84.52	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/27/2004 ¹⁷	99.57	9.78	89.79	0.00	0.00	10,000	970	570	430	1,100	1	-	-
MW-11	06/21/2004 ²⁸	99.57	14.06	85.51	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	08/26/2004 ¹⁷	99.57	15.13	84.44	0.00	0.00	22,000	1,500	790	1,000	2,200	4	-	-
MW-11	11/29/2004 ²⁸	99.57	14.82	84.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/11/2005 ¹⁷	99.57	11.98	87.59	0.00	0.00	18,000	830	310	680	1,500	1	-	-
MW-11	06/16/2005 ²⁸	99.57	11.71	87.86	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	08/31/2005 ¹⁷	99.57	13.58	85.99	0.00	0.00	20,000	1,200	740	1,100	1,800	4	-	-
MW-11	11/30/2005 ²⁸	99.57	14.06	85.51	0.00	0.00	-	-	-	-	-	-	-	-
MW-11	02/27/2006 ¹⁷	99.57	11.30	88.27	0.00	0.00	18,000	700	340	770	1,300	8	-	-
MW-11	05/30/2006 ^{17,19}	99.57	10.45	89.12	0.00	0.00	13,000	620	270	700	1,000	7	-	-
MW-11	08/29/2006 ¹⁷	99.57	12.79	86.78	0.00	0.00	12,000	540	210	600	560	14	-	-
MW-11	12/13/2006 ¹⁷	99.57	12.07	87.50	0.00	0.00	13,000	1,100	180	710	490	22	-	-
MW-11	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/30/2007 ^{17,18}	99.57	12.05	87.52	0.00	0.00	15,000	720	180	1,100	910	12	-	-
MW-11	08/29/2007 ¹⁷	99.57	-	-	-	-	13,000	500	370	640	960	22	-	-
MW-11	11/21/2007 ^{17,18}	101.90	13.30	88.60	0.00	0.00	9,700	380	110	410	830	43	-	-
MW-11	02/20/2008 ¹⁵	101.90	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/21/2008 ^{15,17,18}	101.90	12.38	89.52	0.00	0.00	4,400 ²²	94	44	150	200	4	-	-
MW-11	06/24/2008 ^{15,17,18,33}	101.90	12.76	89.14	0.00	0.00	4,500	140	30	280	250	9	-	-
MW-11	08/22/2008 ^{15,17,18,33}	101.90	23.90	78.00	0.00	0.00	3,900 ²²	230	42	33	260	36	-	-
MW-11	11/21/2008 ^{15,17,18,33}	101.90	24.31	77.59	0.00	0.00	1,400	75	20	13	59	33	-	-
MW-11	02/03/2009 ^{15,17,18,33}	101.90	-	-	-	-	560	19	3	4	21	30	-	-
MW-11	05/28/2009	101.90	23.54	78.36	0.00	0.00	110	4	<0.5	0.9 J	<0.5	4	-	-
MW-11	08/07/2009	101.90	14.58	87.32	0.00	0.00	74 J	5	<0.5	0.8 J	<0.5	2	-	-
MW-11	11/16/2009	101.90	23.00	78.90	0.00	0.00	120	0.8 J	<0.5	<0.5	<0.5	7	-	-
MW-11	02/02/2010	101.90	9.10	92.80	0.00	0.00	53 J	<0.5	<0.5	<0.5	<0.5	0.6 J	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	05/20/2010	101.90	10.05	91.85	0.00	0.00	<50	0.8 J	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	08/23/2010 ²⁰	101.90	13.38	88.52	0.00	0.00	160	5	<0.5	1	0.9 J	0.9 J	-	-
MW-11	12/07/2010 ²⁰	101.90	11.37	90.53	0.00	0.00	230	3	<0.5	<0.5	<0.5	2	-	-
MW-11	02/03/2011 ²⁰	101.90	11.34	90.56	0.00	0.00	470	6	2	1	5	2	-	-
MW-11	05/06/2011	101.90	9.90	92.00	0.00	0.00	870	9	1	1	2	0.7 J	-	-
MW-11	09/16/2011	101.90	12.56	89.34	0.00	0.00	410	2	0.8 J	<0.5	0.9 J	1	-	-
MW-11	12/06/2011	101.90	12.90	89.00	0.00	0.00	430	2	<0.5	<0.5	0.6 J	1	-	-
MW-11	03/16/2012	101.90	11.40	90.50	0.00	0.00	870	5	1	2	3	1	-	-
MW-11	06/21/2012	101.90	11.79	90.11	0.00	0.00	2,400	12	6 J	9	7 J	<1	-	<1
MW-11	09/10/2012	101.90	13.02	88.88	0.00	0.00	2,200	9	2	1	17	<0.5	-	-
MW-11	12/21/2012	101.90	10.49	91.41	0.00	0.00	1,900	<5	<5	<5	<5	<5	-	-
MW-11	03/28/2013	101.90	11.62	90.28	0.00	0.00	2,000	4	2	0.9 J	10	<0.5	-	-
MW-11	06/25/2013	101.90	13.20	88.70	0.00	0.00	1,100	1 J	<0.5	<0.5	<0.5	0.7 J	-	-
MW-11	09/16/2013	101.90	14.12	87.78	0.00	0.00	350	<0.5	<0.5	<0.5	<0.5	1	-	-
MW-11	12/19/2013	101.90	13.90	88.00	0.00	0.00	340	<0.5	<0.5	<0.5	<0.5	1	-	-
MW-11	03/07/2014	101.90	11.30	90.60	0.00	0.00	200	<0.5	<0.5	<0.5	<0.5	1	-	-
MW-11	06/04/2014	101.90	12.90	89.00	0.00	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	09/17/2014	101.90	14.62	87.28	0.00	0.00	120	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	12/29/2014	101.90	8.75	93.15	0.00	0.00	51 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	03/20/2015	101.90	12.00	89.90	0.00	0.00	120	<0.5	<0.5	0.8 J	<0.5	<0.5	-	-
MW-11	06/16/2015	101.90	13.93	87.97	0.00	0.00	120	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	09/24/2015	101.90	15.33	86.57	0.00	0.00	150	<0.5	<0.5	<0.5	0.5 J	<0.5	-	-
MW-11	12/07/2015	101.90	15.50	86.40	0.00	0.00	160	<0.5	<0.5	<0.5	2	<0.5	-	-
MW-11	03/30/2016	101.90	9.85	92.05	0.00	0.00	840	0.9 J	0.6 J	<1	<1	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	06/26/2016	101.90	13.38	88.52	0.00	0.00	1,200	0.8 J	<1	<1	<1	<1	-	-
MW-11	09/01/2016	101.90	14.06	87.84	0.00	0.00	650	1 J	<1	<1	<1	<1	-	-
MW-11	12/07/2016	101.90	13.91	87.99	0.00	0.00	780	0.8 J	0.6 J	<1	3	<1	-	-
MW-11	02/01/2017	101.90	8.77	93.13	0.00	0.00	700	0.6 J	0.6 J	<1	3	<1	-	-
MW-11	05/18/2017	101.90	10.20	91.70	0.00	0.00	340	<1	<1	<1	<1	<1	-	-
MW-12	06/28/1989	-	14.10	85.54	-	-	55,000	30,000	21,000	2,900	19,000	-	-	-
MW-12	10/03/1989	-	14.30	85.34	-	-	170,000	30,000	23,000	2,700	15,000	-	-	-
MW-12	01/04/1990	99.64	14.35	85.29	-	-	110,000	24,000	19,000	2,300	12,000	-	-	-
MW-12	04/03/1990	99.64	13.59	86.05	-	-	89,000	41,000	28,000	3,300	17,000	-	-	-
MW-12	07/03/1990	99.64	13.77	85.87	-	-	170,000	27,000	20,000	2,200	12,000	-	-	-
MW-12	11/06/1990	99.64	15.19	84.45	0.06	-	110,000	28,000	21,000	2,400	14,000	-	-	-
MW-12	01/04/1991	99.64	14.52	-	-	-	-	-	-	-	-	-	-	-
MW-12	04/03/1991	99.64	10.91	-	-	-	-	-	-	-	-	-	-	-
MW-12	04/09/1991	99.64	-	-	-	-	170,000	39,000	17,000	2,400	14,000	-	-	-
MW-12	07/02/1991	99.64	13.51	-	-	-	-	-	-	-	-	-	-	-
MW-12	10/02/1991	99.64	14.93	-	-	-	170,000	27,000	15,000	2,600	17,000	-	-	-
MW-12	01/02/1992	99.64	14.45	85.19	-	-	-	-	-	-	-	-	-	-
MW-12	04/07/1992	99.64	13.05	86.59	-	-	-	-	-	-	-	-	-	-
MW-12	08/13/1992	99.22	17.39	81.83	-	-	-	-	-	-	-	-	-	-
MW-12	12/03/1992	99.22	15.34	83.88	-	-	2,400,000	19,000	21,000	14,000	110,000	-	-	-
MW-12	03/25/1993	99.22	10.37	88.85	-	-	-	-	-	-	-	-	-	-
MW-12	06/23/1993	99.22	12.21	87.01	-	-	110,000	30,000	19,000	2,000	12,000	-	-	-
MW-12	03/08/1994	99.22	11.95	87.27	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	06/13/1994	99.22	12.35	86.87	-	-	62,000	6,600	6,900	2,400	9,900	-	-	-
MW-12	10/04/1994 ³	99.22	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	11/14/1994 ³	99.22	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	05/15/1995	99.22	10.06	89.16	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-12	08/04/1995	99.22	11.60	87.62	-	-	-	-	-	-	-	-	-	-
MW-12	11/28/1995	99.22	16.63	82.59	-	-	110,000	26,000	22,000	2,300	12,000	1,100	-	-
MW-12	02/20/1996 ²⁸	99.22	11.10	88.12	-	-	-	-	-	-	-	-	-	-
MW-12	05/29/1996	99.22	11.48	87.74	-	-	120,000	18,000	18,000	2,000	11,000	710	-	-
MW-12	08/27/1996	99.22	12.50	86.72	-	-	-	-	-	-	-	-	-	-
MW-12	11/22/1996	99.22	12.92	86.30	-	-	160,000	24,000	22,000	1,900	11,000	980	-	-
MW-12	02/18/1997	99.22	9.20	90.02	-	-	-	-	-	-	-	-	-	-
MW-12	05/23/1997 ⁶	99.22	12.00	87.22	-	-	130,000	27,000	22,000	2,700	15,000	6,200	-	-
MW-12	08/04/1997	99.22	12.58	86.64	-	-	130,000	23,000	28,000	2,700	13,000	11,000	-	-
MW-12	11/25/1997	99.22	13.92	85.30	-	-	290,000 ⁵	53,000	31,000	6,400	30,000	35,000	-	-
MW-12	02/25/1998	99.22	18.21	81.01	-	-	-	-	-	-	-	-	-	-
MW-12	05/21/1998	99.22	11.18	88.04	-	-	150,000	14,000	16,000	1,800	250	66,000 / 69,000 ⁷	-	-
MW-12	08/19/1998	99.22	18.40	80.82	-	-	-	-	-	-	-	-	-	-
MW-12	11/19/1998	99.22	17.98	81.24	-	-	68,000	15,000	10,000	2,000	8,800	14,000	-	-
MW-12	02/12/1999	99.22	14.95	84.27	-	-	-	-	-	-	-	-	-	-
MW-12	05/10/1999	99.22	12.47	86.75	-	-	72,600	9,920	8,100	1,600	7,480	25,800 / 32,500 ⁷	-	-
MW-12	09/02/1999	99.22	13.85	85.37	-	-	-	-	-	-	-	-	-	-
MW-12	02/03/2000	99.22	12.45	86.77	-	-	-	-	-	-	-	-	-	-
MW-12	05/09/2000 ¹⁵	99.22	12.26	86.96	0.00	0.00	27,000 ⁸	7,800	4,000	<100	6,600	6,100	-	-
MW-12	08/02/2000 ^{15,28}	99.22	13.85	85.37	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	11/09/2000 ¹⁵	99.22	14.49	84.73	0.00	0.00	46,400	9,550	5,470	1,240	7,660	5,150	-	-
MW-12	02/08/2001 ¹⁵	99.22	14.79	84.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	05/02/2001 ¹⁵	99.22	15.73	83.49	0.00	0.00	94,000	8,720	3,630	<2,500	8,800	3,410	-	-
MW-12	08/28/2001 ^{15,28}	99.22	17.06	82.16	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	11/26/2001 ¹⁵	99.22	14.95	84.27	0.00	0.00	5,000	770	72	150	470	230	-	-
MW-12	02/22/2002 ^{15,28}	99.22	11.79	87.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	05/24/2002 ¹⁵	99.22	14.80	84.42	0.00	0.00	52,000	5,200	4,500	1,800	8,300	990	-	-
MW-12	08/29/2002 ^{15,28}	99.22	14.98	84.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	11/29/2002	99.22	14.53	84.69	0.00	0.00	40,000	4,900	3,800	1,100	7,000	1,000	-	-
MW-12	02/28/2003 ²⁸	99.22	11.41	87.81	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	05/30/2003 ¹⁷	99.22	12.25	86.97	0.00	0.00	46,000	4,300	3,100	1,400	7,500	670	-	-
MW-12	08/22/2003 ²⁸	99.22	14.06	85.16	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	11/24/2003 ¹⁷	99.22	14.60	84.62	0.00	0.00	45,000	5,200	3,100	1,400	8,400	480	-	-
MW-12	02/27/2004 ²⁸	99.22	11.06	88.16	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	06/21/2004 ¹⁷	99.22	13.83	85.39	0.00	0.00	53,000	6,100	5,400	1,800	11,000	370	-	-
MW-12	08/26/2004 ²⁸	99.22	13.92	85.30	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	11/29/2004 ¹⁷	99.22	13.52	85.70	0.00	0.00	62,000	7,300	5,700	1,600	12,000	370	-	-
MW-12	02/11/2005 ²⁸	99.22	10.87	88.35	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	06/16/2005 ¹⁷	99.22	11.02	88.20	0.00	0.00	49,000	3,400	4,100	1,600	7,900	180	-	-
MW-12	08/31/2005 ²⁸	99.22	12.46	86.76	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	11/30/2005 ⁴²	99.22	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	02/27/2006 ²⁸	99.22	10.96	88.26	0.00	0.00	-	-	-	-	-	-	-	-
MW-12	05/30/2006 ^{17,19}	99.22	10.17	89.05	0.00	0.00	54,000	3,800	4,900	1,900	6,400	230	-	-
MW-12	08/29/2006 ¹⁷	99.22	12.39	86.83	0.00	0.00	63,000	3,300	4,900	1,400	5,900	210	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	12/13/2006 ¹⁷	99.22	11.95	87.27	0.00	0.00	70,000	6,200	10,000	1,900	8,600	230	-	-
MW-12	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	05/30/2007 ^{17,18}	99.22	11.80	87.42	0.00	0.00	71,000	3,500	6,700	1,500	5,900	150	-	-
MW-12	08/29/2007 ¹⁷	99.22	-	-	-	-	58,000	5,200	8,800	1,500	7,400	120	-	-
MW-12	11/21/2007 ^{17,18}	101.65	13.33	88.32	0.00	0.00	30,000	5,000	4,400	720	4,200	45	-	-
MW-12	02/20/2008 ¹⁵	101.65	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	05/21/2008 ^{15,17,18}	101.65	12.18	89.47	0.00	0.00	37,000 ²²	5,300	6,100	1,100	6,700	36	-	-
MW-12	06/24/2008 ^{15,17,18,33}	101.65	12.54	89.11	0.00	0.00	24,000	6,700	7,600	1,300	6,900	80	-	-
MW-12	08/22/2008 ^{15,17,18,33}	101.65	24.24	77.41	0.00	0.00	29,000 ²²	3,200	5,100	360	5,700	38	-	-
MW-12	11/21/2008 ^{15,17,18,33}	101.65	23.95	77.70	0.00	0.00	19,000	1,500	2,500	350	2,400	<25	-	-
MW-12	02/03/2009 ^{15,17,18, 21,33}	101.65	-	-	-	-	16,000	1,600	2,500	380	2,800	22	-	-
MW-12	05/28/2009	101.65	22.63	79.02	0.00	0.00	35,000	1,400	4,400	760	6,100	25	-	-
MW-12	08/07/2009	101.65	14.91	86.74	0.00	0.00	40,000	760	3,900	1,700	7,000	19	-	-
MW-12	11/16/2009	101.65	22.91	78.74	0.00	0.00	15,000	650	890	160	2,700	24	-	-
MW-12	02/02/2010	101.65	9.67	91.98	0.00	0.00	8,500	360	220	530	1,000	52	-	-
MW-12	05/20/2010	101.65	10.14	91.51	0.00	0.00	3,300	90	5	140	87	30	-	-
MW-12	08/23/2010 ²⁰	101.65	13.89	87.76	0.00	0.00	5,300	330	10	500	91	72	-	-
MW-12	12/07/2010 ²⁰	101.65	11.40	90.25	0.00	0.00	7,600	370	36	400	270	55	-	-
MW-12	02/03/2011 ²⁰	101.65	11.80	89.85	0.00	0.00	4,100	410	8	180	130	70	-	-
MW-12	05/06/2011	101.65	9.87	91.78	0.00	0.00	1,800	210	1	60	18	62	-	-
MW-12	09/16/2011	101.65	12.38	89.27	0.00	0.00	2,900	180	9	100	110	35	-	-
MW-12	12/06/2011	101.65	12.76	88.89	0.00	0.00	5,900	230	51	290	450	22	-	-
MW-12	03/16/2012	101.65	11.80	89.85	0.00	0.00	5,100	190	14	200	290	26	-	-
MW-12	06/21/2012	101.65	11.87	89.78	0.00	0.00	2,500	71	2 J	72	61	34	-	<0.5

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	09/10/2012	101.65	13.00	88.65	0.00	0.00	2,100	47	1	56	44	31	-	-
MW-12	12/21/2012	101.65	10.69	90.96	0.00	0.00	1,100	13	<0.5	12	6	36	-	-
MW-12	03/28/2013	101.65	11.82	89.83	0.00	0.00	850	6	<0.5	4	2	40	-	-
MW-12	06/25/2013	101.65	13.05	88.60	0.00	0.00	2,200	24	3	68	100	23	-	-
MW-12	09/16/2013	101.65	13.88	87.77	0.00	0.00	5,500	71	120	350	720	10	-	-
MW-12	12/20/2013	101.65	13.83	87.82	0.00	0.00	6,900	110	37	300	480	14	-	-
MW-12	03/07/2014	101.65	11.50	90.15	0.00	0.00	2,100	34	1	17	12	14	-	-
MW-12	06/04/2014	101.65	12.84	88.81	0.00	0.00	800	5	<0.5	0.7 J	0.5 J	11	-	-
MW-12	09/17/2014	101.65	14.55	87.10	0.00	0.00	1,000	6	<0.5	4	4	13	-	-
MW-12	12/29/2014	101.65	9.58	92.07	0.00	0.00	450	0.8 J	<0.5	<0.5	0.6 J	14	-	-
MW-12	03/20/2015	101.65	12.09	89.56	0.00	0.00	290	<0.5	<0.5	<0.5	<0.5	8	-	-
MW-12	06/16/2015	101.65	13.91	87.74	0.00	0.00	450	1	<0.5	<0.5	1	12	-	-
MW-12	09/24/2015	101.65	15.18	86.47	0.00	0.00	1,100	4	<0.5	5	7	12	-	-
MW-12	12/07/2015	101.65	15.32	86.33	0.00	0.00	1,200	5	<0.5	<0.5	0.9 J	10	-	-
MW-12	03/30/2016	101.65	10.31	91.34	0.00	0.00	410	<1	<1	0.5 J	0.6 J	9	-	-
MW-12	06/26/2016	101.65	13.21	88.44	0.00	0.00	440	<1	<1	<1	<1	10	-	-
MW-12	09/01/2016	101.65	14.44	87.21	0.00	0.00	800	1	<1	5	14	9	-	-
MW-12	12/07/2016	101.65	13.93	87.72	0.00	0.00	760	3	<1	<1	<1	11	-	-
MW-12	02/01/2017	101.65	9.23	92.42	0.00	0.00	420	<1	<1	1	6	11	-	-
MW-12	05/18/2017	101.65	10.30	91.35	0.00	0.00	210	<1	<1	<1	<1	6	-	-
MW-13	06/28/1989	-	13.22	85.25	-	-	54,000	12,000	10,000	1,900	15,000	-	-	-
MW-13	10/03/1989	-	13.54	84.93	-	-	120,000	10,000	10,000	2,300	15,000	-	-	-
MW-13	01/04/1990	98.47	13.64	84.83	-	-	87,000	6,800	10,000	2,000	12,000	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	04/03/1990	98.47	12.95	85.52	-	-	53,000	12,000	14,000	2,900	17,000	-	-	-
MW-13	07/03/1990	98.47	13.05	85.42	-	-	90,000	8,400	11,000	2,000	11,000	-	-	-
MW-13	11/06/1990	98.47	14.12	84.35	-	-	-	-	-	-	-	-	-	-
MW-13	01/04/1991	98.47	14.05	84.42	-	-	72,000	5,500	12,000	2,300	12,000	-	-	-
MW-13	04/03/1991	98.47	11.41	87.06	-	-	-	-	-	-	-	-	-	-
MW-13	07/02/1991	98.47	13.17	85.30	-	-	120,000	12,000	13,000	2,500	14,000	-	-	-
MW-13	10/02/1991	98.47	14.24	84.23	-	-	-	-	-	-	-	-	-	-
MW-13	01/02/1992	98.47	14.13	84.34	0.03	-	-	-	-	-	-	-	-	-
MW-13	04/07/1992	98.47	13.06	85.41	-	-	-	-	-	-	-	-	-	-
MW-13	08/13/1992	98.47	14.26	84.21	-	-	84,000	7,400	11,000	2,600	13,000	-	-	-
MW-13	12/03/1992	98.47	14.82	83.65	-	-	-	-	-	-	-	-	-	-
MW-13	03/25/1993	98.47	10.73	87.74	-	-	97,000	5,200	2,500	7,200	12,000	-	-	-
MW-13	06/23/1993	98.47	11.97	86.50	-	-	-	-	-	-	-	-	-	-
MW-13	09/21/1993	98.47	13.08	85.39	-	-	80,000	7,600	9,000	2,900	14,000	-	-	-
MW-13	12/02/1993	98.47	13.45	85.02	-	-	-	-	-	-	-	-	-	-
MW-13	03/08/1994	98.47	11.75	86.72	-	-	78,000	5,300	7,600	2,600	10,000	-	-	-
MW-13	06/13/1994	98.47	12.30	86.17	-	-	-	-	-	-	-	-	-	-
MW-13	10/04/1994	98.47	14.18	84.29	-	-	39,000	2,300	2,700	850	4,600	-	-	-
MW-13	11/14/1994	98.47	12.62	85.85	-	-	-	-	-	-	-	-	-	-
MW-13	05/15/1995	98.47	9.93	88.54	-	-	-	-	-	-	-	-	-	-
MW-13	08/04/1995	98.47	11.08	87.39	-	-	47,000	7,700	10,000	2,900	10,000	-	-	-
MW-13	11/28/1995 ²⁸	98.47	12.95	85.52	-	-	-	-	-	-	-	-	-	-
MW-13	02/20/1996	98.47	9.86	88.61	-	-	59,000	5,500	5,500	2,900	8,800	<120	-	-
MW-13	05/29/1996	98.47	10.30	88.17	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	08/27/1996	98.47	11.97	86.50	-	-	65,000	3,500	2,800	2,200	6,900	200	-	-
MW-13	11/22/1996	98.47	11.71	86.76	-	-	-	-	-	-	-	-	-	-
MW-13	02/18/1997	98.47	9.16	89.31	-	-	69,000	4,500	4,100	2,500	7,900	310	-	-
MW-13	05/23/1997	98.47	11.56	86.91	-	-	-	-	-	-	-	-	-	-
MW-13	08/04/1997	98.47	12.15	86.32	-	-	61,000	5,700	5,100	3,600	9,200	230	-	-
MW-13	11/25/1997	98.47	13.12	85.35	-	-	-	-	-	-	-	-	-	-
MW-13	02/25/1998	98.47	10.51	87.96	-	-	42,000	3,800	1,000	2,000	5,000	<250	-	-
MW-13	05/21/1998	98.47	9.35	89.12	-	-	-	-	-	-	-	-	-	-
MW-13	08/19/1998	98.47	14.00	84.47	-	-	57,000	1,600	440	1,900	4,500	<250	-	-
MW-13	11/19/1998 ³⁶	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/12/1999 ³⁶	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/26/1999	98.47	9.30	89.17	-	-	30,800	473	101	1,430	2,800	106	-	-
MW-13	05/10/1999	98.47	10.73	87.74	-	-	-	-	-	-	-	-	-	-
MW-13	09/02/1999	98.47	10.99	87.48	-	-	87,000	2,610	19,100	1,510	12,000	<2,500	-	-
MW-13	02/03/2000	98.47	10.45	88.02	-	-	2,900	200	16	200	340	68	-	-
MW-13	05/09/2000	98.47	10.52	87.95	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/02/2000	98.47	11.78	86.69	0.00	0.00	1,600 ⁸	15	4.1	7.3	160	<13	-	-
MW-13	11/09/2000	98.47	12.29	86.18	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/08/2001	98.47	12.71	85.76	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	05/02/2001	98.47	13.49	84.98	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/28/2001 ⁴¹	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	11/26/2001 ⁴¹	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/22/2002 ³¹	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	05/24/2002 ²⁸	98.47	12.41	86.06	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	08/29/2002 ³⁴	98.47	12.90	85.57	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	11/29/2002 ²⁸	98.47	12.61	85.86	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/28/2003	98.47	9.99	88.48	0.00	0.00	340	<5.0	0.94	0.52	5.0	<10	-	-
MW-13	05/30/2003 ³¹	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	08/22/2003 ^{17,18}	98.47	12.00	86.47	0.00	0.00	770	10	2	8	2	<0.5	-	-
MW-13	11/24/2003 ²⁸	98.47	12.62	85.85	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/27/2004 ¹⁷	98.47	10.53	87.94	0.00	0.00	2,300	27	7	14	10	<0.5	-	-
MW-13	06/21/2004 ²⁸	98.47	12.23	86.24	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/26/2004 ³⁴	98.47	13.22	85.25	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	11/29/2004 ⁴³	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/11/2005 ³⁴	98.47	12.84	85.63	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	06/16/2005 ²⁸	98.47	10.19	88.28	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/31/2005	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	11/30/2005	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/27/2006	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	05/30/2006	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	08/29/2006	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	12/13/2006 ²⁸	98.47	11.81	86.66	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/28/2007 ¹⁷	98.47	10.11	88.36	0.00	0.00	14,000	31	100	720	1,100	<3	-	-
MW-13	05/30/2007 ²⁸	98.47	11.64	86.83	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/29/2007 ¹⁷	98.47	12.98	85.49	0.00	0.00	14,000	41	380	810	1,300	<1	-	-
MW-13	11/21/2007 ²⁸	98.47	13.07	85.40	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/20/2008 ¹⁷	98.47	10.35	88.12	0.00	0.00	2,800	4	8	95	130	<0.5	-	-
MW-13	05/21/2008 ²⁸	98.47	12.26	86.21	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPL T	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	06/24/2008	98.47	12.38	86.09	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/22/2008 ¹⁷	98.47	14.20	84.27	0.00	0.00	7,500 ²⁴	5	26	380	400	<0.5	-	-
MW-13	11/21/2008 ²⁸	98.47	15.83	82.64	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/03/2009 ¹⁷	98.47	15.70	82.77	0.00	0.00	8,400	21	36	630	920	<1	-	-
MW-13	05/28/2009	98.47	15.20	83.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	08/06/2009	98.47	13.37	85.10	0.00	0.00	4,600	2	3	100	110	<0.5	-	-
MW-13	11/16/2009	98.47	15.97	82.50	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	02/02/2010	98.47	9.78	88.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-13	05/20/2010	98.47	9.50	88.97	0.00	0.00	82 J	4	4	2	4	<0.5	-	-
MW-13	08/23/2010 ²⁸	98.47	11.68	86.79	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/07/2010	98.47	11.05	87.42	0.00	0.00	560	<0.5	2	15	20	<0.5	-	-
MW-13	02/03/2011 ²⁸	98.47	10.45	88.02	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	05/06/2011	98.47	9.81	88.66	0.00	0.00	2,600	9	150	250	330	<0.5	-	-
MW-13	09/16/2011 ²⁸	98.47	11.74	86.73	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/06/2011 ²⁸	98.47	12.34	86.13	0.00	0.00	6,300	4 J	57	560	340	<3	-	-
MW-13	03/16/2012 ²⁸	98.47	12.01	86.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	06/21/2012	98.47	11.66	86.81	0.00	0.00	5,600	12	160	470	325	<1	-	<1
MW-13	09/10/2012 ²⁸	98.47	12.72	85.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/21/2012	98.47	11.30	87.17	0.00	0.00	1,900	2	40	180	120	<0.5	-	-
MW-13	03/28/2013 ²⁸	98.47	12.06	86.41	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	06/25/2013	98.47	12.89	85.58	0.00	0.00	6,200	9	330	410	930	<0.5	-	-
MW-13	09/16/2013 ²⁸	98.47	13.44	85.03	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/20/2013	98.47	13.71	84.76	0.00	0.00	7,800	11	160	450	700	<0.5	-	-
MW-13	03/07/2014 ²⁸	98.47	11.29	87.18	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	06/05/2014	98.47	15.04	83.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-13	09/17/2014 ²⁸	98.47	14.41	84.06	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/29/2014	98.47	10.85	87.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-13	03/20/2015 ²⁸	98.47	12.10	86.37	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	06/16/2015	98.47	13.70	84.77	0.00	0.00	10,000	9 J	500	840	2,100	<5	-	-
MW-13	09/24/2015 ²⁸	98.47	14.62	83.85	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/07/2015	98.47	14.86	83.61	0.00	0.00	13,000	13	250	490	1,300	<3	-	-
MW-13	03/29/2016 ²⁸	98.47	10.57	87.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	06/27/2016	98.47	12.80	85.67	0.00	0.00	11,000	8	330	640	1,200	<5	-	-
MW-13	09/01/2016 ²⁸	98.47	12.43	86.04	0.00	0.00	-	-	-	-	-	-	-	-
MW-13	12/07/2016 ⁴⁶	98.47	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/01/2017	98.47	9.83	88.64	0.00	0.00	1,400	<5	16	40	94	<5	-	-
MW-13	05/18/2017	98.47	10.11	88.36	0.00	0.00	6,500	8	150	320	680	<5	-	-
MW-14	08/29/1990	-	21.39	78.29	-	-	970	4.0	2.0	0.7	2.0	-	-	1.0
MW-14	11/06/1990	-	21.62	78.06	-	-	920	10	10	4.0	9.0	-	-	-
MW-14	01/04/1991	99.68	21.69	77.99	-	-	1,000	<0.5	4.0	2.6	4.2	-	-	-
MW-14	04/03/1991	99.68	19.53	80.15	-	-	1,200	380	6.0	7.0	18	-	-	-
MW-14	07/02/1991	99.68	20.93	78.75	-	-	460	27	1.0	1.2	1.0	-	-	-
MW-14	10/02/1991	99.68	21.52	78.16	-	-	480	6.7	0.8	1.4	1.8	-	-	-
MW-14	01/02/1992	99.68	21.43	78.25	-	-	1,100	2.4	1.5	6.2	18	-	-	-
MW-14	04/07/1992	99.68	21.36	78.32	-	-	290	<0.5	1.4	<0.5	1.2	-	-	-
MW-14	08/13/1992	99.68	21.07	78.61	-	-	370	10	1.2	<0.5	0.9	-	-	-
MW-14	12/03/1992	99.68	21.67	78.01	-	-	230	1.3	<0.5	<0.5	<0.5	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-14	03/25/1993	99.68	19.03	80.65	-	-	390	57	2.1	1.3	1.7	-	-	-
MW-14	06/23/1993	99.68	19.94	79.74	-	-	4,400	460	220	16	62	-	-	-
MW-14	09/21/1993	99.68	20.65	79.03	-	-	680	8.7	1.7	3.2	12	-	-	-
MW-14	12/02/1993	99.68	21.05	78.63	-	-	900	0.8	7.0	3.0	7.0	-	-	-
MW-14	03/08/1994	99.68	20.05	79.63	-	-	1,700	2.4	7.7	5.6	14	-	-	-
MW-14	06/13/1994	99.68	20.21	79.47	-	-	750	0.8	8.0	3.2	5.7	-	-	-
MW-14	10/04/1994	99.68	20.70	78.98	-	-	130	3.4	5.4	<0.5	2.0	-	-	-
MW-14	11/14/1994	99.68	20.00	79.68	-	-	9,900	620	1,600	120	920	-	-	-
MW-14	05/15/1995	99.68	18.49	81.19	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-14	08/04/1995	99.68	19.38	80.30	-	-	1,000	170	58	6.6	20	-	-	-
MW-14	11/28/1995	99.68	20.33	79.35	-	-	1,500	300	72	65	190	<6.0	-	-
MW-14	02/20/1996	99.68	16.96	82.72	-	-	70	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-14	05/29/1996	99.68	18.58	81.10	-	-	1,600	170	39	5.0	21	6.3	-	-
MW-14	08/27/1996	99.68	19.79	79.89	-	-	80	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-14	11/22/1996	99.68	19.55	80.13	-	-	620	49	13	7.2	22	210	-	-
MW-14	02/18/1997	99.68	17.31	82.37	-	-	190	14	9.6	3.1	15	<5.0	-	-
MW-14	05/23/1997	99.68	19.56	80.12	-	-	130	18	16	3.4	17	<5.0	-	-
MW-14	08/04/1997	99.68	19.88	79.80	-	-	200	8.3	7.9	4.1	10	<5.0	-	-
MW-14	11/25/1997	99.68	19.77	79.91	-	-	530	42	62	10	37	<5.0	-	-
MW-14	02/25/1998	99.68	14.28	85.40	-	-	220	26	10	7.0	22	23	-	-
MW-14	05/21/1998	99.68	17.78	81.90	-	-	8,300	1,400	48	29	59	<50	-	-
MW-14	08/19/1998	99.68	19.33	80.35	-	-	7,900	610	390	51	300	<250	-	-
MW-14	11/19/1998	99.68	20.28	79.40	-	-	87	1.0	<0.5	<0.5	<0.5	27	-	-
MW-14	02/12/1999	99.68	18.32	81.36	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-14	05/10/1999	99.68	19.11	80.57	-	-	1,930	254	41.2	6.71	23	76.4 / <5.0 ⁷	-	-
MW-14	09/02/1999	99.68	20.11	79.57	-	-	647	38.1	1.45	<0.5	1.32	10.8	-	-
MW-14	02/03/2000 ³⁸	99.68	18.88	80.80	-	-	-	-	-	-	-	-	-	-
MW-14	05/09/2000	99.68	18.69	80.99	0.00	0.00	370 ⁹	9.7	2.2	1.3	1.5	13	-	-
MW-14	08/02/2000	99.68	19.69	79.99	0.00	0.00	80 ¹⁰	1.2	1.8	0.85	1.2	3.1	-	-
MW-14	11/09/2000	99.68	20.19	79.49	0.00	0.00	92.3	<0.500	0.921	<0.500	<0.500	<2.50	-	-
MW-14	02/08/2001	99.68	20.67	79.01	0.00	0.00	728 ¹¹	33.7	<5.00	<5.00	<5.00	<25.0	-	-
MW-14	05/02/2001	99.68	20.00	79.68	0.00	0.00	338	3.28	<5.00	<5.00	<5.00	1.35	-	-
MW-14	08/28/2001	99.68	20.62	79.06	0.00	0.00	83 ¹⁴	1.7	0.64	<0.50	<0.50	2.6	-	-
MW-14	11/26/2001	99.68	20.55	79.13	0.00	0.00	240	2.8	<0.50	<0.50	<1.5	<2.5	-	-
MW-14	02/22/2002	99.68	19.27	80.41	0.00	0.00	4,000	460	140	55	51	<20	-	-
MW-14	05/24/2002	99.68	19.70	79.98	0.00	0.00	5,800	580	360	61	340	<20	-	-
MW-14	08/29/2002	99.68	20.52	79.16	0.00	0.00	360	14	0.98	<0.50	2.3	<2.5	-	-
MW-14	11/29/2002	99.68	20.70	78.98	0.00	0.00	1,400	32	1.8	0.62	2.6	<2.5	-	-
MW-14	02/28/2003	99.68	19.27	80.41	0.00	0.00	320	<5.0	0.64	<0.50	<1.5	<10	-	-
MW-14	05/30/2003 ¹⁷	99.68	19.10	80.58	0.00	0.00	560	150	7	4	8	<0.5	-	-
MW-14	08/22/2003 ¹⁷	99.68	19.72	79.96	0.00	0.00	690	<0.5	<0.5	<0.5	0.6	<0.5	-	-
MW-14	11/24/2003 ¹⁷	99.68	20.58	79.10	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/27/2004 ¹⁷	99.68	19.20	80.48	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	06/21/2004 ¹⁷	99.68	20.02	79.66	0.00	0.00	<50	1	<0.5	<0.5	1	<0.5	-	-
MW-14	08/26/2004 ¹⁷	99.68	20.60	79.08	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	11/29/2004 ¹⁷	99.68	20.52	79.16	0.00	0.00	57	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/11/2005 ¹⁷	99.68	19.58	80.10	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	06/16/2005 ¹⁷	99.68	18.74	80.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-14	08/31/2005 ¹⁷	99.68	19.63	80.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	11/30/2005 ³¹	99.68	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	02/27/2006 ⁴⁰	99.68	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	05/30/2006 ¹⁷	99.68	18.11	81.57	0.00	0.00	630	41	17	9	21	<0.5	-	-
MW-14	08/29/2006 ¹⁷	99.68	19.34	80.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	12/13/2006 ¹⁷	99.68	19.18	80.50	0.00	0.00	97	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/28/2007 ¹⁷	99.68	18.38	81.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	05/30/2007 ¹⁷	99.68	19.91	79.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	08/29/2007 ¹⁷	99.68	20.29	79.39	0.00	0.00	<50	<0.5	<0.5	0.8	1	<0.5	-	-
MW-14	11/21/2007 ¹⁷	101.99	20.48	81.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/20/2008 ¹⁷	101.99	18.64	83.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	05/21/2008 ¹⁷	101.99	19.76	82.23	0.00	0.00	52 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	06/24/2008 ¹⁷	101.99	19.97	82.02	0.00	0.00	<50	<0.5	3	0.7	4	<0.5	-	-
MW-14	08/22/2008 ¹⁷	101.99	20.31	81.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	11/21/2008 ¹⁷	101.99	21.86	80.13	0.00	0.00	87	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/03/2009 ¹⁷	101.99	21.03	80.96	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	05/28/2009	101.99	20.23	81.76	0.00	0.00	530	1	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	08/06/2009	101.99	20.50	81.49	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	11/16/2009	101.99	23.98	78.01	0.00	0.00	58 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/02/2010	101.99	18.65	83.34	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	05/20/2010	101.99	18.52	83.47	0.00	0.00	2,500	55	18	19	13	<0.5	-	-
MW-14	08/23/2010 ²⁸	101.99	19.76	82.23	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/07/2010	101.99	19.66	82.33	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/03/2011 ²⁸	101.99	19.20	82.79	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-14	05/06/2011	101.99	18.26	83.73	0.00	0.00	2,100	18	22	25	14	<0.5	-	-
MW-14	09/16/2011 ²⁸	101.99	19.80	82.19	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/06/2011 ³¹	101.99	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	03/16/2012 ²⁸	101.99	19.69	82.30	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	06/21/2012 ³¹	101.99	-	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	09/10/2012 ²⁸	101.99	20.02	81.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/21/2012	101.99	18.99	83.00	0.00	0.00	420	38	<0.5	1	<0.5	<0.5	-	-
MW-14	03/28/2013 ²⁸	101.99	19.72	82.27	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	06/25/2013	101.99	20.09	81.90	0.00	0.00	230	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	09/16/2013 ²⁸	101.99	20.34	81.65	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/19/2013	101.99	21.19	80.80	0.00	0.00	390	77	0.8 J	2	0.7 J	<0.5	-	-
MW-14	03/07/2014 ²⁸	101.99	20.16	81.83	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	06/04/2014	101.99	20.40	81.59	0.00	0.00	250	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	09/17/2014 ²⁸	101.99	21.13	80.86	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/29/2014	101.99	18.59	83.40	0.00	0.00	300	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	03/20/2015 ²⁸	101.99	18.92	83.07	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	06/16/2015	101.99	20.31	81.68	0.00	0.00	91 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	09/24/2015 ²⁸	101.99	21.02	80.97	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/07/2015	101.99	21.46	80.53	0.00	0.00	74 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	03/29/2016 ²⁸	101.99	18.23	83.76	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	06/26/2016	101.99	19.90	82.09	0.00	0.00	290	<1	<1	<1	<1	<1	-	-
MW-14	09/01/2016 ²⁸	101.99	20.42	81.57	0.00	0.00	-	-	-	-	-	-	-	-
MW-14	12/07/2016	101.99	20.80	81.19	0.00	0.00	85 J	<1	<1	<1	<1	<1	-	-
MW-14	02/01/2017 ²⁸	101.99	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-14	05/18/2017	101.99	18.06	83.93	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
MW-15	08/29/1990	-	16.58	79.48	-	-	2,000	26	2.0	72	110	-	-	-
MW-15	11/06/1990	-	17.43	78.63	-	-	1,300	40	5.0	45	63	-	-	-
MW-15	01/04/1991	96.06	16.37	79.69	-	-	1,700	46	2.8	58	86	-	-	-
MW-15	04/03/1991	96.06	12.46	83.60	-	-	2,100	74	0.8	44	85	-	-	-
MW-15	07/02/1991	96.06	16.53	79.53	-	-	1,700	39	<0.5	35	46	-	-	-
MW-15	10/02/1991	96.06	17.33	78.73	-	-	1,100	50	<0.5	40	33	-	-	-
MW-15	01/02/1992	96.06	16.46	79.60	-	-	1,300	51	<0.5	30	30	-	-	-
MW-15	04/07/1992	96.06	14.70	81.36	-	-	2,600	98	<5.0	64	36	-	-	-
MW-15	08/13/1992	96.06	16.72	79.34	-	-	510	55	<0.5	35	2.8	-	-	-
MW-15	12/03/1992	96.06	17.43	78.63	-	-	1,000	64	0.9	22	4.4	-	-	-
MW-15	03/25/1993	96.06	13.33	82.73	-	-	1,300	86	52	0.7	7.7	-	-	-
MW-15	06/23/1993	96.06	15.23	80.83	-	-	7,300	34	<0.5	85	160	-	-	-
MW-15	09/21/1993	96.06	16.32	79.74	-	-	1,500	39	<0.5	32	33	-	-	-
MW-15	12/02/1993	96.06	16.57	79.49	-	-	990	28	4.0	8.0	10	-	-	-
MW-15	03/08/1994	96.06	14.61	81.45	-	-	3,400	44	4.0	28	53	-	-	-
MW-15	10/04/1994	96.06	16.48	79.58	-	-	310	11	10	2.2	12	-	-	-
MW-15	11/14/1994	96.06	14.20	81.86	-	-	450	27	2.4	2.2	4.2	-	-	-
MW-15	05/15/1995	96.06	13.38	82.68	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	08/04/1995	96.06	14.91	81.15	-	-	<50	0.6	<0.5	<0.5	0.8	-	-	-
MW-15	11/28/1995	96.06	16.12	79.94	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.60	-	-
MW-15	02/20/1996	96.06	10.98	85.08	-	-	1,600	25	0.5	20	38	16	-	-
MW-15	05/29/1996 ⁴	96.06	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	08/27/1996	96.06	15.44	80.62	-	-	80	<0.5	<0.5	<0.5	0.7	<5.0	-	-
MW-15	11/22/1996	96.06	14.49	81.57	-	-	1,500	14	<0.5	6.1	12	7.2	-	-
MW-15	02/18/1997	96.06	12.17	83.89	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-15	05/23/1997	96.06	15.03	81.03	-	-	130	20	9.7	0.9	1.5	<5.0	-	-
MW-15	08/04/1997	96.06	15.48	80.58	-	-	60	1.3	<0.5	<0.5	1.1	<5.0	-	-
MW-15	11/25/1997	96.06	15.39	80.67	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-15	02/25/1998	96.06	6.53	89.53	-	-	4,300	27	<10	37	46	<50	-	-
MW-15	05/21/1998	96.06	12.97	83.09	-	-	430	25	<0.5	2.3	1.2	<2.5	-	-
MW-15	08/19/1998	96.06	14.90	81.16	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-15	11/19/1998	96.06	16.05	80.01	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-15	02/12/1999 ³⁶	96.06	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	05/10/1999	96.06	14.39	81.67	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0 / <2.0 ⁷	-	-
MW-15	09/02/1999	96.06	15.53	80.53	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-15	02/03/2000	96.06	12.24	83.82	-	-	480	2.5	<1.0	2.6	1.4	<5.0	-	-
MW-15	05/09/2000	96.06	13.65	82.41	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
MW-15	08/02/2000	96.06	15.02	81.04	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
MW-15	11/09/2000	96.06	15.52	80.54	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-
MW-15	02/08/2001	96.06	15.70	80.36	0.00	0.00	92.6 ¹¹	0.894	<0.500	<0.500	<0.500	<2.50	-	-
MW-15	05/02/2001	96.06	14.62	81.44	0.00	0.00	<50.0 ¹²	0.830	<5.00	<5.00	5.94	<0.500	-	-
MW-15	08/28/2001	96.06	15.91	80.15	0.00	0.00	<50	<0.50	0.71	<0.50	<0.50	<2.5	-	-
MW-15	11/26/2001	96.06	15.41	80.65	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-15	02/22/2002	96.06	13.55	82.51	0.00	0.00	99	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-15	05/24/2002	96.06	14.61	81.45	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-15	08/29/2002 ³¹	96.06	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	11/29/2002 ³¹	96.06	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	02/28/2003	96.06	14.26	81.80	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-15	05/30/2003 ¹⁷	96.06	14.20	81.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/22/2003 ¹⁷	96.06	15.06	81.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/24/2003 ³¹	96.06	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	02/27/2004 ¹⁷	96.06	10.47	85.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	06/21/2004 ¹⁷	96.06	15.18	80.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/26/2004 ¹⁷	96.06	15.32	80.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/29/2004 ¹⁷	96.06	15.48	80.58	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/11/2005 ¹⁷	96.06	13.89	82.17	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	06/16/2005 ¹⁷	96.06	13.95	82.11	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/31/2005 ³¹	96.06	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	11/30/2005 ¹⁷	96.06	15.72	80.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/27/2006 ¹⁷	96.06	13.49	82.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	05/30/2006 ¹⁷	96.06	12.98	83.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/29/2006 ¹⁷	96.06	14.55	81.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	12/13/2006 ¹⁷	96.06	13.68	82.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/28/2007 ¹⁷	96.06	12.08	83.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	05/30/2007 ¹⁷	96.06	15.24	80.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/29/2007 ¹⁷	96.06	15.71	80.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/21/2007 ¹⁷	98.28	15.79	82.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/20/2008 ¹⁷	98.28	13.25	85.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	05/21/2008 ¹⁷	98.28	15.35	82.93	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	06/24/2008 ¹⁷	98.28	15.60	82.68	0.00	0.00	<50	<0.5	6	2	10	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	08/22/2008 ¹⁷	98.28	16.11	82.17	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/21/2008 ¹⁷	98.28	16.62	81.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/03/2009 ¹⁷	98.28	16.29	81.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	05/28/2009	98.28	15.68	82.60	0.00	0.00	82 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	08/06/2009	98.28	15.71	82.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/16/2009	98.28	16.07	82.21	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	02/02/2010	98.28	12.24	86.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	05/20/2010	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	08/23/2010 ³¹	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	12/07/2010	98.28	14.99	83.29	0.00	0.00	100	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	02/03/2011 ³¹	98.28	14.53	83.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	05/06/2011	98.28	13.99	84.29	0.00	0.00	120	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	09/16/2011 ²⁸	98.28	15.62	82.66	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	12/06/2011 ²⁸	98.28	15.92	82.36	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/16/2012 ²⁸	98.28	14.33	83.95	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	06/21/2012 ³¹	98.28	-	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	09/10/2012 ³¹	98.28	-	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	12/21/2012	98.28	13.42	84.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/28/2013 ³¹	98.28	15.10	83.18	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	06/25/2013	98.28	15.50	82.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	09/16/2013	98.28	16.00	82.28	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	12/19/2013	98.28	16.52	81.76	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/07/2014 ²⁸	98.28	15.92	82.36	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	06/04/2014 ³¹	98.28	-	-	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	09/17/2014	98.28	16.82	81.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	12/29/2014	98.28	12.37	85.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/20/2015 ²⁸	98.28	13.76	84.52	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	06/16/2015	98.28	15.98	82.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	09/24/2015 ²⁸	98.28	16.92	81.36	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	12/07/2015	98.28	16.92	81.36	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	3/29/2016 ²⁸	98.28	11.70	86.58	0.00	0.00	-	-	-	-	-	-	-	-
MW-15	06/26/2016 ³¹	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/01/2016 ³¹	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	12/07/2016	98.28	15.73	82.55	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-
MW-15	02/01/2017 ²⁸	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	05/18/2017³¹	98.28	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	08/29/1990	-	20.89	77.26	-	-	11,000	6,000	51	1,100	20	-	-	-
MW-16	11/06/1990	-	21.27	76.88	-	-	15,000	6,300	340	1,300	540	-	-	-
MW-16	01/04/1991	98.15	21.63	76.52	-	-	16,000	6,800	820	1,300	1,500	-	-	-
MW-16	04/03/1991	98.15	19.32	78.83	-	-	45,000	7,300	2,200	1,800	4,900	-	-	-
MW-16	07/02/1991	98.15	20.68	77.47	-	-	30,000	6,400	530	1,500	1,800	-	-	-
MW-16	10/02/1991	98.15	21.18	76.97	-	-	24,000	4,600	450	1,400	1,600	-	-	-
MW-16	01/02/1992	98.15	21.30	76.85	-	-	20,000	4,700	240	1,200	1,100	-	-	-
MW-16	04/07/1992	98.15	20.19	77.96	-	-	40,000	5,000	980	1,100	2,100	-	-	-
MW-16	08/13/1992	98.15	20.77	77.38	-	-	17,000	4,500	240	860	530	-	-	-
MW-16	12/03/1992	98.15	21.44	76.71	-	-	39,000	4,600	410	1,100	2,200	-	-	-
MW-16	03/25/1993	98.15	18.83	79.32	-	-	39,000	5,500	1,400	690	2,000	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	06/23/1993	98.15	19.72	78.43	-	-	29,000	6,600	1,200	1,400	3,700	-	-	-
MW-16	09/21/1993	98.15	20.38	77.77	-	-	36,000	6,300	340	1,200	1,800	-	-	-
MW-16	12/02/1993	98.15	20.84	77.31	-	-	28,000	5,600	230	900	820	-	-	-
MW-16	03/08/1994	98.15	20.27	77.88	-	-	35,000	6,500	760	1,000	1,300	-	-	-
MW-16	10/04/1994	98.15	20.58	77.57	-	-	39,000	9,700	680	1,300	3,300	-	-	-
MW-16	11/14/1994	98.15	20.12	78.03	-	-	26,000	5,500	640	690	1,800	-	-	-
MW-16	05/15/1995	98.15	18.16	79.99	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-16	08/04/1995	98.15	19.30	78.85	-	-	23,000	6,200	1,900	1,500	4,500	-	-	-
MW-16	11/28/1995	98.15	20.42	77.73	-	-	38,000	6,200	1,700	1,800	5,700	<120	-	-
MW-16	02/20/1996	98.15	16.40	81.75	-	-	46,000	6,600	2,200	2,400	7,300	<250	-	-
MW-16	05/29/1996	98.15	18.54	79.61	-	-	54,000	6,300	1,600	2,200	7,900	<250	-	-
MW-16	08/27/1996	98.15	19.42	78.73	-	-	45,000	4,100	260	1,600	2,800	<250	-	-
MW-16	11/22/1996	98.15	19.36	78.79	-	-	36,000	3,500	120	1,400	1,500	260	-	-
MW-16	02/18/1997	98.15	17.22	80.93	-	-	62,000	5,800	1,300	2,200	8,900	160	-	-
MW-16	05/23/1997	98.15	19.48	78.67	-	-	32,000	4,000	370	1,900	2,900	<250	-	-
MW-16	08/04/1997	98.15	19.72	78.43	-	-	26,000	3,300	280	2,100	1,500	200	-	-
MW-16	11/25/1997	98.15	19.73	78.42	-	-	38,000	3,900	370	2,400	3,000	250	-	-
MW-16	02/25/1998	98.15	14.02	84.13	-	-	60,000	6,400	1,400	2,200	13,000	<1,000	-	-
MW-16	05/21/1998	98.15	17.91	80.24	-	-	71,000	5,100	1,200	2,300	8,200	560	-	-
MW-16	08/19/1998	98.15	19.25	78.90	-	-	40,000	2,300	740	1,700	2,700	<250	-	-
MW-16	11/19/1998	98.15	20.30	77.85	-	-	51,000	2,900	<200	2,200	6,300	<1,000	-	-
MW-16	02/12/1999	98.15	17.91	80.24	-	-	11,000	1,100	81	810	470	130	-	-
MW-16	05/10/1999	98.15	19.13	79.02	-	-	52,300	4,100	587	2,430	8,800	708 / <66.7 ⁷	-	-
MW-16	09/02/1999	98.15	19.99	78.16	-	-	26,600	1,400	1,540	1,480	2,940	<500	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	02/03/2000	98.15	18.65	79.50	-	-	47,000	5,600	620	3,000	14,000	450	-	-
MW-16	05/09/2000	99.15	18.57	80.58	0.00	0.00	15,000 ⁸	990	100	800	2,000	410	-	-
MW-16	08/02/2000	99.15	19.58	79.57	0.00	0.00	10,000 ⁸	1,100	95	1,000	2,300	<130	-	-
MW-16	11/09/2000	99.15	20.02	79.13	0.00	0.00	5,580	334	49.3	530	256	33.6	-	-
MW-16	02/08/2001	99.15	20.59	78.56	0.00	0.00	25,400 ¹¹	1,340	99.9	1,380	2,700	350	-	-
MW-16	05/02/2001	99.15	19.71	79.44	0.00	0.00	45,600	2,130	83.6	<2,500	7,460	13.3	-	-
MW-16	08/28/2001 ³⁷	99.15	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	11/26/2001 ³⁷	99.15	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	02/22/2002	99.15	19.10	80.05	0.00	0.00	32,000	1,300	110	1,800	6,100	<50	-	-
MW-16	05/24/2002	99.15	19.50	79.65	0.00	0.00	13,000	590	29	830	1,000	<20	-	-
MW-16	08/29/2002	99.15	20.21	78.94	0.00	0.00	9,800	500	28	670	430	<10	-	-
MW-16	11/29/2002	99.15	20.49	78.66	0.00	0.00	23,000	1,600	110	1,200	3,400	<10	-	-
MW-16	02/28/2003	99.15	19.18	79.97	0.00	0.00	20,000	1,300	90	1,000	3,300	<100	-	-
MW-16	05/30/2003 ¹⁷	99.15	18.81	80.34	0.00	0.00	47,000	2,100	160	2,000	8,100	<3	-	-
MW-16	08/22/2003 ¹⁷	99.15	19.56	79.59	0.00	0.00	25,000	1,300	94	1,200	3,200	2	-	-
MW-16	11/24/2003 ¹⁷	99.15	20.38	78.77	0.00	0.00	13,000	660	47	800	950	4	-	-
MW-16	02/27/2004 ¹⁷	99.15	16.83	82.32	0.00	0.00	20,000	1,000	70	1,000	3,100	3	-	-
MW-16	06/21/2004 ¹⁷	99.15	16.22	82.93	0.00	0.00	11,000	780	23	680	530	7	-	-
MW-16	08/26/2004 ¹⁷	99.15	20.25	78.90	0.00	0.00	7,600	540	16	450	100	8	-	-
MW-16	11/29/2004 ¹⁷	99.15	20.32	78.83	0.00	0.00	7,600	370	15	370	310	6	-	-
MW-16	02/11/2005 ¹⁷	99.15	19.38	79.77	0.00	0.00	42,000	1,800	120	1,800	6,900	3	-	-
MW-16	06/16/2005 ¹⁷	99.15	18.63	80.52	0.00	0.00	2,000	170	13	170	250	4	-	-
MW-16	08/31/2005 ¹⁷	99.15	19.43	79.72	0.00	0.00	30,000	1,800	100	1,800	5,700	3	-	-
MW-16	11/30/2005 ¹⁷	99.15	20.27	78.88	0.00	0.00	8,600	370	27	400	620	8	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	02/27/2006 ¹⁷	99.15	18.93	80.22	0.00	0.00	4,600	110	9	120	220	7	-	-
MW-16	05/30/2006 ¹⁷	99.15	18.12	81.03	0.00	0.00	13,000	590	<1	860	1,400	3	-	-
MW-16	08/29/2006 ¹⁷	99.15	19.11	80.04	0.00	0.00	14,000	470	38	480	1,300	2	-	-
MW-16	12/13/2006 ¹⁷	99.15	19.07	80.08	0.00	0.00	17,000	590	43	860	1,600	5	-	-
MW-16	02/28/2007 ¹⁷	99.15	18.06	81.09	0.00	0.00	15,000	510	42	560	1,600	5	-	-
MW-16	05/30/2007 ¹⁷	99.15	19.64	79.51	0.00	0.00	11,000	440	25	470	510	7	-	-
MW-16	08/29/2007 ¹⁷	99.15	19.82	79.33	0.00	0.00	6,200	320	14	250	120	6.00	-	-
MW-16	11/21/2007 ¹⁷	100.56	20.11	80.45	0.00	0.00	5,900	410	17	260	35	13	-	-
MW-16	02/20/2008 ¹⁷	100.56	18.56	82.00	0.00	0.00	27,000	1,200	91	1,500	4,700	4	-	-
MW-16	05/21/2008 ¹⁷	100.56	19.45	81.11	0.00	0.00	17,000 ²²	920	58	1,200	2,800	7	-	-
MW-16	06/24/2008 ¹⁷	100.56	19.58	80.98	0.00	0.00	6,500	360	21	380	510	10	-	-
MW-16	08/22/2008 ¹⁷	100.56	19.95	80.61	0.00	0.00	12,000 ²⁵	260	10	320	330	10	-	-
MW-16	11/21/2008 ¹⁷	100.56	19.46	81.10	0.00	0.00	3,300	120	6	100	76	12	-	-
MW-16	02/03/2009 ¹⁷	100.56	20.68	79.88	0.00	0.00	4,700	160	6	160	33	14	-	-
MW-16	05/28/2009	100.56	18.76	81.80	0.00	0.00	6,000	190	8	190	180	9	-	-
MW-16	08/06/2009	101.56	20.07	81.49	0.00	0.00	7,400	250	10	210	270	11	-	-
MW-16	11/16/2009	101.56	23.60	77.96	0.00	0.00	7,900	260	6	260	51	10	-	-
MW-16	02/02/2010	101.56	17.90	83.66	0.00	0.00	30,000	1,500	73	2,600	6,800	<5	-	-
MW-16	05/20/2010	101.56	18.34	83.22	0.00	0.00	10,000	250	15	420	530	6	-	-
MW-16	08/23/2010	101.56	19.38	82.18	0.00	0.00	5,000	74	8	180	74	8	-	-
MW-16	12/07/2010	101.56	19.45	82.11	0.00	0.00	5,800	140	15	260	170	6	-	-
MW-16	02/03/2011	101.56	18.89	82.67	0.00	0.00	8,500	160	14	440	250	6	-	-
MW-16	05/06/2011	101.56	18.10	83.46	0.00	0.00	8,300	420	25	650	640	4	-	-
MW-16	09/16/2011	101.56	19.50	82.06	0.00	0.00	13,000	150	12	420	220	4	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	12/06/2011	101.56	20.18	81.38	0.00	0.00	6,300	69	9	230	97	4	-	-
MW-16	03/16/2012	101.56	19.52	82.04	0.00	0.00	6,100	72	7	170	18	5	-	-
MW-16	06/21/2012	101.56	18.48	83.08	0.00	0.00	6,800	130	13 J	180	56	5 J	-	<5
MW-16	09/10/2012	101.56	19.46	82.10	0.00	0.00	6,100	150	9	190	75	5	-	-
MW-16	12/21/2012	101.56	19.29	82.27	0.00	0.00	7,100	160	10	280	290	<5	-	-
MW-16	03/28/2013	101.56	18.58	82.98	0.00	0.00	7,600	150	11	340	320	4	-	-
MW-16	06/25/2013	101.56	19.59	81.97	0.00	0.00	5,300	92	5	140	160	4	-	-
MW-16	09/16/2013	101.56	19.88	81.68	0.00	0.00	4,600	40	3 J	37	43	4 J	-	-
MW-16	12/19/2013	101.56	20.15	81.41	0.00	0.00	5,200	45	4	43	90	3	-	-
MW-16	03/07/2014	101.56	19.70	81.86	0.00	0.00	2,600	18	5	68	140	3	-	-
MW-16	06/04/2014	101.56	19.75	81.81	0.00	0.00	5,400	48	5	150	160	3	-	-
MW-16	09/17/2014	101.56	20.45	81.11	0.00	0.00	8,500	210	16	340	470	2	-	-
MW-16	12/29/2014	101.56	18.04	83.52	0.00	0.00	1,100	100	5	84	170	<0.5	-	-
MW-16	03/20/2015	101.56	19.40	82.16	0.00	0.00	3,800	140	7	140	56	1	-	-
MW-16	06/16/2015	101.56	19.78	81.78	0.00	0.00	3,400	40	7	49	8	3 J	-	-
MW-16	09/24/2015	101.56	20.42	81.14	0.00	0.00	4,200	45	6	34	13	<3	-	-
MW-16	12/07/2015	101.56	20.94	80.62	0.00	0.00	3,200	22	3 J	8	3 J	3 J	-	-
MW-16	03/30/2016	101.56	18.12	83.44	0.00	0.00	14,000	650	24	670	960	<10	-	-
MW-16	06/26/2016	101.56	18.86	82.70	0.00	0.00	4,400	28	3 J	23	9	<5	-	-
MW-16	09/01/2016	101.56	19.96	81.60	0.00	0.00	5,400	79	3 J	14	10	<5	-	-
MW-16	12/07/2016	101.56	20.38	81.18	0.00	0.00	3,500	26	3 J	12	7	<5	-	-
MW-16	02/01/2017	101.56	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	05/18/2017	101.56	17.92	83.64	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	08/13/1992	-	23.30	82.70	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-17	12/03/1992	-	24.74	81.26	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-17	03/25/1993	106.00	22.14	83.86	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	-	-
MW-17	06/23/1993	106.00	23.02	82.98	-	-	<50	<0.5	<0.5	<0.5	1.0	-	-	-
MW-17	09/21/1993	106.00	23.09	82.91	-	-	<50	<0.5	<0.5	<0.5	<0.8	-	-	-
MW-17	12/02/1993	106.00	23.37	82.63	-	-	-	-	-	-	-	-	-	-
MW-17	03/08/1994	106.00	22.83	83.17	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-17	06/13/1994	106.00	22.62	83.38	-	-	<50	1.2	1.1	<0.5	0.9	-	-	-
MW-17	10/04/1994	106.00	23.00	83.00	-	-	62	8.0	2.9	0.7	3.1	-	-	-
MW-17	11/14/1994	106.00	23.03	82.97	-	-	550	22	120	8.9	84	-	-	-
MW-17	05/15/1995	106.00	21.72	84.28	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-17	08/04/1995	106.00	22.37	83.63	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-17	11/28/1995	106.00	22.97	83.03	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.6	-	-
MW-17	02/20/1996	106.00	21.78	84.22	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	05/29/1996	106.00	21.72	84.28	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	08/27/1996	106.00	22.43	83.57	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	11/22/1996	106.00	22.82	83.18	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	02/18/1997	106.00	21.31	84.69	-	-	140	34	11	1.6	7.7	71	-	-
MW-17	05/23/1997	106.00	22.25	83.75	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	08/04/1997	106.00	22.53	83.47	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	11/25/1997	106.00	22.91	83.09	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	02/25/1998	106.00	19.63	86.37	-	-	<50	3.8	3.3	1.3	4.2	3.5	-	-
MW-17	05/21/1998	106.00	10.61	95.39	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-17	08/19/1998	106.00	21.74	84.26	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	11/19/1998	106.00	22.36	83.64	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-17	02/12/1999	106.00	21.84	84.16	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-17	05/10/1999	106.00	21.45	84.55	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0 / <2.0 ⁷	-	-
MW-17	09/02/1999	106.00	22.46	83.54	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
MW-17	02/03/2000	106.00	22.19	83.81	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
MW-17	05/09/2000	106.00	21.79	84.21	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
MW-17	08/02/2000	106.00	22.24	83.76	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
MW-17	11/09/2000	106.00	22.57	83.43	0.00	0.00	<1,000	<10.0	<10.0	<10.0	<10.0	<50.0	-	-
MW-17	02/08/2001	106.00	22.82	83.18	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-
MW-17	05/02/2001	106.00	22.48	83.52	0.00	0.00	55.8	<0.500	<5.00	<5.00	<5.00	<0.500	-	-
MW-17	08/28/2001	106.00	22.95	83.05	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
MW-17	11/26/2001	106.00	23.08	82.92	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	02/22/2002	106.00	22.03	83.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	05/24/2002	106.00	22.16	83.84	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	08/29/2002	106.00	23.73	82.27	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	11/29/2002	106.00	22.98	83.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	02/28/2003	106.00	21.98	84.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
MW-17	05/30/2003 ¹⁷	106.00	21.85	84.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	08/22/2003 ¹⁷	106.00	22.48	83.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	11/24/2003 ¹⁷	106.00	22.84	83.16	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	02/27/2004 ¹⁷	106.00	21.93	84.07	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	06/21/2004 ¹⁷	106.00	22.32	83.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	08/26/2004 ¹⁷	106.00	23.09	82.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	11/29/2004 ¹⁷	106.00	22.79	83.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	02/11/2005 ¹⁷	106.00	21.97	84.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-
MW-17	06/16/2005 ¹⁷	106.00	21.28	84.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	08/31/2005 ¹⁷	106.00	22.05	83.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.7	-	-
MW-17	11/30/2005 ¹⁷	106.00	22.55	83.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	-
MW-17	02/27/2006 ¹⁷	106.00	21.56	84.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	05/30/2006 ¹⁷	106.00	20.74	85.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-
MW-17	08/29/2006 ¹⁷	106.00	21.82	84.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	12/13/2006 ¹⁷	106.00	22.64	83.36	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	02/28/2007 ¹⁷	106.00	22.37	83.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	05/30/2007 ¹⁷	106.00	22.66	83.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	08/29/2007 ¹⁷	106.00	23.01	82.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	05/28/2009	106.00	22.40	83.60	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	05/29/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	08/06/2009	106.00	23.00	83.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	11/16/2009	106.00	22.47	83.53	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	02/02/2010	106.00	22.63	83.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	05/20/2010	106.00	21.70	84.30	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	08/23/2010 ³⁰	106.00	22.57	83.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/07/2010 ³⁰	106.00	23.10	82.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	02/03/2011	106.00	22.50	83.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	05/06/2011 ³²	106.00	21.53	84.47	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/16/2011 ³⁰	106.00	22.62	83.38	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/06/2011 ³²	106.00	23.00	83.00	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	03/16/2012	106.00	23.12	82.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	06/21/2012 ³⁰	106.00	22.52	83.48	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/10/2012 ³⁰	106.00	23.00	83.00	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/21/2012 ³⁰	106.00	23.00	83.00	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	03/28/2013	106.00	22.95	83.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	06/25/2013 ³⁰	106.00	23.29	82.71	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/16/2013 ³⁰	106.00	23.53	82.47	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/19/2013 ³⁰	106.00	23.85	82.15	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	03/07/2014	106.00	23.81	82.19	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	06/04/2014 ³⁰	106.00	16.51	89.49	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/17/2014	106.00	29.00	77.00	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/29/2014 ³⁶	106.00	23.04	82.96	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	03/20/2015	106.00	22.55	83.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	06/16/2015 ³⁰	106.00	22.88	83.12	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/24/2015	106.00	23.30	82.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-17	12/07/2015 ³⁰	106.00	23.46	82.54	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	03/29/2016	106.00	22.03	83.97	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-
MW-17	6/26/2016 ³⁰	106.00	21.72	84.28	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	09/01/2016 ³⁰	106.00	23.13	82.87	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	12/07/2016 ³⁰	106.00	22.10	83.90	0.00	0.00	-	-	-	-	-	-	-	-
MW-17	02/01/2017 ³⁰	106.00	-	-	-	-	-	-	-	-	-	-	-	-
MW-17	05/18/2017	106.00	21.15	84.85	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
MW-18	08/04/1997	-	16.60	-	-	-	66,000	8,600	6,100	2,800	12,000	190	-	-
MW-18	11/25/1997	-	16.22	-	-	-	90,000	8,500	6,000	3,400	14,000	1,200	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-18	02/25/1998	-	12.75	-	-	-	60,000	6,600	4,000	2,300	11,000	<120	-	-
MW-18	05/21/1998	-	15.24	-	-	-	70,000	4,700	1,800	1,700	9,600	880	-	-
MW-18	08/19/1998	-	16.34	-	-	-	93,000	4,900	1,700	2,100	9,000	<250	-	-
MW-18	11/19/1998	-	17.15	-	-	-	62,000	5,600	2,300	2,700	12,000	1,800	-	-
MW-18	02/12/1999	-	16.08	-	-	-	48,000	3,700	2,400	1,900	8,800	1,900	-	-
MW-18	05/10/1999	-	14.98	-	-	-	54,700	3,250	1,770	1,900	7,570	1,270 / <66.7 ⁷	-	-
MW-18	09/02/1999	-	15.86	-	-	-	34,400	2,120	1,230	1,420	5,460	<500	-	-
MW-18	02/03/2000	-	15.91	-	-	-	46,000	2,500	1,100	1,900	8,800	<1,000	-	-
MW-18	05/09/2000	-	13.93	-	0.00	0.00	30,000 ⁸	1,400	410	440	4,700	1,300	-	-
MW-18	08/02/2000	-	15.25	-	0.00	0.00	22,000 ⁸	1,200	480	1,400	5,800	<130	-	-
MW-18	11/09/2000	-	15.85	-	0.00	0.00	29,500	1,130	474	2,020	6,270	333	-	-
MW-18	02/08/2001	-	16.27	-	0.00	0.00	61,600 ¹¹	1,700	<500	2,690	8,110	<2,500	-	-
MW-18	05/02/2001	-	16.15	-	0.00	0.00	57,800	1,040	104	<2,500	6,670	20.1	-	-
MW-18	08/28/2001	-	17.03	-	0.00	0.00	32,000 ¹³	1,200	370	2,100	5,600	790	-	-
MW-18	11/26/2001	-	16.64	-	0.00	0.00	41,000	780	320	1,800	5,600	<200	-	-
MW-18	02/22/2002	-	14.93	-	0.00	0.00	44,000	950	270	1,300	3,900	<100	-	-
MW-18	05/24/2002	-	15.92	-	0.00	0.00	36,000	1,200	460	1,600	4,800	<50	-	-
MW-18	08/29/2002	-	16.56	-	0.00	0.00	37,000	970	520	1,900	4,800	<50	-	-
MW-18	11/29/2002	-	16.51	-	0.00	0.00	36,000	710	350	1,900	5,300	<20	-	-
MW-18	02/28/2003	-	14.53	-	0.00	0.00	19,000	350	130	270	2,500	<200	-	-
MW-18	05/30/2003 ¹⁷	-	14.56	-	0.00	0.00	29,000	390	110	890	2,700	<3	-	-
MW-18	08/22/2003 ¹⁷	-	14.70	-	0.00	0.00	17,000	270	67	600	1,700	<1	-	-
MW-18	11/24/2003 ¹⁷	-	16.39	-	0.00	0.00	23,000	320	39	980	2,100	<1	-	-
MW-18	02/27/2004 ¹⁷	-	13.77	-	0.00	0.00	18,000	200	29	310	1,400	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-18	06/21/2004 ¹⁷	-	15.55	-	0.00	0.00	30,000	380	40	1,700	2,800	<3	-	-
MW-18	08/26/2004 ¹⁷	-	16.69	-	0.00	0.00	25,000	360	27	1,100	1,800	<3	-	-
MW-18	11/29/2004 ¹⁷	-	16.45	-	0.00	0.00	27,000	380	30	1,200	1,900	<2	-	-
MW-18	02/11/2005 ¹⁷	-	14.48	-	0.00	0.00	26,000	450	44	1,600	2,500	<1	-	-
MW-18	06/16/2005 ²⁸	-	14.06	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	08/31/2005 ¹⁷	-	15.08	-	0.00	0.00	27,000	440	57	1,900	2,400	<3	-	-
MW-18	11/30/2005 ²⁸	-	16.01	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	02/27/2006 ¹⁷	-	13.63	-	0.00	0.00	31,000	440	81	1,500	1,900	<1	-	-
MW-18	05/30/2006 ²⁸	-	12.96	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	08/29/2006 ¹⁷	-	14.85	-	0.00	0.00	28,000	270	49	1,600	1,500	<3	-	-
MW-18	12/13/2006 ²⁸	-	15.11	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	02/28/2007 ¹⁷	-	13.37	-	0.00	0.00	27,000	280	61	1,400	1,400	<3	-	-
MW-18	05/30/2007 ²⁸	-	15.13	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	08/29/2007 ¹⁷	-	16.14	-	0.00	0.00	26,000	200	42	1,700	1,600	<5	-	-
MW-18	11/21/2007 ²⁸	-	16.13	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	02/20/2008 ¹⁷	-	12.83	-	0.00	0.00	24,000	190	44	1,700	1,700	<2	-	-
MW-18	05/21/2008 ²⁸	-	14.61	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/24/2008	-	15.55	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	08/22/2008 ¹⁷	-	16.78	-	0.00	0.00	23,000	180	55	1,600	1,700	<1	-	-
MW-18	11/21/2008 ²⁸	-	17.80	-	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	02/03/2009 ¹⁷	-	17.89	-	0.00	0.00	23,000	280	77	1,600	1,500	<1	-	-
MW-18	05/28/2009	-	17.01	-	-	-	-	-	-	-	-	-	-	-
MW-18	08/06/2009	100.94	16.63	84.31	0.00	0.00	30,000	150	45	2,100	1,900	<3	-	-
MW-18	11/16/2009	100.94	17.60	83.34	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-18	02/02/2010	100.94	13.80	87.14	0.00	0.00	14,000	54	17	150	890	<1	-	-
MW-18	05/20/2010	100.94	13.81	87.13	0.00	0.00	26,000	78	28	1,200	1,600	<1	-	-
MW-18	08/23/2010 ²⁸	100.94	15.51	85.43	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/07/2010	100.94	15.06	85.88	0.00	0.00	23,000	47	26	1,300	1,300	<1	-	-
MW-18	02/03/2011 ²⁸	100.94	14.50	86.44	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	05/06/2011	100.94	13.61	87.33	0.00	0.00	22,000	26	30	1,200	840	<5	-	-
MW-18	09/16/2011 ²⁸	100.94	15.60	85.34	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/06/2011 ²⁸	100.94	16.05	84.89	0.00	0.00	20,000	34	31	1,200	830	<0.5	-	-
MW-18	03/16/2012 ²⁸	100.94	15.63	85.31	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/21/2012	100.94	15.10	85.84	0.00	0.00	20,000	24 J	47	1,300	764	<5	-	<5
MW-18	09/10/2012 ²⁸	100.94	16.10	84.84	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/21/2012	100.94	14.72	86.22	0.00	0.00	15,000	13	16	1,100	560	<5	-	-
MW-18	03/28/2013 ²⁸	100.94	15.33	85.61	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/25/2013	100.94	15.82	85.12	0.00	0.00	20,000	12	20	1,300	650	<1	-	-
MW-18	09/16/2013 ²⁸	100.94	16.44	84.50	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/20/2013	100.94	17.03	83.91	0.00	0.00	24,000	15	21	1,300	670	<3	-	-
MW-18	03/07/2014 ²⁸	100.94	16.26	84.68	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/05/2014	100.94	16.20	84.74	0.00	0.00	25,000	7	9	1,100	670	<1	-	-
MW-18	09/17/2014 ²⁸	100.94	17.52	83.42	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/29/2014	100.94	14.64	86.30	0.00	0.00	1,000	<0.5	0.5 J	39	16	<0.5	-	-
MW-18	03/20/2015 ²⁸	100.94	15.06	85.88	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/16/2015	100.94	16.52	84.42	0.00	0.00	15,000	10	11	730	270	<5	-	-
MW-18	09/24/2015 ²⁸	100.94	17.50	83.44	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/07/2015	100.94	17.93	83.01	0.00	0.00	19,000	29	17	1,100	380	<5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-18	03/29/2016 ²⁸	100.94	13.89	87.05	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	06/26/2016	100.94	15.85	85.09	0.00	0.00	16,000	19	26	530	200	<5	-	-
MW-18	09/01/2016 ²⁸	100.94	16.66	84.28	0.00	0.00	-	-	-	-	-	-	-	-
MW-18	12/07/2016	100.94	16.73	84.21	0.00	0.00	17,000	23	24	640	330	<10	-	-
MW-18	02/01/2017 ²⁸	100.94	-	-	-	-	-	-	-	-	-	-	-	-
MW-18	05/18/2017	100.94	13.13	87.81	0.00	0.00	12,000	<10	<10	170	99	<10	-	-
MW-19	05/30/2006 ^{17,19}	-	10.68	-	0.00	0.00	3,100	94	170	59	310	100	-	-
MW-19	08/29/2006 ¹⁷	-	12.62	-	0.00	0.00	13,000	1,900	480	150	870	120	-	-
MW-19	12/13/2006 ¹⁷	-	12.26	-	0.00	0.00	8,800	1,600	100	18	360	88	-	-
MW-19	02/28/2007 ¹⁷	-	10.24	-	0.00	0.00	3,100	480	17	3	170	83	-	-
MW-19	05/30/2007	-	12.71	-	0.00	0.00	25,000	7,800	160	31	450	63	-	-
MW-19	08/29/2007 ¹⁷	-	14.02	-	0.00	0.00	25,000	8,900	170	34	390	56	-	-
MW-19	11/21/2007 ¹⁷	-	13.81	-	0.00	0.00	13,000	6,100	120	21	270	60	-	-
MW-19	02/20/2008 ¹⁷	-	11.62	-	0.00	0.00	66	3	<0.5	<0.5	<0.5	29	-	-
MW-19	05/21/2008 ¹⁷	-	13.02	-	0.00	0.00	130 ²²	40	0.5	2	0.8	29	-	-
MW-19	06/24/2008 ¹⁷	-	13.40	-	0.00	0.00	700	730	12	39	7	31	-	-
MW-19	08/22/2008 ¹⁷	-	15.07	-	0.00	0.00	310	16	<0.5	1	0.7	11	-	-
MW-19	11/21/2008 ¹⁷	-	16.06	-	0.00	0.00	55	5	<0.5	<0.5	<0.5	1	-	-
MW-19	02/03/2009 ¹⁷	-	15.69	-	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	-
MW-19	05/28/2009	-	14.95	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	4	-	-
MW-19	08/07/2009	100.34	14.31	86.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	-
MW-19	11/16/2009	100.34	16.03	84.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1 J	-	-
MW-19	02/02/2010	100.34	10.64	89.70	0.00	0.00	<50	<0.5	0.6 J	<0.5	<0.5	1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-19	05/20/2010	100.34	11.03	89.31	0.00	0.00	1,300	400	5	4	7	39	-	-
MW-19	08/23/2010 ²⁸	100.34	12.81	87.53	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/07/2010	100.34	12.14	88.20	0.00	0.00	6,600	2,500	16	56	12	71	-	-
MW-19	02/03/2011 ²⁸	100.34	11.59	88.75	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	05/06/2011	100.34	10.92	89.42	0.00	0.00	450	140	2	3	4	93	-	-
MW-19	09/16/2011 ²⁸	100.34	13.11	87.23	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/06/2011 ²⁸	100.34	13.29	87.05	0.00	0.00	32,000	10,000	76	320	130	140	-	-
MW-19	03/16/2012 ²⁸	100.34	12.39	87.95	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	06/21/2012	100.34	12.59	87.75	0.00	0.00	16,000	5,000	39	130	59	180	-	<0.5
MW-19	09/10/2012 ²⁸	100.34	13.42	86.92	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/21/2012	100.34	12.02	88.32	0.00	0.00	470	120	0.7 J	3	1	56	-	-
MW-19	03/28/2013 ²⁸	100.34	13.03	87.31	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	06/25/2013	100.34	13.90	86.44	0.00	0.00	17,000	8,000	62	220	80	170	-	-
MW-19	09/16/2013 ²⁸	100.34	14.60	85.74	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/19/2013	100.34	14.88	85.46	0.00	0.00	18,000	10,000	56	150	66	180	-	-
MW-19	03/07/2014 ²⁸	100.34	12.21	88.13	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	06/04/2014	100.34	13.92	86.42	0.00	0.00	22,000	11,000	84	310	91	120	-	-
MW-19	09/17/2014 ²⁸	100.34	15.05	85.29	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/29/2014	100.34	10.89	89.45	0.00	0.00	3,300	1,100	8 J	22	10 J	34	-	-
MW-19	03/20/2015 ²⁸	100.34	12.88	87.46	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	06/16/2015	100.34	14.31	86.03	0.00	0.00	59 J	<0.5	<0.5	<0.5	<0.5	4	-	-
MW-19	09/24/2015 ²⁸	100.34	15.32	85.02	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/07/2015	100.34	15.51	84.83	0.00	0.00	<50	7	<0.5	<0.5	<0.5	2	-	-
MW-19	03/29/2016 ²⁸	100.34	11.23	89.11	0.00	0.00	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-19	06/26/2016	100.34	13.44	86.90	0.00	0.00	230	120	<1	<1	<1	11	-	-
MW-19	09/01/2016 ²⁸	100.34	14.58	85.76	0.00	0.00	-	-	-	-	-	-	-	-
MW-19	12/07/2016	100.34	14.40	85.94	0.00	0.00	<100	4	<1	<1	<1	2	-	-
MW-19	02/01/2017 ²⁸	100.34	-	-	-	-	-	-	-	-	-	-	-	-
MW-19	05/18/2017	100.34	10.88	89.46	0.00	0.00	2,400	860	3	3	2	47	-	-
MW-20	03/12/2015	102.84	15.73	87.11	0.00	0.00	-	-	-	-	-	-	-	-
MW-20	03/20/2015	102.84	13.31	89.53	0.00	0.00	16,000	18	1,400	550	3,300	<3	-	-
MW-20	06/16/2015	102.84	14.70	88.14	0.00	0.00	3,600	5	130	93	490	<1	-	-
MW-20	09/24/2015	102.84	15.92	86.92	0.00	0.00	1,300	12	9	48	4	<0.5	-	-
MW-20	12/07/2015	102.84	16.00	86.84	0.00	0.00	850	9	3	43	15	<0.5	-	-
MW-20	03/30/2016	102.84	11.44	91.40	0.00	0.00	3,300	10	15	86	300	<5	-	-
MW-20	06/26/2016	102.84	14.14	88.70	0.00	0.00	-	-	-	-	-	-	-	-
MW-20	09/01/2016	102.84	15.07	87.77	0.00	0.00	300	5	<1	3	2	<1	-	-
MW-20	12/07/2016 ²⁸	102.84	14.68	88.16	0.00	0.00	-	-	-	-	-	-	-	-
MW-20	02/01/2017 ²⁸	102.84	-	-	-	-	-	-	-	-	-	-	-	-
MW-20	05/18/2017	102.84	11.41	91.43	0.00	0.00	55	<1	0.6 J	<1	2	<1	-	-
MW-21	03/12/2015	102.22	14.53	87.69	0.00	0.00	-	-	-	-	-	-	-	-
MW-21	03/20/2015	102.22	13.41	88.81	0.00	0.00	55 J	10	<0.5	0.7 J	<0.5	<0.5	-	-
MW-21	06/16/2015	102.22	14.50	87.72	0.00	0.00	93 J	0.6 J	9	4	7	<0.5	-	-
MW-21	09/24/2015	102.22	16.83	85.39	0.00	0.00	96 J	<0.5	<0.5	<0.5	1	<0.5	-	-
MW-21	12/07/2015	102.22	15.23	86.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-21	03/30/2016	102.22	12.22	90.00	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	06/26/2016	102.22	12.84	89.38	0.00	0.00	-	-	-	-	-	-	-	-
MW-21	09/01/2016	102.22	14.20	88.02	0.00	0.00	<100	<1	<1	<1	0.6 J	<1	-	-
MW-21	12/07/2016 ²⁸	102.22	14.20	88.02	0.00	0.00	-	-	-	-	-	-	-	-
MW-21	02/01/2017 ²⁸	102.22	-	-	-	-	-	-	-	-	-	-	-	-
MW-21	05/18/2017	102.22	10.87	91.35	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
MW-22	03/12/2015	102.42	13.13	89.29	0.00	0.00	-	-	-	-	-	-	-	-
MW-22	03/20/2015	102.42	13.26	89.16	0.00	0.00	55 J	3	<0.5	<0.5	<0.5	12	-	-
MW-22	06/16/2015	102.42	14.32	88.10	0.00	0.00	52 J	<0.5	<0.5	<0.5	<0.5	13	-	-
MW-22	09/24/2015	102.42	15.46	86.96	0.00	0.00	52 J	<0.5	<0.5	<0.5	<0.5	6	-	-
MW-22	12/07/2015	102.42	15.68	86.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	-
MW-22	03/30/2016	102.42	11.19	91.23	0.00	0.00	<100	<1	<1	<1	<1	9	-	-
MW-22	06/26/2016	102.42	13.71	88.71	0.00	0.00	-	-	-	-	-	-	-	-
MW-22	09/01/2016	102.42	14.63	87.79	0.00	0.00	<100	<1	<1	<1	<1	10	-	-
MW-22	12/07/2016 ²⁸	102.42	14.41	88.01	0.00	0.00	-	-	-	-	-	-	-	-
MW-22	02/01/2017 ²⁸	102.42	-	-	-	-	-	-	-	-	-	-	-	-
MW-22	05/18/2017	102.42	11.01	91.41	0.00	0.00	<50	<1	<1	<1	<1	2	-	-
MW-23	03/12/2015	99.19	17.61	81.58	0.00	0.00	-	-	-	-	-	-	-	-
MW-23	03/20/2015	99.19	17.72	81.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-23	06/16/2015	99.19	18.20	80.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-23	09/24/2015	99.19	18.88	80.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-23	12/07/2015	99.19	19.33	79.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-23	03/29/2016	99.19	15.98	83.21	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-23	06/26/2016	99.19	17.85	81.34	0.00	0.00	-	-	-	-	-	-	-	-
MW-23	09/01/2016	99.19	18.40	80.79	0.00	0.00	<100	<1	<1	<1	<1	<1	-	-
MW-23	12/07/2016 ²⁸	99.19	18.70	80.49	0.00	0.00	-	-	-	-	-	-	-	-
MW-23	02/01/2017 ²⁸	99.19	-	-	-	-	-	-	-	-	-	-	-	-
MW-23	05/18/2017	99.19	16.17	83.02	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
P-1	08/13/1992	-	10.02	76.41	-	-	-	-	-	-	-	-	-	-
P-1	12/03/1992	-	10.80	75.63	-	-	-	-	-	-	-	-	-	-
P-1	03/25/1993	86.43	8.95	77.48	-	-	-	-	-	-	-	-	-	-
P-1	02/11/2005 ¹⁹	86.43	9.20	77.23	0.00	0.00	110	4	0.6	<0.5	0.5	10	-	-
P-1	06/16/2005 ¹⁷	86.43	8.37	78.06	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	7	-	-
P-1	08/31/2005 ^{17,33}	86.43	8.95	77.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	9	-	-
P-1	11/30/2005 ¹⁷	86.43	9.86	76.57	0.00	0.00	60	<0.5	<0.5	<0.5	<0.5	13	-	-
P-1	02/27/2006 ¹⁷	86.43	8.95	77.48	0.00	0.00	310	31	0.9	1	1	7	-	-
P-1	05/30/2006 ^{17,33}	86.43	8.20	78.23	0.00	0.00	84	3	0.6	<0.5	0.7	4	-	-
P-1	08/29/2006 ³⁶	86.43	-	-	-	-	-	-	-	-	-	-	-	-
P-1	12/13/2006 ¹⁷	86.43	9.13	77.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	-
P-1	02/28/2007 ¹⁷	86.43	8.61	77.82	0.00	0.00	160	8	<0.5	<0.5	<0.5	8	-	-
P-1	05/30/2007 ^{17,33}	86.43	9.20	77.23	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	6	-	-
P-1	08/29/2007 ¹⁷	86.43	9.18	77.25	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	-	-
P-1	11/21/2007 ³⁶	88.63	-	-	-	-	-	-	-	-	-	-	-	-
P-1	02/20/2008 ¹⁷	88.63	8.53	80.10	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	8	-	-
P-1	05/21/2008 ¹⁷	88.63	9.01	79.62	0.00	0.00	<50 ²²	<0.5	0.9	<0.5	<0.5	7	-	-
P-1	06/24/2008 ¹⁷	88.63	9.08	79.55	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
P-1	08/22/2008 ¹⁷	88.63	9.24	79.39	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	7	-	-
P-1	11/21/2008 ¹⁷	88.63	9.78	78.85	0.00	0.00	<50	<0.5	0.7	<0.5	<0.5	9	-	-
P-1	02/03/2009 ^{17,33}	88.63	10.18	78.45	0.00	0.00	<50	2	<0.5	<0.5	<0.5	14	-	-
P-1	05/28/2009	88.63	9.22	79.41	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	11	-	-
P-1	08/06/2009	88.63	9.41	79.22	0.00	0.00	-	-	-	-	-	-	-	-
P-1	11/16/2009	88.63	10.21	78.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	20	-	-
P-1	02/02/2010	88.63	8.50	80.13	0.00	0.00	-	-	-	-	-	-	-	-
P-1	05/20/2010	88.63	8.25	80.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	16	-	-
P-1	08/23/2010	88.63	8.99	79.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	14	-	-
P-1	12/07/2010	88.63	9.45	79.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	-	-
P-1	02/03/2011	88.63	9.11	79.52	0.00	0.00	54 J	2	<0.5	<0.5	<0.5	14	-	-
P-1	05/06/2011	88.63	8.03	80.60	0.00	0.00	160	8	0.5 J	<0.5	1	10	-	-
P-1	09/16/2011	88.63	9.02	79.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	13	-	-
P-1	12/06/2011	88.63	9.83	78.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	13	-	-
P-1	03/16/2012	88.63	9.35	79.28	0.00	0.00	<50	1	<0.5	<0.5	<0.5	13	-	-
P-1	06/21/2012	88.63	8.62	80.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	11		<0.5
P-1	09/10/2012	88.63	9.13	79.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	12	-	-
P-1	12/21/2012	88.63	9.30	79.33	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	12	-	-
P-1	03/28/2013	88.63	8.88	79.75	0.00	0.00	68 J	2	<0.5	0.6 J	<0.5	8	-	-
P-1	06/25/2013	88.63	9.17	79.46	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	8	-	-
P-1	09/16/2013	88.63	9.09	79.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	11	-	-
P-1	12/19/2013	88.63	10.51	78.12	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	8	-	-
P-1	03/07/2014	88.63	8.90	79.73	0.00	0.00	110	8	<0.5	<0.5	<0.5	8	-	-
P-1	06/04/2014	88.63	9.20	79.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
P-1	09/17/2014	88.63	9.62	79.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	8	-	-
P-1	12/29/2014 ³⁶	88.63	-	-	0.00	0.00	-	-	-	-	-	-	-	-
P-1	03/20/2015	88.63	8.90	79.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
P-1	06/16/2015	88.63	9.20	79.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	-
P-1	09/24/2015	88.63	9.57	79.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	-
P-1	12/07/2015	88.63	10.33	78.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	6	-	-
P-1	03/29/2016	88.63	7.34	81.29	0.00	0.00	<100	0.6 J	<1	<1	<1	1	-	-
P-1	06/27/2016 ³⁶	88.63	-	-	-	-	-	-	-	-	-	-	-	-
P-1	09/01/2016	88.63	9.24	79.39	0.00	0.00	<100	<1	<1	<1	<1	0.6 J	-	-
P-1	12/07/2016	88.63	10.05	78.58	0.00	0.00	<100	<1	<1	<1	<1	5	-	-
P-1	02/01/2017	88.63	-	-	-	-	-	-	-	-	-	-	-	-
P-1	05/18/2017	88.63	7.65	80.98	0.00	0.00	<50	<1	<1	<1	<1	<1	-	-
DVE-9	05/30/2006 ^{17,19}	-	11.09	-	0.00	0.00	54,000	2,700	9,100	1,800	7,700	190	-	-
DVE-9	08/29/2006 ¹⁷	-	13.51	-	0.00	0.00	65,000	2,200	8,600	1,400	5,900	190	-	-
DVE-9	12/13/2006 ¹⁷	-	12.60	-	0.00	0.00	73,000	3,400	12,000	2,100	8,700	140	-	-
DVE-9	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
DVE-9	05/30/2007 ^{17,18}	-	12.21	-	0.00	0.00	80,000	2,100	14,000	2,300	9,800	51	-	-
DVE-9	08/29/2007 ¹⁷	-	-	-	-	-	57,000	2,400	12,000	1,500	7,200	96	-	-
DVE-9	11/21/2007 ^{17,18}	102.60	13.73	88.87	0.00	0.00	60,000	2,700	15,000	1,200	7,500	44	-	-
DVE-9	02/20/2008 ²²	102.60	-	-	-	-	-	-	-	-	-	-	-	-
DVE-9	05/21/2008 ^{15,17,18}	102.60	12.80	89.80	0.00	0.00	43,000 ²²	1,300	12,000	1,200	6,900	60	-	-
DVE-9	06/24/2008 ^{15,17,18,33}	102.60	13.22	89.38	0.00	0.00	15,000	1,200	13,000	1,300	7,100	44	-	-
DVE-9	08/22/2008 ^{15,17,18,33}	102.60	23.97	78.63	0.00	0.00	57,000	1,400	15,000	1,300	7,700	130	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-9	11/21/2008 ^{15,17,18,33}	102.60	24.95	77.65	0.00	0.00	45,000	1,700	7,800	1,100	8,500	180	-	-
DVE-9	02/03/2009 ^{15,17,18,33}	102.60	-	-	-	-	15,000	920	1,100	140	2,000	190	-	-
DVE-9	05/28/2009	102.60	24.39	78.21	0.00	0.00	30,000	2,600	1,900	770	3,800	370	-	-
DVE-9	08/07/2009	102.60	15.38	87.22	0.00	0.00	17,000	1,300	480	630	2,000	190	-	-
DVE-9	11/16/2009	102.60	23.00	79.60	0.00	0.00	15,000	1,100	670	520	2,000	190	-	-
DVE-9	02/02/2010	102.60	9.81	92.79	0.00	0.00	10,000	610	130	470	1,000	160	-	-
DVE-9	05/20/2010	102.60	10.36	92.24	0.00	0.00	9,900	540	150	440	760	120	-	-
DVE-9	08/23/2010 ²⁰	102.60	13.49	89.11	0.00	0.00	9,600	920	160	570	720	170	-	-
DVE-9	12/07/2010 ²⁰	102.60	11.89	90.71	0.00	0.00	12,000	840	120	550	1,000	180	-	-
DVE-9	02/03/2011 ²⁰	102.60	11.13	91.47	0.00	0.00	9,200	540	85	370	680	120	-	-
DVE-9	05/06/2011	102.60	10.22	92.38	0.00	0.00	6,800	340	36	410	540	77	-	-
DVE-9	09/16/2011	102.60	12.91	89.69	0.00	0.00	5,100	250	10	240	330	84	-	-
DVE-9	12/06/2011	102.60	13.26	89.34	0.00	0.00	3,900	190	17	190	370	57	-	-
DVE-9	03/16/2012	102.60	12.15	90.45	0.00	0.00	6,800	170	36	310	750	110	-	-
DVE-9	06/21/2012	102.60	12.25	90.35	0.00	0.00	5,600	100	13	270	410	66	-	<1
DVE-9	09/10/2012	102.60	13.50	89.10	0.00	0.00	4,600	54	4	160	230	35	-	-
DVE-9	12/21/2012	102.60	10.79	91.81	0.00	0.00	5,000	37	6 J	140	280	31	-	-
DVE-9	03/28/2013	102.60	11.99	90.61	0.00	0.00	4,300	45	5	200	390	32	-	-
DVE-9	06/25/2013	102.60	13.55	89.05	0.00	0.00	2,900	16	3	90	150	17	-	-
DVE-9	09/16/2013	102.60	14.47	88.13	0.00	0.00	4,400	19	11	140	540	22	-	-
DVE-9	12/20/2013	102.60	14.19	88.41	0.00	0.00	7,700	36	38	260	1,400	46	-	-
DVE-9	03/07/2014	102.60	11.73	90.87	0.00	0.00	8,400	23	37	200	1,500	23	-	-
DVE-9	06/04/2014	102.60	13.80	88.80	0.00	0.00	3,200	13	2	80	190	13	-	-
DVE-9	09/17/2014	102.60	15.10	87.50	0.00	0.00	2,700	9	1	86	180	17	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-9	12/29/2014	102.60	9.15	93.45	0.00	0.00	3,400	9	2	79	160	16	-	-
DVE-9	03/20/2015	102.60	12.55	90.05	0.00	0.00	1,200	6	<0.5	10	9	17	-	-
DVE-9	06/16/2015	102.60	14.53	88.07	0.00	0.00	1,400	6	0.5 J	27	40	33	-	-
DVE-9	09/24/2015	102.60	15.91	86.69	0.00	0.00	1,700	5	0.7 J	29	54	60	-	-
DVE-9	12/07/2015	102.60	16.02	86.58	0.00	0.00	1,700	16	0.9 J	27	48	96	-	-
DVE-9	03/30/2016	102.60	10.36	92.24	0.00	0.00	2,200	6	7	43	15	28	-	-
DVE-9	06/27/2016	102.60	13.86	88.74	0.00	0.00	1,400	4	0.7 J	3	4	43	-	-
DVE-9	09/01/2016	102.60	15.02	87.58	0.00	0.00	1,100	3	0.5 J	3	7	44	-	-
DVE-9	12/07/2016	102.60	14.00	88.60	0.00	0.00	1,200	11	0.7 J	4	7	68	-	-
DVE-9	02/01/2017	102.60	9.33	93.27	0.00	0.00	3,300	8	23	140	73	22	-	-
DVE-9	05/18/2017	102.60	10.60	92.00	0.00	0.00	2,200	5	0.9 J	5	4	17	-	-
DVE-12	05/30/2006 ^{17,19}	-	9.93	-	0.00	0.00	110,000	5,900	20,000	2,100	11,000	210	-	-
DVE-12	08/29/2006 ¹⁷	-	12.16	-	0.00	0.00	100,000	5,300	25,000	2,200	11,000	110	-	-
DVE-12	12/13/2006 ¹⁷	-	12.11	-	0.00	0.00	120,000	4,400	28,000	1,800	9,300	140	-	-
DVE-12	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
DVE-12	05/30/2007 ^{17,18}	-	12.41	-	0.00	0.00	120,000	4,600	29,000	2,300	12,000	95	-	-
DVE-12	08/29/2007 ^{17,21}	-	-	-	-	-	86,000	38,000	21,000	1,500	8,300	79	-	-
DVE-12	11/21/2007 ^{17,18}	101.77	13.03	88.74	0.00	0.00	52,000	3,100	11,000	800	5,800	11	-	-
DVE-12	02/20/2008 ²²	101.77	-	-	-	-	-	-	-	-	-	-	-	-
DVE-12	05/21/2008 ^{15,17,18,33}	101.77	12.01	89.76	0.00	0.00	56,000 ²²	3,600	18,000	1,100	8,600	29	-	-
DVE-12	06/24/2008 ^{15,17,18,33}	101.77	12.66	89.11	0.00	0.00	52,000	3,900	20,000	1,200	9,000	36	-	-
DVE-12	08/22/2008 ^{15,17,18,33}	101.77	23.67	78.10	0.00	0.00	60,000	2,900	16,000	910	8,900	24	-	-
DVE-12	11/21/2008 ^{15,17,18,33}	101.77	24.27	77.50	0.00	0.00	54,000	790	13,000	550	6,900	18	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-12	02/03/2009 ^{15,17,18}	101.77	-	-	-	-	43,000	850	12,000	800	6,100	12	-	-
DVE-12	05/28/2009	101.77	24.62	77.15	0.00	0.00	45,000	420	8,400	450	7,500	6 J	-	-
DVE-12	08/06/2009	101.77	14.10	87.67	0.00	0.00	63,000	1,200	13,000	1,400	9,800	11	-	-
DVE-12	11/16/2009	101.77	23.48	78.29	0.00	0.00	24,000	530	5,000	200	3,200	12	-	-
DVE-12	02/02/2010	101.77	9.50	92.27	0.00	0.00	29,000	330	4,700	1,100	6,400	20	-	-
DVE-12	05/20/2010	101.77	9.82	91.95	0.00	0.00	30,000	670	1,900	1,400	6,200	53	-	-
DVE-12	08/23/2010 ²⁰	101.77	13.15	88.62	0.00	0.00	37,000	910	4,600	1,600	9,500	33	-	-
DVE-12	12/07/2010 ²⁰	101.77	11.23	90.54	0.00	0.00	25,000	560	1,800	870	5,400	28	-	-
DVE-12	02/03/2011 ²⁰	101.77	10.35	91.42	0.00	0.00	40,000	700	3,000	2,100	11,000	31	-	-
DVE-12	05/06/2011	101.77	9.54	92.23	0.00	0.00	35,000	540	1,500	1,700	9,700	21	-	-
DVE-12	09/16/2011	101.77	12.23	89.54	0.00	0.00	46,000	420	3,500	1,400	9,000	17	-	-
DVE-12	12/06/2011	101.77	12.53	89.24	0.00	0.00	40,000	400	4,300	1,700	9,900	14	-	-
DVE-12	03/16/2012	101.77	11.64	90.13	0.00	0.00	40,000	430	2,500	1,800	11,000	<13	-	-
DVE-12	06/21/2012	101.77	11.67	90.10	0.00	0.00	41,000	360	830	1,700	10,600	13 J	-	<5
DVE-12	09/10/2012	101.77	12.84	88.93	0.00	0.00	30,000	270	520	1,700	9,300	9 J	-	-
DVE-12	12/21/2012	101.77	10.35	91.42	0.00	0.00	38,000	330	740	1,900	10,000	<25	-	-
DVE-12	03/28/2013	101.77	11.41	90.36	0.00	0.00	32,000	200	370	1,800	8,900	8	-	-
DVE-12	06/25/2013	101.77	12.82	88.95	0.00	0.00	33,000	180	2,300	1,800	9,500	6	-	-
DVE-12	09/16/2013	101.77	13.67	88.10	0.00	0.00	18,000	140	2,800	1,100	6,100	23	-	-
DVE-12	12/20/2013	101.77	13.51	88.26	0.00	0.00	27,000	170	2,300	1,300	7,000	60	-	-
DVE-12	03/07/2014	101.77	11.40	90.37	0.00	0.00	38,000	190	910	2,000	8,800	19	-	-
DVE-12	06/04/2014	101.77	13.00	88.77	0.00	0.00	28,000	160	200	1,700	7,100	9	-	-
DVE-12	09/17/2014	101.77	14.39	87.38	0.00	0.00	11,000	53	40	590	2,200	7	-	-
DVE-12	12/29/2014	101.77	9.00	92.77	0.00	0.00	21,000	80	51	1,400	4,500	13	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
		Units	ft	ft	ft-amsl	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-12	03/20/2015	101.77	12.86	88.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
DVE-12	06/16/2015	101.77	13.74	88.03	0.00	0.00	12,000	42	17	760	2,000	<5	-	-
DVE-12	09/24/2015	101.77	15.10	86.67	0.00	0.00	14,000	79	310	620	1,700	8	-	-
DVE-12	12/07/2015	101.77	16.25	85.52	0.00	0.00	7,700	49	220	210	680	8	-	-
DVE-12	03/30/2016	101.77	10.04	91.73	0.00	0.00	16,000	27	11 J	630	1,600	12 J	-	-
DVE-12	06/27/2016	101.77	13.11	88.66	0.00	0.00	17,000	29	14	680	2,300	7 J	-	-
DVE-12	09/01/2016	101.77	14.26	87.51	0.00	0.00	12,000	44	85	490	1,600	<10	-	-
DVE-12	12/07/2016	101.77	13.84	87.93	0.00	0.00	14,000	64	140	600	1,900	5	-	-
DVE-12	02/01/2017	101.77	8.94	92.83	0.00	0.00	15,000	27	31	480	1,200	11	-	-
DVE-12	05/18/2017	101.77	9.90	91.87	0.00	0.00	12,000	16	10 J	340	1,000	<10	-	-
DVE-20	05/30/2006 ^{17,19}	-	10.30	-	0.00	0.00	64,000	1,500	6,000	1,600	7,700	6	-	-
DVE-20	08/29/2006 ¹⁷	-	12.73	-	0.00	0.00	37,000	840	1,800	1,800	6,400	7	-	-
DVE-20	12/13/2006 ¹⁷	-	12.34	-	0.00	0.00	43,000	540	1,800	1,800	9,700	<5	-	-
DVE-20	02/28/2007	-	-	-	-	-	-	-	-	-	-	-	-	-
DVE-20	05/30/2007 ^{17,18}	-	12.19	-	0.00	0.00	53,000	590	4,000	1,900	10,000	<5	-	-
DVE-20	08/29/2007 ^{17,21}	-	-	-	-	-	42,000	490	3,800	1 / 800	9,100	<10	-	-
DVE-20	11/21/2007 ^{17,18}	102.64	13.64	89.00	0.00	0.00	27,000	92	530	790	5,600	<3	-	-
DVE-20	02/20/2008 ²²	102.64	-	-	-	-	-	-	-	-	-	-	-	-
DVE-20	05/21/2008 ^{15,17,18}	102.64	12.97	89.67	0.00	0.00	20,000 ²²	78	540	910	5,400	2	-	-
DVE-20	06/24/2008 ^{15,17,18,33}	102.64	12.97	89.67	0.00	0.00	12,000	61	540	1,000	5,900	1	-	-
DVE-20	08/22/2008 ^{15,17,18,33}	102.64	23.11	79.53	0.00	0.00	23,000	220	1,600	510	5,800	19	-	-
DVE-20	11/21/2008 ^{15,17,18,33}	102.64	24.53	78.11	0.00	0.00	4,400	93	120	16	890	10	-	-
DVE-20	02/03/2009 ^{15,17,18,33}	102.64	-	-	-	-	920	11	2	0.9	69	10	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-20	05/28/2009	102.64	22.01	80.63	0.00	0.00	1,200	8	1	<0.5	43	2	-	-
DVE-20	08/07/2009	102.64	14.51	88.13	0.00	0.00	9,100	9	3	520	1,200	<0.5	-	-
DVE-20	11/16/2009	102.64	22.99	79.65	0.00	0.00	4,200	65	21	14	660	7	-	-
DVE-20	02/02/2010	102.64	9.29	93.35	0.00	0.00	2,400	16	4	180	300	<0.5	-	-
DVE-20	05/20/2010	102.64	10.13	92.51	0.00	0.00	12,000	49	80	610	1,100	1	-	-
DVE-20	08/23/2010 ²⁰	102.64	14.15	88.49	0.00	0.00	13,000	110	420	1,100	2,300	<3	-	-
DVE-20	12/07/2010 ²⁰	102.64	11.63	91.01	0.00	0.00	13,000	83	280	880	930	1 J	-	-
DVE-20	02/03/2011 ²⁰	102.64	11.55	91.09	0.00	0.00	11,000	69	140	970	1,600	1 J	-	-
DVE-20	05/06/2011	102.64	10.03	92.61	0.00	0.00	6,900	55	130	510	1,200	1 J	-	-
DVE-20	09/16/2011	102.64	12.96	89.68	0.00	0.00	13,000	50	360	920	3,000	0.8 J	-	-
DVE-20	12/06/2011	102.64	13.06	89.58	0.00	0.00	20,000	37	480	940	4,100	<5	-	-
DVE-20	03/16/2012	102.64	11.63	91.01	0.00	0.00	20,000	65	310	1,300	3,700	<5	-	-
DVE-20	06/21/2012	102.64	11.99	90.65	0.00	0.00	16,000	40 J	180	760	2,200	<10	-	<10
DVE-20	09/10/2012	102.64	13.12	89.52	0.00	0.00	18,000	36	230	1,300	4,600	<5	-	-
DVE-20	12/21/2012	102.64	10.35	92.29	0.00	0.00	9,600	20	22	530	580	<5	-	-
DVE-20	03/28/2013	102.64	11.77	90.87	0.00	0.00	5,000	19	110	210	770	<0.5	-	-
DVE-20	06/25/2013	102.64	13.33	89.31	0.00	0.00	350	<0.5	<0.5	<0.5	0.7 J	<0.5	-	-
DVE-20	09/16/2013	102.64	14.43	88.21	0.00	0.00	570	4	4	8	12	<0.5	-	-
DVE-20	12/20/2013	102.64	14.12	88.52	0.00	0.00	290	2	2	4	3	<0.5	-	-
DVE-20	03/07/2014	102.64	11.50	91.14	0.00	0.00	220	1	0.6 J	3	<0.5	<0.5	-	-
DVE-20	06/04/2014	102.64	13.20	89.44	0.00	0.00	170	0.5 J	<0.5	2	<0.5	<0.5	-	-
DVE-20	09/17/2014	102.64	14.91	87.73	0.00	0.00	140	<0.5	<0.5	0.7 J	<0.5	<0.5	-	-
DVE-20	12/29/2014	102.64	8.56	94.08	0.00	0.00	480	2	2	24	3	<0.5	-	-
DVE-20	03/20/2015	102.64	12.10	90.54	0.00	0.00	68 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
		Units	ft	ft	ft-amsl	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
DVE-20	06/16/2015	102.64	14.34	88.30	0.00	0.00	6,600	<3	120	480	1,500	<3	-	-
DVE-20	09/24/2015	102.64	15.30	87.34	0.00	0.00	24,000	<5	380	1,400	4,000	<5	-	-
DVE-20	12/07/2015	102.64	15.80	86.84	0.00	0.00	21,000	6	250	1,300	3,300	<3	-	-
DVE-20	03/30/2016	102.64	9.83	92.81	0.00	0.00	9,100	<5	9	290	250	<5	-	-
DVE-20	06/27/2016	102.64	13.61	89.03	0.00	0.00	16,000	<10	120	580	1,600	<10	-	-
DVE-20	09/01/2016	102.64	14.76	87.88	0.00	0.00	15,000	7 J	230	440	2,100	<10	-	-
DVE-20	12/07/2016	102.64	14.21	88.43	0.00	0.00	12,000	6 J	58	340	1,200	<10	-	-
DVE-20	02/01/2017	102.64	8.82	93.82	0.00	0.00	8,600	<5	9	110	260	<5	-	-
DVE-20	05/18/2017	102.64	10.40	92.24	0.00	0.00	18,000	<10	180	740	1,900	<10	-	-
QA	11/26/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	02/22/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	05/24/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	08/29/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	11/29/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	02/28/2003	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-
QA	05/30/2003 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/22/2003 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/24/2003 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/27/2004 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/21/2004 ¹⁷	-	-	-	-	-	<50	<0.5	1	<0.5	0.9	<0.5	-	-
QA	08/26/2004 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/29/2004 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/11/2005 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	06/16/2005 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/31/2005 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/30/2005 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/27/2006 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/30/2006 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/29/2006 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/13/2006 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/28/2007 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/30/2007 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/29/2007 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/21/2007 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/20/2008 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/21/2008 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/24/2008 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/22/2008 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/21/2008 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/03/2009 ¹⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/28/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/06/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	11/16/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	02/02/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/20/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	08/23/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/07/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/03/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	05/06/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	09/16/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/06/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	03/16/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/21/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	09/10/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/21/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	03/28/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/25/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	09/16/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/19/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	03/07/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/04/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	09/17/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/29/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	03/20/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	06/16/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	09/24/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	12/07/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
QA	03/30/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	-	-
QA	06/26/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	-	-
QA	09/01/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	-	-
QA	12/07/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/01/2017	-	-	-	-	-	<100	<1	<1	<1	<1	<1	-	-
QA	05/18/2017	-	-	-	-	-	<50	<1	<1	<1	<1	<1	-	-
Trip Blank	01/05/1989	-	-	-	-	-	<1,000	<0.3	<0.3	<0.3	<0.3	-	-	-
Trip Blank	10/03/1989	-	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	01/04/1990	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	04/03/1990	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	07/03/1990	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	11/06/1990	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	01/04/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	04/03/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	07/02/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	10/02/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	01/02/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	04/07/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	08/13/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	12/03/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	03/25/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	-	-
Trip Blank	06/23/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	09/21/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.8	-	-	-
Trip Blank	12/02/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	03/08/1994	-	-	-	-	-	<50	0.6	0.8	<0.5	0.6	-	-	-
Trip Blank	06/13/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	10/04/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCs					ADDITIONAL VOCs	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	11/14/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	05/15/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	08/04/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-
Trip Blank	11/28/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.60	-	-
Trip Blank	02/20/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	05/29/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	08/27/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	11/22/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	02/18/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	05/23/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	08/04/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	11/25/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	02/25/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	05/21/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	08/19/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	11/19/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	02/12/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	03/26/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0	-	-
Trip Blank	05/10/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	09/02/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-
Trip Blank	02/03/2000	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-
Trip Blank	05/09/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
Trip Blank	08/02/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
Trip Blank	11/09/2000	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	02/08/2001	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-
Trip Blank	05/02/2001	-	-	-	-	-	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500	-	-
Trip Blank	08/28/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-
Equipment Blank	01/05/1989	-	-	-	-	-	<1,000	<0.3	<0.3	<0.3	<0.3	-	-	-
Equipment Blank	03/08/1994	-	-	-	-	-	<50	1.0	1.4	<0.5	1.5	-	-	-

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

LNAPL = Light non-aqueous phase liquid

LNAPLT = Light non-aqueous phase liquid thickness

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

EDB = 1,2-Dibromoethane (Ethylene dibromide)

1,2-DCA = 1,2-Dichloroethane

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

J = Estimated value between detection limit and laboratory reporting limit

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- 1 Repeat analysis.
- 2 Estimated thickness.
- 3 Well inaccessible due to downhole equipment.
- 4 The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.
- 5 Laboratory report indicates results were taken from both a low level and a diluted analysis.
- 6 The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.
- 7 Confirmation run.
- 8 Laboratory report indicates gasoline C6-C12.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.
- 10 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 11 Laboratory report indicates weathered gasoline C6-C12.
- 12 Laboratory report indicates analyte was initially analyzed within hold time; however, due to instrument carryover, the sample was reanalyzed outside the method specified hold time to confirm the carryover.
- 13 Laboratory report indicates gasoline C6-C10.
- 14 Laboratory report indicates unidentified hydrocarbons C6-C10.
- 15 Connected to remediation system.
- 16 TOC was altered during removal of extraction system; unable to determine GWE.
- 17 BTEX and MTBE by EPA Method 8260.
- 18 Hose/tube or pump in well.
- 19 Well development performed.
- 20 Extraction stinger in well.
- 21 Unable to measure DTW due to pump in well, grab sample taken.
- 22 Laboratory report indicates the sample was analyzed 1 day outside the method hold time.
- 23 Laboratory report indicates that the surrogate recovery is outside the lower statistical limit (63-135) at 58%. The recovery is high enough to ensure no adverse effect of the data.
- 24 Laboratory report indicates that this sample was analyzed 1 day outside of the method hold time. The surrogate recovery is outside the upper QC limit (63-135) 137%.
The value for the TPH-GRO is estimated because the value is outside the calibration ran
- 25 Laboratory report indicates that the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The system is calibrated to 5<500g/L.
- 26 Insufficient water to determine GWE.

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 90260
21995 Foothill Boulevard
Hayward, California**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS	
							TPH-GRO	B	T	E	X	MTBE by SW8260	EDB	1,2-DCA
	Units	ft	ft	ft-amsl	ft	ft	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

27 The vial submitted did not have pH<2. The pH of this sample used for the undiluted analysis was pH = 3.

28 Sampled semi-annually.

29 Monitored annually.

30 Sampled annually.

31 Unable to access--Vehicle parked over well.

32 Removed from sampling schedule.

33 No Purge

34 Not sampled due to insufficient water

35 Unable to locate - Overgrown vegetation/landscaping

36 Inaccessible

37 Inaccessible- paved over well

38 Unable to sample

39 Not sampled due to the presence of sph

40 Inaccessible - Well Box Flooded

41 Dry

42 Unable to locate

43 Dry at 13.5 feet

44 Total m&p and o Xylene

45 Well development performed.

46 Unable to monitor/ sample - obstruction

Attachment A

Monitoring Data Package

WELL GAUGING DATA

Project # 170518-GRI Date 5/18/2017 Client GHD

Site 21995 FOOTHILL BLVD. - HAYWARD, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-4	0833	4					11.40	22.12		
MW-5	0835	4					10.03	26.31		
MW-6	0818	4					11.01	14.80		
MW-7	0820	4					10.40	16.81		
MW-8	0830	4					10.44	17.84		
MW-9	0825	4					10.51	16.97		
MW-11	0815	4					10.20	26.90		
MW-12	0822	4					10.30	20.30		
MW-13	0900	4					10.11	17.64		
MW-14	0843	2					18.06	40.80		
MW-15			WELL PARIED OVER							
MW-16	0830	2					17.92	37.65		
MW-17	0805	2					21.15	32.72		
MW-18	0850	2					13.13	22.57		
MW-19	0840	2					10.88	44.84		
MW-20	0845	2					11.41	44.28		
MW-21	0850	2					10.87	45.01		

WELL GAUGING DATA

Project # 170518-GRI Date 5/18/2017 Client GHD

Site 21995 FOOTHILL BLVD. - HAYWARD, CA

[illegible]

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GH	Station #: 940260
Sampler: DS	Date: 5-18-17
Weather: sunny	Ambient Air Temperature: 70 F
Well I.D.: mw-4	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 22.12	Depth to Water: 11.40
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.54	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

☒ Bailer
☐ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other

6.90 (Gals.) X	3	= 20.7 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1104	19.9	7.11	1214	20	6.90	clear
*	well	dewatered @		7.0 gallons		
1145	20.6	6.82	1164	110	grab	cloudy

Did well dewater? (Yes) No Gallons actually evacuated: 7.0

Sampling Date: 5-18-17 Sampling Time: 1145 Depth to Water: 13.42

Sample I.D.: MW-4-1718DS Laboratory: (Lancaster) Other

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: NM	Date: 5/18/17
Weather: Sunny	Ambient Air Temperature: 65°F
Well I.D.: mw-5	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 26.31	Depth to Water: 10.03
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.29	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☒ Bailer
☐ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other: _____

10.4 (Gals.) X	38	= 31.8 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1055	65.2	6.78	1332	20	11	odor + gray
1058	65.4	6.40	131.8	26	22	odor + gray
1101	65.3	6.51	1311	24	33	odor + gray

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 33

Sampling Date: 5/18/17 Sampling Time: 110 Depth to Water: 12.09

Sample I.D.: mw-5-171809 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See LOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-ER1	Station #: 9-0260
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 60 °F
Well I.D.: MW-60	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 14.80	Depth to Water: 11.01
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.76	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other: _____

2.50 (Gals.) X 3 = 7.50 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0923	19.6	7.11	1108	160	2.50	cloudy
	*	well	Dewatered @ 2.50 gallons			*
1020	19.7	7.02	1165	40	grab	clear

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 2.50

Sampling Date: 5-18-17 Sampling Time: 1020 Depth to Water: 11.74

Sample I.D.: MW-60-171805 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
C.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-621	Station #: 9-0260
Sampler: DH	Date: 5/18/17
Weather: Sunny	Ambient Air Temperature: 65°F
Well I.D.: mw-7	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 16.81	Depth to Water: 10.40
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.68	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

4.2 (Gals.) X	3	= 12.6 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0929	65.5	7.42	1267	38	4	clear
0930	well	dewatered @			5	
1340	20.0	7.25	1103	21	grab	clear

Did well dewater? Yes No Gallons actually evacuated: 5

Sampling Date: 5/18/17 Sampling Time: 1340 Depth to Water: 10.45

Sample I.D.: mw-7-171805 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See LOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-621	Station #: 9-0260
Sampler: DI1	Date: 5/18/17
Weather: Sunny	Ambient Air Temperature: 65°F
Well I.D.: mw-8	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 17.84	Depth to Water: 10.44
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.92	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

4.9 (Gals.) X 3 = 14.7 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1027	66.0	6.40	1375	12	5.0	odor
1028	well	dewatered	2		6.0	
1315	66.4	6.88	1021	10	GRAB	

Did well dewater? (Yes) No Gallons actually evacuated: 6.0

Sampling Date: 5/18/17 Sampling Time: 1315 Depth to Water: 11.04

Sample I.D.: MW-8-171805 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See loc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-621	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 73.4°F
Well I.D.: MW-9	Well Diameter: 2 3 ④ 6 8
Total Well Depth: 16.97	Depth to Water: 10.57
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.80	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other: _____

4.2 (Gals.) X	3	= 12.6 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1235	67.2	7.00	921	175	4.2	
1236	_____	WELL	DEWATERED	Q	4.6	
1345	67.4	7.03	858	76	GRAB	

Did well dewater? ☒ Yes No Gallons actually evacuated: 4.6

Sampling Date: 5/18/17 Sampling Time: 1345 Depth to Water: 11.04

Sample I.D.: MW-9-17/805 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: SEE COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge: mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge: mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0200
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 60°F
Well I.D.: MW-11	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 26-90	Depth to Water: 10.20
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.54	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☒ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
 Other: _____

10.7 (Gals.) X 3 = 32.10 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>μS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0910	19.6	6.22	1199	31	10.7	clear
0912	19.1	6.42	1162	25	21.4	clear
0914	19.2	6.48	1113	21	32.10	clear

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 32.10

Sampling Date: 5-18-17 Sampling Time: 0915 Depth to Water: 13.03

Sample I.D.: MW-11-170518-1805 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See VOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge: mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge: mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR 1	Station #: 9-0260
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 60°F
Well I.D.: MW-12	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 20.30	Depth to Water: 10.30
Depth to Free Product: -	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.30	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

Bailer

☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other:

6.40 (Gals.) X 3 = 19.20 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0938	18.6	7.39	1186	124	6.40	cloudy, odor
0940	18.5	7.20	1168	110	12.80	cloudy, odor
0941	18.4	7.16	1161	101	19.20	cloudy, odor

Did well dewater? Yes ☒ No Gallons actually evacuated: 19.20

Sampling Date: 5-18-17 Sampling Time: 0945 Depth to Water: 12.21

Sample I.D.: MW-12-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 73.9°F
Well I.D.: MW-13	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 17.64	Depth to Water: 10.11
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.62	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

Bailer

☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other:

4.9 (Gals.) X	3	= 14.7 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1215	66.7	6.91	496	51	5.0	
1216	66.7	WELL DEWATERED		C	6.8	
1330	68.4	6.95	521	72	GRAB	
				120		

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 6.8

Sampling Date: 5/18/17 Sampling Time: 1330 Depth to Water: 11.10

Sample I.D.: MW-13-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other: SEE COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L

O.R.P. (if req'd):	Pre-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 72.6 °F
Well I.D.: MW-14	Well Diameter: (2) 3 4 6 8
Total Well Depth: 40.80	Depth to Water: 18.06
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.61	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other

3.6 (Gals.) X	3	= 10.8 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1119	68.4	6.91	1178	32	4.0	
1121	68.7	6.84	1184	28	8.0	
1123	68.6	6.82	1189	19	12.0	DTW - 22.48

Did well dewater? Yes ☒ No Gallons actually evacuated: 12.0

Sampling Date: 5/18/17 Sampling Time: 1130 Depth to Water: 22.48

Sample I.D.: MW-14-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other SEE COL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 170518 - GR1	Client: GHD
Sampler: GR	Date: 5/18/2017
Well I.D.: MW-15	Well Diameter: 2 3 4 6 8 ____
Total Well Depth (TD):	Depth to Water (DTW):
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer
Disposable Bailer
Positive Air Displacement
Electric Submersible

Watera
Peristaltic
Extraction Pump
Other: _____

Sampling Method: Bailer
Disposable Bailer
Extraction Port
Dedicated Tubing

Other: _____

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

(Gals.) X		=		Gals.
1 Case Volume	Specified Volumes		Calculated Volume	

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
						* WELL PARKED OVER
						↳ NO SAMPLE TAKEN

Did well dewater? Yes No		Gallons actually evacuated:	
Sampling Date:		Sampling Time:	
Depth to Water:			
Sample I.D.:		Laboratory:	
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:			
EB I.D. (if applicable): @ Time		Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:			
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GAL	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 68.9°F
Well I.D.: MW-16	Well Diameter: ② 3 4 6 8 ____
Total Well Depth: 37.65	Depth to Water: 17.92
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.87	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

3.2 (Gals.) X	3	= 9.6 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1048	65.9	7.01	821	101	3.5	
1050	66.4	7.03	824	78	7.0	
1052	66.6	7.03	826	59	10.5	DTW - 20.99

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Date: 5/18/17 Sampling Time: 1100 Depth to Water: 20.99

Sample I.D.: MW-16-171805 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other SEE COL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518 - GR1	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 60.8 °F
Well I.D.: MW-17	Well Diameter: (2) 3 4 6 8
Total Well Depth: 32.72	Depth to Water: 21.15
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.46	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

1.8 (Gals.) X 3 = 5.6 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0924	66.4	6.69	747	>1000	2.0	
0927	66.5	6.71	750	>1000	4.0	
0930	66.3	6.70	751	>1000	6.0	DTW - 22.01

Did well dewater? Yes ☒ No Gallons actually evacuated: 6.0

Sampling Date: 5/18/17 Sampling Time: 0935 Depth to Water: 22.01

Sample I.D.: MW-17-171805 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS (Other) SEE COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GRI	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 72.5 °F
Well I.D.: MW-18	Well Diameter: (2) 3 4 6 8
Total Well Depth: 22.57	Depth to Water: 13.13
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.02	

Purge Method:

☐ Bailer
☒ Disposable Bailer
☐ Positive Air Displacement
☐ Electric Submersible

☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other:

1.5 (Gals.) X	3	= 4.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or AS)	Turbidity (NTUs)	Gals. Removed	Observations
1142	68.5	6.88	1007	100	1.5	ODOR
1145	68.9	6.87	1009	90	3.0	
1148	68.8	6.85	1014	83	4.5	DTW - 14.78

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 4.5

Sampling Date: 5/18/17 Sampling Time: 1155 Depth to Water: 14.78

Sample I.D.: MW-18-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other SEE COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

(if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
(if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: DH	Date: 5/10/17
Weather: Sunny	Ambient Air Temperature: 65°F
Well I.D.: mw-19	Well Diameter: (2) 3 4 6 8
Total Well Depth: 44.04	Depth to Water: 10.88
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.67	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Waterra
 Peristaltic
 Extraction Pump
 Other

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other:

5.5 (Gals.) X	3	= 16.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0949	68.5	7.45	1279	29	5.5	odor
0951	68.6	7.36	1280	10	11.0	odor
0953	68.6	7.37	1285	8	16.5	odor

Did well dewater? Yes (No) Gallons actually evacuated: 16.5

Sampling Date: 5/10/17 Sampling Time: 0958 Depth to Water: 11.08

Sample I.D.: mw-19-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other: 200 cor

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: DI	Date: 5/18/17
Weather: Sunny	Ambient Air Temperature: 65°F
Well I.D.: mw-20	Well Diameter: (2) 3 4 6 8
Total Well Depth: 44.28	Depth to Water: 11.91
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.98	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☐ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

8.3 (Gals.) X	3	= 15.9 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (μS))	Turbidity (NTUs)	Gals. Removed	Observations
1130	65.0	7.80	880	9	5.5	clear
1133	65.4	7.91	864	10	11.0	clear
1136	65.1	8.11	837	8	16.5	clear

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 16.5

Sampling Date: 5/18/17 Sampling Time: 1140 Depth to Water: 12.90

Sample I.D.: mw-20-171805 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See cor

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-DS1	Station #: 9-0260
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 86°F
Well I.D.: MW-21	Well Diameter: (2) 3 4 6 8
Total Well Depth: 45.01	Depth to Water: 10.87
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.70	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☒ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

5.5 (Gals.) X 3 = 16.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1318	21.0	7.81	1181	26	5.5	clear
1322	21.1	7.60	117.7	18	11.0	↓
1327	21.1	7.49	1173	16	16.5	↓

Did well dewater? Yes ☒ No Gallons actually evacuated: 16.5

Sampling Date: 5-18-17 Sampling Time: 1330 Depth to Water: 16.91

Sample I.D.: MW-21-171805 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170513-GR1	Station #: 9-0260
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 80°F
Well I.D.: MW-22	Well Diameter: (2) 3 4 6 8
Total Well Depth: 44.90	Depth to Water: 11.01
Depth to Free Product: -	Thickness of Free Product (feet): -
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.80	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible
☐ Waterra
☐ Peristaltic
☐ Extraction Pump
☐ Other _____

Sampling Method:

☒ Bailer
☒ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing
☐ Other: _____

5.5 (Gals.) X	3	= 16.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1126	21.2	7.07	1163	26	5.5	clear
1130	21.6	7.02	1165	22	11.0	clear
1134	21.7	6.98	1166	19	16.5	clear

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 16.5
 Sampling Date: 5-18-17 Sampling Time: 1135 Depth to Water: 17.03

Sample I.D.: MW22-0171805 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GRI	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 63°F
Well I.D.: MW-23	Well Diameter: ② 3 4 6 8 ____
Total Well Depth: 37.39	Depth to Water: 16.17
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.41	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

3.4 (Gals.) X	3	= _____ Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1018	65.9	7.26	1019	25	3.5	
1021	65.8	7.19	1009	16	7.0	
1024	65.9	7.18	1007	14	10.5	DTW - 19.64

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Date: 5/18/17 Sampling Time: 1030 Depth to Water: 19.64

Sample I.D.: MW-23-17805 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: SEE COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0260
Sampler: GR	Date: 5/18/2017
Weather: CLEAR	Ambient Air Temperature: 62.9 °F
Well I.D.: P-1	Well Diameter: 2 3 4 6 8 <u>1"</u>
Total Well Depth: 20.27	Depth to Water: 7.65
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.17	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Sampling Method:

Bailer

Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

0.5 (Gals.) X	3	= 1.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0949	63.6	7.41	1048	71000	0.5	
0951	63.2	7.40	1040	71000	1.0	
0953	63.1	7.40	1038	70000	1.5	DTW - 7.82

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 5/18/17 Sampling Time: 1000 Depth to Water: 7.82

Sample I.D.: P-1-171805 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other SEE COL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge: mg/L	Post-purge: mg/L
------------------	--	---

O.R.P. (if req'd):	Pre-purge: mV	Post-purge: mV
--------------------	--	---

CHEVRON WELL MONITORING DATA SHEET

Project #: 170513-GR1	Station #: 9-6260
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 62 F
Well I.D.: DVE-9	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 27.10	Depth to Water: 10.60
Depth to Free Product: -	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.90	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other: _____

10.60 (Gals.) X 3	= 31.80 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1008	19.70	7.25	1162	216	10.60	cloudy
1010	19.70	7.14	1103	162	21.80	cloudy
well	*	well	Dewatered	@ 22 gallons		
1030	19.60	7.15	1105	110	grab	clear

Did well dewater? (Yes) No Gallons actually evacuated: 21.80

Sampling Date: 5-18-17 Sampling Time: 1035 Depth to Water: 13.10

Sample I.D.: DVE-9-671805 Laboratory: (Lancaster) Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See WOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-GR1	Station #: 9-0200
Sampler: DS	Date: 5-18-17
Weather: Sunny	Ambient Air Temperature: 75°F
Well I.D.: DVE-12	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 27.50	Depth to Water: 9.90
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.44 13.42	

Purge Method:

☐ Bailer
☐ Disposable Bailer
☐ Positive Air Displacement
☒ Electric Submersible

Sampling Method:

☒ Bailer
☐ Disposable Bailer
☐ Extraction Port
☐ Dedicated Tubing

Other: _____

11.3 (Gals.) X 3 = 33.90 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1111	19.8	6.75	1173	71000	11.30	black, cloudy
1113	19.5	6.62	1171	260	22.60	↓ ↓
1116	19.3	6.58	1170	158	33.90	↓ ↓

Did well dewater? Yes ☒ No Gallons actually evacuated: 33.90

Sampling Date: 5-18-17 Sampling Time: 1120 Depth to Water: 12.96

Sample I.D.: DVE-12-171805 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see WCL

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 170518-DS1	Station #: 9-0260
Sampler: DS	Date: 5-18-17
Weather: sunny	Ambient Air Temperature: 70°F
Well I.D.: DVE-20	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 27.30	Depth to Water: 10.40
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.78	

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Waterra
 Peristaltic
 Extraction Pump
 Other

Sampling Method:

Bailer

Disposable Bailer
 Extraction Port
 Dedicated Tubing

Other:

10.20 (Gals.) X 3 = 30.60 Gals.
1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1050	20.0	7.14	1241	41	10.20	clear
1052	20.0	6.88	1234	20	20.40	clear
1054	20.1	6.85	1230	21	30.60	clear

Did well dewater? Yes (No) Gallons actually evacuated: 30.60

Sampling Date: 5-18-17 Sampling Time: 1100 Depth to Water: 13.55

Sample I.D.: DVE-20-171805 Laboratory: Lancaster Other

Analyzed for: TPH-G BTEX MTBE OXYS Other: SelecOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 3

Chevron Site Number: 90260				Chevron Consultant: GHD																																																																																
Chevron Site Global ID: T0600100315				Address: 5900 Hollis St., Ste A, Emeryville, CA, 94608																																																																																
Chevron Site Address: 21995 Foothill Blvd., Hayward, CA				Consultant Contact: Kiersten Hoey																																																																																
Chevron PM: Dave Patten				Consultant Phone No. 510-420-3347																																																																																
Chevron PM Phone No.: (925) 842-7877				Consistent Project No. 170518-061																																																																																
☒ Retail and Terminal Business Unit (RTBU) Job				Sampling Company: Blaine Tech Services																																																																																
☒ Construction/Retail Job				Sampled By (Print): GREG ROBERTS																																																																																
Sampler Signature: [Signature]				Sampler Signature: [Signature]																																																																																
Charge Code: NWRBTB-0098247-0-OML NWRBTB 00SITE NUMBER-0-WBS (WBS ELEMENTS: SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.				Lancaster Laboratories ☒ Lancaster, PA Lab Contact: Amek Carter 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)856-2300																																																																																
<table border="1"> <thead> <tr> <th>Field Point Name</th> <th>Matrix</th> <th>Top Depth</th> <th>Date (yymmdd)</th> </tr> </thead> <tbody> <tr> <td>QA-171805</td> <td>T</td> <td></td> <td>170518</td> </tr> <tr> <td>MW-4-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-5-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-6-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-7-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-8-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-9-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-11-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-12-171805</td> <td>WG</td> <td></td> <td></td> </tr> <tr> <td>MW-13-171805</td> <td>WG</td> <td></td> <td></td> </tr> </tbody> </table>				Field Point Name	Matrix	Top Depth	Date (yymmdd)	QA-171805	T		170518	MW-4-171805	WG			MW-5-171805	WG			MW-6-171805	WG			MW-7-171805	WG			MW-8-171805	WG			MW-9-171805	WG			MW-11-171805	WG			MW-12-171805	WG			MW-13-171805	WG			<table border="1"> <thead> <tr> <th>Sample Time</th> <th># of Containers</th> <th>Container Type</th> </tr> </thead> <tbody> <tr> <td>0800</td> <td>3</td> <td>HCL VOLS</td> </tr> <tr> <td>1145</td> <td>6</td> <td></td> </tr> <tr> <td>1110</td> <td>6</td> <td></td> </tr> <tr> <td>1020</td> <td>6</td> <td></td> </tr> <tr> <td>1340</td> <td>6</td> <td></td> </tr> <tr> <td>1315</td> <td>6</td> <td></td> </tr> <tr> <td>1345</td> <td>6</td> <td></td> </tr> <tr> <td>0915</td> <td>6</td> <td></td> </tr> <tr> <td>0945</td> <td>6</td> <td></td> </tr> <tr> <td>1330</td> <td>6</td> <td></td> </tr> </tbody> </table>				Sample Time	# of Containers	Container Type	0800	3	HCL VOLS	1145	6		1110	6		1020	6		1340	6		1315	6		1345	6		0915	6		0945	6		1330	6	
Field Point Name	Matrix	Top Depth	Date (yymmdd)																																																																																	
QA-171805	T		170518																																																																																	
MW-4-171805	WG																																																																																			
MW-5-171805	WG																																																																																			
MW-6-171805	WG																																																																																			
MW-7-171805	WG																																																																																			
MW-8-171805	WG																																																																																			
MW-9-171805	WG																																																																																			
MW-11-171805	WG																																																																																			
MW-12-171805	WG																																																																																			
MW-13-171805	WG																																																																																			
Sample Time	# of Containers	Container Type																																																																																		
0800	3	HCL VOLS																																																																																		
1145	6																																																																																			
1110	6																																																																																			
1020	6																																																																																			
1340	6																																																																																			
1315	6																																																																																			
1345	6																																																																																			
0915	6																																																																																			
0945	6																																																																																			
1330	6																																																																																			
<table border="1"> <thead> <tr> <th>Relinquished By</th> <th>Company</th> <th>Date/Time</th> </tr> </thead> <tbody> <tr> <td>[Signature]</td> <td>BTS</td> <td>5/19/18 1630</td> </tr> </tbody> </table>				Relinquished By	Company	Date/Time	[Signature]	BTS	5/19/18 1630	<table border="1"> <thead> <tr> <th>Relinquished To</th> <th>Company</th> <th>Date/Time</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Relinquished To	Company	Date/Time																																																																				
Relinquished By	Company	Date/Time																																																																																		
[Signature]	BTS	5/19/18 1630																																																																																		
Relinquished To	Company	Date/Time																																																																																		
<table border="1"> <thead> <tr> <th>Relinquished By</th> <th>Company</th> <th>Date/Time</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Relinquished By	Company	Date/Time				<table border="1"> <thead> <tr> <th>Relinquished To</th> <th>Company</th> <th>Date/Time</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Relinquished To	Company	Date/Time																																																																				
Relinquished By	Company	Date/Time																																																																																		
Relinquished To	Company	Date/Time																																																																																		

EPA 8260B/GC/MS TPH-G ☒ BTEX ☒ MTBE ☒ OXYGENATES ☐ HVOC ☐		EPA 8015B	GRO ☐ DRO ☐ ORO ☐ HC SCREEN ☐	EPA 8021B	BTEX ☐ MTBE ☐	EPA 6010	Ca, Fe, K, Mg, Mn, Na	EPA 150.1	PH ☐	SM2510B	SPECIFIC CONDUCTIVITY	EPA 418.1	TRPH ☐	EPA 8260	ETHANOL	EPA 8015	TPH-D ☐	Preservation Codes H = HCL T = Thioculfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other	
																		Special Instructions Must meet lowest detection limits possil for 8260 cmpounds.	
																		Notes/Comments	

Turnaround Time:		Standard ☒ 24 Hours	48 hours ☐	72
Sample Integrity: (Check by lab on arrival)		Intact: ☐	On Ice: ☐	Temp: ☐
SHIPPED UTA FEDEX		COC #		

Chevron Environmental M

Chevron Site Number: 90260

Chevron Site Global ID: T0600100315

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 2 of 3

Chevron Consultant: GHD

Chevron Site Global ID: T0600100315

Address: 5900 Hollis St., Ste A, Emeryville, CA, 94608

Chevron Site Address: 21995 Foothill Blvd., Hayward, CA

Consultant Contact: Kiersten Hoey

Chevron PM: Dave Patten

Consultant Phone No. 510-420-3347

Chevron PM Phone No.: (925) 842-7877

Consultant Project No. 170518-6021

☒ Retail and Terminal Business Unit (RTBU) Job

☒ Construction/Retail Job

Sampling Company: Blaine Tech Services

Sampled By (Print):

Sampled By (Print): GREG ROGERS

Sampler Signature:

Sampler Signature: 

Charge Code: NWRTB-0098247-0-OML
NWRTB 00SITE NUMBER-0-WBS
(WBS ELEMENTS:
SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R6L
SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L

THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

SAMPLE ID

Field Point Name	Matrix	Top Depth	Date (yy/mm/dd)
MW-14-171805	W6		170518
MW-15-171805	W6		
MW-16-171805	W6		
MW-17-171805	W6		
MW-18-171805	W6		
MW-19-171805	W6		
MW-20-171805	W6		
MW-21-171805	W6		
MW-22-171805	W6		
MW-23-171805	W6		

Relinquished By	Company	Date/Time:
	BTS	5/18/17 @ 1630
Relinquished By	Company	Date/Time
Relinquished By	Company	Date/Time

Lancaster Laboratories	Other Lab	Temp. Blank Check Temp.
☒ Lancaster, PA		
Lab Contact: Amek		
Carter		
2425 New Holland Pike, Lancaster, PA 17601		
Phone No: (717)656-2300		

Sample Time	# of Containers	Container Type
1130	6	HCL VOLS
1100	6	
0935	6	
1155	6	
0958	6	
1140	6	
1330	6	
1135	6	
1030	6	

Relinquished To	Company	Date/Time
Relinquished To	Company	Date/Time
Relinquished To	Company	Date/Time

[illegible]

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583 COC 3 of 3

Chevron Site Number: 90260 Chevron Site Global ID: I0600100315 Chevron Site Address: 21995 Foothill Blvd., Hayward, CA Chevron PM: Dave Patten Chevron PM Phone No.: (925) 842-7877 ☒ Retail and Terminal Business Unit (RTBU) Job ☒ Construction/Retail Job				Chevron Consultant: GHD Address: 5900 Hollis St., Ste A, Emeryville, CA. 94608 Consultant Contact: Kiersten Hoey Consultant Phone No. 510-420-3347 Consultant Project No. 170518 - 604 Sampling Company: Blaine Tech Services Sampled By (Print): GREG ROBERTS Sampler Signature: [Signature]				ANALYSES REQUIRED <table border="1"> <tr> <td>EPA 8015B</td> <td>GRO</td> <td>DRO</td> <td>ORO</td> <td>HC SCREEN</td> <td>EPA 8015B</td> <td>TPH-G</td> <td>BTEX</td> <td>MTBE</td> <td>OXYGENATES</td> <td>HVOC</td> </tr> <tr> <td>EPA 8021B</td> <td>BTEX</td> <td>MTBE</td> <td></td> <td></td> <td>EPA 8021B</td> <td>BTEX</td> <td>MTBE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 6010</td> <td>Ca, Fe, K, Mg, Mn, Na</td> <td></td> <td></td> <td></td> <td>EPA 6010</td> <td>Ca, Fe, K, Mg, Mn, Na</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 6010/7000</td> <td>TITLE 22 METALS</td> <td>TLC</td> <td>STLC</td> <td></td> <td>EPA 6010/7000</td> <td>TITLE 22 METALS</td> <td>TLC</td> <td>STLC</td> <td></td> <td></td> </tr> <tr> <td>EPA 150.1</td> <td>PH</td> <td></td> <td></td> <td></td> <td>EPA 150.1</td> <td>PH</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SM2510B</td> <td>SPECIFIC CONDUCTIVITY</td> <td></td> <td></td> <td></td> <td>SM2510B</td> <td>SPECIFIC CONDUCTIVITY</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 418.1</td> <td>TRPH</td> <td></td> <td></td> <td></td> <td>EPA 418.1</td> <td>TRPH</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 8260</td> <td>ETHANOL</td> <td></td> <td></td> <td></td> <td>EPA 8260</td> <td>ETHANOL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>EPA 413.1</td> <td>OIL & GREASE</td> <td></td> <td></td> <td></td> <td>EPA 413.1</td> <td>OIL & GREASE</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										EPA 8015B	GRO	DRO	ORO	HC SCREEN	EPA 8015B	TPH-G	BTEX	MTBE	OXYGENATES	HVOC	EPA 8021B	BTEX	MTBE			EPA 8021B	BTEX	MTBE				EPA 6010	Ca, Fe, K, Mg, Mn, Na				EPA 6010	Ca, Fe, K, Mg, Mn, Na					EPA 6010/7000	TITLE 22 METALS	TLC	STLC		EPA 6010/7000	TITLE 22 METALS	TLC	STLC			EPA 150.1	PH				EPA 150.1	PH					SM2510B	SPECIFIC CONDUCTIVITY				SM2510B	SPECIFIC CONDUCTIVITY					EPA 418.1	TRPH				EPA 418.1	TRPH					EPA 8260	ETHANOL				EPA 8260	ETHANOL					EPA 413.1	OIL & GREASE				EPA 413.1	OIL & GREASE				
EPA 8015B	GRO	DRO	ORO	HC SCREEN	EPA 8015B	TPH-G	BTEX	MTBE	OXYGENATES	HVOC																																																																																																										
EPA 8021B	BTEX	MTBE			EPA 8021B	BTEX	MTBE																																																																																																													
EPA 6010	Ca, Fe, K, Mg, Mn, Na				EPA 6010	Ca, Fe, K, Mg, Mn, Na																																																																																																														
EPA 6010/7000	TITLE 22 METALS	TLC	STLC		EPA 6010/7000	TITLE 22 METALS	TLC	STLC																																																																																																												
EPA 150.1	PH				EPA 150.1	PH																																																																																																														
SM2510B	SPECIFIC CONDUCTIVITY				SM2510B	SPECIFIC CONDUCTIVITY																																																																																																														
EPA 418.1	TRPH				EPA 418.1	TRPH																																																																																																														
EPA 8260	ETHANOL				EPA 8260	ETHANOL																																																																																																														
EPA 413.1	OIL & GREASE				EPA 413.1	OIL & GREASE																																																																																																														
Charge Code: NWRTB-0098247-0-OML NWRTB 00SITE NUMBER-0-WBS 3S ELEMENTS: ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R6L SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.				Lancaster Laboratories ☒ Lancaster, PA Lab Contact: Amek Carter 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717) 656-2300		Other Lab Temp. Blank Check Time Temp.		Container Type		EPA 8260B/GC/MS TPH-G BTEX MTBE OXYGENATES HVOC		EPA 8015B GRO DRO ORO HC SCREEN		EPA 8021B BTEX MTBE		EPA 6010 Ca, Fe, K, Mg, Mn, Na		EPA 6010/7000 TITLE 22 METALS TLC STLC		EPA 150.1 PH		SM2510B SPECIFIC CONDUCTIVITY		EPA 418.1 TRPH		EPA 8260 ETHANOL		EPA 413.1 OIL & GREASE		Preservation Codes H=HCL T=Thiosulfate N=HNO ₃ B=NaOH S=H ₂ SO ₄ O=Other		Special Instructions Must meet lowest detection limits possible for 8260 compounds.		Notes/Comments																																																																																		
SAMPLE ID																																																																																																																				
Field Point Name		Matrix		Top Depth		Date (yy/mm/dd)		Sample Time		# of Containers		Container Type		Turnaround Time: Standard Hours 24 Hours 48 hours 72 Other		Sample Integrity: (Check by lab on arrival)		Intact: On Ice: Temp: COC #																																																																																																		
P-1-171805		WSG				170518		1000		6		HCL VOGAS																																																																																																								
DVE-9-171805		WSG						1035		6		↓																																																																																																								
DVE-12-171805		WSG						1120		6		↓																																																																																																								
DVE-20-171805		WSG						1100		6		↓																																																																																																								
Relinquished By		Company		Date/Time		Relinquished To		Company		Date/Time		Relinquished To		Company		Date/Time		Relinquished To		Company		Date/Time																																																																																														
[Signature]		BTS		5/18/17 1630																																																																																																																
Relinquished By		Company		Date/Time		Relinquished To		Company		Date/Time		Relinquished To		Company		Date/Time		Relinquished To		Company		Date/Time																																																																																														
[Signature]		BTS		5/18/17 1630																																																																																																																

WELLHEAD INSPECTION CHECKLIST

Page 1 of 2

Date 5/18/2017 Client GHD

Site Address 21995 FOOTHILL BLVD. - HAYWARD, CA

Job Number 170518-GRI Technician GR/DJ/DV

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Debris Removed From Wellbox	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)
MW-4	X							
MW-5	X							
MW-6	X							
MW-7	X							
MW-8						NL	X	
MW-9						NL	X	
MW-11	X							
MW-12	X							
MW-13	X							
MW-14							X	
MW-15	X							
MW-16							X	
MW-17	X							
MW-18	X							
MW-19	X							
MW-20						NL		

NOTES: MW-16 = 3/3 TABS STRIPPED; MW-14 = 2/2 TABS STRIPPED;
MW-8 = 4/4 BOLTS MISSING, MW-9 = 4/4 BOLTS MISSING

Page 2 of 2

Job Number 170518-GR1 Technician GR/DS/DV

[illegible]

NOTES: MW-21 = 2 1/2 BOLTS MISSING

SOURCE RECORD BILL OF LADING

FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN SAN JOSE, CALIFORNIA FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This Source Record BILL OF LADING was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

CHEVRON # 9-0260 Chevron Engineer
21995 Footmill Blvd Daywood CA
 street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
4	17	12	33
6	2.5	20	30
7	5		
11	32		
12	19		
21	10.5		
22	16.5		
9	22		
added equip.		any other	
rinse water 1 2 gallons		adjustments 1	
TOTAL GALS. RECOVERED 200		loaded onto	
		BTS vehicle # 63	
BTS event #	170518-061	time	1430
date		date	
170518-061		5/18/07	
Transporter signature		signature	
*****		*****	
REC'D AT		time	
BTS		1400	
Unloaded/received by		date	
signature		170518/07	

street number	street name	city	state
100	1st St	San Francisco	CA

[illegible]

Permit To Work

for Chevron EMC Sites

Client: GAD Date 5/18/17
 Site Address: 21995 FOOTHILL BLVD - HAYWARD, CA
 Job Number: 170518-GRI Technician(s): GREG ROBERTS

Pre-Job Safety Review

1. JMP reviewed, site restrictions and parking/access issues addressed.	Reviewed: ☐			
2. Special Permit Required Task Review				
Are there any conditions or tasks that would require:				
	<table border="0" style="width: 100%;"> <tr> <td style="width: 70%;"></td> <td style="width: 15%; text-align: center;">Yes</td> <td style="width: 15%; text-align: center;">No</td> </tr> </table>		Yes	No
	Yes	No		
Confined space entry	☐	☒		
Working at height	☐	☒		
Lock-out/Tag-out	☐	☒		
Excavations greater than 4 feet deep	☐	☒		
Excavations within 3 feet of a buried active electrical line or product piping or within 10 feet of a high pressure gas line.	☐	☒		
Use of overhead equipment within 15 feet of an overhead electrical power line or pole supporting one	☐	☒		
Hot work	☐	☒		
If "Yes" was the answer to any of the Special Permit Required Tasks above, the Project Manager will contact the client and arrange to modify the Scope of Work so that the Special Permit Required Tasks are not required to be performed by Blaine Tech Services employees.				
3. Is a Traffic Control Permit required for today's work?				
	<table border="0" style="width: 100%;"> <tr> <td style="width: 70%;"></td> <td style="width: 15%; text-align: center;">Yes</td> <td style="width: 15%; text-align: center;">No</td> </tr> </table>		Yes	No
	Yes	No		
	☐	☒		
If so is it in the folder?	☐	☒		
Is it current?	☐	☒		
Do you understand the Traffic Control Plan and what equipment you will need?	☐	☒		

On site Pre-Job Safety Review

1. Reviewed and signed the site specific HASP.	☒
2. Route to hospital understood.	☒
3. Reviewed "Groundwater Monitoring Well Sampling General Job Safety Analysis included in the HASP.	☒
4. Exceptional circumstances today that are not covered by the HASP, JSA or JMP have been addressed and mitigated.	☒
5. Understands procedure to follow, if site circumstances change, to address new site hazards.	☒
6. There are no unexpected conditions which would make your task a Special Permit Required Task. If there is, contact your Project Manager.	☒
7. All site hazards have been communicated to all necessary onsite personnel during tailgate safety meeting.	☒
8. After lunch tailgate safety meeting refresher conducted.	☒
If Checklist Task cannot be completed, explain:	

Permit To Work Authority:

Name	Title	Date	Time
GREG ROBERTS	FIELD TECH	5/18/17	0745

Attachment B

Laboratory Analytical Report

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Report Date: June 01, 2017

Project: 90260

Submittal Date: 05/19/2017

Group Number: 1803717

PO Number: 0015229873

Release Number: HORNE

State of Sample Origin: CA

Client Sample DescriptionQA-T-170518 NA Water
MW-4-W-170518 NA Water
MW-5-W-170518 NA Water
MW-6-W-170518 NA Water
MW-7-W-170518 NA Water
MW-8-W-170518 NA Water
MW-9-W-170518 NA Water
MW-11-W-170518 NA Water
MW-12-W-170518 NA Water
MW-13-W-170518 NA Water
MW-14-W-170518 NA Water
MW-16-W-170518 NA Water
MW-17-W-170518 NA Water
MW-18-W-170518 NA Water
MW-19-W-170518 NA Water
MW-20-W-170518 NA Water
MW-21-W-170518 NA Water
MW-22-W-170518 NA Water
MW-23-W-170518 NA Water
P-1-W-170518 NA Water
DVE-9-W-170518 NA Water
DVE-12-W-170518 NA Water
DVE-20-W-170518 NA Water

Lancaster Labs

(LL) #9003633
9003634
9003635
9003636
9003637
9003638
9003639
9003640
9003641
9003642
9003643
9003644
9003645
9003646
9003647
9003648
9003649
9003650
9003651
9003652
9003653
9003654
9003655

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To GHD
Electronic Copy To Chevron
Electronic Copy To Blaine Tech Services, Inc.
Electronic Copy To Chevron

Attn: Kiersten Hoey
Attn: Anna Avina
Attn: Dustin Becker
Attn: Report Contact

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

Sample Description: QA-T-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003633
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 08:00

Chevron

Submitted: 05/19/2017 09:35

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Reported: 06/01/2017 12:06

FBHQA

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 16:34	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 16:34	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003634
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:45 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH04

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	3	5	5
10945	C6-C12-TPH-GRO	n.a.	1,400	110	250	5
10945	Ethylbenzene	100-41-4	20	3	5	5
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	3	5	5
10945	Toluene	108-88-3	N.D.	3	5	5
10945	Xylene (Total)	1330-20-7	10	3	5	5

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 18:02	Daniel H Heller	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 18:02	Daniel H Heller	5

*=This limit was used in the evaluation of the final result

Sample Description: MW-5-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003635
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:10 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH05

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	110	25	50	50
10945	C6-C12-TPH-GRO	n.a.	83,000	1,100	2,500	50
10945	Ethylbenzene	100-41-4	2,700	25	50	50
10945	Methyl Tertiary Butyl Ether	1634-04-4	33 J	25	50	50
10945	Toluene	108-88-3	3,500	25	50	50
10945	Xylene (Total)	1330-20-7	15,000	25	50	50

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 18:24	Daniel H Heller	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 18:24	Daniel H Heller	50

*=This limit was used in the evaluation of the final result

Sample Description: MW-6-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003636
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 10:20 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH06

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 16:56	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 16:56	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-7-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003637
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 13:40 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH07

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	610	22	50	1
10945	Ethylbenzene	100-41-4	15	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	16	0.5	1	1
10945	Toluene	108-88-3	0.5 J	0.5	1	1
10945	Xylene (Total)	1330-20-7	18	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 18:45	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 18:45	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-8-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003638
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 13:15 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH08

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	5 J	5	10	10
10945	C6-C12-TPH-GRO	n.a.	28,000	220	500	10
10945	Ethylbenzene	100-41-4	970	5	10	10
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10945	Toluene	108-88-3	920	5	10	10
10945	Xylene (Total)	1330-20-7	4,600	5	10	10

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 19:07	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 19:07	Daniel H Heller	10

*=This limit was used in the evaluation of the final result

Sample Description: MW-9-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003639
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 13:45 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH09

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	440	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 19:29	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 19:29	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-11-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003640
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 09:15 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH11

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	340	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 19:51	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 19:51	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-12-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003641
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 09:45 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH12

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	210	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	6	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 20:12	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 20:12	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-13-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003642
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 13:30 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH13

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	8	3	5	5
10945	C6-C12-TPH-GRO	n.a.	6,500	110	250	5
10945	Ethylbenzene	100-41-4	320	3	5	5
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	3	5	5
10945	Toluene	108-88-3	150	3	5	5
10945	Xylene (Total)	1330-20-7	680	3	5	5

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 20:34	Daniel H Heller	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 20:34	Daniel H Heller	5

*=This limit was used in the evaluation of the final result

Sample Description: MW-14-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003643
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:30 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH14

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 20:56	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 20:56	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-16-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003644
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:00 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH16

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171511AA	05/31/2017 15:12	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171511AA	05/31/2017 15:12	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-17-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003645
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 09:35 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH17

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 21:40	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 21:40	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-18-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003646
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:55 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH18

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	5	10	10
10945	C6-C12-TPH-GRO	n.a.	12,000	220	500	10
10945	Ethylbenzene	100-41-4	170	5	10	10
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10945	Toluene	108-88-3	N.D.	5	10	10
10945	Xylene (Total)	1330-20-7	99	5	10	10

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 22:01	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 22:01	Daniel H Heller	10

*=This limit was used in the evaluation of the final result

Sample Description: MW-19-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003647
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 09:58 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH19

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	860	5	10	10
10945	C6-C12-TPH-GRO	n.a.	2,400	22	50	1
10945	Ethylbenzene	100-41-4	3	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	47	0.5	1	1
10945	Toluene	108-88-3	3	0.5	1	1
10945	Xylene (Total)	1330-20-7	2	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 22:23	Daniel H Heller	1
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171511AA	05/31/2017 15:34	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 22:23	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F171511AA	05/31/2017 15:34	Daniel H Heller	10

*=This limit was used in the evaluation of the final result

Sample Description: MW-20-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003648
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:40 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	55	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	0.6 J	0.5	1	1
10945	Xylene (Total)	1330-20-7	2	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171511AA	05/31/2017 14:06	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171511AA	05/31/2017 14:06	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-21-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003649
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 13:30 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH21

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 23:05	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 23:05	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-22-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003650
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:35 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBH22

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 23:27	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 23:27	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-23-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003651
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 10:30 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBH23

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/30/2017 23:48	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/30/2017 23:48	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: P-1-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003652
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 10:00 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBHP1

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	N.D.	22	50	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/31/2017 00:10	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/31/2017 00:10	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: DVE-9-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003653
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 10:35 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBHD9

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	5	0.5	1	1
10945	C6-C12-TPH-GRO	n.a.	2,200	22	50	1
10945	Ethylbenzene	100-41-4	5	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	17	0.5	1	1
10945	Toluene	108-88-3	0.9 J	0.5	1	1
10945	Xylene (Total)	1330-20-7	4	0.5	1	1

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171502AA	05/31/2017 00:31	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171502AA	05/31/2017 00:31	Daniel H Heller	1

*=This limit was used in the evaluation of the final result

Sample Description: DVE-12-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003654
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:20 by GR

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/19/2017 09:35

Reported: 06/01/2017 12:06

FBD12

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	16	5	10	10
10945	C6-C12-TPH-GRO	n.a.	12,000	220	500	10
10945	Ethylbenzene	100-41-4	340	5	10	10
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10945	Toluene	108-88-3	10 J	5	10	10
10945	Xylene (Total)	1330-20-7	1,000	5	10	10

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171511AA	05/31/2017 15:56	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171511AA	05/31/2017 15:56	Daniel H Heller	10

*=This limit was used in the evaluation of the final result

Sample Description: DVE-20-W-170518 NA Water
Facility# 90260 BTST
21995 Foothill-Hayward T0600100315

LL Sample # WW 9003655
LL Group # 1803717
Account # 10991

Project Name: 90260

Collected: 05/18/2017 11:00 by GR

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 05/19/2017 09:35

San Ramon CA 94583

Reported: 06/01/2017 12:06

FBD20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	5	10	10
10945	C6-C12-TPH-GRO	n.a.	18,000	220	500	10
10945	Ethylbenzene	100-41-4	740	5	10	10
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10945	Toluene	108-88-3	180	5	10	10
10945	Xylene (Total)	1330-20-7	1,900	5	10	10

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	GRO/BTEX/MTBE 8260 Water	SW-846 8260B	1	F171511AA	05/31/2017 16:17	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F171511AA	05/31/2017 16:17	Daniel H Heller	10

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron
Reported: 06/01/2017 12:06

Group Number: 1803717

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result	MDL**	LOQ
	ug/l	ug/l	ug/l
Batch number: F171502AA	Sample number(s): 9003633-9003643, 9003645-9003647, 9003649-9003653		
Benzene	N.D.	0.5	1
C6-C12-TPH-GRO	N.D.	22	50
Ethylbenzene	N.D.	0.5	1
Methyl Tertiary Butyl Ether	N.D.	0.5	1
Toluene	N.D.	0.5	1
Xylene (Total)	N.D.	0.5	1
Batch number: F171511AA	Sample number(s): 9003644, 9003647-9003648, 9003654-9003655		
Benzene	N.D.	0.5	1
C6-C12-TPH-GRO	N.D.	22	50
Ethylbenzene	N.D.	0.5	1
Methyl Tertiary Butyl Ether	N.D.	0.5	1
Toluene	N.D.	0.5	1
Xylene (Total)	N.D.	0.5	1

LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: F171502AA	Sample number(s): 9003633-9003643, 9003645-9003647, 9003649-9003653								
Benzene	20	18.4			92		78-120		
C6-C12-TPH-GRO	1000	1037.82	1000	1074.28	104	107	77-120	3	30
Ethylbenzene	20	18.11			91		78-120		
Methyl Tertiary Butyl Ether	20	18.41			92		75-120		
Toluene	20	18.77			94		80-120		
Xylene (Total)	60	56.05			93		80-120		
Batch number: F171511AA	Sample number(s): 9003644, 9003647-9003648, 9003654-9003655								
Benzene	20	19.18	20	18.83	96	94	78-120	2	30
C6-C12-TPH-GRO	1000	1045.62	1000	1026.2	105	103	77-120	2	30
Ethylbenzene	20	20.29	20	19.49	101	97	78-120	4	30
Methyl Tertiary Butyl Ether	20	17.56	20	17.63	88	88	75-120	0	30
Toluene	20	19.64	20	19.35	98	97	80-120	2	30
Xylene (Total)	60	58.7	60	56.33	98	94	80-120	4	30

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron
Reported: 06/01/2017 12:06

Group Number: 1803717

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: F171502AA	Sample number(s): 9003633-9003643, 9003645-9003647, 9003649-9003653 UNSPK: 9003636									
Benzene	N.D.	20	19.46	20	18.37	97	92	78-120	6	30
Ethylbenzene	N.D.	20	19.67	20	20.37	98	102	78-120	3	30
Methyl Tertiary Butyl Ether	N.D.	20	18.7	20	17.68	93	88	75-120	6	30
Toluene	N.D.	20	20.07	20	19.41	100	97	80-120	3	30
Xylene (Total)	N.D.	60	60.49	60	61.59	101	103	80-120	2	30
Batch number: F171511AA	Sample number(s): 9003644, 9003647-9003648, 9003654-9003655 UNSPK: 9003648									
Benzene	N.D.	20	20.38	20	19.01	102	95	78-120	7	30
Ethylbenzene	N.D.	20	20.6	20	19.43	103	97	78-120	6	30
Methyl Tertiary Butyl Ether	N.D.	20	18.01	20	16.72	90	84	75-120	7	30
Toluene	0.643	20	20.8	20	19.88	101	96	80-120	5	30
Xylene (Total)	2.16	60	61.84	60	59.24	99	95	80-120	4	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: GRO/BTEX/MTBE 8260 Water
Batch number: F171502AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
9003633	102	102	100	95
9003634	101	99	95	98
9003635	101	99	106	96
9003636	105	99	100	97
9003637	101	97	101	101
9003638	101	100	101	97
9003639	99	98	98	92
9003640	101	96	107	96
9003641	99	98	101	96
9003642	99	101	102	94
9003643	101	100	99	93
9003645	102	101	103	95
9003646	95	94	103	97
9003647	97	99	102	97
9003649	101	100	102	96
9003650	99	98	107	100
9003651	101	103	102	93
9003652	97	99	101	93
9003653	98	99	101	97
Blank	102	99	100	105
LCS	100	100	99	97

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron
Reported: 06/01/2017 12:06

Group Number: 1803717

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: GRO/BTEX/MTBE 8260 Water

Batch number: F171502AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
LCSD	101	98	102	98
MS	100	101	100	98
MSD	95	94	96	99
Limits:	80-116	77-113	80-113	78-113

Analysis Name: GRO/BTEX/MTBE 8260 Water

Batch number: F171511AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
9003644	98	100	100	93
9003648	97	100	101	92
9003654	98	97	98	97
9003655	98	97	101	98
Blank	99	100	99	88
LCS	98	100	100	99
LCSD	99	102	102	87
MS	99	102	101	95
MSD	98	102	101	96
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

COC) of 3

Chevron Site Number: 90260				Chevron Consultant: GHD				ANALYSES REQUIRED													
Chevron Site Global ID: T0600100315				Address: 5900 Hollis St., Ste A, Emeryville, CA, 94608																	
Chevron Site Address: 21995 Foothill Blvd., Hayward, CA				Consultant Contact: Kiersten Hoey																	
Chevron PM: Dave Patten				Consultant Phone No. 510-420-3347																	
Chevron PM Phone No.: (925) 842-7877				Consultant Project No. 170518-GRI																	
☒ Retail and Terminal Business Unit (RTBU) Job				Sampling Company: Blaine Tech Services																	
☒ Construction/Retail Job				Sampled By (Print): GREGG ROBERTS																	
				Sampler Signature: [Signature]																	
Charge Code: NWRTB-0098247-0-OML				Lancaster Laboratories		Other Lab		Temp. Blank Check													
NWRTB 00SITE NUMBER-0- WBS								Time Temp.													
(WBS ELEMENTS:																					
SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L				☒ Lancaster, PA																	
SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L				Lab Contact: Amek Carter																	
THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.				2425 New Holland Pike, Lancaster, PA 17601																	
				Phone No: (717)656-2300																	
SAMPLE ID				Sample Time		# of Containers		Container Type													
Field Point Name		Matrix	Top Depth	Date (yyymmdd)																	
QA-171805		T		170518		0800		3		HCL VOLS											
MW-4-171805		WG				1145		6													
MW-5-171805		WG				1110		6													
MW-6-171805		WG				1020		6													
MW-7-171805		WG				1340		6													
MW-8-171805		WG				1315		6													
MW-9-171805		WG				1345		6													
MW-11-171805		WG				0915		6													
MW-12-171805		WG				0945		6													
MW-13-171805		WG				1330		6													
Relinquished By [Signature] Company BFB Date/Time: 5/19/17 1630				Relinquished To [Signature] Company Date/Time: 5/19/17 935				Turnaround Time: Standard 24 Hours 48 hours 72 Hours Other													
Relinquished By [Signature] Company Date/Time:				Relinquished To [Signature] Company Date/Time:				Sample Integrity: (Check by lab on arrival)													
Relinquished By [Signature] Company Date/Time:				Relinquished To [Signature] Company Date/Time:				Intact: X On Ice: X Temp: 3.8													
Relinquished By [Signature] Company Date/Time:				Relinquished To [Signature] Company Date/Time:				COC # SHIPPED UTA FEDEX													

10991/1803717/9003633-55

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 2 of 3

Chevron Site Number: <u>90260</u>				Chevron Consultant: <u>GHD</u>				ANALYSES REQUIRED														
Chevron Site Global ID: <u>T0600100315</u>				Address: <u>5900 Hollis St., Ste A, Emeryville, CA, 94608</u>				Preservation Codes														
Chevron Site Address: <u>21995 Foothill Blvd., Hayward, CA</u>				Consultant Contact: <u>Kiersten Hoey</u>				H = HCL T= Thiosulfate														
Chevron PM: <u>Dave Patten</u>				Consultant Phone No. <u>510-420-3347</u>				N = HNO ₃ B = NaOH														
Chevron PM Phone No.: <u>(925) 842-7877</u>				Consultant Project No. <u>170518-621</u>				S = H ₂ SO ₄ O = Other														
☒ Retail and Terminal Business Unit (RTBU) Job				Sampling Company: <u>Blaine Tech Services</u>				EPA 8260B/GC/MS ☒ TPH-GP ☒ MTBE ☒ OXYGENATES ☐ HVOC ☐ EPA 8015B ☐ GRO ☐ DRO ☐ ORO ☐ HC SCREEN ☐ EPA 8021B ☐ BTEX ☐ MTBE ☐ EPA 6010 Ca, Fe, K, Mg, Mn, Na EPA 6010/7000 TITLE 22 METALS ☐ TLIC ☐ STLC ☐ EPA 150.1 PH ☐ SM2510B SPECIFIC CONDUCTIVITY EPA 418.1 TRPH ☐ EPA 413.1 OIL & GREASE ☐ EPA 8260 ☐ ETHANOL EPA 8015 ☐ TPH-D ☐														
☒ Construction/Retail Job				Sampled By (Print): <u>GREG ROBERTS</u>																		
Sampler Signature: <u>[Signature]</u>				Special Instructions Must meet lowest detection limits possible for 8260 compounds.																		
Charge Code: <u>NWRTB-0098247-0-OML</u> NWRTB 00SITE NUMBER-0- WBS (WBS ELEMENTS: SITE ASSESSMENT: <u>A1L</u> REMEDIATION IMPLEMENTATION: <u>R5L</u> SITE MONITORING: <u>OML</u> OPERATION MAINTENANCE & MONITORING: <u>M1L</u> THIS IS A LEGAL DOCUMENT. <u>ALL</u> FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.				Lancaster Laboratories ☒ Lancaster, PA Lab Contact: Amek Carter 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)656-2300		Other Lab _____ _____ _____ _____ _____ _____		Temp. Blank Check Time _____ Temp. _____ _____ _____ _____ _____ _____ _____														
SAMPLE ID				Sample Time	# of Containers	Container Type	Notes/Comments															
Field Point Name	Matrix	Top Depth	Date (yy/mm/dd)																			
MW-14-171805	WG		170518	1130	6	HCL VOAS	X															
MW-15-171805	WG		170518	1130	6	HCL VOAS	X															
MW-16-171805	WG			1100	6		X															
MW-17-171805	WG			0935	6		X															
MW-18-171805	WG			1155	6		X															
MW-19-171805	WG			0958	6		X															
MW-20-171805	WG			1140	6		X															
MW-21-171805	WG			1330	6		X															
MW-22-171805	WG			1135	6		X															
MW-23-171805	WG			1030	6		X															
Relinquished By <u>[Signature]</u> Company <u>BTS</u> Date/Time: <u>5/18/17 @ 1630</u>				Relinquished To _____ Company _____ Date/Time _____				Turnaround Time: Standard ☒ 24 Hours ☐ 48 hours ☐ 72 Hours ☐ Other ☐														
Relinquished By _____ Company _____ Date/Time _____				Relinquished To _____ Company _____ Date/Time _____				Sample Integrity: (Check by lab on arrival) Intact: <u>X</u> On Ice: <u>X</u> Temp: <u>3.8</u>														
Relinquished By _____ Company _____ Date/Time _____				Relinquished To <u>[Signature]</u> Company <u>ELLE</u> Date/Time <u>5/19/17</u> <u>935</u>				COC # <u>SHIPPED VIA FEDEX</u>														

COC 3 of 3

COC 9-0260, 05/11/17

Client: GHD

Delivery and Receipt Information

Delivery Method:	<u>Fed Ex</u>	Arrival Timestamp:	<u>05/19/2017 9:35</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>1</u>
State/Province of Origin:	<u>CA</u>		

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	VOA Vial Headspace $\geq$ 6mm:	No
Samples Chilled:	Yes	Total Trip Blank Qty:	3
Paperwork Enclosed:	Yes	Trip Blank Type:	HCI
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Simon Nies (25112) at 16:56 on 05/19/2017

Samples Chilled Details*Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.*

<u>Cooler #</u>	<u>Thermometer ID</u>	<u>Corrected Temp</u>	<u>Therm. Type</u>	<u>Ice Type</u>	<u>Ice Present?</u>	<u>Ice Container</u>	<u>Elevated Temp?</u>
1	32170023	3.8	IR	Wet	Y	Bagged	N

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mg	milligram(s)
C	degrees Celsius	mL	milliliter(s)
cfu	colony forming units	MPN	Most Probable Number
CP Units	cobalt-chloroplatinate units	N.D.	none detected
F	degrees Fahrenheit	ng	nanogram(s)
g	gram(s)	NTU	nephelometric turbidity units
IU	International Units	pg/L	picogram/liter
kg	kilogram(s)	RL	Reporting Limit
L	liter(s)	TNTC	Too Numerous To Count
lb.	pound(s)	µg	microgram(s)
m3	cubic meter(s)	µL	microliter(s)
meq	milliequivalents	umhos/cm	micromhos/cm
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Laboratory Data Qualifiers:

- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value $\geq$ the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference...
- W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.