



**RECEIVED**

2:06 pm, Feb 23, 2009

Alameda County  
Environmental Health

**GROUND-WATER MONITORING  
IN  
FEBRUARY 2008  
ALAMEDA CONTRA COSTA  
TRANSIT DISTRICT FACILITY  
1177 47<sup>TH</sup> STREET  
EMERYVILLE, CALIFORNIA**

*Prepared for*

**Alameda Contra Costa Transit District  
10626 International Boulevard  
Oakland, California 94603**

*Prepared by*

**Essel Technology Services, Inc.  
9778 Broadmoor Drive  
San Ramon, California 94583  
(925) 833-7977**

**Project No. 07-68-02**

**March 2008**



**GROUND-WATER MONITORING  
IN  
FEBRUARY 2008  
ALAMEDA CONTRA COSTA  
TRANSIT DISTRICT FACILITY  
1177 47<sup>TH</sup> STREET  
EMERYVILLE, CALIFORNIA**

**1.0 INTRODUCTION**

The Alameda Contra Costa Transit District (AC Transit) has contracted with Essel Technology Services, Inc. (Essel Tech) to perform ground-water monitoring and sampling at the AC Transit Division 2 facility in Emeryville, California. This report presents the results of monitoring and sampling performed in February 2008.

**1.1 Site Location and Description**

The Division 2 facility is located at 1177 47<sup>th</sup> Street in Emeryville, California and occupies nearly the entire city block that is bounded by 47<sup>th</sup> Street on the north, 45<sup>th</sup> Street on the south, San Pablo Avenue on the east, and Doyle Street on the west, as shown on Plate 1. The facility is used for storage and maintenance of AC Transit buses. The primary site feature is a maintenance building that is located in the southwestern portion of the site. Other facilities include a parking garage, a transportation building, and a bus washing structure that are located along the northern property line adjacent to 47<sup>th</sup> Street; and a tire building, an emergency generator building, a pump station, and storm water treatment facilities that are located at the western edge of the site next to Doyle Street. The site also contains underground storage tanks (USTs). The existing USTs, referred to as Tank Farm No. 1, are located near the northeastern corner of the property and just south of fuel dispenser islands. Former USTs, referred to as Tank Farm No. 2, were located near the center of the property and a short distance east of the present maintenance building. These tanks were removed in 1999. A 550-gallon UST that provides fuel for an emergency generator is located next to the southern side of the emergency generator building.

Sixteen wells used for ground-water monitoring are presently installed at the site. Thirteen of the wells (MW-1 through MW-10, MW-12, MW-13, and W-4) are spaced across the northern half of the site and monitor the ground water near and to the west (approximately downgradient) of Tank Farm No 1 and the fuel dispenser islands. Well MW-12 also serves to monitor the ground water at a location northwest of the 550-gallon emergency generator UST. Three of the 16 wells are located in the southeastern quadrant of the property. Well W-3 is at the eastern edge of the property at a location that is upgradient of Tank Farm No. 1, well W-1 is located approximately 220 feet south of Tank Farm No. 1, and MW-11 is near the southwestern corner of Tank Farm No. 2. Three additional wells, that are not part of the ground-water-monitoring program, are located adjacent to Tank Farm No. 1. These wells are referred to as E-1, E-2, and E-5. Plate 2 is a Site Plan that shows the relative locations of the AC Transit facilities, the 16 ground-water-monitoring wells, and the three additional wells.

## **2.0 FIELD AND LABORATORY WORK**

### **2.1 Field Procedures**

Essel Tech personnel visited the site on February 28, 2008 to measure the water level in wells MW-11, MW-12, and MW-13 to measure the thickness of any free-phase petroleum product in the three wells, and to purge wells MW-11 and MW-12 for ground-water sampling. The depths to free-phase product and the static ground-water surface in each well were measured to the nearest 0.01-foot using an electronic oil-water interface probe. Following water-level measurements, wells MW-11 and MW-12 were purged of water using a submersible pump and discharge hose. Approximately three casing volumes of water were pumped from each well. Field measurements of temperature, pH, electrical conductivity, dissolved oxygen, oxygen reduction potential, and ferrous iron were monitored during pumping. Measurements were recorded on field well-purging and sampling forms, which are included in Appendix A.

To minimize the potential for inadvertently introducing contaminants, wells were purged in order from least contaminated to most contaminated using the analytical results from the previous monitoring event. In addition, the purge pump and attached discharge hose were cleaned before use in each well by washing the equipment in a soap solution followed by rinsing twice with clean tap water. Discharge water from well purging was directed into 55-gallon drums, which were then emptied into the maintenance building steam bay.

Essel Tech personnel collected water samples from wells MW-11 and MW-12 on February 28, 2008. A clean, disposable polyethylene bailer was lowered partly through the air-water interface in each well and retrieved to collect the samples. The retrieved water samples were then slowly transferred from the bailer to clean, 40-milliliter volatile organic analysis (VOA) glass vials containing hydrochloric acid as a preservative and to clean, 1-liter brown glass liter bottles containing sulfuric acid as a preservative. The various containers were filled completely to eliminate air bubbles, sealed with caps, labeled, and placed in ice storage for transport to an analytical laboratory.

### **2.2 Laboratory Analyses**

Essel Tech prepared a Chain-of-Custody form for the ground-water samples collected and this form accompanied the samples to the laboratory. A copy of the Chain-of-Custody form is included in Appendix B. The water samples were delivered to McCampbell Analytical, Inc. (McCampbell) in Pittsburg, California for analysis. McCampbell analyzed the samples for total petroleum hydrocarbons as gasoline (TPHg) and as diesel (TPHd) using Environmental Protection Agency (EPA) modified Method 8015C, and for benzene, toluene, ethylbenzene, and total xylenes (BTEX) and methyl tertiary butyl ether (MTBE) using EPA Method 8021B.

### **3.0 RESULTS OF MONITORING AND SAMPLING**

#### **3.1 Ground-Water Monitoring**

During the latest monitoring event, 0.7-foot of free-phase petroleum product was measured in well MW-13. No product was measured or noted in well MW-11 or well MW-12. The measured depth to the static ground-water surface was 2.31 feet below the top of the casing of well MW-11 and 11.35 feet below the top of the casing of well MW-12. Essel Tech used wellhead elevation data and the depth-to-water measurements made on February 28, 2008 to calculate the elevation of the ground-water surface, which was 27.62 and 17.33 feet above mean sea level in wells MW-11 and MW-12, respectively. Water-level measurements show the ground-water surface rose 1.89 feet in well MW-11 and fell 0.65-foot in well MW-12 between the November 2007 and February 2008 monitoring events. In well MW-11, the ground-water surface was approximately 0.16-foot lower in February 2008 than in February 2007 and in well MW-12, the ground-water surface was 1.05 feet lower in February 2008 than in February 2007. The gradient and direction of ground-water flow is not estimated for this latest monitoring event because the water level in only two wells was measured. Water level data from previous monitoring events show ground water beneath the site flows toward the west. Table 1 presents data on product thickness, depth to ground water, and ground-water elevation for the 16 wells and the most recent data for wells MW-11, MW-12, and MW-13.

#### **3.2 Laboratory Analyses**

Results of laboratory analyses show gasoline-range hydrocarbons (i.e., TPHg) were detected in the water sample from well MW-12 and were not detected in the water sample from well MW-11. The concentration of TPHg found in well MW-12 is notably lower (55 parts per billion [ppb]) than has previously been detected (310 to 740 ppb). Well MW-12 is located near the western, downgradient edge of the property. No TPHg was detected in the water sample from well MW-11, which is located adjacent to the former locations of the USTs at Tank Farm No. 2. The aromatic hydrocarbons BTEX were not detected in either of the two wells during the February 2008 monitoring event. The fuel oxygenate, MTBE, also was not detected in the water sample from well MW-11, which is consistent with previous laboratory analytical results. In well MW-12, MTBE was found at a concentration of 10 ppb, which is slightly higher than the 5.7 to 8.3 ppb detected previously in this well.

Diesel-range hydrocarbons (i.e., TPHd) were found in both wells MW-11 and MW-12 at respective concentrations of 71 and 160 ppb. These TPHd concentrations are equivalent to concentrations detected since August 2006 in well MW-11 and since November 2005 in well MW-12. A copy of the laboratory analytical report for the February 2008 monitoring event is included in Appendix B.

### **4.0 RECOMMENDATION**

Essel Tech recommends that ground-water monitoring and sampling continue on a quarterly basis. The next sampling event should be scheduled for May 2008 and would include measuring depth to water and product thickness in the 16 ground-water-monitoring wells (MW-1 through MW-13, W-1, W-3, and W-4) and purging and sampling the wells for laboratory analysis.


Please call if you have any questions.

Sincerely;  
**Essel Technology Services, Inc.**



---

Samhita Lahiri  
Project Manager



---

Rodger C. Witham, P.G., C.E.G  
Senior Hydrogeologist




Table 1: Well Monitoring Data

Table 2: Results of Laboratory Analyses of Ground-Water Samples

Plate 1: Site Vicinity Map

Plate 2: Site Plan

Appendix A: Well-Purging and Sampling Forms

Appendix B: Chain-of-Custody Form and Laboratory Report

**TABLE 1**  
**WELL MONITORING DATA**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well Number	Date	Top of Casing	Product Thickness	Depth to Ground Water	Ground-Water-Surface Elevation	Ground-Water-Surface Elevation Corrected for Product Thickness#
MW-1	11/02/05	32.56	0.00	5.14	27.42	27.42
	05/28/06	32.56	0.00	4.05	28.51	28.51
	11/12/06	32.56	0.00	3.36	29.20	29.20
	05/27/07	32.56	0.00	4.90	27.66	27.66
	11/10/07	32.56	0.00	4.65	27.91	27.91
MW-2	11/02/05	32.12	0.00	4.65	27.47	27.47
	05/28/06	32.12	0.00	3.55	28.57	28.57
	11/16/06	32.12	0.00	3.6	28.52	28.52
	05/27/07	32.12	0.00	3.73	28.39	28.39
	11/10/07	32.12	0.00	4.2	27.92	27.92
MW-3	11/02/05	34.06	0.00	6.21	27.85	27.85
	05/28/06	34.06	0.00	4.95	29.11	29.11
	11/16/06	34.06	0.00	5.5	28.56	28.56
	05/27/07	34.06	0.00	5.28	28.78	28.78
	11/10/07	34.06	0.00	5.75	28.31	28.31
MW-4	11/02/05	34.11	0.00	6.30	27.81	27.81
	05/28/06	34.11	0.00	5.15	28.96	28.96
	11/16/06	34.11	0.00	5.4	28.71	28.71
	05/27/07	34.11	0.00	5.61	28.50	28.50
	11/10/07	34.11	0.00	5.85	28.26	28.26
MW-5	11/02/05	31.70	0.00	4.55	27.15	27.15
	05/28/06	31.70	0.00	3.62	28.08	28.08
	11/12/06	31.70	0.00	2.5	29.20	29.20
	05/27/07	31.70	0.00	3.64	28.06	28.06
	11/10/07	31.70	0.00	4.1	27.60	27.60
MW-6	11/02/05	31.02	0.00	4.21	26.81	26.81
	05/28/06	31.02	0.00	3.00	28.02	28.02
	11/16/06	31.02	0.00	3.3	27.72	27.72
	05/27/07	31.02	0.03	3.20	27.82	27.84
	11/10/07	31.02	0.03	3.65	27.37	27.39
MW-7	11/02/05	29.62	0.00	5.50	24.12	24.12
	05/28/06	29.62	0.00	4.25	25.37	25.37
	11/16/06	29.62	0.00	5.7	23.92	23.92
	05/27/07	29.62	0.00	4.54	25.08	25.08
	11/10/07	29.62	0.00	5.15	24.47	24.47
MW-8	11/02/05	29.43	0.00	5.05	24.38	24.38
	05/28/06	29.43	0.00	4.95	24.48	24.48
	11/12/06	29.43	0.00	4.7	24.73	24.73
	05/27/07	29.43	0.00	4.08	25.35	25.35
	11/10/07	29.43	0.00	4.7	24.73	24.73
MW-9	11/02/05	29.18	0.00	4.26	24.92	24.92
	05/28/06	29.18	0.00	3.70	25.48	25.48
	11/12/06	29.18	0.00	3.5	25.68	25.68
	05/27/07	29.18	0.00	3.43	25.75	25.75
	11/10/07	29.18	0.00	3.75	25.43	25.43

See notes on page 3 of 3.

**TABLE 1**  
**WELL MONITORING DATA**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well Number	Date	Top of Casing	Product Thickness	Depth to Ground Water	Ground-Water-Surface Elevation	Ground-Water-Surface Elevation Corrected for Product Thickness#
MW-10	11/02/05	29.13	0.00	9.81	19.32	19.32
	05/28/06	29.13	0.00	9.55	19.58	19.58
	11/16/06				Well not accessible	
	02/24/07	29.13	0.00	9.0	20.13	20.13
	05/27/07	29.13	0.00	9.45	19.68	19.68
	11/10/07	29.13	0.00	9.7	19.43	19.43
	MW-11	11/02/05	29.93	0.00	4.30	25.63
02/22/06		29.93	0.00	2.50	27.43	27.43
05/28/06		29.93	0.00	2.85	27.08	27.08
08/27/06		29.93	0.00	3.00	26.93	26.93
11/12/06		29.93	0.00	3.02	26.91	26.91
02/24/07		29.93	0.00	2.15	27.78	27.78
05/27/07		29.93	0.00	2.78	27.15	27.15
09/02/07		29.93	0.00	4.2	25.73	25.73
11/10/07		29.93	0.00	3.3	26.63	26.63
<b>02/28/08</b>		<b>29.93</b>	<b>0.00</b>	<b>2.31</b>	<b>27.62</b>	<b>27.62</b>
MW-12		11/02/05	28.68	0.00	10.76	17.92
	02/22/06	28.68	0.00	10.50	18.18	18.18
	05/28/06	28.68	0.00	10.82	17.86	17.86
	08/27/06	28.68	0.00	10.50	18.18	18.18
	11/16/06	28.68	0.00	10.8	17.88	17.88
	02/24/07	28.68	0.00	10.3	18.38	18.38
	05/27/07	28.68	0.00	10.88	17.80	17.80
	09/02/07	28.68	0.00	10.7	17.98	17.98
	11/10/07	28.68	0.00	10.9	17.78	17.78
	<b>02/28/08</b>	<b>28.68</b>	<b>0.00</b>	<b>11.35</b>	<b>17.33</b>	<b>17.33</b>
MW-13	11/02/05	22.72	0.063	9.10	13.62	13.67
	02/22/06	22.72	0.167	NM	NM	NM
	05/28/06	22.72	NM	NM	NM	NM
	11/16/06	22.72	0.017	NM	NM	NM
	05/27/07	22.72	0.45	9.45	13.27	13.63
	09/02/07	22.72	1.1	10.3	12.42	13.30
	11/10/07	22.72	1.22	10.62	12.10	13.07
	<b>02/28/08</b>	<b>22.72</b>	<b>0.7</b>	<b>9.90</b>	<b>12.82</b>	<b>13.38</b>

See notes on page 3 of 3.

**TABLE 1**  
**WELL MONITORING DATA**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

<b>Well Number</b>	<b>Date</b>	<b>Top of Casing</b>	<b>Product Thickness</b>	<b>Depth to Ground Water</b>	<b>Ground-Water-Surface Elevation</b>	<b>Ground-Water-Surface Elevation Corrected for Product Thickness#</b>
W-1	11/02/05	33.43	0.00	6.59	26.84	26.84
	05/28/06	33.43	0.00	5.15	28.28	28.28
	11/16/06	33.43	0.00	5.5	27.93	27.93
	05/27/07	33.43	0.00	5.80	27.63	27.63
	11/10/07	33.43	0.00	5.95	27.48	27.48
W-3	11/02/05	37.46	0.00	8.24	29.22	29.22
	05/28/06	37.46	0.00	6.32	31.14	31.14
	11/16/06	37.46	0.00	6.8	30.66	30.66
	05/27/07	37.46	0.00	6.73	30.73	30.73
	11/10/07	37.46	0.00	7.55	29.91	29.91
W-4	11/02/05	31.72	0.00	4.70	27.02	27.02
	05/28/06	31.72	0.00	4.50	27.22	27.22
	11/16/06	31.72	0.00	3.9	27.82	27.82
	05/27/07	31.72	0.00	3.82	27.90	27.90
	11/10/07	31.72	0.00	4.3	27.42	27.42

Most recent monitoring data are in boldface type.  
Top of casing in feet above mean sea level.  
Product thickness in feet.  
Depth to ground water in feet below the top of the well casing.  
Ground-water surface elevation in feet above mean sea level.  
NM = not measured  
#Multiply product thickness by specific gravity of 0.8 and add to ground-water surface elevation.



**TABLE 2**  
**RESULTS OF LABORATORY ANALYSES OF GROUND-WATER SAMPLES**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well No.	Date Sampled	TPHg	TPHd	TPH	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Nitrate	Sulfate	Dissolved Oxygen	Ferrous Iron
MW-1	11/03/05	<50	70	NA	<0.5	<0.5	<0.5	<0.5	4.5	<100	56,000	2,330	0
	5/29/06	<50	89	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	5,400	0
	11/12/06	<50	65	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	6,520	0
	5/27/07	<50	65	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	50	1,280
	11/10/07	<50	59	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	460	2,210
MW-2	11/03/05	<50	110	NA	<0.5	<0.5	<0.5	<0.5	4.9	430	53,000	2,090	130
	5/29/06	<50	70	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	6,800	60
	11/16/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	8,300	10
	5/27/07	<50	75	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	90	1,540
	11/10/07	<50	62	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	320	130
MW-3	11/03/05	<50	180	NA	<0.5	<0.5	<0.5	<0.5	3.2	3,500	67,000	1,850	0
	5/29/06	<50	180	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	4,600	0
	11/16/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	360	630
	5/27/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	100	1,480
	11/10/07	<50	730	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	1,690	3,300
MW-4	11/03/05	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	4.1	3,500	67,000	1,860	60
	5/29/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	4,900	0
	11/16/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	1,500	1,060
	5/27/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	400	1,360
	11/10/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	1,930	0
MW-5	11/03/05	<50	1,500	NA	<0.5	<0.5	<0.5	<0.5	5.7	<100	62,000	1,930	150
	5/29/06	<50	200	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	4,900	40
	11/12/06	<50	130	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	4,500	2,170
	5/27/07	140	180	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	220	1,350
	11/10/07	170	110	NA	<0.5	<0.5	0.59	1.3	<10	NA	NA	500	300
MW-6	11/03/05	750	2,000	NA	13	1.9	2.9	4.6	1.4	<100	16,000	1,570	3,300
	5/29/06	2,700	12,000	NA	55	5.7	16	26	<15	NA	NA	4,900	20
	11/16/06	530	2,100	NA	12	0.82	0.58	2.8	<5.0	NA	NA	3,600	2,370
	5/27/07	5,200	2,500	NA	110	5.1	23	17	<60	NA	NA	50	3,300
	11/10/07	2,100	9,300	NA	30	<1.7	3.9	4.0	<17	NA	NA	510	3,220

See notes on page 4 of 4.

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSES OF GROUND-WATER SAMPLES**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well No.	Date Sampled	TPHg	TPHd	TPH	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Nitrate	Sulfate	Dissolved Oxygen	Ferrous Iron
MW-7	11/03/05	310	140	NA	<0.5	<0.5	<0.5	<0.5	2.3	<100	3,100	3,190	30
	5/29/06	260	120	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	Anomalous	60
	11/12/06	120	96	NA	<0.5	<0.5	<0.5	0.76	<5.0	NA	NA	1,100	23
	5/27/07	700	220	NA	<0.5	<0.5	1.0	2.0	<5.0	NA	NA	170	1,090
	11/10/07	220	150	NA	<0.5	<0.5	<0.5	1.0	<5.0	NA	NA	4,270	40
MW-8	11/03/05	150	280	NA	<0.5	<0.5	<0.5	<0.5	0.69	<100	24,000	1,630	860
	5/29/06	<50	150	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	8,300	40
	11/12/06	95	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	3,810	860
	5/27/07	140	140	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	390	1,770
	11/10/07	240	160	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	1,430	30
MW-9	11/03/05	<50	470	NA	<0.5	<0.5	<0.5	<0.5	4.8	110	28,000	1,720	450
	5/29/06	<50	190	NA	<0.5	<0.5	<0.5	<0.5	5.2	NA	NA	8,600	0
	11/12/06	<50	65	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	2,470	570
	5/27/07	<50	1,000	NA	<0.5	0.92	<0.5	<0.5	<5.0	NA	NA	290	1,140
	11/10/07	<50	930	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	730	430
MW-10	11/03/05	300	600	NA	<0.5	<0.5	<0.5	<0.5	4.1	<100	780	2,350	2,670
	5/29/06	140	540	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	5,600	10
	11/16/06						Well Not Accessible						
	2/24/07	190	970	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	3,460	1,060
	5/27/07	330	850	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	150	2,530
	11/10/07	420	1,200	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	760	2,510
MW-11	11/03/05	<50	290	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<100	21,000	1,360	0
	2/22/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<100	27,000	100	0
	5/29/06	<50	250	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	6,000	100
	8/27/06	<50	57	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	100	0
	11/12/06	<50	56	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	2,810	0
	2/24/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	950	0
	5/27/07	<50	61	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	40	1,170
	9/2/07	<50	67	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	60	630
	11/10/07	<50	55	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	470	0
	2/28/08	<50	71	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	320	1,890

See notes on page 4 of 4.

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSES OF GROUND-WATER SAMPLES**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well No.	Date Sampled	TPHg	TPHd	TPH	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Nitrate	Sulfate	Dissolved Oxygen	Ferrous Iron
MW-12	11/03/05	440	120	NA	<0.5	<0.5	<0.5	<0.5	6.6	<100	3,700	1,700	740
	2/22/06	400	140	NA	<0.5	<0.5	<0.5	<0.5	7.8	<100	7,600	90	NM
	5/29/06	310	140	NA	<0.5	<0.5	<0.5	<0.5	5.7	NA	NA	7,200	10
	8/27/06	530	120	NA	<0.5	<0.5	<0.5	<0.5	6.6	NA	NA	90	720
	11/16/06	740	200	NA	<0.5	2.1	<0.5	6.3	<10	NM	NM	3,700	680
	2/24/07	200	87	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	750	310
	5/27/07	340	140	NA	<0.5	<0.5	1.4	1.8	<10	NA	NA	130	1,610
	9/2/07	430	130	NA	<0.5	<0.5	<0.5	0.77	8.3	NA	NA	100	3,300
	11/10/07	360	94	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	NA	1,120	1,340
	<b>2/28/08</b>	<b>55</b>	<b>160</b>	<b>NA</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>10</b>	<b>NA</b>	<b>NA</b>	<b>340</b>	<b>2,110</b>
	MW-13	11/03/05	Not sampled - free-phase product in well										
2/22/06		Not sampled - free-phase product in well											
5/29/06		Not sampled - free-phase product in well											
11/16/06		Not sampled - free-phase product in well											
5/27/07		Not sampled - free-phase product in well											
9/2/07		Not sampled - free-phase product in well											
11/10/07		Not sampled - free-phase product in well											
<b>2/28/08</b>		<b>Not sampled - free-phase product in well</b>											
W-1	11/03/05	6,200	2,400	NA	7.2	3.6	5.7	20	0.73	140	1,300	1,230	3,300
	5/29/06	4,600	1,700	NA	18	4.4	17	32	<17	NM	NM	4,500	60
	11/16/06	2,600	760	NA	18	3.7	10	19	<10	NA	NA	5,400	2,010
	5/27/07	4,200	1,200	NA	20	34	12	17	<45	NA	NA	60	2,050
	11/10/07	6,100	1,200	NA	32	<2.5	9.4	14	<25	NA	NA	730	1,570

See notes on page 4 of 4.

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSES OF GROUND-WATER SAMPLES**  
**Alameda Contra Costa Transit District Facility**  
**1177 47th Street, Emeryville, California**

Well No.	Date Sampled	TPHg	TPHd	TPH	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Nitrate	Sulfate	Dissolved Oxygen	Ferrous Iron
W-3	11/03/05	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	1.2	3,700	51,000	2,170	0
	5/29/06	<50	<b>240</b>	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NM	NM	Anomalous	50
	11/16/06	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	3,900	2,140
	5/27/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	70	1,130
	11/10/07	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	880	0
W-4	11/03/05	<50	<b>66</b>	NA	<0.5	<0.5	<0.5	<0.5	2.0	<100	32,000	1,620	970
	5/29/06	<50	110	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NM	NM	NM	NM
	11/16/06	<50	72	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	4,500	1,750
	5/27/07	<b>99</b>	180	NA	<b>0.89</b>	<0.5	<0.5	<0.5	<5.0	NA	NA	70	2,770
	11/10/07	<50	<b>83</b>	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	730	1,020

Results are in micrograms per liter = parts per billion; detectable results are shaded.

Most recent analytical results are in boldface type.

TPHg = total petroleum hydrocarbons as gasoline

TPHd = total petroleum hydrocarbons as diesel

TPH = total petroleum hydrocarbons as motor oil or unknown hydrocarbon

MTBE = methyl tertiary butyl ether

NA = not analyzed

NM = not measured

< = less than the laboratory method detection limit




Scale: 0 2000 feet 4000 feet



Source: USGS 7 1/2-Minute Quadrangle, Oakland West, California, Photorevised 1980.

PROJECT NO. 07-68	DRAWN BY EC	REPORT DATE March 2008	<b>SITE VICINITY MAP</b> Alameda Contra Costa Transit District Facility 1177 47th Street Emeryville, California	PLATE  <div style="text-align: center; font-size: 2em;">1</div>
<b>ESSEL TECHNOLOGY SERVICES, INC.</b> 9778 Broadmoor Drive San Ramon, CA 94583				



**EXPLANATION**

- MW-13 GROUND-WATER-MONITORING WELL LOCATION
- W2 ABANDONED MONITORING WELL LOCATION



SOURCE: MAP MODIFIED FROM PLAN SUPPLIED BY CAMERON-COLE

PROJECT NO. 07-68	DRAWN BY EC	REPORT DATE March 2008	<b>SITE PLAN</b> Alameda Contra Costa Transit District Facility 1177 47th Street Emeryville, California	PLATE  <b>2</b>
<b>ESSEL TECHNOLOGY SERVICES, INC.</b> 9778 Broadmoor Drive San Ramon, CA 94583				

07-68 1107

**APPENDIX A**  
**WELL-PURGING AND SAMPLING FORMS**

# ESSEL TECHNOLOGY SERVICES, INC.

Job Name: Emeryville

Well Number: MW - 11

Job Number: 07-

Date: 2/28/08

Sampled By: Lahiri, S.

Purge Volume	Development/Purge Method(s)
Casing Diameter: 2 inch <input checked="" type="checkbox"/> 4 inch <input type="checkbox"/> Other <input type="checkbox"/>	<input type="checkbox"/> Swab <input type="checkbox"/> Surge <input type="checkbox"/> Other _____
Total Depth (TD) of casing in Feet <u>17.45'</u>	<input type="checkbox"/> Bail Bailer Type: _____
Depth to water (DTW) in Feet <u>2.31'</u>	<input type="checkbox"/> Pump
Purge Volume Calculation $(17.45) - (2.31) \times 3 \times .17 = 7.72$ gallons $(TD) - (DTW) \times V \times F = \text{Purge Volume}$	Pump type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Centrifuge <input type="checkbox"/> Bladder <input type="checkbox"/> Other
<b>Explanation</b>	
For 2" diameter well: V=3, F= .17gallon/foot	V= well volume F= gallon of water per foot of casing

Field Parameters								
Time AM PM	Temperature °C	Conductivity µS/cm	DO (mg/L)	pH	ORP	Gallons Pumped	Fe mg/L	Water Level (TD-DTW)
	16.72	564	4.23	7.40	160	1	1.89	17.45-2.31
	16.72	565	1.53	7.32	127.00	2		
	16.73	565	.87	7.29	100.1	3		
	16.74	565	.58	7.28	86.4	4		
	16.74	566	.45	7.29	76.0	5		
	16.74	566	.37	7.28	70.6	6		
	16.74	566	.32	7.28	65.6	7		

Total gallons pumped:

Observations during purging (well condition, turbidity, color, odor etc.)

low turbidity and slight odor of fuel

Discharge water disposal:  Sanitary sewer  Storm drain  Drum  Other \_\_\_\_\_

Well Sampling Date:

Time:



# ESSEL TECHNOLOGY SERVICES, INC.

Job Name: Emeryville

Well Number: MW-12

Job Number:

Date:

Sampled By: Lahiri, S.

Purge Volume	Development/Purge Method(s)
Casing Diameter: 2 inch <input checked="" type="checkbox"/> 4 inch <input type="checkbox"/> Other <input type="checkbox"/>	<input type="checkbox"/> Swab <input type="checkbox"/> Surge <input type="checkbox"/> Other _____
Total Depth (TD) of casing in Feet <u>30.00'</u>	<input checked="" type="checkbox"/> Bail Bailer Type: <u>Disposal</u>
Depth to water (DTW) in Feet <u>11.35'</u>	<input type="checkbox"/> Pump
Purge Volume Calculation $(30.00) - (11.35) \times 3 \times .17 = 9.51$ gallons $(TD) - (DTW) \times V \times F = \text{Purge Volume}$	Pump type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Centrifuge <input type="checkbox"/> Bladder <input type="checkbox"/> Other
<b>Explanation</b>	
For 2" diameter well: V=3, F=.17gallon/foot	V= well volume F= gallon of water per foot of casing

Field Parameters								
Time AM PM	Temperature °C	Conductivity µS/cm	DO (mg/L)	pH	ORP	Gallons Pumped	Fe mg/L	Water Level (TD-DTW)
	19.48	814	1.17	6.79	139.6	1	2.11	30.00-11.35
	19.57	813	.97	6.82	121.6	2		
	19.64	813	.77	6.87	96.0	3		
	19.70	812	.63	6.85	73.7	4		
	19.71	810	.59	6.88	68.2	5		
	19.70	808	.45	6.83	61.3	6		
	19.71	808	.41	6.87	56.8	7		
	19.69	807	.37	6.83	55.4	8		
	19.68	807	.34	6.82	51.9	9		

Total gallons pumped:

Observations during purging (well condition, turbidity, color, odor etc.)

High turbidity & Present fuel odor

Discharge water disposal:  Sanitary sewer  Storm drain  Drum  Other \_\_\_\_\_

Well Sampling Date: 7/26/09

Time: 1938

# ESSEL TECHNOLOGY SERVICES, INC.

**Job Name:** Emeryville

**Well Number:** MW13

**Job Number:** 07-68-02

**Date:** 2/28/08

**Sampled By:** Lahiri, S.

Purge Volume	Development/Purge Method(s)
Casing Diameter: 2 inch <input checked="" type="checkbox"/> 4 inch <input type="checkbox"/> Other <input type="checkbox"/>	<input type="checkbox"/> Swab <input type="checkbox"/> Surge <input type="checkbox"/> Other _____
Total Depth (TD) of casing in Feet <u>22.9</u>	<input type="checkbox"/> Bail Bailer Type: _____
Depth to water (DTW) in Feet _____	<input type="checkbox"/> Pump
Purge Volume Calculation ( ) - ( ) x _____ x _____ = _____ gallons	Pump type: <input type="checkbox"/> Submersible <input type="checkbox"/> Centrifuge
(TD) - (DTW) x V x F = Purge Volume	<input type="checkbox"/> Bladder <input type="checkbox"/> Other
<b>Explanation</b>	
For 2" diameter well: V=3, F=.17gallon/foot	V= well volume F= gallon of water per foot of casing

Field Parameters								
Time AM PM	Temperature °C	Conductivity μS/cm	DO (mg/L)	pH	ORP	Gallons Pumped	Fe mg/L	Water Level (TD-DTW)

Total gallons pumped:

Observations during purging (well condition, turbidity, color, odor etc.)

9.2' - 9.9' 7" of Product  
oil water

Discharge water disposal:  Sanitary sewer  Storm drain  Drum  Other \_\_\_\_\_

Well Sampling Date:

Time:

# **APPENDIX B**

## **CHAIN-OF-CUSTODY FORM AND LABORATORY REPORT**



**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Essel Technology Service  9778 Broadmoore Drive  San Ramon, CA 94583	Client Project ID: AC Transit Div'	Date Sampled: 02/28/08
		Date Received: 02/29/08
	Client Contact: Samhita Lahiri	Date Reported: 03/07/08
	Client P.O.:	Date Completed: 03/07/08

**WorkOrder: 0802733**

March 07, 2008

Dear Samhita:

Enclosed within are:

- 1) The results of the **2** analyzed samples from your project: **AC Transit Div'**,
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius  
Laboratory Manager  
McC Campbell Analytical, Inc.

0802733

**McCAMPBELL ANALYTICAL, INC.**

110 2<sup>nd</sup> AVENUE SOUTH, #D7  
PACHECO, CA 94553-5560

Website: [www.mccampbell.com](http://www.mccampbell.com) Email: [main@mccampbell.com](mailto:main@mccampbell.com)  
Telephone: (877) 798-1620 Fax: (925) 798-1622

**CHAIN OF CUSTODY RECORD**

TURN AROUND TIME

RUSH  24 HR  48 HR  72 HR  5 DAY

GeoTracker EDF  PDF  Excel  Write On (DW)

Report To: SARITA LAHR Bill To: ESSEL TECHNOLOGY  
Company: ESSEL TECHNOLOGY SERVICES INC.  
9770 Broadmoor Drive, San Ramon, CA 94583  
E-Mail: ESSELTEK SERVICES  
Tele: (415) 794-1960 Fax: (925) 833-7977 @ AOL.GOV  
Project #: \_\_\_\_\_ Project Name: AC TRANSIT DIV  
Project Location: 1774 47th Street, Emeryville, CA  
Sampler Signature: \_\_\_\_\_

**Analysis Request**

**Other**

**Comments**

BTEX & TPH as Gas (602 / 8021 + 8015) / MTBE	
TPH as Diesel (8015)	
Total Petroleum Oil & Grease (1664 / 5520 E/B&F)	
Total Petroleum Hydrocarbons (418.1)	
EPA 502.2 / 601 / 8010 / 8021 (HVOCs)	
MTBE / BTEX ONLY (EPA 602 / 8021)	
EPA 505 / 608 / 8081 (CI Pesticides)	
EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners	
EPA 507 / 8141 (NP Pesticides)	
EPA 515 / 8151 (Acidic CI Herbicides)	
EPA 524.2 / 624 / 8260 (VOCs)	
EPA 525.2 / 625 / 8270 (SVOCs)	
EPA 8270 SIM / 8310 (PAHs / PNAAs)	
CAM 17 Metals (200.7 / 200.8 / 6010 / 6020)	
LUFT 5 Metals (200.7 / 200.8 / 6010 / 6020)	
Lead (200.7 / 200.8 / 6010 / 6020)	

Filter Samples for Metals analysis: Yes / No


SAMPLE ID	LOCATION / Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED						
		Date	Time			Water	Soil	Air	Sludge	Other	ICE	HCL	HNO <sub>3</sub>	Other			
MW-12-01	MW-12	2/28/08	3:00	1	Amb	X						X	X				
MW-12-02	↓	↓	3:15	1	VOL	X						Y					
MW-12-03	↓	↓	3:20	1	↓	X						Y					
MW-12-04	↓	↓	3:22	1	↓	Y						X					
MW-11-01	MW-11	2/28/08	3:45	1	Amb	Y						Y					
MW-11-02	↓	↓	3:49	1	VOL	X						X					
MW-11-03	↓	↓	3:52	1	↓	Y						X					
MW-11-04	↓	↓	3:54	1	↓	Y						X	Y	Y			

Relinquished By: Sarita LaHR Date: 2/29/08 Time: 10:50 AM Received By: [Signature]  
Relinquished By: [Signature] Date: 4/29/08 Time: 1830 Received By: [Signature]  
Relinquished By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received By: \_\_\_\_\_

ICE / 72°C ✓  
GOOD CONDITION ✓  
HEAD SPACE ABSENT ✓  
DECHLORINATED IN LAB NA ✓  
APPROPRIATE CONTAINERS ✓  
PRESERVED IN LAB HCL ✓  
VOAS O&G METALS OTHER  
PRESERVATION pH<2

**COMMENTS:**

# McC Campbell Analytical, Inc.


 1534 Willow Pass Rd  
 Pittsburg, CA 94565-1701  
 (925) 252-9262

# CHAIN-OF-CUSTODY RECORD

**WorkOrder: 0802733**

**ClientCode: ETSR**

WriteOn   
  EDF   
  Excel   
  Fax   
  Email   
  HardCopy   
  ThirdParty   
  J-flag

<b>Report to:</b>		<b>Bill to:</b>	<b>Requested TAT: 5 days</b>
Samhita Lahiri	Email: esseltekservices@aol.com	Sher Guha	
Essel Technology Service	TEL: (925) 833-7991    FAX: (925) 833-7977	Essel Technology Service	<i>Date Received: 02/29/2008</i>
9778 Broadmoore Drive	PO:	9778 Broadmoore Drive	<i>Date Printed: 03/03/2008</i>
San Ramon, CA 94583	ProjectNo: AC Transit Div'	San Ramon, CA 94523	

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0802733-001	MW-12	Water	2/28/2008 15:00	<input type="checkbox"/>	A	A	B										
0802733-002	MW-11	Water	2/28/2008 15:45	<input type="checkbox"/>	A		B										

**Test Legend:**

1	G-MBTX_W	2	PREDF REPORT	3	TPH(D)_W	4		5	
6		7		8		9		10	
11		12							

**Prepared by: Samantha Arbuckle**

**Comments:**

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



**Sample Receipt Checklist**

Client Name: **Essel Technology Service**

Date and Time Received: **2/29/08 6:47:42 PM**

Project Name: **AC Transit Div'**

Checklist completed and reviewed by: **Samantha Arbuckle**

WorkOrder N°: **0802733** Matrix Water

Carrier: Derik Cartan (MAI Courier)

**Chain of Custody (COC) Information**

- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Sample IDs noted by Client on COC? Yes  No
- Date and Time of collection noted by Client on COC? Yes  No
- Sampler's name noted on COC? Yes  No

**Sample Receipt Information**

- Custody seals intact on shipping container/cooler? Yes  No  NA
- Shipping container/cooler in good condition? Yes  No
- Samples in proper containers/bottles? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No

**Sample Preservation and Hold Time (HT) Information**

- All samples received within holding time? Yes  No
- Container/Temp Blank temperature Cooler Temp: 7.2°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes  No  No VOA vials submitted
- Sample labels checked for correct preservation? Yes  No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes  No  NA

Client contacted:

Date contacted:

Contacted by:

Comments:



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Essel Technology Service  9778 Broadmoore Drive  San Ramon, CA 94583	Client Project ID: AC Transit Div'	Date Sampled: 02/28/08
		Date Received: 02/29/08
	Client Contact: Samhita Lahiri	Date Extracted: 03/03/08-03/04/08
	Client P.O.:	Date Analyzed 03/03/08-03/04/08

### Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\*

Extraction method SW5030B

Analytical methods SW8021B/8015Cm

Work Order: 0802733

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	MW-12	W	55,m	10	ND	ND	ND	ND	1	92
002A	MW-11	W	ND	ND	ND	ND	ND	ND	1	91

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

\* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; p) see attached narrative.





**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Essel Technology Service  9778 Broadmoore Drive  San Ramon, CA 94583	Client Project ID: AC Transit Div'	Date Sampled: 02/28/08
		Date Received: 02/29/08
	Client Contact: Samhita Lahiri	Date Extracted: 03/06/08
	Client P.O.:	Date Analyzed 03/07/08

**Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel\***

Extraction method SW3510C Analytical methods SW8015C Work Order: 0802733

Lab ID	Client ID	Matrix	TPH(d)	DF	% SS
0802733-001C	MW-12	W	160,k,b	1	114
0802733-002C	MW-11	W	71,b	1	113

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

\* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) unknown medium boiling point pattern that does not appear to be derived from diesel; f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; k) kerosene/kerosene range/jet fuel range; l) bunker oil; m) fuel oil; n) stoddard solvent/mineral spirit.



### QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0802733

Analyte	EPA Method SW8021B/8015Cm		Extraction SW5030B			BatchID: 34101			Spiked Sample ID: 0802733-001A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) <sup>£</sup>	ND	60	NR	NR	NR	94.3	91	3.50	70 - 130	20	70 - 130	20
MTBE	10	10	91.5	84.9	3.44	101	95.6	5.02	70 - 130	20	70 - 130	20
Benzene	ND	10	103	103	0	95.3	92.8	2.65	70 - 130	20	70 - 130	20
Toluene	ND	10	115	114	1.43	91.9	89.8	2.36	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	117	113	3.70	91.9	90.6	1.40	70 - 130	20	70 - 130	20
Xylenes	ND	30	126	123	2.80	85.4	83.5	2.15	70 - 130	20	70 - 130	20
%SS:	92	10	98	102	3.39	108	106	1.56	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 34101 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0802733-001A	02/28/08 3:00 PM	03/03/08	03/03/08 11:31 PM	0802733-002A	02/28/08 3:45 PM	03/04/08	03/04/08 12:05 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



### QC SUMMARY REPORT FOR SW8015C

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0802733

EPA Method SW8015C		Extraction SW3510C			BatchID: 34218			Spiked Sample ID: N/A				
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(d)	N/A	1000	N/A	N/A	N/A	122	118	3.17	N/A	N/A	70 - 130	30
%SS:	N/A	2500	N/A	N/A	N/A	110	105	4.82	N/A	N/A	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 34218 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0802733-001C	02/28/08 3:00 PM	03/06/08	03/07/08 10:23 AM	0802733-002C	02/28/08 3:45 PM	03/06/08	03/07/08 11:31 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery =  $100 * (MS - Sample) / (Amount\ Spiked)$ ;  $RPD = 100 * (MS - MSD) / ((MS + MSD) / 2)$ .

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.