



Alameda-Contra Costa Transit District

August 21, 2009

RECEIVED

10:01 am, Aug 31, 2009

Alameda County  
Environmental Health

Mr. Stephen Plunkett  
Alameda County Health Division  
Division of Environmental Protection  
Department of Environmental Health  
1131 Harbor Bay Parkway, Second Floor  
Alameda, CA 94502

Dear Mr. Plunkett:

Subject: Groundwater Monitoring Report – June 2009  
AC Transit, 1177 47<sup>th</sup> Street, Emeryville

AC Transit hereby submits the enclosed groundwater monitoring report for the AC Transit facility located at 1177 47<sup>th</sup> Street in Emeryville. The report was prepared by our consultant, Cameron-Cole, and contains the results of groundwater monitoring performed on June 11, 2009, from three (3) on-site and three (3) off-site wells. Well MW-13 was measured to have 0.28 feet of free product and was not sampled for chemical analysis.

Sampling results indicated gasoline-range hydrocarbons was present in MW-12 at 115 ppb. Diesel-range hydrocarbons were not found in detectable concentrations in the wells tested. Monthly purging of well MW-13 continues to be performed as an interim remedial measure.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments regarding the enclosed report, please call me at (510) 577-8869.

Sincerely,

*Suzanne Chaewsky*  
Suzanne Chaewsky, P.E.  
Environmental Engineer

Enclosure

**GROUNDWATER MONITORING REPORT  
FOR THE AC TRANSIT FACILITY  
LOCATED AT 1177 47<sup>th</sup> STREET,  
EMERYVILLE, CALIFORNIA**

**August 2009**

**Prepared For:**

Ms. Suzanne Chaewsky  
AC Transit  
10626 E. 14<sup>th</sup> Street  
Oakland, California 94603



**Prepared By:**

Cameron-Cole  
101 W. Atlantic Avenue  
Building 90  
Alameda, California 94501



**GROUNDWATER MONITORING REPORT  
FOR THE AC TRANSIT FACILITY  
LOCATED AT 1177 47<sup>th</sup> STREET,  
EMERYVILLE, CALIFORNIA**

August 2009


**Prepared For:**

Ms. Suzanne Chaewsky  
AC Transit  
10626 E. 14<sup>th</sup> Street  
Oakland, California 94603





**Prepared By:**

Cameron-Cole  
101 W. Atlantic Avenue  
Building 90  
Alameda, California 94501



Reviewed By  
Brad Wright, PG, CHG  
Principle Hydrogeologist



for:   
Written By  
Dennis Baker  
Environmental Specialist

## TABLE OF CONTENTS

<b>INTRODUCTION .....</b>	<b>1</b>
<b>GROUNDWATER MONITORING .....</b>	<b>1</b>
Groundwater Elevations and Flow Direction.....	1
Groundwater Sampling Activities .....	2
Groundwater Analytical Results .....	2
<b>SUMMARY OF RESULTS .....</b>	<b>3</b>
<b>PROJECTED WORK AND RECOMMENDATIONS.....</b>	<b>3</b>
<b>APPENDIX A ...Chain-of-Custody Documentation, Certified Analytical Reports, and Field Data Sheets</b>	

## LIST OF FIGURES

<b>Figure 1</b>	<b>Site Location Map</b>
<b>Figure 2</b>	<b>Potentiometric Surface Map Including Groundwater Flow Direction</b>

## LIST OF TABLES

<b>Table 1</b>	<b>Groundwater Level Measurements</b>
<b>Table 2</b>	<b>Analytical Results of Groundwater Samples</b>

## **INTRODUCTION**

This report presents the results from the June 2009 second quarter groundwater monitoring event for the AC Transit Facility located at 1177 47<sup>th</sup> Street, Emeryville, California (Figure 1, Site Location Map). Cameron-Cole performed groundwater sampling of monitor wells MW-11, MW-12, MW-14, MW-15, and MW-16 in accordance with directives from Alameda County Health Care Services (ACHCS). ACHCS requested quarterly groundwater sampling for monitor wells MW-11, MW-12, and MW-13, and semi-annual groundwater sampling of monitor wells MW-1 through MW-13 and W-1. In addition, three new downgradient monitor wells MW-14, MW-15, and MW-16, established in accordance with the “Workplan for Downgradient Subsurface Investigation,” September 2006, were also sampled for this event.

## **GROUNDWATER MONITORING**

Work performed during this sampling event included measuring depth to water in all monitoring wells and collecting groundwater samples from monitor wells MW-11, MW-12, MW-14, MW-15, and MW-16. A groundwater sample was not collected from MW-13 due to the presence of a free-phase hydrocarbon layer. Groundwater samples were analyzed for total extractable petroleum hydrocarbons (TEPH) using Environmental Protection Agency (EPA) Method 8015 Modified, and for benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8260B.

A site map displaying the monitor well locations is presented as Figure 2. Chain-of-custody documents, field data sheets, and certified analytical reports are included in Appendix A.

### **Groundwater Elevations and Flow Direction**

On June 11, 2009, all 19 (16 on-site and 3 off-site) monitor wells (MW-1 through MW-16, W-1, W-3, and W-4) were inspected and measured for the presence of free-phase hydrocarbons and depth to groundwater. Measurements of depths to groundwater are presented in Table 1 and were used to construct the groundwater elevation contours in Figure 2. As shown, groundwater flow is to the west

at a gradient of 0.028 feet/foot. Monitor well MW-13 was the only well with a free-phase hydrocarbon layer detected. The free-phase hydrocarbon layer in MW-13 measured 0.28 feet.

### **Groundwater Sampling Activities**

The monitor wells were purged a minimum of three casing volumes using a centrifugal pump and samples were collected using disposable polyethylene bailers. During well purging, field parameters for temperature, electrical conductivity, pH, and turbidity were monitored using calibrated field meters. Due to the presence of the hydrocarbon layer measured in monitor well MW-13, a groundwater sample was not collected. However, MW-13 was purged to remove the product layer, an activity that will be repeated monthly as an interim remedial measure.

Groundwater samples were collected in 40-milliliter glass vials preserved with hydrochloric acid and one-liter non-preserved amber glass containers and placed in an ice-filled cooler for shipment under chain-of-custody to a State of California certified laboratory. A trip blank was submitted for analysis by EPA Method 8260B.

### **Groundwater Analytical Results**

Table 2 presents groundwater analytical results for the June 2009 sampling event. TPH as degraded diesel was not detected in monitor wells. TPH as degraded gasoline was detected in MW-12. Benzene was not detected above the State of California maximum contaminant level (MCL) of 1.0 microgram per liter ( $\mu\text{g/l}$ ) in any wells. MTBE was detected above the San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (ESL) of 5  $\mu\text{g/l}$  in wells MW-14, MW-15, and MW-16, but below the MCL of 13  $\mu\text{g/l}$  in all monitor wells. No analytes were detected in the trip blank or method blank. A lab control spike and lab control spike duplicate passed the EPA's criteria for acceptance.

## **SUMMARY OF RESULTS**


- Groundwater flow is to the west at a gradient of 0.028 feet/foot.
- TPH as degraded diesel was not detected in any monitor wells.
- TPH as degraded gasoline was detected in MW-12 (115.0 ug/l).
- Benzene was not detected above the MCL of 1.0 ug/l in any monitor wells.
- MTBE was detected above the ESL of 5 ug/l in MW-14 (6.9 ug/l), MW-15 (6.2 ug/l) and MW-16 (7.2 ug/l).

## **PROJECTED WORK AND RECOMMENDATIONS**

On May 19, 2009 the State of California Water Resources Control Board adopted Resolution 2009-0042, which required Regional Water Boards and Local Oversight Program agencies (LOPs) to review their fuel leak cases and reduce quarterly monitoring requirements to semiannual or less frequent monitoring at all sites unless site-specific needs warrant otherwise and notify all responsible parties of the new requirements no later than August 1, 2009. The ACHCS notified AC Transit of the requirement in a July 24, 2009 letter which requested that a review of the monitoring program be completed to determine if site-specific needs warranted quarterly groundwater monitoring. Based on the requested review, quarterly groundwater monitoring of downgradient guard wells MW-11 and MW-12 and new offsite monitoring wells MW-14 through MW-16 will continue. Additionally, monthly over purging of MW-13 to remove the free-phase hydrocarbon layer will continue.

Semiannual groundwater monitoring of monitor wells MW-1 through MW-16 and W-1 is scheduled for August 2009. This event will include site-wide depth to groundwater level measurements including inspection of each monitor well for free-phase hydrocarbon.

## **FIGURES**



**Cameron-Cole**  
101 WEST ATLANTIC AVENUE, BUILDING 90  
ALAMEDA, CALIFORNIA 94501  
PHONE: 510-337-8660  
FAX: 510-337-3994  
<http://www.cameron-cole.com>



## FIGURE 1

SITE LOCATION MAP  
AC TRANSIT – EMERYVILLE  
EMERYVILLE, CALIFORNIA

SCALE:  
AS NOTED

DATE:

05-08-09



BY  
DRAWN SPS  
CHECKED  
APPROVED  
APPROVED  
APPROVED



**FIGURE 2**  
**POTENTIOMETRIC SURFACE CONTOUR MAP**  
**JUNE 11, 2009**  
**AC TRANSIT, EMERYVILLE FACILITY - OAKLAND, CA**

## **TABLES**

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-1	8/31/1999	32.56	None	3.24	29.32	NA
	11/23/1999		None	4.55	28.01	NA
	3/1/2000		None	3.65	28.91	NA
	5/17/2000		None	4.08	28.48	NA
	8/30/2000		None	5.18	27.38	NA
	12/18/2000		None	4.86	27.7	NA
	3/20/2001		None	4.22	28.34	NA
	6/7/2001		None	4.88	27.68	NA
	9/20/2001		None	4.97	27.59	NA
	12/14/2001		None	3.59	28.97	NA
	2/27/2002		None	4.03	28.53	NA
	5/16/2002		None	4.32	28.24	NA
	9/18/2002		None	4.61	27.95	NA
	10/30/2002		None	4.74	27.82	NA
	2/6/2003		None	4.08	28.48	NA
	5/1/2003		None	3.68	28.88	NA
	8/26/2003		None	4.64	27.92	NA
	11/20/2003		None	4.57	27.99	NA
	2/10/2004		None	3.95	28.61	NA
	5/18/2004		None	4.45	28.11	NA
	8/30/2004		None	5.14	27.42	NA
	11/17/2004		None	4.2	28.36	NA
	2/23/2005		None	3.55	29.01	NA
	11/2/2005**		None	5.14	27.42	NA
	5/28/2006**		None	4.05	28.51	NA
	11/12/2006**		None	3.36	29.20	NA
	5/27/2007**		None	4.90	27.66	NA
	11/10/2007**		None	4.65	27.91	NA
	5/25/2008**		None	4.65	27.91	NA
MW-1	3/24/2009	35.66	None	3.86	31.80	NA
	6/11/2009		None	4.39	31.27	NA
MW-2	8/31/1999	32.12	None	5.24	26.88	NA
	11/23/1999		None	4.03	28.09	NA
	3/1/2000		None	3.11	29.01	NA
	5/17/2000		None	3.66	28.46	NA
	8/30/2000		None	4.65	27.47	NA
	12/18/2000		None	4.06	28.06	NA
	3/20/2001		None	3.91	28.21	NA
	6/7/2001		None	4.40	27.72	NA
	9/20/2001		None	4.45	27.67	NA
	12/14/2001		None	3.19	28.93	NA
	2/27/2002		None	3.45	28.67	NA
	5/16/2002		None	3.74	28.38	NA
	9/18/2002		None	4.20	27.92	NA
	10/30/2002		None	4.23	27.89	NA
	2/6/2003		None	3.70	28.42	NA
	5/1/2003		None	3.59	28.53	NA
	8/26/2003		None	4.24	27.88	NA
	11/20/2003		None	4.35	27.77	NA
	2/10/2004		None	3.61	28.51	NA
	5/18/2004		None	3.91	28.21	NA
	8/30/2004		None	4.62	27.50	NA
	11/17/2004		None	3.91	28.21	NA
	2/23/2005		None	3.05	29.07	NA
	11/2/2005**		None	4.65	27.47	NA
	5/28/2006**		None	3.55	28.57	NA
	11/16/2006**		None	3.60	28.52	NA
	5/27/2007**		None	3.73	28.39	NA
	11/10/2007**		None	4.20	27.92	NA
	5/25/2008**		None	4.10	28.02	NA
MW-2	3/24/2009	35.14	None	3.52	31.62	NA
	6/11/2009		None	4.02	31.12	NA

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-3	8/31/1999	34.06	None	6.15	27.91	NA
	11/23/1999		None	5.78	28.28	NA
	3/1/2000		None	4.82	29.24	NA
	5/17/2000		None	5.29	28.77	NA
	8/30/2000		None	6.20	27.86	NA
	12/18/2000		None	5.65	28.41	NA
	3/20/2001		None	5.18	28.88	NA
	6/7/2001		None	6.01	28.05	NA
	9/20/2001		None	5.9	28.16	NA
	12/14/2001		None	4.66	29.40	NA
	2/27/2002		None	5.00	29.06	NA
	5/16/2002		None	5.21	28.85	NA
	9/18/2002		None	5.61	28.45	NA
	10/30/2002		None	5.72	28.34	NA
	2/6/2003		None	4.97	29.09	NA
	5/1/2003		None	4.89	29.17	NA
	8/26/2003		None	5.82	28.24	NA
	11/20/2003		None	5.92	28.14	NA
	2/10/2004		None	4.99	29.07	NA
	5/18/2004		None	5.52	28.54	NA
	8/30/2004		None	6.25	27.81	NA
	11/17/2004		None	5.25	28.81	NA
	2/23/2005		None	4.80	29.26	NA
	11/2/2005**		None	6.21	27.85	NA
	5/28/2006**		None	4.95	29.11	NA
	11/16/2006**		None	5.50	28.56	NA
	5/27/2007**		None	5.28	28.78	NA
	11/10/2007**		None	5.75	28.31	NA
	5/25/2008**		None	5.70	28.36	NA
MW-4	3/24/2009	37.15	None	4.79	32.36	NA
	6/11/2009	None	5.40	31.75	NA	
MW-4	8/31/1999	34.11	None	6.22	27.89	NA
	11/23/1999		None	6.01	28.10	NA
	3/1/2000		None	4.74	29.37	NA
	5/17/2000		None	5.33	28.78	NA
	8/30/2000		None	6.26	27.85	NA
	12/18/2000		None	5.66	28.45	NA
	3/20/2001		None	5.46	28.65	NA
	6/7/2001		None	6.02	28.09	NA
	9/20/2001		None	6.06	28.05	NA
	12/14/2001		None	5.39	28.72	NA
	2/27/2002		None	5.28	28.83	NA
	5/16/2002		None	5.39	28.72	NA
	9/18/2002		None	5.61	28.50	NA
	10/30/2002		None	5.70	28.41	NA
	2/6/2003		None	5.39	28.72	NA
	5/1/2003		None	5.25	28.86	NA
	8/26/2003		None	5.88	28.23	NA
	11/20/2003		None	5.84	28.27	NA
	2/10/2004		None	5.10	29.01	NA
	5/18/2004		None	5.58	28.53	NA
	8/30/2004		None	6.30	27.81	NA
	11/17/2004		None	5.34	28.77	NA
	2/23/2005		None	4.75	29.36	NA
	11/2/2005**		None	6.30	27.81	NA
	5/28/2006**		None	5.15	28.96	NA
	11/16/2006**		None	5.40	28.71	NA
	5/27/2007**		None	5.61	28.50	NA
	11/10/2007**		None	5.85	28.26	NA
	5/25/2008**		None	5.80	28.31	NA
MW-4	3/24/2009	37.15	None	5.12	32.03	NA
	6/11/2009	None	5.62	31.53	NA	

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-5	8/31/1999	31.70	None	4.51	27.19	NA
	11/23/1999		None	4.00	27.70	NA
	3/1/2000		None	3.31	28.39	NA
	5/17/2000		None	3.59	28.11	NA
	8/30/2000		None	4.53	27.17	NA
	12/18/2000		None	3.97	27.73	NA
	3/20/2001		None	3.68	28.02	NA
	6/7/2001		None	4.37	27.33	NA
	9/20/2001		None	4.46	27.24	NA
	12/14/2001		None	3.23	28.47	NA
	2/27/2002		None	3.44	28.26	NA
	5/16/2002		None	3.68	28.02	NA
	9/18/2002		None	4.04	27.66	NA
	10/30/2002		None	4.21	27.49	NA
	2/6/2003		None	3.61	28.09	NA
	5/1/2003		None	3.15	28.55	NA
	8/26/2003		None	4.00	27.70	NA
	11/20/2003		None	4.20	27.50	NA
	2/10/2004		None	3.38	28.32	NA
	5/18/2004		None	3.75	27.95	NA
	8/30/2004		None	4.55	27.15	NA
	11/17/2004		None	3.62	28.08	NA
	2/23/2005		None	2.98	28.72	NA
	11/2/2005**		None	4.55	27.15	NA
	5/28/2006**		None	3.62	28.08	NA
	11/12/2006**		None	2.50	29.20	NA
	5/27/2007**		None	3.64	28.06	NA
	11/10/2007**		None	4.10	27.60	NA
	5/25/2008**		None	4.05	27.65	NA
	3/24/2009	34.84	None	3.22	31.62	NA
	6/11/2009	None	3.85	30.99	NA	
MW-6	8/31/1999	31.02	None	4.40	26.62	NA
	11/23/1999		None	3.81	27.21	NA
	3/1/2000		None	2.88	28.14	NA
	5/17/2000		None	3.44	27.58	NA
	8/30/2000		None	4.40	26.62	NA
	12/18/2000		None	3.61	27.41	NA
	3/20/2001		None	3.16	27.86	NA
	6/7/2001		None	4.18	26.84	NA
	9/20/2001		Sheen	4.22	26.80	NA
	12/14/2001		None	3.62	27.40	NA
	2/27/2002		None	2.94	28.08	NA
	5/16/2002		None	3.53	27.49	NA
	9/18/2002		None	3.97	27.05	NA
	10/30/2002		None	3.96	27.06	NA
	2/6/2003		None	2.97	28.05	NA
	5/1/2003		None	3.98	27.04	NA
	8/26/2003		None	3.82	27.20	NA
	11/20/2003		None	3.78	27.24	NA
	2/10/2004		None	2.94	28.08	NA
	5/18/2004		None	3.47	27.55	NA
	8/30/2004		None	4.22	26.80	NA
	11/17/2004		None	3.19	27.83	NA
	2/23/2005		None	2.32	28.70	NA
	11/2/2005**		None	4.21	26.81	NA
	5/28/2006**		None	3.00	28.02	NA
	11/16/2006**		None	3.30	27.72	NA
	5/27/2007**		None	3.20	27.82	NA
	11/10/2007**		None	3.65	27.37	NA
	5/25/2008**		None	3.70	27.32	NA
	3/24/2007	34.09	None	2.78	31.31	NA
	6/11/2009	None	3.46	30.63	NA	

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-7	8/31/1999	29.62	None	5.47	24.15	NA
	11/23/1999		None	4.93	24.69	NA
	3/1/2000		None	4.06	25.56	NA
	5/17/2000		None	4.69	24.93	NA
	8/30/2000		None	5.50	24.12	NA
	12/18/2000		None	5.78	23.84	NA
	3/20/2001		None	4.83	24.79	NA
	6/7/2001		None	4.80	24.82	NA
	9/20/2001		None	5.19	24.43	NA
	12/14/2001		None	4.68	24.94	NA
	2/27/2002		None	4.53	25.09	NA
	5/16/2002		None	4.34	25.28	NA
	9/18/2002		None	5.28	24.34	NA
	10/30/2002		None	5.51	24.11	NA
	2/6/2003		None	4.36	25.26	NA
	5/1/2003		None	4.76	24.86	NA
	8/26/2003		None	5.25	24.37	NA
	11/20/2003		None	5.26	24.36	NA
	2/10/2004		None	4.31	25.31	NA
	5/18/2004		None	4.46	25.16	NA
	8/30/2004		None	5.61	24.01	NA
	11/17/2004		None	4.82	24.80	NA
	2/23/2005		None	4.14	25.48	NA
	11/2/2005**		None	5.50	24.12	NA
	5/28/2006**		None	4.25	25.37	NA
	11/16/2006**		None	5.70	23.92	NA
	5/27/2007**		None	4.54	25.08	NA
	11/10/2007**		None	5.15	24.47	NA
	5/25/2008**		None	5.40	24.22	NA
	3/24/2009	<b>32.67</b>	None	4.31	28.36	NA
MW-8	<b>6/11/2009</b>		<b>None</b>	<b>5.16</b>	<b>27.51</b>	<b>NA</b>
	8/31/1999	29.43	None	5.35	24.08	NA
	11/23/1999		None	4.75	24.68	NA
	3/1/2000		None	4.48	24.95	NA
	5/17/2000		None	4.78	24.65	NA
	8/30/2000		None	5.02	24.41	NA
	12/18/2000		None	5.23	24.20	NA
	3/20/2001		None	4.70	24.73	NA
	6/7/2001		None	5.13	24.30	NA
	9/20/2001		None	5.68	23.75	NA
	12/14/2001		None	4.26	25.17	NA
	2/27/2002		None	4.18	25.25	NA
	5/16/2002		None	4.58	24.85	NA
	9/18/2002		None	4.96	24.47	NA
	10/30/2002		None	4.99	24.44	NA
	2/6/2003		None	4.41	25.02	NA
	5/1/2003		None	4.29	25.14	NA
	8/26/2003		None	4.58	24.85	NA
	11/20/2003		None	4.69	24.74	NA
	2/10/2004		None	4.22	25.21	NA
	5/18/2004		None	4.52	24.91	NA
	8/30/2004		None	4.79	24.64	NA
	11/17/2004		None	4.56	24.87	NA
	2/23/2005		None	4.08	25.35	NA
	11/2/2005**		None	5.05	24.38	NA
	5/28/2006**		None	4.95	24.48	NA
	11/12/2006**		None	4.70	24.73	NA
	5/27/2007**		None	4.08	25.35	NA
	11/10/2007**		None	4.70	24.73	NA
	5/25/2008**		None	4.70	24.73	NA
	3/24/2009	<b>32.44</b>	None	4.21	28.23	NA
	<b>6/11/2009</b>		<b>None</b>	<b>4.56</b>	<b>27.88</b>	<b>NA</b>

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)	
MW-9	8/31/1999	29.18	None	4.15	25.03	NA	
	11/23/1999		None	3.93	25.25	NA	
	3/1/2000		None	3.69	25.49	NA	
	5/17/2000		None	3.56	25.62	NA	
	8/30/2000		None	4.64	24.54	NA	
	12/18/2000		None	4.02	25.16	NA	
	3/20/2001		None	3.92	25.26	NA	
	6/7/2001		None	4.28	24.90	NA	
	9/20/2001		None	5.12	24.06	NA	
	12/14/2001		None	3.87	25.31	NA	
	2/27/2002		None	4.48	24.70	NA	
	5/16/2002		None	5.13	24.05	NA	
	9/18/2002		None	4.48	24.70	NA	
	10/30/2002		None	3.90	25.28	NA	
	2/6/2003		None	3.65	25.53	NA	
	5/1/2003		None	4.50	24.68	NA	
	8/26/2003		None	4.33	24.85	NA	
	11/20/2003		None	3.83	25.35	NA	
	2/10/2004		None	3.17	26.01	NA	
	5/18/2004		None	3.42	25.76	NA	
	8/30/2004		None	3.45	25.73	NA	
	11/17/2004		None	3.44	25.74	NA	
	2/23/2005		None	3.28	25.90	NA	
	11/2/2005**		None	4.26	24.92	NA	
	5/28/2006**		None	3.70	25.48	NA	
	11/12/2006**		None	3.50	25.68	NA	
	5/27/2007**		None	3.43	25.75	NA	
	11/10/2007**		None	3.75	25.43	NA	
	5/25/2008**		None	2.80	26.38	NA	
	3/24/2009	32.31		None	3.31	29.00	NA
	<b>6/11/2009</b>	<b>None</b>	<b>3.48</b>	<b>28.83</b>	<b>NA</b>		
MW-10	8/31/1999	29.13	None	9.59	19.54	NA	
	11/23/1999		None	9.44	19.69	NA	
	3/1/2000		None	9.06	20.07	NA	
	5/17/2000		None	9.31	19.82	NA	
	8/30/2000		None	9.68	19.45	NA	
	12/18/2000		None	9.41	19.72	NA	
	3/20/2001		None	9.23	19.90	NA	
	6/7/2001		None	9.60	19.53	NA	
	9/20/2001		None	9.70	19.43	NA	
	12/14/2001		None	8.83	20.30	NA	
	2/27/2002		None	9.15	19.98	NA	
	5/16/2002		None	9.45	19.68	NA	
	9/18/2002		None	9.65	19.48	NA	
	10/30/2002		None	9.73	19.40	NA	
	2/6/2003		None	9.34	19.79	NA	
	5/1/2003		None	9.14	19.99	NA	
	8/26/2003		None	9.69	19.44	NA	
	11/20/2003		None	9.62	19.51	NA	
	2/10/2004		None	9.20	19.93	NA	
	5/18/2004		None	9.58	19.55	NA	
	8/30/2004		None	9.85	19.28	NA	
	11/17/2004		None	9.26	19.87	NA	
	2/23/2005		None	8.60	20.53	NA	
	11/2/2005**		None	9.81	19.32	NA	
	5/28/2006**		None	9.55	19.58	NA	
	11/16/2006**		<b>Well not accessible.</b>				
	2/24/2007**		None	9.00	20.13	NA	
	5/27/2007**		None	9.45	19.68	NA	
	11/10/2007**		None	9.70	19.43	NA	
	5/25/2008**		None	10.15	18.98	NA	
	3/24/2009	31.92		None	9.45	22.47	NA
	<b>6/11/2009</b>	<b>None</b>	<b>9.93</b>	<b>21.99</b>	<b>NA</b>		

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-11	9/20/2001	28.93	None	4.41	24.52	NA
	12/14/2001		None	1.82	27.11	NA
	2/27/2002		None	2.39	26.54	NA
	5/16/2002		None	2.98	25.95	NA
	9/18/2002		None	4.00	24.93	NA
	10/30/2002		None	4.14	24.79	NA
	2/6/2003		None	2.59	26.34	NA
	5/1/2003		None	2.26	26.67	NA
	8/26/2003		None	3.79	25.14	NA
	11/20/2003		None	3.66	25.27	NA
	2/10/2004		None	2.40	26.53	NA
	5/18/2004		None	3.20	25.73	NA
	8/30/2004		None	4.43	24.50	NA
	11/17/2004		None	2.36	26.57	NA
	2/23/2005		None	2.05	26.88	NA
	11/2/2005**		None	4.30	24.63	NA
	2/22/2006**		None	2.50	26.43	NA
	5/28/2006**		None	2.85	26.08	NA
	8/27/2006**		None	3.00	25.93	NA
	11/12/2006**		None	3.02	25.91	NA
	2/24/2007**		None	2.15	26.78	NA
	5/27/2007**		None	2.78	26.15	NA
	9/2/2007**		None	4.20	24.73	NA
	11/10/2007**		None	3.30	25.63	NA
	2/28/2008**		None	2.31	26.62	NA
	5/25/2008**		None	3.70	25.23	NA
	11/2/2008**		None	2.98	25.95	NA
MW-12	3/24/2009	<b>31.95</b>	None	2.37	29.58	NA
	<b>6/11/2009</b>		<b>None</b>	<b>3.18</b>	<b>28.77</b>	<b>NA</b>
MW-12	9/20/2001	28.68	None	10.41	18.27	NA
	12/14/2001		None	9.62	19.06	NA
	2/27/2002		None	10.09	18.59	NA
	5/16/2002		None	10.04	18.64	NA
	9/18/2002		None	10.66	18.02	NA
	10/30/2002		None	10.62	18.06	NA
	2/6/2003		None	9.97	18.71	NA
	5/1/2003		None	9.78	18.90	NA
	8/26/2003		None	10.70	17.98	NA
	11/20/2003		None	10.53	18.15	NA
	2/10/2004		None	9.80	18.88	NA
	5/18/2004		None	10.13	18.55	NA
	8/30/2004		None	10.32	18.36	NA
	11/17/2004		None	9.91	18.77	NA
	2/23/2005		None	9.29	19.39	NA
	11/2/2005**		None	10.76	17.92	NA
	2/22/2006**		None	10.50	18.18	NA
	5/28/2006**		None	10.82	17.86	NA
	8/27/2006**		None	10.50	18.18	NA
	11/16/2006**		None	10.80	17.88	NA
	2/24/2007**		None	10.30	18.38	NA
	5/27/2007**		None	10.88	17.80	NA
	9/2/2007**		None	10.70	17.98	NA
	11/10/2007**		None	10.90	17.78	NA
	2/28/2008**		None	11.35	17.33	NA
	5/25/2008**		None	11.80	16.88	NA
	11/2/2008**		None	10.50	18.18	NA
	3/24/2009	<b>31.76</b>	None	10.31	21.45	NA
	<b>6/11/2009</b>		<b>None</b>	<b>10.38</b>	<b>21.38</b>	<b>NA</b>

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
MW-13	9/20/2001	22.715	None	8.83	13.89	NA
	12/14/2001		None	7.95	14.77	NA
	2/27/2002		None	7.64	15.08	NA
	5/16/2002		None	8.43	14.29	NA
	9/18/2002		6.86	15.09	7.63	13.11
	10/30/2002		6.04	14.29	8.43	13.26
	2/6/2003		0.09	8.25	14.47	14.54
	5/1/2003		0.24	7.29	15.43	15.62
	8/26/2003		0.39	9.70	13.02	13.33
	11/20/2003		0.85	9.85	12.87	13.55
	2/10/2004		0.88	10.59	12.13	12.83
	5/18/2004		0.92	10.70	12.02	12.75
	8/30/2004		1.06	9.36	13.36	14.20
	11/17/2004		0.25	9.74	12.98	13.18
	2/23/2005		0.07	6.49	16.23	16.28
	11/2/2005**		0.063	9.10	13.62	13.67
	2/22/2006**		0.167	NM	NM	NM
	5/28/2006**		NM	NM	NM	NM
	11/16/2006**		0.017	NM	NM	NM
	5/27/2007**		0.045	9.45	13.27	13.30
	9/2/2007**		1.1	10.30	12.42	13.30
	11/10/2007**		1.22	10.62	12.10	13.07
	2/28/2008**		0.7	9.90	12.82	13.38
	5/25/2008**		1.1	10.50	12.22	13.10
	11/2/2008**		1.1	10.40	12.32	13.20
	3/24/2009	26.70	0.36	9.25	17.45	17.74
MW-14	6/11/2009	0.28	10.45	16.25	16.47	
	3/24/2009	25.98	None	8.63	17.35	NA
MW-15	6/11/2009	None	9.16	16.82	NA	
	3/24/2009	24.22	None	6.95	17.27	NA
MW-16	6/11/2009	None	8.82	15.40	NA	
	3/24/2009	22.90	None	6.43	16.47	NA
W-1	6/11/2009	None	7.36	15.54	NA	
	3/2/2000	33.43	None	4.08	29.35	NA
	5/17/2000		None	5.41	28.02	NA
	8/30/2000		None	6.71	26.72	NA
	12/18/2000		None	5.73	27.70	NA
	3/20/2001		None	5.16	28.27	NA
	6/7/2001		None	6.10	27.33	NA
	9/20/2001		None	6.58	26.85	NA
	12/14/2001		None	4.69	28.74	NA
	2/27/2002		None	4.94	28.49	NA
	5/16/2002		None	5.54	27.89	NA
	9/18/2002		None	6.08	27.35	NA
	10/30/2002		None	6.24	27.19	NA
	2/6/2003		None	5.17	28.26	NA
	5/1/2003		None	4.71	28.72	NA
	8/26/2003		None	6.14	27.29	NA
	11/20/2003		None	6.19	27.24	NA
	2/10/2004		None	4.95	28.48	NA
	5/18/2004		None	5.70	27.73	NA
	8/30/2004		None	6.64	26.79	NA
	11/17/2004		None	5.36	28.07	NA
	2/23/2005		None	4.26	29.17	NA
	11/2/2005**		None	6.59	26.84	NA
	5/28/2006**		None	5.15	28.28	NA
	11/16/2006**		None	5.50	27.93	NA
	5/27/2007**		None	5.80	27.63	NA
	11/10/2007**		None	5.95	27.48	NA
	5/25/2008**		None	5.95	27.48	NA
	3/24/2009	36.57	None	4.77	31.80	NA
	6/11/2009	None	5.68	30.89	NA	

**TABLE 1**  
**GROUNDWATER LEVEL MEASUREMENTS**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	Top of Casing Elevation (ft-msl)	Product Thickness (feet)	DTW (feet)	Groundwater Elevation (ft-msl)	Groundwater Elevation Corrected from Product Thickness* (ft-msl)
W-2	5/17/2000	34.21	None	5.60	28.61	NA
	8/30/2000		None	7.37	26.84	NA
	12/18/2000		None	6.44	27.77	NA
	<b>1/23/2001</b>					<b>abandoned</b>
W-3	5/17/2000	37.46	None	6.38	31.08	NA
	8/30/2000		None	8.16	29.30	NA
	12/18/2000		None	7.19	30.27	NA
	3/20/2001		None	5.70	31.76	NA
	6/7/2001		None	7.51	29.95	NA
	9/20/2001		None	7.83	29.63	NA
	12/14/2001		None	4.76	32.70	NA
	2/27/2002		None	5.32	32.14	NA
	5/16/2002		None	6.45	31.01	NA
	9/18/2002		None	7.10	30.36	NA
	10/30/2002		None	7.30	30.16	NA
	2/6/2003		None	5.69	31.77	NA
	5/1/2003		None	4.97	32.49	NA
	8/26/2003		None	7.52	29.94	NA
	11/20/2003		None	7.58	29.88	NA
	2/10/2004		None	5.63	31.83	NA
	5/18/2004		None	6.20	31.26	NA
	8/30/2004		None	8.39	29.07	NA
	11/17/2004		None	6.57	30.89	NA
	2/23/2005		None	4.24	33.22	NA
	11/2/2005**		None	8.24	29.22	NA
	5/28/2006**		None	6.32	31.14	NA
	11/16/2006**		None	6.80	30.66	NA
	5/27/2007**		None	6.73	30.73	NA
	11/10/2007**		None	7.55	29.91	NA
	5/25/2008**		None	7.50	29.96	NA
	3/24/2009	<b>40.41</b>	None	5.67	34.74	NA
	<b>6/11/2009</b>		<b>None</b>	<b>4.09</b>	<b>36.32</b>	<b>NA</b>
W-4	3/2/2000	31.72	None	3.34	28.38	NA
	5/17/2000		None	3.86	27.86	NA
	8/30/2000		None	4.99	26.73	NA
	12/18/2000		None	4.20	27.52	NA
	3/20/2001		None	3.75	27.97	NA
	6/7/2001		None	4.67	27.05	NA
	9/20/2001		None	4.80	26.92	NA
	12/14/2001		None	3.22	28.50	NA
	2/27/2002		None	3.58	28.14	NA
	5/16/2002		None	3.89	27.83	NA
	9/18/2002		None	4.24	27.48	NA
	10/30/2002		None	4.56	27.16	NA
	2/6/2003		None	3.67	28.05	NA
	5/1/2003		None	2.61	29.11	NA
	8/26/2003		None	4.47	27.25	NA
	11/20/2003		None	4.42	27.30	NA
	2/10/2004		None	3.54	28.18	NA
	5/18/2004		None	4.11	27.61	NA
	8/30/2004		None	4.85	26.87	NA
	11/17/2004		None	3.81	27.91	NA
	2/23/2005		None	2.97	28.75	NA
	11/2/2005**		None	4.70	27.02	NA
	5/28/2006**		None	4.50	27.22	NA
	11/16/2006**		None	3.90	27.82	NA
	5/27/2007**		None	3.82	27.90	NA
	11/10/2007**		None	4.30	27.42	NA
	5/25/2008**		None	4.40	27.32	NA
	3/24/2009	<b>34.81</b>	None	3.63	31.18	NA
	<b>6/11/2009</b>		<b>None</b>	<b>7.26</b>	<b>27.55</b>	<b>NA</b>

*Notes:*

\* used 0.8 specific gravity of product

ft-msl:feet mean sea level

DTW: Depth to water

NA: not applicable

\*\* Essel Technology Services, Inc. data.

**TABLE 2**  
**ANALYTICAL RESULTS GROUNDWATER SAMPLES**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	TPH-8015 (diesel)	TPH-8015 (gas)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE
MCL (ug/l)	None	None	1.0	150	300	1750	13	
ESL (ug/l)	100	100	1.0	40	30	20	5	
MW-1	8/31/1999	310	NA	<1.0	2.4	1	1.6	NA
	11/23/1999	250	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	310	62	<1.0	<1.0	<1.0	<2.0	687
	5/17/2000	390	63	<1.0	<1.0	<1.0	<2.0	74
	8/31/2000	180	<50	<1.0	<1.0	<1.0	<2.0	49
	12/18/2000	310	<50	<1.0	<1.0	<1.0	<2.0	44
	3/21/2001	240	<50	<1.0	<1.0	<1.0	<2.0	17
	6/7/2001	540	<50	<1.0	<1.0	<1.0	<2.0	32
	9/20/2001	290	<50	<1.0	<1.0	<1.0	<2.0	29
	2/27/2002	<250	<50	<1.0	<1.0	<1.0	<2.0	14
	9/18/2002	230	<50	<1.0	<1.0	<1.0	<2.0	30
	2/6/2003	82	<50	<0.5	<0.5	<0.5	<1.0	17
	8/26/2003	200	<50	<0.5	<0.5	<0.5	<1.0	9.8
	2/10/2004	4,800	<50	<0.5	<0.5	<0.5	<1.0	6.6
	8/30/2004	<56	<50	<0.5	<0.5	<0.5	<1.5	4.2
	2/23/2005	<50	<50	<0.5	<0.5	<0.5	<1.0	6.1
	11/3/2005*	70	<50	<0.5	<0.5	<0.5	<0.5	4.5
	5/29/2006*	89	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/12/2006*	65	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	65	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	59	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	60	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	3/24/2009	<100	<50	<1.0	<1.0	<1.0	<2.0	1.1
MW-2	8/31/1999	180	NA	<1.0	<1.0	<1.0	1.2	NA
	11/23/1999	120	NA	<1.0	<1.0	<1.0	<5.0	NA
	3/1/2000	510	<50	<1.0	<1.0	<1.0	<2.0	81
	5/17/2000	1,100	<50	<1.0	<1.0	<1.0	<2.0	87
	8/31/2000	620	<50	<1.0	<1.0	<1.0	<2.0	65
	12/19/2000	830	<50	<1.0	<1.0	<1.0	<2.0	70
	3/21/2001	900	<50	<2.0	<2.0	<2.0	<4.0	33
	6/7/2001	810	<50	<1.0	<1.0	<1.0	<2.0	43
	9/20/2001	1,200	<50	<1.0	<1.0	<1.0	<2.0	35
	2/27/2002	<250	<50	<1.0	<1.0	<1.0	<2.0	19
	9/18/2002	180	<50	<1.0	<1.0	<1.0	<2.0	17
	2/6/2003	58	<50	<0.5	<0.5	<0.5	<1.0	18
	8/26/2003	150	<50	<0.5	<0.5	<0.5	<1.0	15
	2/11/2004	<50	<50	<0.5	<0.5	<0.5	<1.0	5.2
	8/30/2004	<56	<50	<0.5	<0.5	<0.5	<1.5	6.3
	2/23/2005	<50	<50	<0.5	<0.5	<0.5	<1.0	8.4
	11/3/2005*	110	<50	<0.5	<0.5	<0.5	<0.5	4.9
	5/29/2006*	70	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	75	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	62	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	3/24/2009	<97	<50	<1.0	<1.0	<1.0	<2.0	2.9
MW-3	8/31/1999	2,700	NA	<1.0	<1.0	<1.0	<1.0	NA
	11/23/1999	640	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	5/17/2000	620	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	1,800	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	12/18/2000	NA	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	3/21/2001	1,700	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	6/7/2001	770	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	9/21/2001	260	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	2/27/2002	560	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	9/18/2002	340	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	2/6/2003	<50	<50	<0.5	<0.5	<0.5	<1.0	3.9
	8/26/2003	5,800	<50	<0.5	<0.5	<0.5	<1.0	4.9
	2/11/2004	<50	<50	<0.5	<0.5	<0.5	<1.0	3.4
	8/30/2004	<56	<50	<0.5	<0.5	<0.5	1.5	4
	2/23/2005	<50	<50	<0.5	<0.5	<0.5	<1.0	5.4
	11/3/2005*	180	<50	<0.5	<0.5	<0.5	<0.5	3.2
	5/29/2006*	180	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	730	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	910	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	3/25/2009	<110	<50	<1.0	<1.0	<1.0	<2.0	<1.0

**TABLE 2**  
**ANALYTICAL RESULTS GROUNDWATER SAMPLES**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	TPH-8015 (diesel)	TPH-8015 (gas)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE
MCL (ug/l)	None	None	1.0	150	300	1750	13	
ESL (ug/l)	100	100	1.0	40	30	20	5	
MW-4	8/31/1999	<50	NA	<1.0	<1.0	<1.0	1.6	NA
	11/23/1999	<50	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	5/17/2000	80	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	12/18/2000	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	3/20/2001	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	6/7/2001	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	11/3/2005*	<50	<50	<0.5	<0.5	<0.5	<0.5	4.1
	5/29/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	3/25/2009	<95	<50	<1.0	<1.0	<1.0	<2.0	1.0
MW-5	8/31/1999	250	NA	<1.0	<1.0	<1.0	1	NA
	11/23/1999	300	NA	<1.0	<1.0	<1.0	<5.0	NA
	3/1/2000	340	<50	<1.0	<1.0	<1.0	<2.0	100
	5/17/2000	230	<50	<1.0	<1.0	<1.0	<2.0	86
	8/31/2000	220	<50	<1.0	<1.0	<1.0	<2.0	59
	12/18/2000	360	<50	<1.0	<1.0	<1.0	<2.0	57
	3/20/2001	250	<50	<5.0	<5.0	<5.0	<10	87
	6/7/2001	600	<50	<1.0	<1.0	<1.0	<2.0	74
	11/3/2005*	1,500	<50	<0.5	<0.5	<0.5	<0.5	5.7
	5/29/2006*	200	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/12/2006*	130	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	180	140	<0.5	<0.5	<0.5	<0.5	<10
	11/10/2007*	110	170	<0.5	<0.5	0.59	1.3	<10
	5/25/2008*	200	82	<0.5	<0.5	<0.5	<0.5	<5.0
	3/25/2009	<95	<50	<1.0	<1.0	<1.0	<2.0	1.1
MW-6	8/31/1999	140,000	NA	77	18	31	49	NA
	11/23/1999	6,100	NA	45	14	6.9	48	NA
	3/1/2000	22,000	2800	6.8	<2.0	<2.0	<10	<5.0
	5/17/2000	1,800	6200	77	16	39	37	<5.0
	8/31/2000	76,000	5300	60	13	43	45.7	<5.0
	12/19/2000	6,300	1300	26.0	4.9	8.4	11.5	<5.0
	3/21/2001	5,100	1900	49.0	9.5	13	12	<10
	6/7/2001	14,000	2600	47.0	10	13	19	<10
	9/21/2001	15,000	4000	180	14	24	40	<50
	2/27/2002	43,000	5000	68	16	52	41.8	<25
	9/18/2002	320,000	2000	74	7.3	22	25	<5.0
	2/6/2003	4,300	2600	63	8.2	18	15	<1.0
	8/26/2003	68,000	6500	110	16	44	42	<10
	2/10/2004	19,000	3500	37	4.9	24	15	<5
	8/30/2004	<56	<50	86	7.8	15	27	<5
	2/23/2005	4,930	687	7.9	2	0.9	4.3	<0.5
	11/3/2005*	2,000	750	13	1.9	2.9	4.6	1.4
	5/29/2006*	12,000	2700	55	5.7	16	26	<15
	11/16/2006*	2,100	530	12	0.82	0.58	2.8	<5.0
	5/27/2007*	2,500	5200	110	5.1	23	17	<60
	11/10/2007*	9,300	2100	30	<1.7	3.9	4	<17
	5/25/2008*	20,000	5000	88	<2.5	31	14	<25
	3/25/2009	2,610	785	8.9	<2.0	2.9	<4.0	<2.0
MW-7	8/31/1999	1,400	NA	<1.0	2.9	2.3	2.7	NA
	11/23/1999	530	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	640	860	<1.0	<1.0	<1.0	<2.0	<20
	5/17/2000	430	410	<1.0	<1.0	<1.0	<2.0	9.5
	8/31/2000	950	1100	<1.0	<1.0	<1.0	<2.0	<5.0
	12/18/2000	1,100	820	<1.0	<1.0	<1.0	<2.0	<5.0
	3/20/2001	770	1000	<1.0	1.4	<1.0	<2.0	<5.0
	6/7/2001	1,400	870	<1.0	<1.0	<1.0	<2.0	<5.0
	9/21/2001	940	1000	<1.0	<1.0	<2.0	<5.0	<5.0
	2/27/2002	430	930	<1.0	<1.0	<1.0	<2.0	<5.0
	9/18/2002	440	870	<1.0	<1.0	<1.0	<2.0	<5.0
	2/6/2003	230	890	<0.5	<0.5	<0.5	<1.0	1.6
	8/26/2003	470	590	<0.5	<0.5	<0.5	<1.0	1.5
	2/11/2004	140	690	<0.5	1.9	0.57	1.0	1.1
	8/30/2004	<56	200	<0.5	<0.5	<0.5	<1.5	1.5
	2/23/2005	290	283	<0.5	<0.5	<0.5	<1.0	1.1
	11/3/2005*	140	310	<0.5	<0.5	<0.5	<0.5	2.3
	5/29/2006*	120	260	<0.5	<0.5	<0.5	<0.5	<5.0
	11/12/2006*	96	120	<0.5	<0.5	<0.5	0.76	<5.0
	5/27/2007*	220	700	<0.5	<0.5	1.0	2.0	<5.0
	11/10/2007*	150	220	<0.5	<0.5	<0.5	1.0	<5.0
	5/25/2008*	270	620	0.81	<0.5	0.85	1.8	<10
	3/25/2009	<99	529	<1.0	<1.0	<1.0	<2.0	<1.0

**TABLE 2**  
**ANALYTICAL RESULTS GROUNDWATER SAMPLES**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	TPH-8015 (diesel)	TPH-8015 (gas)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE
MCL (ug/l)	None	None	1.0	150	300	1750	13	
ESL (ug/l)	100	100	1.0	40	30	20	5	
MW-8	8/31/1999	230	NA	<1.0	<1.0	1.2	<1.0	NA
	11/23/1999	220	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	260	150	<1.0	<1.0	<1.0	<2.0	<5.0
	5/17/2000	660	310	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	460	300	<1.0	<1.0	<1.0	1.4	<5.0
	12/18/2000	370	230	<1.0	<1.0	<1.0	<2.0	<5.0
	3/20/2001	1,700	64	<1.0	<1.0	<1.0	<2.0	<5.0
	6/7/2001	1,300	180	<1.0	<1.0	<1.0	<2.0	<5.0
	11/3/2005*	280	150	<0.5	<0.5	<0.5	<0.5	0.69
	5/29/2006*	150	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/12/2006*	<50	95	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	140	140	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	160	240	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	160	230	<0.5	<0.5	<0.5	0.61	<5.0
	3/25/2009	<95	72.8	<1.0	<1.0	<1.0	<2.0	1.2
MW-9	8/31/1999	2,800	NA	<1.0	<1.0	<1.0	1.1	NA
	11/23/1999	1,300	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	510	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	5/17/2000	990	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	1,100	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	12/18/2000	1,900	<50	<1.0	<1.0	<1.0	<2.0	5.9
	3/20/2001	1,500	<50	<1.0	<1.0	<1.0	<2.0	5.5
	6/7/2001	590	<50	<1.0	<1.0	<1.0	<2.0	8.1
	9/20/2001	790	<50	<1.0	<1.0	<1.0	<2.0	8.5
	2/27/2002	650	<50	<1.0	<1.0	<1.0	<2.0	9.5
	9/18/2002	480	<50	<1.0	<1.0	<1.0	<2.0	6.2
	2/6/2003	54	<50	<0.5	<0.5	<0.5	<1.0	5.5
	8/26/2003	1,300	<50	<0.5	<0.5	<0.5	<1.0	6.6
	2/10/2004	6,200	250	<0.5	<0.5	<0.5	<1.0	4.4
	8/30/2004	<50	<50	<0.5	<0.5	<0.5	<1.5	3.6
	2/23/2005	<0.5	<50	<0.5	<0.5	<0.5	<1.0	6.0
	11/3/2005*	470	<50	<0.5	<0.5	<0.5	<0.5	4.8
	5/29/2006*	190	<50	<0.5	<0.5	<0.5	<0.5	5.2
	11/12/2006*	65	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	1,000	<50	<0.5	0.92	<0.5	<0.5	<5.0
	11/10/2007*	930	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	740	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	3/25/2009	<390	<50	<1.0	<1.0	<1.0	<2.0	3.5
MW-10	8/31/1999	1,100	NA	<1.0	1.2	2.0	<1.0	NA
	11/23/1999	1,200	NA	<1.0	<1.0	<1.0	<1.0	NA
	3/1/2000	1,300	540	<1.0	<1.0	<1.0	<2.0	NA
	5/17/2000	990	460	<1.0	<1.0	<1.0	<2.0	6.9
	8/31/2000	840	320	<1.0	<1.0	<1.0	<2.0	25
	12/18/2000	900	290	<1.0	<1.0	<1.0	<2.0	<9.0
	3/21/2001	620	220	<1.0	<1.0	<1.0	<2.0	<5.0
	6/7/2001	1,300	360	<1.0	<1.0	<1.0	<2.0	15
	9/20/2001	1,000	350	<1.0	<1.0	<1.0	<2.0	44
	2/27/2002	610	150	<1.0	<1.0	<1.0	<2.0	<5.0
	9/18/2002	850	240	<1.0	1.2	<1.0	<2.0	20
	2/6/2003	510	200	<0.5	<0.5	<0.5	<1.0	2.8
	8/26/2003	1,100	250	<0.5	<0.5	<0.5	<1.0	14
	2/10/2004	260	190	<0.5	<0.5	<0.5	<1.0	1.6
	8/30/2004	310	240	<0.5	<0.5	<0.5	<1.5	6.7
	2/23/2005	310	207	<0.5	0.7	1.4	1.3	<0.5
	11/3/2005*	600	300	<0.5	<0.5	<0.5	<0.5	4.1
	5/29/2006*	540	140	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	Well Not Accessible						
	2/24/2007*	970	190	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	850	330	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	1,200	420	<0.5	<0.5	<0.5	<0.5	<5.0
	5/28/2008*	930	330	<0.5	<0.5	0.92	1.1	<5.0
	3/25/2009	948	173	<1.0	<1.0	<1.0	<2.0	<1.0

**TABLE 2**  
**ANALYTICAL RESULTS GROUNDWATER SAMPLES**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	TPH-8015 (diesel)	TPH-8015 (gas)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	
MCL (ug/l)	None	None	1.0	150	300	1750	13		
ESL (ug/l)	100	100	1.0	40	30	20	5		
MW-11	9/20/2001	460	88	<1.0	<1.0	<1.0	<2.0	<5.0	
	12/14/2002	320	<50	<1.0	<1.0	<1.0	<2.0	<5.0	
	2/27/2002	<50	<50	<1.0	<1.0	<1.0	<2.0	<5.0	
	5/16/2002	380	<50	<1.0	<1.0	<1.0	<2.0	<5.0	
	9/18/2002	250	<50	<1.0	<1.0	<1.0	<2.0	<5.0	
	10/30/2002	260	<50	<0.5	<0.5	<0.5	<1.5	<2.5	
	2/6/2003	250	<50	<0.5	<0.5	<0.5	<1.0	<1.0	
	5/1/2003	220	<50	<0.5	<0.5	<0.5	<1.0	<1.0	
	8/26/2003	300	<50	<0.5	<0.5	<0.5	<1.0	<1.0	
	11/20/2003	77	<50	<0.5	<0.5	<0.5	<1.0	<1.0	
	5/18/2004	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0	
	8/30/2004	<56	<50	<0.5	<0.5	<0.5	<1.5	<1.0	
	11/17/2004	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5	
	2/23/2005	<50	<50	<0.5	<0.5	<0.5	<1.0	<0.5	
	11/3/2005*	290	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	2/22/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	5/29/2006*	250	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	8/27/2006*	57	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	11/12/2006*	56	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	2/24/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	5/27/2007*	61	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	9/2/2007*	67	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	11/10/2007*	55	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	2/28/2008*	71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	5/28/2008*	110	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	11/2/2008*	200	<50	2.1	<0.5	0.51	0.70	<5.0	
	3/25/2009	<99	<50	<1.0	<1.0	<1.0	<2.0	<1.0	
	<b>6/11/2009</b>	<b>&lt;95</b>	<b>&lt;50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;1.0</b>	
MW-12	9/20/2001	540	960	<1.0	<1.0	<2.0	<5.0	11	
	12/14/2002	170	670	<1.0	<1.0	<1.0	<2.0	9.4	
	2/27/2002	350	950	<1.0	<1.0	<1.0	<2.0	11	
	5/16/2002	500	1100	<1.0	<1.0	<1.0	<2.0	6.7	
	9/18/2002	1,600	570	<1.0	<1.0	<1.0	<3.0	7.1	
	10/30/2002	440	420	<0.5	<0.5	<0.5	<1.5	<2.5	
	2/6/2003	190	340	<0.5	<0.5	<0.5	<1.0	6.8	
	5/1/2003	580	950	<2.5	<2.5	3.7	9.0	8.8	
	8/26/2003	110	260	<0.5	<0.5	<0.5	<1.0	11	
	11/20/2003	100	160	<0.5	<0.5	<0.5	<1.0	8.9	
	2/10/2004	210	490	<0.5	0.6	<0.5	<1.0	6.7	
	5/18/2004	190	620	<0.5	<0.5	0.8	<1.0	5.6	
	8/30/2004	<56	430	<0.5	<0.5	<0.5	<1.5	5.6	
	11/17/2004	320	186	<0.5	0.5	0.5	<1.0	10.8	
	2/23/2005	340	790	3.0	6.9	1.4	4.2	6.2	
	11/3/2005*	120	440	<0.5	<0.5	<0.5	<0.5	6.6	
	2/22/2006*	140	400	<0.5	<0.5	<0.5	<0.5	7.8	
	5/29/2006*	140	310	<0.5	<0.5	<0.5	<0.5	5.7	
	8/27/2006*	120	530	<0.5	<0.5	<0.5	<0.5	6.6	
	11/16/2006*	200	740	<0.5	2.1	<0.5	6.3	<10	
	2/24/2007*	87	200	<0.5	<0.5	<0.5	<0.5	<10	
	5/27/2007*	140	340	<0.5	<0.5	1.4	1.8	<10	
	9/2/2007*	130	430	<0.5	<0.5	<0.5	0.77	8.3	
	11/10/2007*	94	360	<0.5	<0.5	<0.5	<0.5	<10	
	2/28/2008*	160	55	<0.5	<0.5	<0.5	<0.5	10	
	5/28/2008*	850	120	<0.5	<0.5	<0.5	<0.5	8.9	
	11/2/2008*	200	320	0.64	<0.5	<0.5	<0.5	<5.0	
	3/25/2009	<96	89.0	<1.0	<1.0	<1.0	<2.0	4.3	
	<b>6/11/2009</b>	<b>&lt;95</b>	<b>115.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>1.7</b>	
MW-13	9/21/2001	<250	<50	<1.0	<1.0	<1.0	<2.0	7.4	
	12/14/2002	160	<50	<1.0	<1.0	<1.0	<2.0	11	
	2/27/2002	1,100	450	<1.0	<5.0	<1.0	<2.0	9.9	
	11/3/2005*			Not sampled - free-phase product in well					
	2/22/2006*			Not sampled - free-phase product in well					
	5/29/2006*			Not sampled - free-phase product in well					
	11/16/2006*			Not sampled - free-phase product in well					
	5/27/2007*			Not sampled - free-phase product in well					
	9/2/2007*			Not sampled - free-phase product in well					
	11/10/2007*			Not sampled - free-phase product in well					
	2/28/2008*			Not sampled - free-phase product in well					
	5/25/2008*			Not sampled - free-phase product in well					
	3/24/2009			Not sampled - free-phase product in well					
	<b>6/11/2009</b>			<b>Not sampled - free-phase product in well</b>					

**TABLE 2**  
**ANALYTICAL RESULTS GROUNDWATER SAMPLES**  
**AC TRANSIT**  
**1177 47TH STREET, EMERYVILLE, CALIFORNIA**

Well	Date	TPH-8015 (diesel)	TPH-8015 (gas)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE
MCL (ug/l)		None	None	1.0	150	300	1750	13
ESL (ug/l)		100	100	1.0	40	30	20	5
MW-14	3/25/2009	<95	<50	<1.0	<1.0	<1.0	<2.0	5.8
	<b>6/11/2009</b>	<b>&lt;95</b>	<b>&lt;50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>6.9</b>
MW-15	3/24/2009	<95	<50	<1.0	<1.0	<1.0	<2.0	5.0
	<b>6/11/2009</b>	<b>&lt;95</b>	<b>&lt;50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>6.2</b>
MW-16	3/24/2009	<96	62.9	<1.0	<1.0	<1.0	<2.0	10.3
	<b>6/11/2009</b>	<b>&lt;95</b>	<b>&lt;50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>7.2</b>
W-1	5/16/2002	520	150	<1.0	<1.0	<1.0	<2.0	8.7
	3/2/2000	1,800	3,400	20.0	5.3	30	23.8	<5.0
	5/17/2000	1,100	7,300	35.0	11	59	45	<1.0
	8/31/2000	2,200	6,200	20.0	7.9	36	38.2	<10
	12/19/2000	1,700	5,600	20.0	8.4	30	35.6	<5.0
	3/20/2001	2,100	7,200	32.0	13	56	40	<10
	6/7/2001	2,100	7,300	26.0	18	42	38.3	<10
	9/21/2001	1,800	7,100	27	<10	48	40	<10
	2/27/2002	1,800	7,100	24	9	52	34	<25
	2/6/2003	990	5,300	11	4.7	27	24	<1.0
	8/26/2003	1,700	5,800	7.5	5.4	24	25	<10
	2/10/2004	940	6,000	16.0	4.9	20	21	<1.0
	8/30/2004	<56	2,500	8.6	3.6	11	18	<1.30
	2/23/2005	1,910	3,900	74.1	12.2	64.4	48.2	<0.5
	11/3/2005*	2,400	6,200	7.2	3.6	5.7	20	0.73
	5/29/2006*	1,700	4,600	18.0	4.4	17	32	<17
	11/16/2006*	760	2,600	18.0	3.7	10	19	<10
	5/27/2007*	1,200	4,200	20.0	34	12	17	<45
	11/10/2007*	1,200	6,100	32.0	<2.5	9.4	14	<25
	5/25/2008*	1,300	5,700	18.0	1.8	11	13	<17
	<b>3/24/2009</b>	<b>637</b>	<b>3,850</b>	<b>10.9</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;20</b>	<b>&lt;10</b>
W-2	9/18/2002	1,000	5900	11	<22	23	22	<5.0
	5/17/2000	19,000	870	<2.0	<1.0	<2.0	<4.0	<5.0
	8/31/2000	7,400	2200	4.6	2.5	3.8	11	<5.0
W-3	12/19/2000	10,000	290	8.8	3.4	8.6	17.4	<5.0
	5/17/2000	<50	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	<50	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	12/18/2000	<250	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	3/20/2001	630	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	11/3/2005*	<50	<50	<0.5	<0.5	<0.5	<0.5	1.2
	5/29/2006*	<50	240	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0
W-4	6/7/2001	1,200	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	3/2/2000	190	<50	1.1	<1.0	<1.0	<2.0	<5.0
	5/17/2000	230	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	8/31/2000	240	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	12/19/2000	320	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	3/21/2001	220	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	6/7/2001	430	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	11/3/2005*	66	<50	<1.0	<1.0	<1.0	<2.0	<5.0
	5/29/2006*	110	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	11/16/2006*	72	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/27/2007*	180	99	0.89	<0.5	<0.5	<0.5	<5.0
	11/10/2007*	83	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	5/25/2008*	71	<50	<0.5	<0.5	<0.5	<0.5	<5.0

*Notes:*

ug/l: micrograms per liter  
**TPH:** Total Petroleum Hydrocarbons  
**MTBE:** methyl tert butylether  
**MCL:** Maximum Contaminant Level  
**NA:** not analyzed

\* Essel Technology Services, Inc.

## **APPENDIX A**

### **CHAIN-OF-CUSTODY DOCUMENTATION FIELD DATA SHEETS CERTIFIED ANALYTICAL REPORTS**



# CHAIN OF CUSTODY

3334 Victor Court, Santa Clara, CA 95054

(408) 588-0200 FAX: (408) 588-0201

1072

Client / Reporting Information			Project Information			FED-EX Tracking #		Bottle Order Control #						
Company Name <b>CAMERON - COLE</b>			Project Name: <b>ACT Emeryville</b>			Accutest Quote #		Accutest NC Job #: C						
Address <b>101 W. ATLANTIC AVE, BLDG 90</b>			Street <b>45<sup>th</sup> ST</b>											
City <b>ALAMEDA, CA</b> State <b>94501</b>			City <b>Emeryville, CA</b> State											
Project Contact: <b>SHAUN SURANI</b>			Project # <b>2036-001</b>											
Phone # <b>510-769-3579</b>			EMAIL: <b>SSURANI@cameron-cole.com</b>											
Samplers's Name			Client Purchase Order #											
Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection		# of bottles	Number of preserved Bottles					Requested Analysis		Matrix Codes		
		Date	Time		Sampled by	Matrix	HCl	NaOH	HNO3	H2SO4	NONE		NaHSO4	MEOH
	<b>MW-15</b>	<b>6/11/09</b>	<b>12:25</b>	<b>DB</b>	<b>GW</b>	<b>3</b>	<b>X</b>							WW- Water
						<b>2</b>		<b>X</b>						GW- Ground Water
	<b>MW-16</b>		<b>13:25</b>			<b>3</b>	<b>X</b>							SW- Surface Water
						<b>2</b>			<b>X</b>					SO- Soil
	<b>MW-11</b>		<b>14:15</b>			<b>3</b>	<b>X</b>							OL-Oil
						<b>2</b>			<b>X</b>					WP-Wipe
	<b>MW-12</b>		<b>15:00</b>			<b>3</b>	<b>X</b>							LIQ - Non-aqueous Liquid
						<b>2</b>			<b>X</b>					AIR
	<b>MW-14</b>		<b>15:50</b>			<b>3</b>	<b>X</b>							DW- Drinking Water (Perchlorate Only)
						<b>2</b>			<b>X</b>					LAB USE ONLY
Turnaround Time ( Business days)		Data Deliverable Information						Comments / Remarks						
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> 10 Day (Workload-dependent) Standard <input type="checkbox"/> 5 Day (Workload dependent) <input type="checkbox"/> 3 Day (125% markup) <input type="checkbox"/> 2 Day (150% markup) <input type="checkbox"/> 1 Day (200% markup) <input type="checkbox"/> Same Day (300% markup)		Approved By: Date: <input type="checkbox"/> Commercial "A" <input checked="" type="checkbox"/> Commercial "B" <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> EDF for Geotracker <input checked="" type="checkbox"/> EDD Format Provide EDF Global ID <b>T0600118672</b> Provide EDF Logcode: <b>1234567890</b>												
Emergency T/A data available VIA Lablink		Sample Custody must be documented below each time samples change possession, including courier delivery.												
Relinquished by Sampler:		Date Time:	Received By:	Relinquished By:		Date Time:	Received By:							
1	<b>Donna C. Maher</b>	<b>6/14/09 15:55</b>	<b>1</b>	<b>2</b>										
Relinquished by:		Date Time:	Received By:	Relinquished By:		Date Time:	Received By:							
3			<b>3</b>	<b>4</b>										
Relinquished by:		Date Time:	Received By:	Custody Seal #	Appropriate Bottle / Pres. Y/N	Headspace Y/N	On Ice Y/N							
5			<b>5</b>					Labels match Coc? Y/N	Separate Receipt Log Y/N					
														oC



**Northern California**  
**ACCUTEST.**  
Laboratories

# **CHAIN OF CUSTODY**

3334 Victor Court, Santa Clara, CA 95054  
(408) 588-0200 FAX: (408) 588-0201

# HYDRODATA

**PROJECT: AC Transit - Emeryville   EVENT: 2Q2009   SAMPLER: DB**

NO.	WELL OR LOCATION	DATE	TIME	MEASUREMENT	CODE	COMMENTS
1	MW-1	6/11/2009	0909	4.39	SWL	
2	MW-2	6/11/2009	0928	4.02		
3	MW-3	6/11/2009	0936	5.40		
4	MW-4	6/11/2009	0940	5.62		
5	MW-5	6/11/2009	0916	3.85		
6	MW-6	6/11/2009	0952	3.46		
7	MW-7	6/11/2009	1021	5.16		
8	MW-8	6/11/2009	1027	4.56		
9	MW-9	6/11/2009	1035	3.48		
10	MW-10	6/11/2009	1042	9.93		
11	MW-11	6/11/2009	1015	3.18		
12	MW-12	6/11/2009	1048	10.38	↓	
13	MW-13	6/11/2009	1121	10.17	OIL	
14	MW-13	6/11/2009	1121	10.45	SWL	
15	MW-14	6/11/2009	1058	9.16		
16	MW-15	6/11/2009	1112	8.82		
17	MW-16	6/11/2009	1106	7.36		
18	W-1	6/11/2009	0946	5.68		
19	W-3	6/11/2009	0959	4.09		
20	W-4	6/11/2009	0900	7.26	↓	

**CODES:**

SWL - Static Water Level

OIL - Oil Level

OWI - Oil/Water Interface

MTD - Measured Total Depth

**CAMERON-COLE**  
**SAMPLING EVENT DATA SHEET**

**WELL OR LOCATION MW-11**

PROJECT AC Transit - Emeryville		EVENT 2Q2009	SAMPLER DB	DATE 6/11/2009																											
<p>Intake depth 12'      SWL 3.18' (if above screen)      SWL (if in screen)      Measured TD 16'</p> <p>Well type MW (MW, EW, PZ, etc.)      Diameter 2"</p> <p>0.165 gal/ft. casing</p> <p>=TOP      =BOP      =TD (as built)</p> <p><b>PURGE CALCULATION</b></p> <p>0.165 gal/ft. * 12.82 ft. = 2.12 gals. X 3      SWL to TD one volume      purge volume - 3 casings</p> <p>2" = 0.165 gal/ft.      4" = 0.65 gal/ft.      6" = 1.47 gal/ft.</p>		ACTION	TIME	PUMP RATE (gpm) DTW																											
		Start Pump / Begin	13:59	0.35 3.18																											
		Stop	14:09																												
		Sampled	14:15																												
		Final IWL																													
		<p>Actual gallons purged 7</p> <p>Actual volumes purged 3.30</p> <p>Well Yield HY</p> <p>COC #</p> <table border="1"> <thead> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> </thead> <tbody> <tr> <td>MW-11</td> <td>gasoline by 8260B</td> <td>Accepted</td> </tr> <tr> <td>↓</td> <td>diesel/motor oil by 8015M</td> <td>↓</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Sample I.D.	Analysis	Lab	MW-11	gasoline by 8260B	Accepted	↓	diesel/motor oil by 8015M	↓																		
Sample I.D.	Analysis	Lab																													
MW-11	gasoline by 8260B	Accepted																													
↓	diesel/motor oil by 8015M	↓																													
Equipment Used / Sampling Method / Description of Event:		<p>Cent. Pump used to purge; disp.bailer used to sample.</p>																													
Additional Comments:																															
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other																										
1. 2	21.6	5160	7.92	1100+																											
2. 4	21.5	5076	7.77	1100+																											
3. 6	21.6	5050	7.74	4.30																											
4.																															
5.																															

**CAMERON-COLE**  
**SAMPLING EVENT DATA SHEET**

WELL OR LOCATION MW-12

PROJECT AC Transit - Emeryville		EVENT 2Q2009	SAMPLER DB		DATE 6/11/2009																											
			ACTION	TIME	PUMP RATE (gpm)																											
		Well type MW (MW, EW, PZ, etc.)	Start Pump / Begin	14:41	0.66																											
		Diameter 2"			10.46																											
		0.165 gal/ft. casing																														
		=TOP																														
		=BOP																														
		=TD (as built)																														
<b>PURGE CALCULATION</b>																																
		0.165 gal/ft. * <u>19.6</u> ft. = <u>3.23</u> gals. X 3			9.70 gals.																											
		SWL to TD	one volume																													
		2" = 0.165 gal/ft.	4" = 0.65 gal/ft.	6" = 1.47 gal/ft.																												
<b>Equipment Used / Sampling Method / Description of Event:</b>																																
Cent. Pump used to purge; disp.bailer used to sample.																																
<b>Actual gallons purged</b> <u>10</u>																																
<b>Actual volumes purged</b> <u>3.10</u>																																
<b>Well Yield</b> $\oplus$ <u>HY</u>																																
<b>COC #</b>																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> </thead> <tbody> <tr> <td>MW-12</td> <td>995 BTEX M704 6/8/2011</td> <td>Acutest</td> </tr> <tr> <td></td> <td>↓ diesel/hazardous by 8/15/11</td> <td>↓</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>						Sample I.D.	Analysis	Lab	MW-12	995 BTEX M704 6/8/2011	Acutest		↓ diesel/hazardous by 8/15/11	↓																		
Sample I.D.	Analysis	Lab																														
MW-12	995 BTEX M704 6/8/2011	Acutest																														
	↓ diesel/hazardous by 8/15/11	↓																														
<b>Additional Comments:</b>																																
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other																											
1. 2	20.4	6620	7.43	28.02																												
2. 5	19.4	6560	7.24	24.31																												
3. 8	19.8	6820	7.17	1100+																												
4.																																
5.																																
<small>*Take measurement at <math>\oplus</math> approximately each casing    HY-Minimal W.L. drop    MY - WL drop - able to purge 3 volumes during one sitting    LY - Able to purge 3 volumes by returning later or next day.    VLY - Minimal recharge - unable to purge 3 volumes.</small>																																

**CAMERON-COLE**  
**SAMPLING EVENT DATA SHEET**

WELL OR LOCATION MW-14

PROJECT AC Transit - Emeryville		EVENT 2Q2009	SAMPLER DB	DATE 6/11/2009
		Well type MW (MW, EW, PZ, etc.) Diameter 2"  0.165 gal/ft. casing  Intake depth _____  SWL 9.13 (if above screen)  SWL (if in screen)  Measured TD	<b>ACTION</b> Start Pump / Begin  <b>TIME</b> 15:33 15:38  Stop Sampled Final IWL	<b>PUMP RATE (gpm)</b> 0.70  <b>DTW</b> 9.13 14.50  15.22
<b>PURGE CALCULATION</b>  $0.165 \text{ gal/ft.} * \frac{13.87 \text{ ft.}}{\text{SWL to TD}} = \frac{2.29 \text{ gals. X 3}}{\text{one volume}} = 6.87 \text{ gals.}$ $2'' = 0.165 \text{ gal/ft.}$ $4'' = 0.65 \text{ gal/ft.}$ $6'' = 1.47 \text{ gal/ft.}$				
Equipment Used / Sampling Method / Description of Event:  Cent. Pump used to purge; disp.bailer used to sample.			Actual gallons purged 7  Actual volumes purged 3.06  Well Yield $\oplus$ MY  COC #	
Additional Comments:			Sample I.D.	Analysis
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)
1. 2	18.9	2190	7.90	124.8
2. 4	19.4	7520	7.33	3.89
3. 6	20.1	6340	7.30	141.7
4.				
5.				
*Take measurement at $\oplus$ approximately each casing volume purged. HY - Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.				

**CAMERON-COLE**  
**SAMPLING EVENT DATA SHEET**

**WELL OR LOCATION MW-15**

PROJECT AC Transit - Emeryville		EVENT 2Q2009	SAMPLER DB	DATE 6/11/2009																										
<p>Intake depth</p> <p>SWL 8.93 (if above screen)</p> <p>SWL (if in screen)</p> <p>Measured TD</p> <p>25' =TD (as built)</p>		<p>Well type MW (MW, EW, PZ, etc.)</p> <p>Diameter 2"</p> <p>0.165 gal/ft. casing</p> <p>=TOP</p> <p>=BOP</p> <p>=TD</p>	<p><u>ACTION</u></p> <p>Start Pump / Begin</p> <p>Stop</p> <p>Sampled</p> <p>Final IWL</p>	<p><u>TIME</u></p> <p>12:05 12:18</p> <p>12:20</p> <p>12:25</p> <p>12:40</p>	<p><u>PUMP RATE</u> (gpm)</p> <p>0.53</p> <p>18.86</p> <p>14.78</p> <p>9.11</p>	<p><u>DTW</u></p>																								
<p><b>PURGE CALCULATION</b></p> $0.165 \text{ gal/ft.} * \frac{16.07 \text{ ft.}}{\text{SWL to TD}} = \frac{2.65 \text{ gals. X 3}}{\text{one volume}} = \frac{7.95 \text{ gals.}}{\text{purge volume - 3 casings}}$ <p>2" = 0.165 gal/ft.</p> <p>4" = 0.65 gal/ft.</p> <p>6" = 1.47 gal/ft.</p>																														
<p>Equipment Used / Sampling Method / Description of Event:</p> <p>Cent. Pump used to purge; disp.bailer used to sample.</p>																														
<p>Actual gallons purged 8</p> <p>Actual volumes purged 3.01</p> <p>Well Yield <math>\oplus</math> M</p> <p>COC #</p> <table border="1"> <thead> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> </thead> <tbody> <tr> <td>MW-15</td> <td>600, BTEX, TDS by 82603</td> <td>ACQUISIT</td> </tr> <tr> <td>*</td> <td>0.0301/May 01 by 2015 m</td> <td>↓</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Sample I.D.	Analysis	Lab	MW-15	600, BTEX, TDS by 82603	ACQUISIT	*	0.0301/May 01 by 2015 m	↓															
Sample I.D.	Analysis	Lab																												
MW-15	600, BTEX, TDS by 82603	ACQUISIT																												
*	0.0301/May 01 by 2015 m	↓																												
<p>Additional Comments:</p>																														
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other																									
1. 2	19.5	1053	7.20	256.8																										
2. 4	19.1	1075	7.08	838.6																										
3. 6	19.2	1069	7.08	768.0																										
4.																														
5.																														
<small>*Take measurement at approximately each casing volume purged.</small>		<small>HY-Minimal W.L. drop</small>	<small>MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump</small>	<small>LY - Able to purge 3 volumes by returning later or next day.</small>	<small>VLY - Minimal recharge - unable to purge 3 volumes.</small>																									

**CAMERON-COLE**  
**SAMPLING EVENT DATA SHEET**

WELL OR LOCATION MW-16

PROJECT AC Transit - Emeryville		EVENT 2Q2009	SAMPLER DB		DATE 6/11/2009
			ACTION	TIME	PUMP RATE (gpm)
		Well type MW (MW, EW, PZ, etc.)	Start Pump / Begin	13:03	0.45
		Diameter 2"		13:09	7.40
		0.165 gal/ft. casing		13:14	15.63
Intake depth	20'	=TOP			16.13
SWL	7.40 (if above screen)	=BOP			
SWL	SWL (if in screen)	=TD			
Measured TD	24'				
<b>PURGE CALCULATION</b>					
		0.165 gal/ft. * <u>16.6</u> ft. =	2.74 gals. X 3	8.22 gals. one volume      purge volume - 3 casings	
		2" = 0.165 gal/ft.	4" = 0.65 gal/ft.	6" = 1.47 gal/ft.	
Equipment Used / Sampling Method / Description of Event:					
Cent. Pump used to purge; disp.bailer used to sample.					
Actual gallons purged <u>9</u> Actual volumes purged <u>3.28</u> Well Yield $\oplus$ <u>m</u> COC #					
Sample I.D. <u>MW-16</u> Analysis <u>GAS, BTEX, MTBE by 82600</u> Lab <u>ACCUTEST</u> <u>↓</u> <u>Acet/acetone 0.164</u> <u>SOIL M</u> <u>4</u>					
Additional Comments:					
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other
1. 2	18.7	4340	10.93	634.8	
2. 4	20.3	5370	10.11	429.2	
3. 7	20.5	6080	9.72	423.6	
4.					
5.					
*Take measurement at $\oplus$ approximately each casing HY-Minimal W.L. drop    MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump    LY - Able to purge 3 volumes by returning later or next day.    VLY - Minimal recharge - unable to purge 3 volumes.					



IT'S ALL IN THE CHEMISTRY

07/24/09

## Technical Report for

**Cameron-Cole**

**T0600118672-AC Transit, Emeryville, CA**

**2036-001**

**Accutest Job Number: C6149**

**Sampling Date: 06/11/09**



**Report to:**

**Cameron-Cole**

**dbaker@cameron-cole.com**

**ATTN: Dennis Baker**

**Total number of pages in report: 20**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink.

**Laurie Glantz-Murphy**  
Laboratory Director

**Client Service contact: Diane Theesen 408-588-0200**

**Certifications: CA (08258CA)**

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Test results relate only to samples analyzed.



# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Case Narrative/Conformance Summary .....</b>	<b>4</b>
<b>Section 3: Sample Results .....</b>	<b>5</b>
<b>3.1: C6149-1: MW-15 .....</b>	<b>6</b>
<b>3.2: C6149-2: MW-16 .....</b>	<b>8</b>
<b>3.3: C6149-3: MW-11 .....</b>	<b>10</b>
<b>3.4: C6149-4: MW-12 .....</b>	<b>12</b>
<b>3.5: C6149-5: MW-14 .....</b>	<b>14</b>
<b>3.6: C6149-6: 060109TB .....</b>	<b>16</b>
<b>Section 4: Misc. Forms .....</b>	<b>17</b>
<b>4.1: Chain of Custody .....</b>	<b>18</b>

## Sample Summary

Cameron-Cole

Job No: C6149

T0600118672-AC Transit, Emeryville, CA  
Project No: 2036-001

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID	
C6149-1	06/11/09	12:25 DB	06/12/09	AQ	Ground Water	MW-15
C6149-2	06/11/09	13:25 DB	06/12/09	AQ	Ground Water	MW-16
C6149-3	06/11/09	14:15 DB	06/12/09	AQ	Ground Water	MW-11
C6149-4	06/11/09	15:00 DB	06/12/09	AQ	Ground Water	MW-12
C6149-5	06/11/09	15:50 DB	06/12/09	AQ	Ground Water	MW-14
C6149-6	06/11/09	08:50 DB	06/12/09	AQ	Ground Water	060109TB



## SAMPLE DELIVERY GROUP CASE NARRATIVE

**Client:** Cameron-Cole

**Job No** C6149

**Site:** T0600118672-AC Transit, Emeryville, CA

**Report Date** 6/22/2009 4:16:15 PM

6 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were collected on 06/11/2009 and were received at Accutest on 06/12/2009 properly preserved, at 3.7 Deg. C and intact. These Samples received an Accutest job number of C6149. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

### Volatiles by GCMS By Method SW846 8260B

<b>Matrix</b> AQ	<b>Batch ID:</b> VW233
------------------	------------------------

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) C6149-3MS, C6149-3MSD were used as the QC samples indicated.

### Extractables by GC By Method SW846 8015B M

<b>Matrix</b> AQ	<b>Batch ID:</b> OP1060
------------------	-------------------------

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Accutest Laboratories Northern California (ALNCA) certifies that this report meets the project requirements for analytical data produced for the samples as received at ALNCA and as stated on the COC. ALNCA certifies that the data meets the Data Quality Objectives for precision, accuracy and completeness as specified in the ALNCA Quality Manual except as noted above. This report is to be used in its entirety. ALNCA is not responsible for any assumptions of data quality if partial data packages are used.



Northern California

**ACCUTEST.**  
Laboratories



IT'S ALL IN THE CHEMISTRY

## Section 3

3

### Sample Results

### Report of Analysis

---

**Report of Analysis**

Page 1 of 1

3.1  
3

<b>Client Sample ID:</b>	MW-15	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-1	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6926.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	6.2	1.0	ug/l	
	TPH-GRO (C6-C10)	ND	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	100%		60-130%
2037-26-5	Toluene-D8	101%		60-130%
460-00-4	4-Bromofluorobenzene	109%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

3

<b>Client Sample ID:</b>	MW-15	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-1	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		
<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>
Run #1	GG6266.D	1	06/16/09 JH
Run #2			
<b>Initial Volume</b>	<b>Final Volume</b>		
Run #1	1050 ml	1.0 ml	
Run #2			

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
	TPH (C10-C28)	ND	0.095	mg/l	
	TPH (> C28-C40)	ND	0.19	mg/l	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>		<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane		75%		45-140%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

32  
3

<b>Client Sample ID:</b>	MW-16	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-2	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6927.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	7.2	1.0	ug/l	
	TPH-GRO (C6-C10)	ND	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	99%		60-130%
2037-26-5	Toluene-D8	102%		60-130%
460-00-4	4-Bromofluorobenzene	108%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

32  
3

<b>Client Sample ID:</b>	MW-16	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-2	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		
<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>
Run #1	GG6267.D	1	06/16/09 JH
Run #2			
	<b>Initial Volume</b>	<b>Final Volume</b>	
Run #1	1050 ml	1.0 ml	
Run #2			

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
	TPH (C10-C28)	ND	0.095	mg/l	
	TPH (> C28-C40)	ND	0.19	mg/l	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>		<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane		79%		45-140%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

33  
3

<b>Client Sample ID:</b>	MW-11	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-3	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6928.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

	<b>Purge Volume</b>
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
	TPH-GRO (C6-C10)	ND	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	98%		60-130%
2037-26-5	Toluene-D8	101%		60-130%
460-00-4	4-Bromofluorobenzene	108%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

33  
3

<b>Client Sample ID:</b>	MW-11	<b>Date Sampled:</b>	06/11/09			
<b>Lab Sample ID:</b>	C6149-3	<b>Date Received:</b>	06/12/09			
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a			
<b>Method:</b>	SW846 8015B M SW846 3510C					
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA					
File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 GG6268.D	1	06/16/09	JH	06/15/09	OP1060	GGG228
Run #2						
Initial Volume	Final Volume					
Run #1 1050 ml	1.0 ml					
Run #2						

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	Units	Q
	TPH (C10-C28)	ND	0.095	mg/l	
	TPH (> C28-C40)	ND	0.19	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
630-01-3	Hexacosane	68%		45-140%	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

3-4  
3

<b>Client Sample ID:</b>	MW-12	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-4	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6929.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	1.7	1.0	ug/l	
	TPH-GRO (C6-C10)	115	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	101%		60-130%
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	117%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

34  
3

<b>Client Sample ID:</b>	MW-12	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-4	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B M SW846 3510C		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		
<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>
Run #1	GG6269.D	1	06/17/09 JH
Run #2			
	<b>Initial Volume</b>	<b>Final Volume</b>	
Run #1	1050 ml	1.0 ml	
Run #2			

**TPH Extractable w/ Silica Gel Cleanup**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
	TPH (C10-C28)	ND	0.095	mg/l	
	TPH (> C28-C40)	ND	0.19	mg/l	
<b>CAS No.</b>	<b>Surrogate Recoveries</b>		<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
630-01-3	Hexacosane		74%		45-140%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

35  
3

<b>Client Sample ID:</b>	MW-14	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-5	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6930.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	6.9	1.0	ug/l	
	TPH-GRO (C6-C10)	ND	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	100%		60-130%
2037-26-5	Toluene-D8	101%		60-130%
460-00-4	4-Bromofluorobenzene	110%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

35  
3

<b>Client Sample ID:</b>	MW-14	<b>Date Sampled:</b>	06/11/09			
<b>Lab Sample ID:</b>	C6149-5	<b>Date Received:</b>	06/12/09			
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a			
<b>Method:</b>	SW846 8015B M SW846 3510C					
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA					
File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 GG6270.D	1	06/17/09	JH	06/15/09	OP1060	GGG228
Run #2						
Initial Volume	Final Volume					
Run #1 1050 ml	1.0 ml					
Run #2						

**TPH Extractable w/ Silica Gel Cleanup**

CAS No.	Compound	Result	RL	Units	Q
	TPH (C10-C28)	ND	0.095	mg/l	
	TPH (> C28-C40)	ND	0.19	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
630-01-3	Hexacosane	79%		45-140%	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

**Report of Analysis**

Page 1 of 1

3.6  
3

<b>Client Sample ID:</b>	060109TB	<b>Date Sampled:</b>	06/11/09
<b>Lab Sample ID:</b>	C6149-6	<b>Date Received:</b>	06/12/09
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8260B		
<b>Project:</b>	T0600118672-AC Transit, Emeryville, CA		

	<b>File ID</b>	<b>DF</b>	<b>Analyzed</b>	<b>By</b>	<b>Prep Date</b>	<b>Prep Batch</b>	<b>Analytical Batch</b>
Run #1	W6925.D	1	06/19/09	BD	n/a	n/a	VW233
Run #2							

<b>Purge Volume</b>	
Run #1	10.0 ml
Run #2	

**Purgeable Aromatics, MTBE**

<b>CAS No.</b>	<b>Compound</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Q</b>
71-43-2	Benzene	ND	1.0	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
	TPH-GRO (C6-C10)	ND	50	ug/l	

<b>CAS No.</b>	<b>Surrogate Recoveries</b>	<b>Run# 1</b>	<b>Run# 2</b>	<b>Limits</b>
1868-53-7	Dibromofluoromethane	103%		60-130%
2037-26-5	Toluene-D8	100%		60-130%
460-00-4	4-Bromofluorobenzene	111%		60-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Northern California

**ACCUTEST.**  
Laboratories



IT'S ALL IN THE CHEMISTRY

## Section 4

4

### Misc. Forms

#### Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



## **Northern California**

## **CHAIN OF CUSTODY**

3334 Victor Court, Santa Clara, CA 95054  
(408) 588-0200 FAX: (408) 588-0201

1 of 2

## C6149: Chain of Custody

Page 1 of 3



**Northern California**  
**ACCUTEST.**  
Laboratories

## **CHAIN OF CUSTODY**

3334 Victor Court, Santa Clara, CA 95054  
(408) 588-0200 FAX: (408) 588-0201

2 of 2

Client / Reporting Information			Project Information			Requested Analysis			Matrix Codes				
Company Name <b>CAMERON-COLE</b>		Project Name: <b>ACT - Emeryville</b>								WW- Water			
Address <b>101 W. ATLANTIC AVE., BLDG 90</b>		Street <b>915 th St.</b>								GW- Ground Water			
City <b>ALAMEDA, CA</b>	State <b>94501</b>	Zip	City <b>Emeryville, CA</b>	State						SW- Surface Water			
Project Contact: <b>SHAWN SURANI</b>		Project # <b>2026-001</b>								SO- Soil			
Phone # <b>510-769-3579</b>		EMAIL: <b>SURANI@CAMERON-COLE.COM</b>								OI-Oil			
Samplers's Name		Client Purchase Order #								WP-Wipe			
										LIQ- Non-aqueous Liquid			
										AIR			
										DW- Drinking Water (Perchlorate Only)			
<b>LAB USE ONLY</b>													
Accutest Sample ID	Sample ID / Field Point / Point of Collection	Collection			Number of preserved Bottles								
		Date	Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	KHSO4	None	NH3/NH4	NaOH
					X								
	<b>060109TB-002</b>	<b>6/11/09</b>	<b>08:50</b>	<b>OG</b>	<b>601</b>	<b>31</b>							
	<b>060109TA-003</b>	<b>6/11/09</b>	<b>1</b>	<b>1</b>		<b>1</b>	<b>1</b>						
	<b>060109TA-004</b>	<b>6/11/09</b>	<b>1</b>	<b>1</b>		<b>1</b>	<b>1</b>						
Turnaround Time (Business days)		Data Deliverable Information						Comments / Remarks					
<input type="checkbox"/> Std. 15 Business Days	Approved By/ Date:	<input type="checkbox"/> Commercial "A" <input type="checkbox"/>											
<input checked="" type="checkbox"/> 10 Day (Workload-dependent) Standard		<input checked="" type="checkbox"/> Commercial "B" <input type="checkbox"/>											
<input type="checkbox"/> 5 Day (Workload dependent)													
<input type="checkbox"/> 3 Day (125% markup)													
<input type="checkbox"/> 2 Day (150% markup)													
<input type="checkbox"/> 1 Day (200% markup)													
<input type="checkbox"/> Same Day (300% markup)													
Emergency T/A data available VIA Lablink		Sample Custody must be documented below each time samples change possession, including courier delivery.											
Relinquished by Sampler: <b>Dennis C. Mohr</b>		Date Time: <b>6/11/09 08:53</b>	Received By: <b>1</b>	Relinquished By: <b>2</b>	Date Time: <b>6/11/09 08:55</b>	Received By: <b>2</b>							
Relinquished by: <b>3</b>		Date Time:	Received By: <b>3</b>	Relinquished By: <b>4</b>	Date Time:	Received By: <b>4</b>							
Relinquished by: <b>5</b>		Date Time:	Received By: <b>5</b>	Custody Seal #	Appropriate Bottle / Pres. Y/N	Headspace Y/N	On Ice Y/N	Cooler Temp.					
					Labels match Coc? Y / N	Separate Receipt Log Y / N							

C6149: Chain of Custody  
Page 2 of 3

**Accutest Laboratories Northern California  
STANDARD OPERATING PROCEDURE**

## **Sample Receiving Checklist**

Job # C6149  
Sample Control Initial JW

**Review Chain of Custody** The Chain of Custody is to be completely and legibly filled out by Client.

- Are these regulatory (NPDES) samples? Yes  No circle one

Is pH requested? Yes  No circle one  Was Client informed that hold time is 15 min? Yes / No circle one  
If yes, did Client consent to continue? \_\_\_\_\_

Are sample within hold time?  Yes / No circle one Are sample in danger of exceeding its hold-time within 6-48 hours?

Report info is complete and legible, including;

Type of deliverable needed  Name  Address  phone  e-mail

Bill to info is complete and legible, including;  PO#  Credit card  Contact  address  phone  e-mail

Contact and/or Project Manager identified, including;  phone  e-mail

Project name / number  Special requirements?  Yes / No circle one

Sample IDs / date & time of collection provided?  Yes / No circle one

Is Matrix listed and correct?  Yes / No circle one *TJ*

Analyses listed are those we do or client has authorized a subcontract?  Yes / No circle one

Chain is signed and dated by both client and sample custodian?  Yes / No circle one

TAT requested available? Approved by *N/A*

### Review Coolers:

- Were Coolers temperatures measured at ≤6°C? Cooler # \_\_\_\_ Temp 31 °C  
• If cooler is outside the ≤6°C; note down below the affected bottles in that cooler  
• Note that ANC does NOT accept evidentiary samples. (We do not lock refrigerators)

Delivery Method Mail or Delivery  Yes  No circle one

- Cladely Seals: Present Yes / No circle one Unbroken Yes / No circle one

**Review of Sample Bottles: If you answer no, explain below**

Sample ID/bottle number / Date / Time of bottle labels match the COC? Yes / No circle one

Sample bottle intact? Yes / No circle one

- Is there enough samples for requested analyses? If so, were samples placed in proper containers (Yes) / No circle one  
 Proper Preservatives? Check pH on preserved samples except 1664, 625, 8270 and VOAs and list below  
 Are VOAs received without headspace? Size of bubble (not greater than 6mm in diameter) Yes / No circle one  
List sample ID and affected container *P-1*

Non-Compliance issues and discrepancies on the COC are forwarded to Project Management.