MPDS-UN3135-02 June 3, 1994

Unocal Corporation 2000 Crow Canyon Place, Suite 400 P.O. Box 5155 San Ramon, California 94583

Attention: Mr. Tim Howard

RE: Quarterly Data Report

Unocal Service Station #3135

845 - 66th Avenue Oakland, California

Dear Mr. Howard:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations are summarized in Table 1. The ground water flow directions during the most recent quarter are shown on the attached Figures 1, 2, and 3.

Ground water samples were collected on May 5, 1994. Prior to sampling, the wells were each purged of between 10 and 13 gallons of water. Samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials and/or one-liter amber bottles, as appropriate, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date are summarized in Table 2. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline, TPH as diesel, and benzene detected in the ground water samples collected

MPDS-UN3135-02 June 3, 1994 Page 2

this quarter are shown on the attached Figure 4. Copies of the laboratory analytical results and the Chain of Custody documentation are attached to this report.

DISTRIBUTION

A copy of this report should be sent to Ms. Cynthia Chapman of the Alameda County Health Care Services Agency.

If you have any questions regarding this report, please do not hesitate to call at (510) 602-5120.

Sincerely,

MPDS Services, Inc.

Talin Kaloustian Staff Engineer

Joel G. Greger, C.E.G. Senior Engineering Geologist

License No. EG 1633 Exp. Date 6/30/94

/dlh

Attachments: Tables 1 & 2

Location Map

Figures 1 through 4 Laboratory Analyses

Chain of Custody documentation

cc: Mr. Robert H. Kezerian, Kaprealian Engineering, Inc.

TABLE 1
SUMMARY OF MONITORING DATA

					78. Tab.	
	Ground Wate	1 file and a contract of the c	Product Thickness		Water Purged	Total Well Depth
Well #	Elevation (feet)		(feet)	Sheen	(qallons)	(feet)◆
			Station described the described to		1915 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916	MORPO DE PRODUCCIONE ENGRAPARA (CONTRA DE CONTRA D
		(Monitored and	. Sampled on	May 5,	1994)	
MW1	-3.12	8.11	0	No	10	22.44
MW2	-2.81	6.38	0	No	11	22.43
MW3	-2.38	5.50	0	No	11	21.66
MW4	-3.34	8.27	0	No	12	24.98
MW5*	-3.11	7.38	0		0	26.10
MW6	-2.98	7.01	0	No	13	25.80
MW7*	-2.71	7.13	0		0	19.76
MW8*	-2.96	7.39	0		0	23.11
MW9*	-2.92	7.52	0		0	23.12
MW10	-3.34	6.03	0	No	12	23.10
		(Monitore	d on April 2	23. 1994	1)	
		(110111 001 6)	d Oll HPILL .	,	-,	
MW1	-3.29	8.28	0		0	
MW2	-3.09	6.66	0		0	
ММЗ	-4.60	7.72	0		0	
MW4	-3.48	8.41	0		0	
MW5	-3.30	7.57	0		0	
MW6	-3.21	7.24	0		0	
MW7	WELL WAS IN	ACCESSIBLE				
8WM	-3.20	7.63	0		0	
MW9	-3.19	7.79	0		0	
MW10	-3.53	6.22	0	- -	0	
		(Monitore	d on March	14, 199	4)	
NAT-7-1	-2.74	7.73	0	- -	0	
MW1	-2.84	6.41	0		0	
MW2	-2.84 -2.44	5.56	0		0	
MW3		7.91	0	- -	0	
MW4	-2.98	7.91	0		0	
MW5	-2.75	6.68	0		0	
MW6	-2.65 2.36	6.78	0		0	
MW7	-2.36		0		ō	
NW8	-2.51	6.94	0		0	
MW9	-2.46	7.06			0	
MW10	-2.87	5.56	0		U	

ţ

TABLE 1 (Continued)

SUMMARY OF MONITORING DATA

<u>Well #</u>	Ground Water Elevation (feet)	Depth to Water <u>(feet)</u> ◆	Product Thickness (feet)	<u>Sheen</u>	Water Purged (gallons)	Total Well Depth (feet)◆
	(Monit	ored and Sam	pled on Fe	ebruary 1	0, 1994)	
MW1	-3.59	8.58	0	No	10	22.38
MW2	-3.36	6.93	0	No	11	22.35
MW3	-3.11	6.23	0	No	11	21.60
MW4	-3.86	8.79	0	ИО	11	24.92
MW5	-3.44	7.71	0	No	13	26.02
MW6	-3.20	7.23	0	No	13	25.73
MW7	-3.51	7.93	0	ИО	8	19.70
MW8	-2.80	7.23	0	ИО	11	23.03
MW9	-2.60	7.20	0	ИО	11	23.05
MW10	-5.52	8.21	0	No	11	23.04
	(Monit	cored and Sam	pled on No	ovember 1	1, 1993)	
MW1	-5.81	10.80	0	No	8.5	
MW2	-5.65	9.22	0	Yes	9.5	
мwз	-5.80	8.92	0	No	9	
MW4	-5.95	10.88	0	No	10	
MW5	-5.86	10.13	0	No	11	
MW6	-5.84	9.87	0	No	11	
MW7	-5.85	10.27	0	No	7	
MW8	-5.79	10.22	0	No	9	
MW9	-5.79	10.39	0	No	9	
MW10	-5.90	8.59	0	No	10	
	(Mon:	itored and Sa	empled on	August 13	, 1993)	
MW1	-4.82	10.00	0	No	9	
MW2	-4.81	8.64	0	No	10	
MW3	-4.55	7.85	0	No	10	
MW4	-4.96	10.23	0	No	11	
MW5	-4.88	9.49	0	No	12	
MW6	-4.89	9.20	0	No	12	
MW7	-4.39	9.23	0	No	8	
8WM	-4.88	10.00	0	No	10	
MW9	-4.85	9.69	0	No	10	
MW10	-5.08	8.42	0	No	11	

TABLE 1 (Continued)

SUMMARY OF MONITORING DATA

Well #	Well Cover Elevation (feet)**	Well Casing Elevation (feet)***
MW1	5.18	4.99
MW2	3.83	3.57
MW3	3.30	3.12
MW4	5.27	4.93
MW5	4.61	4.27
MW6	4.31	4.03
MW7	4.84	4.42
MW8	5.12	4.43
MW9	4.84	4.60
MW10	3.34	2.69

- ♦ The depth to water level and total well depth measurements were taken from the top of the well casings. Prior to November 11, 1993, the depth to water level and total well depth measurements were taken from the top of the well covers.
- * Monitored only.
- ** The elevations of the top of the well covers have been surveyed relative to Mean Sea Level (MSL), per the City of Oakland Benchmark No. 3881 (elevation = 4.72 MSL).
- *** Relative to MSL.
- -- Sheen determination was not performed.

Note: Monitoring data prior to February 10, 1994, were provided by Kaprealian Engineering, Inc.

TABLE 2
SUMMARY OF LABORATORY ANALYSES
WATER

Date .	Well #	TPH as <u>Diesel</u>	TPH as <u>Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	Ethyl- benzene		Total Oil & Grease
5/05/94	MWl	ND	96*	ИD	ND	ND	ND	
	MW2	3,100♦♦	36,000	3,200	670	2,700	9,600	
	MW3	66	62*	ND	ND	ND	ND	
	MW4	2,000♦♦	6,900	17	ND	480	1,300	
	MW5	SAMPLED	SEMI-ANNU	ALLY				
	MW6	630♦♦	2,600	430	99	24	420	
	MW7	SAMPLED	SEMI-ANNU	ALLY				
	8WM	SAMPLED	SEMI-ANNU	ALLY				
	MW9	SAMPLED	SEMI-ANNU	ALLY				
	MW10	55	1,000*	ND	ND	ND	ND	
2/10/94	MWl	ND	170*	0.90	2.3	ND	ND	
	MW2	2,000♦♦	12,000	1,000	17	880	940	
	MW3	50♦♦	ND	ND	ND	ND	0.84	
	MW4	170♦	830	3.5	1.4	36	80	
	MW5	ND	ND	ND	ND	ND	0.59	
	MW6	ND	ND	3.5	ИD	1.5	ND	-
	MW7	ND	ND	ND	ND	ND	ND	
	8WM	ND	ND	ND	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	- -
	MW10	71	1,480*	ND	ND	ND	ND	
11/11/93	MW1	160♦♦	930	7.3	ND	25	19	
	MW2	7,000♦♦	36,000	4,800	970	3,000	8,100	
	MW3	51	ND	ND	ND	ND	ND	
	MW4	4,000♦	16,000	110	12	1,800	3,800	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	650♦♦	3,000	470	ND	220	270	
	MW7	66	ND	ND	ND	ND	ND	
	8WM	ND	ND	ND	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	
	MW10	88♦♦	1,600*	ND	ND	ND	ND	

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES WATER

		TPH as	TPH as			Ethyl-		Total Oil
<u>Date</u>	Well #	Diesel	<u>Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>benzene</u>	<u>Xylenes</u>	& Grease
8/13/93	MWl	170♦♦	860	3.5	ND	17	20	
2, 22, 22	MW2	2,800♦♦	44,000	5,100	600	2,900	8,500	
	MW3	ND	ND	ND	ND	ND	ND	- -
	MW4	2,000♦♦	19,000	ND	ND	1,600	4,100	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	440♦♦	2,300	330	ND	95	40	- -
	MW7	ND	ND	ND	ND	ND	ND	
	MW8	ND	ND	NĎ	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	
	MW10	97♦♦	1,500**	ND	ND	41	21	
5/17/93	MW1	490♦♦	960**	39	ND	57	60	
	MW2	5,500♦♦	46,000	4,400	5 1 0	2,900	9,900	
	MW3	53	ND	ND	ND	ND	ND	
	MW4	3,100♦	2,500	ND	ND	170	410	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	1,400♦	4,900	890	46	210	530	
	MW7	ND	ND	ND	ND	ND	ND	
	MW8	ND	ND	ND	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	
	MW10	ND	1,200*	ND	ND	ИD	ND	
2/03/93	MW1	ND	94**	ND	ND	1.4	1.6	
, ,	MW2	3,900♦	9,300	780	68	830	1,200	NĎ
	MW3	ND	ND	ND	ND	ND	ND	
	MW4	720♦♦	370	2.6	ND	1.2	53	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	ND	ND	1.2	ND	ND	ND	ND
	MW8	ND	ND	ND	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	- -
	MW10	ND	1,200*	ND	ND	ND	ND	

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES WATER

		mnii	TPH as			Ethyl-		Total Oil
<u>Date</u>	Well #	TPH as <u>Diesel</u>	Gasoline	Benzene	Toluene		Xylenes	& Grease
			Maria da	s dagagag arawa aragi sa s a	Manadalia da Sa	f (1811) (a. 15-46) (a. 14-46) (4-46) (4-46)	Dia ingan, kantangan 201	Mark Control (1988)
11/03/92	MW1	400♦	1,100	28	ND	80	78	
	MW2	9,600♦	40,000	5,600	130	3,000	6,100	ИD
	EWM3	52♦	ND	ND	ND	ND	ND	
	MW4	8,300♦	36,000	69	ND	3,000	7,400	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	220♦	920	45	0.76	12	110	ND
	8WM	ND	ND	ND	ND	ND	ND	
	MW9	ND	ND	ND	ND	ND	ND	<u></u>
	MW10	160♦	740	11	2.1	32	56	
8/03/92	MWl	220♦	980	22	0.69	77	82	
	MW2	3,300♦♦	37,000	4,500	480	3,300	9,700	ND
	MW3	58	ND	ND	ND	ND	ND	
	MW4	2,400♦	24,000	61	ND	2,100	5,400	- -
	MW5	ND	ND	ND	ND	ND	ИD	
	MW6	170♦	1,100	180	1.1	62	78	ND
5/05/92	MW1	120	310	5.7	ND	7.1	15	
	MW2	4,600	26,000	2,300	110	2,700	6,900	ND
	MW3	56	ND	ND	ND	0.43	1.8	
	MW4	3,200	15,000	82	12	2,000	5,600	
	MW5	72	ND	ND	ND	0.42	1.4	- -
	MW6	47	ND	ND	ND	ND	1.3	ND
2/07/92	MW1	ND	220	2.1	ND	10	16	 ·
	MW2	2,300	11,000	1,400	30	1,900	1,400	ND
	MW3	ND	ND	ND	ND	ND	ND	
	MW4	2,300	8,100	24	4.9	1,800	3,200	
	MW5	ND	ND	ND	ND	0.36	0.94	
	MW6	ND	180	22	0.68	22	20	ND
11/05/91	MWl	260	4,900	80	ND	150	160	
	MW2	3,900	110,000	4,200	200	3,400	8,600	78
	MW3	ND	31	ND	ND	ND	0.65	
	MW4	7,700	140,000	320	ND	4,800	13,000	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	300	7,100	200	ND	190	580	ND

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES WATER

		TPH as	TPH_as			Ethyl-		Total Oil
<u>Date</u>	Well_#	Diesel	Gasoline	Benzene	<u>Toluene</u>	<u>benzene</u>	<u>xylenes</u>	& Grease
8/05/91	MW1	200	1,200	95	6.2	230	80	
0,00,01	MW2	4,200	33,000	2,900	190	3,400	7,900	ND
	MW3	63	, ND	ND	ND	ND	NĎ	- -
	MW4	6,200	37,000	310	70	3,600	9,700	
	MW5	ND	ND	ND	ND	ND	ND	
	MW6	130	860	130	11	92	150	ND
# /a# /a-	10772	600	0.5.000	0.00	2.0	1 000	1 000	
2/21/91		690	26,000	280	39	1,200	1,900	
	MW2	7,000	3,400	160	61 ND	200	490	N D
	MW3	4 700	ND	ND	ND	ND 2 800	0.64 12,000	
	MW4	4,100	33,000	210 ND	21 ND	3,800 N D	4.7	
	MW5	1.00	56 750	ND 77	14	23	140	ND
	MW6	160 	750 740	74	12	33	140	
Duralianto	MWD		740	74	12	دد	140	
Duplicate	(MW6)							
11/26/90	MWl		2,900	160	2.3	330	320	
	MW2	3,800	15,000	1,600	450	1,100	2,100	ND
	MW3		ND	ND	ND	ND	ND	
	MW4		49,000	360	36	3,800	11,000	
	MW5		ND	ND	ND	ND	ND	
	MW6	320	4,800	1,000	200	340	650	ND
	MW7		4,000	800	120	250	440	
Duplicate	(MW6)							
8/28/90	MW1		1,700	140	1.4	180	150	
5, ==, ==	MW2	3,100	27,000	2,600	1,300	1,900	3,000	ND
	MW3	, 	ND	ND	ND	ND	0.70	
	MW4	- -	62,000	810	72	4,400	4,600	
	MW5		ND	ND	ND	ND	1.2	- -
	MW6	1,000	12,000	1,700	1,400	230	2,100	16
	MW7		2,600	180	3.0	810	270	
Duplicate	(MWl)							
5/11/90	MW1	- -	22,000	590	42	1,200	3,600	
5,11,50	MW2		65,000	3,300	3,300	4,100	12,000	
	MW3		ND	ND	ND	ND	ND	
				-,-				

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES WATER

- * Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be gasoline.
- ** Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a gasoline and non-gasoline mixture.
- Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be diesel.
- ♦♦ Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a diesel and non-diesel mixture.


ND = Non-detectable.

-- Indicates analysis was not performed.


Results are in micrograms per liter $(\mu g/L)$, unless otherwise indicated.

Note: Laboratory analyses data prior to February 10, 1994, were provided by Kaprealian Engineering, Inc.






Base modified from 7.5 minute U.S.G.S. Oakland East and San Leandro Quadrangles (both photorevised 1980)





UNOCAL SERVICE STATION #3135 845 - 66TH AVENUE OAKLAND, CALIFORNIA LOCATION MAP



Monitoring well

Direction of ground water flow with approximate hydraulic gradient

() Ground water elevation in feet relative to Mean Sea Level


Contours of ground water elevation



POTENTIOMETRIC SURFACE MAP FOR THE MAY 5, 1994 MONITORING EVENT



UNOCAL SERVICE STATION #3135 845 - 66TH AVENUE OAKLAND, CALIFORNIA figure 1



→ Monitoring well

> Direction of ground water flow with approximate hydraulic gradient

() Ground water elevation in feet relative to Mean Sea Level

Contours of ground water elevation

* Well was inaccessible


0 60 120
Approx. scale feet

POTENTIOMETRIC SURFACE MAP FOR THE APRIL 23, 1994 MONITORING EVENT



UNOCAL SERVICE STATION #3135 845 - 66TH AVENUE OAKLAND, CALIFORNIA FIGURE

2



- Monitoring well

Direction of ground water flow with approximate hydraulic gradient

() Ground water elevation in feet relative to Mean Sea Level

Contours of ground water elevation




POTENTIOMETRIC SURFACE MAP FOR THE MARCH 14, 1994 MONITORING EVENT



UNOCAL SERVICE STATION #3135 845 - 66TH AVENUE OAKLAND, CALIFORNIA FIGURE


3



- Monitoring well
- () Concentration of TPH as gasoline in μg/L
- [] Concentration of benzene in µg/L
- <> Concentration of TPH as diesel in µg/L

ND= Non-detectable, NS = Not sampled


* The lab reported that the hydrocarbons did not appear to be gasoline.



PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON MAY 5, 1994



UNOCAL SERVICE STATION #3135 845 - 66TH AVENUE OAKLAND, CALIFORNIA FIGURE 4



680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834 (415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services 2401 Stanwell Dr., Ste. 400

Concord, CA 94520 Attention: Avo Avedessian Client Project ID: Sample Matrix: Unocal #3135, 845 66th Ave., Oakland

Unocal #3135, 845 66th Ave., Oakland Water

Analysis Method: EPA 5030/8015/8020 First Sample #: 405-0412 Sampled:

May 5, 1994

Received: May 5, 1994 Reported: May 19, 1994

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Analyte	Reporting Limit μg/L	Sample I.D. 405-0412 MW1*	Sample I.D. 405-0413 MW2	Sample I.D. 405-0414 MW3*	Sample I.D. 405-0415 MW4	Sample I.D. 405-0416 MW6	Sample I.D. 405-0417 MW10*
Purgeable Hydrocarbons	50	96	36,000	62	6,900	2,600	1,000
Benzene	0.5	N.D.	3,200	N.D.	17	430	N.D.
Toluene	0.5	N.D.	670	N.D.	N.D.	99	N.D.
Ethyl Benzene	0.5	N.D.	2,700	N.D.	480	24	N.D.
Total Xylenes	0.5	N.D.	9,600	N.D.	1,300	420	N.D.
Chromatogram Pat	tern:	Discrete Peak	Gasoline	Discrete Peak	Gasoline	Gasoline	Discrete Peak

Quality Control Data

Report Limit Multiplication Factor:	1.0	100	1.0	20	1.0	1.0
Date Analyzed:	5/17/94	5/17/94	5/17/94	5/17/94	5/17/94	5/17/94
Instrument Identification:	HP-2	HP-2	HP-2	HP-4	HP-4	HP-4
Surrogate Recovery, %: (QC Limits = 70-130%)	98	103	99	82	86	93

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard. Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Please Note:

*This sample does not appear to contain gasoline. Discrete peak refers to an unidentified peak in the MTBE range.

Alan B. Kemp / Project Manager

4050412.MPD <1>



680 Chesapeake Drive 1900 Bates Avenue, Suite L. Concord, CA 94520 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Sacramento, CA 95834

(415) 364-9600 (510) 686-9600 (916) 921-9600

FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400

Client Project ID:

Unocal #3135, 845 66th Ave., Oakland

Sampled: --

Concord, CA 94520 Attention: Avo Avedessian Sample Matrix: Analysis Method: First Sample #:

Water EPA 5030/8015/8020

Matrix Blank

Received: Reported:

May 19, 1994

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Analyte	Reporting Limit μg/L	Sample I.D. Matrix Blank		
Purgeable Hydrocarbons	50			
Benzene	0.5			
Toluene	0.5			
Ethyl Benzene	0.5			
Total Xylenes	0.5			
Chromatogram Patte	ern:			

Quality Control Data

Report Limit Multiplication Factor: 1.0

5/17/94

Date Analyzed:

HP-2

Surrogate Recovery, %:

Instrument Identification:

(QC Limits = 70-130%)

103

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard. Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

oject Manager



680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834

(415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400

Client Project ID: Unocal #3135, 845 66th Ave., Oakland Sampled:

May 5, 1994

Concord, CA 94520

Sample Matrix: Analysis Method:

Water EPA 3510/3520/8015 Received:

May 5, 1994 May 19, 1994

Attention: Avo Avedessian

First Sample #:

405-0412

Reported:

TOTAL EXTRACTABLE PETROLEUM HYDROCARBONS

Analyte	Reporting Limit μg/L	Sample I.D. 405-0412 MW1	Sample I.D. 405-0413 MW2*	Sample I.D. 405-0414 MW3	Sample I.D. 405-0415 MW4*	Sample I.D. 405-0416 MW6*	Sample I. D. 405-0417 MW10
Extractable Hydrocarbons	50	N.D.	3100	66	2000	630	55
Chromatogram Pa	ttern:		Diesel & Unidentified Hydrocarbons < C14; > C20	Diesel	Diesel & Unidentified Hydrocarbons <c14< td=""><td>Diesel & Unidentified Hydrocarbons <c14;>C20</c14;></td><td>Diesel</td></c14<>	Diesel & Unidentified Hydrocarbons <c14;>C20</c14;>	Diesel

Quality Control Data

Report Limit Multiplication Factor:	1.0	1.0	1.0	1.0	1.0	1.0
Date Extracted:	5/11/94	5/11/94	5/11/94	5/11/94	5/11/94	5/11/94
Date Analyzed:	5/16/94	5/16/94	5/16/94	5/16/94	5/16/94	5/16/94
Instrument Identification:	HP-3A	НР-ЗА	HP-3A	HP-3A	HP-3B	HP-3A

Extractable Hydrocarbons are quantitated against a fresh diesel standard. Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Please Note:

*This sample appears to contain diesel and non-diesel mixtures. Unidentified hydrocarbons <C14 are probably gasoline; >C20 refers to unidentified peaks in the total oil & grease range.

Kemp Project Manager

4050412.MPD <3>



680 Chesapeake Drive 1900 Bates Avenue, Suite L. Concord, CA 94520 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Sacramento, CA 95834

(415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400

Concord, CA 94520

Client Project ID:

Unocal #3135, 845 66th Ave., Oakland Sampled: --

Sample Matrix: Analysis Method:

EPA 3510/3520/8015

Received: Reported:

May 19, 1994

Attention: Avo Avedessian

First Sample #:

Matrix Blank

Water

TOTAL EXTRACTABLE PETROLEUM HYDROCARBONS

	Reporting	Sample
Analyte	Limit	I.D.
	μg/L	Matrix
		Blank

Extractable Hydrocarbons

50

Chromatogram Pattern:

Quality Control Data

Report Limit Multiplication Factor:

1.0

Date Extracted:

5/11/94

Date Analyzed:

5/16/94


Instrument Identification:

HP-3A

Extractable Hydrocarbons are quantitated against a fresh diesel standard. Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Project Manager



680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834 (415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400 Concord, CA 94520 Attention: Avo Avedessian Client Project ID:

Unocal #3135, 845 66th Ave., Oakland

Matrix: Liquid

QC Sample Group: 4050412-17

Reported:

May 31, 1994

QUALITY CONTROL DATA REPORT


ANALYTE	Benzene	Toluene	Ethyl	Xylenes	Diesel	
			Benzene			
		,			EPA	
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	8015 Mod.	
Analyst:	J. Fontecha	J. Fontecha	J. Fontecha	J. Fontecha	K. Wimer	
MS/MSD						
Batch#:	4050204	4050204	4050204	4050204	BLK051194	
Date Prepared:	5/17/94	5/17/94	5/17/94	5/17/94	5/11/94	
Date Analyzed:	5/17/94	5/17/94	5/17/94	5/17/94	5/16/94	
Instrument l.D.#:	HP-2	HP-2	HP-2	HP-2	HP-3A	
Conc. Spiked:	20 μg/L	20 μg/L	$20\mu\mathrm{g/L}$	60 μg/L	300 μg/L	
Matrix Spike						
% Recovery:	95	95	100	100	56	
Matrix Spike						
Duplicate %			•			
Recovery:	95	100	100	100	74	
Relative %						
Difference:	0.0	2.6	0.0	0.0	28	
LCS Batch#:	LCS051794	LCS051794	LCS051794	LCS051794	BLK051194	
Date Prepared:	5/17/94	5/17/94	5/17/94	5/17/94	5/11/94	
Date Analyzed:	5/17/94	5/17/94	5/17/94	5/17/94	5/16/94	
Instrument l.D.#:	HP-2	HP-2	HP-2	HP-2	НР-ЗА	
LCS %						
Recovery:	85	85	90	87	56	
% Recovery						
Control Limits:	71-133	72-128	72-130	71-120	28-122	

SEQUOIA ANALYTICAL, #1271

Alan B. Kemp Project Manager Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

£30



680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834 (415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400 Concord, CA 94520

Client Project ID:

Unocal #3135, 845 66th Ave., Oakland

Matrix: Liquid

Attention: Avo Avedessian QC Sample Group: 4050412-17

Reported: May

May 31, 1994

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl	Xylenes	
			Benzene		
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	
Analyst:	J. Fontecha	J. Fontecha	J. Fontecha	J. Fontecha	
MS/MSD					
Batch#:	4050463	4050463	4050463	4050463	
Date Prepared:	5/17/94	5/17/94	5/17/94	5/17/94	
Date Analyzed:	5/17/94	5/17/94	5/17/94	5/17/94	
nstrument l.D.#:	HP-4	HP-4	HP-4	HP-4	
Conc. Spiked:	20 μg/L	20 μg/L	20 μg/L	60 μg/L	
Matrix Spike					
% Recovery:	85	90	90	92	
Matrix Spike					
Duplicate %					
Recovery:	85	90	90	92	
Bolotivo 9/					
Relative % Difference:	0.0	0.0	0.0	0.0	

2LCS051794	2LCS051794	2LCS051794	2LCS051794			
5/17/94	5/17/94	5/17/94	5/17/94			
5/17/94	5/17/94	5/17/94	5/17/94			
HP-4	HP-4	HP-4	HP-4			
85	90	90	92			
						
71-133	72-128	72-130	71-120			
	5/17/94 5/17/94 HP-4	5/17/94 5/17/94 5/17/94 5/17/94 HP-4 HP-4	5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 HP-4 HP-4 HP-4	5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 HP-4 HP-4 HP-4 HP-4	5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 HP-4 HP-4 HP-4 HP-4 85 90 90 92	5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 5/17/94 HP-4 HP-4 HP-4 HP-4

SEQUOIA ANALYTICAL, #1271

Project Manage

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix

interference, the LCS recovery is to be used to validate the batch.

Please Note:

ኇጜ



680 Chesapeake Drive 1900 Bates Avenue, Suite L. Concord, CA 94520 819 Striker Avenue, Suite 8 Sacramento, CA 95834

Redwood City, CA 94063

(415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

Client Project ID: Unocal #3135, 845 66th Ave., Oakland

2401 Stanwell Dr., Ste. 400 Concord, CA 94520

Attention: Avo Avedessian

QC Sample Group: 4050412-17

Reported:

May 31, 1994

QUALITY CONTROL DATA REPORT

URROGATE			· · · · · · · · · · · · · · · · · · ·				-
Method: Analyst: Reporting Units: Date Analyzed: Sample #:	EPA 8015 Mod. K. Wimer µg/L 5/16/94 405-0412	EPA 8015 Mod, K. Wimer μg/L 5/16/94 405-0413	EPA 8015 Mod. Κ. Wimer μg/L 5/16/94 405-0414	EPA 8015 Mod. K. Wimer µg/L 5/16/94 405-0415	EPA 8015 Mod. K. Wimer µg/L 5/16/94 405-0416	EPA 8015 Mod. K. Wimer µg/L 5/16/94 405-0417	EPA 8015 Mod. K. Wimer μg/L 5/16/94 Matrix Blank
Surrogate % Recovery:	79	94	93	88	82	69	89

SEQUOIA ANALYTICAL, #1271

Alan B. Kemp) Project Manager

% Recovery:

Conc. of M.S. - Conc. of Sample

x 100

Spike Conc. Added

Relative % Difference:

Cane. of M.S. - Cone. of M.S.D.

x 100

(Conc. of M.S. + Conc. of M.S.D.) / 2

M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520 Tel: (510) 602-5120 Fax: (510) 689-1918

CHAIN OF CUSTODY

SAMPLER RAY	Y MARANGOS	ISIAN	UNOC S/S	UNOCAL 3/35 CITY: DANCAND					ANALYSES REQUESTED						TURN AROUND TIME	
			4	ADDRESS: 845 66 TH Ave.					TPH-DIESEL		0					REGULA
SAMPLE ID NO.	DATE	TIME	WATER	R GRAB	, соме	NO. OF CONT.	SAMPLING LOCATION	TPH-GAS BTEX	F F	T00	8010					REMARKS
MWI	5.5.94	10:55	X	ኣ		3	well	X	K						40	\$0412A-C
MW2	T	13:35	1 1	×		ч		7	×							0413
MW3	<u> </u>	10:30	R	×		4	4	R	, k							0414
mw4	4	13:00	T			4	4	70								0415
mw6	0.7	12:25	X	χ_		4	4	R	\ \							0416
MW10	7	11:45	<u>x</u>	人		<u>'</u>	7	ya_	x						V	10417V
	<u> </u>	<u>'</u>	<u> </u> '		'	<u> </u>		<u> </u>	<u> </u>							
	<u> </u>	 '	<u> '</u>		<u> </u>											
	<u> </u>	 	<u> </u>	ļ	<u> </u>		,									_
	<u> </u>		'			-										
					<u></u> '											
15:20				VED 8Y:	THE FOLLOWING MUST BE COMPLETED BY THE LABORATORY ACCEPTING SAM 1. HAVE ALL SAMPLES RECFIVED FOR ANALYSIS BEEN STORED ON ICE?					SAMPLES FOR ANALYSES:						
RELINQUISHED BY: DATE/TIME ROW Wesaupsnay 5.5.94				(SIGNATURE)	ч											
050694 11 02			1102		2. WILL SAMPLES HEMAIN REFRIGERATED UNTIL ANALYZED?											
ISIGNATURE			·	P. D. Kelley 5/6/99 1230		3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE? A. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?										
(SIGNA TURE)						(SIGNATURE)			7	IN APPROP	PHATE CO	NTAINERS	AND PROP	PERLY PACE	KAGED?	
(SIGNATURE)				****	1	(SIGNATURE)		SIGNATI	URE:	A-			TITLE: 12~x			DATE: 58594 1620