

2680 Bishop Drive, Suite 203 San Ramon, California 94583 TEL (925) 244-6600 FAX (925) 244-6601

## FAX TRANSMITTAL

510-337-9335

DATE: 1/10/01 FAX # 412-642-3957
415-459-4605

TO: Gordon Taylor, Susan Hugo and Geoff Sears 

COMPANY:
FROM: Mansour Sepent

SUBJECT Location of Sampling points

NUMBER OF PAGES INCLUDING COVER:4

## MESSAGE:

Attached are the results of confirmation sampling below utility trenches and sidewalls. The location of new proposed sampling locations along the Horton Streetextension is also enclosed. The samples will be collected at zero depth and 1.5-2 feet below the present grade. The samples will be analysed on-site using PCB Kits.




Figure ?: Map Showing Proposed Locations of Post-construction Soil Borings








Figure ?: Soil Sampling Locations and PCB Concentrations in mg/kg



Table 1: Analytical Results of Soil Samples Collected

During Excavation

Horton Street Extension, Emeryville, CA

December, 2000

Sample	Depth	Sample	PCB
I.D.	(feet)	Location	(mg/kg)
1	3	Wall	1.26
2	8	Bottom	0.14
3	4	Wall	<u> </u>
4	- 8	Bottom	0.41
5	4	Wall	1
6	8	Bottom	0.12
7	3	Wall	0.23
8	8	Bottom	16.8
and the second	kis ar <b>g</b> ailt ng	A TOTAL OF THE PARTY OF THE PAR	
10	8	Bottom	1.28
	gar k <b>o</b> bini si	a salawa a Walk occident	A COLUMN TO A
12	8	Bottom	8.3
13	6	Wall	280
14	8	Bottom	6.8
15	**** 7.54	and the second	2500 *
16	8	Bottom	4.8
17	3	Wall	2.96
18	7	Bottom	0.4
19	3	Wall	0.84
20	7	Bottom	0.48