



76 Broadway
Sacramento, California 95818

RECEIVED

9:22 am, May 04, 2011

Alameda County
Environmental Health

April 28, 2011

Alameda County Health Agency – Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Attention: Ms. Barbara Jakub

Re: **1st Quarter 2011 – Quarterly Summary Report**
76 Service Station #0843
1629 Webster Street
Alameda, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (916) 558-7612.

Sincerely,

A handwritten signature in black ink that reads "Bill Borgh".

Bill Borgh
Site Manager – Risk Management and Remediation

Attachment

QUARTLERY SUMMARY REPORT

First Quarter 2011

*76 Service Station No. 0843 (2349)
1629 Webster St
Alameda, CA*

Antea Group Project No. C1Q2349010

April 28, 2011

Prepared for:
ConocoPhillips
76 Broadway
Sacramento, CA 95818

Prepared by:
Antea™Group
11050 White Rock Road
Suite 110
Rancho Cordova, CA
95670



Antea Group
11050 White Rock Road, Suite 110
Rancho Cordova, California 95670
www.anteagroup.com

April 28, 2011

Ms. Barbara Jakub
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RE: QUARTERLY SUMMARY REPORT
First Quarter 2011
Former 76 Service No. 0843 (2349)
1629 Webster Street
Alameda, CA
AOC 2807
RO# 0450

Dear Ms. Jakub:

Due to global rebranding, as of January 5, 2011 Delta Consultants has become Antea Group. Any work performed or reports submitted prior to this date will still be referenced using the Delta Name.

On behalf of ConocoPhillips Company (COP), Antea Group is submitting the *Quarterly Summary Report – First Quarter 2011*, and forwarding a copy of TRC Solutions, Inc. (TRC's) quarterly *Groundwater Monitoring Report – January through March 2011*, dated March 17, 2011 for the above referenced location:

Sincerely,
Antea Group


Project Manager
James B. Barnard, P.G.
California Registered Professional Geologist No. 7478



cc: Mr. Bill Borgh, ConocoPhillips (electronic copy)

QUARTERLY SUMMARY REPORT
FIRST QUARTER 2011
76 Service Station No. 0843
1629 Webster Street
Alameda, Alameda County, California

1.0 SITE BACKGROUND

1.1 PREVIOUS ASSESSMENT

June 1998 - Tosco Marketing Company (Tosco, now ConocoPhillips) exhumed and removed two 10,000-gallon gasoline underground storage tanks (USTs), one 550-gallon used oil UST, product lines, and fuel dispensers. Two holes approximately $\frac{3}{4}$ -inch in diameter were observed in the used oil tank during removal. Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the UST removal activities.

March 1999 – Four soil borings (B1 through B4) were advanced at the site and converted to monitor wells MW-1 through MW-4. Groundwater was encountered from 8 to 15 feet below ground surface (bgs). Static groundwater was observed at depths ranging from 4 and 6 feet bgs subsequent to well installation.

December 1999 – Two off-site soil borings (B5 and B6) were advanced and subsequently converted to monitor wells MW-5 and MW-6. Groundwater was initially present at approximately 10 feet bgs. Static groundwater was observed at a depth of approximately 7 feet bgs subsequent to well installation.

March 2001 - An underground utility survey was conducted to identify and locate underground utilities beneath and in the vicinity of the site that could provide potential preferential pathways for groundwater flow.

May 2001 - Five direct-push soil borings (GP-1 through GP-5) were advanced to evaluate whether underground utilities in the vicinity of the site are providing preferential pathways for groundwater flow and the migration of dissolved phase hydrocarbons. The results of the investigation indicated insufficient evidence that underground utility lines were providing preferential pathways for the off-site migration of dissolved phase hydrocarbons.

December 2001 - Twelve direct-push soil borings (GP-6 through GP-17) were advanced to further assess the extent of residual hydrocarbons in the vadose zone beneath the site. The results of the investigation indicated that the extent of the residual hydrocarbon impact reported in the previous investigations was limited.

December 2002 - One on-site monitoring well (MW-2) was destroyed during remedial excavation of hydrocarbon-impacted soil. Prior to destruction, monitoring well MW-2 was located near the former eastern dispenser island. During the remedial excavation, monitoring well MW-2 was replaced with on-site backfill monitoring well MW-2A. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern dispenser island.

September 2003 - A *Request and Work Plan for Closure* prepared by ERI was submitted to the Alameda County Health Care Services Agency (ACHCSA), dated September 10, 2003. The report summarized why no further action is needed for the site; the report also included plans to destroy the existing wells upon regulatory acceptance for no further action. Closure was not granted.

June 2004 – A work plan was submitted for the installation of two additional monitor wells down-gradient of MW-5.

May 2005 – A work plan titled *Work Plan Addendum – Site Assessment Activity* dated May 17, 2005 was prepared by ATC Associates Inc. (ATC) for the installation of two off-site monitor wells.

September 2005 – A work plan was prepared by ATC titled *Work Plan Subsurface Investigation*, for the installation of one on-site monitor well.

September 2005 – Site environmental consulting responsibilities were transferred to Delta.

January 2007 - Delta submitted a work plan to the ACHCSA recommending the advancement of one soil boring and the installation of three ozone injection wells at the site.

August 2008 - Gregg Drilling under the supervision of a Delta field geologist advanced one soil boring to a depth of 55 feet bgs. The details of this investigation are described in the *Site Investigation Report* dated October 29, 2008.

In May 2009, as proposed in Delta's Work Plan *Site Investigation and Well Installations*, dated March 16, 2009, a total of seven groundwater monitoring wells (MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, MW-11) and one injection point well (TSP-1) were installed at the site. One onsite monitoring well (MW-2A) was also abandoned. Results of this investigation are presented in the *Site Investigation and Well Installation Report*, dated July 9, 2009.

During a four week period from August 10, 2009 to September 4, 2009, Integral, with oversight by Delta, performed a daily ozone injection feasibility test. The feasibility testing included the continuous injection of ozone into test point TSP-1 for eight hours per day at a rate of 0.45 lbs of ozone per day. Depth to water, DO, and ORP were monitored and recorded before, during, and after the injection in surrounding on-site monitoring wells MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, and MW-11. Additionally, operating flow rates in cubic feet per minute (cfm) and operating pressure in pounds per square inch (psi) were monitored and recorded on the mobile injection unit. Results of this pilot test are presented in the *Ozone Feasibility Test Report*, dated September 28, 2009.

1.2 SENSITIVE RECEPTORS

June/July 2002 - A groundwater receptor survey was conducted. Three irrigation wells were located within a one-half mile radius of the site. The wells are located approximately 1,980 feet west and 2,245 feet southwest of the site, cross-gradient and up-gradient of the site.

November 2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and to identify domestic wells within the survey area. The DWR survey provided 15 potential receptors within one mile of the site; one domestic well located 0.5 mile southwest of the site; one domestic/irrigation well located 0.7 mile southeast of the site; 11 irrigation wells with three located 0.1 mile northwest, west, and southeast of the site; and two industrial wells located 0.3 miles southwest and 0.9 mile northeast of the site.

2.0 GROUNDWATER MONITORING AND SAMPLING

The current groundwater monitoring network at this site consists of two offsite wells (MW-5 and MW-6), and ten onsite wells (MW-1, MW-1AR, MW-1BR, MW-3, MW-4, MW-7, MW-8, MW-9, MW-10, and MW-11). Currently, all wells are monitored quarterly, and wells MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, and MW-11 are sampled quarterly while wells MW-1, MW-3, MW-4, MW-5, and MW-6 are sampled semi-annually during first and third quarters.

Collected groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, ethyl benzene, and total xylenes (BTEX), and 8 fuel oxygenates [methyl tert butyl ether (MTBE), tert butyl alcohol (TBA), ethylene dibromide (EDB), 1,2 dichloroethane (1,2-DCA), diisopropyl ether (DIPE), ethyl tert butyl ether (ETBE), tert amyl methyl ether (TAME), and ethanol] by EPA method 8260B. Samples from wells MW-1, MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, and MW-11 were additionally analyzed for biodegradation parameters including total organic carbon, hexavalent chromium (chrome IV), chromium (total and dissolved), ferrous iron, manganese (total and dissolved), nitrate, sulfate, dissolved oxygen (DO) (pre-purge, post-purge, and lab), oxygen reducing potential (ORP) (pre-purge, post-purge, and lab), and specific conductivity.

2.1 FIRST QUARTER 2011 MONITORING AND SAMPLING

During the most recent groundwater monitoring and sampling event conducted by TRC on February 14, 2011, all twelve wells were monitored and sampled. Depth to groundwater ranged from 5.49 feet below top of casing (TOC), in MW-5, to 7.01 feet below TOC, in MW-1AR. Average groundwater elevation was 11.92 feet above mean sea level, an increase of 1.27 feet from the previous sampling event (11/11/10). The groundwater gradient and flow direction were interpreted to be 0.005 feet per foot (ft/ft) to the northwest. This is inconsistent with a gradient and flow direction of 0.004 ft/ft to the northeast during the previous sampling event. However, this is consistent with historical groundwater flow direction trends which are predominantly north and northeast, and to a much lesser extent, to the northwest. A historical groundwater flow direction rose diagram is included as **Attachment A**.

2.1.1 Constituents of Concern:

- **TPHg:** TPHg was above laboratory indicated reporting limits in groundwater samples collected from eight of the twelve wells sampled with a maximum concentration of 7,900 micrograms per liter ($\mu\text{g}/\text{L}$) in MW-7 during the current sampling event. This is an increase from a maximum concentration of 2,600 $\mu\text{g}/\text{L}$ in MW-7 during the previous sampling event (11/11/10). Wells MW-1, MW-1AR, MW-1BR, MW-6, MW-8, MW-9, and MW-11 were reported with concentrations of 580 $\mu\text{g}/\text{L}$, 58 $\mu\text{g}/\text{L}$, 80 $\mu\text{g}/\text{L}$, 110 $\mu\text{g}/\text{L}$, 3,900 $\mu\text{g}/\text{L}$, 170 $\mu\text{g}/\text{L}$, and 3,500 $\mu\text{g}/\text{L}$, respectively, during the current sampling event.
- **BTEX:** Benzene, toluene, ethylbenzene, and total xylenes were all below laboratory indicated reporting limits in groundwater samples collected from all of the twelve wells sampled during the current sampling event. This is consistent with the previous three sampling events ..
- **MTBE:** MTBE was above laboratory indicated reporting limits in groundwater samples collected from ten of the twelve wells sampled with a maximum concentration of 13,000 $\mu\text{g}/\text{L}$ in MW-7 during the current sampling event. This is static from an identical maximum concentration in MW-7 during the previous sampling event. Wells MW-1, MW-1AR, MW-1BR, MW-3, MW-6, MW-8, MW-9, MW-10, and MW-11 were reported with concentrations of 1,100, $\mu\text{g}/\text{L}$, 91 $\mu\text{g}/\text{L}$, 140, $\mu\text{g}/\text{L}$, 45 $\mu\text{g}/\text{L}$, 180 $\mu\text{g}/\text{L}$, 7,100 $\mu\text{g}/\text{L}$, 320 $\mu\text{g}/\text{L}$, 1.9 $\mu\text{g}/\text{L}$, and 7,400 $\mu\text{g}/\text{L}$, respectively, during the current sampling event.
- **TBA:** TBA was above laboratory indicated reporting limits in groundwater sampled collected from two of the twelve wells sampled with a maximum concentration of 670 $\mu\text{g}/\text{L}$ in MW-11 during the current sampling event. This is a decrease from a maximum concentration of 1,400 $\mu\text{g}/\text{L}$ in MW-7 during the previous sampling event. Well MW-1 was reported with a concentration of 99 $\mu\text{g}/\text{L}$. It should also be noted that while TBA in MW-7 was below the reporting limit, the reporting limit was raised to 1000 $\mu\text{g}/\text{L}$ due to dilution factors.
- **Other Fuel Oxygenates:** EDB, 1,2-DCA, DIPE, ETBE, TAME, and Ethanol were all below laboratory indicated reporting limits in groundwater samples collected from all of the twelve wells sampled during the current sampling event. This is consistent with the previous three sampling events.
- **Biodegradation Parameters:** Sulfate levels ranged from 21 mg/L in MW-11 to 75 mg/L in MW-8, while nitrate levels ranged from 2.9 mg/L in MW-7 to 29 mg/L in MW-1BR. Pre-purge DO ranged from 0.56 mg/L in MW-11 to 7.02 mg/L in MW-4, while pre-purge ORP ranged from 179 mV in MW-5 to 356 mV in MW-1BR. Chrome IV was above laboratory indicated reporting limits in five of the eight wells sampled with a maximum concentration of 14.0 $\mu\text{g}/\text{L}$ in MW-10.

A copy of TRC's quarterly *Groundwater Monitoring Report – January through March 2011* is included as **Attachment B**.

3.0 REMEDIATION STATUS

Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the June 1998 UST removal activities. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern island during the December 2002 excavation.

4.0 DISCUSSION

Based on the data obtained during the August 2008 site investigation, additional assessment was recommended in the vicinity between monitoring well MW-2A, and monitoring well MW-1, and in the northeast corner of the site along the intersection of Pacific and Webster streets. Analytical data from groundwater samples collected from the Shell service station located approximately 75 feet south (up-gradient) of the site indicate that TPPH and MTBE are present in the groundwater and it appears that MW-1 is showing petroleum hydrocarbon impact from the off-site migration of these constituents onto the site.

Additional site investigation ensued in May 2009, pursuant to the ACDPEH-Approved *Workplan for Additional Assessment*, prepared and submitted by Delta. Results of this investigation are presented in the *Site Investigation and Well Installation Report*, dated July 9, 2009.

Residual impact in soil appears to be localized around MW-7. As such, in January 2011, Antea Group advanced 5 shallow soil borings in the vicinity of MW-7 to assess remaining impact, and assess the potential need for localized excavation, and submitted their findings in *Additional Assessment Report*, dated February 28, 2011. It was determined that the soil impact is in fact localized in MW-7, and therefore, Antea did not recommend excavation in the area. Antea Group has submitted *Remedial Action Plan*, dated March 18, 2011, which proposes the installation of ozone sparge points and use of ozone/oxygen injection for remediation of the rest of the site.

5.0 RECENT CORRESPONDENCE

October 4, 2010: Letter from Alameda Health Care Services to COP regarding approval of Delta's *Corrective Action Plan*, dated April 7, 2010, and *Work Plan for Additional Assessment*, dated August 24, 2010.

6.0 FIRST QUARTER 2011 ACTIVITIES

- TRC performed the quarterly monitoring and sampling activities at the site on February 14, 2011, and prepared their results in *Groundwater Monitoring Report – January through March 2011*, dated March 17, 2011.
- Antea Group over saw the advancement of 5 soil and groundwater borings in the vicinity of MW-7 for the purpose of localized impact assessment in order to determine in local excavation is necessary. Antea Group has prepared their results in *Additional Assessment Report*, dated February 28, 2011.
- Antea Group prepared and submitted a *Remedial Action Plan*, dated March 18, 2011.

7.0 SECOND QUARTER 2011 PLANNED ACTIVITIES

- TRC will conduct quarterly groundwater monitoring and sampling activities at the site, and prepare their results in a quarterly groundwater monitoring report.
- Antea Group will prepare and submit the quarterly summary report.

8.0 LIMITATIONS

The descriptions, conclusions, and recommendations contained in this report represent Antea's professional opinions based upon the currently available information and are arrived at in accordance with currently acceptable professional standards. For any reports cited that were not generated by Antea, the data from those reports is used "as is" and is assumed to be accurate. Antea does not guarantee the accuracy of this data for the referenced work performed nor the inferences or conclusions stated in these reports. This report is based upon a specific scope of work requested by the client. The Contract between Antea and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were conducted. This report is intended only for the use of Antea's Client and anyone else specifically listed on this report. Antea will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea makes no express or implied warranty as to the contents of this report.

If you have any questions regarding this work plan or need and additional information about this Site, please do not hesitate to contact Jim Barnard at (916) 503-1279.

CONSULTANT: Antea Group

ATTACHMENTS

Attachment A – Historic Groundwater Flow Directions Rose Diagram

Attachment B – Groundwater Monitoring Report – January through March 2011

Quarterly Summary Report - First Quarter 2011

Former 76 Service Station No. 0843

1629 Webster St, Alameda, CA

April 28, 2011

ATTACHMENT A

Historic Groundwater Flow Directions Rose Diagram


Historic Groundwater Flow Directions

ConocoPhillips Site No. 0843

1629 Webster Street

Alameda, California

N



Legend

Concentric circles represent quarterly monitoring events.
Second Quarter 1999 through First Quarter 2011.
45 data points shown.

■ Groundwater Flow Direction

Quarterly Summary Report - First Quarter 2011

Former 76 Service Station No. 0843
1629 Webster St, Alameda, CA

April 28, 2011

ATTACHMENT B

Groundwater Monitoring Report – January through March 2011



123 Technology Drive West
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

DATE: March 17, 2011

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

RE: GROUNDWATER MONITORING REPORT
JANUARY THROUGH MARCH 2011

Dear Mr. Borgh:

Please find enclosed our Groundwater Monitoring Report for Former 76 Station 0843, located at 1629 Webster Street, Alameda, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan". To the right of the signature is a small, stylized checkmark or flourish.

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. James Barnard, Delta Consultants (2 copies)

Enclosures
20-0400/0843R31.QMS

**GROUNDWATER MONITORING REPORT
JANUARY THROUGH MARCH 2011**

FORMER 76 STATION 0843
1629 Webster Street
Alameda, California

Prepared For:


Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 3/16/11



LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 1b: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results
Coordinated Event Data	<i>Shell Service Station</i> Table 1: Groundwater Data
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map Figure 6: Dissolved-Phase TBA Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheets – 2/14/11 Groundwater Sampling Field Notes – 2/14/11
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
January 2011 through March 2011
Former 76 Station 0843
1629 Webster Street
Alameda, CA

Project Coordinator: **Bill Borgh** Water Sampling Contractor: **TRC**
Telephone: **916-558-7612** Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **2/14/2011**

Sample Points

Groundwater wells: **10** onsite, **2** offsite Points gauged: **12** Points sampled: **12**
Purging method: **Diaphragm/submersible pump**
Purge water disposal: **Crosby and Overton treatment facility**
Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --
LPH removal frequency: -- Method: --
Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **5.49 feet** Maximum: **7.01 feet**
Average groundwater elevation (relative to available local datum): **11.92 feet**
Average change in groundwater elevation since previous event: **1.27 feet**
Interpreted groundwater gradient and flow direction:
Current event: **0.005 ft/ft, northwest**
Previous event: **0.004 ft/ft, northeast (11/11/2010)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **0** Sample Points above MCL (1.0 µg/l): --
Maximum reported benzene concentration: --
Sample Points with **TPH-G by GC/MS** **8** Maximum: **7,900 µg/l (MW-7)**
Sample Points with **MTBE 8260B** **10** Maximum: **13,000 µg/l (MW-7)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
$\mu\text{g/l}$	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)
D	= duplicate
P	= no-purge sample

ANALYTES

DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MTBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
TCA	= trichloroethane
TCE	= trichloroethylene
TPH-G	= total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	= total petroleum hydrocarbons with diesel distinction
TRPH	= total recoverable petroleum hydrocarbons
TAME	= tertiary amyl methyl ether
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A “J” flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Prior to the 1st quarter 2010, the word “monitor” was used in table comments interchangeably with the word “gauge”. Starting in the 1st quarter 2010, the word “monitor” is used to include both “gauge” and “sample”.

REFERENCE

TRC began groundwater monitoring and sampling for Former 76 Station 0843 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: Former 76 Station 0843

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	---------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 1a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Carbon (organic, total)	Chromium VI	Chromium (total)	Chromium (dissolved)	Iron Ferrous
-----------------	---------------	-----	--------------------	---------------------------------	------------------	------	------	------	-------------------------------	----------------	---------------------	-------------------------	-----------------

Table 1b	Well/ Date	Manganese (dissolved)	Manganese (total)	Nitrogen as Nitrate	Sulfate	Dissolved Oxygen (Lab)	Redox Potential (ORP-Lab)	Specific Con- ductance	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
-----------------	---------------	--------------------------	----------------------	---------------------------	---------	------------------------------	---------------------------------	------------------------------	-----------------------------------	----------------------------------	------------------	-------------------

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	---------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	EDB (504)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Carbon (organic, total)	Chromium VI	Chromium (total)	Chromium (dissolved)
-----------------	---------------	-----	--------------------	---------------------------------	--------------	------------------	------	------	------	-------------------------------	----------------	---------------------	-------------------------

Table 2b	Well/ Date	Iron Ferrous	Manganese (dissolved)	Manganese (total)	Nitrogen as Nitrate	Sulfate	Dissolved Oxygen (Lab)	Redox Potential (ORP-Lab)	Specific Con- ductance	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
-----------------	---------------	-----------------	--------------------------	----------------------	---------------------------	---------	------------------------------	---------------------------------	------------------------------	-----------------------------------	----------------------------------	------------------	-------------------

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
2/14/2011	19.13	6.78	0.00	12.35	1.35	--	580	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1100	
(Screen Interval in feet: 4.5-20.5)														
MW-1AR														
2/14/2011	19.29	7.01	0.00	12.28	1.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	91	
(Screen Interval in feet: 25-30)														
MW-1BR														
2/14/2011	19.13	6.96	0.00	12.17	1.50	--	80	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	140	
(Screen Interval in feet: 30-35)														
MW-3														
2/14/2011	18.05	6.04	0.00	12.01	1.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	45	
(Screen Interval in feet: 5.0-20.5)														
MW-4														
2/14/2011	18.14	5.94	0.00	12.20	1.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
(Screen Interval in feet: 5.0-20.5)														
MW-5														
2/14/2011	16.45	5.49	0.00	10.96	0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
(Screen Interval in feet: 5-20)														
MW-6														
2/14/2011	16.97	5.63	0.00	11.34	0.91	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180	
(Screen Interval in feet: 5-20)														
MW-7														
2/14/2011	17.81	6.33	0.00	11.48	0.90	--	7900	ND<50	ND<50	ND<50	ND<100	--	13000	
(Screen Interval in feet: 25-30)														
MW-8														
2/14/2011	18.13	6.22	0.00	11.91	1.38	--	3900	ND<25	ND<25	ND<25	ND<50	--	7100	
(Screen Interval in feet: 25-30)														
MW-9														
2/14/2011	18.75	6.69	0.00	12.06	1.33	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320	
(Screen Interval in feet: 20-25)														
MW-10														
2/14/2011	18.84	6.71	0.00	12.13	1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
(Screen Interval in feet: 25-30)														
MW-11														
2/14/2011	18.72	6.52	0.00	12.20	1.48	--	3500	ND<6.2	ND<6.2	ND<6.2	ND<12	--	7400	
(Screen Interval in feet: 25-30)														

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)	Iron Ferrous (µg/l)
MW-1 2/14/2011	99	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.6	2.7	91	ND<10	ND<500
MW-1AR 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	2.6	ND<10	ND<10	420
MW-1BR 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.7	3.7	34	ND<10	290
MW-3 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
MW-4 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
MW-5 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
MW-6 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
MW-7 2/14/2011	ND<1000	ND<25000	ND<50	ND<50	ND<50	ND<50	ND<50	4.1	ND<2.0	43	ND<10	2700
MW-8 2/14/2011	ND<500	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	3.7	ND<2.0	59	ND<10	440
MW-9 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	6.6	22	ND<10	230
MW-10 2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	14	18	15	160
MW-11 2/14/2011	670	ND<3100	ND<6.2	ND<6.2	ND<6.2	ND<6.2	ND<6.2	3.5	ND<2.0	14	ND<10	240

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Manganese (dissolved) ($\mu\text{g/l}$)	Manganese (total) ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O ₂)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (μmhos)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-1											
2/14/2011	5.4	530	18	25	8.9	418.5	509	6.45	4.45	355	356
MW-1AR											
2/14/2011	150	190	21	32	7.3	217.9	537	1.31	1.48	349	362
MW-1BR											
2/14/2011	73	170	29	28	8.1	286.1	531	1.07	1.74	356	351
MW-3											
2/14/2011	--	--	--	--	4.9	288.9	587	1.15	2.43	187	188
MW-4											
2/14/2011	--	--	--	--	9.2	294.6	770	7.02	6.84	187	172
MW-5											
2/14/2011	--	--	--	--	6.0	317.6	617	1.55	2.81	179	195
MW-6											
2/14/2011	--	--	--	--	5.2	326.6	542	1.01	2.16	195	198
MW-7											
2/14/2011	920	1000	2.9	55	8.0	191.4	713	0.94	1.20	198	76
MW-8											
2/14/2011	830	1400	5.8	75	8.0	267.0	694	2.81	3.44	197	188
MW-9											
2/14/2011	60	440	8.1	29	9.5	305.5	690	0.78	0.64	349	346
MW-10											
2/14/2011	43	45	13	30	9.2	326.6	560	2.25	3.77	342	355
MW-11											
2/14/2011	560	760	3.1	21	9.4	473.7	750	0.88	0.56	337	324

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Sampled	Date	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in water Elevation	TPH-G 8015	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 (Screen Interval in feet: 4.5-20.5)															
3/5/1999	16.18	--	--	--	--	86.6	--	ND	2.04	ND	4.06	--	23.9		
6/3/1999	16.18	6.24	0.00	9.94	--	ND	--	ND	ND	ND	ND	ND	ND		
9/2/1999	16.18	7.19	0.00	8.99	-0.95	ND	--	ND	ND	ND	ND	ND	ND		
12/14/1999	16.18	8.07	0.00	8.11	-0.88	ND	--	ND	ND	ND	ND	ND	ND	--	
3/14/2000	16.18	5.47	0.00	10.71	2.60	ND	--	ND	ND	ND	ND	ND	ND	--	
5/31/2000	16.18	6.22	0.00	9.96	-0.75	ND	--	ND	ND	ND	ND	ND	ND	--	
8/29/2000	16.18	6.82	0.00	9.36	-0.60	ND	--	ND	ND	ND	ND	ND	ND	--	
12/1/2000	16.18	7.54	0.00	8.64	-0.72	ND	--	ND	ND	ND	ND	ND	ND	--	
3/17/2001	16.18	5.73	0.00	10.45	1.81	ND	--	ND	ND	ND	ND	ND	ND	--	
5/23/2001	16.18	6.43	0.00	9.75	-0.70	ND	--	ND	ND	ND	ND	ND	ND	--	
9/24/2001	16.18	7.12	0.00	9.06	-0.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/2001	16.18	6.89	0.00	9.29	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
3/11/2002	16.18	5.61	0.00	10.57	1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2002	16.18	5.71	0.00	10.47	-0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
9/3/2002	16.18	--	--	--	--	--	--	--	--	--	--	--	--	Not monitored/sampled	
12/12/2002	16.18	7.80	0.00	8.38	--	--	--	--	--	--	--	--	--	No longer sampled	
3/13/2003	16.18	5.94	0.00	10.24	1.86	--	--	--	--	--	--	--	--	--	
6/12/2003	16.18	6.10	0.00	10.08	-0.16	--	--	--	--	--	--	--	--	--	
9/12/2003	16.18	6.65	0.00	9.53	-0.55	--	--	--	--	--	--	--	--	--	
12/31/2003	16.18	5.74	0.00	10.44	0.91	--	--	--	--	--	--	--	--	Monitored only	
2/12/2004	16.18	6.02	0.00	10.16	-0.28	--	--	--	--	--	--	--	--	Monitored only	
6/7/2004	16.18	6.61	0.00	9.57	-0.59	--	--	--	--	--	--	--	--	Monitored only	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
9/17/2004	16.18	7.58	0.00	8.60	-0.97	--	--	--	--	--	--	--	--	Sampled Q1 only
12/11/2004	16.18	6.49	0.00	9.69	1.09	--	--	--	--	--	--	--	--	Sampled Q1 only
3/15/2005	16.18	5.28	0.00	10.90	1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
5/17/2005	16.18	5.83	0.00	10.35	-0.55	--	--	--	--	--	--	--	--	Sampled Q1 only
7/27/2005	16.18	6.52	0.00	9.66	-0.69	--	--	--	--	--	--	--	--	Sampled Q1 only
11/23/2005	16.18	7.28	0.00	8.90	-0.76	--	--	--	--	--	--	--	--	Sampled Q1 only
2/24/2006	16.18	6.60	0.00	9.58	0.68	--	910	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5100	
5/30/2006	16.18	6.48	0.00	9.70	0.12	--	--	--	--	--	--	--	--	Sampled Q1 only
8/30/2006	16.18	9.51	0.00	6.67	-3.03	--	--	--	--	--	--	--	--	Sampled Q1 only
11/22/2006	16.18	7.05	0.00	9.13	2.46	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	420	
2/23/2007	16.18	6.40	0.00	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	
5/18/2007	16.18	6.65	0.00	9.53	-0.25	--	2300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	3300	
8/10/2007	16.18	7.26	0.00	8.92	-0.61	--	4100	ND<25	ND<25	ND<25	ND<25	--	4300	
11/9/2007	16.18	7.40	0.00	8.78	-0.14	--	5700	ND<25	ND<25	ND<25	ND<25	--	5400	
2/8/2008	16.18	6.09	0.00	10.09	1.31	--	2600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	4100	
5/16/2008	16.18	6.87	0.00	9.31	-0.78	--	1800	ND<12	ND<12	ND<12	42	--	3500	
8/15/2008	16.18	7.78	0.00	8.40	-0.91	--	1200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	1900	
11/26/2008	16.18	8.65	0.00	7.53	-0.87	--	720	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2400	
2/24/2009	19.13	6.73	0.00	12.40	4.87	--	630	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2300	
5/28/2009	19.13	6.46	0.00	12.67	0.27	--	1000	ND<10	ND<10	ND<10	ND<20	--	4100	
9/14/2009	19.13	7.60	0.00	11.53	-1.14	--	1700	ND<5.0	ND<5.0	ND<5.0	ND<10	--	2100	
11/13/2009	19.13	7.83	0.00	11.30	-0.23	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	19.13	6.72	0.00	12.41	1.11	--	1600	ND<12	ND<12	ND<12	ND<25	--	3400	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
6/7/2010	19.13	6.58	0.00	12.55	0.14	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	19.13	7.20	0.00	11.93	-0.62	--	280	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1400	
11/11/2010	19.13	8.13	0.00	11.00	-0.93	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	19.13	6.78	0.00	12.35	1.35	--	580	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1100	
MW-1AR (Screen Interval in feet: 25-30)														
5/28/2009	19.29	7.25	0.00	12.04	--	--	380	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	930	
9/14/2009	19.29	7.83	0.00	11.46	-0.58	--	480	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	890	
11/13/2009	19.29	8.07	0.00	11.22	-0.24	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	580	
2/5/2010	19.29	7.15	0.00	12.14	0.92	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	350	
6/7/2010	19.29	6.90	0.00	12.39	0.25	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	200	
8/3/2010	19.29	7.48	0.00	11.81	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	81	
11/11/2010	19.29	8.20	0.00	11.09	-0.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120	
2/14/2011	19.29	7.01	0.00	12.28	1.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	91	
MW-1BR (Screen Interval in feet: 30-35)														
5/28/2009	19.13	6.70	0.00	12.43	--	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	810	
9/14/2009	19.13	7.80	0.00	11.33	-1.10	--	450	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	680	
11/13/2009	19.13	7.88	0.00	11.25	-0.08	--	270	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	490	
2/5/2010	19.13	7.84	0.00	11.29	0.04	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280	
6/7/2010	19.13	7.28	0.00	11.85	0.56	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320	
8/3/2010	19.13	7.44	0.00	11.69	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280	
11/11/2010	19.13	8.46	0.00	10.67	-1.02	--	75	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	230	
2/14/2011	19.13	6.96	0.00	12.17	1.50	--	80	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	140	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2														
	(Screen Interval in feet: 4.5-20.5)													
3/5/1999	15.57	--	0.00	--	--	34400	--	2070	7710	2340	8240	--	8460	
6/3/1999	15.57	5.96	0.00	9.61	--	51200	--	1820	7570	2510	7320	6460	8800	
9/2/1999	15.57	6.85	0.00	8.72	-0.89	17000	--	1000	3100	1400	3700	4000	3720	
12/14/1999	15.57	7.65	0.00	7.92	-0.80	83000	--	3000	22000	4500	17000	9100	11000	
3/14/2000	15.57	5.26	0.00	10.31	2.39	31000	--	1600	4600	2300	7300	5700	8700	
5/31/2000	15.57	5.60	0.00	9.97	-0.34	9970	--	598	1030	487	2060	2500	1670	
8/29/2000	15.57	6.35	0.00	9.22	-0.75	7900	--	390	1500	280	1900	1800	1300	
12/1/2000	15.57	7.06	0.00	8.51	-0.71	87500	--	1860	17400	5590	19400	6220	3790	
3/17/2001	15.57	5.98	0.00	9.59	1.08	4310	--	371	59.0	280	682	321	433	
5/23/2001	15.57	6.97	0.00	8.60	-0.99	45400	--	374	4490	2790	10900	ND	406	
9/24/2001	15.57	7.56	0.00	8.01	-0.59	76000	--	430	13000	4700	18000	ND<2000	480	
12/10/2001	15.57	6.52	0.00	9.05	1.04	82000	--	320	9100	4400	16000	ND<2500	270	
3/11/2002	15.57	5.51	0.00	10.06	1.01	14000	--	75	1400	1100	3600	ND<250	150	
6/7/2002	15.57	5.73	0.00	9.84	-0.22	14000	--	120	1200	1400	4700	540	200	
9/3/2002	15.57	6.81	0.00	8.76	-1.08	10000	--	150	1200	610	2800	510	460	
12/12/2002	15.57	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed; Replaced with MW-2A
MW-2A														
	(Screen Interval in feet: 5-11.5)													
12/12/2002	15.56	7.45	0.00	8.11	--	3400	--	80	260	210	1000	380	400	
3/13/2003	--	5.85	0.00	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	1.8	2.4	2.4	
6/12/2003	--	6.08	0.00	--	--	ND<50	--	0.59	0.69	ND<0.50	1.2	6.0	4.7	
9/12/2003	15.56	6.54	0.00	9.02	--	--	120	1.8	4.2	6.1	20	--	6.6	
12/31/2003	15.56	5.63	0.00	9.93	0.91	88	--	0.79	1.8	3.6	14	ND<5.0	2.9	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2A continued														
2/12/2004	15.56	5.68	0.00	9.88	-0.05	160	--	2.6	4.8	13	48	7.2	7.9	
6/7/2004	15.56	6.21	0.00	9.35	-0.53	94	--	0.80	1.2	2.1	9.1	4.5	3.7	
9/17/2004	15.56	7.16	0.00	8.40	-0.95	--	230	3.5	6.1	13	41	--	83	
12/11/2004	15.56	5.84	0.00	9.72	1.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
3/15/2005	15.56	5.52	0.00	10.04	0.32	--	92	0.84	1.7	2.4	9.8	--	ND<10	
5/17/2005	15.56	5.55	0.00	10.01	-0.03	--	54	2.1	1.7	1.9	7.0	--	2.9	
7/27/2005	15.56	6.16	0.00	9.40	-0.61	--	ND<50	0.66	1.1	1.3	4.2	--	3.7	
11/23/2005	15.56	6.88	0.00	8.68	-0.72	--	120	1.3	2.8	7.8	30	--	10	
2/24/2006	15.56	5.79	0.00	9.77	1.09	--	84	0.51	1.2	4.2	16	--	7.2	
5/30/2006	15.56	5.62	0.00	9.94	0.17	--	69	0.90	2.2	3.7	14	--	4.1	
8/30/2006	15.56	6.38	0.00	9.18	-0.76	--	77	ND<0.50	0.50	1.0	3.3	--	2.5	
11/22/2006	15.56	6.60	0.00	8.96	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	2.2	--	0.59	
2/23/2007	15.56	6.05	0.00	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72	
5/18/2007	15.56	6.29	0.00	9.27	-0.24	--	ND<50	ND<0.50	ND<0.50	0.68	1.6	--	0.81	
8/10/2007	15.56	6.90	0.00	8.66	-0.61	--	ND<50	ND<0.50	ND<0.50	1.6	3.9	--	ND<0.50	
11/9/2007	15.56	6.96	0.00	8.60	-0.06	--	ND<50	ND<0.50	ND<0.50	2.4	4.4	--	ND<0.50	
2/8/2008	15.56	5.76	0.00	9.80	1.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/16/2008	15.56	6.50	0.00	9.06	-0.74	--	ND<50	ND<0.50	ND<0.50	0.56	1.2	--	ND<0.50	
8/15/2008	15.56	7.35	0.00	8.21	-0.85	--	78	ND<0.50	0.79	2.9	6.5	--	ND<0.50	
11/26/2008	15.56	8.12	0.00	7.44	-0.77	--	120	0.56	0.66	4.6	6.0	--	1.8	
2/24/2009	18.51	6.19	0.00	12.32	4.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3														
3/5/1999	15.11	--	0.00	--	--	135	--	ND	ND	ND	4.84	--	2.46	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
6/3/1999	15.11	5.57	0.00	9.54	--	ND	--	ND	ND	ND	ND	5.23	12.7	
9/2/1999	15.11	6.50	0.00	8.61	-0.93	ND	--	ND	ND	ND	ND	13	11	
12/14/1999	15.11	7.28	0.00	7.83	-0.78	ND	--	ND	ND	ND	ND	ND	--	
3/14/2000	15.11	4.87	0.00	10.24	2.41	ND	--	ND	ND	ND	ND	7.2	6.3	
5/31/2000	15.11	5.58	0.00	9.53	-0.71	ND	--	ND	ND	ND	ND	ND	--	
8/29/2000	15.11	6.06	0.00	9.05	-0.48	ND	--	ND	ND	ND	ND	ND	ND	
12/1/2000	15.11	6.76	0.00	8.35	-0.70	ND	--	ND	ND	ND	ND	ND	--	
3/17/2001	15.11	5.09	0.00	10.02	1.67	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	15.11	5.72	0.00	9.39	-0.63	ND	--	ND	ND	ND	ND	ND	--	
9/24/2001	15.11	6.34	0.00	8.77	-0.62	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/2001	15.11	6.31	0.00	8.80	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
3/11/2002	15.11	5.15	0.00	9.96	1.16	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2002	15.11	5.45	0.00	9.66	-0.30	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/2002	15.11	7.15	0.00	7.96	-1.70	--	--	--	--	--	--	--	--	No longer sampled
3/13/2003	15.11	5.37	0.00	9.74	1.78	--	--	--	--	--	--	--	--	
6/12/2003	15.11	5.51	0.00	9.60	-0.14	--	--	--	--	--	--	--	--	
9/12/2003	15.11	6.03	0.00	9.08	-0.52	--	--	--	--	--	--	--	--	
12/31/2003	15.11	5.62	0.00	9.49	0.41	--	--	--	--	--	--	--	--	Monitored only
2/12/2004	15.11	5.51	0.00	9.60	0.11	--	--	--	--	--	--	--	--	Monitored only
6/7/2004	15.11	5.92	0.00	9.19	-0.41	--	--	--	--	--	--	--	--	Monitored only
9/17/2004	15.11	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
12/11/2004	15.11	5.94	0.00	9.17	--	--	--	--	--	--	--	--	--	Sampled annually
3/11/2005	15.11	4.76	0.00	10.35	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
5/17/2005	15.11	5.23	0.00	9.88	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/27/2005	15.11	5.81	0.00	9.30	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/2005	15.11	6.60	0.00	8.51	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
2/24/2006	15.11	5.37	0.00	9.74	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
5/30/2006	15.11	5.08	0.00	10.03	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
8/30/2006	15.11	5.52	0.00	9.59	-0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.51	
11/22/2006	15.11	6.38	0.00	8.73	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.94	
2/23/2007	15.11	5.72	0.00	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
5/18/2007	15.11	5.94	0.00	9.17	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
8/10/2007	15.11	7.64	0.00	7.47	-1.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/9/2007	15.11	6.75	0.00	8.36	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
2/8/2008	15.11	5.39	0.00	9.72	1.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/16/2008	15.11	6.17	0.00	8.94	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
8/15/2008	15.11	7.01	0.00	8.10	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.3	
11/26/2008	15.11	7.73	0.00	7.38	-0.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.8	
2/24/2009	18.05	5.98	0.00	12.07	4.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
5/28/2009	18.05	5.64	0.00	12.41	0.34	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/14/2009	18.05	6.88	0.00	11.17	-1.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/13/2009	18.05	7.02	0.00	11.03	-0.14	--	--	--	--	--	--	--	Sampled Q1 and Q3 only	
2/5/2010	18.05	6.02	0.00	12.03	1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
6/7/2010	18.05	5.92	0.00	12.13	0.10	--	--	--	--	--	--	--	Sampled Q1 and Q3 only	
8/3/2010	18.05	6.47	0.00	11.58	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.78	
11/11/2010	18.05	7.40	0.00	10.65	-0.93	--	--	--	--	--	--	--	Sampled Q1 and Q3 only	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
2/14/2011	18.05	6.04	0.00	12.01	1.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	45	
MW-4														
(Screen Interval in feet: 5.0-20.5)														
3/5/1999	15.17	--	0.00	--	--	ND	--	ND	ND	ND	2.44	--	25.2	
6/3/1999	15.17	5.45	0.00	9.72	--	ND	--	ND	ND	ND	ND	ND	3.96	
9/2/1999	15.17	6.48	0.00	8.69	-1.03	ND	--	ND	ND	ND	ND	23	27	
12/14/1999	15.17	7.27	0.00	7.90	-0.79	ND	--	ND	ND	ND	ND	200	270	
3/14/2000	15.17	4.67	0.00	10.50	2.60	ND	--	ND	ND	ND	ND	46	49	
5/31/2000	15.17	5.48	0.00	9.69	-0.81	ND	--	ND	ND	ND	ND	ND	--	
8/29/2000	15.17	6.10	0.00	9.07	-0.62	ND	--	ND	ND	ND	ND	6.1	3.2	
12/1/2000	15.17	6.79	0.00	8.38	-0.69	ND	--	ND	ND	ND	ND	152	101	
3/17/2001	15.17	5.01	0.00	10.16	1.78	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	15.17	5.78	0.00	9.39	-0.77	ND	--	ND	ND	ND	ND	ND	--	
9/24/2001	15.17	6.42	0.00	8.75	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/2001	15.17	6.41	0.00	8.76	0.01	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1700	1300	
3/11/2002	15.17	5.05	0.00	10.12	1.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2002	15.17	5.42	0.00	9.75	-0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
9/3/2002	15.17	6.50	0.00	8.67	-1.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/2002	15.17	7.18	0.00	7.99	-0.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.9	3.3	
3/13/2003	15.17	5.42	0.00	9.75	1.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
6/12/2003	15.17	5.60	0.00	9.57	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
9/12/2003	15.17	6.07	0.00	9.10	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/2003	15.17	5.63	0.00	9.54	0.44	750	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	790	--	
2/12/2004	15.17	5.26	0.00	9.91	0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
6/7/2004	15.17	5.82	0.00	9.35	-0.56	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
9/17/2004	15.17	6.86	0.00	8.31	-1.04	--	56	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
12/11/2004	15.17	6.01	0.00	9.16	0.85	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	380	
3/11/2005	15.17	4.61	0.00	10.56	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/17/2005	15.17	4.93	0.00	10.24	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/27/2005	15.17	5.74	0.00	9.43	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/2005	15.17	6.59	0.00	8.58	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	23	
2/24/2006	15.17	5.19	0.00	9.98	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.7	
5/30/2006	15.17	5.07	0.00	10.10	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/30/2006	15.17	6.02	0.00	9.15	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/2006	15.17	6.37	0.00	8.80	-0.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16	
2/23/2007	15.17	5.61	0.00	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
5/18/2007	15.17	5.87	0.00	9.30	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
8/10/2007	15.17	7.49	0.00	7.68	-1.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/9/2007	15.17	6.77	0.00	8.40	0.72	--	50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	39	
2/8/2008	15.17	5.10	0.00	10.07	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/16/2008	15.17	6.06	0.00	9.11	-0.96	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/15/2008	15.17	6.91	0.00	8.26	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.1	--	ND<0.50	
11/26/2008	15.17	7.71	0.00	7.46	-0.80	--	55	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
2/24/2009	18.14	5.96	0.00	12.18	4.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.8	
5/28/2009	18.14	5.70	0.00	12.44	0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/14/2009	18.14	6.76	0.00	11.38	-1.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/13/2009	18.14	6.97	0.00	11.17	-0.21	--	--	--	--	--	--	--	Sampled Q1 and Q3 only	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
2/5/2010	18.14	5.55	0.00	12.59	1.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.91	
6/7/2010	18.14	5.78	0.00	12.36	-0.23	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	18.14	6.47	0.00	11.67	-0.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/11/2010	18.14	7.42	0.00	10.72	-0.95	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	18.14	5.94	0.00	12.20	1.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-5 (Screen Interval in feet: 5-20)														
12/14/1999	13.34	6.45	0.00	6.89	--	ND	--	ND	ND	ND	ND	3.5	3.8	
3/14/2000	13.34	4.46	0.00	8.88	1.99	ND	--	ND	ND	ND	ND	ND	--	
5/31/2000	13.34	5.18	0.00	8.16	-0.72	ND	--	ND	ND	ND	ND	ND	--	
8/29/2000	13.34	5.46	0.00	7.88	-0.28	ND	--	ND	ND	ND	ND	ND	--	
12/1/2000	13.34	5.95	0.00	7.39	-0.49	ND	--	ND	ND	ND	ND	ND	--	
3/17/2001	13.34	5.36	0.00	7.98	0.59	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	13.34	5.09	0.00	8.25	0.27	ND	--	ND	ND	ND	ND	ND	--	
9/24/2001	13.34	5.58	0.00	7.76	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/2001	13.34	5.51	0.00	7.83	0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
3/11/2002	13.34	4.70	0.00	8.64	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2002	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
9/3/2002	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/2002	13.34	6.42	0.00	6.92	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
3/13/2003	13.34	5.12	0.00	8.22	1.30	ND<50	--	ND<0.50	0.54	ND<0.50	ND<0.50	ND<2.0	--	
6/12/2003	13.34	5.24	0.00	8.10	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
9/12/2003	13.34	5.53	0.00	7.81	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/2003	13.34	5.11	0.00	8.23	0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
2/12/2004	13.34	5.02	0.00	8.32	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2004	13.34	5.35	0.00	7.99	-0.33	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
9/17/2004	13.34	6.10	0.00	7.24	-0.75	--	--	--	--	--	--	--	--	Sampled annually
12/11/2004	13.34	5.53	0.00	7.81	0.57	--	--	--	--	--	--	--	--	Sampled annually
3/11/2005	13.34	4.96	0.00	8.38	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/17/2005	13.34	5.04	0.00	8.30	-0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/27/2005	13.34	5.31	0.00	8.03	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/2005	13.34	5.86	0.00	7.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
2/24/2006	13.34	5.08	0.00	8.26	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/30/2006	13.34	5.01	0.00	8.33	0.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/30/2006	13.34	5.65	0.00	7.69	-0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/2006	13.34	5.82	0.00	7.52	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
2/23/2007	13.34	4.47	0.00	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50	
5/18/2007	13.34	5.51	0.00	7.83	-1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
8/10/2007	13.34	6.05	0.00	7.29	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/9/2007	13.34	6.10	0.00	7.24	-0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
2/8/2008	13.34	5.06	0.00	8.28	1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/16/2008	13.34	5.69	0.00	7.65	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/15/2008	13.34	6.35	0.00	6.99	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/26/2008	13.34	6.82	0.00	6.52	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
2/24/2009	16.45	5.10	0.00	11.35	4.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/28/2009	16.45	5.12	0.00	11.33	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/14/2009	16.45	6.29	0.00	10.16	-1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
11/13/2009	16.45	6.23	0.00	10.22	0.06	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	16.45	5.38	0.00	11.07	0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/7/2010	16.45	5.39	0.00	11.06	-0.01	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	16.45	5.89	0.00	10.56	-0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/11/2010	16.45	6.36	0.00	10.09	-0.47	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	16.45	5.49	0.00	10.96	0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6														
(Screen Interval in feet: 5-20)														
12/14/1999	14.08	6.64	0.00	7.44	--	ND	--	ND	ND	ND	ND	11000	18000	
3/14/2000	14.08	4.72	0.00	9.36	1.92	ND	--	ND	ND	ND	ND	19000	21000	
5/31/2000	14.08	5.28	0.00	8.80	-0.56	ND	--	ND	ND	ND	ND	13200	--	
8/29/2000	14.08	5.39	0.00	8.69	-0.11	ND	--	ND	ND	ND	ND	270	400	
12/1/2000	14.08	6.11	0.00	7.97	-0.72	ND	--	ND	ND	ND	ND	6330	3640	
3/17/2001	14.08	6.02	0.00	8.06	0.09	18700	--	2950	989	1040	3000	10200	11500	
5/23/2001	14.08	5.82	0.00	8.26	0.20	ND	--	ND	ND	ND	ND	4660	--	
9/24/2001	14.08	6.59	0.00	7.49	-0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	190	
12/10/2001	14.08	6.50	0.00	7.58	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	3200	2400	
3/11/2002	14.08	4.81	0.00	9.27	1.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	92	120	
6/7/2002	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
9/3/2002	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/2002	14.08	6.51	0.00	7.57	--	590	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1500	6200	
3/13/2003	14.08	5.20	0.00	8.88	1.31	1600	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4900	4100	
D 3/13/2003	14.08	5.20	0.00	8.88	1.31	--	--	--	--	--	--	--	5100	
6/12/2003	14.08	5.38	0.00	8.70	-0.18	1600	--	ND<10	ND<10	ND<10	ND<10	5200	3700	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
9/12/2003	14.08	6.29	0.00	7.79	-0.91	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
12/31/2003	14.08	5.38	0.00	8.70	0.91	3300	--	ND<25	ND<25	ND<25	ND<25	3800	--	
2/12/2004	14.08	5.06	0.00	9.02	0.32	1100	--	ND<10	ND<10	ND<10	ND<10	1900	2800	
6/7/2004	14.08	5.45	0.00	8.63	-0.39	2500	--	ND<3	ND<3	ND<3	ND<6	3200	2900	
9/17/2004	14.08	6.20	0.00	7.88	-0.75	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000	
12/11/2004	14.08	5.60	0.00	8.48	0.60	--	1800	ND<10	ND<10	ND<10	ND<20	--	2700	
3/11/2005	14.08	4.71	0.00	9.37	0.89	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	2500	
5/17/2005	14.08	4.98	0.00	9.10	-0.27	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2200	
7/27/2005	14.08	5.48	0.00	8.60	-0.50	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1100	
11/23/2005	14.08	6.01	0.00	8.07	-0.53	--	590	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1700	
2/24/2006	14.08	5.12	0.00	8.96	0.89	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	990	
5/30/2006	14.08	5.04	0.00	9.04	0.08	--	ND<1200	ND<12	ND<12	ND<12	ND<25	--	560	
8/30/2006	14.08	7.01	0.00	7.07	-1.97	--	930	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	820	
11/22/2006	14.08	6.16	0.00	7.92	0.85	--	690	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	620	
2/23/2007	14.08	5.44	0.00	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410	
5/18/2007	14.08	5.63	0.00	8.45	-0.19	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	620	
8/10/2007	14.08	6.71	0.00	7.37	-1.08	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	660	
11/9/2007	14.08	6.17	0.00	7.91	0.54	--	580	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	820	
2/8/2008	14.08	5.20	0.00	8.88	0.97	--	360	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	570	
5/16/2008	14.08	5.70	0.00	8.38	-0.50	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	480	
8/15/2008	14.08	6.46	0.00	7.62	-0.76	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450	
11/26/2008	14.08	7.01	0.00	7.07	-0.55	--	300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
2/24/2009	16.97	5.20	0.00	11.77	4.70	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
5/28/2009	16.97	5.26	0.00	11.71	-0.06	--	74	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	290	
9/14/2009	16.97	6.30	0.00	10.67	-1.04	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310	
11/13/2009	16.97	6.40	0.00	10.57	-0.10	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	16.97	5.89	0.00	11.08	0.51	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310	
6/7/2010	16.97	5.52	0.00	11.45	0.37	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	16.97	5.96	0.00	11.01	-0.44	--	71	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180	
11/11/2010	16.97	6.54	0.00	10.43	-0.58	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	16.97	5.63	0.00	11.34	0.91	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180	
MW-7														
(Screen Interval in feet: 25-30)														
5/28/2009	17.81	8.29	0.00	9.52	--	--	1100	ND<0.50	ND<0.50	1.4	7.1	--	15000	
9/14/2009	17.81	6.77	0.00	11.04	1.52	--	7900	ND<25	ND<25	ND<25	ND<50	--	15000	
11/13/2009	17.81	6.78	0.00	11.03	-0.01	--	5700	ND<10	ND<10	ND<10	ND<20	--	13000	
2/5/2010	17.81	8.50	0.00	9.31	-1.72	--	4300	ND<12	ND<12	ND<12	ND<25	--	12000	
6/7/2010	17.81	5.74	0.00	12.07	2.76	--	7100	ND<12	ND<12	ND<12	ND<25	--	16000	
8/3/2010	17.81	6.36	0.00	11.45	-0.62	--	1600	ND<10	ND<10	ND<10	ND<20	--	12000	
11/11/2010	17.81	7.23	0.00	10.58	-0.87	--	2600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	13000	
2/14/2011	17.81	6.33	0.00	11.48	0.90	--	7900	ND<50	ND<50	ND<50	ND<100	--	13000	
MW-8														
(Screen Interval in feet: 25-30)														
5/28/2009	18.13	7.42	0.00	10.71	--	--	850	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12000	
9/14/2009	18.13	6.97	0.00	11.16	0.45	--	3500	ND<25	ND<25	ND<25	ND<50	--	5600	
11/13/2009	18.13	7.11	0.00	11.02	-0.14	--	3200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6700	
2/5/2010	18.13	7.38	0.00	10.75	-0.27	--	2400	ND<10	ND<10	ND<10	ND<20	--	6300	
6/7/2010	18.13	6.07	0.00	12.06	1.31	--	4200	ND<10	ND<10	ND<10	ND<20	--	9000	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
8/3/2010	18.13	6.56	0.00	11.57	-0.49	--	1200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	5600	
11/11/2010	18.13	7.60	0.00	10.53	-1.04	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	4900	
2/14/2011	18.13	6.22	0.00	11.91	1.38	--	3900	ND<25	ND<25	ND<25	ND<50	--	7100	
MW-9														
(Screen Interval in feet: 20-25)														
5/28/2009	18.75	6.24	0.00	12.51	--	--	1200	ND<0.50	ND<0.50	0.75	15	--	13000	
9/14/2009	18.75	7.36	0.00	11.39	-1.12	--	280	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	390	
11/13/2009	18.75	7.56	0.00	11.19	-0.20	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280	
2/5/2010	18.75	6.70	0.00	12.05	0.86	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	190	
6/7/2010	18.75	6.59	0.00	12.16	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	66	
8/3/2010	18.75	7.00	0.00	11.75	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	99	
11/11/2010	18.75	8.02	0.00	10.73	-1.02	--	83	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	270	
2/14/2011	18.75	6.69	0.00	12.06	1.33	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320	
MW-10														
(Screen Interval in feet: 25-30)														
5/28/2009	18.84	6.69	0.00	12.15	--	--	700	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3500	
9/14/2009	18.84	7.50	0.00	11.34	-0.81	--	3300	ND<6.2	ND<6.2	ND<6.2	ND<12	--	4900	
11/13/2009	18.84	7.70	0.00	11.14	-0.20	--	1500	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	3300	
2/5/2010	18.84	6.66	0.00	12.18	1.04	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
6/7/2010	18.84	6.56	0.00	12.28	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.9	
8/3/2010	18.84	7.14	0.00	11.70	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.3	
11/11/2010	18.84	8.16	0.00	10.68	-1.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.6	
2/14/2011	18.84	6.71	0.00	12.13	1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
MW-11														
(Screen Interval in feet: 25-30)														

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	Analytical Results				Comments			
						TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)
MW-11 continued													
5/28/2009	18.72	6.18	0.00	12.54	--	--	920	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	15000
9/14/2009	18.72	7.45	0.00	11.27	-1.27	--	11000	ND<25	ND<25	ND<25	ND<50	--	18000
11/13/2009	18.72	7.51	0.00	11.21	-0.06	--	6200	ND<10	ND<10	ND<10	ND<20	--	13000
2/5/2010	18.72	7.50	0.00	11.22	0.01	--	4500	ND<12	ND<12	ND<12	ND<25	--	13000
6/7/2010	18.72	6.36	0.00	12.36	1.14	--	4300	ND<10	ND<10	ND<10	ND<20	--	9500
8/3/2010	18.72	6.90	0.00	11.82	-0.54	--	1400	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6000
11/11/2010	18.72	8.00	0.00	10.72	-1.10	--	1600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6100
2/14/2011	18.72	6.52	0.00	12.20	1.48	--	3500	ND<6.2	ND<6.2	ND<6.2	ND<12	--	7400

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene-dibromide								Carbon			
	TBA (µg/l)	Ethanol (8260B) (µg/l)	(EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	(organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-1												
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--
3/15/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/24/2006	62	ND<250	--	--	--	ND<0.50	ND<0.50	5.5	--	--	--	--
11/22/2006	74	ND<250	--	--	--	ND<0.50	ND<0.50	0.51	--	--	--	--
2/23/2007	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--
5/18/2007	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--
8/10/2007	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	--	--	--	--
11/9/2007	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	--	--	--	--
2/8/2008	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--
5/16/2008	ND<250	ND<6200	--	--	--	ND<12	ND<12	ND<12	--	--	--	--
8/15/2008	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	2.5	1.3	--	--	--
5/28/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	1.8	2.0	87	--
9/14/2009	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	1.4	2.2	220	--
2/5/2010	ND<250	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--	--
8/3/2010	140	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.5	ND<2.0	70	ND<10
2/14/2011	99	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.6	2.7	91	ND<10
MW-1AR												
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.6	--	--	--	--
9/14/2009	110	ND<500	--	--	--	ND<1.0	ND<1.0	ND<1.0	4.5	ND<2.0	170	--
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.1	ND<2.0	25	ND<10
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.2	ND<2.0	ND<10	ND<10

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled									Carbon (organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)				
MW-1AR continued												
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.3	ND<2.0	14	ND<10
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	2.6	ND<10	ND<10
MW-1BR												
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	2.0	--	--	--	--
9/14/2009	33	ND<500	--	--	--	ND<1.0	ND<1.0	1.9	3.7	ND<2.0	250	--
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.2	--	--	--	--
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	ND<2.0	26	ND<10
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	ND<2.0	25	ND<10
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.9	ND<2.0	12	ND<10
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.7	3.7	34	ND<10
MW-2												
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--
12/14/1999	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--
3/14/2000	1300	ND	ND	--	ND	ND	ND	ND	--	--	--	--
5/31/2000	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--
8/29/2000	250	ND	ND	--	ND	ND	ND	ND	--	--	--	--
12/1/2000	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--
3/17/2001	ND	ND	ND	--	ND	14.8	ND	ND	--	--	--	--
5/23/2001	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--
9/24/2001	ND<5000	ND<50000000	ND<100	--	ND<100	ND<100	ND<100	ND<100	--	--	--	--
12/10/2001	ND<500	ND<12000000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--	--
3/11/2002	ND<1000	ND<5000000	ND<20	--	ND<20	ND<20	ND<20	ND<20	--	--	--	--
6/7/2002	ND<1000	ND<2000000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--	--
9/3/2002	ND<1000	ND<5000000	ND<20	--	ND<20	ND<20	ND<20	ND<20	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene- dibromide								Carbon		
	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	EDB (EDB) ($\mu\text{g/l}$)	1,2-DCA (504) ($\mu\text{g/l}$)	DIPE (EDC) ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	(organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)
MW-2A											
12/12/2002	ND<100	ND<500000	ND<2.0	--	2.3	ND<2.0	ND<2.0	ND<2.0	--	--	--
3/13/2003	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
6/12/2003	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
9/12/2003	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
12/31/2003	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
2/12/2004	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
6/7/2004	ND<12	ND<800	ND<0.5	--	ND<0.5	ND<1	ND<1	ND<1	--	--	--
9/17/2004	6.7	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--
12/11/2004	ND<5.0	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--
3/15/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene-dibromide								Carbon			
	TBA (µg/l)	Ethanol (8260B) (µg/l)	(EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	(organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-2A continued												
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	17	--	--	--
MW-3												
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	3.2	--	--	--
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene-dibromide								Carbon		
	TBA (µg/l)	Ethanol (8260B) (µg/l)	EDB (EDB) (µg/l)	1,2-DCA (504) (µg/l)	DIPE (EDC) (µg/l)	ETBE (µg/l)	TAME (µg/l)	(organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-4											
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--
12/10/2001	ND<290	ND<7100000	ND<14	--	ND<14	ND<14	ND<14	ND<14	--	--	--
12/12/2002	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
9/12/2003	--	ND<500	--	--	--	--	--	--	--	--	--
9/17/2004	ND<5.0	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--
12/11/2004	ND<25	ND<250	--	--	--	ND<5.0	ND<2.5	ND<2.5	--	--	--
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/8/2008	ND<10	290	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	1.7	--	--
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene-dibromide								Carbon		
	TBA (µg/l)	Ethanol (8260B) (µg/l)	EDB (EDB) (µg/l)	1,2-DCA (504) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	(organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-4 continued											
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
MW-5											
9/12/2003	--	ND<500	--	--	--	--	--	--	--	--	--
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2006	59	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	4.5	--	--
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene- dibromide								Carbon		
	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	EDB (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	(organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)
MW-5 continued											
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
MW-6											
3/17/2001	ND	ND	ND	--	219	ND	ND	ND	--	--	--
9/24/2001	ND<100	ND<1000000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
12/10/2001	ND<500	ND<12000000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--
3/11/2002	ND<100	ND<50000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
12/12/2002	ND<10000	ND<50000000	ND<200	--	ND<200	ND<200	ND<200	ND<200	--	--	--
3/13/2003	ND<5000	ND<25000000	ND<100	--	ND<100	ND<100	ND<100	ND<100	--	--	--
6/12/2003	ND<2000	ND<10000000	ND<40	--	ND<40	ND<40	ND<40	ND<40	--	--	--
9/12/2003	--	ND<2500	--	--	--	--	--	--	--	--	--
2/12/2004	ND<2000	ND<10000	ND<40	--	ND<40	ND<40	ND<40	ND<40	--	--	--
6/7/2004	ND<200	ND<8000	ND<5	--	ND<5	ND<10	ND<10	ND<10	--	--	--
9/17/2004	ND<100	ND<1000	--	--	--	ND<20	ND<10	ND<10	--	--	--
12/11/2004	ND<100	ND<1000	--	--	--	ND<20	ND<10	ND<10	--	--	--
3/11/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--
5/17/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--
7/27/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	1.0	--	--	--
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	0.68	--	--	--
5/30/2006	ND<250	ND<6200	--	--	--	ND<12	ND<12	ND<12	--	--	--
8/30/2006	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--
11/22/2006	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Ethylene- dibromide								Carbon		
	TBA (µg/l)	Ethanol (8260B) (µg/l)	EDB (EDB) (µg/l)	1,2-DCA (504) (µg/l)	DIPE (EDC) (µg/l)	ETBE (µg/l)	TAME (µg/l)	(organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-6 continued											
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	0.52	--	--	--
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	2.7	--	--
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
9/14/2009	23	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/5/2010	41	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
8/3/2010	ND<10	ND<250	ND<0.50	ND<0.010	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--
MW-7											
5/28/2009	150	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	11	--	--	--
9/14/2009	680	ND<12000	--	--	--	ND<25	ND<25	ND<25	9.8	ND<2.0	76
11/13/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--
2/5/2010	1600	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--
6/7/2010	ND<250	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	3.9	ND<2.0	11
8/3/2010	1400	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	3.6	ND<2.0	79
11/11/2010	1200	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4.1	ND<2.0	27
2/14/2011	ND<1000	ND<25000	ND<50	--	ND<50	ND<50	ND<50	ND<50	4.1	ND<2.0	43
MW-8											
5/28/2009	36	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	9.7	9.9	ND<2.0	140
9/14/2009	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	14	ND<2.0	60
11/13/2009	ND<100	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Carbon (organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
MW-8 continued												
2/5/2010	960	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--	--
6/7/2010	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	4.0	ND<2.0	21	ND<10
8/3/2010	670	ND<2500	ND<5.0	ND<0.010	ND<5.0	ND<5.0	ND<5.0	ND<5.0	3.9	ND<2.0	74	ND<10
11/11/2010	ND<1000	ND<25000	ND<50	--	ND<50	ND<50	ND<50	ND<50	3.7	ND<2.0	46	ND<10
2/14/2011	ND<500	ND<12000	ND<25	--	ND<25	ND<25	ND<25	ND<25	3.7	ND<2.0	59	ND<10
MW-9												
5/28/2009	40	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	11	--	--	--	--
9/14/2009	24	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	3.0	ND<2.0	520	--
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.7	6.1	24	ND<10
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.6	2.5	25	ND<10
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	2.6	24	ND<10
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	6.6	22	ND<10
MW-10												
5/28/2009	39	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	4.6	2.4	2.0	ND<10	--
9/14/2009	240	ND<3100	--	--	--	ND<6.2	ND<6.2	ND<6.2	2.7	ND<2.0	24	--
11/13/2009	ND<50	ND<1200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	--	--	--
2/5/2010	35	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	6.5	15	ND<10
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	8.7	19	ND<10
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	10	20	11
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	14	18	15
MW-11												

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled									Carbon (organic, total) (mg/l)	Chromium VI (µg/l)	Chromium (total) (µg/l)	Chromium (dissolved) (µg/l)
	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)				
MW-11 continued												
5/28/2009	140	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	9.4	--	--	--	--
9/14/2009	850	ND<12000	--	--	--	ND<25	ND<25	ND<25	3.3	ND<2.0	14	--
11/13/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--	--
2/5/2010	1600	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--	--
6/7/2010	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	3.0	ND<2.0	ND<10	ND<10
8/3/2010	620	ND<2500	ND<5.0	ND<0.010	ND<5.0	ND<5.0	ND<5.0	ND<5.0	2.9	ND<2.0	ND<10	ND<10
11/11/2010	ND<100	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	2.8	ND<2.0	17	ND<10
2/14/2011	670	ND<3100	ND<6.2	--	ND<6.2	ND<6.2	ND<6.2	ND<6.2	3.5	ND<2.0	14	ND<10

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese (dissolved) ($\mu\text{g/l}$)	Manganese (total) ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O ₂)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (μmhos)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-1												
2/24/2009	ND<100	ND<1.0	500	--	18	--	--	--	4.63	3.22	57	59
5/28/2009	ND<500	2.4	550	9.9	25	8.6	130	463	0.80	2.95	119	171
9/14/2009	ND<100	3.7	1600	11	25	6.8	204	429	1.93	3.81	233	146
2/5/2010	--	--	--	--	--	--	--	--	0.83	1.42	66	71
8/3/2010	ND<100	1.8	1100	16	24	6.7	333.4	508	1.10	1.68	172	158
2/14/2011	ND<500	5.4	530	18	25	8.9	418.5	509	6.45	4.45	355	356
MW-1AR												
5/28/2009	--	--	--	--	--	--	--	--	1.72	0.95	144	177
9/14/2009	2500	570	830	17	39	7.0	205	655	1.68	1.83	235	187
11/13/2009	--	--	--	--	--	--	--	--	3.13	2.98	174	16
2/5/2010	--	--	--	--	--	--	--	--	0.37	0.94	79	75
6/7/2010	490	210	450	21	30	6.1	273.4	554	0.79	1.27	56	78
8/3/2010	550	180	230	21	31	8.1	225.1	537	0.39	0.58	148	108
11/11/2010	370	210	330	20	31	7.6	206.5	545	2.67	2.46	204	216
2/14/2011	420	150	190	21	32	7.3	217.9	537	1.31	1.48	349	362
MW-1BR												
5/28/2009	--	--	--	--	--	--	--	--	0.61	1.37	145	165
9/14/2009	ND<500	230	930	17	59	6.7	207	673	0.46	1.02	228	143
11/13/2009	--	--	--	--	--	--	--	--	5.74	4.59	151	107
2/5/2010	--	--	--	--	--	--	--	--	0.38	0.82	85	79
6/7/2010	380	110	180	27	30	6.6	479.4	539	0.74	1.42	48	10
8/3/2010	240	130	230	26	28	7.3	271.8	548	0.37	0.43	54	59
11/11/2010	250	130	170	ND<0.44	28	7.0	227.8	540	1.78	1.43	212	212
2/14/2011	290	73	170	29	28	8.1	286.1	531	1.07	1.74	356	351

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese (dissolved) ($\mu\text{g/l}$)	Manganese (total) ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O ₂)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (μmhos)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-2A												
2/24/2009	110	ND<1.0	130	--	87	--	--	--	3.38	4.44	50	34
MW-3												
2/24/2009	ND<100	ND<1.0	1100	--	130	--	--	--	5.01	2.30	46	49
5/28/2009	--	--	--	--	--	--	--	--	0.61	4.03	141	85
9/14/2009	--	--	--	--	--	6.6	196	658	0.49	2.02	146	119
2/5/2010	--	--	--	--	--	--	--	--	1.04	2.64	338	71
8/3/2010	--	--	--	--	--	6.7	279.4	601	0.95	2.24	103	103
2/14/2011	--	--	--	--	--	4.9	288.9	587	1.15	2.43	187	188
MW-4												
2/24/2009	ND<100	3.1	250	--	130	--	--	--	6.15	4.27	61	64
5/28/2009	--	--	--	--	--	--	--	--	3.68	3.76	141	55
9/14/2009	--	--	--	--	--	7.1	195	1020	2.16	2.78	142	63
2/5/2010	--	--	--	--	--	--	--	--	8.59	7.70	309	326
8/3/2010	--	--	--	--	--	8.3	280.9	1110	5.26	2.88	102	106
2/14/2011	--	--	--	--	--	9.2	294.6	770	7.02	6.84	187	172
MW-5												
2/24/2009	ND<100	ND<1.0	720	--	64	--	--	--	5.65	2.58	27	34
5/28/2009	--	--	--	--	--	--	--	--	1.71	4.32	138	94
9/14/2009	--	--	--	--	--	4.0	204	609	0.64	2.08	147	115
2/5/2010	--	--	--	--	--	--	--	--	2.08	2.59	295	71
8/3/2010	--	--	--	--	--	8.6	288.2	611	7.12	2.08	62	102
2/14/2011	--	--	--	--	--	6.0	317.6	617	1.55	2.81	179	195
MW-6												
2/24/2009	ND<100	1.2	2300	--	85	--	--	--	3.40	1.29	68	67

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese (dissolved) ($\mu\text{g/l}$)	Manganese (total) ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O ₂)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (μmhos)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-6 continued												
5/28/2009	--	--	--	--	--	--	--	--	1.06	1.85	142	56
9/14/2009	--	--	--	--	--	7.1	205	595	0.46	1.07	154	118
2/5/2010	--	--	--	--	--	--	--	--	2.96	2.73	314	135
8/3/2010	--	--	--	--	--	8.0	291.7	530	0.72	1.35	96	103
2/14/2011	--	--	--	--	--	5.2	326.6	542	1.01	2.16	195	198
MW-7												
5/28/2009	--	--	--	--	--	--	--	--	1.24	0.63	160	124
9/14/2009	3200	2000	2200	4.2	180	6.9	217	1030	0.26	1.35	-13	-53
11/13/2009	--	--	--	--	--	--	--	--	--	0.76	1	-24
2/5/2010	--	--	--	--	--	--	--	--	1.46	0.69	-10	-7
6/7/2010	1200	1200	1500	4.1	72	8.2	342.6	801	0.57	1.10	11	-13
8/3/2010	4500	1100	1500	3.9	69	8.9	105.6	745	2.18	1.05	112	105
11/11/2010	2000	1000	1000	2.3	67	6.3	54.88	740	1.45	2.32	176	190
2/14/2011	2700	920	1000	2.9	55	8.0	191.4	713	0.94	1.20	198	76
MW-8												
5/28/2009	ND<1000	280	830	12	130	9.0	124	923	2.22	1.38	146	68
9/14/2009	480	1000	1300	7.7	260	6.2	407	1100	0.28	1.11	151	92
11/13/2009	--	--	--	--	--	--	--	--	3.51	0.84	111	72
2/5/2010	--	--	--	--	--	--	--	--	1.17	0.58	88	63
6/7/2010	620	870	1200	6.1	81	8.3	350.3	791	0.72	1.27	22	35
8/3/2010	1500	860	1300	6.8	85	8.9	218.5	733	3.03	0.90	88	101
11/11/2010	430	810	1000	5.2	83	7.7	229.2	724	1.31	0.98	179	170
2/14/2011	440	830	1400	5.8	75	8.0	267.0	694	2.81	3.44	197	188
MW-9												

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese (dissolved) ($\mu\text{g/l}$)	Manganese (total) ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O ₂)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (μmhos)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
MW-9 continued												
9/14/2009	ND<1000	180	4700	5.0	68	7.3	204	580	3.58	4.16	236	171
11/13/2009	--	--	--	--	--	--	--	--	5.06	4.22	81	105
2/5/2010	--	--	--	--	--	--	--	--	0.93	1.25	102	102
6/7/2010	280	200	1100	6.9	41	7.9	380.3	665	0.95	1.46	61	39
8/3/2010	160	120	540	5.8	42	7.2	300.6	651	1.02	0.70	48	64
11/11/2010	ND<500	180	1000	6.0	35	6.5	217.8	686	1.92	2.72	201	207
2/14/2011	230	60	440	8.1	29	9.5	305.5	690	0.78	0.64	349	346
MW-10												
5/28/2009	150	280	350	9.1	30	7.1	139	661	0.30	1.76	151	156
9/14/2009	210	280	380	6.3	33	6.1	205	675	2.19	0.67	235	114
11/13/2009	--	--	--	--	--	--	--	--	1.20	1.58	95	77
2/5/2010	--	--	--	--	--	--	--	--	0.83	0.98	87	87
6/7/2010	260	18	340	10	29	8.1	379.1	490	3.24	3.26	82	84
8/3/2010	150	10	150	12	27	8.4	315.2	476	3.71	3.62	74	62
11/11/2010	ND<100	9.2	160	13	28	7.6	175.6	529	3.07	4.23	190	207
2/14/2011	160	43	45	13	30	9.2	326.6	560	2.25	3.77	342	355
MW-11												
5/28/2009	--	--	--	--	--	--	--	--	0.22	0.80	1.56	147
9/14/2009	310	570	740	0.73	37	6.7	192	780	0.81	0.82	224	49
11/13/2009	--	--	--	--	--	--	--	--	0.35	1.52	53	23
2/5/2010	--	--	--	--	--	--	--	--	1.33	1.56	280	126
6/7/2010	310	280	980	1.5	20	7.0	501.3	737	0.70	1.31	97	44
8/3/2010	100	440	730	3.3	20	6.9	317.6	727	0.54	1.21	12	-20
11/11/2010	990	610	830	2.7	23	6.6	145.0	718	0.60	2.02	192	211
2/14/2011	240	560	760	3.1	21	9.4	473.7	750	0.88	0.56	337	324

COORDINATED EVENT DATA

TABLE 1

Page 1 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-2	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	19.73	7.60	---	12.13	---
S-2	11/22/2005	996	0.630	0.500	0.500	3.10	406	<0.500	<0.500	0.570	18.0	---	---	---	19.73	7.70	---	12.03	---
S-2	2/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	2.0	<0.50	<0.50	<0.50	<5.0	---	---	---	19.73	6.29	---	13.44	---
S-2	5/30/2006	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<10.0	---	---	---	19.73	6.14	---	13.59	---
S-2	8/30/2006	420	<0.500	<0.500	<0.500	<0.500	4.42	<0.500	<0.500	<0.500	<10.0	---	---	---	19.73	7.18	---	12.55	---
S-2	11/22/2006	110	<0.50	<0.50	<0.50	<1.0	62	<2.0	<2.0	<2.0	<5.0	---	---	---	19.73	7.55	---	12.18	---
S-2	2/23/2007	140	<0.50	<0.50	<0.50	<1.0	110	<2.0	<2.0	<2.0	<5.0	---	---	---	19.73	6.77	---	12.96	---
S-2	5/18/2007	<50 h	<0.50	<1.0	<1.0	<1.0	18	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.02	---	12.71	---
S-2	8/10/2007	<50 h	<0.50	<1.0	<1.0	<1.0	40	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.65	---	12.08	---
S-2	11/9/2007	130 h,i	<0.50	<1.0	<1.0	<1.0	190	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.87	---	11.86	---
S-2	2/8/2008	83 h,i	<1.0	<2.0	<2.0	<2.0	180	<4.0	<4.0	<4.0	<20	---	---	---	19.73	6.52	---	13.21	---
S-2	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.30	---	12.43	---
S-2	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	7.1	<2.0	<2.0	<2.0	<10	---	---	---	19.73	8.38	---	11.35	---
S-2	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	32	<2.0	<2.0	<2.0	<10	---	---	---	19.73	9.13	---	10.60	---
S-2	2/27/2009	90	<0.50	<1.0	<1.0	<1.0	85	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.05	---	12.68	---
S-2	5/28/2009	<50	<0.50	<1.0	<1.0	<1.0	8.0	<2.0	<2.0	<2.0	<10	---	---	---	19.73	6.93	---	12.80	---
S-2	9/14/2009	<50	<0.50	<1.0	<1.0	<1.0	17	<2.0	<2.0	<2.0	<10	---	---	---	19.73	8.20	---	11.53	---
S-2	2/5/2010	68	<0.50	<1.0	<1.0	<1.0	52	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.12	---	12.61	---
S-2	8/3/2010	<50	<0.50	<1.0	<1.0	<1.0	1.7	<2.0	<2.0	<2.0	<10	---	---	---	19.73	7.59	---	12.14	---
S-2	2/14/2011	<50	2.6	3.5	1.2	5.7	<1.0	<1.0	<1.0	<1.0	<10	---	---	---	19.73	7.16	---	12.57	---
S-3	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	19.14	7.01	---	12.13	---
S-3	11/22/2005	3,900	<0.500	<0.500	<0.500	0.900	3,730	<0.500	<0.500	3.44	26.0	---	---	---	19.14	7.15	---	11.99	---
S-3	2/24/2006	580 b	<0.50	<0.50	<0.50	<0.50	360	<0.50	<0.50	<0.50	<5.0	---	---	---	19.14	5.95	---	13.19	---
S-3	5/30/2006	<50.0	<0.500	<0.500	<0.500	0.510	52.2	<0.500	<0.500	<0.500	<10.0	---	---	---	19.14	5.85	---	13.29	---
S-3	8/30/2006	2,910	<0.500	<0.500	<0.500	<0.500	882	<0.500	<0.500	<0.500	<10.0	---	---	---	19.14	6.71	---	12.43	---
S-3	11/22/2006	240	<0.50	<0.50	<0.50	<1.0	150	<2.0	<2.0	<2.0	30	---	---	---	19.14	7.05	---	12.09	---
S-3	2/23/2007	78	<0.50	<0.50	<0.50	<1.0	78	<2.0	<2.0	<2.0	5.4	---	---	---	19.14	6.30	---	12.84	---
S-3	5/18/2007	120 h,i	<0.50	<1.0	<1.0	<1.0	150	<2.0	<2.0	<2.0	73	---	---	---	19.14	6.58	---	12.56	---
S-3	8/10/2007	<50 h	<1.0	<2.0	<2.0	<2.0	200	<4.0	<4.0	<4.0	21	---	---	---	19.14	7.09	---	12.05	---
S-3	11/9/2007	69 h,i	<0.50	<1.0	<1.0	<1.0	100	<2.0	<2.0	<2.0	<10	---	---	---	19.14	7.28	---	11.86	---
S-3	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	8.5	<2.0	<2.0	<2.0	<10	---	---	---	19.14	6.06	---	13.08	---
S-3	5/16/2008	71	<0.50	<1.0	<1.0	<1.0	100	<2.0	<2.0	<2.0	<10	---	---	---	19.14	6.84	---	12.30	---
S-3	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	9.0	<2.0	<2.0	<2.0	<10	---	---	---	19.14	7.83	---	11.31	---

TABLE 1

Page 2 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-3	11/26/2008	<50	0.53	<1.0	<1.0	1.5	12	<2.0	<2.0	<2.0	<10	---	---	---	19.14	8.70	---	10.44	---
S-3	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	3.2	<2.0	<2.0	<2.0	<10	---	---	---	19.14	6.97	---	12.17	---
S-3	5/28/2009	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.14	6.41	---	12.73	---
S-3	9/14/2009	<50	<0.50	<1.0	<1.0	<1.0	6.1	<2.0	<2.0	<2.0	<10	---	---	---	19.14	7.60	---	11.54	---
S-3	2/5/2010	<50	<0.50	<1.0	<1.0	<1.0	1.8	<2.0	<2.0	<2.0	<10	---	---	---	19.14	6.63	---	12.51	---
S-3	8/3/2010	<50	<0.50	<1.0	<1.0	<1.0	5.4	<2.0	<2.0	<2.0	<10	---	---	---	19.14	7.05	---	12.09	---
S-3	2/14/2011	<50	1.7	2.6	0.95	4.6	<1.0	<1.0	<1.0	<1.0	<10	---	---	---	19.14	6.71	---	12.43	---
S-4	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	18.16	6.00	---	12.16	---
S-4	11/22/2005	4,570	<0.500	<0.500	<0.500	0.660	3,450	<0.500	<0.500	3.57	26.0	---	---	---	18.16	6.10	---	12.06	---
S-4	2/24/2006	2,200 b	<0.50	<0.50	<0.50	<0.50	1,400	<0.50	<0.50	1.4	13 c	---	---	---	18.16	5.09	---	13.07	---
S-4	5/30/2006	1,100	<0.500	<0.500	<0.500	<0.500	1,060	<0.500	<0.500	1.04	87.5	---	---	---	18.16	5.00	---	13.16	---
S-4	8/30/2006	3,170	<0.500	<0.500	<0.500	<0.500	1,000	<0.500	<0.500	0.850	120	---	---	---	18.16	5.81	---	12.35	---
S-4	11/22/2006	520	<0.50	<0.50	<0.50	<1.0	480	<2.0	<2.0	<2.0	5.2	---	---	---	18.16	5.93	---	12.23	---
S-4	2/23/2007	180	<0.50	<0.50	<0.50	<1.0	130	<2.0	<2.0	<2.0	9.6	---	---	---	18.16	5.40	---	12.76	---
S-4	5/18/2007	220 h,i	<2.5	<5.0	<5.0	2.5 j	420	<10	<10	<10	<50	---	---	---	18.16	5.62	---	12.54	---
S-4	8/10/2007	98 h,i	<2.5	<5.0	<5.0	<5.0	540	<10	<10	<10	29 j	---	---	---	18.16	6.00	---	12.16	---
S-4	11/9/2007	190 h,i	<2.5	<5.0	<5.0	<5.0	350	<10	<10	<10	<50	---	---	---	18.16	6.20	---	11.96	---
S-4	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	13	<2.0	<2.0	<2.0	<10	---	---	---	18.16	5.47	---	12.69	---
S-4	5/16/2008	87	<0.50	<1.0	<1.0	<1.0	120	<2.0	<2.0	<2.0	<10	---	---	---	18.16	6.00	---	12.16	---
S-4	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	42	<2.0	<2.0	<2.0	<10	---	---	---	18.16	6.85	---	11.31	---
S-4	11/26/2008	140	<0.50	<1.0	<1.0	<1.0	140	<2.0	<2.0	<2.0	<10	---	---	---	18.16	7.62	---	10.54	---
S-4	2/27/2009	56	<0.50	<1.0	<1.0	<1.0	43	<2.0	<2.0	<2.0	<10	---	---	---	18.16	5.35	---	12.81	---
S-4	5/28/2009	<50	<0.50	<1.0	<1.0	<1.0	12	<2.0	<2.0	<2.0	<10	---	---	---	18.16	5.40	---	12.76	---
S-4	9/14/2009	<50	<0.50	<1.0	<1.0	<1.0	6.7	<2.0	<2.0	<2.0	<10	---	---	---	18.16	6.55	---	11.61	---
S-4	2/5/2010	<50	<0.50	<1.0	<1.0	<1.0	4.3	<2.0	<2.0	<2.0	<10	---	---	---	18.16	5.62	---	12.54	---
S-4	8/3/2010	<50	<0.50	<1.0	<1.0	<1.0	10	<2.0	<2.0	<2.0	<10	---	---	---	18.16	6.09	---	12.07	---
S-4	2/14/2011	<50	1.3	2.2	0.91	4.4	1.6	<1.0	<1.0	<1.0	<10	---	---	---	18.16	5.80	---	12.36	---
S-4B	8/21/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	18.78	6.14	---	12.64	---
S-4B	8/30/2006	3,630	<0.500	<0.500	5.32	<0.500	1,130	<0.500	<0.500	1.47	643	---	---	---	18.78	6.32	---	12.46	---
S-4B	11/22/2006	620	<0.50	<0.50	0.66	<1.0	580	<2.0	<2.0	<2.0	680	---	---	---	18.78	6.46	---	12.32	---
S-4B	2/23/2007	230	<1.0	<1.0	<1.0	<2.0	190	<4.0	<4.0	<4.0	450	---	---	---	18.78	6.64	---	12.14	---
S-4B	5/18/2007	200 h	<0.50	<1.0	<1.0	<1.0	130	<2.0	<2.0	<2.0	360	---	---	---	18.78	6.19	---	12.59	---
S-4B	8/10/2007	150 h	0.47 j	<1.0	<1.0	<1.0	67	<2.0	<2.0	<2.0	230	---	---	---	18.78	6.48	---	12.30	---

TABLE 1

Page 3 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-4B	11/9/2007	<50 h	<0.50	<1.0	<1.0	<1.0	32	<2.0	<2.0	<2.0	67	---	---	---	18.78	6.59	---	12.19	---
S-4B	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	5.3	<2.0	<2.0	<2.0	<10	---	---	---	18.78	6.12	---	12.66	---
S-4B	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	2.2	<2.0	<2.0	<2.0	15	---	---	---	18.78	6.45	---	12.33	---
S-4B	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	1.4	<2.0	<2.0	<2.0	<10	---	---	---	18.78	6.90	---	11.88	---
S-4B	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	2.5	<2.0	<2.0	<2.0	<10	---	---	---	18.78	8.19	---	10.59	---
S-4B	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	1.4	<2.0	<2.0	<2.0	<10	---	---	---	18.78	6.03	---	12.75	---
S-4B	5/28/2009	<50	<0.50	<1.0	<1.0	<1.0	2.0	<2.0	<2.0	<2.0	<10	---	---	---	18.78	6.01	---	12.77	---
S-4B	9/14/2009	<50	<0.50	<1.0	<1.0	<1.0	3.7	<2.0	<2.0	<2.0	<10	---	---	---	18.78	6.90	---	11.88	---
S-4B	2/5/2010	<50	<0.50	<1.0	<1.0	<1.0	2.0	<2.0	<2.0	<2.0	<10	---	---	---	18.78	7.23	---	11.55	---
S-4B	8/3/2010	<50	<0.50	<1.0	<1.0	<1.0	1.2	<2.0	<2.0	<2.0	25	---	---	---	18.78	6.64	---	12.14	---
S-4B	2/14/2011	<50	1.3	2.1	0.82	3.9	<1.0	<1.0	<1.0	<1.0	<10	---	---	---	18.78	6.70	---	12.08	---
S-5	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	18.68	6.33	---	12.35	---
S-5	11/22/2005	1,010	0.900	<0.500	1.79	4.91	302	<0.500	<0.500	<0.500	397	---	---	---	18.68	6.44	---	12.24	---
S-5	2/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	19	<0.50	<0.50	<0.50	<5.0	---	---	---	18.68	5.44	---	13.24	---
S-5	5/30/2006	2,000	4.13	0.670	<0.500	3.28	143	<0.500	<0.500	<0.500	<10.0	---	---	---	18.68	5.33	---	13.35	---
S-5	8/30/2006	1,380	<0.500	<0.500	1.43	<0.500	211	<0.500	<0.500	<0.500	106	---	---	---	18.68	6.16	---	12.52	---
S-5	11/22/2006	82	<0.50	<0.50	<0.50	<1.0	28	<2.0	<2.0	<2.0	13	---	---	---	18.68	6.28	---	12.40	---
S-5	2/23/2007	<50	<0.50	<0.50	<0.50	<1.0	1.2	<2.0	<2.0	<2.0	<5.0	---	---	---	18.68	5.68	---	13.00	---
S-5	5/18/2007	<50 h,i	<0.50	<1.0	<1.0	<1.0	2.6	<2.0	<2.0	<2.0	<10	---	---	---	18.68	5.91	---	12.77	---
S-5	8/10/2007	<50 h	<0.50	<1.0	<1.0	<1.0	1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.36	---	12.32	---
S-5	11/9/2007	<50 h	<0.50	<1.0	<1.0	<1.0	<10	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.47	---	12.21	---
S-5	2/8/2008	<50 h	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	5.52	---	13.16	---
S-5	5/16/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.22	---	12.46	---
S-5	8/15/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	7.26	---	11.42	---
S-5	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	8.03	---	10.65	---
S-5	2/27/2009	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	5.83	---	12.85	---
S-5	5/28/2009	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	5.73	---	12.95	---
S-5	9/14/2009	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.95	---	11.73	---
S-5	2/5/2010	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.01	---	12.67	---
S-5	8/3/2010	<50	<0.50	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	18.68	6.46	---	12.22	---
S-5	2/14/2011	<50	3.9	3.8	1.2	5.3	1.8	<1.0	<1.0	<1.0	<10	---	---	---	18.68	6.20	---	12.48	---
S-6	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	19.32	6.36	---	12.96	---
S-6	11/22/2005	15,800	5.14	0.690	32.1	934	<0.500	<0.500	<0.500	<0.500	14.2	---	---	---	19.32	6.53	---	12.79	---

TABLE 1

Page 4 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-6	1/19/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	19.32	5.50	---	13.82	---
S-6	2/24/2006	7,900 b	4.4	<1.5	260	380	<1.5	<1.5	<1.5	<1.5	<7.0	---	---	---	19.32	5.76	---	13.56	---
S-6	5/30/2006	4,170	4.98	<0.500	76.6	44.2	<0.500	<0.500	<0.500	<0.500	<10.0	---	---	---	19.32	5.68	---	13.64	---
S-6	8/30/2006	16,400	10.7	<0.500	353	292	<0.500	<0.500	<0.500	<0.500	<10.0	---	---	---	19.32	6.38	---	12.94	---
S-6	11/22/2006	6,900	7.7	<2.5	250	450	<2.5	<10	<10	<10	<25	---	---	---	19.32	6.62	---	12.70	---
S-6	2/23/2007	7,900	4.4	<2.5	400	940	<2.5	<10	<10	<10	<25	---	---	---	19.32	6.06	---	13.26	---
S-6	5/18/2007	2,600 h	3.1	<1.0	85	147.3	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.12	---	13.20	---
S-6	8/10/2007	3,100 h	3.5	0.28 j	110	202	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.60	---	12.72	---
S-6	11/9/2007	3,700 h	2.1	0.34 j	160	335	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.80	---	12.52	---
S-6	2/8/2008	2,600 h	2.7	<1.0	72	156.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.11	---	13.21	---
S-6	5/16/2008	350	<0.50	<1.0	8.4	5.3	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.60	---	12.72	---
S-6	8/15/2008	3,600	0.99	<1.0	100	164.9	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	7.70	---	11.62	---
S-6	11/26/2008	1,500	2.9	<1.0	13	3.1	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	8.41	---	10.91	---
S-6	2/27/2009	2,800	4.3	<1.0	17	23	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.22	---	13.10	---
S-6	5/28/2009	570	0.74	<1.0	3.1	1.3	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.10	---	13.22	---
S-6	9/14/2009	440	0.55	<1.0	1.5	2.3	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	7.43	---	11.89	---
S-6	2/5/2010	2,200	1.7	<1.0	5.2	8.3	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.34	---	12.98	---
S-6	8/3/2010	340	<0.50	<1.0	<1.0	1.0	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.32	6.85	---	12.47	---
S-6	2/14/2011	590	1.0	1.0	1.4	3.7	<1.0	<1.0	<1.0	<1.0	<10	---	---	---	19.32	6.50	---	12.82	---
S-7	11/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	19.44	6.76	---	12.68	---
S-7	11/22/2005	51,100	2,680	2,980	969	6,360	1.49	<0.500	<0.500	<0.500	53.3	---	---	---	19.44	6.88	---	12.56	---
S-7	2/24/2006	22,000 b/25,000 d	1,700	1,200	1,200	2,800	<2.5	<2.5	<2.5	<2.5	58	---	---	---	19.44	5.73	---	13.71	---
S-7	5/30/2006	35,600	1,720	641	1,600	3,630	2.83	<0.500	<0.500	<0.500	<10.0	---	---	---	19.44	5.61	---	13.83	---
S-7	8/30/2006	83,900	5,060	62.5	1,640	4,010	2.38	<0.500	<0.500	<0.500	43.4	---	---	---	19.44	6.43	---	13.01	---
S-7	11/22/2006	13,000	4,300	27	710	1,900	<2.5	<10	<10	<10	54	---	---	---	19.44	6.68	---	12.76	---
S-7	2/23/2007	15,000	2,000	43	1,100	3,300	<12	<50	<50	<50	<120	---	---	---	19.44	5.82	---	13.62	---
S-7	5/18/2007	6,100 h	3,900	22 j	520	2,010	<50	<100	<100	<100	<500	---	---	---	19.44	6.20	---	13.24	---
S-7	8/10/2007	14,000 h	4,900	19 j	670	2,046 j	<50	<100	<100	<100	<500	---	---	---	19.44	6.74	---	12.70	---
S-7	11/9/2007	16,000 h	4,400	21 j	550	2,052	<50	<100	<100	<100	<500	---	---	---	19.44	6.93	---	12.51	---
S-7	2/8/2008	2,400 h	160	<2.0	70	160	<2.0	<4.0	<4.0	<4.0	<20	---	---	---	19.44	6.23	---	13.21	---
S-7	5/16/2008	6,200	1,200	21	320	736.9	<2.0	<4.0	<4.0	<4.0	<20	---	---	---	19.44	6.62	---	12.82	---
S-7	8/15/2008	15,000	4,500	19	450	1,300	<10	<20	<20	<20	<100	---	---	---	19.44	7.81	---	11.63	---
S-7	11/26/2008	9,300	3,200	<25	77	250	<25	<50	<50	<50	<250	---	---	---	19.44	8.53	---	10.91	---
S-7	2/27/2009	3,900	900	<25	49	160	<25	<50	<50	<50	<250	---	---	---	19.44	6.27	---	13.17	---

TABLE 1

Page 5 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-7	5/28/2009	7,100	1,200	<10	81	600	<10	<20	<20	<20	<100	---	---	---	19.44	6.18	---	13.26	---
S-7	9/14/2009	11,000	4,000	19	73	66	<10	<20	<20	<20	<100	---	---	---	19.44	7.58	---	11.86	---
S-7	2/5/2010	4,700	1,200	<10	33	17	<10	<20	<20	<20	<100	---	---	---	19.44	6.36	---	13.08	---
S-7	8/3/2010	7,600	2,600	14	15	10	<10	<20	<20	<20	<100	---	---	---	19.44	6.90	---	12.54	---
S-7	2/14/2011	2,200	800	<10	<10	<20	<20	<20	<20	<20	<200	---	---	---	19.44	6.53	---	12.91	---
S-8	8/21/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	20.11	7.02	---	13.09	---
S-8	8/30/2006	90,600	5,150	28.2	3,230	4,450	4.30	<0.500	<0.500	<0.500	<10.0	---	---	---	20.11	7.19	---	12.92	---
S-8	11/22/2006	41,000	4,900	58	3,300	7,200	2.6	<10	<10	<10	<25	---	---	---	20.11	7.48	---	12.63	---
S-8	2/23/2007	28,000	2,900	28	2,900	4,900	<25	<100	<100	<100	<250	---	---	---	20.11	6.73	---	13.38	---
S-8	5/18/2007	24,000 h	4,400	33 j	3,800	4,470	<50	<100	<100	<100	<500	---	---	---	20.11	6.98	---	13.13	---
S-8	8/10/2007	22,000 h	5,000	30 j	3,100	3,660	<50	<100	<100	<100	<500	---	---	---	20.11	7.57	---	12.54	---
S-8	11/9/2007	22,000 h	4,600	24 j	3,000	2,770	<50	<100	<100	<100	<500	---	---	---	20.11	7.80	---	12.31	---
S-8	2/8/2008	11,000 h	5,900	<50	410	310	<50	<100	<100	<100	<500	---	---	---	20.11	6.55	---	13.56	---
S-8	5/16/2008	20,000	1,600	32	2,300	2,136	<20	<40	<40	<40	<200	---	---	---	20.11	7.30	---	12.81	---
S-8	8/15/2008	26,000	2,400	20	4,900	2,432	<20	<40	<40	<40	<200	---	---	---	20.11	8.60	---	11.51	---
S-8	11/26/2008	10,000	890	6.6	790	302	<5.0	<10	<10	<10	<50	---	---	---	20.11	9.20	---	10.91	---
S-8	2/27/2009	770	30	<1.0	9.9	6.0	<1.0	<2.0	<2.0	<2.0	12	---	---	---	20.11	7.04	---	13.07	---
S-8	5/28/2009	5,800	620	3.1	390	380	<1.0	<2.0	<2.0	<2.0	40	---	---	---	20.11	6.91	---	13.20	---
S-8	9/14/2009	7,700	1,600	<10	110	750	<10	<20	<20	<20	<100	---	---	---	20.11	8.32	---	11.79	---
S-8	2/5/2010	10,000	2,000	<10	150	260	<10	<20	<20	<20	<100	---	---	---	20.11	7.08	---	13.03	---
S-8	8/3/2010	12,000	2,000	<20	47	82	<20	<40	<40	<40	<200	---	---	---	20.11	7.64	---	12.47	---
S-8	2/14/2011	4,900	960	<10	89	78	<20	<20	<20	<20	<200	---	---	---	20.11	7.20	---	12.91	---
S-9	8/21/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	19.60	6.93	---	12.67	---
S-9	8/30/2006	162,000	3,620	5,040	3,810	22,500	<0.500	<0.500	<0.500	<0.500	<10.0	---	---	---	19.60	6.52	---	13.08	---
S-9	11/22/2006	47,000	2,100	840	3,000	12,000	<2.5	<10	<10	<10	<25	---	---	---	19.60	6.78	---	12.82	---
S-9	2/23/2007	18,000	890	120	1,800	3,600	<12	<50	<50	<50	<120	---	---	---	19.60	6.13	---	13.47	---
S-9	5/18/2007	22,000 h	1,300	630	2,400	7,300	<50	<100	<100	<100	<500	---	---	---	19.60	6.35	---	13.25	---
S-9	8/10/2007	36,000 h	2,600	920	4,200	14,900	<50	<100	<100	<100	<500	---	---	---	19.60	6.86	---	12.74	---
S-9	11/9/2007	34,000 h	2,100	320	3,700	12,000	<50	<100	<100	<100	<500	---	---	---	19.60	7.09	---	12.51	---
S-9	2/8/2008	7,400 h	410	51	1,100	1,620	<10	<20	<20	<20	<100	---	---	---	19.60	6.00	---	13.60	---
S-9	5/16/2008	19,000	910	230	1,600	4,200	<10	<20	<20	<20	<100	---	---	---	19.60	6.67	---	12.93	---
S-9	8/15/2008	65,000	2,600	540	5,200	19,000	<10	<20	<20	<20	<100	---	---	---	19.60	7.93	---	11.67	---
S-9	11/26/2008	18,000	910	<100	2,000	3,340	<100	<200	<200	<200	<1,000	---	---	---	19.60	8.60	---	11.00	---

TABLE 1

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
S-9	2/27/2009	1,000	55	2.3	100	61	<1.0	<2.0	<2.0	<2.0	<10	---	---	---	19.60	6.35	---	13.25	---
S-9	5/28/2009	9,700	410	120	810	1,400	<10	<20	<20	<20	<100	---	---	---	19.60	6.22	---	13.38	---
S-9	9/14/2009	24,000	960	120	2,200	6,500	<5.0	<10	<10	<10	<50	---	---	---	19.60	7.73	---	11.87	---
S-9	2/5/2010	4,900	310	6.2	180	240	<5.0	<10	<10	<10	<50	---	---	---	19.60	6.51	---	13.09	---
S-9	8/3/2010	17,000	940	25	500	2,800	<2.0	<4.0	<4.0	<4.0	29	---	---	---	19.60	7.02	---	12.58	---
S-9	2/14/2011	1,500	190	3.6	11	38	<4.0	<4.0	<4.0	<4.0	<40	---	---	---	19.60	6.60	---	13.00	---
TBW-E	11/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.31	---	---	---	---
TBW-E	12/1/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	7.01	---	---	---	---
TBW-E	12/7/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.32	---	---	---	---
TBW-E	12/15/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.55	---	---	---	---
TBW-E	12/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	5.95	---	---	---	---
TBW-E	12/27/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	8.47	---	---	---	---
TBW-N	11/23/2004	83,000	640	27,000	1,700	20,000	2,300	<400	<400	<400	1,300	<100	<100	<10,000	---	5.64	---	---	---
TBW-N	12/1/2004	160,000	700	31,000	2,300	24,000	2,900	<400	<400	<400	1,200	<100	<100	<10,000	---	6.35	---	---	---
TBW-N	12/7/2004	130,000	590	29,000	2,300	24,000	2,700	<400	<400	<400	1,300	<100	<100	<10,000	---	5.65	---	---	---
TBW-N	12/15/2004	120,000	420	26,000	2,000	22,000	3,300	<400	<400	<400	<1,000	<100	<100	<10,000	---	5.85	---	---	---
TBW-N	12/23/2004	100,000	220	23,000	1,900	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	---	5.30	---	---	---
TBW-N	12/27/2004	110,000	470	26,000	2,300	22,000	1,800	<400	<400	<400	<1,000	<100	<100	<10,000	---	7.80	---	---	---
TBW-N	1/17/2005	86,000	330	22,000	2,200	21,000	1,600	<400	<400	<400	1,600	<100	<100	<10,000	---	6.59	---	---	---
TBW-N	2/4/2005	97,000	290	23,000	1,800	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	---	4.50	---	---	---
TBW-N	3/2/2005	94,000	360	24,000	2,000	19,000	1,200	<400	<400	<400	<1,000	<100	<100	<10,000	---	4.11	---	---	---
TBW-N	4/12/2005	27,000	130	9,300	1,100	8,700	1,400	<100	<100	<20	390	<25	<25	<2,500	---	4.08	---	---	---
TBW-N	5/13/2005	42,000	130	8,700	1,500	12,000	1,400	<100	<100	<100	440	<25	<25	<2,500	---	4.45	---	---	---
TBW-N	6/10/2005	46,000	63	5,500	1,300	11,000	500	<100	<100	<100	<250	<25	<25	<2,500	---	4.97	---	---	---
TBW-N	7/15/2005	48,000	88	8,400	1,300	9,500	660	<100	<100	<100	310	<25	<25	<2,500	---	5.18	---	---	---
TBW-N	08/17/2005 a	36,000	85	8,500	1,200	11,000	510	<200	<200	<200	<500	<50	<50	<5,000	18.08	5.28	---	12.80	---
TBW-N	9/15/2005	20,000	59	2,400	730	9,300	600	<40	<40	<40	500	---	---	<1,000	18.08	5.92	---	12.16	---
TBW-N	10/17/2005	59,000	58	4,900	1,200	16,000	490	<100	<100	<100	<250	<25	<25	<2,500	18.08	5.96	---	12.12	---
TBW-N	11/22/2005	105,000	41.3	8,750	1,550	18,300	443	<0.500	<0.500	<0.500	248	<0.500	<0.500	<50.0	18.08	5.82	---	12.26	---
TBW-N	12/9/2005	65,900	43.4	5,110	1,110	13,500	493	<0.500	<0.500	<0.500	259	<0.500	<0.500	<50.0	18.08	5.60	---	12.48	---
TBW-N	1/5/2006	80,100	33.8	4,910	1,620	19,400	410	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.44	---	13.64	---
TBW-N	2/24/2006	56,000 b/60,000 d	15	2,700	1,000	12,000	270	<15	<15	<15	180	<15	<15	<150	18.08	4.67	---	13.41	---
TBW-N	3/8/2006	60,200	23.4	3,820	1,370	16,500	293	<0.500	<0.500	<0.500	93.8	<0.500	<0.500	<50.0	18.08	4.18	---	13.90	---

TABLE 1

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
			B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
TBW-N	4/13/2006	73,000	21.8	2,900	1,220	14,600	277	<0.500	<0.500	<0.500	68.5	<0.500	<0.500	<500	18.08	3.49	---	14.59	---
TBW-N	5/30/2006	59,300	18.7	1,170	1,800	10,200	119 e	<0.500	<0.500	<0.500	<10.0	0.860	<0.500	<50.0	18.08	4.52	---	13.56	---
TBW-N	6/5/2006	83,700	16.0	1,510	2,090	11,400	146 e	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.55	---	13.53	---
TBW-N	7/19/2006	80,100	16.4	632	1,550	13,900	85.7	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.99	---	13.09	---
TBW-N	8/30/2006	52,700	18.2	747	1,900	13,400	82.9	<5.00	<5.00	<5.00	<100	<5.00	<5.00	<500	18.08	5.47	---	12.61	---
TBW-N	9/6/2006	77,500	21.3	1,100	1,650	11,800	116	<0.500	<0.500	<0.500	12.4	<0.500	<0.500	<50.0	18.08	5.39	---	12.69	---
TBW-N	10/13/2006	33,000	22	1,300	1,700	27,000	160	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.57	---	12.51	---
TBW-N	11/22/2006	36,000	18	680	1,200	14,000	110	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.65	---	12.43	---
TBW-N	12/12/2006	34,000	<25	330	1,400	11,000	89	<25	<25	<25	<1,000	<25	<25	<5,000	18.08	5.34	---	12.74	---
TBW-N	1/5/2007	26,000 g	16	450	1,400	13,000 f	96	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.23	---	12.85	---
TBW-N	2/23/2007	41,000	<25	400	1,500	15,000	120	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.96	---	13.12	---
TBW-N	3/8/2007	15,000	<25	320	1,300	15,000	110	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.93	---	13.15	---
TBW-N	4/6/2007	24,000 h	15	360	1,100	12,300	130	<10	<10	<10	<50	<2.5	---	<500	18.08	5.07	---	13.01	---
TBW-N	5/18/2007	30,000 h	15 j	140	1,100	9,960	100	<100	<100	<100	<50	<25	<50	<5,000	18.08	5.25	---	12.83	---
TBW-N	6/11/2007	26,000 h	15 j	160	1,300	9,150	120	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.33	---	12.75	---
TBW-N	7/3/2007	36,000 h	9.3 j	150	990	8,400	130	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.46	---	12.62	---
TBW-N	8/10/2007	24,000 h	14	200	1,200	5,240	120	<40	<40	<40	<200	<10	<20	<2,000	18.08	5.78	---	12.30	---
TBW-N	9/25/2007	28,000 h	15	560	1,400	7,600	<20	<40	<40	<40	160 j	<10	<20	<2,000	18.08	6.02	---	12.06	---
TBW-N	11/9/2007	42,000 h	18	610	1,700	14,500	140	<50	<50	<50	<250	<12	<25	<2,500	18.08	5.91	5.90	12.18	0.01
TBW-N	2/8/2008	36,000 h	<25	450	1,400	15,100	97	<100	<100	<100	<500	<25	<50	<5,000	18.08	4.79	---	13.29	---
TBW-N	5/16/2008	26,000	80	99	970	5,130	130	<100	<100	<100	<500	---	---	---	18.08	5.50	---	12.58	---
TBW-N	8/15/2008	24,000	<25	1,300	1,300	2,400	90	<100	<100	<100	<500	<25	<50	<5,000	18.08	6.59	---	11.49	---
TBW-N	11/26/2008	24,000	<25	140	810	5,580	52	<100	<100	<100	<500	<25	<50	<5,000	18.08	7.40	---	10.68	---
TBW-N	2/27/2009	22,000	<25	110	520	5,000	<50	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.86	---	12.22	---
TBW-N	5/28/2009	32,000	8.9	160	860	5,600	53	<10	<10	<10	160	---	---	---	18.08	5.50	---	12.58	---
TBW-N	9/14/2009	28,000	10	110	890	4,700	60	<40	<40	<40	<200	<10	<20	<2,000	18.08	6.31	---	11.77	---
TBW-N	2/5/2010	27,000	<10	71	630	4,900	28	<40	<40	<40	<200	<10	<20	<2,000	18.08	5.28	---	12.80	---
TBW-N	8/3/2010	20,000	9.8	46	130	890	64	<20	<20	<20	<100	<5.0	<10	<1,000	18.08	5.75	---	12.33	---
TBW-N	2/14/2011	15,000	7.5	38	320	1,800	18	<10	<10	<10	<5.0	<5.0	<1500	18.08	5.40	N/A	12.68	N/A	
TBW-S	11/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.18	---	---	---	
TBW-S	12/1/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.87	---	---	---	
TBW-S	12/7/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.15	---	---	---	
TBW-S	12/15/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	6.38	---	---	---	
TBW-S	12/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	5.81	---	---	---	

TABLE 1

Page 8 of 9

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
TBW-S	12/27/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.35	---	---	---
TBW-W	11/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.14	---	---	---
TBW-W	12/1/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.86	---	---	---
TBW-W	12/7/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.13	---	---	---
TBW-W	12/15/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.37	---	---	---
TBW-W	12/23/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.79	---	---	---
TBW-W	12/27/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.32	---	---	---

TABLE 1

GROUNDWATER DATA
SHELL-BRANDED SERVICE STATION
1601 WEBSTER STREET, ALAMEDA, CALIFORNIA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (ug/L)	1,2-DCA (ug/L)	Depth to Water (ft.)	Depth to SPH (ft.)	GW (MSL)	SPH (ft.)

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl tertiary butyl ether by EPA Method 8260B.

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol or tertiary butanol, analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

SPH = Separate-phase hydrocarbon

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

--- = Not applicable

Notes:

a = Extracted out of holding time.

b = Result with a carbon range of C4-C12.

c = Result may be biased slightly high. See lab report case narrative.

d = Result with a carbon range of C6-C12.

e = Secondary ion abundances were outside method requirements. Identification based on analytical judgment.

f = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

g = Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below the acceptance limits. A low bias to sample results is indicated.

h = Analyzed by EPA Method 8015B (M).

i = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

j = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.


Ethanol analyzed by EPA Method 8260B.

Well TBW-N surveyed September 1, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-2 through S-7 surveyed on November 30, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-4B and S-7 through S-9 surveyed on August 17, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland West Quadrangle



FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

VICINITY MAP

FIGURE 1

LEGEND

MW-11 Former 76 Monitoring Well with Groundwater Elevation (feet)


S-9 Shell Service Station Monitoring Well

TBW-N Shell Tank Backfill Monitoring Well

MW-2A Abandoned Well

13.00 — Groundwater Elevation Contour

General Direction of Groundwater Flow

NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank. Shell Service Station data provided by CRA.

SCALE (FEET)
0 60

PROJECT: 181816.NCAL


FACILITY:
FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

GROUNDWATER ELEVATION
CONTOUR MAP
February 14, 2011

FIGURE 2

LEGEND

- MW-11 Former 76 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)
- S-9 Shell Service Station Monitoring Well
- TBW-N Shell Tank Backfill Monitoring Well
- MW-2A Abandoned Well
- 10,000 Dissolved-Phase TPH-G Contour ($\mu\text{g/l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
* = not included in contour interpretation. UST = underground storage tank. Shell Service Station data provided by CRA.

SCALE (FEET)
 0 60

PROJECT: 181816.NCAL


FACILITY:
FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

DISSOLVED-PHASE TPH-G CONCENTRATION MAP
February 14, 2011

FIGURE 3

LEGEND

- MW-11  Former 76 Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)
- S-9  Shell Service Station Monitoring Well
- TBW-N  Shell Tank Backfill Monitoring Well
- MW-2A  Abandoned Well
-  100 Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank.
 Shell Service Station data provided by CRA.

SCALE (FEET)




PROJECT: 181816.NCAL


FACILITY:
 FORMER 76 STATION 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

DISSOLVED-PHASE BENZENE
 CONCENTRATION MAP
 February 14, 2011

FIGURE 4

LEGEND

- MW-11 Former 76 Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g/l}$)
- S-9 Shell Service Station Monitoring Well
- TBW-N Shell Tank Backfill Monitoring Well
- MW-2A Abandoned Well
- 10,000** Dissolved-Phase MTBE Contour ($\mu\text{g/l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. * = not included in contour interpretation. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by CRA. Results obtained using EPA Method 8260B.

SCALE (FEET)
0 60

PROJECT: 181816.NCAL

FACILITY:
FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

DISSOLVED-PHASE MTBE CONCENTRATION MAP
February 14, 2011

FIGURE 5

LEGEND


MW-11  Former 76 Monitoring Well with Dissolved-Phase TBA Concentration ($\mu\text{g/l}$)

S-9  Shell Service Station Monitoring Well

TBW-N  Shell Tank Backfill Monitoring Well

MW-2A  Abandoned Well

 100 Dissolved-Phase TBA Contour ($\mu\text{g/l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
TBA = tertiary butyl alcohol. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. * = not included in contour interpretation. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by CRA. Results obtained using EPA Method 8260B.

SCALE (FEET)

 0 60



PROJECT: 181816.NCAL


FACILITY:
FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

DISSOLVED-PHASE TBA CONCENTRATION MAP
February 14, 2011

FIGURE 6


GRAPHS

Groundwater Elevations vs. Time
Former 76 Station 0843




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
Former 76 Station 0843




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
Former 76 Station 0843




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
Former 76 Station 0843




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
Former 76 Station 0843



Benzene Concentrations vs Time
Former 76 Station 0843



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: JOE

Job #/Task #: 181816

Date: 02/14/11

Site # 0843

Project Manager A. Collins

Page 1 of 2



FIELD MONITORING DATA SHEET

Technician: A. Vidlers

Job #/Task #: 181816

Date: 2/14/11

Site # 0843

Project Manager A. Collins

Page 2 of 2

FIELD DATA COMPLETE

QA/QC

COC

WELL BOX CONDITION SHEETS

MANIFEST

DRUM INVENTORY

TRAFFIC CONTROL

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 0843

Project No.: 181816

Date: 02/19/11

Well No. MW-1

Depth to Water (feet): 6.78

Total Depth (feet) 19.78

Water Column (feet): 13.00

80% Recharge Depth(feet): 9.38

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2 1/4

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge							4.45	355	
0639			3	373.1	14.7	5.74	1.15	363	
			6	509.9	16.1	5.86	1.46	365	
	0642		9	523.8	16.6	5.99	6.45	356	
Static at Time Sampled		Total Gallons Purged			Sample Time				
6.90		9			0758				
Comments: DRY AT Each well volume recharge quickly									

Well No. MW-1AR

Depth to Water (feet): 7.01

Total Depth (feet) 29.78

Water Column (feet): 22.77

80% Recharge Depth(feet): 11.56

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2 1/4

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge							1.43	349	
0653			4	461.4	16.0	6.05	1.45	358	
			8	473.1	17.0	5.95	1.40	361	
	0656		12	484.5	17.2	5.97	1.31	362	
Static at Time Sampled		Total Gallons Purged			Sample Time				
7.10		12			0816				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 0843

Project No.: 181816

Date: 02/14/11

Well No. MW-10

Purge Method: DIA

Depth to Water (feet): 6.71

Depth to Product (feet): _____

Total Depth (feet) 29.10

LPH & Water Recovered (gallons): _____

Water Column (feet): 22.39

Casing Diameter (Inches): 7"

80% Recharge Depth(feet): 11.18

1 Well Volume (gallons): 4

Well No. MW-11

Purge Method: DIA

Depth to Water (feet): 6.52

Depth to Product (feet): _____

Total Depth (feet) 27.50

LPH & Water Recovered (gallons): _____

Water Column (feet): 20.98

Casing Diameter (Inches): 2"

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidpers

Site: 0843

Project No.: 191816

Date: 2/19/11

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 6.33

Depth to Product (feet): —

Total Depth (feet) 29.20

LPH & Water Recovered (gallons): —

Water Column (feet): 22.87

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 10.90

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0932			4	731.4	17.8	6.46	0.99	198	
			8	789.9	14.4	6.47	1.17	171	
0942			12	778.4	20.1	6.56	0.94	76	
Static at Time Sampled			Total Gallons Purged			Sample Time			
10.84			12			0955			
Comments: Gaged, Purged / sampled out of order; Car parked on well									

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 6.22

Depth to Product (feet): —

Total Depth (feet) 29.58

LPH & Water Recovered (gallons): —

Water Column (feet): 23.36

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 10.89

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0638			4	712.8	17.4	6.44	2.13	199	
			8	740.5	18.1	6.50	1.83	188	
0647			12	740.7	19.6	6.49	2.81	188	
Static at Time Sampled			Total Gallons Purged			Sample Time			
10.89			12			0658			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Winkler

Site: 0843

Project No.: 181816

Date: 2/14/11

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 6.04

Depth to Product (feet): _____

Total Depth (feet) 19.91

LPH & Water Recovered (gallons): _____

Water Column (feet): 13.87

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 0.81

1 Well Volume (gallons): _____

Well No. MW-4

Purge Method: Sub

Depth to Water (feet): 5.94

Depth to Product (feet):

Total Depth (feet) 17.48

LPH & Water Recovered (gallons): _____

Water Column (feet): 11.54

Casing Diameter (Inches): 2

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidwers

Site: 0843

Project No.: 181816

Date: 2/4/11

Well No. MW-5

Purge Method: Sub

Depth to Water (feet): 5.49

Depth to Product (feet):

Total Depth (feet) 20.30

LPH & Water Recovered (gallons):

Water Column (feet): 14.81

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 8.45

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0828		3	637.1	16.2	6.90	2.81	179		
		6	631.6	17.0	6.82	2.43	183		
0831		9	629.7	17.6	6.66	1.62	188		
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.45			9			0840			
Comments:									

Well No. MW-6

Purge Method: Sub

Depth to Water (feet): 5.63

Depth to Product (feet):

Total Depth (feet) 20.13

LPH & Water Recovered (gallons):

Water Column (feet): 14.50

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 8.53

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0856		3	568.5	15.9	6.56	2.16	168	195	
		6	576.4	16.9	6.52	1.68	197		
0901		9	579.2	17.4	6.45	1.14	197		
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.53			9			0909			
Comments:									



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Date of Report: 03/02/2011

Anju Farfan

TRC

123 Technology Drive
Irvine, CA 92618


RE: 0843
BC Work Order: 1102506
Invoice ID: B096066

Enclosed are the results of analyses for samples received by the laboratory on 2/14/2011. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers
Client Service Rep



Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com



Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	4
Laboratory / Client Sample Cross Reference.....	10

Sample Results

1102506-01 - MW-7	
Volatile Organic Analysis (EPA Method 8260).....	14
Water Analysis (General Chemistry).....	15
Water Analysis (Metals).....	16
1102506-02 - MW-8	
Volatile Organic Analysis (EPA Method 8260).....	17
Water Analysis (General Chemistry).....	18
Water Analysis (Metals).....	19
1102506-03 - MW-3	
Volatile Organic Analysis (EPA Method 8260).....	20
Water Analysis (General Chemistry).....	21
1102506-04 - MW-4	
Volatile Organic Analysis (EPA Method 8260).....	22
Water Analysis (General Chemistry).....	23
1102506-05 - MW-5	
Volatile Organic Analysis (EPA Method 8260).....	24
Water Analysis (General Chemistry).....	25
1102506-06 - MW-6	
Volatile Organic Analysis (EPA Method 8260).....	26
Water Analysis (General Chemistry).....	27
1102506-07 - MW-1	
Volatile Organic Analysis (EPA Method 8260).....	28
Water Analysis (General Chemistry).....	29
Water Analysis (Metals).....	30
1102506-08 - MW-1AR	
Volatile Organic Analysis (EPA Method 8260).....	31
Water Analysis (General Chemistry).....	32
Water Analysis (Metals).....	33
1102506-09 - MW-1BR	
Volatile Organic Analysis (EPA Method 8260).....	34
Water Analysis (General Chemistry).....	35
Water Analysis (Metals).....	36
1102506-10 - MW-9	
Volatile Organic Analysis (EPA Method 8260).....	37
Water Analysis (General Chemistry).....	38
Water Analysis (Metals).....	39
1102506-11 - MW-10	
Volatile Organic Analysis (EPA Method 8260).....	40
Water Analysis (General Chemistry).....	41
Water Analysis (Metals).....	42
1102506-12 - MW-11	
Volatile Organic Analysis (EPA Method 8260).....	43
Water Analysis (General Chemistry).....	44
Water Analysis (Metals).....	45

Quality Control Reports

Volatile Organic Analysis (EPA Method 8260)

Method Blank Analysis.....	46
Laboratory Control Sample.....	47
Precision and Accuracy.....	48

Water Analysis (General Chemistry)



Table of Contents

Method Blank Analysis.....	49
Laboratory Control Sample.....	50
Precision and Accuracy.....	51
Water Analysis (Metals)	
Method Blank Analysis.....	52
Laboratory Control Sample.....	53
Precision and Accuracy.....	54
Notes	
Notes and Definitions.....	55

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1102506 Page 1 of 6

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

1102506			MATRIX (GW)	Ground-water (S)	Soil (WW)	Waste-water (SL)	Sludge	Turnaround Time Requested
Bill to:	Consultant Firm:	Project #:						
Conoco Phillips/ TRC Address: 1629 Webster St.	21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan	0843						
City: Alameda	4-digit site#: 0843	Workorder #02407-4514547883						
State: CA Zip:	Project #: 181816							
Conoco Phillips Mgr: Bill Borgh	Sampler Name: JOE							
Lab#	Sample Description	Field Point Name	Date & Time Sampled	BOTTLES				
-7	MW-1	02/14/11 0758	9	X				STD
-8	MW-1AR	0816						
-9	MW-1BR	0837						
-10	MW-9	0850						
-11	MW-10	0905						
-12	MW-11	0932						

Please preserve (2) 32 oz. amber bottles
Comments: w/H2506 for TOC by 415.1
analysis for wells MW-10 & MW-11

GLOBAL ID: 70600 JL
70600102263

Relinquished by: (Signature)

Joe D. Lewis

Relinquished by: (Signature)

Ross Dickey 2/14/11

Relinquished by: (Signature)

Ross Dickey 2/14/11 2115

Received by:

Ross Dickey

Date & Time

02/14/11 1240

Received by:

R. Dickey

Date & Time

2.14.11 1:30

Received by:

R. Dickey

Date & Time

2/14/11 2115

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	Turnaround Time Released					
Address:	1629 Webster st.	21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan			X	X	X	X	X	X
City:	Alameda	4-digit site#: 0843			X	X	X	X	X	X
		Workorder # 02807-4514547983			X	X	X	X	X	X
State: CA	Zip:	Project #: 181816			X	X	X	X	X	X
Conoco Phillips Mgr: Bill Bongi		Sampler Name: A. Yidlers			X	X	X	X	X	X
Lab#	Sample Description	Field Point Name	Date & Time Sampled		X	X	X	X	X	X
-1	Mw-7	2/14/11 0955	9							
-2	Mw-8	0658	9							
-3	Mw-3	0736	6							
-4	Mw-4	0905								
-5	Mw-5	0840								
-6	Mw-6	0909	↓							

Comments: Please preserve (1) 32 oz. amber
in H2504 for TOC by 415.1
analysis for well MW-7
GLOBAL ID:
Tob00102283

Relinquished by: (Signature)

Relinquished by: (Signature)

Relinquished by: (Signature)

Received by:

Received by:

Received by:

Kris Dickey

R. Riley

J.

Date & Time

2/14/11 1240

2/14/11 1830

2/14/11 2115

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1102506 Page 3 of 6

BC LABORATORIES INC.		SAMPLE RECEIPT FORM						Rev. No. 12	06/24/08	Page 1 Of 4	
Submission #: 1102506											
SHIPPING INFORMATION						SHIPPING CONTAINER					
Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____			Ice Chest <input checked="" type="checkbox"/> Box <input type="checkbox"/>			None <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____					
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____											
Custody Seals		Ice Chest <input type="checkbox"/>		Containers <input type="checkbox"/>		None <input checked="" type="checkbox"/>		Comments: _____			
Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>							
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.95 Container: 046 Thermometer ID: 163						Date/Time 2-14-11 2145			
		Temperature: A 0.7 °C / C 0.7 °C						Analyst Init JNW			
SAMPLE CONTAINERS	SAMPLE NUMBERS										
	1	2	3	4	5	6	7	8	9	10	
QT GENERAL MINERAL/ GENERAL PHYSICAL	B			B	B						
PT PE UNPRESERVED											
QT INORGANIC CHEMICAL METALS											
PT INORGANIC CHEMICAL METALS	C										
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
2oz. NITRATE / NITRITE											
PT TOTAL ORGANIC CARBON											
PT TOX											
PT CHEMICAL OXYGEN DEMAND											
PIA PHENOLICS											
40ml VOA VIAL TRAVEL BLANK	A.3	A.3	A.3	1734	A.3	A.3	1	1	1	1	
40ml VOA VIAL											
QT EPA 413.1, 113.1, 113.1											
PT ODOR											
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL- 501											
QT EPA 508/608/8080											
QT EPA 515.1/B150											
QT EPA 525											
QT EPA 525 TRAVEL BLANK											
100ml EPA 547											
100ml EPA 531.1											
QT EPA 548											
QT EPA 549											
QT EPA 632											
QT EPA 8015M											
QT AMBER	DEF										
8 OZ. JAR											
32 OZ. JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG											
FERROUS IRON	G1										
ENCORE											

Comments: _____

Sample Numbering Completed By: JNW Date/Time: 2/14/11 2217 J:\DOCS\WP\PPBLAB_DOCS\FORMS\ISAMREC2.WPD

A = Actual / C = Corrected

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1102506 Page 4 of 6

BC LABORATORIES INC.		SAMPLE RECEIPT FORM		Rev. No. 12	06/24/08	Page 2 of 4				
Submission #: 1102506										
SHIPPING INFORMATION				SHIPPING CONTAINER						
Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				Ice Chest <input checked="" type="checkbox"/> Box <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____						
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments:										
Custody Seals: Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>										
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>										
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.95 Container: Other Thermometer ID: 162 Temperature: A 2.9 °C / C 2.9 °C				Date/Time 2-14-11 2145 Analyst Init JNW				
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL	B	B	B							
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS	C									
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz NITRATE / NITRITE	D									
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	I	I	I	I	I	I	I	I	I	I
40ml VOA VIAL	I	I	I	I	I	I	I	I	I	I
QT EPA 413.1, 413.2, 413.3										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 801SM										
QT AMBER	E	F	G	H	I	J	K	L	M	N
8 OZ JAR										
22 OZ JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON	G									
ENCORE										

Comments: _____
 Sample Numbering Completed By: JNW Date/Time: 2-14-11 2217
 A = Actual / C = Corrected

[H:\DOCS\SLMP80\LAB_DOCS\FORMS\SSAMREC2.RPD]

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1102506 Page 5 of 6

BC LABORATORIES INC.		SAMPLE RECEIPT FORM		Rev. No. 12	06/24/08	Page 3 Of 4			
Submission #: 1102506									
SHIPPING INFORMATION				SHIPPING CONTAINER					
Federal Express <input type="checkbox"/>	UPS <input type="checkbox"/>	Hand Delivery <input type="checkbox"/>	BC Lab Field Service <input checked="" type="checkbox"/>	Ice Chest <input checked="" type="checkbox"/>	Box <input type="checkbox"/>	None <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____			
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/>		Comments:							
Custody Seals	Ice Chest <input type="checkbox"/>	Containers <input type="checkbox"/>	None <input checked="" type="checkbox"/>	Comments:					
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: 0.95 Container: 0141 Thermometer ID: 163			Date/Time 2-14-11 2145					
	Temperature: A 3.3 °C / C 3.3 °C			Analyst Init JMW					
SAMPLE CONTAINERS	SAMPLE NUMBERS								
	1	2	3	4	5	6	7	8	9
QT GENERAL MINERAL/GENERAL PHYSICAL	B						B	B	B
PT PE UNPRESERVED									
PT INORGANIC CHEMICAL METALS	C						C	C	C
PT INORGANIC CHEMICAL METALS									
PT CYANIDE									
PT NITROGEN FORMS									
PT TOTAL SULFIDE									
PTL NITRATE / NITRITE							D	D	D
PT TOTAL ORGANIC CARBON		*							
PT TOX									
PT CHEMICAL OXYGEN DEMAND									
PIA PHENOLICS									
40ml VOA VIAL TRAVEL BLANK							A.3	A.3	A.3
40ml VOA VIAL									
QT EPA 413.1, 413.2, 418.1									
PT ODOR									
RADIOLOGICAL									
BACTERIOLOGICAL									
40 ml VOA VIAL 504									
QT EPA 508/608/8080									
QT EPA 515.1/8150									
QT EPA 525									
QT EPA 525 TRAVEL BLANK									
100ml EPA 547									
100ml EPA 531.1									
QT EPA 548									
QT EPA 549									
QT EPA 632									
QT EPA 8015M									
QT AMBER									
8 OZ. JAR									
32 OZ. JAR									
SOIL SLEEVE									
PCB VIAL									
PLASTIC BAG									
FERROUS IRON									
ENCORE									
Comments: _____	Sample Numbering Completed By: JMW		Date/Time: 2/14/11 2217		[H:\QCSWIP8\LAB_QDCSIFORMS\5AMREC2.WPD]				
A = Actual / C = Corrected									

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1102506 Page 6 of 6

BC LABORATORIES INC.		SAMPLE RECEIPT FORM						Rev. No. 12	06/24/08	Page 4 Of 4	
Submission #: 1102506											
SHIPPING INFORMATION Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> Box <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____							
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____											
Custody Seals		Ice Chest <input type="checkbox"/>	Containers <input type="checkbox"/>	None <input checked="" type="checkbox"/> Comments: _____							
Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.95 Container: Q116 Thermometer ID: 163 Temperature: A 1.8 °C / C 1.8 °C						Date/Time 2-14-11 2145 Analyst Init JWW			
SAMPLE CONTAINERS	SAMPLE NUMBERS										
	1	2	3	4	5	6	7	8	9	10	
QT GENERAL MINERAL / GENERAL PHYSICAL	B										
PT PE UNPRESERVED											
QT INORGANIC CHEMICAL METALS											
PT INORGANIC CHEMICAL METALS	C										
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
TOZ NITRATE / NITRITE											
PT TOTAL ORGANIC CARBON											
PT TOX											
PT CHEMICAL OXYGEN DEMAND											
PTA PHENOLICS											
40ml VOA VIAL TRAVEL BLANK	A 3	A 3								A 3	
40ml VOA VIAL											
QT EPA 413.1, 413.2, 418.1											
PT ODOR											
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL- 504											
QT EPA 500/600/800											
QT EPA 515.1/815.0											
QT EPA 525											
QT EPA 525 TRAVEL BLANK											
100ml EPA 547											
100ml EPA 531.1											
QT EPA 548											
QT EPA 549											
QT EPA 632											
QT EPA 801SM											
QT AMBER	DEF	DEF								EE	
8 OZ. JAR											
32 OZ. JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG										E1	
FERROUS IRON	G1	G1									
ENCORE											

Comments:

Sample Numbering Completed By:

JWW

Date/Time: 2/14/11 2217

A = Actual C = Corrected

[H:\DOCS\INWP80\LAB_005\FORMS\1SAMREC2.WPD]



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
1102506-01	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-7 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 09:55 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-02	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-8 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 06:58 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-03	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-3 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 07:30 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
1102506-04	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-4 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 08:05 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-05	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-5 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 08:40 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-06	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-6 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 09:09 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
1102506-07	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 07:58 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-1 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-08	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1AR Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 08:16 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-1AR Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-09	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1BR Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 08:37 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-1BR Matrix: W Sample QC Type (SACode): CS Cooler ID:		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
1102506-10	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-9 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 08:50 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-11	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-10 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 09:05 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
1102506-12	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-11 Sampled By: TRCI	Receive Date: 02/14/2011 21:15 Sampling Date: 02/14/2011 09:32 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102283 Location ID (FieldPoint): MW-11 Matrix: W Sample QC Type (SACode): CS Cooler ID:		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-01	Client Sample Name: 0843, MW-7, 2/14/2011 9:55:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	50	EPA-8260	ND	A01	1
1,2-Dibromoethane	ND	ug/L	50	EPA-8260	ND	A01	1
1,2-Dichloroethane	ND	ug/L	50	EPA-8260	ND	A01	1
Ethylbenzene	ND	ug/L	50	EPA-8260	ND	A01	1
Methyl t-butyl ether	13000	ug/L	100	EPA-8260	ND	A01	2
Toluene	ND	ug/L	50	EPA-8260	ND	A01	1
Total Xylenes	ND	ug/L	100	EPA-8260	ND	A01	1
t-Amyl Methyl ether	ND	ug/L	50	EPA-8260	ND	A01	1
t-Butyl alcohol	ND	ug/L	1000	EPA-8260	ND	A01	1
Diisopropyl ether	ND	ug/L	50	EPA-8260	ND	A01	1
Ethanol	ND	ug/L	25000	EPA-8260	ND	A01	1
Ethyl t-butyl ether	ND	ug/L	50	EPA-8260	ND	A01	1
Total Purgeable Petroleum Hydrocarbons	7900	ug/L	5000	Luft-GC/MS	ND	A01,A90	1
1,2-Dichloroethane-d4 (Surrogate)	112	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	105	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	94.1	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	92.1	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/23/11	20:21	KEA	MS-V10	100	BUB1532
2	EPA-8260	02/23/11	02/24/11	17:29	KEA	MS-V10	200	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-01	Client Sample Name:	0843, MW-7, 2/14/2011 9:55:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	2.9	mg/L	0.44	EPA-300.0	ND		1
Sulfate	55	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	713	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	2700	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	4.1	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	8.0	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	191.4	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 08:51	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 17:17	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 05:42	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 11:53	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-01	Client Sample Name:	0843, MW-7, 2/14/2011 9:55:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	920	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	43	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	1000	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				Batch ID
1	EPA-7196	02/15/11	02/15/11 00:01	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:27	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:11	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 16:53	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 13:34	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-02	Client Sample Name:	0843, MW-8, 2/14/2011 6:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	25	EPA-8260	ND	A01	1
1,2-Dibromoethane	ND	ug/L	25	EPA-8260	ND	A01	1
1,2-Dichloroethane	ND	ug/L	25	EPA-8260	ND	A01	1
Ethylbenzene	ND	ug/L	25	EPA-8260	ND	A01	1
Methyl t-butyl ether	7100	ug/L	50	EPA-8260	ND	A01	2
Toluene	ND	ug/L	25	EPA-8260	ND	A01	1
Total Xylenes	ND	ug/L	50	EPA-8260	ND	A01	1
t-Amyl Methyl ether	ND	ug/L	25	EPA-8260	ND	A01	1
t-Butyl alcohol	ND	ug/L	500	EPA-8260	ND	A01	1
Diisopropyl ether	ND	ug/L	25	EPA-8260	ND	A01	1
Ethanol	ND	ug/L	12000	EPA-8260	ND	A01	1
Ethyl t-butyl ether	ND	ug/L	25	EPA-8260	ND	A01	1
Total Purgeable Petroleum Hydrocarbons	3900	ug/L	2500	Luft-GC/MS	ND	A01,A90	1
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	105	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	107	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	95.4	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	96.3	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/23/11	20:56	KEA	MS-V10	50	BUB1532
2	EPA-8260	02/23/11	02/24/11	17:11	KEA	MS-V10	100	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-02	Client Sample Name:	0843, MW-8, 2/14/2011 6:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	5.8	mg/L	0.44	EPA-300.0	ND		1
Sulfate	75	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	694	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	440	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	3.7	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	8.0	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	267.0	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 09:49	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 17:34	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 05:55	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 12:12	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-02	Client Sample Name:	0843, MW-8, 2/14/2011 6:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	830	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	59	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	1400	ug/L	2.0	EPA-200.8	ND	A01	5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				Batch ID
1	EPA-7196	02/15/11	02/15/11 00:01	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:29	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:14	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 16:54	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:34	PPS	PE-EL1	2	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-03	Client Sample Name:	0843, MW-3, 2/14/2011 7:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	45	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	111	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	94.2	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	96.5	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	02/23/11	02/24/11 02:32	KEA	MS-V10	1	BUB1397



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-03	Client Sample Name: 0843, MW-3, 2/14/2011 7:30:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	587	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	4.9	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	288.9	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	02/17/11	02/17/11 17:41	RML	MET-1	1	BUB1276
2	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
3	ASTM-D1498	02/16/11	02/16/11 12:16	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-04	Client Sample Name:	0843, MW-4, 2/14/2011 8:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	111	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	81.6	%	88 - 110 (LCL - UCL)	EPA-8260	S09		1
4-Bromofluorobenzene (Surrogate)	94.6	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	02/23/11	02/24/11 02:14	KEA	MS-V10	1	BUB1397



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-04	Client Sample Name: 0843, MW-4, 2/14/2011 8:05:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	770	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	9.2	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	294.6	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	02/17/11	02/17/11 17:47	RML	MET-1	1	BUB1276
2	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
3	ASTM-D1498	02/16/11	02/16/11 12:20	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-05	Client Sample Name:	0843, MW-5, 2/14/2011 8:40:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	112	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	97.8	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	95.6	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	02/23/11	02/24/11 01:56	KEA	MS-V10	1	BUB1397



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-05	Client Sample Name: 0843, MW-5, 2/14/2011 8:40:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	617	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	6.0	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	317.6	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	02/17/11	02/17/11 17:53	RML	MET-1	1	BUB1276
2	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
3	ASTM-D1498	02/16/11	02/16/11 12:24	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-06	Client Sample Name:	0843, MW-6, 2/14/2011 9:09:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	180	ug/L	2.5	EPA-8260	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	110	ug/L	50	Luft-GC/MS	ND	A90	1
1,2-Dichloroethane-d4 (Surrogate)	113	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	97.2	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	99.1	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	90.5	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	95.8	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/24/11	01:38	KEA	MS-V10	1	BUB1397
2	EPA-8260	02/23/11	02/24/11	16:36	KEA	MS-V10	5	BUB1397



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-06	Client Sample Name: 0843, MW-6, 2/14/2011 9:09:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	542	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	5.2	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	326.6	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	02/17/11	02/17/11 17:59	RML	MET-1	1	BUB1276
2	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
3	ASTM-D1498	02/16/11	02/16/11 12:28	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-07	Client Sample Name:	0843, MW-1, 2/14/2011 7:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	1.0	EPA-8260	ND	A01	1
1,2-Dibromoethane	ND	ug/L	1.0	EPA-8260	ND	A01	1
1,2-Dichloroethane	ND	ug/L	1.0	EPA-8260	ND	A01	1
Ethylbenzene	ND	ug/L	1.0	EPA-8260	ND	A01	1
Methyl t-butyl ether	1100	ug/L	10	EPA-8260	ND	A01	2
Toluene	ND	ug/L	1.0	EPA-8260	ND	A01	1
Total Xylenes	ND	ug/L	2.0	EPA-8260	ND	A01	1
t-Amyl Methyl ether	ND	ug/L	1.0	EPA-8260	ND	A01	1
t-Butyl alcohol	99	ug/L	20	EPA-8260	ND	A01	1
Diisopropyl ether	ND	ug/L	1.0	EPA-8260	ND	A01	1
Ethanol	ND	ug/L	500	EPA-8260	ND	A01	1
Ethyl t-butyl ether	ND	ug/L	1.0	EPA-8260	ND	A01	1
Total Purgeable Petroleum Hydrocarbons	580	ug/L	100	Luft-GC/MS	ND	A01,A90	1
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	96.7	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	106	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	98.1	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/24/11	18:05	KEA	MS-V10	2	BUB1532
2	EPA-8260	02/23/11	02/23/11	20:39	KEA	MS-V10	20	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-07	Client Sample Name:	0843, MW-1, 2/14/2011 7:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	18	mg/L	0.44	EPA-300.0	ND		1
Sulfate	25	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	509	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	ND	ug/L	500	SM-3500-FeD	ND	A10	3
Non-Volatile Organic Carbon	1.6	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	8.9	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	418.5	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 10:03	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:05	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	5	BUB0990
4	EPA-415.1	02/24/11	02/24/11 06:08	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 12:32	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-07	Client Sample Name:	0843, MW-1, 2/14/2011 7:58:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	2.7	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	5.4	ug/L	1.0	EPA-200.8	ND		3
Total Chromium	91	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	530	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				
1	EPA-7196	02/15/11	02/15/11 00:01	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:31	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:17	PPS	PE-EL1	1	BUB1717
4	EPA-6010B	02/17/11	02/22/11 16:56	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:10	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-08	Client Sample Name:	0843, MW-1AR, 2/14/2011 8:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	91	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	58	ug/L	50	Luft-GC/MS	ND	A90	1
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	91.8	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	02/23/11	02/24/11 01:21	KEA	MS-V10	1	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-08	Client Sample Name:	0843, MW-1AR, 2/14/2011 8:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	21	mg/L	0.44	EPA-300.0	ND		1
Sulfate	32	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	537	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	420	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	2.0	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	7.3	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	217.9	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 10:17	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:11	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 04:49	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 12:39	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-08	Client Sample Name:	0843, MW-1AR, 2/14/2011 8:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	2.6	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	150	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	ND	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	190	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				
1	EPA-7196	02/15/11	02/15/11 00:00	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:33	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:20	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 16:58	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:13	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-09	Client Sample Name: 0843, MW-1BR, 2/14/2011 8:37:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	140	ug/L	1.0	EPA-8260	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	80	ug/L	50	Luft-GC/MS	ND	A90	1
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	112	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	104	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	92.6	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	94.0	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/24/11	01:03	KEA	MS-V10	1	BUB1532
2	EPA-8260	02/23/11	02/24/11	16:54	KEA	MS-V10	2	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-09	Client Sample Name:	0843, MW-1BR, 2/14/2011 8:37:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	29	mg/L	0.44	EPA-300.0	ND		1
Sulfate	28	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	531	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	290	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.7	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	8.1	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	286.1	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 11:01	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:16	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 06:48	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 12:48	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-09	Client Sample Name:	0843, MW-1BR, 2/14/2011 8:37:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	3.7	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	73	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	34	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	170	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				Batch ID
1	EPA-7196	02/15/11	02/15/11 00:01	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:35	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:23	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 17:00	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:15	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-10	Client Sample Name:	0843, MW-9, 2/14/2011 8:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	320	ug/L	2.5	EPA-8260	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	170	ug/L	50	Luft-GC/MS	ND	A90	1
1,2-Dichloroethane-d4 (Surrogate)	112	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	105	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	93.2	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	95.5	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/24/11	00:46	KEA	MS-V10	1	BUB1532
2	EPA-8260	02/23/11	02/24/11	16:18	KEA	MS-V10	5	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-10	Client Sample Name:	0843, MW-9, 2/14/2011 8:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	8.1	mg/L	0.44	EPA-300.0	ND		1
Sulfate	29	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	690	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	230	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	2.4	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	9.5	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	305.5	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 11:15	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:23	RML	MET-1	1	BUB1276
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 07:01	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1232
6	ASTM-D1498	02/16/11	02/16/11 12:52	RML	MET-1	1	BUB1159



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-10	Client Sample Name:	0843, MW-9, 2/14/2011 8:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	6.6	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	60	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	22	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	440	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				
1	EPA-7196	02/15/11	02/15/11 00:07	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:37	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:26	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 17:02	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:18	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-11	Client Sample Name:	0843, MW-10, 2/14/2011 9:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	1.9	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Ethanol	ND	ug/L	250	EPA-8260	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	104	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	91.1	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	02/23/11	02/24/11 00:28	KEA	MS-V10	1	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-11	Client Sample Name:	0843, MW-10, 2/14/2011 9:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	13	mg/L	0.44	EPA-300.0	ND		1
Sulfate	30	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	560	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	160	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.8	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	9.2	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	326.6	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 11:29	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:44	RML	MET-1	1	BUB1277
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 07:14	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1234
6	ASTM-D1498	02/16/11	02/16/11 13:00	RML	MET-1	1	BUB1160



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-11	Client Sample Name:	0843, MW-10, 2/14/2011 9:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	14	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	15	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	43	ug/L	1.0	EPA-200.8	ND		3
Total Chromium	18	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	45	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				
1	EPA-7196	02/15/11	02/15/11 00:07	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:39	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:40	PPS	PE-EL1	1	BUB1717
4	EPA-6010B	02/17/11	02/22/11 17:04	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:21	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1102506-12	Client Sample Name: 0843, MW-11, 2/14/2011 9:32:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	6.2	EPA-8260	ND	A01	1
1,2-Dibromoethane	ND	ug/L	6.2	EPA-8260	ND	A01	1
1,2-Dichloroethane	ND	ug/L	6.2	EPA-8260	ND	A01	1
Ethylbenzene	ND	ug/L	6.2	EPA-8260	ND	A01	1
Methyl t-butyl ether	7400	ug/L	50	EPA-8260	ND	A01	2
Toluene	ND	ug/L	6.2	EPA-8260	ND	A01	1
Total Xylenes	ND	ug/L	12	EPA-8260	ND	A01	1
t-Amyl Methyl ether	ND	ug/L	6.2	EPA-8260	ND	A01	1
t-Butyl alcohol	670	ug/L	120	EPA-8260	ND	A01	1
Diisopropyl ether	ND	ug/L	6.2	EPA-8260	ND	A01	1
Ethanol	ND	ug/L	3100	EPA-8260	ND	A01	1
Ethyl t-butyl ether	ND	ug/L	6.2	EPA-8260	ND	A01	1
Total Purgeable Petroleum Hydrocarbons	3500	ug/L	620	Luft-GC/MS	ND	A01,A90	1
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	96.9	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	93.7	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260	02/23/11	02/24/11	17:47	KEA	MS-V10	12.500	BUB1532
2	EPA-8260	02/23/11	02/23/11	20:03	KEA	MS-V10	100	BUB1532



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

BCL Sample ID:	1102506-12	Client Sample Name:	0843, MW-11, 2/14/2011 9:32:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	3.1	mg/L	0.44	EPA-300.0	ND		1
Sulfate	21	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	750	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	240	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	3.5	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	9.4	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (Eobs_Ag/AgCl)	473.7	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	02/15/11	02/15/11 11:44	LD1	IC5	1	BUB1019
2	EPA-120.1	02/17/11	02/17/11 18:59	RML	MET-1	1	BUB1277
3	SM-3500-FeD	02/15/11	02/15/11 02:15	MRM	SPEC05	1	BUB0990
4	EPA-415.1	02/24/11	02/24/11 07:28	CDR	TOC2	1	BUB1648
5	SM-4500OG	02/15/11	02/15/11 07:35	HPR	YSI-57	1	BUB1234
6	ASTM-D1498	02/16/11	02/16/11 13:08	RML	MET-1	1	BUB1160



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID:	1102506-12	Client Sample Name:	0843, MW-11, 2/14/2011 9:32:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	560	ug/L	5.0	EPA-200.8	ND	A01	3
Total Chromium	14	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	760	ug/L	1.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC
			Date/Time				Batch ID
1	EPA-7196	02/15/11	02/15/11 00:07	TDC	KONE-1	1	BUB1012
2	EPA-6010B	02/15/11	02/18/11 20:47	JRG	PE-OP2	1	BUB1187
3	EPA-200.8	02/15/11	03/01/11 12:31	PPS	PE-EL1	5	BUB1717
4	EPA-6010B	02/17/11	02/22/11 17:06	ARD	PE-OP1	1	BUB1225
5	EPA-200.8	02/17/11	02/17/11 14:24	PPS	PE-EL1	1	BUB1224



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BUB1397						
Benzene	BUB1397-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BUB1397-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BUB1397-BLK1	ND	ug/L	0.50		
Ethylbenzene	BUB1397-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BUB1397-BLK1	ND	ug/L	0.50		
Toluene	BUB1397-BLK1	ND	ug/L	0.50		
Total Xylenes	BUB1397-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BUB1397-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BUB1397-BLK1	ND	ug/L	10		
Diisopropyl ether	BUB1397-BLK1	ND	ug/L	0.50		
Ethanol	BUB1397-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BUB1397-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BUB1397-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BUB1397-BLK1	104	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BUB1397-BLK1	101	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BUB1397-BLK1	96.1	%	86 - 115 (LCL - UCL)		
QC Batch ID: BUB1532						
Benzene	BUB1532-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BUB1532-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BUB1532-BLK1	ND	ug/L	0.50		
Ethylbenzene	BUB1532-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BUB1532-BLK1	ND	ug/L	0.50		
Toluene	BUB1532-BLK1	ND	ug/L	0.50		
Total Xylenes	BUB1532-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BUB1532-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BUB1532-BLK1	ND	ug/L	10		
Diisopropyl ether	BUB1532-BLK1	ND	ug/L	0.50		
Ethanol	BUB1532-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BUB1532-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BUB1532-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BUB1532-BLK1	104	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BUB1532-BLK1	105	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BUB1532-BLK1	90.4	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BUB1397									
Benzene	BUB1397-BS1	LCS	25.400	25.000	ug/L	102		70 - 130	
Toluene	BUB1397-BS1	LCS	25.400	25.000	ug/L	102		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BUB1397-BS1	LCS	10.120	10.000	ug/L	101		76 - 114	
Toluene-d8 (Surrogate)	BUB1397-BS1	LCS	10.550	10.000	ug/L	106		88 - 110	
4-Bromofluorobenzene (Surrogate)	BUB1397-BS1	LCS	10.070	10.000	ug/L	101		86 - 115	
QC Batch ID: BUB1532									
Benzene	BUB1532-BS1	LCS	23.790	25.000	ug/L	95.2		70 - 130	
Toluene	BUB1532-BS1	LCS	23.850	25.000	ug/L	95.4		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BUB1532-BS1	LCS	10.200	10.000	ug/L	102		76 - 114	
Toluene-d8 (Surrogate)	BUB1532-BS1	LCS	10.500	10.000	ug/L	105		88 - 110	
4-Bromofluorobenzene (Surrogate)	BUB1532-BS1	LCS	9.9300	10.000	ug/L	99.3		86 - 115	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	RPD	Percent Recovery
QC Batch ID: BUB1397		Used client sample: N								
Benzene	MS	1102229-36	ND	26.990	25.000	ug/L		108		70 - 130
	MSD	1102229-36	ND	29.710	25.000	ug/L	9.6	119	20	70 - 130
Toluene	MS	1102229-36	ND	26.620	25.000	ug/L		106		70 - 130
	MSD	1102229-36	ND	29.660	25.000	ug/L	10.8	119	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1102229-36	ND	9.9700	10.000	ug/L		99.7		76 - 114
	MSD	1102229-36	ND	9.9700	10.000	ug/L	0	99.7		76 - 114
Toluene-d8 (Surrogate)	MS	1102229-36	ND	10.290	10.000	ug/L		103		88 - 110
	MSD	1102229-36	ND	10.320	10.000	ug/L	0.3	103		88 - 110
4-Bromofluorobenzene (Surrogate)	MS	1102229-36	ND	9.8900	10.000	ug/L		98.9		86 - 115
	MSD	1102229-36	ND	10.220	10.000	ug/L	3.3	102		86 - 115
QC Batch ID: BUB1532		Used client sample: N								
Benzene	MS	1102229-41	ND	28.410	25.000	ug/L		114		70 - 130
	MSD	1102229-41	ND	28.540	25.000	ug/L	0.5	114	20	70 - 130
Toluene	MS	1102229-41	ND	26.820	25.000	ug/L		107		70 - 130
	MSD	1102229-41	ND	26.830	25.000	ug/L	0.0	107	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1102229-41	ND	10.220	10.000	ug/L		102		76 - 114
	MSD	1102229-41	ND	10.610	10.000	ug/L	3.7	106		76 - 114
Toluene-d8 (Surrogate)	MS	1102229-41	ND	10.200	10.000	ug/L		102		88 - 110
	MSD	1102229-41	ND	10.150	10.000	ug/L	0.5	102		88 - 110
4-Bromofluorobenzene (Surrogate)	MS	1102229-41	ND	9.7000	10.000	ug/L		97.0		86 - 115
	MSD	1102229-41	ND	10.080	10.000	ug/L	3.8	101		86 - 115



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BUB0990						
Iron (II) Species	BUB0990-BLK1	ND	ug/L	100		
QC Batch ID: BUB1019						
Nitrate as NO ₃	BUB1019-BLK1	ND	mg/L	0.44		
Sulfate	BUB1019-BLK1	ND	mg/L	1.0		
QC Batch ID: BUB1648						
Non-Volatile Organic Carbon	BUB1648-BLK1	ND	mg/L	0.30		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BUB0990									
Iron (II) Species	BUB0990-BS1	LCS	1979.7	2000.0	ug/L	99.0		90 - 110	
QC Batch ID: BUB1019									
Nitrate as NO ₃	BUB1019-BS1	LCS	22.254	22.134	mg/L	101		90 - 110	
Sulfate	BUB1019-BS1	LCS	102.52	100.00	mg/L	103		90 - 110	
QC Batch ID: BUB1276									
Electrical Conductivity @ 25 C	BUB1276-BS1	LCS	315.50	303.00	umhos/cm	104		90 - 110	
QC Batch ID: BUB1277									
Electrical Conductivity @ 25 C	BUB1277-BS1	LCS	314.70	303.00	umhos/cm	104		90 - 110	
QC Batch ID: BUB1648									
Non-Volatile Organic Carbon	BUB1648-BS1	LCS	5.0660	5.0000	mg/L	101		85 - 115	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	Percent RPD	Lab Quals
QC Batch ID: BUB0990	Used client sample: Y - Description: MW-7, 02/14/2011 09:55									
Iron (II) Species	DUP	1102506-01	2737.6	2728.8		ug/L	0.3		10	
QC Batch ID: BUB1019	Used client sample: Y - Description: MW-7, 02/14/2011 09:55									
Nitrate as NO3	DUP	1102506-01	2.9261	2.8376		mg/L	3.1		10	
	MS	1102506-01	2.9261	26.355	22.358	mg/L	105	80 - 120		
	MSD	1102506-01	2.9261	26.194	22.358	mg/L	0.6	104	10	80 - 120
Sulfate	DUP	1102506-01	55.142	55.113		mg/L	0.1		10	
	MS	1102506-01	55.142	164.30	101.01	mg/L	108	80 - 120		
	MSD	1102506-01	55.142	164.63	101.01	mg/L	0.2	108	10	80 - 120
QC Batch ID: BUB1159	Used client sample: Y - Description: MW-7, 02/14/2011 09:55									
Oxidation Reduction Potential (Eobs_Ag/	DUP	1102506-01	191.41	196.39		mV	2.6		10	
QC Batch ID: BUB1160	Used client sample: Y - Description: MW-10, 02/14/2011 09:05									
Oxidation Reduction Potential (Eobs_Ag/	DUP	1102506-11	326.56	330.70		mV	1.3		10	
QC Batch ID: BUB1232	Used client sample: Y - Description: MW-7, 02/14/2011 09:55									
Dissolved Oxygen	DUP	1102506-01	8.0000	8.0000		mg O/L	0		10	
QC Batch ID: BUB1234	Used client sample: Y - Description: MW-10, 02/14/2011 09:05									
Dissolved Oxygen	DUP	1102506-11	9.2000	9.1000		mg O/L	1.1		10	
QC Batch ID: BUB1276	Used client sample: Y - Description: MW-7, 02/14/2011 09:55									
Electrical Conductivity @ 25 C	DUP	1102506-01	712.70	706.10		umhos/cm	0.9		10	
QC Batch ID: BUB1277	Used client sample: Y - Description: MW-10, 02/14/2011 09:05									
Electrical Conductivity @ 25 C	DUP	1102506-11	560.50	570.10		umhos/cm	1.7		10	
QC Batch ID: BUB1648	Used client sample: Y - Description: MW-1AR, 02/14/2011 08:16									
Non-Volatile Organic Carbon	DUP	1102506-08	2.0080	1.9970		mg/L	0.5		10	
	MS	1102506-08	2.0080	6.9618	5.0251	mg/L	98.6	80 - 120		
	MSD	1102506-08	2.0080	6.9337	5.0251	mg/L	0.4	98.0	10	80 - 120



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BUB1012						
Hexavalent Chromium	BUB1012-BLK1	ND	ug/L	2.0		
QC Batch ID: BUB1187						
Dissolved Chromium	BUB1187-BLK1	ND	ug/L	10		
QC Batch ID: BUB1224						
Total Recoverable Manganese	BUB1224-BLK1	ND	ug/L	1.0		
QC Batch ID: BUB1225						
Total Chromium	BUB1225-BLK1	ND	ug/L	10		
QC Batch ID: BUB1717						
Dissolved Manganese	BUB1717-BLK1	ND	ug/L	1.0		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BUB1012									
Hexavalent Chromium	BUB1012-BS1	LCS	45.492	50.000	ug/L	91.0		85 - 115	
QC Batch ID: BUB1187									
Dissolved Chromium	BUB1187-BS1	LCS	213.06	200.00	ug/L	107		85 - 115	
QC Batch ID: BUB1224									
Total Recoverable Manganese	BUB1224-BS1	LCS	96.612	100.00	ug/L	96.6		85 - 115	
QC Batch ID: BUB1225									
Total Chromium	BUB1225-BS1	LCS	208.86	200.00	ug/L	104		85 - 115	
QC Batch ID: BUB1717									
Dissolved Manganese	BUB1717-BS1	LCS	101.76	100.00	ug/L	102		85 - 115	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55
Project: 0843
Project Number: 4514547883
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	Percent RPD	Lab Quals
QC Batch ID: BUB1012		Used client sample: Y - Description: MW-1AR, 02/14/2011 08:16								
Hexavalent Chromium	DUP	1102506-08	2.6260	2.6130		ug/L	0.5		10	
	MS	1102506-08	2.6260	50.155	52.632	ug/L		90.3		85 - 115
	MSD	1102506-08	2.6260	50.073	52.632	ug/L	0.2	90.1	10	85 - 115
QC Batch ID: BUB1187		Used client sample: N								
Dissolved Chromium	DUP	1102533-01	1.3851	ND		ug/L			20	
	MS	1102533-01	1.3851	224.84	204.08	ug/L		109		75 - 125
	MSD	1102533-01	1.3851	229.09	204.08	ug/L	1.9	112	20	75 - 125
QC Batch ID: BUB1224		Used client sample: Y - Description: MW-7, 02/14/2011 09:55								
Total Recoverable Manganese	DUP	102506-01RE'	1038.8	1028.2		ug/L	1.0		20	
	MS	102506-01RE'	1038.8	1136.2	100.00	ug/L		97.4		70 - 130
	MSD	102506-01RE'	1038.8	1129.6	100.00	ug/L	0.6	90.8	20	70 - 130
QC Batch ID: BUB1225		Used client sample: N								
Total Chromium	DUP	1102353-01	3.7498	ND		ug/L			20	
	MS	1102353-01	3.7498	219.96	200.00	ug/L		108		75 - 125
	MSD	1102353-01	3.7498	212.66	200.00	ug/L	3.4	104	20	75 - 125
QC Batch ID: BUB1717		Used client sample: N								
Dissolved Manganese	DUP	100274-02RE'	ND	ND		ug/L			20	
	MS	100274-02RE'	ND	93.713	104.12	ug/L		90.0		70 - 130
	MSD	100274-02RE'	ND	95.942	104.12	ug/L	2.4	92.1	20	70 - 130



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 03/02/2011 8:55

Project: 0843

Project Number: 4514547883

Project Manager: Anju Farfan

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A10	PQL's and MDL's were raised due to matrix interference.
A90	TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
S05	The sample holding time was exceeded.
S09	The surrogate recovery on the sample for this compound was not within the control limits.

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring wells is accumulated at TRC's groundwater monitoring field office at Concord, California, for transportation by a licensed carrier to an authorized disposal facility. Currently, non-hazardous purge water is transported under a bulk non-hazardous waste manifest to Crosby and Overton, Inc. in Long Beach, California.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.