



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

January 28, 2009

Re: Fourth Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #6041
7249 Village Parkway
Dublin, California
ACEH Case # RO0000452

RECEIVED

3:51 pm, Jan 30, 2009

Alameda County
Environmental Health



"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple
Environmental Business Manager



A BP affiliated company

Fourth Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #6041
7249 Village Parkway
Dublin, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

January, 2009

Project No. 06-82-635

January 28, 2009

Project No. 06-82-635

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Fourth Quarter, 2008 Ground-Water Monitoring Report, Atlantic Richfield Company (a BP affiliated company) Station #6041, 7249 Village Parkway, Dublin, CA. ACEH case # RO0000452.

Dear Mr. Supple:

Provided herein is the *Fourth Quarter, 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #6041 (herein referred to as Station #6041) located at 7249 Village Parkway, Dublin, CA (Property). This report presents a summary of Fourth Quarter, 2008 ground-water monitoring results.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Matthew G. Herrick, P.G., C. HG.
Senior Hydrogeologist



Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (submitted via ACEH ftp site)
GeoTracker

STATION #6041 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #6041	Address:	7249 Village Parkway, Dublin, CA
Station #6041 Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates, Inc. (BAI) / Rob Miller & Matt Herrick
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) / Case #RO0000452
Consultant Project No.:		06-82-635
Facility Permits/Permitting Agency.:		NA

WORK PERFORMED THIS QUARTER (Fourth Quarter, 2008):

1. Submitted Third Quarter, 2008 Ground-Water Monitoring Report. Work performed by BAI.
2. Conducted ground-water monitoring/sampling for Fourth Quarter, 2008. Work performed by Stratus Environmental, Inc.

WORK PROPOSED FOR NEXT QUARTER (First Quarter, 2009):

1. Submit Fourth Quarter, 2008 Ground-Water Monitoring Report (contained herein).
2. Conduct ground-water monitoring/sampling for First Quarter, 2009.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-water monitoring/sampling
Frequency of ground-water sampling:	Wells MW-2 and MW-3: Quarterly Well MW-8: Semi-annually (1Q & 3Q) Wells MW-4 through MW-6: Annually (3Q)
Frequency of ground-water monitoring:	Quarterly
Is free product (FP) present on-site:	No
Bulk Soil Removed to Date:	3,208 cubic yards
Current remediation techniques:	NA
Depth to ground water (below TOC):	7.47 (MW-4) to 9.79 (MW-5) feet
General ground-water flow direction:	North-Northeast
Approximate hydraulic gradient:	0.005 Feet per foot

DISCUSSION:

During Fourth Quarter, 2008 gasoline range organics (GRO) were detected in well MW-3 at a concentration of 91 micrograms per liter ($\mu\text{g/L}$). Methyl tert-butyl ether (MTBE) was detected in MW-2 at a concentration of $0.53\mu\text{g/L}$. Tert-butyl alcohol (TBA) was detected in wells MW-2 and MW-3 at concentrations of $300\mu\text{g/L}$ and $5,700\mu\text{g/L}$, respectively. No other analytes were detected in ground-water samples collected during Fourth Quarter, 2008.

Analytes detected during Fourth Quarter, 2008 were all within the historic minimum and maximum concentration ranges recorded for each well, with the following exception: MTBE in MW-2 is the lowest concentration historically measured in the well. Ground-water elevations measured during Fourth Quarter, 2008 were within historic minimum and maximum ranges for each well.


Drawing 1 depicts the ground-water elevation contour and analytical summary map for Fourth Quarter, 2008. Table 1 includes a summary of ground-water monitoring data including relative water elevations and laboratory analyses. Table 2 provides a summary of fuel additives analytical data. Table 3 presents historical ground-water flow direction and gradient.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus Environmental, Inc. field personnel and/or their subcontractor(s) (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc., Garden Grove, California. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:


- | | |
|-------------|---|
| Drawing 1. | Ground-Water Elevation Contour and Analytical Summary Map, Station #6041, Dublin, CA |
| Table 1. | Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #6041, Dublin, CA |
| Table 2. | Summary of Fuel Additives Analytical Data, Station #6041, Dublin, CA |
| Table 3. | Historical Ground-Water Flow Direction and Gradient, Station #6041, Dublin, CA |
| Appendix A. | Stratus Environmental, Inc. Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Chain of Custody Documentation, Certified Analytical Results, and Field Procedures for Groundwater Sampling) |
| Appendix B. | GeoTracker Upload Confirmation |



LEGEND

- Monitoring well
 - Vapor extraction well
 - Air sparge well
 - Tank pit observation well
 - Abandoned well
 - Ground-water elevation contour, (feet above MSL)
 - Approximate ground-water flow direction and gradient (ft/ft)
- | Well ID | Well designation |
|---------|--|
| ELEV | Ground-water elevation in ft above MSL |
| GRO | GRO, benzene & MTBE concentration in micrograms per liter (µg/L) |
| Benzene | |
| MTBE | |
| Q/A | Sampling frequency |
- < Not detected at or above laboratory reporting limits
 - NS Not sampled
 - SA(1,3) Sampled semi-annually, 1st & 3rd quarters
 - A(3) Sampled annually, 3rd quarter
 - GO Gauged only
 - Q Sampled quarterly
 - Remediation piping trench
 - * Not used to generate contour map

NOTE: SITE MAP ADAPTED FROM CAMBRIA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California 95926
Project No.: 06-82-635 Date: 1/7/09

Station #6041
7249 Village Parkway
Dublin, California

Ground-Water Elevation Contour
and Analytical Summary Map
December 4, 2008

Drawing

1

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1															
02/15/1995	--		336.56	14.00	17.50	8.53	328.03	820	15	<1	5.2	1.4	--	--	--
05/24/1995	--		336.56	14.00	17.50	9.00	327.56	640	12	<1	7.3	<1	--	--	--
08/25/1995	--		336.56	14.00	17.50	10.30	326.26	780	2	<1	2	2	2,500	--	--
11/28/1995	--		336.56	14.00	17.50	11.01	325.55	570	2.2	<0.5	1.4	0.9	--	--	--
02/26/1996	--		336.56	14.00	17.50	7.35	329.21	1,100	28	<7	13	7	3,400	--	--
05/23/1996	--		336.56	14.00	17.50	8.73	327.83	560	8.5	<1	1.1	<1	3,900	--	--
08/23/1996	--		336.56	14.00	17.50	10.25	326.31	860	<1	<1	<4	2	5,600	--	--
03/21/1997	--		336.56	14.00	17.50	9.35	327.21	520	12	<0.5	2.7	1.5	6,200	--	--
08/20/1997	--		336.56	14.00	17.50	10.75	325.81	<5,000	<50	<50	<50	<50	7,400	--	--
11/21/1997	--		336.56	14.00	17.50	11.10	325.46	<5,000	<50	<50	<50	<50	8,500	--	--
02/12/1998	P		336.56	14.00	17.50	7.05	329.51	210	<0.5	<0.5	<0.5	<0.5	8,900	1.71	--
07/31/1998	P		336.56	14.00	17.50	10.04	326.52	<20,000	<200	<200	<200	<200	18,000	2.43	--
02/17/1999	--		336.56	14.00	17.50	8.50	328.06	<20,000	<200	<200	<200	<200	16,000	1.0	--
08/24/1999	P		336.56	14.00	17.50	10.40	326.16	190	<0.5	4.4	<0.5	1.1	15,000	--	--
03/01/2000	P		336.56	14.00	17.50	8.85	327.71	310	20	0.5	7.6	4.0	80,000	1.57	--
08/18/2000	P		336.56	14.00	17.50	9.35	327.21	<10,000	<100	<100	<100	<100	48,400/63,700	1.50	--
12/27/2000	P		336.56	14.00	17.50	10.81	325.75	<10,000	309	<100	<100	289	44,400	0.51	--
02/09/2001	P		336.56	14.00	17.50	10.65	325.91	2,820	368	<25.0	116	176	23,300	0.58	--
02/09/2001	--	i	336.56	14.00	17.50	--	--	3,490	432	9.56	146	235	31,800	--	--
04/17/2001	--	i	336.56	14.00	17.50	--	--	2,600	70.1	<20.0	32.7	30.6	45,400	--	--
04/17/2001	P		336.56	14.00	17.50	11.09	325.47	2,900	66.0	<10.0	33.2	25.1	46,500	0.63	--
07/17/2001	P		336.56	14.00	17.50	11.07	325.49	<10,000	<100	<100	130	520	42,000	0.69	--
12/21/2001	--	k	--	14.00	17.50	--	--	--	--	--	--	--	--	--	--
MW-2															
02/15/1995	--		334.80	10.50	14.00	6.75	328.05	730	110	1.7	25	66	--	--	--
05/24/1995	--		334.80	10.50	14.00	6.88	327.92	370	110	<1	17	1.9	--	--	--
08/25/1995	--		334.80	10.50	14.00	7.91	326.89	150	6	<1	<1	<1	2,700	--	--
11/28/1995	--		334.80	10.50	14.00	9.06	325.74	<50	<0.5	<0.5	<0.5	0.8	--	--	--
02/26/1996	--		334.80	10.50	14.00	6.65	328.15	350	66	<0.5	11	1.7	<3	--	--
05/23/1996	--		334.80	10.50	14.00	6.90	327.90	540	140	<2.5	13	<2.5	4,600	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
08/23/1996	--		334.80	10.50	14.00	8.45	326.35	180	0.8	2	0.7	2.6	4,000	--	--
03/21/1997	--		334.80	10.50	14.00	7.28	327.52	410	90	<1	14	4	3,800	--	--
08/20/1997	--		334.80	10.50	14.00	8.87	325.93	<5,000	<50	<50	<50	<50	3,100	--	--
11/21/1997	--		334.80	10.50	14.00	9.28	325.52	<2,000	<20	<20	<20	<20	2,600	--	--
02/12/1998	P		334.80	10.50	14.00	5.90	328.90	310	54	<0.5	6.2	1.1	3,800	3.76	--
07/31/1998	P		334.80	10.50	14.00	8.12	326.68	6,100	52	220	110	1,100	7,700	2.96	--
02/17/1999	P		334.80	10.50	14.00	7.18	327.62	<5,000	<50	<50	<50	<50	4,200	1.0	--
08/24/1999	P		334.80	10.50	14.00	8.68	326.12	200	1.8	16	3.0	32	3,100	--	--
03/01/2000	P		334.80	10.50	14.00	7.02	327.78	760	24	12	13	59	6,300	1.92	--
08/18/2000	P		334.80	10.50	14.00	7.75	327.05	<500	<5.00	<5.00	<5.00	<5.00	1,610/1,980	2.03	--
12/27/2000	--		334.80	10.50	14.00	8.85	325.95	--	--	--	--	--	--	--	--
02/09/2001	P		334.80	10.50	14.00	8.50	326.30	<50.0	<0.500	<0.500	<0.500	<0.500	9.11	0.53	--
04/17/2001	--		334.80	10.50	14.00	9.12	325.68	--	--	--	--	--	--	--	--
07/17/2001	P		334.80	10.50	14.00	8.99	325.81	1,200	<10	<10	<10	<10	4,200	0.69	--
07/17/2001	--	i	334.80	10.50	14.00	--	--	3,500	<10	<10	<10	<10	3,500	--	--
12/21/2001	NP		334.80	10.50	14.00	8.65	326.15	65	<0.50	1.2	0.61	6.7	11/6.5	0.48	--
03/06/2002	NP		334.80	10.50	14.00	8.61	326.19	<50	<0.50	<0.50	<0.50	1.8	31	0.35	--
04/26/2002	NP		334.80	10.50	14.00	8.20	326.60	92	<0.5	<0.50	<0.50	0.64	98/180	0.19	--
09/23/2002	P	a, d	334.80	10.50	14.00	8.50	326.30	250	<1.2	<1.2	<1.2	<1.2	1,500	2.1	7.3
12/27/2002	P	a, d	334.80	10.50	14.00	7.15	327.65	440	<2.5	<2.5	<2.5	<2.5	790	1.4	6.9
03/12/2003	P	f, g	334.80	10.50	14.00	7.33	327.47	<50	1.6	<0.50	<0.50	1.2	11	2.7	7.0
06/28/2003	P	h	337.29	10.50	14.00	7.49	329.80	<50	<0.50	<0.50	<0.50	<0.50	1.2	2.0	7.4
09/30/2003	P		337.29	10.50	14.00	8.20	329.09	<50	<0.50	<0.50	<0.50	<0.50	5.2	2.2	7.0
12/05/2003	NP		337.29	10.50	14.00	7.73	329.56	<50	<0.50	<0.50	<0.50	<0.50	2.6	4.3	7.3
03/10/2004	P		337.29	10.50	14.00	6.70	330.59	<500	<5.0	<5.0	<5.0	<5.0	5.6	2.1	6.4
06/21/2004	P		337.29	10.50	14.00	7.71	329.58	160	<1.0	<1.0	<1.0	<1.0	1.5	3.1	6.9
09/17/2004	P		337.29	10.50	14.00	7.45	329.84	<100	<1.0	<1.0	<1.0	<1.0	1.0	3.8	7.0
12/13/2004	P		337.29	10.50	14.00	7.04	330.25	<50	<0.50	<0.50	<0.50	<0.50	0.54	3.2	6.8
03/03/2005	P		337.29	10.50	14.00	6.18	331.11	<500	<5.0	<5.0	<5.0	<5.0	<5.0	3.0	--
06/23/2005	P	n	337.29	10.50	14.00	6.51	330.78	<50	<0.50	<0.50	<0.50	<0.50	4.3	2.6	7.0
09/16/2005	P		337.29	10.50	14.00	7.65	329.64	<100	<1.0	<1.0	<1.0	<1.0	2.0	1.2	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
12/27/2005	P		337.29	10.50	14.00	7.29	330.00	<250	<2.5	<2.5	<2.5	<2.5	<2.5	1.37	7.3
03/02/2006	P		337.29	10.50	14.00	6.51	330.78	<250	<2.5	<2.5	<2.5	<2.5	5.8	1.38	6.8
6/23/2006	P		337.29	10.50	14.00	6.75	330.54	<250	<2.5	<2.5	<2.5	<2.5	4.2	1.38	6.9
9/19/2006	P		337.29	10.50	14.00	7.30	329.99	<50	<0.50	<0.50	<0.50	<0.50	4.0	2.42	7.0
12/19/2006	P		337.29	10.50	14.00	6.93	330.36	<50	<0.50	<0.50	<0.50	<0.50	0.70	4.86	7.23
3/29/2007	P		337.29	10.50	14.00	6.61	330.68	<50	<0.50	<0.50	<0.50	<0.50	1.3	3.22	7.23
6/5/2007	P		337.29	10.50	14.00	7.12	330.17	<50	<0.50	<0.50	<0.50	<0.50	0.94	3.75	7.35
9/25/2007	P		337.29	10.50	14.00	7.77	329.52	<50	<0.50	<0.50	<0.50	<0.50	0.56	3.60	7.07
12/26/2007	P		337.29	10.50	14.00	7.40	329.89	<50	<0.50	<0.50	<0.50	<0.50	0.64	5.68	7.17
3/25/2008	P		337.29	10.50	14.00	6.45	330.84	<50	<0.50	<0.50	<0.50	<0.50	7.1	4.87	8.14
6/10/2008	P		337.29	10.50	14.00	7.22	330.07	<50	<0.50	<0.50	<0.50	<0.50	3.2	2.93	7.11
9/9/2008	P		337.29	10.50	14.00	7.69	329.60	<50	<0.50	<0.50	<0.50	<0.50	1.5	3.01	7.38
12/4/2008	P		337.29	10.50	14.00	7.74	329.55	<50	<0.50	<0.50	<0.50	<0.50	0.53	5.73	7.03
MW-3															
02/15/1995	--		335.53	12.00	15.00	8.55	326.98	100	14	<0.5	6.3	<0.5	--	--	--
05/24/1995	--		335.53	12.00	15.00	8.17	327.36	110	8	<0.5	2.7	<0.5	--	--	--
08/25/1995	--		335.53	12.00	15.00	9.27	326.26	210	3.6	<0.5	2.9	0.6	20,000	--	--
11/28/1995	--		335.53	12.00	15.00	9.91	325.62	81	1.5	<0.5	1.4	<0.5	15,000	--	--
02/26/1996	--		335.53	12.00	15.00	8.42	327.11	16,000	1,600	1,200	300	2,000	9,500	--	--
05/23/1996	--		335.53	12.00	15.00	7.70	327.83	6,500	690	<10	120	14	8,600	--	--
08/23/1996	--		335.53	12.00	15.00	9.25	326.28	1,700	85	2.1	61	5.3	11,000	--	--
03/21/1997	--		335.53	12.00	15.00	8.72	326.81	100	2	<1	1	<1	6,600	--	--
08/20/1997	--		335.53	12.00	15.00	9.73	325.80	<5,000	<50	<50	<50	<50	7,700	--	--
11/21/1997	--		335.53	12.00	15.00	10.10	325.43	<5,000	<50	<50	<50	<50	9,700	--	--
02/12/1998	P		335.53	12.00	15.00	6.68	328.85	110	11	<0.5	<0.5	1.9	10,000	1.02	--
07/31/1998	P		335.53	12.00	15.00	7.98	327.55	<10,000	<100	<100	<100	<100	13,000	2.59	--
02/17/1999	P		335.53	12.00	15.00	8.40	327.13	<20,000	<200	<200	<200	<200	23,000	1.0	--
08/24/1999	P		335.53	12.00	15.00	9.45	326.08	200	0.6	5.6	0.6	1.7	22,000	--	--
03/01/2000	P		335.53	12.00	15.00	8.32	327.21	320	32	1	6.1	4	58,000	2.42	--
08/18/2000	P		335.53	12.00	15.00	8.35	327.18	<10,000	<100	<100	<100	<100	46200/55600	1.59	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
12/27/2000	P		335.53	12.00	15.00	9.75	325.78	29,700	1,620	1,730	<250	6,230	62,600	1.59	--
02/09/2001	P		335.53	12.00	15.00	9.61	325.92	29,300	2,590	3,530	440	7,080	85,500	0.51	--
04/17/2001	P		335.53	12.00	15.00	9.94	325.59	16,400	1,680	<25.0	310	2,290	48,700	0.41	--
07/17/2001	P		335.53	12.00	15.00	9.93	325.60	21,000	1,500	<100	1,100	690	82,000	0.51	--
12/21/2001	P		335.53	12.00	15.00	9.40	326.13	<5,000	<50	<50	<50	<50	4,300/3,800	0.40	--
03/06/2002	P		335.53	12.00	15.00	9.33	326.20	<50	1.2	<0.50	1.1	13	880	0.43	--
04/26/2002	P		335.53	12.00	15.00	9.19	326.34	260	3.7	<1.0	1.1	1.8	460/940	0.2	--
09/23/2002	P	b, d	335.53	12.00	15.00	9.30	326.23	1,500	41	2.4	9.8	14	980	1.5	7.6
12/27/2002	P	c, d	335.53	12.00	15.00	7.30	328.23	1,500	300	100	21	66	1,100	2.2	8.6
03/12/2003	P	f, g	335.53	12.00	15.00	8.06	327.47	<1,000	<10	<10	<10	<10	45	1.6	7.4
06/28/2003	P	h	338.18	12.00	15.00	8.60	329.58	1,500	20	27	12	45	140	1.7	7.6
09/30/2003	P		338.18	12.00	15.00	9.04	329.14	<2,500	<25	<25	<25	<25	650	0.9	7.4
12/05/2003	P		338.18	12.00	15.00	8.57	329.61	<2,500	<25	<25	<25	<25	480	1.3	--
03/10/2004	P		338.18	12.00	15.00	7.58	330.60	180	7.4	<1.0	<1.0	<1.0	75	2.0	--
06/21/2004	P	o	338.18	12.00	15.00	8.51	329.67	<2,500	<25	<25	<25	<25	370	4.6	7.6
09/17/2004	P		338.18	12.00	15.00	8.38	329.80	<5,000	<50	<50	<50	<50	280	1.8	7.1
12/13/2004	P	o	338.18	12.00	15.00	8.04	330.14	520	89	4.6	3.9	5.8	460	1.9	7.6
03/03/2005	P		338.18	12.00	15.00	6.89	331.29	300	23	<2.5	<2.5	<2.5	130	1.8	7.6
06/23/2005	P	n	338.18	12.00	15.00	8.27	329.91	260	6.1	1.1	0.65	2.8	40	1.4	8.0
09/16/2005	P		338.18	12.00	15.00	8.47	329.71	850	52	<5.0	<5.0	<5.0	270	1.4	7.2
12/27/2005	P		338.18	12.00	15.00	7.77	330.41	300	56	<2.5	<2.5	3.6	230	1.54	8.0
03/02/2006	P		338.18	12.00	15.00	7.33	330.85	<250	4.0	<2.5	<2.5	<2.5	24	1.5	7.2
6/23/2006	P		338.18	12.00	15.00	7.64	330.54	340	1.5	<0.50	<0.50	<0.50	47	1.42	7.1
9/19/2006	P		338.18	12.00	15.00	8.17	330.01	<50	<0.50	<0.50	<0.50	<0.50	14	3.30	7.1
12/19/2006	P		338.18	12.00	15.00	7.85	330.33	530	120	<5.0	<5.0	5.5	270	4.32	7.23
3/29/2007	P	q	338.18	12.00	15.00	7.15	331.03	750	180	<5.0	9.2	7.1	420	4.34	7.21
6/5/2007	P	q	338.18	12.00	15.00	8.10	330.08	1,200	330	<5.0	12	12	610	2.94	7.38
9/25/2007	P	q	338.18	12.00	15.00	8.73	329.45	230	<5.0	<5.0	<5.0	<5.0	54	3.91	6.85
12/26/2007	P		338.18	12.00	15.00	8.50	329.68	190	21	<0.50	0.69	<0.50	71	5.94	6.77
3/25/2008	P		338.18	12.00	15.00	7.23	330.95	170	41	<10	<10	<10	77	4.32	8.16
6/10/2008	P		338.18	12.00	15.00	8.15	330.03	110	<25	<25	<25	<25	<25	3.08	7.40

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
9/9/2008	P		338.18	12.00	15.00	8.57	329.61	73	<20	<20	<20	<20	<20	2.93	7.03
12/4/2008	P		338.18	12.00	15.00	8.67	329.51	91	<20	<20	<20	<20	<20	5.81	7.24
MW-4															
02/15/1995	--		334.22	8.5	14.5	7.85	326.37	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		334.22	8.5	14.5	6.68	327.54	--	--	--	--	--	--	--	--
08/25/1995	--		334.22	8.5	14.5	6.93	327.29	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/28/1995	--		334.22	8.5	14.5	8.21	326.01	--	--	--	--	--	--	--	--
02/26/1996	--		334.22	8.5	14.5	6.65	327.57	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		334.22	8.5	14.5	6.47	327.75	--	--	--	--	--	--	--	--
08/23/1996	--		334.22	8.5	14.5	7.66	326.56	--	--	--	--	--	--	--	--
03/21/1997	--		334.22	8.5	14.5	6.84	327.38	--	--	--	--	--	--	--	--
08/20/1997	--		334.22	8.5	14.5	8.32	325.90	--	--	--	--	--	--	--	--
11/21/1997	--		334.22	8.5	14.5	8.65	325.57	--	--	--	--	--	--	--	--
02/12/1998	--		334.22	8.5	14.5	6.35	327.87	--	--	--	--	--	--	--	--
07/31/1998	--		334.22	8.5	14.5	6.84	327.38	--	--	--	--	--	--	--	--
02/17/1999	--		334.22	8.5	14.5	7.50	326.72	--	--	--	--	--	--	--	--
08/24/1999	--		334.22	8.5	14.5	9.50	324.72	--	--	--	--	--	--	--	--
03/01/2000	--		334.22	8.5	14.5	6.93	327.29	--	--	--	--	--	--	--	--
08/18/2000	--		334.22	8.5	14.5	7.03	327.19	--	--	--	--	--	--	--	--
12/27/2000	--		334.22	8.5	14.5	8.10	326.12	--	--	--	--	--	--	--	--
02/09/2001	--		334.22	8.5	14.5	7.97	326.25	--	--	--	--	--	--	--	--
04/17/2001	--		334.22	8.5	14.5	8.90	325.32	--	--	--	--	--	--	--	--
07/17/2001	--		334.22	8.5	14.5	8.59	325.63	--	--	--	--	--	--	--	--
12/21/2001	NP		334.22	8.5	14.5	8.31	325.91	<50	<0.50	<0.50	<0.50	<0.50	4.1/2.0	0.68	--
03/06/2002	P		334.22	8.5	14.5	8.27	325.95	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.37	--
04/26/2002	P		334.22	8.5	14.5	8.05	326.17	<50	<0.50	<0.50	<0.50	<0.50	3.6	0.3	--
09/23/2002	P		334.22	8.5	14.5	7.94	326.28	<50	<0.50	<0.50	<0.50	<0.50	2.9	4.1	7.3
12/27/2002	--		334.22	8.5	14.5	7.56	326.66	<50	<0.50	<0.50	<0.50	<0.50	2.6	2.1	6.9
03/12/2003	P	g	334.22	8.5	14.5	7.67	326.55	<50	<0.50	<0.50	<0.50	<0.50	1.6	2.8	6.8
06/28/2003	P	h	336.87	8.5	14.5	7.60	329.27	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	5.6

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-4 Cont.															
09/30/2003	--		336.87	8.5	14.5	7.66	329.21	<50	<0.50	<0.50	<0.50	<0.50	1.4	2.2	6.9
12/05/2003	P		336.87	8.5	14.5	5.61	331.26	<50	<0.50	<0.50	<0.50	<0.50	2.3	3.0	--
03/10/2004	P		336.87	8.5	14.5	6.84	330.03	<50	<0.50	<0.50	<0.50	<0.50	2.1	4.0	--
06/21/2004	P		336.87	8.5	14.5	7.35	329.52	<50	<0.50	<0.50	<0.50	<0.50	2.0	5.4	6.2
09/17/2004	P		336.87	8.5	14.5	7.30	329.57	<50	<0.50	<0.50	<0.50	<0.50	3.5	3.0	6.9
12/13/2004	P		336.87	8.5	14.5	7.08	329.79	<50	<0.50	<0.50	<0.50	<0.50	5.4	4.0	6.8
03/03/2005	P		336.87	8.5	14.5	8.11	328.76	<50	<0.50	<0.50	<0.50	<0.50	6.3	2.9	6.9
06/23/2005	P	p	336.87	8.5	14.5	6.70	330.17	--	--	--	--	--	--	2.2	6.7
09/16/2005	P		336.87	8.5	14.5	7.28	329.59	<50	<0.50	<0.50	<0.50	<0.50	4.2	1.2	6.9
12/27/2005	--		336.87	8.5	14.5	7.03	329.84	--	--	--	--	--	--	--	--
03/02/2006	--		336.87	8.5	14.5	6.45	330.42	--	--	--	--	--	--	--	--
6/23/2006	--		336.87	8.5	14.5	6.42	330.45	--	--	--	--	--	--	--	--
9/19/2006	P		336.87	8.5	14.5	7.01	329.86	<50	<0.50	<0.50	<0.50	<0.50	5.8	3.08	6.9
12/19/2006	--		336.87	8.5	14.5	6.85	330.02	--	--	--	--	--	--	--	--
3/29/2007	--		336.87	8.5	14.5	6.23	330.64	--	--	--	--	--	--	--	--
6/5/2007	--		336.87	8.5	14.5	6.72	330.15	--	--	--	--	--	--	--	--
9/25/2007	P		336.87	8.5	14.5	7.53	329.34	<50	<0.50	<0.50	<0.50	<0.50	3.0	2.71	7.07
12/26/2007	--		336.87	8.5	14.5	7.25	329.62	--	--	--	--	--	--	--	--
3/25/2008	--		336.87	8.5	14.5	6.18	330.69	--	--	--	--	--	--	--	--
6/10/2008	--		336.87	8.5	14.5	6.90	329.97	--	--	--	--	--	--	--	--
9/9/2008	P		336.87	8.5	14.5	7.38	329.49	<50	<0.50	<0.50	<0.50	<0.50	5.3	2.68	6.96
12/4/2008	--		336.87	8.5	14.5	7.47	329.40	--	--	--	--	--	--	--	--
MW-5															
02/15/1995	--		335.87	11.00	17.50	7.80	328.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		335.87	11.00	17.50	8.10	327.77	--	--	--	--	--	--	--	--
08/25/1995	--		335.87	11.00	17.50	9.43	326.44	--	--	--	--	--	--	--	--
11/28/1995	--		335.87	11.00	17.50	10.12	325.75	--	--	--	--	--	--	--	--
02/26/1996	--		335.87	11.00	17.50	6.73	329.14	--	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		335.87	11.00	17.50	7.87	328.00	--	--	--	--	--	--	--	--
08/23/1996	--		335.87	11.00	17.50	9.46	326.41	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-5 Cont.															
03/21/1997	--		335.87	11.00	17.50	8.23	327.64	--	--	--	--	--	--	--	--
08/20/1997	--		335.87	11.00	17.50	9.92	325.95	--	--	--	--	--	--	--	--
11/21/1997	--		335.87	11.00	17.50	10.18	325.69	--	--	--	--	--	--	--	--
02/12/1998	--		335.87	11.00	17.50	6.45	329.42	--	--	--	--	--	--	--	--
07/31/1998	--		335.87	11.00	17.50	8.98	326.89	--	--	--	--	--	--	--	--
02/17/1999	--		335.87	11.00	17.50	7.65	328.22	--	--	--	--	--	--	--	--
08/24/1999	--		335.87	11.00	17.50	8.10	327.77	--	--	--	--	--	--	--	--
03/01/2000	--		335.87	11.00	17.50	7.31	328.56	--	--	--	--	--	--	--	--
08/18/2000	--		335.87	11.00	17.50	8.65	327.22	--	--	--	--	--	--	--	--
12/27/2000	--		335.87	11.00	17.50	9.80	326.07	--	--	--	--	--	--	--	--
02/09/2001	--		335.87	11.00	17.50	9.65	326.22	--	--	--	--	--	--	--	--
04/17/2001	--		335.87	11.00	17.50	9.92	325.95	--	--	--	--	--	--	--	--
07/17/2001	--		335.87	11.00	17.50	9.95	325.92	--	--	--	--	--	--	--	--
12/21/2001	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
03/06/2002	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
04/26/2002	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
09/23/2002	--		335.87	11.00	17.50	7.94	327.93	--	--	--	--	--	--	--	--
12/27/2002	--		335.87	11.00	17.50	7.57	328.30	<50	<0.50	<0.50	<0.50	0.76	15	0.7	6.9
03/12/2003	--	g	335.87	11.00	17.50	8.32	327.55	--	--	--	--	--	--	--	--
06/28/2003	--	h	338.59	11.00	17.50	8.58	330.01	--	--	--	--	--	--	--	--
09/30/2003	--		338.59	11.00	17.50	9.28	329.31	--	--	--	--	--	--	--	--
12/05/2003	P		338.59	11.00	17.50	9.11	329.48	<50	<0.50	<0.50	<0.50	<0.50	22	2.9	--
03/10/2004	--		338.59	11.00	17.50	7.57	331.02	--	--	--	--	--	--	--	--
06/21/2004	--		338.59	11.00	17.50	8.68	329.91	--	--	--	--	--	--	--	--
09/17/2004	--	Well inaccessible	338.59	11.00	17.50	--	--	--	--	--	--	--	--	--	--
09/24/2004	P		338.59	11.00	17.50	8.53	330.06	<50	<0.50	<0.50	<0.50	<0.50	17	1.9	6.8
12/13/2004	--		338.59	11.00	17.50	8.28	330.31	--	--	--	--	--	--	--	--
03/03/2005	--		338.59	11.00	17.50	6.78	331.81	--	--	--	--	--	--	--	--
06/23/2005	--		338.59	11.00	17.50	8.27	330.32	--	--	--	--	--	--	--	--
09/16/2005	P		338.59	11.00	17.50	9.57	329.02	<50	<0.50	<0.50	<0.50	<0.50	69	1.3	7.0
12/27/2005	--		338.59	11.00	17.50	8.72	329.87	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-5 Cont.															
03/02/2006	--		338.59	11.00	17.50	8.11	330.48	--	--	--	--	--	--	--	--
6/23/2006	--		338.59	11.00	17.50	8.54	330.05	--	--	--	--	--	--	--	--
9/19/2006	P		338.59	11.00	17.50	9.21	329.38	52	<0.50	<0.50	<0.50	<0.50	82	1.50	6.9
12/19/2006	--		338.59	11.00	17.50	9.00	329.59	--	--	--	--	--	--	--	--
3/29/2007	--		338.59	11.00	17.50	8.53	330.06	--	--	--	--	--	--	--	--
6/5/2007	--		338.59	11.00	17.50	8.42	330.17	--	--	--	--	--	--	--	--
9/25/2007	P		338.59	11.00	17.50	9.80	328.79	<50	<0.50	<0.50	<0.50	<0.50	18	3.88	7.05
12/26/2007	--		338.59	11.00	17.50	9.28	329.31	--	--	--	--	--	--	--	--
3/25/2008	--		338.59	11.00	17.50	8.31	330.28	--	--	--	--	--	--	--	--
6/10/2008	--		338.59	11.00	17.50	9.19	329.40	--	--	--	--	--	--	--	--
9/9/2008	P		338.59	11.00	17.50	9.69	328.90	<50	<0.50	<0.50	<0.50	<0.50	27	2.68	7.00
12/4/2008	--		338.59	11.00	17.50	9.79	328.80	--	--	--	--	--	--	--	--
MW-6															
02/15/1995	--		335.84	8.5	12.7	7.81	328.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		335.84	8.5	12.7	8.35	327.49	--	--	--	--	--	--	--	--
08/25/1995	--		335.84	8.5	12.7	9.71	326.13	--	--	--	--	--	--	--	--
11/28/1995	--		335.84	8.5	12.7	10.28	325.56	--	--	--	--	--	--	--	--
02/26/1996	--		335.84	8.5	12.7	6.60	329.24	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		335.84	8.5	12.7	8.05	327.79	--	--	--	--	--	--	--	--
08/23/1996	--		335.84	8.5	12.7	9.58	326.26	--	--	--	--	--	--	--	--
03/21/1997	--		335.84	8.5	12.7	8.39	327.45	--	--	--	--	--	--	--	--
08/20/1997	--		335.84	8.5	12.7	9.98	325.86	--	--	--	--	--	--	--	--
11/21/1997	--		335.84	8.5	12.7	10.31	325.53	--	--	--	--	--	--	--	--
02/12/1998	--		335.84	8.5	12.7	3.15	332.69	--	--	--	--	--	--	--	--
07/31/1998	--		335.84	8.5	12.7	9.29	326.55	--	--	--	--	--	--	--	--
02/17/1999	--		335.84	8.5	12.7	7.72	328.12	--	--	--	--	--	--	--	--
08/24/1999	--		335.84	8.5	12.7	9.65	326.19	--	--	--	--	--	--	--	--
03/01/2000	--		335.84	8.5	12.7	7.35	328.49	--	--	--	--	--	--	--	--
08/18/2000	--		335.84	8.5	12.7	8.65	327.19	--	--	--	--	--	--	--	--
12/27/2000	--		335.84	8.5	12.7	9.83	326.01	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-6 Cont.															
02/09/2001	--		335.84	8.5	12.7	9.62	326.22	--	--	--	--	--	--	--	--
04/17/2001	--		335.84	8.5	12.7	10.03	325.81	--	--	--	--	--	--	--	--
07/17/2001	--		335.84	8.5	12.7	9.95	325.89	--	--	--	--	--	--	--	--
12/21/2001	NP		335.84	8.5	12.7	9.47	326.37	<50	<0.50	<0.50	<0.50	0.57	<2.5	0.55	--
03/06/2002	P		335.84	8.5	12.7	9.31	326.53	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.33	--
04/26/2002	P		335.84	8.5	12.7	9.09	326.75	<50	<0.50	<0.50	<0.50	0.7	<2.5	0.31	--
09/23/2002	P		335.84	8.5	12.7	9.14	326.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	7.4
12/27/2002	--		335.84	8.5	12.7	7.26	328.58	<50	<0.50	<0.50	<0.50	0.63	0.91	0.8	7.0
03/12/2003	P	g	335.84	8.5	12.7	8.41	327.43	<50	<0.50	<0.50	<0.50	<0.50	0.64	1.3	7.2
06/28/2003	P	h	338.37	8.5	12.7	8.56	329.81	<50	<0.50	<0.50	<0.50	<0.50	0.62	1.6	6.8
09/30/2003	--		338.37	8.5	12.7	9.32	329.05	<250	<2.5	<2.5	<2.5	<2.5	3.9	0.8	7.0
12/05/2003	--		338.37	8.5	12.7	8.96	329.41	--	--	--	--	--	--	--	--
03/10/2004	--		338.37	8.5	12.7	7.65	330.72	--	--	--	--	--	--	--	--
06/21/2004	--		338.37	8.5	12.7	8.58	329.79	--	--	--	--	--	--	--	--
09/17/2004	P		338.37	8.5	12.7	8.47	329.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.0
12/13/2004	--		338.37	8.5	12.7	8.04	330.33	--	--	--	--	--	--	--	--
03/03/2005	--		338.37	8.5	12.7	6.60	331.77	--	--	--	--	--	--	--	--
06/23/2005	--		338.37	8.5	12.7	8.14	330.23	--	--	--	--	--	--	--	--
09/16/2005	P		338.37	8.5	12.7	8.66	329.71	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.1
12/27/2005	--		338.37	8.5	12.7	7.79	330.58	--	--	--	--	--	--	--	--
03/02/2006	--		338.37	8.5	12.7	7.15	331.22	--	--	--	--	--	--	--	--
6/23/2006	--		338.37	8.5	12.7	7.70	330.67	--	--	--	--	--	--	--	--
9/19/2006	P		338.37	8.5	12.7	8.30	330.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.50	7.3
12/19/2006	--		338.37	8.5	12.7	7.90	330.47	--	--	--	--	--	--	--	--
3/29/2007	--		338.37	8.5	12.7	7.72	330.65	--	--	--	--	--	--	--	--
6/5/2007	--		338.37	8.5	12.7	8.18	330.19	--	--	--	--	--	--	--	--
9/25/2007	NP		338.37	8.5	12.7	8.86	329.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.87	6.84
12/26/2007	--		338.37	8.5	12.7	8.25	330.12	--	--	--	--	--	--	--	--
3/25/2008	--		338.37	8.5	12.7	7.35	331.02	--	--	--	--	--	--	--	--
6/10/2008	--		338.37	8.5	12.7	8.23	330.14	--	--	--	--	--	--	--	--
9/9/2008	P		338.37	8.5	12.7	8.65	329.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.41	7.33

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-6 Cont.															
12/4/2008	--		338.37	8.5	12.7	8.80	329.57	--	--	--	--	--	--	--	--
MW-7															
12/21/2001	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
03/06/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
04/26/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
09/23/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
12/27/2002	--	e	--	--	8.0	7.74	--	<50	<0.50	<0.50	<0.50	<0.50	4.7	2.7	7.0
03/12/2003	--	g, j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
06/28/2003	--	h, j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/30/2003	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/05/2003	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
03/10/2004	--		338.62	--	8.0	7.78	330.84	--	--	--	--	--	--	--	--
06/21/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/17/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/13/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
03/03/2005	--		338.62	--	8.0	6.81	331.81	--	--	--	--	--	--	--	--
06/23/2005	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/16/2005	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/27/2005	--		338.62	--	8.0	7.90	330.72	--	--	--	--	--	--	--	--
03/02/2006	--		338.62	--	8.0	7.39	331.23	--	--	--	--	--	--	--	--
6/23/2006	--		338.62	--	8.0	7.90	330.72	--	--	--	--	--	--	--	--
9/19/2006	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/19/2006	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
3/29/2007	--	j	338.62	--	8.0	7.95	330.67	--	--	--	--	--	--	--	--
6/5/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
9/25/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/26/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
3/25/2008	--		338.62	--	8.0	7.51	331.11	--	--	--	--	--	--	--	--
6/10/2008	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
9/9/2008	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
MW-7 Cont.															
12/4/2008	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
MW-8															
12/21/2001	NP		--	--	12.6	8.70	--	<5,000	67	<50	<50	<50	2,400/1,300	0.60	--
03/06/2002	P		--	--	12.6	8.63	--	210	41	0.64	0.79	2.0	940	0.25	--
03/06/2002	--	i	--	--	12.6	--	--	170	37	0.67	0.7	1.9	740	--	--
04/26/2002	P		--	--	12.6	8.15	--	680	95	<1.0	14	2.5	490	0.31	--
04/26/2002	--	i	--	--	12.6	--	--	480	74	3.5	11	<1.0	640	--	--
09/30/2002	P	c	--	--	12.6	9.37	--	1,100	120	<5.0	57	8.7	1,100	1.3	6.9
12/27/2002	P	b	--	--	12.6	7.55	--	350	13	<0.50	2.4	2.2	73	0.8	6.9
03/12/2003	P	g	--	--	12.6	8.25	--	<2,500	89	<25	<25	<25	740	1.4	6.9
06/28/2003	P	h	338.27	--	12.6	8.38	329.89	7,000	680	<25	110	180	2,900	1.9	4.8
09/30/2003	P	a	338.27	--	12.6	9.09	329.18	1,500	240	18	45	150	180	1.0	6.8
12/05/2003	P		338.27	--	12.6	8.37	329.90	590	60	<2.5	15	4.2	150	1.5	7.1
03/10/2004	P		338.27	--	12.6	7.41	330.86	690	50	<5.0	7.4	6.8	370	2.2	6.3
06/21/2004	P		338.27	--	12.6	8.41	329.86	1,300	200	<5.0	65	82	400	0.8	6.8
09/17/2004	P		338.27	--	12.6	8.25	330.02	580	17	<0.50	1.9	5.8	22	1.3	6.6
12/13/2004	P		338.27	--	12.6	7.78	330.49	380	24	<0.50	18	4.9	6.6	1.0	6.7
03/03/2005	P		338.27	--	12.6	6.48	331.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.9	6.8
06/23/2005	P	n	338.27	--	12.6	7.91	330.36	160	10	<0.50	3.8	5.4	26	1.8	6.8
09/16/2005	P		338.27	--	12.6	8.38	329.89	1,700	340	5.0	100	95	49	2.5	6.8
12/27/2005	--		338.27	--	12.6	7.60	330.67	--	--	--	--	--	--	--	--
03/02/2006	P		338.27	--	12.6	6.93	331.34	<250	10	<2.5	4.4	2.6	14	0.8	6.8
6/23/2006	--		338.27	--	12.6	7.55	330.72	--	--	--	--	--	--	--	--
9/19/2006	P		338.27	--	12.6	8.21	330.06	600	70	<2.5	24	3.2	89	0.81	6.8
12/19/2006	--		338.27	--	12.6	7.89	330.38	--	--	--	--	--	--	--	--
3/29/2007	P		338.27	--	12.6	7.55	330.72	95	3.1	<0.50	0.58	<0.50	5.1	1.67	7.35
6/5/2007	--		338.27	--	12.6	8.10	330.17	--	--	--	--	--	--	--	--
9/25/2007	P		338.27	--	12.6	8.82	329.45	400	2.2	<0.50	<0.50	<0.50	3.5	2.84	6.77
12/26/2007	--		338.27	--	12.6	8.23	330.04	--	--	--	--	--	--	--	--
3/25/2008	P		338.27	--	12.6	6.43	331.84	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	8.08

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.															
6/10/2008	--		338.27	--	12.6	8.15	330.12	--	--	--	--	--	--	--	--
9/9/2008	P		338.27	--	12.6	8.62	329.65	920	130	1.5	24	8.1	16	3.20	6.93
12/4/2008	--		338.27	--	12.6	8.74	329.53	--	--	--	--	--	--	--	--
Shell MW-7															
12/27/2000	P		--	--	--	6.45	--	<50.0	<0.500	0.696	<0.500	0.795	<2.50	1.33	--
02/09/2001	P		--	--	--	6.39	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.13	--
04/17/2001	P		--	--	--	7.22	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.12	--
07/17/2001	P		--	--	--	6.93	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.05	--
12/21/2001	P		--	--	--	7.15	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/06/2002	P		--	--	--	7.03	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.95	--
04/26/2002	P		--	--	--	7.15	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.95	--
09/27/2002	--	k	--	--	--	--	--	--	--	--	--	--	--	--	--
Shell MW-6															
12/27/2000	--	i	--	--	--	--	--	79.3	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/27/2000	P		--	--	--	9.13	--	74.7	<0.500	<0.500	<0.500	<0.500	<2.50	1.3	--
02/09/2001	P		--	--	--	9.05	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.29	--
04/17/2001	P		--	--	--	10.17	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.95	--
07/17/2001	P	i	--	--	--	9.50	--	<50	<0.50	<0.50	<0.50	<0.50	4.2	1.03	--
12/21/2001	P		--	--	--	9.98	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.97	--
03/06/2002	P		--	--	--	9.90	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.97	--
04/26/2002	P		--	--	--	9.47	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.97	--
09/27/2002	--	k	--	--	--	--	--	--	--	--	--	--	--	--	--
VW-2															
03/21/1997	--		--	4.0	9.5	8.22	--	150	8.9	<0.5	<0.5	0.6	270	--	--
08/20/1997	--		--	4.0	9.5	9.16	--	--	--	--	--	--	--	--	--
11/21/1997	--		--	4.0	9.5	8.27	--	<200	3	<2	<2	<2	180	--	--
02/12/1998	--		--	4.0	9.5	6.65	--	200	19	<0.5	0.6	<0.5	2,200	--	--
07/31/1998	--		--	4.0	9.5	7.01	--	--	--	--	--	--	--	--	--
02/17/1999	--		--	4.0	9.5	8.47	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MTBE		
VW-2 Cont.															
08/24/1999	--		--	4.0	9.5	8.20	--	--	--	--	--	--	--	--	--
03/01/2000	--		--	4.0	9.5	8.72	--	--	--	--	--	--	--	--	--
08/18/2000	NP		--	4.0	9.5	8.40	--	<250	<2.50	<2.50	<2.50	<2.50	537	1.59	--
12/27/2000	--	j	--	4.0	9.5	8.95	--	--	--	--	--	--	--	--	--
02/09/2001	--	j	--	4.0	9.5	8.87	--	--	--	--	--	--	--	--	--
04/17/2001	--	j	--	4.0	9.5	9.00	--	--	--	--	--	--	--	--	--
07/17/2001	--	j	--	4.0	9.5	8.97	--	--	--	--	--	--	--	--	--
12/21/2001	--	k	--	4.0	9.5	--	--	--	--	--	--	--	--	--	--

SYMBOLS AND ABBREVIATIONS:

-- = Not sampled/analyzed/available/applicable
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
GRO = Gasoline range organics
GWE = Groundwater elevation in ft MSL
mg/L = Milligrams per liter
ft MSL = Feet above mean sea level
MTBE = Methyl tert-butyl ether
NP = Well was not purged prior to sampling
P = Well was purged prior to sampling
TOC = Top of casing elevation in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter

FOOTNOTES:

a = Discrete peak at C6-C7 for GRO/TPH-g.
b = Hydrocarbon pattern was present in the requested fuel quantitation range but did not resemble the pattern of the requested fuel for GRO/TPH-g.
c = Chromatogram Pattern: C6-C10 for GRO/TPH-g.
d = Well casing broken, TOC unknown.
e = Well mistakenly sampled this quarter.
f = Well casing was repaired and needs to be resurveyed.
g = Beginning the 1st quarter of 2003, TPH-g, benzene, toluene, ethylbenzene, total xylenes, and MTBE were analyzed by EPA Method 8260B.
h = Elevations resurveyed on 7/21/2003.
i = Blind duplicate sample.
j = Well was dry.
k = Well abandoned.
m = Well inaccessible.
n = Opening calibration verification standard for MTBE outside acceptance criteria.
o = Well dewatered.
p = VOAs broken prior to analysis of sample.
q = Hydrocarbon results partly due to indiv. peak(s) in quant. range (GRO).

NOTES:

For previous historical GWE and analytical data please refer to fourth quarter 1995 groundwater monitoring program results, ARCO Service Station 6041, Dublin, California, (EMCON, 02/26/96).

pH levels for Well MW-3 on 12/05/03 ranged from 7.2 to 11.25.

The values for DO and pH levels were obtained through field measurements.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2									
12/27/2002	<20,000	<10,000	790	<250	<250	<250	<250	<250	
03/12/2003	<100	540	11	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<100	290	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
12/05/2003	<100	730	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<1,000	13,000	5.6	<5.0	<5.0	<5.0	<5.0	<5.0	
06/21/2004	<200	2,900	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	
09/17/2004	<200	2,100	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
12/13/2004	<100	860	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<1,000	5,000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
06/23/2005	<100	1,900	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/16/2005	<200	3,600	2.0	<1.0	<1.0	<1.0	<1.0	<1.0	
12/27/2005	<500	3,800	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	c
03/02/2006	<1,500	3,300	5.8	<2.5	<2.5	<2.5	<2.5	<2.5	
6/23/2006	<1,500	650	4.2	<2.5	<2.5	<2.5	<2.5	<2.5	
9/19/2006	<300	340	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
12/19/2006	<300	1,300	0.70	<0.50	<0.50	<0.50	<0.50	--	c
3/29/2007	<300	1,300	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	d (TBA)
6/5/2007	<300	1,400	0.94	<0.50	<0.50	<0.50	<0.50	<0.50	d (TBA)
9/25/2007	<300	930	0.56	<0.50	<0.50	<0.50	<0.50	<0.50	c, d (TBA)
12/26/2007	<300	380	0.64	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	2,100	7.1	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	430	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2008	<300	57	1.5	<0.50	<0.50	<0.50	<0.50	<0.50	
12/4/2008	<300	300	0.53	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
12/27/2002	<40,000	<20,000	1,100	<500	<500	<500	<500	<500	
03/12/2003	<2,000	6,100	45	<10	<10	<10	<10	<10	
06/28/2003	<2,000	29,000	140	<10	<10	<10	<10	<10	
09/30/2003	<5,000	39,000	650	<25	<25	<25	<25	<25	
12/05/2003	<5,000	39,000	480	<25	<25	<25	<25	<25	

Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
03/10/2004	<200	590	75	<1.0	<1.0	<1.0	<1.0	<1.0	
06/21/2004	<5,000	34,000	370	<25	<25	<25	<25	<25	
09/17/2004	<10,000	53,000	280	<50	<50	<50	<50	<50	
12/13/2004	<500	5,300	460	<2.5	<2.5	<2.5	<2.5	<2.5	
03/03/2005	<500	940	130	<2.5	<2.5	<2.5	<2.5	<2.5	
06/23/2005	<100	9,400	40	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/16/2005	<1,000	20,000	270	<5.0	<5.0	<5.0	<5.0	<5.0	
12/27/2005	<500	1,700	230	<2.5	<2.5	<2.5	<2.5	<2.5	c
03/02/2006	<1,500	400	24	<2.5	<2.5	<2.5	<2.5	<2.5	
6/23/2006	<300	13,000	47	<0.50	<0.50	<0.50	<0.50	<0.50	b, c
9/19/2006	<300	1,500	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/19/2006	<3,000	4,900	270	<5.0	<5.0	<5.0	<5.0	--	
3/29/2007	<3,000	6,000	420	<5.0	<5.0	<5.0	<5.0	<5.0	
6/5/2007	<3,000	8,800	610	<5.0	<5.0	<5.0	<5.0	<5.0	
9/25/2007	<3,000	7,600	54	<5.0	<5.0	<5.0	<5.0	<5.0	c
12/26/2007	<300	1,800	71	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<6,000	4,900	77	<10	<10	<10	<10	<10	
6/10/2008	<15,000	6,000	<25	<25	<25	<25	<25	<25	
9/9/2008	<12,000	6,400	<20	<20	<20	<20	<20	<20	
12/4/2008	<12,000	5,700	<20	<20	<20	<20	<20	<20	
MW-4									
12/27/2002	<40	<20	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/12/2003	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<100	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
12/05/2003	<100	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
06/21/2004	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
09/17/2004	<100	<20	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	85	5.4	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<100	<20	6.3	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
09/16/2005	<100	79	4.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	5.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	c
9/9/2008	<300	<10	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
12/27/2002	<40	<20	15	<0.50	<0.50	<0.50	<0.50	<0.50	
12/05/2003	<100	<20	22	<0.50	<0.50	<0.50	<0.50	<0.50	
09/17/2004	--	--	--	--	--	--	--	--	Well inaccessible
09/24/2004	<100	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	<20	69	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	82	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	c
9/9/2008	<300	<10	27	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
12/27/2002	<40	<20	0.91	<0.50	<0.50	<0.50	<0.50	<0.50	
03/12/2003	<100	<20	0.64	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	0.62	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<500	<100	3.9	<2.5	<2.5	<2.5	<2.5	<2.5	
09/17/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	42	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	c
9/9/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
12/27/2002	<40	<20	4.7	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-8									
12/27/2002	<400	260	73	<5.0	<5.0	<5.0	<5.0	<5.0	
03/12/2003	<5,000	2,200	740	<25	<25	<25	<25	<25	
06/28/2003	<5,000	12,000	2,900	<25	<25	<25	<25	<25	

Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
09/30/2003	<2,000	28,000	180	<10	<10	<10	<10	<10	a
12/05/2003	<500	500	150	<2.5	<2.5	<2.5	<2.5	<2.5	
03/10/2004	<1,000	420	370	<5.0	<5.0	<5.0	<5.0	<5.0	
06/21/2004	<1,000	9,200	400	<5.0	<5.0	<5.0	<5.0	<5.0	
09/17/2004	<100	83	22	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	540	6.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
06/23/2005	<100	440	26	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<500	5,000	49	<2.5	<2.5	<2.5	<2.5	<2.5	
03/02/2006	<1,500	200	14	<2.5	<2.5	<2.5	<2.5	<2.5	
9/19/2006	<1,500	5,200	89	<2.5	<2.5	<2.5	<2.5	<2.5	
3/29/2007	<300	400	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	3,800	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	c
3/25/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2008	<300	3,200	16	<0.50	<0.50	<0.50	<0.50	<0.50	

ABBREVIATIONS AND SYMBOLS:

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = micrograms per liter

FOOTNOTES:

a = The result for TBA was reported with a possible high bias due to the continuing calibration verification falling outside acceptance criteria.

b = The initial analysis of TBA was within the hold time but required dilution.

c = Calibration verification for ethanol was within method limits but outside contract limits.

d = Sample > 4x spike concentration.

NOTES:

All fuel oxygenate compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #6041, 7249 Village Parkway, Dublin, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
2/15/1995	NR	NR
5/24/1995	East-Southeast	0.002
8/25/1995	Northwest	0.006
11/28/1995	North	0.006
2/26/1996	East	0.012
5/23/1996	Flat Gradient	Flat Gradient
8/23/1996	Flat Gradient	Flat Gradient
3/21/1997	South-Southeast	0.005
8/20/1997	South-Southwest	0.001
11/21/1997	South-Southwest	0.002
2/12/1998	East	0.024
7/31/1998	Northwest	0.01
2/17/1999	Southeast	0.007
8/24/1999	South-Southwest	0.013
3/1/2000	South-Southeast	0.005
9/26/2000	South-Southeast	0.002
12/27/2000	West-Southwest	0.003
2/9/2001	West-Southwest	0.003
4/17/2001	South-Southwest	0.015
7/17/2001	South-Southwest	0.003
12/21/2001	East	0.002
3/6/2002	East	0.003
4/26/2002	Southeast	0.003
9/27/2002	South	0.013
12/27/2002	Southeast	0.011
3/12/2003	South-Southeast	0.008
6/28/2003	South	0.001
9/30/2003	Southwest	0.002
12/5/2003	West	0.009
3/10/2004	South-Southeast	0.003
6/21/2004	Southeast	0.004
9/17/2004	Variable	0.001 - 0.007
9/17/2004	Variable	0.001-0.007
12/13/2004	East	0.002
3/3/2005	East	0.02
6/23/2005	Variable	0.02 - 0.005
9/16/2005	Northeast	0.005
12/27/2005	East-Northeast	0.007
3/2/2006	Northeast	0.005
6/23/2006	Northeast	0.004
9/19/2006	North-Northeast	0.004
12/19/2006	North-Northeast	0.006

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #6041, 7249 Village Parkway, Dublin, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
3/29/2007	North-Northeast	0.004
6/5/2007	South-Southeast	0.002
9/25/2007	North-Northeast	0.005
12/26/2007	Northeast	0.005
3/25/2008	Northeast	0.005
6/10/2008	Northeast	0.005
9/9/2008	North-Northeast	0.005
12/4/2008	North-Northeast	0.005

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

STRATUS ENVIRONMENTAL, INC. GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, NON-HAZARDOUS WASTE DATA FORM,
CHAIN OF CUSTODY DOCUMENTATION, CERTIFIED ANALYTICAL RESULTS,
AND FIELD PROCEDURES FOR GROUNDWATER SAMPLING)



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

December 22, 2008

Mr. Rob Miller
Broadbent & Associates
2000 Kirman Ave.
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 6041, located at
7249 Village Parkway, Dublin, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Jerry Gonzales

Sampling Date: December 4, 2008

Arrival: 9:50 *Departure:* 10:40

Weather Conditions: Fog

Unusual Field Conditions: None noted.


Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: Well MW-7 was dry.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO

HYDROLOGIC DATA SHEET

9:50 Dr 10:40

Gauge Date: 7-4-08

Project Name: 7249 Village Parkway, Dublin

Field Technician: Terry

Project Number: 6041

TOC = Top of Well Casing Elevation
TOS = Depth to Top of Screen
DTW = Depth to Groundwater Below TOC
DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter
ELEV = Groundwater Elevation
DUP = Duplicate

4

FW: Nicholas Armstrong
pH/Conductivity/temperature Meter - YSI Model 63

DO Meter - YSI 55 Series

Please refer to groundwater sampling field procedures

Calibration Date

PH 12-8-08

Conductivity 72-4100

DO / 2-4-8

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6041 PURGED BY: Jg WELL I.D.: MW-2
 CLIENT NAME: _____ SAMPLED BY: Jg SAMPLE I.D.: MW-2
 LOCATION: Dublin - 7249 Village Parkway QA SAMPLES: _____

DATE PURGED 12-4-08 START (2400hr) 10:40 END (2400hr) 1043
 DATE SAMPLED 12-4-08 SAMPLE TIME (2400hr) 10:50
 SAMPLE TYPE: Groundwater x Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" X 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 9.38 CASING VOLUME (gal) = 1.0
 DEPTH TO WATER (feet) = 9.74 CALCULATED PURGE (gal) = 3.2
 WATER COLUMN HEIGHT (feet) = 1.6 ACTUAL PURGE (gal) = 3.6

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>12-4-08</u>	<u>1041</u>	<u>1.2</u>	<u>21.9</u>	<u>2473</u>	<u>7.14</u>	<u>clear</u>	
<u>/</u>	<u>1042</u>	<u>2.4</u>	<u>21.9</u>	<u>2963</u>	<u>7.08</u>	<u>/</u>	
<u>/</u>	<u>1043</u>	<u>3.6</u>	<u>21.9</u>	<u>3561</u>	<u>7.03</u>	<u>/</u>	

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 7.81 SAMPLE TURBIDITY: cloudy

80% RECHARGE: X YES _____ NO _____ ANALYSES: SWO
 ODOR: yes SAMPLE VESSEL / PRESERVATIVE: 6 Vol-HCC

PURGING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
X Centrifugal Pump _____ Bailer (PVC) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____

Other: _____

Pump Depth: 9.30

SAMPLING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ X Bailer (_____ PVC or X disposable)
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____

Other: _____

WELL INTEGRITY: good LOCK#: MASTER
 REMARKS: DO. 5-73

SIGNATURE: [Signature]

Page _____ of _____

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6041 PURGED BY: JS WELL I.D.: MW-3
 CLIENT NAME: _____ SAMPLED BY: JS SAMPLE I.D.: MW-3
 LOCATION: Dublin - 7249 Village Parkway QA SAMPLES: _____

DATE PURGED 12.4.08 START (2400hr) 10:23 END (2400hr) 10:26
 DATE SAMPLED 12.4.08 SAMPLE TIME (2400hr) 10:33
 SAMPLE TYPE: Groundwater x Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" X 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 1382 CASING VOLUME (gal) = 3.4
 DEPTH TO WATER (feet) = 8.67 CALCULATED PURGE (gal) = 10.3
 WATER COLUMN HEIGHT (feet) = 5.1 ACTUAL PURGE (gal) = 10.6

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>12.4.08</u>	<u>1024</u>	<u>3.5</u>	<u>19.8</u>	<u>1341</u>	<u>7.74</u>	<u>cloudy</u>	
	<u>1025</u>	<u>5.0</u>	<u>20.4</u>	<u>1355</u>	<u>7.46</u>		
	<u>1026</u>	<u>10.6</u>	<u>20.8</u>	<u>1363</u>	<u>7.24</u>		

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 9.09 SAMPLE TURBIDITY: cloudy

80% RECHARGE: X YES _____ NO _____ ANALYSES: SWO
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 Vol-Hcc

PURGING EQUIPMENT

☒ Bladder Pump _____ Bailer (Teflon)
☒ Centrifugal Pump _____ Bailer (PVC)
☐ Submersible Pump _____ Bailer (Stainless Steel)
☐ Peristaltic Pump _____ Dedicated _____

Other: _____

Pump Depth: 13.

SAMPLING EQUIPMENT

_____ Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump ☒ Bailer (_____ PVC or X disposable)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Peristaltic Pump _____ Dedicated _____

Other: _____

WELL INTEGRITY: good LOCK#: Master
 REMARKS: 5.87

SIGNATURE: _____

Page _____ of _____

WELLHEAD OBSERVATION FORM



Site Name/Number: 6041-Dublin

Date: 12/4/06

Technician: Jerry

Well I.D.	Box in Good Condition? X = Yes Blank = No	Lock Missing? X = Yes (replace) Blank = No	Water in Wellbox? X = Yes Blank = No	Water Level Relative to Cap? A = Above cap B = Below cap L = Level w/cap	Well Cap? L = Loose M = Missing or Compromised I = Installed	Bolts Missing? X = Yes Blank = No	Bolts Stripped? X = Yes Blank = No	Bolt Holes Stripped? X = Yes Blank = No	Cracked or Broken Lid? X = Yes Blank = No	Cracked or Broken Box? X = Yes Blank = No	Grout Level more than 1ft below TOC? X = Yes Blank = No	Additional Comments (such as missing lid, cracked, needs replacement, or other - explain)
MW-2	X				I							
MW-3	X				I							
MW-4	X				I							
MW-5	X				I							
MW-6	X				I							
MW-7	X				I							
MW-8	X				I							

DRUM INVENTORY

Drums on site? Yes

(circle)



(circle)

Type and #

Steel: _____

Plastic: _____

Note whether drums are full or empty, solids or liquids:

Drum label info (description, date, contact info):

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

NO. 672231

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR	SITE 1		EPA I.D. NO.	NOT REQUIRED											
	NAME <u>BP WEST COAST PRODUCTS LLC ARCO # 6671</u>		PROFILE NO.												
	ADDRESS <u>P.O. BOX 80249</u> <u>RANCHO SANTA MARGARITA</u>		PHONE NO. <u>()</u>												
	CITY, STATE, ZIP <u>CA 92688</u>														
	CONTAINERS: No. _____ VOLUME <u>11.7</u> WEIGHT _____														
	TYPE: ☐ TANK TRUCK ☐ DUMP TRUCK ☐ DRUMS ☐ CARTONS ☐ OTHER _____														
	WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u>		GENERATING PROCESS <u>WELL PURGING/DECON WATER</u>												
	COMPONENTS OF WASTE PPM %		COMPONENTS OF WASTE PPM %												
	1. <u>WATER</u> <u>99-100%</u>		5. _____												
	2. <u>TBH</u> <u><1%</u>		6. _____												
	3. _____		7. <u>BESI#</u>												
	4. _____		8. _____												
	PROPERTIES: <u>7-10</u> ☐ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____														
	HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PROTECTIVE CLOTHING</u>														
	THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.		<u>Larry Moothart BESI for BP</u> TYPED OR PRINTED FULL NAME & SIGNATURE DATE <u>12/1/07</u>												
TRANSPORTER	Transporter #1		Transporter #2												
	NAME <u>STRATUS ENVIRONMENTAL</u>		EPA I.D. NO. _____												
	ADDRESS <u>3330 CAMERON PARK DR</u>		SERVICE ORDER NO. _____												
	CITY, STATE, ZIP <u>CAMERON PARK, CA 95682</u>		PICK UP DATE _____												
	PHONE NO. <u>530-676-2031</u>														
	TRUCK, UNIT, I.D. NO. _____		TYPED OR PRINTED FULL NAME & SIGNATURE _____ DATE _____												
TSD FACILITY	NAME <u>INSTRAT, INC</u>		EPA I.D. NO. _____												
	ADDRESS <u>1105 AIRPORT RD #C</u>		DISPOSAL METHOD ☐ LANDFILL ☐ OTHER _____												
	CITY, STATE, ZIP <u>RIO VISTA, CA 94571</u>														
	PHONE NO. <u>530-753-1829</u>														
	TYPED OR PRINTED FULL NAME & SIGNATURE _____		DATE _____												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>GEN</td> <td rowspan="3">OLD/NEW</td> <td>L</td> <td>A</td> <td rowspan="2">TONS</td> </tr> <tr> <td>TRANS</td> <td>S</td> <td>B</td> </tr> <tr> <td>C/Q</td> <td>RTGS</td> <td>HWDF</td> <td>NONE</td> </tr> </table>		GEN	OLD/NEW	L	A	TONS	TRANS	S	B	C/Q	RTGS	HWDF	NONE	DISCREPANCY _____	
GEN	OLD/NEW	L		A	TONS										
TRANS		S		B											
C/Q		RTGS	HWDF	NONE											



bp
A BP affiliated company

Chain of Custody Record

Project Name: ARCO 6041

BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 6

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy):

Page 1 of 1

On-site Time: 750	Temp: 63
Off-site Time: 1040	Temp: 65
Sky Conditions: FGS	
Meteorological Events: None	
Wind Speed: —	Direction: —


Lab Name: Calscience	BP/AR Facility No.: 6041	Consultant/Contractor: Stratus Environmental, Inc.
Address: 7440 Lincoln Way	BP/AR Facility Address: 7249 Village Parkway, Dublin	Address: 3330 Cameron Park Drive, Suite 550
Garden Grove, CA 92841	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Linda Scharpenberg	California Global ID No.: T0600100109	Consultant/Contractor Project No.:
Tele/Fax: 714-895-5494 714-895-7501(fax)	Enfos Project No.: G0C1W-0022	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: bcarroll@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Lab Bottle Order No:				Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis										Sample Point Lat/Long and Comments *Oxy= MTBE, TAME, ETBE, DIPE, TBA
Item No.	Sample Description	Time	Date	Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DC* by 8260	Ethanol by 8260	EDB by 8260	GRO by 8260						
1	MW-2	1050	12-4-08	X				6				X		X	X	X	X	X						
2	MW-3	1033	12-4-08	X				6				X		X	X	X	X	X						
3	IB-6041	600	12-4-08	X				2				X		X	X	X	X	X						HOLD
4																								
5																								
6																								
7																								
8																								
9																								
10																								

Sampler's Name: Jerry Gonzalez	Relinquished By / Affiliation:	Date:	Time:	Accepted By / Affiliation:	Date:	Time:
Sampler's Company: Douglas ENV						
Shipment Date:						
Shipment Method:						
Shipment Tracking No:						

Special Instructions: Please cc results to rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



December 17, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-12-0747**
Client Reference: **ARCO 6041**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/6/2008 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Villafania".

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager





Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 6041

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-12-0747-1-D	12/04/08 10:50	Aqueous	GC 30	12/09/08	12/10/08 01:49	081209B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

MW-3	08-12-0747-2-D	12/04/08 10:33	Aqueous	GC 30	12/09/08	12/10/08 02:22	081209B01
------	----------------	----------------	---------	-------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	91	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

Method Blank	099-12-695-362	N/A	Aqueous	GC 30	12/09/08	12/09/08 15:50	081209B01
--------------	----------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	88	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL: (714) 895-5494 • FAX: (714) 894-7501



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 6041

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-12-0747-1-A	12/04/08 10:50	Aqueous	GC/MS BB	12/09/08	12/09/08 23:53	081209L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.53	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	300	50	5	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	111	73-157			Dibromofluoromethane	101	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	92	75-105		


MW-3	08-12-0747-2-A	12/04/08 10:33	Aqueous	GC/MS BB	12/09/08	12/10/08 00:23	081209L01
-------------	-----------------------	-----------------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	20	40		Methyl-t-Butyl Ether (MTBE)	ND	20	40	
1,2-Dibromoethane	ND	20	40		Tert-Butyl Alcohol (TBA)	5700	400	40	
1,2-Dichloroethane	ND	20	40		Diisopropyl Ether (DIPE)	ND	20	40	
Ethylbenzene	ND	20	40		Ethyl-t-Butyl Ether (ETBE)	ND	20	40	
Toluene	ND	20	40		Tert-Amyl-Methyl Ether (TAME)	ND	20	40	
Xylenes (total)	ND	20	40		Ethanol	ND	12000	40	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	113	73-157			Dibromofluoromethane	106	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	98	75-105		

Method Blank	099-12-703-595	N/A	Aqueous	GC/MS BB	12/09/08	12/09/08 18:53	081209L01
---------------------	-----------------------	------------	----------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	105	73-157			Dibromofluoromethane	100	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	95	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L


Project: ARCO 6041

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-597	N/A	Aqueous	GC/MS BB	12/10/08	12/10/08 12:01	081210L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	110	73-157			Dibromofluoromethane	98	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	91	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-12-0761-4	Aqueous	GC 30	12/09/08	12/09/08	081209S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	102	107	38-134	5	0-25	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-12-0762-3	Aqueous	GC/MS BB	12/09/08	12/09/08	081209S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	101	86-122	2	0-8	
Carbon Tetrachloride	101	104	78-138	3	0-9	
Chlorobenzene	97	100	90-120	2	0-9	
1,2-Dibromoethane	101	102	70-130	2	0-30	
1,2-Dichlorobenzene	100	100	89-119	0	0-10	
1,1-Dichloroethene	104	106	52-142	3	0-23	
Ethylbenzene	95	98	70-130	2	0-30	
Toluene	98	99	85-127	1	0-12	
Trichloroethene	99	100	78-126	2	0-10	
Vinyl Chloride	84	88	56-140	4	0-21	
Methyl-t-Butyl Ether (MTBE)	101	103	64-136	1	0-28	
Tert-Butyl Alcohol (TBA)	98	99	27-183	1	0-60	
Diisopropyl Ether (DIPE)	102	105	78-126	3	0-16	
Ethyl-t-Butyl Ether (ETBE)	97	101	67-133	4	0-21	
Tert-Amyl-Methyl Ether (TAME)	94	97	63-141	3	0-21	
Ethanol	87	94	11-167	7	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 12/06/08
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B


Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-12-0221-2	Aqueous	GC/MS BB	12/10/08	12/10/08	081210S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	104	86-122	1	0-8	
Carbon Tetrachloride	107	107	78-138	0	0-9	
Chlorobenzene	103	103	90-120	0	0-9	
1,2-Dibromoethane	105	102	70-130	3	0-30	
1,2-Dichlorobenzene	104	104	89-119	0	0-10	
1,1-Dichloroethene	107	108	52-142	1	0-23	
Ethylbenzene	101	101	70-130	1	0-30	
Toluene	103	102	85-127	1	0-12	
Trichloroethene	104	102	78-126	1	0-10	
Vinyl Chloride	95	93	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	107	104	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	106	103	27-183	2	0-60	
Diisopropyl Ether (DIPE)	108	106	78-126	2	0-16	
Ethyl-t-Butyl Ether (ETBE)	103	101	67-133	3	0-21	
Tert-Amyl-Methyl Ether (TAME)	99	96	63-141	3	0-21	
Ethanol	84	86	11-167	3	0-64	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-362	Aqueous	GC 30	12/09/08	12/09/08	081209B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	106	99	78-120	7	0-20	

RPD - Relative Percent Difference, CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-595	Aqueous	GC/MS BB	12/09/08	12/09/08	081209L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	107	104	87-117	82-122	2	0-7	
Carbon Tetrachloride	110	108	78-132	69-141	2	0-8	
Chlorobenzene	104	102	88-118	83-123	2	0-8	
1,2-Dibromoethane	110	107	80-120	73-127	3	0-20	
1,2-Dichlorobenzene	104	103	88-118	83-123	1	0-8	
1,1-Dichloroethene	115	112	71-131	61-141	3	0-14	
Ethylbenzene	102	101	80-120	73-127	2	0-20	
Toluene	103	103	85-127	78-134	0	0-7	
Trichloroethene	106	104	85-121	79-127	2	0-11	
Vinyl Chloride	97	95	64-136	52-148	2	0-10	
Methyl-t-Butyl Ether (MTBE)	112	110	67-133	56-144	2	0-16	
Tert-Butyl Alcohol (TBA)	102	97	34-154	14-174	5	0-19	
Diisopropyl Ether (DIPE)	108	109	80-122	73-129	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	104	105	73-127	64-136	0	0-11	
Tert-Amyl-Methyl Ether (TAME)	101	101	69-135	58-146	0	0-12	
Ethanol	78	82	34-124	19-139	5	0-44	

Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL: (714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-12-0747
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-597	Aqueous	GC/MS BB	12/10/08	12/10/08	081210L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	105	103	87-117	82-122	2	0-7	
Carbon Tetrachloride	106	106	78-132	69-141	0	0-8	
Chlorobenzene	104	104	88-118	83-123	0	0-8	
1,2-Dibromoethane	102	106	80-120	73-127	4	0-20	
1,2-Dichlorobenzene	106	102	88-118	83-123	3	0-8	
1,1-Dichloroethene	107	107	71-131	61-141	1	0-14	
Ethylbenzene	104	103	80-120	73-127	2	0-20	
Toluene	104	102	85-127	78-134	3	0-7	
Trichloroethene	105	104	85-121	79-127	1	0-11	
Vinyl Chloride	95	96	64-136	52-148	1	0-10	
Methyl-t-Butyl Ether (MTBE)	101	106	67-133	56-144	5	0-16	
Tert-Butyl Alcohol (TBA)	103	104	34-154	14-174	1	0-19	
Diisopropyl Ether (DIPE)	103	105	80-122	73-129	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	98	101	73-127	64-136	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	96	98	69-135	58-146	1	0-12	
Ethanol	85	84	34-124	19-139	2	0-44	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers




Work Order Number: 08-12-0747

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	There was no MS/MSD analyzed with this batch due to insufficient sample volume (NR = not reported). See Blank Spike/Blank Spike Duplicate.
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.

A handwritten signature in black ink, appearing to be 'M. J. ...', is located at the bottom left of the page.

Work Order Number: 08-12-0747

<u>Qualifier</u>	<u>Definition</u>
MB	Analyte present in the method blank.
MG	Analyte is a suspected lab contaminate.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.



Chain of Custody Record

Project Name: ARCO 6041
BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 6
State or Lead Regulatory Agency: _____
Requested Due Date (mm/dd/yy): _____

On-site Time: 950	Temp: 63
Off-site Time: 1040	Temp: 65
Sky Conditions: FCS	
Meteorological Events: none	
Wind Speed: —	Direction: —


Lab Name: Calscience	BP/AR Facility No.: 6041	Consultant/Contractor: Stratus Environmental, Inc.
Address: 7440 Lincoln Way	BP/AR Facility Address: 7249 Village Parkway, Dublin	Address: 3330 Cameron Park Drive, Suite 550
Garden Grove, CA 92841	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Linda Scharpenberg	California Global ID No.: T0600100109	Consultant/Contractor Project No.:
Tele/Fax: 714-895-5494 714-895-7501(fax)	Enfos Project No.: G0C1W-0022	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: bcarroll@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Lab Bottle Order No:				Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis										Sample Point Lat/Long and Comments *Oxy= MTBE, TAME, ETBE, DIPE, TBA
Item No.	Sample Description	Time	Date	Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DCA by 8260	Ethanol by 8260	EDB by 8260	GRO by 8260						
1	MW-2	1050	12-4-08	X				6				X		X	X	X	X	X						
2	MW-3	1033	12-4-08	X				6				X		X	X	X	X	X						
3	TB-6041	600	12-4-08	X				2				X		X	X	X	X	X						HOLD
4																								
5																								
6																								
7																								
8																								
9																								
10																								

Sampler's Name: Jerry Gonzalez	Relinquished By / Affiliation: <i>[Signature]</i>	Date: 12/6/08	Time: 10:00	Accepted By / Affiliation: Danny Le Cel	Date: 12/6/08	Time: 10:00
Sampler's Company: Douglas ENV						
Shipment Date:						
Shipment Method: GSO	GSO					
Shipment Tracking No:						

Special Instructions: 106193042 miller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



WORK ORDER #: 08-12-0747

SAMPLE RECEIPT FORMCooler 1 of 1CLIENT: Stratus - AtlanticDATE: 12/06/08**TEMPERATURE:** (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 3.5 °C - 0.2 °C (CF) = 3.3 °C ☒ Blank ☐ Sample☐ Sample(s) outside temperature criteria (PM/APM contacted by: _____).☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.☐ Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: ☐ Air ☐ Filter ☐ Metals Only ☐ PCBs OnlyInitial: D.L.**CUSTODY SEALS INTACT:**☐ Cooler ☐ _____ ☐ No (Not Intact) ☒ Not Present ☐ N/AInitial: D.L.☐ Sample ☐ _____ ☐ No (Not Intact) ☒ Not PresentInitial: D.L.**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	☒	☐	☐
COC document(s) received complete.....	☒	☐	☐
Sampler's name indicated on COC.....	☒	☐	☐
Sample container label(s) consistent with COC.....	☒	☐	☐
Sample container(s) intact and good condition.....	☒	☐	☐
Correct containers and volume for analyses requested.....	☒	☐	☐
Analyses received within holding time.....	☒	☐	☐
Proper preservation noted on sample label(s).....	☒	☐	☐
Volatile analysis container(s) free of headspace.....	☒	☐	☐
Tedlar bag(s) free of condensation.....	☐	☐	☒

CONTAINER TYPE:Solid: ☐ 4ozCGJ ☐ 8ozCGJ ☐ 16ozCGJ ☐ Sleeve ☐ EnCores® ☐ TerraCores® ☐ _____Water: ☐ VOA ☒ VOA_h ☐ VOA_{na2} ☐ 125AGB ☐ 125AGB_h ☐ 125AGB_{po4} ☐ 1AGB ☐ 1AGB_{na2}☐ 1AGB_s ☐ 500AGB ☐ 500AGB_s ☐ 250CGB ☐ 250CGB_s ☐ 1PB ☐ 500PB ☐ 500PB_{na} ☐ 250PB☐ 250PB_n ☐ 125PB ☐ 125PB_{znna} ☐ 100PBsterile ☐ 100PB_{na2} ☐ _____ ☐ _____ ☐ _____Air: ☐ Tedlar® ☐ Summa® ☐ _____Checked/Labeled by: D.L.

Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Reviewed by: [Signature]Preservative: h:HCL n:HNO₃ na₂:Na₂S₂O₃ na:NaOH po₄:H₃PO₄ s:H₂SO₄ znna:ZnAc₂+NaOHScanned by: D.L.

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μ S daily and 1413 μ S and 447 μ S weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	4Q08 GEO_WELL 6041
<u>Facility Global ID:</u>	T0600100109
<u>Facility Name:</u>	ARCO #6041
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	1/15/2009 9:31:41 AM
<u>Confirmation Number:</u>	1228161036

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	4Q08 GW Monitoring
<u>Facility Global ID:</u>	T0600100109
<u>Facility Name:</u>	ARCO #6041
<u>File Name:</u>	08120747.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	1/15/2009 9:38:54 AM
<u>Confirmation Number:</u>	4539764881

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)