



RECEIVED

10:58 am, Nov 19, 2008

Alameda County
Environmental Health

GROUNDWATER MONITORING REPORT - THIRD QUARTER 2008

**FORMER ARCO SERVICE STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

AGENCY CASE NO. RO0484

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: 510-420-0700
Fax: 510-420-9170

web: <http://www.CRAworld.com>

NOVEMBER 14, 2008

REF. NO. 231116 (1)

This report is printed on recycled paper.

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE INFORMATION.....	1
2.0 SITE ACTIVITIES AND RESULTS	2
2.1 CURRENT QUARTER'S ACTIVITIES	2
2.1.1 FIELD ACTIVITIES	2
2.1.2 SAMPLE ANALYSES	2
2.2 CURRENT QUARTER'S RESULTS	3
2.2.1 GROUNDWATER FLOW DIRECTION AND GRADIENT.....	3
2.2.2 HYDROCARBON DISTRIBUTION IN GROUNDWATER	3
2.2.3 MTBE DISTRIBUTION IN GROUNDWATER	4
3.0 PROPOSED ACTIVITIES FOR NEXT QUARTER	5
3.1 MONITORING ACTIVITIES.....	5
3.2 ONSITE CHARACTERIZATION & COMMINGLED PLUME PROGRAM.....	5

LIST OF FIGURES
(Following Text)

FIGURE 1 VICINITY MAP

FIGURE 2 GROUNDWATER ELEVATION CONTOUR AND HYDROCARBON CONCENTRATION MAP

LIST OF TABLES

TABLE 1 WELL CONSTRUCTION DETAILS

TABLE 2 GROUNDWATER ELEVATION AND ANALYTICAL DATA

LIST OF APPENDICES

APPENDIX A STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

APPENDIX B CERTIFIED ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

APPENDIX C FIELD DATA SHEETS

APPENDIX D BENZENE AND MTBE CONCENTRATION GRAPHS

APPENDIX E FORMER SHELL AND FORMER UNOCAL JOINT GROUNDWATER MONITORING AND ANALYTICAL RESULTS

1.0 INTRODUCTION

On behalf of Mr. Bo K. Gin, Conestoga-Rovers & Associates, Inc. (CRA) is submitting this *Third Quarter 2008 Monitoring Report* for the subject site. Presented are the third quarter 2008 groundwater monitoring activities and results and the anticipated fourth quarter 2008 activities.

Figure 1 is a vicinity map. Figure 2 is a groundwater elevation contour and hydrocarbon concentration map. Table 1 lists well construction details. Table 2 provides recent and historic groundwater level measurements, elevations, and hydro-chemical data. Appendix A contains CRA's standard field procedures. Appendix B presents the recent laboratory analytical reports for this site. Appendix C contains field data sheets for the recent monitoring event. Appendix D includes time-series plots with benzene and methyl tertiary butyl ether (MTBE) concentrations, and groundwater elevations. Appendix E provides groundwater monitoring elevations and analytical data for the neighboring former Shell Station (Mr. Peter Yee's property) located at 726 Harrison Street and the former Unocal/ConocoPhillips site located at 800 Harrison Street in Oakland, CA.

1.1 SITE INFORMATION

Site Address 706 Harrison Street, Oakland

Site Use Vacant

Client and Contact Bo K. Gin

Consultant and Contact Person CRA, Mark Jonas, P.G.

Lead Agency and Contact Person Alameda County Environmental Health, Mr. Steven Plunkett

2.0 SITE ACTIVITIES AND RESULTS

2.1 CURRENT QUARTER'S ACTIVITIES

2.1.1 FIELD ACTIVITIES

On July 28, 2008, Muskan Environmental Sampling (MES) conducted quarterly monitoring and sampling activities. MES measured well water levels and collected groundwater samples in monitoring wells MW-1 through MW-7 (Figure 2). Groundwater depth measurements have been submitted to the GeoTracker database.

Prior to groundwater sampling, groundwater levels were measured in all monitoring wells. MES purged at least three well-casing volumes of groundwater from monitor wells MW-1 through MW-7 prior to sampling. Field measurements of pH, conductivity, and temperature of purged groundwater were measured after the extraction of each successive casing volume. Well purging continued until consecutive pH, specific conductance, and temperature measurements appeared to stabilize. Field measurements, purge volumes, and sample collection data were recorded on field sampling data forms, provided in Appendix C.

Groundwater samples were collected using new disposable bailers, decanted into appropriate sampling containers supplied by the analytical laboratory. Samples were labeled, placed in protective foam sleeves, stored on crushed, water-based ice at or below 4 degrees Celsius and transported under a chain-of-custody (COC) to the laboratory. The COC used for this monitoring event is provided within the laboratory analytical report in Appendix B.

2.1.2 SAMPLE ANALYSES

Groundwater samples were analyzed by McCampbell Analytical, Inc. of Pittsburg, California, a California-certified laboratory (DHS License No. 1644). All groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by modified United States Environmental Protection Agency (EPA) Method SW8015C; benzene, toluene, ethylbenzene, and total xylenes (BTEX) and MTBE by EPA Method SW8021B; and MTBE by EPA Method SW8260B. The laboratory analytical report is included in Appendix B. Groundwater analytical results are provided on Table 2 and summarized on Figure 2. Groundwater analytical results have been submitted to the GeoTracker database.

2.2 CURRENT QUARTER'S RESULTS

Groundwater Flow Direction	South-southwest
Hydraulic Gradient	0.02
Range of Measured Water Depth from Top of Casing in Monitoring Wells	16.45 to 18.49 feet
Were Measureable Separate Phase	No
Hydrocarbons Observed	

2.2.1 GROUNDWATER FLOW DIRECTION AND GRADIENT

Based on depth-to-water measurements collected during the monitoring event on July 28, 2008, groundwater appears to flow towards the south-southwest with an apparent gradient of 0.02 feet per feet (Figure 2). The gradient and flow direction are consistent with historical data. Depth-to-water and groundwater elevation data for the site are in Table 2.

2.2.2 HYDROCARBON DISTRIBUTION IN GROUNDWATER

Hydrocarbons were detected in down-gradient wells MW-1 and well MW-2, and up-gradient well MW-4 during this sampling event (Figure 2 and Table 2). The highest TPHg and BTEX concentrations were detected in monitoring well MW-2 at 51,000 micrograms per liter ($\mu\text{g}/\text{L}$), 2,000 $\mu\text{g}/\text{L}$, 6,200 $\mu\text{g}/\text{L}$, 1,300 $\mu\text{g}/\text{L}$, and 2,700 $\mu\text{g}/\text{L}$, respectively. TPHg and BTEX concentrations were detected in well MW-1 at 1,100 $\mu\text{g}/\text{L}$, 240 $\mu\text{g}/\text{L}$, 3.6 $\mu\text{g}/\text{L}$, 6.9 $\mu\text{g}/\text{L}$, and 15 $\mu\text{g}/\text{L}$, respectively.

TPHg and BTEX concentrations in up-gradient well MW-4 are slightly higher than the previous quarter at 3,400 $\mu\text{g}/\text{L}$, 390 $\mu\text{g}/\text{L}$, 100 $\mu\text{g}/\text{L}$, 33 $\mu\text{g}/\text{L}$, and 100 $\mu\text{g}/\text{L}$, respectively. Analytical results are presented in Figure 2, Table 2, and Appendix B. BTEX concentrations detected in the adjacent property wells located up-gradient of the site are higher than the BTEX concentrations detected on site (Figure 2 and Appendix E).

2.2.3 MTBE DISTRIBUTION IN GROUNDWATER

MTBE was detected in monitoring wells MW-1 through MW-5 and MW-7. The highest on-site MTBE concentration was detected in well MW-3, at 6,900 µg/L. MTBE concentrations in wells MW-1, MW-2, MW-4, MW-5 and MW-7 were 1,800 µg/L, 1,500 µg/L, 5,000 µg/L, 670 µg/L, and 1.1 µg/L, respectively. Significantly higher concentrations of MTBE were identified in the wells located up-gradient on the adjacent property. On the adjacent property, the highest MTBE concentrations were detected in monitoring well MW-5, at 28,000 µg/L (Figure 2).

3.0 PROPOSED ACTIVITIES FOR NEXT QUARTER

3.1 MONITORING ACTIVITIES

During the fourth quarter 2008, CRA will measure water levels and collect groundwater samples from wells MW-1, MW-2, and MW-4. Pursuant to Alameda County Environmental Health's letter dated February 25, 2003, the well sampling schedule was revised so that wells MW-1, MW-2, and MW-4 are sampled on a quarterly basis and wells MW-3, MW-5, MW-6, and MW-7 are sampled on a semi-annual basis, during the first and third quarters. Groundwater samples will be analyzed for TPHg by EPA Method SW8015C, BTEX by EPA Method SW8021B, and MTBE by EPA Method SW8021B and by EPA Method SW8260B. CRA will prepare a groundwater monitoring report summarizing the monitoring activities and results.

3.2 ONSITE CHARACTERIZATION & COMMINGLED PLUME PROGRAM

On October 5, 2007 an *Onsite Characterization Work Plan* was submitted to Alameda County Environmental Health (ACEH). Currently, up-gradient sources at 726 Harrison (Mr. Peter Yee) and 800 Harrison (Unocal/ConocoPhillips) have joined with Mr. Bo Gin to attempt to agree on a commingled plume application. This process is on-going. Mr. Plunkett has asked that implementation of the work plan be put on-hold pending resolution issues associated with the commingled plume.

All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES

m j son

Michael Werner
Staff Geologist


Mark Jonas

Mark Jonas, P.G.
Senior Project Geologist



Conestoga-Rovers & Associates, Inc. (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

FIGURES




Former ARCO Station

706 Harrison Street
Oakland, California



CONESTOGA-ROVERS
& ASSOCIATES

Vicinity Map



E:\HFE-charts\2311-231116-Bo Gm - Oakland\231116-FIGURES\3QDM08-MP.DWG

**Groundwater Elevation Contour
and Hydrocarbon
Concentration Map**

July 28, 2008

Former ARCO Station

706 Harrison Street
Oakland, California



**CONESTOGA-ROVERS
& ASSOCIATES**

2

TABLES

TABLE 1

1 of 2

WELL CONSTRUCTION DETAILS
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA

Well ID	Date Installed	Borehole Depth (ft)	Borehole Diameter (in)	Casing Diameter (in)	Screen Interval (ft bgs)	Screen Size (in)	Filter Pack (ft bgs)	Bentonite Seal (ft bgs)	Cement Seal (ft bgs)	TOC Elevation (ft msl)
MW-1	July 22, 1993	28.0	8	2	18 - 28	0.020	16 - 28	15 - 16	0 - 15	26.17
MW-2	July 23, 1993	28.0	8	2	18 - 28	0.020	16 - 28	15 - 16	0 - 15	27.53
MW-3	July 22, 1993	28.0	8	2	18 - 28	0.020	16 - 28	15 - 16	0 - 15	26.79
MW-4	Nov. 28, 1994	31.5	NA	2	9.5 - 29.5	0.010	8.5 - 31.5	6.5 - 8.5	0 - 6.5	28.20
MW-5	Nov. 30, 1994	30.0	NA	2	14.5 - 29.0	0.010	13 - 30	11 - 13	0 - 11	25.07
MW-6	Dec. 1, 1994	27.5	NA	2	11.5 - 26.5	0.010	10.5 - 27.5	8.5 - 10.5	0 - 8.5	26.13
MW-7	Dec. 2, 1994	29.0	NA	2	13 - 28	0.010	12 - 29	10 - 12	0 - 10	26.70
VW-1	July 23, 1993	20.0	8	2	15 - 20	0.020	13 - 20	12 - 13	0 - 12	NA
VW-2	July 22, 1993	20.0	8	2	15 - 20	0.020	13 - 20	12 - 13	0 - 12	NA
VW-3 (Dual)	Nov. 28, 1994	29.5	NA	2" / 1"	2": 8 - 18 1": 27 - 28	0.010	2": 6 - 18 1": 25.5 - 29.5	5 - 6 23.5 - 25.5	0 - 5	NA
VW-4 (Dual)	Nov. 29, 1994	29.5	NA	2" / 1"	2": 8 - 18 1": 28.5 - 29.5	0.010	2": 7 - 18 1": 26.5 - 29.5	5 - 7 18 - 26.5	0 - 5	NA
VW-5 (Dual)	Nov. 30, 1994	30.0	NA	2" / 1"	2": 7 - 17 1": 28.5 - 29.5	0.010	2": 6 - 17 1": 26 - 30	5 - 6 17 - 26	0 - 5	NA

Abbreviations / Notes

ft = feet

in = inches

ft bgs = feet below grade surface

ft msl = feet above mean sea level

TOC = top of casing

NA = Not Available

WELL CONSTRUCTION DETAILS
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA

TABLE 2

1 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g/L}$)</i>	<i>Benzene ($\mu\text{g/L}$)</i>	<i>Toluene ($\mu\text{g/L}$)</i>	<i>Ethylbenzene ($\mu\text{g/L}$)</i>	<i>Xylenes ($\mu\text{g/L}$)</i>	<i>MTBE by 8021B ($\mu\text{g/L}$)</i>	<i>MTBE by 8260B ($\mu\text{g/L}$)</i>	<i>Notes</i>
MW-1	8/13/1993	17.40	11.75	20,000	8,500	640	280	440	-	-	
29.15	12/14/1993	17.27	11.88	17,000	9,200	1,200	4,400	540	-	-	
	4/15/1994	17.00	12.15	9,500	3,600	530	160	280	-	-	
	12/29/1994	16.40	12.75	-	-	-	-	-	-	-	
	7/19/1996	15.83	13.32	17,000	5,200	1,100	330	530	-	-	sheen/odor
	1/27/1997	13.58	15.57	30,000	9,800	1,300	790	880	400	-	b, sheen/odor
	6/18/1997	16.11	13.04	19,000	5,600	1,400	510	770	1,200	800	a, b
	9/18/1997	16.62	12.53	48,000	18,000	4,400	1,000	1,700	ND<640	-	b
	12/10/1997	15.93	13.22	22,000	4,900	1,300	580	650	460	260	a, b, odor
	2/18/1998	11.56	17.59	16,000	5,000	750	400	780	1,800	-	b
	5/12/1998	13.53	15.62	19,000	4,600	810	450	770	5,500	-	b, c
	8/18/1998	15.19	13.96	12,000	3,600	1,300	300	570	5,100	3,700	a, b
	11/24/1998	15.67	13.48	13,000	3,600	890	330	380	6,100	-	b
	2/4/1999	15.31	13.84	20,000	5,900	830	450	500	4,900	-	b
	5/18/1999	14.95	14.20	23,000	7,000	1,600	520	830	6,100	-	b
	8/27/1999	15.84	13.31	19,000	5,800	1,700	410	710	1,800	2,100	a, b
	11/18/1999	16.39	12.76	20,000	4,900	630	410	580	4,900	3,600	b
	2/29/2000	13.43	15.72	12,000	2,800	24	290	170	3,100	3,400	a
	5/25/2000	15.08	14.07	12,000	2,200	120	330	260	9,100	12,000	a, b
	8/9/2000	16.09	13.06	13,000	2,500	44	310	140	16,000	-	b
	11/9/2000	15.90	13.25	11,000	2,500	140	380	150	11,000	12,000	b
	1/29/2001	16.05	13.10	9,600	3,100	100	77	200	2,600	2,400	b
	4/16/2001	16.90	12.25	3,300	1,200	4.4	2.7	28	900	940	b
	8/14/2001	17.13	12.02	2,000	500	3.4	24	7.8	68	53	a
	10/22/2001	16.11	13.04	220	83	0.63	2.8	ND<0.5	ND<10	5.7	a
	2/1/2002	16.93	12.22	640	220	1.7	4.7	0.57	ND<10	-	a
	5/10/2002	15.09	14.06	230	26	0.97	ND<0.5	ND<0.5	ND<5.0	-	a
	7/8/2002	15.20	13.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/2/2002	15.70	13.45	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

2 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
MW-1	1/23/2003	15.09	14.06	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
(cont.)	4/29/2003	13.02	16.13	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
26.17	7/18/2003	14.50	11.67	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	13.81	12.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	1/28/2004	13.09	13.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.97	11.20	180	60	0.56	1.9	ND<0.5	ND<5.0	-	a
	7/23/2004	14.15	12.02	130	36	ND<0.5	0.65	ND<0.5	ND<5.0	-	a
	10/12/2004	16.30	9.87	ND<50	2.5	1.5	ND<0.5	0.86	ND<5.0	-	
	2/14/2005	13.85	12.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/27/2005	13.35	12.82	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	7/19/2005	14.68	11.49	4,500	1,400	6.5	160	58	630	-	a
	10/18/2005	15.15	11.02	1,700	340	ND<5.0	28	ND<5.0	8,000	7,200	a
	1/23/2006	13.27	12.90	3,100	790	6.5	79	32	4,200	5,100	a
	4/12/2006	12.33	13.84	7,200	2,600	110	350	320	5,600	4,000	a
	7/10/2006	14.93	11.24	2,700	550	4.2	77	47	5,500	8,300	a
	10/16/2006	16.51	9.66	2,000	470	6.4	38	13	6,300	6,400	a
	1/26/2007	16.87	9.30	3,300	600	36	34	27	6,200	5,900	a
	4/18/2007	16.77	9.40	5,400	1,400	170	210	350	3,600	4,700	a,i
	8/2/2007	17.21	8.96	6,100	1,200	130	140	240	5,300	5,400	a
	10/23/2007	17.67	8.50	2,600	740	53	60	110	5,800	6,900	a,h,Sheen ^{Lab}
	1/30/2008	16.66	9.51	1,900	380	2.6	15	20	2,400	2,800	a
	4/18/2008	17.14	9.03	1,500	320	4.5	13	25	2,900	2,900	a
	7/28/2008	17.70	8.47	1,100	240	3.6	6.9	15	1,600	1,800	a
MW-2	8/13/1993	17.05	13.46	34,000	6,800	10,000	740	3,900	-	-	
30.51	12/14/1993	18.28	12.23	16,000	3,200	4,200	500	1,700	-	-	
	4/15/1994	18.10	12.41	23,000	2,500	4,200	470	1,800	-	-	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
MW-2	12/29/1994	17.40	13.11	-	-	-	-	-	-	-	
	7/19/1996	16.72	13.79	90,000	7,300	14,000	1,600	7,300	-	-	odor
(cont.)	1/27/1997	14.89	15.62	63,000	7,100	13,000	1,600	7,100	500	-	b, odor
	6/18/1997	17.12	13.39	52,000	5,100	10,000	1,400	6,000	ND<200	-	b
	9/18/1997	17.63	12.88	110,000	9,400	23,000	2,600	13,000	ND<890	-	b, sheen/odor
	12/10/1997	16.98	13.53	39,000	2,600	5,300	940	3,900	780	320	b, odor
	2/18/1998	12.61	17.90	85,000	9,000	19,000	2,300	11,000	2,400	-	b
	5/12/1998	14.45	16.06	110,000	9,500	21,000	2,500	12,000	ND<1,200	-	b
	8/18/1998	16.14	14.37	64,000	6,000	13,000	1,700	7,800	2,000	1,300	a, b
	11/24/1998	16.70	13.81	78,000	5,300	14,000	2,300	11,000	ND<2,000	-	b,h,Sheen ^{Lab}
	2/4/1999	18.39	12.12	66,000	5,800	16,000	2,600	12,000	3,000	-	b,h,Sheen ^{Lab}
	5/18/1999	15.90	14.61	78,000	6,700	17,000	2,400	10,000	4,300	-	b
	8/27/1999	16.79	13.72	91,000	7,400	17,000	2,300	11,000	1,200	1,000	a, b
	11/18/1999	17.32	13.19	180,000	7,000	20,000	3,300	16,000	ND<6,000	1,700	b,h,Sheen ^{Lab}
	2/29/2000	14.37	16.14	86,000	5,500	13,000	2,000	9,500	3,500	4,700	a
	5/25/2000	16.01	14.50	110,000	6,300	14,000	2,400	10,000	7,500	6,500	a,b,h,Sheen ^{Lab}
	8/9/2000	17.02	13.49	77,000	5,000	13,000	2,000	8,600	5,900	-	b
	11/9/2000	17.00	13.51	70,000	4,800	12,000	1,900	8,000	9,400	8,300	b
	1/29/2001	18.31	12.20	110,000	8,200	21,000	2,800	13,000	2,500	1,900	b,h,Sheen ^{Lab}
	4/16/2001	18.59	11.92	97,000	7,400	15,000	2,500	12,000	ND<3,000	ND<50	b,h,Sheen ^{Lab}
	8/14/2001	18.74	11.77	97,000	6,200	14,000	2,400	13,000	ND<250	ND<50	a,j
	10/22/2001	18.27	12.24	71,000	5,900	15,000	2,400	12,000	ND<1,400	150	a
	2/1/2002	18.05	12.46	1,400	11	88	44	210	ND<5.0	-	a
	5/10/2002	17.15	13.36	97,000	4,500	15,000	2,500	12,000	ND<3,000	-	a,h,Sheen ^{Lab}
	7/8/2002	15.30	15.21	42,000	2,100	6,500	2,200	8,800	ND<1,000	65	a
	10/2/2002	15.89	14.62	70,000	1,700	5,700	1,900	8,300	ND<1,700	-	a
	1/23/2003	17.51	13.00	40,000	1,900	7,800	1,200	5,600	ND<1,000	-	a

TABLE 2

4 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g/L}$)</i>	<i>Benzene ($\mu\text{g/L}$)</i>	<i>Toluene ($\mu\text{g/L}$)</i>	<i>Ethylbenzene ($\mu\text{g/L}$)</i>	<i>Xylenes ($\mu\text{g/L}$)</i>	<i>MTBE by 8021B ($\mu\text{g/L}$)</i>	<i>MTBE by 8260B ($\mu\text{g/L}$)</i>	<i>Notes</i>
MW-2	4/29/2003	15.31	15.20	82,000	2,500	11,000	2,200	9,400	ND<2,000	-	a
(cont.)	7/18/2003	16.84	10.69	57,000	2,100	8,700	2,200	10,000	-	ND<50	a
27.53	10/9/2003	16.05	11.48	49,000	1,800	7,000	1,700	7,600	ND<1,500	26	a
	1/28/2004	15.39	12.14	550	21	33	3.0	61	ND<100	-	a
	4/7/2004	16.01	11.52	41,000	2,500	11,000	1,900	8,000	ND<2,000	-	a
	7/23/2004	15.30	12.23	81,000	2,000	12,000	2,500	12,000	ND<2,000	-	a,h,Sheen ^{Field & Lab}
	10/12/2004	17.87	9.66	75,000	2,600	13,000	2,300	11,000	ND<1,300	-	a
	2/14/2005	14.80	12.73	75,000	2,600	12,000	2,400	10,000	ND<1,800	-	a,h,Sheen ^{Lab}
	4/27/2005	14.63	12.90	61,000	2,800	11,000	1,600	7,000	ND<2,700	-	a
	7/19/2005	15.60	11.93	90,000	3,700	14,000	2,600	10,000	ND<7,000	-	a
	10/18/2005	16.08	11.45	77,000	3,300	14,000	2,400	11,000	7,900	6,400	a
	1/23/2006	14.20	13.33	54,000	1,600	8,000	1,600	6,700	6,600	7,000	a
	4/12/2006	12.51	15.02	43,000	1,800	7,800	1,300	5,200	6,400	4,900	a
	7/10/2006	14.76	12.77	86,000	2,800	11,000	2,100	9,600	ND<6,500	400	a,h,Sheen ^{Lab}
	10/16/2006	16.74	10.79	110,000	3,600	16,000	2,400	12,000	ND<6,000	2,700	a,h,Sheen ^{Lab}
	1/26/2007	17.10	10.43	120,000	3,900	16,000	2,300	10,000	ND<5,000	3,000	a,h,i,Sheen ^{Lab}
	4/18/2007	17.02	10.51	100,000	3,500	18,000	2,500	12,000	5,200	3,400	a,h,i,Sheen ^{Lab}
	8/2/2007	17.47	10.06	61,000	2,700	11,000	1,800	7,600	6,400	4,600	a,h,Sheen ^{Lab}
	10/23/2007	17.94	9.59	56,000	3,100	13,000	1,800	8,100	4,500	4,300	a
	1/30/2008	16.99	10.54	52,000	2,700	11,000	1,700	7,300	5,300	4,700	a
	4/18/2008	17.41	10.12	64,000	3,400	13,000	1,800	8,100	ND<4,000	2,200	a,h,i,Sheen ^{Lab}
	7/28/2008	17.99	9.54	51,000	2,000	6,200	1,300	2,700	ND<2,600	1,500	a,i,Sheen ^{field}
MW-3	8/13/1993	17.05	12.72	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	-	-	No SVOCs.
29.77	12/14/1993	17.70	12.07	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	-	-	
	4/15/1994	17.40	12.37	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	

TABLE 2

5 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g/L}$)</i>	<i>Benzene ($\mu\text{g/L}$)</i>	<i>Toluene ($\mu\text{g/L}$)</i>	<i>Ethylbenzene ($\mu\text{g/L}$)</i>	<i>Xylenes ($\mu\text{g/L}$)</i>	<i>MTBE by 8021B ($\mu\text{g/L}$)</i>	<i>MTBE by 8260B ($\mu\text{g/L}$)</i>	<i>Notes</i>
TOC	12/29/1994	16.80	12.97	-	-	-	-	-	-	-	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
MW-3	7/19/1996	16.28	13.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
(cont.)	1/27/1997	13.83	15.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.53	13.24	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	9/18/1997	17.07	12.70	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	16.15	13.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	11.80	17.97	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	13.85	15.92	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.57	14.20	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.04	13.73	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/4/1999	17.80	11.97	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.29	14.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	16.15	13.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	16.77	13.00	-	-	-	-	-	-	-	
	2/29/2000	13.71	16.06	ND<50	2	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/25/2000	15.46	14.31	-	-	-	-	-	-	-	
	8/9/2000	16.46	13.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.25	13.52	-	-	-	-	-	-	-	
	1/29/2001	16.52	13.25	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	16.95	12.82	-	-	-	-	-	-	-	
	8/14/2001	17.11	12.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	16.50	13.27	-	-	-	-	-	-	-	
	2/1/2002	16.90	12.87	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/10/2002	15.03	14.74	-	-	-	-	-	-	-	
	7/8/2002	14.45	15.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/2/2002	15.03	14.74	-	-	-	-	-	-	-	
	1/23/2003	15.48	14.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	12.49	17.28	-	-	-	-	-	-	-	
26.79	7/18/2003	14.80	11.99	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	14.13	12.66	-	-	-	-	-	-	-	

TABLE 2

7 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
MW-3	1/28/2004	13.47	13.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
(cont.)	4/7/2004	15.41	11.38	-	-	-	-	-	-	-	
	7/23/2004	14.54	12.25	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/12/2004	16.58	10.21	-	-	-	-	-	-	-	
	2/14/2005	14.19	12.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/27/2005	13.68	13.11	-	-	-	-	-	-	-	
	7/19/2005	15.15	11.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/18/2005	15.60	11.19	-	-	-	-	-	-	-	
	1/23/2006	13.65	13.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	270	260	
	4/12/2006	11.94	14.85	-	-	-	-	-	-	-	
	7/10/2006	14.48	12.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	1,100	1,600	
	10/16/2006	16.19	10.60	-	-	-	-	-	-	-	
	1/26/2007	16.56	10.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	2,500	3,400	
	4/18/2007	16.45	10.34	-	-	-	-	-	-	-	
	8/2/2007	16.92	9.87	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3,300	3,500	
	10/23/2007	17.42	9.37	-	-	-	-	-	-	-	
	1/30/2008	16.45	10.34	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<2.5	8,400	10,000	1
	4/18/2008	16.87	9.92	-	-	-	-	-	-	-	
	7/28/2008	17.41	9.38	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<2.5	6,400	6,900	1
MW-4	12/16/1994	18.10	13.08	2,500	32	6.5	4.5	17	-	-	
31.18	12/29/1994	17.95	13.23	-	-	-	-	-	-	-	
	7/19/1996	17.38	13.80	3,300	520	39	67	60	-	-	
	1/27/1997	15.25	15.93	4,500	860	55	100	91	1,100	-	b
	6/18/1997	17.61	13.57	2,700	700	52	81	76	2,200	2,300	a, b
	9/18/1997	18.01	13.17	3,900	760	38	56	64	ND<170	-	b
	12/10/1997	17.45	13.73	12,000	1,800	120	210	210	2,900	2,600	a, b

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
MW-4	2/18/1998	13.09	18.09	1,700	210	8	6.7	16	200	-	b
	5/12/1998	14.78	16.40	2,100	300	15	36	34	920	-	b, c
(cont.)	8/18/1998	16.59	14.59	4,700	1,000	130	110	150	5,200	4,900	a, b
	11/24/1998	17.18	14.00	3,000	810	44	76	94	4,800	-	b
	2/4/1999	18.90	12.28	2,800	770	50	69	69	3,100	-	b
	5/18/1999	16.30	14.88	4,000	780	57	7.7	79	4,800	-	b
	8/27/1999	17.21	13.97	4,100	870	51	74	99	3,300	4,100	a, b
	11/18/1999	17.77	13.41	3,000	760	43	67	65	5,100	5,400	b
	2/29/2000	14.85	16.33	4,600	1,000	64	94	170	4,100	4,600	a
	5/25/2000	16.45	14.73	2,600	540	39	59	41	3,500	5,300	b
	8/9/2000	17.47	13.71	4,400	930	66	98	79	9,400	-	b
	11/9/2000	17.45	13.73	4,200	630	34	54	44	7,800	9,400	b
	1/29/2001	18.90	12.28	3,100	710	34	66	51	9,400	8,000	b
	4/16/2001	19.17	12.01	160	1.2	1.3	ND<0.5	12	22	20	b
	8/14/2001	19.20	11.98	1,700	190	11	35	13	300	250	b
	10/22/2001	18.95	12.23	1,100	120	3.7	29	7.9	ND<25	16	a
	2/1/2002	19.05	12.13	2,600	25	43	21	280	ND<5.0	-	a
	5/10/2002	17.69	13.49	490	3.5	2.0	2.1	2.2	ND<5.0	-	a
	7/8/2002	15.75	15.43	170	0.51	0.62	1.6	1.2	ND<5.0	2.0	m
	10/2/2002	16.30	14.88	240	1.7	2.0	2.2	0.88	ND<5.0	-	a
	1/23/2003	17.74	13.44	ND<50	0.52	4.1	ND<0.5	1.9	ND<5.0	-	
	4/29/2003	15.47	15.71	1,300	75	4.8	21	7.3	130	120	a
28.20	7/18/2003	17.08	11.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	0.74	a
	10/9/2003	16.25	11.95	210	4.7	0.57	1.6	1.1	ND<10	10	a
	1/28/2004	15.65	12.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	a
	4/7/2004	16.49	11.71	-	-	-	-	-	-	-	
	4/12/2004	-	-	770	56	3.2	7.0	6.5	120	160	a
	7/23/2004	15.86	12.34	1,100	130	11	17	17	790	800	a

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
MW-4 <i>(cont.)</i>	10/12/2004	18.05	10.15	150	0.86	ND<0.5	ND<0.5	0.97	ND<10	-	a
	2/14/2005	15.30	12.90	1,500	200	16	30	31	420	550	a
	4/27/2005	14.20	14.00	3,000	520	100	27	86	600	480	a
	7/19/2005	16.08	12.12	1,800	310	16	36	25	1,000	1,100	a
	10/18/2005	16.55	11.65	2,500	450	28	47	51	3,800	4,500	a
	1/23/2006	14.66	13.54	1,300	170	13	14	14	2,500	3,300	a
	4/12/2006	12.92	15.28	940	150	12	7.6	12	3,400	3,300	a
	7/10/2006	15.38	12.82	1,700	260	14	26	20	4,300	5,900	a
	10/16/2006	17.21	10.99	3,200	440	26	34	63	7,800	7,500	a
	1/26/2007	17.58	10.62	2,000	290	20	28	42	8,300	8,300	a
	4/18/2007	17.46	10.74	2,300	350	28	38	42	5,900	7,800	a,i
	8/2/2007	17.95	10.25	3,600	480	33	47	72	7,500	9,000	a
	10/23/2007	18.41	9.79	1,700	280	13	27	25	7,000	8,800	a
	1/30/2008	17.49	10.71	1,300	130	4.9	13	12	6,500	8,200	a
	4/18/2008	17.90	10.30	2,300	240	14	25	27	6,900	6,400	a
	7/28/2008	18.49	9.71	3,400	390	100	33	100	4,600	5,000	a
MW-5 28.04	12/16/1994	16.07	11.97	ND<50	1.1	ND<0.5	ND<0.5	2.4	-	-	
	12/29/1994	16.10	11.94	-	-	-	-	-	-	-	
	7/19/1996	15.49	12.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	1/27/1997	13.60	14.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	15.55	12.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	9/18/1997	16.16	11.88	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	15.41	12.63	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	10.93	17.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	13.25	14.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	14.75	13.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	15.15	12.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

10 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
MW-5	2/4/1999	14.61	13.43	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	14.15	13.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	15.43	12.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
(cont.)	11/18/1999	15.97	12.07	-	-	-	-	-	-	-	
	2/29/2000	13.16	14.88	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/25/2000	14.72	13.32	-	-	-	-	-	-	-	
	8/9/2000	15.68	12.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	15.39	12.65	-	-	-	-	-	-	-	
	1/29/2001	15.97	12.07	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	16.24	11.80	-	-	-	-	-	-	-	
	8/14/2001	17.39	10.65	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	15.90	12.14	-	-	-	-	-	-	-	
	2/1/2002	16.55	11.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/10/2002	15.12	12.92	-	-	-	-	-	-	-	
	7/8/2002	15.92	12.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/2/2002	16.42	11.62	-	-	-	-	-	-	-	
	1/23/2003	14.90	13.14	ND<50	20	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	12.05	15.99	-	-	-	-	-	-	-	
25.07	7/18/2003	14.28	10.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	13.36	11.71	-	-	-	-	-	-	-	
	1/28/2004	12.68	12.39	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.71	10.36	-	-	-	-	-	-	-	
	7/23/2004	13.49	11.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	10/12/2004	15.88	9.19	-	-	-	-	-	-	-	
	2/14/2005	13.22	11.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	4/27/2005	13.40	11.67	-	-	-	-	-	-	-	
	7/19/2005	14.21	10.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	10/18/2005	14.79	10.28	-	-	-	-	-	-	-	

TABLE 2

11 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
MW-6 <i>cont.</i>	1/23/2006	13.12	11.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	4/12/2006	11.39	13.68	-	-	-	-	-	-	-	
	7/10/2006	14.40	10.67	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	25	-	i
	10/16/2006	15.44	9.63	-	-	-	-	-	-	-	
	1/26/2007	15.76	9.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	490	-	
	4/18/2007	15.61	9.46	-	-	-	-	-	-	-	
	8/2/2007	16.04	9.03	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	660	760	
	10/23/2007	16.89	8.18	-	-	-	-	-	-	-	
	1/30/2008	15.61	9.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	250	280	
MW-6 29.10	4/18/2008	15.99	9.08	-	-	-	-	-	-	-	
	7/28/2008	16.45	8.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	640	670	
	12/16/1994	17.74	11.36	-	-	-	-	-	-	-	
	12/29/1994	17.40	11.70	-	-	-	-	-	-	-	
	7/19/1996	16.60	12.50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	1/27/1997	14.88	14.22	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.73	12.37	51	22	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	c
	9/18/1997	17.24	11.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	16.56	12.54	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	12.93	16.17	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	14.35	14.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.94	13.16	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.46	12.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/4/1999	18.25	10.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.73	13.37	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	15.64	13.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	17.04	12.06	-	-	-	-	-	-	-	
	2/29/2000	14.55	14.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

12 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
MW-6 <i>(cont.)</i>	5/25/2000	15.86	13.24	-	-	-	-	-	-	-	
	8/9/2000	16.80	12.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.60	12.50	-	-	-	-	-	-	-	
	1/29/2001	17.00	12.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	17.15	11.95	-	-	-	-	-	-	-	
	8/14/2001	17.30	11.80	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	17.13	11.97	-	-	-	-	-	-	-	
	2/1/2002	16.57	12.53	70	37	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	a
	5/10/2002	15.25	13.85	-	-	-	-	-	-	-	
	7/8/2002	15.79	13.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
26.13	10/2/2002	16.38	12.72	-	-	-	-	-	-	-	
	1/23/2003	16.03	13.07	ND<50	21	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	14.19	14.91	-	-	-	-	-	-	-	
	7/18/2003	15.47	10.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	14.73	11.40	-	-	-	-	-	-	-	
	1/28/2004	14.05	12.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.41	11.72	-	-	-	-	-	-	-	
	7/23/2004	15.15	10.98	3,300	1,300	ND<5.0	52	9.7	ND<50	-	a
	10/12/2004	17.29	8.84	-	-	-	-	-	-	-	
	2/14/2005	14.60	11.53	350	160	ND<0.5	ND<0.5	ND<0.5	ND<25	2.0	a,i
	4/27/2005	14.10	12.03	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	7/19/2005	15.18	10.95	110	15	ND<0.5	0.62	ND<0.5	ND<5.0	1.7	a,i
	10/18/2005	15.65	10.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	0.87	i
	1/23/2006	14.02	12.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	0.50	i
	4/12/2006	12.66	13.47	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	7/10/2006	14.64	11.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/16/2006	16.50	9.63	-	-	-	-	-	-	-	
	1/26/2007	16.83	9.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	

TABLE 2

13 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
MW-6 (cont.)	4/18/2007	16.72	9.41	-	-	-	-	-	-	-	-
	8/2/2007	17.13	9.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/23/2007	17.71	8.42	-	-	-	-	-	-	-	
	1/30/2008	16.54	9.59	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	4/18/2008	17.02	9.11	-	-	-	-	-	-	-	
	7/28/2008	17.50	8.63	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
MW-7 29.67	12/16/1994	17.07	12.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/29/1994	17.65	12.02	-	-	-	-	-	-	-	
	7/19/1996	16.44	13.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	1/27/1997	15.09	14.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.59	13.08	73	ND<0.5	0.55	ND<0.5	ND<0.5	ND<5.0	-	d
	9/18/1997	17.06	12.61	94	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	b, f
	12/10/1997	16.58	13.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	12.60	17.07	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	14.81	14.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.67	14.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.30	13.37	200	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	d
	2/4/1999	15.99	13.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.42	14.25	200	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	d
	8/27/1999	16.35	13.32	140	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	16.81	12.86	--	--	--	--	--	--	-	
	2/29/2000	14.16	15.51	100	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	f
	5/25/2000	15.54	14.13	--	--	--	--	--	--	-	
	8/9/2000	16.56	13.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.45	13.22	-	-	-	-	-	-	-	
	1/29/2001	16.92	12.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	17.03	12.64	-	-	-	-	-	-	-	
	8/14/2001	17.27	12.40	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

14 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
26.70	10/22/2001	16.95	12.72	-	-	-	-	-	-	-	-
MW-7	2/1/2002	16.14	13.53	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	-
(cont.)	5/10/2002	15.30	14.37	-	-	-	-	-	-	-	-
	7/8/2002	15.73	13.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	-
	10/2/2002	16.24	13.43	-	-	-	-	-	-	-	-
	1/23/2003	15.70	13.97	ND<50	23	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	-
	4/29/2003	12.68	16.99	-	-	-	-	-	-	-	-
	7/18/2003	15.19	11.51	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	-
	10/9/2003	14.45	12.25	-	-	-	-	-	-	-	-
	1/28/2004	13.88	12.82	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	-
	4/7/2004	15.71	10.99	-	-	-	-	-	-	-	-
	7/23/2004	14.85	11.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	130	120	-
	10/12/2004	16.90	9.80	-	-	-	-	-	-	-	-
	2/14/2005	14.42	12.28	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	190	200	-
	4/27/2005	13.75	12.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.3	-
	7/19/2005	14.91	11.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	65	66	-
	10/18/2005	15.40	11.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	12	15	-
	1/23/2006	13.99	12.71	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.2	-
	4/12/2006	12.32	14.38	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.0	-
	7/10/2006	14.31	12.39	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.5	-
	10/16/2006	16.23	10.47	-	-	-	-	-	-	-	-
	1/26/2007	16.61	10.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	-
	4/18/2007	16.54	10.16	-	-	-	-	-	-	-	-
	8/2/2007	16.93	9.77	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.2	-
	10/23/2007	17.36	9.34	-	-	-	-	-	-	-	-
	1/30/2008	16.36	10.34	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	-
	4/18/2008	16.85	9.85	-	-	-	-	-	-	-	-

TABLE 2

15 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

<i>Well ID/ Sample ID</i> <i>TOC</i>	<i>Date Sampled</i>	<i>TOC Depth to Water (ft)</i>	<i>Groundwater Elevation (ft-msl)</i>	<i>TPHg ($\mu\text{g}/\text{L}$)</i>	<i>Benzene ($\mu\text{g}/\text{L}$)</i>	<i>Toluene ($\mu\text{g}/\text{L}$)</i>	<i>Ethylbenzene ($\mu\text{g}/\text{L}$)</i>	<i>Xylenes ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8021B ($\mu\text{g}/\text{L}$)</i>	<i>MTBE by 8260B ($\mu\text{g}/\text{L}$)</i>	<i>Notes</i>
	7/28/2008	17.43	9.27	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.1	i
VW-3	3/6/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	3/25/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i

TABLE 2

16 of 16

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g}/\text{L}$)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Xylenes ($\mu\text{g}/\text{L}$)	MTBE by 8021B ($\mu\text{g}/\text{L}$)	MTBE by 8260B ($\mu\text{g}/\text{L}$)	Notes
TOC											
VW-4	3/6/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	3/25/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
Trip Blank	11/9/2000	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/14/2005	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

Abbreviations and Analyses:

µg/L = Micrograms per liter

ND<0.5 = Not Detected (ND) above laboratory detection limit.

- = Not sampled; not analyzed; not applicable; or no SPH measured or observed

TOC = Top of casing elevation, measured in feet, relative to mean sea level

ft = Measured in feet

ft-msl = Elevation in feet relative to mean sea level

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method

Benzene, ethylbenzene, toluene and xylenes by EPA Method SW8021B.

MTBE = Methyl tertiary butyl ether by EPA Method SW8021B and/or SW821

SVOCs = Semi-Volatile Organic Compounds (EPA Method 8270)

Wells were re-surveyed on October 27, 2003 to City of Oakland Benchmark

TOC Depth to Water = Groundwater depth measured in feet below TOC.

Sheen = A sheen was observed on the water's surface.

Field = Observed in the field

Lab = Observed in analytical laboratory

Analytical Laboratory Notes:

a = "unmodified or weakly modified gasoline is significant"

b = "heavier gasoline range compounds are significant"

c = "lighter gasoline range compounds are significant"

d = "isolated peaks are present"

f = "hydrocarbons with no recognizable patterns are present"

h = "lighter than water immiscible sheen/product is present"

i = "sample contains greater than ~1 vol. % sediment"

j = "sample was diluted due to high organic content"

k = "reporting limit raised due to high MTBE content"

m = "no recognizable pattern"

APPENDIX A

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

Conestoga-Rovers & Associates

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

This document presents standard field methods for groundwater monitoring, purging and sampling, and well development. These procedures are designed to comply with Federal, State and local regulatory guidelines. CRA's specific field procedures are summarized below.

Groundwater Elevation Monitoring

Prior to performing monitoring activities, the historical monitoring and analytical data of each monitoring well shall be reviewed to determine if any of the wells are likely to contain non-aqueous phase liquid (NAPL) and to determine the order in which the wells will be monitored (i.e. cleanest to dirtiest). Groundwater monitoring should not be performed when the potential exists for surface water to enter the well (i.e. flooding during a rainstorm).

Prior to monitoring, each well shall be opened and the well cap removed to allow water levels to stabilize and equilibrate. The condition of the well box and well cap shall be observed and recommended repairs noted. Any surface water that may have entered and flooded the well box should be evacuated prior to removing the well cap. In wells with no history of NAPL, the static water level and total well depth shall be measured to the nearest 0.01 foot with an electronic water level meter. Wells with the highest contaminant concentrations shall be measured last. In wells with a history of NAPL, the NAPL level/thickness and static water level shall be measured to the nearest 0.01 foot using an electronic interface probe. The water level meter and/or interface probe shall be thoroughly cleaned and decontaminated at the beginning of the monitoring event and between each well. Monitoring equipment shall be washed using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water.

Groundwater Purging and Sampling

Prior to groundwater purging and sampling, the historical analytical data of each monitoring well shall be reviewed to determine the order in which the wells should be purged and sampled (i.e. cleanest to dirtiest). No purging or groundwater sampling shall be performed on wells with a measurable thickness of NAPL or floating NAPL globules. If a sheen is observed, the well should be purged and a groundwater sample collected only if no NAPL is present. Wells shall be purged either by hand using a disposal or PVC bailer or by using an aboveground pump (e.g. peristaltic or Wattera™) or down-hole pump (e.g. Grundfos™ or DC Purger pump).

Groundwater wells shall be purged approximately three to ten well-casing volumes (depending on the regulatory agency requirements) or until groundwater parameters of temperature, pH, and conductivity have stabilized to within 10% for three consecutive readings. Temperature, pH, and conductivity shall be measured and recorded at least once per well casing volume removed. The total volume of groundwater removed shall be recorded along with any other notable physical characteristic such as color and odor. If required, field parameters such as turbidity, dissolved oxygen (DO), and oxidation-reduction potential (ORP) shall also be measured prior to collection of each groundwater sample.

Groundwater samples shall be collected after the well has been purged. If the well is slow to recharge, a sample shall be collected after the water column is allowed to recharge to 80% of the pre-purging static water level. If the well does not recover to 80% in 2 hours, a sample shall be collected once there is enough groundwater in the well. Groundwater samples shall be collected using clean disposable bailers or pumps (if an operating remediation system exists on site and the project manager approves of its use for sampling) and shall be decanted into clean containers

Conestoga-Rovers & Associates

supplied by the analytical laboratory. New latex gloves and disposable tubing or bailers shall be used for sampling each well. If a PVC bailer or down-hole pump is used for groundwater purging, it shall be decontaminated before purging each well by using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water. If a submersible pump with non-dedicated discharge tubing is used for groundwater purging, both the inside and outside of pump and discharge tubing shall be decontaminated as described above.

Sample Handling

Except for samples that will be tested in the field, or that require special handling or preservation, samples shall be stored in coolers chilled to 4° C for shipment to the analytical laboratory. Samples shall be labeled, placed in protective foam sleeves or bubble wrap as needed, stored on crushed ice at or below 4° C, and submitted under chain-of-custody (COC) to the laboratory. The laboratory shall be notified of the sample shipment schedule and arrival time. Samples shall be shipped to the laboratory within a time frame to allow for extraction and analysis to be performed within the standard sample holding times.

Sample labels shall be filled out using indelible ink and must contain the site name; field identification number; the date, time, and location of sample collection; notation of the type of sample; identification of preservatives used; remarks; and the signature of the sampler. Field identification must be sufficient to allow easy cross-reference with the field datasheet.

All samples submitted to the laboratory shall be accompanied by a COC record to ensure adequate documentation. A copy of the COC shall be retained in the project file. Information on the COC shall consist of the project name and number; project location; sample numbers; sampler/recorder's signature; date and time of collection of each sample; sample type; analyses requested; name of person receiving the sample; and date of receipt of sample.

Laboratory-supplied trip blanks shall accompany the samples and be analyzed to check for cross-contamination, if requested by the project manager.

Waste Handling and Disposal

Groundwater extracted during sampling shall be stored onsite in sealed U.S. DOT H17 55-gallon drums and shall be labeled with the contents, date of generation, generator identification, and consultant contact. Extracted groundwater may be disposed offsite by a licensed waste handler or may be treated and discharged via an operating onsite groundwater extraction/treatment system.

APPENDIX B

CERTIFIED ANALYTICAL REPORTS AND
CHIIAIN OF CUSTODY DOCUMENTATION



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #231116; BoGin	Date Sampled: 07/28/08
		Date Received: 07/28/08
	Client Contact: Mark Jonas	Date Reported: 08/04/08
	Client P.O.:	Date Completed: 08/01/08

WorkOrder: 0807648

August 04, 2008

Dear Mark:

Enclosed within are:

- 1) The results of the 7 analyzed samples from your project: **#231116; BoGin**,
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing
McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.

0807648

McCAMPBELL ANALYTICAL, INC.

1534 WILLOW PASS ROAD
PITTSBURG, CA 94565-1701

Website: www.mccampbell.com **Email:** main@mccampbell.com
Telephone: (877) 252-9262 **Fax:** (925) 252-9265

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

SH 24 HR 48 HR 72 HR 5 DAY

[GeoTracker EDF](#) PDF Excel Write On (DW)

Report To:	Mark Jones		Bill To:	Coneasta-Rovers & Associates		Analysis Request	Other	Comments									
Company:	Coneasta-Rovers & Associates 5900 Hollis St., Ste: A Emeryville, CA		E-Mail:	mjones@coneworltd.com													
Tele:	(510)420-3307		Fax:	(510)420-9170													
Project #:	231116		Project Name:	Bo Gin													
Project Location:	706 Harrison Street, Oakland, CA		Sampler Signature:	Muskan Environmental Sampling ll													
SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX	METHOD PRESERVED										
		Date	Time						Water	Soil	Air	Sludge	Other	ICE	HCL	HNO ₃	Other
MN-1		7-28-08	11:35	4	Vials	X											
MN-2			12:15														
MN-3			11:15														
MN-4			11:55														
MN-5			10:20														
MN-6			9:00														
MN-7			9:30														
Relinquished By:		Date:	Time:	Received By:		ICE/t [°] 7.4 GOOD CONDITION HEAD SPACE ABSENT DECHLORINATED IN LAB APPROPRIATE CONTAINERS PRESERVED IN LAB		COMMENTS:									
		7/28/08 2:05		K. Burke													
Relinquished By:		Date:	Time:	Received By:													
Relinquished By:		Date:	Time:	Received By:		VOAS / O&G PRESERVATION		METALS	OTHER	pH<2							

McCampbell Analytical, Inc.

 1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WorkOrder: 0807648

ClientCode: CETE

WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:

Mark Jonas
Conestoga-Rovers & Associates
5900 Hollis St, Suite A
Emeryville, CA 94608
(510) 420-0700 FAX (510) 420-9170

Email: mjonas@CRAworld.com
cc:
PO:
ProjectNo: #231116; BoGin

Bill to:

Accounts Payable
Conestoga-Rovers & Associates
5900 Hollis St, Ste. A
Emeryville, CA 94608

Requested TAT: 5 days

Date Received: 07/28/2008

Date Printed: 07/28/2008

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
0807648-001	MW-1	Water	7/28/2008 11:35	<input type="checkbox"/>	A	B	A									
0807648-002	MW-2	Water	7/28/2008 12:15	<input type="checkbox"/>	A	B										
0807648-003	MW-3	Water	7/28/2008 11:15	<input type="checkbox"/>	A	B										
0807648-004	MW-4	Water	7/28/2008 11:55	<input type="checkbox"/>	A	B										
0807648-005	MW-5	Water	7/28/2008 10:20	<input type="checkbox"/>	A	B										
0807648-006	MW-6	Water	7/28/2008 9:00	<input type="checkbox"/>	A	B										
0807648-007	MW-7	Water	7/28/2008 9:30	<input type="checkbox"/>	A	B										

Test Legend:

1	G-MBTEX_W
6	
11	

2	MTBE_W
7	
12	

3	PREDF REPORT
8	

4	
9	

5	
10	

Prepared by: Maria Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

**McCampbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Sample Receipt Checklist

Client Name: **Conestoga-Rovers & Associates**Date and Time Received: **07/28/08 3:27:54 PM**Project Name: **#231116; BoGin**Checklist completed and reviewed by: **Maria Venegas**WorkOrder N°: **0807648** Matrix WaterCarrier: Client Drop-In

Chain of Custody (COC) Information

- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Sample IDs noted by Client on COC? Yes No
- Date and Time of collection noted by Client on COC? Yes No
- Sampler's name noted on COC? Yes No

Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes No NA
- Shipping container/cooler in good condition? Yes No
- Samples in proper containers/bottles? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes No
- Container/Temp Blank temperature Cooler Temp: 12.6°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
- Sample labels checked for correct preservation? Yes No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes No NA

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments:



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #231116; BoGin	Date Sampled: 07/28/08
		Date Received: 07/28/08
	Client Contact: Mark Jonas	Date Extracted: 07/30/08-08/02/08
	Client P.O.:	Date Analyzed 07/30/08-08/02/08

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method SW5030B

Analytical methods SW8021B/8015Cm

Work Order: 0807648

Reporting Limit for DF =1; ND means not detected at or	W	50	5.0	0.5	0.5	0.5	0.5	µg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram: sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

a5) reporting limit raised due to high MTBE content

b1) aqueous sample that contains greater than ~ 1 vol. % sediment

d1) weakly modified or unmodified gasoline is significant.



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #231116; BoGin	Date Sampled: 07/28/08
		Date Received: 07/28/08
	Client Contact: Mark Jonas	Date Extracted: 07/31/08
	Client P.O.:	Date Analyzed 07/31/08

Methyl tert-Butyl Ether*

Extraction method SW5030B

Analytical methods SW8260B

Work Order: 0807648

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	0.5	µg/L
	S	NA	NA

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

b1) aqueous sample that contains greater than \approx 1 vol. % sediment



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 37213

WorkOrder 0807648

EPA Method SW8021B/8015Cm		Extraction SW5030B								Spiked Sample ID: 0807642-004			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)				
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH(btex) ^f	ND	60	93.5	94.7	1.25	98	97.5	0.473	70 - 130	20	70 - 130	20	
MTBE	ND	10	101	103	1.93	110	112	1.91	70 - 130	20	70 - 130	20	
Benzene	ND	10	91.8	92.9	1.18	104	106	1.93	70 - 130	20	70 - 130	20	
Toluene	ND	10	82.1	84.4	2.78	104	105	0.764	70 - 130	20	70 - 130	20	
Ethylbenzene	ND	10	92.4	94.1	1.84	109	110	1.00	70 - 130	20	70 - 130	20	
Xylenes	ND	30	91.2	92	0.854	122	123	0.951	70 - 130	20	70 - 130	20	
%SS:	95	10	96	97	1.57	95	96	0.617	70 - 130	20	70 - 130	20	

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 37213 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0807648-001A	07/28/08 11:35 AM	07/30/08	07/30/08 11:04 PM	0807648-001A	07/28/08 11:35 AM	08/01/08	08/01/08 9:11 AM
0807648-002A	07/28/08 12:15 PM	08/02/08	08/02/08 6:31 AM	0807648-003A	07/28/08 11:15 AM	07/31/08	07/31/08 12:04 AM
0807648-003A	07/28/08 11:15 AM	08/01/08	08/01/08 9:42 AM	0807648-004A	07/28/08 11:55 AM	07/31/08	07/31/08 12:34 AM
0807648-005A	07/28/08 10:20 AM	07/31/08	07/31/08 8:18 AM	0807648-005A	07/28/08 10:20 AM	08/01/08	08/01/08 2:18 AM
0807648-006A	07/28/08 9:00 AM	07/31/08	07/31/08 8:50 AM	0807648-007A	07/28/08 9:30 AM	08/01/08	08/01/08 1:13 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

^f TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 37214

WorkOrder 0807648

EPA Method SW8260B			Extraction SW5030B								Spiked Sample ID: 0807642-003B			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)					
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD		
Methyl-t-butyl ether (MTBE)	ND	10	109	114	4.27	102	105	2.92	70 - 130	30	70 - 130	30		
%SS1:	98	25	98	98	0	96	96	0	70 - 130	30	70 - 130	30		

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:

NONE

BATCH 37214 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0807648-001B	07/28/08 11:35 AM	07/31/08	07/31/08 1:20 PM	0807648-002B	07/28/08 12:15 PM	07/31/08	07/31/08 2:13 PM
0807648-003B	07/28/08 11:15 AM	07/31/08	07/31/08 2:55 PM	0807648-004B	07/28/08 11:55 AM	07/31/08	07/31/08 3:37 PM
0807648-005B	07/28/08 10:20 AM	07/31/08	07/31/08 4:19 PM	0807648-006B	07/28/08 9:00 AM	07/31/08	07/31/08 5:02 PM
0807648-007B	07/28/08 9:30 AM	07/31/08	07/31/08 5:44 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.

APPENDIX C

FIELD DATA SHEETS



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL GAUGING SHEET

Client: Conestoga-Rovers and Associates						
Site						
Address: 706 Harrison Street, Oakland, CA						
Date: 7/28/2008			Signature: 			
Well ID	Time	Depth to SPH	Depth to Water	SPH Thickness	Depth to Bottom	Comments
MW-1	10:45		17.70		24.45	
MW-2	10:55		17.99		25.81	
MW-3	10:40		17.41		27.75	
MW-4	10:50		18.49		25.60	
MW-5	10:00		16.45		27.84	
MW-6	8:40		17.50		25.90	
MW-7	9:10		17.43		27.73	



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM

Date:	7/28/2008					
Client:	Conestoga-Rovers and Associates					
Site Address:	706 Harrison Street, Oakland, CA					
Well ID:	MW-1					
Well Diameter:	2"					
Purging Device:	Disposable Bailer					
Sampling Method:	Disposable Bailer					
Total Well Depth:	24.45		Fe=	mg/L		
Depth to Water:	17.70		ORP=	mV		
Water Column Height:	6.75		DO=	mg/L		
Gallons/ft:	0.16					
1 Casing Volume (gal):	1.08		COMMENTS: very turbid, silty			
3 Casing Volumes (gal):	3.24					
TIME:	CASING VOLUME (gal)	TEMP (Celsius)	pH	COND. (µS)		
11:25	1.1	18.9	6.92	699		
11:27	2.2	19.0	6.85	698		
11:30	3.2	19.1	6.84	689		
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method
MW-1	7/28/2008	11:35	40 ml VOA	HCl, ICE	TPHg BTEX MTBE	8015, 8021, 8260



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM

Date:	7/28/2008						
Client:	Conestoga-Rovers and Associates						
Site Address:	706 Harrison Street, Oakland, CA						
Well ID:	MW-3						
Well Diameter:	2"						
Purging Device:	Disposable Bailer						
Sampling Method:	Disposable Bailer						
Total Well Depth:	27.75		Fe=	mg/L			
Depth to Water:	17.41		ORP=	mV			
Water Column Height:	10.34		DO=	mg/L			
Gallons/ft:	0.16						
1 Casing Volume (gal):	1.65		COMMENTS: very turbid, silty				
3 Casing Volumes (gal):	4.96						
TIME:	CASING VOLUME (gal)	TEMP (Celsius)	pH	COND. (µS)			
11:05	1.7	18.9	7.06	513			
11:07	3.3	19.0	6.98	527			
11:10	5.0	18.8	6.99	534			
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method	
MW-3	7/28/2008	11:15	40 ml VOA	HCl, ICE	TPHg BTEX MTBE	8015, 8021, 8260	



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM

Date:	7/28/2008					
Client:	Conestoga-Rovers and Associates					
Site Address:	706 Harrison Street, Oakland, CA					
Well ID:	MW-4					
Well Diameter:	2"					
Purging Device:	Disposable Bailer					
Sampling Method:	Disposable Bailer					
Total Well Depth:	25.60		Fe=	mg/L		
Depth to Water:	18.49		ORP=	mV		
Water Column Height:	7.11		DO=	mg/L		
Gallons/ft:	0.16					
1 Casing Volume (gal):	1.14		COMMENTS: very turbid, silty			
3 Casing Volumes (gal):	3.41					
TIME:	CASING VOLUME (gal)	TEMP (Celsius)	pH	COND. (µS)		
11:45	1.1	19.0	6.97	774		
11:47	2.3	19.0	6.99	775		
11:50	3.4	18.9	6.96	773		
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method
MW-4	7/28/2008	11:55	40 ml VOA	HCl, ICE	TPHg BTEX MTBE	8015, 8021, 8260



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM

Date:	7/28/2008							
Client:	Conestoga-Rovers and Associates							
Site Address:	706 Harrison Street, Oakland, CA							
Well ID:	MW-5							
Well Diameter:	2"							
Purging Device:	Disposable Bailer							
Sampling Method:	Disposable Bailer							
Total Well Depth:	27.84		Fe=	mg/L				
Depth to Water:	16.45		ORP=	mV				
Water Column Height:	11.39		DO=	mg/L				
Gallons/ft:	0.16		COMMENTS: very turbid, silty					
1 Casing Volume (gal):	1.82							
3 Casing Volumes (gal):	5.47							
TIME:	CASING VOLUME (gal)	TEMP (Celsius)					pH	COND. (µS)
10:05	1.8	19.3					7.36	509
10:10	3.6	19.5	7.39	511				
10:15	5.5	19.7	7.31	512				
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method		
MW-5	7/28/2008	10:20	40 ml VOA	HCl, ICE	TPHg BTEX MTBE	8015, 8021, 8260		



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL SAMPLING FORM

Date:	7/28/2008						
Client:	Conestoga-Rovers and Associates						
Site Address:	706 Harrison Street, Oakland, CA						
Well ID:	MW-6						
Well Diameter:	2"						
Purging Device:	Disposable Bailer						
Sampling Method:	Disposable Bailer						
Total Well Depth:	25.90		Fe=	mg/L			
Depth to Water:	17.50		ORP=	mV			
Water Column Height:	8.40		DO=	mg/L			
Gallons/ft:	0.16						
1 Casing Volume (gal):	1.34		COMMENTS: very turbid, silty				
3 Casing Volumes (gal):	4.03						
TIME:	CASING VOLUME (gal)	TEMP (Celsius)				pH	COND. (μ S)
8:45	1.3	19.1				7.16	569
8:50	2.7	19.7				7.14	562
8:55	4.0	20.0				7.08	557
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method	
MW-6	7/28/2008	9:00	40 ml VOA	HCl, ICE	TPHg BTEX MTBE	8015, 8021, 8260	




MUSKAN
ENVIRONMENTAL
SAMPLING


WELL SAMPLING FORM

APPENDIX D
BENZENE AND MTBE CONCENTRATION GRAPHS


Monitoring Well MW-1
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-2
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-3
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-4
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-5
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA



Monitoring Well MW-6
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA



Monitoring Well MW-7
Benzene and MTBE Concentration Trends
Former ARCO Service Station, 706 Harrison Street, Oakland, CA



APPENDIX E

FORMER SHELL AND FORMER UNOCAL JOINT GROUNDWATER MONITORING AND ANALYTICAL RESULTS

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 28, 2008
76 Station 0752

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in water Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
07/28/08	34.69	20.15	0.00	14.54	-0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.7	
(Screen Interval in feet: 13.5-33.5)														
MW-2														
07/28/08	34.72	19.90	0.00	14.82	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
(Screen Interval in feet: 15-33)														
07/28/08	33.14	19.00	0.00	14.14	-0.81	--	8300	ND<50	ND<50	ND<50	ND<100	--	13000	
MW-4														
07/28/08	32.71	18.34	0.00	14.37	-0.68	--	480	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	950	
(Screen Interval in feet: 15-33)														
MW-5														
07/28/08	32.95	18.70	0.00	14.25	-0.88	--	2000	12	4.9	3.2	17	--	ND<0.50	
(Screen Interval in feet: 15-32)														
07/28/08	32.16	18.50	0.00	13.66	-1.19	--	500	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	750	
MW-7														
07/28/08	32.20	18.50	0.00	13.70	-0.86	--	64	3.3	ND<0.50	ND<0.50	ND<1.0	--	8.7	
(Screen Interval in feet: 13-33)														
MW-8														
07/28/08	32.00	18.50	0.00	13.50	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
(Screen Interval in feet: 11-29)														

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Ethanol (8260B) (μ g/l)
MW-1 07/28/08	ND<250
MW-2 07/28/08	ND<250
MW-3 07/28/08	ND<25000
MW-4 07/28/08	ND<500
MW-5 07/28/08	ND<250
MW-6 07/28/08	ND<500
MW-7 07/28/08	ND<250
MW-8 07/28/08	ND<250

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 (Screen Interval in feet: 13.5-33.5)														
06/05/91	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
09/30/91	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/30/91	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
04/02/92	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/30/92	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
09/15/92	34.94	--	--	--	--	76	--	1.0	ND	ND	ND	--	--	
12/21/92	34.94	21.17	0.00	13.77	--	95	--	0.69	ND	ND	1.0	--	--	
04/28/93	34.94	--	--	--	--	920	--	3.1	2.3	1.2	9.7	--	--	
07/23/93	34.94	20.13	0.00	14.81	--	ND	--	0.5	0.66	ND	ND	--	--	
10/05/93	34.69	20.30	0.00	14.39	-0.42	92	--	1.5	ND	ND	0.72	--	--	
01/03/94	34.69	20.52	0.00	14.17	-0.22	ND	--	ND	ND	ND	ND	--	--	
04/02/94	34.69	20.16	0.00	14.53	0.36	ND	--	ND	ND	ND	ND	--	--	
07/05/94	34.69	19.27	0.00	15.42	0.89	250	--	4.8	13	1.2	7.3	--	--	
10/06/94	34.69	20.87	0.00	13.82	-1.60	540	--	1.4	ND	0.66	11	--	--	
01/02/95	34.69	19.67	0.00	15.02	1.20	140	--	ND	ND	ND	ND	--	--	
04/03/95	34.69	17.61	0.00	17.08	2.06	580	--	3.6	0.8	ND	4.0	--	--	
07/14/95	34.69	18.58	0.00	16.11	-0.97	260	--	2.1	ND	ND	1.2	--	--	
10/10/95	34.69	19.60	0.00	15.09	-1.02	220	--	2.0	ND	25	5.6	29	--	
01/03/96	34.69	19.69	0.00	15.00	-0.09	190	--	2.4	ND	0.71	1.2	--	--	
04/10/96	34.69	17.65	0.00	17.04	2.04	540	--	8.9	1.7	1.5	7.4	50	--	
07/09/96	34.69	18.52	0.00	16.17	-0.87	490	--	3.0	1.4	1.3	2.5	150	--	
01/24/97	34.69	17.72	0.00	16.97	0.80	760	--	27	0.89	5.2	10	510	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-1 continued														
07/23/97	34.69	19.42	0.00	15.27	-1.70	ND	--	ND	ND	ND	ND	550	--	
01/26/98	34.69	17.46	0.00	17.23	1.96	1800	--	ND	ND	ND	ND	4800	--	
07/03/98	34.69	18.61	0.00	16.08	-1.15	ND	--	ND	ND	ND	ND	1800	--	
01/14/99	34.69	18.92	0.00	15.77	-0.31	83	--	ND	ND	ND	ND	230	--	
07/15/99	34.69	17.84	0.00	16.85	1.08	110	--	ND	ND	ND	1.0	290	--	
01/07/00	34.69	19.13	0.00	15.56	-1.29	ND	--	ND	ND	ND	ND	260	--	
07/19/00	34.69	20.27	0.00	14.42	-1.14	ND	--	ND	ND	ND	ND	648	--	
01/02/01	34.69	20.04	0.00	14.65	0.23	ND	--	ND	ND	ND	ND	119	--	
05/23/01	34.69	18.27	0.00	16.42	1.77	84	--	ND	ND	ND	ND	760	--	
07/30/01	34.69	18.56	0.00	16.13	-0.29	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	350	--	
10/15/01	34.69	18.72	0.00	15.97	-0.16	96	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	--	
01/14/02	34.69	16.78	0.00	17.91	1.94	450	--	ND<2.5	ND<2.5	ND<2.5	3.3	4100	--	
04/15/02	34.69	17.35	0.00	17.34	-0.57	ND<1000	--	ND<10	ND<10	ND<10	ND<10	10000	--	
07/15/02	34.69	17.63	0.00	17.06	-0.28	2100	--	ND<10	ND<10	ND<10	ND<20	--	2100	
01/18/03	34.69	17.04	0.00	17.65	0.59	ND<25000	--	ND<250	ND<250	ND<250	ND<500	--	29000	
07/11/03	34.69	17.91	0.00	16.78	-0.87	4000	--	ND<25	ND<25	ND<25	ND<50	--	6300	
02/04/04	34.69	17.98	0.00	16.71	-0.07	--	8000	ND<50	ND<50	ND<50	ND<100	--	8500	
08/11/04	34.69	17.84	0.00	16.85	0.14	--	1100	ND<10	ND<10	ND<10	ND<20	--	1500	
03/31/05	34.69	15.71	0.00	18.98	2.13	--	ND<2000	ND<0.50	ND<0.50	0.54	2.2	--	4900	
09/30/05	34.69	17.65	0.00	17.04	-1.94	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
03/27/06	34.69	15.03	0.00	19.66	2.62	--	760	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1000	
09/27/06	34.69	18.45	0.00	16.24	-3.42	--	170	ND<0.50	ND<0.50	ND<0.50	0.61	--	73	
03/27/07	34.69	18.84	0.00	15.85	-0.39	--	120	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	99	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
09/28/07	34.69	19.73	0.00	14.96	-0.89	--	68	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	15	
03/26/08	34.69	19.32	0.00	15.37	0.41	--	200	ND<0.50	ND<0.50	ND<0.50	1.0	--	47	
07/28/08	34.69	20.15	0.00	14.54	-0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.7	
MW-2														
(Screen Interval in feet: 15-33)														
06/05/91	34.97	--	--	--	--	49	--	ND	ND	ND	ND	--	--	
09/30/91	34.97	--	--	--	--	130	--	18	0.53	14	9.6	--	--	
12/30/91	34.97	--	--	--	--	91	--	16	0.89	11	1.9	--	--	
04/02/92	34.97	--	--	--	--	88	--	12	0.32	6.3	7.2	--	--	
06/30/92	34.97	--	--	--	--	76	--	9.3	0.76	4.8	6.9	--	--	
09/15/92	34.97	--	--	--	--	1300	--	91	5.7	80	110	--	--	
12/21/92	34.97	20.85	0.00	14.12	--	960	--	97	3.2	74	96	--	--	
04/28/93	34.97	--	--	--	--	1300	--	76	1.9	130	87	--	--	
07/23/93	34.97	19.81	0.00	15.16	--	66	--	1.8	ND	2.5	2.0	--	--	
10/05/93	34.72	19.95	0.00	14.77	-0.39	120	--	12	ND	2.1	12	--	--	
01/03/94	34.72	20.21	0.00	14.51	-0.26	260	--	25	ND	5.5	26	--	--	
04/02/94	34.72	19.88	0.00	14.84	0.33	ND	--	0.65	ND	ND	0.99	--	--	
07/05/94	34.72	19.07	0.00	15.65	0.81	160	--	16	ND	0.73	10	--	--	
10/06/94	34.72	20.55	0.00	14.17	-1.48	170	--	15	ND	1.4	11	--	--	
01/02/95	34.72	19.25	0.00	15.47	1.30	190	--	27	ND	0.95	11	--	--	
04/03/95	34.72	17.49	0.00	17.23	1.76	2400	--	65	6.6	19	63	--	--	
07/14/95	34.72	18.30	0.00	16.42	-0.81	750	--	270	ND	ND	13	--	--	
10/10/95	34.72	19.25	0.00	15.47	-0.95	50	--	1.6	ND	ND	ND	200	--	
01/03/96	34.72	19.40	0.00	15.32	-0.15	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-2 continued														
04/10/96	34.72	17.35	0.00	17.37	2.05	300	--	42	ND	2.4	9	620	--	
07/09/96	34.72	18.22	0.00	16.50	-0.87	760	--	230	ND	1.3	2.4	1500	--	
01/24/97	34.72	17.59	0.00	17.13	0.63	2900	--	400	350	190	720	1300	--	
07/23/97	34.72	19.13	0.00	15.59	-1.54	ND	--	ND	ND	ND	ND	65	--	
01/26/98	34.72	17.12	0.00	17.60	2.01	ND	--	ND	ND	ND	0.58	13	--	
07/03/98	34.72	18.20	0.00	16.52	-1.08	140	--	26	ND	0.95	5.0	330	--	
01/14/99	34.72	18.56	0.00	16.16	-0.36	ND	--	0.54	ND	ND	ND	350	--	
07/15/99	34.72	17.39	0.00	17.33	1.17	ND	--	0.88	ND	ND	ND	39	--	
01/07/00	34.72	18.78	0.00	15.94	-1.39	ND	--	ND	ND	ND	ND	24	--	
07/19/00	34.72	19.68	0.00	15.04	-0.90	ND	--	1.45	ND	ND	ND	117	--	
01/02/01	34.72	19.73	0.00	14.99	-0.05	ND	--	ND	ND	ND	ND	11.4	--	
05/23/01	34.72	18.16	0.00	16.56	1.57	ND	--	ND	ND	ND	ND	33	--	
07/30/01	34.72	18.34	0.00	16.38	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	67	--	
10/15/01	34.72	18.52	0.00	16.20	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	31	--	
01/14/02	34.72	16.72	0.00	18.00	1.80	ND<50	--	ND<0.50	ND<0.50	ND<0.50	0.56	11	--	
04/15/02	34.72	17.26	0.00	17.46	-0.54	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	110	--	
07/15/02	34.72	17.46	0.00	17.26	-0.20	270	--	21	ND<0.50	3.8	4.0	--	73	
01/18/03	34.72	16.93	0.00	17.79	0.53	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	22	
07/11/03	34.72	17.68	0.00	17.04	-0.75	130	--	3.0	ND<0.50	ND<0.50	ND<1.0	--	89	
02/04/04	34.72	17.36	0.00	17.36	0.32	--	61	2.9	ND<0.50	ND<0.50	ND<1.0	--	22	
08/11/04	34.72	17.61	0.00	17.11	-0.25	--	140	ND<0.50	0.60	ND<0.50	ND<1.0	--	94	
03/31/05	34.72	15.56	0.00	19.16	2.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	14	
09/30/05	34.72	17.31	0.00	17.41	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.1	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
03/27/06	34.72	14.91	0.00	19.81	2.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
09/27/06	34.72	18.15	0.00	16.57	-3.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7.7	
03/27/07	34.72	18.57	0.00	16.15	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.4	
09/28/07	34.72	18.38	0.00	16.34	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/26/08	34.72	19.06	0.00	15.66	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/28/08	34.72	19.90	0.00	14.82	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3 (Screen Interval in feet: 15-33)														
06/05/91	33.39	--	--	--	--	5800	--	1200	40	140	97	--	--	
09/30/91	33.39	--	--	--	--	6800	--	1400	130	290	240	--	--	
12/30/91	33.39	--	--	--	--	7200	--	2100	690	410	550	--	--	
04/02/92	33.39	--	--	--	--	8000	--	1400	200	300	310	--	--	
06/30/92	33.39	--	--	--	--	8900	--	1900	210	430	550	--	--	
09/15/92	33.39	--	--	--	--	10000	--	1900	330	400	580	--	--	
12/21/92	33.39	20.02	0.00	13.37	--	8500	--	1500	150	310	330	--	--	
04/28/93	33.39	--	--	--	--	2600	--	220	7.6	41	27	--	--	
07/23/93	33.39	19.00	0.00	14.39	--	4400	--	660	26	160	82	--	--	
10/05/93	33.14	19.20	0.00	13.94	-0.45	9200	--	720	88	140	140	--	--	
01/03/94	33.14	19.40	0.00	13.74	-0.20	4900	--	830	100	170	150	--	--	
04/02/94	33.14	19.01	0.00	14.13	0.39	6000	--	800	30	140	110	--	--	
07/05/94	33.14	18.14	0.00	15.00	0.87	25000	--	ND	ND	ND	ND	--	--	
10/06/94	33.14	19.73	0.00	13.41	-1.59	49000	--	1300	200	280	300	--	--	
01/02/95	33.14	18.36	0.00	14.78	1.37	480	--	1.6	ND	1.4	ND	--	--	
04/03/95	33.14	16.38	0.00	16.76	1.98	8100	--	65	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
07/14/95	33.14	17.49	0.00	15.65	-1.11	ND	--	1300	ND	ND	ND	--	--	
10/10/95	33.14	18.50	0.00	14.64	-1.01	3100	--	1400	36	50	53	190000	--	
01/03/96	33.14	18.54	0.00	14.60	-0.04	ND	--	2300	110	150	140	--	--	
07/09/96	33.14	17.43	0.00	15.71	1.11	ND	--	2000	ND	150	160	140000	--	
01/24/97	33.14	16.57	0.00	16.57	0.86	540	--	8.0	ND	11	9.9	45	--	
07/23/97	33.14	18.38	0.00	14.76	-1.81	7400	--	1900	180	140	340	45000	--	
01/26/98	33.14	16.22	0.00	16.92	2.16	250	--	2.2	1.9	0.87	1.9	4.0	--	
07/03/98	33.14	17.46	--	15.68	-1.24	230	--	1.8	2.5	1.5	3.4	6.3	--	
01/14/99	33.14	17.73	--	15.41	-0.27	400	--	8.2	2.7	0.90	5.9	140	--	
07/15/99	33.14	16.58	--	16.56	1.15	290	--	3.3	3.6	1.7	2.5	13	--	
01/07/00	33.14	17.84	--	15.30	-1.26	ND	--	890	91	100	480	20000	--	
07/19/00	33.14	18.92	--	14.22	-1.08	354	--	3.87	2.61	0.646	ND	13.7	--	
01/02/01	33.14	19.07	--	14.07	-0.15	464	--	ND	3.69	3.91	ND	21.1	--	
05/23/01	33.14	17.12	--	16.02	1.95	420	--	7.6	3.1	3.0	5.1	1900	--	
07/30/01	33.14	17.38	--	15.76	-0.26	290	--	4.6	4.1	ND<0.50	3.4	23	--	
10/15/01	33.14	17.61	--	15.53	-0.23	400	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	13	--	
01/14/02	33.14	15.53	--	17.61	2.08	130	--	0.50	0.61	1.1	ND<0.50	9.9	--	
04/15/02	33.14	16.12	--	17.02	-0.59	280	--	9.9	1.6	3.3	6.8	1400	--	
07/15/02	33.14	16.48	--	16.66	-0.36	64	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	33	--	
01/18/03	33.14	15.81	--	17.33	0.67	420	--	0.54	ND<0.50	ND<0.50	ND<1.0	130	--	
07/11/03	33.14	16.74	--	16.40	-0.93	--	300	2.3	ND<0.50	ND<0.50	ND<1.0	--	31	
02/04/04	33.14	16.15	0.00	16.99	0.59	--	130	7.9	ND<0.50	ND<0.50	ND<1.0	--	63	
08/11/04	33.14	16.64	0.00	16.50	-0.49	--	ND<20000	ND<200	ND<200	ND<200	ND<400	--	20000	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
03/31/05	33.14	14.53	0.00	18.61	2.11	--	ND<20000	330	ND<200	ND<200	ND<400	--	78000	
09/30/05	33.14	16.55	0.00	16.59	-2.02	--	12000	360	40	ND<25	50	--	20000	
03/27/06	33.14	13.66	0.00	19.48	2.89	--	10000	150	ND<25	53	99	--	15000	
09/27/06	33.14	17.40	0.00	15.74	-3.74	--	ND<12000	ND<120	ND<120	ND<120	ND<120	--	12000	
03/27/07	33.14	17.55	0.00	15.59	-0.15	--	8700	180	ND<12	60	57	--	8900	
09/28/07	33.14	18.59	0.00	14.55	-1.04	--	9000	55	ND<50	ND<50	ND<50	--	11000	
03/26/08	33.14	18.19	0.00	14.95	0.40	--	450	13	1.3	0.84	1.4	--	7200	
07/28/08	33.14	19.00	0.00	14.14	-0.81	--	8300	ND<50	ND<50	ND<50	ND<100	--	13000	
MW-4														
(Screen Interval in feet: 15-33)														
10/19/92	--	--	--	--	--	480	--	0.51	2.1	2.8	6.8	--	--	
12/21/92	33.12	19.73	--	13.39	--	220	--	ND	ND	0.97	0.74	--	--	
04/28/93	33.12	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
07/23/93	33.12	18.72	--	14.40	--	85	--	ND	ND	ND	ND	--	--	
10/05/93	32.71	18.74	--	13.97	-0.43	130	--	ND	ND	ND	ND	--	--	
01/03/94	32.71	18.93	--	13.78	-0.19	210	--	ND	ND	0.76	1.6	--	--	
04/02/94	32.71	18.53	--	14.18	0.40	89	--	ND	ND	ND	ND	--	--	
07/05/94	32.71	17.67	--	15.04	0.86	190	--	ND	ND	ND	ND	--	--	
10/06/94	32.71	19.25	--	13.46	-1.58	170	--	0.85	ND	ND	0.74	--	--	
01/02/95	32.71	17.75	--	14.96	1.50	ND	--	ND	ND	ND	ND	--	--	
04/03/95	32.71	15.87	--	16.84	1.88	98	--	ND	ND	ND	ND	--	--	
07/14/95	32.71	17.01	--	15.70	-1.14	ND	--	ND	ND	ND	ND	--	--	
10/10/95	32.71	18.03	--	14.68	-1.02	ND	--	ND	ND	ND	ND	120	--	
01/03/96	32.71	18.05	--	14.66	-0.02	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
04/10/96	32.71	16.00	--	16.71	2.05	ND	--	ND	ND	ND	ND	240	--	
07/09/96	32.71	16.96	--	15.75	-0.96	ND	--	ND	ND	ND	ND	480	--	
01/24/97	32.71	16.04	0.00	16.67	0.92	ND	--	ND	ND	ND	ND	270	--	
07/23/97	32.71	17.87	0.00	14.84	-1.83	ND	--	ND	ND	ND	ND	460	--	
01/26/98	32.71	16.05	--	16.66	1.82	ND	--	ND	ND	ND	ND	17	--	
07/03/98	32.71	16.95	--	15.76	-0.90	ND	--	ND	ND	ND	ND	3.8	--	
01/14/99	32.71	17.34	--	15.37	-0.39	ND	--	ND	ND	ND	ND	4600	--	
07/15/99	32.71	16.36	--	16.35	0.98	ND	--	ND	ND	ND	ND	ND	--	
01/07/00	32.71	17.81	--	14.90	-1.45	ND	--	ND	ND	ND	ND	450	--	
07/19/00	32.71	18.94	--	13.77	-1.13	ND	--	ND	ND	ND	ND	ND	--	
01/02/01	32.71	18.85	--	13.86	0.09	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	32.71	16.82	--	15.89	2.03	ND	--	ND	ND	ND	ND	ND	--	
07/30/01	32.71	16.88	--	15.83	-0.06	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	4.9	--	
10/15/01	32.71	17.08	--	15.63	-0.20	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/14/02	32.71	14.97	--	17.74	2.11	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	30	--	
04/15/02	32.71	15.48	--	17.23	-0.51	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	180	--	
07/15/02	32.71	15.90	--	16.81	-0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	50	--	
01/18/03	32.71	15.39	--	17.32	0.51	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
07/11/03	32.71	16.17	--	16.54	-0.78	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	52	
02/04/04	32.71	16.12	0.00	16.59	0.05	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	
08/11/04	32.71	16.16	0.00	16.55	-0.04	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	6400	
03/31/05	32.71	14.15	0.00	18.56	2.01	--	ND<1300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1600	
09/30/05	32.71	16.91	0.00	15.80	-2.76	--	900	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3800	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments	
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)		
MW-4 continued															
03/27/06	32.71	13.94	0.00	18.77	2.97	--	870	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2000		
09/27/06	32.71	16.91	0.00	15.80	-2.97	--	ND<1000	ND<10	ND<10	ND<10	ND<10	--	1600		
03/27/07	32.71	17.15	0.00	15.56	-0.24	--	1500	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	1700		
09/28/07	32.71	18.13	0.00	14.58	-0.98	--	590	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1400		
03/26/08	32.71	17.66	0.00	15.05	0.47	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1400		
07/28/08	32.71	18.34	0.00	14.37	-0.68	--	480	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	950		
MW-5															
				(Screen Interval in feet: 15-32)											
10/19/92	--	--	--	--	--	2700	--	61	5.0	100	61	--	--		
12/21/92	33.25	19.75	--	13.50	--	1700	--	51	4.7	83	34	--	--		
04/28/93	33.25	--	--	--	--	6700	--	200	190	250	430	--	--		
07/23/93	33.25	18.74	--	14.51	--	2000	--	122	8.0	68	47	--	--		
10/05/93	32.95	18.83	--	14.12	-0.39	1700	--	70	6.2	54	40	--	--		
01/03/94	32.95	19.05	--	13.90	-0.22	1500	--	44	ND	42	46	--	--		
04/02/94	32.95	18.68	--	14.27	0.37	1800	--	46	5.1	38	35	--	--		
07/05/94	32.95	17.90	--	15.05	0.78	2200	--	97	8.4	37	36	--	--		
10/06/94	32.95	19.37	--	13.58	-1.47	1600	--	79	5.7	28	22	--	--		
01/02/95	32.95	17.92	--	15.03	1.45	1700	--	50	8.6	30	28	--	--		
04/03/95	32.95	16.15	--	16.80	1.77	5400	--	190	240	170	420	--	--		
07/14/95	32.95	17.18	--	15.77	-1.03	3800	--	210	100	130	190	--	--		
10/10/95	32.95	18.15	--	14.80	-0.97	1300	--	92	14	15	39	1100	--		
01/03/96	32.95	18.20	--	14.75	-0.05	630	--	53	4.4	8.3	13	--	--		
04/10/96	32.95	16.05	--	16.90	2.15	500	--	25	18	7.0	20	640	--		
07/09/96	32.95	17.11	--	15.84	-1.06	1000	--	44	20	10	34	150	--		

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-5 continued														
01/24/97	32.95	16.36	0.00	16.59	0.75	4000	--	190	400	160	430	600	--	
07/23/97	32.95	18.08	0.00	14.87	-1.72	1700	--	200	23	18	45	2500	--	
01/26/98	32.95	16.27	--	16.68	1.81	ND	--	ND	ND	ND	ND	ND	--	
07/03/98	32.95	17.27	--	15.68	-1.00	ND	--	ND	ND	ND	ND	ND	--	
01/14/99	32.95	17.55	--	15.40	-0.28	330	--	61	4.1	2.2	2.9	560	--	
07/15/99	32.95	16.41	--	16.54	1.14	1100	--	170	ND	ND	27	660	--	
01/07/00	32.95	17.85	--	15.10	-1.44	1000	--	180	6.3	ND	14	430	--	
07/19/00	32.95	18.87	--	14.08	-1.02	2980	--	289	57.3	65.3	43.4	976	--	
01/02/01	32.95	18.47	--	14.48	0.40	1150	--	87.2	17.8	7.97	9.32	368	--	
05/23/01	32.95	17.38	--	15.57	1.09	840	--	42	10	13	7.1	130	--	
07/30/01	32.95	17.12	--	15.83	0.26	1900	--	82	24	6.9	13	370	--	
10/15/01	32.95	17.33	--	15.62	-0.21	26000	--	390	230	58	1300	ND<500	--	
01/14/02	32.95	15.33	--	17.62	2.00	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/15/02	32.95	15.89	--	17.06	-0.56	310	--	20	6.7	11	7.7	77	--	
07/15/02	32.95	16.21	--	16.74	-0.32	1500	--	40	22	60	28	170	--	
01/18/03	32.95	15.68	--	17.27	0.53	ND<50	--	0.75	ND<0.50	ND<0.50	ND<1.0	81	--	
07/11/03	32.95	16.29	--	16.66	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
02/04/04	32.95	16.08	0.00	16.87	0.21	--	82	16	1.6	0.65	ND<1.0	--	16	
08/11/04	32.95	16.38	0.00	16.57	-0.30	--	900	81	14	2.8	11	--	120	
03/31/05	32.95	14.30	0.00	18.65	2.08	--	5000	160	84	65	72	--	140	
09/30/05	32.95	16.19	0.00	16.76	-1.89	--	1200	26	5.8	2.4	9.2	--	38	
03/27/06	32.95	13.90	0.00	19.05	2.29	--	1100	13	12	4.7	16	--	8.8	
09/27/06	32.95	17.06	0.00	15.89	-3.16	--	1300	20	11	2.3	15	--	21	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-5 continued														
03/27/07	32.95	17.43	0.00	15.52	-0.37	--	960	15	7.8	2.2	11	--	14	
09/28/07	32.95	18.25	0.00	14.70	-0.82	--	1300	13	6.0	2.3	15	--	8.4	
03/26/08	32.95	17.82	0.00	15.13	0.43	--	1200	7.6	3.3	1.8	11	--	2.7	
07/28/08	32.95	18.70	0.00	14.25	-0.88	--	2000	12	4.9	3.2	17	--	ND<0.50	
MW-6 (Screen Interval in feet: 15-32)														
10/19/92	--	--	--	--	--	3900	--	420	12	60	28	--	--	
12/21/92	32.42	19.17	--	13.25	--	2300	--	370	11	39	15	--	--	
04/28/93	32.42	--	--	--	--	1200	--	54	1.5	11	5.3	--	--	
07/23/93	32.42	18.17	--	14.25	--	580	--	19	0.99	3.4	2.7	--	--	
10/05/93	32.16	18.35	--	13.81	-0.44	1400	--	34	ND	5.3	7.3	--	--	
01/03/94	32.16	18.54	--	13.62	-0.19	1400	--	57	ND	8.5	11	--	--	
04/02/94	32.16	18.15	--	14.01	0.39	5300	--	ND	ND	ND	ND	--	--	
07/05/94	32.16	17.25	--	14.91	0.90	ND	--	ND	ND	ND	ND	--	--	
10/06/94	32.16	18.85	--	13.31	-1.60	11000	--	ND	ND	ND	ND	--	--	
01/02/95	32.16	17.51	--	14.65	1.34	550	--	18	0.92	2.0	1.8	--	--	
04/03/95	32.16	15.48	--	16.68	2.03	6600	--	ND	ND	ND	ND	--	--	
07/14/95	32.16	16.63	--	15.53	-1.15	ND	--	ND	ND	ND	ND	--	--	
10/10/95	32.16	17.68	--	14.48	-1.05	ND	--	81	ND	ND	ND	75000	--	
01/03/96	32.16	17.66	--	14.50	0.02	70	--	9.9	0.58	ND	0.81	--	--	
04/10/96	32.16	15.56	--	16.60	2.10	300	--	258	4.7	0.94	2.7	53000	--	
07/09/96	32.16	16.59	--	15.57	-1.03	1800	--	410	ND	12	ND	76000	--	
01/24/97	32.16	15.69	0.00	16.47	0.90	ND	--	0.80	ND	ND	ND	390	--	
07/23/97	32.16	17.53	0.00	14.63	-1.84	5700	--	1100	240	240	700	16000	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
01/26/98	32.16	15.44	--	16.72	2.09	ND	--	ND	ND	ND	ND	ND	--	
07/03/98	32.16	16.58	--	15.58	-1.14	ND	--	ND	ND	ND	ND	ND	--	
01/14/99	32.16	17.02	--	15.14	-0.44	ND	--	ND	ND	ND	ND	14	--	
07/15/99	32.16	15.95	--	16.21	1.07	ND	--	ND	ND	ND	ND	2.8	--	
01/07/00	32.16	16.96	--	15.20	-1.01	78	--	24	ND	0.66	17	280	--	
07/19/00	32.16	18.04	--	14.12	-1.08	ND	--	ND	1.32	ND	0.974	ND	--	
01/02/01	32.16	18.10	--	14.06	-0.06	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	32.16	16.42	--	15.74	1.68	ND	--	ND	ND	ND	ND	ND	--	
07/30/01	32.16	16.49	--	15.67	-0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
10/15/01	32.16	16.67	--	15.49	-0.18	ND<50	--	ND<0.50	0.62	ND<0.50	ND<0.50	ND<5.0	--	
01/14/02	32.16	14.60	--	17.56	2.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/15/02	32.16	15.07	--	17.09	-0.47	ND<50	--	ND<0.50	ND<0.50	ND<0.50	0.73	ND<5.0	--	
07/15/02	32.16	15.56	--	16.60	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	--	
01/18/03	32.16	15.80	--	16.36	-0.24	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
07/11/03	32.16	15.74	--	16.42	0.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/04/04	32.16	15.49	0.00	16.67	0.25	--	ND<50	2.6	ND<0.50	ND<0.50	ND<1.0	--	2.4	
08/11/04	32.16	15.81	0.00	16.35	-0.32	--	7900	95	ND<50	ND<50	ND<100	--	9100	
03/31/05	32.16	13.70	0.00	18.46	2.11	--	ND<5000	2.5	ND<0.50	ND<0.50	ND<1.0	--	7600	
09/30/05	32.16	15.48	0.00	16.68	-1.78	--	4300	140	37	28	41	--	5800	
03/27/06	32.16	13.02	0.00	19.14	2.46	--	7200	34	0.66	0.96	18	--	9900	
09/27/06	32.16	16.56	0.00	15.60	-3.54	--	1800	ND<12	ND<12	ND<12	ND<12	--	3300	
03/27/07	32.16	16.73	0.00	15.43	-0.17	--	1600	2.8	ND<2.5	ND<2.5	ND<2.5	--	1800	
09/28/07	32.16	17.75	0.00	14.41	-1.02	--	830	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1600	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
03/26/08	32.16	17.31	0.00	14.85	0.44	--	940	45	5.9	2.0	5.3	--	1300	
07/28/08	32.16	18.50	0.00	13.66	-1.19	--	500	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	750	
MW-7														
(Screen Interval in feet: 13-33)														
10/19/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
04/28/93	32.49	--	--	--	--	110	--	2.8	1.3	1.4	1.7	--	--	
07/23/93	32.49	18.60	--	13.89	--	790	--	23	3.3	28	5.4	--	--	
10/05/93	32.20	18.76	--	13.44	-0.45	360	--	10	1.2	0.91	0.99	--	--	
01/03/94	32.20	18.91	--	13.29	-0.15	ND	--	0.93	ND	0.75	1.9	--	--	
04/02/94	32.20	18.50	--	13.70	0.41	360	--	2.0	ND	ND	0.8	--	--	
07/05/94	32.20	17.52	--	14.68	0.98	ND	--	ND	ND	ND	ND	--	--	
10/06/94	32.20	19.25	--	12.95	-1.73	340	--	5.6	0.85	ND	1.2	--	--	
01/02/95	32.20	17.67	--	14.53	1.58	ND	--	ND	ND	ND	ND	--	--	
04/03/95	32.20	15.81	--	16.39	1.86	570	--	24	ND	3.4	5.8	--	--	
07/14/95	32.20	17.05	--	15.15	-1.24	ND	--	14	ND	ND	ND	--	--	
10/10/95	32.20	18.08	--	14.12	-1.03	740	--	170	ND	ND	ND	13000	--	
01/03/96	32.20	18.02	--	14.18	0.06	360	--	16	1.3	2.7	1.4	--	--	
04/10/96	32.20	15.81	--	16.39	2.21	120	--	4.1	1.5	ND	0.88	3200	--	
07/09/96	32.20	16.99	--	15.21	-1.18	ND	--	ND	ND	ND	ND	3400	--	
01/24/97	32.20	16.08	0.00	16.12	0.91	ND	--	16	ND	ND	ND	6600	--	
07/23/97	32.20	17.99	0.00	14.21	-1.91	ND	--	16	ND	ND	0.62	10000	--	
01/26/98	32.20	15.56	--	16.64	2.43	ND	--	ND	ND	ND	0.56	ND	--	
07/03/98	32.20	17.04	--	15.16	-1.48	ND	--	ND	ND	ND	ND	ND	--	
01/14/99	32.20	--	--	--	--	--	--	--	--	--	--	--	--	

inaccessible-parked car

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-7 continued														
07/15/99	32.20	15.72	--	16.48	--	ND	--	ND	ND	ND	ND	290	--	
01/07/00	32.20	16.80	--	15.40	-1.08	ND	--	7.7	ND	ND	4.4	98	--	
07/19/00	32.20	17.88	--	14.32	-1.08	ND	--	ND	1.27	ND	0.979	ND	--	
01/02/01	32.20	17.97	--	14.23	-0.09	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	32.20	16.81	--	15.39	1.16	ND	--	ND	ND	ND	ND	ND	--	
07/30/01	32.20	16.79	--	15.41	0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
10/15/01	32.20	16.98	--	15.22	-0.19	ND<50	--	ND<0.50	0.58	ND<0.50	ND<0.50	ND<5.0	--	
01/14/02	32.20	14.85	--	17.35	2.13	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/15/02	32.20	15.29	--	16.91	-0.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	0.70	ND<5.0	--	
07/15/02	32.20	15.92	--	16.28	-0.63	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	--	
01/18/03	32.20	15.11	--	17.09	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
07/11/03	32.20	15.89	--	16.31	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	19	
02/04/04	32.20	15.90	0.00	16.30	-0.01	--	ND<50	3.6	ND<0.50	ND<0.50	ND<1.0	--	3.2	
08/11/04	32.20	16.12	0.00	16.08	-0.22	--	ND<5000	120	ND<50	ND<50	ND<100	--	5100	
03/31/05	32.20	13.99	0.00	18.21	2.13	--	ND<5000	190	ND<50	ND<50	ND<100	--	8400	
09/30/05	32.20	15.93	0.00	16.27	-1.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	32.20	13.40	0.00	18.80	2.53	--	2500	160	10	11	26	--	5600	
09/27/06	32.20	16.96	0.00	15.24	-3.56	--	2800	180	ND<12	15	44	--	4200	
03/27/07	32.20	17.30	0.00	14.90	-0.34	--	920	66	2.9	3.4	4.5	--	970	
09/28/07	32.20	18.10	0.00	14.10	-0.80	--	4000	440	15	17	59	--	3300	
03/26/08	32.20	17.64	0.00	14.56	0.46	--	390	39	3.3	0.85	7.5	--	96	
07/28/08	32.20	18.50	0.00	13.70	-0.86	--	64	3.3	ND<0.50	ND<0.50	ND<1.0	--	8.7	

MW-8

(Screen Interval in feet: 11-29)

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-8 continued														
04/28/93	32.33	--	--	--	--	450	--	18	1.8	1.8	1.4	--	--	
07/23/93	32.33	18.45	--	13.88	--	260	--	5.1	ND	0.6	ND	--	--	
10/05/93	32.00	18.57	--	13.43	-0.45	120	--	1.7	ND	ND	ND	--	--	
01/03/94	32.00	18.73	--	13.27	-0.16	ND	--	ND	ND	ND	ND	51	--	
04/02/94	32.00	18.30	--	13.70	0.43	150	--	1.2	ND	ND	ND	--	--	
07/05/94	32.00	17.41	--	14.59	0.89	730	--	17	ND	1.6	ND	--	--	
10/06/94	32.00	18.98	--	13.02	-1.57	140	--	ND	ND	ND	ND	--	--	
01/02/95	32.00	17.58	--	14.42	1.40	440	--	18	0.72	2.0	1.8	--	--	
04/03/95	32.00	15.54	--	16.46	2.04	960	--	11	ND	ND	ND	--	--	
07/14/95	32.00	16.81	--	15.19	-1.27	280	--	4.2	2.6	1.1	3.3	--	--	
10/10/95	32.00	17.85	--	14.15	-1.04	110	--	1.3	0.62	0.67	ND	170	--	
01/03/96	32.00	17.82	--	14.18	0.03	63	--	ND	0.51	ND	1.8	--	--	
04/10/96	32.00	15.70	--	16.30	2.12	ND	--	1.1	0.61	ND	ND	60	--	
07/09/96	32.00	16.78	--	15.22	-1.08	72	--	1.0	ND	ND	ND	140	--	
01/24/97	32.00	15.79	0.00	16.21	0.99	ND	--	ND	ND	ND	ND	76	--	
07/23/97	32.00	17.69	0.00	14.31	-1.90	ND	--	ND	ND	ND	ND	270	--	
01/26/98	32.00	15.50	--	16.50	2.19	ND	--	ND	ND	ND	0.76	2.9	--	
07/03/98	32.00	16.80	--	15.20	-1.30	ND	--	ND	ND	ND	ND	ND	--	
01/14/99	32.00	17.13	--	14.87	-0.33	ND	--	ND	ND	ND	ND	11	--	
07/15/99	32.00	15.85	--	16.15	1.28	ND	--	ND	ND	ND	ND	ND	--	
01/07/00	32.00	16.94	--	15.06	-1.09	ND	--	ND	ND	ND	ND	11	--	
07/19/00	32.00	18.06	--	13.94	-1.12	ND	--	ND	2.99	0.521	ND	ND	--	
01/02/01	32.00	18.12	--	13.88	-0.06	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through July 2008
76 Station 0752

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-8 continued														
05/23/01	32.00	16.96	--	15.04	1.16	ND	--	ND	ND	ND	ND	ND	--	
07/30/01	32.00	16.52	--	15.48	0.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.7	--	
10/15/01	32.00	16.72	--	15.28	-0.20	ND<50	--	ND<0.50	0.65	ND<0.50	ND<0.50	ND<5.0	--	
01/14/02	32.00	14.53	--	17.47	2.19	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/15/02	32.00	14.96	--	17.04	-0.43	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
07/15/02	32.00	15.60	--	16.40	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	11	--	
01/18/03	32.00	14.78	--	17.22	0.82	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
02/04/04	32.00	15.65	0.00	16.35	-0.87	--	52	2.3	ND<0.50	ND<0.50	ND<1.0	--	2.4	
08/11/04	32.00	15.86	0.00	16.14	-0.21	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
03/31/05	32.00	13.73	0.00	18.27	2.13	--	ND<2000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2100	
09/30/05	32.00	15.94	0.00	16.06	-2.21	--	1200	ND<0.50	0.50	ND<0.50	ND<1.0	--	6900	
03/27/06	32.00	13.13	0.00	18.87	2.81	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	820	
09/27/06	32.00	16.75	0.00	15.25	-3.62	--	520	ND<5.0	ND<5.0	ND<5.0	8.2	--	870	
03/27/07	32.00	16.87	0.00	15.13	-0.12	--	1400	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3600	
09/28/07	32.00	17.91	0.00	14.09	-1.04	--	280	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	670	
03/26/08	32.00	17.45	0.00	14.55	0.46	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	210	
07/28/08	32.00	18.50	0.00	13.50	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro-ethene (PCE) (µg/l)	Trichloro-ethene (TCE) (µg/l)
MW-1												
06/05/91	47	--	--	--	--	--	--	--	--	7.8	2.9	1.3
09/30/91	ND	--	--	--	--	--	--	--	--	--	--	--
12/30/91	ND	--	--	--	--	--	--	--	ND	6.4	2.1	0.9
04/02/92	94	--	--	--	--	--	--	--	ND	7.1	2.6	1.4
06/30/92	120	--	--	--	--	--	--	--	ND	9.5	2.2	1.3
09/15/92	ND	--	--	--	--	--	--	--	--	12	2.2	1.3
12/21/92	ND	--	--	--	--	--	--	--	--	12	1.4	0.83
04/28/93	470	--	--	--	1.1	--	--	--	--	12	0.89	0.85
07/23/93	ND	--	--	--	--	--	--	--	--	16	1.3	0.91
10/05/93	57	--	--	--	--	--	--	--	--	13	1.3	0.66
01/03/94	ND	--	--	--	--	--	--	--	--	18	1.4	0.93
04/02/94	ND	--	--	--	--	--	--	--	--	15	1.1	0.68
07/15/02	--	ND<5.0	ND<25	ND<0.5	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	--	--	--
01/18/03	--	--	--	--	--	--	--	--	--	--	--	--
07/11/03	--	--	ND<25000	--	--	--	--	--	--	--	--	--
02/04/04	--	ND<10000	ND<50000	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<1000	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<2000	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro-ethene (PCE) (µg/l)	Trichloro-ethene (TCE) (µg/l)
MW-2												
07/11/03	--	--	ND<500	--	--	--	--	--	--	--	--	--
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<50	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<50	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
MW-3												
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<20000	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<20000	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<12000	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<12000	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<62000	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<6200	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<25000	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<25000	--	--	--	--	--	--	--	--	--
MW-4												
01/03/94	--	--	--	--	--	--	--	--	--	9.0	1.0	ND

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro-ethene (PCE) (µg/l)	Trichloro-ethene (TCE) (µg/l)
MW-4 continued												
02/04/04	--	ND<2000	ND<10000	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<5000	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<1300	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<5000	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<1200	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<2500	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<500	--	--	--	--	--	--	--	--	--
MW-5												
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<50	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<50	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
MW-6												
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<5000	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<5000	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro-ethene (PCE) (µg/l)	Trichloro-ethene (TCE) (µg/l)
MW-6 continued												
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<6200	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<1200	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<2500	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<500	--	--	--	--	--	--	--	--	--
MW-7												
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<5000	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<5000	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/27/06	--	--	ND<6200	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<500	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<5000	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
MW-8												
01/03/94	--	--	--	--	--	--	--	--	--	1.5	1.2	ND
02/04/04	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
08/11/04	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/31/05	--	--	ND<2000	--	--	--	--	--	--	--	--	--
09/30/05	--	--	ND<250	--	--	--	--	--	--	--	--	--
03/27/06	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro- ethene (PCE) (µg/l)	Trichloro- ethene (TCE) (µg/l)
MW-8 continued												
09/27/06	--	--	ND<2500	--	--	--	--	--	--	--	--	--
03/27/07	--	--	ND<250	--	--	--	--	--	--	--	--	--
09/28/07	--	--	ND<1200	--	--	--	--	--	--	--	--	--
03/26/08	--	--	ND<250	--	--	--	--	--	--	--	--	--
07/28/08	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Cadmium (dissolved) (mg/l)	Calcium (mg/l)	Chromium (total) (mg/l)	Iron (total) (mg/l)	Lead (total) (mg/l)	Manganese (dissolved) (mg/l)	Nickel (total) (mg/l)	Zinc (dissolved) (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	Alkalinity (bicarb.) (mg/l)	BOD (mg/l)
MW-1												
12/30/91	ND	--	0.0078	--	0.0057	--	ND	0.046	--	--	--	--
04/02/92	ND	--	0.015	--	0.016	--	ND	0.02	--	--	--	--
06/30/92	ND	--	0.079	--	0.009	--	0.1	0.087	--	--	--	--
04/10/96	--	21	--	15	--	2.6	--	--	--	--	160	--
MW-2												
01/03/96	--	27	--	77	--	3.0	--	--	0.22	97	130	2.2
04/10/96	--	58	--	60	--	7.0	--	--	--	--	460	--
MW-3												
01/03/96	--	43	--	--	--	--	--	--	--	16	--	--

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
MW-1		
04/10/96	3.04	--
07/09/96	3.13	--
01/24/97	2.56	--
07/23/97	2.81	2.26
01/26/98	--	3.97
07/03/98	--	3.58
MW-2		
01/03/96	1.80	--
04/10/96	5.88	--
07/09/96	0.71	--
01/24/97	2.37	--
07/23/97	0.97	1.40
01/26/98	--	4.12
07/03/98	--	3.99
MW-3		
01/03/96	1.50	--

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet.)	Groundwater Elevation (project data)
MW-1	12/16/98	31.95*	17.32	14.63
	3/4/99		15.52	16.43
	6/17/99		16.9	15.05
	8/27/99		17.39	14.56
	12/9/99		18.03	13.92
	3/7/00		15.11	16.84
	6/7/00		16.66	15.29
	10/1/00		18.08	13.87
	1/18/01		17.96	13.99
	4/5/01		16.35	15.60
	7/17/01		16.94	15.01
	10/5/01	28.98	17.35	11.63
	1/18/02		15.40	13.58
	4/11/02		15.76	13.22
	7/8/02		16.17	12.81
	10/9/02		16.72	12.26
	1/29/03		16.26	12.72
	4/11/03		16.56	12.42
	7/18/03		16.42	12.56
	10/9/03		16.88	12.10
	1/28/04		16.10	12.88
	4/7/04		15.43	13.66
	7/23/04		16.41	12.57
	10/12/04		17.73	11.25
	1/29/05		16.02	12.96
	4/28/05		14.99	13.99
	7/19/05		16.36	12.62
	10/18/05		17.82	11.16
	1/23/06		15.80	13.18
	4/12/06		13.24	15.74
	7/10/06		15.64	13.34
	10/16/06		17.51	11.47
	1/26/07		18.36	10.62
	4/18/07		17.79	11.19
	8/2/07		18.20	10.78
	10/23/07		18.75	10.23
	1/30/08		17.90	11.08
	4/18/08		18.21	10.77
	7/28/08		18.85	10.13

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-2	12/15/98	32.40*	18.03	14.37
	3/4/99		16.11	16.29
	6/17/99		17.72	14.68
	8/27/99			Inaccessible
	12/19/99			Inaccessible
	3/7/00			Inaccessible
	6/7/00		17.67	14.73
	10/11/00		18.91	13.49
	1/18/01		18.66	13.74
	4/15/01		16.97	15.43
	7/17/01		17.54	14.86
	10/15/01	29.44	17.98	11.46
	1/18/02		15.87	13.57
	4/7/02		16.36	13.08
	7/8/02		16.72	12.72
	10/9/02		17.33	12.11
	1/29/03		16.82	12.62
	4/11/03		17.15	12.29
	7/18/03		17.05	12.39
	10/9/03		17.52	11.92
	1/28/04		16.70	12.74
	4/7/04		16.02	13.42
	7/23/04			Inaccessible
	10/12/04		17.31	12.13
	1/29/05		15.46	13.98
	4/28/05		15.79	13.65
	7/19/05		17.25	12.19
	10/18/05		17.72	11.72
	1/23/05		15.65	13.79
	4/12/06		12.33	17.11
	7/10/06		16.58	12.86
	10/16/06		18.33	11.11
	1/26/07		19.21	10.23
	4/18/07		18.58	10.86
	8/2/07		19.02	10.42
	10/23/07			Inaccessible
	1/30/08		18.63	10.81
	4/16/08		19.04	10.40
	7/28/08			Inaccessible

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-3	12/15/98	31.61*	17.26	14.35
	3/4/99		15.47	16.14
	6/17/99		16.92	14.69
	8/27/99		17.40	14.21
	12/9/99		18.01	13.60
	3/7/00		16.15	15.46
	6/7/00		16.85	14.76
	10/11/00		18.07	13.54
	1/16/01		17.89	13.72
	4/5/01		16.21	15.40
	7/17/01		16.90	14.71
	10/5/01	28.64	17.32	11.32
	1/18/02		15.35	13.29
	4/11/02		15.82	12.82
	7/8/02		16.15	12.49
	10/9/02		16.67	11.97
	1/29/03		16.19	12.45
	4/11/03		16.49	12.15
	7/18/03		16.42	12.22
	10/9/03		16.80	11.84
	1/28/03		15.94	12.70
	4/7/04		15.28	13.36
	7/23/04		16.15	12.49
	10/12/04		16.63	12.01
	1/29/05		16.15	12.49
	4/28/05		14.94	13.70
	7/19/05		16.25	12.39
	10/18/05		16.76	11.88
	1/23/06		15.81	12.83
	4/12/06		13.22	15.42
	7/10/06		15.49	13.15
	10/16/06		17.46	11.18
	1/26/07		18.02	10.62
	4/18/07		17.75	10.89
	8/2/07		18.38	10.26
	10/23/07		19.61	9.03
	1/30/08		17.65	10.99
	4/18/08		18.08	10.56
	7/28/08		18.77	9.87

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-4	12/16/98	32.53*	17.59	14.94
	3/4/99		15.88	16.65
	6/17/99		17.14	15.39
	8/27/99		17.65	14.88
	12/9/99		18.28	14.25
	3/7/00		16.41	17.12
	6/7/00		17.09	15.44
	10/11/00		18.33	14.20
	1/18/01		18.23	14.30
	4/5/01		16.69	15.84
	7/17/01		17.32	15.21
	10/5/01	28.58	17.71	11.87
	1/18/02		16.85	13.73
	4/11/02		16.14	13.44
	7/8/02		16.56	13.02
	10/9/02		17.09	12.49
	1/29/03		16.65	12.93
	4/11/03		16.93	12.65
	7/18/03		16.78	12.80
	10/9/03		17.26	12.32
	1/28/04		16.38	13.20
	4/7/04		15.64	13.94
	7/23/04		16.58	13.00
	10/12/04		Inaccessible	
	1/29/05		14.90	14.68
	4/28/05		15.18	14.40
	7/19/05		16.48	13.10
	10/18/05		16.99	12.59
	1/23/06		15.09	14.49
	4/12/06		13.49	16.09
	7/10/06		14.99	14.59
	10/16/06		17.29	12.29
	1/26/07		18.17	11.41
	4/18/07		18.06	11.52
	8/2/07		18.45	11.13
	10/23/07		18.99	10.59
	1/30/08		18.14	11.44
	4/18/08		18.49	11.09
	7/28/08		19.15	10.43

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-5	8/29/01	29.06	17.42	11.64
	1/18/02		15.68	13.38
	4/11/02		16.17	12.89
	7/8/02		16.51	12.55
	10/9/02		17.10	11.96
	1/29/03		16.58	12.48
	4/11/03		16.87	12.19
	7/18/03		16.77	12.29
	10/9/03		17.21	11.85
	1/28/04		16.34	12.72
	4/7/04		15.38	13.68
	7/23/04		16.55	12.51
	10/12/04		17.02	12.04
	1/29/05		15.23	13.83
	4/28/05		15.41	13.65
	7/19/05		16.79	12.27
	10/18/05		17.28	11.78
	1/23/06		15.28	13.78
	4/12/06		13.66	15.40
	7/10/06		16.14	12.92
	10/16/06		19.33	9.73
	1/26/07		18.94	10.12
	4/18/07		18.21	10.85
	8/2/07		19.00	10.06
	10/23/07		19.15	9.91
	1/30/08		18.21	10.85
	4/18/08		18.61	10.45
	7/28/08		19.23	9.83

*Top of casing elevation relative to arbitrary project datum

TABLE THREE
 Summary of Analytical Results for GROUNDWATER Samples
 Yee Property
 726 Harrison St., Oakland, CA
 All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
<u>MW-1</u>						
7/3/97	18,000	2,700	350	450	900	7,400
12/5/98	18,000	1,500	270	260	560	14,000
3/4/99	44,000	2,800	400	440	960	43,000
6/17/99	33,000	2,200	250	460	660	25,000
8/27/99	6,000	1,000	97	190	230	14,000/
						16,000*
12/9/99	15,000	1,500	160	220	420	17,000
3/7/00	9,300	1,500	210	66	530	12,000
6/7/00	26,000**	1,700	< 250	360	580	30,000
10/11/00	13,000**	1,600	< 100	140	160	19,000
1/18/01	14,000**	450	< 100	110	230	9,600
4/5/01	38,000	2,200	180	290	590	35,000
7/17/01	35,000**	1,800	< 100	300	170	35,000
10/5/01	17,000	1,500	210	420	790	27,000
1/18/02	18,000	1,500	120	160	220	22,000
4/11/02	41,000	2,700	210	340	380	30,000
7/18/02	36,000	2,800	140	360	300	31,000
10/9/02	30,000	1,700	310	< 100	< 100	19,000
1/29/03	26,000	2,400	< 100	310	520	20,000
4/11/03	22,000	1,700	< 100	270	580	16,000
7/18/03	40,000	3,200	290	480	830	39,000
10/9/03	54,000**	3,300	< 130	350	310	49,000
1/28/04	26,000***	3,000	310	420	800	31,000
4/7/04	33,000***	2,800	130	310	310	39,000
7/23/04	56,000***	4,500	< 250	390	< 500	53,000
10/12/04	25,000***	1,400	< 250	< 250	< 500	25,000
1/29/05	24,000	1,600	< 100	160	< 200	19,000
4/28/05	< 10,000	2,000	< 100	160	100	34,000
7/19/05	37,000	2,100	83	210	230	28,000
10/18/05	37,000	1,300	< 250	< 250	< 250	23,000
1/24/06	23,000	780	< 100	160	260	11,000
4/12/06	11,000	1,500	87	360	670	17,000
7/10/06	72,000	4,700	< 250	350	< 500	66,000
10/16/06	26,000	1,600	< 250	330	< 500	22,000
1/26/07	7,200	1,500	< 70	140	96	34,000
4/18/07	5,400	1,100	< 50	200	120	21,000
8/2/07	6,600	1,500	64	240	190	32,000
10/23/07	5,900	1,300	52	200	180	28,000
1/30/08	2,700	300	21	64	90	5,200
4/18/08	3,800	930	41	110	130	15,000
7/28/08	6,000	900	52	140	160	10,000

TABLE THREE
 Summary of Analytical Results for GROUNDWATER Samples
 Yee Property
 726 Harrison St., Oakland, CA.
 All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
<u>MW-2</u>						
12/5/98	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
3/4/99	Inaccessible due to car parked over well					
6/17/99	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
8/27/99	Inaccessible due to car parked over well					
12/9/99	Inaccessible due to car parked over well					
3/7/00	Inaccessible due to car parked over well					
6/7/00	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
10/11/00	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
1/18/01	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
4/5/01	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
7/17/01	No longer sampled					
7/10/06	< 50	< 0.50	< 0.50	< 0.50	< 1.0	4.5
10/16/07	< 50	< 0.50	< 0.50	< 0.50	< 1.0	< 0.5
1/26/07	< 50	0.55	1.0	< 0.50	1.4	0.97
4/18/07	< 50	1.5	2.6	0.93	3.2	0.64
8/2/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	2.2
10/23/07	Inaccessible due to car parked over well					
1/30/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	300
4/18/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	40
7/28/08	Inaccessible due to car parked over well					

TABLE THREE
 Summary of Analytical Results for GROUNDWATER Samples
 Yee Property
 726 Harrison St., Oakland, CA
 All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
<u>MW-3</u>						
12/5/98	6,500	< 50	50	60	502	3,900
3/4/99	2,800	< 25	< 25	< 25	< 25	1,600
6/17/99	1,000	< 10	< 10	< 10	< 10	1,400
8/27/99	230	< 0.5	0.51	0.5	1	1,500/ 1,600*
12/9/99	870**	< 0.5	< 0.5	< 0.5	< 0.5	2,100
3/7/00	150**	4	< 0.5	< 0.5	< 0.5	830
6/7/00	140**	< 0.5	< 0.5	< 0.5	< 0.5	1,100
10/11/00	620**	< 5.0	< 5.0	< 5.0	< 5.0	1,500
1/18/01	1,200**	< 5.0	< 5.0	< 5.0	< 5.0	1,000
4/5/01	1,700**	< 5.0	< 5.0	< 5.0	< 5.0	1,900
7/17/01	1,400**	< 10	< 10	< 10	< 10	1,700
10/5/01	< 1,000	< 10	< 10	< 10	< 10	1,700
1/18/02	1,600	26	20	16	54	2,100
4/11/02	2,600	21	16	< 10	21	2,300
7/8/02	2,800	< 10	< 10	< 10	< 10	3,800
10/9/02	6,000	< 50	< 50	< 50	< 50	4,900
1/29/03	1,800	< 10	< 10	< 10	< 10	2,300
4/11/03	2,900	< 25	< 25	< 25	< 25	3,100
7/18/03	3,400	< 10	< 10	< 10	< 10	3,200
10/9/03	2,300	< 10	< 10	< 10	< 10	2,700
1/28/03	1,700**	< 10	< 10	< 10	< 10	2,900
4/7/04	2,700**	< 10	< 10	< 10	< 20	3,600
7/23/04	4,200**	< 25	< 25	< 25	< 50	4,900
10/12/04	5,000**	< 50	< 50	< 50	< 100	5,900
1/29/05	< 1,000	< 10	< 10	< 10	< 20	3,100
4/28/05	< 200	< 2.0	< 2.0	< 2.0	< 2.0	1,300
7/19/05	4,400	< 20	< 20	< 20	< 40	3,000
10/18/05	18,000	< 50	< 50	< 50	< 50	6,800
1/24/06	17,000	< 100	< 100	< 100	< 200	7,000
4/12/06	< 200	< 2.0	< 2.0	< 2.0	< 2.0	7,800
7/10/06	11,000	< 100	< 100	< 100	< 200	12,000
10/16/06	< 10,000	< 100	< 100	< 100	< 100	17,000
1/26/07	< 200	< 2.0	< 2.0	< 2.0	< 2.0	4,000
4/18/07	< 900	< 9.0	< 9.0	< 9.0	< 9.0	11,000
8/2/07	110	< 0.80	< 0.80	< 0.80	2.0	410
10/23/07	< 80	< 0.80	< 0.80	< 0.80	< 0.80	480
1/30/08	< 80	< 0.80	< 0.80	< 0.80	< 0.80	430
4/18/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	350
7/28/08	61	< 0.50	< 0.50	< 0.50	< 0.50	140

TABLE THREE
 Summary of Analytical Results for GROUNDWATER Samples
 Yee Property
 726 Harrison St., Oakland, CA
 All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
<u>MW-4</u>						
12/15/98	880	3	< 0.5	< 0.5	< 0.5	950
3/4/99	3,800	< 25	< 25	< 25	< 25	3,700
6/17/99	2,700	< 25	< 25	< 25	< 25	2,700
8/27/99	440	4.7	1.1	0.58	1.3	1,600/ 1,700*
12/9/99	1,100**	< 2.5	< 2.5	< 2.5	< 2.5	1,700
3/7/00	< 250	< 2.5	< 2.5	< 2.5	< 2.5	1,700
6/7/00	530**	8.8	< 2.5	< 2.5	< 2.5	440
10/11/00	700**	3.9	< 2.5	< 2.5	< 2.5	680
1/18/01	2,000**	< 2.5	< 2.5	< 2.5	< 2.5	780
4/5/01	810**	< 2.5	< 2.5	< 2.5	< 2.5	620
7/17/01	880**	< 2.5	< 2.5	< 2.5	< 2.5	570
10/5/01	550**	< 2.5	< 2.5	< 2.5	< 2.5	710
1/18/02	960**	< 5.0	< 5.0	< 5.0	< 5.0	1,300
4/11/02	1,100**	< 5.0	< 5.0	< 5.0	< 5.0	550
7/8/02	1,200**	< 5.0	< 5.0	< 5.0	< 5.0	890
10/9/02	1,300**	< 5.0	< 5.0	< 5.0	< 5.0	880
1/29/03	530**	< 1.0	< 1.0	< 1.0	< 1.0	190
4/11/03	690**	< 2.5	< 2.5	< 2.5	< 2.5	310
7/18/03	1,600**	< 10	< 10	< 10	< 10	1,300
10/9/03	1500***	< 10	< 10	< 10	< 10	1,400
1/28/04	1,200**	< 10	< 10	< 10	< 10	1,900
4/7/04	1,900**	< 10	< 10	< 10	< 20	2,200
7/23/04	1,800**	< 10	< 10	< 10	< 20	1,600
10/12/04	Inaccessible due to car parked over well					
1/29/05	< 1,300	< 13	< 13	< 13	< 25	3,900
4/28/05	510	< 1.5	< 1.5	< 1.5	< 1.5	510
7/19/05	5,400	< 50	< 50	< 50	< 100	2,700
10/18/05	10,000	< 50	< 50	< 50	< 50	9,000
1/24/06	10,000	< 100	< 100	< 100	< 200	8,300
4/12/06	1,900	< 10	< 10	< 10	< 20	2,200
7/10/06	750	5.4	< 5.0	< 5.0	< 10	790
10/16/06	2,400	< 10	< 10	< 10	< 10	2,200
1/26/07	250	< 1.5	< 1.5	< 1.5	< 1.5	7,000
4/18/07	< 400	< 4.0	< 4.0	< 4.0	< 4.0	2,300
8/2/07	400	< 4.0	< 4.0	< 4.0	< 4.0	4,500
10/23/07	< 500	< 5.0	< 5.0	< 5.0	< 5.0	3,400
1/30/08	580	89	1.5	< 0.90	2.5	500
4/18/08	660	13	0.58	0.51	0.94	180
7/28/08	520	19	0.97	1.4	2.6	71

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-5						
8/29/01	14,000	1,300	470	230	800	14,000
1/18/02	24,000	3,200	1,300	390	1,500	5,700
4/11/02	23,000	2,700	980	38	950	4,300
7/8/02	19,000	3,300	25	360	1,100	2,100
10/9/02	24,000	2,800	990	360	820	2,400
1/29/03	17,000	2,100	1,400	380	1,400	< 250
4/11/03	26,000	2,900	2,200	590	2,200	630
7/18/03	26,000	3,500	1,700	480	1,300	1,300
10/9/03	27,000	3,800	1,900	510	1,700	1,200
1/28/04	29,000	4,800	2,900	770	2,300	3,300
4/7/04	23,000	4,400	2,700	720	2,200	1,700
7/23/04	29,000	5,200	2,200	810	1,400	2,200
10/12/04	26,000	4,300	2,000	670	1,300	2,200
7/18/03	8,200	650	77	99	140	4,300
10/9/03	5,700**	500	28	53	35	3,600
1/28/04	17,000***	1,600	90	250	280	9,700
4/7/04			No longer sampled			
1/24/06	21,000	1,800	1,200	270	820	13,000
7/10/06	45,000	3,700	2,600	650	1,800	23,000
10/16/06	66,000	4,200	3,300	800	2,100	35,000
1/26/07	30,000	3,200	2,600	610	2,400	38,000
4/18/07	30,000	4,300	3,300	800	2,600	27,000
8/2/07	26,000	3,700	2,800	690	1,900	32,000
10/23/07	34,000	4,400	3,700	860	3,200	34,000
1/30/08	28,000	3,900	2,800	750	2,300	26,000
4/18/08	30,000	4,300	3,200	810	2,000	32,000
7/28/08	34,000	3,700	3,000	740	2,900	28,000
ESL	100	1	40	30	20	5

Notes:

* EPA Method 8020/EPA Method 8260 (MTBE confirmation)

** Hydrocarbon reported in the gasoline range does not match the laboratory gasoline standard

*** Sample contains a discrete peak in addition to gasoline

ESL = Environmental screening levels presented in the "Screening For Environmental Concerns at Sites With Contaminated Soil and Groundwater (May 2007)" document prepared by the California Regional Water Quality Control Board, San Francisco Bay Region.

Most current data is in Bold

Non-detectable concentrations noted by the less than sign (<) followed by the laboratory method reporting limit.