



RECEIVED

By Alameda County Environmental Health 2:48 pm, Nov 01, 2016

Ms. Dilan Roe
Alameda County Environmental
Health
1131 Harbor Parkway, Suite 250
Alameda, CA 94502-6577

Shell Oil Products US
DS Soil & Groundwater Focus Delivery Group
20945 S. Wilmington Avenue
Carson, CA 90810
Tel (714) 731 1050
Fax (714) 731 1038
Email Andrea.Wing@shell.com
Internet <http://www.shell.com>


RE: 4255 MacArthur Boulevard, Oakland, California
PlaNet Site ID 10059253
PlaNet Project ID 38573
ACEH Case No. RO0000486

Dear Ms. Roe:

I am informed and believe that, based on a reasonably diligent inquiry undertaken by AECOM on behalf of Equilon Enterprises LLC dba Shell Oil Products US, the information and/or recommendations contained in the attached document is true, and on that ground I declare under penalty of perjury in accordance with Water Code section 13267 that this statement is true and correct.

As always, please feel free to contact me directly at (714) 731-1050 with any questions or concerns.

Sincerely,
Shell Oil Products US


Andrea A. Wing
Principal Program Manager

October 31, 2016

Kit Soo
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Re: Second Semiannual 2016 Groundwater Monitoring Report
Former Shell Service Station
4255 MacArthur Boulevard, Oakland, California
Shell PlaNet Site ID: 10059253
Shell PlaNet Project ID: 38573
Agency No. RO0000486

Dear Ms. Soo:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, AECOM Technical Services, Inc. is pleased to submit this report for groundwater monitoring performed during the third quarter of 2016 at the Former Shell Service Station at 4255 MacArthur Boulevard in Oakland, California.

If you have any questions regarding this submittal, please contact Shane Olton at 916-414-5849 or Shane.Olton@aecom.com.


Sincerely,



Josh Fox
Geological Field Technician



Shane Olton, P.G.
Project Manager



Enclosures: Groundwater Monitoring Report

cc: Andrea Wing, Equilon Enterprises LLC dba Shell Oil Products US
(electronic copy)

Ellen Tam (property owner's agent)
Phua Management (electronic copy)

Kenneth Williams
MacArthur/High Trailer Park

Ed C. Ralston, Phillips 66
Remediation Management (electronic copy)

Second Semiannual 2016 Groundwater Monitoring Report

Former Shell Service Station
4255 MacArthur Boulevard
Oakland, California

October 2016

Second Semiannual 2016 Groundwater Monitoring Report

Former Shell Service Station
4255 MacArthur Boulevard
Oakland, California

PlaNNet Site ID 10059253
PlaNNet Project ID 38573
Agency No. RO0000486

Submitted to:

Kit Soo
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Submitted by:

AECOM Technical Services, Inc.
300 Lakeside Drive, Suite 400
Oakland, California 94612

On Behalf of

Equilon Enterprises LLC dba Shell Oil Products US

October 31, 2016

Table of Contents

1	Introduction.....	1-1
1.1	Site Information.....	1-1
1.2	Site Summary.....	1-1
2	Site Activities.....	2-1
2.1	Current Activities.....	2-1
2.2	Current Findings.....	2-1
2.3	Proposed Activities.....	2-1
3	Conclusions and Recommendations	3-1

List of Figures

Figure 1 Site Vicinity Map

Figure 2 Groundwater Contour and Chemical Concentration Map

List of Tables

Table 1 Groundwater Data

Table 2 Separate-Phase Hydrocarbon Removal Data

List of Appendices

Appendix A Field Notes (Blaine Tech Services, Inc.)

Appendix B Analytical Report (TestAmerica Laboratories, Inc.)

Appendix C AECOM - Data Tables for 76 Service Station No. 1156

1 Introduction

AECOM Technical Services, Inc. (AECOM) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Equilon).

1.1 Site Information

Site Name:	<u>Former Shell Service Station (the Site)</u>
Site Address:	<u>4255 MacArthur Boulevard, Oakland, California</u>
Equilon Environmental Services Program Manager:	<u>Andrea Wing</u>
Consulting Company / Contact Person:	<u>AECOM / Shane Olton</u>
Primary Agencies:	<u>Alameda County Environmental Health</u>

1.2 Site Summary

Frequency of Groundwater Monitoring:	<u>Semiannual</u>
Wells Water Level Gauged:	<u>8</u>
Wells Sampled:	<u>8</u>
Is There Any Separate-Phase Hydrocarbon (SPH) Present in Site Monitoring Wells:	<u>No</u>
Current Remediation Activity:	<u>None, pending site redevelopment plans</u>

2 Site Activities

2.1 Current Activities

On July 20, 2016, Blaine Tech Services, Inc. (Blaine Tech) of San Jose, California gauged and sampled all accessible wells according to the established monitoring program for this site. This was a coordinated groundwater sampling event with the adjacent 76 Station No.1156 located at 4276 MacArthur Boulevard in Oakland, California. Well MW-2 was inaccessible during this sampling event. TestAmerica Laboratories, Inc. of Irvine, California, a certified California laboratory, completed the analyses of the groundwater samples.

AECOM prepared a site vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), a groundwater data table (Table 1), and a SPH removal data table (Table 2). Blaine Tech’s field notes are presented in Appendix A, the laboratory reports are presented in Appendix B, and coordinated sample data for 76 Service Station No. 1156 are available in Appendix C.

No SPHs were detected in any site wells. No SPHs were removed by absorbent socks during the third quarter 2016. Historical SPH removal data are presented in Table 2, and a summary of SPH removal is provided below:

SPH Removal Summary	
This Period (pounds)	Cumulative Removal (pounds)
0.00	56.91

2.2 Current Findings

Groundwater Elevation:	<u>156.09 to 168.92 in feet above mean sea level</u>
Groundwater Gradient (direction):	<u>West</u>
Groundwater Gradient (magnitude):	<u>0.05 feet per foot</u>

2.3 Proposed Activities

Blaine Tech will gauge and sample wells according to the established monitoring program for this site. This site is monitored semiannually during the first and third quarters, and AECOM will issue groundwater monitoring reports semiannually following the sampling events. Blaine Tech will coordinate sampling events with 76 Station No. 1156.

Blaine Tech will replace SPH absorbent socks in wells MW-2, MW-3, and MW-4 if SPHs are observed during future sampling events.

3 Conclusions and Recommendations

No SPHs were detected in any site wells during this monitoring event.


Petroleum constituents were detected in several wells sampled during this semiannual event including:

- Total petroleum hydrocarbons as gasoline was detected in seven wells at concentrations ranging from 86 micrograms per liter ($\mu\text{g/L}$) (MW-9) to 15,000 $\mu\text{g/L}$ (MW-3).
- Benzene was detected in five wells at concentrations ranging from 4.1 $\mu\text{g/L}$ (MW-1) to 1,100 $\mu\text{g/L}$ (MW-3).
- Toluene was detected in wells MW-6 and MW-3 at concentrations of 7.5 $\mu\text{g/L}$ and 11 $\mu\text{g/L}$, respectively.
- Ethylbenzene was detected in wells MW-3 and MW-4 at concentrations of 110 $\mu\text{g/L}$ (MW-6) and 300 $\mu\text{g/L}$, respectively.
- Total xylenes were detected in three wells at concentrations ranging from 13 $\mu\text{g/L}$ (MW-6) to 830 $\mu\text{g/L}$ (MW-4).
- Methyl tertiary-butyl ether was detected in all sampled wells at concentrations ranging from 3.2 $\mu\text{g/L}$ (MW-5) to 360 $\mu\text{g/L}$ (MW-3).
- Tertiary-butyl alcohol was detected in five wells at concentrations ranging from 21 $\mu\text{g/L}$ (MW-9) to 4,000 $\mu\text{g/L}$ (MW-6).
- Di-isopropyl ether, ethyl tertiary-butyl ether, tertiary-amyl methyl ether, and ethanol were not detected in any samples collected.

AECOM recommends continuing with the established groundwater monitoring program for this site.


Conestoga-Rovers & Associates, Inc. (CRA) submitted a *Corrective Action Plan* on February 23, 2015 recommending monitored natural attenuation (MNA). CRA also recommended reevaluating MNA once site redevelopment plans are available and future land use is known. AECOM, Equilon, the property owner, Bill Phua, and the property owner's legal representative, Ken Phares, met with ACEH on September 12, 2016, to discuss pending site redevelopment. The property will be redeveloped into a multiuse property with commercial on the ground floor and residential units on the top floors. ACEH requested AECOM do an evaluation of current site conditions and update with site development plans to determine the path forward. AECOM is preparing this evaluation and will submit to ACEH in the fourth quarter 2016.

Figures




Copyright: © 2013 National Geographic Society, i-cubed

Figure 1
Site Vicinity Map




AECOM Former Shell Service Station
4255 MacArthur Boulevard, Oakland, California

L:\EN\ARCGIS\HELL4255 MACARTHUR BLVD OAKLAND\PROJECTS\2016\FIGURE 2 GROUNDWATER CONTOURS AND CHEMICAL CONCENTRATION MAP\UPDATED BUILDING.DWG - 26 Oct 2016



EXPLANATION

- MW-1 ● Monitoring well location (Shell)
 - MW-1B ◆ Monitoring well location (ConocoPhillips)
 - SVW-1 ✦ Soil vapor well location (ConocoPhillips)
 - TB-1 ⊗ Destroyed well location
 - Storm drain line (STM)
 - Sanitary sewer line (SAN)
 - Water line (W)
 - Electrical line (E)
 - Unknown utility line (?)
 - Gas line (G)
 - 160 Groundwater elevation contour referenced to mean sea level (ft AMSL)
 - 0.05 Groundwater flow direction and gradient (feet per foot)
- | | |
|-------------|------------------------------------|
| WELL | Well designation |
| ELEV | Groundwater elevation, in ft AMSL |
| Benz | BENZ = Benzene |
| MTBE | MTBE = Methyl tertiary-butyl ether |
- Concentrations are in micrograms per liter
- Notes:
 <X.XX = Not detected at or above laboratory reporting limit X.XX
 NM = Not measured
 NS = Not sampled
 * = Data anomalous; not used in groundwater contouring



SOURCE: BASE MAP GHD

Figure 2
Groundwater Contour and Chemical Concentration Map
 July 20, 2016



Former Shell Service Station
 4255 MacArthur Boulevard, Oakland California

Tables

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-1	11/17/1993	410	21	11	7.9	47	---	---	---	---	---	---	---	---	---	175.79	8.59	167.20	---	---	---
MW-1	01/20/1994	1,200	180	19	48	47	---	---	---	---	---	---	---	---	---	175.79	8.22	167.57	---	---	---
MW-1	04/25/1994	3,100	610	<10	130	27	---	---	---	---	---	---	---	---	---	175.79	7.63	168.16	---	---	---
MW-1	07/07/1994	2,400	1,000	10	250	20	---	---	---	---	---	---	---	---	---	175.79	8.31	167.48	---	---	---
MW-1	10/27/1994	2,200	500	3.1	72	1.8	---	---	---	---	---	---	---	---	---	175.79	8.84	166.95	---	---	---
MW-1	11/17/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	175.79	7.60	168.19	---	---	---
MW-1	11/28/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	175.79	7.56	168.23	---	---	---
MW-1	01/13/1995	570	75	2.5	6.7	11	---	---	---	---	---	---	---	---	---	175.79	7.11	168.68	---	---	---
MW-1	04/12/1995	1,800	480	<5.0	79	<5.0	---	---	---	---	---	---	---	---	---	175.79	7.08	168.71	---	---	---
MW-1	07/25/1995	120	15	1.1	2.1	2.9	---	---	---	---	---	---	---	---	---	175.79	7.73	168.06	---	---	---
MW-1 (D)	07/25/1995	300	88	2.4	11	6.5	---	---	---	---	---	---	---	---	---	175.79	7.73	168.06	---	---	---
MW-1	10/18/1995	130	9.5	0.8	1.3	1.7	---	---	---	---	---	---	---	---	---	175.79	8.42	167.37	---	---	---
MW-1 (D)	10/18/1995	120	11	0.8	1.4	1.8	---	---	---	---	---	---	---	---	---	175.79	8.42	167.37	---	---	---
MW-1	01/17/1996	250	22	0.9	1.6	2.3	---	---	---	---	---	---	---	---	---	175.79	7.83	167.96	---	---	---
MW-1	04/25/1996	<50	4.6	<0.5	<0.5	0.6	500b	---	---	---	---	---	---	---	---	175.79	7.35	168.44	---	---	---
MW-1	07/17/1996	<250	15	<2.5	<2.5	<2.5	540	---	---	---	---	---	---	---	---	175.79	7.70	168.09	---	---	---
MW-1	10/01/1996	1,200	500	12	57	82	1,900	---	---	---	---	---	---	---	---	175.79	8.07	167.72	---	---	---
MW-1	01/22/1997	640	170	4.3	33	33	1,200	---	---	---	---	---	---	---	---	175.79	7.21	168.58	---	---	---
MW-1	04/08/1997	<200	34	<2.0	3.3	4.3	950	---	---	---	---	---	---	---	---	175.79	7.75	168.04	---	---	---
MW-1 (D)	04/08/1997	<200	66	<2.0	6.4	8	740	---	---	---	---	---	---	---	---	175.79	7.75	168.04	---	---	---
MW-1	07/08/1997	190	49	1.2	5.8	8.6	560	---	---	---	---	---	---	---	---	175.79	8.01	167.78	---	---	---
MW-1	10/08/1997	<100	7	<1.0	<1.0	<1.0	620	---	---	---	---	---	---	---	---	175.79	8.10	167.69	---	---	---
MW-1	01/09/1998	970	390	12	48	71	1,200	---	---	---	---	---	---	---	---	175.79	7.14	168.65	---	---	---
MW-1	04/13/1998	<50	136	<0.50	1.5	1.8	170	---	---	---	---	---	---	---	---	175.79	6.78	169.01	---	---	---
MW-1	07/17/1998	2,500	750	11	88	67	150	---	---	---	---	---	---	---	---	175.79	7.28	168.51	---	---	---
MW-1	10/02/1998	8,000	970	36	270	440	35	---	---	---	---	---	---	---	---	175.79	7.77	168.02	---	---	---
MW-1	02/03/1999	210	56	0.82	<0.50	3.2	220	---	---	---	---	---	---	---	---	175.79	7.45	168.34	---	1.4	---
MW-1	04/29/1999	<50	4.5	<0.50	0.56	<0.50	140	196	---	---	---	---	---	---	---	175.79	7.58	168.21	---	1.2	140
MW-1	07/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	120	111 f	---	---	---	---	---	---	---	175.79	8.51	167.28	---	1.0	---
MW-1	11/01/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2.90	---	---	---	---	---	---	---	---	175.79	8.30	167.49	---	1.4	-71
MW-1	01/17/2000	<50	<0.50	<0.50	<0.50	<0.50	3.30	---	---	---	---	---	---	---	---	175.79	8.04	167.75	---	16.9	64
MW-1	04/17/2000	<50.0	1.08	<0.500	<0.500	<0.500	<2.50	---	---	---	---	---	---	---	---	175.79	8.00	167.79	---	1.8	112
MW-1	07/26/2000	125	54.3	2.16	5.45	9.86	33.1	---	---	---	---	---	---	---	---	175.79	7.52	168.27	---	13.2	-140
MW-1	10/12/2000	101	40.7	2.68	3.00	5.18	25.0	---	---	---	---	---	---	---	---	175.79	7.71	168.08	---	>20	534
MW-1	01/15/2001	<50.0	0.633	<0.500	0.505	1.74	<2.50	---	---	---	---	---	---	---	---	175.79	7.33	168.46	---	16.9	-127
MW-1	04/09/2001	<50.0	<0.500	<0.500	<0.500	0.927	<2.50	---	---	---	---	---	---	---	---	175.79	7.68	168.11	---	12.8	-117
MW-1	07/24/2001	<50	4.0	0.65	0.53	1.3	---	<5.0	---	---	---	---	---	---	---	175.79	8.00	167.79	---	>20	43
MW-1	10/31/2001	<50	4.4	<0.50	<0.50	0.98	---	<5.0	---	---	---	---	---	---	---	175.79	7.94	167.85	---	13.6	123
MW-1	01/10/2002	<50	2.2	<0.50	<0.50	1.2	---	6.1	---	---	---	---	---	---	---	175.79	7.63	168.16	---	0.1	63
MW-1	04/25/2002	<50	2.0	<0.50	<0.50	<0.50	---	<5.0	---	---	---	---	---	---	---	175.79	7.76	168.03	---	0.3	54
MW-1	07/18/2002	<50	6.1	<0.50	<0.50	0.98	---	<5.0	---	---	---	---	---	---	---	175.79	8.29	167.50	---	1.1	32

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-1	10/07/2002	500	17	14	11	60	---	9.0	---	---	---	---	---	---	---	175.76	8.34	167.42	---	2.8	-26
MW-1	01/06/2003	<50	12	<0.50	0.73	0.58	---	14	---	---	---	---	---	---	---	175.76	7.18	168.58	---	0.5	-22
MW-1	04/07/2003	<50	<0.50	<0.50	<0.50	<1.0	---	12	<5.0	---	---	---	---	---	---	175.76	7.75	168.01	---	0.7	-24
MW-1	07/07/2003	<50	6.6	<0.50	<0.50	<1.0	---	8.1	<5.0	---	---	---	---	---	---	175.76	7.75	168.01	---	0.5	16
MW-1	10/09/2003	<50	1.9	<0.50	<0.50	<1.0	---	22	<5.0	---	---	---	---	---	---	175.76	8.45	167.31	---	0.7	80
MW-1	01/14/2004	<100	19	<1.0	<1.0	<2.0	---	180	63	---	---	---	---	---	---	175.76	7.45	168.31	---	0.8	242
MW-1	04/28/2004	<50	2.1	<0.50	<0.50	<1.0	---	110	33	---	---	---	---	---	---	175.76	8.25	167.51	---	0.5	64
MW-1	07/12/2004	<50	2.5	<0.50	<0.50	<1.0	---	120	26	<2.0	<2.0	<2.0	---	---	<50	175.76	6.20	169.56	---	0.5	72
MW-1	10/25/2004	<500	<5.0	<5.0	<5.0	<10	---	550	240	---	---	---	---	---	---	175.76	7.98	167.78	---	3.15	-72
MW-1	01/17/2005	<250	8.0	<2.5	<2.5	<5.0	---	500	310	---	---	---	---	---	---	175.76	7.42	168.34	---	0.2	9
MW-1	04/06/2005	<250	<2.5	<2.5	<2.5	<5.0	---	230	330*	---	---	---	---	---	---	175.76	8.15	167.61	---	2.49	143
MW-1	07/08/2005	<50	<0.50	<0.50	<0.50	<0.50	---	380	510	<0.50	<0.50	<0.50	---	---	<5.0	175.76	7.45	168.31	---	1.1	12
MW-1	10/07/2005	<500 c	<5.0	<5.0	<5.0	<10	---	1,600	1,600	---	---	---	---	---	---	175.76	7.72	168.04	---	---	---
MW-1	01/27/2006	1,720	6.92	<0.500	<0.500	<0.500	---	1,270	1,380	---	---	---	---	---	---	175.76	6.68	169.08	---	---	---
MW-1	04/28/2006	2,420	6.90	1.19	<0.500	0.980	---	2,080	1,870	---	---	---	---	---	---	175.76	6.67	169.09	---	---	---
MW-1	07/28/2006	3,230	2.06	<0.500	<0.500	<0.500	---	1,770	1,730	<0.500	<0.500	1.14	---	---	<50.0	175.76	7.65	168.11	---	---	---
MW-1	10/27/2006	1,020	3.22	<0.500	1.72	<0.500	---	690	884	---	---	---	---	---	---	175.76	7.90	167.86	---	---	---
MW-1	01/10/2007	1,100	3.0	<0.50	<0.50	<1.0	---	2,300	2,900	---	---	---	---	---	---	175.76	7.62	168.14	---	---	---
MW-1	04/13/2007	620 c,g	7.1	0.24 h	<1.0	<1.0	---	2,800	3,600	---	---	---	---	---	---	175.76	6.98	168.78	---	---	---
MW-1	07/09/2007	960 c,g	4.3 h	<20	<20	<20	---	1,900	2,100	<40	<40	<40	---	---	<2,000	175.76	7.60	168.16	---	---	---
MW-1	10/08/2007	590 c,g	5.9 h	<20	<20	<20	---	3,200	2,200	---	---	---	---	---	---	175.76	8.05	167.71	---	---	---
MW-1	01/09/2008	470 c,g	36	<10	<10	<10	---	660	1,300	---	---	---	---	---	---	175.76	6.99	168.77	---	---	---
MW-1	04/04/2008	2,200	<10	<20	<20	<20	---	2,000	1,500	---	---	---	---	---	---	175.76	6.94	168.82	---	---	---
MW-1	07/03/2008	1,800	<10	<20	<20	<20	---	1,800	3,400	<40	<40	<40	---	---	<2,000	175.76	8.03	167.73	---	---	---
MW-1	10/03/2008	2,000	<10	<20	<20	<20	---	2,000	2,800	---	---	---	---	---	---	175.76	8.58	167.18	---	---	---
MW-1	01/22/2009	2,400	14	<20	<20	<20	---	1,600	3,200	---	---	---	---	---	---	175.76	8.15	167.61	---	---	---
MW-1	04/13/2009	1,800	<10	<20	<20	<20	---	970	1,900	---	---	---	---	---	---	175.76	2.13	173.63	---	---	---
MW-1	07/23/2009	1,800	6.9	<10	<10	<10	---	1,500	2,800	<20	<20	<20	---	---	<1000	175.76	8.15	167.61	---	---	---
MW-1	02/01/2010	910	94	<5.0	<5.0	<5.0	---	620	1,800	---	---	---	---	---	---	175.76	7.44	168.32	---	---	---
MW-1	08/02/2010	1,600	8.4	<5.0	<5.0	<5.0	---	2,100	2,100	---	---	---	---	---	---	175.76	7.49	168.27	---	---	---
MW-1	01/31/2011	1,100 c	41	<10	<10	<10	---	2,000	2,600	---	---	---	<10	<10	---	175.76	7.45	168.31	---	---	---
MW-1	07/25/2011	520 c	31	<2.5	<2.5	<5.0	---	530	1,600	<5.0	<5.0	<5.0	---	---	<750	175.76	7.39	168.37	---	---	---
MW-1	01/23/2012	<1,000	49	<10	<10	<20	---	1,200	1,200	---	---	---	---	---	---	175.76	7.85	167.91	---	---	---
MW-1	07/24/2012	390	14	<2.5	<2.5	<5.0	---	350	1,100	<2.5	<2.5	<2.5	---	---	---	175.76	7.80	167.96	---	---	---
MW-1	01/23/2013	1,100	45	<1.0	<1.0	<2.0	---	1,400	1,600	---	---	---	---	---	---	175.76	7.26	168.50	---	---	---
MW-1	07/10/2013	1,000	5.2	<5.0	<5.0	<10	---	1,000	700	<5.0	<5.0	<5.0	---	---	<1,500	175.76	7.99	167.77	---	---	---
MW-1	01/16/2014	840	56	<5.0	<5.0	<10	---	750	960	---	---	---	---	---	---	175.76	8.60	167.16	---	---	---
MW-1	07/10/2014	1,100 i	<10	<10	<10	<20	---	980	600	<10	<10	<10	---	---	<3,000	175.76	8.11	167.65	---	---	---
MW-1	01/27/2015	150	33	<0.50	<0.50	<1.0	---	55	630	---	---	---	---	---	---	175.76	7.54	168.22	---	---	---
MW-1	07/21/2015	1100 i	<10	<10	<10	<20	---	950	510	<10	<10	<10	---	---	<3,000	175.76	8.34	167.42	---	---	---
MW-1	01/20/2016	1,300 i	6.4	<5.0	<5.0	<10	---	1,400	450	---	---	---	---	---	---	175.76	6.81	168.95	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-1	07/20/2016	130	4.1	<1.0	<1.0	<2.0	---	130	280	<1.0	<1.0	<1.0	---	---	<300	175.76	8.11	167.65	---	---	---
MW-2	11/17/1993	31,000	9,400	4,600	1,000	3,900	---	---	---	---	---	---	---	---	---	170.91	12.31	158.60	---	---	---
MW-2	01/20/1994	40,000	6,900	5,600	780	4,100	---	---	---	---	---	---	---	---	---	170.91	11.48	159.43	---	---	---
MW-2 (D)	01/20/1994	41,000	7,200	6,200	900	4,800	---	---	---	---	---	---	---	---	---	170.91	11.48	159.43	---	---	---
MW-2	04/25/1994	60,000	9,300	6,100	1,400	6,200	---	---	---	---	---	---	---	---	---	170.91	10.84	160.07	---	---	---
MW-2	07/07/1994	280,000 a	40,000	26,000	8,100	32,000	---	---	---	---	---	---	---	---	---	170.91	11.89	159.02	---	---	---
MW-2 (D)	07/07/1994	53,000	13,000	6,600	2,000	8,400	---	---	---	---	---	---	---	---	---	170.91	11.89	159.02	---	---	---
MW-2	10/27/1994	130,000	14,000	12,000	2,400	13,000	---	---	---	---	---	---	---	---	---	170.91	12.89	158.02	---	---	---
MW-2 (D)	10/27/1994	390,000	8,800	7,000	1,700	11,000	---	---	---	---	---	---	---	---	---	170.91	12.89	158.02	---	---	---
MW-2	11/17/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	9.11	161.80	---	---	---
MW-2	11/28/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	9.22	161.69	---	---	---
MW-2	01/13/1995	75,000	5,900	12,000	3,100	17,000	---	---	---	---	---	---	---	---	---	170.91	8.10	162.81	---	---	---
MW-2	04/12/1995	100,000	8,500	11,000	2,400	12,000	---	---	---	---	---	---	---	---	---	170.91	10.12	160.79	---	---	---
MW-2 (D)	04/12/1995	80,000	4,200	9,300	2,500	12,000	---	---	---	---	---	---	---	---	---	170.91	10.12	160.79	---	---	---
MW-2	07/25/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	11.53	159.80	0.52	---	---
MW-2	10/18/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	14.02	156.99	0.13	---	---
MW-2	01/17/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	10.27	160.78	0.17	---	---
MW-2	04/25/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	11.68	159.25	0.03	---	---
MW-2	07/17/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	12.78	158.51	0.48	---	---
MW-2	10/01/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	14.21	156.92	0.28	---	---
MW-2	01/22/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	10.92	160.08	0.11	---	---
MW-2	04/08/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	14.12	156.95	0.20	---	---
MW-2	07/08/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	14.98	156.08	0.19	---	---
MW-2	10/08/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	12.97	157.98	0.05	---	---
MW-2	01/08/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	12.54	158.43	0.08	---	---
MW-2	04/13/1998	180,000	2,800	5,200	2,400	13,000	71,000	---	---	---	---	---	---	---	---	170.91	10.05	160.86	---	---	---
MW-2	07/17/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	11.75	159.24	0.10	---	---
MW-2	10/02/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	16.78	154.22	0.11	---	---
MW-2	02/03/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	9.90	161.07	0.08	---	---
MW-2	04/29/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	9.86	161.09	0.05	---	---
MW-2	07/23/1999	65,800	6,500	4,480	1,960	8,960	46,600	58,500 f	---	---	---	---	---	---	---	170.91	14.45	156.46	---	1.4	---
MW-2	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.91	11.84	159.09	0.03	---	---
MW-2	01/17/2000	46,000	6,000	2,400	1,500	5,500	50,000	31,000	---	---	---	---	---	---	---	170.91	11.00	159.91	---	1.3	-54
MW-2	04/17/2000	96,300	8,150	10,200	2,820	14,900	112,000	108,000	---	---	---	---	---	---	---	170.91	11.06	159.85	---	2.6	125
MW-2	07/26/2000	72,400	8,680	5,620	2,810	13,400	66,200	46,300	---	---	---	---	---	---	---	170.91	12.82	158.09	---	2.2	113
MW-2	10/12/2000	63,200	5,840	4,180	2,310	11,100	61,200	66,600	---	---	---	---	---	---	---	170.91	11.32	159.59	---	0.4	55
MW-2	01/15/2001	59,700	2,630	4,800	2,050	11,500	44,400	5,080	---	---	---	---	---	---	---	170.91	10.19	160.72	---	1.1	-22
MW-2	04/09/2001	56,900	1,860	2,550	1,810	9,720	40,000	46,600	---	---	---	---	---	---	---	170.91	11.15	159.76	---	1.0	-55
MW-2	07/24/2001	84,000	3,000	4,600	2,500	13,000	---	41,000	---	---	---	---	---	---	---	170.91	11.67	159.24	---	0.2	53
MW-2	10/31/2001	45,000	2,200	3,000	1,500	7,700	---	29,000	51,000	<50	<50	<50	---	---	<500	170.91	11.04	159.87	---	1.2	-17

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-2	01/10/2002	28,000	840	740	760	3,300	---	32,000	---	---	---	---	---	---	---	170.91	9.58	161.33	---	2.1	-76
MW-2	04/25/2002	41,000	1,900	2,000	1,200	6,900	---	17,000	---	---	---	---	---	---	---	170.91	11.40	159.51	---	0.8	-95
MW-2	07/18/2002	87,000	2,000	2,200	1,400	10,000	---	19,000	---	---	---	---	---	---	---	170.91	12.68	158.23	---	0.7	-34
MW-2	10/07/2002	110,000	3,900	6,700	2,700	15,000	---	20,000	---	---	---	---	---	---	---	170.88	11.58	159.30	---	1.4	-52
MW-2	01/06/2003	65,000	2,400	3,500	1,400	8,600	---	26,000	---	---	---	---	---	---	---	170.88	9.09	161.79	---	0.4	40
MW-2	04/07/2003	57,000	1,900	2,500	1,700	8,600	---	37,000	34,000	---	---	---	---	---	---	170.88	11.08	159.80	---	1.0	60
MW-2	07/07/2003	34,000	4,000	4,200	1,600	8,500	---	51,000	44,000	---	---	---	---	---	---	170.88	11.27	159.61	---	1.3	-17
MW-2	10/09/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.64	159.26	0.03	---	---
MW-2	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.88	159.03	0.04	---	---
MW-2	01/14/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.96	159.93	0.01	---	---
MW-2	04/28/2004	35,000	2,200	2,200	2,300	8,200	---	26,000	28,000	---	---	---	---	---	---	170.88	11.05	159.83	---	0.1	-96
MW-2	07/12/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	12.12	158.78	0.03	---	---
MW-2	10/25/2004	60,000	2,900	2,300	2,300	7,600	---	27,000	26,000	---	---	---	---	---	---	170.88	11.23	159.65	---	1.62	-69
MW-2	01/17/2005	62,000	1,900	1,800	1,800	5,700	---	22,000	21,000	---	---	---	---	---	---	170.88	8.78	162.10	---	0.8	-102
MW-2	04/06/2005	40,000	1,500	940	1,600	2,900	---	23,000	23,000	---	---	---	---	---	---	170.88	9.23	161.65	---	0.60	-104
MW-2	07/08/2005	50,000	2,300	1,500	1,700	6,600	---	24,000	25,000	<150	<150	<150	---	---	<1,500	170.88	10.99	159.91	0.02	0.01	-41
MW-2	10/07/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	12.15	158.75	0.02	---	---
MW-2	01/27/2006	56,800	1,270	1,280	1,520	5,370	---	8,210	10,600	---	---	---	---	---	---	170.88	9.55	161.33	---	---	---
MW-2	03/16/2006	82,100	1,230	1,310	1,350	4,630	---	9,020	9,690	---	---	---	---	---	---	170.88	8.10	162.78	---	---	---
MW-2	04/28/2006	81,400	1,200	1,610	1,660	5,580	---	10,800	11,100	---	---	---	---	---	---	170.88	9.25	161.63	---	---	---
MW-2	05/15/2006	119,000	2,210	3,800	2,330	8,900	---	15,600	12,200	---	---	---	---	---	---	170.88	10.28	160.60	---	---	---
MW-2	06/19/2006	121,000	1,680	3,830	2,990	12,400	---	10,700	9,310	---	---	---	---	---	---	170.88	10.90	159.98	---	---	---
MW-2	07/28/2006	172,000	3,590	3,450	2,840	8,210	---	22,800	11,300	<0.500	<0.500	<0.500	---	---	<50.0	170.88	11.84	159.04	---	---	---
MW-2	08/31/2006	91,200	1,590	3,710	2,570	11,700	---	3,520	3,940	---	---	---	---	---	---	170.88	18.03	152.85	---	---	---
MW-2	09/26/2006	50,000	2,300	1,300	1,600	6,700	---	17,000	19,000	---	---	---	---	---	---	170.88	10.23	160.65	---	---	---
MW-2	10/27/2006	159,000	5,200	3,890	2,600	12,500	---	18,100	9,230 d	---	---	---	---	---	---	170.88	12.11	158.77	---	---	---
MW-2	11/22/2006	53,000	1,500	960	1,800	7,100	---	9,600	12,000	---	---	---	---	---	---	170.88	11.35	159.53	---	---	---
MW-2	12/26/2006	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	01/10/2007	45,000	2,700	1,700	1,400	5,800	---	13,000	11,000	---	---	---	---	---	---	170.88	10.21	160.67	---	---	---
MW-2	02/19/2007	13,000	1,800	1,900	1,500	5,900	---	7,400	11,000	---	---	---	---	---	---	170.88	9.22	161.66	---	---	---
MW-2	03/16/2007	52,000	2,600	2,300	2,000	7,300	---	9,100	12,000	---	---	---	---	---	---	170.88	9.88	161.00	---	---	---
MW-2	04/13/2007	60,000 g	2,200	2,100	2,300	7,900	---	13,000	20,000	---	---	---	---	---	---	170.88	10.61	160.29	0.02	---	---
MW-2	07/09/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.77	159.20	0.11	---	---
MW-2	10/08/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	12.70	158.33	0.19	---	---
MW-2	11/19/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	8.00	162.88	---	---	---
MW-2	12/10/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	6.49	164.39	---	---	---
MW-2	01/09/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	01/22/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	02/21/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	8.86	162.02	---	---	---
MW-2	03/20/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.24	160.66	0.02	---	---
MW-2	04/04/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-2	05/27/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	12.44	158.46	0.03	---	---
MW-2	06/11/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.10	159.85	0.09	---	---
MW-2	06/11/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.10	159.85	0.09	---	---
MW-2	07/03/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.62	159.37	0.14	---	---
MW-2	08/04/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.88	159.05	0.06	---	---
MW-2	09/17/1998	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	10/03/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	12.66	158.43	0.26	---	---
MW-2	11/26/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	12/30/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	01/22/2009	86,000	3,800	1,600	2,500	9,800	---	10,000	7,900	---	---	---	---	---	---	170.88	10.74	160.14	---	---	---
MW-2	02/27/2009	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	04/13/2009	60,000	1,700	980	2,000	7,000	---	4,300	4,600	---	---	---	---	---	---	170.88	10.36	160.53	0.01	---	---
MW-2	07/23/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.91	159.13	0.20	---	---
MW-2	11/10/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.87	160.04	0.04	---	---
MW-2	02/01/2010	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	02/09/2010	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	08/02/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.38	159.53	0.04	---	---
MW-2	01/31/2011	77,000	1,700	1,500	2,600	9,000	---	2,100	2,700	---	---	---	<25	<25	---	170.88	9.09	161.79	---	---	---
MW-2	04/26/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	9.98	160.90	---	---	---
MW-2	07/25/2011	46,000	990	560	2,500	5,100	---	1,600	1,900	<50	<50	<50	---	---	<7,500	170.88	10.76	160.12	---	---	---
MW-2	10/13/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.18	160.70	---	---	---
MW-2	01/23/2012	48,000	1,400	1,100	2,200	6,100	---	820	1,200	---	---	---	---	---	---	170.88	9.22	161.66	---	---	---
MW-2	04/23/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	9.20	161.68	---	---	---
MW-2	07/24/2012	63,000	1,400	970	2,600	7,100	---	1,000	980	<20	<20	<20	---	---	---	170.88	10.82	160.06	---	---	---
MW-2	11/07/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.76	160.12	---	---	---
MW-2	01/23/2013	48,000	1,500	1,300	1,800	5,400	---	1,100	1,400	---	---	---	---	---	---	170.88	10.30	160.58	---	---	---
MW-2	04/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.30	160.58	---	---	---
MW-2	07/10/2013	32,000	1,600	670	1,800	3,500	---	1,200	1,700	<20	<20	<20	---	---	<6,000	170.88	10.94	159.94	---	---	---
MW-2	10/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.93	158.95	---	---	---
MW-2	01/16/2014	92,000	2,700	4,200	3,600	13,000	---	830	900	---	---	---	---	---	---	170.88	11.85	159.03	---	---	---
MW-2	04/29/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.54	160.34	---	---	---
MW-2	07/10/2014	35,000	1,500	410	2,300	3,500	---	1,600	1,200	<50	<50	<50	---	---	<15,000	170.88	11.77	159.11	---	---	---
MW-2	10/14/2014	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	01/27/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	10.62	160.28	0.02	---	---
MW-2	07/21/2015	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	11.78	159.10	---	---	---
MW-2	01/20/2016	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-2	02/22/2016	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.88	9.72	161.19	0.04	---	---
MW-2	07/20/2016	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.88	---	---	---	---	---
MW-3	11/17/1993	18,000	5,400	660	720	2,200	---	---	---	---	---	---	---	---	---	174.61	15.40	159.21	---	---	---
MW-3	01/20/1994	55,000	13,000	2,600	2,200	6,500	---	---	---	---	---	---	---	---	---	174.61	14.61	160.00	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-3	04/25/1994	96,000	11,000	1,600	3,100	9,900	---	---	---	---	---	---	---	---	---	174.61	13.12	161.49	---	---	---
MW-3 (D)	04/25/1994	78,000	12,000	1,900	2,600	7,300	---	---	---	---	---	---	---	---	---	174.61	13.12	161.49	---	---	---
MW-3	07/07/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	14.54	160.09	0.02	---	---
MW-3	10/27/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	15.62	159.03	0.05	---	---
MW-3	11/17/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	13.83	160.78	---	---	---
MW-3	11/28/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	14.02	160.59	---	---	---
MW-3	01/13/1995	180,000	3,200	2,700	1,700	5,200	---	---	---	---	---	---	---	---	---	174.61	12.13	162.48	---	---	---
MW-3 (D)	01/13/1995	23,000	4,000	690	960	3,000	---	---	---	---	---	---	---	---	---	174.61	12.13	162.48	---	---	---
MW-3	04/12/1995	56,000	8,700	1,500	2,100	6,300	---	---	---	---	---	---	---	---	---	174.61	12.96	161.65	---	---	---
MW-3	07/25/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	14.28	160.38	0.06	---	---
MW-3	10/18/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	15.88	158.77	0.05	---	---
MW-3	01/17/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	13.86	160.94	0.24	---	---
MW-3	04/25/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	13.82	160.81	0.02	---	---
MW-3	07/17/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	16.11	158.52	0.03	---	---
MW-3	10/01/1996	46,000	7,300	530	1,700	3,900	3,200	---	---	---	---	---	---	---	---	174.61	16.56	158.05	---	---	---
MW-3 (D)	10/01/1996	47,000	7,100	530	1,700	4,000	2,900	---	---	---	---	---	---	---	---	174.61	16.56	158.05	---	---	---
MW-3	01/22/1997	82,000	5,200	1,300	2,800	8,900	1,100	---	---	---	---	---	---	---	---	174.61	13.07	161.54	---	---	---
MW-3 (D)	01/22/1997	61,000	8,400	1,100	2,300	7,000	2,700	---	---	---	---	---	---	---	---	174.61	13.07	161.54	---	---	---
MW-3	04/08/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.61	17.09	157.54	0.03	---	---
MW-3	07/08/1997	56,000	8,800	580	2,000	4,900	2,800	---	---	---	---	---	---	---	---	174.61	15.85	158.76	---	---	---
MW-3	10/08/1997	48,000	8,000	590	1,700	3,400	5,100	---	---	---	---	---	---	---	---	174.61	16.22	158.39	---	---	---
MW-3	01/08/1998	47,000	9,400	810	2,300	4,700	6,300	---	---	---	---	---	---	---	---	174.61	13.80	160.81	---	---	---
MW-3 (D)	01/08/1998	48,000	8,100	750	2,000	4,100	5,800	---	---	---	---	---	---	---	---	174.61	13.80	160.81	---	---	---
MW-3	04/13/1998	32,000	6,800	540	1,400	3,400	4,000	---	---	---	---	---	---	---	---	174.61	12.97	161.64	---	---	---
MW-3 (D)	04/13/1998	36,000	7,300	660	1,600	3,700	4,000	---	---	---	---	---	---	---	---	174.61	12.97	161.64	---	---	---
MW-3	07/17/1998	71,000	11,000	590	2,200	6,900	3,900	---	---	---	---	---	---	---	---	174.61	11.51	163.10	---	---	---
MW-3 (D)	07/17/1998	76,000	12,000	700	2,600	8,000	3,000	---	---	---	---	---	---	---	---	174.61	11.51	163.10	---	---	---
MW-3	10/02/1998	66,000	8,900	510	2,000	4,900	4,600	---	---	---	---	---	---	---	---	174.61	16.50	158.11	---	---	---
MW-3 (D)	10/02/1998	59,000	9,400	460	2,000	4,900	4,700	---	---	---	---	---	---	---	---	174.61	16.50	158.11	---	---	---
MW-3	02/03/1999	36,000	6,800	300	1,600	2,900	18,000	---	---	---	---	---	---	---	---	174.61	15.21	159.40	---	1.3	---
MW-3	04/29/1999	45,000	8,100	580	2,200	5,800	4,700	5,150	---	---	---	---	---	---	---	174.61	15.43	159.18	---	1.5	-68
MW-3	07/23/1999	29,400	3,540	215	810	3,800	4,720	6,950 f	---	---	---	---	---	---	---	174.61	14.95	159.66	---	1.3	---
MW-3	11/01/1999	20,000	4,190	294	1,060	1,740	5,540	8,590	---	---	---	---	---	---	---	174.61	14.66	159.95	---	0.6	-110
MW-3	01/17/2000	17,000	3,900	89	1,100	1,200	7,900	---	---	---	---	---	---	---	---	174.61	13.94	160.67	---	1.3	-40
MW-3	04/17/2000	28,100	5,240	247	1,540	2,750	16,600	---	---	---	---	---	---	---	---	174.61	14.00	160.61	---	1.1	-86
MW-3	07/26/2000	24,300	6,680	159	1,610	1,640	17,100	---	---	---	---	---	---	---	---	174.61	13.72	160.89	---	0.9	-70
MW-3	10/12/2000	14,300	2,630	86.7	241	1,360	16,300	---	---	---	---	---	---	---	---	174.61	14.15	160.46	---	0.9	50
MW-3	01/15/2001	22,100	4,400	266	977	2,990	13,200	---	---	---	---	---	---	---	---	174.61	13.05	161.56	---	1.3	-40
MW-3	04/09/2001	33,800	7,100	147	1,700	2,660	13,000	---	---	---	---	---	---	---	---	174.61	13.59	161.02	---	0.6	-56
MW-3	07/24/2001	220,000	5,600	1,900	4,400	19,000	---	12,000	---	---	---	---	---	---	---	174.61	14.43	160.18	---	0.4	29
MW-3	10/31/2001	65,000	2,700	510	1,800	7,200	---	9,800	5,200	<20	<20	<20	---	---	<500	174.61	14.59	160.02	---	0.9	-27

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-3	01/10/2002	66,000	2,400	490	1,700	6,600	---	5,500	---	---	---	---	---	---	---	174.61	12.65	161.96	---	1.7	-76
MW-3	04/25/2002	55,000	4,600	460	2,400	6,900	---	8,100	---	---	---	---	---	---	---	174.61	14.13	160.48	---	1.2	-96
MW-3	07/18/2002	56,000	3,300	270	1,700	5,000	---	8,400	---	---	---	---	---	---	---	174.61	15.48	159.15	0.03	0.8	-41
MW-3	10/07/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.60	160.15	0.20	---	---
MW-3	01/06/2003	57,000	3,200	330	1,800	5,400	---	5,100	---	---	---	---	---	---	---	174.59	11.62	162.99	0.02	0.4	33
MW-3	04/07/2003	57,000	6,200	500	2,400	6,700	---	8,200	3,900	---	---	---	---	---	---	174.59	13.80	160.79	---	0.5	61
MW-3	07/07/2003	28,000	4,900	300	1,500	4,100	---	7,900	4,700	---	---	---	---	---	---	174.59	14.00	160.59	---	1.0	-11
MW-3	10/09/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.44	160.21	0.08	---	---
MW-3	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.68	159.97	0.07	---	---
MW-3	01/14/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	12.47	162.14	0.02	---	---
MW-3	04/28/2004	32,000	7,300	190	2,100	4,300	---	3,700	2,500	---	---	---	---	---	---	174.59	13.66	160.93	---	0.1	-16
MW-3	07/12/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.87	159.75	0.04	---	---
MW-3	10/25/2004	49,000	5,100	61	1,800	3,600	---	5,400	2,700	---	---	---	---	---	---	174.59	14.12	160.47	---	2.70	-59
MW-3	01/17/2005	57,000	8,000	190	2,000	4,000	---	4,600	3,300	---	---	---	---	---	---	174.59	10.59	164.00	---	0.2	-18
MW-3	04/06/2005	57,000	7,300	180	2,200	3,300	---	4,100	2,700	---	---	---	---	---	---	174.59	10.58	164.01	---	0.95	-77
MW-3	07/08/2005	28,000	2,900	47	1,100	2,000	---	2,800	1,900	<20	<20	<20	---	---	<200	174.59	13.46	161.13	---	0.1	-51
MW-3	10/07/2005	23,000	3,200	39	960	1,300	---	2,600	1,900	---	---	---	---	---	---	174.59	14.76	159.83	---	---	---
MW-3	01/27/2006	38,500	6,520	139	1,350	2,160	---	1,940	1,490	---	---	---	---	---	---	174.59	11.69	162.90	---	---	---
MW-3	03/16/2006	65,100	5,280	181	1,580	2,520	---	2,410	12,300	---	---	---	---	---	---	174.59	10.08	164.51	---	---	---
MW-3	04/28/2006	<1000	4,330	157	1,480	2,690	---	2,470	1,520	---	---	---	---	---	---	174.59	3.31	171.28	---	---	---
MW-3	05/15/2006	69,600	6,100	159	1,690	2,640	---	3,520	1,720	---	---	---	---	---	---	174.59	12.69	161.90	---	---	---
MW-3	06/19/2006	103,000	5,070	117	2,210	3,950	---	2,790	1,080	---	---	---	---	---	---	174.59	13.28	161.31	---	---	---
MW-3	07/28/2006	86,600	4,890	85.7	1,570	2,250	---	2,790	1,260	7.28	<0.500	<0.500	---	---	<50.0	174.59	14.72	159.87	---	---	---
MW-3	08/31/2006	45,700	4,600	204	1,740	2,680	---	2,580	1,520	---	---	---	---	---	---	174.59	14.75	159.84	---	---	---
MW-3	09/26/2006	29,000	3,900	76	1,500	2,100	---	2,700	1,500	---	---	---	---	---	---	174.59	14.97	159.62	---	---	---
MW-3	10/27/2006	41,000	3,690	65.2	1,210	1,650	---	1,760	867 d	---	---	---	---	---	---	174.59	15.00	159.59	---	---	---
MW-3	11/22/2006	30,000	3,300	51	810	1,500	---	1,900	1,300	---	---	---	---	---	---	174.59	14.26	160.33	---	---	---
MW-3	12/26/2006	31,000	2,500	56	1,100	1,500	---	2,200	2,000	---	---	---	---	---	---	174.59	12.52	162.07	---	---	---
MW-3	01/10/2007	18,000	2,600	43	750	940	---	2,100	2,100	---	---	---	---	---	---	174.59	12.81	161.78	---	---	---
MW-3	02/19/2007	27,000	3,800	110	1,200	1,500	---	2,400	3,200	---	---	---	---	---	---	174.59	11.65	162.94	---	---	---
MW-3	03/16/2007	25,000	4,000	80	1,300	1,500	---	2,100	2,400	---	---	---	---	---	---	174.59	12.20	162.39	---	---	---
MW-3	04/13/2007	30,000 g	4,400	73	1,500	1,920	---	2,800	3,900	---	---	---	---	---	---	174.59	13.37	161.22	---	---	---
MW-3	07/09/2007	25,000 g	3,800	57	1,400	1,456	---	1,900	1,500	<100	<100	<100	---	---	<5,000	174.59	14.30	160.29	---	---	---
MW-3	10/08/2007	20,000 g	3,200	35 h	1,300	1,124 h	---	1,700	1,500	---	---	---	---	---	---	174.59	15.19	159.41	0.01	---	---
MW-3	11/19/2007	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	174.59	---	---	---	---	---
MW-3	11/30/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.07	160.52	---	---	---
MW-3	12/10/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.78	160.81	---	---	---
MW-3	01/09/2008	33,000 g	2,800	34	910	782 h	---	1,000	1,100	---	---	---	---	---	---	174.59	11.09	163.50	---	---	---
MW-3	02/21/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	12.22	162.37	---	---	---
MW-3	03/20/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.03	161.56	---	---	---
MW-3	04/04/2008	24,000	3,300	55	1,100	844	---	1,900	1,200	---	---	---	---	---	---	174.59	13.41	161.18	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-3	05/27/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	20.49	154.11	0.01	---	---
MW-3	06/11/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.95	160.65	0.01	---	---
MW-3	07/03/2008	33,000	3,800	38	1,500	1,200	---	2,600	1,800	<50	<50	<50	---	---	<2,500	174.59	10.48	164.12	0.01	---	---
MW-3	09/17/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.76	159.83	---	---	---
MW-3	09/17/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.95	159.65	0.01	---	---
MW-3	10/03/2008	26,000	3,000	29	1,200	750	---	1,700	1,400	---	---	---	---	---	---	174.59	15.32	159.28	0.01	---	---
MW-3	11/26/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.54	160.05	---	---	---
MW-3	12/30/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.04	161.55	---	---	---
MW-3	01/22/2009	27,000	2,300	29	880	610	---	1,600	1,700	---	---	---	---	---	---	174.59	13.73	160.86	---	---	---
MW-3	02/27/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	12.88	161.71	---	---	---
MW-3	04/13/2009	27,000	3,000	51	1,200	740	---	1,400	1,500	---	---	---	---	---	---	174.59	13.01	161.58	---	---	---
MW-3	07/23/2009	26,000	3,300	41	1,600	1,200	---	2,200	1,600	<50	<50	<50	---	---	<2,500	174.59	14.59	160.00	---	---	---
MW-3	11/10/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.66	160.93	---	---	---
MW-3	02/01/2010	34,000	3,200	44	1,300	1,700	---	1,000	1,100	---	---	---	---	---	---	174.59	10.65	163.94	---	---	---
MW-3	08/02/2010	16,000	1,500	12	440	460	---	910	1,200	---	---	---	---	---	---	174.59	14.09	160.50	---	---	---
MW-3	01/31/2011	21,000	2,200	32	980	980	---	1,300	1,700	---	---	---	<20	<20	---	174.59	11.89	162.70	---	---	---
MW-3	04/26/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	12.56	162.03	---	---	---
MW-3	07/25/2011	23,000	1,600	24	1,200	1,000	---	840	940	<25	<25	<25	---	---	<3,800	174.59	13.53	161.06	---	---	---
MW-3	10/13/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.02	161.57	---	---	---
MW-3	01/23/2012	25,000	1,500	16	640	610	---	730	660	---	---	---	---	---	---	174.59	12.30	162.29	---	---	---
MW-3	04/23/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	11.43	163.16	---	---	---
MW-3	07/24/2012	22,000	2,100	33	870	550	---	970	1,100	<10	<10	<10	---	---	---	174.59	13.84	160.76	0.01	---	---
MW-3	11/07/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.81	160.78	---	---	---
MW-3	01/23/2013	36,000	1,600	18	900	830	---	800	1,200	---	---	---	---	---	---	174.59	12.85	161.74	---	---	---
MW-3	04/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	13.33	161.26	---	---	---
MW-3	07/10/2013	14,000	1,700	17	250	330	---	870	970	<10	<10	<10	---	---	<3,000	174.59	14.01	160.58	---	---	---
MW-3	10/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	14.87	159.72	---	---	---
MW-3	01/16/2014	31,000	2,100	27	1,600	1,700	---	830	960	---	---	---	---	---	---	174.59	15.37	159.22	---	---	---
MW-3	04/29/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	12.99	161.60	---	---	---
MW-3	07/10/2014	19,000	1,900	26	510	560	---	910	1,000	<13	<13	<13	---	---	<3,800	174.59	14.63	159.96	---	---	---
MW-3	10/14/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.59	15.93	158.66	---	---	---
MW-3	01/27/2015	20,000	1,700	22	430	370	---	730	1,100	---	---	---	---	---	---	174.59	13.23	161.36	---	---	---
MW-3	07/21/2015	13,000	2,000	18	98	110	---	700	1,000	<13	<13	<13	---	---	<3,800	174.59	14.61	159.98	---	---	---
MW-3	01/20/2016	21,000	2,000	<25	840	690	---	660	770 j	---	---	---	---	---	---	174.59	9.95	164.64	---	---	---
MW-3	07/20/2016	15,000	1,100	11	110	80	---	360	760	<10	<10	<10	---	---	<3,000	174.59	14.63	159.96	---	---	---
MW-4	11/17/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.06	6.62	157.44	---	---	---
MW-4	11/28/1994	2,900	200	17	76	260	---	---	---	---	---	---	---	---	---	164.06	6.11	157.95	---	---	---
MW-4	01/13/1995	1,900	130	5.6	13	40	---	---	---	---	---	---	---	---	---	164.06	6.05	158.01	---	---	---
MW-4	04/12/1995	680	150	<2.0	10	13	---	---	---	---	---	---	---	---	---	164.06	6.31	157.75	---	---	---
MW-4	07/25/1995	340	100	0.80	8.8	3.0	---	---	---	---	---	---	---	---	---	164.06	7.36	156.70	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-4	10/18/1995	150	31	<0.50	3.5	0.80	---	---	---	---	---	---	---	---	---	164.06	8.54	155.52	---	---	---
MW-4	01/17/1996	290	14	<0.50	1.8	0.80	---	---	---	---	---	---	---	---	---	164.06	8.48	155.58	---	---	---
MW-4	04/25/1996	<500	65	<5.0	<5.0	<5.0	1,700	---	---	---	---	---	---	---	---	164.06	7.40	156.66	---	---	---
MW-4 (D)	04/25/1996	<500	66	<5.0	8.7	<5.0	1,500	---	---	---	---	---	---	---	---	164.06	7.40	156.66	---	---	---
MW-4	07/17/1996	<500	84	<5.0	6.5	<5.0	1,500	---	---	---	---	---	---	---	---	164.06	7.75	156.31	---	---	---
MW-4 (D)	07/17/1996	<500	54	<5.0	<5.0	<5.0	1,700	2,100	---	---	---	---	---	---	---	164.06	7.75	156.31	---	---	---
MW-4	10/01/1996	<500	1.9	<5.0	<5.0	<5.0	3,000	---	---	---	---	---	---	---	---	164.06	8.82	155.24	---	---	---
MW-4	01/22/1997	580	130	<2.5	18	5.2	1,200	---	---	---	---	---	---	---	---	164.06	7.51	156.55	---	---	---
MW-4	04/08/1997	770	200	7.0	26	55	1,500	8.0	---	---	---	---	---	---	---	164.06	7.18	156.88	---	---	---
MW-4	07/08/1997	570	78	<5.0	14	11	1,200	---	---	---	---	---	---	---	---	164.06	9.00	155.06	---	---	---
MW-4 (D)	07/08/1997	640	81	<5.0	16	19	1,600	---	---	---	---	---	---	---	---	164.06	9.00	155.06	---	---	---
MW-4	10/08/1997	<500	40	<5.0	7.4	5.4	1,400	---	---	---	---	---	---	---	---	164.06	8.97	155.09	---	---	---
MW-4 (D)	10/08/1997	<500	36	<5.0	5.9	<5.0	1,400	---	---	---	---	---	---	---	---	164.06	8.97	155.09	---	---	---
MW-4	01/08/1998	<1,000	55	<10	13	<10	2,000	---	---	---	---	---	---	---	---	164.06	7.90	156.16	---	---	---
MW-4	04/13/1998	350	110	2.4	20	26	<2.5	---	---	---	---	---	---	---	---	164.06	7.35	156.71	---	---	---
MW-4	07/17/1998	210	66	0.78	5.4	9.8	1,700	---	---	---	---	---	---	---	---	164.06	6.95	157.11	---	---	---
MW-4	10/02/1998	<50	0.69	<0.50	<0.50	<0.50	2,900	---	---	---	---	---	---	---	---	164.06	7.35	156.71	---	---	---
MW-4	02/03/1999	560	120	2.5	29	34	6,800	---	---	---	---	---	---	---	---	164.06	7.71	156.35	---	0.9	---
MW-4	04/29/1999	390	80	1.9	13	19	7,000	8,360	---	---	---	---	---	---	---	164.06	7.83	156.23	---	1.1	-125
MW-4	07/23/1999	460	93.6	8.40	25.2	28.8	3,760	6,000 f	---	---	---	---	---	---	---	164.06	11.33	152.73	---	0.9	---
MW-4	11/01/1999	77.3	0.520	<0.500	<0.500	<0.500	539	---	---	---	---	---	---	---	---	164.06	10.66	153.40	---	2.8	3
MW-4	01/17/2000	160	27	<0.50	12	6.3	12,000	---	---	---	---	---	---	---	---	164.06	10.15	153.91	---	3.9	-17
MW-4	04/17/2000	<500	26	6.38	9.35	10.4	9,070	---	---	---	---	---	---	---	---	164.06	10.10	153.96	---	1.7	-129
MW-4	07/26/2000	<500	22.7	<5.00	7.59	6.96	7,660	---	---	---	---	---	---	---	---	164.06	10.09	153.97	---	1.4	-137
MW-4	10/12/2000	172	19.8	<0.500	7.47	4.50	8,290	---	---	---	---	---	---	---	---	164.06	9.35	154.71	---	3.5	529
MW-4	01/15/2001	53.6	1.50	<0.500	2.45	1.80	9,260	---	---	---	---	---	---	---	---	164.06	8.77	155.29	---	2.3	53
MW-4	04/09/2001	<500	<5.00	<5.00	<5.00	5.52	10,300	---	---	---	---	---	---	---	---	164.06	7.75	156.31	---	1.0	-133
MW-4	07/24/2001	58	3.8	<0.50	3.2	2.9	---	1,700	---	---	---	---	---	---	---	164.06	10.07	153.99	---	0.5	106
MW-4	10/31/2001	<1,000	<10	<10	<10	<10	---	7,400	---	---	---	---	---	---	---	164.06	9.97	154.09	---	0.8	22
MW-4	01/10/2002	<2,000	<20	<20	<20	<20	---	12,000	---	---	---	---	---	---	---	164.06	8.53	155.53	---	8.9	224
MW-4	04/25/2002	<2,000	<20	<20	<20	<20	---	7,900	---	---	---	---	---	---	---	164.06	7.33	156.73	---	3.6	-84
MW-4	07/18/2002	<2,000	<20	<20	<20	<20	---	7,200	---	---	---	---	---	---	---	164.06	9.05	155.01	---	1.7	120
MW-4	10/07/2002	<1,000	<10	<10	<10	<10	---	3,300	---	---	---	---	---	---	---	164.03	9.06	154.97	---	2.5	33
MW-4	01/06/2003	<500	21	<5.0	<5.0	<5.0	---	2,500	---	---	---	---	---	---	---	164.03	7.09	156.94	---	0.5	55
MW-4	04/07/2003	<2,500	<25	<25	<25	<50	---	1,700	5,900	---	---	---	---	---	---	164.03	8.26	155.77	---	1.2	69
MW-4	07/07/2003	<2,500	<25	<25	<25	<50	---	860	6,900	---	---	---	---	---	---	164.03	8.92	155.11	---	0.5	-3
MW-4	10/09/2003	<500	<5.0	<5.0	<5.0	<10	---	420	6,700	---	---	---	---	---	---	164.03	8.91	155.12	---	0.7	171
MW-4	01/14/2004	<1,000	24	<10	<10	<20	---	500	7,200	---	---	---	---	---	---	164.03	8.34	155.69	---	1.2	140
MW-4	04/28/2004	<500	6.0	<5.0	<5.0	<10	---	310	5,200	---	---	---	---	---	---	164.03	7.55	156.48	---	0.4	69
MW-4	07/12/2004	<500	11	<5.0	7.8	<10	---	370	5,900	<20	<20	<20	---	---	<500	164.03	8.12	155.91	---	0.5	142
MW-4	10/25/2004	<500	<5.0	<5.0	5.6	<10	---	280	4,300	---	---	---	---	---	---	164.03	7.85	156.18	---	1.90	-70

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-4	01/17/2005	<1,000	56	<10	10	<20	---	380	8,400	---	---	---	---	---	---	164.03	6.08	157.95	---	0.4	6
MW-4	04/06/2005	<1,000	52	<10	11	<20	---	450	12,000	---	---	---	---	---	---	164.03	8.10	155.93	---	0.49	11
MW-4	07/08/2005	<400	30	<4.0	6.0	<4.0	---	250	9,600	<4.0	<4.0	<4.0	---	---	<40	164.03	7.50	156.53	---	0.6	71
MW-4	07/08/2005	<400	30	<4.0	6.0	<4.0	---	250	9,600	<4.0	<4.0	<4.0	---	---	<40	164.03	7.50	156.53	---	0.6	71
MW-4	10/07/2005	<1,000	<10	<10	<10	<20	---	200	8,900	---	---	---	---	---	---	164.03	8.30	155.73	---	---	---
MW-4	01/27/2006	1,140	34.3	2.37	8.69	12.0	---	198	32,100	---	---	---	---	---	---	164.03	8.55	155.48	---	---	---
MW-4	04/28/2006	1,490	46.8	2.80	21.2	24.8	---	344	14,800	---	---	---	---	---	---	164.03	9.02	155.01	---	---	---
MW-4	07/28/2006	951	5.09	<0.500	<0.500	<0.500	---	169	4,830	1.57	<0.500	<0.500	---	---	<50.0	164.03	9.19	154.84	---	---	---
MW-4	10/27/2006	1,620	21.5	2.65	13.2	10.3	---	173	5,150	---	---	---	---	---	---	164.03	9.01	155.02	---	---	---
MW-4	01/10/2007	740	56	2.4	23	24	---	190	7,500 f	---	---	---	---	---	---	164.03	6.95	157.08	---	---	---
MW-4	04/13/2007	1,500 g	130	20	100	138	---	120	6,300	---	---	---	---	---	---	164.03	7.51	156.52	---	---	---
MW-4	07/09/2007	650 g	65	5.3 h	36	33.2 h	---	130	6,000	<20	<20	<20	---	---	<1,000	164.03	7.85	156.18	---	---	---
MW-4	10/08/2007	840 g	100	23	70	120	---	120	5,300	---	---	---	---	---	---	164.03	8.50	155.53	---	---	---
MW-4	01/09/2008	2,200 g	130	38	130	264	---	160	5,400	---	---	---	---	---	---	164.03	8.33	155.70	---	---	---
MW-4	04/04/2008	1,700	93	24	74	145	---	110	3,700	---	---	---	---	---	---	164.03	6.63	157.40	---	---	---
MW-4	07/03/2008	1,400	87	15	54	109	---	88	3,900	<20	<20	<20	---	---	<1,000	164.03	8.25	155.78	---	---	---
MW-4	10/03/2008	1,000	61	12	41	78	---	84	3,700	---	---	---	---	---	---	164.03	8.54	155.49	---	---	---
MW-4	01/22/2009	800	26	5.4	14	26	---	81	4,100	---	---	---	---	---	---	164.03	7.40	156.63	---	---	---
MW-4	04/13/2009	2,000	100	26	64	130	---	69	3,200	---	---	---	---	---	---	164.03	6.91	157.12	---	---	---
MW-4	07/23/2009	1,500	180	54	86	200	---	85	2,500	<10	<10	<10	---	---	<500	164.03	7.97	156.06	---	---	---
MW-4	02/01/2010	1,400	120	44	57	120	---	81	2,900	---	---	---	---	---	---	164.03	6.05	157.98	---	---	---
MW-4	08/02/2010	340,000	5,300	5,800	7,700	26,000	---	62	1,800	---	---	---	---	---	---	164.03	6.48	157.65	0.12	---	---
MW-4	01/31/2011	9,700	47	62	340	1,100	---	77	1,300	---	---	---	<5.0	<5.0	---	164.03	6.67	157.36	---	---	---
MW-4	04/26/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	8.73	155.30	---	---	---
MW-4	07/25/2011	94,000	2,800	2,900	3,800	12,000	---	<100	<1,000	<100	<100	<100	---	---	<15,000	164.03	7.27	156.76	---	---	---
MW-4	10/13/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	7.57	156.46	---	---	---
MW-4	01/23/2012	6,100	83	61	230	510	---	46	150	---	---	---	---	---	---	164.03	5.82	158.21	---	---	---
MW-4	04/23/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	6.50	157.53	---	---	---
MW-4	07/24/2012	5,400	95	33	160	410	---	42	67	<2.5	<2.5	<2.5	---	---	---	164.03	7.19	156.84	---	---	---
MW-4	11/07/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	6.96	157.07	---	---	---
MW-4	01/23/2013	31,000	110	190	950	3,400	---	33	<500	---	---	---	---	---	---	164.03	6.75	157.28	---	---	---
MW-4	04/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	7.11	156.92	---	---	---
MW-4	07/10/2013	9,000	63	24	180	600	---	34	<100	<5.0	<5.0	<5.0	---	---	<1,500	164.03	7.15	156.88	---	---	---
MW-4	10/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	8.36	155.67	---	---	---
MW-4	01/16/2014	10,000	150	100	430	1,300	---	30	<100	---	---	---	---	---	---	164.03	8.41	155.62	---	---	---
MW-4	04/29/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	7.49	156.54	---	---	---
MW-4	07/10/2014	9,700	120	130	660	2,000	---	33	<100	<5.0	<5.0	<5.0	---	---	<1,500	164.03	8.28	155.75	---	---	---
MW-4	10/14/2014	---	---	---	---	---	---	---	---	---	---	---	---	---	---	164.03	9.54	154.49	---	---	---
MW-4	01/27/2015	8,300	73	43	350	1,100	---	35	<50	---	---	---	---	---	---	164.03	6.90	157.13	---	---	---
MW-4	07/21/2015	12,000	37	19	280	820	---	31	<100	<5.0	<5.0	<5.0	---	---	<1,500	164.03	8.03	156.00	---	---	---
MW-4	01/20/2016	5,500	20	6.1	120	360	---	41	<25	---	---	---	---	---	---	164.03	5.70	158.33	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-4	07/20/2016	12,000	52	<25	300	830	---	34	<500	<25	<25	<25	---	---	<7,500	164.03	7.94	156.09	---	---	---
MW-5	01/04/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.62	---	---	---	---
MW-5	01/10/2002	<50	<0.50	<0.50	<0.50	<0.50	---	110	---	---	---	---	---	---	---	164.06	5.88	158.18	---	3.3	172
MW-5	04/25/2002	<50	<0.50	<0.50	<0.50	<0.50	---	73	---	---	---	---	---	---	---	164.06	6.81	157.25	---	0.3	-44
MW-5	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	---	75	---	---	---	---	---	---	---	164.06	7.38	156.68	---	0.4	170
MW-5	10/07/2002	<50	<0.50	<0.50	<0.50	<0.50	---	41	---	---	---	---	---	---	---	164.14	6.75	157.39	---	1.5	16
MW-5	01/06/2003	<50	<0.50	<0.50	<0.50	<0.50	---	81	---	---	---	---	---	---	---	164.14	5.96	158.18	---	0.6	166
MW-5	04/07/2003	<50	<0.50	<0.50	<0.50	<1.0	---	77	28	---	---	---	---	---	---	164.14	6.51	157.63	---	0.8	174
MW-5	07/07/2003	<50	<0.50	<0.50	<0.50	<1.0	---	32	23	---	---	---	---	---	---	164.14	6.44	157.70	---	0.3	-17
MW-5	10/09/2003	<50	<0.50	<0.50	<0.50	<1.0	---	59	40	---	---	---	---	---	---	164.14	7.05	157.09	---	0.9	17
MW-5	01/14/2004	<50	<0.50	0.76	<0.50	<1.0	---	47	17	---	---	---	---	---	---	164.14	6.29	157.85	---	1.6	209
MW-5	04/28/2004	<50	<0.50	<0.50	<0.50	<1.0	---	31	11	---	---	---	---	---	---	164.14	6.84	157.30	---	0.4	136
MW-5	07/12/2004	<50	<0.50	<0.50	<0.50	<1.0	---	47	12	<2.0	<2.0	<2.0	---	---	<50	164.14	7.57	156.57	---	0.4	90
MW-5	10/25/2004	<50	<0.50	<0.50	<0.50	<1.0	---	41	13	---	---	---	---	---	---	164.14	6.50	157.64	---	1.74	-21
MW-5	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	---	41	12	---	---	---	---	---	---	164.14	5.83	158.31	---	0.1	-7
MW-5	04/06/2005	<50	<0.50	<0.50	<0.50	<1.0	---	12	<5.0	---	---	---	---	---	---	164.14	5.91	158.23	---	1.05	-62
MW-5	07/08/2005	<50	<0.50	<0.50	<0.50	<0.50	---	26	18	<0.50	<0.50	<0.50	---	---	<5.0	164.14	6.78	157.36	---	1.2	81
MW-5	10/07/2005	<50	<0.50	<0.50	<0.50	<1.0	---	28	24	---	---	---	---	---	---	164.14	7.64	156.50	---	---	---
MW-5	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	---	26.7	46.3	---	---	---	---	---	---	164.14	6.21	157.93	---	---	---
MW-5	04/28/2006	<50.0	<0.500	<0.500	<0.500	<0.500	---	39.1	15.0	---	---	---	---	---	---	164.14	6.05	158.09	---	---	---
MW-5	07/28/2006	103	<0.500	<0.500	<0.500	<0.500	---	35.5	<10.0	<0.500	<0.500	<0.500	---	---	<50.0	164.14	7.54	156.60	---	---	---
MW-5	10/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	---	19.7	26.0 d	---	---	---	---	---	---	164.14	7.91	156.23	---	---	---
MW-5	01/10/2007	<50	<0.50	<0.50	<0.50	<1.0	---	11	16	---	---	---	---	---	---	164.14	6.38	157.76	---	---	---
MW-5	04/13/2007	76 c,g	<0.50	<1.0	<1.0	<1.0	---	35	37	---	---	---	---	---	---	164.14	6.58	157.56	---	---	---
MW-5	07/09/2007	<50 g	<0.50	<1.0	<1.0	<1.0	---	26	34	<2.0	<2.0	<2.0	---	---	<100	164.14	7.28	156.86	---	---	---
MW-5	10/08/2007	<50 g	<0.50	<1.0	<1.0	<1.0	---	25	28	---	---	---	---	---	---	164.14	8.01	156.13	---	---	---
MW-5	01/09/2008	<50 g	0.15 h	<1.0	<1.0	<1.0	---	11	7.6 h	---	---	---	---	---	---	164.14	5.45	158.69	---	---	---
MW-5	04/04/2008	50	<0.50	<1.0	<1.0	<1.0	---	17	<10	---	---	---	---	---	---	164.14	6.61	157.53	---	---	---
MW-5	07/03/2008	<50	<0.50	<1.0	<1.0	<1.0	---	16	11	<2.0	<2.0	<2.0	---	---	<100	164.14	7.40	156.74	---	---	---
MW-5	10/03/2008	<50	<0.50	<1.0	<1.0	<1.0	---	17	14	---	---	---	---	---	---	164.14	7.90	156.24	---	---	---
MW-5	01/22/2009	<50	<0.50	<1.0	<1.0	<1.0	---	9.2	<10	---	---	---	---	---	---	164.14	6.30	157.84	---	---	---
MW-5	04/13/2009	<50	<0.50	<1.0	<1.0	<1.0	---	8.4	<10	---	---	---	---	---	---	164.14	6.42	157.72	---	---	---
MW-5	07/23/2009	<50	<0.50	<1.0	<1.0	<1.0	---	15	<10	<2.0	<2.0	<2.0	---	---	<100	164.14	7.60	156.54	---	---	---
MW-5	02/01/2010	<50	<0.50	<1.0	<1.0	<1.0	---	9.0	<10	---	---	---	---	---	---	164.14	5.80	158.34	---	---	---
MW-5	08/02/2010	<50	<0.50	<1.0	<1.0	<1.0	---	7.5	<10	---	---	---	---	---	---	164.14	7.00	157.14	---	---	---
MW-5	01/31/2011	<50	<0.50	<0.50	<0.50	<1.0	---	7.5	<10	---	---	---	<0.50	<0.50	---	164.14	5.79	158.35	---	---	---
MW-5	07/25/2011	Unable to locate			---	---	---	---	---	---	---	---	---	---	---	164.14	---	---	---	---	---
MW-5	01/23/2012	<50	<0.50	<0.50	<0.50	<1.0	---	5.7	<10	---	---	---	---	---	---	164.14	5.40	158.74	---	---	---
MW-5	07/24/2012	<50	<0.50	<0.50	<0.50	<1.0	---	9.0	<10	<0.50	<0.50	<0.50	---	---	---	164.14	6.45	157.69	---	---	---
MW-5	01/23/2013	<50	<0.50	<0.50	<0.50	<1.0	---	6.0	<10	---	---	---	---	---	---	164.14	6.32	157.82	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-5	07/10/2013	<50	<0.50	<0.50	<0.50	<1.0	---	6.8	<10	<0.50	<0.50	<0.50	---	---	<150	164.14	6.68	157.46	---	---	---
MW-5	01/16/2014	<50	<0.50	<0.50	<0.50	<1.0	---	2.5	<10	---	---	---	---	---	---	164.14	7.86	156.28	---	---	---
MW-5	07/10/2014	<50	<0.50	<0.50	<0.50	<1.0	---	6.0	<10	<0.50	<0.50	<0.50	---	---	<150	164.14	7.66	156.48	---	---	---
MW-5	01/27/2015	<50	<0.50	<0.50	<0.50	<1.0	---	2.9	<10	---	---	---	---	---	---	164.14	6.47	157.67	---	---	---
MW-5	07/21/2015	<50	<0.50	<0.50	<0.50	<1.0	---	3.0	<10	<0.50	<0.50	<0.50	---	---	<150	164.14	7.94	156.20	---	---	---
MW-5	01/20/2016	<50	<0.50	<0.50	<0.50	<1.0	---	1.1	<10	---	---	---	---	---	---	164.14	4.80	159.34	---	---	---
MW-5	07/20/2016	<50	<0.50	<0.50	<0.50	<1.0	---	3.2	<10	<0.50	<0.50	<0.50	---	---	<150	164.14	7.56	156.58	---	---	---
MW-6	06/26/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	---	169.89	10.25	159.64	---	---	---
MW-6	07/28/2006	19,200	1,290	41.7	141	245	---	777	8,340	3.37	<0.500	<0.500	---	---	<50.0	169.89	11.00	158.89	---	---	---
MW-6	10/27/2006	11,400	1,250	41.0	155	242	---	569	7,270	---	---	---	---	---	---	169.89	11.41	158.48	---	---	---
MW-6	01/10/2007	7,000	1,000	26	270	240	---	770	17,000	---	---	---	---	---	---	169.89	9.43	160.46	---	---	---
MW-6	04/13/2007	4,200 g	820	22	72	71	---	490	9,500	---	---	---	---	---	---	169.89	9.81	160.08	---	---	---
MW-6	07/09/2007	6,100 g	960	23	65	116	---	280	8,400	<40	<40	<40	---	---	<2,000	169.89	10.80	159.09	---	---	---
MW-6	10/08/2007	3,600 g	960	17 h	27	76 h	---	260	7,000	---	---	---	---	---	---	169.89	11.64	158.25	---	---	---
MW-6	01/09/2008	Unable to access			---	---	---	---	---	---	---	---	---	---	---	169.89	---	---	---	---	---
MW-6	01/22/2008	4,100 g	610	14 h	31	19 h	---	180	7,700	---	---	---	---	---	---	169.89	8.81	161.08	---	---	---
MW-6	04/04/2008	6,100	760	<20	20	29	---	240	6,900	---	---	---	---	---	---	169.89	10.01	159.88	---	---	---
MW-6	07/03/2008	7,100	1,100	<20	25	50	---	220	9,400	<40	<40	<40	---	---	<2,000	169.89	10.94	158.95	---	---	---
MW-6	10/03/2008	7,400	1,000	<20	<20	116	---	270	8,400	---	---	---	---	---	---	169.89	11.87	158.02	---	---	---
MW-6	01/22/2009	Unable to access			---	---	---	---	---	---	---	---	---	---	---	169.89	---	---	---	---	---
MW-6	04/13/2009	5,300	690	<20	35	47	---	210	9,000	---	---	---	---	---	---	169.89	9.70	160.19	---	---	---
MW-6	07/23/2009	6,800	1,100	<20	<20	42	---	220	7,400	<40	<40	<40	---	---	<2000	169.89	11.09	158.80	---	---	---
MW-6	02/01/2010	4,000	460	<10	<10	<10	---	88	8,400	---	---	---	---	---	---	169.89	8.05	161.84	---	---	---
MW-6	08/02/2010	7,600	860	15	18	49	---	97	6,800	---	---	---	---	---	---	169.89	10.50	159.39	---	---	---
MW-6	01/31/2011	2,800	370	11	19	26	---	170	4,800	---	---	---	<5.0	<5.0	---	169.89	8.52	161.37	---	---	---
MW-6	07/25/2011	4,600	730	13	6.5	18	---	110	5,500	<10	<10	<10	---	---	<1,500	169.89	10.08	159.81	---	---	---
MW-6	01/23/2012	2,100	300	5.3	5.1	13	---	61	3,100	---	---	---	---	---	---	169.89	8.18	161.71	---	---	---
MW-6	07/24/2012	3,400	510	8.8	5.8	14	---	110	5,100	<5.0	<5.0	<5.0	---	---	---	169.89	10.01	159.88	---	---	---
MW-6	01/23/2013	2,400	260	5.4	30	15	---	110	4,600	---	---	---	---	---	---	169.89	9.62	160.27	---	---	---
MW-6	07/10/2013	3,000	390	6.3	<5.0	12	---	110	4,300	<5.0	<5.0	<5.0	---	---	<1,500	169.89	9.94	159.95	---	---	---
MW-6	01/16/2014	3,500	500	9.3	9.0	14	---	64	3,900	---	---	---	---	---	---	169.89	11.10	158.79	---	---	---
MW-6	07/10/2014	3,300	400	9.4	8.7	26	---	150	5,200	<5.0	<5.0	<5.0	---	---	<1,500	169.89	11.11	158.80	---	---	---
MW-6	01/27/2015	3,300	400	8.4	9.7	15	---	67	3,600	---	---	---	---	---	---	169.89	9.91	158.81	---	---	---
MW-6	07/21/2015	4,700	680	9.2	<5.0	14	---	73	4,400	<5.0	<5.0	<5.0	---	---	<1,500	169.89	11.03	158.86	---	---	---
MW-6	01/20/2016	1,100	82	1.8	0.89	4.0	---	32	1,500	---	---	---	---	---	---	169.89	6.90	162.99	---	---	---
MW-6	07/20/2016	2,800	580	7.5	<5.0	13.0	---	150	4,000	<5.0	<5.0	<5.0	---	---	<1,500	169.89	10.70	159.19	---	---	---
MW-7	06/26/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	---	170.87	9.59	161.28	---	---	---
MW-7	07/28/2006	5,860	72.0	6.67	25.4	165	---	3,940	1,420	<0.500	<0.500	2.89	---	---	<50.0	170.87	10.08	160.79	---	---	---
MW-7	10/27/2006	1,180	8.67	<0.500	2.48	7.52	---	1,100	184	---	---	---	---	---	---	170.87	10.13	160.74	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)
MW-7	01/10/2007	1,000	12	<5.0	<5.0	<10	---	2,200 f	2,400	---	---	---	---	---	---	170.87	8.41	162.46	---	---	---
MW-7	04/13/2007	1,100 c,g	54	<20	18 h	23.5 h	---	2,500	3,800	---	---	---	---	---	---	170.87	8.25	162.62	---	---	---
MW-7	07/09/2007	1,100 g	41	<20	8.8 h	4.5 h	---	2,000	1,200	<40	<40	<40	---	---	<2,000	170.87	9.22	161.65	---	---	---
MW-7	10/08/2007	400 g	25	<20	<20	<20	---	1,500	740	---	---	---	---	---	---	170.87	9.41	161.46	---	---	---
MW-7	01/09/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.87	---	---	---	---	---
MW-7	01/22/2008	160 g	32	<10	<10	<10	---	1,900	820	---	---	---	---	---	---	170.87	7.63	163.24	---	---	---
MW-7	04/04/2008	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.87	---	---	---	---	---
MW-7	07/03/2008	1,500	11	<10	<10	<10	---	1,700	680	<20	<20	<20	---	---	<1,000	170.87	8.96	161.91	---	---	---
MW-7	10/03/2008	1,000	5.6	<10	<10	<10	---	970	550	---	---	---	---	---	---	170.87	9.57	161.30	---	---	---
MW-7	01/22/2009	880	<5.0	<10	<10	18	---	550	250	---	---	---	---	---	---	170.87	8.60	162.27	---	---	---
MW-7	04/13/2009	1,400	15	<10	<10	<10	---	820	440	---	---	---	---	---	---	170.87	8.24	162.63	---	---	---
MW-7	07/23/2009	1,400	12	<10	<10	<10	---	1,300	550	<20	<20	<20	---	---	<1000	170.87	9.10	161.77	---	---	---
MW-7	02/01/2010	1,300	20	<10	<10	<10	---	1,300	920	---	---	---	---	---	---	170.87	6.81	164.06	---	---	---
MW-7	08/02/2010	780	10	<5.0	<5.0	<5.0	---	890	680	---	---	---	---	---	---	170.87	8.55	162.32	---	---	---
MW-7	01/31/2011	340	12	3.2	6.1	17	---	390	480	---	---	---	<2.5	<2.5	---	170.87	7.58	163.29	---	---	---
MW-7	07/25/2011	480 c	8.8	<2.5	3.8	5.8	---	500	480	<5.0	<5.0	<5.0	---	---	<750	170.87	8.11	162.76	---	---	---
MW-7	01/23/2012	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.87	---	---	---	---	---
MW-7	07/24/2012	610	9.2	<2.5	<2.5	6.6	---	540	600	<2.5	<2.5	<2.5	---	---	---	170.87	8.30	162.57	---	---	---
MW-7	01/23/2013	700	26	<5.0	<5.0	15	---	520	640	---	---	---	---	---	---	170.87	7.79	163.08	---	---	---
MW-7	07/10/2013	710	10	<5.0	<5.0	<10	---	550	520	<5.0	<5.0	<5.0	---	---	<1,500	170.87	8.37	162.50	---	---	---
MW-7	01/16/2014	<500	<5.0	<5.0	<5.0	<10	---	170	<100	---	---	---	---	---	---	170.87	9.13	161.74	---	---	---
MW-7	07/10/2014	590 i	11	<2.5	<2.5	5.4	---	500	490	<2.5	<2.5	<2.5	---	---	<750	170.87	8.82	162.05	---	---	---
MW-7	01/27/2015	510 i	9.6	<2.5	<2.5	<5.0	---	310	350	---	---	---	---	---	---	170.87	7.95	162.92	---	---	---
MW-7	07/21/2015	260 i	3.2	<2.5	<2.5	<5.0	---	220	320	<2.5	<2.5	<2.5	---	---	<750	170.87	8.79	162.08	---	---	---
MW-7	01/20/2016	Unable to access		---	---	---	---	---	---	---	---	---	---	---	---	170.87	---	---	---	---	---
MW-7	02/22/2016	650	90	<5.0	<5.0	18	---	480	1,100	---	---	---	---	---	---	170.87	7.43	163.44	---	---	---
MW-7	07/20/2016	310	7.7	<2.0	<2.0	<4.0	---	290	490	<2.0	<2.0	<2.0	---	---	<600	170.87	8.58	162.29	---	---	---
MW-8	06/26/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	---	174.13	4.53	169.60	---	---	---
MW-8	07/28/2006	2,300	<0.500	<0.500	<0.500	<0.500	---	1,380	<10.0	<0.500	<0.500	0.950	---	---	<50.0	174.13	4.55	169.58	---	---	---
MW-8	10/27/2006	1,570	2.79 e	<0.500	<0.500	<0.500	---	1,280 e	<10.0	---	---	---	---	---	---	174.13	4.87	169.26	---	---	---
MW-8	01/10/2007	540	<2.5	<2.5	<2.5	<5.0	---	1,200 f	750	---	---	---	---	---	---	174.13	4.17	169.96	---	---	---
MW-8	04/13/2007	450 c,g	<5.0	<10	<10	<10	---	1,400	<100	---	---	---	---	---	---	174.13	4.13	170.00	---	---	---
MW-8	07/09/2007	590 g	<5.0	<10	<10	<10	---	1,000	<100	<20	<20	<20	---	---	<1,000	174.13	6.33	167.80	---	---	---
MW-8	10/08/2007	270 c,g	<5.0	<10	<10	<10	---	1,200	<100	---	---	---	---	---	---	174.13	5.63	168.50	---	---	---
MW-8	01/09/2008	200 c,g	<2.5	<5.0	<5.0	<5.0	---	370	<50	---	---	---	---	---	---	174.13	4.17	169.96	---	---	---
MW-8	04/04/2008	1,000	<5.0	<10	<10	<10	---	930	<100	---	---	---	---	---	---	174.13	4.36	169.77	---	---	---
MW-8	07/03/2008	960	<5.0	<10	<10	<10	---	1,000	<100	<20	<20	<20	---	---	<1,000	174.13	5.05	169.08	---	---	---
MW-8	10/03/2008	820	<5.0	<10	<10	<10	---	830	<100	---	---	---	---	---	---	174.13	5.54	168.59	---	---	---
MW-8	01/22/2009	1,000	<2.5	<5.0	<5.0	<5.0	---	740	<50	---	---	---	---	---	---	174.13	5.00	169.13	---	---	---
MW-8	04/13/2009	810	<2.5	<5.0	<5.0	<5.0	---	520	<50	---	---	---	---	---	---	174.13	4.51	169.62	---	---	---

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)	
MW-8	07/23/2009	840	<2.5	<5.0	<5.0	<5.0	---	830	<50	<10	<10	<10	---	---	<500	174.13	4.92	169.21	---	---	---	
MW-8	02/01/2010	270	<1.0	<2.0	<2.0	<2.0	---	260	<20	---	---	---	---	---	---	174.13	3.65	170.48	---	---	---	
MW-8	08/02/2010	430	<2.5	<5.0	<5.0	<5.0	---	480	<50	---	---	---	---	---	---	174.13	4.52	169.61	---	---	---	
MW-8	01/31/2011	<250	<2.5	<2.5	<2.5	<5.0	---	380	300	---	---	---	<2.5	<2.5	---	174.13	4.29	169.84	---	---	---	
MW-8	07/25/2011	300 c	<2.0	<2.0	<2.0	<4.0	---	350	<40	<4.0	<4.0	<4.0	---	---	<600	174.13	4.56	169.57	---	---	---	
MW-8	01/23/2012	<250	<2.5	<2.5	<2.5	<5.0	---	320	98	---	---	---	---	---	---	174.13	4.49	169.64	---	---	---	
MW-8	07/24/2012	350	<2.5	<2.5	<2.5	<5.0	---	330	<50	<2.5	<2.5	<2.5	---	---	---	174.13	4.85	169.28	---	---	---	
MW-8	01/23/2013	290	<2.5	<2.5	<2.5	<5.0	---	270	100	---	---	---	---	---	---	174.13	4.25	169.88	---	---	---	
MW-8	07/10/2013	290	<2.5	<2.5	<2.5	<5.0	---	250	<50	<2.5	<2.5	<2.5	---	---	<750	174.13	4.95	169.18	---	---	---	
MW-8	01/16/2014	<250	<2.5	<2.5	<2.5	<5.0	---	230	<50	---	---	---	---	---	---	174.13	5.60	168.53	---	---	---	
MW-8	07/10/2014	<250	<2.5	<2.5	<2.5	<5.0	---	210	<50	<2.5	<2.5	<2.5	---	---	<750	174.13	4.92	169.21	---	---	---	
MW-8	01/27/2015	280 i	<2.5	<2.5	<2.5	<5.0	---	150	<50	---	---	---	---	---	---	174.13	4.45	169.68	---	---	---	
MW-8	07/21/2015	<50	<0.50	<0.50	<0.50	<1.0	---	41	<10	<0.50	<0.50	<0.50	---	---	<150	174.13	5.15	168.98	---	---	---	
MW-8	01/20/2016	120 i	<0.50	<0.50	<0.50	<1.0	---	130	<10	---	---	---	---	---	---	174.13	3.66	170.47	---	---	---	
MW-8	07/20/2016	110 i	<0.50	<0.50	<0.50	<1.0	---	130	<10	<0.50	<0.50	<0.50	---	---	<150	174.13	5.21	168.92	---	---	---	
MW-9	06/26/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	---	175.20	6.41	168.79	---	---	---	
MW-9	07/28/2006	5,690	19.2	2.64	2.02	57.7	---	5,780	166	<0.500	<0.500	2.74	---	---	<50.0	175.20	6.69	168.51	---	---	---	
MW-9	10/27/2006	2,710	34.2	<0.500	2.76	4.75	---	2,140	29.2 d	---	---	---	---	---	---	175.20	6.90	168.30	---	---	---	
MW-9	01/10/2007	1,500	340	6.8	8.9	27	---	2,300 f	1,400	---	---	---	---	---	---	175.20	6.14	169.06	---	---	---	
MW-9	04/13/2007	1,600 c,g	390	4.1 h	8.6 h	4.7 h	---	3,700	120	---	---	---	---	---	---	175.20	6.17	169.03	---	---	---	
MW-9	07/09/2007	1,200 g	55	<25	<25	<25	---	2,500	<250	<50	<50	<50	---	---	<2,500	175.20	6.65	168.55	---	---	---	
MW-9	10/08/2007	520 c,g	9.1 h	<25	<25	<25	---	2,500	<250	---	---	---	---	---	---	175.20	7.58	167.62	---	---	---	
MW-9	01/09/2008	350 c,g	3.4 h	<10	<10	<10	---	650	<100	---	---	---	---	---	---	175.20	6.30	168.90	---	---	---	
MW-9	04/04/2008	1,500	88	<10	<10	<10	---	1,200	<100	---	---	---	---	---	---	175.20	6.05	169.15	---	---	---	
MW-9	07/03/2008	2,600	70	<10	<10	<10	---	2,800	<100	<20	<20	<20	---	---	<1,000	175.20	7.00	168.20	---	---	---	
MW-9	10/03/2008	2,600	160	<20	<20	<20	---	2,400	<200	---	---	---	---	---	---	175.20	7.39	167.81	---	---	---	
MW-9	01/22/2009	2,900	130	<20	<20	30	---	1,900	<200	---	---	---	---	---	---	175.20	7.00	168.20	---	---	---	
MW-9	04/13/2009	5,200	590	24	60	89	---	1,600	230	---	---	---	---	---	---	175.20	6.47	168.73	---	---	---	
MW-9	07/23/2009	6,300	830	30	150	130	---	3,200	170	<20	<20	<20	---	---	<1000	175.20	7.05	168.15	---	---	---	
MW-9	02/01/2010	18,000	1,900	130	770	1,200	---	2,400	430	---	---	---	---	---	---	175.20	5.70	169.50	---	---	---	
MW-9	08/02/2010	2,200	270	<10	99	36	---	1,200	280	---	---	---	---	---	---	175.20	6.50	168.70	---	---	---	
MW-9	01/31/2011	1,100	120	9.5	60	63	---	1,100	1,000	---	---	---	<5.0	<5.0	---	175.20	6.21	168.99	---	---	---	
MW-9	07/25/2011	1,200	210	<5.0	67	15	---	710	480	<10	<10	<10	---	---	<1,500	175.20	6.53	168.67	---	---	---	
MW-9	01/23/2012	390	9.9	<1.0	4.7	5.8	---	460	370	---	---	---	---	---	---	175.20	6.49	168.71	---	---	---	
MW-9	07/24/2012	970	91	<5.0	15	<10	---	660	530	<5.0	<5.0	<5.0	---	---	---	175.20	6.95	168.25	---	---	---	
MW-9	01/23/2013	940	84	<5.0	20	<10	---	640	540	---	---	---	---	---	---	175.20	6.24	168.96	---	---	---	
MW-9	07/10/2013	540	10	<5.0	<5.0	<10	---	360	290	<5.0	<5.0	<5.0	---	---	<1,500	175.20	7.09	168.11	---	---	---	
MW-9	01/16/2014	240 i	<1.3	<1.3	<1.3	<2.5	---	250	170	---	---	---	---	---	---	175.20	7.70	167.50	---	---	---	
MW-9	07/10/2014	340 i	<1.0	<1.0	<1.0	<2.0	---	350	94	<1.0	<1.0	<1.0	---	---	<300	175.20	7.12	168.08	---	---	---	
MW-9	01/27/2015	140 i	<1.0	<1.0	<1.0	<2.0	---	86	97	---	---	---	---	---	---	175.20	6.61	168.59	---	---	---	

Table 1
Groundwater Data
Former Shell Service Station, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Ethanol (µg/L)	TOC (ft AMSL)	Depth to Water (ft TOC)	GW Elevation (ft AMSL)	SPH Thickness (ft)	DO Reading (mg/L)	ORP Reading (mV)	
MW-9	07/21/2015	310 i	<1.0	<1.0	<1.0	<2.0	---	300	52	<1.0	<1.0	<1.0	---	---	<300	175.20	7.32	167.88	---	---	---	
MW-9	01/20/2016	130 i	0.61	<0.50	<0.50	<1.0	---	130	18	---	---	---	---	---	---	175.20	5.87	169.33	---	---	---	
MW-9	07/20/2016	86	<0.50	<0.50	<0.50	<1.0	---	100	21	<0.50	<0.50	<0.50	---	---	<150	175.20	7.10	168.10	---	---	---	
TB-1	04/29/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.00	---	---	3.8	-132	
TB-1	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	12.65	---	---	0.2	-165	
TB-1	01/17/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.72	---	---	0.8	-178	
TB-1	04/17/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.65	---	---	0.5	-152	
TB-1	07/26/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.13	---	---	1.0	-124	
TB-1	10/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.20	---	---	0.7	-73	
TB-1	01/15/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.09	---	---	1.2	-118	
TB-1	04/09/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.96	---	---	1.0	-72	
TB-1	07/24/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.03	---	---	1.4	31	
TB-1	10/31/2001	1,000	85	<10	<10	42	---	4,100	---	---	---	---	---	---	---	---	5.89	---	---	1.8	88	
TB-1	01/10/2002	5,000	410	390	65	620	---	9,000	---	---	---	---	---	---	---	---	7.47	---	---	2.0	95	
TB-1	04/25/2002	5,000	780	60	49	91	---	6,000	---	---	---	---	---	---	---	---	11.71	---	---	1.7	-136	
TB-1	07/18/2002	Insufficient water			---	---	---	---	---	---	---	---	---	---	---	---	13.50	---	---	---	---	
TB-1	10/07/2002	4,600	480	36	98	200	---	4,000	---	---	---	---	---	---	---	---	12.95	---	---	1.6	-48	
TB-1	01/06/2003	130	30	<0.50	<0.50	0.78	---	330	---	---	---	---	---	---	---	---	5.56	---	---	0.4	-20	
TB-2	04/29/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.76	---	---	4.2	-108	
TB-2	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.33	---	---	0.5	-148	
TB-2	01/17/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.79	---	---	0.7	-162	
TB-2	04/17/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.75	---	---	0.9	-121	
TB-2	07/26/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.73	---	---	0.9	-85	
TB-2	10/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.05	---	---	0.6	-47	
TB-2	01/15/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	3.87	---	---	0.7	-91	
TB-2	04/09/2001	46,600	1,240	1,310	1,110	12,100	31,300	---	---	---	---	---	---	---	---	---	3.76	---	---	0.8	-24	
TB-2	07/24/2001	11,000	630	<25	310	200	---	11,000	---	---	---	---	---	---	---	---	4.75	---	---	0.4	-51	
TB-2	10/31/2001	7,500	530	1,500	100	500	---	2,500	---	---	---	---	---	---	---	---	4.24	---	---	0.6	-7	
TB-2	01/10/2002	<5,000	480	47	34	110	---	12,000	---	---	---	---	---	---	---	---	6.26	---	---	1.3	-81	
TB-2	04/25/2002	4,700	470	140	<20	80	---	7,400	---	---	---	---	---	---	---	---	11.78	---	---	0.9	-107	
TB-2	07/18/2002	7,500	630	650	<25	390	---	44,000	---	---	---	---	---	---	---	---	12.34	---	---	0.9	-67	
TB-2	10/07/2002	<10,000	580	<100	<100	180	---	30,000	---	---	---	---	---	---	---	---	11.62	---	---	1.0	-41	
TB-2	01/06/2003	120	4.8	<0.50	<0.50	2.0	---	220	---	---	---	---	---	---	---	---	4.35	---	---	0.5	-515	

Notes: See Following Page

Table 1
Groundwater Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

- Notes:**
- TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8015 unless otherwise noted.
 - BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8020.
 - MTBE = Methyl tertiary-butyl ether analyzed by method as noted
 - TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B
 - DIPE = Di-isopropyl ether analyzed by EPA Method 8260B
 - ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B
 - TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B
 - EDB = 1,2-Dibromoethane analyzed by EPA Method 8260B
 - 1,2-DCA = 1,2-Dichloroethane analyzed by EPA Method 8260B
 - Ethanol analyzed by EPA Method 8260B
 - TOC = Top of casing elevation, in feet relative to mean sea level
 - SPH = Separate-phase hydrocarbon
 - GW = Groundwater
 - DO = Dissolved oxygen
 - ORP = Oxidation reduction potential
 - µg/L = Micrograms per liter
 - ft = Feet
 - AMSL = Above mean sea level
 - mg/L = Milligrams per liter
 - mV = Millivolts
 - <X.XX = Not detected at or above reporting limit X.XX
 - = Not analyzed or not available
 - (D) = Duplicate sample

 - a = Groundwater surface had a sheen when sampled.
 - b = MTBE value is estimated by laboratory
 - c = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.
 - d = Secondary ion abundances were outside method requirements. Identification based on analytical judgment.
 - e = pH>2
 - f = Sample analyzed outside the EPA recommended holding time.
 - g = Analyzed by EPA Method 8015B (M).
 - h = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
 - i = TPHg concentration is due to the presence of a discrete peak of MTBE.
 - j = Analyte identified by retention time and presence of single mass ion.

When SPHs are present, groundwater elevation is adjusted using the relation: Corrected groundwater elevation = TOC - Depth to Water + (0.8 x Hydrocarbon Thickness).

Site wells surveyed March 14, 2002 by Virgil Chavez Land Surveying

Wells MW-6, MW-7, MW-8 and MW-9 surveyed July 12, 2006 by Virgil Chavez Land Surveying

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-2	07/25/1995	---	---	0.52	1279	0	0.00	0.00	---	---	---	0.00
MW-2	08/10/1995	---	---	0.56	1378	2,000	3.28	3.28	---	---	---	0.00
MW-2	10/18/1995	---	---	0.13	320	0	0.00	3.28	---	---	---	0.00
MW-2	01/17/1996	---	---	0.17	418	1,000	1.64	4.93	---	---	---	0.00
MW-2	04/25/1996	---	---	0.03	74	400	0.66	5.58	---	---	---	0.00
MW-2	07/17/1996	---	---	0.48	1181	1,200	1.97	7.55	---	---	---	0.00
MW-2	10/01/1996	---	---	0.28	689	500	0.82	8.37	---	---	---	0.00
MW-2	01/22/1997	---	---	0.11	271	300	0.49	8.87	---	---	---	0.00
MW-2	04/08/1997	---	---	0.20	492	600	0.99	9.85	---	---	---	0.00
MW-2	07/08/1997	---	---	0.19	467	600	0.99	10.84	---	---	---	0.00
MW-2	10/08/1997	---	---	0.05	123	500	0.82	11.66	---	---	---	0.00
MW-2	01/08/1998	---	---	0.08	197	800	1.31	12.97	---	---	---	0.00
MW-2	04/13/1998	---	10	0.00	0	10	0.02	12.99	---	---	---	0.00
MW-2	07/17/1998	---	---	0.10	246	500	0.82	13.81	---	---	---	0.00
MW-2	10/02/1998	---	---	0.11	271	500	0.82	14.63	---	---	---	0.00
MW-2	02/03/1999	---	---	0.08	197	150	0.25	14.88	---	---	---	0.00
MW-2	04/29/1999	---	---	0.05	123	200	0.33	15.21	---	---	---	0.00
MW-2	07/23/1999	---	---	0.00	0	0	0.00	15.21	---	---	---	0.00
MW-2	11/01/1999	---	20	0.03	74	35	0.06	15.26	---	---	---	0.00
MW-2	01/17/2000	---	200	0.00	0	200	0.33	15.59	---	---	---	0.00
MW-2	04/17/2000	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	07/26/2000	---	0	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	10/12/2000	---	0	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	01/15/2001	---	0	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	04/09/2001	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	07/24/2001	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	10/31/2001	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	01/10/2002	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	04/25/2002	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	10/07/2002	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	01/06/2003	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	04/07/2003	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-2	07/07/2003	---	---	0.00	0	0	0.00	15.59	---	---	---	0.00
MW-2	10/09/2003	---	---	0.03	74	0	0.00	15.59	---	---	---	0.00
MW-2	10/20/2003	---	---	0.04	98	100	0.16	15.76	---	---	---	0.00
MW-2	01/14/2004	---	---	0.01	25	25	0.04	15.80	---	---	---	0.00
MW-2	04/28/2004	---	---	0.00	0	0	0.00	15.80	---	---	---	0.00
MW-2	07/12/2004	---	---	0.03	74	73	0.12	15.92	---	---	---	0.00
MW-2	10/25/2004	---	---	0.01	25	15	0.02	15.94	---	---	---	0.00
MW-2	01/17/2005	---	---	0.00	0	0	0.00	15.94	---	---	---	0.00
MW-2	04/06/2005	---	---	0.00	0	0	0.00	15.94	---	---	---	0.00
MW-2	07/08/2005	---	---	0.02	49	49	0.08	16.02	---	---	---	0.00
MW-2	10/07/2005	---	---	0.02	49	250	0.41	16.43	---	---	---	0.00
MW-2	01/27/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	03/16/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	04/28/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	05/15/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	07/28/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	08/31/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	09/26/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	10/27/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	11/22/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	12/26/2006	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	01/10/2007	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	02/19/2007	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	03/16/2007	---	---	0.00	0	0	0.00	16.43	---	---	---	0.00
MW-2	04/13/2007	---	---	0.02	49	49	0.08	16.51	---	---	---	0.00
MW-2	07/09/2007	---	---	0.11	271	271	0.45	16.96	---	---	---	0.00
MW-2	10/08/2007	---	---	0.19	467	467	0.77	17.72	---	---	---	0.00
MW-2	01/09/2008	Unable to access		---	---	0	0.00	17.72	---	---	---	0.00
MW-2	02/21/2008	---	---	0.00	0	0	0.00	17.72	---	---	---	0.00
MW-2	03/20/2008	---	---	0.02	49	49	0.08	17.81	---	---	---	0.00
MW-2	04/04/2008	Unable to access		---	---	0	0.00	17.81	---	---	---	0.00
MW-2	05/27/2008	---	---	0.03	74	73	0.12	17.92	---	---	---	0.00

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-2	06/11/2008	---	---	0.09	221	221	0.36	18.29	---	---	---	0.00
MW-2	07/03/2008	---	---	0.14	344	344	0.56	18.85	---	---	---	0.00
MW-2	08/04/2008	---	---	0.06	148	150	0.25	19.10	---	---	---	0.00
MW-2	09/17/2008	Unable to access		---	---	0	0.00	19.10	---	---	---	0.00
MW-2	10/03/2008	---	---	0.26	640	640	1.05	20.15	---	---	---	0.00
MW-2	11/26/2008	Unable to access		---	---	0	0.00	20.15	---	---	---	0.00
MW-2	12/30/2008	Unable to access		---	---	0	0.00	20.15	---	---	---	0.00
MW-2	01/22/2009	---	---	0.00	0	0	0.00	20.15	---	---	---	0.00
MW-2	02/27/2009	Unable to access		---	---	0	0.00	20.15	---	---	---	0.00
MW-2	04/13/2009	---	---	0.01	25	0	0.00	20.15	---	---	---	0.00
MW-2	07/23/2009	---	---	0.20	492	492	0.81	20.96	---	---	---	0.00
MW-2	11/10/2009	---	---	0.04	98	242	0.40	21.36	---	---	---	0.00
MW-2	02/01/2010	Unable to access		---	---	0	0.00	21.36	---	---	---	0.00
MW-2	02/09/2010	Unable to access		---	---	0	0.00	21.36	---	---	---	0.00
MW-2	06/29/2010	0.00	0.0	0.00	0	0	0.00	21.36	---	---	---	0.00
MW-2	07/06/2010	0.00	0.0	0.01	25	0	0.00	21.36	---	---	---	0.00
MW-2	07/13/2010	0.01	6.2	0.02	49	0.51	0.00	21.36	---	---	---	0.00
MW-2	07/20/2010	0.125	6.4	0.01	25	77	0.13	21.48	---	---	---	0.00
MW-2	07/27/2010	0.02	1.0	0.03	74	1.0	0.00	21.48	---	---	---	0.00
MW-2	08/02/2010	0.04	50	0.04	98	148	0.24	21.73	---	---	---	0.00
MW-2	08/10/2010	0.51	26	0.04	98	26	0.04	21.77	---	---	---	0.00
MW-2	08/24/2010	0.02	1.0	0.07	172	1	0.00	21.77	---	---	---	0.00
MW-2	09/07/2010	0.02	1.0	0.06	148	30	0.05	21.82	---	---	---	0.00
MW-2	10/05/2010	0.02	1.0	0.07	172	145	0.24	22.06	---	---	---	0.00
MW-2	11/02/2010	0.02	1.0	0.17	418	80	0.13	22.19	---	---	---	0.00
MW-2	12/07/2010	0.03	1.5	0.01	25	28	0.05	22.24	---	---	---	0.00
MW-2	01/31/2011	---	---	0.00	0	0	0.00	22.24	---	---	---	0.00
MW-2	02/17/2011	---	---	0.01	25	0	0.00	22.24	---	---	---	0.00
MW-2	04/26/2011	---	---	0.00	0	0	0.00	22.24	0.68	1.19	0.51	0.51
MW-2	07/25/2011	---	---	0.00	0	0	0.00	22.24	0.64	1.01	0.37	0.88
MW-2	10/13/2011	---	---	0.00	0	0	0.00	22.24	0.66	1.56	0.90	1.78
MW-2	01/23/2012	---	---	0.00	0	0	0.00	22.24	0.62	0.86	0.24	2.02

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-2	04/23/2012	---	---	0.00	0	0	0.00	22.24	0.33	1.60	1.27	3.29
MW-2	07/24/2012	---	---	0.00	0	0	0.00	22.24	0.54	1.22	0.68	3.97
MW-2	11/07/2012	---	---	0.00	0	0	0.00	22.24	0.68	1.60	0.92	4.89
MW-2	01/23/2013	---	---	0.00	0	0	0.00	22.24	0.66	1.88	1.22	6.11
MW-2	04/01/2013	---	---	0.00	0	0	0.00	22.24	0.64	1.14	0.50	6.61
MW-2	07/10/2013	---	---	0.00	0	0	0.00	22.24	0.60	1.28	0.68	7.29
MW-2	10/01/2013	---	---	0.00	0	0	0.00	22.24	0.66	1.28	0.62	7.91
MW-2	01/16/2014	---	---	0.00	0	0	0.00	22.24	0.88	1.42	0.54	8.45
MW-2	04/29/2014	---	---	0.00	0	0	0.00	22.24	0.72	2.14	1.42	9.87
MW-2	07/10/2014	---	---	0.00	0	0	0.00	22.24	0.74	1.03	0.29	10.16
MW-2	10/14/2014	Unable to access		---	---	0	0.00	22.24	---	---	0.00	10.16
MW-2	01/27/2015	---	---	0.02	49	0	0.00	22.24	0.74	2.44	1.70	11.86
MW-2	07/21/2015	---	---	0.07	200	200	0.33	22.56	0.80	---	0.00	11.86
MW-2	01/20/2016	Unable to access		---	---	0	0.00	22.56	---	---	0.00	11.86
MW-2	02/22/2016	---	---	0.04	98	0	0.00	22.56	0.40	2.12	1.72	13.58
MW-2	07/20/2016	Unable to access		---	---	0	0.00	22.56	---	---	0.00	13.58
MW-3	07/07/1994	---	---	0.02	49	250	0.41	0.41	---	---	---	0.00
MW-3	10/27/1994	---	---	0.05	123	400	0.66	1.07	---	---	---	0.00
MW-3	01/13/1995	---	15	---	---	15	0.02	1.09	---	---	---	0.00
MW-3	04/12/1995	---	---	---	---	0	0.00	1.09	---	---	---	0.00
MW-3	07/25/1995	---	---	0.06	148	0	0.00	1.09	---	---	---	0.00
MW-3	08/10/1995	---	---	0.05	123	50	0.08	1.17	---	---	---	0.00
MW-3	10/18/1995	---	---	0.05	123	0	0.00	1.17	---	---	---	0.00
MW-3	01/17/1996	---	---	0.24	590	1500	2.46	3.64	---	---	---	0.00
MW-3	04/25/1996	---	---	0.02	49	200	0.33	3.97	---	---	---	0.00
MW-3	07/17/1996	---	---	0.03	74	400	0.66	4.62	---	---	---	0.00
MW-3	10/01/1996	---	---	0.00	0	0	0.00	4.62	---	---	---	0.00
MW-3	01/22/1997	---	---	0.00	0	0	0.00	4.62	---	---	---	0.00
MW-3	04/08/1997	---	---	0.03	74	100	0.16	4.79	---	---	---	0.00
MW-3	07/08/1997	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	10/08/1997	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/ skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-3	01/08/1998	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	04/13/1998	---	0	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/17/1998	---	0	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/17/1998	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	02/03/1999	---	0	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	04/29/1999	---	0	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/23/1999	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	11/01/1999	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	01/17/2000	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	04/17/2000	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/26/2000	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	10/12/2000	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	01/15/2001	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	04/09/2001	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/24/2001	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	10/31/2001	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	01/10/2002	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	04/25/2002	---	---	0.00	0	0	0.00	4.79	---	---	---	0.00
MW-3	07/18/2002	---	---	0.03	74	50	0.08	4.87	---	---	---	0.00
MW-3	10/07/2002	---	---	0.20	492	0	0.00	4.87	---	---	---	0.00
MW-3	01/06/2003	---	---	0.02	49	0	0.00	4.87	---	---	---	0.00
MW-3	04/07/2003	---	---	0.00	0	0	0.00	4.87	---	---	---	0.00
MW-3	07/07/2003	---	---	0.00	0	0	0.00	4.87	---	---	---	0.00
MW-3	10/20/2003	---	---	0.08	197	0	0.00	4.87	---	---	---	0.00
MW-3	10/20/2003	---	---	0.07	172	150	0.25	5.12	---	---	---	0.00
MW-3	01/14/2004	---	---	0.02	49	50	0.08	5.20	---	---	---	0.00
MW-3	04/28/2004	---	---	0.00	0	0	0.00	5.20	---	---	---	0.00
MW-3	07/12/2004	---	---	0.03	74	98	0.16	5.36	---	---	---	0.00
MW-3	10/25/2004	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	01/17/2005	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	04/06/2005	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	07/08/2005	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-3	08/31/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	10/07/2005	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	01/27/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	03/16/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	04/28/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	05/15/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	07/28/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	09/26/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	10/27/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	12/26/2006	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	01/10/2007	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	02/19/2007	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	03/16/2007	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	04/13/2007	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	07/09/2007	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	10/08/2007	---	---	0.01	25	0	0.00	5.36	---	---	---	0.00
MW-3	01/09/2008	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	02/21/2008	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	03/20/2008	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	04/04/2008	---	---	0.00	0	0	0.00	5.36	---	---	---	0.00
MW-3	05/27/2008	---	---	0.01	25	24	0.04	5.40	---	---	---	0.00
MW-3	06/11/2008	---	---	0.01	25	25	0.04	5.44	---	---	---	0.00
MW-3	07/03/2008	---	---	0.01	25	25	0.04	5.48	---	---	---	0.00
MW-3	08/04/2008	---	---	0.00	0	0	0.00	5.48	---	---	---	0.00
MW-3	09/17/2008	---	---	0.01	24	24	0.04	5.52	---	---	---	0.00
MW-3	10/03/2008	---	---	0.01	25	0	0.00	5.52	---	---	---	0.00
MW-3	11/26/2008	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	12/30/2008	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	01/22/2009	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	11/10/2009	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	02/01/2010	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	08/02/2010	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-3	01/31/2011	---	---	0.00	0	0	0.00	5.52	---	---	---	0.00
MW-3	02/17/2011	---	---	0.01	25	0	0.00	5.52	---	---	---	0.00
MW-3	04/26/2011	---	---	0.00	0	0	0.00	5.52	0.70	1.12	0.42	0.42
MW-3	07/25/2011	---	---	0.00	0	0	0.00	5.52	0.66	0.74	0.08	0.50
MW-3	10/13/2011	---	---	0.00	0	0	0.00	5.52	0.00	0.00	0.00	0.50
MW-3	01/23/2012	---	---	0.00	0	0	0.00	5.52	0.64	0.64	0.00	0.50
MW-3	04/23/2012	---	---	0.00	0	0	0.00	5.52	0.34	1.50	1.16	1.66
MW-3	07/24/2012	---	---	0.01	25	0	0.00	5.52	0.52	1.04	0.52	2.18
MW-3	11/07/2012	---	---	0.00	0	0	0.00	5.52	0.68	2.30	1.62	3.80
MW-3	01/23/2013	---	---	0.00	0	0	0.00	5.52	0.66	1.70	1.04	4.84
MW-3	04/01/2013	---	---	0.00	0	0	0.00	5.52	0.64	1.80	1.16	6.00
MW-3	07/10/2013	---	---	0.00	0	0	0.00	5.52	0.60	1.00	0.40	6.40
MW-3	10/01/2013	---	---	0.00	0	0	0.00	5.52	0.72	1.41	0.69	7.09
MW-3	01/16/2014	---	---	0.00	0	0	0.00	5.52	0.84	2.36	1.52	8.61
MW-3	04/29/2014	---	---	0.00	0	0	0.00	5.52	0.75	0.92	0.17	8.78
MW-3	07/10/2014	---	---	0.00	0	0	0.00	5.52	0.74	0.92	0.18	8.96
MW-3	10/14/2014	---	---	0.00	0	0	0.00	5.52	0.74	2.23	1.49	10.45
MW-3	01/27/2015	---	---	0.00	0	0	0.00	5.52	0.74	1.74	1.00	11.45
MW-4	08/02/2010	---	---	0.12	73	72	0.12	0.12	---	---	---	0.00
MW-4	08/24/2010	---	---	0.10	61	0	0.00	0.12	---	---	---	0.00
MW-4	09/07/2010	---	---	0.13	79	30	0.05	0.17	---	---	---	0.00
MW-4	10/05/2010	---	---	0.19	115	40	0.07	0.23	---	---	---	0.00
MW-4	11/02/2010	---	---	0.03	18	20	0.03	0.27	---	---	---	0.00
MW-4	12/07/2010	---	---	0.01	6.1	2	0.00	0.27	---	---	---	0.00
MW-4	01/31/2011	---	---	0.00	0	0	0.00	0.27	---	---	---	0.00
MW-4	04/26/2011	---	---	0.00	0	0	0.00	0.27	---	---	---	0.00
MW-4	07/25/2011	---	---	0.00	0	0	0.00	0.27	0.31	0.62	0.31	0.31
MW-4	10/13/2011	---	---	0.00	0	0	0.00	0.27	0.34	0.90	0.56	0.87
MW-4	01/23/2012	---	---	0.00	0	0	0.00	0.27	0.28	0.56	0.28	1.15
MW-4	04/23/2012	---	---	0.00	0	0	0.00	0.27	0.32	0.60	0.28	1.43
MW-4	07/24/2012	---	---	0.00	0	0	0.00	0.27	0.36	0.36	0.00	1.43

Table 2
Separate-Phase Hydrocarbon Removal Data
Former Shell Service Station, 4255 Macarthur Boulevard, Oakland, California

Well ID	Date	SPHs observed in 2" bailer (feet)	SPHs observed in 2" bailer/skimmer (ml)	SPHs measured with interface probe (feet)	SPH calculated volume (ml)	Bailer / Skimmer			Sock			
						SPHs removed (ml)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)	Initial weight (pounds)	Final weight (pounds)	SPHs removed (pounds)	Cumulative SPHs removed (pounds)
MW-4	11/07/2012	---	---	0.00	0	0	0.00	0.27	0.34	1.20	0.86	2.29
MW-4	01/23/2013	---	---	0.00	0	0	0.00	0.27	0.34	0.31	-0.03	2.26
MW-4	04/01/2013	---	---	0.00	0	0	0.00	0.27	0.74	0.64	-0.10	2.16
MW-4	07/10/2013	---	---	0.00	0	0	0.00	0.27	0.30	0.38	0.08	2.24
MW-4	10/01/2013	---	---	0.00	0	0	0.00	0.27	0.35	0.38	0.03	2.27
MW-4	01/16/2014	---	---	0.00	0	0	0.00	0.27	0.35	1.08	0.73	3.00
MW-4	04/29/2014	---	---	0.00	0	0	0.00	0.27	0.64	0.60	-0.04	2.96
MW-4	07/10/2014	---	---	0.00	0	0	0.00	0.27	0.37	0.42	0.05	3.01
MW-4	10/14/2014	---	---	0.00	0	0	0.00	0.27	0.37	0.41	0.04	3.05
MW-4	01/27/2015	---	---	0.00	0	0	0.00	0.27	0.38	0.86	0.48	3.53

<i>SPHs removed by bailer/skimmer this period:</i>	0.00	<i>SPHs removed by socks this period:</i>	0.00
<i>Cumulative SPHs removed by bailer/skimmer:</i>	28.35	<i>Cumulative SPHs removed by Socks:</i>	28.56

<i>Total SPHs removed this event (pounds):</i>	0.00
<i>Total SPHs removed (pounds):</i>	56.91

Notes:

SPH = Separate-phase hydrocarbon

Sock = SPH-absorbent sock

ml = Milliliters

Appendix A

Field Notes

(Blaine Tech Services, Inc.)

WELL GAUGING DATA

Project # 160720-DB1 Date 7/20/16 Client AECOM

Site 4255 MacArthur Blvd., Oakland

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0935	4					8.11	23.31	↓	
MW-2				Parked over		knobs to access				
MW-3	0952	4				14.63	21.86			SOCK
MW-4	1000	2				7.94	30.58			SOCK
MW-5	0920	2				7.56	19.75			
MW-6	0944	2				10.70	23.45			
MW-7	0930	4				8.58	29.06			
MW-8	0925	4				5.21	29.82			
MW-9	0939	4				7.10	29.68	↓		

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-001	Site: 98995758
Sampler: <u>DS</u>	Date: 7/20/16
Well I.D.: MW-1	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 23.34	Depth to Water (DTW): 8.11
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.15	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

$$\frac{9.9 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{29.7 \text{ Gals.}}{\text{Calculated Volume}}$$

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.17
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS/cm or <u>µS/cm</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1224	71.3	6.75	875.1	24	10	
		- well dewatered @			10 gallon	
<u>1420</u>	71.0	6.89	872	5	grab	Clear
1435						

Did well dewater? Yes No Gallons actually evacuated: 10

Sampling Date: 7/20/16 Sampling Time: 1420 Depth to Water: 13.57 (> 2 hours)

Sample I.D.: MW-1 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98995758
Sampler: DB	Date: 7/20/16
Well I.D.: MW-2	Well Diameter: 2 3 4 6 8 <u> </u>
Total Well Depth (TD): -	Depth to Water (DTW): -
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~
 ~~Disposable Bailer~~
 ~~Middleburg~~
 ~~Electric Submersible~~

~~Water~~
 ~~Peristaltic~~
 ~~Extraction Pump~~
 Other: _____

Sampling Method: ~~Bailer~~
 ~~Disposable Bailer~~
 ~~Extraction Port~~
 ~~Dedicated Tubing~~

Other: _____

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.17
3"	0.37	Other	radius ² * 0.163

_____ (Gals.) X _____ = _____ Gals.
 1 Case Volume Specified Volumes Calculated Volume

Time	Temp (°F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Gals. Removed	Observations
						- UNABLE TO ACCESS WELL DUE TO
						PARKED VEHICLES IN AREA
						- UNABLE TO LOCATE OWNERS
						- NO SAMPLE TAKEN

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Date: _____ Sampling Time: _____ Depth to Water: _____

Sample I.D.: _____ Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98995758
Sampler: <u>DB</u>	Date: 7/20/16
Well I.D.: MW-3	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 21.86	Depth to Water (DTW): 14.63
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.07	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
 Other: _____

$$\frac{4.7 \text{ (Gals.)} \times 3 \text{ Specified Volumes}}{1 \text{ Case Volume}} = 14.1 \text{ Gals. Calculated Volume}$$

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond (mS/cm or <u>µS/cm</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1247	69.2	6.59	1090	37	5	ODOR
		- well	dewatered	e	5 gallons	
1355	68.7	6.49	1073	19	906	SOCK RECOVERED IN WELL, STEADY ODOR

Did well dewater? Yes No Gallons actually evacuated: 5

Sampling Date: 7/20/16 Sampling Time: 1400 Depth to Water: 15.93

Sample I.D.: MW-3 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See CR

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98595758
Sampler:	Date: 7/20/16
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 30.58	Depth to Water (DTW): 7.94
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.46	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$$3.7 \text{ (Gals.)} \times 3 = 11.1 \text{ Gals.}$$
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond (mS/cm or μS/cm)	Turbidity (NTUs)	Gals. Removed	Observations
1047	67.2	6.56	1095	184	4	ODOR
1054	66.9	6.50	1098	207	8	
1100	67.0	6.43	1097	102	11.25	
						* SOLID REDEPOSITED IN WELL, STRONG ODOR

Did well dewater? Yes No Gallons actually evacuated: 11.25

Sampling Date: 7/20/16 Sampling Time: 1110 Depth to Water: 9.96

Sample I.D.: MW-4 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160705- DB1	Site: 98995758
Sampler:	Date: 7/20/16
Well I.D.: MW-5	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 19.75	Depth to Water (DTW): 7.56
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.99	

Purge Method: Bailer <input checked="" type="radio"/> Disposable Bailer <input type="radio"/> Middleburg <input type="radio"/> Electric Submersible	Waterra <input type="radio"/> Peristaltic <input type="radio"/> Extraction Pump <input type="radio"/> Other _____	Sampling Method: Bailer <input checked="" type="radio"/> Disposable Bailer <input type="radio"/> Extraction Port <input type="radio"/> Dedicated Tubing Other: _____
--	--	--

$2.0 \text{ (Gals.)} \times 3 = 6.0 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond (mS/cm or μ S/cm)	Turbidity (NTUs)	Gals. Removed	Observations
1027	65.9	6.35	783.3	498	2	
1031	64.9	6.32	778 721.8	507	4	
1035	64.7	6.30	711.2	511	6	SHORT WAIT

Did well dewater? Yes <input checked="" type="radio"/> No	Gallons actually evacuated: 6	
Sampling Date: 7/20/16	Sampling Time: 1105	Depth to Water: 8.31
Sample I.D.: MW-5	Laboratory: Test America	
Analyzed for: TPH-G BTEX MTBE TPH-D Other:		
EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):		
Analyzed for: TPH-G BTEX MTBE TPH-D Other:		
D.O. (if req'd):	Pre-purge: _____ mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd):	Pre-purge: _____ mV	Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98995758
Sampler:	Date: 7/20/16
Well I.D.: MW-7 MW-6	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 29.05 23.45	Depth to Water (DTW): 8.58 10.70
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.67 13.5	

Purge Method: Bailer 12.75 Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

2.0M 3' 6.12

~~2.3~~ (Gals.) X 3 = ~~6.9~~ Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.55
2"	0.16	6"	1.17
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS/cm or µS/cm)	Turbidity (NTUs)	Gals. Removed	Observations
1344	71.5	7.24	1101	526	3.5 2.1	gray / cloudy
1347	71.7	6.85	1283	7000	4.2	
1349	71.9	6.71	1306	7000	6.3	

Did well dewater? Yes No Gallons actually evacuated: 6.5

Sampling Date: 7/20/16 Sampling Time: 1345 Depth to Water: ~~14.3~~ 12.09

Sample I.D.: MW-7 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98995758
Sampler: <u>DB</u>	Date: 7/20/16
Well I.D.: MW-8	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 29.82	Depth to Water (DTW): 5.21
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.13	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
 Other: _____

16 (Gals.) X 3 = 48 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS/cm or <u>µS/cm</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1155	72.1	6.80	966.3	17	16	
1159	71.2	6.55	957.1	32	32	
	—	Well	dewatered	2	32 gallons	—
1415 ⁽¹⁾						
1505	70.8	6.69	955	9	956	

Did well dewater? Yes No Gallons actually evacuated: 32
 Sampling Date: 7/20/16 Sampling Time: ¹⁴¹⁵1510⁽²⁾ Depth to Water: 9.97

Sample I.D.: MW-8 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 160720-DB1	Site: 98995758
Sampler:	Date: 7/20/16
Well I.D.: MW-9	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 29.68	Depth to Water (DTW): 7.10
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.61	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Middleburg Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

$14.7 \text{ (Gals.)} \times 3 = 44.1 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.17</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.17	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.17														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS/cm or <u>µS/cm</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1237	70.8	6.87	767.7	16	15	
1240	70.0	6.62	742.5	17	30	
	—	Well	dewatered	e	32 gallons	
1420 ^(D)						
1425	71.1	6.60	757	6	9.06	

Did well dewater? Yes No Gallons actually evacuated: 32

Sampling Date: 7/20/16 Sampling Time: ~~1425~~ 1425 Depth to Water: 11.59

Sample I.D.: MW-9 Laboratory: Test America

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

ENVIRONMENTAL WELL, REMEDIATION COMPOUND, AND SITE INSPECTION FORM

INCIDENT # 98995758

Page 1 of 1

DATE: 7/20/16

ADDRESS 4255 MacArthur Blvd.

CITY & STATE Dublin, CA

Well ID	Observations Upon Arrival														Note Repairs Made Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition		Repair Date and PM Initials					
	Manway Cover, Type, Condition & Size					Well Labeled / Painted Properly*		Well Cap (Gripper) Condition		Well Lock Condition			Well Pad / Surface Condition										
MW-1	Standpipe	Flush	G	P	8	Y	N	G	R	G	R	NL	G	P	2 1/2 tabs broken / 7/2 bolts missing	Y	N						
MW-2	Standpipe	Flush	G	P		Y	N	G	R	G	R	NL	G	P		UNABLE TO ACCESS	Y	N					
MW-3	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P			Y	N					
MW-4	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P		Y	N						
MW-5	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P		Y	N						
MW-6	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P		Y	N						
MW-7	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P	2 1/2 bolts missing	Y	N						
MW-8	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P		Y	N						
MW-9	Standpipe	Flush	G	P	12	Y	N	G	R	G	R	NL	G	P		Y	N						
	Standpipe	Flush	G	P		Y	N	G	R	G	R	NL	G	P		Y	N						
	Standpipe	Flush	G	P		Y	N	G	R	G	R	NL	G	P		Y	N						
TOTAL # CAPS REPLACED =									0		0			= TOTAL # OF LOCKS REPLACED									
Condition of Soil Boring Patches or Abandoned Monitoring Wells:				G	P	N/A	If POOR, Borings/Well IDs or Location Description:														Y	N	
Remediation Compound Type (Check boxes that apply)		Condition of Enclosure			Condition of Area Inside Enclosure			Compound Security			Emergency Contact Info Visible			Cleaning / Repairs Recommended and Conducted				Photos of Condition		Repair Date and PM Initials			
NA																							
Building																							
Building w/ Fence Comp.		G	P	N/A	G	P	N/A	G	P	N/A	Y	N	N/A					Y	N				
Fenced Compound																							
Trailer																							
Number of Drums On-site		Does the Label Reveal the Source of the Contents			Labeled Correctly and Writing Legible			Drum Condition			Confirm Drums Related to Environmental		Drums Located to Min Business Interference			Detailed Explanation of Any Issues Resolved				Photos of Drum Condition		Date Drums Removed from Site and PM Initials	
		Y	N	N/A	Y	N	N/A	G	P	N/A	Y	N	Y	N	N/A					Y	N		

G = Good (Acceptable) R = Replaced
P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.
Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

Dustin Becker / Blume Tech Services
Print or type Name of Field Personnel & Consultant Company

NO. 721569

NON-HAZARDOUS WASTE DATA FORM

BEST # _____

Generator's Name and Mailing Address SHELL OIL PRODUCTS US C/O AECOM 1333 BROADWAY, SUITE 800 OAKLAND, CA 94612	Generator's Site Address (if different than mailing address) SHELL OIL 10059253 4255 MACARTHUR BOULEVARD OAKLAND, CA 94619
---	---

Generator's Phone: <u>510-874-3255</u>	Container type removed from site:
--	-----------------------------------

Drums
 Vacuum Truck
 Roll-off Truck
 Dump Truck
 Other _____

Container type transported to receiving facility:

Drums
 Vacuum Truck
 Roll-off Truck
 Dump Truck
 Other Truck

Quantity 10 gallons

Quantity 10 gallons Volume _____


WASTE DESCRIPTION NON-HAZARDOUS WATER GENERATING PROCESS WELL PURGING / DECON WATER

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. <u>WATER</u>		<u>99-100%</u>	3. _____		

2. <u>TPH</u>		<u><1%</u>	4. _____		
---------------	--	---------------	----------	--	--


Waste Profile Ground water PROPERTIES: pH 7-10
 SOLID
 LIQUID
 SLUDGE
 SLURRY
 OTHER _____

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PERSONAL PROTECTIVE CLOTHING

Generator Printed/Typed Name <u>Eric Tanner</u>	Signature 	Month Day Year <u>7</u> <u>20</u> <u>16</u>
--	---	--

The Generator certifies that the waste as described is 100% non-hazardous

Transporter 1 Company Name <u>BLAINE TECH SERVICES, INC.</u>	Phone# <u>408-573-0555</u>
---	-------------------------------

Transporter 1 Printed/Typed Name <u>Eric Tanner</u>	Signature 	Month Day Year <u>7</u> <u>20</u> <u>16</u>
--	--	--

Transporter Acknowledgment of Receipt of Materials

Transporter 2 Company Name	Phone#
----------------------------	--------

Transporter 2 Printed/Typed Name	Signature	Month Day Year
----------------------------------	-----------	----------------

Transporter Acknowledgment of Receipt of Materials

Designated Facility Name and Site Address <u>DEMENNO KERDOON</u> <u>2000 N. ALAMEDA ST.</u> <u>COMPTON, CA 90222</u>	Phone# <u>310-537-7100</u>
---	-------------------------------

Printed/Typed Name	Signature	Month Day Year
--------------------	-----------	----------------

Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.

NON-HAZARDOUS WASTE DATA FORM

BESI # _____

<p>Generator's Name and Mailing Address</p> <p>SHELL OIL PRODUCTS US C/O AECOM 1333 BROADWAY, SUITE 800 OAKLAND, CA 94612</p>	<p>Generator's Site Address (if different than mailing address)</p> <p>SHELL OIL 10059253 4255 MACARTHUR BOULEVARD OAKLAND, CA 94619</p>
<p>Generator's Phone: 510-874-3255</p>	

<p>Container type removed from site:</p> <p><input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck</p> <p><input checked="" type="checkbox"/> Other <u>Tank Truck</u></p> <p>Quantity <u>129 gallons</u></p>	<p>Container type transported to receiving facility:</p> <p><input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck</p> <p><input type="checkbox"/> Other _____</p> <p>Quantity _____ Volume _____</p>																		
<p>WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u></p> <table border="1" style="width:100%"> <thead> <tr> <th>COMPONENTS OF WASTE</th> <th>PPM</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>1. <u>WATER</u></td> <td></td> <td><u>99-100%</u></td> </tr> <tr> <td>2. <u>TPH</u></td> <td></td> <td><u><1%</u></td> </tr> </tbody> </table>	COMPONENTS OF WASTE	PPM	%	1. <u>WATER</u>		<u>99-100%</u>	2. <u>TPH</u>		<u><1%</u>	<p>GENERATING PROCESS <u>WELL PURGING / DECON WATER</u></p> <table border="1" style="width:100%"> <thead> <tr> <th>COMPONENTS OF WASTE</th> <th>PPM</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>3. _____</td> <td></td> <td></td> </tr> <tr> <td>4. _____</td> <td></td> <td></td> </tr> </tbody> </table>	COMPONENTS OF WASTE	PPM	%	3. _____			4. _____		
COMPONENTS OF WASTE	PPM	%																	
1. <u>WATER</u>		<u>99-100%</u>																	
2. <u>TPH</u>		<u><1%</u>																	
COMPONENTS OF WASTE	PPM	%																	
3. _____																			
4. _____																			
<p>Waste Profile _____ PROPERTIES: pH <u>7-10</u> <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____</p>																			
<p>HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PERSONAL PROTECTIVE CLOTHING.</u></p>																			

<p>Generator Printed/Typed Name</p> <p><u>Dustin Becker</u></p>	<p>Signature</p> 	<p>Month Day Year</p> <p><u>7</u> <u>20</u> <u>16</u></p>
<p>The Generator certifies that the waste as described is 100% non-hazardous</p>		

<p>Transporter 1 Company Name</p> <p>BLAINE TECH SERVICES, INC.</p>	<p>Phone#</p> <p>408-573-0555</p>	
<p>Transporter 1 Printed/Typed Name</p> <p><u>Dustin Becker</u></p>	<p>Signature</p> 	<p>Month Day Year</p> <p><u>7</u> <u>20</u> <u>16</u></p>
<p>Transporter Acknowledgment of Receipt of Materials</p>		
<p>Transporter 2 Company Name</p>	<p>Phone#</p>	
<p>Transporter 2 Printed/Typed Name</p>	<p>Signature</p>	<p>Month Day Year</p>
<p>Transporter Acknowledgment of Receipt of Materials</p>		

<p>Designated Facility Name and Site Address</p> <p>DEMENNO KERDOON 2000 N. ALAMEDA ST. COMPTON, CA 90222</p>	<p>Phone#</p> <p>310-537-7100</p>	
<p>Printed/typed Name</p>	<p>Signature</p>	<p>Month Day Year</p>
<p>Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.</p>		

GENERATOR

TRANSPORTER

RECEIVING FACILITY

Appendix B

Analytical Report (TestAmerica Laboratories, Inc.)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Sacramento
880 Riverside Parkway
West Sacramento, CA 95605
Tel: (916)373-5600

TestAmerica Job ID: 320-20374-1

Client Project/Site: Shell - 4255 MacArthur Blvd., Oakland

For:
AECOM Technical Services Inc.
1333 Broadway
Suite 800
Oakland, California 94612

Attn: Casey Huff



Authorized for release by:
7/29/2016 2:32:00 PM

Laura Turpen, Project Manager I
(916)374-4414
laura.turpen@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	20
Lab Chronicle	22
Certification Summary	24
Method Summary	25
Sample Summary	26
Chain of Custody	27
Receipt Checklists	30

Definitions/Glossary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Job ID: 320-20374-1

Laboratory: TestAmerica Sacramento

Narrative

Job Narrative 320-20374-1

Receipt

The samples were received on July 20, 2016 at 5:10 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.8° C.

Receipt Exceptions

The container label for the following samples did not match the information listed on the Chain-of-Custody (COC): MW-3 (320-20374-2) and MW-8 (320-20374-7). The container labels list sample times for MW-3 at 15:00 and MW-8 at 14:05, while the COC lists 14:00 and 14:10. The samples were logged in according to the COC.

The client provided a revised COC via email on July 21, 2016. Both copies are included in the report.

GC/MS VOA

Method(s) 8260B/CA_LUFTMS: The Gasoline Range Organics (GRO) concentration reported for the following sample is due to the presence of discrete peak: MW-8 (320-20374-7). Methyl tert-butyl ether.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-1

Lab Sample ID: 320-20374-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	130		100		ug/L	2		8260B/CA_LUFT MS	Total/NA
Benzene	4.1		1.0		ug/L	2		8260B	Total/NA
Methyl-t-Butyl Ether (MTBE)	130		1.0		ug/L	2		8260B	Total/NA
tert-Butyl alcohol (TBA)	280		20		ug/L	2		8260B	Total/NA

Client Sample ID: MW-3

Lab Sample ID: 320-20374-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	15000		1000		ug/L	20		8260B/CA_LUFT MS	Total/NA
Benzene	1100		10		ug/L	20		8260B	Total/NA
Ethylbenzene	110		10		ug/L	20		8260B	Total/NA
m,p-Xylene	80		20		ug/L	20		8260B	Total/NA
Methyl-t-Butyl Ether (MTBE)	360		10		ug/L	20		8260B	Total/NA
tert-Butyl alcohol (TBA)	760		200		ug/L	20		8260B	Total/NA
Toluene	11		10		ug/L	20		8260B	Total/NA
Xylenes, Total	80		20		ug/L	20		8260B	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 320-20374-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	12000		2500		ug/L	50		8260B/CA_LUFT MS	Total/NA
Benzene	52		25		ug/L	50		8260B	Total/NA
Ethylbenzene	300		25		ug/L	50		8260B	Total/NA
m,p-Xylene	750		50		ug/L	50		8260B	Total/NA
Methyl-t-Butyl Ether (MTBE)	34		25		ug/L	50		8260B	Total/NA
o-Xylene	76		25		ug/L	50		8260B	Total/NA
Xylenes, Total	830		50		ug/L	50		8260B	Total/NA

Client Sample ID: MW-5

Lab Sample ID: 320-20374-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl-t-Butyl Ether (MTBE)	3.2		0.50		ug/L	1		8260B	Total/NA

Client Sample ID: MW-6

Lab Sample ID: 320-20374-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	2800		500		ug/L	10		8260B/CA_LUFT MS	Total/NA
Benzene	580		5.0		ug/L	10		8260B	Total/NA
m,p-Xylene	13		10		ug/L	10		8260B	Total/NA
Methyl-t-Butyl Ether (MTBE)	150		5.0		ug/L	10		8260B	Total/NA
tert-Butyl alcohol (TBA)	4000		100		ug/L	10		8260B	Total/NA
Toluene	7.5		5.0		ug/L	10		8260B	Total/NA
Xylenes, Total	13		10		ug/L	10		8260B	Total/NA

Client Sample ID: MW-7

Lab Sample ID: 320-20374-6

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Detection Summary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-7 (Continued)

Lab Sample ID: 320-20374-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	310		200		ug/L	4		8260B/CA_LUFT MS	Total/NA
Benzene	7.7		2.0		ug/L	4		8260B	Total/NA
Methyl-t-Butyl Ether (MTBE)	290		2.0		ug/L	4		8260B	Total/NA
tert-Butyl alcohol (TBA)	490		40		ug/L	4		8260B	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 320-20374-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	110		50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Methyl-t-Butyl Ether (MTBE)	130		0.50		ug/L	1		8260B	Total/NA

Client Sample ID: MW-9

Lab Sample ID: 320-20374-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Volatile Fuel Hydrocarbons (C4-C12)	86		50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Methyl-t-Butyl Ether (MTBE)	100		0.50		ug/L	1		8260B	Total/NA
tert-Butyl alcohol (TBA)	21		10		ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-1
Date Collected: 07/20/16 14:40
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-1
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	130		100		ug/L			07/27/16 02:05	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>Dibromofluoromethane (Surr)</i>	114		76 - 132					07/27/16 02:05	2
<i>4-Bromofluorobenzene (Surr)</i>	104		80 - 120					07/27/16 02:05	2
<i>Toluene-d8 (Surr)</i>	116		80 - 128					07/27/16 02:05	2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4.1		1.0		ug/L			07/27/16 02:05	2
Isopropyl Ether (DIPE)	ND		1.0		ug/L			07/27/16 02:05	2
Ethanol	ND		300		ug/L			07/27/16 02:05	2
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/L			07/27/16 02:05	2
Ethylbenzene	ND		1.0		ug/L			07/27/16 02:05	2
m,p-Xylene	ND		2.0		ug/L			07/27/16 02:05	2
Methyl-t-Butyl Ether (MTBE)	130		1.0		ug/L			07/27/16 02:05	2
o-Xylene	ND		1.0		ug/L			07/27/16 02:05	2
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/L			07/27/16 02:05	2
tert-Butyl alcohol (TBA)	280		20		ug/L			07/27/16 02:05	2
Toluene	ND		1.0		ug/L			07/27/16 02:05	2
Xylenes, Total	ND		2.0		ug/L			07/27/16 02:05	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	104		80 - 120					07/27/16 02:05	2
<i>Dibromofluoromethane (Surr)</i>	114		76 - 132					07/27/16 02:05	2
<i>Toluene-d8 (Surr)</i>	116		80 - 128					07/27/16 02:05	2

Client Sample ID: MW-3
Date Collected: 07/20/16 14:00
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-2
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	15000		1000		ug/L			07/28/16 22:40	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>Dibromofluoromethane (Surr)</i>	106		76 - 132					07/28/16 22:40	20
<i>4-Bromofluorobenzene (Surr)</i>	103		80 - 120					07/28/16 22:40	20
<i>Toluene-d8 (Surr)</i>	107		80 - 128					07/28/16 22:40	20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1100		10		ug/L			07/28/16 22:40	20
Isopropyl Ether (DIPE)	ND		10		ug/L			07/28/16 22:40	20
Ethanol	ND		3000		ug/L			07/28/16 22:40	20
Ethyl-t-butyl ether (ETBE)	ND		10		ug/L			07/28/16 22:40	20
Ethylbenzene	110		10		ug/L			07/28/16 22:40	20
m,p-Xylene	80		20		ug/L			07/28/16 22:40	20
Methyl-t-Butyl Ether (MTBE)	360		10		ug/L			07/28/16 22:40	20

TestAmerica Sacramento

Client Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-3
Date Collected: 07/20/16 14:00
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	ND		10		ug/L			07/28/16 22:40	20
Tert-amyl-methyl ether (TAME)	ND		10		ug/L			07/28/16 22:40	20
tert-Butyl alcohol (TBA)	760		200		ug/L			07/28/16 22:40	20
Toluene	11		10		ug/L			07/28/16 22:40	20
Xylenes, Total	80		20		ug/L			07/28/16 22:40	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		80 - 120					07/28/16 22:40	20
Dibromofluoromethane (Surr)	106		76 - 132					07/28/16 22:40	20
Toluene-d8 (Surr)	107		80 - 128					07/28/16 22:40	20

Client Sample ID: MW-4
Date Collected: 07/20/16 11:10
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-3
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	12000		2500		ug/L			07/27/16 12:43	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	102		76 - 132					07/27/16 12:43	50
4-Bromofluorobenzene (Surr)	107		80 - 120					07/27/16 12:43	50
Toluene-d8 (Surr)	108		80 - 128					07/27/16 12:43	50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	52		25		ug/L			07/27/16 12:43	50
Isopropyl Ether (DIPE)	ND		25		ug/L			07/27/16 12:43	50
Ethanol	ND		7500		ug/L			07/27/16 12:43	50
Ethyl-t-butyl ether (ETBE)	ND		25		ug/L			07/27/16 12:43	50
Ethylbenzene	300		25		ug/L			07/27/16 12:43	50
m,p-Xylene	750		50		ug/L			07/27/16 12:43	50
Methyl-t-Butyl Ether (MTBE)	34		25		ug/L			07/27/16 12:43	50
o-Xylene	76		25		ug/L			07/27/16 12:43	50
Tert-amyl-methyl ether (TAME)	ND		25		ug/L			07/27/16 12:43	50
tert-Butyl alcohol (TBA)	ND		500		ug/L			07/27/16 12:43	50
Toluene	ND		25		ug/L			07/27/16 12:43	50
Xylenes, Total	830		50		ug/L			07/27/16 12:43	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		80 - 120					07/27/16 12:43	50
Dibromofluoromethane (Surr)	102		76 - 132					07/27/16 12:43	50
Toluene-d8 (Surr)	108		80 - 128					07/27/16 12:43	50

Client Sample Results

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-5
Date Collected: 07/20/16 11:05
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-4
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			07/27/16 13:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	106		76 - 132					07/27/16 13:11	1
4-Bromofluorobenzene (Surr)	105		80 - 120					07/27/16 13:11	1
Toluene-d8 (Surr)	104		80 - 128					07/27/16 13:11	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			07/27/16 13:11	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/27/16 13:11	1
Ethanol	ND		150		ug/L			07/27/16 13:11	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/27/16 13:11	1
Ethylbenzene	ND		0.50		ug/L			07/27/16 13:11	1
m,p-Xylene	ND		1.0		ug/L			07/27/16 13:11	1
Methyl-t-Butyl Ether (MTBE)	3.2		0.50		ug/L			07/27/16 13:11	1
o-Xylene	ND		0.50		ug/L			07/27/16 13:11	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/27/16 13:11	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			07/27/16 13:11	1
Toluene	ND		0.50		ug/L			07/27/16 13:11	1
Xylenes, Total	ND		1.0		ug/L			07/27/16 13:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120					07/27/16 13:11	1
Dibromofluoromethane (Surr)	106		76 - 132					07/27/16 13:11	1
Toluene-d8 (Surr)	104		80 - 128					07/27/16 13:11	1

Client Sample ID: MW-6
Date Collected: 07/20/16 13:45
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-5
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	2800		500		ug/L			07/27/16 01:35	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	116		76 - 132					07/27/16 01:35	10
4-Bromofluorobenzene (Surr)	106		80 - 120					07/27/16 01:35	10
Toluene-d8 (Surr)	111		80 - 128					07/27/16 01:35	10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	580		5.0		ug/L			07/27/16 01:35	10
Isopropyl Ether (DIPE)	ND		5.0		ug/L			07/27/16 01:35	10
Ethanol	ND		1500		ug/L			07/27/16 01:35	10
Ethyl-t-butyl ether (ETBE)	ND		5.0		ug/L			07/27/16 01:35	10
Ethylbenzene	ND		5.0		ug/L			07/27/16 01:35	10
m,p-Xylene	13		10		ug/L			07/27/16 01:35	10
Methyl-t-Butyl Ether (MTBE)	150		5.0		ug/L			07/27/16 01:35	10
o-Xylene	ND		5.0		ug/L			07/27/16 01:35	10

TestAmerica Sacramento

Client Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-6
Date Collected: 07/20/16 13:45
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-5
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl-methyl ether (TAME)	ND		5.0		ug/L			07/27/16 01:35	10
tert-Butyl alcohol (TBA)	4000		100		ug/L			07/27/16 01:35	10
Toluene	7.5		5.0		ug/L			07/27/16 01:35	10
Xylenes, Total	13		10		ug/L			07/27/16 01:35	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		80 - 120					07/27/16 01:35	10
Dibromofluoromethane (Surr)	116		76 - 132					07/27/16 01:35	10
Toluene-d8 (Surr)	111		80 - 128					07/27/16 01:35	10

Client Sample ID: MW-7
Date Collected: 07/20/16 14:20
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-6
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	310		200		ug/L			07/27/16 01:06	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	112		76 - 132					07/27/16 01:06	4
4-Bromofluorobenzene (Surr)	106		80 - 120					07/27/16 01:06	4
Toluene-d8 (Surr)	112		80 - 128					07/27/16 01:06	4

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	7.7		2.0		ug/L			07/27/16 01:06	4
Isopropyl Ether (DIPE)	ND		2.0		ug/L			07/27/16 01:06	4
Ethanol	ND		600		ug/L			07/27/16 01:06	4
Ethyl-t-butyl ether (ETBE)	ND		2.0		ug/L			07/27/16 01:06	4
Ethylbenzene	ND		2.0		ug/L			07/27/16 01:06	4
m,p-Xylene	ND		4.0		ug/L			07/27/16 01:06	4
Methyl-t-Butyl Ether (MTBE)	290		2.0		ug/L			07/27/16 01:06	4
o-Xylene	ND		2.0		ug/L			07/27/16 01:06	4
Tert-amyl-methyl ether (TAME)	ND		2.0		ug/L			07/27/16 01:06	4
tert-Butyl alcohol (TBA)	490		40		ug/L			07/27/16 01:06	4
Toluene	ND		2.0		ug/L			07/27/16 01:06	4
Xylenes, Total	ND		4.0		ug/L			07/27/16 01:06	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		80 - 120					07/27/16 01:06	4
Dibromofluoromethane (Surr)	112		76 - 132					07/27/16 01:06	4
Toluene-d8 (Surr)	112		80 - 128					07/27/16 01:06	4

Client Sample Results

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-8
Date Collected: 07/20/16 14:10
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-7
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	110		50		ug/L			07/27/16 00:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	114		76 - 132					07/27/16 00:36	1
4-Bromofluorobenzene (Surr)	105		80 - 120					07/27/16 00:36	1
Toluene-d8 (Surr)	111		80 - 128					07/27/16 00:36	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			07/27/16 00:36	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/27/16 00:36	1
Ethanol	ND		150		ug/L			07/27/16 00:36	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/27/16 00:36	1
Ethylbenzene	ND		0.50		ug/L			07/27/16 00:36	1
m,p-Xylene	ND		1.0		ug/L			07/27/16 00:36	1
Methyl-t-Butyl Ether (MTBE)	130		0.50		ug/L			07/27/16 00:36	1
o-Xylene	ND		0.50		ug/L			07/27/16 00:36	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/27/16 00:36	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			07/27/16 00:36	1
Toluene	ND		0.50		ug/L			07/27/16 00:36	1
Xylenes, Total	ND		1.0		ug/L			07/27/16 00:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120					07/27/16 00:36	1
Dibromofluoromethane (Surr)	114		76 - 132					07/27/16 00:36	1
Toluene-d8 (Surr)	111		80 - 128					07/27/16 00:36	1

Client Sample ID: MW-9
Date Collected: 07/20/16 14:25
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-8
Matrix: Water

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	86		50		ug/L			07/26/16 23:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	112		76 - 132					07/26/16 23:07	1
4-Bromofluorobenzene (Surr)	104		80 - 120					07/26/16 23:07	1
Toluene-d8 (Surr)	113		80 - 128					07/26/16 23:07	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			07/26/16 23:07	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/26/16 23:07	1
Ethanol	ND		150		ug/L			07/26/16 23:07	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/26/16 23:07	1
Ethylbenzene	ND		0.50		ug/L			07/26/16 23:07	1
m,p-Xylene	ND		1.0		ug/L			07/26/16 23:07	1
Methyl-t-Butyl Ether (MTBE)	100		0.50		ug/L			07/26/16 23:07	1

TestAmerica Sacramento

Client Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-9

Lab Sample ID: 320-20374-8

Date Collected: 07/20/16 14:25

Matrix: Water

Date Received: 07/20/16 17:10

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	ND		0.50		ug/L			07/26/16 23:07	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/26/16 23:07	1
tert-Butyl alcohol (TBA)	21		10		ug/L			07/26/16 23:07	1
Toluene	ND		0.50		ug/L			07/26/16 23:07	1
Xylenes, Total	ND		1.0		ug/L			07/26/16 23:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		80 - 120		07/26/16 23:07	1
Dibromofluoromethane (Surr)	112		76 - 132		07/26/16 23:07	1
Toluene-d8 (Surr)	113		80 - 128		07/26/16 23:07	1



Surrogate Summary

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (80-120)	DBFM (76-132)	TOL (80-128)
320-20374-1	MW-1	104	114	116
320-20374-2	MW-3	103	106	107
320-20374-3	MW-4	107	102	108
320-20374-4	MW-5	105	106	104
320-20374-5	MW-6	106	116	111
320-20374-6	MW-7	106	112	112
320-20374-7	MW-8	105	114	111
320-20374-8	MW-9	104	112	113
320-20374-8 MS	MW-9	104	111	108
320-20374-8 MSD	MW-9	105	110	109
LCS 440-344995/5	Lab Control Sample	105	113	111
LCS 440-345062/5	Lab Control Sample	102	108	101
LCS 440-345550/5	Lab Control Sample	102	106	106
MB 440-344995/25	Method Blank	107	113	111
MB 440-345062/4	Method Blank	105	110	104
MB 440-345550/4	Method Blank	102	101	109

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		DBFM (76-132)	BFB (80-120)	TOL (80-128)
320-20374-1	MW-1	114	104	116
320-20374-2	MW-3	106	103	107
320-20374-3	MW-4	102	107	108
320-20374-4	MW-5	106	105	104
320-20374-5	MW-6	116	106	111
320-20374-6	MW-7	112	106	112
320-20374-7	MW-8	114	105	111
320-20374-8	MW-9	112	104	113
320-20374-8 MS	MW-9	111	104	108
320-20374-8 MSD	MW-9	110	105	109
LCS 440-344996/6	Lab Control Sample	114	105	112
LCS 440-345063/6	Lab Control Sample	109	107	105
LCS 440-345551/6	Lab Control Sample	106	101	108
MB 440-344996/25	Method Blank	113	107	111
MB 440-345063/4	Method Blank	110	105	104
MB 440-345551/4	Method Blank	101	102	109

Surrogate Legend

DBFM = Dibromofluoromethane (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-344995/25

Matrix: Water

Analysis Batch: 344995

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			07/26/16 22:26	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/26/16 22:26	1
Ethanol	ND		150		ug/L			07/26/16 22:26	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/26/16 22:26	1
Ethylbenzene	ND		0.50		ug/L			07/26/16 22:26	1
m,p-Xylene	ND		1.0		ug/L			07/26/16 22:26	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			07/26/16 22:26	1
o-Xylene	ND		0.50		ug/L			07/26/16 22:26	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/26/16 22:26	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			07/26/16 22:26	1
Toluene	ND		0.50		ug/L			07/26/16 22:26	1
Xylenes, Total	ND		1.0		ug/L			07/26/16 22:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		80 - 120		07/26/16 22:26	1
Dibromofluoromethane (Surr)	113		76 - 132		07/26/16 22:26	1
Toluene-d8 (Surr)	111		80 - 128		07/26/16 22:26	1

Lab Sample ID: LCS 440-344995/5

Matrix: Water

Analysis Batch: 344995

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	26.5		ug/L		106	68 - 130
Isopropyl Ether (DIPE)	25.0	29.5		ug/L		118	58 - 139
Ethanol	1000	911		ug/L		91	50 - 149
Ethyl-t-butyl ether (ETBE)	25.0	28.6		ug/L		115	60 - 136
Ethylbenzene	25.0	24.8		ug/L		99	70 - 130
m,p-Xylene	25.0	26.3		ug/L		105	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	27.8		ug/L		111	63 - 131
o-Xylene	25.0	26.8		ug/L		107	70 - 130
Tert-amyl-methyl ether (TAME)	25.0	29.4		ug/L		118	57 - 139
tert-Butyl alcohol (TBA)	250	272		ug/L		109	70 - 130
Toluene	25.0	25.5		ug/L		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		80 - 120
Dibromofluoromethane (Surr)	113		76 - 132
Toluene-d8 (Surr)	111		80 - 128

Lab Sample ID: 320-20374-8 MS

Matrix: Water

Analysis Batch: 344995

Client Sample ID: MW-9

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		25.0	26.0		ug/L		104	66 - 130
Isopropyl Ether (DIPE)	ND		25.0	28.2		ug/L		113	64 - 138

TestAmerica Sacramento

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 320-20374-8 MS

Matrix: Water

Analysis Batch: 344995

Client Sample ID: MW-9

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
Ethanol	ND		1000	923		ug/L		92	54 - 150	
Ethyl-t-butyl ether (ETBE)	ND		25.0	28.0		ug/L		112	70 - 130	
Ethylbenzene	ND		25.0	23.8		ug/L		95	70 - 130	
m,p-Xylene	ND		25.0	25.3		ug/L		101	70 - 133	
Methyl-t-Butyl Ether (MTBE)	100		25.0	128	4	ug/L		108	70 - 130	
o-Xylene	ND		25.0	25.5		ug/L		102	70 - 133	
Tert-amyl-methyl ether (TAME)	ND		25.0	28.2		ug/L		113	68 - 133	
tert-Butyl alcohol (TBA)	21		250	286		ug/L		106	70 - 130	
Toluene	ND		25.0	24.0		ug/L		96	70 - 130	
MS MS										
Surrogate	%Recovery	Qualifier	Limits							
4-Bromofluorobenzene (Surr)	104		80 - 120							
Dibromofluoromethane (Surr)	111		76 - 132							
Toluene-d8 (Surr)	108		80 - 128							

Lab Sample ID: 320-20374-8 MSD

Matrix: Water

Analysis Batch: 344995

Client Sample ID: MW-9

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Benzene	ND		25.0	26.1		ug/L		104	66 - 130	0	20	
Isopropyl Ether (DIPE)	ND		25.0	28.5		ug/L		114	64 - 138	1	25	
Ethanol	ND		1000	969		ug/L		97	54 - 150	5	30	
Ethyl-t-butyl ether (ETBE)	ND		25.0	27.8		ug/L		111	70 - 130	0	25	
Ethylbenzene	ND		25.0	24.6		ug/L		98	70 - 130	3	20	
m,p-Xylene	ND		25.0	26.0		ug/L		104	70 - 133	3	25	
Methyl-t-Butyl Ether (MTBE)	100		25.0	125	4	ug/L		96	70 - 130	2	25	
o-Xylene	ND		25.0	26.2		ug/L		105	70 - 133	3	20	
Tert-amyl-methyl ether (TAME)	ND		25.0	28.2		ug/L		113	68 - 133	0	30	
tert-Butyl alcohol (TBA)	21		250	297		ug/L		110	70 - 130	4	25	
Toluene	ND		25.0	25.0		ug/L		100	70 - 130	4	20	
MSD MSD												
Surrogate	%Recovery	Qualifier	Limits									
4-Bromofluorobenzene (Surr)	105		80 - 120									
Dibromofluoromethane (Surr)	110		76 - 132									
Toluene-d8 (Surr)	109		80 - 128									

Lab Sample ID: MB 440-345062/4

Matrix: Water

Analysis Batch: 345062

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.50		ug/L			07/27/16 08:06	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/27/16 08:06	1
Ethanol	ND		150		ug/L			07/27/16 08:06	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/27/16 08:06	1
Ethylbenzene	ND		0.50		ug/L			07/27/16 08:06	1
m,p-Xylene	ND		1.0		ug/L			07/27/16 08:06	1

TestAmerica Sacramento

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-345062/4
Matrix: Water
Analysis Batch: 345062

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			07/27/16 08:06	1
o-Xylene	ND		0.50		ug/L			07/27/16 08:06	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/27/16 08:06	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			07/27/16 08:06	1
Toluene	ND		0.50		ug/L			07/27/16 08:06	1
Xylenes, Total	ND		1.0		ug/L			07/27/16 08:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120		07/27/16 08:06	1
Dibromofluoromethane (Surr)	110		76 - 132		07/27/16 08:06	1
Toluene-d8 (Surr)	104		80 - 128		07/27/16 08:06	1

Lab Sample ID: LCS 440-345062/5
Matrix: Water
Analysis Batch: 345062

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	24.5		ug/L		98	68 - 130
Isopropyl Ether (DIPE)	25.0	26.7		ug/L		107	58 - 139
Ethanol	1000	971		ug/L		97	50 - 149
Ethyl-t-butyl ether (ETBE)	25.0	26.5		ug/L		106	60 - 136
Ethylbenzene	25.0	23.9		ug/L		96	70 - 130
m,p-Xylene	25.0	25.2		ug/L		101	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	27.4		ug/L		110	63 - 131
o-Xylene	25.0	24.5		ug/L		98	70 - 130
Tert-amyl-methyl ether (TAME)	25.0	26.6		ug/L		106	57 - 139
tert-Butyl alcohol (TBA)	250	264		ug/L		106	70 - 130
Toluene	25.0	24.1		ug/L		97	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		80 - 120
Dibromofluoromethane (Surr)	108		76 - 132
Toluene-d8 (Surr)	101		80 - 128

Lab Sample ID: MB 440-345550/4
Matrix: Water
Analysis Batch: 345550

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			07/28/16 18:16	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			07/28/16 18:16	1
Ethanol	ND		150		ug/L			07/28/16 18:16	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			07/28/16 18:16	1
Ethylbenzene	ND		0.50		ug/L			07/28/16 18:16	1
m,p-Xylene	ND		1.0		ug/L			07/28/16 18:16	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			07/28/16 18:16	1
o-Xylene	ND		0.50		ug/L			07/28/16 18:16	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			07/28/16 18:16	1

TestAmerica Sacramento

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-345550/4
Matrix: Water
Analysis Batch: 345550

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
tert-Butyl alcohol (TBA)	ND		10		ug/L			07/28/16 18:16	1
Toluene	ND		0.50		ug/L			07/28/16 18:16	1
Xylenes, Total	ND		1.0		ug/L			07/28/16 18:16	1
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	102		80 - 120					07/28/16 18:16	1
Dibromofluoromethane (Surr)	101		76 - 132					07/28/16 18:16	1
Toluene-d8 (Surr)	109		80 - 128					07/28/16 18:16	1

Lab Sample ID: LCS 440-345550/5
Matrix: Water
Analysis Batch: 345550

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Isopropyl Ether (DIPE)	25.0	27.6		ug/L		110	58 - 139
Ethanol	1000	1090		ug/L		109	50 - 149
Ethyl-t-butyl ether (ETBE)	25.0	27.1		ug/L		109	60 - 136
Ethylbenzene	25.0	26.3		ug/L		105	70 - 130
m,p-Xylene	25.0	27.8		ug/L		111	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	26.4		ug/L		106	63 - 131
o-Xylene	25.0	27.3		ug/L		109	70 - 130
Tert-amyl-methyl ether (TAME)	25.0	26.9		ug/L		107	57 - 139
tert-Butyl alcohol (TBA)	250	271		ug/L		108	70 - 130
Toluene	25.0	26.8		ug/L		107	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
4-Bromofluorobenzene (Surr)	102		80 - 120				
Dibromofluoromethane (Surr)	106		76 - 132				
Toluene-d8 (Surr)	106		80 - 128				

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-344996/25
Matrix: Water
Analysis Batch: 344996

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			07/26/16 22:26	1
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
Dibromofluoromethane (Surr)	113		76 - 132					07/26/16 22:26	1
4-Bromofluorobenzene (Surr)	107		80 - 120					07/26/16 22:26	1
Toluene-d8 (Surr)	111		80 - 128					07/26/16 22:26	1

TestAmerica Sacramento

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 440-344996/6

Matrix: Water

Analysis Batch: 344996

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	432		ug/L		86	55 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Dibromofluoromethane (Surr)	114		76 - 132				
4-Bromofluorobenzene (Surr)	105		80 - 120				
Toluene-d8 (Surr)	112		80 - 128				

Lab Sample ID: 320-20374-8 MS

Matrix: Water

Analysis Batch: 344996

Client Sample ID: MW-9

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	86		1730	1610		ug/L		88	50 - 145
Surrogate	MS %Recovery	MS Qualifier	Limits						
Dibromofluoromethane (Surr)	111		76 - 132						
4-Bromofluorobenzene (Surr)	104		80 - 120						
Toluene-d8 (Surr)	108		80 - 128						

Lab Sample ID: 320-20374-8 MSD

Matrix: Water

Analysis Batch: 344996

Client Sample ID: MW-9

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Volatile Fuel Hydrocarbons (C4-C12)	86		1730	1630		ug/L		89	50 - 145	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Dibromofluoromethane (Surr)	110		76 - 132								
4-Bromofluorobenzene (Surr)	105		80 - 120								
Toluene-d8 (Surr)	109		80 - 128								

Lab Sample ID: MB 440-345063/4

Matrix: Water

Analysis Batch: 345063

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			07/27/16 08:06	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	110		76 - 132					07/27/16 08:06	1
4-Bromofluorobenzene (Surr)	105		80 - 120					07/27/16 08:06	1
Toluene-d8 (Surr)	104		80 - 128					07/27/16 08:06	1

TestAmerica Sacramento

QC Sample Results

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 440-345063/6
Matrix: Water
Analysis Batch: 345063

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	456		ug/L		91	55 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
Dibromofluoromethane (Surr)	109		76 - 132				
4-Bromofluorobenzene (Surr)	107		80 - 120				
Toluene-d8 (Surr)	105		80 - 128				

Lab Sample ID: MB 440-345551/4
Matrix: Water
Analysis Batch: 345551

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			07/28/16 18:16	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	101		76 - 132					07/28/16 18:16	1
4-Bromofluorobenzene (Surr)	102		80 - 120					07/28/16 18:16	1
Toluene-d8 (Surr)	109		80 - 128					07/28/16 18:16	1

Lab Sample ID: LCS 440-345551/6
Matrix: Water
Analysis Batch: 345551

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	495		ug/L		99	55 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
Dibromofluoromethane (Surr)	106		76 - 132				
4-Bromofluorobenzene (Surr)	101		80 - 120				
Toluene-d8 (Surr)	108		80 - 128				

QC Association Summary

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

GC/MS VOA

Analysis Batch: 344995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-1	MW-1	Total/NA	Water	8260B	
320-20374-5	MW-6	Total/NA	Water	8260B	
320-20374-6	MW-7	Total/NA	Water	8260B	
320-20374-7	MW-8	Total/NA	Water	8260B	
320-20374-8	MW-9	Total/NA	Water	8260B	
MB 440-344995/25	Method Blank	Total/NA	Water	8260B	
LCS 440-344995/5	Lab Control Sample	Total/NA	Water	8260B	
320-20374-8 MS	MW-9	Total/NA	Water	8260B	
320-20374-8 MSD	MW-9	Total/NA	Water	8260B	

Analysis Batch: 344996

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-1	MW-1	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-5	MW-6	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-6	MW-7	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-7	MW-8	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-8	MW-9	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-344996/25	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-344996/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-8 MS	MW-9	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-8 MSD	MW-9	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 345062

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-3	MW-4	Total/NA	Water	8260B	
320-20374-4	MW-5	Total/NA	Water	8260B	
MB 440-345062/4	Method Blank	Total/NA	Water	8260B	
LCS 440-345062/5	Lab Control Sample	Total/NA	Water	8260B	

Analysis Batch: 345063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-3	MW-4	Total/NA	Water	8260B/CA_LUFT MS	
320-20374-4	MW-5	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-345063/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-345063/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 345550

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-2	MW-3	Total/NA	Water	8260B	
MB 440-345550/4	Method Blank	Total/NA	Water	8260B	
LCS 440-345550/5	Lab Control Sample	Total/NA	Water	8260B	

TestAmerica Sacramento

QC Association Summary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Analysis Batch: 345551

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-20374-2	MW-3	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-345551/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-345551/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Lab Chronicle

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-1
Date Collected: 07/20/16 14:40
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	10 mL	10 mL	344995	07/27/16 02:05	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		2	10 mL	10 mL	344996	07/27/16 02:05	ATH	TAL IRV

Client Sample ID: MW-3
Date Collected: 07/20/16 14:00
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	10 mL	10 mL	345550	07/28/16 22:40	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		20	10 mL	10 mL	345551	07/28/16 22:40	ATH	TAL IRV

Client Sample ID: MW-4
Date Collected: 07/20/16 11:10
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		50	10 mL	10 mL	345062	07/27/16 12:43	AA	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		50	10 mL	10 mL	345063	07/27/16 12:43	TCN	TAL IRV

Client Sample ID: MW-5
Date Collected: 07/20/16 11:05
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	345062	07/27/16 13:11	AA	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		1	10 mL	10 mL	345063	07/27/16 13:11	TCN	TAL IRV

Client Sample ID: MW-6
Date Collected: 07/20/16 13:45
Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	344995	07/27/16 01:35	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTV S		10	10 mL	10 mL	344996	07/27/16 01:35	ATH	TAL IRV

Lab Chronicle

Client: AECOM Technical Services Inc.
 Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Client Sample ID: MW-7

Date Collected: 07/20/16 14:20

Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	10 mL	10 mL	344995	07/27/16 01:06	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		4	10 mL	10 mL	344996	07/27/16 01:06	ATH	TAL IRV

Client Sample ID: MW-8

Date Collected: 07/20/16 14:10

Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	344995	07/27/16 00:36	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	344996	07/27/16 00:36	ATH	TAL IRV

Client Sample ID: MW-9

Date Collected: 07/20/16 14:25

Date Received: 07/20/16 17:10

Lab Sample ID: 320-20374-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	344995	07/26/16 23:07	ATH	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	344996	07/26/16 23:07	ATH	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

Certification Summary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Laboratory: TestAmerica Sacramento

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17
Alaska (UST)	State Program	10	UST-055	12-18-16
Arizona	State Program	9	AZ0708	08-11-16 *
Arkansas DEQ	State Program	6	88-0691	06-17-17
California	State Program	9	2897	01-31-18
Colorado	State Program	8	CA00044	08-31-16
Connecticut	State Program	1	PH-0691	06-30-17
Florida	NELAP	4	E87570	06-30-17
Hawaii	State Program	9	N/A	01-31-17
Illinois	NELAP	5	200060	03-17-17
Kansas	NELAP	7	E-10375	07-31-16 *
Louisiana	NELAP	6	30612	06-30-17
Maine	State Program	1	CA0004	04-18-18
Michigan	State Program	5	9947	01-31-18
Nevada	State Program	9	CA00044	07-31-17
New Jersey	NELAP	2	CA005	06-30-17
New York	NELAP	2	11666	04-01-17
Oregon	NELAP	10	4040	01-29-17
Pennsylvania	NELAP	3	68-01272	03-31-17
Texas	NELAP	6	T104704399	07-31-17
US Fish & Wildlife	Federal		LE148388-0	10-31-16
USDA	Federal		P330-11-00436	12-30-17
USEPA UCMR	Federal	1	CA00044	11-06-16
Utah	NELAP	8	CA00044	02-28-17
Virginia	NELAP	3	460278	03-14-17
Washington	State Program	10	C581	05-05-17
West Virginia (DW)	State Program	3	9930C	12-31-16
Wyoming	State Program	8	8TMS-L	01-29-17

Laboratory: TestAmerica Irvine

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	CA ELAP 2706	06-30-18

Laboratory: TestAmerica Pleasanton

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-18

* Certification renewal pending - certification considered valid.

Method Summary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8260B/CA_LUFTM S	Volatile Organic Compounds by GC/MS	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



Sample Summary

Client: AECOM Technical Services Inc.
Project/Site: Shell - 4255 MacArthur Blvd., Oakland

TestAmerica Job ID: 320-20374-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-20374-1	MW-1	Water	07/20/16 14:40	07/20/16 17:10
320-20374-2	MW-3	Water	07/20/16 14:00	07/20/16 17:10
320-20374-3	MW-4	Water	07/20/16 11:10	07/20/16 17:10
320-20374-4	MW-5	Water	07/20/16 11:05	07/20/16 17:10
320-20374-5	MW-6	Water	07/20/16 13:45	07/20/16 17:10
320-20374-6	MW-7	Water	07/20/16 14:20	07/20/16 17:10
320-20374-7	MW-8	Water	07/20/16 14:10	07/20/16 17:10
320-20374-8	MW-9	Water	07/20/16 14:25	07/20/16 17:10



LAB (LOCATION)

- ACCUTEST ()
- CALSCIENCE ()
- TESTAMERICA ()
- Other ()

Lab Vendor #: 1364589 (TestAmerica)



Shell Oil Products US Chain Of Custody Record



Please Check Appropriate Box:

<input type="checkbox"/> G.W. PDC	<input type="checkbox"/> PIPELINE	<input type="checkbox"/> RETAIL
<input type="checkbox"/> CHEMICALS	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> TRANSPORTATION	<input type="checkbox"/> OTHER	

Print Bill To Contact Name: Christine Pilachowski
 PlaNet Site or Project ID: 38573
 PO #:
 GSAP Project ID:
 USPC/00308.USRT/00752

CHECK IF NO INCIDENT & APPLIES
 DATE: 7/20/16
 PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services, Inc.
 ADDRESS: 1680 Rogers Ave., San Jose, CA, 95112
 LOG CODE: BTSS

SITE ADDRESS: Street and City: 4255 MacArthur Blvd., Oakland
 State: CA
 AECOM Project / Task Number: 60482422

PROJECT CONTACT (Name, Title or PDF Report to): Bart Gebbie
 TELEPHONE: 310-885-4455 Ext. 103
 FAX: 310-637-5802
 BE TO CONTACT E-MAIL: christine.pilachowski@aecom.com

EDF DELIVERABLE TO (Name, Company, Office Location): Casey Huff, AECOM, Oakland, CA
 PHONE NO: 510-893-3600
 E-MAIL: casey.huff@aecom.com
 AECOM Order #: 10059253
 SAMPLER NAME(S) (Print): Justin Becker / Eric Tanner

TURNAROUND TIME (CALENDAR DAYS):
 STANDARD (14 DAY) 3 DAYS 5 DAYS 7 DAYS 14 HOURS RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT JUST AGENCY:

UNIT COST		NON-UNIT COST	
TPH-GRO, Purgeable (B260B)			
BTEX, MTBE, TBA (B260B)			
BTEX, MTBE (B260B)			
5 OXYS (B260B)			
Ethanol (B260B)			

DELIVERABLES: LEVEL 1 LEVEL 2 LEVEL 3 LEVEL 4 OTHER (SPECIFY)

FIELD NOTES:	
TEMPERATURE ON RECEIPT °C	
Container PID Readings or Laboratory Notes	

TEMPERATURE ON RECEIPT °C: Cooler #1, Cooler #2, Cooler #3

SPECIAL INSTRUCTIONS OR NOTES:
 SHELL CONTRACT RATE APPLIES
 STATE REIMBURSEMENT RATE APPLIES
 LEDD NOT NEEDED
 RECEIPT VERIFICATION REQUESTED
 PROVIDE LEDD DISK
 Email invoice to USAPimaging@aecom.com

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.
			DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER	
		MW-1	7/20/16	1440	6W	X					
	MW-3		1420	6W	X						3
	MW-4		1110	6W	X						3
	MW-5		1105	6W	X						3
	MW-6		1345	6W	X						3
	MW-7		1420	6W	X						3
	MW-8		1410	6W	X						3
	MW-9		1425	6W	X						3

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 7/20/16	Time: 1710
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Login Sample Receipt Checklist

Client: AECOM Technical Services Inc.

Job Number: 320-20374-1

Login Number: 20374

List Source: TestAmerica Sacramento

List Number: 1

Creator: Turpen, Troy

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	False	IDs on containers do not match the COC. Logged in per COC.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: AECOM Technical Services Inc.

Job Number: 320-20374-1

Login Number: 20374
List Number: 2
Creator: Ornelas, Olga

List Source: TestAmerica Irvine
List Creation: 07/22/16 01:45 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Appendix C

AECOM - Data Tables for 76 Service Station No. 1156

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
MW-1	7/20/1999	174.86	7.50	0	167.36	--	16,000	120,000	--	11,000	27,000	3,300	18,000	
	9/28/1999	174.86	8.75	0	166.11	--	2,410	6,020	--	1,030	1,040	68.5	412	
	1/7/2000	174.86	9.05	0.02	165.82	--	7,870	72,700	--	7,410	13,900	2,070	9,620	GWE corrected
	3/31/2000	174.86	7.18	0	167.68	--	3,600	92,000	--	10,000	23,000	3,200	14,000	
	7/14/2000	174.86	7.68	0	167.18	--	8,580	108,000	--	8,250	18,700	3,750	17,800	
	10/3/2000	174.86	7.99	0	166.87	--	9,260	96,000	--	8,760	20,000	3,350	15,600	
	1/3/2001	174.86	9.18	0	165.68	--	11,000	37,000	--	5,800	13,000	1,700	8,100	
	4/4/2001	174.86	8.05	0	166.81	--	14,000	86,900	--	7,780	18,500	2,470	11,800	
	7/17/2001	174.86	7.01	0	167.85	--	2,200	79,000	--	5,600	11,000	2,800	12,000	
	10/3/2001	177.54	7.89	0	169.65	--	--	99,000	--	8,200	18,000	3,000	16,000	
	10/5/2001	177.54	7.91	0	169.63	--	13,000	--	--	--	--	--	--	
	1/28/2002	177.54	5.98	0	171.56	--	4,400	110,000	--	8,900	19,000	2,600	12,000	
	4/25/2002	177.54	6.19	0	171.35	--	9,000	93,000	--	8,100	18,000	3,000	15,000	
	7/18/2002	177.54	6.99	0	170.55	--	9,200	69,000	--	5,400	10,000	2,100	10,000	
	10/7/2002	177.54	7.73	0	169.81	--	3,400	82,000	--	9,200	20,000	2,600	13,000	
	1/6/2003	177.54	5.48	0	172.06	--	5,100	82,000	--	6,500	18,000	2,700	11,000	
	4/7/2003	177.54	6.30	0	171.24	--	2,800	74,000	--	7,000	15,000	2,400	11,000	
	7/7/2003	177.54	6.47	0	171.07	--	7,000	60,000	--	6,400	11,000	2,600	11,000	
	10/9/2003	177.54	7.85	0	169.69	--	4,300	91,000	81,000	8,100	17,000	3,200	14,000	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	177.54	6.69	0	170.85	--	6,200	98,000	--	8,000	21,000	2,600	15,000	
	4/28/2004	177.54	6.43	0	171.11	--	--	93,000	--	9,000	20,000	1,300	10,000	
	7/12/2004	177.54	7.44	0	170.10	--	270	57,000	--	6,900	7,200	1,600	580	
	10/25/2004	177.54	7.54	0	170.00	--	5,100	66,000	--	7,300	19,000	2,700	14,000	
	1/17/2005	177.54	5.79	0	171.75	--	6,400	86,000	--	8,600	21,000	3,200	15,000	
	4/6/2005	177.54	4.93	0	172.61	--	2,800	85,000	--	8,400	20,000	3,200	16,000	
	7/8/2005	177.54	5.35	0	172.19	--	6,400	69,000	--	7,100	17,000	2,700	14,000	
	10/7/2005	177.54	5.96	0	171.58	--	5,500	68,000	--	5,900	8,300	1,800	8,300	
	1/27/2006	177.54	5.08	0	172.46	--	9,000	94,000	--	7,400	19,000	3,700	14,000	
	4/28/2006	177.54	4.85	0	172.69	--	9,200	74,000	--	6,400	13,000	2,300	10,000	
	7/28/2006	177.54	5.32	0	172.22	--	5,100	74,000	--	6,600	12,000	3,100	13,000	
	10/27/2006	177.54	6.13	0	171.41	--	4,600	100,000	--	8,300	20,000	3,600	16,000	
	1/10/2007	177.54	5.47	0	172.07	--	12,000	84,000	--	7,100	15,000	2,600	13,000	
	4/13/2007	177.54	5.60	0	171.94	--	8,400	27,000	--	5,600	840	2,300	3,200	
	7/19/2007	177.54	5.69	0	171.85	--	10,000	83,000	--	6,000	15,000	2,600	13,000	
	10/8/2007	177.54	--	--	--	--	--	--	--	--	--	--	--	Gate locked; no key available
	1/9/2008	177.54	5.15	0	172.39	--	12,000	40,000	--	6,000	4,800	2,600	5,100	Gauged on 1/18/2008
	4/4/2008	177.54	5.25	0	172.29	--	15,000	71,000	--	6,800	12,000	3,300	13,000	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	7/3/2008	177.54	6.00	0	171.54	--	9,300	92,000	--	7,000	16,000	3,500	15,000	
	10/3/2008	177.54	7.16	0	170.38	--	4,400	69,000	--	7,200	18,000	3,500	14,000	
	1/22/2009	177.54	6.61	0	170.93	--	8,000	45,000	--	410	720	2,400	9,600	
	4/13/2009	177.54	5.11	0	172.43	--	4,800	5,400	--	300	640	300	940	
	7/23/2009	177.54	6.04	0	171.50	--	2,800	85,000	--	5,800	15,000	3,500	13,000	
	2/1/2010	177.54	4.86	0	172.68	ND<5,000	3,900	74,000	--	7,000	11,000	3,100	10,000	
	8/2/2010	177.54	5.68	0	171.86	ND<5,000	3,900	71,000	--	7,000	11,000	3,300	10,000	
	8/24/2010	DESTROYED												
MW-1B	11/1/2010	174.05	7.15	0	166.90	ND<5,000	ND<50	99	--	3.0	0.30	ND<0.30	ND<0.60	
	1/31/2011	174.05	6.62	0	167.43	ND<5,000	ND<50	170	--	6.7	0.64	0.33	ND<0.60	
	4/26/2011	174.05	6.14	0	167.91	ND<5,000	ND<50	220	--	7.3	0.55	0.32	0.69	
	7/25/2011	174.05	6.69	0	167.36	ND<5,000	ND<40	140	--	7.8	0.35	ND<0.30	ND<0.60	
	10/7/2011	174.06	6.86	0	167.20	ND<5,000	ND<40	120	--	5.7	ND<0.30	ND<0.30	ND<0.60	
	1/23/2012	174.06	6.96	0	167.10	ND<5,000	ND<40	89	--	3.6	ND<0.30	ND<0.30	ND<0.60	
	4/6/2012	174.06	5.89	0	168.17	ND<5,000	ND<40	110	--	4.5	ND<0.30	ND<0.30	ND<0.60	
	7/24/2012	174.06	6.98	0	167.08	ND<5,000	ND<40	130	--	6.2	ND<0.30	ND<0.30	ND<0.60	
	2/8/2013	174.06	6.65	0	167.41	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/10/2013	174.06	7.11	0	166.95	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	0.61	
	1/16/2014	174.06	7.73	0	166.33	ND<5,000	ND<40	ND<50	--	1.0	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	174.06	7.18	0	166.88	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	174.06	6.63	0	167.43	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/21/2015	174.06	7.64	0	166.42	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	174.06	5.86	0	168.20	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	174.06	7.03	0	167.03	--	--	--	--	--	--	--	--	Sampled Q1 only
MW-2	7/20/1999	173.01	5.40	--	167.61	--	--	ND	--	ND	ND	ND	ND	
	9/28/1999	173.01	5.60	0	167.41	--	--	1,390	--	124	ND	62.9	43.1	
	1/7/2000	173.01	5.92	0	167.09	--	--	1,450	--	99	ND	23.8	16	
	3/31/2000	173.01	5.23	0	167.78	--	--	ND	--	42	ND	ND	ND	
	7/14/2000	173.01	5.52	0	167.49	--	--	ND	--	44.7	ND	ND	ND	
	10/3/2000	173.01	6.04	0	166.97	--	--	ND	--	56.7	ND	ND	ND	
	1/3/2001	173.01	6.42	0	166.59	--	--	ND	--	ND	ND	ND	ND	
	4/4/2001	173.01	6.14	0	166.87	--	--	ND	--	ND	ND	ND	ND	
	7/17/2001	173.01	5.30	0	167.71	--	--	ND	--	ND	ND	ND	ND	
	10/3/2001	173.50	7.38	0	166.12	--	--	ND<250	--	2.7	ND<2.5	ND<2.5	ND<2.5	
	1/28/2002	173.50	5.68	0	167.82	--	--	ND<250	--	2.5	4.4	2.8	7.4	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	4/25/2002	173.50	5.82	0	167.68	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	7/18/2002	173.50	6.90	0	166.60	--	--	ND<500	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	10/7/2002	173.50	7.54	0	165.96	--	--	4,300	--	ND<10	27	21	75	
	1/6/2003	173.50	6.79	0	166.71	--	--	5,900	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	4/7/2003	173.50	6.49	0	167.01	--	--	1,500	--	ND<10	14	11	38	
	7/7/2003	173.50	6.72	0	166.78	--	--	ND<2,500	--	ND<25	ND<25	ND<25	ND<25	
	10/9/2003	173.50	7.16	0	166.34	--	--	3,500	ND<5,000	ND<50	ND<50	ND<50	ND<100	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	173.50	5.53	0	167.97	--	--	3,200	--	ND<25	ND<25	ND<25	ND<25	
	4/28/2004	173.50	5.21	0	168.29	--	--	22,000	--	ND<3	9.2	ND<3	ND<6	
	7/12/2004	173.50	5.83	0	167.67	--	--	1,700	--	3.8	18	2.6	16	
	10/25/2004	173.50	6.89	0	166.61	--	--	3,400	--	ND<25	ND<25	ND<25	ND<25	
	1/17/2005	173.50	5.70	0	167.80	--	--	1,700	--	ND<10	ND<10	ND<10	ND<10	
	4/6/2005	173.50	4.50	0	169.00	--	--	3,000	--	ND<20	ND<20	ND<20	ND<20	
	7/8/2005	173.50	4.69	0	168.81	--	--	ND<2,000	--	ND<20	ND<20	ND<20	ND<20	
	10/7/2005	173.50	4.61	0	168.89	--	--	7,500	--	6.7	6.6	ND<3.0	ND<6.0	
	1/27/2006	173.50	4.10	0	169.40	--	--	2,500	--	1.0	2.6	ND<0.30	ND<0.60	
	4/28/2006	173.50	3.75	0	169.75	--	--	3,100	--	9.4	3.6	0.94	3.4	
	7/28/2006	173.50	4.34	0	169.16	--	--	3,000	--	2.0	ND<1.5	ND<1.5	ND<3.0	
	10/27/2006	173.50	5.62	0	167.88	--	--	1,800	--	1.5	ND<1.5	ND<1.5	ND<3.0	
	1/10/2007	173.50	4.02	0	169.48	--	--	2,100	--	1.1	ND<0.60	ND<0.60	ND<1.2	
	4/13/2007	173.50	4.03	0	169.47	--	--	3,300	--	12	1.6	0.46	1.1	
	7/19/2007	173.50	4.41	0	169.09	--	--	2,500	--	21	0.64	5.1	1.5	
	10/8/2007	173.50	4.93	0	168.57	--	--	3,400	--	38	1.6	13	2.1	
	1/9/2008	173.50	3.03	0	170.47	--	--	1,700	--	6.2	2.5	0.61	0.91	Gauged on 1/18/2008
	4/4/2008	173.50	3.52	0	169.98	--	--	1,400	--	15	2.1	0.76	ND<0.60	
	7/3/2008	173.50	4.70	0	168.80	--	--	1,100	--	14	1.1	2.0	1.2	
	10/3/2008	173.50	5.57	0	167.93	--	ND<50	740	--	14	ND<0.30	4.5	6.9	
	1/22/2009	173.50	5.03	0	168.47	--	ND<50	640	--	4.6	ND<0.30	ND<0.30	ND<0.60	
	4/13/2009	173.50	3.73	0	169.77	--	ND<50	940	--	7.1	ND<0.30	ND<0.30	ND<0.60	
	7/23/2009	173.50	4.39	0	169.11	--	230	700	--	12	6.0	5.4	13	
	2/1/2010	173.50	4.33	0	169.17	--	140	860	--	17	13	0.83	2.4	
	8/2/2010	173.50	5.16	0	168.34	--	210	1,200	--	9.5	32	1.4	2.4	
	8/24/2010	DESTROYED												
MW-2B	11/1/2010	173.55	11.27	0	162.28	--	57	550	--	7.8	2.7	2.1	0.99	
	1/31/2011	173.55	7.79	0	165.76	--	ND<50	420	--	1.7	0.47	0.59	ND<0.60	
	4/26/2011	173.55	9.09	0	164.46	--	ND<50	390	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	7/25/2011	173.55	3.91	0	169.64	--	ND<40	210	--	1.7	ND<0.30	ND<0.30	ND<0.60	
	10/7/2011	173.55	4.50	0	169.05	--	52	110	--	1.0	ND<0.30	ND<0.30	ND<0.60	
	1/23/2012	173.55	6.96	0	166.59	--	ND<40	110	--	0.73	ND<0.30	ND<0.30	ND<0.60	
	4/6/2012	173.55	5.67	0	167.88	--	ND<40	120	--	0.36	ND<0.30	ND<0.30	ND<0.60	
	7/24/2012	173.55	5.33	0	168.22	--	ND<40	73	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/8/2013	173.55	4.58	0	168.97	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/10/2013	173.55	7.06	0	166.49	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/16/2014	173.55	5.58	0	167.97	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	173.55	6.18	0	167.37	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	173.55	4.98	0	168.57	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/21/2015	173.55	10.35	0	163.20	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	173.55	4.91	0	168.64	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	173.55	7.49	0	166.06	--	--	--	--	--	--	--	--	Sampled Q1 only
MW-3	7/20/1999	178.44	8.50	--	169.94	--	--	1,000	--	76	52	79	76	
	9/28/1999	178.44	8.31	0	170.13	--	--	1,860	--	174	95.4	71.8	135	
	1/7/2000	178.44	8.56	0	169.88	--	--	28,400	--	2,450	3,090	1,560	3,910	
	3/31/2000	178.44	8.42	0	170.02	--	--	26,000	--	1,300	2,900	2,600	3,500	
	7/14/2000	178.44	8.61	0	169.83	--	--	24,500	--	1,850	2,630	2,750	3,900	
	10/3/2000	178.44	9.14	0	169.30	--	--	22,000	--	1,910	2,020	2,400	2,680	
	1/3/2001	178.44	9.06	0	169.38	--	--	14,000	--	1,600	1,100	2,300	1,400	
	4/4/2001	178.44	8.98	0	169.46	--	--	19,600	--	1,150	1,470	2,100	1,820	
	7/17/2001	178.44	7.46	0	170.98	--	--	26,000	--	1,500	2,100	2,100	3,400	
	10/3/2001	178.13	9.81	0	168.32	--	--	22,000	--	830	1,900	1,700	3,000	
	1/28/2002	178.13	7.39	0	170.74	--	--	30,000	--	880	2,600	1,800	4,300	
	4/25/2002	178.13	7.86	0	170.27	--	--	18,000	--	500	2,000	1,300	3,800	
	7/18/2002	178.13	8.83	0	169.30	--	--	37,000	--	1,800	3,800	2,200	8,000	
	10/7/2002	178.13	9.71	0	168.42	--	--	26,000	--	600	2,000	1,800	6,400	
	1/6/2003	178.13	7.40	0	170.73	--	--	27,000	--	800	2,100	2,000	6,400	
	4/7/2003	178.13	8.17	0	169.96	--	--	28,000	--	660	2,200	1,900	6,300	
	7/7/2003	178.13	8.35	0	169.78	--	--	33,000	--	1,200	2,500	2,700	8,300	
	10/9/2003	178.13	9.39	0	168.74	--	--	3,800	6,000	120	260	390	1,200	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	178.13	6.86	0	171.27	--	--	5,100	--	120	240	310	720	
	4/28/2004	178.13	6.63	0	171.50	--	--	7,300	--	250	440	580	1300	
	7/12/2004	178.13	7.41	0	170.72	--	--	5,500	--	350	310	120	350	
	10/25/2004	178.13	8.81	0	169.32	--	--	3,300	--	96	140	270	490	
	1/17/2005	178.13	6.37	0	171.76	--	--	3,400	--	150	270	360	750	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	4/6/2005	178.13	4.69	0	173.44	--	--	14,000	--	420	1,300	1,000	3,100	
	7/8/2005	178.13	5.23	0	172.90	--	--	5,000	--	180	290	500	800	
	10/7/2005	178.13	6.35	0	171.78	--	--	6,800	--	270	120	ND<0.30	210	
	1/27/2006	178.13	5.24	0	172.89	--	--	3,200	--	120	140	270	460	
	4/28/2006	178.13	5.01	0	173.12	--	--	4,500	--	130	250	380	670	
	7/28/2006	178.13	6.21	0	171.92	--	--	4,700	--	160	240	510	730	
	10/27/2006	178.13	6.93	0	171.20	--	--	3,700	--	150	160	460	530	
	1/10/2007	178.13	5.93	0	172.20	--	--	4,800	--	180	160	550	600	
	4/13/2007	178.13	6.10	0	172.03	--	--	5,100	--	180	240	550	710	
	7/19/2007	178.13	6.51	0	171.62	--	--	2,000	--	110	64	220	190	
	10/8/2007	178.13	7.05	0	171.08	--	--	2,100	--	72	65	180	290	
	1/9/2008	178.13	3.65	0	174.48	--	--	4,200	--	200	160	510	580	Gauged on 1/18/2008
	4/4/2008	178.13	5.69	0	172.44	--	--	7,500	--	270	390	810	1,200	
	7/3/2008	178.13	7.28	0	170.85	--	--	2,300	--	99	66	210	220	
	10/3/2008	178.13	8.40	0	169.73	--	1,200	12,000	--	740	620	1,500	2,700	
	1/22/2009	178.13	7.68	0	170.45	--	270	2,000	--	120	79	290	290	
	4/13/2009	178.13	6.28	0	171.85	--	150	3,600	--	110	150	180	510	
	7/23/2009	178.13	7.20	0	170.93	--	310	3,400	--	180	150	360	650	
	2/1/2010	178.13	5.29	0	172.84	--	390	6,500	--	180	92	300	250	
	8/2/2010	178.13	6.83	0	171.30	--	540	8,600	--	140	110	320	1,000	
	8/24/2010	DESTROYED												
MW-3B	11/1/2010	177.77	6.82	0	170.95	--	58	990	--	31	32	47	50	
	1/31/2011	177.77	5.30	0	172.47	--	65	2,800	--	32	20	39	47	
	4/26/2011	177.77	4.64	0	173.13	--	93	2,800	--	36	55	80	82	
	7/25/2011	177.77	5.53	0	172.24	--	100	1,700	--	28	33	80	73	
	10/7/2011	177.77	6.08	0	171.69	--	81	1,700	--	32	20	88	47	
	1/23/2012	177.77	6.90	0	170.87	--	120	1,800	--	39	17	75	20	
	4/6/2012	177.77	4.23	0	173.54	--	ND<40	1,200	--	36	25	80	41	
	7/24/2012	177.77	6.42	0	171.35	--	190	1,500	--	66	10	76	39	
	2/8/2013	177.77	5.60	0	172.17	--	ND<40	4,400	--	170	93	450	150	
	7/10/2013	177.77	6.71	0	171.06	--	350	2,800	--	190	60	530	82	
	1/16/2014	177.77	7.63	0	170.14	5,300	40	3,800	--	190	71	380	210	
	7/22/2014	177.77	6.89	0	170.88	--	370	8,600	--	190	120	670	190	
	1/27/2015	177.77	5.00	0	172.77	--	94	6,400	--	240	84	480	140	
	7/21/2015	177.77	7.28	0	170.49	--	280	4,200	--	210	100	570	220	
	1/20/2016	177.77	5.18	0	172.59	--	240	4,700	--	160	52	230	80	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	7/20/2016	177.77	6.88	0	170.89	--	2,100	3,900	--	220	120	660	190	
MW-4	7/20/1999	179.10	7.40	--	171.70	--	--	69	--	2.7	0.77	ND	7.1	
	9/28/1999	179.10	7.19	0	171.91	--	--	4,050	--	1,250	72	51.3	133	
	1/7/2000	179.10	8.98	0	170.12	--	--	7,010	--	2,260	167	271	276	
	3/31/2000	179.10	7.26	0	171.84	--	--	5,500	--	1,800	230	330	400	
	7/14/2000	179.10	7.67	0	171.43	--	--	7,940	--	2,810	332	450	247	
	10/3/2000	179.10	8.12	0	170.98	--	--	11,400	--	3,110	437	519	816	
	1/3/2001	179.10	9.10	0	170.00	--	--	8,600	--	2,500	340	480	960	
	4/4/2001	179.10	8.63	0	170.47	--	--	9,950	--	2,380	126	416	725	
	7/17/2001	179.10	6.49	0	172.61	--	--	10,000	--	2,300	110	410	800	
	10/3/2001	178.96	7.01	0	171.95	--	--	7,800	--	2,100	85	380	390	
	1/28/2002	178.96	6.21	0	172.75	--	--	12,000	--	2,100	130	350	670	
	4/25/2002	178.96	5.49	0	173.47	--	--	3,300	--	1,300	42	270	250	
	7/18/2002	178.96	8.28	0	170.68	--	--	4,800	--	1,300	71	290	220	
	10/7/2002	178.96	7.49	0	171.47	--	--	5,100	--	1,400	110	330	380	
	1/6/2003	178.96	6.36	0	172.60	--	--	5,600	--	1,100	57	260	320	
	4/7/2003	178.96	6.24	0	172.72	--	--	5,100	--	1,100	55	190	370	
	7/7/2003	178.96	6.43	0	172.53	--	--	3,000	--	920	28	170	330	
	10/9/2003	178.96	7.97	0	170.99	--	--	530	700	100	2.2	5.4	14	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	178.96	6.30	0	172.66	--	--	530	--	88	4.1	9.9	11	
	4/28/2004	178.96	5.68	0	173.28	--	--	1,200	--	200	5.3	21	13	
	7/12/2004	178.96	6.48	0	172.48	--	--	3,600	--	1,000	14	260	72	
	10/25/2004	178.96	6.85	0	172.11	--	--	490	--	34	ND<2.5	ND<2.5	ND<2.5	
	1/17/2005	178.96	4.56	0	174.40	--	--	620	--	100	2.6	15	8.0	
	4/6/2005	178.96	2.90	0	176.06	--	--	630	--	81	9.6	16	41	
	7/8/2005	178.96	3.74	0	175.22	--	--	980	--	170	24	44	140	
	10/7/2005	178.96	4.24	0	174.72	--	--	4,900	--	1,100	11	110	110	
	1/27/2006	178.96	3.65	0	175.31	--	--	2,800	--	580	20	130	230	
	4/28/2006	178.96	3.94	0	175.02	--	--	710	--	110	2.4	21	22	
	7/28/2006	178.96	4.63	0	174.33	--	--	550	--	120	2.1	12	19	
	10/27/2006	178.96	5.19	0	173.77	--	--	260	--	37	2.0	1.9	6.7	
	1/10/2007	178.96	4.82	0	174.14	--	--	270	--	29	0.72	1.8	2.7	
	4/13/2007	178.96	4.25	0	174.71	--	--	390	--	53	1.2	3.1	4.1	
	7/19/2007	178.96	5.35	0	173.61	--	--	210	--	8.0	1.0	1.4	4.5	
	10/8/2007	178.96	5.48	0	173.48	--	--	290	--	17	2.3	3.8	14	
	1/9/2008	178.96	3.40	0	175.56	--	--	770	--	190	5.9	21	40	Gauged on 1/18/2008

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	4/4/2008	178.96	4.20	0	174.76	--	--	180	--	11	2.0	0.67	2.9	
	7/3/2008	178.96	5.89	0	173.07	--	--	140	--	4.5	1.3	ND<0.30	ND<0.60	
	10/3/2008	178.96	7.34	0	171.62	--	96	430	--	29	3.4	9.6	20	
	1/22/2009	178.96	6.75	0	172.21	--	ND<50	190	--	25	1.7	0.87	1.5	
	4/13/2009	178.96	4.74	0	174.22	--	110	290	--	17	2.1	4.4	12	
	7/23/2009	178.96	6.01	0	172.95	--	85	360	--	33	2.3	5.4	18	
	2/1/2010	178.96	6.42	0	172.54	--	80	490	--	35	3.1	2.7	5.5	
	8/2/2010	178.96	5.92	0	173.04	--	120	470	--	17	3.4	2.5	12	
	8/24/2010	DESTROYED												
MW-4B	11/1/2010	179.07	7.20	0	171.87	--	ND<50	230	--	ND<0.30	2.1	1.3	43	
	1/31/2011	179.07	4.49	0	174.58	--	ND<50	68	--	ND<0.30	ND<0.30	ND<0.30	2.0	
	4/26/2011	179.07	4.32	0	174.75	--	ND<50	52	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/25/2011	179.07	5.52	0	173.55	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/7/2011	179.07	6.04	0	173.03	--	ND<40	ND<50	--	ND<0.30	0.46	ND<0.30	ND<0.60	
	1/23/2012	179.07	6.58	0	172.49	--	ND<40	ND<50	--	ND<0.30	0.36	0.87	ND<0.60	
	4/6/2012	179.07	4.41	0	174.66	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/24/2012	179.07	6.20	0	172.87	--	ND<40	75	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/8/2013	179.07	5.37	0	173.70	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/10/2013	179.07	6.52	0	172.55	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/16/2014	179.07	7.55	0	171.52	ND<5,000	ND<40	ND<50	--	0.32	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	179.07	6.80	0	172.27	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	179.07	5.83	0	173.24	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/21/2015	179.07	7.26	0	171.81	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	179.07	5.14	0	173.93	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	179.07	6.90	0	172.17	--	--	--	--	--	--	--	--	Sampled Q1 only
MW-5	10/3/2001	169.18	2.81	0	166.37	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	1/28/2002	169.18	1.88	0	167.30	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	4/25/2002	169.18	1.99	0	167.19	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	7/18/2002	169.18	2.49	0	166.69	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	10/7/2002	169.18	2.80	0	166.38	--	--	140	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	1/6/2003	169.18	1.86	0	167.32	--	ND<50	120	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	4/7/2003	169.18	2.15	0	167.03	--	--	220	--	0.53	ND<0.50	ND<0.50	ND<0.50	
	7/7/2003	169.18	2.26	0	166.92	--	--	120	--	ND<1.2	ND<1.2	ND<1.2	ND<1.2	
	10/9/2003	169.18	2.72	0	166.46	--	--	560	210	ND<1.0	ND<1.0	ND<1.0	ND<2.0	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	169.18	2.00	0	167.18	--	--	560	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	4/28/2004	169.18	2.01	0	167.17	--	--	760	--	ND<0.3	1.8	ND<0.3	ND<0.6	
	7/12/2004	169.18	2.56	0	166.62	--	--	96	--	1.8	3.3	0.54	3.6	
	10/25/2004	169.18	2.43	0	166.75	--	--	1,100	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	1/17/2005	169.18	1.49	0	167.69	--	--	720	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	4/6/2005	169.18	0.95	0	168.23	--	--	830	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	7/8/2005	169.18	1.49	0	167.69	--	--	ND<500	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	
	10/7/2005	169.18	1.92	0	167.26	--	--	540	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/27/2006	169.18	2.03	0	167.15	--	--	490	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/28/2006	169.18	1.02	0	168.16	--	--	430	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/28/2006	169.18	1.57	0	167.61	--	--	480	--	0.34	ND<0.30	ND<0.30	ND<0.60	
	10/27/2006	169.18	2.20	0	166.98	--	--	420	--	0.34	ND<0.30	ND<0.30	ND<0.60	
	1/10/2007	169.18	1.57	0	167.61	--	--	390	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/13/2007	169.18	1.89	0	167.29	--	--	170	--	3.8	5.9	1.5	3.8	
	7/19/2007	169.18	1.92	0	167.26	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/8/2007	169.18	2.28	0	166.90	--	--	200	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/9/2008	169.18	1.09	0	168.09	--	--	150	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	Gauged on 1/18/2008
	4/4/2008	169.18	1.72	0	167.46	--	--	210	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/3/2008	169.18	2.27	0	166.91	--	--	260	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/3/2008	169.18	2.80	0	166.38	--	60	200	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/22/2009	169.18	2.45	0	166.73	--	ND<50	130	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/13/2009	169.18	1.81	0	167.37	--	ND<50	190	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/23/2009	169.18	2.33	0	166.85	--	ND<50	210	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/1/2010	169.18	1.32	0	167.86	--	ND<50	170	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	8/2/2010	169.18	2.20	0	166.98	--	ND<50	64	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	11/1/2010	169.18	3.92	0	165.26	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	1/31/2011	169.18	1.63	0	167.55	--	ND<50	160	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/26/2011	169.18	1.32	0	167.86	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	7/25/2011	169.18	1.79	0	167.39	--	ND<40	140	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/7/2011	169.18	2.18	0	167.00	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	1/23/2012	169.18	1.98	0	167.20	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/6/2012	169.18	1.18	0	168.00	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	7/24/2012	169.18	1.90	0	167.28	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/8/2013	169.18	1.88	0	167.30	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/10/2013	169.18	2.32	0	166.86	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/16/2014	169.18	2.82	0	166.36	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	169.18	3.13	0	166.05	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	169.18	1.96	`	167.22	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	7/21/2015	169.18	2.58	0	166.60	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	169.18	1.42	0	167.76	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	169.18	3.36	0	165.82	--	--	--	--	--	--	--	--	Sampled Q1 only
MW-6	10/3/2001	169.04	2.87	0	166.17	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	1/28/2002	169.04	1.82	0	167.22	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	4/25/2002	169.04	2.01	0	167.03	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	7/18/2002	169.04	2.44	0	166.60	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	10/7/2002	169.04	2.72	0	166.32	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	1/6/2003	169.04	1.90	0	167.14	--	--	ND<50	--	0.62	1.2	1.2	3.5	
	4/7/2003	169.04	2.02	0	167.02	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	7/7/2003	169.04	2.21	0	166.83	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	10/9/2003	169.04	2.71	0	166.33	--	--	ND<50	ND<50	0.95	3.0	1.4	5.5	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	169.04	2.00	0	167.04	--	--	ND<50	--	ND<0.50	0.57	ND<0.50	0.64	
	4/28/2004	169.04	2.18	0	166.86	--	--	ND<50	--	0.39	0.78	ND<0.3	ND<0.6	
	7/12/2004	169.04	2.69	0	166.35	--	--	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	
	10/25/2004	169.04	2.46	0	166.58	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	1/17/2005	169.04	1.54	0	167.50	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	4/6/2005	169.04	1.15	0	167.89	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	7/8/2005	169.04	1.05	0	167.99	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	
	10/7/2005	169.04	1.90	0	167.14	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/27/2006	169.04	1.32	0	167.72	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/28/2006	169.04	0.00	0	169.04	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/28/2006	169.04	1.68	0	167.36	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/27/2006	169.04	1.98	0	167.06	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/10/2007	169.04	1.60	0	167.44	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/13/2007	169.04	2.01	0	167.03	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/19/2007	169.04	1.96	0	167.08	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/8/2007	169.04	2.35	0	166.69	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/9/2008	169.04	1.10	0	167.94	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	Gauged on 1/18/2008
	4/4/2008	169.04	1.60	0	167.44	--	--	ND<50	--	ND<0.30	0.40	ND<0.30	0.71	
	7/3/2008	169.04	2.19	0	166.85	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/3/2008	169.04	2.78	0	166.26	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/22/2009	169.04	2.35	0	166.69	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/13/2009	169.04	1.81	0	167.23	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/23/2009	169.04	--	--	--	--	--	--	--	--	--	--	--	Paved over
	2/1/2010	169.04	--	--	--	--	--	--	--	--	--	--	--	Paved over

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	8/2/2010	169.04	--	--	--	--	--	--	--	--	--	--	--	Paved over
	8/24/2010	DESTROYED												
MW-7	10/3/2001	171.64	7.62	0	164.02	--	--	10,000	--	210	ND<50	ND<50	800	
	1/28/2002	171.64	7.21	0	164.43	--	--	ND<1,000	--	ND<10	ND<10	ND<10	ND<10	
	4/25/2002	171.64	7.25	0	164.39	--	--	ND<5,000	--	660	ND<50	ND<50	ND<50	
	7/18/2002	171.64	8.12	0	163.52	--	--	ND<5,000	--	130	ND<50	ND<50	ND<50	
	10/7/2002	171.64	7.71	0	163.93	--	--	18,000	--	ND<50	ND<50	ND<50	ND<50	
	1/6/2003	171.64	7.63	0	164.01	--	ND<50	410	--	0.61	1.0	0.89	2.9	
	4/7/2003	171.64	7.58	0	164.06	--	--	13,000	--	ND<20	ND<20	ND<20	ND<20	
	7/7/2003	171.64	7.56	0	164.08	--	--	990	--	8.2	ND<0.50	1.2	ND<0.50	
	10/9/2003	171.64	7.72	0	163.92	--	--	6,800	ND<13,000	ND<130	ND<130	ND<130	ND<250	Sampled for TPH-GRO by 8015M on 11/14/2003
	1/14/2004	171.64	6.97	0	164.67	--	--	19,000	--	ND<100	ND<100	ND<100	ND<100	
	4/28/2004	171.64	8.70	0	162.94	--	--	19,000	--	ND<3	ND<3	ND<3	ND<6	
	7/12/2004	171.64	9.44	0	162.20	--	--	12,000	--	28	14	330	200	
	10/25/2004	171.64	7.23	0	164.41	--	--	28,000	--	ND<250	ND<250	ND<250	ND<250	
	1/17/2005	171.64	6.30	0	165.34	--	--	15,000	--	ND<100	ND<100	ND<100	ND<100	
	4/6/2005	171.64	5.96	0	165.68	--	--	13,000	--	ND<100	ND<100	ND<100	ND<100	
	7/8/2005	171.64	6.45	0	165.19	--	--	ND<10,000	--	ND<100	ND<100	ND<100	ND<100	
	10/7/2005	171.64	6.78	0	164.86	--	--	13,000	--	ND<3.0	ND<3.0	ND<3.0	ND<6.0	
	1/27/2006	171.64	5.82	0	165.82	--	--	8,200	--	0.64	1.6	ND<0.30	ND<0.60	
	4/28/2006	171.64	5.57	0	166.07	--	--	6,900	--	0.88	1.5	0.34	1.0	
	7/28/2006	171.64	6.67	0	164.97	--	--	5,400	--	5.2	ND<3.0	ND<3.0	ND<6.0	
	10/27/2006	171.64	6.93	0	164.71	--	--	4,500	--	ND<1.5	ND<1.5	ND<1.5	ND<3.0	
	1/10/2007	171.64	6.41	0	165.23	--	12,000	4,000	--	ND<1.2	ND<1.2	ND<1.2	ND<2.4	
	4/13/2007	171.64	--	--	--	--	--	--	--	--	--	--	--	Paved over
	7/19/2007	171.64	7.10	0	164.54	--	--	2,700	--	0.57	ND<0.30	ND<0.30	ND<0.60	
	10/8/2007	171.64	7.42	0	164.22	--	--	1,600	--	0.47	0.49	ND<0.30	ND<0.60	
	1/9/2008	171.64	5.98	0	165.66	--	--	1,500	--	0.45	0.49	ND<0.30	ND<0.60	Gauged on 1/18/2008
	4/4/2008	171.64	6.80	0	164.84	--	--	1,800	--	0.72	0.58	ND<0.30	ND<0.60	
	7/3/2008	171.64	7.31	0	164.33	--	--	1,600	--	0.45	ND<0.30	ND<0.30	ND<0.60	
	10/3/2008	171.64	7.79	0	163.85	--	ND<50	1,300	--	0.53	0.59	ND<0.30	ND<0.60	
	1/22/2009	171.64	7.26	0	164.38	--	ND<50	890	--	0.43	0.49	ND<0.30	ND<0.60	
	4/13/2009	171.64	6.83	0	164.81	--	ND<50	1,100	--	0.46	0.30	ND<0.30	ND<0.60	
	7/23/2009	171.64	7.32	0	164.32	--	ND<50	920	--	ND<0.30	0.73	ND<0.30	ND<0.60	
	2/1/2010	171.64	6.21	0	165.43	--	53	1,000	--	5.6	4.0	1.2	2.0	
	8/2/2010	171.64	7.08	0	164.56	--	ND<50	880	--	ND<0.30	0.62	ND<0.30	ND<0.60	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	11/1/2010	172.11	6.97	0	165.14	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	1/31/2011	172.11	6.58	0	165.53	--	ND<50	730	--	0.31	0.59	ND<0.30	ND<0.60	
	4/26/2011	172.11	5.21	0	166.90	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	7/25/2011	172.11	6.89	0	165.22	--	ND<40	610	--	2.5	ND<0.30	ND<0.30	ND<0.60	
	10/7/2011	172.11	7.15	0	164.96	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	1/23/2012	172.11	6.92	0	165.19	--	ND<40	300	--	ND<0.30	0.55	ND<0.30	ND<0.60	
	4/6/2012	172.11	6.01	0	166.10	--	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
	7/24/2012	172.11	7.25	0	164.86	--	ND<40	270	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/8/2013	172.11	6.90	0	165.21	--	ND<40	240	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/10/2013	172.11	7.36	0	164.75	--	ND<40	340	--	0.75	ND<0.30	0.46	0.69	
	1/16/2014	172.11	7.86	0	164.25	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	172.11	7.40	0	164.71	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	172.11	6.93	0	165.18	--	ND<40	150	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/21/2015	172.11	7.48	0	164.63	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	172.11	6.48	0	165.63	--	ND<40	130	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	172.11	7.32	0	164.79	--	--	--	--	--	--	--	--	Sampled Q1 only
MW-8	1/18/2008	167.97	0.43	0	167.54	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/4/2008	167.97	0.55	0	167.42	--	--	ND<50	--	0.76	1.6	0.72	2.3	
	7/3/2008	167.97	0.91	0	167.06	--	--	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	10/3/2008	167.97	1.71	0	166.26	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	1/22/2009	167.97	1.59	0	166.38	--	64	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	4/13/2009	167.97	0.08	0	167.89	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/23/2009	167.97	1.10	0	166.87	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	2/1/2010	167.97	0.65	0	167.32	--	ND<50	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	8/2/2010	167.97	--	--	--	--	--	--	--	--	--	--	--	Paved over
	8/24/2010	DESTROYED												
MW-9A	7/10/2013	173.01	5.88	0	167.13	--	220	4,600	--	1,100	14	220	140	
	1/16/2014	173.01	6.24	0	166.77	ND<5,000	200	4,600	--	820	ND<6.0	180	ND<12	
	7/22/2014	173.01	8.65	0	164.36	--	250	6,400	--	1,100	12	380	12	
	1/27/2015	173.01	8.24	0	164.77	--	250	7,900	--	2,500	16	340	23	
	7/21/2015	173.01	5.87	0	167.14	--	170	7,100	--	2,700	22	190	23	
	1/20/2016	173.01	8.47	0	164.54	--	360	7,700	--	2,400	17	53	14	
	7/20/2016	173.01	10.04	0	162.97	--	560	5,600	--	1,800	20	64	22	
MW-9B	7/10/2013	172.78	5.87	0	166.91	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC* (ft)	DTW (ft)	LNAPL Thickness (ft)	GWE* (ft)	Oil and Grease (µg/L)	TPH-DRO W/SGC (µg/L)	TPH-GRO (µg/L)	TPH-GRO (GC/MS) (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	COMMENTS
	1/16/2014	172.78	6.57	0	166.21	ND<5,000	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/22/2014	172.78	5.94	0	166.84	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/27/2015	172.78	5.38	0	167.40	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/21/2015	172.78	6.01	0	166.77	--	--	--	--	--	--	--	--	Sampled Q1 only
	1/20/2016	172.78	4.72	0	168.06	--	ND<40	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	
	7/20/2016	172.78	5.81		166.97									
MW-10A	7/10/2013	174.48	7.15	0	167.33	--	1,300	23,000	--	6,600	76	750	1,900	
	1/16/2014	174.48	9.41	0	165.07	ND<5,000	710	25,000	--	6,600	120	850	830	
	7/22/2014	174.48	10.61	0	163.87	--	800	27,000	--	6,300	120	900	1,000	
	1/27/2015	174.48	10.82	0	163.66	--	800	28,000	--	9,800	190	1,200	1,200	
	7/21/2015	174.48	7.32	0	167.16	--	530	22,000	--	15,000	190	1,000	960	
	1/20/2016	174.48	8.63	0	165.85	--	990	30,000	--	9,100	200	960	1,000	
	7/20/2016	174.48	7.69	0	166.79	--	3,700	22,000	--	11,000	180	960	900	
MW-10B	7/10/2013	174.62	7.65	0	166.97	--	170	4,100	--	1,100	34	130	140	
	1/16/2014	174.62	8.33	0	166.29	ND<5,000	360	5,500	--	1,200	69	190	160	
	7/22/2014	174.62	7.76	0	166.86	--	120	2,400	--	570	19	68	54	
	1/27/2015	174.62	7.18	0	167.44	--	250	7,500	--	2,000	80	290	290	
	7/21/2015	174.62	7.58	0	167.04	--	46	2,600	--	780	27	100	130	
	1/20/2016	174.62	6.43	0	168.19	--	300	7,800	--	1,600	60	240	270	
	7/20/2016	174.62	7.59	0	167.03	--	1,000	8,000	--	2,200	81	410	430	
MW-10S	7/22/2014	175.57	10.02	0	165.55	--	--	--	--	--	--	--	--	Insufficient water to sample
	1/27/2015	175.57	7.82	0	167.75	ND<5,000	ND<40	110	--	3.1	ND<0.30	1.8	ND<0.60	
	7/21/2015	175.57	5.92	0	169.65	ND<5,000	ND<40	ND<50	--	1.6	ND<0.30	6.2	ND<0.60	
	1/20/2016	175.57	6.13	0	169.44	ND<5,000	ND<40	200	--	5.6	ND<0.30	15	ND<0.60	
	7/20/2016	175.57	5.21	0	170.36	ND<5,000	48	100	--	10	0.35	22	ND<0.60	
MW-11A	7/10/2013	175.37	6.02	0	169.35	--	730	45,000	--	8,600	5,900	940	7,600	
	1/16/2014	175.37	6.08	0	169.29	ND<5,000	480	45,000	--	7,000	4,000	660	6,300	
	7/22/2014	175.37	6.22	0	169.15	--	1,600	49,000	--	6,600	3,300	1,100	7,100	
	1/27/2015	175.37	4.61	0	170.76	--	500	73,000	--	10,000	6,500	1,600	11,000	
	7/21/2015	175.37	5.39	0	169.98	--	700	56,000	--	11,000	6,900	1,800	12,000	
	1/20/2016	175.37	4.28	0	171.09	--	930	68,000	--	10,000	5,500	1,500	11,000	
	7/20/2016	175.37	7.10	0	168.27	--	10,000	49,000	--	8,500	3,100	1,300	7,300	

Table 5
Historical Groundwater Monitoring Data and Analytical Results
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	TOC*	DTW	LNAPL Thickness	GWE*	Oil and Grease	TPH-DRO W/SGC	TPH-GRO	TPH-GRO (GC/MS)	B	T	E	X	COMMENTS
		(ft)	(ft)	(ft)	(ft)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-11B	7/10/2013	174.65	5.07	0	169.58	--	ND<40	3,800	--	1,300	52	41	300	
	1/16/2014	174.65	5.97	0	168.68	ND<5,000	120	19,000	--	5,700	240	330	470	
	7/22/2014	174.65	5.35	0	169.30	--	260	12,000	--	3,400	64	210	59	
	1/27/2015	174.65	5.78	0	168.87	--	170	17,000	--	4,200	190	310	330	
	7/21/2015	174.65	5.37	0	169.28	--	430	23,000	--	10,000	770	960	1,200	
	1/20/2016	174.65	7.71	0	166.94	--	780	35,000	--	9,400	1,600	880	2,300	
	7/20/2016	174.65	5.75	0	168.90	--	3,700	29,000	--	9,500	1,300	1,000	2,100	
MW-11S	7/22/2014	176.09	6.05	0	170.04	ND<5,000	2,400	40,000	--	4,200	3,000	690	7,100	
	1/27/2015	176.09	4.69	0	171.40	ND<5,000	210	3,300	--	230	16	64	100	
	7/21/2015	176.09	6.13	0	169.96	ND<5,000	280	5,100	--	670	18	420	240	
	1/20/2016	176.09	3.23	0	172.86	--	ND<40	270	--	2.6	0.47	1.4	0.86	
	7/20/2016	176.09	5.75	0	170.34	ND<5,000	460	1,700	--	280	7.7	83	81	

NOTES:

* TOC and GWE are in feet above mean sea level

µg/L = Micrograms per liter

-- = Not available/not sampled

B = Benzene

DTW = Depth to water below TOC

E = Ethylbenzene

ft = Feet

GC/MS = Gas chromatography/mass spectrometry

GWE = Groundwater elevation

ID = Identification

LNAPL = Light non-aqueous phase liquid

ND<# = Analyte not detected at or above indicated practical quantitation limit

Q1 = 1st quarter

QA = Trip blank

T = Toluene

TOC = Top of casing

TPH-DRO W/SGC = Total petroleum hydrocarbons-diesel range organics with silica gel cleanup

TPH-GRO = Total petroleum hydrocarbons-gasoline range organics

X = Total xylenes

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-1	7/20/1999	ND	--	--	--	--	--	--	--	--	--	--
	9/28/1999	321	333	ND	--	--	--	--	--	ND	ND	ND
	1/7/2000	ND	--	--	--	--	--	--	--	--	--	--
	3/31/2000	ND	--	--	--	--	--	--	--	--	--	--
	7/14/2000	ND	--	--	--	--	--	--	--	--	--	--
	10/3/2000	ND	--	--	--	--	--	--	--	--	--	--
	1/3/2001	2,200	--	--	--	--	--	--	--	--	--	--
	4/4/2001	ND	481	ND	--	ND	ND	--	ND	ND	ND	ND
	7/17/2001	ND	230	ND	--	ND	ND	--	ND	ND	ND	ND
	10/3/2001	ND<2,500	--	--	--	--	--	--	--	--	--	--
	10/5/2001	--	--	--	--	--	--	--	--	--	--	--
	1/28/2002	3,000	440	--	--	--	--	--	--	--	--	--
	4/25/2002	810	670	--	--	--	--	--	--	--	--	--
	7/18/2002	ND<500	620	ND<100	--	ND<2,500,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	10/7/2002	1,300	760	ND<10,000	--	ND<50,000,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	1/6/2003	ND<1,000	790	ND<20,000	--	ND<100,000,000	ND<400	--	ND<400	ND<400	ND<400	ND<400
	4/7/2003	1,000	800	ND<10,000	--	ND<50,000,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	7/7/2003	600	530	ND<25,000	ND<120,000	--	ND<500	--	ND<500	ND<500	ND<500	ND<500
	10/9/2003	--	660	ND<2,000	--	ND<100,000	ND<400	--	ND<400	ND<400	ND<400	ND<400
	1/14/2004	ND<1,300	ND<800	ND<40,000	--	ND<200,000	ND<800	--	ND<800	ND<800	ND<800	ND<800
	4/28/2004	1,400	560	800	--	ND<1,000	ND<50	--	ND<50	ND<1	ND<1	ND<1
	7/12/2004	490	440	1,100	--	ND<20,000	ND<10	--	ND<10	ND<20	ND<20	ND<20
	10/25/2004	ND<1,300	330	ND<2,000	--	ND<20,000	ND<200	--	ND<200	ND<400	ND<200	ND<200
	1/17/2005	ND<1,300	570	3,100	--	ND<20,000	ND<200	--	ND<200	ND<400	ND<200	ND<200
	4/6/2005	ND<1,300	580	1,500	--	ND<10,000	ND<100	--	ND<100	ND<100	ND<100	ND<100
	7/8/2005	ND<1,300	290	ND<1,300	--	ND<13,000	ND<130	--	3.8	ND<130	ND<130	ND<130
	10/7/2005	330	250	680	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/27/2006	450	360	ND<500	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	4/28/2006	460	280	ND<500	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	7/28/2006	330	220	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/27/2006	280	250	ND<2,500	--	ND<62,000	ND<120	--	ND<120	ND<120	ND<120	ND<120
	1/10/2007	350	260	ND<1,000	--	ND<25,000	ND<50	--	ND<50	ND<50	ND<50	ND<50
	4/13/2007	270	220	730	--	ND<250	ND<0.50	--	0.68	ND<0.50	ND<0.50	ND<0.50

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	7/19/2007	1,000	200	ND<1,000	--	ND<25,000	ND<50	--	ND<50	ND<50	ND<50	ND<50
	10/8/2007	--	--	--	--	--	--	--	--	--	--	--
	1/9/2008	840	170	ND<250	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	4/4/2008	--	160	770	--	ND<5,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	7/3/2008	--	110	ND<250	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	10/3/2008	--	180	ND<200	--	ND<5,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	1/22/2009	--	160	ND<500	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	4/13/2009	--	150	280	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/23/2009	--	140	ND<2,000	--	ND<50,000	ND<100	--	ND<100	ND<100	ND<100	ND<100
	2/1/2010	--	ND<50	--	--	--	--	--	--	--	--	--
	8/2/2010	--	ND<10	--	--	--	ND<10	ND<10	ND<10	--	--	--
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-1B	11/1/2010	--	30	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/31/2011	--	46	28	--	ND<250	ND<0.50	--	0.76	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	44	33	--	ND<250	ND<0.50	--	0.82	ND<0.50	ND<0.50	ND<0.50
	7/25/2011	--	47	28	--	ND<250	ND<0.50	--	0.75	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	41	30	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/23/2012	--	32	23	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	55	18	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/24/2012	--	46	27	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	28	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/10/2013	--	12	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	42	ND<10	ND<250	--	ND<0.50	--	1.3	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	0.96	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	14	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-2	7/20/1999	4,500	11,000	--	--	--	--	--	--	--	--	--
	9/28/1999	5,280	6,150	ND	--	--	--	--	--	ND	ND	ND
	1/7/2000	33,100	--	--	--	--	--	--	--	--	--	--
	3/31/2000	17,000	--	--	--	--	--	--	--	--	--	--

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	7/14/2000	66,500	--	--	--	--	--	--	--	--	--	--
	10/3/2000	57,500	--	--	--	--	--	--	--	--	--	--
	1/3/2001	49,000	--	--	--	--	--	--	--	--	--	--
	4/4/2001	38,700	37,800	ND	--	ND	ND	--	ND	ND	ND	ND
	7/17/2001	65,000	56,000	ND	--	ND	ND	--	ND	ND	ND	ND
	10/3/2001	14,000	18,000	--	--	--	--	--	--	--	--	--
	1/28/2002	11,000	10,000	--	--	--	--	--	--	--	--	--
	4/25/2002	8,400	8,100	--	--	--	--	--	--	--	--	--
	7/18/2002	4,300	8,800	ND<1,000	--	ND<25,000,000	ND<100	--	ND<100	ND<100	ND<100	ND<100
	10/7/2002	7,100	5,900	ND<20,000	--	ND<100,000,000	ND<400	--	ND<400	ND<400	ND<400	ND<400
	1/6/2003	31,000	35,000	ND<50,000	--	ND<250,000,000	ND<1,000	--	ND<1,000	ND<1,000	ND<1,000	ND<1,000
	4/7/2003	2,000	1,500	ND<2,000	--	ND<10,000,000	ND<40	--	ND<40	ND<40	ND<40	ND<40
	7/7/2003	5,500	8,300	ND<5,000	--	ND<25,000,000	ND<100	--	ND<100	ND<100	ND<100	ND<100
	10/9/2003	--	8,500	ND<10,000	--	ND<50,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	1/14/2004	2,600	3,200	ND<2,500	--	ND<13,000	ND<50	--	ND<50	ND<50	ND<50	ND<50
	4/28/2004	35,000	22,000	13,000	--	ND<1,000	ND<0.5	--	ND<0.5	ND<1	ND<1	11
	7/12/2004	3,000	3,000	110	--	ND<4,000	ND<3	--	ND<3	ND<5	ND<5	ND<5
	10/25/2004	1,800	1,600	1,100	--	ND<1,300	ND<13	--	ND<13	ND<25	ND<13	ND<13
	1/17/2005	1,600	1,500	1,200	--	ND<1,300	ND<13	--	ND<13	ND<25	ND<13	ND<13
	4/6/2005	2,500	3,200	2,800	--	ND<2,500	ND<25	--	ND<25	ND<25	ND<25	ND<25
	7/8/2005	2,900	3,100	4,300	--	ND<2,500	ND<25	--	ND<25	ND<25	ND<25	ND<25
	10/7/2005	5,900	5,200	8,700	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	1/27/2006	2,600	2,800	5,200	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	4/28/2006	3,700	3,600	6,700	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	1.6
	7/28/2006	3,000	2,900	5,100	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	10/27/2006	1,600	1,300	6,600	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	1/10/2007	2,300	2,000	6,000	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	4/13/2007	3,600	3,200	7,400	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	7/19/2007	2,000	2,000	6,200	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	10/8/2007	5,000	4,000	20,000	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/9/2008	2,100	2,200	9,900	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/4/2008	--	2,100	5,800	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/3/2008	--	1,400	8,300	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	10/3/2008	--	750	5,900	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	1/22/2009	--	850	7,400	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2009	--	990	5,500	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	7/23/2009	--	390	5,000	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	2/1/2010	--	290	--	--	--	--	--	--	--	--	--
	8/2/2010	--	140	--	--	--	ND<1.0	ND<1.0	ND<1.0	--	--	--
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-2B	11/1/2010	--	250	2,000	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/31/2011	--	310	1,300	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	240	770	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/25/2011	--	170	1,100	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	100	840	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/23/2012	--	95	370	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	140	310	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/24/2012	--	53	270	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	1.2	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/10/2013	--	0.86	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	9.6	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	3.9	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	3.8	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-3	7/20/1999	330	--	--	--	--	--	--	--	--	--	--
	9/28/1999	443	288	ND	--	--	--	--	--	ND	ND	8.80
	1/7/2000	1,940	--	--	--	--	--	--	--	--	--	--
	3/31/2000	2,800	--	--	--	--	--	--	--	--	--	--
	7/14/2000	548	--	--	--	--	--	--	--	--	--	--
	10/3/2000	965	--	--	--	--	--	--	--	--	--	--
	1/3/2001	3,300	--	--	--	--	--	--	--	--	--	--
	4/4/2001	1,050	450	ND	--	ND	ND	--	ND	ND	ND	ND
	7/17/2001	ND	350	ND	--	ND	ND	--	ND	ND	ND	ND

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	10/3/2001	ND<1000	--	--	--	--	--	--	--	--	--	--
	1/28/2002	3,200	210	--	--	--	--	--	--	--	--	--
	4/25/2002	500	260	--	--	--	--	--	--	--	--	--
	7/18/2002	ND<250	270	ND<50	--	ND<1,200,000	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	10/7/2002	ND<120	ND<200	ND<10,000	--	ND<50,000,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	1/6/2003	440	110	ND<4,000	--	23,000,000	ND<80	--	ND<80	ND<80	ND<80	ND<80
	4/7/2003	440	100	ND<4,000	--	ND<20,000,000	ND<80	--	ND<80	ND<80	ND<80	ND<80
	7/7/2003	280	100	ND<2,000	--	ND<10,000,000	ND<40	--	ND<40	ND<40	ND<40	ND<40
	10/9/2003	--	190	ND<1,000	--	ND<5,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	1/14/2004	190	230	ND<1,000	--	ND<5,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	4/28/2004	740	240	ND<12	--	ND<1,000	ND<3	--	ND<3	ND<1	ND<1	ND<1
	7/12/2004	180	100	350	--	ND<20,000	ND<10	--	ND<10	ND<20	ND<20	ND<20
	10/25/2004	94	260	39	--	ND<250	ND<2.5	--	ND<2.5	ND<5.0	ND<2.5	ND<2.5
	1/17/2005	55	200	120	--	ND<250	ND<2.5	--	ND<2.5	ND<5.0	ND<2.5	ND<2.5
	4/6/2005	ND<250	200	150	--	ND<1,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	7/8/2005	ND<250	150	64	--	ND<250	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	10/7/2005	260	180	ND<200	--	ND<5,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	1/27/2006	280	250	ND<10	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	4/28/2006	230	180	190	--	ND<250	ND<0.50	--	0.63	ND<0.50	ND<0.50	ND<0.50
	7/28/2006	250	150	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/27/2006	250	140	ND<10	--	ND<250	ND<0.50	--	1.3	ND<0.50	ND<0.50	ND<0.50
	1/10/2007	230	150	66	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	4/13/2007	230	160	ND<10	--	ND<250	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	7/19/2007	190	180	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/8/2007	180	120	ND<20	--	ND<500	ND<1.0	--	1.1	ND<1.0	ND<1.0	ND<1.0
	1/9/2008	290	120	ND<20	--	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0
	4/4/2008	--	120	ND<50	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/3/2008	--	190	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/3/2008	--	71	ND<100	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/22/2009	--	130	ND<20	--	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0
	4/13/2009	--	120	ND<10	--	ND<250	ND<0.50	--	1.0	ND<0.50	ND<0.50	ND<0.50
	7/23/2009	--	120	ND<100	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	2/1/2010	--	97	--	--	--	--	--	--	--	--	--

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	8/2/2010	--	89	--	--	--	ND<0.50	--	ND<0.50	--	--	--
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-3B	11/1/2010	--	46	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/31/2011	--	73	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	52	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/25/2011	--	62	47	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	61	64	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/23/2012	--	56	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	68	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/24/2012	--	54	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	20	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/10/2013	--	14	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/16/2014	--	13	ND<10	ND<250	--	ND<5.0	--	1.2	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	8.8	ND<20	ND<500	--	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0
	1/27/2015	--	14	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	15
	7/21/2015	--	23	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/20/2016	--	8.9	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/21/2016	--	13	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
MW-4	7/20/1999	100	--	--	--	--	--	--	--	--	--	--
	9/28/1999	416	459	ND	--	--	--	--	--	ND	ND	ND
	1/7/2000	764	--	--	--	--	--	--	--	--	--	--
	3/31/2000	1,000	--	--	--	--	--	--	--	--	--	--
	7/14/2000	1,530	--	--	--	--	--	--	--	--	--	--
	10/3/2000	1,040	--	--	--	--	--	--	--	--	--	--
	1/3/2001	850	--	--	--	--	--	--	--	--	--	--
	4/4/2001	1,140	819	ND	--	ND	ND	--	ND	ND	ND	ND
	7/17/2001	1,200	900	ND	--	ND	ND	--	ND	ND	ND	ND
	10/3/2001	580	820	--	--	--	--	--	--	--	--	--
	1/28/2002	1,100	500	--	--	--	--	--	--	--	--	--
	4/25/2002	680	600	--	--	--	--	--	--	--	--	--
	7/18/2002	530	760	ND<100	--	ND<2,500,000	ND<10	--	49	ND<10	ND<10	ND<10

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	10/7/2002	650	540	ND<10,000	--	ND<50,000,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	1/6/2003	370	520	ND<1,000	--	ND<5,000,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	4/7/2003	550	420	ND<1,000	--	ND<5,000,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	7/7/2003	480	450	ND<1,000	--	ND<5,000,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	10/9/2003	--	270	ND<200	--	ND<1,000	ND<4.0	--	ND<4.0	ND<4.0	ND<4.0	ND<4.0
	1/14/2004	150	180	ND<200	--	ND<1,000	ND<4.0	--	6.5	ND<4.0	ND<4.0	ND<4.0
	4/28/2004	490	310	150	--	ND<1,000	ND<0.5	--	ND<0.5	ND<1	ND<1	ND<1
	7/12/2004	710	470	210	--	ND<4,000	ND<3	--	14	ND<5	ND<5	ND<5
	10/25/2004	200	170	38	--	ND<100	ND<1.0	--	2.0	ND<2.0	ND<1.0	ND<1.0
	1/17/2005	240	200	110	--	ND<100	ND<1.0	--	3.6	ND<2.0	ND<1.0	ND<1.0
	4/6/2005	ND<25	26	ND<25	--	73,000	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/8/2005	ND<25	64	29	--	ND<50	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	10/7/2005	370	310	210	--	ND<250	ND<0.50	--	26	ND<0.50	ND<0.50	ND<0.50
	1/27/2006	320	240	280	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	4/28/2006	140	140	130	--	ND<250	ND<0.50	--	0.97	ND<0.50	ND<0.50	ND<0.50
	7/28/2006	170	150	64	--	ND<250	ND<0.50	--	5.8	ND<0.50	ND<0.50	ND<0.50
	10/27/2006	130	130	54	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	1/10/2007	160	150	33	--	310	ND<0.50	--	1.9	ND<0.50	ND<0.50	ND<0.50
	4/13/2007	210	160	82	--	ND<250	ND<0.50	--	0.77	ND<0.50	ND<0.50	ND<0.50
	7/19/2007	120	130	13	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/8/2007	160	150	ND<20	--	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0
	1/9/2008	210	220	ND<20	--	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0
	4/4/2008	--	110	27	--	ND<250	ND<0.50	--	1.0	ND<0.50	ND<0.50	ND<0.50
	7/3/2008	--	100	27	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	10/3/2008	--	100	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/22/2009	--	96	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2009	--	88	39	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	7/23/2009	--	92	42	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	2/1/2010	--	51	--	--	--	--	--	--	--	--	--
	8/2/2010	--	48	--	--	--	ND<0.50	ND<1.0	1.4	--	--	--
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-4B	11/1/2010	--	20	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	1/31/2011	--	30	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	26	25	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/25/2011	--	28	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	25	25	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/23/2012	--	17	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	21	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/24/2012	--	24	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	2.8	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/10/2013	--	0.64	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	2.3	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	2.1	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/21/2015	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	1.7	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-5	10/3/2001	1,800	2,100	--	--	--	--	--	--	--	--	--
	1/28/2002	650	550	--	--	--	--	--	--	--	--	--
	4/25/2002	2,200	2,400	--	--	--	--	--	--	--	--	--
	7/18/2002	530	690	ND<20	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	10/7/2002	300	330	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	1/6/2003	410	350	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	4/7/2003	450	420	ND<500	--	ND<2,500,000	ND<10	--	ND<10	ND<10	ND<10	ND<10
	7/7/2003	220	200	ND<200	--	ND<1,000,000	ND<4.0	--	ND<4.0	ND<4.0	ND<4.0	ND<4.0
	10/9/2003	--	290	ND<200	--	ND<1,000	ND<4.0	--	ND<4.0	ND<4.0	ND<4.0	ND<4.0
	1/14/2004	670	760	ND<2,000	--	ND<10,000	ND<40	--	ND<40	ND<40	ND<40	ND<40
	4/28/2004	1,200	790	ND<12	--	ND<1,000	ND<0.5	--	1.8	ND<1	ND<1	ND<1
	7/12/2004	2.8	ND<0.5	ND<12	--	ND<800	ND<0.5	--	0.76	ND<1	ND<1	ND<1
	10/25/2004	780	1,100	ND<500	--	ND<5,000	ND<50	--	ND<50	ND<100	ND<50	ND<50
	1/17/2005	530	550	100	--	ND<250	ND<2.5	--	ND<2.5	ND<5.0	ND<2.5	ND<2.5
	4/6/2005	600	760	7.6	--	ND<50	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	7/8/2005	570	630	180	--	ND<500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	10/7/2005	530	490	ND<10	--	ND<250	ND<0.50	--	1.0	ND<0.50	ND<0.50	ND<0.50
	1/27/2006	580	610	1,000	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	4/28/2006	590	520	130	--	ND<250	ND<0.50	--	0.95	ND<0.50	ND<0.50	ND<0.50
	7/28/2006	440	420	ND<100	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	10/27/2006	460	390	43	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	1/10/2007	430	420	28	--	ND<250	ND<0.50	--	1.7	ND<0.50	ND<0.50	ND<0.50
	4/13/2007	160	120	ND<10	--	ND<250	ND<0.50	--	0.84	ND<0.50	ND<0.50	ND<0.50
	7/19/2007	19	23	ND<10	--	ND<250	ND<0.50	--	ND<5.0	ND<0.50	ND<0.50	ND<0.50
	10/8/2007	310	280	ND<10	--	ND<250	ND<0.50	--	1.3	ND<0.50	ND<0.50	ND<0.50
	1/9/2008	170	170	ND<10	--	ND<250	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	4/4/2008	--	260	ND<10	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	7/3/2008	--	360	ND<10	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	10/3/2008	--	240	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/22/2009	--	170	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2009	--	190	ND<10	--	ND<250	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	7/23/2009	--	210	ND<10	--	ND<250	ND<0.50	--	1.8	ND<0.50	ND<0.50	ND<0.50
	2/1/2010	--	120	--	--	--	--	--	--	--	--	--
	8/2/2010	--	42	--	--	--	ND<0.50	--	ND<0.50	--	--	--
	11/1/2010	--	--	--	--	--	--	--	--	--	--	--
	1/31/2011	--	130	ND<10	--	ND<250	ND<0.50	--	1.6	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	--	--	--	--	--	--	--	--	--	--
	7/25/2011	--	130	ND<10	--	ND<250	ND<0.50	--	1.6	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	--	--	--	--	--	--	--	--	--	--
	1/23/2012	--	52	22	--	ND<250	ND<0.50	--	0.92	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	--	--	--	--	--	--	--	--	--	--
	7/24/2012	--	81	20	--	ND<250	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	21	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/10/2013	--	4.7	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	39	ND<10	ND<250	--	ND<0.50	--	0.67	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	2.9	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/21/2015	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	2.2	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-6	10/3/2001	200	270	--	--	--	--	--	--	--	--	--

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	1/28/2002	ND<2.5	--	--	--	--	--	--	--	--	--	--
	4/25/2002	ND<2.5	--	--	--	--	--	--	--	--	--	--
	7/18/2002	ND<2.5	ND<2.0	ND<20	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	10/7/2002	ND<2.5	ND<2.0	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	1/6/2003	ND<2.0	ND<2.0	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	4/7/2003	46	46	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	7/7/2003	ND<2.0	ND<2.0	ND<100	--	ND<500,000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	10/9/2003	--	ND<2.0	ND<100	--	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	1/14/2004	ND<5.0	ND<2.0	ND<100	--	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
	4/28/2004	ND<1	ND<0.5	ND<12	--	ND<1,000	ND<0.5	--	ND<0.5	ND<1	ND<1	ND<1
	7/12/2004	6.4	ND<0.5	ND<12	--	ND<800	ND<0.5	--	ND<0.5	ND<1	ND<1	ND<1
	10/25/2004	ND<5.0	0.57	ND<5.0	--	ND<50	ND<0.50	--	ND<0.50	ND<1.0	ND<0.50	ND<0.50
	1/17/2005	ND<5.0	ND<0.50	ND<5.0	--	ND<50	ND<0.50	--	ND<0.50	ND<1.0	ND<0.50	ND<0.50
	4/6/2005	ND<5.0	ND<0.50	ND<5.0	--	ND<50	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/8/2005	ND<5.0	ND<0.50	ND<5.0	--	ND<50	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/7/2005	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/27/2006	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/28/2006	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/28/2006	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/27/2006	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/10/2007	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2007	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/19/2007	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/8/2007	ND<1.0	0.80	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/9/2008	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/4/2008	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/3/2008	--	1.4	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/3/2008	--	1.8	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/22/2009	--	1.2	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2009	--	0.72	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/23/2009	--	--	--	--	--	--	--	--	--	--	--
	2/1/2010	--	--	--	--	--	--	--	--	--	--	--
	8/2/2010	--	--	--	--	--	--	--	--	--	--	--

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-7	10/3/2001	35,000	40,000	--	--	--	--	--	--	--	--	--
	1/28/2002	42,000	38,000	--	--	--	--	--	--	--	--	--
	4/25/2002	42,000	45,000	--	--	--	--	--	--	--	--	--
	7/18/2002	51,000	53,000	33,000	--	ND<5,000,000	ND<20	--	ND<20	ND<20	ND<20	ND<20
	10/7/2002	33,000	38,000	26,000	--	ND<100,000,000	ND<400	--	ND<400	ND<400	ND<400	ND<400
	1/6/2003	3,900	3,100	ND<10,000	--	ND<50,000,000	ND<200	--	ND<200	ND<200	ND<200	ND<200
	4/7/2003	32,000	28,000	ND<40,000	--	ND<200,000,000	ND<800	--	ND<800	ND<800	ND<800	ND<800
	7/7/2003	36,000	45,000	27,000	--	ND<100,000,000	ND<400	--	ND<400	ND<400	ND<400	ND<400
	10/9/2003	--	20,000	ND<25,000	--	ND<130,000	ND<500	--	ND<500	ND<500	ND<500	ND<500
	1/14/2004	20,000	25,000	ND<40,000	--	ND<200,000	ND<800	--	ND<800	ND<800	ND<800	ND<800
	4/28/2004	30,000	21,000	9,200	--	ND<1,000	ND<0.5	--	6.8	ND<1	ND<1	12
	7/12/2004	12,000	11,000	4,600	--	ND<8,000	ND<5	--	5.1	ND<10	ND<10	ND<10
	10/25/2004	13,000	14,000	3,900	--	ND<5,000	ND<50	--	ND<50	ND<100	ND<50	ND<50
	1/17/2005	17,000	16,000	4,200	--	ND<5,000	ND<50	--	ND<50	ND<100	ND<50	ND<50
	4/6/2005	14,000	17,000	4,200	--	ND<10,000	ND<0.50	--	6.4	ND<0.50	ND<0.50	9.3
	7/8/2005	8,600	11,000	4,300	--	ND<5,000	ND<50	--	ND<50	ND<50	ND<50	ND<50
	10/7/2005	9,400	9,800	1,100	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	1/27/2006	9,900	7,900	1,600	--	ND<25,000	ND<50	--	ND<50	ND<50	ND<50	ND<50
	4/28/2006	9,600	11,000	2,900	--	ND<250	ND<0.50	--	3.4	ND<0.50	ND<0.50	6.3
	7/28/2006	5,000	5,300	1,300	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	10/27/2006	4,700	3,700	1,700	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/10/2007	4,400	4,400	1,300	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	4/13/2007	--	--	--	--	--	--	--	--	--	--	--
	7/19/2007	2,700	3,300	ND<100	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	10/8/2007	2,500	2,200	ND<500	--	ND<12,000	ND<25	--	ND<25	ND<25	ND<25	ND<25
	1/9/2008	1,900	1,900	2,700	--	ND<250	ND<0.50	--	1.2	ND<0.50	ND<0.50	1.1
	4/4/2008	--	2,700	1,400	--	ND<6,200	ND<12	--	ND<12	ND<12	ND<12	ND<12
	7/3/2008	--	2,300	940	--	ND<250	ND<0.50	--	2.2	ND<0.50	ND<0.50	1.2
	10/3/2008	--	1,800	540	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	1/22/2009	--	1,300	370	--	ND<1,200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	4/13/2009	--	1,200	420	--	ND<5,000	ND<10	--	ND<10	ND<10	ND<10	ND<10

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	7/23/2009	--	900	370	--	ND<2,500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	2/1/2010	--	720	--	--	--	--	--	--	--	--	--
	8/2/2010	--	770	--	--	--	ND<0.50	--	1.9	--	--	--
	11/1/2010	--	--	--	--	--	--	--	--	--	--	--
	1/31/2011	--	600	160	--	ND<250	ND<0.50	--	1.3	ND<0.50	ND<0.50	ND<0.50
	4/26/2011	--	--	--	--	--	--	--	--	--	--	--
	7/25/2011	--	620	220	--	ND<250	ND<0.50	--	1.6	ND<0.50	ND<0.50	ND<0.50
	10/7/2011	--	--	--	--	--	--	--	--	--	--	--
	1/23/2012	--	390	190	--	ND<250	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	4/6/2012	--	--	--	--	--	--	--	--	--	--	--
	7/24/2012	--	300	160	--	ND<250	ND<0.50	--	1.5	ND<0.50	ND<0.50	ND<0.50
	2/8/2013	--	610	ND<50	ND<1,200	--	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/10/2013	--	450	44	ND<250	--	ND<0.50	--	1.2	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	310	ND<10	ND<250	--	ND<0.50	--	1.4	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	180	ND<10	ND<250	--	ND<0.50	--	0.80	ND<0.50	ND<0.50	ND<0.50
	7/21/2015	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	120	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-8	1/18/2008	ND<1.0	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/4/2008	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/3/2008	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	10/3/2008	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/22/2009	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	4/13/2009	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/23/2009	--	ND<0.50	ND<10	--	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	2/1/2010	--	ND<0.50	--	--	--	--	--	--	--	--	--
	8/2/2010	--	--	--	--	--	--	--	--	--	--	--
	8/24/2010	--	--	--	--	--	--	--	--	--	--	--
MW-9A	7/10/2013	--	4.4	1,700	ND<250	--	ND<0.50	--	16	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	ND<0.50	2,800	ND<250	--	ND<0.50	--	25	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	4.1	2,600	ND<1,200	--	ND<2.5	--	18	ND<2.5	ND<2.5	ND<2.5

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	1/27/2015	--	3.9	1,100	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	58
	7/21/2015	--	ND<5.0	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/20/2016	--	16	1,300	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/20/2016	--	57	1,900	ND<2,500	--	ND<5.0	--	58	ND<5.0	ND<5.0	ND<5.0
MW-9B	7/10/2013	--	18	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	56	ND<10	ND<250	--	ND<0.50	--	1.7	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	9.8	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/21/2015	--	--	--	--	--	--	--	--	--	--	--
	1/20/2016	--	4.1	ND<10	ND<250	--	ND<0.50	--	1.1	ND<0.50	ND<0.50	ND<0.50
	7/20/2016	--				--		--				
MW-10A	7/10/2013	--	310	1,500	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/16/2014	--	420	1,800	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	7/22/2014	--	360	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/27/2015	--	340	1,500	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	50
	7/21/2015	--	420	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/20/2016	--	320	ND<50	ND<1,200	--	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/20/2016	--	440	ND<100	ND<2,500	--	ND<5.0	--	180	ND<5.0	ND<5.0	ND<5.0
MW-10B	7/10/2013	--	110	370	ND<250	--	ND<0.50	--	3.5	ND<0.50	ND<0.50	ND<0.50
	1/16/2014	--	100	630	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/22/2014	--	89	ND<50	ND<1,200	--	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	1/27/2015	--	59	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/21/2015	--	96	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/20/2016	--	51	ND<10	ND<250	--	ND<0.50	--	36	ND<0.50	ND<0.50	ND<0.50
	7/20/2016	--	92	730	ND<2,500	--	ND<5.0	--	58	ND<5.0	ND<5.0	ND<5.0
MW-10S	7/22/2014	--	--	--	--	--	--	--	--	--	--	--
	1/27/2015	--	3.9	180	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	2.5
	7/21/2015	--	10	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	1/20/2016	--	4.4	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
	7/20/2016	--	8.2	91	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.8
MW-11A	7/10/2013	--	3,600	4,900	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	ND<12
	1/16/2014	--	3,600	4,000	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	ND<12
	7/22/2014	--	2,800	ND<250	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	ND<12
	1/27/2015	--	2,200	3,600	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	90
	7/21/2015	--	2,600	ND<500	ND<12,000	--	ND<25	--	ND<25	ND<25	ND<25	ND<25
	1/20/2016	--	2,400	ND<500	ND<12,000	--	ND<25	--	ND<25	ND<25	ND<25	ND<25
	7/20/2016	--	2,100	3,000	ND<12,000	--	ND<25	--	ND<25	ND<25	ND<25	ND<25
MW-11B	7/10/2013	--	490	1,500	ND<1,200	--	ND<2.5	--	57	ND<2.5	ND<2.5	ND<2.5
	1/16/2014	--	2,100	5,200	ND<1,200	--	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5
	7/22/2014	--	1,400	5,500	ND<5,000	--	ND<10	--	ND<10	ND<10	ND<10	ND<10
	1/27/2015	--	1,200	3,000	ND<1,200	--	ND<2.5	--	110	ND<2.5	ND<2.5	46
	7/21/2015	--	1,900	ND<500	ND<12,000	--	ND<25	--	ND<25	ND<25	ND<25	ND<25
	1/20/2016	--	1,900	ND<250	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	ND<12
	7/20/2016	--	1,800	4,400	ND<12,000	--	ND<25	--	ND<25	ND<25	ND<25	ND<25
MW-11S	7/22/2014	--	1,300	4,800	ND<6,200	--	ND<12	--	ND<12	ND<12	ND<12	ND<12
	1/27/2015	--	29	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.2
	7/21/2015	--	190	ND<100	ND<2,500	--	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0
	1/20/2016	--	2.5	ND<10	ND<250	--	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50
	7/20/2016	--	74	ND<10	ND<250	--	ND<0.50	--	8.7	ND<0.50	ND<0.50	ND<0.50

Notes:

8021B = Analyzed by Environmental Protection Agency (EPA) Method 8021B

8260B = Analyzed by EPA Method 8260B

8015B = Analyzed by EPA Method 8015B

504 = Analyzed by EPA Method 504

µg/L = Micrograms per liter

-- = Not sampled

DIPE = Diisopropyl ether

EDB = 1,2-dibromoethane

EDC = 1,2-dichloroethane

Table 6
Historical Groundwater Analytical Results - Oxygenate Compounds
76 Service Station No. 1156 (351645), 4276 MacArthur Boulevard, Oakland, California

Well ID	Date	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	TBA (µg/L)	ETHANOL 8260B (µg/L)	Ethanol 8015B (µg/L)	EDB (µg/L)	EDB 504 (µg/L)	EDC (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
---------	------	----------------------	----------------------	---------------	----------------------------	-------------------------	---------------	-------------------	---------------	----------------	----------------	----------------

ETBE = Ethyl t-butyl ether

ID = Identification

MTBE = Methyl t-butyl ether

ND = Not detected

ND<# = Analyte not detected at or above indicated practical quantitation limit

QA = Trip blank

TAME = t-amyl methyl ether

TBA = t-butyl alcohol