

Atlantic Richfield Company

Chuck Carmel
Environmental Business Manager

RECEIVED

8:55 am, Oct 06, 2010

Alameda County
Environmental Health

October 5, 2010

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3803
Fax: (925) 275-3815
E-Mail: charles.carmel@bp.com

Re: Third Quarter 2010 Semi-Annual Groundwater Monitoring Report
Atlantic Richfield Company Station #2111
1156 Davis Street, San Leandro, California
ACEH Case #RO0000494

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel
Environmental Business Manager

Attachment:

Prepared for

Mr. Chuck Carmel
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

875 Cotting Lane, Suite G
Vacaville, California 95926
(707) 455-7290
www.broadbentinc.com

October 5, 2010

Project No. 06-88-615

Broadbent & Associates, Inc.
875 Cotting Ln., Suite G
Vacaville, CA 95688
(707) 455-7290 Tel
(707) 455-7295 Fax



October 5, 2010

Project No. 06-88-615

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Chuck Carmel

Re: Third Quarter 2010 Semi-Annual Groundwater Monitoring Report, Atlantic Richfield Company Station #2111, 1156 Davis Street, San Leandro, Alameda County, California;
ACEH Case #RO0000494

Dear Mr. Carmel:

Attached is the *Third Quarter 2010 Semi-Annual Groundwater Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #2111 located at 1156 Davis Street, San Leandro, California (Site). This report presents a status update and the results of groundwater monitoring conducted at the Site during the Third Quarter 2010.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact me at (707) 455-7290.

Sincerely,

BROADBENT & ASSOCIATES, INC.


Thomas A. Sparrowe, P.G.
Senior Geologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Karl Busche, City of San Leandro Environmental Services Division, 835 East 14th Street,
San Leandro, California 94577 (Submitted via GeoTracker)
Electronic copy uploaded to GeoTracker

STATION #2111 GROUNDWATER MONITORING REPORT

Facility: <u>#2111</u>	Address: <u>1156 Davis Street, San Leandro, California</u>
Environmental Business Manager:	<u>Mr. Chuck Carmel</u>
Consulting Co./Contact Person:	<u>Broadbent & Associates, Inc.(BAI)/Mr. Tom Sparrowe, PG (707) 455-7290</u>
Consultant Project No.:	<u>06-88-615</u>
Primary Agency/Regulatory ID No.:	<u>Alameda County Environmental Health (ACEH) ACEH Case #RO0000494</u>

WORK PERFORMED THIS QUARTER (Third Quarter 2010):

1. Prepared and submitted *Second Quarter 2009 Status Report* (BAI, 7/20/2010).
2. Conducted groundwater monitoring/sampling for Third Quarter 2010. Work performed on July 23, 2010 by BAI.

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter 2010):

1. Prepared and submitted this *Third Quarter 2010 Semi-Annual Groundwater Monitoring Report* (contained herein).
2. Continue to seek offsite property access at 1290 Davis Street in order to implement the approved soil and groundwater investigation work plan.
3. No environmental field activities are presently scheduled for completion during the Fourth Quarter of 2010.

RESULTS SUMMARY:

Current phase of project:	<u>Groundwater Monitoring/Sampling/Offsite Investigation</u>
Frequency of groundwater monitoring:	<u>Semi-Annually (1Q/3Q): MW-1 through MW-8</u>
Frequency of groundwater sampling:	<u>Semi-Annually: MW-1 through MW-5, MW-7 and MW-8 Annually (3Q): MW-6</u>
Is free product (FP) present on-site:	<u>No</u>
FP recovered this quarter:	<u>0 gallons</u>
Cumulative FP recovered:	<u>1.44 gallons (MW-2)</u>
Depth to groundwater (below TOC):	<u>13.91 ft (MW-6) to 17.11 ft (MW-1)</u>
General groundwater flow direction:	<u>West</u>
Approximate hydraulic gradient:	<u>0.002 ft/ft</u>

DISCUSSION:

Third quarter 2010 groundwater monitoring and sampling was conducted at Station #2111 on July 23, 2010 by BAI personnel. Water levels were gauged in the eight wells associated with the Site. No irregularities were noted during water level gauging. Depth to water measurements ranged from 13.91 ft at MW-6 to 17.11 ft at MW-1. Resulting groundwater surface elevations ranged from 22.14 ft above datum (NAVD88) in well MW-7 to 23.20 ft in well MW-6. Water level elevations yielded a variable potentiometric groundwater flow with a westerly direction and an approximate gradient of 0.002 ft/ft. Groundwater monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective groundwater elevations are summarized in Table 1. Current and historic groundwater flow directions and horizontal gradients are summarized in Table 3. Historic free product thickness and cumulative product recovery from well MW-2 is presented in Table 4. A Site Location

Map is provided as Drawing 1. Potentiometric groundwater elevation contours are presented in Drawing 2.

Consistent with the current groundwater sampling schedule, water samples were collected from wells MW-1 through MW-8. No irregularities were reported during sampling this quarter. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-12) by the EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and Methyl Tert-Butyl Ether (MTBE), Ethyl Tert-Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA), and Ethanol by EPA Method 8260B. The laboratory noted that the samples from wells MW-2 and MW-7 included quantitation of unknown hydrocarbon(s) based on gasoline. No other significant irregularities were encountered during laboratory analysis of the samples. Groundwater sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Concentrations of GRO were detected above the laboratory reporting limit in two of the eight wells sampled at concentrations of 330 micrograms per liter ($\mu\text{g}/\text{L}$) in well MW-2 and 210 $\mu\text{g}/\text{L}$ in well MW-7. However, for these two samples, the laboratory noted the quantitation of unknown hydrocarbons based on the gasoline standard. MTBE was detected above the laboratory reporting limit in six of the eight wells sampled at concentrations up to 1,000 $\mu\text{g}/\text{L}$ in well MW-7. TBA was detected above the laboratory reporting limit in five of the eight wells sampled at concentrations up to 7,800 $\mu\text{g}/\text{L}$ in well MW-7. The remaining fuel additives and oxygenates were not detected above their respective laboratory reporting limits in the eight wells sampled this quarter. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Groundwater monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix B.

CONCLUSIONS AND RECOMMENDATIONS:

Water level elevations were between historic minimum and maximum ranges for each well, as summarized in Table 1. The Third Quarter 2010 groundwater flow direction and horizontal gradient was generally consistent with the highly variable range of historical data. Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well, with the following exceptions: MTBE reached historic minimum concentrations in wells MW-1 (1.3 $\mu\text{g}/\text{L}$), MW-5 (<5.0 $\mu\text{g}/\text{L}$), and MW-6 (<0.50 $\mu\text{g}/\text{L}$). TBA reached a historic minimum concentration in well MW-5 (<10 $\mu\text{g}/\text{L}$).

Offsite investigation should continue to determine if a plume of petroleum hydrocarbons in groundwater presents an exposure hazard to down gradient receptors. In the ACEH letter dated September 29, 2009, ACEH requested the submittal of an Addendum to the work plan for offsite monitoring well installation. In the BAI email to ACEH dated 11 September 2009, and as discussed in the Conclusions & Recommendations section of the *Third Quarter 2009 Groundwater Monitoring and Remediation System Status Report* (BAI, 10/30/2009), BAI noted that it has been unsuccessful in obtaining offsite access to the down gradient strip mall at 1290 Davis Street. The September 11, 2009 email provided ACEH with evidence of this offsite access stalemate and requested that ACEH assist in obtaining offsite access if they were interested in determining whether an exposure hazard exists for the strip mall employees and visitors. BP and BAI have expressed to ACEH that it would be preferred not to mobilize twice to install the offsite monitoring wells proposed. In an email dated November 24, 2009,

BAI requested that ACEH assist with obtaining access at 1290 Davis Street, or inform BP and BAI that offsite access in this down gradient direction will not be required. BP and BAI received an email response from the ACEH on December 4, 2009 stating that ACEH would send a letter to the offsite property owner. ACEH's letter to the offsite property owner was dated February 10, 2010 and at this time BP and BAI are awaiting further correspondence from ACEH or access from the offsite property owner.


CLOSURE:

The findings presented in this report are based upon: observations of BAI field personnel (see Appendices A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Site Location Map, Station #2111, 1156 Davis Street, San Leandro, California
- Drawing 2. Groundwater Elevation Contour and Analytical Summary Map, July 23, 2010, Station #2111, 1156 Davis Street, San Leandro, California
- Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #2111, 1156 Davis Street, San Leandro, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #2111, 1156 Davis Street, San Leandro, California
- Table 3. Historical Groundwater Flow Direction and Gradient, Station #2111, 1156 Davis Street, San Leandro, California
- Appendix A. BAI Groundwater Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report with Chain-of-Custody Documentation and Field Procedures)
- Appendix B. GeoTracker Upload Confirmation Receipts

DRAWINGS



0 2000 4000
APPROXIMATE SCALE (ft)


IMAGE SOURCE: USGS

PARKING

H-4
SB-1

H-5

0 40 80
SCALE (ft)

**LEGEND**

	MONITORING WELL LOCATION
	VAPOR EXTRACTION WELL LOCATION
	DESTROYED WELL LOCATION
	WELL DESIGNATION
ELEV	GROUND-WATER ELEVATION (FT)
GRO	CONCENTRATIONS OF GRO. BENZENE & MTBE IN MICROGRAMS PER LITER ($\mu\text{g/L}$)
Benzene	
MTBE	
A/Q	SAMPLING FREQUENCY
	GROUND-WATER FLOW DIRECTION AND GRADIENT (FT/FT)
— 23.0	GROUND-WATER ELEVATION CONTOUR (FT)
SA(1,3)	SAMPLED SEMI-ANNUALLY
A(3)	SAMPLED ANNUALLY, THIRD QUARTER
<	NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMIT
NS	NOT SAMPLED
NM	NOT MEASURED
*	WELL NOT USED TO GENERATE CONTOURS

H-3

CEDAR GROVE APARTMENTS

1200

MW-5
22.14
<50
<0.50
<0.50
SA(1,3)

H-1

DAVIS STREET

MW-1
22.38
<50
<0.50
1.3
SA(1,3)

H-2

MW-8
22.89
<50
<0.50
8.2
SA(1,3)MW-3
22.85
<50
<0.50
0.85
SA(1,3)MW-4
22.63
<50
<0.50
0.52
SA(1,3)MW-2
22.49
330
<2.0
6.5
SA(1,3)MW-7
23.04
210
<0.50
1,000
SA(1,3)V-1
V-2
V-3
V-4
FORMER USTS
EXISTING UST BASIN
CT
TS
DI
METER WATER TS
SIGN
VAULTCB
CB
ELECTRICAL PULL BOXPAC BELL
PG&E

PAYPHONE

ENCLOSURE

~ RESIDENCES ~

FORMER W.O. TANK

ARCO SERVICE STATION

B-1
B-2V-1
V-2
V-3
V-4

FIRE HYDRANT

TABLES

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1															
6/26/2000	--		39.60	12.50	26.00	16.46	23.14	--	--	--	--	--	--	--	--
7/20/2000	--		39.60	12.50	26.00	16.89	22.71	360	110	<0.5	<0.5	2.7	2,100	--	--
9/19/2000	--		39.60	12.50	26.00	17.62	21.98	290	76	<0.5	<0.5	2.3	1,500	--	--
12/21/2000	--		39.60	12.50	26.00	17.39	22.21	257	64	2.89	1.31	4.57	1,080/1,060	--	--
3/13/2001	--		39.60	12.50	26.00	15.70	23.90	<500	52.5	<5.0	<5.0	<5.0	1,430/1,370	--	--
9/18/2001	--		39.60	12.50	26.00	18.24	21.36	<500	64	7.3	<5.0	52	810/1,100	--	--
12/28/2001	--		39.60	12.50	26.00	15.95	23.65	<500	<5.0	<5.0	5	22	1,200/1,100	--	--
3/14/2002	--		39.60	12.50	26.00	16.01	23.59	<50	<0.5	<0.5	<0.5	<0.5	34/40	--	--
4/23/2002	--		39.60	12.50	26.00	15.43	24.17	<50	<0.5	<0.5	<0.5	<0.5	30	--	--
7/17/2002	NP		39.60	12.50	26.00	17.50	22.10	<50	1.2	<0.50	<0.50	<0.50	29	6.9	6.9
10/9/2002	--	c	39.60	12.50	26.00	18.27	21.33	240	4.9	<1.0	4.1	7.0	290	6.5	6.5
1/13/2003	--	c	39.60	12.50	26.00	15.37	24.23	760	34	11	17	56	300	6.8	6.8
04/07/03	--		39.60	12.50	26.00	16.61	22.99	<50	<0.50	<0.50	<0.50	<0.50	22	6.8	6.8
7/9/2003	--		39.60	12.50	26.00	17.27	22.33	<2,500	<25	<25	<25	<25	690	6.7	6.7
02/05/2004	NP	m	39.49	12.50	26.00	16.28	23.21	2,800	31	<25	<25	<25	1,100	0.9	6.5
04/05/2004	NP		39.49	12.50	26.00	16.25	23.24	5,800	46	<25	<25	<25	1,700	1.0	--
07/13/2004	NP		39.49	12.50	26.00	17.57	21.92	<1,000	<10	<10	<10	<10	730	0.5	6.6
11/04/2004	NP		39.49	12.50	26.00	17.78	21.71	560	<5.0	<5.0	<5.0	<5.0	380	0.8	6.5
01/20/2005	NP		39.49	12.50	26.00	15.50	23.99	670	<5.0	<5.0	<5.0	<5.0	570	0.6	6.0
04/11/2005	NP		39.49	12.50	26.00	14.82	24.67	<2,500	<25	<25	<25	25	1,100	0.9	6.9
08/01/2005	NP		39.49	12.50	26.00	16.77	22.72	2,200	33	<10	110	<10	1,400	1.27	7.3
10/21/2005	NP		39.49	12.50	26.00	17.71	21.78	<2,500	<25	<25	<25	<25	970	1.17	6.6
01/18/2006	NP	n	39.49	12.50	26.00	14.70	24.79	300	<2.5	<2.5	<2.5	<2.5	330	1.07	6.6
04/14/2006	NP		39.49	12.50	26.00	13.41	26.08	330	<2.5	<2.5	<2.5	<2.5	310	0.79	6.6
7/19/2006	NP	q	39.49	12.50	26.00	15.86	23.63	<250	<2.5	<2.5	<2.5	<2.5	180	1.2	6.7
10/24/2006	P		39.49	12.50	26.00	17.15	22.34	710	4.2	<2.5	19	13	360	--	6.68
1/15/2007	P		39.49	12.50	26.00	16.81	22.68	470	2.8	<2.5	14	8.4	220	1.14	7.12
4/18/2007	NP		39.49	12.50	26.00	16.69	22.80	100	<2.5	<2.5	<2.5	<2.5	150	1.20	6.85
7/17/2007	NP		39.49	12.50	26.00	20.85	18.64	<50	<1.0	<1.0	<1.0	<1.0	94	1.91	6.98
10/11/2007	NP		39.49	12.50	26.00	18.10	21.39	66	<0.50	<0.50	<0.50	<0.50	62	1.60	7.00
1/8/2008	NP	n	39.49	12.50	26.00	15.97	23.52	140	<0.50	<0.50	<0.50	<0.50	90	1.19	5.60

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1 Cont.															
4/8/2008	NP		39.49	12.50	26.00	16.53	22.96	88	<0.50	<0.50	<0.50	<0.50	110	1.73	6.89
8/20/2008	NP		39.49	12.50	26.00	18.32	21.17	<50	<0.50	<0.50	<0.50	<0.50	3.3	2.37	6.95
11/17/2008	NP		39.49	12.50	26.00	18.38	21.11	<50	<0.50	<0.50	<0.50	<0.50	21	0.94	6.96
2/3/2009	NP		39.49	12.50	26.00	18.08	21.41	<50	<0.50	<0.50	<0.50	<0.50	16	1.66	6.95
5/12/2009	NP		39.49	12.50	26.00	17.05	22.44	<50	<0.50	<0.50	<0.50	<0.50	9.3	0.88	6.88
8/13/2009	NP	u	39.49	12.50	26.00	18.01	21.48	<50	<0.50	<0.50	<0.50	<0.50	5.5	0.14	7.02
2/18/2010	NP		39.49	12.50	26.00	16.14	23.35	<50	<0.50	<0.50	<0.50	<0.50	1.4	2.22	6.69
7/23/2010	NP		39.49	12.50	26.00	17.11	22.38	<50	<0.50	<0.50	<0.50	<0.50	1.3	0.77	6.7
MW-2															
6/26/2000	--	a	37.99	12.0	26.00	14.60	23.39	--	--	--	--	--	--	--	--
7/20/2000	--		37.99	12.0	26.00	15.14	22.85	95,000	2,300	18,000	2,500	19,000	13,000	--	--
9/19/2000	--		37.99	12.0	26.00	15.95	22.04	63,000	1,200	6,300	2,000	14,000	19,000	--	--
12/21/2000	--		37.99	12.0	26.00	15.60	22.39	45,900	--	2,130	1,160	9,460	22,400/24,700	--	--
12/21/00	--	b	37.99	12.0	26.00	--	--	5,010	360	189	213	626	54,300/89,200	--	--
3/13/2001	--	b	37.99	12.0	26.00	--	--	<20,000	525	466	408	1,460	91,700/76,000	--	--
3/13/2001	--		37.99	12.0	26.00	13.77	24.22	3,650	98.1	<5.0	<5.0	6.42	3,590/3,260	--	--
9/18/2001	--	a	37.99	12.0	26.00	16.86	21.13	--	--	--	--	--	--	--	--
12/28/2001	--		37.99	12.0	26.00	14.28	23.71	31,000	1,500	3,800	1,300	4,800	9,300/8,800	--	--
3/14/2002	--		37.99	12.0	26.00	14.15	23.84	1,800	25	43	43	270	990/960	--	--
4/23/2002	--		37.99	12.0	26.00	13.60	24.39	9,000	220	110	470	2,500	8,500	--	--
7/17/2002	NP	a, c	37.99	12.0	26.00	15.75	22.24	74,000	280	290	820	10,000	19,000/0.4	6.8	6.8
10/9/02	NP	g	37.99	12.0	26.00	16.69	21.30	--	--	--	--	--	--	--	--
1/13/03	--	g, h	37.99	12.0	26.00	13.59	24.40	--	--	--	--	--	--	--	--
04/07/03	--	g, h	37.99	12.0	26.00	14.70	23.29	--	--	--	--	--	--	--	--
07/09/03	--	g, h	37.99	12.0	26.00	15.48	22.51	--	--	--	--	--	--	--	--
02/05/2004	NP	g,m	37.86	12.0	26.00	14.43	23.43	--	--	--	--	--	--	--	--
04/05/2004	NP		37.86	12.0	26.00	14.35	23.51	2,300	33	<5.0	<5.0	200	750	0.6	--
07/13/2004	NP		37.86	12.0	26.00	15.79	22.07	59,000	380	<50	2,100	7,900	5,800	0.3	6.4
08/31/2004	--		37.86	12.0	26.00	15.89	21.97	--	--	--	--	--	--	--	--
11/04/2004	--	g, h	37.86	12.0	26.00	15.92	21.94	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH	
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-2 Cont.																
01/20/2005	NP	o	37.86	12.0	26.00	13.71	24.15	30,000	450	<50	1,300	3,300	7,000	0.7	6.2	
04/11/2005	NP		37.86	12.0	26.00	12.70	25.16	11,000	170	<50	580	630	2,700	0.9	6.8	
08/01/2005	NP		37.86	12.0	26.00	14.89	22.97	24,000	170	<50	1,100	2,700	2,700	0.64	6.9	
10/21/2005	--	a	37.86	12.0	26.00	16.05	21.81	--	--	--	--	--	--	--	--	
01/18/2006	NP	a	37.86	12.0	26.00	12.81	25.05	21,000	71	<50	470	1,400	1,600	1.18	6.6	
04/14/2006	NP	a	37.86	12.0	26.00	12.24	25.62	7,800	78	<50	94	130	2,100	0.81	6.7	
7/19/2006	NP	q	37.86	12.0	26.00	14.00	23.86	4,900	31	<10	98	75	930	1.1	6.5	
10/24/2006	--	g	37.86	12.0	26.00	15.38	22.48	--	--	--	--	--	--	--	6.45	
1/15/2007	P		37.86	12.0	26.00	15.00	22.86	5,000	51	<10	49	34	1,400	1.85	7.13	
4/18/2007	NP		37.86	12.0	26.00	14.82	23.04	3,000	39	<10	32	22	1,100	1.95	7.10	
7/17/2007	NP	n	37.86	12.0	26.00	18.00	19.86	1,100	53	<10	28	<10	1,300	4.84	7.09	
10/11/2007	NP		37.86	12.0	26.00	16.38	21.48	1,800	17	<10	<10	11	1,000	1.52	7.05	
1/8/2008	NP	n	37.86	12.0	26.00	14.10	23.76	1,900	65	<10	37	28	1,300	1.06	4.22	
4/8/2008	NP		37.86	12.0	26.00	14.70	23.16	200	34	<0.50	<0.50	<0.50	690	3.24	6.95	
8/20/2008	NP		37.86	12.0	26.00	16.66	21.20	990	21	<10	<10	<10	190	1.54	6.91	
11/17/2008	NP		37.86	12.0	26.00	19.28	18.58	290	9.3	<5.0	<5.0	<5.0	89	0.71	6.75	
2/3/2009	NP		37.86	12.0	26.00	16.45	21.41	86	3.5	<2.5	<2.5	<2.5	31	2.71	6.96	
5/12/2009	NP		37.86	12.0	26.00	15.30	22.56	390	1.3	<0.50	<0.50	<0.50	0.82	25	0.82	6.96
8/13/2009	NP	u	37.86	12.0	26.00	16.88	20.98	330	<10	<10	<10	<10	39	0.81	7.12	
2/18/2010	NP		37.86	12.0	26.00	14.20	23.66	950	<5.0	<5.0	<5.0	<5.0	<5.0	1.18	6.94	
7/23/2010	NP	v (GRO)	37.86	12.0	26.00	15.37	22.49	330	<2.0	<2.0	<2.0	<2.0	6.5	1.70	6.7	
MW-3																
6/26/2000	--		39.32	12.00	26.00	15.96	23.36	--	--	--	--	--	--	--	--	
7/20/2000	--		39.32	12.00	26.00	16.42	22.90	<50	<0.5	<0.5	<0.5	<1.0	130	--	--	
9/19/2000	--		39.32	12.00	26.00	17.18	22.14	190	17	<0.5	1.4	2.4	160	--	--	
12/21/2000	--		39.32	12.00	26.00	16.97	22.35	187	17.8	<0.5	2.47	2.5	143/125	--	--	
3/13/2001	--		39.32	12.00	26.00	15.17	24.15	72.4	2.83	<0.5	<0.5	<0.5	126/122	--	--	
9/18/2001	--		39.32	12.00	26.00	17.81	21.51	140	6.4	<0.5	3.5	1.6	110/75	--	--	
12/28/2001	--		39.32	12.00	26.00	15.44	23.88	130	5.9	<0.5	0.99	0.55	90/63	--	--	
3/14/2002	--		39.32	12.00	26.00	15.50	23.82	<50	<0.5	<0.5	<0.5	<0.5	100/88	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
4/23/2002	--		39.32	12.00	26.00	14.96	24.36	<50	<0.5	<0.5	<0.5	<0.5	77	--	--
7/17/2002	NP		39.32	12.00	26.00	17.09	22.23	<50	<0.50	<0.50	<0.50	<0.50	47	7.2	7.2
10/9/2002	NP		39.32	12.00	26.00	17.87	21.45	<50	<0.50	<0.50	<0.50	<0.50	26/29	7.2	7.2
1/13/2003	NP	1	39.32	12.00	26.00	14.78	24.54	<50	<0.50	<0.50	<0.50	<0.50	59	6.8	6.8
04/07/03	NP		39.32	12.00	26.00	16.15	23.17	88	<0.50	<0.50	<0.50	<0.50	75	7.0	7.0
7/9/2003	--		39.32	12.00	26.00	16.79	22.53	100	<0.50	<0.50	<0.50	<0.50	52	6.5	6.5
02/05/2004	NP	m	39.19	12.00	26.00	15.66	23.53	240	<0.50	<0.50	<0.50	<0.50	37	0.5	--
04/05/2004	NP		39.19	12.00	26.00	15.78	23.41	140	<0.50	<0.50	<0.50	0.60	53	1.0	6.6
07/13/2004	NP		39.19	12.00	26.00	17.20	21.99	120	<0.50	<0.50	<0.50	<0.50	35	0.8	6.7
11/04/2004	NP		39.19	12.00	26.00	17.32	21.87	160	<0.50	<0.50	<0.50	<0.50	25	0.8	6.5
01/20/2005	NP		39.19	12.00	26.00	15.07	24.12	160	<0.50	<0.50	<0.50	<0.50	27	0.6	6.1
04/11/2005	NP		39.19	12.00	26.00	14.24	24.95	<50	<0.50	<0.50	<0.50	<0.50	21	0.6	6.1
08/01/2005	NP		39.19	12.00	26.00	16.29	22.90	<50	<0.50	<0.50	<0.50	<0.50	23	1.04	7.2
10/21/2005	NP		39.19	12.00	26.00	17.41	21.78	88	<0.50	<0.50	<0.50	<0.50	19	1.9	6.6
01/18/2006	NP		39.19	12.00	26.00	13.80	25.39	73	<0.50	<0.50	<0.50	<0.50	13	1.13	6.6
04/14/2006	NP		39.19	12.00	26.00	12.55	26.64	<50	<0.50	<0.50	<0.50	<0.50	6.7	0.71	6.6
7/19/2006	NP	q	39.19	12.00	26.00	15.04	24.15	<50	<0.50	<0.50	<0.50	<0.50	11	2.0	6.6
10/24/2006	P		39.19	12.00	26.00	16.45	22.74	<50	<0.50	<0.50	<0.50	<0.50	33	--	6.77
1/15/2007	P		39.19	12.00	26.00	16.00	23.19	<50	<0.50	<0.50	0.61	<0.50	29	1.11	7.03
4/18/2007	NP		39.19	12.00	26.00	15.87	23.32	<50	<0.50	<0.50	<0.50	<0.50	9.5	1.67	7.07
7/17/2007	NP		39.19	12.00	26.00	19.40	19.79	<50	<0.50	<0.50	<0.50	<0.50	19	4.25	7.27
10/11/2007	NP		39.19	12.00	26.00	17.43	21.76	<50	<0.50	<0.50	<0.50	<0.50	5.3	1.62	7.10
1/8/2008	NP		39.19	12.00	26.00	15.16	24.03	<50	<0.50	<0.50	<0.50	<0.50	8.9	2.02	6.94
4/8/2008	NP		39.19	12.00	26.00	15.75	23.44	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.98	6.80
8/20/2008	NP		39.19	12.00	26.00	17.65	21.54	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.85	7.62
11/17/2008	NP		39.19	12.00	26.00	17.76	21.43	<50	<0.50	<0.50	<0.50	<0.50	3.6	1.36	6.90
2/3/2009	NP		39.19	12.00	26.00	17.36	21.83	<50	<0.50	<0.50	<0.50	<0.50	2.1	2.55	7.04
5/12/2009	NP		39.19	12.00	26.00	16.30	22.89	<50	<0.50	<0.50	<0.50	<0.50	2.1	1.68	6.98
8/13/2009	NP		39.19	12.00	26.00	18.75	20.44	<50	<0.50	<0.50	<0.50	<0.50	2.7	0.15	7.03
2/18/2010	NP	v (GRO)	39.19	12.00	26.00	15.31	23.88	<50	<0.50	<0.50	<0.50	<0.50	0.59	2.07	6.83
7/23/2010	NP		39.19	12.00	26.00	16.34	22.85	<50	<0.50	<0.50	<0.50	<0.50	0.85	1.23	7.4

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-3															
MW-4															
6/26/2000	--		38.10	10.0	24.00	14.59	23.51	--	--	--	--	--	--	--	--
7/20/2000	--		38.10	10.0	24.00	15.04	23.06	97	7.9	<0.5	<0.5	1.1	51	--	--
9/19/2000	--		38.10	10.0	24.00	15.83	22.27	110	7	<0.5	<0.5	<1.0	60	--	--
12/21/2000	--		38.10	10.0	24.00	15.59	22.51	120	5.6	<0.5	1.72	<0.5	46.3/48.6	--	--
3/13/2001	--		38.10	10.0	24.00	13.73	24.37	76	0.796	<0.5	<0.5	<0.5	53.7/50	--	--
9/18/2001	--		38.10	10.0	24.00	16.50	21.60	<50	<0.5	<0.5	<0.5	<0.5	25/26	--	--
12/28/2001	--		38.10	10.0	24.00	14.03	24.07	<50	<0.5	<0.5	<0.5	<0.5	15/11	--	--
3/14/2002	--		38.10	10.0	24.00	14.10	24.00	<50	<0.5	<0.5	<0.5	<0.5	31/28	--	--
4/23/2002	--		38.10	10.0	24.00	13.57	24.53	<50	2.8	<0.5	<0.5	<0.5	42	--	--
7/17/2002	NP		38.10	10.0	24.00	15.76	22.34	<50	<0.50	<0.50	<0.50	<0.50	16	7.1	7.1
10/9/2002	NP		38.10	10.0	24.00	16.59	21.51	<50	2.2	<0.50	<0.50	<0.50	20/23	7.1	7.1
1/13/2003	NP	d	38.10	10.0	24.00	13.43	24.67	52	<0.50	1.6	<0.50	<0.50	22	6.6	6.6
04/07/03	NP		38.10	10.0	24.00	14.74	23.36	65	<0.50	<0.50	<0.50	<0.50	24	6.6	6.6
7/9/2003	--		38.10	10.0	24.00	15.44	22.66	120	<0.50	<0.50	<0.50	<0.50	34	6.6	6.6
02/05/2004	NP	m	37.99	10.0	24.00	14.39	23.60	120	<0.50	<0.50	<0.50	<0.50	22	0.5	6.6
04/05/2004	NP		37.99	10.0	24.00	14.37	23.62	110	<0.50	<0.50	<0.50	<0.50	27	1.1	6.5
07/13/2004	NP		37.99	10.0	24.00	15.96	22.03	77	<0.50	<0.50	<0.50	<0.50	27	0.6	6.6
11/04/2004	NP		37.99	10.0	24.00	16.02	21.97	<50	<0.50	<0.50	<0.50	<0.50	19	1.2	6.7
01/20/2005	NP		37.99	10.0	24.00	13.72	24.27	65	<0.50	<0.50	<0.50	<0.50	18	0.6	6.1
04/11/2005	NP		37.99	10.0	24.00	12.80	25.19	51	<0.50	<0.50	<0.50	<0.50	14	0.7	6.2
08/01/2005	NP		37.99	10.0	24.00	14.88	23.11	<50	<0.50	<0.50	<0.50	<0.50	18	1.46	7.3
10/21/2005	NP		37.99	10.0	24.00	15.01	22.98	<50	<0.50	<0.50	<0.50	<0.50	15	1.24	7.6
01/18/2006	NP		37.99	10.0	24.00	12.92	25.07	<50	<0.50	<0.50	<0.50	<0.50	8.9	0.77	6.5
04/14/2006	NP		37.99	10.0	24.00	11.41	26.58	<50	<0.50	<0.50	<0.50	<0.50	4.2	0.84	6.6
7/19/2006	NP		37.99	10.0	24.00	13.86	24.13	<50	<0.50	<0.50	<0.50	<0.50	3.4	1.0	6.7
10/24/2006	P		37.99	10.0	24.00	15.35	22.64	<50	<0.50	<0.50	2.0	<0.50	3.5	--	6.90
1/15/2007	P		37.99	10.0	24.00	14.96	23.03	<50	<0.50	<0.50	0.96	<0.50	3.8	--	7.04
4/18/2007	NP		37.99	10.0	24.00	14.80	23.19	<50	<0.50	<0.50	<0.50	<0.50	5.6	5.33	6.93
7/17/2007	NP		37.99	10.0	24.00	16.10	21.89	<50	<0.50	<0.50	<0.50	<0.50	6.6	3.73	6.87

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-4 Cont.															
10/11/2007	NP		37.99	10.0	24.00	16.45	21.54	<50	<0.50	<0.50	<0.50	<0.50	0.81	2.68	7.07
1/8/2008	NP		37.99	10.0	24.00	14.10	23.89	<50	<0.50	<0.50	<0.50	<0.50	1.2	3.50	6.74
4/8/2008	NP		37.99	10.0	24.00	14.68	23.31	<50	<0.50	<0.50	<0.50	<0.50	1.7	2.54	6.80
8/20/2008	NP		37.99	10.0	24.00	16.65	21.34	<50	<0.50	<0.50	<0.50	<0.50	0.70	2.36	6.90
11/17/2008	NP		37.99	10.0	24.00	16.73	21.26	<50	<0.50	<0.50	<0.50	<0.50	0.73	1.07	6.83
2/3/2009	NP		37.99	10.0	24.00	16.36	21.63	<50	<0.50	<0.50	<0.50	<0.50	0.67	3.92	7.34
5/12/2009	NP		37.99	10.0	24.00	15.26	22.73	<50	<0.50	<0.50	<0.50	<0.50	0.62	0.81	6.98
8/13/2009	NP	u	37.99	10.0	24.00	16.87	21.12	<50	<0.50	<0.50	<0.50	<0.50	0.65	0.94	7.12
2/18/2010	NP		37.99	10.0	24.00	14.22	23.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.20	6.25
7/23/2010	NP		37.99	10.0	24.00	15.36	22.63	<50	<0.50	<0.50	<0.50	<0.50	0.52	0.68	7.0
MW-5															
6/26/2000	--		37.21	9.50	23.50	14.27	22.94	--	--	--	--	--	--	--	--
7/20/2000	--		37.21	9.50	23.50	14.69	22.52	55	<0.5	<0.5	<0.5	<1.0	14,000	--	--
9/19/2000	--		37.21	9.50	23.50	15.36	21.85	54	<0.5	<0.5	<0.5	<1.0	13,000	--	--
12/21/2000	--		37.21	9.50	23.50	15.15	22.06	72.9	2.51	<0.5	<0.5	0.961	19,200/21,200	--	--
3/13/2001	--		37.21	9.50	23.50	13.50	23.71	<500	<5	<5	<5	<5	15,900/20,000	--	--
9/18/2001	--		37.21	9.50	23.50	15.94	21.27	<10,000	<100	<100	<100	<1,000	22,000/20,000	--	--
12/28/2001	--		37.21	9.50	23.50	13.45	23.76	<10,000	<100	<100	<100	<100	10,000/10,000	--	--
3/14/2002	--		37.21	9.50	23.50	13.82	23.39	<5,000	<50	<50	<50	<50	7,100/7,700	--	--
4/23/2002	--		37.21	9.50	23.50	13.25	23.96	<5,000	<50	<50	<50	<50	8,900	--	--
7/17/2002	NP	d	37.21	9.50	23.50	15.27	21.94	7,900	<50	<50	<50	<50	13,000	7.5	7.5
10/9/2002	NP	e	37.21	9.50	23.50	16.02	21.19	2,400	<20	<20	<20	<20	7,300/7,500	6.7	6.7
1/13/2003	NP	e, k, j	37.21	9.50	23.50	13.20	24.01	6,400	<50	<50	<50	<50	8,900	6.8	6.8
04/07/03	NP		37.21	9.50	23.50	14.42	22.79	<10,000	<100	<100	<100	<100	3,700	6.8	6.8
7/9/2003	--		37.21	9.50	23.50	15.01	22.20	11,000	<50	<50	<50	<50	6,500	6.9	6.9
02/05/2004	NP	m	37.12	9.50	23.50	14.10	23.02	8,100	<50	<50	<50	<50	7,900	1.5	--
04/05/2004	NP		37.12	9.50	23.50	14.14	22.98	4,000	<25	<25	<25	<25	2,000	1.0	6.6
07/13/2004	NP		37.12	9.50	23.50	15.37	21.75	<5,000	<50	<50	<50	<50	4,000	0.8	6.7
11/04/2004	NP		37.12	9.50	23.50	15.53	21.59	7,400	<50	<50	<50	<50	6,300	3.5	6.7
01/20/2005	NP	n	37.12	9.50	23.50	13.51	23.61	6,500	<50	<50	<50	<50	6,900	0.7	6.5

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5 Cont.															
04/11/2005	NP		37.12	9.50	23.50	12.75	24.37	<5,000	<50	<50	<50	<50	2,600	0.5	7.0
08/01/2005	NP		37.12	9.50	23.50	14.59	22.53	110	<1.0	<1.0	<1.0	<1.0	130	1.36	7.5
10/21/2005	NP		37.12	9.50	23.50	15.57	21.55	<250	<2.5	<2.5	<2.5	<2.5	86	1.53	6.8
01/18/2006	NP		37.12	9.50	23.50	12.60	24.52	<250	<2.5	<2.5	<2.5	<2.5	100	1.2	6.7
04/14/2006	NP		37.12	9.50	23.50	11.74	25.38	310	<2.5	<2.5	<2.5	<2.5	240	0.93	6.6
7/19/2006	NP		37.12	9.50	23.50	13.78	23.34	<50	<2.5	<2.5	<2.5	<2.5	84	1.2	6.6
10/24/2006	P		37.12	9.50	23.50	14.95	22.17	61	<0.50	<0.50	<0.50	<0.50	17	--	6.69
1/15/2007	P		37.12	9.50	23.50	14.63	22.49	73	<0.50	<0.50	<0.50	<0.50	36	2.8	6.73
4/18/2007	NP	n, EBZ present in method blank	37.12	9.50	23.50	14.50	22.62	93	<2.5	<2.5	<2.5	<2.5	16	1.66	6.84
7/17/2007	NP	n	37.12	9.50	23.50	15.55	21.57	53	<2.5	<2.5	<2.5	<2.5	6.6	5.02	7.02
10/11/2007	NP		37.12	9.50	23.50	15.83	21.29	<50	<0.50	<0.50	<0.50	<0.50	4.8	2.92	7.23
1/8/2008	NP		37.12	9.50	23.50	13.82	23.30	<50	<0.50	<0.50	<0.50	<0.50	5.6	1.80	6.91
4/8/2008	NP		37.12	9.50	23.50	14.38	22.74	<50	<0.50	<0.50	<0.50	<0.50	8.0	1.14	6.76
8/20/2008	NP		37.12	9.50	23.50	16.11	21.01	<50	<1.0	<1.0	<1.0	<1.0	3.6	1.65	6.86
11/17/2008	NP		37.12	9.50	23.50	16.15	20.97	<50	<0.50	<0.50	<0.50	<0.50	1.3	0.66	6.93
2/3/2009	NP		37.12	9.50	23.50	15.83	21.29	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.38	6.77
5/12/2009	NP		37.12	9.50	23.50	14.48	22.64	<50	<0.50	<0.50	<0.50	<0.50	2.5	0.41	6.83
8/13/2009	NP	u	37.12	9.50	23.50	16.30	20.82	<50	<1.0	<1.0	<1.0	<1.0	1.3	0.78	7.06
2/18/2010	NP		37.12	9.50	23.50	13.95	23.17	<50	<0.50	<0.50	<0.50	<0.50	2.2	1.36	6.40
7/23/2010	NP		37.12	9.50	23.50	14.98	22.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.75	7.2
MW-6															
6/26/2000	--		37.11	10.00	25.00	13.46	23.65	--	--	--	--	--	--	--	--
7/20/2000	--		37.11	10.00	25.00	13.94	23.17	<50	<0.5	<0.5	<0.5	<1.0	<3.0	--	--
9/19/2000	--		37.11	10.00	25.00	14.41	22.70	<50	<0.5	<0.5	<0.5	<1.0	<3.0	--	--
12/21/2000	--		37.11	10.00	25.00	14.53	22.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
3/13/2001	--		37.11	10.00	25.00	12.67	24.44	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
9/18/2001	--		37.11	10.00	25.00	15.42	21.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0	--	--
12/28/2001	--		37.11	10.00	25.00	12.96	24.15	<50	<0.5	<0.5	<0.5	<0.5	12/<0.5	--	--
3/14/2002	--		37.11	10.00	25.00	12.98	24.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
4/23/2002	--		37.11	10.00	25.00	12.44	24.67	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-6 Cont.															
7/17/2002	NP		37.11	10.00	25.00	14.65	22.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	7.3
10/9/2002	NP		37.11	10.00	25.00	15.51	21.60	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	7.1
1/13/2003	NP		37.11	10.00	25.00	12.27	24.84	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	6.8
04/07/03	NP		37.11	10.00	25.00	13.61	23.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	6.6
7/9/2003	--		37.11	10.00	25.00	14.34	22.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	7
02/05/2004	--	m	37.11	10.00	25.00	13.38	23.73	--	--	--	--	--	--	--	--
04/05/2004	--		37.11	10.00	25.00	13.31	23.80	--	--	--	--	--	--	--	--
07/13/2004	NP		37.11	10.00	25.00	14.65	22.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7
11/04/2004	--		37.11	10.00	25.00	14.95	22.16	--	--	--	--	--	--	--	--
01/20/2005	--		37.11	10.00	25.00	12.57	24.54	--	--	--	--	--	--	--	--
04/11/2005	--		37.11	10.00	25.00	12.05	25.06	--	--	--	--	--	--	--	--
08/01/2005	NP		37.11	10.00	25.00	13.79	23.32	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15
10/21/2005	--		37.11	10.00	25.00	14.60	22.51	--	--	--	--	--	--	--	--
01/18/2006	--		37.11	10.00	25.00	11.80	25.31	--	--	--	--	--	--	--	--
04/14/2006	--		37.11	10.00	25.00	10.92	26.19	--	--	--	--	--	--	--	--
7/19/2006	NP		37.11	10.00	25.00	12.92	24.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3
10/24/2006	--		37.11	10.00	25.00	14.23	22.88	--	--	--	--	--	--	--	--
1/15/2007	--		37.11	10.00	25.00	13.80	23.31	--	--	--	--	--	--	--	--
4/18/2007	--		37.11	10.00	25.00	13.67	23.44	--	--	--	--	--	--	--	--
7/17/2007	NP		37.11	10.00	25.00	14.08	23.03	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	4.40
10/11/2007	--		37.11	10.00	25.00	15.28	21.83	--	--	--	--	--	--	--	--
1/8/2008	--		37.11	10.00	25.00	13.08	24.03	--	--	--	--	--	--	--	--
4/8/2008	--		37.11	10.00	25.00	13.52	23.59	--	--	--	--	--	--	--	--
8/20/2008	NP		37.11	10.00	25.00	15.59	21.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.66
11/17/2008	--		37.11	10.00	25.00	15.61	21.50	--	--	--	--	--	--	--	--
2/3/2009	--		37.11	10.00	25.00	15.23	21.88	--	--	--	--	--	--	--	--
5/12/2009	--		37.11	10.00	25.00	14.09	23.02	--	--	--	--	--	--	--	--
8/13/2009	NP	u	37.11	10.00	25.00	15.80	21.31	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.85
2/18/2010	--		37.11	10.00	25.00	12.96	24.15	--	--	--	--	--	--	--	--
7/23/2010	NP		37.11	10.00	25.00	13.91	23.20	210	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.65
															6.73

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-7															
6/26/2000	--		38.68	12.0	27.00	14.34	24.34	--	--	--	--	--	--	--	--
7/20/2000	--		38.68	12.0	27.00	15.26	23.42	14,000	5.4	<0.5	2.8	5.9	71,000	--	--
9/19/2000	--		38.68	12.0	27.00	15.70	22.98	8,400	420	38	470	220	5,600	--	--
12/21/2000	--		38.68	12.0	27.00	16.02	22.66	--	--	--	--	--	--	--	--
3/13/2001	--		38.68	12.0	27.00	14.18	24.50	<2,000	154	63	46.3	127	75,000/160,00	--	--
9/18/2001	--		38.68	12.0	27.00	17.02	21.66	<100,000	1,900	<1,000	<1,000	2,800	90,000/370,00	--	--
12/28/2001	--		38.68	12.0	27.00	14.81	23.87	<20,000	<200	<200	<200	<200	84,000/72,000	--	--
3/14/2002	--		38.68	12.0	27.00	14.60	24.08	<50,000	<500	<500	<500	<500	85,000/85,000	--	--
4/23/2002	--		38.68	12.0	27.00	13.94	24.74	<20,000	530	200	220	800	67,000	--	--
7/17/2002	NP	d	38.68	12.0	27.00	16.27	22.41	26,000	720	<250	<250	860	120,000	6.9	6.9
10/9/2002	NP	d	38.68	12.0	27.00	17.16	21.52	110,000	1,500	4,400	820	5,400	97,000/120,000	6.8	6.8
1/13/2003	NP	f	38.68	12.0	27.00	13.82	24.86	<50,000	<500	<500	<500	2,200	33,000	6.6	6.6
04/07/03	NP		38.68	12.0	27.00	14.52	24.16	<2,500	30	<25	<25	<25	710	7.0	7.0
7/9/2003	--		38.68	12.0	27.00	15.97	22.71	66,000	<500	<500	<500	<500	36,000	6.7	6.7
02/05/2004	NP	m	38.54	12.0	27.00	14.75	23.79	55,000	300	<250	<250	<250	34,000	1.0	6.7
04/05/2004	NP		38.54	12.0	27.00	14.63	23.91	62,000	520	<250	<250	380	37,000	1.0	6.7
07/13/2004	NP		38.54	12.0	27.00	16.31	22.23	<100,000	<1,000	<1,000	<1,000	<1,000	56,000	0.7	6.7
11/04/2004	--		38.54	12.0	27.00	16.46	22.08	70,000	<500	<500	<500	<500	71,000	2.0	6.6
01/20/2005	NP	n	38.54	12.0	27.00	14.05	24.49	34,000	<250	<250	<250	<250	36,000	0.6	6.3
04/11/2005	NP		38.54	12.0	27.00	12.55	25.99	<2,500	46	<25	<25	<25	1,200	0.7	6.8
08/01/2005	NP		38.54	12.0	27.00	15.11	23.43	<25,000	<250	<250	<250	<250	4,800	1.78	7.3
10/21/2005	NP	p	38.54	12.0	27.00	15.65	22.89	14,000	350	<100	<100	110	12,000	1.41	6.6
01/18/2006	NP		38.54	12.0	27.00	12.60	25.94	16,000	310	<100	<100	110	13,000	0.87	6.7
04/14/2006	NP		38.54	12.0	27.00	12.09	26.45	<10,000	<100	<100	<100	<100	4,700	0.88	6.9
7/19/2006	NP	q	38.54	12.0	27.00	13.58	24.96	1,300	23	<10	18	26	1,600	1.1	6.8
10/24/2006	P		38.54	12.0	27.00	15.13	23.41	6,800	100	<5.0	16	15	14,000	--	6.93
1/15/2007	P	n	38.54	12.0	27.00	14.43	24.11	2,500	<100	<100	<100	<100	3,900	2.12	7.44
4/18/2007	NP	n	38.54	12.0	27.00	14.30	24.24	3,000	50	<50	<50	<50	2,700	4.47	7.22
7/17/2007	NP	n	38.54	12.0	27.00	23.75	14.79	560	<25	<25	<25	<25	890	4.23	7.41
10/11/2007	NP	t (GRO)	38.54	12.0	27.00	16.18	22.36	210	<2.5	<2.5	<2.5	<2.5	370	2.99	7.33
1/8/2008	NP	n	38.54	12.0	27.00	13.90	24.64	5,100	45	<25	<25	<25	6,100	2.50	7.23

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH	
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-7 Cont.																
4/8/2008	NP		38.54	12.0	27.00	14.22	24.32	270	0.50	<0.50	1.2	0.66	1,200	1.67	7.17	
8/20/2008	NP		38.54	12.0	27.00	16.57	21.97	<50	<0.50	<0.50	<0.50	<0.50	39	2.12	7.04	
11/17/2008	NP		38.54	12.0	27.00	22.91	15.63	68	1.8	1.9	0.54	2.0	28	1.14	6.95	
2/3/2009	NP		38.54	12.0	27.00	17.86	20.68	<50	<0.50	<0.50	<0.50	<0.50	18	2.58	6.97	
5/12/2009	NP		38.54	12.0	27.00	15.36	23.18	110	2.0	<0.50	<0.50	2.9	390	0.72	7.14	
8/13/2009	NP	u	38.54	12.0	27.00	24.10	14.44	<50	<0.50	<0.50	<0.50	<0.50	21	0.84	7.11	
2/18/2010	NP	v (GRO)	38.54	12.0	27.00	14.21	24.33	190	<25	<25	<25	<25	1,300	1.52	7.06	
7/23/2010	NP	v (GRO)	38.54	12.0	27.00	15.50	23.04	<50	<0.50	<0.50	<0.50	<0.50	1,000	0.57	6.89	
MW-8																
02/05/2004	P	m	38.91	--	--	15.61	23.30	3,600	<25	<25	<25	<25	1,900	6.9	6.8	
04/05/2004	P		38.91	--	--	15.64	23.27	1,900	<10	<10	<10	<10	1,200	3.2	6.7	
07/13/2004	P		38.91	--	--	17.22	21.69	<1,000	<10	<10	<10	<10	760	1.6	6.7	
11/04/2004	P		38.91	--	--	17.19	21.72	960	<5.0	<5.0	<5.0	<5.0	820	1.8	6.7	
01/20/2005	P		38.91	--	--	15.25	23.66	<2,500	<25	<25	<25	<25	1,400	1.5	6.4	
04/11/2005	P		38.91	--	--	14.17	24.74	700	<5.0	<5.0	<5.0	<5.0	610	1.1	7.1	
08/01/2005	P		38.91	--	--	16.10	22.81	<1,000	<10	<10	<10	<10	900	2.58	7.7	
10/21/2005	P	n	38.91	--	--	17.18	21.73	530	<5.0	<5.0	<5.0	<5.0	490	1.4	6.7	
01/18/2006	P		38.91	--	--	13.60	25.31	<500	<5.0	<5.0	<5.0	<5.0	500	2.28	6.6	
04/14/2006	P		38.91	--	--	12.36	26.55	<500	<5.0	<5.0	<5.0	<5.0	300	1.97	6.6	
7/19/2006	P		38.91	--	--	14.75	24.16	4,500	<25	<25	<25	<25	4,200	1.2	6.6	
10/24/2006	--	s	--	--	--	--	--	--	--	--	--	--	--	--	--	
1/15/2007	P		38.91	--	--	15.67	23.24	<50	<0.50	<0.50	<0.50	<0.50	<0.50	67	1.35	6.68
4/18/2007	P	n	38.91	--	--	15.53	23.38	100	0.51	<0.50	<0.50	<0.50	<0.50	130	1.49	6.86
7/17/2007	NP	n	38.91	--	--	16.76	22.15	63	<0.50	<0.50	<0.50	<0.50	<0.50	96	1.85	6.97
10/11/2007	P		38.91	--	--	16.99	21.92	100	0.52	<0.50	<0.50	<0.50	<0.50	130	1.67	7.18
1/8/2008	P	n	38.91	--	--	14.83	24.08	51	<0.50	<0.50	<0.50	<0.50	<0.50	49	1.30	6.88
4/8/2008	P		38.91	--	--	15.38	23.53	<50	<0.50	<0.50	<0.50	<0.50	<0.50	32	1.60	6.77
8/20/2008	P		38.91	--	--	17.80	21.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	13	1.18	6.94
11/17/2008	P		38.91	--	--	17.47	21.44	<50	<0.50	<0.50	<0.50	<0.50	<0.50	14	3.74	6.63
2/3/2009	P		38.91	--	--	16.96	21.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50	16	0.83	6.9

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	P/NP	Comments	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.															
5/12/2009	P		38.91	--	--	15.93	22.98	<50	<0.50	<0.50	<0.50	<0.50	30	0.31	6.90
8/13/2009	P		38.91	--	--	17.50	21.41	<50	<0.50	<0.50	<0.50	<0.50	7.5	0.65	7.44
2/18/2010	P		38.91	--	--	14.93	23.98	<50	<0.50	<0.50	<0.50	<0.50	12	0.64	6.62
7/23/2010	P		38.91	--	--	16.02	22.89	<50	<0.50	<0.50	<0.50	<0.50	8.2	0.94	6.7

ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = feet below ground surface
ft MSL = feet above mean sea level
GRO = Gasoline range organics
GWE = Groundwater elevation in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged prior to sampling
P = Well purged prior to sampling
TOC = Top of casing elevation in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter

FOOTNOTES:

a = Product sheen noted.
b = Well was sampled after batch extraction event.
c = Chromatogram Pattern: Gasoline C6-C10 for GRO/TPH-g.
d = Hydrocarbon pattern was present in the requested fuel quantitation range but did not resemble the pattern of the requested fuel for GRO/TPH-g.
e = Discrete peak @C6-C7 for GRO/TPH-g.
f = This sample was analyzed beyond the EPA recommended holding time for TPH-g, benzene, toluene, ethylbenzene, and total xylenes (BTEX), and MTBE. The results may still be useful for their intended purpose.
g = Well not sampled due to the detection of free product (FP).
h = GWE adjusted for FP: (thickness of FP x 0.8) + measured GWE.
j = The closing calibration for benzene and total xylenes was outside acceptance limits by 1%. This should be considered in evaluating the result. The average % difference for all analytes met the 15% requirement and the QC suggested that calibration linearity was not a factor.
k = The closing calibration was outside acceptance limits by 6%. This should be considered in evaluating the result. The average % difference for all analytes met the 15% requirement and the QC suggested that calibration linearity was not a factor.
l = Toluene and MTBE were not confirmed using a secondary column in accordance to client contract.
m = TOC elevations re-surveyed to NAVD '88 on February 23, 2004.
n = Hydrocarbon result for GRO partly due to indiv. peak(s) in quantitative range.
o = Light to moderate sheen.
p = Result for MTBE partly due to individual peak(s) in quant. range.
q = Gauged with tubing in well.
r = Calib. verif. is within method limits but outside contract limits.
s = Well inaccessible.
t = Initial analysis within holding time but required dilution.
u = Sample taken from VOA vial with air bubble > 6mm diameter.
v = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

NOTES:

Beginning with the second quarter 2003 sampling event (04/07/03), TPH-g, BTEX, and MTBE analyzed by EPA method 8260B. Prior to 04/07/03, TPH-g was analyzed by EPA method 8015 modified and MTBE was analyzed by EPA methods 8020/ 8260B.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6

C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
4/7/2003	<100	<20	1,100	<0.50	<0.50	<0.50	--	--	
7/9/2003	<5,000	<1,000	690	<25	<25	<25	--	--	
02/05/2004	<5,000	<1,000	1,100	<25	<25	32	<25	<25	
04/05/2004	<5,000	<1,000	1,700	<25	<25	38	<25	<25	a
07/13/2004	<2,000	780	730	<10	<10	19	<10	<10	a
11/04/2004	<1,000	<200	380	<5.0	<5.0	12	<5.0	<5.0	
01/20/2005	<1,000	<200	570	<5.0	<5.0	17	<5.0	<5.0	a
04/11/2005	<5,000	<1,000	1,100	<25	<25	34	<25	<25	
08/01/2005	<2,000	<400	1,400	<10	<10	40	<10	<10	
10/21/2005	<5,000	<1,000	970	<25	<25	<25	<25	<25	
01/18/2006	<1,500	<100	330	<2.5	<2.5	9.7	<2.5	<2.5	
04/14/2006	<1,500	<100	310	<2.5	<2.5	9.3	<2.5	<2.5	
7/19/2006	<1,500	<100	180	<2.5	<2.5	3.2	<2.5	<2.5	
10/24/2006	<1,500	<100	360	<2.5	<2.5	10	<2.5	<2.5	
1/15/2007	<1,500	<100	220	<2.5	<2.5	6.8	<2.5	<2.5	
4/18/2007	<1,500	<100	150	<2.5	<2.5	<2.5	<2.5	<2.5	
7/17/2007	<600	<40	94	<1.0	<1.0	2.3	<1.0	<1.0	
10/11/2007	<300	<20	62	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	74	90	<0.50	<0.50	2.5	<0.50	<0.50	a
4/8/2008	<300	57	110	<0.50	<0.50	2.6	<0.50	<0.50	
8/20/2008	<300	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	<10	21	<0.50	<0.50	0.52	<0.50	<0.50	
2/3/2009	<300	<10	16	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	9.3	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	5.5	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<300	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-2									
04/05/2004	<1,000	<200	750	<5.0	<5.0	<5.0	<5.0	<5.0	
07/13/2004	<10,000	12,000	5,800	<50	<50	<50	<50	<50	a
08/31/2004	--	--	--	--	--	--	--	--	a

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
01/20/2005	<10,000	<2,000	7,000	<50	<50	<50	<50	<50	a
04/11/2005	<10,000	<2,000	2,700	<50	<50	<50	<50	<50	
08/01/2005	<10,000	<2,000	2,700	<50	<50	<50	<50	<50	
01/18/2006	<30,000	<2,000	1,600	<50	<50	<50	<50	<50	
04/14/2006	<30,000	<2,000	2,100	<50	<50	<50	<50	<50	
7/19/2006	<6,000	<400	930	<10	<10	<10	<10	<10	
1/15/2007	<6,000	1,900	1,400	<10	<10	<10	<10	<10	
4/18/2007	<6,000	1,200	1,100	<10	<10	<10	<10	<10	
7/17/2007	<6,000	1,000	1,300	<10	<10	<10	<10	<10	
10/11/2007	<6,000	1,300	1,000	<10	<10	<10	<10	<10	
1/8/2008	<6,000	2,600	1,300	<10	<10	<10	<10	<10	a
4/8/2008	<300	970	690	<0.50	<0.50	3.3	<0.50	<0.50	
8/20/2008	<6,000	470	190	<10	<10	<10	<10	<10	
11/17/2008	<3,000	740	89	<5.0	<5.0	<5.0	<5.0	<5.0	
2/3/2009	<1,500	230	31	<2.5	<2.5	<2.5	<2.5	<2.5	
5/12/2009	<300	590	25	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<6,000	2,300	39	<10	<10	<10	<10	<10	b
2/18/2010	<3,000	1,000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
7/23/2010	<1,200	410	6.5	<2.0	<2.0	<2.0	<2.0	<2.0	
MW-3									
4/7/2003	<100	<20	75	<0.50	<0.50	6.5	--	--	
7/9/2003	<100	<20	52	<0.50	<0.50	4.2	--	--	
02/05/2004	<100	<20	37	<0.50	<0.50	3.1	<0.50	<0.50	
04/05/2004	<100	<20	53	<0.50	<0.50	3.7	<0.50	<0.50	a
07/13/2004	<100	44	35	<0.50	<0.50	3.2	<0.50	<0.50	
11/04/2004	<100	<20	25	<0.50	<0.50	2.2	<0.50	<0.50	
01/20/2005	<100	<20	27	<0.50	<0.50	2.6	<0.50	<0.50	
04/11/2005	<100	<20	21	<0.50	<0.50	2.0	<0.50	<0.50	
08/01/2005	<100	<20	23	<0.50	<0.50	1.9	<0.50	<0.50	
10/21/2005	<100	<20	19	<0.50	<0.50	2.0	<0.50	<0.50	
01/18/2006	<300	<20	13	<0.50	<0.50	1.3	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
04/14/2006	<300	<20	6.7	<0.50	<0.50	0.61	<0.50	<0.50	
7/19/2006	<300	<20	11	<0.50	<0.50	0.72	<0.50	<0.50	r
10/24/2006	<300	<20	33	<0.50	<0.50	2.8	<0.50	<0.50	
1/15/2007	<300	<20	29	<0.50	<0.50	2.9	<0.50	<0.50	
4/18/2007	<300	<20	9.5	<0.50	<0.50	0.90	<0.50	<0.50	
7/17/2007	<300	<20	19	<0.50	<0.50	1.5	<0.50	<0.50	
10/11/2007	<300	<20	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	<20	8.9	<0.50	<0.50	0.84	<0.50	<0.50	a
4/8/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	<10	3.6	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	
2/18/2010	<300	<10	0.59	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	14	0.85	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4									
4/7/2003	<100	<20	24	<0.50	<0.50	7.3	--	--	
7/9/2003	<100	<20	34	<0.50	<0.50	9.8	--	--	
02/05/2004	<100	<20	22	<0.50	<0.50	6.2	<0.50	<0.50	
04/05/2004	<100	<20	27	<0.50	<0.50	7.2	<0.50	<0.50	a
07/13/2004	<100	26	27	<0.50	<0.50	7.4	<0.50	<0.50	a
11/04/2004	<100	<20	19	<0.50	<0.50	5.1	<0.50	<0.50	
01/20/2005	<100	<20	18	<0.50	<0.50	5.2	<0.50	<0.50	
04/11/2005	<100	<20	14	<0.50	<0.50	4.0	<0.50	<0.50	
08/01/2005	<100	<20	18	<0.50	<0.50	3.9	<0.50	<0.50	
10/21/2005	<100	<20	15	<0.50	<0.50	4.6	<0.50	<0.50	
01/18/2006	<300	<20	8.9	<0.50	<0.50	2.5	<0.50	<0.50	
04/14/2006	<300	<20	4.2	<0.50	<0.50	1.3	<0.50	<0.50	
7/19/2006	<300	<20	3.4	<0.50	<0.50	0.69	<0.50	<0.50	r
10/24/2006	<300	<20	3.5	<0.50	<0.50	0.91	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
1/15/2007	<300	<20	3.8	<0.50	<0.50	0.98	<0.50	<0.50	
4/18/2007	<300	<20	5.6	<0.50	<0.50	1.1	<0.50	<0.50	
7/17/2007	<300	<20	6.6	<0.50	<0.50	1.7	<0.50	<0.50	
10/11/2007	<300	<20	0.81	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	a
4/8/2008	<300	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	0.70	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	<10	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	<10	0.67	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	0.62	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	0.65	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	0.52	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
4/7/2003	<20,000	<4,000	3,700	<100	<100	<100	--	--	
7/9/2003	<10,000	<2,000	6,500	<50	<50	<50	--	--	
02/05/2004	<10,000	<2,000	7,900	<50	<50	<50	<50	<50	a
04/05/2004	<5,000	<1,000	2,000	<25	<25	<25	<25	<25	a
07/13/2004	<10,000	3,200	4,000	<50	<50	<50	<50	<50	a
11/04/2004	<10,000	<2,000	6,300	<50	<50	<50	<50	<50	
01/20/2005	<10,000	<2,000	6,900	<50	<50	<50	<50	<50	a
04/11/2005	<10,000	3,600	2,600	<50	<50	<50	<50	<50	
08/01/2005	<200	1,600	130	<1.0	<1.0	<1.0	<1.0	<1.0	
10/21/2005	<500	1,400	86	<2.5	<2.5	<2.5	<2.5	<2.5	
01/18/2006	<1,500	2,200	100	<2.5	<2.5	<2.5	<2.5	<2.5	
04/14/2006	<1,500	2,100	240	<2.5	<2.5	<2.5	<2.5	<2.5	
7/19/2006	<1,500	2,800	84	<2.5	<2.5	<2.5	<2.5	<2.5	r
10/24/2006	<300	1,200	17	<0.50	<0.50	<0.50	<0.50	<0.50	a
1/15/2007	<300	990	36	<0.50	<0.50	<0.50	<0.50	<0.50	
4/18/2007	<1,500	2,000	16	<2.5	<2.5	<2.5	<2.5	<2.5	
7/17/2007	<1,500	1,100	6.6	<2.5	<2.5	<2.5	<2.5	<2.5	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
10/11/2007	<300	750	4.8	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	220	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	a
4/8/2008	<300	300	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<600	520	3.6	<1.0	<1.0	<1.0	<1.0	<1.0	
11/17/2008	<300	160	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	94	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	29	2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<600	180	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	b
2/18/2010	<300	17	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
4/7/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
07/13/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
08/01/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/19/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	r
7/17/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
7/23/2010	<300	15	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
4/7/2003	<5,000	<1,000	710	<25	<25	<25	--	--	
7/9/2003	<100,000	<20,000	36,000	<500	<500	<500	--	--	
02/05/2004	<50,000	<10,000	34,000	<250	<250	<250	<250	<250	
04/05/2004	<50,000	<10,000	37,000	<250	<250	<250	<250	<250	
07/13/2004	<200,000	<40,000	56,000	<1,000	<1,000	1,300	<1,000	<1,000	
11/04/2004	<100,000	<20,000	71,000	<500	<500	<500	<500	<500	
01/20/2005	<50,000	<10,000	36,000	<250	<250	<250	<250	<250	a
04/11/2005	<5,000	<1,000	1,200	<25	<25	<25	<25	<25	
08/01/2005	<50,000	<10,000	4,800	<250	<250	<250	<250	<250	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-7 Cont.									
10/21/2005	<20,000	24,000	12,000	<100	<100	<100	<100	<100	
01/18/2006	<60,000	15,000	13,000	<100	<100	<100	<100	<100	
04/14/2006	<60,000	<4,000	4,700	<100	<100	<100	<100	<100	
7/19/2006	<6,000	720	1,600	<10	<10	<10	<10	<10	
10/24/2006	<3,000	10,000	14,000	<5.0	<5.0	31	<5.0	<5.0	a
1/15/2007	<60,000	9,300	3,900	<100	<100	<100	<100	<100	
4/18/2007	<30,000	<2,000	2,700	<50	<50	<50	<50	<50	
7/17/2007	<15,000	<1,000	890	<25	<25	<25	<25	<25	
10/11/2007	<1,500	150	370	<2.5	<2.5	<2.5	<2.5	<2.5	
1/8/2008	<15,000	1,400	6,100	<25	<25	32	<25	<25	
4/8/2008	<300	700	1,200	<0.50	<0.50	5.1	<0.50	<0.50	
8/20/2008	<300	34	39	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	44	28	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	66	18	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	75	390	<0.50	<0.50	1.2	<0.50	<0.50	
8/13/2009	<300	19	21	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<15,000	2,300	1,300	<25	<25	<25	<25	<25	
7/23/2010	<300	7,800	1,000	<0.50	<0.50	3.6	<0.50	<0.50	
MW-8									
02/05/2004	<5,000	<1,000	1,900	<25	<25	<25	<25	<25	
04/05/2004	<2,000	<400	1,200	<10	<10	12	<10	<10	a
07/13/2004	<2,000	770	760	<10	<10	<10	<10	<10	a
11/04/2004	<1,000	<200	820	<5.0	<5.0	9.6	<5.0	<5.0	
01/20/2005	<5,000	<1,000	1,400	<25	<25	<25	<25	<25	a
04/11/2005	<1,000	<200	610	<5.0	<5.0	8.1	<5.0	<5.0	
08/01/2005	<2,000	<400	900	<10	<10	<10	<10	<10	
10/21/2005	<1,000	<200	490	<5.0	<5.0	<5.0	<5.0	<5.0	
01/18/2006	<3,000	<200	500	<5.0	<5.0	5.2	<5.0	<5.0	
04/14/2006	<3,000	<200	300	<5.0	<5.0	<5.0	<5.0	<5.0	
7/19/2006	<15,000	<1,000	4,200	<25	<25	45	<25	<25	
1/15/2007	<300	52	67	<0.50	<0.50	0.88	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
4/18/2007	<300	120	130	<0.50	<0.50	1.9	<0.50	<0.50	
7/17/2007	<300	110	96	<0.50	<0.50	1.2	<0.50	<0.50	
10/11/2007	<300	350	130	<0.50	<0.50	1.7	<0.50	<0.50	
1/8/2008	<300	59	49	<0.50	<0.50	0.80	<0.50	<0.50	
4/8/2008	<300	110	32	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	62	13	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	24	14	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	17	16	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	18	30	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	28	7.5	<0.50	<0.50	<0.50	<0.50	<0.50	
2/18/2010	<300	37	12	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	53	8.2	<0.50	<0.50	<0.50	<0.50	<0.50	

ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The continuing calibration verification for ethanol was outside of client contractual acceptance limits. However, it was within method acceptance limits. The data should still be considered useful for its intended purpose.

b = Sample taken from VOA vial with air bubble > 6mm diameter.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient

ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
7/20/2000	West-Northwest	0.006
9/19/2000	West-Northwest	0.004
12/21/2000	West-Northwest	0.004
3/13/2001	West-Northwest	0.005
5/30/2001	West-Northwest	0.004
9/18/2001	West-Northwest	0.003
12/28/2001	West-Northwest	0.003
3/14/2002	West	0.004
4/23/2002	West	0.006
7/17/2002	West	0.003
10/9/2002	West	0.002
1/13/2003	Southwest	0.0043
4/7/2003	West-Northwest	0.009 to 0.011
7/9/2003	West-Northwest	0.004
10/1/2003	West	0.002
2/5/2004	West	0.004
4/5/2004	West-Southwest	0.004
7/13/2004	West-Southwest	0.003
11/4/2004	West	0.003
1/20/2005	West	0.009
4/11/2005	North to West	0.009 to 0.01
8/1/2005	West to Northwest	0.006 to 0.004
10/21/2005	West	0.008
1/18/2006	North and West	0.01
4/14/2006	South	0.008
7/19/2006	Northwest to Southwest	0.004 to 0.008
10/24/2006	West	0.003
1/15/2007	Southwest	0.004
4/18/2007	West	0.009
7/17/2007	Southeast	0.05
10/11/2007	West	0.01
1/8/2008	West	0.008
4/8/2008	West	0.006
8/20/2008	West	0.006
11/17/2008	South-Southeast	0.05
2/3/2009	South-Southeast	0.01
5/12/2009	North to West	0.004
8/13/2009	South	0.006
2/18/2010	West-Southwest	0.001
7/23/2010	West-Southwest	0.002

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

BAI GROUNDWATER SAMPLING DATA PACKAGE

(Includes Field Data Sheets, Non-Hazardous Waste Data Form, Laboratory Analytical Report
with Chain-of-Custody Documentation, and Field Procedures)



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

FIELD DATA REPORT

DATE: 6/23/10
PERSONNEL:
WEATHER:

PROJECT NO.: 06-88-615
COMMENTS:

COMMENTS:

Equip:	Geoskirt	Tubing	Ballers	DO	wii	Ec/pH
--------	----------	--------	---------	----	-----	-------



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

WW-3

Project Name/Location:

BP 211

Project #: OF 88-615

Sampler's Name:

GP SB

Date: 7/23/00

Purging Equipment:

-

Sampling Equipment:

Bailor

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

Total Well Depth: _____ feet

2" = 0.16 gal/lin ft.

Depth to Water: - _____ feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____ feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____ gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μ S)	Temperature (Fahrenheit)	pH	Observations
0	0745	1.23	168		685.7	65.0	7.4	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged:

0

gallons

Depth to Water at Sample Collection:

0

feet

Sample Collection Time:

0745

Purged Dry? (Y/N)

Comments:

NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-1

Project Name/Location:

BP 2111

Project #: 06-88-615

Sampler's Name:

EF SB

Date: 7/23/10

Purging Equipment:

-

Sampling Equipment:

BH-1

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

Total Well Depth: _____ feet

2" = 0.16 gal/lin ft.

Depth to Water: _____ feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____ feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____ gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	0805	0.77	164		734.2	63.6	6.7	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 0 gallons

Depth to Water at Sample Collection: 0 feet

Sample Collection Time:

0805

Purged Dry? (Y/N)

Comments: NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-8

Project Name/Location:

BP 2111

Project #: 06-88-615

Sampler's Name:

GF SB

Date: 7/23/10

Purging Equipment:

Bgilr

Sampling Equipment:

Bn.12

Casing Type: PVC

Casing Diameter:

2 inch

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth:

39.19 feet

3" = 0.37 gal/lin ft.

Depth to Water:

16.02 feet

4" = 0.65 gal/lin ft.

Water Column Thickness:

23.07 feet

6" = 1.47 gal/lin ft.

Unit Casing Volume*:

x 0.15 gallon / foot

Casing Water Volume:

= 3.64 gallons

Casing Volume:

x 3 each

Estimated Purge Volume:

= 11.07 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	0615	0.94	151		679.9	64.4	6.8	
3.5	0620	X	X	X	680.0	65.2	6.7	
4.5	0625	X	X	X	678.4	65.6	6.7	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged:

4.5 gallons

Depth to Water at Sample Collection:

17.15 feet

Sample Collection Time:

0625

Purged Dry? (Y/N)

Comments:



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-2

Project Name/Location:

BP 2111

Project #: 06.88.615

Sampler's Name:

EF SB

Date: 7-23-10

Purging Equipment:

-

Sampling Equipment:

Barrier

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth: _____ feet

3" = 0.37 gal/lin ft.

Depth to Water: _____ feet

4" = 0.65 gal/lin ft.

Water Column Thickness: _____ feet

6" = 1.47 gal/lin ft.

Unit Casing Volume*: _____ x _____ gallon / foot

Casing Water Volume: _____ = _____ gallons

Casing Volume: _____ x _____ 3 each

Estimated Purge Volume: _____ = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO (mV)	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	0640	1.70	140		711.8	64.3	6.7	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 0 gallons

Depth to Water at Sample Collection: - feet

Sample Collection Time: 0640 Purged Dry? (Y/N) 0

Comments: NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-4

Project Name/Location:

Bp 211

Project #: 0688.615

Sampler's Name:

EFSB

Date: 7/23/10

Purging Equipment:

-

Sampling Equipment:

Bn.2

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

Total Well Depth: _____ feet

2" = 0.16 gal/lin ft.

Depth to Water: - _____ feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____ feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____ gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	0910	0.68	-42		652.6	66.2	7.0	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 0 gallons

Depth to Water at Sample Collection: 0 feet

Sample Collection Time: 0910

Purged Dry? (Y/N)

Comments: NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-6

Project Name/Location:

Bp 2111

Project #: 05-88-615

Sampler's Name:

EFSB

Date: 7/23/10

Purging Equipment:

-

Sampling Equipment:

Bn-L

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth: _____ feet

3" = 0.37 gal/lin ft.

Depth to Water: _____ feet

4" = 0.65 gal/lin ft.

Water Column Thickness: _____ feet

6" = 1.47 gal/lin ft.

Unit Casing Volume*: _____ x _____ gallon / foot

Casing Water Volume: _____ = _____ gallons

Casing Volume: _____ x 3 each

Estimated Purge Volume: _____ = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO (mV)	ORP (mV)	Fe	Conductance (μ S)	Temperature (Fahrenheit)	pH	Observations
0	0925	0.65	12		665.9	67.8	6.73	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged:

0

gallons

Depth to Water at Sample Collection:

feet

0930

Purged Dry? (Y/N)

Comments:

NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.: MW-5
Project Name/Location: BP 2111 Project #: 06-88-615
Sampler's Name: EF SB Date: 7/23/16
Purging Equipment: -
Sampling Equipment: BGW

Casing Type: PVC

Casing Diameter: _____ inch *UNIT CASING VOLUMES
Total Well Depth: _____ feet 2" = 0.16 gal/lin ft.
Depth to Water: _____ feet 3" = 0.37 gal/lin ft.
Water Column Thickness: = _____ feet 4" = 0.65 gal/lin ft.
Unit Casing Volume*: x _____ gallon / foot 6" = 1.47 gal/lin ft.
Casing Water Volume: = _____ gallons
Casing Volume: x 3 each
Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (μS)	Temperature (Fahrenheit)	pH	Observations
0	0950	0.75	40		412.3	7.2	66.9	
		X	X	X				
		X	X	X		.		
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 0 gallons

Depth to Water at Sample Collection: - feet

Sample Collection Time: 0950

Purged Dry? (Y/N) N

Comments: NP



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

Groundwater Sampling Data Sheet

Well I.D.:

MW-7

Project Name/Location:

BP 2111

Project #: OG-87-C15

Sampler's Name:

EF SB

Date: 07/23/07

Purging Equipment:

✓

Sampling Equipment:

BH

Casing Type: PVC

Casing Diameter: _____ inch

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

Total Well Depth: _____ feet

3" = 0.37 gal/lin ft.

Depth to Water: _____ feet

4" = 0.65 gal/lin ft.

Water Column Thickness: _____ feet

6" = 1.47 gal/lin ft.

Unit Casing Volume*: _____ x _____ gallon / foot

Casing Water Volume: _____ = _____ gallons

Casing Volume: _____ x 3 each

Estimated Purge Volume: _____ = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
C	0855	0.57	44		932.9	65.1	6.89	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: C gallons

-

feet

Depth to Water at Sample Collection:

-

Sample Collection Time:

0855

Purged Dry? (Y/N)

Comments: NP

Laboratory Management Program LaMP Chain of Custody Record

Page _____ of _____

BP/ARC Project Name: ARCO 2111

Req Due Date (mm/dd/yy): STD-TAT

Rush TAT: Yes _____ No X

BP/ARC Facility No: 2111

Lab Work Order Number:


Lab Name: Cal science			BP/ARC Facility Address: 1156 Davis Street										Consultant/Contractor: Broadbent & Associates, Inc.																																								
Lab Address: 7440 Lincoln Way			City, State, ZIP Code: San Leandro, CA 94577										Consultant/Contractor Project No: 06-88-815-5-822																																								
Lab PM: Richard Villafania			Lead Regulatory Agency: ACEH										Address: 875 Cutting Lane Ste. G, Vacaville, CA 95688																																								
Lab Phone: 714-895-5494 / 714-895-7501 (fax)			California Global ID No.: T0800101764										Consultant/Contractor PM: Tom Sparrowe																																								
Lab Shipping Acct: 9255			Enfos Proposal No: 000TV-0006										Phone: 707-455-7280 / 707-455-7285 (fax)																																								
Lab Bottle Order No:			Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM										Email EDD To: tsparrowe@broadbentinc.com																																								
Lab Info:			Stage: Operate (5) Activity: Monitoring/MNA (22)										Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor _____																																								
BP/ARC EBM: Chuck Carmel			<table border="1"> <thead> <tr> <th colspan="2">Matrix</th> <th colspan="5">No. Containers / Preservative</th> <th colspan="5">Requested Analyses</th> <th colspan="5">Report Type & QC Level</th> </tr> <tr> <th>Solid</th> <th>Liquid</th> <th>Air</th> <th>Vapor</th> <th>Total Number of Containers</th> <th>Unpreserved</th> <th>H₂SO₄</th> <th>HNO₃</th> <th>HCl</th> <th>Methanol</th> <th>GRO (8015)</th> <th>BTEX (8280)</th> <th>5 Oxys (8280)</th> <th>EDB (8280)</th> <th>1,2-DCA (8280)</th> <th>Ethanol (8280)</th> <th>Standard <input checked="" type="checkbox"/></th> <th>Full Data Package _____</th> </tr> </thead> </table>										Matrix		No. Containers / Preservative					Requested Analyses					Report Type & QC Level					Solid	Liquid	Air	Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8280)	5 Oxys (8280)	EDB (8280)	1,2-DCA (8280)	Ethanol (8280)	Standard <input checked="" type="checkbox"/>	Full Data Package _____	Standard <input checked="" type="checkbox"/>					
Matrix		No. Containers / Preservative											Requested Analyses					Report Type & QC Level																																			
Solid	Liquid	Air	Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8280)	5 Oxys (8280)	EDB (8280)	1,2-DCA (8280)	Ethanol (8280)	Standard <input checked="" type="checkbox"/>	Full Data Package _____																																				
Lab M Phone: 825-275-3803			Full Data Package _____																																																		
Lab M Email: charles.carmel@bp.com																																																					
Lab No.	Sample Description	Date	Time	Solid / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8280)	5 Oxys (8280)	EDB (8280)	1,2-DCA (8280)	Ethanol (8280)	Comments																																		
	MW-1	7/23/2010	805	X			8				X		X	X	X	X	X	X		Note: If sample not collected, indicate "No Sample" in comments and single-strike out and initial any preprinted sample description.																																	
	MW-2	7/23/2010	840	X			8				X		X	X	X	X	X	X	X																																		
	MW-3	7/23/2010	745	X			8				X		X	X	X	X	X	X	X																																		
	MW-4	7/23/2010	910	X			8				X		X	X	X	X	X	X	X																																		
	MW-5	7/23/2010	950	X			8				X		X	X	X	X	X	X	X																																		
	MW-6	7/23/2010	855	X			8				X		X	X	X	X	X	X	X																																		
	MW-7	7/23/2010	825	X			8				X		X	X	X	X	X	X	X																																		
	MW-8	7/23/2010	825	X			8				X		X	X	X	X	X	X	X																																		
MW-9	7/23/2010	830																																																			
TB - 2111 -100723	7/23/2010		X		2					X									ON HOLD																																		

Releaser's Name: Eric Ferrer	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Releaser's Company: BAI						
Comment Method: GSE	Ship Date: 7/26/10			1000		
Comment Tracking No: 10683660						


Special Instructions:	THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
					BP/ARC LaMP COG Rev. 6 01/01/2008

NO. 857303

NON-HAZARDOUS WASTE DATA FORM

1. BESI #						
2. Generator's Name and Mailing Address BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688		Generator's Site Address (if different than mailing address) BP 2111 1156 Davis ST San Leandro, CA				
Generator's Phone: (949) 460-5200		24-HOUR EMERGENCY PHONE: (949) 699-3706				
3. Transporter 1 Company Name Broadbent & Associates, Inc.		Phone # (530) 566-1400				
4. Transporter 2 Company Name Gomes Excavating		Phone # (707) 374-2881				
5. Designated Facility Name and Site Address INTRAT, INC. 1105 AIRPORT RD #C RIO VISTA, CA 94571		Phone # (530) 753-1829				
6. Waste Shipping Name and Description A. NON-HAZARDOUS WATER		7. Containers		8. Total Quantity 45	9. Unit Wt/Vol G	10. Profile No.
		No.	Type			
		1	TT			
11. Special Handling Instructions and Additional Information WEAR ALL APPROPRIATE PROTECTIVE CLOTHING WELL PURGING / DECON WATER						
12. GENERATOR'S CERTIFICATION: I certify the materials described above on this data form are non-hazardous.						
Generator's/Offeror's Printed/Typed Name Eric Farin		Signature 		Month 6	Day 3	Year 10
13. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name Eric Farin		Signature 		Month 8	Day 3	Year 10
Transporter 2 Printed/Typed Name		Signature		Month	Day	Year
14. Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.						
Printed/Typed Name		Signature		Month	Day	Year

GENERATOR (ORIGINAL)



August 09, 2010

Tom Sparrowe
Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Subject: **Calscience Work Order No.: 10-07-1936**
Client Reference: ARCO 2111

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/27/2010 and analyzed in accordance with the attached chain-of-custody.


Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Richard Villafania".

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager



CA-ELAP ID: 1230 • NELAP ID: 03220CA • CSDLAC ID: 10109 • SCAQMD ID: 93LA0830

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Analytical Report



Broadbent & Associates, Inc. Date Received: 07/27/10
 1324 Mangrove Ave, Ste 212 Work Order No: 10-07-1936
 Chico, CA 95926-2642 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 2111

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	10-07-1936-1-E	07/23/10 08:05	Aqueous	GC 11	07/30/10	07/30/10 20:26	100730B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

MW-2	10-07-1936-2-E	07/23/10 08:40	Aqueous	GC 11	07/30/10	07/30/10 22:41	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	330	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	98	38-134			

MW-3	10-07-1936-3-E	07/23/10 07:45	Aqueous	GC 11	07/30/10	07/30/10 23:15	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	93	38-134			

MW-4	10-07-1936-4-E	07/23/10 09:10	Aqueous	GC 11	07/30/10	07/30/10 23:49	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc. Date Received: 07/27/10
 1324 Mangrove Ave, Ste 212 Work Order No: 10-07-1936
 Chico, CA 95926-2642 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 2111

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	10-07-1936-5-E	07/23/10 09:50	Aqueous	GC 11	07/30/10	07/31/10 00:23	100730B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	95	38-134			

MW-7	10-07-1936-6-E	07/23/10 08:55	Aqueous	GC 11	07/30/10	07/31/10 00:56	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	210	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	96	38-134			

MW-8	10-07-1936-7-E	07/23/10 08:25	Aqueous	GC 11	07/30/10	07/31/10 01:30	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	91	38-134			

MW-6	10-07-1936-8-E	07/23/10 09:30	Aqueous	GC 11	07/30/10	07/31/10 02:04	100730B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	96	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc. 1324 Mangrove Ave, Ste 212 Chico, CA 95926-2642	Date Received: Work Order No: Preparation: Method:	07/27/10 10-07-1936 EPA 5030B EPA 8015B (M)
--	---	--

Project: ARCO 2111

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-868	N/A	Aqueous	GC 11	07/30/10	07/30/10 18:11	100730B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>		<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	93		38-134		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 2111

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	10-07-1936-1-A	07/23/10 08:05	Aqueous	GC/MS BB	08/03/10	08/03/10 23:56	100803L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	108	80-128			Dibromofluoromethane	101	80-127		
Toluene-d8	98	80-120			1,4-Bromofluorobenzene	93	68-120		


MW-2	10-07-1936-2-B	07/23/10 08:40	Aqueous	GC/MS BB	08/04/10	08/05/10 06:26	100804L02
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.0	4		Methyl-t-Butyl Ether (MTBE)	6.5	2.0	4	
1,2-Dibromoethane	ND	2.0	4		Tert-Butyl Alcohol (TBA)	410	40	4	
1,2-Dichloroethane	ND	2.0	4		Diisopropyl Ether (DIPE)	ND	2.0	4	
Ethylbenzene	ND	2.0	4		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	
Toluene	ND	2.0	4		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	
Xylenes (total)	ND	2.0	4		Ethanol	ND	1200	4	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	107	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	92	68-120		

MW-3	10-07-1936-3-A	07/23/10 07:45	Aqueous	GC/MS BB	08/03/10	08/04/10 03:48	100803L02
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.85	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	14	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	107	80-128			Dibromofluoromethane	103	80-127		
Toluene-d8	97	80-120			1,4-Bromofluorobenzene	92	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 2111

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	10-07-1936-4-A	07/23/10 09:10	Aqueous	GC/MS BB	08/03/10	08/04/10 04:17	100803L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.52	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	109	80-128			Dibromofluoromethane	100	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	91	68-120		

MW-5	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	10-07-1936-5-A	07/23/10 09:50	Aqueous	GC/MS BB	08/03/10	08/04/10 04:46	100803L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	106	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	97	80-120			1,4-Bromofluorobenzene	91	68-120		

MW-7	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	10-07-1936-6-A	07/23/10 08:55	Aqueous	GC/MS BB	08/03/10	08/04/10 05:15	100803L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1000	50	100	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	7800	1000	100	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	3.6	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	108	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	105	80-120			1,4-Bromofluorobenzene	95	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 2111

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	10-07-1936-7-B	07/23/10 08:25	Aqueous	GC/MS BB	08/04/10	08/05/10 07:24	100804L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	8.2	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	53	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	112	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	92	68-120		

MW-6	10-07-1936-8-B	07/23/10 09:30	Aqueous	GC/MS BB	08/04/10	08/05/10 07:53	100804L02
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	15	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	108	80-128			Dibromofluoromethane	99	80-127		
Toluene-d8	96	80-120			1,4-Bromofluorobenzene	89	68-120		

Method Blank	099-12-703-1,411	N/A	Aqueous	GC/MS BB	07/03/10	08/03/10 15:00	100803L01
--------------	------------------	-----	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	107	80-128			Dibromofluoromethane	102	80-127		
Toluene-d8	101	80-120			1,4-Bromofluorobenzene	96	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 2111

Page 4 of 4


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,412	N/A	Aqueous	GC/MS BB	08/03/10	08/04/10 03:19	100803L02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	111	80-128			Dibromofluoromethane	103	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	89	68-120		

Method Blank	099-12-703-1,415	N/A	Aqueous	GC/MS BB	08/04/10	08/05/10 04:02	100804L02
--------------	------------------	-----	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
		Limits					Limits		
1,2-Dichloroethane-d4	111	80-128			Dibromofluoromethane	104	80-127		
Toluene-d8	102	80-120			1,4-Bromofluorobenzene	92	68-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	GC 11	07/30/10	07/30/10	100730S01

Parameter	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	77	74	38-134	4	0-25	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-08-0082-4	Aqueous	GC/MS BB	07/03/10	08/03/10	100803S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	112	105	76-124	6	0-20	
Carbon Tetrachloride	89	87	74-134	2	0-20	
Chlorobenzene	107	103	80-120	4	0-20	
1,2-Dibromoethane	115	111	80-120	3	0-20	
1,2-Dichlorobenzene	103	102	80-120	1	0-20	
1,2-Dichloroethane	116	107	80-120	8	0-20	
Ethylbenzene	105	101	78-126	4	0-20	
Toluene	108	104	80-120	4	0-20	
Trichloroethene	103	101	77-120	2	0-20	
Methyl-t-Butyl Ether (MTBE)	98	96	67-121	2	0-49	
Tert-Butyl Alcohol (TBA)	105	101	36-162	3	0-30	
Diisopropyl Ether (DIPE)	100	97	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)	99	97	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	108	103	65-120	5	0-20	
Ethanol	147	123	30-180	18	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-07-2403-2	Aqueous	GC/MS BB	08/03/10	08/04/10	100803S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	110	107	76-124	3	0-20	
Carbon Tetrachloride	86	90	74-134	4	0-20	
Chlorobenzene	105	106	80-120	1	0-20	
1,2-Dibromoethane	107	108	80-120	1	0-20	
1,2-Dichlorobenzene	103	107	80-120	3	0-20	
1,2-Dichloroethane	118	114	80-120	4	0-20	
Ethylbenzene	103	104	78-126	1	0-20	
Toluene	108	105	80-120	2	0-20	
Trichloroethene	105	102	77-120	2	0-20	
Methyl-t-Butyl Ether (MTBE)	96	96	67-121	1	0-49	
Tert-Butyl Alcohol (TBA)	106	97	36-162	9	0-30	
Diisopropyl Ether (DIPE)	102	110	60-138	8	0-45	
Ethyl-t-Butyl Ether (ETBE)	99	102	69-123	3	0-30	
Tert-Amyl-Methyl Ether (TAME)	100	97	65-120	3	0-20	
Ethanol	155	110	30-180	33	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: 07/27/10
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-6	Aqueous	GC/MS BB	08/04/10	08/05/10	100804S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	111	111	76-124	0	0-20	
Carbon Tetrachloride	91	95	74-134	4	0-20	
Chlorobenzene	112	110	80-120	2	0-20	
1,2-Dibromoethane	119	118	80-120	1	0-20	
1,2-Dichlorobenzene	108	107	80-120	1	0-20	
1,2-Dichloroethane	121	120	80-120	1	0-20	LM,AY
Ethylbenzene	111	108	78-126	2	0-20	
Toluene	108	110	80-120	2	0-20	
Trichloroethene	105	105	77-120	0	0-20	
Methyl-t-Butyl Ether (MTBE)	98	97	67-121	0	0-49	
Tert-Butyl Alcohol (TBA)	94	83	36-162	10	0-30	
Diisopropyl Ether (DIPE)	110	101	60-138	9	0-45	
Ethyl-t-Butyl Ether (ETBE)	104	103	69-123	1	0-30	
Tert-Amyl-Methyl Ether (TAME)	101	99	65-120	1	0-20	
Ethanol	114	146	30-180	24	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642


Date Received: N/A
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-868	Aqueous	GC 11	07/30/10	07/30/10	100730B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	106	105	78-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-1,411	Aqueous	GC/MS BB	07/03/10	08/03/10		100803L01	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	105	99	80-120	73-127	5	0-20	
Carbon Tetrachloride	91	87	74-134	64-144	4	0-20	
Chlorobenzene	101	100	80-120	73-127	0	0-20	
1,2-Dibromoethane	107	108	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	99	99	80-120	73-127	0	0-20	
1,2-Dichloroethane	108	107	80-120	73-127	1	0-20	
Ethylbenzene	100	100	80-120	73-127	0	0-20	
Toluene	101	99	80-120	73-127	2	0-20	
Trichloroethene	100	98	79-127	71-135	3	0-20	
Methyl-t-Butyl Ether (MTBE)	96	95	69-123	60-132	1	0-20	
Tert-Butyl Alcohol (TBA)	85	114	63-123	53-133	29	0-20	RB
Diisopropyl Ether (DIPE)	97	97	59-137	46-150	0	0-37	
Ethyl-t-Butyl Ether (ETBE)	97	101	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	104	98	70-120	62-128	6	0-20	
Ethanol	102	167	28-160	6-182	49	0-57	LQ

Total number of LCS compounds : 15


Total number of ME compounds : 1

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-1,412	Aqueous	GC/MS BB	08/03/10	08/04/10		100803L02	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	106	102	80-120	73-127	4	0-20	
Carbon Tetrachloride	86	89	74-134	64-144	3	0-20	
Chlorobenzene	103	106	80-120	73-127	4	0-20	
1,2-Dibromoethane	106	104	79-121	72-128	2	0-20	
1,2-Dichlorobenzene	101	103	80-120	73-127	1	0-20	
1,2-Dichloroethane	111	105	80-120	73-127	6	0-20	
Ethylbenzene	102	104	80-120	73-127	2	0-20	
Toluene	106	100	80-120	73-127	5	0-20	
Trichloroethene	103	99	79-127	71-135	4	0-20	
Methyl-t-Butyl Ether (MTBE)	92	94	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	98	97	63-123	53-133	1	0-20	
Diisopropyl Ether (DIPE)	97	111	59-137	46-150	13	0-37	
Ethyl-t-Butyl Ether (ETBE)	95	102	69-123	60-132	7	0-20	
Tert-Amyl-Methyl Ether (TAME)	98	95	70-120	62-128	3	0-20	
Ethanol	143	101	28-160	6-182	34	0-57	

Total number of LCS compounds : 15


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.
1324 Mangrove Ave, Ste 212
Chico, CA 95926-2642

Date Received: N/A
Work Order No: 10-07-1936
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-1,415	Aqueous	GC/MS BB	08/04/10	08/05/10		100804L02	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	107	109	80-120	73-127	2	0-20	
Carbon Tetrachloride	93	92	74-134	64-144	1	0-20	
Chlorobenzene	107	107	80-120	73-127	0	0-20	
1,2-Dibromoethane	112	108	79-121	72-128	3	0-20	
1,2-Dichlorobenzene	104	103	80-120	73-127	0	0-20	
1,2-Dichloroethane	114	115	80-120	73-127	0	0-20	
Ethylbenzene	105	105	80-120	73-127	0	0-20	
Toluene	105	108	80-120	73-127	3	0-20	
Trichloroethene	102	106	79-127	71-135	4	0-20	
Methyl-t-Butyl Ether (MTBE)	94	94	69-123	60-132	0	0-20	
Tert-Butyl Alcohol (TBA)	101	96	63-123	53-133	5	0-20	
Diisopropyl Ether (DIPE)	111	98	59-137	46-150	13	0-37	
Ethyl-t-Butyl Ether (ETBE)	103	96	69-123	60-132	7	0-20	
Tert-Amyl-Methyl Ether (TAME)	100	100	70-120	62-128	0	0-20	
Ethanol	143	111	28-160	6-182	25	0-57	

Total number of LCS compounds : 15


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers



Work Order Number: 10-07-1936

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrn. verif. recov. below method CL for this analyte.
IJ	Calibrn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.



Work Order Number: 10-07-1936

<u>Qualifier</u>	<u>Definition</u>
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Laboratory Management Program LaMP Chain of Custody Record

(1936)

Page _____ of _____

BP/ARC Project Name: ARCO 2111
BP/ARC Facility No: 2111

Req Due Date (mm/dd/yy): STD-TAT
Lab Work Order Number:

Rush TAT: Yes _____ No X

Lab Name: Cal science				BP/ARC Facility Address: 1156 Davis Street										Consultant/Contractor: Broadbent & Associates, Inc.														
Lab Address: 7440 Lincoln Way				City, State, ZIP Code: San Leandro, CA 94577										Consultant/Contractor Project No: 06-88-615-5-822														
Lab PM: Richard Villafania				Lead Regulatory Agency: ACEH										Address: 875 Cotting Lane Ste. G, Vacaville, CA 95688														
Lab Phone: 714-895-5494 / 714-895-7501 (fax)				California Global ID No.: T0600101764										Consultant/Contractor PM: Tom Sparrowe														
Lab Shipping Acnt: 9255				Enfos Proposal No: 000TV-0006										Phone: 707-455-7290 / 707-455-7295 (fax)														
Lab Bottle Order No:				Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>										Email EDD To: tsparrowe@broadbentinc.com														
Other Info:				Stage: Operate (5) Activity: Monitoring/MNA (22)										Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor _____														
BP/ARC EBM: Chuck Carmel				Matrix No. Containers / Preservative Requested Analyses Report Type & QC Level																								
EBM Phone: 925-275-3803				Soil / Solid Water / Liquid Air / Vapor																								
EBM Email: charles.carmel@bp.com				Total Number of Containers Unpreserved H ₂ SO ₄ HNO ₃ HCl Methanol																								
Lab No.	Sample Description			Date		Time		GRO (8015) BTEX (8260) 5 Oxy (8250) EDB (8260) 1,2-DCA (8260) Ethanol (8260)																				
1	MW-1	7/23/2010	805	X				6				X			X	X	X	X	X	X								
2	MW-2	7/23/2010	840	X				6				X			X	X	X	X	X	X								
3	MW-3	7/23/2010	745	X				6				X			X	X	X	X	X	X								
4	MW-4	7/23/2010	910	X				6				X			X	X	X	X	X	X								
5	MW-5	7/23/2010	950	X				6				X			X	X	X	X	X	X								
6	MW-7	7/23/2010	855	X				6				X			X	X	X	X	X	X								
7	MW-8	7/23/2010	825	X				6				X			X	X	X	X	X	X								
8	MW-6	7/23/2010	930																									
9	TB - 2111 -100723	7/23/2010		X				2				X									ON HOLD							

Sampler's Name: Eric Ferrer	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: BAI		7/26/10	1600	Wadeen ca	7/27/10	1000
Shipment Method: GSE	Ship Date: 7/26/10					
Shipment Tracking No: 10683660						
Special Instructions:						
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No		
BP/ARC LaMP COC Rev. 6 01/01/2009						

Page 20 of 21

1936

1	DATE <i>7/26/00</i>	COMPANY <i>BAT</i>
FROM	ADDRESS <i>875 Cotttington Lane</i>	STE/ ROOM <i>G</i>
	ADDRESS <i>Vaca ville</i>	ZIP CODE <i>92588</i>
2	CITY <i>CA</i>	PHONE NUMBER <i>715 347-7901</i>
	SENDERS NAME <i>Cal Science</i>	
TO	COMPANY <i>CAL SCIENCE</i>	PHONE NUMBER <i>714) 835-5494</i>
	NAME <i>Lincoln Way</i>	
	ADDRESS <i>100 LINCOLN WAY</i>	
	ADDRESS <i>GARDEN GROVE</i>	STE/ ROOM <i>92841</i>
3	YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE	
	SPECIAL INSTRUCTIONS	



SHIPPING AIR BILL

4 PACKAGE INFORMATION

LETTER (MAX 8 OZ)

PACKAGE (WT) 50

DECLARED VALUE \$

COD AMOUNT \$
(CARM NOT ACCEPTED)

1-800-322-5555

www.gso.com

**EARLY
PRIORITY
BY 8:00 AM**

SATURDAY
DELIVERY

5 DELIVERY SERVICE PRIORITY OVERNIGHT BY 10:30 AM

RELEASE

**RELEASE
SIGNATURE**

SIGNATURES

SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

8 PICK UP INFORMATION

PICK UP

PICK UP INFORMATION

TIME

9 GSO TRACKING NUMBER

A standard linear barcode is located at the bottom of the page, consisting of vertical black bars of varying widths on a white background.

106836601

WORK ORDER #: 10-07-1 9 3 6

SAMPLE RECEIPT FORM Cooler 1 of 1

CLIENT: BAT

DATE: 07/27/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.3 °C + 0.5 °C (CF) = 2.8 °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
 Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: WB

CUSTODY SEALS INTACT:

<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>WB</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>PS</u>

SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples.....

COC document(s) received complete.....

Collection date/time, matrix, and/or # of containers logged in based on sample labels.

No analysis requested. Not relinquished. No date/time relinquished.

Sampler's name indicated on COC.....

Sample container label(s) consistent with COC.....

Sample container(s) intact and good condition.....

Proper containers and sufficient volume for analyses requested.....

Analyses received within holding time.....

pH / Residual Chlorine / Dissolved Sulfide received within 24 hours.....

Proper preservation noted on COC or sample container.....

Unpreserved vials received for Volatiles analysis

Volatile analysis container(s) free of headspace.....

Tedlar bag(s) free of condensation.....

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBn₂ 1AGBs

500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBn₂

250PB 250PBn 125PB 125PBznna 100PJ 100PJn₂ _____ _____

Air: Tedlar® Summa® **Other:** _____ **Trip Blank Lot#:** 100709A **Labeled/Checked by:** PS

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope **Reviewed by:** in DC

Preservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered **Scanned by:** PS

BROADBENT & ASSOCIATES INC. FIELD PROCEDURES

A.1 QUALITY ASSURANCE/QUALITY CONTROL FIELD PROTOCOLS

Field protocols have been implemented to enhance the accuracy and reliability of data collection, ground-water sample collection, transportation and laboratory analysis. Discussion of these protocols is provided below.

A.1.1 Water Level & Free-Product Measurement

Prior to ground-water sample collection from each monitoring well, the presence of separate-phase hydrocarbons (SPH or free product, FP) and depth to ground water shall be measured. Depth to ground water will be measured with a standard water level indicator that has been decontaminated prior to its use in accordance with procedures discussed below. Depth to groundwater will be gauged from a saw cut notch at the top of the well casing on each well head. Where FP is suspected, the initial gauging will be done with an oil-water interface probe. Once depth to water has been measured, the first retrieval of a new disposable bailer will be scrutinized for the presence of SPH/FP.

A.1.2 Monitoring Well Purging

Subsequent to measuring depth to ground water and prior to the collection of ground-water samples, purging of standing water within the monitoring well will be performed if called for. Consistent with the American Society for Testing and Materials (ASTM) Standard D6452-99, Section 7.1, the well will be purged of approximately three wetted-casing volumes of water, or until the well is dewatered, or until monitored field parameters indicate stabilization. The well will be purged using a pre-cleaned disposable bailer or submersible pump and disposable plastic tubing dedicated to each individual well. The well will be purged at a low flow rate to minimize the possibility of purging the well dry. So that the sample collected is representative of formation water, several field parameters will be monitored during the purging process. The sample will not be collected until these parameters (i.e. temperature, pH, and conductivity) have stabilized to within 10% of the previously measured value. If a well is purged dry, the sample should not be collected until the well has recovered to a minimum 50% of its initial volume.

A.1.3 Ground-Water Sample Collection

Once the wells are satisfactorily purged, water samples will be collected from each well. Water samples for organic analyses will be collected using a pre-cleaned, new, disposable bailer and transferred into the appropriate, new, laboratory-prepared containers such that no head space or air bubbles are present in the sample container (if appropriate to the analysis). The samples will be properly labeled (i.e. sample identification, sampler initials, date/time of collection, site location, requested analyses), placed in an ice chest with bagged ice or ice substitute, and delivered to the contracted analytical laboratory.

A.1.4 Surface Water Sample Collection

Unless specified otherwise, surface water samples will be collected from mid-depth in the central area of the associated surface water body. Water samples will be collected into appropriate, new, laboratory-prepared containers by dipping the container into the surface water unless the container has a preservative present. If a sample preservative is present, a new, cleaned non-preserved surrogate container will be used to obtain the sample which will then be directly transferred into a new, laboratory-provided, preserved container. Samples will be properly labeled and transported as described above.

A.1.5 Decontamination Protocol

Prior to use in each well, re-usable ground-water sampling equipment (e.g., water level indicator, oil-interface probe, purge pump, etc.) will be decontaminated. Decontamination protocol will include thoroughly cleaning with a solution of Liquinox, rinsing with clean water, and final rinsing with control water (potable water of known quality, distilled, or de-ionized water). Pre-cleaned new disposable bailers and disposable plastic tubing will be dedicated to each individual well.

A.1.6 Chain of Custody Procedures

Sample identification documents will be carefully prepared so identification and chain of custody can be maintained and sample disposition can be controlled. The sample identification documents include Chain-of-Custody (COC) records and Daily Field Report forms. Chain of custody procedures are outlined below.

Field Custody Procedures

The field sampler is individually responsible for the care and custody of the samples collected until they are properly transferred.

Samples will have unique labels. The information on these labels will correspond to the COC which shows the identification of individual samples and the contents of the shipping container. The original COC will accompany the shipment and a copy will be retained by the field sampler.

Transfer of Custody and Shipment

A COC will accompany samples during transfer and shipment. When transferring samples, the individual relinquishing and the individual receiving the samples will each sign, date, and note the time on the COC. This documents the sample custody transfer.

Samples will be packaged properly for shipment and dispatched to the appropriate laboratory for analysis, with a separate COC accompanying each shipment. Shipments will be accompanied by the original COC. Samples will be delivered by BAI personnel to the laboratory, or shipped by responsible courier. When a shipping courier is utilized, the sample shipment number will be identified on the COC.

A.1.7 Field Records

In addition to sample identification numbers and COC records, Daily Field Report records will be maintained by field staff to provide daily records of significant events, observations, and measurements during field investigations. These documents will contain observed information such as: the personnel present, site conditions, sampling procedures, measurement procedures, calibration records, equipment used, supplies used, etc. Field measurements will be recorded on the appropriate forms. Entries on the data forms will be signed and dated. The data forms will be kept as permanent file records.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

Submittal Type: EDF - Monitoring Report - Semi-Annually
Submittal Title: 3Q10 GW Monitoring
Facility Global ID: T0600101764
Facility Name: ARCO #2111
File Name: 10071936.zip
Organization Name: Broadbent & Associates, Inc.
Username: BROADBENT-C
IP Address: 67.118.40.90
Submittal Date/Time: 9/3/2010 11:28:13 AM
Confirmation Number: **6974213957**

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)