

Ultramar

Ultramar Inc.
P.O. Box 466
525 W. Third Street
Hanford, CA 93232-0466
(209) 582-0241

RECEIVED
ULTRAMAR INC.

97 OCT 17 PM 4:22

Telecopy: 209-585-5685 Credit
209-583-3330 Administrative
209-583-3302 Information Services
209-583-3358 Accounting

5701497
BD

October 13, 1997

Ms. Amy Leach
Hazardous Materials Program
Department of Environmental Health
Alameda County Health Care Services
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

SUBJECT: BEACON STATION NO. 721, 44 LEWELLING BLVD., SAN LORENZO, CALIFORNIA

Dear Ms. Leach:

Enclosed is a copy of the **Quarterly Ground Water Monitoring Report, Third Quarter 1997** for the above-referenced Ultramar facility. Also included is a copy of the Quarterly Status.

Please call if you have any questions regarding this project.

Sincerely,

ULTRAMAR INC.

Terrence A. Fox
Terrence A. Fox
Senior Project Manager
Marketing Environmental Department

Enclosures

cc w/encl: Mr. Steve Morse, San Francisco Bay Region, RWQCB



A Member of the Ultramar Group of Companies

BEACON
#1 Quality And Service

Ultramar

Ultramar Inc.
P.O. Box 466
525 W. Third Street
Hanford, CA 93232-0466
(209) 582-0241

Telecopy: 209-585-5685 Credit
209-583-3330 Administrative
209-583-3302 Information Services
209-583-3358 Accounting

ENVIRONMENTAL PROJECT QUARTERLY STATUS REPORT

DATE REPORT SUBMITTED: October 13, 1997
QUARTER ENDING: September 30, 1997

SERVICE STATION NO.: 721
ADDRESS: 44 Lewelling Blvd., San Lorenzo, CA
COUNTY: Alameda

ULTRAMAR CONTACT: Terrence A. Fox

TEL. NO: 209-583-5545

BACKGROUND:

In April 1987, three underground gasoline storage tanks were excavated and removed. Samples collected from beneath the former tanks indicated that hydrocarbons were present in the soil. In May 1987, three monitoring wells (MW-1 through MW-3) were installed by Conoco. Hydrocarbons were detected in soil and ground-water samples collected from the wells. In December 1988, four additional wells (MW-4 through MW-7) were installed. Dissolved-phase hydrocarbons were detected in the new wells. In September 1989, two additional wells (MW-8 and MW-9) were installed. The site has been on a monitoring program since May 1987.

In July 1990, the site was purchased by Ultramar Inc. from Conoco. The monitoring program has continued. Submitted work plan for additional assessment on March 14, 1991.

In October 1991, drilled two additional offsite wells (MW-10 and MW-11) southwest of the site and one onsite recovery well (RW-1). In November 1991, performed ground-water pump test and vapor extraction test.

In April 1992, Ultramar submitted an Interim Remediation Plan. The plan was approved in June 1992.

In March 1993, installed the subsurface piping for the remediation system. Completed installation of ground-water remediation system in April 1993. Began operation in June 1993.

In April 1993, the ground-water extraction system began operation. In March 1994, the vapor extraction system began operation.



A Member of the Ultramar Group of Companies

BEACON
#1 Quality And Service

Beacon Station 721
Quarterly Status Report
Page 2

Obtained the Permit to Operate for the vapor extraction system on June 8, 1994.

In December 1995, installed an air sparging system.

In January 1997, discontinued to operate the remediation system. Approximately 1,184,392 gallons of ground water have been removed, treated, and discharged. Approximately 103 gallons of hydrocarbons have been removed the vapor extraction system.

SUMMARY OF THIS QUARTER'S ACTIVITIES:

Performed quarterly monitoring on August 18, 1997.

MW-3 and RW-1 were resampled on September 29, 1997.

RESULT OF QUARTERLY MONITORING:

Monitoring data indicates that benzene concentrations remained not detected in wells MW-1, MW-4, MW-5, MW-6, MW-7, MW-8, MW-10, and MW-11. The benzene concentration decreased in MW-2 from 120 ppb to not detected. The benzene concentration increased in MW-3 from 480 ppb to 740 ppb and in RW-1 from not detected to 25 ppb. MW-9 was not sampled this quarter. Historically that well has been not detected for all analytes.

PROPOSED ACTIVITY OR WORK FOR NEXT QUARTER:

<u>ACTIVITY</u>	<u>ESTIMATED COMPLETION DATE</u>
Continue quarterly ground-water monitoring.	Ongoing
Drill confirmation borings.	October 13, 1997
Evaluate site for closure using RBCA.	November 30, 1997



3164 Gold Camp Drive
Suite 200
Rancho Cordova, CA 95670
916/638-2085
FAX: 916/638-8385

October 9, 1997

Mr. Terrence A. Fox
Ultramar, Inc.
525 West Third Street
Hanford, California 93230

Subject: *Quarterly Ground Water Monitoring Report, Third Quarter 1997*
Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California
Delta Project No. D093-936

Dear Mr. Fox:

Delta Environmental Consultants, Inc. (Delta), has been authorized by Ultramar, Inc. (Ultramar), to conduct quarterly ground water monitoring and perform remedial actions at the subject site. The monitoring is intended to evaluate the distribution of dissolved petroleum hydrocarbon constituents in ground water in the vicinity of the site. This report summarizes the results of ground water monitoring activities performed at the site on August 18, and September 29, 1997. The site location is shown in Figure 1 and site features are illustrated in Figure 2.

Ground water monitoring included measurement of depth to ground water, subjective analyses of water samples to evaluate the presence or absence of free petroleum product or product sheen and collection of ground water samples for chemical analysis. Methods used to perform these tasks are described in Enclosure A.

Ground Water Table Measurements and Flow Direction

Depth to ground water was measured in wells MW-1 through MW-8, MW-10, MW-11, and RW-1 at depths ranging from 14.95 (MW-7) to 18.84 (MW-11) feet below the top of well casings. Ground water monitoring well MW-9 was not accessible during this sampling event due to a parked automobile over the well. Ground water measurements were not recorded during the September 29, 1997 visit. Ground water elevations have decreased an average of approximately 1.93 feet since the previous quarterly event in May 1997. Cumulative ground water elevation measurements at the site are compiled in Table 1. Based on the ground water table measurements, the inferred ground water flow is generally toward the west with a gradient of less than 0.01. The ground water recovery system was not operating during this monitoring event. A ground water table contour map prepared from the current event data is included as Figure 3.

Ground Water Analytical Results

On August 18, 1997, ground water samples were collected from wells MW-1 through MW-8, MW-10, MW-11, and RW-1. Ground water samples were sampled again from MW-3 and RW-1 on

Mr. Terrence A. Fox

Ultramar, Inc.

October 9, 1997

Page 2

September 29, 1997. The ground water samples were submitted to Kiff Analytical of Davis, California (a California-certified laboratory), for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by EPA Method 8020, and total petroleum hydrocarbons (TPH) as gasoline by EPA Method 8015 Modified. A copy of the sampling information data sheets are included in Enclosure B.

Benzene was not detected at or above the laboratory detection limit in ground water samples collected from MW-1, MW-2, and MW-4 through MW-11. Benzene was reported in the ground water samples collected from wells MW-3 and RW-1 at concentrations of 480 micrograms per liter ($\mu\text{g/L}$) and 25 $\mu\text{g/L}$, respectively. TPH as gasoline was detected in MW-3 (3,600 $\mu\text{g/L}$), MW-10 (5,900 $\mu\text{g/L}$), and RW-1 (220 $\mu\text{g/L}$). MTBE was detected in samples collected from MW-1 (540 $\mu\text{g/L}$), MW-2 (2,000 $\mu\text{g/L}$), MW-3 (170 $\mu\text{g/L}$), MW-7 (18 $\mu\text{g/L}$), and RW-1 (170 $\mu\text{g/L}$). Using the August 1997 ground water analytical data, a benzene concentration map was constructed and is included as Figure 4. Cumulative ground water analytical results for TPH as gasoline, BTEX, and MTBE are summarized in Table 1. A copy of the certified analytical report with chain-of-custody documentation is provided in Enclosure C.

Remediation System Status

The ground water treatment system was shut down in October 1996 due to low influent concentrations. The soil vapor extraction and air sparging system was shut down on June 22, 1997, as the results indicated asymptotic levels had been reached.

Remarks\Signatures

The interpretations contained in this report represent our professional opinions, and are based in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.

It is recommended that a copy of this report be forwarded to:

Mr. Steven Ritchie
California Regional Water Quality Control Board,
San Francisco Bay Region
2101 Webster Street
Oakland, California 94612

Ms. Amy Leech
Alameda County
Environmental Health Dept.
470 27th Street, Room 322
Oakland, California 94612

Mr. Terrence A. Fox
Ultramar, Inc.
October 8, 1997
Page 3

If you have any questions, please contact Keoni Almeida at (916) 638-2085.

Sincerely,

DELTA ENVIRONMENTAL CONSULTANTS, INC.



Benjamin I. Heningburg
Staff Geologist



Charles Keoni Almeida
Project Manager



Owen M. Kittredge, R.G.
California Registered Geologist No. 5853

BIH (LRP010.936)
Enclosures



TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-1	02/18/92	43.67	16.42	27.25	NS	NS	NS	NS	NS	NS	
	05/14/92		17.28	26.39	NS	NS	NS	NS	NS	NS	
	05/15/92		NM	NC	2,000	47	1,200	400	41,000	NA	
	08/27/92		19.48	24.19	NS	NS	NS	NS	NS	NS	
	08/28/92		NM	NC	3,800	54	850	970	110,000	NA	
	11/19/92		20.57	23.10	200	<5.0	90	140	3,600	NA	
	02/03/93		15.91	27.76	180	22	79	130	3,000	NA	
	06/23/93		16.21	27.46	2,400	74	650	510	12,000	NA	No free product or sheen
	09/22/93		17.85	25.82	3,000	290	1,100	1,200	23,000	NA	No free product or sheen
	01/24/94		17.91	25.76	2,400	280	1,100	1,700	18,000	NA	
	04/07/94		16.94	26.73	4,200	820	1,600	2,100	20,000	NA	No free product or sheen
	06/07/94		17.20	26.47	1,800	510	1,100	1,600	26,000	NA	No free product or sheen
	09/28/94		18.73	24.94	1,700	210	970	870	18,000	NA	No free product or sheen
	12/14/94		17.56	26.11	4,400	2,400	2,300	4,300	31,000	NA	Product sheen
	03/15/95		14.92	28.75	830	310	840	1,200	17,000	NA	Product sheen
	06/13/95		15.38	28.29	1,300	99	1,500	1,100	22,000	NA	No free product or sheen
	09/28/95		16.75	26.92	580	<25	780	410	8,800	NA	No free product or sheen
	12/28/95		17.28	26.39	4.9	<1.3	<1.3	290	4,800	74	No free product or sheen
	01/30/96		NM	NC	17	7.1	20	45	1,500	63	Not measured
	03/12/96		14.13	29.54	<0.5	<0.5	<0.5	<0.5	110	44	No free product or sheen
	06/11/96		14.90	28.77	48	0.9	37	26	600	75	No free product or sheen
	10/02/96		16.31	27.36	16	<0.5	6	0.92	210	11	No free product or sheen
	01/28/97		12.99	30.68	<0.5	<0.5	<0.5	<0.5	150	160	No free product or sheen
	05/20/97		15.28	28.39	<2.5	<2.5	<2.5	<2.5	680	640	No free product or sheen
	08/18/97		16.74	26.93	<2.5	<2.5	<2.5	<2.5	<250	540	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-2	02/18/92	43.09	16.65	26.44	<0.5	<0.5	1.9	<0.5	1,600	NA	
	05/14/92		16.64	26.45	1.2	1	1.3	<0.5	740	NA	
	08/27/92		16.61	26.28	6.5	1.1	0.6	<0.5	1,400	NA	
	11/19/92		19.91	23.18	<0.5	<0.5	2.7	<0.5	360	NA	
	02/03/93		15.23	27.86	1.2	1.6	4.5	6.4	590	NA	
	06/23/93		15.55	27.54	<0.5	<0.5	0.52	0.5	160	NA	No free product or sheen
	09/22/93		17.22	25.87	<0.5	0.59	1.2	0.59	290	NA	No free product or sheen
	01/24/94		17.20	25.89	<0.5	<0.5	0.68	<0.5	330	NA	
	04/07/94		16.26	26.83	<0.5	<0.5	<0.5	4.4	490	NA	No free product or sheen
	06/07/94		16.46	26.63	<0.5	<0.5	1.5	<0.5	550	NA	No free product or sheen
	09/28/94		18.06	25.03	<0.5	<0.5	<0.5	<0.5	190	NA	No free product or sheen
	12/14/94		16.86	26.23	7.2	0.84	<0.5	<0.5	1,400	NA	No free product or sheen
	03/15/95		14.08	29.01	39	<0.5	0.53	<0.5	730	NA	No free product or sheen
	06/13/95		14.67	28.42	8.3	<0.5	<0.5	<0.5	750 ^a	NA	No free product or sheen
	09/28/95		16.07	27.02	<0.5	<0.5	<0.5	<0.5	670 ^a	NA	No free product or sheen
	12/28/95		16.46	26.63	9.5	<5.0	<5.0	5.2	3,100	4,600	No free product or sheen
	03/12/96		13.11	29.98	<1.3	<1.3	<1.3	<1.3	710	3,200	No free product or sheen
	06/11/96		14.14	28.95	1.6	<1.3	<1.3	<1.3	1,900 ^a	5,100	No free product or sheen
	10/02/96		15.71	27.38	<2.5	<2.5	<2.5	<2.5	2,800	7,900	No free product or sheen
	01/28/97		12.05	31.04	<0.5	<0.5	<0.5	<0.5	130	210	No free product or sheen
	05/20/97		14.65	28.44	120	16	<2.5	4.0	1,400	390	No free product or sheen
	08/18/97		16.00	27.09	<2.5	<2.5	<2.5	<2.5	<250	2,000	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-3	02/18/92	43.10	16.89	26.21	NS	NS	NS	NS	NS	NS	
	05/14/92		16.60	26.50	NS	NS	NS	NS	NS	NS	
	05/15/92		NM	NC	6,300	5,900	1,700	6,100	160,000	NA	
	08/27/92		18.96	24.14	NS	NS	NS	NS	NS	NS	
	08/28/92		NM	NC	2,500	40,000	6,700	44,000	1,300,000	NA	
	11/18/92		20.38	23.01	NS	NS	NS	NS	NS	NS	
	11/19/92		NM	NC	NS	NS	NS	NS	NS	NS	
	02/03/93		15.43	27.67	7,200	11,000	2,900	13,000	82,000	NA	
	06/23/93		15.67	27.43	3,200	5,300	2,500	9,100	61,000	NA	Product sheen
	09/22/93		17.20	25.90	12,000	14,000	3,900	18,000	94,000	NA	No free product or sheen
	01/24/94		17.35	25.75	14,000	17,000	4,200	14,000	110,000	NA	
	04/07/94		14.48	28.62	6,500	1,800	1,700	4,100	28,000	NA	No free product or sheen
	06/07/94		13.37	29.73	6,400	2,300	1,500	3,500	27,000	NA	Product sheen
	09/28/94		18.05	25.05	7,400	4,300	1,500	4,600	40,000	NA	No free product or sheen
	12/14/94		16.92	26.18	17,000	21,000	3,900	22,000	140,000	NA	Product sheen
	03/15/95		14.22	28.88	4,900	1,900	1,800	7,100	58,000	NA	Product sheen
	06/13/95		14.49	28.61	7,200	2,900	1,200	4,600	44,000	NA	Product sheen
	09/28/95		15.17	27.93	5,600	2,100	1,900	6,900	30,000	NA	No free product or sheen
	12/28/95		15.45	27.65	32	5.8	18	4,700	16,000	360	No free product or sheen
	01/30/96		NM	NC	850	800	190	1,700	8,700	430	Not measured
	03/12/96		11.35	31.75	48	64	5.3	630	2,400	97	No free product or sheen
	06/11/96		Dry	Dry	NS	NS	NS	NS	NS	NS	Dry
	10/02/96		Dry	Dry	NS	NS	NS	NS	NS	NS	Dry
	01/28/97		Dry	Dry	NS	NS	NS	NS	NS	NS	Dry
	05/20/97		Dry	Dry	NS	NS	NS	NS	NS	NS	Plugged at 14 feet
	07/10/97		NM	NC	<0.50	<0.50	<0.50	4.8	300	40	Not measured
	08/18/97		16.05	27.05	480	8.4	100	230	3,600	170	No free product or sheen
	09/29/97		NM	NC	740	8.6	160	240	3500	210	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-4	02/18/92	44.66	18.51	26.15	<0.5	<0.5	12	21	5,100	NA	
	05/14/92		18.22	26.44	<0.5	5.6	1.8	2.2	4,600	NA	
	08/27/92		20.47	24.19	NS	NS	NS	NS	NS	NS	
	08/28/92		NM	NC	6.6	1.3	1.6	3.1	1,700	NA	
	11/19/92		21.58	23.08	<0.5	<0.5	<0.5	<0.5	400	NA	
	02/03/93		16.98	27.68	<0.5	<0.5	<0.5	<0.5	1,100	NA	
	06/23/93		17.23	27.43	<0.5	<0.5	<0.5	<0.5	120	NA	No free product or sheen
	09/22/93		18.83	25.83	<0.5	<0.5	<0.5	<0.5	110	NA	No free product or sheen
	01/24/94		18.86	25.80	<0.5	<0.5	<0.5	<0.5	260	NA	
	04/07/94		17.90	26.76	<0.5	<0.5	<0.5	<0.5	430	NA	No free product or sheen
	06/07/94		18.08	26.58	<0.5	<0.5	<0.5	<0.5	150	NA	No free product or sheen
	09/28/94		19.70	24.96	<0.5	<0.5	<0.5	<0.5	75	NA	No free product or sheen
	12/14/94		18.55	26.11	<0.5	<0.5	<0.5	<0.5	160	NA	No free product or sheen
	03/15/95		16.14	28.52	<0.5	<0.5	<0.5	<0.5	500	NA	No free product or sheen
	06/13/95		16.41	28.25	<0.5	<0.5	<0.5	<0.5	210 ^a	NA	No free product or sheen
	09/28/95		17.88	26.78	<0.5	<0.5	<0.5	<0.5	140 ^a	NA	No free product or sheen
	12/28/95		17.81	26.85	<0.5	<0.5	<0.5	<0.5	510 ^a	<5.0	No free product or sheen
	03/12/96		14.77	29.89	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	06/11/96		15.88	28.78	<0.5	<0.5	<0.5	<0.5	50 ^a	<5.0	No free product or sheen
	10/02/96		17.40	27.26	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		14.11	30.55	<0.5	<0.5	<0.5	<0.5	270 ^a	<5.0	No free product or sheen
	05/20/97		16.24	28.42	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	08/18/97		17.59	27.07	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-5	02/18/92	43.79	17.37	26.42	<0.5	<0.5	<0.5	<0.5	<50	NA	
	05/14/92		17.29	26.50	<0.5	<0.05	<0.5	<0.5	<50	NA	
	08/27/92		22.18	21.61	<0.5	<0.5	<0.5	<0.5	<50	NA	
	11/19/92		20.68	23.11	<0.5	<0.5	<0.5	<0.5	<50	NA	
	02/03/93		15.91	27.88	3.0	2.7	8.0	9.9	55	NA	
	06/23/93		16.24	27.55	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/22/93		17.93	25.86	0.66	1.1	<0.5	0.6	<50	NA	No free product or sheen
	01/24/94		17.82	25.97	<0.5	<0.5	<0.5	<0.5	<50	NA	
	04/07/94		16.91	26.88	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/07/94		17.10	26.69	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/94		18.73	25.06	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/14/94		17.53	26.26	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	03/15/95		14.96	28.83	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/13/95		15.30	28.49	<0.5	0.52	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/95		16.74	27.05	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/28/95		15.10	28.69	<0.5	<0.5	<0.5	<0.5	120	<5.0	No free product or sheen
	03/12/96		13.67	30.12	<0.5	<0.5	<0.5	<0.5	<50	9.2	No free product or sheen
	06/11/96		14.88	28.91	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	10/02/96		16.42	27.37	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		12.83	30.96	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	05/20/97		15.33	28.46	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	08/18/97		16.69	27.10	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	09/29/97	NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-6	02/18/92	42.47	15.87	26.60	4.8	<0.5	<0.5	<0.5	370	NA	
	05/14/92		16.04	26.43	<0.5	<0.5	<0.5	<0.5	120	NA	
	08/27/92		18.17	24.30	1.2	<0.5	<0.5	<0.5	<50	NA	
	11/19/92		19.30	23.17	1.3	<0.5	1	1.1	66	NA	
	02/03/93		14.60	27.87	1.9	2.6	23	12	100	NA	
	06/23/93		15.00	27.47	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/22/93		16.66	25.81	2.2	3.8	0.53	2.7	81	NA	No free product or sheen
	01/24/94		16.52	25.95	<0.5	<0.5	<0.5	<0.5	98	NA	
	04/07/94		15.70	26.77	0.71	<0.5	<0.5	<0.5	150	NA	No free product or sheen
	06/07/94		15.88	26.59	<0.5	<0.5	<0.5	<0.5	180	NA	No free product or sheen
	09/28/94		17.51	24.96	<0.5	<0.5	<0.5	<0.5	100	NA	No free product or sheen
	12/14/94		16.27	26.20	<0.5	<0.5	<0.5	<0.5	140	NA	No free product or sheen
	03/15/95		13.52	28.95	<0.5	<0.5	<0.5	<0.5	110	NA	No free product or sheen
	06/13/95		13.96	28.51	<0.5	0.87	<0.5	<0.5	150 ^a	NA	No free product or sheen
	09/28/95		15.61	26.86	0.78	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/28/95		15.54	26.93	<0.5	<0.5	<0.5	6.3	410	70	No free product or sheen
	01/30/96		NM	NC	1.0	<0.5	<0.5	11	81	46	Not measured
	03/12/96		11.88	30.59	<0.5	<0.5	<0.5	<0.5	<50	7.1	No free product or sheen
	06/11/96		13.52	28.95	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	10/02/96		15.10	27.37	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		11.18	31.29	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	05/20/97		14.00	28.47	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	08/18/97		15.54	26.93	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser	Depth to Water	Ground Water		Ethyl-benzene	Total Xylenes	TPH as gasoline	MTBE	Comments
		Elevation (ft)	(ft)	Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-7	02/18/92	41.54	15.51	26.03	16	<0.5	10	16	670	NA
	05/14/92		15.41	26.13	44	<0.5	38	88	1,500	NA
	08/27/92		17.45	24.09	400	5.8	290	1,400	23,000	NA
	11/19/92		18.54	23.00	29	<0.5	10	53	330	NA
	02/03/93		14.10	27.44	200	<0.5	110	480	2,000	NA
	06/23/93		14.33	27.21	20	<0.5	16	16	280	NA
	09/22/93		15.92	25.62	71	2.2	33	210	860	NA
	01/24/94		16.07	25.47	61	<1.3	10	160	900	NA
	04/07/94		15.10	26.44	53	<0.5	7.1	49	630	NA
	06/07/94		15.16	26.38	55	<0.5	14	24	730	NA
	09/28/94		16.82	24.72	21	<0.5	2.3	3.1	300	NA
	12/14/94		15.75	25.79	19	<0.5	3.3	32	430	NA
	03/15/95		14.00	27.54	0.88	<0.5	<0.5	<0.5	70	NA
	06/13/95		13.44	28.10	7.3	0.79	7.6	8.9	190	NA
	09/28/95		14.84	26.70	1.5	<0.5	1.2	0.84	60	NA
	12/28/95		14.55	26.99	<0.5	<0.5	0.91	0.69	60	9.8
	03/12/96		11.88	29.66	<0.5	<0.5	<0.5	<0.5	<50	11
	06/11/96		13.52	28.58	<0.5	<0.5	<0.5	<0.5	79	16
	10/02/96		14.50	27.04	<0.5	<0.5	<0.5	<0.5	<50	26
	01/28/97		11.08	30.46	<0.5	<0.5	<0.5	<0.5	<50	13
	05/20/97		13.46	28.08	<0.5	0.85	<0.5	<0.5	78	40
	08/18/97		14.95	26.59	<0.5	<0.5	<0.5	<0.5	<50	18
	09/29/97	NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-8	02/18/92	42.26	16.57	25.69	<0.5	<0.5	9.5	<0.5	1,200	NA	
	05/14/92		16.24	26.02	<0.5	<0.5	<0.5	<0.5	130	NA	
	08/27/92		18.28	23.98	<0.5	<0.5	<0.5	<0.5	140	NA	
	11/19/92		19.32	22.94	<0.5	<0.5	2.0	<0.5	320	NA	
	02/03/93		14.87	27.39	<0.5	<0.5	<0.5	<0.5	<50	NA	
	06/23/93		15.18	27.08	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/22/93		18.79	23.47	<0.5	0.67	<0.5	<0.5	<50	NA	No free product or sheen
	01/24/94		17.06	25.20	<0.5	<0.5	<0.5	<0.5	290	NA	
	04/07/94		15.95	26.31	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/07/94		15.10	27.16	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/94		17.63	24.63	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/14/94		16.66	25.60	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	03/15/95		14.30	27.96	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/13/95		14.37	27.89	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/95		15.62	26.64	NS	NS	NS	NS	NS	NA	No free product or sheen
	12/28/95		15.62	26.64	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	03/12/96		12.75	29.51	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	06/11/96		13.94	28.32	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	10/02/96		15.41	26.85	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		12.30	29.96	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	05/20/97		14.42	27.84	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	08/18/97		16.16	26.10	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	09/29/97	NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-9	02/18/92	44.94	18.87	26.07	<0.5	<0.5	<0.5	<0.5	<50	NA	
	05/14/92		18.55	26.39	<0.5	<0.5	<0.5	<0.5	<50	NA	
	08/27/92		20.80	24.14	<0.5	<0.5	<0.5	<0.5	<50	NA	
	11/19/92		21.90	23.04	<0.5	<0.5	<0.5	1.3	<50	NA	
	02/03/93		17.25	27.69	<0.5	<0.5	<0.5	<0.5	<50	NA	
	06/23/93		17.61	27.33	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/22/93		19.18	25.76	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	01/24/94		19.17	25.77	<0.5	<0.5	<0.5	<0.5	<50	NA	
	04/07/94		18.23	26.71	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/07/94		18.40	26.54	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/94		20.01	24.93	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/14/94		18.88	26.06	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	03/15/95		16.24	28.70	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	06/13/95		16.75	28.19	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	09/28/95		18.04	26.90	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/28/95		17.87	27.07	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	03/12/96	NM	NC	NS	NS	NS	NS	NS	NA		Not measured
	06/11/96		16.26	28.68	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	10/02/96		17.74	27.20	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		14.51	30.43	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	05/20/97		16.73	28.21	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	08/18/97	NM	NC	NS	NS	NS	NS	NS	NS		Not measured
	09/29/97	NM	NC	NS	NS	NS	NS	NS	NS		Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-10	02/18/92	42.34	16.63	25.71	110	57	440	53	18,000	NA	
	05/14/92		15.25	27.09	NS	NS	NS	NS	NS	NS	
	05/15/92		NM	NC	24	9.8	97	<0.5	8,500	NA	
	08/27/92		18.35	23.99	NS	NS	NS	NS	NS	NS	
	08/29/92		NM	NC	20	2.8	40	3.5	9,600	NA	
	11/19/92		19.43	22.91	36	21	330	31	5,700	NA	
	02/03/93		15.01	27.33	15	4.6	36	9.6	2,200	NA	
	06/23/93		15.30	27.04	21	24	540	45	8,100	NA	No free product or sheen
	09/22/93		16.90	25.44	22	17	350	16	6,200	NA	No free product or sheen
	01/24/94		NM	NC	NS	NS	NS	NS	NS	NA	Not measured
	04/07/94		15.97	26.37	6.4	2.9	150	4.7	4,000	NA	No free product or sheen
	06/07/94		16.04	26.30	5.6	<2.5	150	5.7	6,700	NA	No free product or sheen
	09/28/94		17.69	24.65	2.2	2.6	110	44	5,700	NA	No free product or sheen
	12/14/94		16.65	25.69	<1.3	<1.3	77	27	3,500	NA	No free product or sheen
	03/15/95		14.08	28.26	<5.0	6.7	150	23	7,200	NA	No free product or sheen
	06/13/95		14.49	27.85	9	48	610	130	8,400	NA	No free product or sheen
	09/28/95		15.81	26.53	22	17	360	24	6,300	NA	No free product or sheen
	12/28/95		15.46	26.88	4.4	5.6	340	11	5,000	37	No free product or sheen
	03/12/96		12.62	29.72	1.4	5.9	41	73	4,500	120	No free product or sheen
	06/11/96		14.40	27.94	<5.0	25	350	81	7,500	<25	No free product or sheen
	10/02/96		15.47	26.87	18	<2.5	<2.5	<2.5	2,600	<25	No free product or sheen
	01/28/97		15.69	26.65	5.9	<2.5	29	19	2,800	<25	No free product or sheen
	05/20/97		14.48	27.86	<20	34	290	74	6,000	<100	No free product or sheen
	08/18/97		15.91	26.43	<20	7.7	94	15	5,900	<50	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-11	02/18/92	45.00	17.00	28.00	<0.5	<0.5	<0.5	<0.5	2,400	NA	
	05/14/92		19.02	25.98	<0.5	1.9	1.3	0.7	1,600	NA	
	08/27/92		21.13	23.87	15	2	0.6	1.2	2,100	NA	
	11/19/92		17.91	27.09	<0.5	<0.5	<0.5	<0.5	490	NA	
	02/03/92		17.91	27.09	<0.5	<0.5	0.55	<0.5	500	NA	
	06/23/93		18.14	26.86	<0.5	<0.5	<0.5	<0.5	350	NA	No free product or sheen
	09/22/93		19.63	25.37	<0.5	0.65	<0.5	0.71	200	NA	No free product or sheen
	01/24/94		19.79	25.21	<0.5	<0.5	<0.5	<0.5	450	NA	
	04/07/94		18.78	26.22	<0.5	<0.5	<0.5	<0.5	500	NA	No free product or sheen
	06/07/94		18.88	26.12	<0.5	<0.5	<0.5	0.64	560	NA	No free product or sheen
	09/28/94		20.45	24.55	<0.5	<0.5	<0.5	<0.5	600	NA	No free product or sheen
	12/14/94		19.45	25.55	<0.5	<0.5	<0.5	<0.5	340	NA	No free product or sheen
	03/15/95		17.32	27.68	<0.5	<0.5	<0.5	<0.5	340	NA	No free product or sheen
	06/13/95		17.43	27.57	<0.5	<0.5	<0.5	<0.5	210 ^a	NA	No free product or sheen
	09/28/95		18.67	26.33	4.1	0.5	<0.5	<0.5	93	NA	No free product or sheen
	12/28/95		18.31	26.69	<0.5	<0.5	<0.5	<0.5	380 ^a	<5.0	No free product or sheen
	03/12/96		15.89	29.11	<0.5	<0.5	<0.5	<0.5	110	<5.0	No free product or sheen
	06/11/96		16.98	28.02	<0.5	<0.5	<0.5	<0.5	400 ^a	<5.0	No free product or sheen
	10/02/96		18.20	26.80	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	01/28/97		12.53	32.47	<0.5	<0.5	<0.5	<0.5	110 ^a	<5.0	No free product or sheen
	05/20/97		17.36	27.64	<0.5	<0.5	<0.5	<0.5	330	<5.0	No free product or sheen
	08/18/97		18.84	26.16	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	09/29/97		NM	NC	NS	NS	NS	NS	NS	NS	Not measured

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser	Depth to Water	Ground Water	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH as gasoline	MTBE	Comments
		Elevation (ft)	(ft)	Elevation (ft)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-1	05/14/92	43.17	16.88	26.29	NS	NS	NS	NS	NS	NS	
	05/15/92		NM	NC	270	62	29	140	790	NA	
	08/27/92		19.05	24.12	1,300	200	68	810	24,000	NA	
	11/19/92		21.11	22.07	NS	NS	NS	NS	NS	NS	
	02/03/92		15.48	27.69	71	35	22	110	620	NA	
	06/23/93		28.25	14.92	30	33	9.8	35	220	NA	No free product or sheen
	09/22/93		17.83	25.34	800	400	170	910	4,100	NA	No free product or sheen
	01/24/94		24.00	19.17	33	6	6.9	23	190	NA	
	04/07/94		16.05	27.12	110	57	32	260	1,500	NA	No free product or sheen
	06/07/94		16.00	27.17	130	51	45	180	1,700	NA	No free product or sheen
	09/28/94		18.35	24.82	54	9.2	12	29	350	NA	No free product or sheen
	12/14/94		19.50	23.67	6.8	2.1	1.2	3.4	79	NA	No free product or sheen
	03/15/95		17.00	26.17	NS	NS	NS	NS	NS	NS	No free product or sheen
	04/10/95		NM	NC	54	11	11	69	410	NA	Not measured
	06/13/95		14.95	28.22	1,600	780	340	1,400	8,200	NA	No free product or sheen
	09/28/95		27.63	15.54	<0.5	<0.5	<0.5	<0.5	<50	NA	No free product or sheen
	12/28/95		14.54	28.63	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No free product or sheen
	03/12/96		11.02	32.15	<0.5	<0.5	<0.5	<0.5	86	110	No free product or sheen
	06/11/96		14.52	28.65	38	11	4.7	50	230	68	No free product or sheen
	10/02/96		15.53	27.64	68	29	14	75	360	47	No free product or sheen
	01/28/97		12.59	30.58	0.77	<0.5	<0.5	<0.5	<50	8.8	No free product or sheen
	05/20/97		14.85	28.32	<0.5	<0.5	<0.5	<0.5	<50	32	No free product or sheen

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser Elevation (ft)	Depth to Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
RW-1	08/18/97	43.17	16.19	26.98	25	<0.5	<0.5	3.6	220	170	No free product or sheen
(Cont.)	09/29/97		NM	NC	240	2.8	51	55	900	230	Not measured

* Product is not typical gasoline.

Top of Riser Elevations = Elevations surveyed by Aegis Environmental and are assumed relative to mean sea level.

TPH = Total petroleum hydrocarbons.

MTBE = Methyl tertiary butyl ether.

µg/L = Micrograms per liter.

NA = Not analyzed.

NM = Not measured.

NC = Not calculated.

NS = Not sampled.

Note: Aegis Environmental, Inc., collected data prior to June 23, 1993.

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 721
44 Lewelling Boulevard
San Lorenzo, California

Monitoring Well	Date	Top of Riser	Depth to Water	Ground Water		Ethyl-benzene	Total Xylenes	TPH as gasoline	MTBE	Comments
		Elevation (ft)	(ft)	Elevation (ft)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-1	05/14/92	43.17	16.88	26.29	NS	NS	NS	NS	NS	
	05/15/92		NM	NC	270	62	29	140	790	NA
	08/27/92		19.05	24.12	1,300	200	68	810	24,000	NA
	11/19/92		21.11	22.07	NS	NS	NS	NS	NS	NS
	02/03/92		15.48	27.69	71	35	22	110	620	NA
	06/23/93		28.25	14.92	30	33	9.8	35	220	NA
	09/22/93		17.83	25.34	800	400	170	910	4,100	NA
	01/24/94		24.00	19.17	33	6	6.9	23	190	NA
	04/07/94		16.05	27.12	110	57	32	260	1,500	NA
	06/07/94		16.00	27.17	130	51	45	180	1,700	NA
	09/28/94		18.35	24.82	54	9.2	12	29	350	NA
	12/14/94		19.50	23.67	6.8	2.1	1.2	3.4	79	NA
	03/15/95		17.00	26.17	NS	NS	NS	NS	NS	No free product or sheen
	04/10/95		NM	NC	54	11	11	69	410	NA
	06/13/95		14.95	28.22	1,600	780	340	1,400	8,200	NA
	09/28/95		27.63	15.54	<0.5	<0.5	<0.5	<0.5	<50	NA
	12/28/95		14.54	28.63	<0.5	<0.5	<0.5	<0.5	<50	No free product or sheen
	03/12/96		11.02	32.15	<0.5	<0.5	<0.5	<0.5	86	110
	06/11/96		14.52	28.65	38	11	4.7	50	230	No free product or sheen
	10/02/96		15.53	27.64	68	29	14	75	360	47
	01/28/97		12.59	30.58	0.77	<0.5	<0.5	<0.5	<50	8.8
	05/20/97		14.85	28.32	<0.5	<0.5	<0.5	<0.5	<50	32
	08/18/97	43.17	16.19	26.98	25	<0.5	<0.5	3.6	220	No free product or sheen
	09/29/97		NM	NC	240	2.8	51	55	900	230

* Product is not typical gasoline.

Top of Riser Elevations = Elevations surveyed by Aegis Environmental and are assumed relative to mean sea level.

TPH = Total petroleum hydrocarbons.

MTBE = Methyl tertiary butyl ether.

µg/L = Micrograms per liter.

NM = Not measured.

NC = Not calculated.

NS = Not sampled.

NA = Not analyzed.



GENERAL NOTES:

BASE MAP FROM U.S.G.S.

HAYWARD, CA.

7.5 MINUTE TOPOGRAPHIC
PHOTOREVISED 1980

North


FIGURE 1

SITE LOCATION MAP
BEACON STATION NO. 721
44 LEWELLING BOULEVARD
SAN LORENZO, CA.


PROJECT NO. 40-93-936	DRAWN BY I.H. 11/2/82	TMG
FILE NO. _____	PREPARED BY	
REVISION NO. 1	REVIEWED BY M.M.B. 11/19/82	



Delta
Environmental
Consultants, Inc.



LEWELLING BOULEVARD



LEGEND:

- B-1 SOIL BORING LOCATION
- ◎ RW-1 RECOVERY WELL LOCATION
- MW-1 MONITORING WELL LOCATION
- AS-1 AIR SPARGING WELL LOCATION
- (26.98) GROUND WATER ELEVATION RELATIVE TO
MEAN SEA LEVEL (MSL)
- 26.50 — WATER TABLE CONTOUR RELATIVE TO MSL
- ← GROUND WATER FLOW DIRECTION

NOTE:

BASE MAP ADAPTED FROM RESNA FIGURE DATED 1/9/92
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED




FIGURE 3
GROUND WATER ELEVATION CONTOUR MAP
8/18/97
BEACON STATION NO. 721
44 LEWELLING BOULEVARD
SAN LORENZO, CA.

PROJECT NO. D093-836	DRAWN BY M.L. 10/9/97
FILE NO. 83-836-1	PREPARED BY CKA
REVISION NO. 2	REVIEWED BY CICA



LEWELLING BOULEVARD

VA GRANADA



North

LEGEND:

- B-1 SOIL BORING LOCATION
- ◎ RW-1 RECOVERY WELL LOCATION
- MW-1 MONITORING WELL LOCATION
- AS-1 AIR SPARGING WELL LOCATION
- (25) BENZENE CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)
- (NS) NOT SAMPLED

NOTE:

BASE MAP ADAPTED FROM RESNA FIGURE DATED 1/9/92
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED




FIGURE 4
BENZENE CONCENTRATION MAP
8/18/97
BEACON STATION NO. 721
44 LEWELLING BOULEVARD
SAN LORENZO, CA.

PROJECT NO. D093-836	DRAWN BY M.L. 8/2/97
FILE NO. 83-836-1	PREPARED BY BIH
REVISION NO. 1	REVIEWED BY <i>CJA</i>



ENCLOSURE A

Field Methods and Procedures

QUALITY ASSURANCE PLAN

This section describes the field and analytical procedures to be followed throughout the investigation.

General Sample Collection and Handling Procedures

Proper collection and handling are essential to ensure the quality of a sample. Each sample is collected in a suitable container, preserved correctly for the intended analysis, and stored prior to analysis for no longer than the maximum allowable holding time. Details on the procedures for collection and handling of samples used on this project can be found in this section.

Water Sample Collection for Volatile Organic Analyses

For volatile organic analyses (VOA), the water sample is decanted into each VOA vial in such a manner that there is no meniscus at the top of the vial. A cap is quickly secured to the top of the vial. The vial is inverted and gently tapped to see if air bubbles are present. If none are present, the vial is labeled and refrigerated according to soil and water sample labeling and preservation.

Water Sample Labeling and Preservation

Label information includes a unique sample identification number, job identification number, date, and time. After labeling all soil and water samples are placed in a Ziploc® type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Delta's office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain of custody form.

Upon recovery, the sample container is sealed to minimize the potential of volatilization and cross-contamination prior to chemical analysis. Soil sampling tubes are typically closed at each end with Teflon® sheeting and plastic caps. The sample is then placed in a Ziploc® type bag and sealed. The sample is labeled and refrigerated at approximately 4° Celsius for delivery, under strict chain-of-custody, to the analytical laboratory.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling

methodology, names of on-site personnel, and any other pertinent field observations, is recorded on the borehole log or in the field records. Samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book, maintained by the laboratory, in the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

ENCLOSURE B

Field Sampling Data Sheets

SAMPLING INFORMATION SHEET



**Delta
Environmental
Consultants, Inc.**

Sample ID# MW-1 Project Name: Beacon 721 Project No. D093-936
Location (address): 44 LEWELLING Blvd. SAN LORENZO, CA
Date Sampled: 8/18/97 Time: 0945
Wellhead assembly condition: Good Fair Poor (If poor, see comments)
Equipment Replaced: bolts locks locking cap
Well Depth 31.20 ft below top of casing Casing diameter 2 inches
Depth in water (below top of casing) 16.74 ft Date: 8/18/97 Time 2840
Well Casting Volume Multiplier: 0.16 for 2", 0.45 for 4", 1.47 for 6"
Purging method: Submersible pump Bailer Continuous pump Other _____
At least _____ well volumes have been evacuated before sampling.
Tubing (type): _____ (new or previously used) was used to purge well
Sampling method: Disposable bailer Sampling port
Samples collected 2 VOA's - BTEX; TOC Sample appearance: Cloudy
Note any sampling problems NONE

POINT WATER EVACUATION/STABILIZATION DATA

CONTENTS

~~Temperature (thermometer)~~ / coffee + ice

Some suggested topics

Summary

SAMPLING INFORMATION SHEET



**Delta
Environmental
Consultants, Inc.**

Sample ID# MW-2 Project Name: BEACON 721 Project No. D093-936
Location (address) 44 LEWELLING BLVD. SAN LORENZO, CA
Date Sampled: 8/18/84 Time: 0930
Wellhead assembly condition: Good Fair Poor (If poor, see comments)
Equipment Replaced: 0 o-rings 0 locks 0 locking cap
Well Depth 33.30 ft below top of casing Casing diameter 2 inches
Depth to water (below top of casing) 1600 ft Date: 8/18/84 Time 0925
Well Casing Volume Multiplier: 0.16 for 2", 0.65 for 4", 1.47 for 6"
Purging method: Submersible pump Baller Compressed air Other
At least _____ well volumes have been evacuated before sampling.
Tubing (type): (new or previously used) was used to purge well
Sampling method: X Disposable baller Sampling port
Samples collected 2 VOA's - 3 TEX; 1 PH Sample appearance Cloudy
Note any sampling problems None

BOND WATER EVACTION/STABILIZATION DATA

Congress

Transpiration (therm. respiration) COOLER & ICE

Form completed by: _____

Sampled by: J

SAMPLING INFORMATION SHEET



Delta
Environmental
Consultants, Inc.

Sample ID# MW-3 Project Name: BEACON 721 Project No. D093-936
Location (address): 44 CLEVELAND BLVD. SAN LORENZO, CA
Date Sampled: B 18 1977 Time: 1000
Wellhead assembly condition: Good Fair Poor (If poor, see comments)
Equipment Replaced: bolts locks locking cap
Well Depth 29.30 ft below top of casing Casing diameter 2 inches
Depth to water (below top of casing) 16.05 ft Date: B 1 18 1977 Time 0755
Well Casing Volume Multiplier: 0.16 for 2", 0.45 for 4", 1.67 for 6"
Purging method: Submersible pump Bailer Cannister pump Other
At least one well volumes have been evacuated before sampling.
Tubing (type): (new or previously used) was used to purge well
Sampling method: X Disposable bailer Sampling port
Samples collected 2 VOA's - BTEX; TRHg Sample appearance Cloudy
Note any sampling problems None

SEAWATER EVACUATION/STABILIZATION DATA

Comments

~~Temperature~~ (temp) COOLER + ICE

[Signature]

Scanned by: _____

SAMPLING INFORMATION SHEET



**Delta
Environmental
Consultants, Inc.**

Sample ID# MW-4 Project Name: BEACON 721 Project No. D093-936
Location (address) 441 WELLING Blvd, SAN LORENZO, CA
Date Sampled: 8/18/87 Time: 1125
Wellhead assembly condition: Good Fair Poor (If poor, see comments)
Equipment Replaced: bolts locks locking cap
Well Depth 24.60 ft below top of casing Casing diameter 2 inches
Depth to water (below top of casing) 17.59 ft Date: 8/18/87 Time 1020
Well Casing Volume Multiplier: 0.16 for 2", 0.65 for 4", 1.47 for 6"
Pumping method: Submersible pump Bailer Centrifugal pump Other
At least _____ well volumes have been evacuated before sampling.
Tubing (type): _____ (new or previously used) was used to purge well
Sampling method: X Disposable bailed Sampling port
Samples collected 2 VOA's - BTEX; TO₄ Sample appearance Clear
Note any sampling problems None

BOND WATER EVACUATION/STABILIZATION DATA

Comments

Transpiration (thermic transpiration) cocca $\frac{1}{2}$ ice

~~Page seventeen~~ by

Scanned by

SAMPLING INFORMATION SHEET



**Delta
Environmental
Consultants Inc.**

Sample Date MW-5 Project Name: BEACON 721 Project No. D093-93L

Section (address) 44 LEWELING BLVD. SAN LORENZO, CA

Date Sampled: 3/18/97 Time: 0920

Welded assembly condition: Good Fair Poor (If poor, see comments)

Environment Benjaredi boats locks locking cap

W-1 Part 29.20 below on or before Casting diameter 2 inches

Date: 8/8/92 Time: 09:15

मुख्य विषयात् विभिन्न विभिन्न विभिन्न विभिन्न विभिन्न

Scutigerella *scutigerella* *Scutigerella* *Scutigerella* *Scutigerella*

well as in some cases been unrooted before sampling.

), (not as previously used) was used in this test.

Living type: N. sp. affinis Scamman

Sampling location _____ Sample date _____
Date 10/10/2011 Sample number Clusters

Samples C1-C2 2 hours Starting

GROUND WATER EVACUATION/STABILIZATION DATA

 [View Details](#)

Transposition (thermally activated) cooler to ice

Sampled by: _____

SAMPLING INFORMATION SHEET



**Delta
Environmental
Consultants, Inc.**

Sample ID# MW-6 Project Name: BE4CON721 Project No. D093-936

7. Return address: 44 LEWISING BLD. SAN LORENZO, CA

Date Sampled: 8/8/97 Time: 0940

Weathered assembly condition: Good Fair Poor (If poor, see comments)

Environment Recipient: baits ____ locks ____ locking cap

Cast Part 28-70 at below tip of casting Casting diameter 2 inches

Date: 3-16-87 Time 0900

Depot w water (less so at 1000 ft) -

Well Casing Volume Meters. V.10 No. 1, June 1971, ISSN 0043-1397

Praying method: _____ Subordinate group: _____ Date: _____

At least _____ well volunteers have been evacuated from campsite.

Tubing (type: silastic) (name of previous

Sampling method: Disposable cuvettes Sampling pot

Samples collected 2 VOR's - BTEX; TPHg Sample prep Filtering

GROUND WATER EXTRACTION/ABILIZATION DATA

Copyright

Temperature ($^{\circ}\text{C}$) ~~versus~~ CO_2 ice

Digitized by srujanika@gmail.com

Sampled by: H

SAMPLING INFORMATION SCREEN



Delta
Environmental
Consultants Inc.

Sample Date M/N-7 Project Name: BENCON 721 Project No. D093-936

1. Return address: 44 LEWELLING BLVD. SAN LORENZO, CA

Date Sampled: 8/18/97 Time: 0855

Well-head assembly condition: Good Fair Poor (If poor, see comments)

Environment Reinforcement coins locks locking cap

Well Depth 24.30 ft below surface Casing diameter 2 inches

Amount 14.95 Date 8/18/97 Time 0845

zu den Volumen-Mittlern: 0,16 für \bar{V} , 0,65 für \bar{V}_1 , 1,57 für \bar{V}_2

Wet casting volume (milliliters) _____, dry cast volume _____

and visitors have been encouraged to take samples.

At least _____ wet meadows have been evaluated for _____.

Tuning (type): ✓

Sampling method: Disposable baits Sampling port

Samples collected 2 VOA's - BTEX; TPHg Sample appearance Clean

Note any sampling problems None

BOND WATER EVACUATION/STABILIZATION DATA

[View Details](#) | [Edit](#) | [Delete](#)

Transcription (transcription) Colder to ice

Form completed by: W.L.

סמסטר נ

SAMPLING INFORMATION SHEET



Sample ID# MW-8 Project Name: BEACON 721 Project No. D093-936

1. Return address: 44 LEWELLING BLD. SAN LORENZO, CA

Date Sampled: 8/18/97 Time: 0840

Blind assembly condition: Good Fair Poor (If poor, see comments)

Equipment Required: boins locks locking set

Cast iron 2322 below end of casting Casing diameter 2 inches

Wet Depth 22.00 Status 1/2 full Date 8/18/52 Time 2833

Decomposition of water (below wavy line) $\frac{1}{2} \text{ mole}$

Well Casting Volume Multiplier: 0.16 for 2", 0.22 for 3", 1.0 for 4"

Planting method: Submerse-style planting Basal Containerized planting Other _____

At least 4 well volumes have been evacuated before sampling.

Training (type: _____). (new or previously used) was used to purge well _____).

Dicranella heteromalla Sampling point

Sampling method: X Dispersal value: Sampling coverage: 60%

Samples collected 2 VOA's - 81 ex.; 1 VPA

Note any sampling problems None

BONN WATER EVACTION/STABILIZATION DATA

Contents

~~Transportation (from Winnipeg)~~ Cooler & ice

Form completed by: _____

Sampled by: C

SAMPLING INFORMATION SHEET



Delta
Environmental
Consultants, Inc.

Sample ID: MW-9 Project Name: BEACON 721 Project No. D093-936

Location (address) 441 EWELLING BLD. SAN LORENZO, CA

Date Sampled: _____ / _____ / _____ Time: _____

Well-defined assembly conditions: Good Fair Poor (If poor, see comments)

Equipment Required: bolts locks locking cap

Wall Distance 23.80 in below top of casting Casting diameter 2 inches

Date: _____ / _____ / _____ Time: _____

SLR Casting Volume Multiplier: 0.16 mm⁻², 0.63 mm⁻², 1.67 mm⁻²

Symmetria curva *Reuter* *Centromeris curva* *Ober*

—3 minutes have been accounted before sampling

1. (any or as many as you need) True

Twoing (type): _____.

Sampling method: _____ Disposable vials _____ Sampling vials _____

Samples collected 2 VOA 5 - BTEX, Toluene

Note any sampling problems _____

~~GROUND WATER EVACUATION/STABILIZATION DATA~~

Comments OK on all

Transportation (thermal preservation) Cooler to ice

Form completed by: _____ Sampled by: _____

SAMPLING INFORMATION SHEET



Delta
Environmental
Consultants, Inc.

Sample ID# MW-10 Project Name: BEACON 721 Project No. D093-934
Location (address) 44 LEWELLING Blvd SAN LORENZO CA
Date Sampled: 8/10/97 Time: 0810
Wellhead assembly condition: Good Fair Poor (If poor, see comments)
Equipment Replaced: bolts locks locking cap
Well Depth 29.50 ± below top of casing Casing diameter 2 inches
Depth to water (below top of casing) 15.91 ± Date: 8/10/97 Time 0835
Well Casing Volume Multiplier: 0.16 for 2", 0.65 for 4", 1.47 for 6"
Purging method: Submersible pump Bailer Circulating pump Other
At least 4 well volumes have been evacuated before sampling.
Tubing (type: /). (new or previously used) was used to purge well
Sampling method: Disposable bailed Sampling port
Samples collected 2 UOA's - BTEX, TPH Sample appearance clear
Note any sampling problems none

BOND WATER EVACUATION/STABILIZATION DATA

[Comments](#)

~~transpiration (thermal expansion)~~ COOLER & ICE

Scanned by: _____

SAMPLING INFORMATION SHEET



Sample ID# MW-11 Project Name: BEACON 721 Project No. D093-936
Location (address) 44 LEVELLING Bldv. SAN LORENZO, CA
Date Sampled: 8/18/97 Time: 0515
Wellhead assembly condition: Good Fair Poor (if poor, see comments)
Equipment Replaced: bolts locks locking cap
Well Depth 29.50 ft below top of casing Casing diameter 2 inches
Depth to water (below top of casing) 18.84 ± Date: 8/18/97 Time: 0805
Well Casing Volume Multiplier: 0.16 for 2", 0.65 for 4", 1.47 for 6"
Purging method: Submersible pump Bailer Centrifugal pump Other
At least 4 well volumes have been evacuated before sampling.
Tuning (type:). (new or previously used) was used to purge well
Sampling method: Disposable bailer Sampling port
Samples collected 2 VOA's - BTEX, TPH Sample appearance Clear
Note any sampling problems None

SEAWATER EVACUATION/STABILIZATION DATA

GARRETT

Transmission (thermal insulation) 100% to 100%

From *commissarii* by

Sennarid by



Sample ID: RW-1 Project Name: BEACON 721 Project No. D093-936

Residence (address) 44 LEWELLING BLVD. SAN LORENZO, CA

Date Sampled: 8/18/94 Time: 1045

Overall respiratory condition: Good Fair Poor (If poor, see comments)

Equipment Required: bolts locks locking cap

Well Dev't 29.50 ft below top of casing Casing diameter _____ inches

Date: 8/18/97 Time 1035

Well Casting Volume Multiplier: 0.16 for 2", 0.65 for 4", 1.47 for 6"

Drums started: Submersible pump: Bauer Centrifugal pump Other _____

At least well volumes have been evacuated before sampling.

At least _____ ml of water (time: _____). (new or previously used) was used to purge well

Sampling port: Disposable bailer Sampling port

Sampling method depth Same appearance cloudy
Specimens collected

GROUND WATER EVACUATION/STABILIZATION DATA

Comments _____

Transformation (thermal preservation) Cooling + ice

Form completed by: _____ Sampled by: _____


ENCLOSURE C

Ground Water Sample Laboratory Report



Report Number : 10376

Date : 08/28/97



Keoni Almeida
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : Analysis of 11 Water Samples
Project Name : Beacon 721
Project Number : D093-936

Dear Mr. Almeida,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 916-297-4800.

Sincerely,

A handwritten signature in black ink, appearing to read "Joel Kiff". It is written in a cursive style with a large, stylized initial "J". Below the signature, the name "Joel Kiff" is printed in a smaller, sans-serif font.



Report Number : 10376
Date : 08/28/97

Subject : 11 Water Samples
Project Name : Beacon 721
Project Number : D093-936

Case Narrative

The quantitation of TPH as Gasoline for samples MW-2, MW-1, and RW-1 does not include the compound Methyl-t-butyl ether.

The reporting limit for Benzene for sample MW-10 is increased due to the presence of an interfering compound. GC/MS analysis is recommended if increased sensitivity is required.

Approved By:  Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : MW-2

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Toluene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Ethylbenzene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Total Xylenes	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Methyl-t-butyl ether	2000	25	ug/L	EPA 8020	08/27/97
TPH as Gasoline	< 250	250	ug/L	M EPA 8015	08/27/97
aaa-Trifluorotoluene (8020 Surrogate)	99.4		% Recovery	EPA 8020	08/27/97
aaa-Trifluorotoluene (Gasoline Surrogate)	95.3		% Recovery	M EPA 8015	08/27/97

Sample : MW-1

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Toluene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Ethylbenzene	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Total Xylenes	< 2.5	2.5	ug/L	EPA 8020	08/27/97
Methyl-t-butyl ether	540	25	ug/L	EPA 8020	08/27/97
TPH as Gasoline	< 250	250	ug/L	M EPA 8015	08/27/97
aaa-Trifluorotoluene (8020 Surrogate)	98.2		% Recovery	EPA 8020	08/27/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.6		% Recovery	M EPA 8015	08/27/97

Approved By: Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : MW-3

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	480	2.5	ug/L	EPA 8020	08/28/97
Toluene	8.4	2.5	ug/L	EPA 8020	08/28/97
Ethylbenzene	100	2.5	ug/L	EPA 8020	08/28/97
Total Xylenes	230	2.5	ug/L	EPA 8020	08/28/97
Methyl-t-butyl ether	170	25	ug/L	EPA 8020	08/28/97
TPH as Gasoline	3600	250	ug/L	M EPA 8015	08/28/97
aaa-Trifluorotoluene (8020 Surrogate)	93.1		% Recovery	EPA 8020	08/28/97
aaa-Trifluorotoluene (Gasoline Surrogate)	106		% Recovery	M EPA 8015	08/28/97

Sample : MW-4

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	08/23/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/23/97
aaa-Trifluorotoluene (8020 Surrogate)	102		% Recovery	EPA 8020	08/23/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.8		% Recovery	M EPA 8015	08/23/97

Approved By: Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : MW-6

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	08/23/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/23/97
aaa-Trifluorotoluene (8020 Surrogate)	99.1		% Recovery	EPA 8020	08/23/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.8		% Recovery	M EPA 8015	08/23/97

Sample : MW-5

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	08/23/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/23/97
aaa-Trifluorotoluene (8020 Surrogate)	97.0		% Recovery	EPA 8020	08/23/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.5		% Recovery	M EPA 8015	08/23/97

Approved By: Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : MW-8

Matrix : Water

Sample Date :08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	08/23/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/23/97
aaa-Trifluorotoluene (8020 Surrogate)	102		% Recovery	EPA 8020	08/23/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.9		% Recovery	M EPA 8015	08/23/97

Sample : MW-7

Matrix : Water

Sample Date :08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Methyl-t-butyl ether	18	5.0	ug/L	EPA 8020	08/22/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/22/97
aaa-Trifluorotoluene (8020 Surrogate)	101		% Recovery	EPA 8020	08/22/97
aaa-Trifluorotoluene (Gasoline Surrogate)	92.7		% Recovery	M EPA 8015	08/22/97

Approved By: Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : MW-11

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	08/22/97
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	08/22/97
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	08/22/97
aaa-Trifluorotoluene (8020 Surrogate)	102		% Recovery	EPA 8020	08/22/97
aaa-Trifluorotoluene (Gasoline Surrogate)	93.4		% Recovery	M EPA 8015	08/22/97

Sample : MW-10

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 20	20	ug/L	EPA 8020	08/27/97
Toluene	7.7	5.0	ug/L	EPA 8020	08/27/97
Ethylbenzene	94	5.0	ug/L	EPA 8020	08/27/97
Total Xylenes	15	5.0	ug/L	EPA 8020	08/27/97
Methyl-t-butyl ether	< 50	50	ug/L	EPA 8020	08/27/97
TPH as Gas (excluding MTBE)	5900	500	ug/L	M EPA 8015	08/27/97
aaa-Trifluorotoluene (8020 Surrogate)	89.9		% Recovery	EPA 8020	08/27/97
aaa-Trifluorotoluene (Gasoline Surrogate)	105		% Recovery	M EPA 8015	08/27/97

Approved By: Joel Kiff



Report Number : 10376

Date : 08/28/97

Project Name : Beacon 721

Project Number : D093-936

Sample : RW-1

Matrix : Water

Sample Date : 08/18/97

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	25	0.50	ug/L	EPA 8020	08/23/97
Toluene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	08/23/97
Total Xylenes	3.6	0.50	ug/L	EPA 8020	08/23/97
Methyl-t-butyl ether	170	5.0	ug/L	EPA 8020	08/23/97
TPH as Gasoline	220	50	ug/L	M EPA 8015	08/23/97
aaa-Trifluorotoluene (8020 Surrogate)	99.5		% Recovery	EPA 8020	08/23/97
aaa-Trifluorotoluene (Gasoline Surrogate)	97.7		% Recovery	M EPA 8015	08/23/97

Approved By: Joel Kiff



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

10376

Beacon Station No.	Sampler (Print Name)	ANALYSES			Date	Form No.	
Project No.	Sampler (Signature)	BTEX	TPH (gasoline)	TPH (diesel)	8-18-97	1 of 2	
Project Location	Affiliation				No. of Containers		
721	Tony Stoops					Kiff - (A.B.)	
DO93-936	Defty					Davis	
San Lorenzo	Defty					Standard TAT	
Sample No./Identification	Date	Time	Lab No.			REMARKS	
MW-11	8-18-97	0815	-01	X			
MW-10		0820	-02				
MW-8		0840	-03				
MW-7		0855	-04				
MW-6		0910	-05				
MW-5		0915	-06				
MW-2		0930	-07				
MW-1		0945	-08				
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)			Date	Time
<i>Defty</i>	8/20/97	11:56a	<i>Mary Corbit</i> / Kiff			8/20/97	11:56a
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)			Date	Time
<i>Defty</i>							
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)			Date	Time
<i>Mary Corbit / Kiff</i>	8/20	3:15p	<i>Jill Cap</i>			8/20	3:15p
Report To:			Bill to:	ULTRAMAR INC. 525 West Third Street Hanford, CA 93230			
			Attention:	<i>T. Fox</i>			



Ultramar Inc.
CHAIN OF CUSTODY REPORT

10376

BEACON

Beacon Station No. 72-1	Sampler (Print Name) Tay Stroop	ANALYSES			Date 8-18-97	Form No. 2 of 2
Project No. D293936	Sampler (Signature) Tay Stroop				Kiff Ame. Davis. Standard TAT	
Project Location San Lorenzo	Affiliation DCHS					
Sample No./Identification MW-3	Date 8-18-97	Time 1000	Lab No. -09	BTEX	No. of Containers 2	REMARKS
MW-4	/	1125	-10	TPH (gasoline)		
RW-1	/	1045	-11	TPH (diesel)		
Relinquished by: (Signature/Affiliation) DCHS / DCHS	Date 8/18/97	Time 11:50a	Received by: (Signature/Affiliation) Mary Corbet / Kiff		Date 8/18/97	Time 11:50a
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)		Date	Time
Mary Corbet / Kiff	8/20	3:15a	Jill (41)		8/20	3:15a
Report To: K. Ame. Lab Davis	Bill to:	ULTRAMAR INC. 525 West Third Street Hanford, CA 93230	Attention: T. Fox			