DEPARTMENT OF TRANSPORTATION

BOX 23660 OAKLAND, CA 94623-0660 (510) 286-4444 TDD (510) 286-4454



July 14, 1999

Don Hwang Alameda County Department of Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502

Subject:

Ettie Street Maintenance Station

Dear Mr. Hwang:

This report summarizes the Final Site Investigation Report at the Ettie Street maintenance station.

If you have any questions, please contact Sheila Yazdy at (510) 286-5256.

Sincerely,

RONALD M. MORIGUCHI
District Office Chief

Office of Environmental Engineering

By:

ፉ, SUBHASH AGARWAL

Hazardous Waste Branch Chief

Office of Environmental Engineering

Attachment: Final Site Investigation Report for Ettie Street Maintenance Station

STIR BW SITH

PROTECTION PAR

HAZARDOUS WASTE PRELIMINARY SITE INVESTIGATION REPORT TASK ORDER NUMBER: 04-911175-47

ETTIE MAINTENANCE STATION OAKLAND, CALIFORNIA

prepared for

CALIFORNIA DEPARTMENT OF TRANSPORTATION District 4

111 Grand Avenue Oakland, California

prepared by

Professional Service Industries, Inc.

3777 Depot Road, Suite 418 Hayward, California 94545 (510) 785-1111

> July 9, 1999 575-71022

STA	TEMENT OF LIMITATIONS AND PROFESSIONAL CERTIFICATION	į
1.0	INTRODUCTION	1
2.0	PRE-FIELD ACTIVITIES	3
3.0	SUBSURFACE INVESTIGATION	4
4.0	ANALYTICAL RESULTS	7
5.0	DISCUSSION	88
6.0	CONCLUSIONS AND RECOMMENDATIONS	9

TABLE OF CONTENTS CONTINUED

FIGURES

FIGURE 1: SITE LOCATION

FIGURE 2: SITE PLAN

FIGURE 3: GROUNDWATER ELEVATION MAP

TABLES

TABLE 1: LABORATORY RESULTS FOR SOIL SAMPLES: NON-METALS

TABLE 2: LABORATORY RESULTS FOR SOIL SAMPLES: METALS TABLE 3: LABORATORY RESULTS FOR GROUNDWATER SAMPLES

APPENDICES

APPENDIX A: TETRA TECH FINAL REPORT

APPENDIX B: FIELD PROCEDURES

APPENDIX C: BORING LOGS

APPENDIX D: WELL CONSTRUCTION DIAGRAMS

APPENDIX E: SURVEY DATA

APPENDIX F: LABORATORY RESULTS AND CHAIN-OF-CUSTODY RECORDS APPENDIX G: LABORATORY RESULTS FROM BAY BRIDGE DISTRIBUTION

STRUCTURE

STATEMENT OF LIMITATIONS AND PROFESSIONAL CERTIFICATION

Information provided in this Site Investigation Report, by Professional Service Industries, Inc. (PSI), is intended exclusively for the use of Caltrans for the evaluation of subsurface conditions as it pertains to the subject site. The professional services provided have been performed in accordance with practices generally accepted by other geologists, hydrologists, hydrogeologists, engineers, and environmental scientists practicing in this field. No other warranty, either expressed or implied, is made. As with all subsurface investigations, there is no guarantee that the work conducted identified any or all sources or locations of contamination.

This Report is issued with the understanding that Caltrans is responsible for ensuring that the information contained herein is brought to the attention of the appropriate regulatory agency. This Report has been reviewed by a geologist who is registered in the State of California and whose signature and license number appear below.

Scott A. Bowers **Project Geologist** Frank R. Poss Associate Hydrogeologist

> No. 5951 EXP. 3-21-00

OFCA

Mn Whiting, RG #5951

Senior Geologist

1.0 INTRODUCTION

Professional Service Industries, Inc. (PSI) has been retained by the California Department of Transportation (Caltrans), under Task Order Number 04-911175-46 and Contract Number 43Y097, to conduct a hazardous waste site assessment of current soil and groundwater conditions at the Ettie Street Maintenance Station, Oakland, California (subject site; Figure 1). The scope of work for this investigation included:

- Soil and groundwater sampling and laboratory analyses to assess the lateral and vertical extent of soil and groundwater contamination beneath the site, if present;
- Generation of a Final Report detailing the results of the data analysis and site investigation.

1.1 SITE BACKGROUND

Information provided by Caltrans in the Task Order, dated May 28, 1997, indicates that two underground fuel tanks (UST) at the Ettie Maintenance Station were removed from the site on October 19 and 20, 1995. Laboratory analyses of soil and groundwater samples collected from the UST excavation indicated the presence of diesel and waste oil hydrocarbons.

On February 8, 1996, soil and groundwater samples were collected by Tetra Tech from two borings drilled downgradient from the former USTs and dispensers. The results of the soil analyses indicated that detectable concentrations of total petroleum hydrocarbons as oil (TPH-Oil) were as high as 1,200 milligrams per kilogram (mg/kg), while detectable concentrations of TPH-oil and TPH as diesel (TPH-D) in groundwater samples were as high as 2,300 milligrams per liter (mg/l) and 62.5 mg/l, respectively. A copy of the Tetra Tech Final Report dated June 1996 is presented in Appendix A.

An additional investigation of the site area was completed by PSI in February and March 1996 for seismic retrofitting of the freeway columns and bents. PSI drilled over 100 borings in the general area with four of the borings (BM-29 through BM-32) being adjacent to the bents shown in Figure 2. Soil samples were collected at 0.15, 0.3, 0.6, and 1.5 meters (0.5, 1, 2, and 5 feet) bgs. The soil samples from borings BM-29 and BM-30 were analyzed for selected metals; benzene, toluene, ethylbenzene, and total xylenes (BTEX); and total recoverable petroleum hydrocarbons (TRPH). The soil samples from borings BM-31 and BM-32 were analyzed for selected metals, BTEX, total petroleum hydrocarbons as gasoline (TPH-G), TPH-D, and TRPH. The results of the soil analyses indicated that two soil samples from these four borings had soluble lead concentrations greater than the soluble threshold limit concentration (STLC) for lead (5 milligrams per

liter (mg/l)). These samples were collected at 0.6 meters (2 feet) in boring BM-30 and at 0.3 meters (1 foot) in boring BM-32. None of the organic compounds were detected with the exception of TRPH. TRPH concentrations ranged from not detected to 400 milligrams per kilogram (mg/kg). The conclusion of the report stated that there was no correlation between lead and TRPH concentrations and their spatial distribution (PSI report for Caltrans Distribution Structure April 4, 1996).

1.2 PROJECT OBJECTIVE

The purposes of this phase of work were to determine the concentrations of selected potentially hazardous constituents in soil and groundwater across the site, and assess their potential impacts on the surrounding environment and personnel at the site. Analytical results from the soil and groundwater investigation were examined with respect to regulatory requirements and guidelines.

2.0 PRE-FIELD ACTIVITIES

This section describes the tasks performed by PSI prior to initiating any field activities. Prior to initiation of field activities, PSI marked the boring locations in white paint and contacted Underground Service Alert a minimum of 48-hours prior to beginning work to locate buried utilities.

A site-specific Health and Safety Plan (HSP) was developed in compliance with 29 CFR 1910.120, and reviewed and signed by a Certified Industrial Hygienist. The HSP was designed to address the potential hazardous materials that may be encountered during field activities at the site and to minimize the exposure to potentially hazardous materials and unsafe working conditions to on-site personnel. PSI also obtained a permit from the Zone 7 Water Agency for the installation of four monitoring wells and drilling of two borings at the site.

3.0 SUBSURFACE INVESTIGATION

This section describes the methodology used to conduct a soil and groundwater investigation at the site. The sampling procedures establish protocols for conducting an investigation that will provide an accurate assessment of the current soil and groundwater conditions and to minimize the potential for cross-contamination during sampling operations.

3.1 SOIL BORINGS

On July 29, 1997, five soil borings (B1, B2/MW-3, B3/MW-2, B4/MW-1, B5, and B6/MW-4) were completed at the site (Figure 2). Soil borings were advanced using a Geoprobe 5400 direct push sampling rig. Geoprobe services were provided by Fisch Environmental of Valley Springs, California. The borings were advanced using a 1-inch diameter core sampler fitted with a retractable tip and lined with stainless steel, brass, or acetate sleeves (Appendix B). The core was advanced using a hydraulic press to the desired sampling depth and the retractable tip was released. The core sampler was driven approximately 0.6 meters (2 feet) into the undisturbed native soil using a percussion hammer. An undisturbed soil sample was recovered from the desired sampling depth. The borings were sampled at 1.5 and 3.0 meters (5 and 10 feet) below ground surface (bgs). Soil samples were not collected below first detected groundwater.

Groundwater was detected in each of the borings at approximately 3.3 meters (11 feet bgs), however the lithology consisted of Bay Muds, which would not yield water. Following completion of borings B2/MW-3, B3/MW-2, B4/MW-1, and B6/MW-4, they were converted to monitoring wells. Additionally, to facilitate future groundwater sampling, temporary wells were constructed in borings B1 and B5. The wells were constructed with pre-packed filter pack and 1-inch diameter Polyvinyl chloride (PVC) casing slotted from 2.1 to 4.8 meters (7 to 16 feet) bgs. A 0.2 meter (6-inch) bentonite seal was placed above the pre-packed sand and hydrated. The remaining annulus was filled to within 0.2 meters (6-inches) of the surface with neat Portland cement.

The soil samples were logged on chain-of-custody records and transported to GEOTEST of Long Beach, California, a California Department of Health Services certified hazardous materials testing laboratory, following chain-of-custody protocol.

Soils were logged according to the Unified Soil Classification System (USCS). Other information recorded on the boring logs included visible or olfactory evidence of potential contaminants and the depth to the groundwater interface. An organic vapor analyzer (OVA) was used to field screen soil samples for volatile organic compounds (VOCs).

VOC concentrations detected in the samples ranged from 0 to 20 parts per million (ppm). OVA readings were recorded on the boring logs (Appendix C). Soil cuttings and liquids generated from decontamination were collected in 55-gallon drums for temporary storage while awaiting disposal characterization.

Soils observed during drilling activities in borings B1, B2/MW-1, and B3/MW-2 consisted of a grayish brown gravel in the upper 0.9 meters (3 feet). The gravel was underlain by a yellowish brown gravelly clay to 2.1 meters (7 feet) bgs, which was underlain by a black "Bay Mud" clay, which continued the remainder of the boring. In boring B1, a thin gravel layer was observed at 3 meters (10 feet) bgs. In borings B4/MW-3 and B5, the upper 1.5 meters (5 feet) consisted of interbedded clay, sand, and gravel. The interbedded sediments was underlain by a black "Bay Mud" clay, which continued the remainder of the boring. In boring B6/MW-4, the upper 1.5 meters (5 feet) consisted of a greyish to greenish brown gravelly clay with sand. The gravelly clay was underlain by a black "Bay Mud" clay, which continued the remainder of the boring. Groundwater was detected in each of the borings at approximately 3.3 meters (11 feet), however, after the groundwater in the wells had stabilized, the water level had risen to approximately 2.9 meters (9.5 feet) bgs.

3.2 GROUNDWATER MONITORING

On August 7, 1997, PSI collected a water sample from boring B5 using a single-use bailer. Temporary casing had been installed in the well to facilitate the collection of the sample. No water was evident in the temporary casing for boring B1. Upon completion of the sampling, each of the borings was backfilled with hydrated bentonite pellets using the temporary casing as a tremie pipe.

On September 5, 1997, PSI conducted groundwater monitoring activities on three of the newly installed monitoring wells. As the site had been asphalted, the monument casing for monitoring well B6/MW-4 had been destroyed and a groundwater sample could not be collected. Each of the new wells was surveyed by David L. Contreras, Land Surveyor, a California State licensed surveyor, for horizontal location relative to a fixed point on the site to within 3 centimeters (0.1 foot). The elevation at the top of casing was surveyed to within 0.3 centimeters (0.01 foot) accuracy relative to mean sea level (msl). A copy of the surveyor's report is included in Appendix D. Prior to groundwater sampling, the depth to water was measured in each well, and the groundwater elevation was calculated. The depth to groundwater ranged from 2.8 meters to 2.9 meters (9.47 to 9.72 feet) above msl. Based on these elevations, the groundwater flow direction appears to be toward the southwest (Figure 3). The hydraulic gradient is approximately 0.015 meter per meter (0.015 foot per foot).

Each of the wells was purged of three to five well volumes prior to sampling to assure the collection of representative groundwater samples (Appendix B). Due to very poor recharge, not all of the specific tests slated for analyses could be conducted. The groundwater was purged using a PVC bailer that was decontaminated with a non-phosphate detergent solution and deionized water rinse prior to use in each well. During purging procedures incremental field measurements were collected for groundwater temperature, conductivity, and pH until the values stabilized to assure the groundwater in the well was in equilibrium with the surrounding aquifer. The purged water was placed in 5-gallon buckets while awaiting profiling for disposal. The groundwater in each well was allowed to recharge to within 90 percent of the initial level before samples were collected. Groundwater samples were collected by lowering a clean, single-use, bailer into the groundwater and pouring the water into laboratory provided containers. Groundwater samples were stored in an ice chest and transported under chain-of-custody protocol.

4.0 ANALYTICAL RESULTS

The soil and ground-water samples were submitted to GEOTEST of Long Beach, California. The results of the sampling program are presented in Tables 1 through 3. A copy of the laboratory reports and chain-of-custody record are included in Appendix E.

4.1 LABORATORY ANALYTICAL RESULTS FOR SOIL

The results of the soil analyses indicated that all of the soil samples were not detected for the following analyses: TPH-G, TPH-D, BTEX, MTBE, and SVOC. All of the soil samples had detectable concentrations of TOG with the concentrations ranging from 5,200 milligrams per kilogram (mg/kg) in the soil sample collected at 1.5 meters (5 feet) bgs in Boring B4 to 10 mg/kg in several soil samples. However, only two soil samples (B4-5 and B6-5) had concentrations above 100 mg/kg.

Trace concentration of tetrachloroethene (Perc) was found in soil sample B4-5 (0.03 mg/kg), while trace concentrations of 1,2,4 trimethylbenzene (0.025 mg/kg) and 1,3,5 trimethylbenzene (0.0078 mg/kg) were detected in soil sample B4-10.

Soil samples were analyzed for TOC, porosity, and moisture content. The moisture content ranged from 11 to 24 percent, the porosity of the samples ranged from 32 to 38 percent, and the TOC ranged from 742 to 3,960 mg/kg.

4.2 LABORATORY ANALYTICAL RESULTS FOR GROUNDWATER

The results of the groundwater sampling indicated that all of the groundwater samples were not detected with the following exceptions:

• BTEX was detected at 1.1, 0.5, 1.2, and 1.4 micrograms per liter (ug/l), respectively in monitoring well B4/MW-1.

5.0 DISCUSSION

5.1 SOIL

The results of the soil analyses indicated that all of the soil samples were not detected except for TOG and trace concentrations of volatile organics. The TOG concentrations detected at the site are representative of the concentrations found in the previous study completed by PSI in the general area. The TOG concentrations typically decrease in concentration with depth. Additionally, the higher TOG concentrations detected at the site do not appear to have any correlation with the potential sources of hydrocarbons at the site (former USTs and abandoned sump). The concentrations of the trace organics were all below the USEPA Region IX Preliminary Remediation Goals (PRG) for those compounds that have established PRGs.

Metal concentrations were detected in each of the soil samples collected, however none of the concentrations were above ten times their respective soluble threshold limit concentration (STLC).

5.2 GROUNDWATER


The results of the groundwater analyses indicate that BTEX was detected at 1.1, 0.5, 1.2, and 1.4 micrograms per liter (ug/l), respectively in monitoring well B4/MW-1. None of the other constituents analyzed had detectable concentrations. Of the BTEX compounds detected only benzene at 1.1 ug/l had a concentration above their respective State of California Primary Drinking Water Standard (PDWS). The PDWS for benzene is 1 ug/l, therefore the benzene concentration found in B4/MW-1 is only 0.1 ug/l above the PDWS. Additionally, monitoring well B4/MW-1 is the well furthest from the former gasoline UST and is hydraulically upgradient. The data indicates that the trace BTEX concentrations found in the monitoring well is not the result of practices associated with the USTs or the abandoned sump.

6.0 CONCLUSIONS AND RECOMMENDATIONS


Based on the information presented in this report, the following conclusions have been reached:


- TOG impacted soil was detected in all of the soil samples at the site, however only
 two of the soil samples had concentrations above 100 mg/kg. The data indicates that
 the former USTs and the abandoned sump are not the source of the TOG in the soil.
 Additionally, the TOG concentrations do not appear to be significantly impacting the
 groundwater in the area. Trace concentrations of volatile organics were found in two
 soil samples. The concentrations detected are below regulatory concern.
- Since soil concentrations were below the EPA PRGs, which are risk based, it appears
 that the concentrations present will not pose a significant risk to human health and the
 environment.
- BTEX concentrations were found in only one of the groundwater samples collected with the benzene concentration just above the PDWS. The data indicates that the former USTs and the abandoned sump are not the source of the BTEX in the groundwater.

As a full suite of analyses could not be completed from the wells at the site due to the lack of water in the wells, PSI recommends further groundwater monitoring at the site be completed in late November or December. Typically groundwater levels are higher during these months, which should aid in the collection of a full suite of analyses. Upon the collection of this data, PSI recommends request for site closure if the contaminant levels and groundwater flow direction is similar to those found during this investigation.










LEGEND

B-2/MW-3 GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION

BM-29 PSI BORING (APRIL 4, 1996)





SITE PLAN
CALTRANS MAINTENANCE STATION
3456 ETTIE STREET
OAKLAND, CALIFORNIA
PROJECT NUMBER: 575-71022

DATE: 10/06/97

CKD BY:

FIGURE NO.: 2

FILE NO: 71022-28

DRAWN BY: L.KOCHIAN




TABLE 1 LABORATORY RESULTS FOR SOIL SAMPLES CALTRANS MAINTENANCE STATION ETTIE STREET, CALIFORNIA

SAMPLE ID	TPHE	TEPHHÓ	TOG	BENZENE	TOLUENE	BENZENE	TOTAL XYLENES	MITBE	VOCs	SVOCs
B1-5	<1	<10	20	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B1-10	<1	<10	30	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B2-5	<1	<10	20	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B2-10	<1	<10	10	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B3-5	<1	<10	20	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B3-10	<1	<10	10	<0.005	<0.005	<0.005	<0.015	<0.005		ND
B4-5 [≭]	<1	<10	√5200≭	<0.005	<0.005	<0.005	<0.015	<0.005	0.03	ND
B4-10	<1	<10	20 ×	<0.005	<0.005	<0.005	<0.015	<0.005	0.033	ND
B5-5	<1	<10	50	<0.005	<0.005	<0.005	<0.015	<0.005	ND	ND
B5-10	<1	<10	10	<0.005	<0.005	<0.005	<0.015	<0.005	ND	ND
B6-5 ≁	<1	<10	`380*	<0.005	<0.005	<0.005	<0.015	<0.005	ND	ND
B6-10	<1	<10	20⁴	<0.005	<0.005	<0.005	<0.015	<0.005	ND	ND

Notes:

All analyses are reported in milligrams per kilogram (mg/kg).

TOG = Total Oil and Grease

TPH-G = total petroleum hydrocarbons as gasoline.

TPH-D = total petroleum hydrocarbons as diesel.

MTBE = Methyl tertiary butyl ether

VOCs = Volatle organic compounds, reported as total concentration of all constituents.

SVOCs = Semi-volatile organic compounds, reported as total concentration of all constituents.

--- = Not analyzed

ND = Not Detected for all constituents analyzed.

TABLE 2

LABORATORY RESULTS FOR SOIL SAMPLES: METALS

CALTRANS MAINTENANCE STATION ETTIE STREET, CALIFORNIA

SAMPLE	SB	AS	ВА	BE	CD	CR	CO	CU	PB	HG	MO	ENIM	SE	AG	TL	V	ZN
B4-5	<5.0	<5.0	43	<0.5	0.6	16	8.2	44	6.7	0.11	<2.5	17	<2.5	<0.5	8.5	36	49
B4-10	<5.0	<5.0	220	<0.5	<0.5	13	9.6	10	2.7	<0.10	<2.5	33	<2.5	<0.5	<5.0	9	24
B5-5	<5.0	<5.0	120	<0.5	0.6	29	7.6	13	12	0.11	<2.5	36	<2.5	<0.5	<5.0	21	35
B5-10	<5.0	<5.0	98	<0.5	<0.5	14	3.6	9.1	2.6	<0.10	<2.5	35	<2.5	<0.5	<5.0	13	22
B6-5	<5.0	<5.0	100	<0.5	<0.5	21	11	21	38≻	0.18	<2.5	35	<2.5	<0.5	8	15	73
B6-10	<5.0	<5.0	150	<0.5	<0.5	20	7.9	16	24"	<0.10	<2.5	31	<2.5	<0.5	10	20	48
TTLC	500	500	10,000	75	100	500	8,000	2,500	1,000	20	3,500	2,000	100	500	700	2,400	5,000
STLC	15	5	100	0.75	1	5	80	25	5	0.2	350	20	1	5	7	24	250

Notes:

<0.01 = not detected at or above the laboratory detection limits

Metals are designated by their symbol on the periodic table of elements.

All samples are reported as total concentration in milligrams per kilogram (mg/kg), unless indicated.

TTLC = total threshold limit concentration

STLC = soluable threshold limit concentration.

TABLE 3

LABORATORY RESULTS FOR WATER SAMPLES

CALTRANS MAINTENANCE STATION ETTIE STREET, CALIFORNIA

SAMPLE (D)	DATE	TIPHE)	ПБННВ)	TOG	BENZENE	TOLUENE	ETHYL BENZENE	TOTAL XYLENES	IMITIBE	Vocs
MW-1	9/5/97	<500	<500	<500	1.1	0.5	1.2	1.4	<0.6	ND
MW-2	9/5/97	<500	<500		<0.3	<0.3	<0.3	<0.6	<0.6	ND
MW-3	9/5/97	<500	<500	<500	<0.3	<0.3	<0.3	<0.6	<0.6	ND
B-5	8/7/97	<500			<0.3	<0.3	<0.3	<0.6		

Notes:

All analyses are reported in micrograms per liter (ug/l).

TPH-G = total petroleum hydrocarbons as gasoline.

TPH-D = total petroleum hydrocarbons as diesel.

TOG = total oil and grease

VOCs = volatle organic compounds, reported as total concentration of all constituents.

MTBE = Methyl Tertiary Butyl Ether

--- = Not Analyzed

ND = Not Detected at a concentration presented on laboratory reports

APPENDIX A

TETRA TECH FINAL REPORT

FINAL REPORT

UNDERGROUND TANK REMOVAL AND SITE INVESTIGATION ETTIE STREET MAINTENANCE FACILITY 3465 ETTIE STREET OAKLAND, CALIFORNIA

Contract No. 56S067 Work Order No. 04-56S067-17

Prepared for

Caltrans
District 4
111 Grand Avenue
Oakland, CA 94623

June 1996

Prepared by

Tetra Tech 180 Howard Street, Suite 250 San Francisco, CA 94105

TETRA TECH



TETRA TECH, INC. 180 Howard Street, Suite 250 San Francisco, CA 94105-1617 Telephone (415) 974-1221 (510) 286-0152 FAX (415) 974-5914

June 11, 1996

Mr. Michael Hilliard California Department of Transportation District 4 111 Grant Avenue P.O. Box 23660 Oakland, CA 94623

Subject:

Submittal of the Final Report for the Underground Storage Tank Removal at the Ettie Street Maintenance Facility, Contract No. 56S067, Work Order No. 04-56S067-17, TC 0637-08

Dear Mr. Hilliard:

I have enclosed five copies of the final report for the Ettie Street Maintenance Facility tank removal project. If you have any questions, please do not hesitate to call me at (415) 974-1221.

Very truly yours,

Bob Cotton, PE

Senior Hydrogeologist

enclosures

Michael Wopat, RG Project Manager

FINAL REPORT

UNDERGROUND TANK REMOVAL AND SITE INVESTIGATION ETTIE STREET MAINTENANCE FACILITY 3465 ETTIE STREET OAKLAND, CALIFORNIA

Contract No. 56S067 Work Order No. 04-56S067-17

Prepared for

Caltrans District 4 111 Grand Avenue Oakland, CA 94623

June 1996

Prepared by

Tetra Tech 180 Howard Street, Suite 250 San Francisco, CA 94105

FINAL REPORT

UNDERGROUND TANK REMOVAL AND SITE INVESTIGATION ETTIE STREET MAINTENANCE FACILITY OAKLAND, CALIFORNIA

Contract No. 56S067 Work Order No. 04-56S067-17

Prepared for

Caltrans
District 4
111 Grand Avenue,
Oakland, CA 94623-0660

Prepared by:

W. Robert Cotton, PE Senior Hydrogeologist

Michael Wopat, RG

Senior Geologist and Project Manager

Tetra Tech 180 Howard Street, Suite 250 San Francisco, CA 94105

June 1996

1.	INITE	PODUCTION
••	1011	RODUCTION
	1.1	Work Completed
	1.2	Site Description
•		1.2.1 Land Use
•		1.2.2 Geologic Setting
		1.2.2 Geologic Setting
		1.2.3 Hydrogeology
-	TANI	K REMOVAL
	2.1	Description of Underground Storage Tenter
	2.2	Description of Underground Storage Tanks
		Site Preparation
		2.2.1 Permits
	2.3	2.2.2 Utilities
		Tank Removal
		The state of the s
		The land to expose the 100 of the land
		- Territoval
		Traineral of Origer RIDUING
	2.4	
		Pro Competion I (OCEUMA)
	2.5	
	2.6	
	2.7	
	2.7	
		2.7.2 Ground Water Samples
	COU E	
	SOIL E	XCAVATION FROM BENEATH FORMER DIESEL DISPENSER ISLAND
		- I DIN OUAL
	3.1	Soil Staging Area
	3.2	
	3.3	The Confection and Analysis Procedures
	3.4	
	3.5	
		son stockbile
	3.6	- "FOOD OF SOIL LAUGUSTOM REPOSTS The Engage By
		Island Dispenser

(continued)

			Page								
4.	DRILL	ING AND SAMPLING SOIL BORINGS									
	4.1	Drilling	4-1 4-1								
·	4.2	Sampling and Analysis	4-2 4-2 4-2								
•	4.3	4.2.3 Sample Documentation	4-3								
	4.4	Analytical Results	4-3 4-3								
		4.4.1 Soil Samples	4-3 4-3								
		4.4.2 Ground Water Samples	4-3								
	4.5	Disposal Of Rinsate From Decontamination	4-4								
5.	PROPOSED CLEANUP GOALS AND HANDLING OF STOCKPILED SOIL										
	5. 1	Proposed Cleanup Goals (PCG) for TPH-D and TPH-Oil	5-1								
	5.2	Handling of Stockpiled Soil from Gasoline UST Pit	5-3								
6.	DISCU	J\$\$10N	6-1								
7.	CON	CLUSIONS AND RECOMMENDATIONS	7-1								
8.	REFER	ENCES CITED	8-1								
APPENDICES		·									
Appendix A Appendix B Appendix C Appendix D	Waste Labora	dous Materials Inspection Form and UST Unauthorized Release Report Manifests and Receipts atory Analytical Reports g Permit, Field Soil Boring Logs									

(continued)

LIST OF FIGURES

Figure 1-1		<u>Page</u>
Figure 1-2	Site Location.	1-3
Figure 2-1	October 19 and 20, 1995	1-4
Figure 3-1	Site Plan Showing Locations of Temporary Monitoring Wells and Excavation	2-2
	Sampled February 8, 1996	3-2
	LIST OF TABLES	
Table 1	Analytical results for soil samples collected October 19 and 20, 1995, at Caltrans'	
Table 2	Analytical results for petroleum bydrogoda and	2-8
Table 3	Analytical results for soil samples colleged 5-1	2-9
Table 4	Maintenance Facility	3-5
	Ettle Street Maintenance Facility	4-4

1. INTRODUCTION

This final report has been prepared to document an underground storage tank (UST) removal and disposal at the Ettie Street Maintenance Facility, 3465 Ettie Street, Oakland, Alameda County, California. The work was requested by Caltrans District 4 pursuant to Contract No. 56S067, Work Order No. 56S067-17

1.1 WORK COMPLETED

The work completed during this project, as presented in the work order and discussed during the pre-work site visit, included the following:

- Conducting an initial site visit, including file review, and preparing a work plan and health and safety plan for the tank removal;
- Removing one 4,000-gallon and one 7,500-gallon underground fuel tank and ancillary piping, vent lines, dispenser islands, and fill ports on October 19 and 20, 1995;
- Sampling the soil beneath the tanks and the ground water in the excavation; and
- Backfilling the excavation and bringing the ground surface up to grade with road base rock on November 11, 1995.

Following receipt of the analytical results from the soil and ground water, additional work was requested. The additional work included the following:

- Preparing a UST Unauthorized Release Report (Appendix A) and submitting the report to the RWQCB and Alameda County.
- Excavating TPH-d contaminated soil from beneath the former diesel fuel dispenser island.
- Backfilling the dispenser island excavation with clean fill material.
- Arranging transport and disposal of the fuel-contaminated excavated soil in compliance with applicable state and federal regulations.
- Drilling and sampling two soil borings to depths of 13 to 15 feet below ground surface (bgs).

- Collecting grab ground water samples from temporary monitoring wells installed in the borings.
- Containerizing rinse water from the drilling in U.S. Department of Transportation approved containers, pending waste characterization.
- Backfilling all soil borings with cement/bentonite grout and repairing the ground surface to its original condition.
- Arranging transport and disposal of rinse water in compliance with applicable state and federal regulations.

The following sections describe the historical background and environmental setting of the site and the procedures used in meeting the project objectives.

1.2 SITE DESCRIPTION

The site is located at the north end of Ettie Street, directly under the Interstate 580 structure (Figures 1-1 and 1-2). The site is in northwest Oakland, approximately one-half mile southeast of San Francisco Bay and one-quarter mile south of the Emeryville city limit.

The maintenance facility was built in 1959, and the property is owned and formerly operated by Caltrans; the site is presently unused. The property is about 240 feet (ft) wide and about 480 ft long and covers an area of about three acres.

The elevation of the site is approximately 10 ft above mean sea level (msl). The eastbound and westbound lanes of Interstate 580 are elevated on support structures about 40 to 50 ft above the ground level at the site.

1.2.1 Land Use

The site is located on the Oakland West 7.5 minute U.S. Geological Survey Quadrangle (1979). Topographic relief is about 50 ft within a radius of one mile of the site. The land use in the vicinity of the site is predominantly urban and is relatively densely populated. The East Bay Municipal Utility District sewage treatment plant is located one-third mile west-northwest of the facility, and the Oakland Army Base is located one-half mile to the west.




Figure 1-1 Regional Site Location



Scale: 1" = 4 miles




Figure 1-2 Site Location

Scale: 1" = 1/2 mile



1.2.2 Geologic Setting

Soils

The surface soils at the site have been mapped as urban land (USDA 1980), a miscellaneous area consisting of land improved with urban structures. The soil material is mostly heterogeneous fill. The Clear Lake complex soils may also underlie portions of the site. Typically, the surface layer of the Clear Lake soil is a very dark clay. The underlying material is dark gray and grayish brown calcareous clay and silty clay that extends to a depth of 60 inches or more. The Clear Lake soil is very deep, poorly drained, and has a low permeability.

Geology

The local geology in the area is primarily artificial fill and Quaternary Bay Mud (Radbruch 1957). Several potentially active faults have been identified in the area; the closest is the Hayward Fault, which follows a northwesterly trend at the foot of the Oakland and Berkeley Hills.

The site geology is interpreted as being composed of artificial fill and Bay Mud, similar to the geology of the local area. The artificial fill generally consists of miscellaneous refuse, or Bay Mud, or sand dredged from the bay. Its thickness is variable, and it typically lies above the Bay Mud. The Bay Mud is of Holocene age and consists of unconsolidated, water-saturated, dark plastic clay and silty clay rich in organic material. Its thickness in coastal lagoons and estuaries is estimated to be approximately 10 feet (Helley et al. 1979).

1.2.3 Hydrogeology

Ground water in the vicinity of the site is found at sea level near the shore and roughly follows the topography in higher areas. Recharge is primarily through rainfall and infiltration. Ground water levels may be tidally influenced due to the proximity to San Francisco Bay, located one-half mile to the northwest. Ground water closest to the surface is believed to be present in an unconfined water table aquifer, with ground water flow generally west and northwest towards the bay. During the tank removals, advancement of soil borings, and soil excavations ground water was encountered at depths of five to eight feet below ground surface.

2. TANK REMOVAL

2.1 DESCRIPTION OF UNDERGROUND STORAGE TANKS

The two underground storage tanks reportedly were installed in 1959 when the Ettie Street Maintenance Facility was built. One tank had a 7,500-gallon capacity, was constructed of single-walled steel, and was used to store gasoline. The second tank had a 4,000-gallon capacity, was constructed of single-walled fiberglass, and was used to store diesel fuel. No plans showing the construction details of the tanks were available. A site plan is presented as Figure 2-1.

2.2 SITE PREPARATION

Site preparation activities included obtaining all applicable permits, notifying the county health department and fire department, and locating underground utilities. A staging area for excavated soil was prepared near the tank removal site. Pea gravel was staged near the excavation.

2.2.1 Permits

An underground storage tank removal permit was obtained from the Alameda County Department of Health for closure of the underground storage tanks. Permits also were obtained from the Oakland Fire Department and the Bay Area Air Quality Management District.


2.2.2 Utilities

Prior to beginning the excavation, utilities were located and marked by Underground Service Alert (USA).

2.3 TANK REMOVAL

The procedure for the tank removals was as follows:

 The electric power was shut off and no smoking signs and barricades were placed in conspicuous areas;



TETRA TECH

Site Plan Showing Locations of Soil and Ground Water Samples Collected October 19 and 20, 1995

Caltrans Ettie Street Maintenance Facility Oakland, California

Figure 2-1

- Pumpable contents of the tanks were placed in 55-gallon drums;
- The concrete/asphalt surface was removed;
- The soil was excavated to expose the top of the tank;
- After removal of the liquids remaining in the dispenser piping, the piping, fixtures, the drop tube, and pump were removed from the tank;
- The tanks were purged with dry ice;
- Soil was excavated to the bottom of the tank to free the sides of the tank;
- The tanks were hoisted from the excavation; and
- The tanks were labeled, manifested, and hauled as hazardous waste to Erickson, Inc., in Richmond, California.

2.3.1 Cleaning

A total of 250 gallons of gasoline and diesel fuel were pumped out of the tanks. These liquids were removed from the site October 24, 1995, by Enviropur West, Inc., of Patterson, California, and were transported to the Napa Transfer Station in Napa, California (see Appendix B).

2.3.2 Excavation to Expose the Top of the Tank

The asphalt and concrete surfacing were cut using a jackhammer. After removing the concrete and asphalt, the top of each tank was uncovered by the backhoe operator who took care not to disturb the external piping. The fill pipes were located directly over the tanks. The product lines from the valve boxes to the dispenser island were drained of remaining fuel, disconnected, and pulled from underneath the pad. Also, the vent lines from the tanks were cut at the bridge columns, the aboveground portion removed, and the underground portion pulled from the ground. The remaining external piping, the drop tube, and submersible pumps were removed. The two dispenser islands and crash bollards were broken up and removed.

2.3.3 Purging

The tanks were rendered inert in place by pouring crushed dry ice into each tank (20 lb./1000 gallons of tank volume), as required by the Alameda County Health

Department. The atmosphere within the tanks was monitored by the excavation contractor using a combustible gas meter until it was maintained at less than 10 percent of the lower explosive limit, and the oxygen content was less than 10 percent. Susan Hugo of the Alameda County Health Department monitored this process and gave authorization to proceed after the proper atmosphere had been achieved. The tanks were then removed from the excavation.

2.3.4 Tank Removal

The soil along one side of the tanks was removed to the depth of the bottom of the tanks (approximately 11 ft below the ground surface) to a distance of approximately two feet from the wall of the gasoline tank. It was necessary to remove more sidewall soils from around the diesel tank since pea gravel that had been placed around the tank was sloughing against the tank. The soil from around the gasoline UST was placed in the staging area prepared for this purpose.

Approximately 50 to 70 cubic yards of soil were removed from the gasoline UST excavation and stockpiled. The soil removed from around the former diesel storage tank was composed almost entirely of pea gravel. Eleven soil samples were collected from the pea gravel, as directed by the Susan Hugo. Her approval to replace the soil into the diesel UST excavation is contained within the hazardous materials inspection form attached in Appendix A.

2.3.5 Removal of Underground Piping

Underground vent and product piping were removed by pulling them out from under the pavement. After inspection, the tank and lines were placed on a truck licensed to carry hazardous waste.

2.3.6 Tank Disposal

The tanks were inspected, labeled, and properly manifested (Manifest #95592426) as hazardous waste. They were transported by Erickson, Inc., a state-licensed hazardous waste hauler, for disposal at Erickson's permitted facility in Richmond, California. The hazardous waste manifest was signed by a representative of Caltrans. Copies of all manifests for all wastes are attached as Appendix B.

2.4 SAMPLE COLLECTION PROCEDURE

The following sections describe soil and ground water sample collection procedures.

2.4.1 Soil Samples from Tank Pits

Samples were collected of the soil around the tanks to confirm the presence or absence of contamination and to help identify the source(s) of the contamination, if present. LUFT Manual and Regional Water Quality Control Board guidelines require that at least two samples be collected from each tank pit, one from under each end of the tank, within two ft of the bottom of the tank. The underground piping from each tank was less than 20 feet in length; therefore one soil sample was collected from beneath each dispenser island.

Soil samples were collected in stainless steel sample liners. As directed by Susan Hugo, one soil sample was collected from each end of the gasoline excavation from a depth of approximately seven feet. This depth was chosen as there was ground water present in both tank excavations at a depth of approximately eight feet. Samples were collected from the east and west end of the gasoline UST pit and from the east end of the diesel UST pit. No sample was collected from the west end of the diesel pit as this was a point common to the west end of the gasoline UST. The samples were collected by pushing a liner tube into soil excavated and removed to the surface with a backhoe bucket.

Each sample was prepared by placing Teflon film over the ends of the sample liner covering the film with plastic end caps, and then sealing the tube with cohesive silicon rubber tape. Each sample was labeled with the sample ID number, the date, and time collected, and stored on ice in a cooler under chain of custody until received by the laboratory.

All soil samples were analyzed by a state-certified laboratory using the methods specified in Section 2.6.

2.4.2 Ground Water Samples from Tank Pits

Ground water samples were collected from the water, which collected in the excavation pits, using a glass sample container. The water samples were then transferred to containers supplied by the laboratory. No sheen or odor was observed on the samples or the water in the excavations. Samples were labeled, stored, and shipped as described in the previous section and were analyzed by the methods specified in Section 2.6.

2.4.3 Soil Samples from Stockpiled Soil

Four discrete soil samples were collected from the stockpile of soil excavated from the gasoline pit. The purpose of these samples was to obtain a preliminary characterization of the stockpiled soil for evaluation of soil disposal options. The

laboratory was instructed to composite the discrete samples. The samples were collected at selected representative locations by removing about 1 foot of soil to expose fresh material and then pushing a sample liner into the newly exposed soil. The sample liners were sealed and labeled as described in Section 2.4.1. A sketch of the sample points on the soil pile was recorded in the field log. The approximate locations of the samples are shown on Figure 2-1. The 220 cubic yards of samples were analyzed as specified in Section 3.0.

Eleven discrete samples were collected from the soil removed from around the diesel UST. Susan Hugo requested that one discrete sample be collected for every 20 cubic yards of soil removed. These samples were required as Caltrans preferred to replace the soil into the excavation. As an estimated 220 cubic yards of soil were removed, 11 samples were necessary (see Figure 2-1 for approximate locations). The sampling procedure was the same as described in the preceding paragraph. The 220 cubic yards of excavated pea gravel was then replaced into the diesel UST pit.

2.4.4 Soil Samples from Under Dispenser Islands

Following removal of the dispenser islands, a single soil sample was collected from under each island at a location approved by Susan Hugo. Each sample was collected by first scraping away several inches of soil, then driving a soil sampler containing a 2 inch x 6 inch sample liner into the ground using a slide hammer. The sample liner then was retrieved and was sealed and labeled as described in Section 2.4.1.

2.5 BACKFILL AND COMPACTION

The remaining diesel tank excavation and the gasoline excavation were backfilled with clean pea gravel to within 15 inches of the ground surface. The excavation was then filled to grade with compacted road base. At the instruction of Caltrans, the ground surface was not paved with asphalt or concrete because additional excavation and/or drilling may be required.

2.6 LABORATORY ANALYSIS

Samples were analyzed by Entech Analytical Labs (formerly Hull Development Labs), a California-certified laboratory in Sunnyvale, California. Samples were shipped to Entech under a chain of custody that identified the samples, the date collected, and the analyses to be performed. The samples were analyzed by the following methods:

 Soil samples collected from the diesel tank excavation, underneath the diesel dispenser island, and from the stockpile were analyzed by EPA

- Method 3550/8015 modified, for total petroleum hydrocarbons as diesel (TPH-d), and by EPA Method 8020 for benzene, toluene, ethylbenzene, and total xylenes (BTEX);
- The ground water sample collected from the diesel tank excavation was analyzed by EPA Method 602 for BTEX and by EPA Method 3550/8015 modified, to determine TPH-d;
- Soil samples collected from the gasoline tank excavation, underneath the
 gasoline dispenser island and from the stockpile of soil from the gasoline
 UST pit were analyzed by EPA Method 5030/8015 modified, for total
 petroleum hydrocarbons as gasoline (TPH-g), by EPA Method 7420 for
 total lead, and by EPA Method 8020 to determine BTEX and methyltert-butyl ether (MTBE) concentrations;
- The ground water sample collected from the gasoline tank excavation
 was analyzed by EPA Method 602 for BTEX and MTBE, total lead by
 EPA Method 239.1 and by EPA Method 5030/8015 modified, to
 determine TPH-g; and
- Analysis for reactivity, corrosivity, and ignitability (RCI) were performed to characterize for disposal the soil stockpile from the gasoline UST pit.

2.7 ANALYTICAL RESULTS FROM INITIAL SOIL AND GROUND WATER SAMPLING

2.7.1 Soil Samples

The results of soil sample analyses are summarized in Table 1.

- Confirmation soil samples collected from the west and east ends of the
 gasoline UST tank pit (G-7W and G-7E) contained no total petroleum
 hydrocarbons as gasoline (TPH-g), BTEX compounds, or methyl-tertbutyl ether (MTBE) above the method detection limits. Total lead
 concentrations were 6.5 and 11 mg/kg, and probably represent normal
 soil concentrations.
- Confirmation soil samples collected from the west and east ends of the
 diesel UST tank pit (G-7E and D-7W) contained no TPH as diesel
 (TPH-d) or BTEX compounds above the method detection limits. The
 samples did contain 23 and 13 mg/kg TPH as motor oil (TPH-oil). The
 source and volume of the motor oil release is unknown.

Table 1

Analytical results for soil samples collected October 19 and 20, 1995, at Caltrans' Ettie Street Maintenance Facility

3465 Ettie Street, Oakland, California

Sample ID	Date Collected	TPH-oil (8015 mod) (mg/kg)	TPH-d (8015 mod) (mg/kg)	TPH-gas (8015 mod) (mg/kg)	Benzene (8020) (mg/kg)	Toluene (8020) (mg/kg)	Ethylbenzene (8020) (mg/kg)	Xylenes (8020) (mg/kg)	MTBE (8020) (mg/kg)	Lead (7420) (mg/kg)
Samples colle	cted from be	eneath USTs								
G-7₩	10/19/95	na	na	ND	ND	ND	ND -	ND	ND	6.5
G-7E	10/19/95	23	ND	ND	ND	ND	ND	ND	ND	11
D-7E	10/19/95	13	ND	na	ND	ND	ND	ND	na	na
Samples colle	ected from b	eneath disper	ısers							
W-DISP	10/20/95	na .	112	ND	ND	ND	ND	ND	ND	18
E-DISP	10/20/95	па	64000	n2	ND	ND	ND	ND	па	па
Sample comp	osited from	soil from gas	soline UST e	xcavation						
COMP	10/20/95	па	na	ND	ND	ND	ND	ND	ND	26
Samples colle	ected from p	ea gravel ren	noved from a	round diesel	UST					
DS-1	10/19/95	ND	35	па	ND	ND	ND	ND	ND	na
DS-2	10/19/95	ND	71	na	ND	ND	ND	ND	ND	na
DS-3	10/19/95	ND	31	па	ND	ND	ND	ND	ND	na
DS-4	10/19/95	110	39	na	ND	ND	ND .	ND	ND	na
DS-5	10/19/95	62	39	na	ND	ND	ND	ND	ND	na
DS-6	10/19/95	29	12	na	ND	ND	ND	ND	ND	na
DS-7	10/19/95	72	ND	na	ND	ND	ND	ND	ND	па
DS-8	10/19/95	560	ND	na	ND	ND	ND	ND	ND	na
DS-9	10/19/95	91	24	na	ND	ND	ND	ND	ND	Да
DS-10	10/19/95	49	ND	па	ND	ND	ND	ND	ND	па
DS-11	10/19/95	30	ND	na	ND	ND	ND	ND	ND	na
Method Det	ection Limit	1.0	1.0	1.0	0.005	0.005	0.005	0.005	0.05	0.5

NOTES:

mg/kg milligrams per kilogram (ppm)

TPH-oil total petroleum hydrocarbons quantified as motor oil

TPH-d total petroleum hydrocarbons quantified as diesel

TPH-g total petroleum hydrocarbons quantified as gasoline

na not applicable, analysis not performed for this analyte

ND analyte not detected (ND) at or above the laboratory reporting limits

COMP composite of four samples (SP-SW, SP-SE, SP-NW, SP-NE) collected in

analyte not detected (IND) at or above the laboratory reporting limits
composite of four samples (SP-SW, SP-SE, SP-NW, SP-NE) collected from the soil removed from the gasoline UST excavation

- The confirmation soil sample collected from beneath the gasoline dispenser island (W-DISP) did not contain TPH-g, BTEX compounds, or MTBE above the method detection limits. Total lead content was 18 mg/kg.
- The confirmation soil sample collected from beneath the diesel dispenser island (E-DISP) contained TPH-d at a concentration of 64,000 mg/kg and no BTEX compounds above the method detection limits.

This indicates that there was a release of diesel fuel in the vicinity of the sample collection point and is the reason why additional soil excavation and confirmatory sampling, as described below in this report, was necessary.

- The composite soil sample collected from the stockpile of soil excavated from around the gasoline UST (COMP) contained no detectable concentration of TPH-g, BTEX compounds, or MTBE. Total lead content is 26 mg/kg, well below concentrations of regulatory concern. Therefore, this soil can be treated as ordinary clean fill material.
- Most of the soil samples collected from the pea gravel removed from around the diesel UST (OS-1-DS-11) contained quantifiable concentrations of TPH-d and TPH-oil. The average concentration of TPH-d was 23.0 mg/kg, and the average concentration of TPH-oil was 91.3 mg/kg. This pea gravel was returned to the tank pit.

2.7.2 Ground Water Samples

The results of ground water sample analyses are summarized in Table 2.

Table 2

Analytical results for petroleum hydrocarbons in grab ground water samples collected October 19, 1995, at Caltrans' Ettie Street Maintenance Facility

Sample ID	TPH-oil (8015 mod) (µg/L)	TPH-d (8015 mod) (μg/L)	TPH-g (8015 mod) (μg/L)	Benzene (602) (µg/L)	Toluene (602) (μg/L)	Ethylbenzene (602) (µg/L)	Xylenes (602) (μg/L)	MTBE (602) (μg/L)	Lead (602) (mg/L)
Gas	na	na	ND	ND	ND	ND	36	260	ND
Diesel	170*	2000	na	ND	ND	ND	ND	па	na
Method Detection Limit	50	50	50	0.5	0.5	0.5	0.5	5.0	0.05

* 7		
N	Ot es	٠
٠.	OCC3	-

TPH-oil TPH-d	total petroleum hydrocarbons quantified as motor oil. total petroleum hydrocarbons quantified as diesel
TPH-g	total petroleum hydrocarbons quantified as gasoline
μg/L	micrograms per liter (- ppb)
mg/L	milligrams per liter (= ppm)
na	not applicable, analysis not performed for this analyte
ND	analyte not detected (ND) at or above the laboratory reporting limit
Gas	ID for water sample from pit resulting from removal of gasoline UST
Diesel	ID for water sample from pit resulting from removal of diesel UST
•	TPH in motor oil range does not match typical motor oil pattern (see Appendix C).

• The ground water sample collected from the gasoline UST tank pit (Sample ID = "Gas") contained no TPH-g, benzene, toluene, ethylbenzene, or dissolved lead above the method detection limits. The

analyses did detect 36 µg/L xylenes and 260 µg/L MTBE. The California Department of Public Services Primary Maximum Contaminant Level (MCL, also known as the drinking water standard) for xylenes is 1,750 µg/L, well above the level found in the Ettie Street sample; therefore it should not be an issue of concern. There is no primary or secondary MCL for MTBE; therefore it is not an issue of concern.

• The water sample collected from the diesel UST pit (Sample ID = "Diesel") contained 170 μg/L TPH-oil and 2,000 μg/L TPH-d. The TPH-d concentration could trigger a requirement for additional ground water assessment by the lead regulatory agency. The TPH-oil concentration represents a carry over from the adjacent diesel fuel range rather than the presence of motor oil (see December 21, 1995, report in Appendix C). Concentrations of BTEX compounds were below the method detection limits.

3. SOIL EXCAVATION FROM BENEATH FORMER DIESEL DISPENSER ISLAND AND SOIL DISPOSAL


The following sections describe the methods used during the excavation, stockpiling, transport, and disposal of soil removed from beneath of the former diesel dispenser island. The soil excavation and stockpiling was completed on February 8, 1996. On April 16, 1996, the soil was loaded and transported to REMCO in Richmond, California, for treatment.

3.1 SOIL STAGING AREA

A soil staging area for the soils excavated from under the former diesel dispenser island was prepared in the vicinity of the tank excavation site at the location shown on Figure 3-1. The staging area was constructed by first placing 6-mil plastic sheeting on the ground surface. Contaminated soil was placed on the plastic sheeting and was covered with plastic sheeting at the end of the work day.

3.2 SOIL EXCAVATION UNDER THE FORMER DIESEL DISPENSER

When the cement diesel dispenser island was removed on October 19, 1995, the resulting shallow excavation was brought to grade by backfilling with clean road base sized gravel. This material was removed and separately staged before removing the contaminated soil. Soil was then removed from beneath the former diesel dispenser using a backhoe. Excavation work was directed by a Tetra Tech representative. Excavated soils were visually inspected and screened with a photoionization detector (PID). Obviously contaminated soils were placed on the soil staging area. The depth of excavation extended to the depth of the water table, which was encountered at 5.5 feet from ground surface. A plan view of the location and size of the initial excavation is shown on Figure 3-1. A large cement block was encountered in the southern end of the excavation. The top of the block was at 2.25 feet bgs and the block extended downward below the base of the excavation at 5.5 feet. This cement block was left in place in the excavation. After all obviously contaminated soils were removed, samples were collected from the four sidewalls (see Figure 3-1 for sample locations). The samples collected from the north, east, and west excavation walls were collected from a depth of four feet. The presence of the cement block on the south end prohibited sampling below its top face; therefore



Site Plan Showing Locations of Temporary Monitoring Wells and Excavation Sampled February 8, 1996

Caltrans Ettie Street Maintenance Facility
Oakland, California

Figure 3-1



the southern soil sample was collected from a depth of one foot. These samples were analyzed for the parameters described in Section 2.7. Results of the north sample analysis was 180 mg/kg TPH-d, greater than the proposed closure goal (Section 5.1), therefore the excavation was extended three feet to the north and the excavation wall was resampled. The results of soil analyses from the south, west, and east sidewalls and the resampling of the north sidewall were all less than the analysis method detection limit and the proposed closure goals; therefore the soil removal was halted at that point. The total estimated volume of removed soils is 12 cubic yards.

After completion of the soil excavation, the resulting pit was backfilled with clean pea gravel to a depth of approximately 15 inches. The excavation was then brought to grade by filling with the previously removed clean roadbase sized gravel, and the gravels were compacted using the backhoe.

3.3 SOIL SAMPLE COLLECTION AND ANALYSIS PROCEDURES

3.3.1 Soil Samples from the Excavation

Soil samples collected from the excavation were labeled with a sample number descriptive of the location and depth of the sample and the date and time of collection. Sample numbers were composed of the sample or tank pit location followed by a number corresponding to the depth of the sample and a letter corresponding to the direction (N,E,S,W) from the center of the pit that the sample was taken from.

After the samples were described, labeled, and packaged, they were transported to the on-site mobile laboratory where they were logged in, placed in a cooler or refrigerator, and maintained at a temperature of about 4 degrees Celsius until analysis. A chain of custody was maintained at the on-site laboratory.

Soil samples were collected by pushing a liner tube into soil excavated and brought to the surface with a backhoe bucket. All soil samples were analyzed for TPH-d using modified EPA Method 8015/3550 by a mobile state-certified laboratory operated by Geochem Environmental Laboratories of San Jose, California.

3.3.2 Composite Soil Samples from the Soil Stockpile

Four discrete soil samples were collected from the stockpile of soil excavated from under the former diesel dispenser island. The purpose of the soil samples was to obtain a preliminary characterization of the stockpiled soil for evaluation of soil disposal options. The samples were collected by pushing a sample liner into the

J

Í

j

stockpiled soil at four quadrants within the stockpile. The discrete samples were identified with separate sample numbers. A sketch of the sample points on the soil pile was recorded in the field log. The laboratory was instructed to composite the discrete samples and analyze the composite.

The composite sample was analyzed for TPH-d using modified EPA Method 8015/3550 by the mobile state-certified laboratory operated by Geochem Environmental Laboratories. Analyses for BTEX compounds, reactivity (cyanide and sulfide), corrosivity (pH), and ignitability (flash point), the LUFT metals (cadmium, chromium, lead, nickel, and zinc), and soluble lead were conducted by Entech Analytical Labs.

3.4 BACKFILL AND COMPACTION

The excavation was backfilled with clean pea gravel and was compacted to Caltrans' specifications as soon as the excavation was completed and all samples were collected and analyzed. Backfill was staged on site prior to the start of work. The upper one foot of fill consisted of compacted road base.

3.5 RESULTS OF ANALYSES FROM DIESEL DISPENSER ISLAND EXCAVATION AND SOIL STOCKPILE

The results of the soil analyses are summarized on Table 3.

- The soil samples collected from the south, west, and east ends (D-S1, D-E4, and D-W4) of the diesel dispenser island excavation contained no TPH-d above the method detection limit.
- The first soil sample collected from the north end (D-N4) of the diesel dispenser island excavation contained 180 mg/kg TPH as diesel. After excavating an additional three feet northward, another soil sample (D-N4-2) was collected. This sample contained no detectable TPH-d.
- The composite sample (SS-NW, NE, SW, SE) was collected from the stockpile composed of soil removed from beneath the former diesel dispenser for the purpose of characterizing the soil for disposal. The composite sample was found to contain 150 mg/kg TPH-d and no detectable BTEX compounds. None of the other parameters shown on Table 3 were at levels that would qualify the soil as a hazardous waste.

Table 3

Analytical results for soil samples collected February 8, 1996 at Caltrans' Ettie Street Maintenance Facility
3465 Ettie Street, Oakland, California

	TPH-d	Benzene	Toluene	Ethylbenzene	Xylenes	Cyanide	Sulfide	pН	Flash Point
Sample	(8015 mod)	(8020)	(8020)	(8020)	(8020)	(9030)	(9030)	(9045)	(1010)
ID	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(units)	(°F)
Confirmation samples co	llected from th	e excavatio	n beneath :	the former diese	l dispenser	island	-		
D-S1	ND	na	na	na	na	na	па	па	na
D-E4	ND	па	na	na	na	na	па	na	na
D-W4	ND	na	na	na	na	na	na	па	па
D-N4	180	па	na	na	па	па	na	na na	па
D-N4-2	ND	па	na	na	па	na	na	па	па
Composite sample collect	ed from the die	esel soil sto	ckpile						
ss-nw,ne,sw,se	150	ND	ND	ND	ND	ND	ND	9.1	> 200
Method Detection Limit	10	0.005	0.005	0.005	0.005	0.2	0.5	па	па
	Cadmium	Chr	omium	Lead	Soluble L		3.12.51		,,
Sample	(7130)		190)	(7420)	(7420		Nickel		inc
ID	(mg/kg)	•	g/kg)	(/420) (mg/kg)	(7420 (mg/l	•	(7520) (mg/kg)		950) g/kg)
Composite sample collect	ed from the die	esel soil sto	cknile (con	. .					
SS-NW,NE,SW,SE	0.61		19	74	2.7		26	:	120
Method Detection Limit	0.5	(0.5	0.5	0.10		0.5		0.5

NOTES:

mg/kg milligrams per kilogram (ppm)
TPH-d total petroleum hydrocarbons quantified as diesel
na not applicable; analysis not performed for this analyte

ND analyte not detected (ND) at or above the laboratory reporting limits soluble lead extracted following procedures of the California waste extraction test (Cal WET)

3.6 DISPOSAL OF SOIL EXCAVATED FROM BENEATH THE FORMER DIESEL DISPENSER ISLAND

On April 16, 1996, Tetra Tech supervised the loading of the soil onto two roll-off boxes. The soil was transported by Alhambra Environmental Services of Richmond, California, to the rotary kiln disposal facility owned and operated by Remedial Environmental Marketing Company, Inc., in Richmond, California. The weight of the soil was 20.6 tons, indicating a total soil volume of about 16 cubic yards. The soil was remediated by passing it through the rotary kiln. A copy of the nonhazardous waste manifest is included in Appendix B.

4. DRILLING AND SAMPLING SOIL BORINGS

Two soil borings were placed downgradient of the tank pit and the diesel dispenser island to permit collection of soil and grab ground water samples. The northernmost boring (TW-1) was located near the former gasoline UST tank pit in what was inferred to be the hydraulically downgradient direction from both the gasoline and diesel former USTs. The other soil boring (TW-2) was located further south in an area inferred to be the hydraulically downgradient direction from the diesel dispenser island. Figure 3-1 shows the proposed soil boring locations.

4.1 DRILLING

Í

The two soil borings were installed by Precision Sampling, Inc., a California licensed drilling company (License No. C-57 636387). The borings were installed using the Enviro-CoreTM continuous soil sampling system, which uses a 2.375-inch diameter drive casing to drill the soil borings and a 3-foot long, 1.5-inch diameter inner sample barrel containing six 6-inch long stainless-steel sample liners to collect the soil samples. The 3-foot sample barrel is simultaneously advanced with the drive casing. Soil samples were collected continuously in each borehole for the entire length of the soil boring. After collection of each 3-foot sample, the amount of recovery was recorded in the boring log. Soil was field-screened for contamination by visual examination and with a PID. All PID readings were recorded on the boring logs. All soils descriptions were recorded in the boring log. Soil boring logs are presented in Appendix D.

The soil generated during drilling was placed on the soil stockpile that resulted from excavating beneath the former diesel fuel dispenser island. Upon completion of the ground water sampling (described below), the boreholes were backfilled with cement/bentonite grout that was tremied to the bottom of the borehole. After backfilling, the ground surface was repaired with asphalt patch to match the original condition.

4.1.1 Drilling Permits

Alameda County requires that all soil borings be permitted prior to drilling. A drilling permit was obtained from Alameda County Flood Control and Water Conservation District. A copy of the permit is shown in Appendix D.

4.2 SAMPLING AND ANALYSIS

4.2.1 Soil Sampling and Analysis

Because native soil in the tank pit walls was shown by confirmation samples to contain only low concentrations of TPH-d and TPH-motor oil below the proposed cleanup goals (PCGs), only one soil sample was collected from each boring for chemical analysis. Each soil sample was collected across the interval where the top of the saturated zone was found in the boring.

Samples were collected within the 1.5-inch diameter core barrel in 1.5-inch diameter by 6-inch long stainless steel sample sleeves. After the sample sleeves were screened with a PID, the sample sleeve containing the appropriate soil interval was chosen by the geologist and prepared for shipment to the laboratory by covering the ends of the sleeves with Teflon film, securing the file with plastic caps, and sealing the film and caps with adhesiveless (cohesive) tape. Each sample sleeve was then labeled with the site name, date, time, samples number, and sampler's initials and placed in a cooler with sufficient blue ice to lower the sample temperature to 4° C for transport to the state-certified laboratory for analysis. The soil samples were submitted to Entech Analytical Laboratories for analysis for TPH-g, TPH-d, and TPH-motor oil using EPA Method 8015 modified, BTEX using EPA Method 8020, and total lead using either EPA method 7420 or 6010.

4.2.2 Ground Water Sampling and Analysis

Grab ground water samples were collected from both monitoring wells. After completion of the boring, 10 feet of one-inch inner diameter PVC screen was attached to one-inch diameter PVC casing and lowered into each borehole to create a temporary well. Ground water samples were collected by lowering a 0.75-inch diameter stainless-steel bailer into the casing until it was filled and then retrieving the full bailer.

Ground water samples were collected into the appropriate containers for each analysis. Each container was labeled with the sample ID, date and time collected, site name, and sampler's initials and placed in a cooler with sufficient blue ice to lower the sample temperature to 4° C for transport to the state-certified laboratory for analysis. The samples were submitted to Entech Analytical Laboratories for analysis for TPH-g, TPH-d, and TPH-motor oil using EPA Method 8015 modified, BTEX using EPA Method 602, and dissolved lead using EPA Method 7420. The lead sample was filtered by the laboratory prior to analysis to eliminate any lead resulting from suspended sediment in the water. The natural background lead concentration in soil and sediment is several-fold higher than the Cal/EPA MCL for

lead in drinking water of 0.05 mg/l and can cause significantly elevated lead concentrations in water samples unless the sediment is removed.

4.2.3 Sample Documentation

The depth of each soil sample is shown on the soil boring log (Appendix D) and is coded into the soil-sample ID along with the boring number. The boring from which each water sample was collected is also coded into the water-sample ID. All samples from the borings were accompanied by chain-of-custody documentation from the time of collection until their delivery to Entech Analytical Laboratories.

4.3 DECONTAMINATION

The drilling tools, such as the drive casing and shoe, were steam-cleaned prior to use in each soil boring and after the final boring. Soil and ground water sampling equipment, such as sample barrels and the bailer, also were decontaminated by steam cleaning prior to each use and following the final use. Steam cleaning of portable equipment was done in a portable wash rack. Liquids generated during steam cleaning activities were pumped into a DOT-approved 55-gallon drum, which was labeled and staged on site pending disposal (see Section 4.5).

4.4 ANALYTICAL RESULTS

4.4.1 Soil Samples

The soil samples collected from each soil boring contained no concentrations above the practical quantitation limit (PQL) of TPH-d, TPH-g, or BTEX compounds (Table 4). TPH as motor oil (TPH-oil) was detected in elevated concentrations of 1,200 mg/kg in TW1-6.5 and 380 mg/kg in TW2-09. Lead was present at a background concentration of 11 mg/kg in TW1-6.5 and at an elevated concentration of 120 mg/kg in TW2-09.

4.4.2 Ground Water Samples

The ground water samples contained no TPH-d or dissolved lead above their respective PQLs (Table 4). Sample TW1-W1 contained low concentrations of TPH-g (52 µg/l) and BTEX compounds (3.9 µg/l benzene, 8.9 µg/l toluene,

Table 4

Analytical results for soil and ground water samples collected February 8, 1996
from soil borings and temporary wells at
Caltrans' Ettie Street Maintenance Facility
3465 Ettie Street, Oakland, California

Sample ID	Depth (feet)	TPH-oil (8015 mod) (mg/kg)	TPH-d (8015 mod) (mg/kg)	TPH-gas (8015 mod) (mg/kg)	Benzene (8020) (mg/kg)	Toluene (8020) (mg/kg)	Ethylbenzene (8020) (mg/kg)	Xylenes (8020) (mg/kg)	Lead (7420) (mg/kg)
Soil samples									
TW1-6.5	6.5-7.0	1,200	ND < 25	ND	ND	ND	ND	ND	11
TW2-09	9.0-9.5	380	ND<5	ND	ND	ND	ND	ND	=
Method Detec	tion Limit	1.0	1.0	1.0	0.005	0.005	0.005	0.005	120 0.50

S2mple ID	Depth to water (feet)	TPH-oil (8015 mod) (μg/l)	TPH-d (8015 mod) (µg/l)	TPH-gas (8015 mod) (µg/l)	Benzene (8020) (μg/l)	Toluene (8020) (μg/l)	Ethylbenzene (8020) (µg/l)	Xylenes (8020) (μg/l)	Lead (7420) (mg/l)
Ground water s	amples							,	_
TW1-W1	3.8	2,400	ND	52	3.9	8.9	1.3	2.4	ND
TW2-W2	3.8	2,300,000	ND < 62,500	ND	ND	ND	ND	ND	ND
Method Detecti	on Limit	50.0	50.0	50.0	0.5	0.5	0.5	0.5	0.005

NOTES:

μg/kg	milligrams per kilogram (ppm)
TPH-oil	total petroleum hydrocarbons quantified as motor oil
TPH-d	total petroleum hydrocarbons quantified as diesel
TPH-g	total petroleum hydrocarbons quantified as gasoline
n2	not applicable, analysis not performed for this analyte
ND	analyte not detected (ND) at or above the laboratory reporting limits

1.3 μ g/l ethylbenzene, and 2.4 μ g/l total xylenes), and 2,400 μ g/l (2.4 mg/l) TPH-oil. Sample TW2-W1 contained no concentrations of TPH-g or BTEX compounds above their respective PQLs but did contain 2,300,000 μ g/l (2,300 mg/l) TPH-oil.

4.5 DISPOSAL OF RINSATE FROM DECONTAMINATION

On April 16, 1996, Tetra Tech supervised the removal of the DOT-approved 55-drum in which the rinsate was stored and the contents of the drum, which totaled 37 gallons. The drum and its contents were removed by personnel of Armour Petroleum Service and Equipment Corporation, who transported the rinsate to Solano Community College in Vacaville, California (see Appendix B), where the rinsate will be used in a fire-fighting training program.

5. PROPOSED CLEANUP GOALS AND HANDLING OF STOCKPILED SOIL

Section 5 presents the rationales for the proposed cleanup goals for TPH-d and TPH-oil and for handling the stockpile of soil excavated from the gasoline UST pit.

5.1 PROPOSED CLEANUP GOALS (PCG) FOR TPH-D AND TPH-OIL

Tetra Tech proposes the following PCGs for soil at this site:

TPH-d PCG = 100 mg/kg

TPH-oil PCG = 1,000 mg/kg

Tetra Tech proposes these PCGs for the following reasons:

- 1. The October 1995 report "Recommendations to Improve the Cleanup Process for California's Leaking Underground Fuel Tanks," prepared by Lawrence Livermore National Laboratory (LLNL) and submitted to the State Water Resources Control Board (SWRCB), concluded that fuel hydrocarbons have limited impacts on human health, the environment, or California's ground water resources. The costs of cleaning up LUFT fuel hydrocarbons are often inappropriate when compared to the magnitude of the impact on ground water resources.
- The major chemicals of concern in gasoline and diesel fuel are the BTEX compounds. No BTEX compounds were detected in any of the soil samples.
- 3. The PCG of 100 mg/kg for TPH-d in soil is based on the concentration of BTEX compounds in diesel fuel and their potential impact on ground water. According to the LUFT Field Manual (LUFT Task Force, 1989, p. 27-28, Table 2-1), concentrations of 100 mg/kg TPH-d in soil are sufficiently low that resulting ground water BTEX concentrations should not exceed California DHS action levels or primary MCLs for drinking water.

Analytical results for the ground water sample collected from the diesel UST pit support the 100 mg/kg PCG for TPH-d in soil. Even though the diesel-contaminated pea gravel is in contact with the ground water in the pit and a sample of the ground water from the pit contained 2,000

µg/l TPH-d, BTEX compounds were not present in the sample in detectable concentrations.

- 4. The TPH-oil PCG value of 1,000 mg/kg for soil is proposed because motor oil contains even lower concentrations of BTEX compounds than diesel fuel, and because the ground water samples collected from the diesel UST tank pit contained no TPH-oil that is attributable to motor oil, even though the pea gravel in the pit contains up to 560 mg/kg TPH oil.
- 5. Any TPH contamination is unlikely to migrate off site. Shallow ground water at the site lies within the low-permeability Bay Mud. The low permeability of the mud and the inferred low hydraulic gradient at the site will result in very slow ground water flow rates. The migration rate of any TPH in the ground water will be even slower because of the high concentration of organic matter and clay in the mud. The constituents of fuel hydrocarbons bind to the organic material and clay and therefore migrate several times more slowly than the ground water. Such slow movement of the fuel hydrocarbons will allow abundant time for mitigation of the contamination by intrinsic in-situ aerobic bioremediation before the contaminant plume, if any, could migrate any substantial distance. Consequently, any fuel hydrocarbon contamination from this site is not likely to migrate off site or into nearby surface waters.
 - 6. Because shallow ground water at the site lies within the low-permeability Bay Mud, the ground water at the site is not likely to meet the California State Water Resources Control Board (SWRCB) criterion for municipal or private water supplies of "... provid(ing) sufficient water to supply a single well capable of producing an average, sustained yield of 200 gallons per day" (SWRCB Res. No. 88-63). Therefore, contamination of such water would not impact a potential source of drinking water.
 - 7. At present, the site is completely paved with asphalt or cement concrete except for the backfilled excavations where the UST and dispenser island were removed. These unpaved areas will be paved following the imminent retrofitting of the adjacent freeway support footings. The paving at the site serves as a surface seal to prevent precipitation from infiltrating and leaching contaminants from the soil. This significantly reduces the possibility that any TPH remaining in unexcavated soil will be leached and transported to the saturated zone.

On the basis of the above reasons, Tetra Tech believes that PCGs for TPH-d and TPH-oil are sufficiently protective of potential sources of drinking water and

requests that the PCGs be adopted for this site by Alameda County Environmental Protection (ACEP). If ACEP accepts these PCGs, the slightly contaminated pea gravel in the diesel UST pit will be left in place.

5.2 HANDLING OF STOCKPILED SOIL FROM GASOLINE UST PIT

Tetra Tech proposes that the 50 cubic yards or so of soil excavated from the gasoline UST pit and stockpiled on the site be considered clean and be used as ordinary fill material. Therefore, no soil management plan will be required by ACEP.

Analytical results show that the stockpiled soil from the gasoline UST pit contains no detectable petroleum hydrocarbons and 26 mg/kg total lead. Although the lead concentration of the stockpiled soil is somewhat higher than the lead concentrations in the confirmation samples collected from the gasoline UST pit, the concentrations are well below the total threshold limit concentration (TTLC) for total lead of 1,000 mg/kg. The concentrations are also below the threshold of 50 mg/kg total lead above which the soluble lead content could conceivably exceed the soluble threshold limit concentration (STLC) for lead of 5.0 mg/l. Wastes containing total lead exceeding the TTLC or soluble lead exceeding the STLC are defined as hazardous wastes on the basis of the characteristic of toxicity (CCR title 22, Section 6626.24). It is clear the soil cannot be considered hazardous on the basis of its lead content.

The lead content of the stockpiled soil is not believed to be a threat to drinking water supplies for the following reasons:

- 1. The lead concentrations in the soil are low, being only 1.5 times the mean concentration of 17 mg/kg for lead in soils of the western United States (Shacklette and Boerngen 1984, Table 2) and therefore should not significantly affect the ground water. This is supported by the analytical results for the water sample collected from the gasoline UST pit following excavation of stockpiled soil. The water sample contained no detectable lead above the California DHS primary MCL for drinking water of 50 μg/l.
- 2. Because shallow ground water at the site lies within the low-permeability Bay Mud, the ground water at the site is not likely to meet the SWRCB criterion for municipal or private water supplies of "...provid(ing) sufficient water to supply a single well capable of producing an average, sustained yield of 200 gallons per day" (SWRCB Res. No. 88-63). Therefore, contamination of such water would not impact a potential source of drinking water.

On the basis of the above discussion, Tetra Tech proposes that the 50 cubic yards or so of soil excavated from the gasoline UST pit and stockpiled on the site be used as ordinary fill material.

6. DISCUSSION

Confirmation sampling demonstrates that the remaining native soil contains no detectable TPH-d, TPH-g, BTEX compounds, or MTBE. Pea gravel excavated from and returned to the diesel UST pit contains low concentrations (less than 100 mg/kg) of TPH-d and TPH-oil.

Low concentrations (<25 mg/kg) of TPH-oil were detected in soil adjacent to the former diesel UST pit, and moderate concentrations (380 to 1,200 mg/kg) were detected in soil from near the top of the saturated zone in the soil borings downgradient from the former UST pits and near the small building.

Total lead concentrations in soil were all below regulatory thresholds. The maximum soil lead concentration was 120 mg/kg in boring TW-2; all other soil lead concentrations were less than 27 mg/kg.

Ground water in the former UST pits contained no TPH-g or BTEX compounds, except for a very low concentration (36 μ g/l) of xylenes in water from the gasoline UST pit. Ground water from the diesel UST pit contained 2,000 μ g/l of TPH-d.

Ground water from the two soil borings contained elevated concentrations (2,400 to 2,300,000 μ g/l) of TPH-oil and no detectable TPH-d or dissolved lead, demonstrating that the elevated soil lead observed in boring TW-2 apparently does not affect ground water. Ground water in the northern well (TW-2), downgradient of the former gasoline UST tank, also contained low concentrations of TPH-g and BTEX compounds. The TPH-g concentration in the TW-2 water was approximately 10 times greater than the 5 μ g/l taste and odor threshold for gasoline, and the benzene concentration was approximately 4 times greater than the DHS MCL for benzene in drinking water.

7. CONCLUSIONS AND RECOMMENDATIONS

Tetra Tech concludes that soil contamination associated with the gasoline and diesel USTs and dispensers has been successfully addressed. No further remedial activity is recommended for the soil in the area of the USTs and the dispensers.

The stockpile of soil removed from the former gasoline UST pit contained no detectable TPH-g, BTEX compounds, or MTBE, and a low concentration of total lead. Tetra Tech recommends that this soil be considered clean and usable by Caltrans as ordinary fill material.

Ground water downgradient of the tank pits has been shown to contain elevated concentrations of TPH-oil, TPH-g, and BTEX compounds. Elevated concentrations of TPH-oil also are found in soil from the same area.

The source of the oil in the soil and ground water is not known. TPH-oil concentrations are higher downgradient of the former UST pits, suggesting that the source of the oil is located downgradient of the pits. Possible sources include spillage or leakage from a hydraulic lift near the small building or from present or former above-ground or underground oil storage tanks or from an unknown source.

The TPH observed in the ground water and soil is unlikely to migrate off site or to impact potential sources of drinking water. The TPH is unlikely to migrate off site because the shallow ground water at the site lies within the organic-rich low-permeability Bay Mud and is inferred to have a low hydraulic gradient. These factors result in very slow ground water flow rates and even slower TPH migration rates. Furthermore, the site is almost completely paved with asphalt or cement concrete and will be completely paved following imminent retrofitting of the adjacent freeway support columns. The paving serves as a surface seal to prevent precipitation from infiltrating and leaching into the saturated zone any TPH remaining in the soil.

Sources of ground water are not threatened by the TPH because shallow ground water at the site lies within the low-permeability Bay Mud, and therefore is not likely to meet the SWRCB criterion for municipal or private water supplies of "...provid(ing) sufficient water to supply a single well capable of producing an average, sustained yield of 200 gallons per day" (SWRCB Res. No. 88-63). Therefore, contamination of such water would not impact a potential source of drinking water.

8. REFERENCES CITED

- Helley, E. J., K.R. Lajoie, W.E. Spangle, and M.L. Blair. 1979. Flatland Deposits of the San Francisco Bay Region, California Their Geology and Engineering Properties, and Their Importance to Comprehensive Planning. United States Geological Survey Professional Paper 943. 88 pages.
- LUFT Task Force. 1989. Revised Leaking Underground Fuel Tank (LUFT) Field Manual: Guidelines for Site Assessment, Cleanup, and Underground Storage Tank Closure. Revised March 1989. 54 pages.
- Radbruch, D.G. 1957. Areal and Engineering Geology of the Oakland West Quadrangle, California. US Geological Survey Miscellaneous Investigations. Map I-239.
- Tri-Regional Board Staff. 1990. Tri-Regional Board Staff Recommendations for Preliminary Evaluation and Investigation of Underground Tank Sites. Prepared by Staff of North Coast Regional Water Quality Control Board, San Francisco Regional Water Quality Control Board, Central Valley Regional Water Quality Control Board. August 10, 1990, with Clarification Letter to Underground Tank Owners and Regulators issued October 2, 1990, by Thomas J. Callaghan, Toxics Cleanup Division.
- United States Department of Agriculture, Soil Conservation Service. 1980. Soil Survey of Alameda County, California, Western Part.

APPENDIX B

FIELD PROCEDURES

FIELD PROCEDURES

I. FIELD DOCUMENTATION OF SAMPLING PROCEDURES

The following outline describes the procedures adhered by PSI for proper sampling documentation.

- 1. Sampling procedures will be documented in field notes that contain:
 - 1. Sample collection procedures
 - 2. Date and time of collection
 - 3. Date of shipping
 - 4. Sample collection location
 - 5. Sample identification number(s)
 - 6. Intended analysis
 - 7. Quality control samples
 - 8. Sample preservation
 - 9. Name of sampler
 - 10. Any pertinent observations
- 2. Samples will be labeled with the following information:
 - 1. Sample designation number
 - 2. Date and time sample was collected
 - 3. Sampler's name
 - 4. Sample preservatives (if required)
- 3. The following is the sample designation system for the site:

For Borings the samples will be labeled B-(Boring Number)-(Depth) (i.e. sample collected from boring 4 at 5 feet would be B4-5).

For hydropunch groundwater samples (W) (Boring Number) (i.e. WB4)

For monitoring well groundwater samples (MW) (Well Number) (i.e. MW4)

- 4. Handling of the samples will be recorded on a chain of custody form which shall include:
 - 1. Project name
 - 2. Site location
 - 3. Signature of Collector
 - 4. Date and time of collection
 - 5. Sample identification number
 - 6. Number of containers in sample set
 - 7. Description of sample and container
 - 8. Name and signature of persons, and the companies or agencies they represent, who are involved in the chain of possession
 - 9. Inclusive dates and times of possession
 - 10. Analyses to be completed

II. ADVANCING OF SOIL BORINGS AND COLLECTION OF SOIL SAMPLES

The following procedures were used for advancing soil borings and collecting soil samples at the site:

- 1. Prior to the commencement of soil boring activities at the site, soil boring locations were marked with white paint. Underground Service Alert (USA) was contacted to identify underground utilities in the vicinity of the soil borings.
- 2. Soil boring and sampling activities were conducted by Fisch Environmental of Pleasant Valley, California. The soil borings were advanced using GeoProbe direct push method. Flush-threaded rods with a stainless steel sampler were advanced into the ground using a hydraulic press and percussion hammer. The opening of the sampler was sealed with a drive tip held in place by a threaded pin.
- 3. Soil samples were collected using a 2-foot long, 1-inch inside diameter macro-core stainless steel sampler. Soil samplers were washed between sampling intervals with Alconox soap followed by two deionized water rinses. The sampler was lined with clean brass, stainless steel, or acetate sleeves. When the boring was advanced to the desired sampling depth the threaded pin was removed allowing the drive tip to retract as the sampler was advanced 2-feet into native soil using a percussion hammer.

- 4. After the sampler was retrieved the sleeves were extracted from the sampler without disturbing the sample. The sample was collected for analyses from the lowest tube in the sampler. The ends of the sample were covered with TeflonTM sheets and capped with polyethylene end caps. The sample was labeled and placed in a ziplock bag in a chilled cooler prior to delivery to the laboratory for analyses.
- 5. Soil samples were assigned identification numbers such as B1-5, where B1 indicates the boring designation and -5 indicates that the sample was collected at 5 feet bgs. The samples were labeled with the project name, date and time of sample collection, sampling depth, and client name.
- 6. Chain-of-custody procedures using chain-of-custody records were implemented during handling and transportation of the samples to the laboratory for analyses.
- 7. Boring logs were prepared for the soil borings under the supervision of a California-Registered Geologist. Soil from each sample was described in accordance with Unified Soil Classification System by a PSI geologist and recorded on a field boring log. The data recorded on the logs were based on examination of soil samples retrieved in the tubes, and drilling conditions observed in the field. Boring logs include information regarding the location of each boring, geologic descriptions of materials encountered, occurrence of groundwater (if applicable) and organic vapor analyzer (OVA) measurements in the soil samples collected.
- 8. A Century 128 organic vapor analyzer (OVA) was used to monitor volatile organic compounds (VOCs) in the ambient air during drilling at the site in accordance with the site health and safety plan. VOC concentrations in the soil were measured at the sampling depths by partially filling a zip-loc bag and closing the top. The components of the soil were allowed to volatilize and fill the head space in the bag for approximately 15 to 30 minutes prior to inserting the OVA probe through the top of the bag and recording the measurements.
- Soil cuttings generated during drilling activities at the site were contained in Department of Transportation (DOT) approved 5-gallon buckets. The buckets were labeled with the contents, boring designation of origin, client name, project number, and PSI contact phone number.

III. BACKFILL OF SOIL BORINGS

The following procedures were used to backfill the soil borings at the site:

1. Soil borings were backfilled to grade with Portland grout slurry. The slurry consisted of neat cement and 5% bentonite powder.

IV. HYDROPUNCH GROUNDWATER SAMPLING

The following outline describes the procedures utilized by PSI for collecting groundwater samples.

- 1. After the last soil sample was collected a decontaminated stainless steel screen concealed in a stainless steel sheath was advanced down the boring below the top of groundwater. The screen was exposed by removing a threaded pin from the sheath and lifting the rods four feet (the length of the screen).
- Disposable Teflon tubing with a check-valve affixed to the bottom was used to collect water through the center of the rods and exposed screen. The Teflon tubing was vertically agitated to positively displace water upward through the tubing till the groundwater sample containers were filled.
- Each collected water sample was labeled, recorded on a Chain-of-Custody record, and placed in a chilled cooler while awaiting transport to a certified hazardous waste laboratory.
- Chain-of-custody procedures, including chain-of-custody forms, were used to document water sample handling and transport from collection to delivery to the laboratory for analysis.
- 5. Water samples were delivered to a State-certified hazardous waste laboratory within approximately 24 hours of collection.

V. GROUND-WATER SAMPLING

The following procedures were used for ground water sampling:

- 1. All equipment shall be washed prior to entering the well with an Alconox solution, followed by two tap water rinses and a deionized water rinse.
- 2. Prior to purging wells, depth-to-water were measured using an Solinst water-interface probe to an accuracy of approximately 0.01 foot. The measurements were made to the top of the well casing on the north side.
- 3. Free floating product thickness and depth-to-ground water were measured in wells containing free floating product using a Solinst oil-water interface probe to an accuracy of approximately 0.003 meters (0.01 foot). The measurements were made to the top of the well casing on the north side.
- 4. Water samples were collected with a polyethylene disposable bailer. The water collected were immediately decanted into laboratory-supplied vials and bottles. The containers were overfilled, capped, labeled, and placed in a chilled cooler, prior to delivery to the laboratory for analysis.
- Chain-of-custody procedures, including chain-of-custody forms, were used to document water sample handling and transport from collection to delivery to the laboratory for analysis.
- 6. Ground-water samples were delivered to a State-certified hazardous waste laboratory within approximately 24 hours of collection.

APPENDIX C

BORING LOGS

SOIL	BORII	NG LOG					BORING NO:	1222			
							SHEET 1	OF			
DATE:	7/29/97		-2	CALTRANS ETTIE			PROJECT NC	ICVSSC-			
BORING S	ITE LOCA	TION PLAN:	SEC:	TWN:	RGE:	_LAT:					
				DRILLING CO: FISCH ENVIRONMENTAL							
				. CREW:			DAVE FISCH				
				ING METHOD:		GE	EOPROBE 5400	11 - 211-251			
			BORI	NG DIMENSIONS:			WIDTH	DEPTH			
			-		GROUND						
				DATE		ACTUAL	- TIME	DEPTH BGS			
			-		-						
DEPTH	PEN. RATE/ BLOW COUNTS	DE	ESCRIPT	TION .	FID ■ PID □ (PPM)	USCS	R	EMARKS			
		GRAVEL; greyish bi to coarse, no HC od	rown, loc or.	ise, dense, line	GW						
s B1-	5	GRAVELLY CLAY; moist, soft, low plast	yellowish licity, no	i brown, very HC odor.	CL						
		CLAY; bay mud, bla very moist, no HC o	ck, solt, dor.	med. plasticity,	CL.						
o 81-	10		7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.		GW -:						
=======================================		perched groundwate gravel layer underla brown, med. stiff, me HC odor. Boring terminated a	In by CL ed. plast	AY; pale yellowish icity, moist, no	GL		Groundwater a No groundwate in the boring.	er accumulation			
		is slow to accumulat pipe is left in the bor with hentonite chips	e in the ing and	borina. PVC							
		with neaf Portland c	ement.								
= =											
	D DV 101	N D WHITING		PREPARED BY			ļ				

SO	LB	ORII	NG LOG				BORING NO	: B2/MW-	1			
							SHEET 1	OF	1			
ATE:		7/29/97	PROJECT	NAME: CALTRANS ETT	TE STREET		PROJECT N	C575-71022				
ORIN	IG SITE	LOCA	TION PLAN:	SEC: TWN:	RGE:	LAT		LONG:				
				DRILLING CO:		FISCH	I ENVIRONME	ENTAL				
				DRILL CREW: DAVE FISCH								
				DRILLING METHOD:	RILLING METHOD: GEOPROBE							
				BORING DIMENSIONS:			WIDT	н	DEPTH			
					GROUNE	WATER	RLEVELS					
				DATE		ACTUA	LTIME	DEPT	TH BGS			
DEPTH	SAMPLE NO.	PEN. RATE/ BLOW COUNTS	D	ESCRIPTION	FID ■ PID □ (PPM)	uscs	,â	RĖMARKS				
			GHAVEL; greyish b to coarse, no HC or	rown, loose, dense, fine dor.	GW							
=			GRAVELLY CLAY; moist, soft, low plas	yellowish brown, very sticity, no HC odor.	CL							
	B2-5	*******	CLAY; bay mud, bla very moist, no HC o	ack, soft, med. plasticity, odor.	GL			***************************************				
	B2-10											
1	DZ-10		Solls appear wet at in the boring.	11 feet. No groundwater			Groundwater feet bgs. No accumulation	detected at groundwate in the borin	11 r ng			
				***************************************				***********	1000			
			Boring terminated a screen from 7 to 16 from 5 to 7 feet bgs to grade	at 16 feet bgs. Prepacked feet bgs. Bentonite seal . Neat portland cement				91	******			

REVIE	WED E	BY: JOH	screen from 7 to 16 from 5 to 7 feet bgs to grade	PREPARED BY:				0	54F2			

SOIL B	ORIN	NG LOG					BORING NO:	B3/MW-2			
							SHEET 1	OF			
DATE:	7/29/97		1	CALTRANS ETTI	524	57725	PROJECT NO	575-71022			
BORING SITI	E LOCAT	TION PLAN:	SEC:	TWN:	RGE:	LAT	:	LONG:			
			-	DRILLING CO: FISCH ENVIRONMENTAL							
				CREW:			DAVE FISCH				
			-	ING METHOD:		GI	EOPROBE 5400	D75*7.5 - WY			
			BOHII	NG DIMENSIONS:	ODOLINI	NIATE	WIDTH	DEPTH			
			-	DATE	GROUNI	ACTUAL	RLEVELS	DEPTH BGS			
				DATE		ACTOR	LIME	DEPTH BGS			
DEPTH SAMPLE NO.	PEN. RATE/ BLOW COUNTS	C	DESCRIPT	TION	FID ■ PID □ (PPM)	uscs	R	EMARKS			
=		GHAVEL; greyish to coarse, no HC o	orown, loc dor.	se, dense, fine		GW		5			
		GRAVELLY CLAY; moist, soft, low plan	yellowish sticity, no	brown, very HC odor.		CL	**************				
E3:2		CLAY; bay mud, bl very moist, no HC	ack, soft, odor.	med. plasticity,		CL		-3			
B3-10	1 1	Soils appear wet at in the boring.	t 11 feet.	No groundwater			Groundwater d feet bgs. No gr accumulation in	oundwater			
1		Boring terminated a screen from 7 to 16 from 5 to 7 feet bgs to grade	leet bgs. Neat po	. Bentonite seal							
	(controlled)					evel a service					

DATE:							SHEET 1	OF		
	7/29/97	7 PROJECT I	NAME: CA	LTRANS ETTI	E STREET		PROJECT NC	17487		
ORING SIT	E LOCA	TION PLAN:	SEC:	TWN:	RGE:	LAT	L	-ONG:		
			DRILLING CO: FISCH ENVIRONMENTAL							
			DRILL CREW: DAVE FISCH							
			DRILLING	METHOD:		G	EOPROBE 5400			
			BORING D	IMENSIONS:			WIDTH	DEPTH		
					GROUNI	OWATER	RLEVELS			
				DATE		ACTUA	LTIME	DEPTH BGS		
					-					
DEPTH SAMPLE NO.	PEN, RATE/ BLOW COUNTS		ESCRIPTION		FID 🖵 PID 🗆 (PPM)	USCS	RE	MARKS		
		Interbedded clay, s- moist, greyish to gru- medium plasticity, s no HC odor.	and, and gravi eenish brown, ands are well	el, dense, clays are graded,				5		
								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
B4-5		CLAY; black, soft, k no HC odor, trace o	ow plasticity, n f sand.			CE		•••••		
		Same as above.								
B4-10							groundwater del feet bgs. No wa in the boring.	ected at 10.5 ter accumulation		

		Boring terminated a screen from 7 to 16 from 5 to 7 feet bgs. to grade	t 16 feet bgs. feet bgs. Ber Neat portlan	Prepacked ntonite seat id cement			v			

SOIL BORING LOG				BORING NO: B5		
				SHEET 1 OF		
DATE: 7/29/97 PROJECT	NAME: CALTRANS ET	TIE STREET		PROJECT NO	575-71022	
BORING SITE LOCATION PLAN:	SEC: TWN:	RGE:	LAT		LONG:	
	DRILLING CO:		FISCH	I ENVIRONME	NTAL	
	DRILL CREW: DAVE FISCH					
	DRILLING METHOD: GEOPROBE 5400					
	BORING DIMENSIONS	3:		WIDTH	DEPT	н
	GROUNDWATER LEVELS					
	DATE		ACTUA	LTIME	DEPTH BGS	S
1 1 10						
SAMPLE NO. PEN. RATE/ BLOW COUNTS	DESCRIPTION	FID ♥ PID □ (PPM)	uscs	REMARKS		
	and gravels, greyish to	-	100			
orangish brown, de concrete debris, re	and gravels, greyish to ense, low plasticity, moist fusal at 4 feet. Stepped					-
over twice.			·:\			=
						2.5
						-
B5-5						
	lack, soft, some sand.		CL)			
low plasticity, no H	lack, soft, some sand, C odor.					
						_
7						1
B5-10 Transition to grey of	lay; med. stiff, high		CL			
plasticity, wet, no h	HC odor.			Groundwater of feet bgs. No of accumulation	detected at 10.5 groundwater in the boring.	
		***************************************				-
B5-15						3
						-
= =						
				110000000000000000000000000000000000000		
Boring continued to	o 20 feet bgs. No oundwater in the boring			l		10
PVC pipe left in the	oundwater in the boring e boring and sealed with					
and the second s	DATE OF THE PARTY			1		
bentonite chips. Backfill	ed with neat Portland					

BORING NO: B6/MW-4 SHEET OF DATE: 7/29/97 PROJECT NAME: CALTRANS ETTIE STREET PROJECT NC575-71022 BORING SITE LOCATION PLAN: SEC: TWN: RGE: LAT: LONG: DRILLING CO: FISCH ENVIRONMENTAL DRILL CREW: DAVE FISCH DRILLING METHOD: **GEOPROBE 5400** BORING DIMENSIONS: WIDTH DEPTH **GROUNDWATER LEVELS** DATE **ACTUAL TIME DEPTH BGS** BLOW COUNTS SAMPLE NO. PEN. RATE/ DEPTH FID 🖵 DESCRIPTION PID 🗆 USCS REMARKS (PPM) GHAVELLY CLAY w/ SAND; greyish to greenish brown, dense, moist, loose, no CL HC odor. B6-5 CLAY; black and green mottling, soft, low plasticity, very moist, no HC odor. CL Same as above. B6-10 Groundwater detected at 10.5 feet bgs. No groundwater accumulation in the boring. Boring terminated at 16 feet bgs. Prepacked screen from 7 to 16 feet bgs. Bentonite seal from 5 to 7 feet bgs. Neat portland cement to grade REVIEWED BY: JOHN D. WHITING PREPARED BY:

SOIL BORING LOG

APPENDIX D

WELL CONSTRUCTION DIAGRAMS

						MADE OF THE STATE	
						PERMIT NO:	97379
ATE:	7/29/97	PROJECT NAME:	CALTRANS	, Ettie Stree	et	PROJECT NO:	575-71022
ELL SITE	LOCATION	N PLAN:	SEC:	TWN:	RGE:	LAT:	LONG:
			DRILLING	CO: Fisch	Environmen	tal	
			DRILL CRE	:W: David	l Fisch		
			WELL TYP	E: E 5	SHALLOW	SINGLE CASE	MONITORING
			PERMA	MENT [INTERMEDIA	TE DOUBLE	CASED TRECOVERY
			☐ TEN	MPORARY	DEEP	□оп-	
	WELL SO	CHEMATIC			INST	ALLATION DATA	4
				DECON.	STEAM C	LEAN HIGH F	PRESSURE WASH
•			_		SOAP WA	SH 🗌 OTHER	?
		TOC ABO GROUND	A Committee of the Comm	ING TYPE:	■PVC □]STAINLESS [TEFLON OTHER
		RISER BO	200	JOINTS:	THREAD	D WELDED	
		OR STICK		T CACING:	SCREWE	D ☐ OTHER ■NO ☐ DESCRIB	ıc
		01	न.	I CASING.	1123	NO DESCRIB	-
		-		L SCREEN:			TEFLON OTHER
1	1			DIAMETER: SLOT:			OTHER 1 IN
ANNULAR	BOREHO	LE	OLO1.	0.010	J 0.02.0		
	A Company of the contract of t	DIAMETE	R	DRILLING		EM HOLLOW	
	BACKFILL	2	N	METHOD:	☐ OTHER	ARY DIRECT	PUSH HAND AU
				BIT SIZE:	2 °		12" OTHER
	5 FT.			LING MUD:		□ WATER	BENTONITE
	CEMENT	CASING		ITRALIZER:	OTHER	■ NO	
TOTAL	BENTONITE						D. C.
DEPTH	GROUT ■ SILICA SAND □	THE TAX STATE OF THE STATE OF T		MPLETION: OCK TYPE:	FLUSH M		CKUP RISER BO
361704.2000	NATIVE SOIL	1 (File 1) (File 2) (File 2) (File 2)	. -		OTHER	_	
тос	OTHER		_	PAD:	2'X2"	☐ 4'X4' ☐ OT	HER
	+	图片		CUTTINGS:	DRUMME		F DRUMS 0.25
16 FT.	*				SPREAD	OTHER	
1 1	SEAL	BENTONITE MASONRY SA	ND DEV	ELOPMENT	NONE	BAILING [PUMPING AIR LIF
1 1	2 FT.	OTHER	, DET.	METHOD:	SURGE (OTHER
1	_X_			TIME:	10 MIN	20 MIN	OTHER A
	T		WATE	AMOUNT R BEFORE:	☐ 5 GAL ☐ SILTY	10 GAL TURBID	OTHER 1.5 C
1 [FILTER	<u> </u>	_	TER AFTER:	SILTY	TURBID	OPAQUE CLE
4.4	PACK	WELL	200	ENT ODOR:	YE\$	NO TYPE	
	9 FT.	LENGT	25	ELOPMENT	DRUMM	ED NUMBER C	F DRUMS
	TYPE			WATER:	SPREAD	TREATE	D POTW OTH
	Prepacked Geoprobe	9	FT. WA	TER LEVEL:	INITIAL	_ FI [Втос Ввс
,	Coopieso	+					
Ψ	X	V		DATE:			FT BELOW TO
	OVER DRILL	WELL SU	MP	DATE:			FT BELOW TOO
	199010220	□ YES ■	214-244	NOTES: (D	ESCRIBE ALL N	ON-STANDARD METH	HODS & MATERIALS)
L	(CROSS OUT IF		IN.	G	eoprobe pre-ass	sembled filter pack a	nd screen (9 feet)
	NOT DRILLED)						·
8		SAMO					

Rev. 12/95


MONI	TORING	WELL CONSTI	RUCT	TION DATA		WELL/BORING	NO: MW-2		
						PERMIT NO: 97379			
DATE:	7/29/97	PROJECT NAME:	CALT	RANS, Ettle Stree	et	PROJECT NO:	575-71022		
VELL SI	TE LOCATION	N PLAN:	SEC:	TWN:	RGE:	LAT:	LONG:		
			DRILL	ING CO: Fisch	Environmen	ıtal			
			DRILL	CREW: David	Fisch				
			WELL	TYPE:	HALLOW	SINGLE CASED	MONITORI		
				ermanent [] temporary		ATE DOUBLE C	:ASED LIRECOV ER □ OTH		
	WELLS	CHEMATIC	1-	J TEMPORARY		ALLATION DATA			
	***************************************			DECON	□ ereance	CLEAN HIGH P	DESSLIDE WASH		
4		TTT	=	DECON.	SOAP W		RESSURE WASH		
		TOC ABO	100	CASING TYPE:	■ PVC [STAINLESS	TEFLON 0	THER	
		RISER B	OX	JOINTS:	THREAD	ED WELDED	COUPLED		
		OR STICE	KUP	PIT CASING:	SCREWE	ED ☐ OTHER_ NO ☐ DESCRIBI			
			FT.	2		STAINLESS		THER	
-	_ A		-	DIAMETER:	□ 2" [ቯ4ቸጔ 🔲 6" 🔳	OTHER1	<u>1</u> IN	
		BOREHO	NEI	SLOT:	0,010	07020 (Д ОТН	ER II	N	
	ANNULAR	DIAMET	0.07 Lenn	DRILLING	SOLIDS	TEM HOLLOW		D ROTARY	
S FT. CAS CEMENT D	,	IN.		OTHER	ARY EDIRECT P		ND AUGER		
		57770	BIT SIZE:	2"	4" 6" 8" WATER	12" OTHER	RIN		
	CASIN	IG	DRILLING MUD:	OTHER		BENTONTE	•		
	DIAMET	1950 Aug 1	CENTRALIZER:	YES	NO				
TOTAL		100	IN.			MOUNT STI	CKUP RIS	ER BOX	
DEPTH		100	40	LOCK TYPE:	DOLPHI		KEY NO.		
FROM	NATIVE SOIL			PAD:	□ 2'X2'		HER		
	1			CUTTINGS:	■ DRUMM		F DRUMS 0.25		
16 FT.					SPREA	O OTHER			
i de	SEAL	■ BENTONITE ■ MASONRY S		DEVELOPMENT	_			AIR LIFT	
	2 FT.	OTHER		METHOD: TIME:	= -	L& BLOCK L	OTHER	MIN	
	-			AMOUNT	☐ 5 GAL	☐ 10 GAL	OTHER	1.5 GAL	
	FILTER	1	-	WATER BEFORE: WATER AFTER:	=	TURBID TURBID	OPAQUE [CLEAR CLEAR	
	PACK	WEL	1000	EVIDENT ODOR:	=	NO TYPE			
	9 FT.	SCRE		DEVELOPMENT	■ DRUMN	MED NUMBER C			
	TYPE			WATER	: SPREA	D TREATE	D POTW [OTHER	
	Prepacked Geoprobe		9 FT.	WATER LEVEL	: INITIAL	FT [□втос □вся		
l		V	ý	DATE	:		FT BELC	OW TOC	
<u> </u>	OVER			DATE	:		FT BEL(ow toc	
	DRILL	WELL S	Charles Control of the			NON-STANDARD METH	HODS & MATERIALS)	ı	
1	0 FT		052016-0						
1	(CROSS OUT I		IN.		seoprobe pre-a	ssembled filter pack a	no screen (3 1661)		
1									
			Con	100-00-00-00-00-00-00-00-00-00-00-00-00-					
			PR	EPARED BY:		John P. I	Veville		

		100	TION DATA		WEEDBORNO	NO: MW-3			
					PERMIT NO: 97379				
ATE: 7/29/97 PF	ROJECT NAME:	CAL	TRANS, Ettie Stree	t	PROJECT NO:	575-71022			
ELL SITE LOCATION PLA	N:	SEC	TWN:	RGE:	LAT:	LONG:			
		DRII	LING CO: Fisch	Environmer	ntal				
		DRII	L CREW: David	Fisch					
		WEL	eta la		SINGLE CASE				
		1				CASED RECOVERY			
WELL SCHEM	ATIC	٠,	TEMPORARY	DEEP	OTH				
WELL SCHEM	AIIC								
			DECON.	STEAM C	LEAN HIGH F				
T	TOC ABO	VE		SOAP WA	ASHOTHER				
	GROUND	10000]stainless [Ed []welded	TEFLON OTHER			
	OR STICK	500000	JOIN1S:		ED WELDED	[] COUPLED			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28970	PIT CASING:		NO DESCRIB	E			
		FT.	WELL SCREEN:	■ PVC	STAINLESS T	TEFLON OTHER			
A		====	DIAMETER:]4 ⁺ □6" ■	OTHER 1 IN			
	Poperio	u = 1	SLOT:	0.010	0;α20Οπ	HER IN			
ANNULAR	BOREHO		DRILLING	SOLID S	TEM HOLLOW	STEM MUD ROTA			
BACKFILL		200	METHOD:		ARY EDIRECT	PUSH HAND AUG			
		IN.	RIT SIZE:	OTHER	4" 6" 8"	12" OTHER			
5 FT.			DRILLING MUD:			BENTONITE			
CASIN		Silversi III	OENTO ALIZED.	OTHER	- NO				
CEMENT D	DIAMET	ER	CENTRALIZER:	☐ 4F2	NO				
WELL GROUT	1925	IN.	COMPLETION:	_		-			
PEPTH SILICA SAND□ SIFROM NATIVE SOIL□	SCH. 4	0	LOCK TYPE:	☐ DOLPHIN	N ∐ MASTER	KEY NO.			
TOC OTHER			PAD:	_	4'X4' OT	HER			
	1		CUTTINGS	■ DRUMMI	ED NUMBER O	F DRUMS 0,25			
6 FT.	100		CUTTINGS:		OTHER	F DROMS 0.25			
SEAL	BENTONITE				_				
2 FT.	☐ MASONRY SA	AND	DEVELOPMENT METHOD:	NONE SURGE		∏PUMPING ∐AIRLIF OTHER			
¥	LOWER		TIME:	10 MIN	20 MIN	OTHERM			
↑ T			AMOUNT		10 GAL	OTHER 15 G			
FILTER	-		WATER BEFORE: WATER AFTER:		TURBID TURBID	OPAQUE CLE			
PACK	WELL	-2001	EVIDENT ODOR:	= .	NO TYPE				
9 FT.	SCREE LENGT	26.0	DEVELOPMENT	DRUMM	ED NUMBER C	E DRUMS			
TYPE	Lino	7.	WATER:	SPREAD		D POTW OTH			
Prepacked	9	FT.	MATERIES.	MUTIAL	er f	Tiproc Cipos			
Geoprobe	· +		WATER LEVEL:	INITIAL	FT [BTOC BGS			
+ + <u>-</u> <u>-</u>	7		DATE:			FT BELOW TOO			
OVER			DATE:			FT BELOW TOO			
DRILL	WELL SU	2-110-	NOTES: (DE	SCRIBE ALL N	ON-STANDARD METH	HODS & MATERIALS)			
0 FT.		IN.	^-	onmhe pre-se	sembled filter pack a	nd screen (9 feet)			
(CROSS OUT IF NOT DRILLED)		10%	Ge	ohione his-ss	sentinga inter pack at	na saleen (o leet)			
↓ ■									

MONI	TORING	WELL CONSTR	RUCTION DAT	Ά	WELL/BORING	NO: MW-4	
					PERMIT NO:	97379	
ATE:	7/29/97	PROJECT NAME:	CALTRANS, Ettie St	treet	PROJECT NO:	575-71022	
	TE LOCATIO	N PLAN:	SEC: TWN:	RGE:	LAT:	LONG:	
12.250			DRILLING CO: Fis	ch Environmer	ntal		
			DRILL CREW: Da	vid Fisch			
			WELL TYPE:	SHALLOW	SINGLE CASE		
			PERMANENT	_	IATE ☐ DOUBLE		
		ANELLA TIO	☐ TEMPORARY		ALLATION DATA		ILK
	MFLT 2	CHEMATIC		_	_		
_			DECO	N. ☐ STEAM (SOAP W	=	PRESSURE WASH R	
T		TOC ABO		ne. = nue (STAINLESS [TERION D	OTHER
		GROUND RISER B		S: III THREAD	DED WELDED		
		OR STICE	KUP	☐ \$CREW	ED OTHER NO DESCRIE	3E	
			FT.	_			OTHER
\perp	_ A m	•	WELL SCREE			TEFLON	1 IN
T	T		SLC			HER	IN
	ANNULAR	BOREHO	CONTRACTOR	NG SOLID	STEM HOLLOV		UD ROTAR
	BACKFILL		METHO	DD: AIR RO	TARY DIRECT	PUSH 🔲 HA	AND AUGE
5 FT. CASIN		IN. BIT SIZ		4" 6" 8"			
		DRILLING MI	JD: NONE	☐ WATER	BENTÓNIT	E	
	CEMENT			= -	MO NO		
TOTAL	21	100 100	IN. COMPLETE	ON: FLUSH	MOUNT ST	TICKUP RI	ISER BOX
DEPTH		- 100 150 1 a a a a a	LOCK TY	PE: DOLPH		R KEY NO.	
FROM	NATIVE SOIL	1991 1991 1	Р.	OTHER AD: 2'X2'	` □ 4'X4' □ 0'	THER	
100	l l		CUTTIN	GS: 🗖 DRUM	MED NUMBER	OF DRUMS 0.2	25
16 FT	<u> </u>			SPREA		= =	
	SEAL	■ BENTONITE ■ MASONRY S		ENT NONE	BAILING	PUMPING [] AIR LIFT
	2 FT.		METH	OD: SURG		OTHER	MIN
			AMO		10 GAL	OTHER	1.5 GA
		, 🕍	WATER BEFO			OPAQUE OPAQUE	CLEA
	FILTER	WEI		=	NO TYPE		
	9 FT	SCRE	C-0.00	ENT DRUM		OF DRUMS	
Н	TYPE		WA*	TER: SPRE	AD TREAT	TED POTW	OTHE
	Prepacked Geoprobe	1 100	9 FT. WATER LE	VEL: INITIAL	FT	BTOC BG	s
		- 	D	ATE:		FT 9E	LOW TOC
-	X						LOW TOC
1	OVER	WELLS	UMP		L NON-STANDARD ME	THOOS & MATERIAL	.S)
	0 F	T. YES	= 33				
1	(CROSS OUT		IN.	Geoprobe pre-	-assembled filter pack	r and schedu (a leet)	
	↓						
						N Marrie	
			PREPARED BY:		John F	P. Neville	

APPENDIX E

SURVEY DATA



NOTES

- 1) PUNCH MARK SET AT TOP OF CASING (T.O.C.) AT MWI THROUGH MW4 IS BASIS OF MEASUREMENT OF COORDINATES, DISTANCES, & ELEVATIONS. PUNCH MARK SET AT NORTH SIDE MWI, 3, 4; SOUTH SIDE OF MWZ.
- 2) ELEVATION DATUM: ASSUMED ELEVATION 100.00 AT FINISH FLOOR , BLDG NO. 3."

HONITOZINA WALL SURVEY CALTRAUS MAINTEMANCE STATION 3456 ETTIE ST. , OAKLAND , CA FOR

P. S. I.

DAVID L. CONTRERAS, LAND SURVEYOR (4/5) 892-5905

20 VIVIAN CT. NOVATO, CA SCALE: 1"= 30' SEPT. 15, 1997

GATE

DAVID L. CONTRERAS 4.5.5065 LICENSE EXPIRES 6-30-99

APPENDIX F

LABORATORY RESULTS AND CHAIN-OF-CUSTODY RECORDS

GEOTEST

An Environmental Monitoring and Testing Service (562)498-9615 (800)624-5744

ANALYTICAL REPORT

Client Name:

PROFESSIONAL SERVICE INDUSTRIES, INC.

3777 DEPOT ROAD, SUITE 418

HAYWARD, CA 94545

Report To:

FRANK POSS

Project Name: Site Location: CALTRANS ETTIE STREET

ETTIE STREET, OAKLAND, CA

GEOTEST Project #:

970731-02

GEOTEST WO #:

11391A

Client ID #:

575-71022

Date:

10/7/97

GEOTEST is pleased to provide you with analytical data for your above referenced project. Samples were collected on 7/29/97 and received on 7/31/97. Please refer to the chain of custody included at the end of this report for conditions of the samples upon receipt. In accordance with the chain of custody, the samples were analyzed for the following analytical parameters:

ANALYTICAL TEST	PAGE
TPH-Diesel	2-3
TPH-Gas/BTEX/MTBE	4-7
Oil & Grease	8-9
B270	10-16
Moisture	17
CAM Metals(6010)	18-20
List of Abbreviations and Definitions	21

In addition, the analyses for 8260, TOC and Porosity were subcontracted to an outside laboratory with results issued on a separate report.

Reviewed by

Lity Bayati, Project Manager

This report pertains only to the samples investigated and does not necessarily apply to omer apparently identical or similar materials. All samples are analyzed on an as received (wet weight) basis. Sampling, handling and analytical methods must be in accordance with EPA established protocols. Deviations from these protocols may compromise analytical results. All method numbers referenced are EPA method numbers except where otherwise noted. This report is submitted for the exclusive use of the client to whom it is addressed and is only valid in its entirety. ELAP certification #1225.

Pegs 2 of 20

GEOTEST Work Order#, 11391A GEOTEST Projects: 970731-02 Chem (D#: 575-7022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst: Preparation Analyst: ST, WK ST, WK

Matrix:

Soil

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL EPA 8015 Modified

			TPH	MDL	DF	
Units _			Diesel mg/Kg	mg/Kg		
	Preparation	Analysis				
Sample ID	Date	Date				
Method Blank	8/1/97	8/1/97	<10	10	1	
B1-5	8/1/97	8/1/97	<10	10	1	
B1-10	8/1/97	8/1 <i>/</i> 97	<10	10	1	
B5-5	8/1/97	8/1/97	<10	10	1	
B5-10	8/1/97	8/1/97	<10	10	1	
B4-5	8/1/97	8/1/97	<10	10	1	
B4-10	8/1/97	8/1 <i>/</i> 97	<10	70	1	
B2-5	8/1/97	8/1/97	<10	10	1	
B2-10	8/1/97	8/1/97	<10	10	1	
B3-5	8/1/97	8/1/97	<10	10	1	
B3-10	8/1/97	8/1/97	<10	10	1	
B6-5	8/1/97	8/1/97	<10	10	1	
B6-10	8/1/97	8/1/97	<10	10	1	
B2-10 Duplicate	8/1/97	8/1/97	<10	10	1	
85-10 Duplicate	8/1/97	8/1/97	<10	10	1	

Page 3 of 20 GEOTEST Work Order 11391A GEOTEST Project 570731-02 Cliena ID#: 575-71022

GEOTEST

An Environmental Monkoring and Testing Service (210)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

ST, WK

Preparation Analyst:

ST, WK

Matrix:

Soil

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL

EPA 8015 Modified

ī.	LCS % REC	Acceptable Range	Matrix Spike % REC	Matrix Spike Dup. % REC	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	8/1/97		8/1/97	8/1/97			
TPH-Diesel	108	68-127	115	92	61-127	22	0-22

Client ID#: 575-71022

GEOTEST Work Order#: 11391A GEOTEST Projects; 970731-02

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (900)624-5744

ANALYTICAL REPORT

Analyst:

VN

Preparation Method:

5030

Matrix:

Soil

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX/MTBE BY EPA METHOD 8020

Client ID:	B1-5	B1-10	B5-5	B5-10	B4-5	Method Blank	MDL	DF	
Units:	µg/kg	µg/kg	µg/kg	h8/k8	µg/kg	µg/kg	µg/kg		
Analysis Date:	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97			
Analyte									
Benzene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1	
Toluene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1	
Ethylbenzene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1	
Total Xylenes	<15	<15	<15	<15	<15	<15	15	1	
Methyl-t-butyl Ether	<5,0	<5.0	<5.D	<5.0	<5.0	<5.0	5.0	1	
Gasoline	<1000	<1000	<1000	<1000	<1000	<1000	1000	1	
							Acceptab	le Rance [.]	
Surrogate Recovery %:							Acceptan	ie range.	
a,a,a-Trifluorotoluene	89	96	98	100	76	100	59-	134	

ים ארושו ובים חו מסום וככ ם.

. 20/02

Page 5 of 20 GEOTEST Work Order#: 11391A

GEOTEST Project#, 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9513 (800)824-5744

ANALYTICAL REPORT

Analyst:

VN

Preparation Method:

5030 Soil

Matrix:

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX/MTBE BY EPA METHOD 8020

Client ID:	B4-10	B2-5	B2-10	B3-5	B3-10	B6-5	MDL	DF
Units:	µg/kg	hĝ/kg	µg/kg	hā\kā	µg/kg	µg/kg	h8\x8	
Analysis Date:	8/1/97	8/4/97	8/4/97	8/4/97	8/4/97	8/4/97		
Analyte								
Benzene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1
Toluene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1
Ethylbenzene	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1
Total Xylenes	<15	<15	<15	<15	<15	<15	15	1
Methyl-t-butyl Ether	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.0	1
Gasoline	<1000	<1000	<1000	<1000	<1000	<1000	1000	1
Surrogate Recovery %:							Acceptab	le Range:
. a,a,a-Trifluorotoluene	112	88	86	88	86	86	59-	134

F.6(/32

Page 6 of 20

GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client ID#: 575-74022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst:	VN				
Preparation Method: Matrix:	5030 Soil				
	ANALYSI GASOLINE (S OF VOLATIL TPH-G) BY DO	ORGANICS BY GAS (HS/LUFT METHOD/BTE	CHROMATOGRAPHY/PID/FID EX/MTBE BY EPA METHOD 8020	
Client ID:	B6-10	B4-10 Duplicate	B2-10 Duplicate	MDL	DF
Units:	µg/kg	µg∕kg	ha ka	µg/kg	
Analysis Date:	8/4/97	8/1/97	8/4/97		
Analyte					
Benzene	<5.0	<5.0	<5.0	5.0	1
Toluene	<5.0	<5.0	<5.0	5.0	1
Ethylbenzene	<5.0	<5.0	<5.0	5.0	1
Total Xylenes	<15	<15	<15	15	1
Methyl-t-butyl Ether	<5.0	<5.0	<5.0	5.0	1
Gasoline	<1000	<1000	<1000	1000	1
Surrogate Recovery %:				Accepta	ble Range

Surrogate Recovery %:

118

84

a,a,a-Trifluorotoluene

91

59-134

Page 7 of 20 GEOTEST Work Orders: 11391A GEOTEST Projects: 970731-02

Client 104: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

VN

Preparation Method:

5030

Matrix.

Soil

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/8TEX/MTBE BY EPA METHOD 8020

	LCS % Rec.	Acceptable Range	Matrix Spike % Rec.	Matrix Spike Dup. % Rec.	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	8/1/97		8/1/97	8/1 <i>1</i> 97			
Analyte							
Benzene	98	74-116	96	94	72-115	2.1	0-26
Toluene	99	73-116	91	88	70-114	3.4	0-22
Ethylbenzene	101	75-118	85	82	68-119	3.6	0-24
Total Xylenes	105	78-120	87	84	7 4 -117	3.5	0-22
Methyl-t-butyl Ether	111	70-130	104	102	70-130	1.9	0-25
Gasoline	100	73-1 26	93	89	80-120	4.4	0-25

		LCS % Rec.	Acceptable Range	Matrix Spike % Rec.	Matrix Spike Dup. % Rec.	Acceptable Range	RPD %	Acceptable Range
:	Analysis Date:	8/4/97		8/4/97	8/4/97			
غ	Analyte							
•	Benzene	85	74-116	81	82	72-115	1.2	0-26
•	Toluene	84	73-116	79	83	70-114	4.9	0-22
ĺ	Ethylbenzene	84	75-118	78	82	68-119	5,0	0-24
	Total Xylenes	87	78-120	80	85	74-117	6.1	0-22
*	Methyl-t-butyl Ether	90	70-130	89	89	70-130	0	0-25
2	Gasoline	84	73-126	98	99	80-120	1.0	0-25

F.05/32

Page 8 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

ST

Preparation Analyst:

ST

Matrix:

Soil

ANALYSIS OF OIL AND GREASE STANDARD METHODS (17th Ed.) 5520B

Units			OIL & GREASE mg/Kg	MDL mg/Kg	DF
Sample ID	Preparation Date	Analysis Date			
Method Blank	8/1/97	8/1/97	<10	10	1
B1-5	8/1/97	8/1/97	20	10	1
B1-10	8/1/97	8/1/97	30	10	1
B5-5	8/1/97	8/1/97	50	10	1
B5-10	8/1/97	8/1/97	10	10	1
B4-5	8/1/97	8/1/97	5200	10	20
B4-10	8/1/97	8/1/97	20	10	1
B2-5	8/1/97	8/1/97	20	10	1
B2-10	8/1/97	8/1/97	10	10	1
B3-5	8/1/97	8/1/97	20	10	7
B3-10	8/1/97	8/1/97	10	10	1
B6-5	8/1/97	8/1/97	380	10	1
B6-10	8/1/97	8/1/97	20		
B2-5 Duplicate	8/1/97	8/1/97	20	10	1
B6-10 Duplicate	8/1/97	8/1/97	10	10	1

Page 9 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst: ST
Preparation Analyst: ST

Matrix: Soil

ANALYSIS OF OIL AND GREASE STANDARD METHODS (17th Ed.) 5520B

	LCS % REC	Acceptable Range	Matrix Spike % REC	Matrix Spike Dup. % REC	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	8/1/97		8/1/97	8/1/97			
Oil & Grease	106	70-130	113	113	70-130	0	0-25

P.11/32

Page 10 of 20 GEOTEST Work Order#: 11391A GEOTEST Projects, 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analysti

LH

Preparation Analyst:

LH

Preparation Method:

3510

Matrix: Soil

> ANALYSIS OF SEMI-VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY EPA METHOD 8270

Client ID:	B1-5	B1-10	B5-5	B5-10	Method Blank mg/Kg	MDL mg/Kg	DF
Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	ingray	mgrkg	
Preparation Date:	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
Analysis Date:	B/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
Analyte							
Acenaphthene	<0.68	<0.66	<0.66	<0.66	<0.66	0.66	1
Acenaphthylene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Anthrecene	<0.66	<0.66	<0.66	<0.66	<0.66	0.65	1
Benzo (a) anthracene	<0.68	<0.66	<0.66	<0.66	<0.66	0.65	1
Benzo (a) pyrene	< 0.66	<0.66	<0.66	<0.66	< 0.56	0.66	1
Benzo (b) fluoranthene	<0.68	<0.66	<0.66	<0.66	<0.66	0,66	· 1
Benzo (g.h,i) perylene	<0.66	<0.86	<0.66	<0.66	<0.66	0.66	1
Benzo (k) fluoranthene	<0.66	<0.66	<0.66	<0.65	<0.66	0.66	1
Benzoic acid	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Benzyl alcohol	<0.65	<0.66	<0.66	<0.66	<0.66	0.66	1
Benzyl butyl phthalate	<0.68	<0.66	<0.66	<0.66	<0.66	0.66	1
bis (2-Chloroethoxy) methane	<0.66	< 0.66	<0.66	<0.66	<0.56	0.66	1
bis (2-Chloroethyl) ether	<0.66	< 0.66	<0.66	<0.66	<0.66	0.66	1
bis (2-Chloroisopropyl) ether	<0.66	< 0.66	<0.66	<0.66	<0.66	0.66	1
bis (2-Ethylhexyl) phthalate	< 0.68	< 0.66	<0.66	<0.66	<0.66	0.66	1
4-Bromophenyl phenyl ether	< 0.66	<0.66	<0.65	< 0.66	<0.66	0.66	1
4-Chloro-3-methylphenol	< 0.66	< 0.66	<0.66	<0.66	<0.56	0.66	1
4-Chloroaniline	<0.66	< 0.66	< 0.66	<0.66	<0.66	0.56	1
2-Chloronaphthalene	< 0.66	<0.66	<0.66	<0.66	<0,66	0.66	1
2-Chlorophenol	<0.66	<0.68	<0.66	<0.66	<0.66	0.66	1
4-Chlorophenyl phonyl ether	<0,66	<0.66	< 0.66	< 0.65	<0.66	0,66	1
Chrysene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Di-n-butyl phthalate	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Di-n-octyl phthalate	<0.66	<0.66	< 0.66	<0.66	<0.66	0.66	1
Dibenzo (a,h) anthracene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Dibenzofuran	<0.66	<0.66	<0.66	<0.66	<0.68	0.66	1
1.2-Dichlorobenzene	<0.66	<0.65	<0,66	< 0.56	<0.66	0,66	1
1,3-Dichlorobenzene	<0.66	< 0.66	< 0.66	<0.66	<0.66	0.66	1
1,4-Dichlorobenzene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
3,3'-Dichlorobenzidine	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
2,4-Dichlorophenol	<0,66	<0.66	<0.65	<0.65	<0.66	0.66	1
Diethyl phthalate	<0.66	< 0.66	<0.66	<0.66	<0.66	0.66	1
2,4-Dimethylphenol	<0.66	<0.66	<0.66	<0.66	<0.66	0,56	1
Dimethyl phthalate	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
2.4-Dinitrophenol	<0.66	<0.66	<0.66	<0.66	<0.66	- 0.66	1
2,4-Dinitrotoluene	<0,66	<0,66	<0.66	<0.66	<0.66	0.66	1
2,6-Dinitrotoluene	< 0.66	<0.66	<0.66	<0.66	<0.66	0.68	1
Fluoranthene	<0.66	<0.65	<0.66	< 0.66	< 0.66	0.66	1
Fluorene	<0.66	< 0.65	<0.66	<0.65	<0.66	0.66	1

GEOTEST Work Order#, 11391A GEOTEST Project#: 970731-02 Client 10#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst:

LΗ

Preparation Analyst:

LН

3510

Preparation Method:

Matrix: Soil					NO COSTOCIA		
ANALYSIS OF S	EMI-VOLATILE ORG	SANICS BY GA	S CHROMATO	GRAPHYMAS	SS SPECTROM	EIRT	
		EPA METH	OD 8270				
Client ID:	B1-5	B1-10	B5-5	B5-10	Method		
Client ID:	3. 3				Blank	MDL	DF
Units:	mg/Kg	rng/Kg	mg/Kg	mg/Kg	mg/Kg	rng/Kg	
Date Date	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
Preparation Date:	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
Analysis Date:	G. 1.55,	O 1101	•				
Analyte							
Hexachlorobenzene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Hexachlorobutadiens	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Hexachiorocyclopentadiene	<0.66	< 0.66	<0,68	<0.66	<0.66	0.65	1
Hexachloroethane	<0.66	<0.66	<0,66	<0.66	<0.66	0.66	1
Indeno (1.2.3-c.d) pyrene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Isophorone	<0.66	<0.66	<0.66	<0.66	<0.65	0.66	1
2-Methyl-4,6-dinitrophenol	<0.66	<0.66	<0,66	<0.66	<0.66	0.66	1
	<0.66	<0.66	<0.66	<0.65	<0.66	0.66	1
2-Methylnaphthalene 2-Methylphenol	<0.66	<0.66	<0.66	<0.66	<0,66	0.66	1
4-Methylphenoi	<0.66	<0.66	<0.66	<0.66	<0.56	0.66	1
N-Nitrosodi-n-propylamine	<0.66	<0.66	<0.66	<0.66	<0.56	0.66	1
N-Nitrosodimethylamine	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
N-Nitrosodinatoylamine	<0.66	< 0.66	<0.66	<0.66	<0.66	0.66	1
Naphthalene	<0.66	<0.66	< 0.66	<0.65	<0.66	0.66	1
2-Nitroaniline	<0.66	< 0.66	< 0.66	<0.66	<0.66	0.66	1
3-Nitroaniline	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
4-Nitroaniline	<0.66	<0.66	< 0.66	<0.66	<0.66	0,66	1
	<0.66	<0.66	<0.65	<0.66	<0.66	0.66	1
Nitrobenzene	<0,66	<0.66	< 0.66	<0.66	<0.66	0.66	1
2-Nitrophenol 4-Nitrophenol	<0.66	<0.65	<0.66	<0.66	<0.66	0.66	1
•	<0.66	<0.66	<0.66	<0,65	<0.66	0,68	1
Pentachiorophenol	<0.66	<0.65	<0.66	< 0.66	<0.66	0.66	1
Phanarthrene Phanal	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Phenol	<0.68	<0.66	<0.66	<0.66	<0.66	0.66	1
Pyrene	<0.66	<0.66	<0.66	< 0.66	<0.66	0.66	1
1,2,4-Trichlorobenzene	<0.66	<0.66	<0.66	< 0.65	<0.56	0.66	1
2,4,5-Trichlorophenol 2,4,6-Trichlorophenol	<0.66	<0.66	<0.56	<0.66	<0.66	0.66	1
— ve i venime epicerio						Accepta	ble Range:
Surrogate recovery %:							- 3
Nitrobenzene-d5	38	18	28	41	40		3-120
2-Fluorobiphenyl	42	20	30	42	42		-115
Terphenyl-d14	46	24	36	52	55		3-137
Phenoi-d6	52	25	41	63	52		1-113
2-Fluorophenol	53	25	42	61	53		5-121
2,4,6-Tribromophenol	46	21	39	56	60	20	0-130

Page 12 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)824-5744

ANALYTICAL REPORT

Analyst:

LH

Preparation Analyst:

LH 3510

Preparation Method:

Soli

Matrix:

ANALYSIS OF SEMI-VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY EPA METHOD 8270

	Client ID:	B4-5	B4-10	B2-5	B2-10	B3-5		
	Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	MDL mg/Kg	DF
_				-				
	Preparation Date:	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
	Analysis Date:	8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
	Analyte							
I	,,				_			
8	Acenaphthene	<0.66	<0.65	<0.66	<0.66	<0.65	0.66	1
	Acenaphthylene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	Anthracene	<0.65	<0.66	<0.66	<0.65	<0.66	0.66	1
	Benzo (a) anthracene	<0.66	<0.68	<0.66	<0.66	<0.66	0.66	1
	Benzo (a) pyrene	<0.66	<0.66	<0,66	<0.66	<0.66	0.66	1
	Benzo (b) fluoranthene	< 0.66	<0.55	<0.66	<0,66	<0.56	0.66	1
II .	Benzo (g.h.i) perylene	<0.66	<0.66	<0.66	<0.66	<0,66	0.66	1
	Benzo (k) fluoranthene	<0.65	<0.66	<0.66	<0.66	<0.6 6	0.66	1
7.	Benzoic acid	<0.66	<0.66	<0.66	<0.66	<0.66	0,66	1
	Benzyl alcohol	<0.66	<0.66	<0.66	< 0.66	<0.66	0.66	1
	Benzyl butyl phthalate	<0.66	<0.66	<0.66	<0,66	<0.66	0.66	1
	bis (2-Chloroethoxy) methane	< 0.66	<0.66	<0.66	<0.66	<0,66	0,66	1
_	bis (2-Chloroethyl) ether	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	bis (2-Chloroisopropyl) ether	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	bis (2-Ethylhexyl) phthalate	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	4-Bromophenyl phenyl ether	<0.66	<0.66	<0.66	<0.65	<0.66	0.66	1
_	4-Chloro-3-methylphenol	<0.66	<0.66	<0.56	<0.66	< 0.65	0.66	1
_	4-Chloroaniline	<0.66	<0.66	<0.66	<0.66	<0.66	0.65	1
	2-Chloronaphthalene	<0.66	< 0.56	<0.66	<0.66	<0.66	0.66	1
	2-Chiorophenol	<0.66	< 0.66	<0.66	<0.66	<0.6\$	0.66	1
ـــ	4-Chlorophenyl phenyl ether	<0.66	< 0.66	<0.66	<0,66	<0.66	0.66	1
_	Chrysene	<0.66	<0.66	<0.66	<0.66	<0.66	0,65	1
	Di-n-butyl phthalate	<0.56	<0.65	<0.66	<0.65	<0.66	0.66	1
	M'1	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	Dibenzo (a,h) anthracene	<0.65	<0.66	<0.66	<0.66	<0.66	0.66	1
=	Dibenzofuran	<0.66	< 0.66	<0.66	<0.65	<0.66	0.66	1
	1,2-Dichlorobenzene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
٧,		<0.66	< 0.65	<0.66	<0.66	<0.66	0.66	1
•	1,4-Dichlorobenzene	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
.	3,3'-Dichlorobenzidine	<0.66	<0.66	<0.68	<0.66	<0.66	0,66	1
	2,4-Dichlorophenol	<0.66	<0.66	<0.66	<0.66	<0.66	0.86	1
	Diethyl phthalate	<0.66	<0.66	<0.66	<0,65	<0.66	0.66	1
	2,4-Dimethylphenol	<0.66	<0.66	<0.66	<0.68	<0.66	0.66	1
	Dimethyl phthalate	<0.66	<0.65	<0.65	<0.66	< 0.66	0.66	1
	2.4-Dinitrophenol	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
	2.4-Dinitrotoluene	<0.66	<0.66	<0.65	<0.66	<0.66	0,66	1
	2.6-Dinitrotoluene	<0.66	<0.66	< 0.66	<0.66	<0.66	0.66	1
	Fluoranthene	<0.66	<0.65	< 0.66	<0.66	<0.66	0.66	1
	Fluorene	<0.66	<0.66	<0.65	<0.66	<0.66	0.66	1
一.							_	

Page 13 of 20 GEOTEST Work Order#: 11391A GEDTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

nalyst: reparation Analyst:	LH LH						*	
reparation Method:	3510							
Astrix:	Soil							
ANAL	YSIS OF SEMI-VO	LATILE ORG	SANICS BY GA	S CHROMATO	GRAPHY/MAS	S SPECTROM	ETRY	
			EPA METH	IOD 8270				
				Do 6	B2-10	B3-5		
Client ID:		B4-5	B4-10	B2-5	82-10	D3-3	MDL	DF
Units:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	
<u></u>				<u>-</u> -				
Preparation Date:		8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
Analysis Date:		8/1/97	8/1/97	8/1/97	8/1/97	8/1/97		
A wahrto								
Analyte								
Hexachlorobenzene		<0.66	<0.66	<0.66	<0.66	<0.66	0,66	1
Hexachlorobutadiene	•	<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Hexachlorocyclopentadiene		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Hexachloroethane		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
Indeno (1.2,3-c,d) pyrene		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	ا <u>ء</u>
Isophorone		<0.66	<0.66	<0.66	<0.66	<0.66	0,66	1
2-Methyl-4,6-dinitrophenol		<0.66	<0.66	<0.66	<0.66	<0.66	0.66 0.66	,
2-Methylnaphthalene		<0.66	<0.66	<0.66	<0.66	<0.56	0.66	
2-Methylphenol		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	,
4-Mcthylphenol		<0.66	<0.66	<0.66	<0.66	<0.86	0.55	,
N-Nitrosodi-n-propytamine		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	
N-Nitrosodimethylamine		<0.66	<0.56	<0.66	<0.66	<0.66	0.66	1
N-Nitrosodiphenylamine		<0.66	<0.66	<0.66	< 0.66	<0.66	0.66	
Naphthalene _		<0.66	<0.66	<0.66	< 0.66	<0.66	0.66	;
2-Nitroaniline		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	1
3-Nitroaniline		<0.66	<0.66	<0.65	<0.66	<0.68	0.66	1
4-Nitroaniline		<0.66	<0.66	<0.66	<0,66	<0.66	0.66	•
Nitrobenzene		<0.66	<0.55	<0.65	<0.66	<0.66	0.96 030,0	
2-Nitrophenol		<0.66	<0.66	<0.66	<0.66	<0.66	0,66	
4-Nitrophenol		<0.66	<0.66	<0.66	<0.66	<0.66	0.66	,
Pentachlorophenol		<0.66	<0.66	<0.66	<0.66	<0.66 <0.66	0.66	,
Phenanthrene		<0.66	<0.66	<0.66	<0.66		0.66	
Phenol		<0.65	<0.66	<0.66	<0.66	<0.66 <0.66	0.66	
Pyrene		<0.66	<0.65	<0.66	<0.66	<0.66 <0.66	0.66	
1,2,4-Trichlorobenzene		<0,65	<0.66	<0.66	<0. 8 6	<0.66 <0.66	0.66	
2.4.5-Trichlorophenol		<0.66	<0.65	<0.66	<0.66	<0.66	0.66	
2,4,6-Trichlorophenol		<0.55	<0.66	<0.66	<0,66	~U.00	0.00	
Surrogate recovery %:		•					Acceptal	ble Rang
Nitrobenzene-d5		41	38	40	44	47		-120
2-Fluorobiphenyl		44	38	39	41	45	30	-115
		58	47	49	52	57	18	L137
Terphenyl-d14 Phenol-d5		58	56	55	59	64	24	∟113
2-Fluorophenol		56	55	~ 54	57	57	25	5-121
2,4,6-Tribromophenol		62	52	57	59	64	19	122

G

Page 14 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client IO#: 575-77022

GEOTEST

An Environmental Monitoring and Teating Service (310)498-9515 (800)524-5744

ANALYTICAL REPORT

Analyst.

LH

Preparation Analyst:

LH

Preparation Method: Matrix: 3510 Soil

Soil
ANALYSIS OF SEMI-VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY
EPA METHOD 8270

Client ID:	B3-10	B6-5	B6-10	MDL	DF
Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	
Preparation Date:	8/1/97	8/1/97	8/1/97	•	
Analysis Date:	8/1/97	8/1/97	8/1/97		
Analyte					
Acenaphthene	<0.66	<0.66	<0.66	0.66	1
·	<0.66	<0.68	<0.66	0.66	1
Acenaphthylene	<0.66	<0.66	<0.66	0.66	1
Anthracene	<0.66	<0.66	<0.66	0.66	1
Benzo (a) anthracene	<0,66	<0.66	<0.66	0.66	1
Benzo (a) pyrene	<0.66	<0.56	<0.66	0.66	1
Benzo (b) fluoranthena	<0.66	<0.66	<0.66	0.66	1
Benzo (g.h.i) perylene	<0.66	<0.66	<0,66	0.66	1
Benzo (k) fluoranthene	<0.66	<0.66	<0.66	0.66	1
Benzoic acid	<0,66	<0.66	<0.66	0.66	1
Benzyl alcohol	<0.66	<0.66	<0.66	0.66	1
Benzyl butyl phthalate	<0.66	<0.66	<0,66	0.66	1
bis (2-Chloroethoxy) methane	<0.66	<0.56	<0.66	0,66	1
bis (2-Chloroethyl) ether	<0.66	<0.56	<0.68	0.66	1
bis (2-Chloroisopropyl) ether	<0.66	<0.66	<0.56	0,66	1
bis (2-Ethylhexyl) phthalate	<0.66	<0.66	<0.66	0.66	1
4-Bromophenyl phenyl ether	<0.66	<0.66	<0.66	0.66	1
4-Chloro-3-methylphenol	<0,66	<0.66	<0.66	0.66	1
4-Chloroaniline	<0.66	<0.66	< 0.66	0.66	1
2-Chloronaphthalene	<0.66	<0.66	<0.66	0.66	1
2-Chlorophenol	<0.66	<0.66	<0.66	0.66	1
4-Chlorophenyl phenyl ether	<0.66	<0.66	<0.66	0.66	1
Chrysene	<0.66	<0.66	<0.66	0.66	1
Di-n-butyl phthalate	<0.66	<0.66	<0.66	0.66	1
Di-n-octyl phthalate	<0.66	<0.6 6	<0.66	0.66	1
Dibenzo (a,h) anthracene	<0.66	<0.66	<0,66	0.66	1
Dibenzofuran	<0.66	<0.85	<0.66	0.65	1
1,2-Dichlorobenzené	<0.66	<0.66	<0.66	0.66	1
1,3-Dichlorobenzene	<0.66	<0.66	<0.66	0.66	1
1,4-Dichlorobenzene	<0.66	<0.66	<0.66	0,66	1
3,3'-Dichlorobenzidine	<0.66	<0.66	<0.66	0.66	1
2,4-Dichlorophenol	<0.66	<0.66	<0.66	0.66	1
Diethyl phthalate	<0.66	<0.66	<0.66	0.65	1
2,4-Dimethylphenol	<0.65	<0.66	<0.66	0.66	1
Dimethyl phthalate	<0.66	<0.66	<0.66	0.66	1
2,4-Dinitrophenol	<0.66	<0.65	<0.66	0,66	. 1
2,4-Dinitrotoluene	<0.66	<0.56	<0.66	0.66	1
2,6-Dinitrotoluene	<0.66	<0.66	<0.66	0.66	1
Fluoranthene Fluorene	<0.66	<0.66	<0.66	0.66	1

Page 15 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst:	LH				
Preparation Analyst:	LH				
Preparation Method:	3510				
Mavix:	Soil				
ANAL	YSIS OF SEMI-VOLATILE OF	RGANICS BY GA	S CHROMATO	GRAPHY/MASS SPECTROMETRY	
		EPA METI	HOD 8270		
Client ID:	B3-10	B6-5	B6-10		
Cijent io:	55-10			MDL	DF
Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	
onio.					
Preparation Date:	8/1/97	8/1/97	8/1/97		
Analysis Date:	8/1/97	8/1/97	8/1/97		
Analyte					
Hexachlorobenzene	<0.66	<0.66	<0.66	0.66	1
Hexachlorobutadiene	<0.66	<0.66	<0.66	0.66	1
Hexachlorocyclopentadiene	<0.66	< 0.66	<0.66	0.66	1
Hexachloroethane	<0.66	<0.66	<0.66	0.66	1
Indeno (1,2,3-c,d) pyrene	<0.66	<0.66	<0.66	0.66	1
isophorone	<0.66	<0.66	<0.66	0.65	1
2-Methyl-4,6-dinitrophenol	<0.66	<0.66	<0.66	0.66	1
2-Methylnaphthalene	<0.66	<0,66	<0.66	0,66	1
2-Methylphenol	<0.66	<0.66	<0.66	0.66	1
4-Methylphenol	<0.66	<0.66	<0.66	0.66	1
N-Nitrosodi-n-propylamine	<0.66	<0,66	<0.66	0.66	1
N-Nitrosodimethylamine	<0.65	<0.66	<0.66	0,66	1
N-Nitrosodiphenylamine	<0.66	<0.66	<0.66	0.66 0.66	4
Naphthalene	<0.66	<0.65	<0.65	0.86	1
2-Nitroaniline	<0.68	<0.66	<0.66	0.66	1
3-Nitroanliine	<0.66	<0,66	<0.66	0.66	1
4-Nitroaniline	<0.66	<0.66	<0.66	0.66	i
Nitrobenzene	<0.66	<0.66	<0.68	0.66	•
2-Nitrophenol	<0.66	<0.66	<0.65	0.66	•
4-Nitrophenol	<0.66	<0.66	<0.66 <0.66	0.66	1
Pentachlorophenol	<0.66	<0.56		0.66	1
Phenanthrene	<0.66	<0.66	<0,66 <0.66	0.66	1
Phenol	<0.66	<0.66 <0.66	<0.00 <0.66	0.66	1
Pyrene	<0.66 <0.66	<0.66	<0.66	0.66	1
1,2,4-Trichlorobenzene	<0.66	<0.66	<0.66 <0.66	0.66	1
2,4,5-Trichlorophenol	<0.66	<0.66	<0.66	0.66	1
2,4,6-Trichlorophenol	~0.00	30.00	-5.50		
Surrogate recovery %:	•			Acceptal	ole Range
Niin-Leanne de	22	47	45	23	-120
Nitrobenzene-d5	21	43	41		-115
2-Fluorobiphenyi	29	55	50		-137
Terphenyl-d14 Phenol-d6	30	65	60		-113
2-Fluorophenol	28	58	59	25	-121
2,4,6-Tribromophenol	30	69	66		-122

OCT DI DI TRIAA EK EDI FOUR REHCH CH

318 234 0286 TO PSI HAYWARD

P.17/32

Page 16 of 20 GEOTEST Work Order#: 11391A GEOTEST Project#: 970731-02 Cifent ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

	Analyst:	ST			
ۆ ب	Matrix:	Soil			
		A	NALYSIS OF WATER (MOISTURE) CONTEN ASTM D 2216	ıτ	
				MDL	DF
	Units:		Moisture %	%	<u> </u>
		Analysis			
_	Client ID:	Date			
	Method Blank	8/1/97	<0.01	0.01	1
	B4-4	8/1/97	11	0.01	1
	B4-10	8/1/97	24	0.01	1
₹.	B4-4 Duplicate	8/1/97	9	0.01	1

SOL BLOCK TO LOT THIMHEN F. 1873

Page 17 of 20 GEOTEST Work Orders: 11391A GEOTEST Projects: 970731-02 Cleat ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (210)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst

SC

Preparation Analyst:

SC

Preparation Method:

EPA3010 Soil

Mabix:

ANALYSIS OF CCR TITLE 22/26 TTLC METALS

Client ID:	B5-5	B\$-10	B4-5	Method Blank	MDL	DF	Analysis Date	EPA Method
Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg			
Analyte								
Antimony (Sb)	<5.0	<5.0	<5.0	<5.0	5.0	1	8/1/97	6010
Arsenic (As)	<5.0	<5.0	<5.0	<5.0	5.0	1	8/1/97	6010
Barium (Ba)	120	98	43	<10	10	1	8/1/97	6010
Beryllium (Be)	<0.5	<0.5	<0.5	<0.5	0.5	1	8/1/97	6010
- ·	0.6	<0.5	0.6	<0.5	0.5	7	8/1/97	6010
Cadmium (Cd)	29	14	16	<0.5	0.5	1	8/1/97	6010
Chromium (Cr)	7.6	3.6	8.2	<1.0	1.0	1	8/1/97	6010
Cobalt (Co)	13	9.1	44	<2.5	2.5	1	8/1/97	6010
Copper (Cu)	12	2.6	6.7	<1.0	1.0	1	8/1/97	6010
Lead (Pb)	0.11	<0.10	0.11	<0.10	0.10	1	8/1/97	7471
Mercury (Hg)		<2.5	<2.5	<2.5	2.5	1	8/1/97	6010
Molybdenum (Mo)	<2.5	35	17	<0.5	0.5	1	8/1/97	6010
Nickel (Ni)	36		<2.5	<2.5	2.5	1	8/1/97	6010
Selenium (Se)	<2.5	<2.5		<0.5	0.5	1	8/1/97	6010
Silver (Ag)	<0.5	<0.5	<0.5	<5.0	5.0	1	8/1/97	6010
; Thallium (TI)	<5.0	<5.0	8.5 ac		0.5	1	8/1/97	6010
Vanadium (V)	21	13	36	<0.5	10	,	8/1/97	5010
Zinc (Žn)	35	22	49	<10	ער	1	Qr 1141	2210

Page 18 of 20 GEOTEST Work Orders: 11391A GEOTEST Projects: 970731-02 CRent 10#: 575-71022

GEOTEST

An Emirphmental Monkoring and Testing Service (310)498-9515 (200)624-5744

ANALYTICAL REPORT

Analyst:

SC

Preparation Analyst:

\$C

Preparation Method:

EPA3010 Soil

Matrix:

ANALYSIS OF CCR TITLE 22/26 TTLC METALS

Client 1D:	B4-10	B6-5	B6-10	B4-5 Duplicate	MDL	ÐF	Analysis Date	EPA Method
Units:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg			
Analyte	_							
sainam (Ch)	<5.0	<5.0	<5.0	<5.0	5.0	1	8/1/97	6010
Antimony (Sb) Arsenic (As)	<5.0	<5.0	<5.0	<5.0	5.0	1	8/1/97	6010
	220	100	150	41	10	1	8/1/97	6010
Barium (Ba)	<0.5	<0.5	<0.5	<0.5	0.5	1	8/1/97	6010
Beryllium (Be)	<0.5	<0.5	<0.5	0.5	0.5	1	8/1/97	6010
Cadmium (Cd)	13	21	20	15	0.5	1	8/1/97	6010
Chromium (Cr)		11	7.9	7.7	1.0	1	8/1/97	6010
Cobalt (Co)	9,6 10	21.	16	42	2.5	1	8/1/97	6010
Copper (Cu)		21. 38	24	6.7	1.0	1	8/1/97	6010
Lead (Pb)	2.7	0.18	<0.10	<0.10	0.10	i	8/1/97	7471
Mercury (Hg)	<0.10		<2.5	<2.5	2.5	1	8/1/97	6010
Molybdenum (Mo)	<2.5	<2.5		16	. 0.5	1	8/1/97	6010
Nickel (Ni)	33	35	31		2.5	,	8/1/97	6010
Selenium (Se)	<2.5	<2.5	<2.5	<2.5		,	8/1/97	6010
Silver (Ag)	<0.5	<0.5	<0.5	<0.5	0.5	,	8/1/97	6010
Thallium (TI)	<5.0	B.O	10	8.9	5.0			6010
Vanadium (V)	9.0	15	20	34	0,5	1	8/1/97	
Zinc (Zn)	24	73	48	46	10	1	8/1/97	6010

THE SEE MICO TO LET LIMITARY

T.20132

Client 10#: 575-71022

Page 19 of 20
GEOTEST Work Order#: 11391A
GEOTEST Project#: 970731-02

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

SC

Preparation Analyst:

ŞC

Preparation Method:

EPA3010 Soil

Matrix:

ANALYSIS OF CCR TITLE 22/26 TTLC METALS

			LCS % Rec.	Acceptable Range	Matrix Spike % Rec.	Matrix Spike Dup. % Rec.	Acceptable Range	RPD %	Acceptable Range
	Analysis	EPA							
Analyte	Date:	Method							
Autimony (Ch)	8/1 /97	6010	100	70-130	56	56	60-130	0	0-25
Antimony (Sb)	8/1/97	6010	99	78-104	95	94	34-135	1.1	0-15
Arsenic (As)	8/1/97	6010	100	81-117	101	101	55-130	٥	0-25
Barium (Ba)	8/1/97	6010	100	70-130	101	101	70-130	0	0-25
Beryllium (Be)	8/1/97	6010	101	75-104	103	103	73-115	0	0-15
Cadmium (Cd)	B/1/97	6010	100	81-103	97	97	62-125	0	0-15
Chromium (Cr)	8/1/97	6010	100	70-130	100	100	70-130	O	0-25
Cobalt (Co)		6010	100	70-130	109	110	70-140	0.9	0-25
Copper (Cu)	8/1/97		100	77-104	97	98	48-120	1.0	0-30
Lead (Pb)	8/1/97	6010	105	76-121	89	. 89	70-135	0	0-30
Mercury (Hg)	8/1/97	7471		70-130	96	97	70-130	1.0	0-25
Molybdenum (Mo)	8/1/97	6010	101		98	98	70-130	0	0-25
Nickel (Ni)	8/1/97	6010	100	70-130		96	42-120	1,0	0-16
Selenium (Se)	8/1/97	6010	102	79-102	95 09	98	53-115	0	0-19
Silver (Ag)	8/1/97	6010	100	77-107	98	97	70-130	ŏ	0-25
Thallium (TI)	8/1/97	6010	104	70-130	97			Ö	0-25
Vanadium (V)	8/1/97	6010	100	70-130	101	101	70-130		0-25
Zinc (Zn)	8/1/97	6010	100	70-130	100	101	70-130	1.0	0-23

Page 20 of 20 GEOTEST Work Order®: 11381A GEOTEST Project#: 970731-02 Client ID#: 575-71022

GEOTEST

An Environmental Maniforing and Testing Service (310)498-9515 (800)824-5744

List of Abbreviations and Definitions

SM	=	Standard Methods for the examination of water and waste water
EPA	=	EPA approved methodology, 40 CFR Part 136
sw	=	EPA SW 846. Test Methods for Evaluating Solid Wastes
TCLP	=	Toxicity Characteristic Leaching Procedure
STLC	=	Soluble Threshold Limit Concentration
mg/L	=	milligrams per liter, parts per million (ppm), unit of measurement for a liquid
mg/Kg	•	milligrams per kilogram, parts per million (ppm), unit of measurement for a solid
μg/L	=	micrograms per liter, parts per billion (ppb), unit of measurement for a liquid
μg/ K g	=	micrograms per kilogram, parts per billion (ppb), unit of measurement for a solid
MDL	=	Laboratory Method Detection Limit, minimum level of detection derived from actual laboratory data
DF	=	Dilution Factor, the magnitude in which a sample must be diluted to eliminate matrix interference and/or to bring the sample concentration within the linear calibration range
RPD	=	Relative Percent Difference, measure of precision
% REC	=	Percent Recovery, measure of accuracy
· <	=	less than, analyte of interest below stated numerical value
NA	=	Not Applicable
LCS	2	Laboratory Control Sample
DOHS	*	Department of Health Services
ELAP	=	Environmental Laboratory Accreditation Program
ccs	=	Calibration Check Standard
icv	=	Initial Calibration Verification
POL	=	Practical Quantitation Limit



3960 E. Gilman Street Long Beach, 90815 Telephone: (310) 498-9515 (800) 624-5744 Fax: (310) 597-0788

CHAIN-OF-CUSTODY RECORD

GEOTEST 970731-02
PROJECT NO: 970731-02
DATE 12091 PAGE 4 OF 2

PROJECT NAME C	HTRAUS	Eme	STREET					МЕТІ	HODS				Franci		T	\sqrt{s}	SPECIAL HANDLING
ADDRESS SAMPLER'S SIGNATU PRINTED NAME TO CLIENT PROJECT NO PROJECT MANAGER SAMPLE NO.	SZS 2	EULLE FOZZ	velle	TPH GASOLINE	TPH DIESEL	BTEX , MOBE	Hereity	016	8270	8260	0109	Moisture	Toc	MATRIX	CONTAINER TYPE	# OF CONTAINERS	
777	1 .		LOCATION	X	X	X		×	_	AN	-	,		S	A	1	
B1-5	7/09/97	0920		X	X	X		X	λ	/_			-	Ť	+	1	
B1-10		0930			+	-	-	-	14	14	V	-		H	++	+	
B5-5		1000		X	X	X		X	X	X	X	_	_	Н	+	+}-	
B5-16		1010		X	X	X		X	X	X	X				Ш	11	
B5-15		1020		*	X	X	PN	X	X	X	1	dow			1	1	HOLD
35-20		1030		X	X	XT	PN	X	X	X	X	(au)			\coprod	1	HOLD
B4-4		1100					X					X	X		Ц		
B4-5		1155	(f) 4)	X	X	X		X	X	X	X			\Box	Ц	Ц.	
B4-10		1200		X	X	X	X	X	X	X	X	X	X	Ц	\sqcup	1	
B2-5	V	1340		IX	X	X		X	X					V	1	V	
1 RELINQUISHED E	will	DATE /30/	3 RELINQUISHED BY SIGNATURE	D,	ATE		ELING	UISHE	D 8Y			- 0	ATE		CEIVE	D ON	LE CONDITIONS ICE VESINO TODY SEAL YESINO
PRINTED NAME PST COMPANY	EVILLE	TIME 1700	PRINTED NAME COMPANY	T	IME	PRINT	ED NAI	ME				T	IME	12	PF 48	House	CT COMMENTS
2 RECEIVED BY SIGNATURE		DATE 7/30/97	4 RECEIVED BY SIGNATURE	D.	ATE	B ,R	ECEIV ATURE	ED BY	(LAB)	È.	,		ATE 31/ 197		10		
PRINTED NAME		TIME /700	PRINTED NAME COMPANY	T	IME		ED NAI	-	_	ti	·e.		IME (5				



3960 E. Gilman Street Long Besch, 90815 Telephone: (310) 498-9515 (800) 624-5744

CHAIN-OF-CUSTODY RECORD

PROJECT NO: 77013, 0 DATE 73047 PAGE 2 OF 2

Fax: (310)						_	-	-	Texas:	_	-		-	1	_	SPECIAL HANDLING
PROJECT NAME	ALTRAUS	Em	SPEET					METH	RODS					m	83	SPECIALTIANDENG
ADDRESS SAMPLER'S SIGNATUR PRINTED NAME CLIENT PROJECT NO. PROJECT MANAGER	TOE STEEL	VENUE 5-2101 K.R. F	NOD, CH villi 22 25S	TPH GASOLINE	TPH DIESEL	BTEX PKTBE	418.1	010	8270	8260	6010	V	MATRIX	CONTAINER TYPE	# OF CONTAINERS	
SAMPLE NO.	DATE	TIME	LOCATION				_	-	-				5	1	,	
BZ-10	7/29/1	1350		X	X	×	_	X	X				4	A	1	
B3-5		1430		X	X	X		X	X				\vdash	H	11-	19
B3-10		140		X	X	X	_	X	X				1	H	1	
B6-5		1530		X	X	X	_	X	X	X	X		-	-	1	
B6-10	V	1540		X	X	X		X	X	X	X		¥	1	1	
RELINQUISHED I	BY Eville	DATE 7/30/	3 RELINQUISHED BY SIGNATURE	D	ATE	~	AELIN	DUISH	ED BY			DATE			D ON	LE CONDITIONS ICE YES/NO TODY SEAL YES/NO
PRINTED NAME PSI COMPANY	EVILLE	/97 TIME 1700	PRINTED NAME COMPANY	→ ₹	IME		TED N	AME	_			TIME	4			CT COMMENTS Turneround
2 RECEIVED BY	(1.5)	DATE 7/30/97	A RECEIVED BY	D	ATE	6 SIGN	RECEI	YED B	Y (LAE	£.		DATE -/3/	-			
PRINTED NAME JINDOURNE E	xpress	TIME	PRINTED NAME COMPANY	T	IME			ante		10	ti	TIME IL:15				



3950 E. Gilman Street Long Beach, 90815 Telephone: (310) 498-9515 (800) 624-5744 Fax: (310) 597-0786

CHAIN-OF-CUSTODY RECORD

PROJECT NO: 970731-01 17 57/1

PROJECT NAME CA	1 TRANS	FT	TLE Street					METH	RODS							SPECIAL HANDLING
ADDRESS	C I I CONT.					T -				$\neg \top$		T	13	CONTAINER TYPE	OF CONTAINERS	
SAMPLER'S SIGNATUR	E			\ \ \ \										۳ ا	<u>Z</u>	
PRINTED NAME				g	SE		ll ï	اما		- 1				N N	K	
CLIENT PROJECT NO.	- 1	^		- 8	ä	×	-	ہو ا	싱		1		흁	Ĕ	ŭ	
PROJECT MANAGER _	Frank	Poss		TPH GASOLINE	TPH DIESEL	BTEX	418.1	अ श्र	25				MATRIX	8	9	
SAMPLE NO.	DATE	TIME	LOCATION		_	<u> </u>						-		6	-	
85-5	7/29							X		_	_		5	G Jur	1	
B5-10	1							X					1	1	1	
84-4									Χ							
84-5								X								
B4-10								X	X							
					_			K					T			
865						-	_	,	-		-	-	-	+	Η-	
B6-10										_	4		1	J	1	
			9								-		_	-	_	
						25-					_					
					_										L	L
1 RELINQUISHED	1.11	DATE	RELINQUISHED BY	DA	TE	5 R	ELING	UISHE	DBY		ם	ATE	BE/		SAMPI D ON I	LE CONDITIONS CE YES/NO
SKINAHURE	Want	7.31	EIGNATURE	-		SIGN	ATURE									ODY SEAL YES/NO
PRINTED MANGE	Mill	TIME	PRINTED NAME	TI	ME	PRINI	ED NA	МĒ			7	IME		PR	OJE	CT COMMENTS
COMPANY		1	COMPANY	-	-	COM	ANY	_					Ι,	lon	1 re	WHO by
						_					-			VCL	1	al de
PRECEIVED BY SIGNATURE	Johns	DATE	4 RECEIVED BY	DA	ATE	6 R	ECEI	ED BY	(LAB)		, b	MIE	100	on a	day	outs by .8/4/97 noon.
SIGNATURE SALE	UNA	7-31-	SIGNATURE			SIGN	ature									
PRINTED NAME	MALLY I	TIME	PRINTED NAME	TI	ME	PRIM	LED WY	ME			1	IME				Nes
COMPANY	77	14:55	COMPANY			COMP	YMAY									

516 521 RIEP 10 F21 HHXMHKD

r.25/32

Pg. 1 of 2

GeoTest Client:

Attn:

Ms. Lily Bayati

lient's Project:

Caltrans Ettle Street, 970731-02, 11391A

Date Received:

07/31/97

latrix:

Soil

nits:

ug/kg

Lab No.:		Metho	d Blank	19331-0	01	19331-0	02	19331-00	4	19331-0	05
Client Sample I.D.:		-		B5-5		B5-10		B4-5		B4-10	
Date Sampled	:	-		07/29/97	1	07/29/97		07/29/97		07/29/91	7
QC Batch #:		P97V0	CS105	P97VO	CS105	P97VO	CS105	P97VOC	S105	P97VO	CS105
Date Analyze	1:	08/01	& 04/97	08/01 &	04/97	08/01/97		08/01/97		08/01/91	7
Analyst Initial	s:	YP		YP		YP		YP		YP	
Dilution Factor		1		1		1		1		1	
ANAEYTE	VIDL	DLR	Results	DLR	Results	DER	Results	DIR	Lesuits	DLR	Results
Benzene	5	5	ND	5	ND	5	ND		ND		ND
romobenzene	- 5	5		5	ND	5	ND		ND		ND
Fromodichloromethane	5	5	ND	5	ND		ND		ND		ND
Bromoform	5	5	ND	5	ND	5	ND		ND		ND
Fromomethane	5	5	ND	5	ND		ND	5	ND		ND
Butylbenzene	5	5	ND	5	ND		ND		ND		ND
sec-Butylbenzene	5		ND	5	ND	5	ND		ND		ND
ert-Butylbenzene	5		ND	5	ND		ND		ND		ND
Carbon tetrachloride	5		ND	5	ND		ND		ND		ND
Chlorobenzene	5	5	ND	5	ND		ND		ND		ND
Chloroethane	5	5	ND	5	ND		ND		ND		ND
Chloroform	5	5	ND	5	ND	5	ND	5	ND		ND
Chloromethane	5	5	ND	5	ND	5	ND		ND		ND
2-Chlorotoluene	- 5	5	ND	5	ND		ND		ND		ND
-Chlorotoluene	5		ND ND	5	ND		NI		ND		ND
Dibromochloromethane	5		ND ND	5	NE	5	NI	5	ND		ND
1,2-Dibromo-3-chloropropane	10	10	ND	10	NI		NI	10	ND		ND
,2-Dibromoethane	5		ND ND	5	NE		NI		ND		NI
Dibromomethane	5		ND	5	NI		NI		ND		NI
1,2-Dichlorobenzene	- 5		ND ND	5	NI		NI		NI		NI
',3-Dichlorobenzene	5				NI		NI		NI		NI
,4-Dichlorobenzene	5		ND ND		NI		NI		NI		NI
Dichlorodifluoromethane	5		5 ND		NI		NE		NI		NI
1,1-Dichloroethane	5		NI NI		NI		N		NI		NI
,2-Dichloroethane	5	- 3	NI NI	5	NI		NI		NI		NI
1,1-Dichloroethene	_ 5		S NE		NI		NI		NI		NI
1 4 4 71 11 4	-		4 1700		2.77		B.T.	-	BIT	1 =	BIT

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor

NA = Not Analyzed

cis-1,2-Dichloroethene

Reviewed/Approved By:

Lee Ingvaldson Department Supervisor

ND

5

ND

The cover letter is an integral part of this analytical report.

Advanced Technology

ND

GeoTest lient:

Attn:

Ms. Lily Bayati

Pg. 2 of 2

lient's Project:

Caltrans Ettle Street, 970731-02, 11391A

Date Received:

07/31/97 Soil

1atrix: nits:

ug/kg

Lab No.:	***************************************	Method	Blank	19331-0	01	19331-0	002	19331-0	04	19331-0	005
Client Sample I.D.:		-		B5-5		B5-10	COLC. III.	B4-5		B4-10	- LLOVE DO NO
ANALYTE	MDL	DLR	Results	DLR	Results	DLR	Results	DER	Results	DLR	Results
trans-1,2-Dichloroethene	5	5	ND	5	ND	5	ND	5	ND		ND
2-Dichloropropane	5	5	ND	5	ND	5	ND		ND		ND
3-Dichloropropane	5		ND	5	ND	5	ND		ND		ND
2,2-Dichloropropane	5	5	ND	5	ND	5	ND	-	ND	5	ND
1.1-Dichloropropene	5	5	ND	5	ND	5	ND		ND		ND
Ithylbenzene	5		ND	5	ND	5	ND		ND	5	ND
Hexachlorobutadiene	5		ND	5	ND	5	ND		ND		NI
sopropylbenzene	5	5	ND	5	ND	5	ND		ND		NI
-Isopropyltoluene	5	5	ND	5	ND	5	ND	5	ND		NI
Methylene Chloride	15	15	ND	15	ND	15	ND	15	ND		NI
Naphthalene	5	5	ND	5	ND	5	ND		ND		NE
-Propylbenzene	5	5	ND	5	ND				ND		NI
tyrene	5	5	ND	5	ND				ND		NI
1.1.1.2-Tetrachloroethane	5	5	ND	5	ND				ND		NI
.1.2.2-Tetrachloroethane	5	5	ND	5	ND				ND		NE
Tetrachloroethene	5	5	ND	5	ND				30		NI
Toluene	5	5	ND	5	ND				ND		NI
1,2,3-Trichlorobenzene	5	5	ND	5					ND		NI
.2,4-Trichlorobenzene	5	5	ND	5	ND	5	ND		ND		NI
1,1,1-Trichloroethane	5		ND						NE		NI
1,1,2-Trichloroethane	5		ND						NI		
frichloroethene	5	5 5	ND	5					NI		
frichlorofluoromethane	5	5 5	NI	5	ND	5			NI		
1,2,3-Trichloropropane	10	10	ND	10	NI				NI		
,2,4-Trimethylbenzene		5	NE	5	NE				NI		
,3,5-Trimethylbenzene		5 5	NE	5	NI				NI		
Vinyl Chloride	5	5 5							NI		
(Ylenes (Total)		5 5							NI	5	NI
				bod 8260			alytes)		ALL .		
MTBE	4	5 5	NI	5	NI) 5	NI	5	NI) 5	N

Surrogate	%Rec.	Limits	%Rec.	Limits	%Rec.	Limits	%Rec.	Limits	%Rec.	Limits
Dibromofluoromethane		50-150		50-150		50-150	200 000 000 000 0000	the second secon	106	50-150
1,2-Dichloroethane-d4	The state of the state of	90-118		90-118	90	90-118	118	90-118	105	90-118
Toluene-d8	102	81-128	102	81-128	98	81-128	88	81-128	99	81-128
4-Bromofluorobenzene		71-120		71-120		71-120	76	71-120	95	71-120

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor

NA = Not Analyzed

Reviewed/Approved By:

Lee Ingvaldson

Department Supervisor

The cover letter is an integral part of this analytical report.

Pg. 1 of 2

Jlient:

GeoTest

Attn:

Ms. Lily Bayati

lient's Project:

Caltrans Ettle Street, 970731-02, 11391A

Date Received:

07/31/97

'Aatrix: Juits:

Soil ug/kg

EPA	Method 8260
The state of the s	A STATE OF THE PARTY OF THE PAR

Lab No.:		19331-00	6	19331-0	007	19331-	006D	LCS			
Client Sample I.D.:		B6-5		B6-10		B6-5					
Date Samples	d:	07/29/97		07/29/9		07/29/9					
QC Batch #:		P97VOC	S105	P97VO	CS105_	P97VC	CS105	P97VO	CS105		
Date Analyze	d:	08/01/97		08/01/9	7	08/01/9	97	08/01/9	7		
Analyst Initia	ls:	YP		YP		YP		YP			
Dilution Factor		1		1		1		1			
ANALYTE	MDL	DLR R	esults	DLR	Results	DLR	Results	%Rec	Limits		
Benzene	5	5	ND	5	ND	5	ND	99	59-172		The state of
3romobenzene	5	5	ND	5							
Bromodichloromethane	5		ND						59-172		
Bromoform	5		ND								W
Bromomethane	5		ND								
n-Butylbenzene	5	5	ND	5	ND				59-172		
sec-Butylbenzene	5	5	ND	5	ND	5	ND	74	59-172		
tert-Butylbenzene	5	5	ND						59-172		
Carbon tetrachloride	5	5	ND	5					59-172		
Chlorobenzene	5	5	ND	5					59-172		
Chloroethane	5	5	ND						59-172		
Chloroform	5	5	ND	5	ND	5			the same of the sa		
Chloromethane	5	5	ND	5	ND	5				i	
2-Chlorotoluene	5	5	ND	5							
4-Chlorotoluene	5		ND	5	ND	5			59-172		
Dibromochloromethane	5	5	ND		NI	5					
1,2-Dibromo-3-chloropropane	10	10	ND								
1,2-Dibromoethane	5		ND								
Dibromomethane	5	5	ND		NI) 5					
1.2-Dichlorobenzene	5	5	ND								_
1,3-Dichlorobenzene	5		ND	5							
1,4-Dichlorobenzene	5	5	ND						59-172		
Dichlorodifluoromethane	5	5	ND								
1,1-Dichloroethane	5	5 5	NE	5							
1,2-Dichloroethane	5		NI				NI NI		59-172		
1,1-Dichloroethene	5	5	NI				NI NI		59-172		
cis-1,2-Dichloroethene	5	5	NI	5	NI) :	5 NI	99	59-172	1	

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor


NA = Not Analyzed

Reviewed/Approved By:

Lee Ingvaldson

Department Supervisor

The cover letter is an integral part of this analytical report.



Pg. 2 of 2

Client

GeoTest

A.ttn:

Ms. Lily Bayati

Llient's Project:

Caltrans Ettle Street, 970731-02, 11391A

Date Received:

07/31/97

fatrix:

Soil

Jnits:

ug/kg

			THE RESERVE AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE P					2 66		-	
Lab No.:		19331-	006	19331-0	907	19331-	006D	LCS			
Client Sample I.D.:		B6-5		B6-10		B6-5	- AWAREN	Inches and the second		2000	a serviciono
ANALYTE		DLR			Results	DER	Results	AKEC.	Louis		Mary State
rans-1.2-Dichloroethene	5		ND			5	ND		59-172		1
,2-Dichloropropane	_ 5		ND		ND	5	ND		59-172		-
,3-Dichloropropane	_ 5		ND		ND	- 5					
2,2-Dichloropropane	5		ND		ND	5	ND		59-172		_
,1-Dichloropropene	5		ND		ND	5			59-172		
Ethylbenzene	_ 5		ND			5	ND		59-172		
lexachlorobutadiene	5		ND			5	ND		59-172		1
sopropylbenzene	5		ND			- 5					
-Isopropyltoluene	5		ND			5					
Methylene Chloride	15	15	ND		ND						
Vaphthalene	5	5	ND					83	59-172		
n-Propylbenzene	5	5	ND	5	ND			98	59-172		
Styrene	5		ND	5	ND			95	59-172		
1,1,1,2-Tetrachloroethane	5	5	ND	5	ND						4
1,1,2,2-Tetrachloroethane	5	5	ND	5	ND		ND	87	59-172		
Tetrachloroethene	5	5	ND	5	ND			99	The second second second second		
Toluene	5		ND	5	ND	5	ND	100	59-172		
1,2,3-Trichlorobenzene	5		ND	5	ND	5	ND	89	59-172		
1.2.4-Trichlorobenzene	- 5		ND	5	ND	5	NE	89	59-172		1
1,1,1-Trichloroethane	- 5			5	ND	5	NE	98	59-172		
1,1,2-Trichloroethane	- 5							94	59-172		
Trichloroethene	5		NI	5	ND	5	NI	100	59-172		
Trichlorofluoromethane	5				ND	5	NI	94	59-172		
1,2,3-Trichloropropane	10		-				NI	86	59-172		
1,2,4-Trimethylbenzene	- 5						NI	94	59-172		
1,3,5-Trimethylbenzene		5 5							59-172		
Vinyl Chloride								94	59-172		
Xylenes (Total)		5 5						100	59-172		
				had 8260			alytes)				
МТВЕ	The State of the last of the l	5 5		Congression of the Congression o					59-172		8

Surrogate	%Rec.	Limits	%Rec.	Limits	%Rec.	Limits	%Rec.	Limits	
Dibromofluoromethane	107	50-150	103	50-150	107	50-150	99	50-150	
1,2-Dichloroethane-d4	110	90-118	99	90-118	98	90-118	104	90-118	
Toluene-d8	94	81-128	98	81-128	102	81-128	100	81-128	
4-Bromofluorobenzene	87	71-120	94	71-120	101	71-120	99	71-120	

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor

= Not Analyzed

Reviewed/Approved By:

Lee Ingvaldson Department Supervisor

The cover letter is an integral part of this analytical report.

Advanced Technology

סיה אורם זה בא שאוהאארה

r.27/32

Spike Recovery and RPD Summary Report - SOIL (ug/kg)

1ethod

: C:\HPCHEM\1\METHODS\VOC35.M (RTE Integrator)

Citle

: Volatile Organic Compounds

Last Update : Fri Aug 01 08:58:46 1997

Response via : Initial Calibration

Non-Spiked Sample: P9701828.D

Spike

Sample

Spike

Duplicate Sample

File ID : P97S1829.D

Sample : 19311-003 5G MS

P97S1830.D

19311-003 5G MSD

Acq Time: 1 Aug 1997 3:43 pm

1 Aug 1997 4:11 pm

Compound	Sample Conc	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits % Rec
1,1-dichloroethene	0.0	50	53	57	105	113	8	23	37-166
benzene	0.0	50	49	52	98	104	6	21	68-133
trichloroethene	0.0	50	51	55	101	109	8	23	65-129
toluene	0.0	50	47	50	92	100	8	21	74-136
chlorobenzene	0.0	50	48	52	94	103	9	19	83-122

QC Batch # P97VOCS105

Reviewed/Approved By:

Lee Ingvaldson

Organics Supervisor

STO SSI BIOD IN LOT LHIMHED

r. 30132

Client:

GeoTest

Atta:

Ms. Lily Bayati

Client's Project:

Caltrans Ettle Street, 970731-02, 11391A

Date Received:

07/31/97

Date Sampled:

07/29/97

Lab No.	Sample LD.	Analysis	Date Analyzed	Results	Marria, Units	MBL	DLR	Analys
19331-003	B4-4	EPA 9060 (TOC)	08/01/97		Soil, mg/kg	30		IG
19331-005	B4-10	EPA 9060 (TOC)	08/01/97	742	Soil, mg/kg	30	60	IG
				_				
						-		
							1	

MDL = Method Detection Limit

ND = Not Detected (Below DLR)

DF = Dilution Factor (DLR/MDL)

Reviewed/Approved By:

Cheryl De Los Reyes

Date: 8-4-97

Department Supervisor

The cover letter is an integral part of this analytical report.

Method: EPA 9060

IG Analyst:

Oata File 7213-15 Date Analyzed 08/01/97

Sample ID:

19331-003


Matrix:

Soil

ANALYTE	LINITS	LCS Conc	CS Res	% Rec	METH BLANK	SPL CONC	SPL DUP	% Dev	SPK ADDED	MS RESULT	MSD RESULT	%MS REC	%MSD REC	% REC Limit	RPD	RPD Limit	MD
TOC	mg/kg	2000				3960	NJA	N/A	4000	8640	7890	117	98	50-150	17	50	30
												-	-				+
				4													
																	-
			-												-		-
				-				=:									
																	╀
								_									+
				-													T
			- 1102														-
								-							=	-	╁
				-													1
	-																
	-150																

Approved by:

Cheryl De Los Reyes inorganics Supervisor



August 4, 1997

CLIENT:

PSI LONG BEACH (GEOTEST)

PROJECT: CALTRANS

E H6 Street

PROJECT NO.: 970731-02

Sample I.D.	Wet Density (PCF)	Moisture Content (%)	Dry Density (PCF)	Volume of Voids (CF)	Total Volume (CF)	Porosity
B4-4'	120.5	19.9	100.5	0.000328	0.001022	0.32
B4-10'	119.9	24.6	96.2	0.000387	0.001022	0.38

NOTES:

- Samples were remolded in a 1.5" diameter by 1. 1" high plastic mold, volume = 0.001022 CF.
- 2. Porosity was calculated using formulas related to volume and weight relationships.

Tested By:

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Client Name:

PROFESSIONAL SERVICE INDUSTRIES, INC.

3777 DEPOT ROAD, SUITE 418

HAYWARD, CA 94545

Report To:

FRANK POSS

Project Name:

CALTRANS ETTIE SOIL & GW

Site Location:

OAKLAND, CA

GEOTEST Project #:

970808-02

GEOTEST WO #: Client ID #:

11423A 575-71022

Date:

8/11/97

GEOTEST is pleased to provide you with analytical data for your above referenced project. Sample was collected on 8/7/97 and received on 8/8/97. Please refer to the chain of custody included at the end of this report for conditions of the samples upon receipt. In accordance with the chain of custody, the sample was analyzed for the following analytical parameters:

ANALYTICAL TEST	PAGE
TPH-Gas/BTEX	2-3
List of Abbreviations and Definitions	4

Lily Bayati, Project Manager

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. All samples are analyzed on an as received (wet weight) basis. Sampling, handling and analytical methods must be in accordance with EPA established protocols. Deviations from these protocols may compromise analytical results. All method numbers referenced are EPA method numbers except where otherwise noted. This report is submitted for the exclusive use of the client to whom it is addressed and is only valid in its entirety. ELAP certification #1225.

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

ANALYTICAL REPORT

Analyst:

VN

Preparation Method:

5030

Matrix:

Water

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX BY EPA METHOD 8020

Client ID: Units:	Β5 μg/L	B5 Duplicate µg/L	Method Blank μg/L	MDL µg/L	DF
Jilius.		pgrc	P9/~	P8-	
Analysis Date:	8/8/97	8/8/97	8/8/97		
Analyte					
Benzene	<0.3	<0.3	<0.3	0.3	1
Toluene	<0.3	<0.3	<0.3	0.3	1
Ethylbenzene	<0.3	<0.3	<0.3	0.3	1
Total Xylenes	<0.6	<0.6	<0.6	0.6	1
Gasoline	<500	<500	<500	500	1
Surrogate Recovery %:				Acceptab	ie Range:
a,a,a-Trifluorotoluene	98	98	96	62-	131

Page 3 of 4 GEOTEST Work Order#: 11423A GEOTEST Project#: 970808-02 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

VN

Preparation Method: Matrix:

5030 Water

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX BY EPA METHOD 8020

	LCS % Rec.	Acceptable Range	Matrix Spike % Rec.	Matrix Spike Dup. % Rec.	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	8/8/97		8/8/97	8/8/97			
Analyte							
Benzene	87	81-117	87	85	61-127	2.3	0-21
Toluene	90	78-110	88	87	62-120	1.1	0-16
Ethylbenzene	93	74-115	91	88	63-125	3.4	0-20
Total Xylenes	92	85-117	91	90	68-125	1.1	0-21
Gasoline	89	74-115	98	100	86-111	2.0	0-20

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

List of Abbreviations and Definitions

	SM	=	Standard Methods for the examination of water and waste water
	EPA	=	EPA approved methodology, 40 CFR Part 136
	sw	=	EPA SW 846, Test Methods for Evaluating Solid Wastes
	TCLP	=	Toxicity Characteristic Leaching Procedure
•	STLC	=	Soluble Threshold Limit Concentration
	mg/L	=	milligrams per liter, parts per million (ppm), unit of measurement for a liquid
	mg/Kg	=	milligrams per kilogram, parts per million (ppm), unit of measurement for a solid
	μg/L	=	micrograms per liter, parts per billion (ppb), unit of measurement for a liquid
	μg/Kg	=	micrograms per kilogram, parts per billion (ppb), unit of measurement for a solid
-	MDL	=	Laboratory Method Detection Limit, minimum level of detection derived from actual laboratory data
	DF	=	Dilution Factor, the magnitude in which a sample must be diluted to eliminate matrix interference and/or to bring the sample concentration within the linear calibration range
1	RPD	=	Relative Percent Difference, measure of precision
.b	% REC	=	Percent Recovery, measure of accuracy
•	<	=	less than, analyte of interest below stated numerical value
	NA	=	Not Applicable
	LCS	=	Laboratory Control Sample
	DOHS	=	Department of Health Services
	ELAP	=	Environmental Laboratory Accreditation Program
١.	ccs	=	Calibration Check Standard
·	ICV	=	Initial Calibration Verification
1	PQL	=	Practical Quantitation Limit



GEOTEST
3960 E. Gilman Street
Long Beach, 90815 (7)
Telephone: (310) 498-9515 (800) 624-5744
Fax: (310) 597-0786

14740.200

CHAIN-OF-CUSTODY RECORD

.

GEOTEST PROJECT NO: 7 PAGE OF 1

Fax: (310) 597-0766	-										1	· · · · ·			2
PROJECT NAME Caltons	E#	e Soil & GW	-			MET	HODS						ا _د ہ ا	SPECIAL HAN	DLING
ADDRESS PAGE	<u> </u>										Ĩ	CONTAINER TYPE	CONTAINERS		
SAMPLER'S SIGNATURE PRINTED NAME	<u> </u>		- 🚆	, [ا ٿر ا	AN		
PRINTED NAME	Some		- 렸	ES					1	ŀ		寧	Ž		
CLIENT PROJECT NOこと	- 71-6	/2	- × -	<u> </u>					l		I≱	Ĭĕ i	8		
PROJECT MANAGER	= Pos.	<u> </u>	TPH GASOLINE	TPH DIESEL	BTEX 418.1					ŀ	MATRIX	ð	<u>გ</u>		•
SAMPLE NO. DATE	TIME	LOCATION	ጚ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟	 	<u> </u>					,	ן ∑	Ŏ	*	·.: .	
35 8/2/97		Borne B.5	X								W	->	2	2-46	Consta
10 10 10 10 10 10											1			****	(2) (4) (五)
			1 1												
									7					Dea 3	
					$ \leftarrow $			•						14.4	
			300												2 CARRIE C (1984)
		100							\prec						فريز أ
		1	\forall								abla				3, 302
				\							1				
			+												1
1 RELINQUISHED BY	DATE	3 RELINQUISHED BY	DAT	ΓE 5	RELIN	QUISHE	D BY			DATE		ـــــــــــــــــــــــــــــــــــــ	L SAMPI	LE CONDITIONS	41
	-			··							REC	EIVE	ON E	CE 6	ESAIO"
SIGNATURE Source		SIGNATURE		S	GNATURE						СНА	AIN OF	CUST	TODY SEAL	/E9/NO
PRINTED NAME	TIME	PRINTED NAME	TIM	¶E ₽	RINTED N	AME				TIME		PR	OJE	CT COMMENTS	3
COMPANY	1	COMPANY		C	OMPANY										
2 RECEIVED BY	DATE	4 RECEIVED BY	DAT	TE 6	RECEI	VED BY	(LAB)	1///	Inn	DATE		4	Q-	-How	
SIGNATURE	-	SIGNATURE		5	IGNATURI	m	note	[N]	מעוב	8.8	19	クロ	D	-ttow ush	
PRINTED NAME	TIME	PRINTED NAME	TIM	1E P	RINTEDN	AME L	10/11/	1100	MAR	TIME				- - (
A. V borne Colors	-	COhuses			PANY	\mathcal{I}_{-}			· · -1	116	15.	o de g		· · · · · · · · · · · · · · · · · · ·	

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Client Name:

PROFESSIONAL SERVICE INDUSTRIES, INC.

1320 WEST WINTON AVENUE

HAYWARD, CA 94545

Report To:

FRANK POSS

Project Name: Site Location: CALTRANS ETTIE STREET

3456 ETTIE STREET, OAKLAND, CA

GEOTEST Project #:

970909-03

GEOTEST WO #:

11544A

Client ID #:

575-71022

Date:

9/24/97

GEOTEST is pleased to provide you with analytical data for your above referenced project. Samples were collected on 9/5/97 and received on 9/9/97. Please refer to the chain of custody included at the end of this report for conditions of the samples upon receipt. In accordance with the chain of custody, the samples were analyzed for the following analytical parameters:

ANALYTICAL TEST	PAGE
TPH-Diesel TPH-Gas/BTEX/MTBE Oil & Grease List of Abbreviations and Definitions	2-3 4-5 6-7 8
<u> </u>	

In addition, the analysis for 8260 was subcontracted to an outside laboratory with results issued on a separate report.

Lily Bayati, Project Manager

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. All samples are analyzed on an as received (wet weight) basis. Sampling, handling and analytical methods must be in accordance with EPA established protocols. Deviations from these protocols may compromise analytical results. All method numbers referenced are EPA method numbers except where otherwise noted. This report is submitted for the exclusive use of the client to whom it is addressed and is only valid in its entirety. ELAP certification #1225.

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Analyst: Preparation Analyst: RV RV

Matrix:

Water

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL EPA 8015 Modified

Units			TPH Diesel mg/L	MDL mg/L	DF
Sample ID	Preparation Date	Analysis Date			
Method Blank	9/9/97	9/12/97	<0.5	0.5	1
MVV-1	9/9/97	9/12/97	<0.5	0.5	1
MW-2	9/9/97	9/12/97	<0.5	0.5	1
MW-3	9/9/97	9/12/97	<0.5	0.5	1
MW-3 Duplicate	9/9/97	9/12/97	<0.5	0.5	1

Page 3 of 8 GEOTEST Work Order#: 11544A GEOTEST Project#: 970909-03 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Analyst:

RV

Preparation Analyst:

RV

Matrix:

Water

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL

EPA 8015 Modified

	LCS % REC	Acceptable Range	Matrix Spike % REC	Matrix Spike Dup. % REC	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	9/12/97		9/12/97	9/12/97			
TPH-Diesel	118	80-120	91	92	70-130	1.1	0-30

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Analyst:

VN

Preparation Method:

5030

Matrix:

Water

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX/MTBE BY EPA METHOD 8020

Client ID:	MW-1	MW-2	MVV-3	MW-1	Method		
Units:	μg/L	µg/L	µg/L	Duplicate µg/L	Blank µg/L	MDL µg/L	DF
Analysis Date:	9/10/97	9/10/97	9/10/97	9/10/97	9/10/97		·
Analyte							
Benzene	1.1	<0.3	<0.3	0.6	<0.3	0.3	1
Toluene	0.5	<0.3	<0.3	0.4	<0.3	0.3	1
Ethylbenzene	1.2	<0.3	<0.3	1.1	<0.3	0.3	1
Total Xylenes	1.4	<0.6	<0.6	1.2	<0.6	0.6	1
Methyl-t-butyl ether	<0.6	<0.6	<0.6	<0.6	<0.6	0.6	1
Gasoline	<500	<500	<500	<500	<500	500	1
Surrogate Recovery %:						Acceptab	le Range:
a,a,a-Trifluorotoluene	111	112	102	108	112	62-	131

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

VN

Preparation Method:

5030

Matrix:

Water

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/PID/FID GASOLINE (TPH-G) BY DOHS/LUFT METHOD/BTEX/MTBE BY EPA METHOD 8020

	LCS % Rec.	Acceptable Range	Matrix Spike % Rec.	Matrix Spike Dup. % Rec.	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	9/10/97		9/10/97	9/10/97			
Analyte							
Benzene	96	81-117	93	91	61-127	2.2	0-21
Toluene	100	78-110	95	94	62-120	1.1	0-16
Ethylbenzene	100	74-115	97	99	63-125	2.0	0-20
Total Xylenes	99	85-117	96	100	68-125	4.1	0-21
Methyl-t-butyl ether	108	70-130	83	85	50-150	2.4	0-25
Gasoline	94	74-115	101	107	86-111	5.8	0-20

Page 6 of 8 GEOTEST Work Order#: 11544A GEOTEST Project#: 970909-03 Client 1D#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

ANALYTICAL REPORT

Analyst:

ST

Preparation Analyst:

ST

Matrix:

Water

ANALYSIS OF OIL AND GREASE STANDARD METHODS (17th Ed.) 5520B

Units			OIL & GREASE mg/L	MDL mg/L	DF
Sample ID	Preparation Date	Analysis Date			
Method Blank	9/11/97	9/11/97	<10	10	1
MVV-1 MVV-3	9/11/97 9/11/97	9/11/97 9/11/97	<20 <20	10 10	2 2

Page 7 of 8 GEOTEST Work Order#: 11544A GEOTEST Project#: 970909-03 Client ID#: 575-71022

GEOTEST

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Analyst:

ST

Preparation Analyst:

ST

Matrix:

Water

ANALYSIS OF OIL AND GREASE STANDARD METHODS (17th Ed.) 5520B

	LCS % REC	Acceptable Range	Matrix Spike % REC	Matrix Spike Dup. % REC	Acceptable Range	RPD %	Acceptable Range
Analysis Date:	9/11/97		9/11/97	9/11/97			
Oil & Grease	80	70-130	94	92	70-130	2.2	0-25

An Environmental Monitoring and Testing Service Phone: (562)498-9515 Fax: (562)597-0786

List of Abbreviations and Definitions

	SM	=	Standard Methods for the examination of water and waste water
	EPA	±	EPA approved methodology, 40 CFR Part 136
	sw	±	EPA SW 846, Test Methods for Evaluating Solid Wastes
	TCLP	±	Toxicity Characteristic Leaching Procedure
	STLC	=	Soluble Threshold Limit Concentration
	mg/L	±	milligrams per liter, parts per million (ppm), unit of measurement for a liquid
	mg/Kg	=	milligrams per kilogram, parts per million (ppm), unit of measurement for a solid
	μg/L	=	micrograms per liter, parts per billion (ppb), unit of measurement for a liquid
	μg/Kg	=	micrograms per kilogram, parts per billion (ppb), unit of measurement for a solid
	MDL	=	Laboratory Method Detection Limit, minimum level of detection derived from actual laboratory data
•	DF	=	Dilution Factor, the magnitude in which a sample must be diluted to eliminate matrix interference and/or to bring the sample concentration within the linear calibration range
	RPD	=	Relative Percent Difference, measure of precision
	% REC	=	Percent Recovery, measure of accuracy
	<	=	less than, analyte of interest below stated numerical value
	NA	=	Not Applicable
	LCS	=	Laboratory Control Sample
	DOHS	=	Department of Health Services
-	ELAP	=	Environmental Laboratory Accreditation Program
4	ccs	=	Calibration Check Standard
-	ICV	=	Initial Calibration Verification
•	PQL	=	Practical Quantitation Limit



3960 E. Gilman Street Long Beach, 90815 Telephone: (310) 498-9515 (800) 624-5744 Fax: (310) 597-0786


CHAIN-OF-CUSTODY RECORD

115449

GEOTEST PROJECT NO:

PAGE ____OF -DATE _

PROJECT NAME	There &	7F. C	Tue t		METHODS						;	.		SPECIAL	HANDLING	, j			
ADDRESS 3456	CHE SI	rue sa	Paklend, CA		Γ ,				الها					. [뷥	CONTAINERS	ı		-
SAMPLER'S SIGNATURE		Mul		_ _₩ '		l u	1	i I	3						CONTAINER TYPE	Z I	l		- [
PRINTED NAME		VILLE		_ []	╽ᆲ╵	BTEX { 	1 !		Dil and Buen	, 1	i			_i	띨	Ě	I		1
CLIENT PROJECT NO.	<u> </u>		,	- Sg		- 1	1	18	13			- 1		×	¥	୍ଦିର	ı		- [
CLIENT PHOJECT NO	- Localy	PP	200	_ 5		🔆	- '	26	9					MATRIX	ĮŽI	삥	ĺ		-
PROJECT MANAGER				TPH GASOLINE	TPH DIESEL	976	418.1	8260	13]	Ž	8	#			-
SAMPLE NO.	DATE	TIME	LOCATION		<u> </u> '	<u> </u>	<u> </u>	ļ.,							W.	8			\dashv
MW-1	9/5/7	1200		X	X	X	<u> </u>	X	X					H _Z O	× 1	1		30a.10.	4
MW-2		1215		X	$ \chi $	X	'	X								0/2			+
	V			X	X	V		X	X						$ \Psi $	18		, ~	'
MW-3	·	1230			\ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	14	.——'	 ^ \	1	ļ 				- *-	 	 			ᆌ
		1				<u> </u>	<u> </u>				<u> </u>				<u> </u>				4
								1											
		 '		_	+	+	 	 	+		 					1			
		[<u> </u>	<u> </u>	<u> </u>		!	<u> </u>	 		<u> </u>	 	 	 	 		\dashv
									!								ļ		
							†	1											_
					+	+-	+	 	 	├──	+		 	┼─	 	 -	 		_
						<u> </u>		<u> </u>		<u> </u>				ļ	<u> </u>	<u> </u>	<u></u>		
1 RELINQUISHED BY	<u></u>	DATE	RELINQUISHED BY	ם	ATE	5 F	ELIN(QUISH!	ED BY		<u> </u>	D/	ATE			SAMP	LE CONDITIO	ONS	
	1 11	9/8/97			ľ									REC		D ON I		C YES/N	ò
SGNATURE TOUR PARE	WELL	1/5/97	SIGNATURE			SIGN	ATURE	,				\neg					TODY SEAL	YES/N	
<i>'''''''''''''''''''''''''''''''''''''</i>	WILLE_		·		1845							╜	IME	+-			, <u></u>		
PRINTED NAME		TIME	PRINTED NAME	11	IME	PRINT I	TED NA	ME				"	114.—		PF	ROJE	CT COMM	ENTS	
COMPANY	<u></u>	1700	COMPANY		}	COM	PANY					<u> </u>							
												4	ATE	4					
2 RECEIVED BY		DATE	4 RECEIVED BY	D.	ATE	6 F	IECEI	VED B	Y (LAB	1) L.	///		ATE	سررد ا	_				
		1//25/	1		}	SJOH	ATUBE	100	zare	<u> </u>	19/1	, 7	19.	47					
SIGNATURE		197	Signature		-	سامرد ر	A DON	— 	oth	16	Guy	122	<u> </u>						
PRINTED NAME	7	TIME	PRINTED NAME	T	IME	PRIN	ITED NA	ME	<u> </u>	~ 1			IME						
Dispourse (2)	pras	1	COMPANY		-		ھي	0	<u>/ e</u>	<u>57</u>	-	/,	2:30	X) -					
FOMPANY /	<i>'</i>	111001	COMPANY	ļ	1	COMF	ANY.					۱, ۶		ተ					- 1



September 22, 1997

ELAP No.: 1838

GeoTest 3960 Gilman St Long Beach, CA 90815

ATTN:

Ms. Lily Bayati

Client's Project:

Caltrans Ettie Street, 970909-03, 11544a

Lab No.:

20397-001/003

Enclosed are the results for sample(s) received by Advanced Technology Laboratories and tested for the parameters indicated in the enclosed chain of custody.

Thank you for the opportunity to service the needs of your company. Please feel free to call me at (562) 989 - 4045 if I can be of further assistance to your company.

Sincerely,

Edgar P. Caballero Laboratory Director

EPC/mc

Enclosures

This cover letter is an integral part of this analytical report.

Stor

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Any reproduction of this report or use of this Laboratory's name for advertising or publicity purpose without authorization is prohibited.

lient:

Geotest

Attn:

Mr. Lily Bayati

Client's Project:

Caltrans Ettie Street, 970909-03/11544a

Date Received:

09/18/97

Matrix:

Water

Units:

ug/l

Date Amended:

09/23/97

- Constant		-	-		and debiated in
FP	400	200	1000	85.4	77.31
60 J. O. S. S.	2 10 E	ME COL	526251	100	G0.2333

Lab No		Metho	d Blank	20397-	001	20397-	002	20397-	003	LCS		
Client Sample I.I			u Diank	MW-1		MW-2		MW-3				
Date Sample 1.1		_		09/05/9	7	09/05/	97	09/05/9		09/05/9		
OC Batch		097V	OCW217		CW217		OCW217	Q97V	OCW217	Q97V0	CW217	
Date Analy		09/19/		09/19/9		09/19/		09/19/9	97	09/19/9	7	
Analyst Init		YP	71	YP		YP		YP		YP		
Dilution Fact		1		1		1		1		1		
	MDL	DLR	Results	DLR	Results	DLR	Results	DLR	Results	%Rec	Limit	
ANALYTE	5	-	ND	5	ND	5	ND	-	ND	97	61-14	
Benzene	5		ND		ND		ND		ND	99	61-14	
Bromobenzene	5		ND		ND		ND		ND	96	61-145	
Bromodichloromethane	5		ND		ND		ND		ND	96	61-14	
Bromoform			ND		ND	_	ND		ND		61-14	
Bromomethane	5		ND		ND		ND		ND	-	61-14	
n-Butylbenzene	5		ND		ND		ND		ND		61-14	
sec-Butylbenzene	5				ND		ND				61-14	
tert-Butylbenzene	5		ND		ND		ND				61-14	
Carbon tetrachloride	5	5	ND		ND		ND			-	61-14	
Chlorobenzene	5		ND		ND		ND			-	61-14	
Chloroethane	5		ND				ND				61-14	
Chloroform			NI			-					61-14	
Chloromethane			NI								61-14	
2-Chlorotoluene	5										61-14	
4-Chlorotoluene											61-14	
Dibromochloromethane		5 5									61-14	
1,2-Dibromo-3-chloropropa											61-14	
1,2-Dibromoethane		5 5									61-14	
Dibromomethane		5 5						and the same of th			61-14	
1,2-Dichlorobenzene		5 5									61-14	
1,3-Dichlorobenzene		5 5									61-14	
1,4-Dichlorobenzene		5 5									61-14	
Dichlorodifluoromethane		5 5						_			61-14	
1,1-Dichloroethane		5 5		and the second second								
1,2-Dichloroethane		5 5									61-14	
1,1-Dichloroethene		5 5									61-14	
cis-1,2-Dichloroethene		5 5	N)	D 5	NI NI	5	NI NI	0 5	5 NI	D 100	61-14	

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor

NA = Not Analyzed

Reviewed/Approved By:

Lee Ingvaldson

Department Supervisor

Date 9/23

Pg. 1 of 2

The cover letter is an integral part of this analytical report.

Client:

Geotest

Attn:

Mr. Lily Bayati

Client's Project:

Caltrans Ettie Street, 970909-03/11544a

Pg. 2 of 2

Date Received:

09/18/97

Matrix: Units: Water ug/l

Date Amended:

09/23/97

					Method 8							
Lab No.:	×	Metho	d Blank	20397	-001	20397		20397		LCS		
Client Sample I.D.:	io morning			MW-1		MW-		MW-3				
ANALYTE	MDL	DLR	Results		Results	DLR		DLR	And the second second second second	%Rec	Limit	
trans-1,2-Dichloroethene	5		ND	5	ND	5	ND	5	ND	102	61-145	
1,2-Dichloropropane	5	5	ND	5	ND	5	ND	5	ND	95	61-145	
1,3-Dichloropropane	5		ND	5	ND		ND	5	ND	97	61-145	
2,2-Dichloropropane	- 5		ND	5	ND	5	ND	5	ND	97	61-145	
1,1-Dichloropropene	5		ND	5	ND		ND	5	ND	101	61-145	
Ethylbenzene	5		ND	5	ND	5	ND	5	ND	95	61-145	
Hexachlorobutadiene	5		ND	5	ND	5	ND	5	ND	93	61-145	
Isopropylbenzene	5		ND	5	ND	5	ND	5	ND	102	61-145	
p-Isopropyltoluene	5	5	ND	5	ND	5	ND	5	ND	100	61-145	
Methylene Chloride	5		ND	5	ND	5	ND	- 5	ND	100	61-145	
Naphthalene	5	5	ND	5	ND	5	ND	5	ND	109	61-145	
n-Propylbenzene	5	5	ND	5	ND	5	ND	5	ND	105	61-145	
Styrene	5	5	ND	5	ND	5	ND	5	ND	95	61-145	
1,1,1,2-Tetrachloroethane	5		ND	5	ND	5	ND	5	ND	93	61-145	
1,1,2,2-Tetrachloroethane	5	- 5	ND	5	ND	5	ND	5	ND	98	61-145	
Tetrachloroethene	5	5	ND	5	ND	5	ND	5	ND	95	61-145	
Toluene	5	5	ND	5	ND	5	ND	5	ND	97	61-145	
1,2,3-Trichlorobenzene	5	5	ND	5	ND	5	ND	5	ND	100	61-145	
1,2,4-Trichlorobenzene	5	5	ND	5	ND	5	ND	5	ND	96	61-145	
1,1,1-Trichloroethane	5	5	ND	5	ND	5	ND	5	ND	106	61-145	
1,1,2-Trichloroethane	5		ND	5	ND	5	ND	5	ND	106	61-145	
Trichloroethene	5	5	ND	5	ND	5	ND	5	ND	98	61-145	
Trichlorofluoromethane	5	5	ND	5	ND	5	ND	5	ND	112	61-145	
1,2,3-Trichloropropane	10		ND	10	ND		ND	10	ND	94	61-145	
1,2,4-Trimethylbenzene	5		ND	5	ND		ND		ND	95	61-145	
1,3,5-Trimethylbenzene	5		ND				ND	5	ND	99	61-145	
Vinyl Chloride	5		ND		ND		ND		ND	86	61-145	
Xylenes (Total)	5		ND		ND		100000000000000000000000000000000000000		ND		61-145	
Methyl-tert Butyl Ether	5		ND						118		61-145	

			Surrog	ate Reco	very	100				
Surrogate	%Re	Limits	%Rec	Limits	%Re	Limits	%Re	Limits	%Re	Limits
Dibromofluoromethane	97	50-150	116	50-150	114	50-150	113	50-150	100	50-150
1,2-Dichloroethane-d4	93	91-114	107	91-114	104	91-114	116	91-114	100	91-114
Toluene-d8	98	83-121	101	83-121	100	83-121	105	83-121	100	83-121
4-Bromofluorobenzene	103	66-133	116	66-133	113	66-133	90	66-133	97	66-133

MDL = Method Detection Limit

ND = Not Detected (Below DLR).

DLR = MDL X Dilution Factor

Reviewed/Approved By:

Lee Ingvaldson

Department Supervisor

The cover letter is an integral part of this analytical report.



Spike Recovery and RPD Summary Report - WATER (ug/L)

Method

: C:\HPCHEM\1\METHODS\VOCW.M

Title

: Volatile Organic Compounds

Last Update : Fri Sep 19 13:38:58 1997

Response via : Initial Calibration

Non-Spiked Sample: 20296-33.D

Spike

Sample

Spike

Duplicate Sample

File ID: QVS0919E.D Sample: 20296-033 MS

Acq Time: 19 Sep 97 5:44 pm

QVS0919D.D

20296-033 MSD

19 Sep 97 4:15 pm

•	01-								
Compound	Conc	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits % Rec
1,1-dichloroethene benzene trichloroethene toluene chlorobenzene	0.0	50 50 50 50 50	56 49 51 50 45	54 48 52 48 46	111 97 102 99 90	106 96 103 95 93	4 1 1 5 3	19 15 16 15 14	49-154 67-128 67-130 74-123 80-122

QC Batch # Q97VOCW217

Reviewed/Approved By:__

Date: 9/23/37

Lee Ingvaldson Organics Supervisor



Fax: (310) 597-0786

3960 E. Gilman Street Long Beach, 90815 Telephone: (310) 498-9515 (800) 624-5744 ATL

CHAIN-OF-CUSTODY RECORD

115449

GEOTEST PROJECT NO: 970909-03

DATE 2 PAGE OF

	Caltr	wans E	the Street	и								m	SPECIAL	HANDLING				
ADDRESS	FR	ank Pa		TPH GASOLINE	TPH DIESEL	втех	418.1	8560+1	0					MATRIX	CONTAINER TYPE	# OF CONTAINERS		
SAMPLE NO.	DATE	TIME	LOCATION		-	H	- 8				_					. 64		
	9/5/91	1200		1		_	_	X						M	You	1		
M W-2	1	1215						1,						1	1,	11		
MW-2 MW-3	V	12-30	,					V						V	IJ	1		
				-														
									_				_		_			
				+														
				+												-		
1 RELINQUISHED BY	Z	DATE	RELINQUISHED BY	DA	TE	5 R	ELING	UISHE	DBY			D	ATE	DEC		AMPL ON IC	E CONDITIO	NS YES/NO
SIGNATURE			SIGNATURE			SIGNA	TURE										ODY SEAL	YES/NO
PRINTED NAME	myen	TIME	PRINTED NAME	TIN	ΛE	PRINT	ED NAI	ИЕ				TI	ME		PRO	DJEC	Т СОММЕ	NTS
COMPANY	a/		COMPANY			COMPA	ANY											
2 RECEIVED BY	luan	DATE 9-18-9-	4 RECEIVED BY	DA	TE	6 RE	CEIV	ED BY	(LAB)	3		Di	ATE					
DIAM GA		4-18-4-	SIGNATURE			SIGNAT	TURE											
ATC		TIME	PRINTED NAME	TIN	ΛE	PRINTE	D NAM	ΔE				TI	ME					207
COMPANY	11 11 14	1200	COMPANY			COMPA	NY											

APPENDIX G LABORATORY RESULTS FROM BAY BRIDGE DISTRIBUTION STRUCTURE F:Transfer\Report\Calt097\7i008\invest.dft

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

GeoResearch 3777 DEPOT ROAD, SUITE 418 HAYWARD, CA 94545

REPORT TO:

FRANK POSS

GEOTEST PROJECT NO.:

96300-12

CLIENT ID:

DAGE

575-51048

PROJECT NAME: SITE LOCATION:

CALTRANS BAY BRIDGE
DISTRIBUTION STRUCTURE

OAKLAND, CA

GEOTEST is pleased to provide you with analytical data for your above referenced project. Samples were collected on 11/14/95 and 11/15/95 and received intact and cool on 11/16/95. In accordance with the chain of custody, the samples were analyzed for the following analytical parameters:

PAGE
2-5
6-23
24-27
28-29
30-31
32-33
34-35
36-37
38-40
41-43
44-45
46-47
48-49
50-51
52-53

REVIEWED AND APPROVED:

REPORT DATE:

Dr. Louis Sangermano, Laboratory Director

11/105

This report pertains only to the samples investigated and does not necessarily apply to other apparently identical or similar materials.

All samples are analyzed on an as received (wet weight) basis. Any results listed as "ND" are not detected above the indicated limit of detection. All method numbers referenced are EPA method numbers except where otherwise noted. This report is submitted for the exclusive use of the client to whom it is addressed and is only valid in its entirety. ELAP certification #1225 expiration date 06/30/96.

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

VN, EM

GEOTEST PROJECT NO.: CLIENT ID:

96300-12 575-51048

PREP. METHOD:

5030

MATRIX:

SOIL

DATE PREPARED:

11/16,17/95

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID/PID

GASOLINE (TPH-G) BY DOHS METHOD / BTEX BY EPA METHOD 8020

COMPONENTS:		TPH-G	BENZENE	TOLUENE	ETHYL BENZENE	TOTAL XYLENES	SURROGATE RECOVERY
		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	%
UNITS:		1.0	0.005	0.005	0.005	0.015	
DETECTION LIMITS:	DATE						
SAMPLE ID	ANALYZED						
METHOD BLANK	11/16/95	NA	· ND	ND	ND	ND	100 100
METHOD BLANK	11/16/95	NA	ND	ND	ND	ND	100
METHOD BLANK	11/16/95	NA	ND	ND	ND	ND	100
METHOD BLANK	11/17/95	NA	ND	ND	ND	ND	100
D1404-0-E	11/16/95	NA	ND	ND	ND	ND	100
BM24-0.5	11/16/95	NA.	ND	ND	ND	ND	104
BM24-1	11/16/95	NA	ND	ND	ND	ND	103
BM24-2	11/16/95	NA.	ND	ND	ND	ND	107
BM24-5	11/16/95	NA NA	ND	ND	ND	ND	104
BC13-0.5	11/16/95	NA	ND	ND	ND	ND	106
BC13-1	11/16/95	NA.	0.038	0.005	0.028	ND	98
BC13-2	11/16/95	NA.	ND	ND	ND	МĎ	104
BC13-5	11/16/95	NA.	ND	ND	ND	ND	105
BC20-0.5	11/17/95	NA NA	ND	ND	ND	ND	94
BC20-1		NA	ND	ND	ND	ND	102
BC20-2	11/16/95	NA	ND	ND	ND	ND	99
BC20-5	11/16/95	NA NA	ND	ND	ND	ND	104
BC19-0.5	11/16/95	NA NA	ND	ND	ND	ND	105
BC19-1	11/16/95		ND	ND	ND	ND	92
BC19-2	11/16/95	NA	ND	ND	ND	ND	102
BC19-5	11/16/95	NA	ND	ND	ND	ND	95
BC18-0.5	11/16/95	NA NA	ND	ND	ND	ND	101
BC18-1	11/16/95	NA	ND	ND	ND	ND	97
BC18-2	11/10/30	NA	ND	ND	ND	ND	98
BC18-5	11/16/95	NA	ND ND	ND	ND	ND	99 - •
BC17-0.5	11/16/95	NA	ND	ND	ND	ND	82
BC17-1	11/16/95	NA	0.017	ND	ND	ND	94
BC17-2	11/16/95	NA	ND	0.020	0.006	0.034	91
BC17-5	11/16/95	NA	ND ND	0.041	0.008	0.062	103
BC15-0.5	11/16/95	NA	ND	0.014	ND	0.022	100
BC15-1	11/16/95	NA	ND ND	0.064	0.018	0.12	93
BC15-2	11/16/95	NA		0.006	ND	ND	79
BC15-5	11/16/95	NA	ND ND	ND	ND	ND	92
BC14-0.5	11/16/95	NA		ND	ND	ND	95
BC14-1	11/17/95	NA	ND	NU	,,,,		
nsana a Duellento	11/16/95	NA	ND	ND	ND	ND	107 101
BM24-1 Duplicate	11/16/95	NA.	ND	ND	ND	ND	
BC20-2 Duplicate	11/16/95	NA.	0.016	ND	ND	ND	96
BC17-2 Duplicate	11/17/95	NA.	ND	ND	ND	ND	92
BC14-1 Duplicate	11/1/49	1471					

NA - Not analyzed

a,a,a-Trifluorototuene Surrogate:

Acceptable Range (%):

70-130

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

VN, EM, FH

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

5030

CLIENT ID:

575-51048

DATE PREPARED:

11/17,20/95

MATRIX:

SOIL

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID/PID GASOLINE (TPH-G) BY DOHS METHOD / BTEX BY EPA METHOD 8020

COMPONENTS:		TPH-G	BENZENE	TOLUENE	ETHYL BENZENE	TOTAL XYLENES	SURROGATE RECOVERY
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	%
DETECTION LIMITS:		1.0	0.005	0.005	0.005	0.015	
	DATE						
SAMPLE ID	ANALYZED		•				
METHOD BLANK	11/17/95	ND	ND	ND	ND	ND	100
METHOD BLANK	11/17/95	ND	ND	ND	ND	ND	100
METHOD BLANK	. 11/17/95	ND	ND	ND	ND	ND	100
- METHOD BLANK	11/20/95	NA	ND	ND	ND	ND	100
BC14-2	11/17/95	ND	NA	NA	NA	NA	100
BC14-5	11/17/95	ND	NA	NA	NA	NA	102
BC14-8	11/17/95	ND	NA	NA	NA	NA	97
BM27-0.5	11/20/95	NA ·	ND	ND	ND	ND	97
BM27-1	11/20/95	NA	ND	ND	ND	ND	95
BM27-2	11/20/95	NA	ND	ND	ND	ND	95
BM27-5	11/20/95	NA	ND	ND	ND	ND	98
BM28-0.5	11/20/95	NA	МĎ	ND	ND	ND	-98
BM28-1	11/20/95	NA	ND	ND	МĎ	ND	92
BM28-2	11/17/95	NA	ND	ND	ND	ND	99
BM28-5	11/17/95	NA	ND	ND	ND	ND	100
BM29-0.5	11/17/95	NA	ND	ND	ND	ND	102
BM29-1	11/17/95	NA	ND	ND	ND	ND	93
BM29-2	11/17/95	NA	ND	ND	ND	ND	98
BM29-5	11/17/95	NA	ND	ND	ND	ND	97
BM30-0.5	11/17/95	NA	ND	ND	ND	ND	102
BM30-1	11/17/95	NA	ND	ND	ND	ND	99
BM30-2	11/17/95	NA	ND	ND	ND	ND	94
BM30-5	11/17/95	NA	ND	ND	ND	ND	92
BM31-0.5	11/17/95	ND	ND	ND	ND	ND	101
BM31-1	11/17/95	ND	ND	ND	ND	ND	101 ′ °
BM31-2	11/17/95	ND	ND	ND	ND	ND	100
BM31-5	11/17/95	ND	ND	ND	ND	ND	100
BM32-0.5	11/17/95	ND	ND	ND	ND	МĎ	102
BM32-1	11/17/95	ND	ND	ND	ND	ND	101
BM32-2	11/17/95	ND	ND	ИD	ND	ND	95
BM32-5	11/17/95	ND	ND	ND	ND	ND	102
BM33-0.5	11/17/95	ND	ND	ND	ND	ND	98
BM28-2 Duplicate	11/17/95	NA	ND	ND	ND	ND	92
BM31-0.5 Duplicate	11/17/95	ND	ND ·	ND	ND	ND	100
BC14-5 Duplicate	11/17/95	NA	ND	NA	NA	NA	96
BM27-0.5 Duplicate	11/20/95	NA	ND	ND	ND	ND	95
NA - Not analyzed							

Surrogate:

a,a,a-Trifluorotoluene

Acceptable Range (%):

70-130

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

VN, EM

GEOTEST PROJECT NO .:

96300-12 575-51048

PREP. METHOD:

5030

CLIENT ID:

DATE PREPARED:

11/16,17/95

MATRIX:

SOIL

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID/PID GASOLINE (TPH-G) BY DOHS METHOD / BTEX BY EPA METHOD 8020

COMPONENTS:		TPH-G	BENZENE	TOLUENE	ETHYL BENZENE %	TOTAL XYLENES %	ACCEPTABLE RANGE %
RECOVERY UNITS:		<u>%</u>	%%	7/6			
SAMPLE ID	DATE ANALYZED		•				
LCS	11/16/95	108	99	96	99	99	80-120
MATRIX SPIKE	11/16/95	98	98	98	98	101	70-130
MATRIX SPIKE DUPLICATE	11/16/95	99	103	99	99	103	70-130
RPD		1.0	5.0	1.0	1.0	2.0	0-25
LCS	11/16/95	100	91	87	82	90	80-120
MATRIX SPIKE	11/16/95	98	92	84	81	88	70-130
MATRIX SPIKE DUPLICATE	11/16/95	100	93	86	83	90	70-130
RPD		2.0	1.1	2.4	2.4	2.2	0-25
LCS	11/16/95	108	107	103	106	98	80-120
MATRIX SPIKE	11/16/95	101	105	105	103	97	70-130
MATRIX SPIKE DUPLICATE	11/16/95	98	103	100	102	94	70-130
RPD		3.0	1.9	4.9	1.0	3.1	0-25
LCS	11/17/95	98	103	99	100	93	80-120
MATRIX SPIKE	11/17/95	95	94	91	91	84	70-130
MATRIX SPIKE DUPLICATE	11/17/95	99	97	94	95	68	70-130
RPD		4.1	3.1	3.2	4.3	4.7	0-25

MS/MSD for batch #1 from sample BM24-1 MS/MSD for batch #2 from sample BC20-2 MS/MSD for batch #3 from sample BC17-0.5 MS/MSD for batch #4 from sample BM36-1

LCS - Laboratory Control Standard

RPD - Relative Percent Difference

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

VN, EM, FH

GEOTEST PROJECT NO .:

96300-12 575-51048

PREP. METHOD:

5030

CLIENT ID:

DATE PREPARED:

11/17,20/95

MATRIX:

SOIL

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID/PID GASOLINE (TPH-G) BY DOHS METHOD / BTEX BY EPA METHOD 8020

COMPONENTS:		TPH-G	BENZENE	TOLUENE	ETHYL BENZENE	TOTAL XYLENES	ACCEPTABLE RANGE
RECOVERY UNITS:		%	%	%	%	%	<u>%</u>
SAMPLE ID	DATE ANALYZED		•				
LCS	11/17/95	106	90	87	82	91	80-120
MATRIX SPIKE	11/17/95	93	86	80	75	83	70-130
MATRIX SPIKE DUPLICATE	11/17/95	95	88	81	78	85	70-130
RPD		2.1	2.3	1.2	3.9	2.4	0-25
LCS	11/17/95	98	99	98	98	101	80-120
MATRIX SPIKE	11/17/95	97	101	98	96	102	70-130
MATRIX SPIKE DUPLICATE	11/17/95	99	101	98	101	101	70-130
RPD		2.0	o	o	5.1	1.0	0-25
LCS	11/17/95	99	95	95	95	98	80-120
MATRIX SPIKE	11/17/95	101	102	95	99	99	70-130
MATRIX SPIKE DUPLICATE	11/17/95	96	98	93	96	91	70-130
RPD		5.1	4.0	2.1	3.1	8.4	0-25
LCS	11/20/95	109	99	96	97	90	80-120
MATRIX SPIKE	11/20/95	82	85	80	83	76	70-130
MATRIX SPIKE DUPLICATE	11/20/95	94	93	89	91	85	70-130
RPD		14	9.0	11	9.2	11	0-25

MS/MSD for batch #5 from sample BM28-2 MS/MSD for batch #6 from sample BM31-0.5 MS/MSD for batch #7 from sample BC14-5 MS/MSD for batch #8 from sample BM27-0.5

LCS - Laboratory Control Standard

RPD - Relative Percent Difference

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SÇ

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

SAMPLE ID:		BM24-0.5 mg/Kg	BM24-1	B M24-2 mg/Kg	BM24-5 mg/Kg	BC13-0.5 mg/Kg	DETECTION LIMIT mg/Kg
DATE ANALYZED:		11/20/95	, 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD#		•				
Arsenic (As) Cadmlum (Cd) Chromium (Cr) Copper (Cu) Lead (Pb)	6010 6010 6010 6010	7.3 1.0 33 73 810	11 0.9 31 34 140	7.6 0.9 27 45 210	6.4 0.6 29 34 79	8.3 1.4 35 48 560	5.0 0.5 0.5 2.5 1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

SAMPLE ID:		BC13-1	BC13-2	BC13-5	BC20-0.5	BC20-1	DETECTION LIMIT mg/Kg
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	шулу
DATE ANALYZED:	•	11/20/95	11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #						
Arsenic (As) Cadmium (Cd) Chromium (Cr) Copper (Cu) Lead (Pb)	6010 6010 6010 6010 6010	5.1 1.2 26 44 180	ND ND 13 42 75	6.8 ND 26 64 33	5.3 0.7 22 34 95	5.8 ND 20 15 20	5.0 0.5 0.5 2.5 1.0

0.5

0.5

2.5

1.0

ND

22

30

23

ND

18

62

ND

Arsenic (As)

Cadmium (Cd)

Chromium (Cr)

Copper (Cu)

Lead (Pb)

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:	sc	GEOTEST PROJECT NO CLIENT ID:).: 96300-12 575-51048
PREP. METHOD: DATE PREPARED:	3050 11/17/95	MATRIX:	SOIL
		ANALYSIS OF MISC. METALS	

SAMPLE ID:		BC20-2	BC20-5	BC19-0.5	BC19-1	BC19-2	DETECTION LIMIT
		ma/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
UNITS: DATE ANALYZED:		11/20/95	, 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #	•					
Arsenic (As)	6010	ND	ND	ND	ND	9.0	5.0 0.5

ND

22

13

4.2

ND

21

16

9.5

ND

17

65

4.2

6010

6010

6010

6010

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

SAMPLE ID:		8C19-5 mg/Kg	BC18-0.5	BC18-1	BC18-2 mg/Kg	BC18-5	DETECTION LIMIT mg/Kg
UNITS:	<u>.</u>	mgreg	шдид				
DATE ANALYZED:		11/20/95	. 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #		,				
Arsenic (As)	6010	6.4	6,3	8.5	МĎ	ND	5.0
Cadmium (Cd)	6010	ND	0.5	0.7	ND	ND	0.5
Chromium (Cr)	6010	22	19	32	10	10	0.5
Copper (Cu)	6010	19	48	79	45	38	2.5
Lead (Pb)	6010	74	ND	170	25	9.6	1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

SAMPLE ID:		BC17-0.5	BC17-1	BC17-2 mg/Kg	BC17-5 mg/Kg	BC15-0.5 mg/Kg	DETECTION LIMIT mg/Kg
UNITS:		mg/Kg					
DATE ANALYZED:		11/20/95	11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #		•				
Arsenic (As) Cadmium (Cd) Chromium (Cr) Copper (Cu) Lead (Pb)	6010 6010 6010 6010 6010	5.3 ND 100 66 ND	ND ND 17 19 9.3	7.0 0.6 10 79 110	5.9 ND 18 120 180	ND ND 16 52 1.8	5.0 0.5 0.5 2.5 1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

SAMPLE ID:		BC15-1 mg/Kg	BC15-2 mg/Kg	BC15-5 mg/Kg	BC14-0.5 mg/Kg	BC14-1 mg/Kg	DETECTION LIMIT mg/Kg
DATE ANALYZED:		11/20/95	. 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #		•				
Arsenic (As) Cadmium (Cd) Chromium (Cr) Copper (Cu) Lead (Pb)	6010 6010 6010 6010 6010	ND ND 20 8.3 62	6.2 0.6 27 31 190	6.3 ND 78 54 40	6.9 ND 43 52 44	ND ND 19 11 16	5.0 0.5 0.5 2.5 1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

SAMPLE ID:		BM27-0.5	BM27-1	BM27-2	вм27-5	DETECTION LIMIT
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZED:		、 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #					
Arsenic (As)	6010	ND	5.0	5.0	ND	5.0
Cadmium (Cd)	6010	ND	ND	ND	ND	0.5
Chromium (Cr)	6010	52	11	8.4	25	0.5
Copper (Cu)	6010	50	23	68	31	2.5
Lead (Pb)	6010	ND	45	180	18	1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

SAMPLE ID:		BM28-0.5	8 M28-1 mg/Kg	BM28-2 mg/Kg	BM28-5 mg/Kg	BM29-0.5 mg/Kg	DETECTION LIMIT mg/Kg
UNITS:							
DATE ANALYZED:		11/20/95	. 11/20/95	11/20/95	11/20/95	11/20/95	
ELEMENTS	EPA METHOD #		•				
Arsenic (As) Cadmium (Cd) Chromium (Cr) Copper (Cu) Lead (Pb)	6010 6010 6010 6010 6010	5.3 ND 15 55 ND	5.4 0.6 35 54 67	ND ND 33 31 39	5.7 ND 26 33 37	7.6 ND 16 110 ND	5.0 0.5 0.5 2.5 1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		BM29-1	BM29-2	BM29-5	BM30-0.5	ВМ30-1	DETECTION LIMIT
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZED:		11/20/95	、 11/21/95	11/21/95	11/21/95	11/21/95	
ELEMENTS	EPA METHOD #		•				
Arsenic (As)	6010 6010	ND ND	ND ND	14 0.9	ND ND	ND 0.6	5.0 0.5
Cadmium (Cd) Chromium (Cr)	6010	14	25	26	14	23	0.5
Copper (Cu)	6010	14	31	50	150	28	2.5
Lead (Pb)	6010	26	54	81	1.1	110	1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		BM30-2	BM30-5	BM31-0.5	BM31-1	BM31-2	BM31-5	DETECTION
UNITS:	····	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZE	ED:	11/21/95	11/21/95	、 11/21/95	11/21/95	11/21/95	11/21/95	
ELEMENTS	EPA METHOD #			•				
Arsenic (As)	6010	6.6	8.7	6.9	5.5	ND	ND	5.0
Cadmium (Cd)	6010	0.8	1.0	0.6	0.5	ND	ND	0.5
Chromium (Cr)	6010	32	21	21	20	38	16	0.5
Copper (Cu)	6010	53	67	21	23	54	79	2.5
Lead (Pb)	6010	170	86	22	58	43	24	1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		BM32-0.5	BM32-1	BM32-2	BM32-5	вм33-0.5	DETECTION LIMIT
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZED:	•	11/21/95	. 11/21/95	11/21/95	11/21/95	11/21/95	
ELEMENTS	EPA METHOD#						
Arsenic (As)	6010	ND	6.3	ND	ND	ND	5.0
Cadmium (Cd)	6010	ND	0.6	0.5	0.5	0.5	0.5
Chromium (Cr)	6010	24	19	19	14	18	0.5
Copper (Cu)	6010	110	20	50	52	18	2.5
Lead (Pb)	6010	ND	120	97	2.7	230	1.0

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

SC

GEOTEST PROJECT NO .:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17,18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID: UNITS:		BH-2-0.5 Duplicate mg/Kg	BM24-1 Duplicate mg/Kg	BC19-1 Duplicate mg/Kg	BC17-1 Duplicate mg/Kg	BM28-0.5 Duplicate mg/Kg	BM31-2 Duplicate mg/Kg	DETECTION LIMIT mg/Kg
DATE ANALYZE	D:	11/21/95	11/20/95	, 11/20/95	11/20/95	11/20/95	11/21/95	
ELEMENTS	EPA METHOD #			•				
Arsenic (As)	6010	ND	6.0	ND	ND	ND	7.4	5.0
Cadmium (Cd)	6010	ND	0.9	0.5	ND	ND	0.7	0.5
Chromium (Cr)	6010	15	24	19	18	13	35	0.5
Copper (Cu)	6010	27	42	72	22	47	83	2.5
Lead (Pb)	6010	35	150	1.1	11	ND	41	1.0

Duplicate sample BH-2-0.5 analyzed with Caltrans sample from work order packet 9528H.

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO .:

96300-12 575-5I048

PREP. METHOD: DATE PREPARED: 3050 11/18/95

MATRIX:

CLIENT ID:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	METHOD BLANK	DETECTION LIMIT
UNITS:		%	%	%	%	%	mg/Kg	mg/Kg
DATE ANALYZI	ED:	11/21/95	11/21/95	11/21/95	11/21/95		11/21/95	
	EPA			·				
ELEMENTS	METHOD #			•				
Arsenic (As)	6010	99	89	89	89	0.3	ND	5.0
Cadmium (Cd)	6010	99	77	77	77	0	ND	0.5
Chromium (Cr)	6010	99	79	79	81	2.9	ND	0.5
Copper (Cu)	6010	98	82	82	91	10	ND	2.5
Lead (Pb)	6010	. 99	73	73	72	1.0	ND	1.0

MS/MSD from sample BH-2-0.5 MS/MSD from work order packet 9528H

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification LCS - Laboratory Control Standard

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	METHOD BLANK	DETECTION LIMIT
UNITS:		%	%	%	%	%	mg/Kg	mg/Kg
DATE ANALYZE	ÉD:	11/20/95	11/20/95	11/20/95	11/20/95		11/20/95	
	EPA .							
ELEMENTS	METHOD #			•				
Arsenic (As)	6010	99	88	88	88	0.4	ND	5.0
Cadmium (Cd)	6010	99	93	93	93	0.1	ND	0.5
Chromium (Cr)	6010	98	93	93	94	0.1	ND	0.5
Copper (Cu)	6010	98	89	89	89	8.0	ND	2.5
Lead (Pb)	6010	98	92	92	92	0.4	ND	1.0

MS/MSD from ottawa sand

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification

LCS - Laboratory Control Standard

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE %	RPD %	METHOD BLANK mg/Kg	DETECTION LIMIT mg/Kg
<u> </u>		<u>%</u>	%	%	7/0		·	
DATE ANALYZI	ED:	11/20/95	11/20/95	11/20/95	11/20/95		11/20/95	
ELEMENTS	EPA METHOD #			٠				
Arsenic (As)	6010	99	85	85	82	3.6	ND	5.0
Cadmium (Cd)	6010	99	89	89	86	2.8	ND	0.5
Chromium (Cr)	6010	98	91	91	88	2.7	ND	0.5
Copper (Cu)	6010	98	88	88	85	3.1	ND	2.5
Lead (Pb)	6010	98	89	89	87	2.6	ND	1.0

MS/MSD from ottawa sand

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification LCS - Laboratory Control Standard

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/17/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	METHOD BLANK	DETECTION LIMIT
UNITS:		%	%	%	%%	%	mg/Kg	mg/Kg
DATE ANALYZE	ED:	11/20/95	11/20/95	. 11/20/95	11/20/95		11/20/95	
	EPA							
ELEMENTS	METHOD #			•				
Arsenic (As)	6010	99	81	81	78	3.1	ND	5.0
Cadmium (Cd)	6010	99	83	83	83	0.7	ND	0.5
Chromium (Cr)	6010	98	88	88	86	1.8	ND	0.5
Copper (Cu)	6010	98	86	86	84	2.5	ND	2.5
Lead (Pb)	6010	98	84	84	84	0.3	ND	1.0

MS/MSD from ottawa sand

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification LCS - Laboratory Control Standard

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV %	LCS %	MATRIX SPIKE %	MATRIX SPK. DUPLICATE %	RPD %	METHOD BLANK mg/Kg	DETECTION LIMIT mg/Kg
UNITS:			76	.,,	74			
DATE ANALYZE	D:	11/20/95	11/20/95	, 11/20/95	11/20/95		11/20/95	
	EPA							
ELEMENTS	METHOD #			•				
Arsenic (As)	6010	99	91	91	88	3.5	ND	5.0
Cadmium (Cd)	6010	99	90	90	87	2.9	ND	0.5
Chromium (Cr)	6010	98	95	95	93	2.4	ND	0.5
Copper (Cu)	6010	98	96	96	93	3.2	ND	2.5
Lead (Pb)	6010	98	91	91	90	1.1	ND	1.0

MS/MSD from ottawa sand

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification LCS - Laboratory Control Standard

(310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SC

GEOTEST PROJECT NO.:

96300-12

PREP. METHOD:

3050

CLIENT ID:

575-51048

DATE PREPARED:

11/18/95

MATRIX:

SOIL

ANALYSIS OF MISC. METALS

SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	METHOD BLANK	DETECTION
UNITS:		%	%	%	<u></u> %	%	mg/Kg	mg/Kg
DATE ANALYZE	ED: EPA	11/21/95	11/21/95	, 11/21/95	11/21/95		11/21/95	
ELEMENTS	METHOD #							
Arsenic (As)	6010	99	85	85	88	3.5	ND	5.0
Cadmium (Cd)	6010	99	85	85	87	2.0	ND	0.5
Chromium (Cr)	6010	99	88	88	92	3.9	ND	0.5
Copper (Cu)	6010	98	85	85	8 9	4.3	ND	2.5
Lead (Pb)	6010	99	85	85	89	3.6	ND	1.0

MS/MSD from ottawa sand

Acceptable Range (%):

90-110

70-130

70-130

70-130

0-25

ICV - Internal Calibration Verification LCS - Laboratory Control Standard RPD - Relative Percent Difference

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

TM

GEOTEST PROJECT NO.:

96300-12

CLIENT ID:

575-5i048

MATRIX:

SOIL

ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS LUFT MANUAL (Modified EPA method 418.1)

		TRPH	DETECTION LIMIT	
UNITS:		mg/Kg	mg/Kg	
	DATE	•		
SAMPLE ID	ANALYZED	•		
METHOD BLANK	11/17/95	ND	10	
METHOD BLANK	11/17/95	ND	10	
METHOD BLANK	11/17/95	ND	10	
BM24-0.5	11/17/95	1400	10	
BM24-1	11/17/95	100	10	
BM24-2	11/17/95	230	10	
BM24-5	11/17/95	170	10	
BC13-0.5	11/17/95	170	10	
BC13-1	11/17/95	560	10	
BC13-2	11/17/95	2200	10	
BC13-5	11/17/95	170	10	
BC20-0.5	11/17/95	250	10	
BC20-1	11/17/95	ND	10	
BC20-2	11/17/95	ND	10	
BC20-5	11/17/95	ND	10	
BC19-0.5	11/17/95	210	10	
BC19-1	11/17/95	20	10	
BC19-2	11/17/95	9400	10	
BC19-5	11/17/95	50	10	
BC18-0.5	11/17/95	ND	10	
BC18-1	11/17/95	260	10	
BC18-2	11/17/95	8500	10	
BC18-5	11/17/95	6200	10	
	11/17/95	ND	10	
BC17-0.5	11/17/95	8900	10	
BC17-1		8300	10	
BC17-2	11/17/95	980	10	
BC17-5	11/17/95	ND ND	10	
BC15-0.5	11/17/95	ND 20	10	
BC15-1	11/17/95	20 90	10	
BC15-2	11/17/95	90 80	10	
BC15-5	11/17/95 11/17/95	540	10	
BC14-0.5	1017755	•	-	
BM24-1 Duplicate	11/17/95	.100	10	
BC19-1 Duplicate	11/17/95	20	10	
BC15-1 Duplicate	11/17/95	20	10	
adio i dopilotto			=	

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

TM

GEOTEST PROJECT NO.:

96300-12 575-51048

CLIENT ID:

SOIL

ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS LUFT MANUAL (Modified EPA method 418.1)

		TRPH	DETECTION LIMIT	
UNITS:		mg/Kg	mg/Kg	
	DATE	•		
SAMPLE ID	ANALYZED	,		
METHOD BLANK	11/20/95	ND	10	
METHOD BLANK	11/20/95	ND	10	
METHOD BLANK	11/20/95	ND	10	
BC14-1	11/20/95	20	10	
BC14-2	11/20/95	290	10	
BC14-5	11/20/95	30	10	
BC14-8	11/20/95	10	10	
BM27-0.5	11/20/95	ND	10	
BM27-1	11/20/95	6600	10	
BM27-2	11/20/95	28000	10	•
BM27-5	11/20/95	180	10	
BM28-0.5	11/20/95	10	10	
BM28-1	11/20/95	290	10	
BM28-2	11/20/95	40	10	
BM28-5	11/20/95	100	10	
BM29-0.5	11/20/95	ND	10	
BM29-1	11/20/95	150	10	
BM29-2	11/20/95	90	10	
BM29-5	11/20/95	260	10	
BM30-0.5	11/20/95	20	10	
BM30-1	11/20/95	130	10	
BM30-2	11/20/95	100	10	
BM30-5	11/20/95	60	10	
BM31-0.5	11/20/95	20	10	•
BM31-1	11/20/95	30	10	
BM31-2	11/20/95	150	10	
BM31-5	11/20/95	90	10	
BM32-0.5	11/20/95	40	10	
BM32-1	11/20/95	370	10	
BM32-2	11/20/95	400	10	
BM32-5	11/20/95	270	10	
BM33-0.5	11/20/95	160	10	
BM27-0.5 Duplicate	11/20/95	ND	10	
BM29-0.5 Duplicate	11/20/95	ND	10	
BM32-2 Duplicate	11/20/95	440	10	

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

TM

GEOTEST PROJECT NO.:

96300-12

CLIENT ID:

575-51048

MATRIX:

SOIL

ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS LUFT MANUAL (Modified EPA method 418.1)

		RECOVERY	ACCEPTABLE RANGE
UNITS:		%	<u>%</u>
SAMPLE ID	DATE ANALYZED	•	
LCS	11/17/95	107	70-130
MATRIX SPIKE	11/17/95	111	70-130
MATRIX SPIKE DUPLICATE	11/17/95	111	70-130
RPD		0	0-25
LCS	11/17/95	107	70-130
MATRIX SPIKE	11/17/95	114	70-130
MATRIX SPIKE DUPLICATE	11/17/95	114	70-130
RPD		0	0-25
LCS	11/17/95	109	70-130
MATRIX SPIKE	11/17/95	110	70-130
MATRIX SPIKE DUPLICATE	: 11/17/95	109	70-130
	•	0.9	0-25 · ·

MS/MSD for batch #1 from sample BC20-1 MS/MSD for batch #2 from sample BC19-1 MS/MSD for batch #3 from sample BC15-1

LCS - Laboratory Control Standard RPD - Relative Percent Difference

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

TM

GEOTEST PROJECT NO.:

96300-12

CLIENT ID:

575-51048

MATRIX:

SOIL

ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
LUFT MANUAL (Modified EPA method 418.1)

		RECOVERY	ACCEPTABLE RANGE
UNITS:	<u> </u>	%	%
SAMPLE ID	DATE ANALYZED	•	
LCS	11/20/95	113	70-130
MATRIX SPIKE	11/20/95	107	70-130
MATRIX SPIKE DUPLICATE	11/20/95	107	70-130
RPD		0	0-25
LCS	11/20/95	107	70-130
MATRIX SPIKE	11/20/95	110	70-130
MATRIX SPIKE DUPLICATE	11/20/95	110	70-130
RPD		0	0-25
			70-130
LCS	11/20/95	107	70 100
MATRIX SPIKE	11/20/95	108	70-130
MATRIX SPIKE DUPLICATE	11/20/95	106	70-130
RPD	,	1.9	0-25

MS/MSD for batch #4 from sample MB27-0.5 MS/MSD for batch #5 from sample BM29-0.5 MS/MSD for batch #6 from sample BM31-0.5

LCS - Laboratory Control Standard RPD - Relative Percent Difference

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

VN

GEOTEST PROJECT NO .:

96300-12 575-51048

PREP. METHOD: DATE PREPARED: 5030

MATRIX:

CLIENT ID:

WATER

11/21/95 ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID

GASOLINE (TPH-G) BY DOHS METHOD

COMPONENTS:

TPH-G

SURROGATE

mg/L

RECOVERY

DETECTION LIMITS:

0.5

%

SAMPLE ID

DATE **ANALYZED**

ND

100

METHOD BLANK **WBC14**

11/21/95 11/21/95

ND

100

WBC14 Duplicate

11/21/95

ND

103

Surrogate:

a,a,a-Trifluorotoluene

Acceptable Range (%):

70-130

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

VN

GEOTEST PROJECT NO.:

96300-12 575-51048

PREP. METHOD: DATE PREPARED: 5030

MATRIX:

CLIENT ID:

WATER

11/21/95 ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/FID

GASOLINE (TPH-G) BY DOHS METHOD

ACCEPTABLE TPH-G COMPONENTS: RANGE % % **RECOVERY UNITS:** DATE **ANALYZED** SAMPLE ID 80-120 96 LCS 11/21/95 70-130 97 MATRIX SPIKE 11/21/95 70-130 93 MATRIX SPIKE DUPLICATE 11/21/95 0-25 4.2 RPD

MS/MSD from sample WBC14

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

RV

GEOTEST PROJECT NO.:

CLIENT ID:

96300-12 575-51048

MATRIX:

SOIL

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL DOHS METHOD

		TPH-D	DETECTION LIMIT	
UNITS:		mg/Kg	mg/Kg	
	DATE	•		
SAMPLE ID	ANALYZED			
METHOD BLANK	11/21/95	ND	10	
METHOD BLANK	11/21/95	ND	10	
BC14-2	11/21/95	ND	10	
BC14-5	11/21/95	ND	10	
BC14-8	11/21/95	ND	10	
BM31-0.5	11/21/95	ND	10	
BM31-1	11/21/95	ND	10	
BM31-2	11/21/95	ND	10	
BM31-5	11/21/95	ND	10	
MB32-0.5	11/21/95	ND	10	
MB32-1	11/21/95	ND	10	
BM32-2	11/21/95	ND	10	
BM32-5	11/21/95	ND	10	
BC14-5 Duplicate	11/21/95	ND	10	
MB32-5 Duplicate	11/21/95	ND	10	

(310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

RV

GEOTEST PROJECT NO.:

96300-12

CLIENT ID:

575-51048

MATRIX:

SOIL

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL DOHS METHOD

		RECOVERY	ACCEPTABLE RANGE
UNITS:	·	%	%
SAMPLE ID	DATE ANALYZED		
LCS	11/21/95	91	70-130
MATRIX SPIKE	11/21/95	95	70-130
MATRIX SPIKE DUPLICATE	11/21/95	95	70-130
RPD		0	0-25
LCS	11/21/95	93	70-130
MATRIX SPIKE	11/21/95	98	70-130
MATRIX SPIKE DUPLICATE	11/21/95	95	70-130
RPD		3.1	0-25

LCS - Laboratory Control Standard RPD - Relative Percent Difference DOHS - Department of Health Services

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

RV

GEOTEST PROJECT NO.: CLIENT ID:

96300-12 575-51048

PREP. METHOD:

3510

DATE PREPARED:

11/16/95

MATRIX:

WATER

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL

DOHS METHOD

		TPH-D	DETECTION LIMIT	
UNITS:		mg/L	mg/L	
SAMPLE ID	DATE ANALYZED	•		
METHOD BLANK	11/16/95	ND	0.5	
WBC14	11/16/95	NO*	0.5	
WBC14 Duplicate	11/16/95	ND*	0.5	

^{* -} Sample is not detected for diesel, however, heavier hydrocarbons are present.

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

R۷

GEOTEST PROJECT NO.:

96300-12 575-51048

PREP. METHOD:

3510

CLIENT ID:

DATE PREPARED:

11/16/95

MATRIX:

WATER

ANALYSIS OF TOTAL PETROLEUM HYDROCARBONS - DIESEL

DOHS METHOD

		RECOVERY	ACCEPTABLE RANGE
UNITS:		%	%%
SAMPLEID	DATE ANALYZED		
LCS	11/16/95	104	70-130
MATRIX SPIKE	11/16/95	97	70-130
MATRIX SPIKE DUPLICATE	11/16/95	95	70-130
RPD		2.1	0-25

LCS - Laboratory Control Standard RPD - Relative Percent Difference DOHS - Department of Health Services

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:	DR	•	GEOTEST PRO	DECT NO.:	96300-12
PREP. METHOD:	5030		CLIENT ID:		575-51048
DATE BREDARED	11/26/95		MATRIX:		SOIL
ANAL	YSIS OF VOLATILE ORG	GANICS BY GAS CHROMATOGR	RAPHY/MASS SPECTRO	METRY	
		EPA METHOD 8240 Modified	20110	BC14-2	DETECTION
SAMPLE ID:	BC14-2	BC14-5	BC14-8	Duplicate	LIMIT
				mg/Kg	mg/Kg
UNITS:	mg/Kg	mg/Kg	mg/Kg	шулу	Highlig
		11/26/95	11/26/95	11/26/95	
DATE ANALYZED:	11/26/95	11/20/85	11/2000		
COMPOUNDS			10	ND	0.005
Chloromethane	ND	、 ND	ND	ND	0.005
Bromomethane	ND	, ND	ND		0.005
Vinyl chloride	ND	ND	, ND	ND	0.005
Chloroethane	ND	ND	DM	ND	
Trichiorofluoromethane	ND	ND	ND	ND	0.005
1.1-Dichloroethene	ND	ND	ND	ND	0.005
Methylene chloride	ND	ND	ND	ND	0.015
1,1-Dichloroethane	ND	ND	ND	ND	0.005
trans-1,2-Dichloroethene	ND	ND	ND	ND	0.005
	ND	ND	ND	ND	0.005
ds-1,2-Dichloroethene	ND ND	ND	ND	ND	0.005
Chloroform		ND	ND	ND	0.005
1,2-Dichloroethane	ND	ND	ND	ND	0.005
1,1,1-Trichloroethane	ND	ND	ND	ND	0.005
Carbon tetrachloride	ND		ND	ND	0.005
Bromodichloromethane	ND	ND	ND	ND	0.005
1,2-Dichloropropane	ND	ND	ND	ND	0.005
cis-1,3-Dichloropropene	ND	ND ·	ND ND	ND	0.005
Trichloroethene	ND	ND		ND	0.005
1,1,2-Trichloroethane	ND	ND	ND		0.005
Benzene	ND	ND	ND	ND	0.005
trans-1,3-Dichloropropene	ND	ND	ND	ND	
Toluene	ND	ND	ND	ND	0.005
Acetone	ND	ND	ND	ND	0.005
2-Butanone	ND	ND	ND	ND	0.010
4-Methyl-2-pentanone	ND	ND	ND	ND	0.010
Carbon disulfide	: ND	ND	ND	ND	0.010
-	ND	ND	ND	ND	0.010
2-Chloroethylvinyl ether	ND	ND	DN	ND	0.010
2-Hexanone		ND	ND	ND	0.005
Styrene	ND ND	ND	ND ND	ND	0.005
Dibromochloromethane	ND	ND ND	ND	ND	0.005
Bromoform	ND	ND ND	ND	ND	0.005
Tetrachioroethene	ND		ND	ND	0.005
Chlorobenzene	ND	ND	ND	ND	0.005
Ethylbenzene	ND	ND	ND	ND	0.005
m,p-Xylenes	ND	ND	ND	ND	0.005
o-Xylene	ND	ND		ND	0.005
1,1,2,2-Tetrachloroethane	ND	ND	ND		0.005
1,3-Dichlorobenzene	ND	ND	ND	ND	0.005
1,4-Dichlorobenzene	ND	ND	ND	ND	
1,2-Dichlorobenzene	ND	ND	ND	ND	0.005
•			,		Acceptable
					Range (%)
Surrogate % recovery	46=	121	97	121	70-130
Dibromofluoromethane	127		92	95	84-138
Toluene-d8	95	95	72	71	59-113
Bromofluorobenzene	88	77			

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

 ANALYST:
 DR
 GEOTEST PROJECT NO.:
 96300-12

 PREP. METHOD:
 5030
 CLIENT ID:
 575-51048

 DATE PREPARED:
 11/26/95
 MATRIX:
 SOIL

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY

EPA METHOD 8240 Modified

SAMPLE ID:	METHOD BLANK	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	DETECTION LIMIT
UNITS:	mg/Kg	%	%	%	%	mg/Kg
DATE ANALYZED:	11/26/95	11/26/95	11/26/95	11/26/95		
COMPOUNDS						
Chloromethane	ND	102	NA	NA	NA	0.005
Bromomethane	ND		NA	NA	NA	0.005
Vinyl chloride	ND	90	NA	NA	NA	0.005
Chioroethane	ND		NA	NA	NA	0.005
Trichlorofluoromethane	ND		NA	NA	NÁ	0.005
1,1-Dichloroethene	ND	98	93	103	10	0.005
Methylene chloride	ND		NA	NA	NA	0.015
1,1-Dichloroethane	ND	116	NA	NA	NA	0.005
trans-1,2-Dichloroethene	ND	•	NA	NA	NA	0.005
cis-1,2-Dichloroethene	ND		NA	NA	NA	0.005
Chloroform	ND	118	NA	NA	NA	0.005
1.2-Dichloroethane	ND		NA	NA	NA	0.005
1,1,1-Trichloroethane	ND		NA	NA	NA	0.005
Carbon tetrachloride	ND		NA	NA	NA	0.005
Bromodichloromethane	ND		NA	NA	NA	0.005
1.2-Dichloropropane	ND	92	NA	NA	NA	0.005
cis-1,3-Dichloropropene	ND		NA	NA	NA	0.005
Trichloroethene	ND		103	91	12	0.005
1,1,2-Trichloroethane	ND		NA.	NA	NA	0.005
• •	ND		98	88	11	0.005
Benzene	ND		NA	NA.	NA	0.005
trans-1,3-Dichloropropene	ND		100	102	2.0	0.005
Toluene	ND		NA NA	NA	NA	0.005
Acetone	1 ND		NA NA	NA.	NA .	0.010
2-Butanone	ND		NA	NA.	NA	0.010
4-Methyl-2-pentanone			NA NA	NA.	NA NA	0.010
Carbon disulfide	ND		NA NA	NA	NA	0.010
2-Chloroethylvinyl ether	ND		NA NA	NA NA	NA	0.010
2-Hexanone	ND			NA NA	NA	0.005
Styrene	ND		NA	NA NA	NA	0.005
Dibromochloromethane	ND		NA	NA NA	NA	0.005
Bromoform	ND	96	NA NA		NA NA	0.005
Tetrachloroethene	ND	450	NA 100	NA 99	4.0	0.005
Chlorobenzene	ND	103	103		NA	0.005
Ethyliberizene	ND		NA NA	NA NA		0.005
m,p-Xylenes	ND		NA	NA NA	NA NA	0.005
o-Xylene	ND		NA	NA	NA NA	0.005
1,1,2,2-Tetrachloroethane	ND	98	NA	NA	NA NA	0.005
1,3-Dichlorobenzene	ND		NA	NA	NA	0.005
1,4-Dichlorobenzene	ND		NA	NA	NA	
1,2-Dichlorobenzene	ND		NA	NA	NA	0.005
Acceptable range (%): * - See CLP SOW 6/91		75-125	•	•	•	
LCS - Laboratory Control Stan	ndard	RPD - Relativ	e Percent Diffe	rence	NA - Not Analyzed	

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST: PREP. METHOD:

DR 5030 **GEOTEST PROJECT NO.:** CLIENT ID:

96300-12 575-51048

DATE PREPARED:

11/26/95

MATRIX:

WATER

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY

EPA METHOD 8240 Modified

SAMPLE ID:	WBC14	WBC14 Duplicate	DETECTION LIMIT
UNITS:	μg/L	ug/L	μα/L
		11/26/95	
DATE ANALYZED:	11/26/95	11/20/95	
COMPOUNDS		ND	0.5
Chloromethane	ND	ND	0.5
Bromomethane	· ND	ND	0.5
Vinyl chloride	ND	ND	0.5
Chloroethane	ND	ND	
Trichiorofluoromethane	ND	ND	0.5
1,1-Dichloroethene	ND	ND	0.5
Methylene chloride	ND	ND	5.0
1,1-Dichloroethane	ND	ND	0.5
trans-1,2-Dichloroethene	ND	ND	0.5
cis-1,2-Dichloroethene	, ND	ND	0.5
Chioroform	ND	ND	0.5
1.2-Dichloroethane	ND	ND	0.5
1,1,1-Trichloroethane	ND	ND	0.5
Carbon tetrachloride	ND	ND	0.5
Bromodichloromethane	ND	ND	0.5
1,2-Dichloropropane	ND	ND	0.5
ds-1,3-Dichloropropene	ND	ND	0.5
Trichloroethene	ND	ND	0.5
	ND	ND	0.5
1,1,2-Trichloroethane	NP	ND	0.5
Benzene	ND	ND	0.5
trans-1,3-Dichloropropene	ND	ND	0.5
Toluene	ND	ND	10
Acetone	ND	ND	2.0
2-Butanone	ND ND	ND	2.0
4-Methyl-2-pentanone	ND	ND	2.0
Carbon disuffice	ND	ND	2.0
2-Chloroethylvinyl ether		ND	2.0
2-Hexanone	ND ND	ND ND	0.5
Styrene	ND	ND	0.5
Dibromochloromethane	ND	ND	0.5
Bromoform	ND	ND ND	0.5
Tetrachioroethene	ND		0.5
Chlorobenzene	ND	ND ND	0.5
Ethylbenzene	ND	ND ND	0.5
m,p-Xylenes	ND	ND	0.5
o-Xylene	ND	ND	
1,1,2,2-Tetrachloroethane	ND	ND	0.5
1,3-Dichlorobenzene	ND	ND	0.5
1,4-Dichlorobenzene	ND	ND	0.5
1,2-Dichlorobenzene	ND	ND	0.5
			Acceptable
Surrogate % recovery			Range (%
Dibromofluoromethane	71	101	70-130
Toluene-d8	89	91	88-110
Bromofluorobenzene	93	99	86-115

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

 ANALYST:
 DR
 GEOTEST PROJECT NO.:
 96300-12

 PREP. METHOD:
 5030
 CLIENT ID:
 575-51048

 DATE PREPARED:
 11/26/95
 MATRIX:
 WATER

ANALYSIS OF VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY

EPA METHOD 8240 Modified

SAMPLE ID:	METHOD BLANK	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	DETECTION LIMIT
UNITS:	μα/L	%%	%	%	%	μg/L
DATE ANALYZED:	11/26/95	11/26/95	11/26/95	11/26/95		
COMPOUNDS			•			0.5
Chloromethane	ND	101	, NA	NA	NA 	0.5
Bromomethane	ND		NA	NA.	NA 	
Vinyl chlorida	ND	112	NA	NA	NA 	0.5
Chloroethane	ND		NA	NA	NA	0.5 0.5
Trichlorofluoromethane	ND		NA	NA	NA 	0.5
1,1-Dichloroethene	ND	98	72	66	8.7	5.0
Methylene chloride	ИD		NA	NA	NA	
1,1-Dichloroethane	ND	121	NA	NA	NA	0.5
trans-1,2-Dichloroethene	ND		NA	NA	NA	0.5
cis-1,2-Dichloroethene	ND		NA	NA	NA	0.5
Chloroform	ND	91	NA	NA	ΝA	0.5
1,2-Dichloroethane	ND		NA	NA	NA	0.5
1,1,1-Trichloroethane	. ND		NA	NA	NA	0.5
Carbon tetrachloride	ND		NA	NA	NA ,	0.5
Bromodichloromethane	ND		NA	NA	NA	0.5
1.2-Dichloropropane	ND	103	NA	NA	NA	0.5
cis-1,3-Dichloropropene	ND		NA	NA	NA	0.5
Trichloroethene	ND	97	106	106	0	0.5
1,1,2-Trichloroethane	ND		NA	NA	NA	0.5
Benzene	ND	99	114	116	1.7	0.5
trans-1,3-Dichloropropene	ND		NA	NA	NA	0.5
Toluene	ND		105	109	3.7	0.5
Acetone	ND		NA	NA	NA	10
2-Butanone	: ND		NA	NA	NA	2.0
4-Methyl-2-pentanone	^ ND		NA	NA	NA	2.0
Carbon disulfide	ND		NA	NA	NA	2.0
2-Chloroethylvinyl ether	ND		NA	NA	NA	2.0
2-Hexanone	ND		NA	NA	NA	2.0
Styrene	ND		NA	NA	NA	0.5
Dibromochloromethane	ND		NA	NA	NA	0.5
Bromoform	ND	99	NA	NA	NA	0.5
Tetrachloroethene	ND		NA	NA	NA	0.5
Chiorobenzene	ND	102	102	102	0	0.5
Ethylbenzene	ND		NA	NA.	NA	0.5
m,p-Xylenes	ND		NA	NA	NA	0.5
o-Xylene	ND		NA	NA	NA	0.5
1,1,2,2-Tetrachloroethane	ND	98	NA	NA	NA	0.5
1,3-Dichlorobenzene	ND		NA	NA	NA	0.5
1,4-Dichlorobenzene	ND		NA	NA	NA	0.5
1,2-Dichlorobenzene	ND		NA	NA	NA	0.5
Acceptable range (%):		75-125	•	•	•	
* - See CLP SOW 6/91 LCS - Laboratory Control Star		RPD - Relativ			NA - Not Analyzed	

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:	FH				GEOTEST PROJECT NO.:	96300-12
PREP. METHOD:	3550				CLIENT ID:	575-51048
DATE PREPARED:	11/17/95				MATRIX:	SOIL
ANALYSIS	OF SEMI-VOLA	ATILE ORGANIC	S BY GAS CHR	OMATOGRAPH	IY/MASS SPECTROMETRY	
		E	PA METHOD 82	70	•	
SAMPLE ID:	BC14-2	BC14-5	BC14-8	BC14-2	METHOD	DETECTION
				Duplicate	BLANK	LIMIT
UNITS:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZED:	11/20/95	11/20/95	11/20/95	11/20/95	11/20/95	
COMPOUNDS			•			
N-Nitrosodimethylamine	ND	ND	ND	ND	ND	0.66
bis (2-Chloroethyl) ether	ND	ND	ND	ND	ND	0.66
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	0.66
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	0.66
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	0.66
Benzyl alchoi	ND	ND	ND	ND	ND	0.66
bis (2-Chloroisopropyl) ether	ND	ND	ND	ND	ND	0.66
N-Nitrosodi-n-propylamine	ND	ND	ND	ND	ND	0.66
Hexachioroethane	ND	ND	ND	ND	ND	0.66
Nitrobenzene	ND	ND	ND -	ND	ND	0.66
Isophorone	ND	ND	ND	ND	ND	0.66
Benzoic acid	ND	ND	ND	ND	ND	0.66
bis (2-Chloroethoxy) methane	ND	ND	ND	ND	ND	0.66
1.2.4-Trichlorobenzene	ND	ND	ND	ND	ND	0.66
Naphthaiene	ND	ND	ND	ND	ND	0.66
4-Chloroaniline	ND	ND	ND	ND	ND	0.66
Hexachlorobutadiene	ND	ND	ND	ND	ND	0.66
2-Methylnapthalene	ND	ND	ND	ND	ND	0.66
Hexachlorocyclopentaciene	ND	ND	ND	ND	ND	0.66
2-Chloronaphthalene	ND	ND	ND	ND	ND	0.66
2-Nitroaniline	ND	ND	ND	ND	ND	0.66
Dimethylphthalate	ND	ND	ND	ND	ND	0.66
2.6-Dinitrotoluene	ND	ND	ND	ND	ND	0.66
Acenaphthylene		ND	ND	ND	ND	0.66
3-Nitroaniline	ND	ND	ND	ND	ND	0.66
Acenaphthene	ND	ND	ND	ND	ND	0.66
Dibenzofuran	ND	ND	ND	ND	ND	0.66
2.4-Dinitrotoluene	ND	ND	ND	ND	ND	0.66
Diethylphthalate	ND	ND	ND	ND	ND	0.66
4-Chlorophenylphenylether	ND	ND	ND	ND	ND	0.66
Fluorene	ND	ND	ND	ND	ND	0.66
4-Nitroaniline	ND	ND	ND	ND	ND	0.66
N-Nitrosodiphenylamine	ND	ND	ND	ND	ND	0.66
4-Bromophenylphenylether	ND	ND	ND	ND	ND	0.66
Hexachiorobenzene	ND	ND	ND	ND	ND	0.66
Phenanthrene	ND	ND	ND	ND	ND	0.66
Anthracene	ND	ND	ND	ND	ND	0.66
Di-n-butylphthalate	ND	ND	ND	ND	ND	0.66
Fluoranthene	ND	ND	ND	ND	ND	0.66
Рутеле	ND	ND	ND	ND	ND	0.66
Butylbenzylphthalate	ND	ND	ND	ND	ND	0.66

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST: PREP. METHOD:	FH 3550		•		GEOTEST PROJECT NO.: CLIENT ID:	96300-12 575-51048
DATE PREPARED:	11/17/95				MATRIX:	SOIL
ANALYS	IS OF SEMI-VOLA				Y/MASS SPECTROMETRY	
	20115		'A METHOD 821 BC14-8	70 BC14-2	METHOD	DETECTION
SAMPLE ID:	BC14-2	BC14-5		Duplicate	BLANK mg/Kg	LIMIT mg/Kg
UNITS:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	туку	mgrkg
DATE ANALYZED:	11/20/95	11/20/95	11/20/95	11/20/95	11/20/95	
COMPOUNDS				-		
3,3'-Dichlorobenzidine	ND	ND `	ND	NĎ	ND	0.66
Benzo (a) anthracene	ND	ND	ND	ND	ND	0.66
bis (2-Ethythexyl) phthalate	ND	ND	ND	ND	ND	0.66
Chrysene	ND	ND	ND	ND	ND	0.66
Di-n-octylphthalate	ND	ND	ND	ND	ND	0.66
Benzo (b) fluoranthene	ND	ND	. ND	ND	ND	0.66
Benzo (k) fluoranthene	ND	ND	ND	ND	ND	0.66
Benzo (a) pyrene	ND	ND	ND	ND	ND	0.66
indeno (1,2,3-c,d) pyrene	ND	ND	ND	ND	ND	0.66
Dibenzo (a,h) anthracene	ND	ND	ND	ND .	ND	0.66
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	0.66
Phenol	ND	ND	ND	ND	ND	0.66
2-Chilorophenol	ND	ND	ND	ND	ND	0.66
2-Methylphenol	ND	ND	ND	ND	ND	0.66
4-Methylphenoi	ND	ND	ND	ND	ND	0.66
2-Nitrophenol	ND	ND	ND	ND	ND	0.66
2.4-Dimethylphenol	ND	ND	ND	ND	ND	0.66
2,4-Dichlorophenol	ND	ND	ND	ND	ND	0.66
4-Chloro-3-methylphenol	ND '	ND	ND	ND	ND	0.66
2.4.6-Trichiorophenol	ND	ND	ND	ND	ND	0.66
-· ·	ND	ND	ND	ND	ND	0.66
2,4,5-Trichlorophenoi	ND	ND	ND	ND	ND	0.66
2,4-Dinitrophenol	ND	ND	ND	ND	ND	0.66
4-Nitrophenol	ND	ND	ND	ND	ND	0.66
2-Methyl-4,6-dinitrophenol Pentachlorophenol	: ND	ND	ND	ND	ND	0.66
SAMPLE ID:	BC14-2	BC14-5	BC14-8	BC14-2 Duplicate	METHOD Blank	ACCEPTABLE RANGE
UNITS:	%	%	%	%	%	%
SURROGATES						
1,2-Dichlorobenzene-d4	67	67	63	68	100	20-130
Nitrobenzene-d5	66	63	59	63	100	23-120
2-Fluorobiphenyl	79	74	69	77	100	30-115
Terphenyl-d14	69	62	56	68	104	18-137
2-Fluorophenol	65	64	69	59	84	25-121
Phenoi-d6	76	71	77	75	86	24-113
2-Chiorophenol-d4	75	70	78	73	85	20-130
2,4,6-Tribromophenol	48	76	87	36	77	19-122

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

GEOTEST PROJECT NO.: 96300-12 FΗ ANALYST: CLIENT ID: 575-51048 3550 PREP. METHOD: DATE PREPARED: 11/17/95 MATRIX: SOIL ANALYSIS OF SEMI-VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY **EPA METHOD 8270** MATRIX SPK. **RPD** SAMPLE ID: **ICV** MATRIX SPIKE DUPLICATE % % UNITS: % % 11/20/95 11/20/95 11/20/95 DATE ANALYZED: COMPOUNDS 88 28 2.3 1,4-Dichlorobenzene 93 7.3 N-Nitrosodi-n-propylamine NA 100 93 17 1,2,4-Trichlorobenzene NA 90 107 NA Hexachlorobutadiene 87 NA NA NA NA Hexachlorocyclopentadiene 108 NA 92 2.2 Acenaphthene 90 94 2,4-Dinitrotoluene NA 97 122 23 NA N-Nitrosodiphenylamine 93 NA NA NA NA Fluoranthene 88 NA NA 119 106 12 Pyrene NA 116 NA NA Di-n-octvlohthalate NA 119 NA NA Benzo (a) pyrene 91 87 89 2.3 Phenol 92 2-Chlorophenol NA 90 2.2 NΑ 95 NA NA 2-Nitrophenol NA 97 NA NA 2.4-Dichlorophenol 98 93 100 7.3 4-Chloro-3-methylphenol 2,4,6-Trichlorophenol 88 NΑ NA NA 2,4-Dinitrophenol 92 NΑ NΑ NA NA 48 36 29 4-Nitrophenol 43 Pentachlorophenol 82 51 79 MS/MSD from sample BC14-2 Acceptable Range (%): 75-125 - See CLP SOW 6/91 **ICV - Internal Calibration Verification** RPD - Relative Percent Difference NA - Not Analyzed **ACCEPTABLE** MATRIX MATRIX SPK. **SAMPLE ID:** ICY RANGE SPIKE DUPLICATE % UNITS: % % % **SURROGATES** 1,2-Dichlorobenzene-d4 90 67 86 20-130 Nitrobenzene-d5 102 72 96 23-120 83 107 30-115 2-Fluorobiphenyl 99 18-137 Terphenyl-d14 80 72 91 25-121 87 71 74 2-Fluorophenol 87 76 78 24-113 Phenol-d6 20-130 88 76 79 2-Chlorophenol-d4 101 100 19-122 2,4,6-Tribromophenol 93

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:	FH		96300-12 575-51048						
PREP. METHOD:	3510			CLIENT ID:					
DATE PREPARED:	11/22/95			MATRIX:		WATER			
ANALYSIS	OF SEMI-VOLATILE ORG			MASS SPECT	ROMETRY				
CANDIE ID.		EPA METHOD 8		11010 00	METHOD	DETECTION			
SAMPLE ID:		WBC14	DETECTION	WMB-26	METHOD	DETECTION			
UNITS:			LIMIT	Duplicate	BLANK	LIMIT			
UNITS:	- W. J.	mg/L	mg/L	mg/L	mg/L	mg/L			
DATE ANALYZED:		11/30/95		11/30/95	11/30/95	•			
COMPOUNDS		•							
N-Nitrosodimethylamine		ND	0.02	ND	ND	0.04			
bis (2-Chloroethyl) ether		ND	0.02	ND	ND	0.04			
1,3-Dichlorobenzene		ND	0.02	ND	ND	0.04			
1,4-Dichlorobenzene		ND	0.02	ND	ND	0.04			
1,2-Dichlorobenzene		ND	0.02	ND	ND	0.04			
Benzyl alchol		ND	0.02	ND	ND	0.04			
bis (2-Chioroisopropyl) ether		ND	0.02	ND	ND	0.04			
N-Nitrosodi-n-propytamine		ND	0.02	ND	ND	0.04			
Hexachloroethane		ND	0.02	ND	ND	0.04			
Nitrobenzene	•	ND	0.02	ND	ND	0.04			
Isophorone		ND	0.02	ND	ND	0.04			
Benzoic acid		ND	0.02	ND	ND	0.04			
bis (2-Chloroethoxy) methane		ND	0.02	ND	ND	0.04			
1,2,4-Trichlorobenzene		ND	0.02	ND	ND	0.04			
Naphthalene		ND	0.02	ND	ND	0.04			
4-Chloroaniline		ND	0.02	ND	ND	0.04			
Hexachlorobutadiene		ND	0.02	ND	ND	0.04			
2-Methylnapthalene		ND	0.02	ND	ND	0.04			
Hexachlorocyclopentadiene		ND	0.02	NĐ	ND	0.04			
2-Chloronaphthalene		ND	0.02	ND	ND	0.04			
2-Nitroaniline		ND	0.02	ND	ND	0.04			
Dimethylphthalate		ND	0.02	ND	ND	0.04			
2,6-Dinitrotoluene		ND	0.02	ND	ND	0.04			
Acenaphthylene		ND	0.02	ND	ND	0.04			
3-Nitroaniline		ND	0.02	ND	ND	0.04			
Acenaphthene		ND	0.02	ND	ND	0.04			
Dibenzofuran		ND	0.02	ND	ND	0.04			
2,4-Dinitrotoluene		ND	0.02	ND	ND	0.04			
Diethylphthalate		ND	0.02	ND	ND	0.04			
4-Chlorophenylphenylether		ND	0.02	ND	ND	0.04			
Fluorene		ND	0.02	ND	ND	0.04			
4-Nitroaniline		ND	0.02	ND	NĎ	0.04			
N-Nitrosodiphenylamine		ND	0.02	ND	ND	0.04			
4-Bromophenylphenylether		ND	0.02	ND	ND	0.04			
Hexachlorobenzene		ND	0.02	ND	ND	0.04			
Phenanthrene		ND	0.02	ND	ND	0.04			
Anthracene	4.	ND	0.02	ND	ND	0.04			
Di-n-butylphthalate		ND	0.02	ND	ND	0.04			
Fluoranthene		ND	0.02	ND	ND	0.04			
Pyrene		ND	0.02	ND	ND	0.04			
Butylbenzylphthalate		ND	0.02	ND .	ND	0.04			

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

	FH		GEOTEST PROJECT NO.:								
ANALYST:	3510		CLIENT ID:								
PREP. METHOD:				MATRIX:		WATER					
DATE PREPARED:	11/22/95	DRGANICS BY GAS CHR			OMETRY						
ANALTSI	2 OF SEMI-VOLATILE C	EPA METHOD 82									
		WBC14	DETECTION	WMB-26	METHOD	DETECTION					
SAMPLE ID:		115014	LIMIT	Duplicate	BLANK	LIMIT					
		mg/L	mg/L	ma/L	mg/L						
UNITS:	<u> </u>	117912									
DATE ANALYZED:		11/30/95		11/30/95	11/30/95						
COMPOUNDS											
			0.00	ND	ND	0.04					
3,3'-Dichlorobenzidine		ND	0.02 0.02	ND	ND	0.04					
Benzo (a) anthracene		. ND	0.02	ND	ND	0.04					
bis (2-Ethylhexyl) phthalate		ND		ND	ND	0.04					
Chrysene		ND	0.02		ND	0.04					
Di-n-octylphthalate		ND	0.02	ND ND	ND	0.04					
Benzo (b) fluoranthene		ND	0.02		ND ND	0.04					
Benzo (k) fluoranthene		ND	0.02	ND		0.04					
Benzo (a) pyrene		ND	0.02	ND	ND	0.04					
Indeno (1,2,3-c,d) pyrene		ND	0.02	ND	ND	0.04					
Dibenzo (a,h) anthracene		ND	0.02	ND	ND						
Benzo (g.h.i) perylene		ND	0.02	ND	ND	0.04					
Phenol		ND	0.02	ND	ND	0.04					
2-Chlorophenol		ND	0.02	ND	ND	0.04					
2-Methylphenol		ND	0.02	ND	ND	0.04					
4-Methylphenol		ND	0.02	ND	ND	0.04					
2-Nitrophenol		ND	0.02	ND	ND	0.04					
2,4-Dimethylphenol		DN	0.02	ND	ND	0.04					
2,4-Dichlorophenol		ND	0.02	ND	ND	0.04					
4-Chioro-3-methylphenol		ND	0.02	ND	ND	0.04					
2,4,6-Trichlorophenol		ND	0.02	ND	ND	0.04					
2,4,5-Trichlorophenol		ND	0.02	ND	ND	0.04					
2,4-Dinitrophenol		NĎ	0.02	ND	ND	0.04					
4-Nitrophenol		ND	0.02	ND	ND	0.04					
2-Methyl-4,6-dinitrophenol		ND	0.02	ND	ND	0.04					
Pentachlorophenol	1	ND	0.02	ND	ND	0.04					
SAMPLE ID:		WBC14	ACCEPTABLE RANGE	E WBC14	METHOD BLANK	ACCEPTABLE RANGE					
		6/	MANGE	%	%	%					
UNITS:		%									
SURROGATES											
1.2-Dichlorobenzene-d4		78	16-110	78	100	16-110					
Nitrobenzene-d5		93	35-114	81	100	35-114					
2-Fluorobiphenyl		74	43-116	83	100	43-116					
Z-rigorouphenyi Terphenyi-d14		77	33-141	81	124	33-141					
· -		75	21-110	79	100	21-110					
2-Fluorophenol		77	10-110	73	94	10-110					
Phenol-d6		73	33-110	73	100	33-110					
2-Chlorophenol-d4		65	10-123	81	90	10-123					
2,4,6-Tribromophenol		~									

* - Duplicate sample WMB-26 analyzed with Caltrans sample from work order packet 9528N

MS/MSD from DI Water

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY FH ANALYST: **GEOTEST PROJECT NO.:** 96300-12 3510 PREP. METHOD: 575-51048 CLIENT ID: DATE PREPARED: 11/22/95 WATER MATRIX: ANALYSIS OF SEMI-VOLATILE ORGANICS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY **EPA METHOD 8270** SAMPLE ID: ICV MATRIX MATRIX SPK. RPD **SPIKE** DUPLICATE UNITS: % % % % DATE ANALYZED: 11/30/95 11/30/95 11/30/95 **COMPOUNDS** 1,4-Dichlorobenzene 111 104 98 5.9 N-Nitrosodi-n-propylamine NA 137 3.7 132 1,2,4-Trichlorobenzene 79 NA 87 9.6 Hexachlorobutadiene 108 NA NA NA Hexachlorocyclopentadiene NA 86 NA NA Acenaphthene 115 106 101 4.8 2.4-Dinitrotoluene NA 96 99 3.1 N-Nitrosodiphenylamine 76 NA NA NΑ Fluoranthene 88 NA NA NA Pyrene NA 85 93 9.0 Di-n-octylphthalate 86 NA NA NA Benzo (a) pyrene 84 NA NA NA Phenol 108 61 50 20 2-Chlorophenol NA 89 24 113 2-Nitrophenol 116 NA NA NΑ 2,4-Dichlorophenol 114 NA NA NA 4-Chloro-3-methylphenol 117 91 106 15 2,4,6-Trichlorophenol 112 NA NA NA 2,4-Dinitrophenol 114 NA NA NA 4-Nitrophenol NA 27 20 33 Pentachlorophenol 97 79 51 43 Acceptable Range (%): 75-125 *- See CLP SOW 6/91 ICV - Internal Calibration Verification RPD - Relative Percent Difference NA - Not Analyzed ACCEPTABLE SAMPLE ID: **ICV XIRTAM** MATRIX SPK. SPIKE **DUPLICATE RANGE** UNITS: % % % **SURROGATES** 1,2-Dichlorobenzene-d4 16-110 85 81 98 Nitrobenzene-d5 97 78 35-114 87 2-Fluorobiphenyl 93 78 43-116 24 Terphenyl-d14 90 88 33-141 80 72 21-110 2-Fluorophenol 102 80 Phenol-d6 10-110 66 94 76 33-110 2-Chiorophenol-d4 97 82 70 2,4,6-Tribromophenol 10-123 104 77 74

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

RV

GEOTEST PROJECT NO.:

96300-12 575-5l048

PREP. METHOD: DATE PREPARED: 3550 11/21/95

MATRIX:

CLIENT ID:

SOIL

ANALYSIS OF ORGANOCHLORINE PESTICIDES AND PCBs BY GAS CHROMATOGRAPHY/ECD

EPA METHOD 8080

SAMPLE ID:	BC14-2	BC14-5	BC14-8	MB34-1 Duplicate	DETECTION LIMIT	
UNITS:	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	
DATE ANALYZED:	11/22/95	11/22/95	11/22/95	11/22/95		
COMPOUNDS		•				
a-BHC	ND	ND	ND	NĎ	0.01	
в-внс	ND	ND	ND	ND	0.01	
g-BHC (Lindane)	ND	ND	ND	ND	0.01	
d-BHC	ND	ND	ND	ND	0.01	
Heptachlor	ND	ФИ	ND	ND	0.01	
Aldrin	ND	ND	ND	ND	0.01	
Heptachlor epoxide	ND	ND	ND	ND	0.01	
Endosulfan I	ND	ND	ND	ND	0.01	
4,4' DDE	ND	ND	ND	ND	0.01	
Dieldrin	ND	ND	ND	ND	0.01	
Endrin	ND	ND	ND	ND	0.01	
Endosulfan II	ND	ND ·	ND	ND	0.01	
4,4' DDD	ND	ND	ND	ND	0.01	
Endrin aldehyde	ND	ND	ND	ND	0.01	
Endosulfan sulfate	ND	ND	ND	ND	0.01	
4,4' DDT	ND	ND	ND	ND	0.01	
Methoxychlor	ND	ND	ND	ND	0.05	
Chlordane	ND	ND	ND	ND	0.05	
Toxaphene	ND	ND	ND	ND	0.05	
PCB - 1016	ND	ND	ND	ND	0.05	
PCB - 1221	ND	ND	ND	ND	0.05	
PCB - 1232	ND	ND	ND	ND	0.05	
PCB - 1242	: ND	ND	ND	ND	0.05	
PCB - 1248	ND	ND	ND	ND	0.05	
PCB - 1254	ND	ND	ND	ND	0.05	
PCB - 1260	ND	ND	ND	ND	0.05	

Surrogate % recovery					Acceptable Range (%)
2,4,5,6 Tetrachlorometaxylene	61	58	59	61	60-150
Decachlorobiphenyl	60	53	62	64	60-150

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

RV

GEOTEST PROJECT NO .:

96300-12 575-51048

PREP. METHOD: DATE PREPARED: 3550

CLIENT ID:

SOIL

11/21/95 MATRIX:

ANALYSIS OF ORGANOCHLORINE PESTICIDES AND PCBs BY GAS CHROMATOGRAPHY/ECD

EPA METHOD 8080

SAMPLE ID:	METHOD BLANK	ICV	LCS	MATRIX SPIKE %	MATRIX SPK. DUPLICATE	RPD	DETECTION LIMIT	
UNITS:	mg/Kg	%	% %		%	%	mg/Kg	
DATE ANALYZED:	11/22/95	11/22/95	. 11/22/95	11/22/95	11/22/95			
COMPOUNDS	•							
a-8HC	ND	91	92	NA	NA	NA	0.01	
B-BHC	ND	90	91	NA	NA	NA	0.01	
g-BHC (Lindane)	ND	92	92	108	100	7.7	0.01	
d-BHC	СИ	96	104	NA	NA	NA	0.01	
Heptachlor	ND	94	98	105	95	10	0.01	
Aldrin	ND	87	88	87	82	5.9	0.01	
Heptachior epoxide	ND	87	89	NA	NA	NA	0.01	
Endosulfan 1	ND	87	90	NA	NA	NA	0.01	
4.4' DDE	ND	86	90	NA	NA	NA	0.01	
Dieldrin	ND	87	91	111	103	7.5	0.01	
Endrin	ND	90	96	130	114	13	0.01	
Endosutfan II	ND	91	96	NA	NA	NA	0.01	
4,4' DDD	ND	87	94	NA	NA	NA	0.01	
Endrin aldehyde	ND	90	99	NA	NA	NA	0.01	
Endosulfan sulfate	ND	91	101	NA	NA	NA	0.01	
4,4' DDT	ND	117	126	90	74	20	0.01	
Methoxychior	ND	100	105	NA	NA	NA	0.05	
Chlordane	ND			NA	NA	NA	0.05	
Toxaphene	ND			NA	NA	NA	0.05	
PCB - 1016	ND			NA	· NA	NA	0.05	
PCB - 1221	ND			NA	NA	NA	0.05	
PCB - 1232	: ND			NA	NA	NA	0.05	
PCB - 1242	, ND	97	129	85	89	4.6	0.05	
PCB - 1248	ND			NA	NA	NA	0.05	
PCB - 1254	ND			NA	NA	NA	0.05	
PCB - 1260	ND			NA	NA	NA	0.05	

MS/MSD from sample MB32-0.5

Acceptable range (%):

* - See CLP SOW 3/90

LCS - Laboratory Control Standard ICV - Instrument Calibration Verification 70-130

70-130

RPD - Relative Percent Difference

NA - Not Analyzed

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

RV

GEOTEST PROJECT NO.:

96300-12 575-51048

PREP. METHOD: DATE PREPARED:

3510

MATRIX:

CLIENT ID:

WATER

11/21/95 ANALYSIS OF ORGANOCHLORINE PESTICIDES AND PCBs BY GAS CHROMATOGRAPHY/ECD

EPA METHOD 8080

SAMPLE ID:	WBC14	WMB-26 Duplicate	DETECTION LIMIT
UNITS:	mg/L	mg/L	mg/L
DATE ANALYZED:	11/28/95	11/28/95	
COMPOUNDS	•		
a-BHC	ND .	ND	0.005
в-внс	ND	ND	0.005
g-BHC (Lindane)	ND	ND	0.005
d-BHC	ND	ND	0.005
Heptachlor	ND	ND	0.005
Aldrin	ND	ND	0.005
Heptachlor epoxide	ND	ND	0.005
Endosulfan I	ND ·	ND	0.005
4,4' DDE	ND	ND	0.005
Dieldrin	ND	ND	0.005
Endrin	ND	ND	0.005
Endosulfan II	ND	ND .	0.005
4,4' DDD	ND	ND	0.005
Endrin aldehyde	ND	ND	0.005
Endosulfan sulfate	ND	ND	0.005
4,4' DDT	ND	ND	0.005
Methoxychlor	ND	ND	0.005
Chlordane	ND	ND	0.005
Toxaphene	ND	ND	0.005
PCB - 1016	ND	ND	0.005
PCB - 1221	ND	ND	0.005
PCB - 1232	ND	ND	0.005
PCB - 1242 :	ND	ND	0.005
PC8 - 1248	QN	ND	0.005
PCB - 1254	ND	ND	0.005
PCB - 1260	ND	ND	0.005

* - Duplicate sample WMB-26 is from work packet 9528N

Acceptable Range (%) Surrogate % recovery 60-150 2,4,5,6 Tetrachlorometaxylene 91 91 60-150 Decachlorobiphenyl 118 101

An Environmental Monitoring and Testing Service (310)498-9515 (800)824-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

SAMPLE ID:

ŔΫ

GEOTEST PROJECT NO.:

RPD

NA

NA

NA

NA

4.3

NA

NA

NA

96300-12 575-51048

PREP. METHOD: DATE PREPARED:

3510 11/21/95

METHOD

ND

ND

ND

ND

ND

ND

ND

ND

ICV

MATRIX:

MATRIX

NA

NA

NA

NA

119

NA

NA

NA

CLIENT ID:

MATRIX SPK.

NA

NA

NA

NA

114

NA

NA

NA

WATER

DETECTION

0.005

0.005

0.005

0.005

0.005

0.005

0.005

0.005

ANALYSIS OF ORGANOCHLORINE PESTICIDES AND PCBs BY GAS CHROMATOGRAPHY/ECD **EPA METHOD 8080**

LCS

	BLANK			SPIKE	DUPLICATE		LIMIT
טאודs:	mg/L	%	%	%	%	<u>%</u>	mg/L_
DATE ANALYZED:	11/28/95	11/28/95	11/28/95 , 11/28/95		11/28/95		
COMPOUNDS							
a-BHC	ND	88	120	NA	NA	NA	0.005
в-внс	ND	90	117	NA	NA	NA	0.005
g-BHC (Lindane)	ND	91	122	72	60	18	0.005
d-BHC	ND	98	128	NA	NA	NA	0.005
Heptachlor	ND	94	128	74	61	19	0.005
Al drin	ND	99	106	64	53	19	0.005
Heptachlor epoxide	ND	82	109	NA	NA	NA	0.005
Endosutfan I	ND	82	110	NA	NA	NA	0.005
4,4' DDE	ND	81	112	NA	NA	NA	0.005
Dieldrin	ND	80	110	74	63	16	0.005
Endrin	ND	83	117	79	64	21	0.005
Endosulfan II	МĎ	88	119	NA	NA	NA	0.005
4,4' DDD	ND	90	126	NA	NA	NA	0.005
Endrin aldehyde	ND	89	115	NA	NA	NA	0.005
Endosulfan sulfate	ND	87	118	NA	NA	NA	0.005
4,4' DDT	ND	117	107	68	61	11	0.005
Methoxychior	ND	119	157	NA	NA	NA	0.005
Chlordane	ND			NA	NA	NA	0.005

MS/MSD from DI Water

Toxaphene

PCB - 1016

PCB - 1221

PCB - 1232

PCB - 1242

PCB - 1248

PCB - 1254

PCB - 1260

Acceptable range (%):

70-130

119

70-130

116

* - See CLP SOW 3/90

LCS - Laboratory Control Standard

ICV - Instrument Calibration Verification

RPD - Relative Percent Difference

NA - Not Analyzed

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:	SC			GEOTEST PROJECT NO.: CLIENT ID:	96300-12 575-51048
PREP. METHOD:	3050				
DATE PREPARED:	11/21/95	IS OF CCR TITLE 22/26	TO C METAL	MATRIX:	SOIL
	ANALTS	SIS OF COR TITLE 22/20	STILC METAL	.5	
SAMPLE ID:		BC14-2	BC14-5	BC14-8	DETECTION LIMIT
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE ANALYZED:		· 11/21/95	11/21/95	11/21/95	
ELEMENTS	EPA METHOD#				
Antimony (Sb)	6010	ND	ND	ND	5.0
Arsenic (As)	6010	8.2	ND	5.9	5.0
Barium (Ba)	6010	89	56	86	10
Beryllium (Be)	6010	ND	ND	ND	0.5
Cadmium (Cd)	6010	0.7	ND	ND	0.5
Chromium (Cr)	6010	27 ·	20	14	0.5
Cobalt (Co)	6010	9.2	6.9	6.0	1.0
Copper (Cu)	6010	150	24	23	2.5
Lead (Pb)	6010	190	65	1800	1.0
Molybdenum (Mo)	6010	ND	ND	ND	2.5
Nickel (Ni)	6010	27	23	23	0.5
Selenium (Se)	6010	2.9	ND	ND	2.5
Silver (Ag)	6010	ND	ND	ND	0.5
Thallium (TI)	6010	ND	ND	ND	5.0
Vanadium (V)	6010	18	17	19	0.5
Zinc (Zn)	6010	110	57	55	10
SAMPLE ID:	;	CB14-2	BC14-5	BC14-8	DETECTION
	·				LIMIT
UNITS:		mg/Kg	mg/Kg	mg/Kg	mg/Kg
DATE PREPARED:		11/21/95	11/21/95	11/21/95	
DATE ANALYZED:		11/21/95	11/21/95	11/21/95	
ELEMENT	EPA METHOD #				

LCS - Laboratory Control Standard RPD - Relative Percent Difference

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST: SC **GEOTEST PROJECT NO.:** 96300-12 575-51048 CLIENT ID: PREP. METHOD: 3050 DATE PREPARED: 11/21/95 MATRIX: SOIL ANALYSIS OF CCR TITLE 22/26 TILC METALS ICV SAMPLE ID: LCS MATRIX MATRIX SPK. **RPD** METHOD DETECTION SPIKE DUPLICATE BLANK LIMIT UNITS: % % % % % mg/Kg mg/Kg DATE ANALYZED: 11/21/95 11/21/95 11/21/95 11/21/95 11/21/95 EPA **ELEMENTS** METHOD # 6010 Antimony (Sb) 98 80 80 84 4.9 ND 5.0 Arsenic (As) 6010 97 80 80 83 3.7 ND 5.0 Barium (Ba) 6010 99 87 87 88 1.1 ND 10 Beryllium (Be) 6010 97 78 78 81 3.8 ND 0.5 Cadmium (Cd) 6010 99 80 80 84 4.9 ND 0.5 Chromium (Cr) 6010 97 83 83 86 3.6 ND 0.5 Cobalt (Co) 6010 98 82 82 85 3.6 ND 1.0 Copper (Cu) 6010 97 81 81 83 2.4 ND 2.5 Lead (Pb) 6010 97 82 82 85 3.6 ND 1.0 Molybdenum (Mo) 6010 97 83 83 86 3.6 ND 2.5 Nickel (Ni) 6010 98 81 81 ND 0.5 84 3.6 Selenium (Se) 6010 97 81 2.5 81 84 3.6 ND Silver (Ag) 6010 97 86 86 89 3.4 ND 0.5 Thaillum (TI) 6010 92 81 81 84 3.6 ND 5.0 Vanadium (V) 6010 96 87 84 84 3.5 ND 0.5 Zinc (Zn) 6010 97 82 82 86 4.8 ND 10 Acceptable Range (%): 90-110 70-130 70-130 70-130 0-25 SAMPLE ID: ICV MATRIX MATRIX SPK. DETECTION LCS **RPD METHOD** SPIKE **DUPLICATE** LIMIT **BLANK** UNITS: % % % % % mg/Kg mg/Kg DATE PREPARED: 11/21/95 11/21/95 11/21/95 11/21/95 11/21/95 DATE ANALYZED: 11/21/95 11/21/95 11/21/95 11/21/95 11/21/95 **EPA** ELEMENT **METHOD #** 7471 109 102 102 0.10 Mercury (Hg) 102 0 ND Acceptable Range (%): 90-110 70-130 70-130 70-130 0-25 ICV - Internal Calibration Verification

0.0002

GEOTEST

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

SC ANALYST: **GEOTEST PROJECT NO.:** 96300-12 575-51048 CLIENT ID: SW-846 PREP. METHOD: DATE PREPARED: 11/21/95 MATRIX: WATER ANALYSIS OF CCR TITLE 22/26 DISSOLVED METALS **DETECTION** SAMPLE ID: **WBC14** LIMIT mg/L UNITS: mg/L DATE ANALYZED: 11/21/95 **EPA ELEMENTS METHOD #** Antimony (Sb) 200.7 ND 0.1 Arsenic (As) 200.7 0.1 0.1 0.2 Barium (Ba) 200.7 ND Beryllium (Be) 200.7 ND 0.01 Cadmium (Cd) 200.7 ND 0.01 Chromium (Cr) 200.7 ND 0.01 Cobalt (Co) 200.7 ND 0.02 Copper (Cu) 200.7 ND 0.05 Lead (Pb) 200.7 ND 0.02 200.7 ND 0.05 Molybdenum (Mo) 200.7 ND 0.01 Nickel (Ni) 200.7 0.05 0.05 Selenium (Se) Silver (Ag) 200.7 ND 0.01 200.7 ND 0.1 Thallium (TI) 200.7 0.02 0.01 Vanadium (V) 200.7 ND 0.2 Zinc (Zn) SAMPLE ID: **WBC14** DETECTION LIMIT UNITS: mg/L mg/L DATE PREPARED: 11/21/95 DATE ANALYZED: 11/21/95 **EPA ELEMENT** METHOD #

ND

245.1

Mercury (Hg)

RPD - Relative Percent Difference

GEOTEST

An Environmental Monitoring and Testing Service (310)496-9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST: PREP. METHOD:		SC SW-846				GEOTEST PR	OJECT NO.:	96300-12 575-51048
DATE PREPARE) .	11/21/95				MATRIX:		WATED
			LYSIS OF CCR	TITLE 22/26 D	ISSOLVED META			WATER
					NOOT ES META			
SAMPLE ID:		ICV	LCS	MATRIX SPIKE	MATRIX SPK. Duplicate	RPD	METHOD BLANK	DETECTION LIMIT
UNITS:	 .	<u>%</u>	%	%	%	%	mg/L	mg/L_
DATE ANALYZED): EPA	11/21/95	11/21/95	. 11/21/95	11/21/95		11/21/95	
ELEMENTS	METHOD#			•				
Antimony (Sb)	200.7	98	93	93	93	0	ND	0.1
Arsenic (As)	200.7	97	96	96	95	1.0	ND	0.1
Barium (Ba)	200.7	99	99	99	100	1.0	ND	0.1
Beryllium (Be)	200.7	97	94	94	94	0	ND	0.01
Cadmium (Cd)	200.7	99	92	92	93	1,1	ND	0.01
Chromium (Cr)	200.7	97	91	91	92	1.1	ND	0.01
Cobalt (Co)	200.7	98	91	91	92	1.1	ND	0.02
Copper (Cu)	200.7	97	93	93	93	0	ND	0.05
Lead (Pb)	200.7	97	90	90	91	1.1	ND	0.02
Molybdenum (Mo)	200.7	97	93	93	93	0	ND	0.05
Nickel (Ni)	200.7	98	90	90	91	1.1	ND	0.01
Selenium (Se)	200.7	97	102	102	101	1.0	ND	0.05
Silver (Ag)	200.7	97	81	81	82	1.3	ND	0.03
Thallium (TI)	200.7	92	90	90	89	1.1	ND	0.1
Vanadium (V)	200.7	96	93	93	93	0	ND	0.1 0.01
Zinc (Zn)	200.7	97	91	91	93 91	0	_	
2.10 (2.1)	200.7	3,	31	31	31	U	ND	0.2
Acceptable Rang	e (%) :	90-110	70-130	70-130	70-130	0-25		
	ř							
SAMPLE ID:	•	ICV	LCS	MATRIX SPIKE	MATRIX SPK. DUPLICATE	RPD	METHOD BLANK	DETECTION LIMIT
UNITS:		%	%	%	%	%	mg/L	mg/L
DATE PREPAREI	D:	11/21/95	11/21/95	11/21/95	11/21/95		11/21/95	
DATE ANALYZED		11/21/95	11/21/95	11/21/95	11/21/95		11/21/95	
	EPA							
ELEMENT	METHOD #							
Mercury (Hg)	245.1	109	107	107	104		ND	0.0002
Acceptable Rang	e (%) :	90-110	70-130	70-130	70-130	0-25		
ICV - Internal Calil LCS - Laboratory (Control Standar							

An Environmental Monitoring and Testing Service (310)498-9515 (800)624-5744

LABORATORY REPORT

ANALYST:

FN, TM

GEOTEST PROJECT NO .:

96300-12

CLIENT ID:

MATRIX:

575-51048 WATER

ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

STANDARD METHODS (18th Ed.) 5520F

		TRPH	DETECTION LIMIT mg/L		
SAMPLE ID	DATE ANALYZED	mg/L	myc		
METHOD BLANK	11/22/95	ND	0.5		
WBC-14	11/22/95	14	0.5		
WBC-14 Duplicate	11/22/95	4.2	0.5		

An Environmental Monitoring and Testing Service (310)498 9515 (800)624-5744

QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

ANALYST:

FN, TM

GEOTEST PROJECT NO.:

96300-12 575-51048

CLIENT ID:

WATER

MATRIX:
ANALYSIS OF TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
STANDARD METHODS (18th Ed.) 5520F

	RECOVERY	ACCEPTABLE
	%	RANGE %
DATE ANALYZED		
11/22/95	110	70-130
11/22/95	105	70-130
11/22/95	112	70-130
	6.5	0-25
	11/22/95 11/22/95	DATE ANALYZED 11/22/95 110 11/22/95 105 11/22/95 112 6.5

LCS - Laboratory Control Standard RPD - Relative Percent Difference



CHAIN-OF-CUSTODY RECORD

PAGE / OF 6

PROJECT NAME CA	LIKAN	S BAY E	RIPGE	METHODS							SPECIAL HANDLING					
ADDRESS 1801 SAMPLER'S SIGNATU PRINTED NAME 10 CLIENT PROJECT NO PROJECT MANAGER	7.580 D JRE THE SHALD D	NEECHAN THE NEVILLA -5104	EL, GAKLAND, CA	TPH GASOLINE	TPH DIESEL	втех	418.1	6010 Pto CAC	SSZOF				MATRIX	CONTAINER TYPE	# OF CONTAINERS	1.5
SAMPLE NO.	DATE	TIME	LOCATION	-	-			9	'n		\vdash		-			
BM MB24-0.5	11/14/4	1400				X		X	X				5	55	1	
BM 4824-1		1415			_	Y		X	X				11	4	 	
BM 24-2		1430	A			X		X	X				1	1	4	
BM 5		1445				X		V	X		*		1	1	1	
BC13-0:5		1500				X		X	X				11	\sqcup	1	
BC13 -1		1510				X		γ	X				1	\sqcup		
BC13-2		1520				X		X	Y				1	\sqcup	\perp	
BC13-5		1540	<u> </u>			X		X	X				11	1	1	
BC 20-0.5	11/15/9	5 0800				X		X	X				11	\vdash	Ц,	
BC 20-1	1	0805	8			X		X	X				₩	V	V	7=120
1 RELINQUISHED	will	DATE	3 RELINQUISHED BY SIGNATURE	1.7	ATE 6/95			DUISHE	D BY		5	DATE	REC	The state of the s		CE YESINO
JOHN PNE	YILLE	TIME	PRINTED NAME		ME	PRINT	ED NA	ME		-		TIME		PR	OJE	CT COMMENTS
COMPANY OSCA	rcii	-1700	ARTERINE EMPRESS	110		COMP	WW.				,					
2 RECEIVED BY		DATE	THE DESCRIPTION DV	Di	ATE	6 8	EREN	EDBY	LAB	8	ini	DATE				
SIGNATURE		1/15/95	SIGNATURE			SYSN	CH	ELE.	A	in	of	14	3			
PRINTED NAME	EXPRE	711.45	COMPANY COMPANY	T	IME	COMP	201	ESC.	-		/	TIME				
1.548401418657						. 4555240							1			



CHAIN-OF-CUSTODY RECORD

PROJECT NO: 1000 PAGE 2 OF 5

PROJECT NAME CALTRANS BAY BRIDGE								METH	IODS			5.5	SPECIAL HANDLING			
ADDRESS 780 F. SAMPLER'S SIGNATURED NAME 76 CLIENT PROJECT NO PROJECT MANAGER	1580 URE John OHN F 0. 52 1 FRA	NEVILLE S-5104 NWK R.	NEG, OAKLAND, CA Leville U.F. 148 2. POSS		TPH DIESEL	втех	418.1	6010	SSZOF			MATRIX	CONTAINER TYPE	# OF CONTAINERS		
SAMPLE NO.	DATE	E TIME	LOCATION	+	+-	-	-	1/	V			5	22	,		
BCZO-Z	11/15/9	15 0807		-	-	X		X	X	+-+		1	+1	i -		
BC20-5		0809		+		X		X	X	-	-	1	+	1		
BC19-0.5		0830		-	-	X		X	X		-	+	+{-	+		
BC19-1		0831		-	-	X		X	3			+	+	+		
BC19-2		0835		-	-	X		X	X	-		\vdash	₩	-		
BC19-5		0840		_	_	X		X	X	-	-	H	₩	+		
BC18-0.5		0900		-	-	X		X	X	-		H	++	\vdash		
BC18-1		0904	75	_	_	X		X.	X	1		H	+	\vdash		
BC18-2		0910				X		X	X	\perp		1	+	\vdash	+ 13%	
BC18-5	1	0915				X		X	X		DATE	100	4	+	T=12°C	
MIGNATURE	wille	1/15/95	RELINQUISHED BY SIGNATURE	_ 11	ATE 16	_	ATURE	QUISH	ED BY			RE	SAMPLE CONDITIONS RECEIVED ON ICE CHAIN OF CUSTODY SEAL VES/NO			
PHINTED NAME COMPANY GOD	lEVIII Rescai	TIME 1700	PRINTED NAME COMPANY	1	OD	COM	PANY	AME			TIME	PROJECT COMMENTS			CT COMMENTS	
2 RECEIVED BY		DATE IIIS/as	A RECEIVED BY SIGNATURE	_ D	ATE	SIGNATURE SIGNATURE					DATE	15				
PRINTED NAME		TIME	PRINTED NAME	Т	IME	PRINT	EC N	AME 17E	et	J	TIME	1				
COMPANY		1700	COMPANY			COM					1100					



CHAIN-OF-CUSTODY RECORD

9571052

PROJECT NO: 96300-12 75286

PROJECT NO: 95 PAGE 3 OF 6

	0) 597-0786	2.1			_			METH	HODS			Г			SPECIAL HANDLING
PROJECT NAME ADDRESS IRD 1 SAMPLER'S SIGNATURED NAME TO CLIENT PROJECT NO PROJECT MANAGER	ISO IN JAN P. A J. 575- FRANK	MERCHANG P Their SEVILLE SIOYS B. Poss	CAKLAND, CA	TPH GASOLINE	TPH DIESEL	втех	418.1	(2)0(2)	5520F			MATRIX	CONTAINER TYPE	# OF CONTAINERS	
SAMPLE NO.	DATE	TIME	LOCATION			X		X	X	\dashv	_	5	55	1	
BC17-0.5	11/15/95	0925				<u>\</u>	_	_		-		1		+	
BC17-1		0927				X		X	X		_	+	H	+	
BC17-2		0933				X		X	X	-	_	\vdash	-	-	
BC17-5		0940				X		X	X	_	4-	\vdash	1	-	
BC15-0.6		0955				X		X	X			1	1	-	
BC15-1		1000				X		X	X	_	_	1	\vdash	1	
BC15-Z.		1005				X		X	X	_	-	H	H	\vdash	
BC15-5		1010				X		X	X			1	1	1	
BC14-0.5		1025				X		X	X			1			
BC14-1	1	1028	8			X		X	X			1	1	V	1-10°C
1 RELINQUISHED	will-	DATE	A PENNOUISHED BY SIGNATURE	100000	HIS	100		UISHE	ED BY		DATE	RECEIVED ON ICE YES NO CHAIN OF CUSTODY SEAL YES NO			
JOHN P NE	COSSA CC	TIME	PRINTED NAME COMPANY		ME DD -						TIME		PROJECT COMMENTS		
2 RECEIVED BY SIGNATURE		DATE	4 RECEIVED BY	D/	DATE 6 RECEIVED BY (LAB)) man	DATE					
PRINTED NAME		TIME	PRINTED NAME	TI	ME	PRINTED NAME					TIME				
COMPANY		1700	COMPANY		Î	COMP	ANY	-		91_	1100				



9511052 CHAIN-OF-CUSTODY RECORD

PCB

PROJECT NO: 19

PROJECT NAME CALTRANS BAY BRIDGE								MET	HODS	¥				1226	SPECIAL HANDLING				
ADDRESS I SO I I SO INTERCHANGE, CARLAND, CA SAMPLER'S SIGNATURE PAR P Their PRINTED NAME TOPO P NIEVELE CLIENT PROJECT NO. 575-51048 PROJECT MANAGER FRANK R. Poss					TPH DIESEL -	втех	418.1	0,558	8270,	8080.Pest	(LI) 200	5520F	(5)010	TRIX	CONTAINER TYPE	OF CONTAINERS			
SAMPLE NO.	DATE	TIME	LOCATION	TPH	-			00	100	00	0	13	60	100	0	46			
BC14-2.	11/15/95	1032		X	X	×		X	X	X	X	X	X	5	55	1			
8214-5		1037		X	X	*		X	X	X	X	X	X	1	Ц				
BC14-8		1045		X	X			X	X	X	X	X	×	pu		V			
WBC 14		1120		X	X	12		X	X	X	X	X	X	Az.	BK	34	4 vone conta		
BM27-0.5		1260				X						X	X	\$	55	Ţ			
BM27-1		1204				X						X	X						
BH27-2		1208				X						X	X						
BH27-5		1215				X						X	X						
BM28-0.5		1230				X						X	X			1			
BM28-1	V	1235	la la			X						X	X	₩	V	V	T-12°C		
1 RELINQUISHED B	will	DATE	3 RELINQUISHED BY SIGNATURE	11/16	ATE								ATE	SAMPLE CONDITIONS RECEIVED ON ICE YES/NO CHAIN OF CUSTODY SEAL YES/NO					
PRINTED NAME PRINTED NAME PRINTED NAME COMPANY COMPANY	VILLE	TIME	COMPANY EXPLOS		ME 20	PRINTED NAME COMPANY						Т				PROJECT COMMENTS Dissolved cer - Filter and acidify inhouse.			
2 RECEIVED BY SIGNATURE		DATE 11/15/ 95	4 RECEIVED BY SIGNATURE	DA	ATE	Thickele Kerung							ATE libla	5					
PRINTED NAME ALL BOWNE EXP	uw	TIME 1700	PRINTED NAME COMPANY	TI	ME							T	IME						



CHAIN-OF-CUSTODY RECORD

PROJECT NAME L'ALTRAUS BAY BRIDGE									METH	HODS				Ì	S	SPECIAL	HANDLING		
ADDRESS I 80 1 1580 INTERCHAN SAMPLER'S SIGNATURE TO PRINTED NAME TOWN PNEVALE CLIENT PROJECT NO. 575-51048 PROJECT MANAGER FRANK R. POSS			ll	TPH GASOLINE	TPH DIESEL	втех	418.1	6010 (5)	SSADF	<i>n</i>			MATRIX	CONTAINER TYPE	OF CONTAINERS				
SAMPLE NO.	DA	TE	TIME	LOCATION	-	-	-	4	-	3	_	_		-	-	**			
BM28-2	11/15	195	1240	•			X		X	X		\perp		5	55	1			
BM28-5			1295		_	_	X		X	X		_	_	Н	+	\sqcup			
BM29-0.5	\Box		1300		_	_	X		X	X		_	_	\sqcup	4	\Box			
BM29-1	Н		1305		_	_	X		X	X	_	_	_	Н	4	H			
BM29-2			1318				X		X	X		_		\sqcup	4	Н			
BM29-5	\Box		1315				X		X	X	N.			\coprod	11	Ш			
BH30-0.5			1345				X		X	X		_	\perp	Ц	4	\perp			
BH30-1			1350		<u> </u>	of stal	X		X	X		_		1	1			i ii	
BM50-2			1355	9	学	X	X		X	X	4			Ц	\sqcup	1			
BH30-5		/	1400	. 9	**	X	X		X	X				1	1	V	T=	12°C	
1 RELINQUISHED B	M	_	DATE 11/ 15/ 45	RELINQUISHED BY SIGNATURE		NE NE							DATE	RE	CEIVE	D ON I	SAMPLE CONDITIONS O ON ICE YES/NO COUSTODY SEAL YES/NO		
PRINTED NAME GEOROSCATE COMPANY	POINTED NAME TIME			PRINTED NAME HIPBOUKNE EXPRESS		ME -	COMP	/	ME				TIME	PROJECT			СТ СОММЕ	ENTS	
2 RECEIVED BY SIGNATURE	P/.=			4 RECEIVED BY SIGNATURE	DA	ATE	A LICHELE HERLING						DATE 11)16(4	5					
PRINTED NAME TIL			TIME)700	COMPANY COMPANY	TI	ME							TIME	1					



Long Beach, 90815 Telephone: (310) 498-9515 (800) 624-5744 Fax; (310) 597-0786

CHAIN-OF-CUSTODY RECORD

PROJECT NO: 96500-1615-86

PROJECT NAME CA	_				METH	HODS	I		SPECIAL HANDLII							
PROJECT MANAGER	FRANK	RIME SEO48 R. Poss		TPH GASOLINE	TPH DIESEL	втех	418.1	(5)0109	SSZOF			MATRIX	CONTAINER TYPE	# OF CONTAINERS		
SAMPLE NO.	DATE / /	TIME	LOCATION	V	·	V			_			-	12.00	200		
BM31-0.5	11/15/95	1420	· · · · · ·	X.	X	X		X	X			5	55	4		
BM31-1		1425		X	X	X		X	X	\perp		14	11			
BM31-2		1430		X	X	X		X	X			11				
BM31-5.		1435		X	X	X		X	X							
BM32-0.5		1450		X	X	X		X	X							
BM32-1		1455		X	X	X		X	X			П				
BH32-2		1500		×	X	X		X	X							
BM32-5	₩	1505	*	X	X	X		X	X			1	1	$ \downarrow $		
BM33-0.5	1/15/15	1520				X		X	X			5	55	1		
															TE126	
1 0 11	RELINQUISHED BY SYNATURE THOUGH		3 RELINQUISHED BY SIGNATURE	11/1	2/	5 RI		UISHEI	D BY		DATE		CEIVE	ON ICE YES/NO CUSTODY SEAL YES/NO		
PRINTED NAME PSI/Geo/C	esearch	TIME 1700	COMPANY COMPANY		ME Od	COMP	/	NE.			TIME	PROJECT COMMENTS				
2 RECEIVED BY SIGNATURE			4 RECEIVED BY SIGNATURE	D#	TE	6 BI	ICA	ED BY	LABY	n)	DATE					
Authorize Express		TIME 1700	COMPANY COMPANY	TI	ME	PRINTED NAME COMPANY					TIME					