



Tetra Tech EM Inc.

135 Main Street, Suite 1800 ♦ San Francisco, CA 94105 ♦ (415) 543-4880 ♦ FAX (415) 543-5480

October 17, 2000

Barney Chan
Hazardous Materials Specialist
Alameda County Health Care Services Agency
Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

00 OCT 18 PM 3:51
ENVIRONMENTAL
PROTECTION

**Subject: Submittal of May 2000 Quarterly Monitoring Reports for 1200 20th Avenue,
and 744 East 12th Street in Oakland, California for J. W. Silveira Company**

Dear Mr.Chan:

Enclosed please find one copy each of the May 2000 quarterly groundwater monitoring reports for the sites at 1200 20th Avenue, and 744 East 12th Street in Oakland, California. Tetra Tech EM Inc. (TtEMI) conducted the quarterly sampling activities on May 23, 2000.

Quarterly groundwater sampling was also conducted at the site located at 2301 East 12th Street. The report for this site is essentially complete, but we are in the process of locating data for the top of casing for the wells to double check our groundwater gradient and direction calculations. We may call you for this information if we are unable to locate it. We will be able to submit the report for this site to you as soon as we find or receive this information.

Thank you for your assistance. Please call me at (415) 222-8316 with any questions.

Sincerely,

Hal Dawson
Project Manager/Geologist

cc: J.W. Silveira Company
Shapiro Buchman Provine & Patton LLP
File



Tetra Tech EM Inc.

135 Main Street, Suite 1800 ♦ San Francisco, CA 94105 ♦ (415) 543-4880 ♦ FAX (415) 543-5480

Wrong gradient map enclosed
(for 744 - E/2th)

October 16, 2000
J. W. Silveira Company
499 Embarcadero
Oakland, California 94606

#4868

Subject: May 2000, Second Quarterly Monitoring Report for the Site Located at
1200 20th Avenue, Oakland 94601

INTRODUCTION

The purpose of this report is to provide the results of the quarterly groundwater monitoring conducted in the second quarter of 2000. Groundwater samples were collected from 3 monitoring wells located at the site on May 23, 2000. The site is located at the east corner of the intersection of 20th Avenue and Solano Way in Oakland, California (Figure 1).

SITE BACKGROUND

Two underground storage tanks (USTs) were previously located at the site. The two 600-gallon USTs, which reportedly contained gasoline, were removed in January 1994. The physical size of both of the tanks (estimated during the removal activities) was 8 feet long by 3.5 feet in diameter. During removal of the USTs, it was noted that the single-walled steel tanks had rusted through and had leaked. The approximate surface area of the removal excavation was about 20 feet by 10 feet. Approximately 80 cubic yards of soil was over-excavated and transported off site for disposal. The bottom of the excavation was approximately 15 feet below the ground surface (bgs). The exact depth to the bottom of the USTs was not recorded during the removal activities; the estimated depth to the bottom of the former USTs is 6 to 8 feet bgs.

Six soil samples were collected from the sidewalls and the bottom of the removal excavation. The soil samples were analyzed for benzene, toluene, ethylbenzene, and xylenes (BTEX), total petroleum hydrocarbons (TPH) as gasoline (TPH-g), TPH as diesel (TPH-d), and total lead. The highest concentrations of BTEX and TPH-g were detected along 20th Avenue at the western end of the removal excavation. Groundwater was not encountered during removal of USTs. As part

of the UST removal action activities, three groundwater monitoring wells were installed at the site (Figure 2). This report discusses the May 2000 quarterly groundwater sampling of the three monitoring wells at the site.

GROUNDWATER SAMPLING ACTIVITIES

For the second quarterly sampling event in the year 2000, the three monitoring wells at the site were sampled on May 23, 2000. The depth of groundwater was measured at each well with an electronic depth probe. The depth to the monitoring well caps were removed from the tops of the well and the groundwater was allowed to equilibrate before the depth to groundwater was measured. Each well was purged and sampled with a dedicated disposable bailer. During the purging of the monitoring well a Horiba U10 water quality checker was used to measure the following physical parameters of the groundwater: pH, temperature, electrical conductivity, dissolved oxygen, and turbidity. These physical parameters were monitored to determine when the groundwater in the well casing was representative of the groundwater outside of the monitoring well. After the physical parameters of the groundwater had stabilized groundwater samples were collected from the well. The samples were placed in the appropriate sample containers provided by the laboratory. After each sample was labeled the sample was stored in a cooler of ice under a chain-of-custody control. The groundwater samples were sent to Curtis & Tompkins Analytical Laboratories (C&T), in Berkeley, California. C&T is a California state-certified laboratory. The groundwater samples were analyzed for BTEX, methyl tertiary-butyl ether (MTBE), and TPH-g.

GROUNDWATER GRADIENT

The groundwater elevations were calculated for each of the monitoring wells from the measured depth to groundwater at the site. The depth to groundwater is measured from the top of casing at each well, and the groundwater elevations measured at the site are presented in Table 1. The groundwater flow direction and gradient at the site were calculated using these data. The groundwater flow direction is north 21 degrees east (N70E), as shown on Figure 3. MW-3 is downgradient from the location of the former UST, and MW-1 and MW-2 are slightly upgradient to the north and southeast, respectively, of the former UST location. The direction of groundwater flow is nearly opposite to the direction of the ground surface slope at the site. Although MW-2 is located at a higher elevation than the location of the former UST, this well is downgradient (with respect to groundwater flow) from the

*topographic
slope*

location of the former UST. The groundwater gradient was calculated to be 0.04 feet/foot (ft/ft). The direction of groundwater flow and the groundwater gradient are consistent with those calculated using previous water-level measurements from the three wells at the site.

GROUNDWATER ANALYTICAL RESULTS

BTEX and TPH-g were detected in the groundwater sample collected from MW-1 (sample number JW2-15); MBTE was not detected in this groundwater sample. BTEX, MTBE, and TPH-g were not detected in the groundwater samples collected from MW-2 and MW-3. Table 2 presents the analytical results for the May 2000 quarterly sampling event at the site. The detected concentrations of benzene, toluene, ethylbenzene, and total xylenes in the groundwater sample from MW-1 are 3,700, 430, 770, and 2,440 micrograms per liter (ug/L) respectively. The concentration of TPH-g detected in groundwater at MW-1 is 18,000 ug/L. The complete laboratory data package and chain-of-custody is attached as Appendix A at the end of this report.

CONCLUSIONS AND RECOMMENDATIONS

This report presents the analytical results of the May 2000 quarterly groundwater monitoring event for the three wells located at the site. No groundwater contaminants are detected in the monitoring wells MW-2 and MW-3. Monitoring well MW-1 still has elevated levels of TPH-g and BTEX compounds.

In previous discussions with the Alameda County Health Care Services Agency (ACHCSA), it was recommended that the groundwater contamination in MW-1 be addressed through some form of remediation so that site closure can be attained. After the April 1999 sampling event, TtEMI discussed inserting an oxygen-releasing compound (ORC) sock into MW-1 with ACHCSA. After the February 2000 quarterly groundwater sampling event the contaminant concentrations in groundwater from MW-1 decreased significantly without the presence of an ORC sock in the well. Tables 3, 4, and 5 show the analytical history of groundwater samples collected from the 3 monitoring wells since February of 1995. At that time TtEMI recommended reviewing the analytical results of the May 2000 quarterly sampling prior to installing an ORC sock into the well. If contaminant concentrations in groundwater from MW-1 continued to decrease over time, this would show that natural attenuation is occurring and the site should be suitable for closure without requiring use of an


ORC sock. This current, May 2000, quarterly groundwater contaminant concentrations did not continue to decrease in groundwater from MW-1. The contaminant concentrations returned to the same approximate levels as found in the April 1999 sampling event. TtEMI recommends installation of an ORC sock into the well for remediation purposes.

Should you have any questions, please feel free to contact the undersigned project manager, Hal Dawson, at (415) 222-8316.

Sincerely,




Hal Dawson
TtEMI Project Manager




Jerry Wickham
Registered Geologist #3766





**FIGURE 1
SITE LOCATION MAP**

J. W. SILVEIRA CO.
1200 20th AVENUE
OAKLAND, CALIFORNIA



**FIGURE 2
MONITORING WELL
AND SOIL BORING LOCATIONS**

J. W. SILVEIRA CO.
1200 20th AVENUE
OAKLAND, CALIFORNIA

TABLE 1
GROUNDWATER ELEVATIONS
1200 20TH AVENUE

Date	Groundwater Elevations (msl)		
	MW-1	MW-2	MW-3
5/23/00	0.42	-2.03	0.15

Notes:

MW-1 TOC Elevation: 17.15 ft

MW-2 TOC Elevation: 20.11 ft

MW-3 TOC Elevation: 16.06 ft

TOC top of casing

msl mean sea level

TABLE 2
SECOND QUARTER GROUNDWATER RESULTS
VOC AND TPH COMPOUNDS
1200 20TH AVENUE

Analyte	Monitoring Well		
	MW-1	MW-2	MW-3
VOC ($\mu\text{g/L}$)			
Benzene	3,700	ND	ND
Ethylbenzene	430	ND	ND
Toluene	770	ND	ND
m,p-Xylenes	2,000	ND	ND
o-Xylene	440	ND	ND
MTBE	ND	ND	ND
TPH ($\mu\text{g/L}$)			
Gasoline	18,000	ND	ND

Notes:

Dup blind duplicate groundwater sample
 $\mu\text{g/L}$ micrograms per Liter
 ND not detected
 TPH total petroleum hydrocarbons
 VOC volatile organic compound

MW-1 is water sample JW2-15

MW-2 is water sample JW2-16

MW-3 is water sample JW2-17

TABLE 3
VOC AND TPH COMPOUNDS IN GROUNDWATER
MW-1 FROM FEBRUARY 1995 TO MAY 2000
1200 20TH AVENUE

Date	TPH ($\mu\text{g/L}$)	VOC ($\mu\text{g/L}$)			
	Gasoline	Benzene	Toluene	Ethylbenzene	Xylenes
Feb-95	1,900	92	39	57	260
Jun-95	4,100	410	32	14	180
Oct-95	1,300	180	22	32	81
Feb-96	1,700	200	21	41	120
Jun-96	1,900	160	7	34	31
Sep-96	4,700	460	66	190	680
Jan-97	2,200	230	35	100	330
? Jul-98	23,000	3,500	450	1,000	3,100
Apr-99	14,000	2,600	560	340	1,600
Feb-00	3,000	280	17	92	118
May-00	18,000	3,700	430	770	2,440

Notes:

- $\mu\text{g/L}$ micrograms per Liter
- not analyzed
- ND not detected
- TPH total petroleum hydrocarbons
- VOC volatile organic compound

TABLE 4
VOC AND TPH COMPOUNDS IN GROUNDWATER
MW-2 FROM FEBRUARY 1995 TO MAY 2000
1200 20TH AVENUE

Date	TPH ($\mu\text{g/L}$)	VOC ($\mu\text{g/L}$)			
	Gasoline	Benzene	Toluene	Ethylbenzene	Xylenes
Feb-95	ND	ND	ND	ND	ND
Jun-95	ND	1.8	ND	1.1	0.62
Oct-95	55	2.2	ND	1.5	ND
Feb-96	ND	3.3	2.7	0.99	2.4
Jun-96	ND	ND	0.6	ND	1.2
Sep-96	ND	9.3	0.57	1.3	1.9
Jan-97	ND	2.6	ND	ND	0.76
Jul-98	ND	ND	ND	ND	ND
Apr-99	ND	ND	ND	ND	ND
Feb-00	ND	ND	ND	ND	ND
May-00	ND	ND	ND	ND	ND

Notes:

$\mu\text{g/L}$ micrograms per Liter
 -- not analyzed
 ND not detected
 TPH total petroleum hydrocarbons
 VOC volatile organic compound

TABLE 5
VOC AND TPH COMPOUNDS IN GROUNDWATER
MW-3 FROM FEBRUARY 1995 TO APRIL 1999
1200 20TH AVENUE

Date	TPH ($\mu\text{g/L}$)	VOC ($\mu\text{g/L}$)			
	Gasoline	Benzene	Toluene	Ethylbenzene	Xylenes
Feb-95	ND	ND	ND	ND	ND
Jun-95	160	0.6	ND	0.6	0.72
Oct-95	130	5.8	ND	3.2	ND
Feb-96	54	5.6	2.8	2.9	8.1
Jun-96	ND	ND	ND	ND	ND
Sep-96	96	12	7.1	4	6.2
Jan-97	ND	ND	ND	ND	ND
Jul-98	ND	ND	ND	ND	ND
Apr-99	ND	ND	ND	ND	ND
Feb-00	ND	ND	ND	ND	ND
May-00	ND	ND	ND	ND	ND

Notes:

$\mu\text{g/L}$ micrograms per Liter
 - - not analyzed
 ND not detected
 TPH total petroleum hydrocarbons
 VOC volatile organic compound

APPENDIX A
ANALYTICAL DATA PACKAGE

135 Main St, Suite 1800
San Francisco, CA 94105
415-543-4880
Fax 415-543-5480

500 # 195770

0813

Chain of Custody Record

Project name:	TIEMI technical contact:	Field samplers:	No./Container Types					Analysis Required										
			40 ml VOA	1 Liter Amber	1 Liter Poly	Brass Tube	Glass Jar	CLP VOA	CLP SVOA	CLP Pest/PCBs	CLP Metals	TPH Purgeables	TPH Extractables	BTEX	MTBE			
JW SILVEIRA - # 2	JACKIE LUTA	HAC Dawson & Roy Glenn																
Project number: P1106	TIEMI project manager: HAC Dawson	Field samplers' signatures:																
Sample ID	Sample Description/Notes	Date	Time	Matrix	40 ml VOA	1 Liter Amber	1 Liter Poly	Brass Tube	Glass Jar	CLP VOA	CLP SVOA	CLP Pest/PCBs	CLP Metals	TPH Purgeables	TPH Extractables	BTEX	MTBE	
JW2-15	MW-2 MW-1 saw	5-23-00	1300	WATER	3									X	X	X		
JW2-16	MW-3 MW-2 saw	↓	1400	↓	3									X	X	X		
JW2-17	MW-T MW-3 saw	↓	1500	↓	3									X	X	X		

Relinquished by:	Name (print)	Company Name	Date	Time
Roy D. Glenn	Roy Glenn	TT.EMI	5-24-00	
Received by:				
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				

Turnaround time/remarks:



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

RECEIVED

Laboratory Number 145790

TETRA TECH EM INC.

Tetra Tech EMI
135 Main Street
Suite 1800
San Francisco, CA 94105

Project#: P1106.05
Location: JW Silveria UST, Oak.

Sample ID	Lab ID
JW2-15	145790-001
JW2-16	145790-002
JW2-17	145790-003

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signatures. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis.

Signature: [Signature]
Operations Manager

Date: 6/23/00

Signature: Carol W. [Signature]
Project Manager

Date: 6/23/00

Laboratory Number: 145790
Client: Tetra Tech EMI
Location: JW Silveria UST, Oak.
Project#: P1106.05

Receipt Date: 05/24/00

TPH-PURGEABLE HYDROCARBONS AND BTXE CASE NARRATIVE

This hardcopy data package contains sample and QC results for three water samples that were received on May 24, 2000.

Sample JW2-15 (CT#145790-001) was originally analyzed within the EPA recommended hold time of fourteen days but the results were greater than the linear range of the instrument. The reported results were analyzed less than two days beyond the recommended hold time.

The surrogate recoveries in the gasoline and BTXE continuing calibration verifications were flagged but the recoveries were within the laboratory's statistically derived limits.

No other analytical problems were encountered.

Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Field ID:	JW2-15	Batch#:	56336
Lab ID:	145790-001	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/07/00
Diln Fac:	20.00		

Analyte	Result	RL
Gasoline C7-C12	18,000 G	1,000

Surrogate	%REC	Limits
Trifluorotoluene (FID)	114	59-135
Bromofluorobenzene (FID)	125	60-140

G = Pattern resembles gasoline

RL = Reporting Limit

Page 1 of 1



Benzene, Toluene, Ethylbenzene, Xylenes

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Field ID:	JW2-15	Batch#:	56394
Lab ID:	145790-001	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/08/00
Diln Fac:	20.00		

Analyte	Result	RL
MTBE	ND	40
Benzene	3,700	10
Toluene	430	10
Ethylbenzene	770	10
m,p-Xylenes	2,000	10
o-Xylene	440	10

Surrogate	%REC	Limits
Trifluorotoluene (PID)	121	56-142
Bromofluorobenzene (PID)	131	55-149



Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Field ID:	JW2-16	Batch#:	56307
Lab ID:	145790-002	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/06/00
Diln Fac:	1.000		

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	%REC	Limits
Trifluorotoluene (FID)	109	59-135
Bromofluorobenzene (FID)	108	60-140

**Benzene, Toluene, Ethylbenzene, Xylenes**

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Field ID:	JW2-16	Batch#:	56307
Lab ID:	145790-002	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/06/00
Diln Fac:	1.000		

Analyte	Result	RL
MTBE	ND	2.0
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Trifluorotoluene (PID)	96	56-142
Bromofluorobenzene (PID)	94	55-149



Gasoline by GC/FID CA LUPT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Field ID:	JW2-17	Batch#:	56307
Lab ID:	145790-003	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/06/00
Diln Fac:	1.000		

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	%REC	Limits
Trifluorotoluene (FID)	109	59-135
Bromofluorobenzene (FID)	107	60-140

**Benzene, Toluene, Ethylbenzene, Xylenes**

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Field ID:	JW2-17	Batch#:	56307
Lab ID:	145790-003	Sampled:	05/23/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/06/00
Diln Fac:	1.000		

Analyte	Result	RL
MTBE	ND	2.0
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Trifluorotoluene (PID)	96	56-142
Bromofluorobenzene (PID)	96	55-149



Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Field ID:	ZZZZZZZZZZ	Batch#:	56307
MSS Lab ID:	145802-003	Sampled:	05/24/00
Matrix:	Water	Received:	05/24/00
Units:	ug/L	Analyzed:	06/06/00
Diln Fac:	1.000		

Type: MS Lab ID: QC117469

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	43.89	2,000	2,006	98	65-131
Surrogate	%REC	Limits			
Trifluorotoluene (FID)	121	59-135			
Bromofluorobenzene (FID)	121	60-140			

Type: MSD Lab ID: QC117470

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	1,977	97	65-131	1	20
Surrogate	%REC	Limits				
Trifluorotoluene (FID)	122	59-135				
Bromofluorobenzene (FID)	123	60-140				

Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Field ID:	ZZZZZZZZZZ	Batch#:	56336
MSS Lab ID:	145814-004	Sampled:	05/25/00
Matrix:	Water	Received:	05/25/00
Units:	ug/L	Analyzed:	06/07/00
Diln Fac:	1.000		

Type: MS Lab ID: QC117562

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	43.46	2,000	1,989	97	65-131
Surrogate	%REC	Limits			
Trifluorotoluene (FID)	122	59-135			
Bromofluorobenzene (FID)	127	60-140			

1989-43 = 97
2000

Type: MSD Lab ID: QC117563

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	2,023	99	65-131	2	20
Surrogate	%REC	Limits				
Trifluorotoluene (FID)	122	59-135				
Bromofluorobenzene (FID)	128	60-140				

Benzene, Toluene, Ethylbenzene, Xylenes

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Field ID:	ZZZZZZZZZZ	Batch#:	56394
MSS Lab ID:	145994-005	Sampled:	06/07/00
Matrix:	Water	Received:	06/07/00
Units:	ug/L	Analyzed:	06/09/00
Diln Fac:	1.000		

Type: MS Lab ID: QC117776

Analyte	MSS Result	Spiked	Result	%REC	Limits
MTBE	73.03	20.00	95.28	111	49-136
Benzene	ND	20.00	21.93	110	65-123
Toluene	ND	20.00	20.96	105	73-122
Ethylbenzene	ND	20.00	20.33	102	59-137
m,p-Xylenes	ND	40.00	42.51	106	68-132
o-Xylene	ND	20.00	20.42	102	61-140

Surrogate	%REC	Limits
Trifluorotoluene (PID)	125	56-142
Bromofluorobenzene (PID)	132	55-149

Type: MSD Lab ID: QC117777

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
MTBE	20.00	93.92	104	49-136	1	11
Benzene	20.00	19.35	97	65-123	12	20
Toluene	20.00	18.50	92	73-122	12	20
Ethylbenzene	20.00	17.98	90	59-137	12	20
m,p-Xylenes	40.00	37.71	94	68-132	12	20
o-Xylene	20.00	18.13	91	61-140	12	20

Surrogate	%REC	Limits
Trifluorotoluene (PID)	122	56-142
Bromofluorobenzene (PID)	127	55-149

Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC117466	Batch#:	56307
Matrix:	Water	Analyzed:	06/05/00
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	2,000	1,951	98	73-121

Surrogate	%REC	Limits
Trifluorotoluene (FID)	124	59-135
Bromofluorobenzene (FID)	123	60-140

**Benzene, Toluene, Ethylbenzene, Xylenes**

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC117467	Batch#:	56307
Matrix:	Water	Analyzed:	06/05/00
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
MTBE	20.00	18.94	95	66-126
Benzene	20.00	18.09	90	67-117
Toluene	20.00	18.89	94	69-117
Ethylbenzene	20.00	19.47	97	68-124
m,p-Xylenes	40.00	40.22	101	70-125
o-Xylene	20.00	19.21	96	65-129

Surrogate	%REC	Limits
Trifluorotoluene (PID)	95	56-142
Bromofluorobenzene (PID)	92	55-149

Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC117559	Batch#:	56336
Matrix:	Water	Analyzed:	06/07/00
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	2,000	1,806	90	73-121

Surrogate	%REC	Limits
Trifluorotoluene (FID)	116	59-135
Bromofluorobenzene (FID)	124	60-140



Benzene, Toluene, Ethylbenzene, Xylenes

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC117774	Batch#:	56394
Matrix:	Water	Analyzed:	06/08/00
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
MTBE	20.00	21.72	109	66-126
Benzene	20.00	20.75	104	67-117
Toluene	20.00	20.38	102	69-117
Ethylbenzene	20.00	20.00	100	68-124
m,p-Xylenes	40.00	42.41	106	70-125
o-Xylene	20.00	19.80	99	65-129

Surrogate	%REC	Limits
Trifluorotoluene (PID)	107	56-142
Bromofluorobenzene (PID)	113	55-149



Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC117468	Batch#:	56307
Matrix:	Water	Analyzed:	06/05/00
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	%REC	Limits
Trifluorotoluene (FID)	109	59-135
Bromofluorobenzene (FID)	109	60-140



Benzene, Toluene, Ethylbenzene, Xylenes

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC117468	Batch#:	56307
Matrix:	Water	Analyzed:	06/05/00
Units:	ug/L		

Analyte	Result	RL
MTBE	ND	2.0
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Trifluorotoluene (PID)	97	56-142
Bromofluorobenzene (PID)	93	55-149



Gasoline by GC/FID CA LUFT

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8015M
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC117561	Batch#:	56336
Matrix:	Water	Analyzed:	06/07/00
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	%RSC	Limits
Trifluorotoluene (FID)	98	59-135
Bromofluorobenzene (FID)	98	60-140

Benzene, Toluene, Ethylbenzene, Xylenes

Lab #:	145790	Location:	JW Silveria UST, Oak.
Client:	Tetra Tech EMI	Prep:	EPA 5030
Project#:	P1106.05	Analysis:	EPA 8021B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC117775	Batch#:	56394
Matrix:	Water	Analyzed:	06/08/00
Units:	ug/L		

Analyte	Result	RL
MTBE	ND	2.0
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Trifluorotoluene (PID)	103	56-142
Bromofluorobenzene (PID)	108	55-149