ALAMEDA COUNTY

HEALTH CARE SERVICES

AGENCY



DAVID J. KEARS, Agency Director

March 26, 1997

STID 1978

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP) 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700

REMEDIAL ACTION COMPLETION CERTIFICATION

Pleasanton Unified School District 4700 First Street Pleasanton, CA 94566 Attn: Mike Ananos

RE: AMADOR HIGH SCHOOL TRANSPORTATION YARD, 1155 SANTA RITA

ROAD, PLEASANTON

Dear Mr. Ananos:

This letter confirms the completion of a site investigation and remedial action for the underground storage tanks formerly located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the former underground storage tanks are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground tank release is required.

This notice is issued pursuant to a regulation contained in Section 2721(e) of Title 23 of the California Code of Regulations.

Please contact our office if you have any questions regarding this matter.

Sincerely,

Mee Ling Tung

Director, Environmental Health Services

c: Gordon Coleman, Acting Chief, Env. Protection Division Kevin Graves, RWQCB

Lori Casias, SWRCB (w/attachment)

Chris Boykin, Pleasanton Fire Department (w/attachment) SOS/files

~ SIGNED -

CALIFORNIA PECIONIAL WATER

MAR 0 6 1997

CASE CLOSURE SUMMARY QUALITY CONTROL TO ARD Leaking Underground Fuel Storage Tank Program

I. AGENCY INFORMATION

Date: 03/04/97

(510) 426-4400

Agency name: Alameda County-EPD Address: 1131 Harbor Bay Pkwy #250

City/State/Zip: Alameda, CA 94502 Phone: (510) 567-6700

Responsible staff person: Scott Seery Title: Sr. Haz. Materials Spec.

II. CASE INFORMATION

Site facility name: Amador High School

Site facility address: 1155 Santa Rita Road Pleasanton, CA 94566

RB LUSTIS Case No: N/A Local Case No./LOP Case No.: 1978

URF filing date: 02/25/97 SWEEPS No: N/A

Responsible Parties: Addresses: Phone Numbers:

Pleasanton Unified School District

4700 First Street

Pleasanton, CA 94566

Attn: Mike Ananos

<u>Tank</u>	<u>Size in</u>	<u>Contents:</u>	<u>Closed in-place</u>	<u>Date:</u>
<u>_No:</u>	<u>gal.:</u>		or removed?:	
1	200	waste oil	removed	07/14/92
2	1000	gasoline .	п	Ħ
3	<4000>	<diesel></diesel>	<removed></removed>	<07/14/92>
4	6000	gasoline	removed	07/14/92

Note: Brackets (<>) denote above-ground tank.

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

Cause and type of release: dispenser leak / overspilling

Site characterization complete? YES

Date approved by oversight agency:

Monitoring Wells installed? NO Number: NA

Proper screened interval? NA

Highest GW depth below ground surface: > 30' Lowest depth: UNK

Flow direction: UNK (but presumed south towards Arroyo del Valle)

Most sensitive current use: school transportation yard / school grounds

Are drinking water wells affected? NO Aguifer name: Amador Subbasin

Page 2 of 5

Leaking Underground Fuel Storage Tank Program

III. RELEASE AND SITE CHARACTERIZATION INFORMATION (Continued)

Is surface water affected? NO Nearest affected SW name: NA Off-site beneficial use impacts (addresses/locations):

Report(s) on file? YES Where is report filed? Alameda County
1131 Harbor Bay Pkwy
Alameda CA 94502

Treatment and Disposal of Affected Material:

	and probobat or wireco	ced maceriar.	
<u>Material</u>	<u>Amount</u>	Action (Treatment	<u>Date</u>
	(include units)	of Disposal w/destination)	
Tank	200, 1K, 4K 6K gals	<u>Disposal</u> - Erickson, Inc	07/14/92
		Richmond, CA	
Piping	UNK		
Product	400 gals	<u>Recycle</u> - Alviso Oil	07/13/92
		Alviso, CA	
Soil	144 yds³	<u>Disposal</u> - Forward Inc. LF	08/27/92
		Stockton, CA	
	126 yds³	<u>Disposal</u> - BFI LF	08/28/92
		Livermore, CA	
Groundwate	r NA		
Barrels	11		

Maximum Documented Contaminant Concentrations - - Before and After Cleanup

Contaminant		Soil (properties)	pm) After²	Water (ppm) Before After
TPH (Gas)		8700	ND	NA NA
TPH (Diesel)		1500	н	
Benzene		0.14	T!	
Toluene		19	ff .	
Xylene		180	II	
Ethylbenzene		13	Ħ	
Oil & Grease		<50	NA	
Heavy metals	Pb	0.071	5.2	
_	Ni	100	NA	
	Cr	66	If	
Other	HVOC	ND	Ħ	
	PNA	II .	11	

Note: 1) "Before" soil results for TPH-G, BTEX and Pb from initial samples collected below the dispenser of Tank 4 (gasoline) @ 2.5' depth. TOG, HVOC and remaining metals from sample collected below Tank 1 (waste oil) @ 6' depth. TPH-D results from sample collected below above-ground Tank 3 @ 1.5' depth.

2) "After" soil Pb result from 5.5' sample collected below Tank 4.

Page 3 of 5

Leaking Underground Fuel Storage Tank Program

Comments (Depth of Remediation, etc.):

Three (3) USTs (Tanks 1, 2 and 4) and one above-ground storage tank (Tank 3) were removed from the transportation yard on July 14, 1992. A description of each follows.

Tank 1 - 200 gallon waste oil UST

Soil at the bottom of the excavation was reportedly discolored. A single sample was collected at 6' BG and analyzed for the suite of waste oil target compounds. Except for the presence of apparent geogenic concentrations of certain metals, no other target compounds were identified (See Table 1).

Excavated material was removed to the Forward, Inc. Class II landfill (Stockton, CA). The pit was restored using material derived from parking lot construction elsewhere on this site.

Tank 2 - 1000 gallon gasoline UST

Soil within the tank excavation appeared "clean." A sample was collected at the base of both ends of the excavation at a depth of 8' BG. No detectable target compounds were identified. The pit was restored using both material removed originally from this excavation and from the parking lot construction.

Tank 3 - 4000 gallon above-ground diesel

After removal of the tank, soil was excavated and samples collected from two areas underneath the tank and one below the dispenser at 1.5' BG. Up to 1500 ppm TPH-D was discovered in the sample collected below the fill (west) end of the tank, and 370 ppm TPH-D was found in the sample collected below the dispenser. No BTEX were identified.

Two additional rounds of excavation and sampling followed, as a result of discrepancies in previous lab data and the discovery of discolored soil at the 10' depth following the <u>first</u> round of overexcavation. No detectable TPH-D was identified in final samples. Final pit depth was extended to 18' in the west end as a result of this work.

The pit was restored using material derived from parking lot construction, augmented with 130 yds³ of imported Class II aggregate. Excavated material was transported to Forward, Inc. landfill for disposal.

Tank 4 - 6000 gallon gasoline UST

Soil was reportedly stained to approximately 12' BG on the dispenser (south) side of the excavation. Initial samples were collected at the base of the excavation at 12' BG and below the dispenser in the pit sidewall.

Page 4 of 5

Leaking Underground Fuel Storage Tank Program

No detectable target compounds were identified in the pit bottom samples. However, up to 8700 ppm TPH-G and 0.14 ppm benzene were identified in the sample collected below the dispenser (T4D).

Additional excavation was performed as a result of the initial findings. During this work, backfill from a previous <u>leaded</u> gasoline UST was encountered, reportedly prompting the widening on this excavation until it was apparent that all contaminated materials had been removed.

Confirmation samples (3) were collected from both pit sidewalls and bottom. No detectable fuel compounds were identified. Only (apparent) geogenic Pb concentrations were noted.

The pit was restored using both material derived from the parking lot construction and Class II aggregate import. Stockpiled material was removed to BFI landfill (Livermore, CA) after limited on-site treatment to reduce concentrations.

IV. CLOSURE

Does completed corrective action protect existing beneficial uses per the Regional Board Basin Plan? Undetermined

Does completed corrective action protect potential beneficial uses per the Regional Board Basin Plan? Undetermined

Does corrective action protect public health for current land use? Site management requirements: NA

Should corrective action be reviewed if land use changes?

YES

Monitoring wells Decommisioned:

Number Decommisioned:

Number Retained:

List enforcement actions taken:

List enforcement actions rescinded:

LOCAL AGENCY REPRESENTATIVE DATA v.

Name: Scott Seary

Signature:

Reviewed 25y Name: Tom Reacock

Signature:

Name: Kevin Tinsley

OK RWEGE /

Signature:

Title: Sr. Haz Mat Specialist

Title: Supervising Haz Mat Specialist

Date: 3-7-92

Title: Haz Mat Specialist Kevin Inslandate: 2/27/97

Page 5 of 5

Leaking Underground Fuel Storage Tank Program

VI. RWQCB NOTIFICATION

Date Submitted to RB: 3/4/97 RWQCB Staff Name: Kevin Graves

RB Response: Title: Sap./Ehm. Assoc.


VII. ADDITIONAL COMMENTS, DATA, ETC.

No further assessment or clean-up work are warranted for the following reasons:


- O USTs and other contaminant sources (e.g., soil) were successfully removed from the site
- o Contamination appeared substantially isolated to a limited area within one UST pit and below the above-ground diesel tank
- O Native materials surrounding and below former USTs and above-ground tank are predominantly fined-grained silt/clays
- o Groundwater is expected to be > 30' below surface grade (and therefore not at risk) based on data derived from an investigation at a nearby site; the nearest surface water body (Arroyo del Valle) is located 300' feet to the south
- o Site is currently a paved area used for parking of district vehicles and is open to outside air

TABLE 1
SOIL SAMPLE ANALYSIS-TANKS 1-4

	Sample Number	Date Sampled	Depth (feet)	Benzene (ppm)	Toluene (ppm)	Ethyl Benzene (ppm)	Total Xylenes (ppm)	TPHg (ppm)	TPHd (ppm)	TOG (ppm)	Extractable Organics (ppb)	Halogenated Volatile Organics (ppb)	i Lead (ppm)	Other Metals (ppm)
waste	Tank 1 T1	7/14/92	6	<0.005	<0.005	<0.005	<0.005	<1.0	<1.0	<50	ND	ND	<0.050	100* 57** 66***
	Tank 2 T2 E T2 W	unleade 7/14/92 7/14/92	d gas 8 8	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<1.0 <1.0	NR NR	NR NR	NR NR	NR NR	NR NR	NR NR
	Tank 3	Cone	gooms	d diese	l	á								
fill >	T3 E T3 W T3 D T3 W-2	7/14/92 7/14/92 7/14/92 7/31/92	1-1/2 1-1/2 1-1/2 4	<0.005 <0.005 <0.005 <0.005	<0.005 <0.005 <0.005 <0.005	<0.005 <0.005 <0.005 <0.005	<0.005 <0.005 <0.005 <0.005	NR NR NR NR	4.0 1,500 370 ° 520	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR
Server Se	T3 W-3 T3 SW-W T3 SW-E T3 SW-S	8/3/92 8/17/92 8/17/92 8/17/92	8 12 10 9-1/2	NR <0.005 <0.005 <0.005	NR <0.005 <0.005 <0.005	NR <0.005 <0.005 <0.005	NR <0.005 <0.005 <0.005	NR NR NR NR	830 <1.0 <1.0 <1.0	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR	NR NR NR NR
2 ng	T3 SW-N T3-4	8/18/92 8/18/92	15 18	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	NR NR	<1.0 <1.0	NR NR	NR NR	NR NR	NR NR	NR NR
	Tank 4% T4 N T4 S	7/14/92 7/14/92	12 12	<0.005 <0.005	0.049 <0.005	0.014 <0.005	0.39 <0.005	7.4 <1.0	NR NR	NR NR	NR NR	NR NR	<0.050 <0.050	NR NR
	×T4 D - T4 N-SW	7/14/92 7/31/92	2-1/2 5-1/2	0.14 <0.005	19 < 0.005	13 < 0.005	180 <0.005	8,700 -<1.0	NR NR	NR NR	NR NR	NR NR	0.071 5.2	NR NR
of the state of th	T4 S-SW T4 N-2	7/31/92 7/31/92	5-1/2 12	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<1.0 <1.0	NR NR	NR NR	NR NR	NR NR	5.2 <5.0	NR NR
7	TPHď To	otal petroleun otal petroleun otal oil and gr	n hydrocar			NR * **	Not requeste Nickel Zinc	xd			T2 Unl	ste oil pit eaded gasoline sel pit (علصه	pit e grud)	
	ppm Pa	oration and grants per million				***	Chromium	aph indica	tes higher	boiling pe		ded gasoline pi	t	



SOURCE: THOMAS BROTHER'S GUIDE ALAMEDA COUNTY, CALIFORNIA 1991



	SITE LOCATION MAP	PLATE
RESNA	AMADOR VALLEY HIGH SCHOOL	
	1155 SANTA RITA ROAD	1
PROJECT NO. E1103.11	PLEASANTON, CALIFORNIA	




PLATE	TANK PIT SAMPLE LOCATION MAP-EXCAVATION 1	JUSTIAL SAMPLES
	AMADOR VALLEY HIGH SCHOOL	- Charten Court Co
3	1155 SANTA RITA ROAD	
	DUCACANTON CALIFORNIA	PROJECT NO. E1103.11

