Z MED 255 ///11: 05

Febfüary 24, 1992

Mr. Scott Seery Alameda County Health Care Services Agency Hazardous Materials Division 80 Swan Way, Room 200 Oakland, CA 94621

Re: Analytical Results, Mary Petsas, 16035 East 14th, San Leandro, CA 94578

Dear Mr. Seery:

Attached are copies of analytical reports, chain-of-custody documentation, and Underground Storage Tank Unauthorized Release (Leak) Contamination Site Report for the referenced site. A copy of the site plan is also included for your review.

If you have any question please contact our office.

Sincerely,

TANK PROTECT ENGINEERING



February 13, 1992

Mr. Marc Zomorodi Tank Protect Engineering 2821 Whipple Road Union City, California 94587

Dear Mr. Zomorodi:

Trace Analysis Laboratory received ten soil samples on February 6, 1992 for your Project No. 218A-020692, 16035 East 14th Street, San Leandro, CA (our custody log number 1768).

These samples were composited and analyzed according to your chain of custody. Our analytical report and the completed chain of custody form are enclosed for your review.

Trace Analysis Laboratory is certified under the California Environmental Laboratory Accreditation Program. Our certification number is 1199.

If you should have any questions or require additional information, please call me.

Sincerely yours,

Jennifer Pekol Project Specialist

**Enclosures** 

LOG NUMBER: 1768 DATE SAMPLED: 02/05/92

DATE RECEIVED: 02/06/92 DATE EXTRACTED: 02/07/92 DATE ANALYZED: 02/12/92

DATE REPORTED: 02/13/92

CUSTOMER:

Tank Protect Engineering

REQUESTER:

Marc Zomorodi

PROJECT:

No. 218A-020692, 16035 East 14th Street, San Leandro, CA

Sample Type: Soil

S3-BPMethod BlankMethod andConcen- ReportingConcen- ReportingConstituent:Units tration Limit trationLimit tration

DHS Method:

Total Petroleum Hydro-

carbons as Diesel ug/kg 950,000 8,000 ND 1,000

QC Summary:

% Recovery: 103\*

% RPD:

24

Concentrations reported as ND were not detected at or above the reporting limit.

Sample, S3-BP contains compounds eluting earlier than the diesel standard.

\* The Recovery is for the Laboratory Control Sample, due to the high concentration in the spiked sample.

LOG NUMBER: 1768 02/05/92 02/06/92 DATE SAMPLED: DATE RECEIVED: 02/06/92 02/11/92 DATE EXTRACTED: DATE ANALYZED: 02/13/92 Two DATE REPORTED:

PAGE:

			Sample	Type:	Soil		
			e of S1-1, 3 and S1-4	\$1	- NW	\$1	-SE
Method and		<u> </u>	Reporting	Concen-	Reporting		Reporting
<u>Constituent</u> :	<u>Units</u>	<u>tration</u>	<u>Limit</u>	<u>tration</u>	<u>Limit</u>	<u>tration</u>	<u>Limit</u>
DHS Method:							
Total Petroleum Hydro-							
carbons as Gasoline	ug/kg	160,000	1,300	660,000	1,300	220,000	1,300
EPA Method 8020 for:							
Benzene	ug/kg	ND	48	ND	48	ND	48
Toluene	ug/kg	ND	130	590	130	190	130
Ethylbenzene	ug/kg	870	92	9,100	92	1,900	92
Xylenes	ug/kg	3,300	600	33,000	600	1,100	600
		S2	-NW	S2	-SE	\$3	-BP
Method and		Concen-	Reporting	Concen-	Reporting	Concen-	Reporting
<u>Constituent</u> :	<u>Units</u>	<u>tration</u>	<u>Limit</u>	<u>tration</u>	<u>Limit</u>	<u>tration</u>	<u>Limit</u>
DHS Method:							
Total Petroleum Hydro-							1 222
carbons as Gasoline	ug/kg	880,000	6,400	330,000	1,300	1,300,000	1,300
EPA Method 8020 for:							
Benzene	ug/kg	ND	240	ND	48	3,200	48
Toluene	ug/kg	ND	660	390	130	39,000	130
Ethylbenzene	ug/kg	17,000	460	1,800	92	14,000	92
Xylenes	ug/kg	55,000	3,000	3,600	600	78,000	600

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/06/92
DATE ANALYZED: 02/11/92
DATE REPORTED: 02/13/92
PAGE: Three

			<u>Sample</u>	lype:	<u>Soil</u>
Method and Constituent:	<u>Units</u>	S- Concen- tration	P Reporting <u>Limit</u>	<u>Metho</u> Concen- <u>tration</u>	d Blank Reporting Limit
DHS Method: Total Petroleum Hydro- carbons as Gasoline	ug/kg	720	500	ND	500
EPA Method 8020 for:					
Benzene	ug/kg	ND	5.0	ND	5.0
Toluene	ug/kg	ND	6.6	5.3	5.0
Ethylbenzene	ug/kg	ND	5.0	ND	5.0
Xylenes	ug/kg	ND	30	ND	15

### QC Summary:

% Recovery: 66 % RPD: 9.1

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92

DATE EXTRACTED: 02/10/92 DATE ANALYZED: 02/13/92 DATE REPORTED: 02/13/92

PAGE:

Four

Sample Type: Soil

S3-BP Method Blank
Concen- Reporting Concen- Reporting
Units tration Limit tration Limit

Standard Method 5520 Hydrocarbons:

Oil and Grease

Method and Constituent:

ug/kg 54,000

50,000

ND

50,000

OC Summary:

% Recovery: 62 % RPD: 7.4

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/07/92
DATE ANALYZED: 02/08/92
DATE REPORTED: 02/13/92
PAGE: Five

			<u>Sample T</u>	ype:	<u> Soil</u>	
		S3	-BP	Metho	d Blank	
Method and		Concen-	Reporting	Concen-	Reporting	
Constituent	<u>Units</u>	<u>tration</u>	<u>Limit</u>	<u>tration</u>	<u>Limit</u>	
EPA Method 8010:						
Benzyl Chloride	ug/kg	ND	50	ND	50	
Bis (2-Chloroethoxy) Methane	ug/kg	ND	50	ND	50	
Bis (2-Chloroisopropyl) Ether	ug/kg	ND	50	ND	50	
Bromobenzene	ug/kg	ND	50	ND	50	
Bromodichloromethane	ug/kg	ND	50	ND	50	
Bromoform	ug/kg	ND	50	ND	50	
Bromomethane	ug/kg	ND	50	ND	50	
Carbon Tetrachloride	ug/kg	ND	50	ND	50	
Chloracetaldehyde	ug/kg	ND	50	ND	50	
Chloral	ug/kg	ND	50	ND	50	
Chlorobenzene	ug/kg	ND	50	ND	50	
Chloroethane	ug/kg	ND	50	ND	50	
Chloroform	ug/kg	ND	50	ND	50	
1-Chlorohexane	ug/kg	ND	50	ND	50	
2-Chloroethyl Vinyl Ether	ug/kg	ND	50	ND	50	

LOG NUMBER: 1768 DATE SAMPLED: 02/05/92 DATE RECEIVED: 02/06/92 DATE EXTRACTED: 02/07/92 DATE ANALYZED: 02/08/92 DATE REPORTED: 02/13/92 PAGE: Six

Sample Type: Soil S3-BP Method Blank Reporting Concen-Concen-Reporting Units tration Limit tration Limit EPA Method 8010 (Continued): Chloromethane uq/kg ND 50 ND 50 Chloromethyl Methyl Ether ND 50 ug/kg ND 50 Chlorotoluene uq/kg ND 50 ND 50 Dibromochloromethane 50 ug/kg ND 50 ND Dibromomethane 50 ND 50 ug/kg ND 1,2-Dichlorobenzene ug/kg ND 50 ND 50 1.3-Dichlorobenzene ug/kg ND 50 ND 50 1.4-Dichlorobenzene ug/kg 50 ND 50

ND

50

50

50

50

50

50

50

50

50

ND

ND

ND

ND

ND

ND

ND

ND

ND

50

50

50

50

50

50

50

50

50

ug/kg

ug/kg

ug/kg

ug/kg

ug/kg

ug/kg

ug/kg

ug/kg

ug/kg

Method and

Constituent

Dichlorodifluoromethane

1,1-Dichloroethane

1,2-Dichloroethane

1.1-Dichloroethylene

Trans-1.2-Dichloro-

1,2-Dichloropropane

1,3-Dichloropropylene

1,1,2,2-Tetrachloro-

Dichloromethane

ethylene

ethane

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/07/92
DATE ANALYZED: 02/08/92
DATE REPORTED: 02/13/92
PAGE: Seven

			<u>Sample T</u>	ype:	<u> Soil</u>		
		\$3-	BP	Method_Blank			
Method and Constituent	<u>Units</u>	Concen- tration	Reporting Limit	Concen- tration	Reporting Limit		
EPA Method 8010 (Continu	ed):						
1,1,1,2-Tetrachloro- ethane	ug/kg	ND	50	ND	50		
Tetrachloroethylene	ug/kg	ND	50	ND	50		
1,1,1-Trichloroethane	ug/kg	ND	50	ND	50		
1,1,2-Trichloroethane	ug/kg	ND	50	ND	50		
Trichloroethylene	ug/kg	ND	120	ND	120		
Trichlorofluoro- methane	ug/kg	ND	50	ND	50		
Trichloropropane	ug/kg	ND	50	ND	50		
Vinyl Chloride	ug/kg	ND	50	ND	50		

OC Summary:

% Recovery: 106 % RPD: 25

LOG NUMBER:

1768

DATE SAMPLED:

02/05/92

DATE RECEIVED:

02/06/92

DATE EXTRACTED: DATE ANALYZED: 02/11/92

DATE REPORTED:

02/11/92 and 02/12/92 02/13/92

PAGE:

02/13/3

Eight

	<u></u>		<u>Sample</u>	<u>Type:</u>	<u> Soil</u>			
Method and <pre>Constituent:</pre>	<u>Units</u>	S3 Concen- tration	-BP Reporting Limit	Metho Concen- tration	d Blank Reporting Limit	QC Summ % Recovery	nary % RPD	
EPA Method 7130: Cadmium	ug/kg	ND	250	ND	250	82	**	
EPA Method 7190: Chromium	ug/kg	35,000	1,200	ND	1,200	117	0.7	
EPA Method 7420: Lead	ug/kg	10,000	2,500	ND	2,500	75*	9.5	
EPA Method 7520: Nickel	ug/kg	46,000	7,500	ND	7,500	112	2.4	
EPA Method 7950: Zinc	ug/kg	57,000	1,200	ND	1,200	75	1.0	

Concentrations reported as ND were not detected at or above the reporting limit.

Louis W. DuPuis

Quality Assurance/Quality Control Manager

<sup>\*</sup> The Recovery is for the Laboratory Control Sample, due to interference in the spiked sample. \*\* The RPD is not reportable since the sample prepared in duplicate was not detectable.

# Environmental Management

### TANK PROTECT ENGINEERING

2021 WHIPPLE ROAD UNION CITY, CA 94587 (415)429-8088 (800)523-8088 FAX(415)429-8089

.LAB:	TAL	
TURNARO	OUND: NORMAL	•

P.O. #: 374

CHAIN OF CUSTODY

PAGE / OF 2

															Ii											
	PROJECT CUSA - C	7,206	5.	035 W Lê	EAST ANDRO	·	TREET		(1)	E S		, [\$]			) 3/0	] (2) 3/2)							}			-
		PLE ROA	CT CT	N CITY,	CA 945	87 <del>(415)</del> 4		COL			~ /,~					, , , , ,				1	17	<b>68</b>				
	ID NO.	DATE	TIKE	SOIL	VATER	SAMPLING I	OCATION		V	$\mathbb{Z}$	\$/5	<u> </u>	\\$\rangle	/8 <u>/</u>	Z_											
1	S/-SE	2/5/43	10:18	ب		51-58	@ <b>%</b> [′	Be TUI		1	<u> </u>															
/-	52-5E	{	10:30			SD-SE	₾ &5′	. 1.																		
4	SI-NW		/0:43			51-NU	J€ 8°21																			
/_	SD-NW		10:55			52-NW	8.51						╻┃												<u>;.                                    </u>	:
V-	53-BP		11:10			S3-8P	@8.51			П	~	~	7	-												
4	5-P		∂:4₹			S-P@	1.5'																	•		
V_	51-1		2:47			@ STECK P	ile <del>nt</del> 1								ŕ	`	4 SP	mpu	€گ	<b>-&gt;</b>	CO/	4 POS1	Ĩ€	··.		
$\checkmark$	·51-2		D:21			G STOCKF	71E# 1			I																
1	51-3	4	2:54	7		€ 210c €		V	Y	1			1			7		mA								
	Rolinquish Michae			ature)		e / Time 2   /:28/	Received by	٠	1/1/1	I A	Roli	nqui	sho.	d pa	: (S	igna	ure)	Da	to /	Tino		coived				
	Relinquishe			ature)	Dat	o / Time	Recaived &	(§	ignatur	<del>'e</del> )	Roli	nqui	shed	i by :	(S:	ignat	ure)	Da	to /	Tino	Re	ceived	b <b>y</b> : □	Signat	uro)	
	Relinquish	ed by :	(Sign	sture)	Dat	o / Timo	Received for L (Signature)	aborato	ry by:		Da	ite /	Ti	20	Rei	575k	2-4p								'	
				·	-		<del></del>								-	1	114	2N ·	4	e. 51.5	12					

# Engineering Environmental Management

### TANK PROTECT ENGINEERING

2021 WHIPPLE ROAD UNION CITY, CA 94587 (415)429-0008 (800)523-0009 FAX(415)429-8089

LAB:	4.6.	 	
TURNAROUND:	NORMAL	 •	


P.O. #: 374

CHAIN OF CUSTODY

PAGE \_ OF \_

							Y T T.4						
PROJECT 28A - C	NAHE,	ADDRES	S AND T	ELEPHONE	ADDRESS  14 H ST  PRO CA  NUMBER		(1) TYPE OF	To the state of th				\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	REMARKS
771X	10,000,	ECT	W CLTV	NEER	87 <del>(45)</del> 4	20.4044	CON-	l 7	\\$\\;	<i>ن</i> الِهُا ٰ	18/	\$\\.	
ID NO.	DATE		SOIL			OCATION	TAINER	Į į			18		
5/4	2/5/9	2:57			51-40	Steknie #2	BYNS TUBE	4	4				J COMPOSITE W/ OTHER 3
													·
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								П	1		
											T		
									T				
								П					
								П		$\Box$		Τ	
<del></del>						·				$\prod$			
	1								7		1	T	
Relinquis	nod by:	(Sign	ature)	Dat 2/6/9	2/1:28	XIM	uka Ke	llo	$\mathbb{Y}$				: (Signature) Date / Time Received by : (Signature)
Relinquis				Dat	e / Time	Received by	(Signa	ture)	Rol	inqu	she	1 by	: (Signature) Date / Time Received by : (Signature)
Relinquis	ned by :	(Sign	ature)	Dat	o / Time	Received for L (Signature)	aboratory by	:		Date	Ti	10	Remarks

DATE: 2/6/92



	UNDERGROUND STORAGE TANK UNAUTHORIZE	D RELEASE (LE	AK) / CONTAMINATI	ON SITE REPORT
	RGENCY HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED ? YES X NO RT DATE CASE #	1 HEREBY CERTIFY THAT	USE ONLY 1 HAVE DISTRIBUTED THIS INFOR N THE INSTRUCTION SHEET ON T	MATION ACCORDING TO THE
0		SIGNED		
	NAME OF INDIVIDUAL FILING REPORT PHONI		SIGNATURE,	DATE
à	Marc Zomorodi (510	) <u>42</u> 9-8088	Marci	
TED	REPRESENTING X OWNER/OPERATOR REGIONAL BOARD	COMPANY OR AGENCY	NAME	
REPORTED	LOCAL AGENCY OTHER	Tank Protect	Engineering of N	orthern California
	ADDRESS  2821 Whipple Road STREET	Union City	CA ,	94587 STATE ZIP
BLE.	NAME	CONTACT PERSON		PHONE
ARITY	ADDRESS UNKNOWN	Mary	Petsas	(510) 276-2828
RESPONSIBLE PARTY	16518 Toledo Street	San Leandro,	CA	94578 STATE ZIP
7	FACILITY NAME (IF APPLICABLE)	OPERATOR		PHONE
SITE LOCATION	ADDRESS	<u> </u>		/
E 1.00	16035 East 14th	San Leandro,	Alamed	a 94578
SITI	CROSS STREET	X		- CIP
	LOCAL AGENCY AGENCY NAME	CONTAC NEERSON		
TING	Alameda County Health Care Services	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		PHONE
ENEN	AGENCY REGIONAL BOARD	Scot	t Seery	(415) 271-4320 PHONE
MPLEMENTING AGENCIES	CRWQCB - S.F. Bay Region		<u> </u>	( )
	(1) NAME	L	6	QUANTITY LOST (GALLONS)
ANC	Petroleum hydrocarbons - see below		<u> </u>	UNKNOWN
SUBSTANCES	(2)			UNKNOWN
EN		ENTORY CONTROL	SUBSURFACE MUNITORING	NUISANCE CONDITIONS
ABATEMENT	O M 2 M O D 4 D 9 V 2 V TANK TEST X TAN	NK REMOVAL	OTHER	
	UNKNOWN	1 <del></del>	DISCHARGE (CHECK ALL THAT	5
DISCOVERY	M M D D Y Y Y HAS DISCHARGE BEEN STOPPED ?	REPAIR TANK	CLOSE TANK & FILL IN	· · · - · · · · · · · · · · · · · · · ·
DISC	YES NO IF YES, DATE M M D D Y	REPLACE TANK	OTHER	TI OF WILLIAM !
	POLIDOS OS DISCULADOS	<u> </u>		
SOURCE	TANK LEAK X UNKNOWN 01	VERFILL	RUPTURE/FAILURE	SPILL
L		DRROSION	] UNKNOWN	OTHER
CASE	CHECK ONE ONLY  SOIL ONLY  GROUNDWATER  GROUNDWATER	DRINKING WATER -	(CHECK ONLY IF WATER WELLS	HAVE ACTUALLY BEEN AFFECTED)
ه ځا	CHECK ONE ONLY    NO ACTION TAKEN   PRELIMINARY SITE ASSESSMENT	T WODYDI AN OUD-		
CURRENT	NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN:  LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMEN		POLLUTION CHAP	RACTERIZATION MONITORING IN PROGRESS
3 ∞	REMEDIATION PLAN CASE CLOSED (CLEANUP COMPL		CLEANUP UNDER	<b>\</b> 1
Γ.	CHECK APPROPRIATE ACTION(S)  [SEE BACK FOR DETAUS]  EXCAVATE & DISPOSE (ED	REMOVE FF	REE PRODUCT (FP)	ENHANCED BIO DEGRADATION (ÎT)
REMEDIAL ACTION	CAP SITE (CD) EXCAVATE & TREAT (ET)		EAT GROUNDWATER (GT)	REPLACE SUPPLY (RS)
AC AC	CONTAINMENT BARRIER (CB) NO ACTION REQUIRED (NA	TREATMEN	T AT HOOKUP (HU)	VENT SOIL (VS)
<u> </u> _	VACUUM EXTRACT (VE) OTHER (OT)			
138			· · · -	
COMMENTS	Two 1,000 - gallon gasoline and one	: 550 - gallon	waste oil, under	rground,
8	storage tanks were removed.			
				HSC 05 (8/90)

#### INSTRUCTIONS

#### EMERG: (U)

Indicate whether emergency response personnel and equipment were involved at any time. If so, a Hazardous Material Incident Report should be filed with the State Office of Emergency Services (CES) at 2800 Meadowview Road, Sacramento, CA 95832. Copies of the OES report form may be obtained at your local underground storage tank permitting agency. Indicate whether the OES report has been filed as of the date of this report.

#### LOCAL AGENCY ONLY

o avoid duplicate notification pursuant to Health and Safety code Section 25180.5, a government employee should sign and date the form in this block. A signature here does not mean that the leak has been determined to pose a significant threat to human health or safety, only that notification procedures have been followed if required.

#### REPORTED BY

Enter your name, telephone number, and address. Indicate which party you represent and provide company or agency name

#### RESPONSIBLE PARTY

Enter name, telephone number, contact person, and address of the party responsible for the leak. The responsible party would normally be the tank owner.

#### SITE LOCATION

Enter information regarding the tank facility. At a minimum, you must provide the facility name and full address.

#### IMPLEMENTING AGENCIES

Enter names of the local agency and Regional Water Quality Control Board involved.

#### SUBSTANCES INVOLVED

Enter the name and quantity lost of the hazardous substance involved. Room is provided for information on two substances if appropriate. If more than two substances leaked, list the two of most concern for cleanup.

#### DISCOVERY/ABATEMENT

Provide information regarding the discovery and abatement of the leak.

#### SOURCE/CAUSE

Indicate source(s) of leak. Check box(es) indicating cause of leak.

#### CASE TYP

Indicate the case type category for this leak. Check one box only. Case type is based on the most sensitive resource affected. For example, if both soil and ground water have been affected, case type will be "Ground Water". Indicate "Drinking Water" only if one or more municipal or domestic water wells have actually been affected. A "Ground Water" designation does not imply that the affected water cannot be, or is not, used for drinking water, but only that water wells have not yet been affected. It is understood that case type may change upon further investigation

#### CURRENT STATUS

Indicate the category which best describes the current status of the case. Check one box only. The response should be relative to the case type. For example, if case type is "Ground Water", then "Current Status" should refer to the status of the ground water investigation or cleanup, as opposed to that of soil. Descriptions of options follow:

No Action Taken - No action has been taken by responsible party beyond initial report of loak.

Leak Being Confirmed - Leak suspected at site, but has not been confirmed. Preliminary Site Assessment Workplan Submitted - workplan/proposal requested of/submitted by responsible party to determine whether ground water has been, or will be, impacted as a result of the release.

Preliminary Site Assessment Underway - implementation of workplan.
Pollution Characterization - responsible party is in the process of fully defining the extent of contamination in soil and ground water and assessing impacts on surface and/or ground water.

Remediation Plan - remediation plan submitted evaluating long term remediation options. Proposal and implementation schedule for appropriate remediation options also submitted.

Cleanup Underway - implementation of remediation plan.

Post Cleanup Monitoring in Progress - periodic ground water or other monitoring at site, as necessary, to verify and/or evaluate effectiveness of remedial activities.

<u>Case Closed</u> - regional board and local agency in concurrence that no further work is necessary at the site.

IMPORTANT: THE INFORMATION PROVIDED ON THIS FORM IS INTENDED FOR GENERAL STATISTICAL PURPOSES ONLY AND IS NOT TO BE CONSTRUED AS REPRESENTING THE OFFICIAL POSITION OF ANY GOVERNMENTAL AGENCY

#### REMEDIAL ACTION

Indicate which action have been used to cleanup or remediate the leak. Descriptions of options follow:

<u>Cap Site</u> - install horizontal impermeable layer to reduce rainfall infiltration.

Containment Barrier - install vertical dike to block horizontal movement of contaminant.

Excavate and Dispose - remove contaminated soil and dispose in approved site.

Excavate and Treat - remove contaminated soil and treat (includes spreading or land farming).

Remove Free Product - remove floating product from water table.

Pump and Treat Groundwater - generally employed to remove dissolved contaminants.

Enhanced Biodegradation - use of any available technology to promote bacterial decomposition of contaminants.

Replace Supply - provide alternative water supply to affected parties.

Treatment at Hookup - install water treatment devices at each dwelling or other place of use.

<u>Vacuum Extract</u> - use pumps or blowers to draw air through soil.

<u>Vent Soil</u> - bore holes in soil to allow volatilization of contaminants.

<u>No Action Required</u> - incident is minor, requiring no remedial action.

COMMENTS - Use this space to elaborate on any aspects of the incident.

SIGNATURE - Sign the form in the space provided.

#### DISTRIBUTION

If the form is completed by the tank owner or his agent, retain the last copy and forward the remaining copies intact to your local tank permitting agency for distribution.

- 1. Original Local Tank Permitting Agency
- State Water Resources Control Board, Division of Clean Water Programs, Underground Storage Tank Program, P.O. Box 944212, Sacramento, CA 94244-2120
- 3. Regional Water Quality Control Board
- Local Health Officer and County Board of Supervisors or their designee to receive Proposition 65 notifications.
- 5. Owner/responsible party.



## TRANSMITTAL FURM

DATE: 2/21/92 PROJECT NO.: 218 A

TO:Alame	eda County Health C	ere FROM: Marc Zomorodí
	ices Agency	
	Scott Seery	
WE ARE SE	MOING VOIL	ATTACHED LIUNDER SEPARATE COVER
V 1.7.	rda	THE FOLLOWING ITEMS:
n i Ettedi	ארטמע בו	
		OSAL(S)
		GE ORDER(S)
M Lacorato	ory Analytical Resu	LTS
CONTEC		
COPIES	DATED	DESCRIPTION
13 pages (	Incl. cover page)	Lab Analytical Results for tank removal project located
		The same of the sa
		at E. 14th Street, San Leandro, CA
THESE ARE	TRANSMITTED FO	D•
	EVIEW AND COMM	
YOUR RI		
	<del>-</del>	APPROVED AS SUBMITTED
I YOUR AI	PPROVAL	☐ APPROVED AS NOTED
DEMANUVĆ.	Please contact w	when you receive these results so we discuss future
		ar and continue the project.
	O LOCALLY CLASS CHILA	Phone # (510) 429-8088
		FIANE # (310) 423-0005
	// · · · · · · · · · · · · · · · · · ·	
		,
CC: File		SIGNATURE: Mare Grand
		7, 2
		- reviewed 2/24 - phone call w/ - phone call w/ Mark Zomorodi of TPE
		- secret 2/24
		call w/
		- phone
		Mark 22mm
		of TPE

Telephone (510) 783-6860

Facsimile (510) 783-1512



February 13, 1992

Mr. Marc Zomorodi Tank Protect Engineering 2821 Whipple Road Union City, California 94587

Dear Mr. Zomorodi:

Trace Analysis Laboratory received ten soil samples on February 6, 1992 for your Project No. 218A-020692, 16035 East 14th Street, San Leandro, CA (our custody log number 1768).

These samples were composited and analyzed according to your chain of custody. Our analytical report and the completed chain of custody form are enclosed for your review.

Trace Analysis Laboratory is certified under the California Environmental Laboratory Accreditation Program. Our certification number is 1199.

If you should have any questions or require additional information, please call me.

Sincerely yours.

Project Specialist

Enclosures

348 PØ3

FEB 21 '92 12:03

Telephone (510) 783-6960 Facsimile (510) 783-1512

Trace Analysis Laboratory, Inc.

3423 Investment Boulevard, #8 . Hayward, California 94545

TAL

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/07/92
DATE ANALYZED: 02/12/92
DATE REPORTED: 02/13/92

CUSTOMER:

Tank Protect Engineering

REQUESTER:

Marc Zomorodi

PROJECT:

Method and

Constituent:

DHS Method:

No. 218A-020692, 16035 East 14th Street, San Leandro, CA

Sample Type: Soil

S3-8P Method Blank
Concer- Reporting Concer- Reporting tration Limit

Units tration Limit tration Limit

Ug/kg 950,000 8,000 ND 1,000

OC Summary:

% Recovery: 103\*

carbons as Diesel

Total Petroleum Hydro-

% RPD:

24

Concentrations reported as ND were not detected at or above the reporting limit.

Sample, S3-BP contains compounds eluting earlier than the diesel standard.

\* The Recovery is for the Laboratory Control Sample, due to the high concentration in the spiked sample.

## TAI

Trace Analysis Laboratory, Inc.

LOG NUMBER: DATE SAMPLED: DATE RECEIVED: DATE EXTRACTED: DATE ANALYZED: DATE REPORTED: PAGE:	1768 02/05/92 02/06/92 02/06/92 02/11/92 02/13/92 Two
--	---

			Sample	Type:	Soil		,
		Composite	of \$1-1,	\$1-	NW	\$1	-SE
Method and Constituent:	<u>Units</u>	S1-2. S1-3 Concen- tration	eporting Limit	Concen- tration	Report in	g Concen- tration	Reporting Limit
DHS Method: Total Petroleum Hydro- carbons as Gasoline	ug/kg	160,000	1,300	660,000	1,300	220,000	1,300
EPA Method 8020 for:				NC.	48	ND	48
Benzene	ug/kg	ND	48	ND		190	130
Toluene	ug/kg	MD	130	590	130	=	92
Ethylbenzene	ug/kg	870	92	9,100	92	1,900	
Xylenes	ug/kg	3,300	600	33,000	600	1,100	600
		S2-		<u>S2</u>	-SE		-BP
Method and Constituent:	Units		Reporting	Concen- tration	Reporti	concen- tration	Reporting Limit
DHS Method:							
Total Petroleum Hydro- carbons as Gasoline	ug/kg	880,000	6,400	330,000	1,300	1,300,000	1,300
EPA Method 8020 for:			ļ ,				
Benzene	ug/kg	ND	240	ND	48	3,200	48
Toluene	ug/kg	ND	660	390	130	39,000	130
Ethylbenzene	ug/kg	17,000	460	1,800	9/2	14,000	92
Xylenes	ug/kg	55,000	3,000	3,600	600	78,000	600
Concentrations reported	as ND w	ere not de	ected at	or above t	the repor	ting limit.	

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/06/92
DATE ANALYZED: 02/11/92
DATE REPORTED: 02/13/92
PAGE: Three

_		77
Samo	10	Type:
		1 1 1 1 1

Method and Constituent:	Units	Concen- tration	Reporting Limit	Metho Concen- tration	d Blank Reporting imit
DHS Method:					ı İ
Total Petroleum Hydro- carbons as Gasoline	ug/kg	720	500	ND	<b>\$</b> 00
EPA Method 8020 for:			}		
Benzene	ug/kg	ND	5.0	ND	5.0
Toluene	ug/kg	NO	6.6	5.3	5.0
Ethylbenzene	ug/kg	ND	5.0	ПD	5,0
Xylenes	ug/kg	ND	30	ND	15
					,

OC Summary:

% Recovery: 66

% RPD:

9.1

348 PØ6 FEB 21 '92 12:05

Trace Analysis Laboratory, Inc.

LOG NUMBER: DATE SAMPLED: DATE RECEIVED:

02/05/92 02/06/92 02/10/92

1768

DATE EXTRACTED: DATE ANALYZED: DATE REPORTED:

02/13/92 02/13/92 Four

PAGE:

Samole Type:

So 11

Method and Constituent:

Method Blank **S3-BP** Concen-Concen-Reporting Reporting Units tration Limit <u>tration</u> Limit

Standard Method 5520 Hydrocarbons:

Oil and Grease

ug/kg 54,000

50,000

ND

50,000

OC Summary:

% Recovery: 62 % RPD: 7.4

TAI

Trace Analysis Laboratory, Inc.

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/07/92
DATE ANALYZED: 02/08/92
DATE REPORTED: 02/13/92
PAGE: Five

			Sample Type: So		So 11 :
		<u>s3</u>	ВР		i Blahk
Method and Constituent	<u>Units</u>	Concen- tration	Reporting Limit	Concen- tration	Reporting Limit
EPA Method 8010:			<i>r</i> ! }		•
Benzyl Chloride	ug/kg	ND	<b>50</b>	MD	50
Bis (2-Chloroethoxy) Methane	ug/kg	ND	50	ND	50
Bis (2-Chlora <b>isopropy</b> l) Ether	ug/kg	ND	50	ND	50
Bromobenzene	ug/kg	ND	50	ND	50
Bromodichloromethane	ug/kg	NEO	50	ИD	50
Bromoform	ug/kg	ND	50	ND	50
Bromomethane	ug/kg	MD	50	ND	50
Carbon Tetrachloride	ug/kg	ND	50	ND	\$0
Chloracetaldehyde	ug/kg	ND	50	NO	50
Chloral	ug/kg	ND	50	ND	\$0
Ch1 orobenzene	ug/kg	ND	50	ND	\$0
Chloroethane	ug/kg	MD	50	ND	\$0
Chloroform	ug/kg	MD	50	ND	\$0
1-Chlorohexane	ug/kg	ND	50	ND	50
2-Chloroethyl Vinyl Ether	ug/kg	DI	50	ND	þо

1768 02/05/92 02/06/92 02/07/92 LOG NUMBER: DATE SAMPLED: DATE RECEIVED: DATE EXTRACTED: 02/**6**8/92 02/13/92 DATE ANALYZED: DATE REPORTED: PAGE: Six

Sample Type:

Soi

Mark day		\$3.	<u> 8</u> P	Metho	d Blank
Method and Constituent	11m d.s	Concen-	Reporting	Concen-	Reporting
Constitueits	Units	tration	limit	<u>tration</u>	imit_
EPA Method 8010 (Continued	1):				τ
Chloromethane	ug/kg	ND	50	ND	50
Chloromethyl Methyl Ether	ug/kg	ИD	50	ND	50
Chlorotoluene	ug/kg	ND	50	ND	50
Dibromochloromethane	ug/kg	CM	50	ND	50
Dibromomethane	ug/kg	CM	50	ND	50
1,2-Dichlorobenzene	ug/kg	ND	50	ND	50
1,3-Dichlorobenzene	ug/kg	ND	50	NO	50
1,4-Dichlorobenzene	ug/kg	ND	50	ND	50
Dichlorodifluoromethane	ug/kg	ND	50	ND	50
1,1-Dichloroethane	ug/kg	ND	50	ND	50
1,2-Dichloroethane	ug/kg	ND	50	ND	50
1,1-Dichloroethylene	ug/kg	ND	50	ND	50
Trans-1,2-Dichloro- ethylene	ug/kg	ND	50	ND	50
Dichloromethane	ug/kg	ND	50	ND	50
1,2-Dichloropropane	ug/kg	ND	50	ND	50
1,3-Dichloropropylene	ug/kg	ND	50	ND	50
1,1,2,2-Tetrachloro- ethane	ug/kg	NED	50	ND	5 <b>0</b>

## TAL

Trace Analysis Laboratory, inc.

LOG NUMBER: 1768
DATE SAMPLED: 02/05/92
DATE RECEIVED: 02/06/92
DATE EXTRACTED: 02/07/92
DATE ANALYZED: 02/08/92
DATE REPORTED: 02/13/92
PAGE: Seven

Sample Type:

Sai

Method and Constituent	<u>Units</u>	S3- Concen-	Reporting	Concen-	d Blank Reporting
EPA Method 8010 (Continu		<u>tration</u>	Limit	<u>tration</u>	init
1,1,1,2-Tetrachloro- ethane	ug/kg	NO	50	ND	50
Tetrachloroethylene	ug/kg	ND	50	MD	50
1,1,1-Trichloroethane	ug/kg	ND	50	NED	50
1,1,2-Trichloroethane	ug/kg	ND	50	ND	50
Trichloroethylene	ug/kg	NO	120	ND	120
Trichlorofluoro- methane	ug/kg	ND	50	ND	50
Trichloropropane	ug/kg	סא	, 5ā	ND	50
Vinyl Chloride	ug/kg	ND	50	ND	50

### QC Summary:

% Recovery: 106

% RPD: 25

Concentrations reported as ND were not detected at or above the reporting limit.



Lyle T. Travis Civil Engineer

Tank Protect Engineering
of Northern California
Environmental Management

Specializing in Underground Tank

● Removal ● Installation ● Soil & Water Clean Up

2821 Whipple Rd. Union City, CA 94587 Engr. Contr. Lc. No. 575837

(415) 429-8088 (800) 523-8088 FAX: (415) 429-8089

LOG NUMBER:

1768 02/05/92

DATE SAMPLED: DATE RECEIVED:

02/06/92

DATE EXTRACTED:

02/11/92

02/11/92 and 02/12/92 02/13/92

DATE ANALYZED: DATE REPORTED:

PAGE:

Eight

	·*···		Sample	Type:	Soil		
		93	-88	Metho	d Blank	OC Summ	
Method and Constituent:	Units	Concen- tration	Reporting Limit	Concen- tration	Reporting	% Recovery	RPD_
EPA Method 7130: Cadmium	ug/kg	ND	250	ΝĐ	250	82	**
EPA Method 7190: Chromium	ug/kg	35,000	1,200	ND	1,200	117	0.7
EPA Method 7420: Lead	ug/kg	10,000	2,500	ND	2,500	75*	9.5
EPA Method 7520: Nickel	ug/kg	46,000	7,500	ND	7,500	112	2.4
EPA Method 7950:							

Concentrations reported as ND were not detected at or above the reporting limit.

57,000

ug/kg

Zinc

\* The Recovery is for the Laboratory Control Sample, due to interference in the spiked sample. \*\* The RPD is not reportable since the sample prepared in duplicate was not detectable.

1,200

Lauts W. DuPuis

ND

Quality Assurance/Quality Control Manager

1,200

75

1.0

# ENGINEERING ENGINEERING Engineering

## TANK PROTECT ENGINEERING

2021 WHIFFLE ROAD DWIOW CITY, CA 94587 (415)429-8888 (880)523-8088 FAX(415)429-8089

LAB: TA	<u>k</u>
TURNAROUND:	NORMAL

P.O. #: 374

PAGE \_/ OF \_2 CHAIN OF CUSTODY SITE NAME & ADDRESS PROJECT NO. 16095 BAST 14 14 STREET 018A - 030693 (1) SAN CEMUDRO, CA 1768 TYPE STREETS HAVE PROBLESS AND THE BLANCHE HURBER OF CON-MIPPLE MOME, UNION CITY, CA 94587 (475) 429-5088 TAINER WATER I SAMPLING LOCATION DATE I TIME I SOIL I 200 T 51-58@ 851 77/30 51-54 7/5/10 10:15 52~SE@ 8.5" 52-5E 10:37 31-NW@ 8.51 10:45 SI-NW 52-NW @ 85 SJ-NW 10.55 S3-8P@ 8.5' 11:10 53-BP S-P@ 1.5' o 4₹ 5-P 4 samples -> composite CO STEER PILE # 1 2:47 51-1 & STOCKPILE# 1 Confusile D:57 V151-2 Sete / Tian | Secolund by ; (Signature) @ SpeckPILE ##-2 (Signature) Reliaquiched by : (Signature) 151-3 Date / Time Relinquished by Received by : (Signature) 46/92 1 /:28 Date / Time (Signature) Relinquished by : (Signature) Michael Date / Time Selimquished by : (Signature) Date / Ties Received for Laboratory by: Date / Time Relinquished by : (Signature) (Stenature) soil litter in iver y-11

# Environmental Management

## TANK PROTECT ENGINEERING

2021 VHIPPLE ROAD UNION CITY, CA 94597 (415)429-9088 (800)523-8098 FAX(415)429-8089

LAB:	T.A.	. 4.	
TURNA	ROUND: _	NORMA	<u> </u>
p.0.	1:374		

PAGE OF OF

CHAIN OF CUSTODY ACCOS CHST 14th STREET PROJECT NO. (1) 284 - 000090 REMARKS SAN CERNORO, CA SAMPLER HAME ADDRESS AND THEEPHONE HUMBER
2021 UNIFFLE ROAD, UNION CITY, CA 94587 (415) 429-8088 TYPE OF CON-TATHER ID RO. | DATE | TIME | SOIL | WATER | SLEPLING LOCATION 077/60 COMPOSITE W/ BWASS TUBE AN PREVIOUS greene 51-40 40 54-44 Q\$/6 #57 Rocal and by (Signal and) Date / list Recoised by (Signature) | Helinquished by : (Signature) Date / Time Relinquished by : (Signature) Received by : (Signature) bolded by (Signature) Relinquished by : (Signature) 2/6/92/1:28 Date / Ties Michael Cont Date / Tipe Relinquished by : (Signature) Remarks Date / Ties flereived for Laboratory by: Date / Time Relinquished by : (Signature) (Signeture) DATE: 2/6/92

