ALAMEDA COUNTY

HEALTH CARE SERVICES





DAVID J. KEARS, Agency Director

May 4, 1999 StID # 1117 R0828

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP)

1131 Harbor Bay Parkway, Suite 250

DETERMINATION OF NO FURTHER ACTION AND PROPOSED STIFF CLOSURE

^AX-(510)-337-9335---

Sierra Academy c/o Mr. Joel Tuttle 9465 Earhart Rd. Oakland CA 94621

INTENT TO MAKE A DETERMINATION THAT NO FURTHER ACTION IS REQUIRED <u>OR</u> ISSUE A CLOSURE LETTER FOR Sierra Academy, 9465 Earhart Rd., Oakland CA 94621

Dear Mr. Tuttle:

This letter is to inform you that Alameda County Environmental Health Department, Local Oversight Program (LOP), intends to make a determination that no further action is required at the above site or to issue a closure letter. Please notify this agency of any input and recommendations you may have on these proposed actions within 20 days of the date of this letter.

In accordance with section 25297.15 of Ch. 6.7 of the Health & Safety Code, you must provide certification to the local agency that all of the current record fee title owners have been informed of the proposed action. Please provide this certification to this office within 20 days of the date of this letter.

If you have any questions about these proposed actions, please contact Barney Chan at (510) 567-6765.

Sincerely,

Thomas Peacock

Manager, LOP

cc: Chuck Headlee, RWQCB

Mr. L. Griffin, OFD-OES, 504 14th St., 7th Floor, Oakland CA 94612

HEALTH CARE SERVICES

AGENCY



April 2011999KEARS, Agency Director StID # 1117

Mr. Joel Tuttle Sierra Academy 9465 Earhart Rd. Oakland CA 94621 Ro#828

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP) 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

Re: Request for Underground Storage Tank Closure Report for Sierra Academy, 9465 Earhart Rd., Oakland CA 94621

Dear Mr. Tuttle:

As you are aware, the above site has been transferred to Alameda County Environmental Health Local Oversight Program (LOP) for our administering. You have been sent a Notice of Responsibility letter notifying you of this action. At this time, we request the submittal of your underground storage tank closure report for the removal of the two tanks, which occurred on December 22, 1998. To date, we have only been given copies of analytical reports for the soil and groundwater samples taken during the removals. Your closure report should include, at a minimum, the following:

- A site map and a sampling map
- A narrative of the activities associated with the removal
- Copies of receipts or manifests for the disposal of the tanks and any waste material
- A description of the conditions of the tanks and the subsurface
- A description of the sampling methods
- Chain of custody records
- Sign copies of all laboratory results

Our office will review site data and make recommendations for additional site work or case closure. At this time, we cannot make an informed decision as to the additional needs (if any) for this site without the submittal of this report.

Please submit the requested closure report within 30 days or by May 3, 1999. In addition, I have included an Underground Storage Tank Unauthorized Release (Leak) Report. Please complete this report and return to our office within 10 days of receipt. You may contact me at (510) 567-6765 if you have any questions.

Sincerely,

Barney M. Chan

Hazardous Materials Specialist

Bainey U Chan

Enclosure

C: B. Chan, files

Mr. David Nieman, DPE Companies, LTD., 363 Pacer Ct., Vallejo, CA 94591

Mr. D. Klettke, Port of Oakland, P.O. Box 2064, Oakland CA 94607-2064

clrp-9465Earhart

I Was a second

December 28, 1993

CERTIFIED MAILER #: P 386 338 223

Sierra Servcie Center 9465 Earhart Rd. Oakland, 94621 ELPZE INENT OF ENVIRONMENTAL HEALTH Hazardous Materiain Division 80 Swan Way, Pm. 200 Oakland, CA 94621 (510) 271-4320

Re: FIVE-YEAR PERMITS FOR OPERATION OF UNDERGROUND STORAGE TANK(S) 9465 Earhart Rd. Oakland, 94621

Dear Owner/Operator:

According to our records your facility referenced above has not received a five-year permit to operate UST's. In order to obtain a permit you must complete the following items marked below and return them within 30 DAYS. The necessary forms are enclosed. You may complete a "Consolidated Underground Tank Management Plan" which will assist you in preparing a monitoring plan, site plot plan and spill response plan for your tank(s). If supplemental information or forms are required, please submit it to this office with the completed questionnaire and application forms:

1.	An accurate and complete plot plan.
2.	A written spill response plan. (enclosed)
3.	A written tank monitoring plan. (enclosed)
4.	Results of precision tank test(s), (initial and annual).
5.	Results of precision pipeline leak detector tests (initial
	and annual).
6.	Complete UST PERMIT FORM A-one per facility. (enclosed)
7.	Complete UST PERMIT FORM B-one per tank. (enclosed)
8.	Complete UST PERMIT FORM C-one per tank if information
	is available. (enclosed)
9.	Letter stating how the tank is to be maintained during
	one year closure.

Be advised that Title 23 of the California Code of Regulation prohibits the operation of "ANY" UST without a permit. If our records are in error, you must contact this office immediately TO AVOID POSSIBLE ENFORCEMENT ACTION. Please feel free to contact this office at (510) 271-4320; to answer any questions which may arise in completing the mandatory five-year permit process. Be prepared to provide your zip code to speak with the Hazmat Specialist handling your case.

Sincerely,

PAUL SMITH

HazMat Specialist

c: Edgar Howell, Chief, Hazardous Materials Div. (files)

In Re The Property Known As: 5330 Foothill Blvd Oakland, CA 94610	<pre>Proof of Service of Notice of Pre-Enforcement Review Panel </pre>
I <u>Eva Chu</u>	, do hereby certify
that I served <u>Mary Ann Aquirre</u> with a copy of the attached Notice	of Pre-Enforcement Review
Panel on December 15, 1993	by certified
mailer # <u>P 422 218 124</u>	
Dated: 12/15/93	(signature)

Notice of)	As	Known	Property	The	n Re	In
Further Pre-Enforcement	j			•			
Review Panel	j			nill Blvd	Footh	330	53
)			CA 94610	ınd. (akla	Oa

Notice is hereby given that upon the motion of the Alameda County Hazardous Materials Division, and the San Francisco Bay Regional Water Quality Control Board a Review Panel will convene on January 18, 1994 at 1:00 PM in the offices of the Alameda County Hazardous Materials Division located at 80 Swan Way, Room 200, Oakland, CA 94621. This Further Review Panel will re-convene for the purpose of determining responsible parties as well as appropriate closure, site assessment, clean-up and mitigation of contamination at the above location.

The Alameda County Hazardous Materials Division, and the San Francisco Bay Regional Water Quality Control Board have named and served notice of this Further Review Panel on the following persons or entities as having proposed responsibility for closure, site assessment, clean-up and mitigation of contamination at the above location, and by this notice all parties named herein are informed of the right to appear and show cause, if any they have, for the exclusion or inclusion of any of the parties served herein from said responsibility or obligations:

- 1. M/M Edward Simas Xtra Oil Co. 2307 Pacific Ave Alameda, CA 94501
- Walter Simas c/o Walter Youngman 1981 N. Broadway, Suite 300 Walnut Creek, CA 94596
- 3. Walter Youngman Conservator for Walter J. Simas 1981 N. Broadway, Suite 300 Walnut Creek, CA 94596
- 4. Jorge Del Rio 802 Sea Chase Drive Redwood City, CA 94605

- 5. Mary Ann Aguirre Freeman & Garcia 1101 Sylvan Ave., Suite C-106 Modesto, CA 95350
- 6. Marcela & Miguel Flores 802 Sea Chase Dr. Redwood City, CA 94605
- 7. John McDougal 4864 American River Drive Carmichael, CA 94596

Dated:

12/15/93

(signature)

dream3

5330 Foothill Blvd Dakland, CA 94610	<pre>Proof of Service of Notice of Pre-Enforcement Review Panel </pre>
Eva Chu	, do hereby certify
that I served Jorge Del Rio with a copy of the attached Notice	of Pre-Enforcement Review
Panel on December 15, 1993	by certified
mailer #_P 422 218 123	
Dated: 12 (5 93	(signature)
	1 TO

In Re The Property Known As:)

5330 Foothill Blvd
Oakland, CA 94610

Notice of
Further Pre-Enforcement
Review Panel

Notice is hereby given that upon the motion of the Alameda County Hazardous Materials Division, and the San Francisco Bay Regional Water Quality Control Board a Review Panel will convene on January 18, 1994 at 1:00 PM in the offices of the Alameda County Hazardous Materials Division located at 80 Swan Way, Room 200, Oakland, CA 94621. This Further Review Panel will re-convene for the purpose of determining responsible parties as well as appropriate closure, site assessment, clean-up and mitigation of contamination at the above location.

The Alameda County Hazardous Materials Division, and the San Francisco Bay Regional Water Quality Control Board have named and served notice of this Further Review Panel on the following persons or entities as having proposed responsibility for closure, site assessment, clean-up and mitigation of contamination at the above location, and by this notice all parties named herein are informed of the right to appear and show cause, if any they have, for the exclusion or inclusion of any of the parties served herein from said responsibility or obligations:

- 1. M/M Edward Simas Xtra Oil Co. 2307 Pacific Ave Alameda, CA 94501
- Walter Simas
 c/o Walter Youngman
 1981 N. Broadway, Suite 300
 Walnut Creek, CA 94596
- 3. Walter Youngman
 Conservator for Walter J. Simas
 1981 N. Broadway, Suite 300
 Walnut Creek, CA 94596
- 4. Jorge Del Rio 802 Sea Chase Drive Redwood City, CA 94605

- 5. Mary Ann Aguirre Freeman & Garcia 1101 Sylvan Ave., Suite C-106 Modesto, CA 95350
- 6. Marcela & Miguel Flores 802 Sea Chase Dr. Redwood City, CA 94605
- 7. John McDougal 4864 American River Drive Carmichael, CA 94596

Dated:

12/15/93

USCULL (signature)

dream3