

**EMCON**1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9226
ENVIRONMENTAL PROTECTION

S0 SEP -5 PM 2:41

Date September 3, 1996Project 20805-120.006

To:

Mr. Barney Chan
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harborbay Parkway, Suite 250
Alameda, California 94502-6577

3756


We are enclosing:

Copies	Description
<u>1</u>	<u>Second quarter 1996 groundwater monitoring report results and remediation system performance evaluations report, retail service station, 10600 and 10700 MacArthur Boulevard, Oakland, CA</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

For your:	Use	Sent by:	
<u>X</u>	Approval	<u> </u>	Regular Mail
<u> </u>	Review	<u> </u>	Standard Air
<u> </u>	Information	<u> </u>	Courier
<u> </u>	<u> </u>	<u> X </u>	Other: <u>Cert. Mail</u>

Comments:

The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.


John C. Young
Project Manager

cc: Kevin Graves, RWQCB - SFBR
Richard Gilcrease, Drake Builders
Kyle Christie, ARCO Products Company
Beth Dorris, ARCO Legal Department
File





Date: September 3, 1996

Re: ARCO Station # 10600 MacArthur Boulevard • Oakland, CA
Second Quarter 1996 Groundwater Monitoring Results
and Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

Kyle Christie
Environmental Engineer



EMCON

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

August 20, 1996
Project 20805-120.006

Kyle Christie
ARCO Products Company
P.O. Box 612530
San Jose, California 95161

Re: Second quarter 1996 groundwater monitoring program results and remediation system performance evaluation report, SVE system at retail service station, 10600 MacArthur Boulevard, Oakland, California

Dear Mr. Christie:

This letter presents the results of the second quarter 1996 groundwater monitoring program for the retail service station at 10600 MacArthur Boulevard, Oakland, California (Figure 1). Operation and performance data for the site's soil-vapor extraction (SVE) system are also presented. The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS


No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, such a finding should not therefore be construed as a guarantee of the absence of such conditions at the site, but rather as the result of the scope, limitations, and cost of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

EMCON

Sailaja Yelamanchili
Staff Engineer



August 20, 1996

ARCO QUARTERLY REPORT

Address:	10600 and 10700 MacArthur Boulevard,	Oakland, California
EMCON Project No.:	20805-120.006	
ARCO Environmental Engineer/Phone No.:	Kyle Christie /(408) 377-8696	
EMCON Project Manager/Phone No.:	John Young /(408) 453-7300	
Primary Agency/Regulatory ID No.:	ACHCSA /Barney Chan	
Reporting Period:	April 1, 1996 to July 1, 1996	

WORK PERFORMED THIS QUARTER (Second- 1996):

1. Conducted quarterly groundwater monitoring and sampling for second quarter 1996.
2. Monitored natural biodegradation with oxygen releasing compounds (ORCs) in groundwater monitoring wells MW-2 and MW-7.
3. Prepared and submitted quarterly report for first quarter 1996.

WORK PROPOSED FOR NEXT QUARTER (Third- 1996):

1. Perform quarterly groundwater monitoring and sampling for third quarter 1996.
2. Continue monitoring natural biodegradation in groundwater monitoring wells MW-2 and MW-7.
3. Prepare and submit quarterly report for second quarter 1996.

QUARTERLY MONITORING:

Current Phase of Project:	Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems Stimulate natural biodegradation with ORCs. SVE system was shut down on 3-26-96, due to high groundwater levels and low hydrocarbon concentrations in extracted soil vapors.
Frequency of Sampling:	Quarterly (groundwater)
Frequency of Monitoring:	Quarterly (groundwater), Monthly (SVE)
Is Floating Product (FP) Present On-site:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Cumulative FP Recovered to Date :	18.54 gallons, Wells MW-2 and MW-7
FP Recovered This Quarter :	None
Bulk Soil Removed to Date :	564 cubic yards of TPH-impacted soil
Bulk Soil Removed This Quarter :	None
Water Wells or Surface Waters, within 2000 ft., impacted by site:	None
Current Remediation Techniques:	SVE System
Approximate Depth to Groundwater:	22.62 feet
Groundwater Gradient (Average):	Flat Gradient

SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:	Anguil Energy Systems Remedi-Cat, 500 cfm, Catalytic Oxidizer For the period from September 6, 1990 through December 22, 1994, please refer to <i>Fourth Quarter 1994 Groundwater Monitoring Results and Remediation System Performance Evaluation Report</i> , (EMCON, March 1995), for system operation before December 1994.
	SVE system was shut down on 3-26-96, due to high groundwater levels and low hydrocarbon concentrations in extracted soil vapors.
Operating Mode:	Catalytic Oxidation
BAAQMD Permit #, A/N:	5998
TPH Conc. End of Period (lab):	NA (Not Available)
Benzene Conc. End of Period (lab):	NA
Flowrate End of Period:	NA
HC Destroyed This Period:	0.0 pounds
HC Destroyed to Date:	7,810.6 pounds
Utility Usage	
Electric (KWH):	0
Gas (Therms):	24
Operating Hours This Period:	0.0 hours
Percent Operational:	0.0%
Operating Hours to Date:	4282.8 hours
Unit Maintenance:	NA
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	90%
Percent TPH Conversion:	NA
Stack Temperature:	NA
Source Flow:	0.0 scfm
Process Flow:	0.0 scfm
Source Vacuum:	0.0 inches of water

ATTACHED:

- Table 1 - Groundwater Monitoring Data, Second Quarter 1996
- Table 2 - Historical Groundwater Elevation and Analytical Data,
Petroleum Hydrocarbons and Their Constituents
- Table 3 - Historical Groundwater Analytical Data, Metals
- Table 4 - Historical Groundwater Analytical Data, Volatile Organic Compounds
- Table 5 - Approximate Cumulative Floating Product Recovered
- Table 6 - Soil-Vapor Extraction System Operation and Performance Data
- Table 7 - Soil-Vapor Extraction Well Data
- Figure 1 - Site Location
- Figure 2 - TPHG and Benzene Concentrations in Groundwater, Second Quarter 1996
- Figure 3 - Tetrachloroethene (PCE) Concentrations in Groundwater,
Second Quarter 1996
- Figure 4 - Soil-Vapor Extraction and Treatment System, Historical Well Field Influent
TVHG and Benzene Concentrations

- Figure 5 - Soil-Vapor Extraction and Treatment System, Historical Hydrocarbon Removal Rates
- Appendix A - Field Data Sheets, Second Quarter 1996 Groundwater Monitoring Event
- Appendix B - Analytical Results and Chain-of-Custody Documentation, Second Quarter 1996 Groundwater Monitoring Event
- Appendix C - SVE System Monitoring Data Log Sheets
- Appendix D - Field Data Sheets, Operation and Maintenance Visits, Second Quarter 1996

cc:
Barney Chan, ACHCSA
Kevin Graves, RWQCB-SFBR
Richard Gilcrease, Drake Builders
Beth Dorris, ARCO Legal Department

Table 1
Groundwater Monitoring Data
Second Quarter 1996

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
									μg/L	μg/L								
MW-1	05-28-96	55.92	24.92	31.00	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-2	05-28-96	55.10	15.23	39.87	ND	FG	FG	05-28-96	1200	48	3	28	75	87	--	--	--	
MW-3	05-28-96	56.55	25.46	31.09	ND	FG	FG	05-28-96	<600*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-4	05-28-96	55.98	24.91	31.07	ND	FG	FG	05-28-96	<900*	<0.5	<0.5	<0.5	<0.5	<6**	--	<0.5	--	
MW-5	05-28-96	55.43	24.42	31.01	ND	FG	FG	05-28-96	<100*	<0.5	<0.5	<0.5	<0.5	11	--	--	--	
MW-6	05-28-96	61.21	30.29	30.92	ND	FG	FG	05-28-96	<400*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-7	05-28-96	58.22	19.29	38.93	ND	FG	FG	05-28-96	50000	<100***	100	510	2300	<500***	--	--	--	
MW-8	05-28-96	53.65	22.62	31.03	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	5	--	--	--	
RW-1	05-28-96	56.32	25.26	31.06	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
WGR-3	05-28-96	NR	18.33	NR	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	20	--	--	--	

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

μg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: methyl-tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

ND: none detected

FG: flat gradient; the groundwater gradient over the local area was nearly flat

--: not analyzed or not applicable

* raised method reporting limit due to matrix interference, the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

**: raised method reporting limit due to matrix interference requiring sample dilution

***: raised MRL due to high analyte concentration requiring a dilution.

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPH _G LUFT Method	Benzene EPA 8020		Toluene EPA 8020		Ethylbenzene EPA 8020		Total Xylenes EPA 8020		MTBE EPA 8020		MTBE EPA 8240		TRPH EPA 418.1		TPHD LUFT Method	
										ft-MSL	feet	ft-MSL	feet	MWN	foot/foot			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	02-04-94	55.92	24.48	31.44	ND	NR	NR	02-04-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	05-02-94	55.92	31.66	24.26	ND	NR	NR	05-02-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	08-03-94	55.92	32.54	23.38	ND	SW	0.002	08-03-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	12-06-94	55.92	31.89	24.03	ND	W	0.001	12-06-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	03-10-95	55.92	26.26	29.66	ND	NNE	0.003	03-10-95	<57*	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	06-05-95	55.92	25.71	30.21	ND	FG	FG	06-05-95	<84*	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	08-29-95	55.92	28.44	27.48	ND	FG	FG	08-29-95	<60*	<0.5	<0.5	<0.5	<0.5	<0.5			--	<1	--	--	--	--	--	--	
MW-1	11-16-95	55.92	30.85	25.07	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5			<3	--	--	--	--	--	--	--	
MW-1	02-28-96	55.92	24.99	30.93	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5			--	--	--	--	--	--	--	--	
MW-1	05-28-96	55.92	24.92	31.00	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5			<3	--	--	--	--	--	--	--	
MW-2	02-04-94	55.10	16.42	38.68	ND	NR	NR	02-04-94	2100	110	5.6	26	110			--	--	--	--	--	--	--	--	--	
MW-2	05-02-94	55.10	16.15	38.95	ND	NR	NR	05-02-94	3400	130	21	73	180			--	--	--	--	--	--	--	--	--	
MW-2	08-03-94	55.10	Not surveyed: well was inaccessible due to a parked vehicle				08-03-94	Not sampled: well was inaccessible due to a parked vehicle																	
MW-2	12-06-94	55.10	14.74	40.36	Sheen	W	0.001	12-07-94	26000	570	43	220	1100			--	--	--	--	--	--	--	--	--	
MW-2	03-10-95	55.10	13.98	41.12	ND	NNE	0.003	03-14-95	2800	88	12	16	200			--	--	--	--	--	--	--	--	--	
MW-2	06-05-95	55.10	15.65	39.45	ND	FG	FG	06-05-95	1800	59	10	53	130			--	--	--	--	--	--	--	--	--	
MW-2	08-29-95	55.10	17.14	37.96	ND	FG	FG	08-29-95	4500	170	20	150	330			--	71	--	--	--	--	--	--	--	
MW-2	11-16-95	55.10	Not surveyed: well was inaccessible				11-16-95	Not surveyed well was inaccessible																	
MW-2	02-28-96	55.10	12.46	42.64	ND	NNE	0.004	02-28-96	330	18	0.9	13	13			--	--	--	--	--	--	--	--	--	
MW-2	05-28-96	55.10	15.23	39.87	ND	FG	FG	05-28-96	1200	48	3	28	75			--	--	--	--	--	--	--	--	--	

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1994-Present^A

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020		Toluene EPA 8020		Ethylbenzene EPA 8020		Total Xylenes EPA 8020		MTBE EPA 8020		MTBE EPA 8240		TRPH EPA 418.1		TPHD LUFT Method		
										ft-MSL	feet	ft-MSL	feet	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	
MW-3	02-04-94	56.55	33.58	22.97	ND	NR	NR	02-04-94	<190*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--		
MW-3	05-02-94	56.55	32.16	24.39	ND	NR	NR	05-02-94	<480*	<0.5	<0.5	<0.5	<0.5	<0.9**	--	--	--	--	--	--	--	--	--	--		
MW-3	08-03-94	56.55	33.09	23.46	ND	SW	0.002	08-03-94	<250*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	--		
MW-3	12-06-94	56.55	32.46	24.09	ND	W	0.001	12-06-94	<380*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--		
MW-3	03-10-95	56.55	26.74	29.81	ND	NNE	0.003	03-11-95	<440*	<0.5	<0.5	<0.5	<0.5	0.7	--	--	--	--	--	--	--	--	--	--		
MW-3	06-05-95	56.55	26.34	30.21	ND	FG	FG	06-05-95	<970*	<1**	<1**	1.1	1.8	--	--	--	--	--	--	--	--	--	--	--		
MW-3	08-29-95	56.55	29.15	27.40	ND	FG	FG	08-29-95	<700*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<20	--	--	--	--	--	--	--	--		
MW-3	11-16-95	56.55	31.50	25.05	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--		
MW-3	02-28-96	56.55	25.32	31.23	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--	--		
MW-3	05-28-96	56.55	25.46	31.09	ND	FG	FG	05-28-96	<600*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--	--	--			
MW-4	02-04-94	55.98	33.07	22.91	ND	NR	NR	02-04-94	<480*	<0.5	<0.5	<0.5	1.4	--	--	<500	--	--	--	--	--	--	--	--		
MW-4	05-02-94	55.98	31.60	24.38	ND	NR	NR	05-02-94	<490*	<0.5	<0.5	<0.5	<0.9**	--	--	--	5900	--	--	--	--	--	--	--	--	
MW-4	08-03-94	55.98	32.53	23.45	ND	SW	0.002	08-03-94	<400*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	<500	--	--	--	--	--	--	--	
MW-4	12-06-94	55.98	31.91	24.07	ND	W	0.001	12-06-94	<970*	<2.5**	<2.5**	<2.5**	<2.5**	<2.5**	--	--	--	1800	--	--	--	--	--	--	--	
MW-4	03-10-95	55.98	26.22	29.76	ND	NNE	0.003	03-11-95	<780*	<1.0**	<1.0**	<1.0**	<1.0**	1	--	--	<500	--	--	--	--	--	--	--	--	
MW-4	06-05-95	55.98	25.79	30.19	ND	FG	FG	06-05-95	<1200*	<1**	<1**	<1**	<1**	<1**	--	--	--	600	--	--	--	--	--	--	--	--
MW-4	08-29-95	55.98	28.56	27.42	ND	FG	FG	08-29-95	<1100*	<1**	<1**	<1**	<1**	<1**	--	--	<20	--	--	--	--	--	--	--	--	
MW-4	11-16-95	55.98	31.00	24.98	ND	SW	0.003	11-16-95	<900*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<6**	--	<0.5	--	--	0.7	--	--	--	--	
MW-4	02-28-96	55.98	24.77	31.21	ND	NNE	0.004	02-28-96	<1000*	<1**	<1**	<1**	<1**	<1**	--	--	--	0.7	--	--	0.7	--	--	--	--	
MW-4	05-28-96	55.98	24.91	31.07	ND	FG	FG	05-28-96	<900*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	<6**	--	<0.5	--	--	--	--	

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1994-Present^a

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
									μg/L	μg/L								
MW-5	02-04-94	55.43	32.45	22.98	ND	NR	NR	02-04-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	05-02-94	55.43	31.06	24.37	ND	NR	NR	05-02-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	08-03-94	55.43	32.05	23.38	ND	SW	0.002	08-03-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	12-06-94	55.43	31.44	23.99	ND	W	0.001	12-06-94	<500*	<0.5	0.6	1.1	2	--	--	--	--	
MW-5	03-10-95	55.43	25.62	29.81	ND	NNE	0.003	03-10-95	<110*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	06-05-95	55.43	25.30	30.13	ND	FG	FG	06-05-95	<130*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	08-29-95	55.43	28.21	27.22	ND	FG	FG	08-29-95	<120*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	11-16-95	55.43	30.63	24.80	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	0.7	<20**	<3	--	--	
MW-5	02-28-96	55.43	24.07	31.36	ND	NNE	0.004	02-28-96	<400*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-5	05-28-96	55.43	24.42	31.01	ND	FG	FG	05-28-96	<100*	<0.5	<0.5	<0.5	<0.5	11	--	--	--	
<hr/>																		
MW-6	02-04-94	61.21	38.48	22.73	ND	NR	NR	02-04-94	<830*	<2.5***	<2.5***	<2.5***	3.1	--	--	--	--	
MW-6	05-02-94	61.21	37.02	24.19	ND	NR	NR	05-02-94	<860*	<1***	<1***	<1***	1.3	--	--	--	--	
MW-6	08-03-94	61.21	37.97	23.24	ND	SW	0.002	08-03-94	<660*	<1***	<1***	<1***	<1***	--	--	--	--	
MW-6	12-06-94	61.21	37.33	23.88	ND	W	0.001	12-07-94	<720*	<1**	<1**	<1**	<1**	--	--	--	--	
MW-6	03-10-95	61.21	31.54	29.67	ND	NNE	0.003	03-11-95	<390*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-6	06-05-95	61.21	31.15	30.06	ND	FG	FG	06-05-95	<750*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-6	08-29-95	61.21	34.03	27.18	ND	FG	FG	08-29-95	<600*	<0.5	<0.5	<0.5	<0.5	--	<20	--	--	
MW-6	11-16-95	61.21	36.40	24.81	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-6	02-28-96	61.21	30.18	31.03	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-6	05-28-96	61.21	30.29	30.92	ND	FG	FG	05-28-96	<400*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1994-Present[^]

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation		Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
		ft-MSL	feet								μg/L							
MW-7	02-04-94	58.22	20.78	37.44	ND	NR	NR	02-04-94	40000	900	980	1100	9700	--	--	--	--	
MW-7	05-02-94	58.22	20.51	37.71	ND	NR	NR	05-02-94	38000	640	600	930	7200	--	--	--	--	
MW-7	08-03-94	58.22	22.66	35.56	ND	SW	0.002	08-03-94	47000	1000	1200	1500	10000	--	--	--	--	
MW-7	12-06-94	58.22	18.37	# 39.86	0.02	W	0.001	12-07-94	260000	<200***	380	2200	11000	--	--	--	--	
MW-7	03-10-95	58.22	17.69	40.53	ND^^	NNE	0.003	03-11-95	Not sampled: floating product entered the well during purging									
MW-7	06-05-95	58.22	19.68	38.54	ND	FG	FG	06-05-95	36000	90	51	450	2000	--	--	--	--	
MW-7	08-29-95	58.22	21.70	36.52	ND	FG	FG	08-29-95	86000	380	260	1100	5000	--	<10	--	--	
MW-7	11-16-95	58.22	23.02	35.20	ND	SW	0.003	11-16-95	1400000	610	590	7800	3300 <4000***	--	--	--	--	
MW-7	02-28-96	58.22	16.54	41.68	ND	NNE	0.004	02-28-96	29000	<20***	<20***	180	1000	--	--	--	--	
MW-7	05-28-96	58.22	19.29	38.93	ND	FG	FG	05-28-96	50000	<100***	100	510	2300 <500***	--	--	--	--	
MW-8	02-04-94	53.65	30.73	22.92	ND	NR	NR	02-04-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	05-02-94	53.65	29.26	24.39	ND	NR	NR	05-02-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	08-03-94	53.65	30.33	23.32	ND	SW	0.002	08-03-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	12-06-94	53.65	29.66	23.99	ND	W	0.001	12-07-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	03-10-95	53.65	23.60	30.05	ND	NNE	0.003	03-10-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	06-05-95	53.65	23.48	30.17	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	08-29-95	53.65	26.44	27.21	ND	FG	FG	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	3	--	
MW-8	11-16-95	53.65	28.90	24.75	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	--	6	9	--	
MW-8	02-28-96	53.65	22.16	31.49	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	05-28-96	53.65	22.62	31.03	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	--	5	--	--	

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1994-Present^A

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPH _G LUFT Method	Benzene EPA 8020		Toluene EPA 8020		Ethylbenzene EPA 8020		Total Xylenes EPA 8020		MTBE EPA 8020		MTBE EPA 8240		TRPH EPA 418.1		TPHD LUFT Method	
										ft-MSL	feet	ft-MSL	feet	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
RW-1	02-04-94	56.32	33.43	22.89	ND	NR	NR	02-04-94	<540*	<0.5	<0.5	<0.5	<0.5	<1.5**	--	--	--	--	--	--	--	--	--	--	
RW-1	05-02-94	56.32	31.96	24.36	ND	NR	NR	05-02-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	08-03-94	56.32	32.90	23.42	ND	SW	0.002	08-03-94	<140*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	12-06-94	56.32	32.24	24.08	ND	W	0.001	12-07-94	<79*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	03-10-95	56.32	26.48	29.84	Sheen	NNE	0.003	03-10-95	<180*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	06-05-95	56.32	26.20	30.12	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	08-29-95	56.32	28.98	27.34	ND	FG	FG	08-29-95	<200*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	11-16-95	56.32	31.34	24.98	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	02-28-96	56.32	25.12	31.20	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
RW-1	05-28-96	56.32	25.26	31.06	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	05-02-94	NR	20.06	NR	ND	NR	NR	05-02-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	08-03-94	NR	22.30	NR	ND	NR	NR	08-03-94	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	12-06-94	NR	17.52	NR	ND	NR	NR	12-07-94	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--	--	--	--	--	--	--	--	--	
WGR-3	03-10-95	NR	15.20	NR	ND	NR	NR	03-11-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	06-05-95	NR	19.25	NR	ND	NR	NR	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	08-29-95	NR	21.41	NR	ND	NR	NR	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	11-16-95	NR	22.50	NR	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
WGR-3	02-28-96	NR	14.90	NR	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	1.5	1.6	--	--	--	--	--	--	--	--	--	--	
WGR-3	05-28-96	NR	18.33	NR	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994-Present[^]

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 4181	TPHD LUFT Method
		ft-MSL	feet	ft-MSL	feet	MWN foot/foot			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl-tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

ND: none detected

NR: not reported; data not available or not measurable

SW: southwest

W: west

NNE: north-northeast

FG: flat gradient; the groundwater gradient over the local area was nearly flat

##: corrected elevation (Z'), such that: $Z' = Z + (h * 0.73)$ where: Z = measured elevation, h = floating product thickness,

0.73 = density ratio of oil to water

^^: floating product entered the well during purging

*: raised method reporting limit due to matrix interference, the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

**: raised method reporting limit due to matrix interference requiring sample dilution

***: raised method reporting limit due to high analyte concentration requiring sample dilution

--: not analyzed or not applicable

[^]: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California, (EMCON, March 22, 1996)*

Table 3
Historical Groundwater Analytical Data
Metals

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Cadmium EPA 6010 µg/L	Chromium EPA 6010 µg/L	Lead EPA 7421 µg/L	Nickel EPA 6010 µg/L	Zinc EPA 6010 µg/L
MW-1	04-24-89					
MW-2	04-24-89					
MW-3	04-24-89					
MW-4	04-24-89	- -	- -	- -	- -	- -
MW-4	10-13-89	- -	- -	- -	- -	- -
MW-4	02-01-90	- -	- -	- -	- -	- -
MW-4	07-31-90	- -	- -	- -	- -	- -
MW-4	10-30-90	- -	- -	- -	- -	- -
MW-4	01-30-91	- -	- -	- -	- -	- -
MW-4	04-30-91	- -	- -	- -	- -	- -
MW-4	08-06-91	<10	65	6.7	140	96
MW-4	11-05-91					
MW-5	04-24-89					
MW-6	06-30-92					
MW-7	06-30-92					
MW-8	09-09-92					
RW-1	11-05-91					
WGR-3	05-02-94					

EPA United States Environmental Protection Agency
 µg/L. micrograms per liter
 - - : not analyzed

Table 4
Historical Groundwater Analytical Data
Volatile Organic Compounds
1994-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240					
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L			
MW-1	02-04-94	22	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	05-02-94	35	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	08-03-94	14	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	12-06-94	17	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	03-10-95	170	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	06-05-95	210	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	08-29-95	130	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	11-16-95	45	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	02-28-96	97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-1	05-28-96	160	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
<hr/>													
MW-2	02-04-94	<1	<1	<1	<1	<1	-	170	9	36	160		
MW-2	05-02-94	<1	<1	<1	<1	<1	-	140	21	79	190		
MW-2	08-03-94	Not sampled: well was inaccessible due to a parked car											
MW-2	12-06-94	<5	<5	<5	<1	<1	-	620	28	220	1200		
MW-2	03-11-95	<1	<1	<1	<1	<1	-	110	12	15	240		
MW-2	06-05-95	<1	<1	<1	<1	<1	-	83	14	72	190		
MW-2	08-29-95	<5	<5	<5	<1	<1	-	220	26	210	450		
MW-2	11-16-95	Not surveyed: well was inaccessible											
MW-2	02-28-96	<1	<1	<1	<1	<1	-	18	<1	13	14		
MW-2	05-28-96	<1	<1	<1	<1	<1	-	44	<1	22	62		

Table 4
Historical Groundwater Analytical Data
Volatile Organic Compounds
1994-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
MW-3	02-04-94	91	<5	<5	<5	--	<5	<5	<5	<25		
MW-3	05-02-94	1600	<20	<20	<20	--	<20	<20	<20	<100		
MW-3	08-03-94	680	<20	--	<20	--	<20	<20	<20	<100		
MW-3	12-06-94	1100	<25	--	<25	--	<25	<25	<25	<125		
MW-3	03-11-95	1700	<10	--	<10	--	<10	<10	<10	<50		
MW-3	06-05-95	2500	<20	--	<20	--	<20	<20	<20	<100		
MW-3	08-29-95	1600	<20	--	<20	--	<20	<20	<20	<100		
MW-3	11-16-95	1100	<20	--	<20	<20	<20	<20	<20	<100		
MW-3	02-28-96	1100	<10	<10	<10	--	<10	<10	<10	<50		
MW-3	05-28-96	1700	<20	<20	<20	--	<20	<20	<20	<100		
<hr/>												
MW-4	02-04-94	1900	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	05-02-94	1700	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	08-03-94	1200	<20	--	<20	--	<20	<20	<20	<100		
MW-4	12-06-94	2200	<20	--	<20	--	<20	<20	<20	<100		
MW-4	03-11-95	2600	<20	--	<20	--	<20	<20	<20	<100		
MW-4	06-05-95	3100	<20	--	<20	--	<20	<20	<20	<100		
MW-4	08-29-95	2900	<20	--	<20	--	<20	<20	<20	<100		
MW-4	11-16-95	2100	<20	--	<20	<20	<20	<20	<20	<100		
MW-4	02-28-96	2400	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	05-28-96	2700	<20	<20	<20	--	<20	<20	<20	<100		

Table 4
Historical Groundwater Analytical Data
Volatile Organic Compounds
1994-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240					
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L			
MW-5	02-04-94	39	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-5	05-02-94	35	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-5	08-03-94	25	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-5	12-06-94	1800	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-5	03-10-95	270	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW-5	06-05-95	310	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW-5	08-29-95	240	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW-5	11-16-95	940	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW-5	02-28-96	1100	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<50
MW-5	05-28-96	360	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW-6	02-04-94	2900	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<250
MW-6	05-02-94	2000	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<250
MW-6	08-03-94	1400	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<250
MW-6	12-06-94	2000	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<250
MW-6	03-11-95	1300	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-6	06-05-95	2000	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-6	08-29-95	1300	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-6	11-16-95	1300	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-6	02-28-96	960	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100
MW-6	05-28-96	970	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100

Table 4
Historical Groundwater Analytical Data
Volatile Organic Compounds
1994-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-7	02-04-94	<50	<50	<50	<50	--	940	950	1100	9100	
MW-7	05-02-94	<50	<50	<50	<50	--	440	400	660	5200	
MW-7	08-03-94	<50	<50	--	<50	--	640	770	960	6200	
MW-7	12-06-94	<50	<50	--	<50	--	230	180	750	4800	
MW-7	03-11-95	Not sampled: floating product entered the well during purging									
MW-7	06-05-95	<10	<10	--	<10	--	86	27	420	1400	
MW-7	08-29-95	<10	<10	--	<10	--	410	230	1100	5000	
MW-7	11-16-95	<20	<20	--	<20	<20	360	220	1700	10000	
MW-7	02-28-96	<10	<10	<10	<10	--	<10	<10	87	760	
MW-7	05-28-96	<10	<10	<10	<10	--	74	36	340	1600	
MW-8	02-04-94	<1	<1	<1	<1	--	<1	<1	<1	<1	
MW-8	05-02-94	<1	<1	<1	<1	--	<1	<1	<1	<1	
MW-8	08-03-94	<1	<1	--	<1	--	<1	<1	<1	<1	
MW-8	12-06-94	2	<1	--	<1	--	<1	<1	<1	<1	
MW-8	03-10-95	<1	<1	--	<1	--	<1	<1	<1	<1	
MW-8	06-05-95	<1	<1	--	<1	--	<1	<1	<1	<1	
MW-8	08-29-95	<1	<1	--	<1	--	<1	<1	<1	<1	
MW-8	11-16-95	<1	<1	--	<1	--	<1	<1	<1	<1	
MW-8	02-28-96	3	<1	<1	<1	--	<1	<1	<1	<1	
MW-8	05-28-96	<1	<1	<1	<1	--	<1	<1	<1	<1	

Table 4
Historical Groundwater Analytical Data
Volatile Organic Compounds
1994-Present*

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-15-96

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240					
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L			
RW-1	02-04-94	2200	<20	<20			<20	<20	<20	<20			<100
RW-1	05-02-94	45	<1										<5
RW-1	08-03-94	350	4										<5
RW-1	12-06-94	340	<5										<25
RW-1	03-10-95	260	<5										<5
RW-1	06-05-95	59											<25
RW-1	08-29-95	570											<5
RW-1	11-16-95	140											<25
RW-1	02-28-96	6											<5
RW-1	05-28-96	12											<5
WGR-3	05-02-94	<1	<1										
WGR-3	08-03-94	<1	<1										
WGR-3	12-06-94	4											
WGR-3	03-11-95	<1	<1										
WGR-3	06-05-95	<1	<1										
WGR-3	08-29-95	<1	<1										
WGR-3	11-16-95	<1	<1										
WGR-3	02-28-96	<1	<1										
WGR-3	05-28-96	<1	<1										

µg/L, micrograms per liter

-- : not analyzed or not reported

*: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California, (EMCON, March 22, 1996)*.

Table 5
Approximate Cumulative Floating Product Recovered

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date. 07-15-96

Well Designation	Date	Floating Product Recovered gallons
MW-2 and MW-7	1991	18.15
MW-2 and MW-7	1992	0.39
MW-2 and MW-7	1993	0.00
MW-2 and MW-7	1994	0.00
MW-2 and MW-7	1995	0.00
MW-2 and MW-7	1996	0.00
1991 to 1996 Total:		18.54

Table 6
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer			
Consultant: EMCN 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Reporting Period From: 09-06-90 To: 07-01-96 System was shut down on 3-26-96.			
Date Begin:	09-06-90	12-22-94	01-01-95	02-01-95	03-01-95
Date End:	12-22-94	01-01-95	02-01-95	03-01-95	04-01-95
Mode of Oxidation:	Catalytic (14)	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	0.0	4.9	26.4	28.0	31.0
Days of Downtime:	0.0	26.2	4.6	0.0	0.0
Average Vapor Concentrations (1)					
On-site WF Influent: ppmv (2) as gasoline	NA (15)	32	<15	<15	1.2
mg/m ³ (3) as gasoline	NA	116	<60	<60	4.4
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
Off-site WF Influent: ppmv as gasoline	NA	closed	closed	<15	1.4
mg/m ³ as gasoline	NA	closed	closed	<60	4.9
ppmv as benzene	NA	closed	closed	<0.1	<0.05
mg/m ³ as benzene	NA	closed	closed	<0.5	<0.16
System Influent: ppmv as gasoline	NA	32	<15	<15	<1.0
mg/m ³ as gasoline	NA	116	<60	<60	<3.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
System Effluent: ppmv as gasoline	NA	<15	<15	<15	1.3
mg/m ³ as gasoline	NA	<54	<60	<60	4.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
Average On-site Well Field Flow Rate (4), scfm (5):	NA	81.6	53.7	62.0	71.3
Average Off-site Well Field Flow Rate (4), scfm:	NA	closed	closed	17.6	47.8
Average System Influent Flow Rate (4), scfm:	NA	81.6	53.7	79.6	119.1
Total Process Flow Rate, scfm:	NA	500.0	500.0	500.0	500.0
Average Destruction Efficiency (6), percent (7):	NA	53.4 (16)	NA	NA	NA
Average Emission Rates (8), pounds per day (9)					
Gasoline:	NA	0.40	0.29	0.43	0.05
Benzene:	NA	0.00	0.00	0.00	0.00
Operating Hours This Period:	NA	116.5	633.4	672.0	744.0
Operating Hours To Date:	NA	116.5	749.9	1421.9	2165.9
Pounds/ Hour Removal Rate, as gasoline (10):	NA	0.035	0.012	0.018	0.004
Pounds Removed This Period, as gasoline (11):	NA	4.13	7.64	12.01	3.08
Pounds Removed To Date, as gasoline (12):	7665.5	7669.6	7677.3	7689.3	7692.4
Gallons Removed This Period, as gasoline (13):	NA	0.67	1.23	1.94	0.50
Gallons Removed To Date, as gasoline:	1236.4	1237.1	1238.3	1240.3	1240.8

Table 6
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer			
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Reporting Period From: 09-06-90 To: 07-01-96 System was shut down on 3-26-96.			
Date Begin:	04-01-95	05-01-95	08-01-95	09-01-95	10-01-95
Date End:	05-01-95	08-01-95	09-01-95	10-01-95	01-01-96
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	30.0	18.7	17.9	0.0	0.0
Days of Downtime:	0.0	73.3	13.1	30.0	92.0
Average Vapor Concentrations (1)					
On-site WF Influent: ppmv (2) as gasoline	<15	<15	95	NA	NA
mg/m ³ (3) as gasoline	<60	<60	350	NA	NA
ppmv as benzene	<0.1	<0.1	1.1	NA	NA
mg/m ³ as benzene	<0.5	<0.5	3.6	NA	NA
Off-site WF Influent: ppmv as gasoline	<15	<15	<15	NA	NA
mg/m ³ as gasoline	<60	<60	<60	NA	NA
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA
mg/m ³ as benzene	<0.5	<0.5	<0.5	NA	NA
System Influent: ppmv as gasoline	<15	<15	93	NA	NA
mg/m ³ as gasoline	<60	<60	340	NA	NA
ppmv as benzene	<0.1	<0.1	1	NA	NA
mg/m ³ as benzene	<0.5	<0.5	3.3	NA	NA
System Effluent: ppmv as gasoline	<15	<15	<15	NA	NA
mg/m ³ as gasoline	<60	<60	<60	NA	NA
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA
mg/m ³ as benzene	<0.5	<0.5	<0.5	NA	NA
Average On-site Well Field Flow Rate (4), scfm (5):	74.5	79.6	83.5	0.0	0.0
Average Off-site Well Field Flow Rate (4), scfm:	37.1	33.6	34.2	0.0	0.0
Average System Influent Flow Rate (4), scfm:	111.6	113.3	117.7	0.0	0.0
Total Process Flow Rate, scfm:	500.0	500.0	500.0	0.0	0.0
Average Destruction Efficiency (6), percent (7):	NA	NA	82.4 (16)	NA	NA
Average Emission Rates (8), pounds per day (9)					
Gasoline:	0.60	0.61	0.63	NA	NA
Benzene:	0.01	0.01	0.01	NA	NA
Operating Hours This Period:	720.0	447.9	428.8	0.0	0.0
Operating Hours To Date:	2885.9	3333.8	3762.6	3762.6	3762.6
Pounds/ Hour Removal Rate, as gasoline (10):	0.025	0.025	0.154	0.000	0.000
Pounds Removed This Period, as gasoline (11):	18.04	11.39	66.11	0.00	0.00
Pounds Removed To Date, as gasoline:	7710.4	7721.8	7787.9	7787.9	7787.9
Gallons Removed This Period, as gasoline (12):	2.91	1.84	10.66	0.00	0.00
Gallons Removed To Date, as gasoline:	1243.7	1245.5	1256.2	1256.2	1256.2

Table 6
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer		
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Reporting Period From: 09-06-90 To: 07-01-96 System was shut down on 3-26-96.		
Date Begin:	01-01-96	02-01-96	03-01-96	
Date End:	02-01-96	03-01-96	04-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	
Days of Operation:	12.8	1.5	7.4	
Days of Downtime:	18.2	27.5	23.6	
Average Vapor Concentrations (1)				
On-site WF Influent: ppmv (2) as gasoline	<15	NA	NA	
mg/m ³ (3) as gasoline	<60	NA	NA	
ppmv as benzene	<0.1	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	
Off-site WF Influent: ppmv as gasoline	<15	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	
ppmv as benzene	<0.1	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	
System Influent: ppmv as gasoline	<15	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	
ppmv as benzene	<0.1	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	
System Effluent: ppmv as gasoline	<15	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	
ppmv as benzene	<0.1	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	174.1	178.4	178.4	
Average Off-site Well Field Flow Rate (4), scfm:	17.2	19.4	19.4	
Average System Influent Flow Rate (4), scfm:	191.3	197.8	197.8	
Total Process Flow Rate, scfm:	500.0	500.0	500.0	
Average Destruction Efficiency (6), percent (7):	82.4 (16)	NA	NA	
Average Emission Rates (8), pounds per day (9)				
Gasoline:	1.03	NA	NA	
Benzene:	0.01	NA	NA	
Operating Hours This Period:	<u>306.9</u>	<u>35.5</u>	<u>177.8</u>	
Operating Hours To Date:	4069.5	4105.0	4282.8	
Pounds/ Hour Removal Rate, as gasoline (10):	0.043	0.044	0.044	
Pounds Removed This Period, as gasoline (11):	<u>13.18</u>	<u>1.58</u>	<u>7.90</u>	
Pounds Removed To Date, as gasoline:	7801.1	7802.7	7810.6	
Gallons Removed This Period, as gasoline (12):	<u>2.13</u>	<u>0.25</u>	<u>1.27</u>	
Gallons Removed To Date, as gasoline:	1258.3	1258.6	1259.8	

Table 6
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer		
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Reporting Period From: 09-06-90 To: 07-01-96 System was shut down on 3-26-96.		
Date Begin:	04-01-96	05-01-96	06-01-96	
Date End:	05-01-96	06-01-96	07-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	
Days of Operation:	0.0	0.0	0.0	
Days of Downtime:	30.0	31.0	30.0	
Average Vapor Concentrations (1)				
On-site WF Influent: ppmv (2) as gasoline	NA	NA	NA	
mg/m ³ (3) as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m ³ as benzene	NA	NA	NA	
Off-site WF Influent: ppmv as gasoline	NA	NA	NA	
mg/m ³ as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m ³ as benzene	NA	NA	NA	
System Influent: ppmv as gasoline	NA	NA	NA	
mg/m ³ as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m ³ as benzene	NA	NA	NA	
System Effluent: ppmv as gasoline	NA	NA	NA	
mg/m ³ as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m ³ as benzene	NA	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	0.0	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	0.0	0.0	0.0	
Average System Influent Flow Rate (4), scfm:	0.0	0.0	0.0	
Total Process Flow Rate, scfm:	0.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	NA	NA	NA	
Average Emission Rates (8), pounds per day (9)				
Gasoline:	NA	NA	NA	
Benzene:	NA	NA	NA	
Operating Hours This Period:	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	
Operating Hours To Date:	4282.8	4282.8	4282.8	
Pounds/ Hour Removal Rate, as gasoline (10):	0.000	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	
Pounds Removed To Date, as gasoline:	7810.6	7810.6	7810.6	
Gallons Removed This Period, as gasoline (12):	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	
Gallons Removed To Date, as gasoline:	1259.8	1259.8	1259.8	

Table 6
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California	Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer
Consultant: EMCN 1921 Ringwood Avenue San Jose, California	Start-Up Date: 09-06-90 Reporting Period From: 09-06-90 To: 07-01-96 System was shut down on 3-26-96.
CURRENT REPORTING PERIOD:	04-01-96 to 07-01-96
DAYS / HOURS IN PERIOD:	91.0 2184.0
DAYS / HOURS OF OPERATION:	0.0 0.0
DAYS / HOURS OF DOWN TIME:	91.0 2184.0
PERCENT OPERATIONAL:	0.0 %
PERIOD POUNDS REMOVED:	0.0
PERIOD GALLONS REMOVED:	0.0
AVERAGE SYSTEM INFLOW RATE (scfm):	0.0

1. Average concentrations are based on discrete sample results reported during the month; refer to Appendix C for discrete sample results.
2. ppmv: parts per million by volume
3. mg/m³: milligrams per cubic meter
4. Average flow rates (time weighted average) are based on instantaneous flow rates recorded during the month; refer to Appendix C for instantaneous flow data.
5. scfm: flow in standard cubic feet per minute at one atmosphere and 70 degrees Fahrenheit
6. Average destruction efficiencies are calculated using monthly average concentrations; refer to Appendix C for instantaneous destruction efficiency data.
7. destruction efficiency, percent = $\frac{(\text{system influent concentration (as gasoline in mg/m}^3) - \text{system effluent concentration (as gasoline in mg/m}^3)}{\text{system influent concentration (as gasoline in mg/m}^3)} \times 100\text{ percent}$
8. Average emission rates are calculated using monthly average concentrations and flow rates; refer to Appendix C for instantaneous emission rate data.
9. emission rates (pounds per day) = system effluent concentration (as gasoline or benzene in mg/m³) x system influent flow rate (scfm) x 0.02832 m³/ft³ x 1440 minutes/day x 1 pound/454,000 mg
10. pounds/ hour removal rate (as gasoline) = well field influent concentration (as gasoline in mg/m³) x well field influent flow rate (scfm) x 0.02832 m³/ft³ x 60 minutes/hour x 1 pound/454,000 mg
11. pounds removed this period (as gasoline) = pounds/ hour removal rate x hours of operation
12. Pounds removed data for the period from September 6, 1990 through December 22, 1994, were reported by EVAX, PEG, and RESNA
Please refer to *Fourth Quarter 1994 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, EMCN March 1995*, for additional data for system operation before December 1994.
13. gallons removed this period (as gasoline) = pounds removed this period (as gasoline) x 0.1613 gallons/pound of gasoline
14. The existing catalytic oxidation unit was used as the off-gas abatement device for the site, with the exception of the period from September 6, 1990 to March 21, 1991, when EVAX used an internal combustion engine as the abatement device.
15. NA: not analyzed, not available, or not applicable
16. Although the destruction efficiency appeared to be less than 90 percent, laboratory analytical results collected during this period indicate the effluent TVHG and benzene concentrations in off-gas discharged to the atmosphere were below laboratory detection limits, indicating compliance with BAAQMD discharge requirements.

Table 7
Soil-Vapor Extraction Well Data

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 07-17-96
Project Number: 0805-120.04

Date	Well Identification											
	VW-1			VW-2			VW-3			VW-4		
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response
		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O
12-22-94	open	<15 LAB	13.1	open	68 LAB	13.0	open	28 LAB	12.0	open	<15 LAB	13.1
01-17-95	closed	NA	NA	open	NA	NA	open	NA	NA	closed	NA	NA
02-16-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-27-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
05-24-95	System was shut down											
08-01-95	System was restarted											
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
08-23-95	System was shut down											
01-16-96	System was restarted											
01-16-96	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-26-96	System was shut down											

TVHG: concentration of total volatile hydrocarbons as gasoline

ppmv parts per million by volume

in-H₂O . inches of water

open: open to the system

passive: open to the atmosphere

closed: closed to the system and atmosphere

NA: not analyzed or not measured

FID: TVHG concentration was measured with a portable flame ionization detector

LAB: TVHG concentration was analyzed in the laboratory

PID: TVHG concentration was measured with a portable photoionization detector


Table 7
Soil-Vapor Extraction Well Data

10600 and 10700 MacArthur Boulevard
Oakland, California


Date: 07-17-96
Project Number: 0805-120.04

Date	Well Identification											
	VW-5			VW-7			MW-2					
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response
		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O
12-22-94	open	<15 LAB	13.0	open	<15 LAB	13.1	open	<15 LAB	7.0			
01-17-95	closed	NA	NA	closed	NA	NA	open	NA	NA			
02-16-95	open	NA	NA	open	NA	NA	open	NA	NA			
03-27-95	open	NA	NA	open	NA	NA	open	NA	NA			
05-24-95	System was shut down											
08-01-95	System was restarted											
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA			
08-23-95	System was shut down											
01-16-96	System was restarted											
01-16-96	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-26-96	System was shut down											

TVHG: concentration of total volatile hydrocarbons as gasoline
ppmv: parts per million by volume
in-H₂O: inches of water
open: open to the system
passive: open to the atmosphere
closed: closed to the system and atmosphere
NA: not analyzed or not measured
FID: TVHG concentration was measured with a portable flame ionization detector
LAB: TVHG concentration was analyzed in the laboratory
PID: TVHG concentration was measured with a portable photoionization detector



Base map from USGS 7.5' Quad. Maps:
Oakland East and San Leandro, California.
Photorevised 1980.



Scale : 0 2000 4000 Feet



EMCON


10600 AND 10700 MACARTHUR BLVD.
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA

SITE LOCATION

FIGURE

1

PROJECT NO.
805-120.06



EMCON


SCALE: 0 30 60 FEET

10600 AND 10700 MACARTHUR BLVD.
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA

TPHG AND BENZENE CONCENTRATIONS IN GROUNDWATER
SECOND QUARTER 1996

2

PROJECT NO.
805-120.006



EMCON

SCALE: 0 30 60 FEET


10600 AND 10700 MACARTHUR BLVD.
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA

TETRACHLOROETHENE (PCE) CONCENTRATIONS IN GROUNDWATER
SECOND QUARTER 1996

FIGURE NO. **3**
PROJECT NO.
805-120.006

Figure 4

ARCO Service Station 276
Soil-Vapor Extraction and Treatment System
Historical Well Field Influent TVHG and Benzene Concentrations




TVHG: total volatile hydrocarbons as gasoline
ppmv: parts per million by volume

esj/h:\0276\0276tdb.xls\SVE Model\im
20805-120.006

Figure 5

10600 and 10700 MacArthur Boulevard
On-Site Soil-Vapor Extraction and Treatment System
Historical Hydrocarbon Removal Rates



Based on data from EVAX, PEG, and RESNA, approximately 7,666 pounds of hydrocarbon were removed between September 6, 1990 and December 22, 1994.

esj/h:\0276\0276tdb.xls\SVE Model:imi
20805-120.006

APPENDIX A

FIELD DATA SHEETS, SECOND QUARTER 1996

GROUNDWATER MONITORING EVENT

FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY

PROJECT # : 21775-202.002 STATION ADDRESS : 10600 MacArthur Blvd., Oakland

DATE: 5-28-96

ARCO STATION # : 276

FIELD TECHNICIAN : M. Ross / D. Gambelin

DAY: TUESDAY

SURVEY POINTS ARE TOP OF WELL CASINGS



WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-202002
PURGED BY: D. Gamelin
SAMPLED BY: D. Gamelin

SAMPLE ID: MW-1 (38)
CLIENT NAME: ARCO 276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>ND</u>	VOLUME IN CASING (gal.):	<u>2.27</u>
DEPTH TO WATER (feet):	<u>24.92</u>	CALCULATED PURGE (gal.):	<u>6.80</u>
DEPTH OF WELL (feet):	<u>38.8</u>	ACTUAL PURGE VOL. (gal.):	<u>7.0</u>

DATE PURGED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1118</u>	End (2400 Hr)	<u>1126</u>
DATE SAMPLED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1130</u>	End (2400 Hr)	<u></u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1120</u>	<u>2.5</u>	<u>6.15</u>	<u>2340</u>	<u>75.3</u>	<u>Br</u>	<u>Nod</u>
<u>1123</u>	<u>5.0</u>	<u>6.55</u>	<u>2180</u>	<u>70.6</u>	<u>f</u>	<u>↓</u>
<u>1126</u>	<u>7.0</u>	<u>6.56</u>	<u>2210</u>	<u>70.0</u>	<u>↓</u>	<u>↓</u>

D. O. (ppm):	<u>NR</u>	ODOR:	<u>None</u>	<u>NR</u>	<u>NR</u>
Field QC samples collected at this well:			Parameters field filtered at this well:		
<u>NR</u>			<u>NR</u>		
			(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)		

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other:		Other:					

WELL INTEGRITY: Good LOCK #: ARCO

REMARKS:

Meter Calibration: Date: 5/25/96 Time: 1100 Meter Serial #: 4972 Temperature °F: 76.7
(EC 1000 289/1000) (DI 17) (pH 76.90/700) (pH 10 10.25/10.00) (pH 4 3.89/ —)

Location of previous calibration:

Signature: ST. Blst. Reviewed By: ST Page 1 of 10

EMCON
ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775 202.002
PURGED BY: D Gambelin
SAMPLED BY: D. Gambelin

SAMPLE ID: MW-2 (25)
CLIENT NAME: ARCO 276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>NR</u>	VOLUME IN CASING (gal.):	<u>6.58</u>
DEPTH TO WATER (feet):	<u>15.23</u>	CALCULATED PURGE (gal.):	<u>19.74</u>
DEPTH OF WELL (feet):	<u>25.3</u>	ACTUAL PURGE VOL. (gal.):	<u>20.0</u>

DATE PURGED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1356</u>	End (2400 Hr)	<u>1401</u>
DATE SAMPLED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1405</u>	End (2400 Hr)	<u></u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. ($\mu\text{mhos/cm}$ @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1358</u>	<u>7.0</u>	<u>7.02</u>	<u>462</u>	<u>67.6</u>	<u>Grey</u>	<u>Light</u>
<u>1359</u>	<u>13.5</u>	<u>6.71</u>	<u>446</u>	<u>66.5</u>	<u></u>	<u></u>
<u>1401</u>	<u>20.0</u>	<u>6.72</u>	<u>447</u>	<u>66.5</u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

D. O. (ppm):	<u>NR</u>	ODOR:	<u>Strong</u>	<u>NR</u>	<u>NR</u>
				(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)	

Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other: _____				Other: _____			

WELL INTEGRITY: Good LOCK #: None

REMARKS: _____

Meter Calibration: Date: 5/28/96 Time: 1100 Meter Serial #: _____ Temperature °F: _____

(EC 1000 /) (DI) (pH 7 /) (pH 10 /) (pH 4 /)

Location of previous calibration: Mw-1

Signature: Dr. Blk Reviewed By: J.F. Page 2 of 10



EMCON
ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

Rev. 3, 2/94

PROJECT NO: 21715-202.002
PURGED BY: D Gambelin
SAMPLED BY: D Gambelin

SAMPLE ID: MJ-3(38)
CLIENT NAME: A610276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other _____
CASING DIAMETER (inches): 2 3 4 4.5 6 Other _____

CASING ELEVATION (feet/MSL) :	N/A	VOLUME IN CASING (gal.) :	2.15
DEPTH TO WATER (feet) :	25.46	CALCULATED PURGE (gal.) :	6.44
DEPTH OF WELL (feet) :	38.6	ACTUAL PURGE VOL. (gal.) :	6.5

DATE PURGED: 5/28/96 Start (2400 Hr) 1227 End (2400 Hr) 1238
DATE SAMPLED: 5/28/96 Start (2400 Hr) 1245 End (2400 Hr)

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1231	2.5	6.78	1413	69.6	Brown	Heavy
1234	4.5	6.80	1356	68.5		
1238	6.5	6.85	1369	68.3	↓	↓

D. O. (ppm): NR ODOR: None NR NR
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)
Field QC samples collected at this well: Parameters field filtered at this well:

Field QC samples collected at this well: Parameters field filtered at this well:

PURGING EQUIPMENT

- | | | | |
|--------------------------|------------------|-------------------------------------|--------------------------|
| <input type="checkbox"/> | 2" Bladder Pump | <input checked="" type="checkbox"/> | Bailer (Teflon®) |
| <input type="checkbox"/> | Centrifugal Pump | <input checked="" type="checkbox"/> | Bailer (PVC) |
| <input type="checkbox"/> | Submersible Pump | <input type="checkbox"/> | Bailer (Stainless Steel) |
| <input type="checkbox"/> | Well Wizard™ | <input type="checkbox"/> | Dedicated |

Other: _____

SAMPLING EQUIPMENT

- 2" Bladder Pump Bailer (Teflon®)
 — DDL Sampler Bailer (Stainless Steel)
 — Dipper Submersible Pump
 — Well Wizard™ Dedicated

Other:

WELL INTEGRITY : 6021 LOCK # : A100

REMARKS: _____

Meter Calibration: Date: 5/28/16 Time: 1100 Meter Serial #: _____ Temperature °F: _____
(EC 1000 /) (D1 /) (pH 7 /) (pH 10 /) (pH 4 /)

Location of previous calibration: MW-1

Signature: E. L. Sch.

Reviewed By: Zit Page 5 of 10



WATER SAMPLE FIELD DATA SHEET

EMCON
ASSOCIATES

PROJECT NO: 21725-202.002
PURGED BY: D. Gambelin
SAMPLED BY: D. Gambelin

SAMPLE ID: MW-4(47)
CLIENT NAME: Arl/0276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>NR</u>	VOLUME IN CASING (gal.):	<u>3.76</u>
DEPTH TO WATER (feet):	<u>24.91</u>	CALCULATED PURGE (gal.):	<u>11.27</u>
DEPTH OF WELL (feet):	<u>47.9</u>	ACTUAL PURGE VOL. (gal.):	<u>11.5</u>

DATE PURGED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1253</u>	End (2400 Hr)	<u>1310</u>
DATE SAMPLED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1315</u>	End (2400 Hr)	<u></u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1301</u>	<u>4.0</u>	<u>6.93</u>	<u>1532</u>	<u>67.3</u>	<u>Brn</u>	<u>Hazy</u>
<u>1305</u>	<u>8.0</u>	<u>6.98</u>	<u>1557</u>	<u>68.3</u>	<u></u>	<u></u>
<u>1310</u>	<u>11.5</u>	<u>6.94</u>	<u>1553</u>	<u>68.8</u>	<u>↓</u>	<u>↓</u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

D. O. (ppm):	<u>NR</u>	ODOR:	<u>None</u>	<u>NR</u>	<u>NR</u>
Field QC samples collected at this well:			(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)		

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other: _____				Other: _____			

WELL INTEGRITY: Good LOCK #: ARL02

REMARKS: _____

Meter Calibration: Date: 5/28/96 Time: 1100 Meter Serial #: _____ Temperature °F: _____
(EC 1000 ____ / ____) (DI ____) (pH 7 ____ / ____) (pH 10 ____ / ____) (pH 4 ____ / ____)

Location of previous calibration: MW-1

Signature: J. - 266 Reviewed By: SA Page 4 of 10



WATER SAMPLE FIELD DATA SHEET

EMCON
ASSOCIATES

PROJECT NO: 21775-202.002

SAMPLE ID: MW - 8 (46)

PURGED BY: M. ROSS

CLIENT NAME: AREA 276

SAMPLED BY: M. ROSS

LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NA VOLUME IN CASING (gal.): 14.55

DEPTH TO WATER (feet): 24.42 CALCULATED PURGE (gal.): 43.68

DEPTH OF WELL (feet): 46.7 ACTUAL PURGE VOL. (gal.): 44.0

DATE PURGED:	5-28-96	Start (2400 Hr)	1239	End (2400 Hr)	1256
DATE SAMPLED:	5-28-96	Start (2400 Hr)	1307	End (2400 Hr)	

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1245	15.0	6.45	674	73.9	clr	clr
1250	29.5	6.30	778	70.9	clr	clr
1256	44.0	6.34	782	70.6	clr	clr

D. O. (ppm):	NA	ODOR:	None		NA	NA
Field QC samples collected at this well:	NA	Parameters field filtered at this well:	NA	(COBALT 0 - 500)	(NTU 0 - 200 or 0 - 1000)	

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
— 2" Bladder Pump	— Bailer (Teflon®)	— 2" Bladder Pump	— Bailer (Teflon®)				
— Centrifugal Pump	— Bailer (PVC)	— DDL Sampler	— Bailer (Stainless Steel)				
✓ Submersible Pump	— Bailer (Stainless Steel)	— Dipper	— Submersible Pump				
— Well Wizard™	— Dedicated	— Well Wizard™	— Dedicated				
Other:		Other:					

WELL INTEGRITY: Good LOCK #: 3498

REMARKS:

Meter Calibration: Date: 5-28-96 Time: 1100 Meter Serial #: 9210 Temperature °F: _____

(EC 1000 /) (DI /) (pH 7 /) (pH 10 /) (pH 4 /)

Location of previous calibration: MW-8

Signature: Mike Ross Reviewed By: SA Page 5 of 10



WATER SAMPLE FIELD DATA SHEET

EMCON
ASSOCIATESPROJECT NO: 2175-202.002PURGED BY: M. RossSAMPLED BY: M. RossSAMPLE ID: MW-6(51)CLIENT NAME: ARCO 226LOCATION: Oakbank, caTYPE: Ground Water Surface Water Treatment Effluent Other CASING DIAMETER (inches): 2 3 4 4.5 6 Other CASING ELEVATION (feet/MSL): NA VOLUME IN CASING (gal.): 3.38DEPTH TO WATER (feet): 30.29 CALCULATED PURGE (gal.): 10.14DEPTH OF WELL (feet): 51.0 ACTUAL PURGE VOL. (gal.): 10.5

DATE PURGED:	<u>5-28-96</u>	Start (2400 Hr)	<u>1328</u>	End (2400 Hr)	<u>1345</u>
DATE SAMPLED:	<u>5-28-96</u>	Start (2400 Hr)	<u>1355</u>	End (2400 Hr)	<u> </u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1333</u>	<u>3.5</u>	<u>6.59</u>	<u>1644</u>	<u>70.7</u>	<u>Brown</u>	<u>Haze</u>
<u>1339</u>	<u>7.0</u>	<u>6.84</u>	<u>1788</u>	<u>68.9</u>	<u>Brown</u>	<u>Haze</u>
<u>1345</u>	<u>10.5</u>	<u>6.92</u>	<u>17 95</u>	<u>68.8</u>	<u>Brown</u>	<u>Haze</u>

D. O. (ppm): <u>NA</u>	ODOR: <u>NONE</u>	<u>NA</u>	<u>NA</u>
Field QC samples collected at this well:	Parameters field filtered at this well:	(COBALT 0 - 500)	(NTU 0 - 200 or 0 - 1000)
<u>NA</u>	<u>NA</u>		

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
— 2" Bladder Pump	— Bailer (Teflon®)	— 2" Bladder Pump	✓ Bailer (Teflon®)				
— Centrifugal Pump	✓ Bailer (PVC)	— DDL Sampler	— Bailer (Stainless Steel)				
— Submersible Pump	— Bailer (Stainless Steel)	— Dipper	— Submersible Pump				
— Well Wizard™	— Dedicated	— Well Wizard™	— Dedicated				
Other:		Other:					

WELL INTEGRITY: GOOD LOCK #: A/ONEREMARKS: NEED top of casings shortened to have enough clearance to accept a locking well cap and lockMeter Calibration: Date: 5-28-96 Time: 1100 Meter Serial #: 9210 Temperature °F: _____(EC 1000 /) (DI) (pH 7 /) (pH 10 /) (pH 4 /)Location of previous calibration: MW-8Signature: Michele Ross Reviewed By: ST Page 6 of 10



WATER SAMPLE FIELD DATA SHEET

**EMCON
ASSOCIATES**

PROJECT NO: 20805-120.006
PURGED BY: D Gambelin
SAMPLED BY: D. Gambelin

SAMPLE ID: MW-7 (36)
CLIENT NAME: ARCO 276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>NR</u>	VOLUME IN CASING (gal.):	<u>2.86</u>
DEPTH TO WATER (feet):	<u>19.29</u>	CALCULATED PURGE (gal.):	<u>8.58</u>
DEPTH OF WELL (feet):	<u>36.8</u>	ACTUAL PURGE VOL. (gal.):	<u>9.0</u>

DATE PURGED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1436</u>	End (2400 Hr)	<u>1445</u>
DATE SAMPLED:	<u>5/28/96</u>	Start (2400 Hr)	<u>1450</u>	End (2400 Hr)	<u></u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1439</u>	<u>3.0</u>	<u>6.44</u>	<u>511</u>	<u>69.2</u>	<u>Brown</u>	<u>MgS</u>
<u>1442</u>	<u>6.0</u>	<u>6.41</u>	<u>518</u>	<u>67.7</u>	<u></u>	<u></u>
<u>1445</u>	<u>9.0</u>	<u>6.42</u>	<u>512</u>	<u>67.9</u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

D. O. (ppm):	<u>NR</u>	ODOR:	<u>Strong</u>	<u>NR</u>	<u>NR</u>
Field QC samples collected at this well:		Parameters field filtered at this well:		(COBALT 0 - 500 (NTU 0 - 200 or 0 - 1000))	
<u>NR</u>		<u>NR</u>			

<u>PURGING EQUIPMENT</u>			<u>SAMPLING EQUIPMENT</u>		
<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)		
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)		
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump		
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated		
Other: _____			Other: _____		

WELL INTEGRITY: Good LOCK #: ARCO

REMARKS: Spots of Sheen

Meter Calibration: Date: 5/28/96 Time: 1100 Meter Serial #: _____ Temperature °F: _____
(EC 1000 /) (DI /) (pH 7 /) (pH 10 /) (pH 4 /)

Location of previous calibration: MW-1

Signature: SO - Sbw Reviewed By: JAT Page 7 of 10



WATER SAMPLE FIELD DATA SHEET

EMCON
ASSOCIATESPROJECT NO: 21775-202.000PURGED BY: M. ROSSSAMPLED BY: M. ROSSSAMPLE ID: MW-8(47)CLIENT NAME: ARCO 276LOCATION: Oakland, CATYPE: Ground Water Surface Water Treatment Effluent Other CASING DIAMETER (inches): 2 3 4 4.5 6 Other CASING ELEVATION (feet/MSL): NA VOLUME IN CASING (gal.): 16,32DEPTH TO WATER (feet): 22.62 CALCULATED PURGE (gal.): 48.96DEPTH OF WELL (feet): 47.6 ACTUAL PURGE VOL. (gal.): 49.0

DATE PURGED:	<u>5-28-96</u>	Start (2400 Hr)	<u>1118</u>	End (2400 Hr)	<u>1142</u>
DATE SAMPLED:	<u>5-28-96</u>	Start (2400 Hr)	<u>1150</u>	End (2400 Hr)	<u>—</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1125</u>	<u>16.5</u>	<u>6.17</u>	<u>643</u>	<u>71.2</u>	<u>clr</u>	<u>clr</u>
<u>1139</u>	<u>33.0</u>	<u>6.25</u>	<u>632</u>	<u>70.7</u>	<u>clr</u>	<u>clr</u>
<u>1142</u>	<u>49.0</u>	<u>6.24</u>	<u>618</u>	<u>68.9</u>	<u>clr</u>	<u>clr</u>

D. O. (ppm): <u>NA</u>	ODOR: <u>NA</u>	<u>NA</u>	<u>NA</u>
------------------------	-----------------	-----------	-----------

Field QC samples collected at this well:	Parameters field filtered at this well:	(COBALT 0 - 500)	(NTU 0 - 200 or 0 - 1000)
<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other:		Other:					

WELL INTEGRITY: Good LOCK #: NoneREMARKS:

Meter Calibration: Date: 5-28-96 Time: 1100 Meter Serial #: 9210 Temperature °F: 70.6
 (EC 1000 997, 1060) (DI —) (pH 7699, 1000) (pH 10 994, 1000) (pH 4 399, —)Location of previous calibration: —Signature: M. Ross Reviewed By: SLF Page 8 of 10



WATER SAMPLE FIELD DATA SHEET

**EMCON
ASSOCIATES**

PROJECT NO: 21775-202002
PURGED BY: D. Gamelin
SAMPLED BY: D. Gamelin

SAMPLE ID: RW-1(48)
CLIENT NAME: ARL 276
LOCATION: Oakland

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>NR</u>	VOLUME IN CASING (gal.):	<u>34.16</u>
DEPTH TO WATER (feet):	<u>25.26</u>	CALCULATED PURGE (gal.):	<u>102.49</u>
DEPTH OF WELL (feet):	<u>48.5</u>	ACTUAL PURGE VOL. (gal.):	<u>102.5</u>

DATE PURGED:	<u>5/23/96</u>	Start (2400 Hr)	<u>1147</u>	End (2400 Hr)	<u>1200</u>
DATE SAMPLED:	<u>5/23/96</u>	Start (2400 Hr)	<u>1204</u>	End (2400 Hr)	<u></u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (μ mhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1150</u>	<u>34.5</u>	<u>6.81</u>	<u>1360</u>	<u>68.2</u>	<u>Brown</u>	<u>Light</u>
<u>1155</u>	<u>69.0</u>	<u>6.84</u>	<u>1377</u>	<u>68.9</u>	<u>Clear</u>	<u>Light</u>
<u>1200</u>	<u>102.5</u>	<u>6.85</u>	<u>1363</u>	<u>69.0</u>	<u>"</u>	<u>"</u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

D. O. (ppm):	<u>NR</u>	ODOR:	<u>None</u>	<u>NR</u>	<u>NR</u>
Field QC samples collected at this well:	<u>NR</u>	Parameters field filtered at this well:	<u>NR</u>	(COBALT 0 - 500)	(NTU 0 - 200 or 0 - 1000)

<u>PURGING EQUIPMENT</u>				<u>SAMPLING EQUIPMENT</u>			
<input checked="" type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other:		Other:					

WELL INTEGRITY: Good / Needs well Cap LOCK #: None
REMARKS: LW Cap will not fit Schedule 80 PVC, needs 6" Slip cap

Meter Calibration: Date: 5/23/96 Time: 1100 Meter Serial #: 9972 Temperature °F: _____
(EC 1000 ____ / ____) (DI ____) (pH 7 ____ / ____) (pH 10 ____ / ____) (pH 4 ____ / ____)

Location of previous calibration: PLW-1

Signature: D. Gamelin Reviewed By: ZAC Page 9 of 10



WATER SAMPLE FIELD DATA SHEET

EMCON
ASSOCIATES

PROJECT NO: 21775-2
PURGED BY: M. ROSS
SAMPLED BY: M. ROSS

SAMPLE ID: WGR-3(26)
CLIENT NAME: ARCO 276
LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL):	<u>NA</u>	VOLUME IN CASING (gal.):	<u>5.59</u>
DEPTH TO WATER (feet):	<u>18.33</u>	CALCULATED PURGE (gal.):	<u>16.79</u>
DEPTH OF WELL (feet):	<u>26.9</u>	ACTUAL PURGE VOL. (gal.):	<u>12.5</u>

DATE PURGED:	<u>5-23-96</u>	Start (2400 Hr)	<u>1205</u>	End (2400 Hr)	<u>1214</u>
DATE SAMPLED:	<u>5-23-96</u>	Start (2400 Hr)	<u>1220</u>	End (2400 Hr)	<u>—</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. ($\mu\text{mhos/cm}$ @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1203</u>	<u>6.0</u>	<u>6.58</u>	<u>478</u>	<u>69.3</u>	<u>Light Brown</u>	<u>Trace</u>
<u>1211</u>	<u>11.5</u>	<u>6.30</u>	<u>428</u>	<u>68.4</u>	<u>—</u>	<u>—</u>
<u>1214</u>	<u>12.5</u>	<u>Dry</u>	<u>at 12.5 gallons</u>	<u>—</u>	<u>—</u>	<u>—</u>

<u>1223</u>	<u>Recharge</u>	<u>6.39</u>	<u>431</u>	<u>68.9</u>	<u>Light Brown</u>	<u>mod</u>
D. O. (ppm):	<u>NA</u>	ODOR:	<u>None</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>

Field QC samples collected at this well: NA Parameters field filtered at this well: NA (COBALT 0 - 500) (INTU 0 - 200 or 0 - 1000)

PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)				
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump				
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated				
Other: <u>—</u>		Other: <u>—</u>					

WELL INTEGRITY: Good LOCK #: ARCO
REMARKS: Dry at 12.5 gallons

Meter Calibration: Date: 5-28-96 Time: 1100 Meter Serial #: 9210 Temperature °F: —

(EC 1000 — / —) (DI — / —) (pH 7 — / —) (pH 10 — / —) (pH 4 — / —)

Location of previous calibration: MW-8

Signature: Mike Ross Reviewed By: SH Page 10 of 10

APPENDIX B

ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY DOCUMENTATION, SECOND QUARTER 1996 GROUNDWATER MONITORING EVENT



June 10, 1996

Service Request No: S9600842

Mr. John Young
EMCON
1921 Ringwood Ave.
San Jose, Ca 95131

Re: 276 OAKLAND/20805-120.006/TO#19350.00

Dear Mr. Young:

The following pages contain analytical results for sample(s) received by the laboratory on May 28, 1996. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. Listed above -- to help expedite our service please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 19, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

If you have questions or further needs, please call me at (408) 428-1283.

Sincerely,

A handwritten signature in black ink, appearing to read "S. Green".

Steven L. Green
Project Chemist

A handwritten signature in black ink, appearing to read "Cristina V. Rayburn for Greg Anderson".

Greg Anderson
Regional QA Coordinator

CVR/smh

COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 Oakland/#20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: L9602636
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: 6/3/96
Date Analyzed: 6/3/96

Total Recoverable Petroleum Hydrocarbons (TRPH)
EPA Method 418.1
Units: mg/L (ppm)

Sample Name	Lab Code	MRL	Result
MW-4 (47)	L9602636-001	0.5	ND
Method Blank	L9602636-MB	0.5	ND

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name:	MW-8(47)	WGR-3(26)	MW-1(38)*
Lab Code:	S9600842-001	S9600842-002	S9600842-003
Date Analyzed:	5/30/96	5/30/96	5/30/96

Analyte	MRL	MW-8(47)	WGR-3(26)	MW-1(38)*
Chloromethane	10	ND	ND	<50
Vinyl Chloride	10	ND	ND	<50
Bromomethane	10	ND	ND	<50
Chloroethane	10	ND	ND	<50
Trichlorofluoromethane (CFC 11)	1	ND	ND	<5
Trichlorotrifluoroethane (CFC 113)	10	ND	ND	<50
1,1-Dichloroethene	1	ND	ND	<5
Acetone	20	ND	ND	<100
Carbon Disulfide	1	ND	ND	<5
Methylene Chloride	10	ND	ND	<50
trans-1,2-Dichloroethene	1	ND	ND	<5
cis-1,2-Dichloroethene	1	ND	ND	<5
2-Butanone (MEK)	10	ND	ND	<50
1,1-Dichloroethane	1	ND	ND	<5
Chloroform	1	ND	ND	<5
1,1,1-Trichloroethane (TCA)	1	ND	ND	<5
Carbon Tetrachloride	1	ND	ND	<5
Benzene	1	ND	ND	<5
1,2-Dichloroethane	1	ND	ND	<5
Vinyl Acetate	10	ND	ND	<50
Trichloroethene (TCE)	1	ND	ND	<5
1,2-Dichloropropane	1	ND	ND	<5
Bromodichloromethane	1	ND	ND	<5
2-Chloroethyl Vinyl Ether	10	ND	ND	<50
trans-1,3-Dichloropropene	1	ND	ND	<5
4-Methyl-2-pentanone (MIBK)	10	ND	ND	<50
2-Hexanone	10	ND	ND	<50
Toluene	1	ND	ND	<5
cis-1,3-Dichloropropene	1	ND	ND	<5
1,1,2-Trichloroethane	1	ND	ND	<5
Tetrachloroethene (PCE)	1	ND	ND	160
Dibromochloromethane	1	ND	ND	<5
Chlorobenzene	1	ND	ND	<5
Ethylbenzene	1	ND	ND	<5
Styrene	1	ND	ND	<5
Total Xylenes	5	ND	ND	<25
Bromoform	1	ND	ND	<5
1,1,2,2-Tetrachloroethane	1	ND	ND	<5
1,3-Dichlorobenzene	1	ND	ND	<5
1,4-Dichlorobenzene	1	ND	ND	<5
1,2-Dichlorobenzene	1	ND	ND	<5

* The MRL is elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

	Sample Name: Lab Code: Date Analyzed:	MW-5(46)* S9600842-004 5/30/96	RW-1(48) S9600842-005 5/30/96	MW-6(51)* S9600842-006 5/30/96
--	---	--------------------------------------	-------------------------------------	--------------------------------------

Analyte	MRL			
Chloromethane	10	<50	ND	<200
Vinyl Chloride	10	<50	ND	<200
Bromomethane	10	<50	ND	<200
Chloroethane	10	<50	ND	<200
Trichlorofluoromethane (CFC 11)	1	<5	ND	<20
Trichlorotrifluoroethane (CFC 113)	10	<50	ND	<200
1,1-Dichloroethene	1	<5	ND	<20
Acetone	20	<100	ND	<400
Carbon Disulfide	1	<5	ND	<20
Methylene Chloride	10	<50	ND	<200
trans-1,2-Dichloroethene	1	<5	ND	<20
cis-1,2-Dichloroethene	1	<5	ND	<20
2-Butanone (MEK)	10	<50	ND	<200
1,1-Dichloroethane	1	<5	ND	<20
Chloroform	1	<5	ND	<20
1,1,1-Trichloroethane (TCA)	1	<5	ND	<20
Carbon Tetrachloride	1	<5	ND	<20
Benzene	1	<5	ND	<20
1,2-Dichloroethane	1	<5	ND	<20
Vinyl Acetate	10	<50	ND	<200
Trichloroethene (TCE)	1	<5	ND	<20
1,2-Dichloropropane	1	<5	ND	<20
Bromodichloromethane	1	<5	ND	<20
2-Chloroethyl Vinyl Ether	10	<50	ND	<200
trans-1,3-Dichloropropene	1	<5	ND	<20
4-Methyl-2-pentanone (MIBK)	10	<50	ND	<200
2-Hexanone	10	<50	ND	<200
Toluene	1	<5	ND	<20
cis-1,3-Dichloropropene	1	<5	ND	<20
1,1,2-Trichloroethane	1	<5	ND	<20
Tetrachloroethene (PCE)	1	360	12	970
Dibromochloromethane	1	<5	ND	<20
Chlorobenzene	1	<5	ND	<20
Ethylbenzene	1	<5	ND	<20
Styrene	1	<5	ND	<20
Total Xylenes	5	<25	ND	<100
Bromoform	1	<5	ND	<20
1,1,2,2-Tetrachloroethane	1	<5	ND	<20
1,3-Dichlorobenzene	1	<5	ND	<20
1,4-Dichlorobenzene	1	<5	ND	<20
1,2-Dichlorobenzene	1	<5	ND	<20

* The MRL is elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name:	MW-3(38)*	MW-4(47)*	MW-2(25)
Lab Code:	S9600842-007	S9600842-008	S9600842-009
Date Analyzed:	5/30/96	5/30/96	5/30/96

Analyte **MRL**

Chloromethane	10	<200	<200	ND
Vinyl Chloride	10	<200	<200	ND
Bromomethane	10	<200	<200	ND
Chloroethane	10	<200	<200	ND
Trichlorofluoromethane (CFC 11)	1	<20	<20	ND
Trichlorotrifluoroethane (CFC 113)	10	<200	<200	ND
1,1-Dichloroethene	1	<20	<20	ND
Acetone	20	<400	<400	ND
Carbon Disulfide	1	<20	<20	ND
Methylene Chloride	10	<200	<200	ND
trans-1,2-Dichloroethene	1	<20	<20	ND
cis-1,2-Dichloroethene	1	<20	<20	ND
2-Butanone (MEK)	10	<200	<200	ND
1,1-Dichloroethane	1	<20	<20	ND
Chloroform	1	<20	<20	ND
1,1,1-Trichloroethane (TCA)	1	<20	<20	ND
Carbon Tetrachloride	1	<20	<20	ND
Benzene	1	<20	<20	44
1,2-Dichloroethane	1	<20	<20	ND
Vinyl Acetate	10	<200	<200	ND
Trichloroethene (TCE)	1	<20	<20	ND
1,2-Dichloropropane	1	<20	<20	ND
Bromodichloromethane	1	<20	<20	ND
2-Chloroethyl Vinyl Ether	10	<200	<200	ND
trans-1,3-Dichloropropene	1	<20	<20	ND
4-Methyl-2-pentanone (MIBK)	10	<200	<200	ND
2-Hexanone	10	<200	<200	ND
Toluene	1	<20	<20	ND
cis-1,3-Dichloropropene	1	<20	<20	ND
1,1,2-Trichloroethane	1	<20	<20	ND
Tetrachloroethene (PCE)	1	1700	2700	ND
Dibromochloromethane	1	<20	<20	ND
Chlorobenzene	1	<20	<20	ND
Ethylbenzene	1	<20	<20	22
Styrene	1	<20	<20	ND
Total Xylenes	5	<100	<100	62
Bromoform	1	<20	<20	ND
1,1,2,2-Tetrachloroethane	1	<20	<20	ND
1,3-Dichlorobenzene	1	<20	<20	ND
1,4-Dichlorobenzene	1	<20	<20	ND
1,2-Dichlorobenzene	1	<20	<20	ND

* The MRL is elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

Volatile Organic Compounds
 EPA Method 624
 Units: ug/L (ppb)

Sample Name:	MW-7(36)*	Method Blank
Lab Code:	S9600842-010	S960530-WB2
Date Analyzed:	5/30/96	5/30/96

Analyte	MRL
----------------	------------

Chloromethane	10	<100	ND
Vinyl Chloride	10	<100	ND
Bromomethane	10	<100	ND
Chloroethane	10	<100	ND
Trichlorofluoromethane (CFC 11)	1	<10	ND
Trichlorotrifluoroethane (CFC 113)	10	<100	ND
1,1-Dichloroethene	1	<10	ND
Acetone	20	<200	ND
Carbon Disulfide	1	<10	ND
Methylene Chloride	10	<100	ND
trans-1,2-Dichloroethene	1	<10	ND
cis-1,2-Dichloroethene	1	<10	ND
2-Butanone (MEK)	10	<100	ND
1,1-Dichloroethane	1	<10	ND
Chloroform	1	<10	ND
1,1,1-Trichloroethane (TCA)	1	<10	ND
Carbon Tetrachloride	1	<10	ND
Benzene	1	74	ND
1,2-Dichloroethane	1	<10	ND
Vinyl Acetate	10	<100	ND
Trichloroethene (TCE)	1	<10	ND
1,2-Dichloropropane	1	<10	ND
Bromodichloromethane	1	<10	ND
2-Chloroethyl Vinyl Ether	10	<100	ND
trans-1,3-Dichloropropene	1	<10	ND
4-Methyl-2-pentanone (MIBK)	10	<100	ND
2-Hexanone	10	<100	ND
Toluene	1	36	ND
cis-1,3-Dichloropropene	1	<10	ND
1,1,2-Trichloroethane	1	<10	ND
Tetrachloroethene (PCE)	1	<10	ND
Dibromochloromethane	1	<10	ND
Chlorobenzene	1	<10	ND
Ethylbenzene	1	340	ND
Styrene	1	<10	ND
Total Xylenes	5	1600	ND
Bromoform	1	<10	ND
1,1,2,2-Tetrachloroethane	1	<10	ND
1,3-Dichlorobenzene	1	<10	ND
1,4-Dichlorobenzene	1	<10	ND
1,2-Dichlorobenzene	1	<10	ND

* The MRL is elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-8(47)	WGR-3(26)	MW-1(38)
Lab Code:	S9600842-001	S9600842-002	S9600842-003
Date Analyzed:	6/5/96	6/5/96	6/5/96

Analyte	MRL			
TPH as Gasoline	50	ND	ND	ND
Benzene	0.5	ND	ND	ND
Toluene	0.5	ND	ND	ND
Ethylbenzene	0.5	ND	ND	ND
Total Xylenes	0.5	ND	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	5	20	ND

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-5(46)	RW-1(48)	MW-6(51)
Lab Code:	S9600842-004	S9600842-005	S9600842-006
Date Analyzed:	6/5/96	6/5/96	6/5/96

Analyte	MRL			
TPH as Gasoline	50	<100*	ND	<400*
Benzene	0.5	ND	ND	ND
Toluene	0.5	ND	ND	ND
Ethylbenzene	0.5	ND	ND	ND
Total Xylenes	0.5	ND	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	11	ND	ND

* Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range, quantified as gasoline. The chromatogram does not match the typical gasoline fingerprint.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-3(38)	MW-4(47)	MW-2(25)
Lab Code:	S9600842-007	S9600842-008	S9600842-009
Date Analyzed:	6/5-6/96	6/6/96	6/6/96

Analyte	MRL			
TPH as Gasoline	50	<600*	<900*	1,200
Benzene	0.5	ND	ND	48
Toluene	0.5	ND	ND	3
Ethylbenzene	0.5	ND	ND	28
Total Xylenes	0.5	ND	ND	75
Methyl <i>tert</i> -Butyl Ether	3	ND	<6**	87

* Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range, quantified as gasoline. The chromatogram does not match the typical gasoline fingerprint.

** Raised MRL due to matrix interference.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-7(36)	Method Blank	Method Blank
Lab Code:	S9600842-010	S960605-WB1	S960606-WB1
Date Analyzed:	6/6/96	6/5/96	6/6/96

Analyte **MRL**

TPH as Gasoline	50	50,000	ND	ND
Benzene	0.5	<100**	ND	ND
Toluene	0.5	100	ND	ND
Ethylbenzene	0.5	510	ND	ND
Total Xylenes	0.5	2,300	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	<500**	ND	ND

** Raised MRL due to high analyte concentration requiring sample dilution.

APPENDIX A

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 Oakland/#20805-120.006/TO#19350.00
LCS Matrix: Water

Service Request: L9602636
Date Collected: NA
Date Received: NA
Date Extracted: 6/3/96
Date Analyzed: 6/3/96

Laboratory Control Sample/Duplicate Laboratory Control Sample Summary

Total Recoverable Petroleum Hydrocarbons (TRPH)

EPA Method 418.1

Units: mg/L (ppm)

Analyte	True Value		Result		Percent Recovery		Relative Percent Difference
	LCS	DLCs	LCS	DLCs	LCS	DLCs	
TRPH	2.11	2.11	2.10	2.21	100	105	75-125 5

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 Oakland/#20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: L9602636
Date Collected: NA
Date Received: NA
Date Extracted: 6/3/96
Date Analyzed: 6/3/96

Matrix Spike/Duplicate Matrix Spike Summary
Total Recoverable Petroleum Hydrocarbons (TRPH)
EPA Method 418.1
Units: mg/L (ppm)

Sample Name: BATCH QC
Lab Code: L9602637-003

Analyte	Percent Recovery								Relative Percent Difference
	Spike Level		Sample Result	Spike Result		CAS Acceptance Limits			
	MS	DMS		MS	DMS	MS	DMS		
TRPH	2.00	2.00	1.29	2.20	2.50	46	60	45-155	13

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA
Date Analyzed: 5/30/96

Surrogate Recovery Summary
Volatile Organic Compounds
EPA Method 624

Sample Name	Lab Code	P e r c e n t R e c o v e r y		
		1,2-Dichloroethane-D ₄	Toluene-D ₈	4-Bromofluorobenzene
MW-8(47)	S9600842-001	113	97	96
WGR-3(26)	S9600842-002	112	100	98
MW-1(38)	S9600842-003	101	102	101
MW-5(46)	S9600842-004	104	100	99
RW-1(48)	S9600842-005	103	98	99
MW-6(51)	S9600842-006	104	100	98
MW-3(38)	S9600842-007	107	100	96
MW-4(47)	S9600842-008	106	101	99
MW-2(25)	S9600842-009	111	102	106
MW-7	S9600842-010	105	100	106
MW-5(46) (MS)	S9600842-004MS	105	102	97
MW-5(46) (DMS)	S9600842-004DMS	103	104	97
Method Blank	S960530-WB2	110	103	102

CAS Acceptance Limits: 76-114 88-110 86-115

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA
Date Analyzed: 5/30/96

Matrix Spike/Duplicate Matrix Spike Summary
Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name: MW-5(46)
Lab Code: S9600842-004

Analyte	Percent Recovery								Relative Percent Difference
	Spike Level		Sample Result	Spike Result				CAS Acceptance Limits	
	MS	DMS		MS	DMS	MS	DMS		
1,1-Dichloroethene	250	250	ND	240	230	96	92	61-145	4
Trichloroethene	250	250	ND	250	250	100	100	71-120	<1
Chlorobenzene	250	250	ND	240	240	96	96	75-130	<1
Toluene	250	250	ND	230	230	92	92	76-125	<1
Benzene	250	250	ND	230	230	92	92	76-127	<1

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00
Sample Matrix: Water

Service Request: S9600842
Date Collected: 5/28/96
Date Received: 5/28/96
Date Extracted: NA
Date Analyzed: 6/5-6/96

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method

Sample Name	Lab Code	PID Detector	FID Detector
		Percent Recovery	Percent Recovery
MW-8(47)	S9600842-001	95	96
WGR-3(26)	S9600842-002	100	104
MW-1(38)	S9600842-003	105	97
MW-5(46)	S9600842-004	101	104
RW-1(48)	S9600842-005	103	100
MW-6(51)	S9600842-006	101	99
MW-3(38)	S9600842-007	100	99
MW-4(47)	S9600842-008	99	102
MW-2(25)	S9600842-009	103	110
MW-7(36)	S9600842-010	99	111
MW-8 (47) (MS)	S9600842-001MS	105	102
MW-8 (47) (DMS)	S9600842-001DMS	102	102
Method Blank	S960605-WB1	100	99
Method Blank	S960606-WB1	107	96

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Matrix Spike/Duplicate Matrix Spike Summary

BTE

EPA Methods 5030/8020

Units: ug/L (ppb)

Sample Name: MW-8 (47)
Lab Code: S9600842-001

Analyte	Percent Recovery								Relative Percent Difference
	Spike Level		Sample Result	Spike Result		CAS Acceptance Limits			
	MS	DMS		MS	DMS	MS	DMS		
Benzene	25	25	ND	24.8	24.1	99	96	75-135	3
Toluene	25	25	ND	25.2	24.5	101	98	73-136	3
Ethylbenzene	25	25	ND	25.1	24.5	100	98	69-142	2

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.006/TO#19350.00

Service Request: S9600842
Date Analyzed: 6/5/96

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ppb

Analyte	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits
Benzene	25	25.2	101	85-115
Toluene	25	25.3	101	85-115
Ethylbenzene	25	25.3	101	85-115
Xylenes, Total	75	80.8	108	85-115
Gasoline	250	251	100	90-110
Methyl <i>tert</i> -Butyl Ether	50	45	90	85-115

ARCO Products Company 
Division of Atlantic Richfield Company

Task Order No. 19350.00

Chain of Custody

ARCO Facility no.	0276	City (Facility)	Oakland		Project manager (Consultant)	John Young		Laboratory name													
ARCO engineer	Mike Whelan	Telephone no. (ARCO)			Telephone no. (Consultant)	(408)453-7303	Fax no. (Consultant)	CAS													
Consultant name	EMCON	Address (Consultant)		1921 Ringwood Ave. San Jose, CA 95131				Contract number													
Sample I.D.	Lab no.	Container no.	Matrix		Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	RIE/TPH EPA 8030/2015	TPH Modified 8035 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418/SM503E	EPA 601/8010	EPA 624/2040 10/95/96	EPA 624/2040 10/95/96	TCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA	Semi-Metals EPA 8010/7000 TTLIC <input type="checkbox"/>	CAN Metals EPA 8010/7000 Lead Org/DHS <input type="checkbox"/>	Lead Org/DHS <input type="checkbox"/>	Method of shipment
			Soil	Water	Other	Ice			Acid												
MW-8(4)	1	4	X	X	HCL	5-28-96 1150		X					X	X							Special detection Limit/reporting
WGR-3(2)	2	4	X	X	HCL	1220		X					X	X							LOWEST Possible
MW-1(3)	3	4	X	X	HCL	1130		X					X	X							Special QA/QC
MW-5(4)	4	4	X	X	HCL	1307		X					X	X							As Normal
RW-1(4)	5	4	X	X	HCL	1204		X					X	X							Remarks
MW-6(5)	6	4	X	X	HCL	1355		X					X	X							4 - 40ml HCL VOAs (All Wells)
MW-3(3)	7	4	X	X	HCL	1245		X					X	X							Add: 2 - 1 liter HCL Glass (MW-4)
MW-4(7)	8	6	X	X	HCL	1315		X					X	X							#10805-120 006
MW-2(2)	9	4	X	X	HCL	1405		X					X	X							Lab number
MW-7(2)	10	4	X	X	HCL	1450	V	X					X	X							S9600842
Condition of sample: ok									Temperature received: Cool									Turnaround time			
Relinquished by sample			Date	Time	Received by						Priority Rush 1 Business Day	<input type="checkbox"/>									
Mike Whelan			5-28-96	1550							Rush 2 Business Days	<input type="checkbox"/>									
Relinquished by			Date	Time	Received by						Expedited 5 Business Days	<input type="checkbox"/>									
Relinquished by			Date	Time	Received by Laboratory	CAS		Date	Time	Received by		Standard 10 Business Days	<input checked="" type="checkbox"/>								
					Kay Kelly	CAS		5-28-96	1550												

APPENDIX C

SVE SYSTEM MONITORING DATA LOG SHEETS

10600 and 10700 MacArthur Boulevard
 SVE SYSTEM
 MONITORING DATA

Reporting Period:																												
Field Monitoring Data			Laboratory Monitoring Data																									
Reading Date & Time	Flow Rates			FID or PID Results			On-site Well Field Influent			Off-site Well Field Influent			System Influent			System Effluent			Destruction Efficiency	Gasoline Emission Rate	Benzene Emission Rate	Period Hours	Meter Hours	Hours of Operation	Days of Operation	Down Hours	Down Days	
	scfm	scfm	scfm	ppm	ppm	ppm	ppm	ppm	ppm	ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	%	ppd	ppd						
04/01/96 00:00	0.0	0.0	0.0																				1216 20	720.00	0.00	0.00	720.00	30.00
05/01/96 00:00																							1216 20					
Period Totals:																								720.00	0.00	0.00	720.00	30.00
Averages:																												

**10600 and 10700 MacArthur Boulevard
SVE SYSTEM
MONITORING DATA**

10600 and 10700 MacArthur Boulevard
SVE SYSTEM
MONITORING DATA

Reporting Period:											Hours in Period: 720.0		Operation + Down Hours: 720.0		Days in Period: 30.00		Operation + Down Days: 30.00																
Reading Date & Time	Field Monitoring Data						Laboratory Monitoring Data																										
	Flow Rates			FID or PID Results			On-site Well Field Influent		Off-site Well Field Influent		System Influent		Gasoline		Benzene		Gasoline		Benzene		Gasoline		Benzene		System Effluent		Destruction Efficiency		Gasoline Emission Rate		Benzene Emission Rate		
	scfm	scfm	scfm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	%	ppd	ppd	Period Hours	Meter Hours	Hours of Operation	Days of Operation	Down Hours	Down Days
06/01/96 00:00																																	
06/25/96 10:35	0.0	0.0	0.0																														
07/01/96 00:00	0.0	0.0	0.0																														
Period Totals:																											720.00	0.00	0.00	720.00	30.00		
Averages																																	

APPENDIX D

FIELD DATA SHEETS, OPERATION AND MAINTENANCE VISITS, SECOND QUARTER 1996

Remarks: Arrived on site at 1012 HRS For scheduled monthly maintenance System OFF upon arrival per John Young - Start Global unit FOR 15 min No tube points found on Global motor or Blower. unable to start Rotron Pre Blower motor No tube points found on Rotron Blower or motor. Running Global unit will not advance Total HR meter. Meter reads 1 Pre Blower HRS Only.

Bac= gate to site Broken unable to lock. Station manag. is aware.

Unscheduled site visit []

Scheduled site visit []

SYSTEM PARAMETERS (500 SCFM Gas-Fired ANGUIL Catalytic Oxidizer/ Serial # 01169107)

Arrival Time (24:00 hour)	1012	Effluent (6") E-1 Stack Temperature (°F)						
System Status (on or off)	OFF	Total Flow (scfm) (flow meter)	OFF					
Shutdown Time (24:00 hour)	1030	Fire Box Temperature (°F)						
Restart Time (24:00 hour)	1015	Set Point (°F)						
Reading Time (24:00 hour)	1035	TOTAL HOURS	01216.2					
ON SITE Well Field (4") I-1	OFF	CatOx (Amps)						
Vacuum (in. of H2O)		Blower (Amps)						
Velocity (ft/min)		Main (Amps)						
Temperature (°F)		Natural Gas (cf)						
OFF SITE Well Field (2") Off Site		AIR MONITORING						
Vacuum (in. of H2O)		FID (ppm) Date:	Amb	I-2	I-1	Off Site	E-1	
Velocity (ft/min)		(without carbon filter)						
Total Influent (After Blower) (3") I-2		(with carbon filter)						
Total Pressure (in. of H2O)		PID (ppm)	CAL GAS.					
Total Flow (in. of H2O)		Date:						
Temperature (°F)		Lab samples taken for analysis at:						
Total Vapor Condensate on site (gal)	0							

WELL FIELD

SVE WELL ID	Well Diameter	Screen Interval	DTFP (feet)	DTW (feet)	Valve Position (% open)	Vacuum (in. of H2O)	FID (ppm)	PID (ppm)	REMARKS
VW-1	4"	8'-18'							
VW-2	4"	8'-18'							
VW-3	4"	8'-18'							
VW-4	4"	9'-19'			OFF				MR
VW-5	4"	8'-18'							
VW-7	4"	7.5'-17.5'							
MW-2	2"	15'-25'							

Special Instructions:

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m³. Report O₂ and CO₂ in % by volume.



Project# 20805-120.006 Work Authorization # 19273

Operator: L.RAT11

Date: 6-25-96

ARCO 0276 Soil Vapor Extraction System

EMCON
ASSOCIATES

FIELD REPORT

FIELD SERVICES GROUP

PROJECT NO: 1775 202 01
 CLIENT NAME: ARCO 276
 LOCATION: Outcloud cut

DATE: 6-17-96
 NAME: L. RATH

SERVICES RENDERED

GROUND WATER WELLS: Sampling Development Maintenance/Repair Water-Level Survey

SOIL SAMPLING: Excavation Borings Stockpile

OTHER: _____

REMARKS: Arrived on site at 1033 hrs

MW-7 DTW = 20.1 TD = 36.6

New oxygen socks installed from 20' to 25' old socks
Placed in well MW-5 at 601 (ARCO) 6-17-96

MW-2 Old socks in well from 16' to 20'

DTW ~~18~~ 15.30 TD = 25.3 1-16-96

SIGNATURE.

Page ____ of ____