

**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

ENVIRON
PROJ
97 JUL -1

Date June 27, 1997
Project 20805-120.008

To:

Mr. Barney Chan
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harborbay Parkway, Suite 250
Alameda, California 94502-6577

We are enclosing:

Copies	Description
<u>1</u>	<u>First quarter 1997 groundwater monitoring report results and</u> <u>remediation system performance evaluations report, retail service</u> <u>station, 10600 MacArthur Boulevard, Oakland, CA</u>

For your:	Use	Sent by:	
<u>X</u>	Approval	<u>_____</u>	Regular Mail
<u> </u>	Review	<u>_____</u>	Standard Air
<u> </u>	Information	<u>_____</u>	Courier
<u> </u>		<u>X</u>	Other: <u>Cert. Mail</u>

Comments:

The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.

Valli Voruganti
Project Manager

cc: Kevin Graves, RWQCB - SFBR
Richard Gilcrease, Drake Builders
Kyle Christie, ARCO Products Company
Beth Dorris, ARCO Legal Department
File





Date: June 26, 1997

Re: ARCO Station #

10600 MacArthur Boulevard • Oakland, CA
First Quarter 1997 Groundwater Monitoring Results and
Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

Kyle Christie
Environmental Engineer



EMCON

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

June 26, 1997
Project 20805-120.008

Kyle Christie
ARCO Products Company
P.O. Box 5077
Buena Park, California 90622-5077

Re: First quarter 1997 groundwater monitoring program results and remediation system performance evaluation report, SVE system at retail service station, 10600 MacArthur Boulevard, Oakland, California

Dear Mr. Christie:

This letter presents the results of the first quarter 1997 groundwater monitoring program for the retail service station at 10600 MacArthur Boulevard, Oakland, California (Figure 1). Operation and performance data for the site's soil-vapor extraction (SVE) system are also presented. The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, such a finding should not therefore be construed as a guarantee of the absence of such conditions at the site, but rather as the result of the scope, limitations, and cost of work performed during the monitoring event.


Please call if you have questions.

Sincerely,

EMCON

Gowri Kowtha
Gowri Kowtha
Staff Engineer

Lynn Gallagher
Lynn Gallagher, R.G. #090
Project Manager



EMCON



June 26, 1997

ARCO QUARTERLY REPORT

Address: 10600 MacArthur Boulevard,	Oakland, California
EMCON Project No.:	20805-120.008
ARCO Environmental Engineer/Phone No.:	Kyle Christie /(714) 670-5303
EMCON Project Manager/Phone No.:	Valli Voruganti /(408) 453-7300
Primary Agency/Regulatory ID No.:	ACHCSA /Barney Chan
Reporting Period:	January 1, 1997 to April 1, 1997

WORK PERFORMED THIS QUARTER (First- 1997):

1. Conducted quarterly groundwater monitoring and sampling for first quarter 1997.
2. Stimulated natural biodegradation with oxygen releasing compounds (ORCs) in groundwater monitoring wells MW-2 and MW-7.
3. Prepared and submitted quarterly report for fourth quarter 1996.
4. Prepared and submitted risk-based corrective action (RBCA) evaluation.

WORK PROPOSED FOR NEXT QUARTER (Second- 1997):

1. Perform quarterly groundwater monitoring and sampling for second quarter 1997.
2. Continue monitoring dissolved oxygen in groundwater monitoring wells MW-2 and MW-7.
3. Prepare and submit quarterly report for first quarter 1997.
4. Request that this site be reviewed for closure.

QUARTERLY MONITORING:

Current Phase of Project:	Quarterly Groundwater Monitoring Stimulate natural biodegradation with ORCs. <u>SVE system was shut down on 3-26-96, due to high groundwater levels and low hydrocarbon concentrations in extracted soil vapors.</u>
Frequency of Sampling:	Quarterly (groundwater), Monthly (SVE)
Frequency of Monitoring:	Quarterly (groundwater), Monthly (SVE)
Is Floating Product (FP) Present On-site:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Cumulative FP Recovered to Date :	18.54 gallons, Wells MW-2 and MW-7
FP Recovered This Quarter :	None
Bulk Soil Removed to Date :	564 cubic yards of TPH-impacted soil
Bulk Soil Removed This Quarter :	None
Water Wells or Surface Waters, within 2000 ft., impacted by site:	None
Current Remediation Techniques:	SVE System and Enhanced Bioremediation
Average Depth to Groundwater:	22.42 feet
Groundwater Gradient (Average):	Flat Gradient

EMCON

SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:

Anguil Energy Systems Remedi-Cat, 500 cfm, Catalytic Oxidizer
For the period from September 6, 1990 through December 22, 1994,
please refer to *Fourth Quarter 1994 Groundwater Monitoring Results
and Remediation System Performance Evaluation Report*, (EMCON,
March 1995), for system operation before December 1994.

SVE system was shut down on 3-26-96, due to high groundwater levels
and low hydrocarbon concentrations in extracted soil vapors.

Operating Mode:

Catalytic Oxidation

BAAQMD Permit #, A/N:

5998

TPH Conc. End of Period (lab):

NA (Not Available)

Benzene Conc. End of Period (lab):

NA

Flowrate End of Period:

NA

HC Destroyed This Period:

0.0 pounds

HC Destroyed to Date:

7,801.1 pounds

Utility Usage

Electric (KWH):

0 KWH

Gas (Therms):

28 Therms

Operating Hours This Period:

0.0 hours

Percent Operational:

0.0%

Operating Hours to Date:

4282.8 hours

Unit Maintenance:

Routine monthly maintenance

Number of Auto Shut Downs:

0

Destruction Efficiency Permit

Requirement:

90%

Percent TPH Conversion:

NA

Stack Temperature:

NA

Source Flow:

0.0 scfm

Process Flow:

0.0 scfm

Source Vacuum:

0.0 inches of water

ATTACHED:

- Table 1 - Groundwater Monitoring Data, First Quarter 1997
- Table 2 - Historical Groundwater Elevation and Analytical Data,
Petroleum Hydrocarbons and Their Constituents
- Table 3 - Historical Groundwater Analytical Data, Volatile Organic Compounds
- Table 4 - Approximate Cumulative Floating Product Recovered
- Table 5 - Soil-Vapor Extraction System Operation and Performance Data
- Table 6 - Soil-Vapor Extraction Well Data
- Figure 1 - Site Location
- Figure 2 - TPHG and Benzene Concentrations in Groundwater, First Quarter 1997
- Figure 3 - Tetrachloroethene (PCE) Concentrations in Groundwater,
First Quarter 1997
- Figure 4 - Soil-Vapor Extraction and Treatment System, Historical Well Field Influent
TVHG and Benzene Concentrations
- Figure 5 - Soil-Vapor Extraction and Treatment System, Historical Hydrocarbon
Removal Rates

EMCON

- Appendix A - Analytical Results and Chain-of-Custody Documentation,
First Quarter 1997 Groundwater Monitoring Event
- Appendix B - SVE System Monitoring Data Log Sheets

cc: Barney Chan, ACHCSA
Kevin Graves, RWQCB-SFBR
Richard Gilcrease, Drake Builders
Beth Dorris, ARCO Legal Department

EMCON

Table 1
Groundwater Monitoring Data
First Quarter 1997

10600 and 10700 MacArthur Boulevard
Oakland, California

Date: 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
									ft-MSL	feet								
MW-1	03-26-97	55.92	24.90	31.02	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-2	03-26-97	55.10	15.73	39.37	ND	FG	FG	03-26-97	<2000 ^a	<20 ^a	<20 ^a	<20 ^a	<20 ^a	(1700)	(--)	--	--	
MW-3	03-26-97	56.55	25.36	31.19	ND	FG	FG	03-26-97	<500*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-4	03-26-97	55.98	24.80	31.18	ND	FG	FG	03-26-97	<800*	<1 ^a	<1 ^a	<1 ^a	<1 ^a	<10 ^a	--	<0.5	--	
MW-5	03-26-97	55.43	24.22	31.21	ND	FG	FG	03-26-97	<200*	<0.5	<0.5	<0.5	<0.5	20	--	--	--	
MW-6	03-26-97	61.21	30.15	31.06	ND	FG	FG	03-26-97	<400*	<0.5	<0.5	<0.5	<0.5	<5 ^a	--	--	--	
MW-7	03-26-97	58.22	19.67	38.55	ND	FG	FG	03-26-97	6400	60	25	160	300	190	--	--	--	
MW-8	03-26-97	53.65	22.42	31.23	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	44	--	--	--	
RW-1	03-26-97	56.32	25.15	31.17	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
WGR-3	03-26-97	NR	18.98	NR	ND	FG	FG	03-26-97	<200 ^a	<2 ^a	<2 ^a	<2 ^a	<2 ^a	240	--	--	--	

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

μg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

NR: not reported; data not available or not measurable

ND: none detected

FG: flat gradient; the groundwater gradient over the local area was nearly flat

--: not analyzed or not applicable

*: raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

^a: raised method reporting limit due to (1) matrix interference requiring sample dilution or (2) high analyte concentration

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHIG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 4181	TPHD LUFT Method
									ft-MSL	feet	ft-MSL	feet	MWN foot/foot	µg/L	µg/L			
MW-1	03-10-95	55.92	26.26	29.66	ND	NNE	0.003	03-10-95	<57*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	06-05-95	55.92	25.71	30.21	ND	FG	FG	06-05-95	<84*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	08-29-95	55.92	28.44	27.48	ND	FG	FG	08-29-95	<60*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	11-16-95	55.92	30.85	25.07	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	02-28-96	55.92	24.99	30.93	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	05-28-96	55.92	24.92	31.00	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	08-19-96	55.92	28.04	27.88	ND	FG	FG	08-19-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	11-21-96	55.92	30.19	25.73	ND	FG	FG	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	03-26-97	55.92	24.90	31.02	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-2	03-10-95	55.10	13.98	41.12	ND	NNE	0.003	03-11-95	2800	88	12	16	200	--	--	--	--	
MW-2	06-05-95	55.10	15.65	39.45	ND	FG	FG	06-05-95	1800	59	10	53	130	--	--	--	--	
MW-2	08-29-95	55.10	17.14	37.96	ND	FG	FG	08-29-95	4500	170	20	150	330	--	71	--	--	
MW-2	11-16-95	55.10	Not surveyed: well was inaccessible				11-16-95	Not surveyed well was inaccessible										
MW-2	02-28-96	55.10	12.46	42.64	ND	NNE	0.004	02-28-96	330	18	0.9	13	13	--	--	--	--	
MW-2	05-28-96	55.10	15.23	39.87	ND	FG	FG	05-28-96	1200	48	3	28	75	87	--	--	--	
MW-2	08-19-96	55.10	16.84	38.26	ND	FG	FG	08-21-96	880	45	1	15	31	80	--	--	--	
MW-2	11-21-96	55.10	15.44	39.66	ND	FG	FG	11-21-96	2200	45	3.4	9	140	44	--	--	--	
MW-2	03-26-97	55.10	15.73	39.37	ND	FG	FG	03-26-97	<2000^	<20^	<20^	<20^	<20^	1700	--	--	--	

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	TRPH	TPHD
										µg/L	EPA 8020	EPA 8020	µg/L	EPA 8020	EPA 8020	µg/L
MW-3	03-10-95	56.55	26.74	29.81	ND	NNE	0.003	03-11-95	<440*	<0.5	<0.5	<0.5	0.7	--	--	--
MW-3	06-05-95	56.55	26.34	30.21	ND	FG	FG	06-05-95	<970*	<1^	<1^	1.1	1.8	--	--	--
MW-3	08-29-95	56.55	29.15	27.40	ND	FG	FG	08-29-95	<700*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	11-16-95	56.55	31.50	25.05	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	02-28-96	56.55	25.32	31.23	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	05-28-96	56.55	25.46	31.09	ND	FG	FG	05-28-96	<600*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	08-19-96	56.55	28.71	27.84	ND	FG	FG	08-19-96	<400*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	11-21-96	56.55	30.85	25.70	ND	FG	FG	11-21-96	<300*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	03-26-97	56.55	25.36	31.19	ND	FG	FG	03-26-97	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-4	03-10-95	55.98	26.22	29.76	ND	NNE	0.003	03-11-95	<780*	<1^	<1^	<1^	1	--	--	<500
MW-4	06-05-95	55.98	25.79	30.19	ND	FG	FG	06-05-95	<1200*	<1^	<1^	<1^	<1^	--	--	600
MW-4	08-29-95	55.98	28.56	27.42	ND	FG	FG	08-29-95	<1100*	<1^	<1^	<1^	<1^	--	--	<20
MW-4	11-16-95	55.98	31.00	24.98	ND	SW	0.003	11-16-95	<900*	<0.5	<0.5	<0.5	<0.5	<6^	--	<0.5
MW-4	02-28-96	55.98	24.77	31.21	ND	NNE	0.004	02-28-96	<1000*	<1^	<1^	<1^	<1^	--	--	0.7
MW-4	05-28-96	55.98	24.91	31.07	ND	FG	FG	05-28-96	<900*	<0.5	<0.5	<0.5	<0.5	<6^	--	<0.5
MW-4	08-19-96	55.98	28.17	27.81	ND	FG	FG	08-19-96	<800*	<0.5	<0.5	<0.5	<0.5	<7^	--	0.8
MW-4	11-21-96	55.98	30.30	25.68	ND	FG	FG	11-21-96	<400*	<1^	<1^	<1^	<1^	<5^	--	<0.5
MW-4	03-26-97	55.98	24.80	31.18	ND	FG	FG	03-26-97	<800*	<1^	<1^	<1^	<1^	<10^	--	<0.5

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020		Toluene EPA 8020		Ethylbenzene EPA 8020		Total Xylenes EPA 8020		MTBE EPA 8240		TRPH EPA 4181		TPHD LUFT Method	
										ft-MSL	feet	ft-MSL	feet	MWN	foot/foot	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
MW-5	03-10-95	55.43	25.62	29.81	ND	NNE	0.003	03-10-95	<110*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-5	06-05-95	55.43	25.30	30.13	ND	FG	FG	06-05-95	<130*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-5	08-29-95	55.43	28.21	27.22	ND	FG	FG	08-29-95	<120*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-5	11-16-95	55.43	30.63	24.80	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<20^	--	--	--	--	--	--
MW-5	02-28-96	55.43	24.07	31.36	ND	NNE	0.004	02-28-96	<400*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-5	05-28-96	55.43	24.42	31.01	ND	FG	FG	05-28-96	<100*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	11	--	--	--	--	--
MW-5	08-19-96	55.43	27.82	27.61	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	29	--	--	--	--	--
MW-5	11-21-96	55.43	29.92	25.51	ND	FG	FG	11-21-96	<600*	<1^	<1^	<1^	<1^	<1^	<1^	<1^	<1^	<20^	--	--	--	--	--
MW-5	03-26-97	55.43	24.22	31.21	ND	FG	FG	03-26-97	<200*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	20	--	--	--	--	--
MW-6	03-10-95	61.21	31.54	29.67	ND	NNE	0.003	03-11-95	<390*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-6	06-05-95	61.21	31.15	30.06	ND	FG	FG	06-05-95	<750*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-6	08-29-95	61.21	34.03	27.18	ND	FG	FG	08-29-95	<600*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<20	--	--	--	--
MW-6	11-16-95	61.21	36.40	24.81	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-6	02-28-96	61.21	30.18	31.03	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-6	05-28-96	61.21	30.29	30.92	ND	FG	FG	05-28-96	<400*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-6	08-19-96	61.21	33.54	27.67	ND	FG	FG	08-19-96	<300*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-6	11-21-96	61.21	35.70	25.51	ND	FG	FG	11-21-96	<300*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-6	03-26-97	61.21	30.15	31.06	ND	FG	FG	03-26-97	<400*	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5^	--	--	--	--	--

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date. 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method														
										ft-MSL	feet	ft-MSL	feet	MWN foot/foot	µg/L	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
MW-7																Not sampled: floating product entered the well during purging							
MW-7	03-10-95	58.22	17.69	40.53	ND ^{^^}	NNE	0.003	03-11-95	36000	90	51	450	2000	--	--	--	--	--	<10	--	--	--	
MW-7	06-05-95	58.22	19.68	38.54	ND	FG	FG	06-05-95	86000	380	260	1100	5000	--	--	--	--	--	--	--	--	--	
MW-7	08-29-95	58.22	21.70	36.52	ND	FG	FG	08-29-95	1400000	610	590	7800	3300	<4000 [^]	--	--	--	--	--	--	--	--	
MW-7	11-16-95	58.22	23.02	35.20	ND	SW	0.003	11-16-95	29000	<20 [^]	<20 [^]	180	1000	--	--	--	--	--	--	--	--	--	
MW-7	02-28-96	58.22	16.54	41.68	ND	NNE	0.004	02-28-96	50000	<100 [^]	100	510	2300	<500 [^]	--	--	--	--	--	--	--	--	
MW-7	05-28-96	58.22	19.29	38.93	ND	FG	FG	05-28-96	45000	340	200	820	3400	<300 [^]	--	--	--	--	--	--	--	--	
MW-7	08-19-96	58.22	21.84	36.38	ND	FG	FG	08-21-96	41000	190	150	730	2900	<300 [^]	--	--	--	--	--	--	--	--	
MW-7	11-21-96	58.22	19.58	38.64	ND	FG	FG	11-21-96	6400	60	25	160	300	190	--	--	--	--	--	--	--	--	
MW-7	03-26-97	58.22	19.67	38.55	ND	FG	FG	03-26-97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8																							
MW-8	03-10-95	53.65	23.60	30.05	ND	NNE	0.003	03-10-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
MW-8	06-05-95	53.65	23.48	30.17	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
MW-8	08-29-95	53.65	26.44	27.21	ND	FG	FG	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	3	--	--	--	--	--	
MW-8	11-16-95	53.65	28.90	24.75	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6	9	--	--	--	--	--	--
MW-8	02-28-96	53.65	22.16	31.49	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
MW-8	05-28-96	53.65	22.62	31.03	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--	--	--	--
MW-8	08-19-96	53.65	26.70	26.95	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	18	--	--	--	--	--	--	--
MW-8	11-21-96	53.65	28.16	25.49	ND	FG	FG	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	19	--	--	--	--	--	--	--
MW-8	03-26-97	53.65	22.42	31.23	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	44	--	--	--	--	--	--	--

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418 I	TPHD LUFT Method
									ft-MSL	feet	ft-MSL	feet	MWN foot/foot	µg/L	µg/L			
RW-1	03-10-95	56.32	26.48	29.84	Sheen	NNE	0.003	03-10-95	<180*	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	06-05-95	56.32	26.20	30.12	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	08-29-95	56.32	28.98	27.34	ND	FG	FG	08-29-95	<200*	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	11-16-95	56.32	31.34	24.98	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	02-28-96	56.32	25.12	31.20	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	05-28-96	56.32	25.26	31.06	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	08-19-96	56.32	28.51	27.81	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	11-21-96	56.32	30.65	25.67	ND	FG	FG	11-21-96	<70*	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
RW-1	03-26-97	56.32	25.15	31.17	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
WGR-3	03-10-95	NR	15.20	NR	ND	NR	NR	03-11-95	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
WGR-3	06-05-95	NR	19.25	NR	ND	NR	NR	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
WGR-3	08-29-95	NR	21.41	NR	ND	NR	NR	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	-	10	-	-	
WGR-3	11-16-95	NR	22.50	NR	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	3	-	-	-	
WGR-3	02-28-96	NR	14.90	NR	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	1.5	1.6	-	-	-	-	
WGR-3	05-28-96	NR	18.33	NR	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	20	-	-	-	
WGR-3	08-19-96	NR	21.38	NR	ND	FG	FG	08-19-96	<50	<0.5	<0.5	<0.5	<0.5	17	-	-	-	
WGR-3	11-21-96	NR	18.70	NR	ND	FG	FG	11-21-96	<50	<0.5	<0.5	0.6	<0.5	10	-	-	-	
WGR-3	03-26-97	NR	18.98	NR	ND	FG	FG	03-26-97	<200^	<2^	<2^	<2^	<2^	240	-	-	-	

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1995-Present**

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date 06-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 4181	TPHD LUFT Method
		ft-MSL	feet	ft-MSL	feet	MWN	foot/foot		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

ND: none detected

NR: not reported; data not available or not measurable

SW: southwest

NNE: north-northeast

FG: flat gradient, the groundwater gradient over the local area was nearly flat

^: floating product entered the well during purging

*: raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

~: raised method reporting limit due to (1) matrix interference requiring sample dilution or (2) high analyte concentration

--: not analyzed or not applicable

**: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California, (EMCON, March 22, 1996)*.

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-1	03-10-95	170	<1	--	--	<1	<1	<1	<1	<5	
MW-1	06-05-95	210	<5	<1	--	<5	<5	<5	<5	<25	
MW-1	08-29-95	130	<1	<1	--	<1	<1	<1	<1	<5	
MW-1	11-16-95	45	<1	<1	--	<1	<1	<1	<1	<5	
MW-1	02-28-96	97	<1	<1	<1	<1	<1	<1	<1	<5	
MW-1	05-28-96	160	<5	<5	<1	<5	<5	<5	<5	<25	
MW-1	08-19-96	77	<1	<1	<1	<1	<1	<1	<1	<5	
MW-1	11-21-96	30	<1	<1	<1	<1	<1	<1	<1	<5	
MW-1	03-26-97	66	<1	<1	<1	<1	<1	<1	<1	<5	
MW-2	03-11-95	<1	<1	--	<1	--	110	12	15	240	
MW-2	06-05-95	<1	<1	--	<1	--	83	14	72	190	
MW-2	08-29-95	<5	<5	--	<5	--	220	26	210	450	
MW-2	11-16-95	Not surveyed well was inaccessible									
MW-2	02-28-96	<1	<1	<1	<1	--	18	<1	13	14	
MW-2	05-28-96	<1	<1	<1	<1	--	44	<1	22	62	
MW-2	08-21-96	<1	<1	<1	<1	--	49	<1	17	40	
MW-2	11-21-96	<1	<1	<1	<1	--	49	3	7	180	
MW-2	03-26-97	<10^	<10^	<10^	<10^	--	10	<10^	<10^	<50^	

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date, 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-3	03-11-95	1700	<10	--	<10	--	<10	<10	<10	<50	
MW-3	06-05-95	2500	<20	--	<20	--	<20	<20	<20	<100	
MW-3	08-29-95	1600	<20	--	<20	--	<20	<20	<20	<100	
MW-3	11-16-95	1100	<20	--	<20	<20	<20	<20	<20	<100	
MW-3	02-28-96	1100	<10	<10	<10	--	<10	<10	<10	<50	
MW-3	05-28-96	1700	<20	<20	<20	--	<20	<20	<20	<100	
MW-3	08-19-96	1200	<20	<20	<20	--	<20	<20	<20	<100	
MW-3	11-21-96	710	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^	
MW-3	03-26-97	710	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^	
MW-4	03-11-95	2600	<20	--	<20	--	<20	<20	<20	<100	
MW-4	06-05-95	3100	<20	--	<20	--	<20	<20	<20	<100	
MW-4	08-29-95	2900	<20	--	<20	--	<20	<20	<20	<100	
MW-4	11-16-95	2100	<20	--	<20	<20	<20	<20	<20	<100	
MW-4	02-28-96	2400	<20	<20	<20	--	<20	<20	<20	<100	
MW-4	05-28-96	2700	<20	<20	<20	--	<20	<20	<20	<100	
MW-4	08-19-96	2600	<20	<20	<20	--	<20	<20	<20	<100	
MW-4	11-21-96	1100	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^	
MW-4	03-26-97	1900	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^	

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-5	03-10-95	270	<5	--	<5	--	<5	<5	<5	<25	
MW-5	06-05-95	310	<5	--	<5	--	<5	<5	<5	<25	
MW-5	08-29-95	240	<5	--	<5	--	<5	<5	<5	<25	
MW-5	11-16-95	940	<5	--	<5	--	<5	<5	<5	<25	
MW-5	02-28-96	1100	<10	<10	<10	--	<10	<10	<10	<50	
MW-5	05-28-96	360	<5	<5	<5	--	<5	<5	<5	<25	
MW-5	08-21-96	150	<1	<1	2	--	<1	<1	<1	<5	
MW-5	11-21-96	1900	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^	
MW-5	03-26-97	270	<10^	<10^	<10^	--	<10^	<10^	<10^	<50^	
MW-6	03-11-95	1300	<20	--	<20	--	<20	<20	<20	<100	
MW-6	06-05-95	2000	<20	--	<20	--	<20	<20	<20	<100	
MW-6	08-29-95	1300	<20	--	<20	--	<20	<20	<20	<100	
MW-6	11-16-95	1300	<20	--	<20	<20	<20	<20	<20	<100	
MW-6	02-28-96	960	<20	<20	<20	--	<20	<20	<20	<100	
MW-6	05-28-96	970	<20	<20	<20	--	<20	<20	<20	<100	
MW-6	08-19-96	820	<20	<20	<20	--	<20	<20	<20	<100	
MW-6	11-21-96	680	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^	
MW-6	03-26-97	830	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^	

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-7	03-11-95	Not sampled floating product entered the well during purging									
MW-7	06-05-95	<10	<10	--	<10	--	86	27	420	1400	
MW-7	08-29-95	<10	<10	--	<10	--	410	230	1100	5000	
MW-7	11-16-95	<20	<20	--	<20	<20	360	220	1700	10000	
MW-7	02-28-96	<10	<10	<10	<10	--	<10	<10	87	760	
MW-7	05-28-96	<10	<10	<10	<10	--	74	36	340	1600	
MW-7	08-21-96	<1	<1	<1	<1	--	260	200	800	3200	
MW-7	11-21-96	<10^	<10^	<10^	<10^	--	180	120	640	2900	
MW-7	03-26-97	<20^	<20^	<20^	<20^	--	37	<20^	210	410	
MW-8	03-10-95	<1	<1	--	<1	--	<1	<1	<1	<5	
MW-8	06-05-95	<1	<1	--	<1	--	<1	<1	<1	<5	
MW-8	08-29-95	<1	<1	--	<1	--	<1	<1	<1	<5	
MW-8	11-16-95	<1	<1	--	<1	<1	<1	<1	<1	<5	
MW-8	02-28-96	3	<1	<1	<1	--	<1	<1	<1	<5	
MW-8	05-28-96	<1	<1	<1	<1	--	<1	<1	<1	<5	
MW-8	08-21-96	<1	<1	<1	<1	--	<1	<1	<1	<5	
MW-8	11-21-96	7	<1	<1	<1	--	<1	<1	<1	<5	
MW-8	03-26-97	<1	<1	<1	<1	--	<1	<1	<1	<5	

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
RW-1	03-10-95	260	<5	--	--	--	<5	<5	<5	<5	<25	
RW-1	06-05-95	59	<1	--	--	--	<1	<1	<1	<1	<5	
RW-1	08-29-95	570	<5	--	--	--	<5	<5	<5	<5	<25	
RW-1	11-16-95	140	<1	--	--	--	<1	<1	<1	<1	<5	
RW-1	02-28-96	6	<1	--	--	--	<1	<1	<1	<1	<5	
RW-1	05-28-96	12	<1	--	--	--	<1	<1	<1	<1	<5	
RW-1	08-21-96	100	<1	--	--	--	<1	<1	<1	<1	<5	
RW-1	11-21-96	190	1	--	--	--	<1	<1	<1	<1	<5	
RW-1	03-26-97	6	<1	--	--	--	<1	<1	<1	<1	<5	

Table 3
Historical Groundwater Analytical Data
Volatile Organic Compounds
1995-Present*

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date: 05-28-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
WGR-3	03-11-95	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	06-05-95	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	08-29-95	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	11-16-95	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	02-28-96	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	05-28-96	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	08-19-96	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	11-21-96	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	
WGR-3	03-26-97	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤1	≤5	

µg/L micrograms per liter

- - , not analyzed or not reported

^ method reporting limit was raised due to (1) high analyte concentration requiring sample dilution, or (2) matrix interference

* For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California, (EMCON, March 22, 1996)*

Table 4
Approximate Cumulative Floating Product Recovered

10600 and 10700 MacArthur Boulevard
 Oakland, California

Date. 05-28-97

Well Designation	Date	Floating Product Recovered gallons
MW-2 and MW-7	1991	18.15
MW-2 and MW-7	1992	0.39
MW-2 and MW-7	1993	0.00
MW-2 and MW-7	1994	0.00
MW-2 and MW-7	1995	0.00
MW-2 and MW-7	1996	0.00
MW-2 and MW-7	1997	0.00
1991 to 1997 Total		18.54

Table 5
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer			
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 04-01-97 System was shut down on 3-26-96.			
Date Begin:	09-06-90	12-22-94	01-01-95	02-01-95	03-01-95
Date End:	12-22-94	01-01-95	02-01-95	03-01-95	04-01-95
Mode of Oxidation:	Catalytic (14)	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	0.0	4.9	26.4	28.0	31.0
Days of Downtime	0.0	26.2	4.6	0.0	0.0
Average Vapor Concentrations (1)					
On-site WF Influent: ppmv (2) as gasoline	NA (15)	32	<15	<15	1.2
mg/m ³ (3) as gasoline	NA	116	<60	<60	4.4
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
Off-site WF Influent: ppmv as gasoline	NA	closed	closed	<15	1.4
mg/m ³ as gasoline	NA	closed	closed	<60	4.9
ppmv as benzene	NA	closed	closed	<0.1	<0.05
mg/m ³ as benzene	NA	closed	closed	<0.5	<0.16
System Influent: ppmv as gasoline	NA	32	<15	<15	<1.0
mg/m ³ as gasoline	NA	116	<60	<60	<3.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
System Effluent: ppmv as gasoline	NA	<15	<15	<15	1.3
mg/m ³ as gasoline	NA	<54	<60	<60	4.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m ³ as benzene	NA	<0.3	<0.5	<0.5	<0.16
Average On-site Well Field Flow Rate (4), scfm (5).	NA	81.6	53.7	62.0	71.3
Average Off-site Well Field Flow Rate (4), scfm:	NA	closed	closed	17.6	47.8
Average System Influent Flow Rate (4), scfm:	NA	81.6	53.7	79.6	119.1
Total Process Flow Rate, scfm:	NA	500.0	500.0	500.0	500.0
Average Destruction Efficiency (6), percent (7):	NA	53.4 (16)	NA	NA	NA
Average Emission Rates (8), pounds per day (9)					
Gasoline:	NA	0.40	0.29	0.43	0.05
Benzene:	NA	0.00	0.00	0.00	0.00
Operating Hours This Period:	NA	116.5	633.4	672.0	744.0
Operating Hours To Date	NA	116.5	749.9	1421.9	2165.9
Pounds/ Hour Removal Rate, as gasoline (10):	NA	0.035	0.012	0.018	0.004
Pounds Removed This Period, as gasoline (11):	NA	4.13	7.64	12.01	3.08
Pounds Removed To Date, as gasoline (12):	7665.5	7669.6	7677.3	7689.3	7692.4
Gallons Removed This Period, as gasoline (13):	NA	0.67	1.23	1.94	0.50
Gallons Removed To Date, as gasoline:	1236.4	1237.1	1238.3	1240.3	1240.8

Table 5
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer				
Consultant: EMCN 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 04-01-97 System was shut down on 3-26-96.				
Date Begin:	04-01-95	05-01-95	08-01-95	09-01-95	10-01-95	
Date End:	05-01-95	08-01-95	09-01-95	10-01-95	01-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic	
Days of Operation:	30.0	18.7	17.9	0.0	0.0	
Days of Downtime:	0.0	73.3	13.1	30.0	92.0	
Average Vapor Concentrations (1)						
On-site WF Influent: ppmv (2) as gasoline	<15	<15	95	NA	NA	
mg/m3 (3) as gasoline	<60	<60	350	NA	NA	
ppmv as benzene	<0.1	<0.1	1.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	3.6	NA	NA	
Off-site WF Influent: ppmv as gasoline	<15	<15	<15	NA	NA	
mg/m3 as gasoline	<60	<60	<60	NA	NA	
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	<0.5	NA	NA	
System Influent: ppmv as gasoline	<15	<15	93	NA	NA	
mg/m3 as gasoline	<60	<60	340	NA	NA	
ppmv as benzene	<0.1	<0.1	1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	3.3	NA	NA	
System Effluent: ppmv as gasoline	<15	<15	<15	NA	NA	
mg/m3 as gasoline	<60	<60	<60	NA	NA	
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	<0.5	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	74.5	79.6	83.5	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	37.1	33.6	34.2	0.0	0.0	
Average System Influent Flow Rate (4), scfm:	111.6	113.3	117.7	0.0	0.0	
Total Process Flow Rate, scfm:	500.0	500.0	500.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	NA	NA	82.4 (16)	NA	NA	
Average Emission Rates (8), pounds per day (9)						
Gasoline:	0.60	0.61	0.63	NA	NA	
Benzene:	0.01	0.01	0.01	NA	NA	
Operating Hours This Period:	720.0	447.9	428.8	0.0	0.0	
Operating Hours To Date:	2885.9	3333.8	3762.6	3762.6	3762.6	
Pounds/ Hour Removal Rate, as gasoline (10):	0.025	0.025	0.154	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	18.04	11.39	66.11	0.00	0.00	
Pounds Removed To Date, as gasoline (12):	7710.4	7721.8	7787.9	7787.9	7787.9	
Gallons Removed This Period, as gasoline (13):	2.91	1.84	10.66	0.00	0.00	
Gallons Removed To Date, as gasoline:	1243.7	1245.5	1256.2	1256.2	1256.2	

Table 5
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer				
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 04-01-97 System was shut down on 3-26-96.				
Date Begin:	01-01-96	02-01-96	03-01-96	04-01-96	07-01-96	
Date End:	02-01-96	03-01-96	04-01-96	07-01-96	10-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic	
Days of Operation:	12.8	1.5	7.4	0.0	0.0	
Days of Downtime:	18.2	27.5	23.6	91.0	92.0	
Average Vapor Concentrations (1)						
On-site WF Influent: ppmv (2) as gasoline	<15	NA	NA	NA	NA	
mg/m ³ (3) as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	NA	NA	
Off-site WF Influent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	NA	NA	
System Influent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	NA	NA	
System Effluent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m ³ as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m ³ as benzene	<0.5	NA	NA	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	174.1	178.4	178.4	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	17.2	19.4	19.4	0.0	0.0	
Average System Influent Flow Rate (4), scfm	191.3	197.8	197.8	0.0	0.0	
Total Process Flow Rate, scfm:	500.0	500.0	500.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	82.4 (16)	NA	NA	NA	NA	
Average Emission Rates (8), pounds per day (9)						
Gasoline:	1.03	NA	NA	NA	NA	
Benzene:	0.01	NA	NA	NA	NA	
Operating Hours This Period:	306.9	35.5	177.8	0.0	0.0	
Operating Hours To Date:	4069.5	4105.0	4282.8	4282.8	4282.8	
Pounds/ Hour Removal Rate, as gasoline (10):	0.043	0.000	0.000	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	13.18	0.00	0.00	0.00	0.00	
Pounds Removed To Date, as gasoline (12):	7801.1	7801.1	7801.1	7801.1	7801.1	
Gallons Removed This Period, as gasoline (13):	2.13	0.00	0.00	0.00	0.00	
Gallons Removed To Date, as gasoline:	1258.3	1258.3	1258.3	1258.3	1258.3	

Table 5
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 04-01-97 System was shut down on 3-26-96.
Date Begin:	10-01-96	01-01-97
Date End:	01-01-97	04-01-97
Mode of Oxidation:	Catalytic	Catalytic
Days of Operation:	0.0	0.0
Days of Downtime:	92.0	90.0
Average Vapor Concentrations (1)		
On-site WF Influent: ppmv (2) as gasoline	NA	NA
mg/m ³ (3) as gasoline	NA	NA
ppmv as benzene	NA	NA
mg/m ³ as benzene	NA	NA
Off-site WF Influent: ppmv as gasoline	NA	NA
mg/m ³ as gasoline	NA	NA
ppmv as benzene	NA	NA
mg/m ³ as benzene	NA	NA
System Influent: ppmv as gasoline	NA	NA
mg/m ³ as gasoline	NA	NA
ppmv as benzene	NA	NA
mg/m ³ as benzene	NA	NA
System Effluent: ppmv as gasoline	NA	NA
mg/m ³ as gasoline	NA	NA
ppmv as benzene	NA	NA
mg/m ³ as benzene	NA	NA
Average On-site Well Field Flow Rate (4), scfm (5).	0.0	0.0
Average Off-site Well Field Flow Rate (4), scfm:	0.0	0.0
Average System Influent Flow Rate (4), scfm:	0.0	0.0
Total Process Flow Rate, scfm:	0.0	0.0
Average Destruction Efficiency (6), percent (7)	NA	NA
Average Emission Rates (8), pounds per day (9)		
Gasoline	NA	NA
Benzene	NA	NA
Operating Hours This Period:	0.0	0.0
Operating Hours To Date:	4282.8	4282.8
Pounds/ Hour Removal Rate, as gasoline (10):	0.000	0.000
Pounds Removed This Period, as gasoline (11):	0.00	0.00
Pounds Removed To Date, as gasoline (12):	7801.1	7801.1
Gallons Removed This Period, as gasoline (13):	0.00	0.00
Gallons Removed To Date, as gasoline:	1258 3	1258.3

Table 5
Soil-Vapor Extraction System
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California	Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer
Consultant: EMCN 1921 Ringwood Avenue San Jose, California	Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 04-01-97 System was shut down on 3-26-96.
CURRENT REPORTING PERIOD:	01-01-97 to 04-01-97
DAYS / HOURS IN PERIOD:	90 2160.0
DAYS / HOURS OF OPERATION:	0 0.0
DAYS / HOURS OF DOWN TIME:	90 2160.0
PERCENT OPERATIONAL:	0.0 %
PERIOD POUNDS REMOVED:	0.0
PERIOD GALLONS REMOVED:	0.0
AVERAGE SYSTEM INFLOW RATE (scfm):	0.0

- 1 Average concentrations are based on discrete sample results reported during the month; refer to Appendix B for discrete sample results
- 2 ppmv parts per million by volume
3. mg/m³: milligrams per cubic meter
- 4 Average flow rates (time weighted average) are based on instantaneous flow rates recorded during the month; refer to Appendix B for instantaneous flow data
5. scfm: flow in standard cubic feet per minute at one atmosphere and 70 degrees Fahrenheit
6. Average destruction efficiencies are calculated using monthly average concentrations; refer to Appendix B for instantaneous destruction efficiency data.
7. destruction efficiency, percent = $\frac{(\text{system influent concentration (as gasoline in mg/m}^3) - \text{system effluent concentration (as gasoline in mg/m}^3)}{\text{system influent concentration (as gasoline in mg/m}^3)} \times 100$ percent
8. Average emission rates are calculated using monthly average concentrations and flow rates; refer to Appendix B for instantaneous emission rate data
9. emission rates (pounds per day) = system effluent concentration (as gasoline or benzene in mg/m³) x system influent flow rate (scfm) x 0.02832 m³/ft³ x 1440 minutes/day x 1 pound/454,000 mg
10. pounds/hour removal rate (as gasoline) = well field influent concentration (as gasoline in mg/m³) x well field influent flow rate (scfm) x 0.02832 m³/ft³ x 60 minutes/hour x 1 pound/454,000 mg
11. pounds removed this period (as gasoline) = pounds/hour removal rate x hours of operation
12. Pounds removed data for the period from September 6, 1990 through December 22, 1994, were reported by EVAX, PEG, and RESNA.
Please refer to *Fourth Quarter 1994 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, EMCN March 1995*, for additional data for system operation before December 1994
13. gallons removed this period (as gasoline) = pounds removed this period (as gasoline) x 0.1613 gallons/pound of gasoline
14. The existing catalytic oxidation unit was used as the off-gas abatement device for the site, with the exception of the period from September 6, 1990 to March 21, 1991, when EVAX used an internal combustion engine as the abatement device
15. NA: not analyzed, not available, or not applicable
16. Although the destruction efficiency appeared to be less than 90 percent, laboratory analytical results collected during this period indicate the effluent TVHG and benzene concentrations in off-gas discharged to the atmosphere were below laboratory detection limits, indicating compliance with BAAQMD discharge requirements.

Table 6
Soil-Vapor Extraction Well Data

10600 and 10700 MacArthur Boulevard
Oakland, California

Date 05-27-97
Project Number 0805-120.04

Date	Well Identification											
	VW-1			VW-2			VW-3			VW-4		
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response
		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O
12-22-94	open	<15 LAB	13.1	open	68 LAB	13.0	open	28 LAB	12.0	open	<15 LAB	13.1
01-17-95	closed	NA	NA	open	NA	NA	open	NA	NA	closed	NA	NA
02-16-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-27-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
05-24-95	System was shut down											
08-01-95	System was restarted											
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
08-23-95	System was shut down											
01-16-96	System was restarted											
01-16-96	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-26-96	System was shut down											

TVHG: concentration of total volatile hydrocarbons as gasoline
ppmv parts per million by volume
in-H₂O inches of water
open: open to the system
passive: open to the atmosphere
closed: closed to the system and atmosphere
NA: not analyzed or not measured
FID: TVHG concentration was measured with a portable flame ionization detector
LAB: TVHG concentration was analyzed in the laboratory
PID: TVHG concentration was measured with a portable photoionization detector

Table 6
Soil-Vapor Extraction Well Data


10600 and 10700 MacArthur Boulevard
Oakland, California

Date 05-27-97
Project Number. 0805-120.04

Date	Well Identification									
	VW-5			VW-7			MW-2			
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	
		ppmv	in-H ₂ O		ppmv	in-H ₂ O		ppmv	in-H ₂ O	
12-22-94	open	<15 LAB	13.0	open	<15 LAB	13.1	open	<15 LAB	7.0	-
01-17-95	closed	NA	NA	closed	NA	NA	open	NA	NA	
02-16-95	open	NA	NA	open	NA	NA	open	NA	NA	
03-27-95	open	NA	NA	open	NA	NA	open	NA	NA	
05-24-95	System was shut down									
08-01-95	System was restarted									
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA	
08-23-95	System was shut down									
01-16-96	System was restarted									
01-16-96	open	NA	NA	open	NA	NA	open	NA	NA	
03-26-96	System was shut down									

TVHG: concentration of total volatile hydrocarbons as gasoline
 ppmv: parts per million by volume
 in-H₂O: inches of water
 open: open to the system
 passive: open to the atmosphere
 closed: closed to the system and atmosphere
 NA: not analyzed or not measured
 FID: TVHG concentration was measured with a portable flame ionization detector
 LAB: TVHG concentration was analyzed in the laboratory
 PID: TVHG concentration was measured with a portable photoionization detector


EA-SANJOSE-CAD/DRAWINGS I:\020002\10600\10600 SITELOC.dwg Xrefs: <NONE>
Scale: 1 = 1.00 DimScale: 1 = 1.00 Date: 3/12/97 Date: 3/12/97 Time: 5:19 PM Operator: KAJ



Base map from USGS 7.5' Quad. Maps:
Oakland East and San Leandro, California.
Photorevised 1980.



0 2000 4000
SCALE IN FEET




EMCON

DATE APR. 1997
DWN KAJ
APP _____
REV _____
PROJECT NO.
805-120.008

FIGURE 1
10600 AND 10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

**QUARTERLY GROUNDWATER MONITORING
SITE LOCATION**



EXPLANATION


- Groundwater monitoring well
- Vapor extraction well
- Existing underground storage tank
- - - Former underground storage tank
- (38.55) Groundwater elevation (Ft.-MSL); measured 3/26/97
- 6400/60 TPHG concentration in groundwater (ug/L); sampled 3/26/97
- 6400/60 Benzene concentration in groundwater (ug/L); sampled 3/26/97
- * Raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE). The chromatogram does not match the typical gasoline fingerprint
- ** Raised method reporting limit due to matrix interference requiring sample dilution
- *** Raised method reporting limit due to high analyte concentration requiring sample dilution
- ND Not detected at or above the method reporting limit for TPHG (50 ug/L) or benzene (0.5 ug/L)
- NR Not recorded
- # Well screened in shallow water-bearing zone; not used in contouring
- Note Not contoured because of relatively flat gradient

DATE	MAY 1997
MAN	KMM
APL	_____
RT.	0
PROJECT NO	20805-120 008

FIGURE 2
 10600 AND 10700 MACARTHUR BLVD.
 QUARTERLY GROUNDWATER MONITORING
 OAKLAND, CALIFORNIA
 TPHG AND BENZENE CONCENTRATIONS
 IN GROUNDWATER - FIRST QUARTER 1997



Basic map modified from RESNA, 1993



EXPLANATION


- Groundwater monitoring well
- Vapor extraction well
- Existing underground storage tank
- Former underground storage tank
- PCE concentration in groundwater (ug/L); sampled 3/26/97
- ND Not detected at or above the method reporting limit for PCE (1 ug/L)
- # Well screened in shallow water-bearing zone.
- * Raised method reporting limit due to matrix interference

DATE	MAY 1997
OWN	KMV
AMP	
REV	0
PROJECT NO	20805-120 008

FIGURE 3
10600 AND 10700 MACARTHUR BLVD.
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA
TETRACHLOROETHENE (PCE) CONCENTRATIONS
IN GROUNDWATER - FIRST QUARTER 1997

Figure 4

10600 and 10700 MacArthur Boulevard
Soil-Vapor Extraction and Treatment System
Historical Well Field Influent TVHG and Benzene Concentrations




TVHG: total volatile hydrocarbons as gasoline
ppmv: parts per million by volume

esjb:0276\0276tdb.xls\SVE Model:ini
20805-120.008

Figure 5

10600 and 10700 MacArthur Boulevard
On-Site Soil-Vapor Extraction and Treatment System
Historical Hydrocarbon Removal Rates




Based on data from EVAX, PEG, and RESNA, approximately 7,666 pounds of hydrocarbon were removed between September 6, 1990 and December 22, 1994.

esj/h:\0276\0276tdb.xls\SVE Model:ini
20805-120.008

APPENDIX A

ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY DOCUMENTATION, FIRST QUARTER 1997 GROUNDWATER MONITORING EVENT



April 9, 1997

Service Request No.: S9700557

Mr. John Young
EMCON
1921 Ringwood Avenue
San Jose, CA 95131

RE: 276 OAKLAND/20805-120.008/TO#19350.00

Dear Mr. Young:

The following pages contain analytical results for sample(s) received by the laboratory on March 26, 1997. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 18, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

A handwritten signature in black ink, appearing to read "Steve Green".

Steven L. Green
Project Chemist

COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: EMCON
Project: 276 OAKLAND/#20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: L9701152
Date Collected: 3/26/97
Date Received: 3/27/97
Date Extracted: 4/2/97
Date Analyzed: 4/2/97

Total Recoverable Petroleum Hydrocarbons (TRPH)
EPA Method 418.1
Units: mg/L (ppm)

Sample Name	Lab Code	MRL	Result
MW-4 (46)	L9701152-001	0.5	ND
Method Blank	L970402-MB	0.5	ND

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name: Lab Code: Date Analyzed:	MW-1 (26) S9700557-001 4/2/97	MW-2 (12) S9700557-002 M1 4/1/97	MW-3 (27) S9700557-003 C1 4/1/97
---	--	---	---

Analyte	MRL	ND	<100	<400
Chloromethane	10	ND	<100	<400
Vinyl Chloride	10	ND	<100	<400
Bromomethane	10	ND	<100	<400
Chloroethane	10	ND	<100	<400
Trichlorofluoromethane (CFC 11)	1	ND	<10	<40
Trichlorotrifluoroethane (CFC 113)	10	ND	<100	<400
1,1-Dichloroethene	1	ND	<10	<40
Acetone	20	ND	<200	<800
Carbon Disulfide	1	ND	<10	<40
Methylene Chloride	10	ND	<100	<400
trans-1,2-Dichloroethene	1	ND	<10	<40
cis-1,2-Dichloroethene	1	ND	<10	<40
2-Butanone (MEK)	10	ND	<100	<400
1,1-Dichloroethane	1	ND	<10	<40
Chloroform	1	ND	<10	<40
1,1,1-Trichloroethane (TCA)	1	ND	<10	<40
Carbon Tetrachloride	1	ND	<10	<40
Benzene	1	ND	10	<40
1,2-Dichloroethane	1	ND	<10	<40
Vinyl Acetate	10	ND	<100	<400
Trichloroethene (TCE)	1	ND	<10	<40
1,2-Dichloropropane	1	ND	<10	<40
Bromodichloromethane	1	ND	<10	<40
2-Chloroethyl Vinyl Ether	10	ND	<100	<400
trans-1,3-Dichloropropene	1	ND	<10	<40
4-Methyl-2-pentanone (MIBK)	10	ND	<100	<400
2-Hexanone	10	ND	<100	<400
Toluene	1	ND	<10	<40
cis-1,3-Dichloropropene	1	ND	<10	<40
1,1,2-Trichloroethane	1	ND	<10	<40
Tetrachloroethene (PCE)	1	66	<10	710
Dibromochloromethane	1	ND	<10	<40
Chlorobenzene	1	ND	<10	<40
Ethylbenzene	1	ND	<10	<40
Styrene	1	ND	<10	<40
Total Xylenes	5	ND	<50	<200
Bromoform	1	ND	<10	<40
1,1,2,2-Tetrachloroethane	1	ND	<10	<40
1,3-Dichlorobenzene	1	ND	<10	<40
1,4-Dichlorobenzene	1	ND	<10	<40
1,2-Dichlorobenzene	1	ND	<10	<40

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.
M1 The MRL was elevated because of matrix interferences.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name:	MW-4 (46)	MW-5 (45)	MW-6 (51)
Lab Code:	S9700557-004 C1	S9700557-005 C1	S9700557-006 C1
Date Analyzed:	4/2/97	4/2/97	4/2/97

Analyte	MRL	MW-4 (46)	MW-5 (45)	MW-6 (51)
Chloromethane	10	<400	<100	<400
Vinyl Chloride	10	<400	<100	<400
Bromomethane	10	<400	<100	<400
Chloroethane	10	<400	<100	<400
Trichlorofluoromethane (CFC 11)	1	<40	<10	<40
Trichlorotrifluoroethane (CFC 113)	10	<400	<100	<400
1,1-Dichloroethene	1	<40	<10	<40
Acetone	20	<800	<200	<800
Carbon Disulfide	1	<40	<10	<40
Methylene Chloride	10	<400	<100	<400
trans-1,2-Dichloroethene	1	<40	<10	<40
cis-1,2-Dichloroethene	1	<40	<10	<40
2-Butanone (MEK)	10	<400	<100	<400
1,1-Dichloroethane	1	<40	<10	<40
Chloroform	1	<40	<10	<40
1,1,1-Trichloroethane (TCA)	1	<40	<10	<40
Carbon Tetrachloride	1	<40	<10	<40
Benzene	1	<40	<10	<40
1,2-Dichloroethane	1	<40	<10	<40
Vinyl Acetate	10	<400	<100	<400
Trichloroethene (TCE)	1	<40	<10	<40
1,2-Dichloropropane	1	<40	<10	<40
Bromodichloromethane	1	<40	<10	<40
2-Chloroethyl Vinyl Ether	10	<400	<100	<400
trans-1,3-Dichloropropene	1	<40	<10	<40
4-Methyl-2-pentanone (MIBK)	10	<400	<100	<400
2-Hexanone	10	<400	<100	<400
Toluene	1	<40	<10	<40
cis-1,3-Dichloropropene	1	<40	<10	<40
1,1,2-Trichloroethane	1	<40	<10	<40
Tetrachloroethene (PCE)	1	1900	270	830
Dibromochloromethane	1	<40	<10	<40
Chlorobenzene	1	<40	<10	<40
Ethylbenzene	1	<40	<10	<40
Styrene	1	<40	<10	<40
Total Xylenes	5	<200	<50	<200
Bromoform	1	<40	<10	<40
1,1,2,2-Tetrachloroethane	1	<40	<10	<40
1,3-Dichlorobenzene	1	<40	<10	<40
1,4-Dichlorobenzene	1	<40	<10	<40
1,2-Dichlorobenzene	1	<40	<10	<40

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

Sample Name: Lab Code: Date Analyzed:	MW-7 (21) S9700557-007 C1 4/2/97	MW-8 (46) S9700557-008 4/1/97	RW-1 (46) S9700557-009 4/1/97
---	---	--	--

Analyte	MRL	<200	ND	ND
Chloromethane	10	<200	ND	ND
Vinyl Chloride	10	<200	ND	ND
Bromomethane	10	<200	ND	ND
Chloroethane	10	<200	ND	ND
Trichlorofluoromethane (CFC 11)	1	<20	ND	ND
Trichlorotrifluoroethane (CFC 113)	10	<200	ND	ND
1,1-Dichloroethene	1	<20	ND	ND
Acetone	20	<400	ND	ND
Carbon Disulfide	1	<20	ND	ND
Methylene Chloride	10	<200	ND	ND
trans-1,2-Dichloroethene	1	<20	ND	ND
cis-1,2-Dichloroethene	1	<20	ND	ND
2-Butanone (MEK)	10	<200	ND	ND
1,1-Dichloroethane	1	<20	ND	ND
Chloroform	1	<20	ND	ND
1,1,1-Trichloroethane (TCA)	1	<20	ND	ND
Carbon Tetrachloride	1	<20	ND	ND
Benzene	1	37	ND	ND
1,2-Dichloroethane	1	<20	ND	ND
Vinyl Acetate	10	<200	ND	ND
Trichloroethene (TCE)	1	<20	ND	ND
1,2-Dichloropropane	1	<20	ND	ND
Bromodichloromethane	1	<20	ND	ND
2-Chloroethyl Vinyl Ether	10	<200	ND	ND
trans-1,3-Dichloropropene	1	<20	ND	ND
4-Methyl-2-pentanone (MIBK)	10	<200	ND	ND
2-Hexanone	10	<200	ND	ND
Toluene	1	<20	ND	ND
cis-1,3-Dichloropropene	1	<20	ND	ND
1,1,2-Trichloroethane	1	<20	ND	ND
Tetrachloroethene (PCE)	1	<20	ND	6
Dibromochloromethane	1	<20	ND	ND
Chlorobenzene	1	<20	ND	ND
Ethylbenzene	1	210	ND	ND
Styrene	1	<20	ND	ND
Total Xylenes	5	410	ND	ND
Bromoform	1	<20	ND	ND
1,1,2,2-Tetrachloroethane	1	<20	ND	ND
1,3-Dichlorobenzene	1	<20	ND	ND
1,4-Dichlorobenzene	1	<20	ND	ND
1,2-Dichlorobenzene	1	<20	ND	ND

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

Volatile Organic Compounds
EPA Method 624
Units: ug/L (ppb)

	Sample Name: WGR-3 (27) Lab Code: S9700557-010 Date Analyzed: 4/1/97	Method Blank S970401-WB1 4/1/97	Method Blank S970402-WB1 4/2/97
Analyte	MRL		
Chloromethane	10	ND	ND
Vinyl Chloride	10	ND	ND
Bromomethane	10	ND	ND
Chloroethane	10	ND	ND
Trichlorofluoromethane (CFC 11)	1	ND	ND
Trichlorotrifluoroethane (CFC 113)	10	ND	ND
1,1-Dichloroethene	1	ND	ND
Acetone	20	ND	ND
Carbon Disulfide	1	ND	ND
Methylene Chloride	10	ND	ND
trans-1,2-Dichloroethene	1	ND	ND
cis-1,2-Dichloroethene	1	ND	ND
2-Butanone (MEK)	10	ND	ND
1,1-Dichloroethane	1	ND	ND
Chloroform	1	ND	ND
1,1,1-Trichloroethane (TCA)	1	ND	ND
Carbon Tetrachloride	1	ND	ND
Benzene	1	ND	ND
1,2-Dichloroethane	1	ND	ND
Vinyl Acetate	10	ND	ND
Trichloroethene (TCE)	1	ND	ND
1,2-Dichloropropane	1	ND	ND
Bromodichloromethane	1	ND	ND
2-Chloroethyl Vinyl Ether	10	ND	ND
trans-1,3-Dichloropropene	1	ND	ND
4-Methyl-2-pentanone (MIBK)	10	ND	ND
2-Hexanone	10	ND	ND
Toluene	1	ND	ND
cis-1,3-Dichloropropene	1	ND	ND
1,1,2-Trichloroethane	1	ND	ND
Tetrachloroethene (PCE)	1	ND	ND
Dibromochloromethane	1	ND	ND
Chlorobenzene	1	ND	ND
Ethylbenzene	1	ND	ND
Styrene	1	ND	ND
Total Xylenes	5	ND	ND
Bromoform	1	ND	ND
1,1,2,2-Tetrachloroethane	1	ND	ND
1,3-Dichlorobenzene	1	ND	ND
1,4-Dichlorobenzene	1	ND	ND
1,2-Dichlorobenzene	1	ND	ND

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-1 (26)	MW-2 (12)	MW-3 (27)
Lab Code:	S9700557-001	S9700557-002	S9700557-003
Date Analyzed:	4/5/97	4/7/97	4/6/97

Analyte	MRL			
TPH as Gasoline	50	ND	<2000 C1	<500 G2
Benzene	0.5	ND	<20 C1	ND
Toluene	0.5	ND	<20 C1	ND
Ethylbenzene	0.5	ND	<20 C1	ND
Total Xylenes	0.5	ND	<20 C1	ND
Methyl <i>tert</i> -Butyl Ether	3	ND	1700	ND

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.
G2 The sample contains a single non-fuel component eluting in the gasoline range, and quantitated as gasoline. The chromatogram does not match the typical gasoline fingerprint.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-4 (46)	MW-5 (45)	MW-6 (51)
Lab Code:	S9700557-004	S9700557-005	S9700557-006
Date Analyzed:	4/6/97	4/7/97	4/6/97

Analyte	MRL			
TPH as Gasoline	50	<800 G2	<200 G2	<400 G2
Benzene	0.5	<1 M1	ND	ND
Toluene	0.5	<1 M1	ND	ND
Ethylbenzene	0.5	<1 M1	ND	ND
Total Xylenes	0.5	<1 M1	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	<10 M1	20	<5 M1

G2 The sample contains a single non-fuel component eluting in the gasoline range, and quantitated as gasoline. The chromatogram does not match the typical gasoline fingerprint.
M1 The MRL was elevated because of matrix interferences.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

	Sample Name:	MW-7 (21)	MW-8 (46)	RW-1 (46)
	Lab Code:	S9700557-007	S9700557-008	S9700557-009
	Date Analyzed:	4/7/97	4/6/97	4/6/97

Analyte	MRL			
TPH as Gasoline	50	6400	ND	ND
Benzene	0.5	60	ND	ND
Toluene	0.5	25	ND	ND
Ethylbenzene	0.5	160	ND	ND
Total Xylenes	0.5	300	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	190	44	ND

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	WGR-3 (27)	Method Blank	Method Blank
Lab Code:	S9700557-010	2970405-WB2	2970407-WB2
Date Analyzed:	4/7/97	4/5/97	4/7/97

Analyte	MRL			
TPH as Gasoline	50	<200 C1	ND	ND
Benzene	0.5	<2 C1	ND	ND
Toluene	0.5	<2 C1	ND	ND
Ethylbenzene	0.5	<2 C1	ND	ND
Total Xylenes	0.5	<2 C1	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	240	ND	ND

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

APPENDIX A

COLUMBIA ANALYTICAL SERVICES, INC.**QA/QC Report**

Client: EMCON
Project: 276 OAKLAND/#20805-120.008/TO#19350.00
LCS Matrix: Water

Service Request: L9701152
Date Collected: NA
Date Received: NA
Date Extracted: 4/2/97
Date Analyzed: 4/2/97

Laboratory Control Sample/Duplicate Laboratory Control Sample Summary***Total Recoverable Petroleum Hydrocarbons (TRPH)**

EPA Method 418.1

Units: mg/L (ppm)

Analyte	Percent Recovery						Relative Percent Difference
	True Value		Result		CAS Acceptance Limits		
	LCS	DLCS	LCS	DLCS	LCS	DLCS	
TRPH	1.96	1.96	1.75	1.75	89	89	75-125 <1

* Sample quantity was insufficient to perform matrix spike and matrix spike duplicate. Three separate, replicate one liter samples are required to analyze sample and spikes.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
Volatile Organic Compounds
EPA Method 624

Sample Name	Lab Code	P e r c e n t R e c o v e r y		
		Pentafluorobenzene	Toluene-D₈	4-Bromofluorobenzene
MW-1 (26)	S9700557-001	104	102	96
MW-2 (12)	S9700557-002	103	99	97
MW-3 (27)	S9700557-003	102	102	92
MW-4 (46)	S9700557-004	102	100	102
MW-5 (45)	S9700557-005	102	95	91
MW-6 (51)	S9700557-006	102	101	95
MW-7 (21)	S9700557-007	102	99	102
MW-8 (46)	S9700557-008	104	100	100
RW-1 (46)	S9700557-009	101	100	102
WGR-3 (27)	S9700557-010	101	97	96
MW-1 (26) MS	S9700557-001MS	102	99	95
MW-1 (26) DMS	S9700557-001DMS	99	98	97
Method Blank	S970401-WB1	102	99	95
Method Blank	S970402-WB1	99	98	97

CAS Acceptance Limits: 76-114 88-110 86-115

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA
Date Analyzed: 4/1/97

Matrix Spike/Duplicate Matrix Spike Summary
Volatile Organic Compounds

EPA Method 624
Units: ug/L (ppb)

Sample Name: MW-1 (26)
Lab Code: S9700557-001MS, DMS

Analyte	Percent Recovery								Relative Percent Difference
	Spike Level		Sample Result	Spike Result		CAS Acceptance Limits			
	MS	DMS		MS	DMS	MS	DMS		
1,1-Dichloroethene	100	100	ND	120	120	120	120	61-145	<1
Trichloroethene	100	100	ND	100	100	100	100	71-120	<1
Chlorobenzene	100	100	ND	92	100	92	100	75-130	8
Toluene	100	100	ND	103	100	103	100	76-125	3
Benzene	100	100	ND	110	110	110	110	76-127	<1

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method

Sample Name	Lab Code	PID Detector	FID Detector
		Percent Recovery	Percent Recovery
MW-1 (26)	S9700557-001	92	93
MW-2 (12)	S9700557-002	92	92
MW-3 (27)	S9700557-003	98	106
MW-4 (46)	S9700557-004	101	102
MW-5 (45)	S9700557-005	98	95
MW-6 (51)	S9700557-006	93	99
MW-7 (21)	S9700557-007	93	111 B1
MW-8 (46)	S9700557-008	89	90
RW-1 (46)	S9700557-009	98	92
WGR-3 (27)	S9700557-010	92	92
Batch QC (MS)	S9700556-007MS	94	115
Batch QC (DMS)	S9700556-007DMS	97	111
Method Blank	S970405-WB2	90	101
Method Blank	S970407-WB2	92	96

CAS Acceptance Limits: 69-116 69-116

B1 The surrogate used for this sample was 4-Bromofluorobenzene.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00
Sample Matrix: Water

Service Request: S9700557
Date Collected: 3/26/97
Date Received: 3/26/97
Date Extracted: NA
Date Analyzed: 4/5/97

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline
EPA Methods 5030/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name: Batch QC
Lab Code: S9700556-007MS, DMS

Analyte	Percent Recovery								Relative Percent Difference
	Spike Level		Sample Result	Spike Result				Acceptance Limits	
	MS	DMS		MS	DMS	MS	DMS		
Gasoline	2500	2500	1300	4100	4000	112	108	67-121	2

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 276 OAKLAND/20805-120.008/TO#19350.00

Service Request: S9700557
Date Analyzed: 4/5/97

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ppb

Analyte	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits
Benzene	25	25	100	85-115
Toluene	25	25	100	85-115
Ethylbenzene	25	24	96	85-115
Xylenes, Total	75	73	97	85-115
Gasoline	250	270	108	90-110
Methyl <i>tert</i> -Butyl Ether	25	23	92	85-115

ARCO Products Company 
Division of Atlantic Richfield Company

Task Order No. 19350.00

Chain of Custody

ARCO Facility no.	276	City (Facility)	Oakland	Project manager (Consultant)	John Young	Laboratory name
ARCO engineer	Paul Supple	Telephone no. (ARCO)	—	Telephone no. (Consultant)	(408) 453-7300	Fax no. (Consultant)
Consultant name	EMCON	Address (Consultant)	1921 Ringwood Ave			Contract number

Sample I.D.	Lab no.	Container no.	Matrix		Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	TPEL 7725 e EPA M602/8020/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 41B /SAMS3E	EPA 8018/010	EPA 624/0240	EPA 625/8270	TCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA	Semi Metals <input type="checkbox"/> STLC <input type="checkbox"/>	CAM Metals EPA 601/8700 TLC <input type="checkbox"/>	Lead OIG/DIS <input type="checkbox"/>	Lead EPA 7420/7421 <input type="checkbox"/>
			Soil	Water	Other	Ice			Soil	Water	Other	Ice	Acid								
MW-1(26)	1	4	X		X	X	3/26/97	1133	X					X							
MW-2(21)	2	1						1256													
MW-3(27)	3	2						1155													
MW-4(46)	4	6						1225						X	X						
MW-5(45)	5	4						1308													
MW-6(51)	6							1445													
MW-7(21)	7							1225													
MW-8(46)	8							1215													
MW-1(46)	9							1154													
WGR-3(27)	10							1255													

Condition of sample:	ok	Temperature received:	cool		
Relinquished by sampler	Date 3-26-97	Time 1500	Received by Ronald Balon		
Relinquished by	Date	Time	Received by		
Relinquished by	Date	Time	Received by laboratory	Date 3/26/97	Time 1500

- Laboratory name
CAS
- Contract number
- Method of shipment
Samples will deliver
- Special detection
Limit/reporting
Lowest possible
- Special QA/QC
AS normal
- Remarks
4-40 ml vials (441)
- Lab number
Lab # 59700557
- Turnaround time
20805-120.00 P
- Priority Rush
1 Business Day
- Rush
2 Business Days
- Expedited
5 Business Days
- Standard
10 Business Days

APPENDIX B

SVE SYSTEM MONITORING DATA LOG SHEETS

**10600 and 10700 MacArthur Boulevard
SVE SYSTEM
MONITORING DATA**

Reporting Period			Hours in Period			Operation + Down Hours			Days in Period			Operation + Down Days										
01/01/97 00:00			744.0			744.0			31.00			31.00										
Reading Date & Time	Field Monitoring Data						Laboratory Monitoring Data						Period Hours	Meter Hours	Hours of Operation	Days of Operation	Down Hours	Down Days				
	On-site Well Field Flow Rate	Off-site Well Field Flow Rate	System Influent Flow Rate	On-site Well Field	Off-site Well Field	System Influent	System Effluent	System Efficiency	Laboratory Sample Time	Gasoline	Benzene	Gasoline	Benzene	Gasoline	Benzene	Gasoline	Benzene	Destruction Efficiency	Gasoline Emission Rate	Benzene Emission Rate		
	scfm	scfm	scfm	ppm	ppm	ppm	ppm	%		ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppd	ppd	
01/01/97 00:00																		1216.20				
01/27/97 13:00	0.0	0.0	0.0															637.00	1216.20	0.00	0.00	
02/01/97 00:00	0.0	0.0	0.0															107.00	1216.20	0.00	0.00	
Period Totals																		744.00	0.00	0.00	744.00	31.00
Averages																		0.0	0.00	0.00	0.00	0.00

10600 and 10700 MacArthur Boulevard
 SVE SYSTEM
 MONITORING DATA

Reporting Period											Hours in Period: 672 0		Operation + Down Hours 672 0		Days in Period 28 00		Operation + Down Days 28 00									
Reading Date & Time	Field Monitoring Data						Laboratory Monitoring Data								Destruction Efficiency		Gasoline Emission Rate		Benzene Emission Rate							
	Flow Rates			FID or PID Results			On-site Well Field Influent		Off-site Well Field Influent		System Influent		System Effluent		Destruction Efficiency		Period Hours		Meter Hours		Hours of Operation					
	On-site Well Field Flow Rate scfm	Off-site Well Field Flow Rate scfm	System Influent Flow Rate scfm	On-site Well Field ppm	Off-site Well Field ppm	System Influent ppm	System Effluent ppm	Destruction Efficiency %	Laboratory Sample Time	Gasoline	Benzene	Gasoline	Benzene	Gasoline	Benzene	Gasoline	Benzene	Period Hours	Meter Hours	Days of Operation	Down Hours	Down Days				
02/01/97 00 00	0 0	0 0	0 0							ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	ppmv	mg/m ³	%	ppd	ppd				
02/17/97 11 24	0 0	0 0	0 0																	1216 20	395 40	1216 20	0 00	0 00	395 40	16 47
03/01/97 00 00	0 0	0 0	0 0																	276 60	1216 20	0 00	0 00	276 60	11 53	
Period Totals																			672 00	0 00	0 00	672 00	28 00			
Averages																										

**10600 and 10700 MacArthur Boulevard
SVE SYSTEM
MONITORING DATA**