

**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

ENVIRONMETRIC TECHNOLOGY

97 SEP 16 AM 9:41

Date September 30, 1997  
Project 20805-120.008

To:

Mr. Barney Chan  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harborbay Parkway, Suite 250  
Alameda, California 94502-6577

We are enclosing:

Copies	Description
<u>1</u>	<u>Second quarter 1997 groundwater monitoring report results and remediation system performance evaluations report, retail service station 0276, 10600 MacArthur Boulevard, Oakland, CA</u>
<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>

For your:	Use	Sent by:		Regular Mail
<u>X</u>	<u>Approval</u>	<u>          </u>	<u>          </u>	<u>Standard Air</u>
<u>          </u>	<u>Review</u>	<u>          </u>	<u>          </u>	<u>Courier</u>
<u>          </u>	<u>Information</u>	<u>          </u>	<u>X</u>	<u>Other: Cert. Mail</u>

## Comments:


The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.



Gary P. Messerotes  
Project Manager

cc: Kevin Graves, RWQCB - SFBR  
Richard Gilcrease, Drake Builders  
Kyle Christie, ARCO Products Company  
Beth Dorris, ARCO Legal Department  
File





Date: September 30, 1997

Re: ARCO Station # 0276 • 10600 MacArthur Boulevard • Oakland, CA  
Second Quarter 1997 Groundwater Monitoring Results  
and Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

Kyle Christie  
Environmental Engineer



**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

August 29, 1997  
Project 20805-120.008

Kyle Christie  
ARCO Products Company  
P.O. Box 5077  
Buena Park, California 90622-5077

Re: Second quarter 1997 groundwater monitoring program results and remediation system performance evaluation report, SVE system at retail service station # 0276, 10600 MacArthur Boulevard, Oakland, California

Dear Mr. Christie:

This letter presents the results of the second quarter 1997 groundwater monitoring program for the retail service station # 0276 at 10600 MacArthur Boulevard, Oakland, California (Figure 1). Operation and performance data for the site's soil-vapor extraction (SVE) system are also presented. The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.


## LIMITATIONS



No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope, and limitations, of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

EMCON

  
for Gowri Kowtha  
Staff Engineer

  
  
Gary P. Messerotes, R.G. 5650  
Project Manager

**EMCON**



August 29, 1997

## ARCO QUARTERLY REPORT

Station No.: <u>276</u>	Address: 10600 MacArthur Boulevard Oakland, California
EMCON Project No.:	<u>20805-120.008</u>
ARCO Environmental Engineer/Phone No.:	<u>Kyle Christie /(714) 670-5303</u>
EMCON Project Manager/Phone No.:	<u>Gary P. Messerotes /(408) 453-7300</u>
Primary Agency/Regulatory ID No.:	<u>ACHCSA /Barney Chan</u>
Reporting Period:	<u>April 1, 1997 to July 1, 1997</u>

### WORK PERFORMED THIS QUARTER (Second- 1997):

1. Prepared and submitted quarterly report for first quarter 1997.
2. Conducted quarterly groundwater monitoring and sampling for second quarter 1997.
3. Stimulated natural biodegradation with oxygen releasing compounds (ORCs) in groundwater monitoring wells MW-2 and MW-7.

### WORK PROPOSED FOR NEXT QUARTER (Third- 1997):

1. Prepare and submit quarterly report for second quarter 1997.
2. Perform quarterly groundwater monitoring and sampling for third quarter 1997.
3. Continue monitoring dissolved oxygen in groundwater monitoring wells MW-2 and MW-7.
4. Request that this site be reviewed for closure.

### QUARTERLY MONITORING:

Current Phase of Project:	Quarterly Groundwater Monitoring Stimulate natural biodegradation with ORCs. <u>SVE system was shut down on 3-26-96, due to high groundwater levels and low hydrocarbon concentrations in extracted soil vapors.</u>
Frequency of Sampling:	<u>Quarterly (groundwater), Monthly (SVE)</u>
Frequency of Monitoring:	<u>Quarterly (groundwater), Monthly (SVE)</u>
Is Floating Product (FP) Present On-site:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Cumulative FP Recovered to Date :	<u>18.54 gallons, Wells MW-2 and MW-7</u>
FP Recovered This Quarter :	<u>None</u>
Bulk Soil Removed to Date :	<u>564 cubic yards of TPH-impacted soil</u>
Bulk Soil Removed This Quarter :	<u>None</u>
Water Wells or Surface Waters, within 2000 ft., impacted by site:	<u>None</u>
Current Remediation Techniques:	<u>SVE System and Enhanced Bioremediation</u>
Average Depth to Groundwater:	<u>24.84 feet</u>
Groundwater Gradient (Average):	<u>Flat Gradient</u>

**EMCON**

## SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:

Anguil Energy Systems Remedi-Cat, 500 cfm, Catalytic Oxidizer

For the period from September 6, 1990 through December 22, 1994, please refer to *Fourth Quarter 1994 Groundwater Monitoring Results and Remediation System Performance Evaluation Report*, (EMCON, March 1995), for system operation before December 1994.

SVE system was shut down on 3-26-96, due to high groundwater levels and low hydrocarbon concentrations in extracted soil vapors.

Operating Mode:

Catalytic Oxidation

BAAQMD Permit #, A/N:

5998

TPH Conc. End of Period (lab):

NA (Not Available)

Benzene Conc. End of Period (lab):

NA

Flowrate End of Period:

NA

HC Destroyed This Period:

0.0 pounds

HC Destroyed to Date:

7,801.1 pounds

Utility Usage

Electric (KWH):

0 KWH

Gas (Therms):

25 Therms

Operating Hours This Period:

0.0 hours

Percent Operational:

0.0%

Operating Hours to Date:

4282.8 hours

Unit Maintenance:

Routine monthly maintenance

Number of Auto Shut Downs:

0

Destruction Efficiency Permit

Requirement:

90%

Percent TPH Conversion:

NA

Stack Temperature:

NA

Source Flow:

0.0 scfm

Process Flow:

0.0 scfm

Source Vacuum:

0.0 inches of water

### ATTACHED:

- Table 1 - Groundwater Monitoring Data, Second Quarter 1997
- Table 2 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 3 - Historical Groundwater Analytical Data, Volatile Organic Compounds
- Table 4 - Approximate Cumulative Floating Product Recovered
- Table 5 - Soil-Vapor Extraction System Operation and Performance Data
- Table 6 - Soil-Vapor Extraction Well Data
- Figure 1 - Site Location
- Figure 2 - TPHG and Benzene Concentrations in Groundwater, Second Quarter 1997
- Figure 3 - Tetrachloroethene (PCE) Concentrations in Groundwater, Second Quarter 1997
- Figure 4 - Soil-Vapor Extraction and Treatment System, Historical Well Field Influent TVHG and Benzene Concentrations
- Figure 5 - Soil-Vapor Extraction and Treatment System, Historical Hydrocarbon Removal Rates

**EMCON**

- Appendix A - Analytical Results and Chain-of-Custody Documentation,  
Second Quarter 1997 Groundwater Monitoring Event
- Appendix B - SVE System Monitoring Data Log Sheets

cc: Barney Chan, ACHCSA  
Kevin Graves, RWQCB-SFBR  
Richard Gilcrease, Drake Builders  
Beth Dorris, ARCO Legal Department

---

**EMCON**

Table 1  
Groundwater Monitoring Data  
Second Quarter 1997

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method
									ft-MSL	feet								
MW-1	05-20-97	55.92	26.99	28.93	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-2	05-20-97	55.10	16.07	39.03	ND	FG	FG	05-20-97	<1000 <sup>a</sup>	<10 <sup>a</sup>	<10 <sup>a</sup>	<10 <sup>a</sup>	<10 <sup>a</sup>	1400	--	--	--	
MW-3	05-20-97	56.55	27.61	28.94	ND	FG	FG	05-20-97	<300*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-4	05-20-97	55.98	27.03	28.95	ND	FG	FG	05-20-97	<500*	<1 <sup>a</sup>	<1 <sup>a</sup>	<1 <sup>a</sup>	<1 <sup>a</sup>	<6 <sup>a</sup>	--	0.6	--	
MW-5	05-20-97	55.43	26.60	28.83	ND	FG	FG	05-20-97	<200*	<0.5	<0.5	<0.5	<0.5	26	--	--	--	
MW-6	05-20-97	61.21	32.40	28.81	ND	FG	FG	05-20-97	<200*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
MW-7	05-20-97	58.22	20.18	38.04	ND	FG	FG	05-20-97	13000	110	56	590	1800	720	--	--	--	
MW-8	05-20-97	53.65	24.84	28.81	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	21	--	--	--	
RW-1	05-20-97	56.32	27.44	28.88	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
WGR-3	05-20-97	NR	19.70	NR	ND	FG	FG	05-20-97	<100 <sup>a</sup>	<1 <sup>a</sup>	<1 <sup>a</sup>	<1 <sup>a</sup>	<1 <sup>a</sup>	130	--	--	--	

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/R: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

μg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

NR: not reported; data not available or not measurable

ND: none detected

FG: flat gradient, the groundwater gradient over the local area was nearly flat

-: not analyzed or not applicable

\*: raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

<sup>a</sup>: raised method reporting limit due to (1) matrix interference requiring sample dilution or (2) high analyte concentration

**Table 2**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995-Present\*\***

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Flooding Product Thickness feet	Groundwater Flow Direction MWN foot/foot	Hydraulic Gradient	Water Sample Field Date	TPH <sub>G</sub> LUFT Method		Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPRH EPA 4181 µg/L	TPHD LUFT Method µg/L
									µg/L	µg/L								
MW-1	03-10-95	55.92	26.26	29.66	ND	NNE	0.003	03-10-95	<57*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	06-05-95	55.92	25.71	30.21	ND	FG	FG	06-05-95	<84*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	08-29-95	55.92	28.44	27.48	ND	FG	FG	08-29-95	<60*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	11-16-95	55.92	30.85	25.07	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	02-28-96	55.92	24.99	30.93	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	05-28-96	55.92	24.92	31.00	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	08-19-96	55.92	28.04	27.88	ND	FG	FG	08-19-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	11-21-96	55.92	30.19	25.73	ND	FG	FG	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	03-26-97	55.92	24.90	31.02	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-1	05-20-97	55.92	26.99	28.93	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-2	03-10-95	55.10	13.98	41.12	ND	NNE	0.003	03-11-95	2800	88	12	16	200	--	--	--	--	
MW-2	06-05-95	55.10	15.65	39.45	ND	FG	FG	06-05-95	1800	59	10	53	130	--	--	--	--	
MW-2	08-29-95	55.10	17.14	37.96	ND	FG	FG	08-29-95	4500	170	20	150	330	--	71	--	--	
MW-2	11-16-95	55.10	Not surveyed: well was inaccessible			NNE	0.003	11-16-95	Not surveyed		well was inaccessible							
MW-2	02-28-96	55.10	12.46	42.64	ND	NNE	0.004	02-28-96	330	18	0.9	13	13	--	--	--	--	
MW-2	05-28-96	55.10	15.23	39.87	ND	FG	FG	05-28-96	1200	48	3	28	75	87	--	--	--	
MW-2	08-19-96	55.10	16.84	38.26	ND	FG	FG	08-21-96	880	45	1	15	31	80	--	--	--	
MW-2	11-21-96	55.10	15.44	39.66	ND	FG	FG	11-21-96	2200	45	3.4	9	140	44	--	--	--	
MW-2	03-26-97	55.10	15.73	39.37	ND	FG	FG	03-26-97	<2000^	<20^	<20^	<20^	<20^	1700	--	--	--	
MW-2	05-20-97	55.10	16.07	39.03	ND	FG	FG	05-20-97	<1000^	<10^	<10^	<10^	<10^	1400	--	--	--	

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995-Present\*\*

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TRPH	TPHD
										µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	03-10-95	56.55	26.74	29.81	ND	NNE	0.003	03-11-95	<440*	<0.5	<0.5	<0.5	0.7	--	--	--	--
MW-3	06-05-95	56.55	26.34	30.21	ND	FG	FG	06-05-95	<970*	<1^	<1^	1.1	1.8	--	--	--	--
MW-3	08-29-95	56.55	29.15	27.40	ND	FG	FG	08-29-95	<700*	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-3	11-16-95	56.55	31.50	25.05	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	--	<20	--	--
MW-3	02-28-96	56.55	25.32	31.23	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
MW-3	05-28-96	56.55	25.46	31.09	ND	FG	FG	05-28-96	<600*	<0.5	<0.5	<0.5	<0.5	--	--	--	--
MW-3	08-19-96	56.55	28.71	27.84	ND	FG	FG	08-19-96	<400*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
MW-3	11-21-96	56.55	30.85	25.70	ND	FG	FG	11-21-96	<300*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
MW-3	03-26-97	56.55	25.36	31.19	ND	FG	FG	03-26-97	<500*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
MW-3	05-20-97	56.55	27.61	28.94	ND	FG	FG	05-20-97	<300*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--
MW-4	03-10-95	55.98	26.22	29.76	ND	NNE	0.003	03-11-95	<780*	<1^	<1^	<1^	1	--	--	<500	--
MW-4	06-05-95	55.98	25.79	30.19	ND	FG	FG	06-05-95	<1200*	<1^	<1^	<1^	<1^	--	--	600	--
MW-4	08-29-95	55.98	28.56	27.42	ND	FG	FG	08-29-95	<1100*	<1^	<1^	<1^	<1^	--	<20	--	--
MW-4	11-16-95	55.98	31.00	24.98	ND	SW	0.003	11-16-95	<900*	<0.5	<0.5	<0.5	<0.5	<6^	--	<0.5	--
MW-4	02-28-96	55.98	24.77	31.21	ND	NNE	0.004	02-28-96	<1000*	<1^	<1^	<1^	<1^	--	--	0.7	--
MW-4	05-28-96	55.98	24.91	31.07	ND	FG	FG	05-28-96	<900*	<0.5	<0.5	<0.5	<0.5	<6^	--	<0.5	--
MW-4	08-19-96	55.98	28.17	27.81	ND	FG	FG	08-19-96	<800*	<0.5	<0.5	<0.5	<0.5	<6^	--	<0.5	--
MW-4	11-21-96	55.98	30.30	25.68	ND	FG	FG	11-21-96	<400*	<1^	<1^	<1^	<1^	<7^	--	0.8	--
MW-4	03-26-97	55.98	24.80	31.18	ND	FG	FG	03-26-97	<800*	<1^	<1^	<1^	<1^	<5^	--	<0.5	--
MW-4	05-20-97	55.98	27.03	28.95	ND	FG	FG	05-20-97	<500*	<1^	<1^	<1^	<1^	<10^	--	<0.5	--
															0.6	--	

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995-Present\*\*

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 4181	TPHD LUFT Method
									ft-MSL	feet	ft-MSL	feet	MWN	foot/foot	μg/L	μg/L	μg/L
MW-5	03-10-95	55.43	25.62	29.81	ND	NNE	0.003	03-10-95	<110*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-5	06-05-95	55.43	25.30	30.13	ND	FG	FG	06-05-95	<130*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-5	08-29-95	55.43	28.21	27.22	ND	FG	FG	08-29-95	<120*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-5	11-16-95	55.43	30.63	24.80	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-5	02-28-96	55.43	24.07	31.36	ND	NNE	0.004	02-28-96	<400*	<0.5	<0.5	<0.5	<0.5	<20^	--	--	
MW-5	05-28-96	55.43	24.42	31.01	ND	FG	FG	05-28-96	<100*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-5	08-19-96	55.43	27.82	27.61	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	11	--	--	
MW-5	11-21-96	55.43	29.92	25.51	ND	FG	FG	11-21-96	<600*	<1^	<1^	<1^	<1^	29	--	--	
MW-5	03-26-97	55.43	24.22	31.21	ND	FG	FG	03-26-97	<200*	<0.5	<0.5	<0.5	<0.5	20	--	--	
MW-5	05-20-97	55.43	26.60	28.83	ND	FG	FG	05-20-97	<200*	<0.5	<0.5	<0.5	<0.5	26	--	--	
MW-6	03-10-95	61.21	31.54	29.67	ND	NNE	0.003	03-11-95	<390*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	06-05-95	61.21	31.15	30.06	ND	FG	FG	06-05-95	<750*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	08-29-95	61.21	34.03	27.18	ND	FG	FG	08-29-95	<600*	<0.5	<0.5	<0.5	<0.5	<20	--	--	
MW-6	11-16-95	61.21	36.40	24.81	ND	SW	0.003	11-16-95	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	02-28-96	61.21	30.18	31.03	ND	NNE	0.004	02-28-96	<500*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	05-28-96	61.21	30.29	30.92	ND	FG	FG	05-28-96	<400*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	08-19-96	61.21	33.54	27.67	ND	FG	FG	08-19-96	<300*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	11-21-96	61.21	35.70	25.51	ND	FG	FG	11-21-96	<300*	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	03-26-97	61.21	30.15	31.06	ND	FG	FG	03-26-97	<400*	<0.5	<0.5	<0.5	<0.5	<5^	--	--	
MW-6	05-20-97	61.21	32.40	28.81	ND	FG	FG	05-20-97	<200*	<0.5	<0.5	<0.5	<0.5	<3	--	--	

**Table 2**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995-Present\*\***

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date, 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPH/G LUFT Method	Benzene EPA 8020		Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRIH EPA 418.1	TPHD LUFT Method
										ft-MSL	feet							
MW-7	03-10-95	58.22	17 69	40.53	ND^^	NNE	0.003	03-11-95	Not sampled	floating product entered the well during purging		--	--	--	--	--	--	
MW-7	06-05-95	58.22	19 68	38.54	ND	FG	FG	06-05-95	36000	90	51	450	2000	--	--	--	--	
MW-7	08-29-95	58.22	21.70	36 52	ND	FG	FG	08-29-95	86000	380	260	1100	5000	--	<10	--	--	
MW-7	11-16-95	58.22	23 02	35 20	ND	SW	0 003	11-16-95	1400000	610	590	7800	3300	<4000^	--	--	--	
MW-7	02-28-96	58.22	16.54	41.68	ND	NNE	0 004	02-28-96	29000	<20^	<20^	180	1000	--	--	--	--	
MW-7	05-28-96	58.22	19.29	38.93	ND	FG	FG	05-28-96	50000	<100^	100	510	2300	<500^	--	--	--	
MW-7	08-19-96	58.22	21 84	36.38	ND	FG	FG	08-21-96	45000	340	200	820	3400	<300^	--	--	--	
MW-7	11-21-96	58.22	19 58	38.64	ND	FG	FG	11-21-96	41000	190	150	730	2900	<300^	--	--	--	
MW-7	03-26-97	58.22	19 67	38 55	ND	FG	FG	03-26-97	6400	60	25	160	300	190	--	--	--	
MW-7	05-20-97	58.22	20.18	38.04	ND	FG	FG	05-20-97	13000	110	56	590	1800	720	--	--	--	
MW-8	03-10-95	53.65	23.60	30.05	ND	NNE	0 003	03-10-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	06-05-95	53.65	23.48	30.17	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	08-29-95	53.65	26.44	27.21	ND	FG	FG	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	11-16-95	53.65	28.90	24.75	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	--	3	--	--	
MW-8	02-28-96	53.65	22.16	31.49	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	6	9	--	--	
MW-8	05-28-96	53.65	22.62	31 03	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
MW-8	08-19-96	53.65	26.70	26 95	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	5	--	--	--	
MW-8	11-21-96	53.65	28.16	25 49	ND	FG	FG	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	18	--	--	--	
MW-8	03-26-97	53.65	22.42	31.23	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	19	--	--	--	
MW-8	05-20-97	53.65	24.84	28.81	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	44	--	--	--	
														21	--	--	--	

**Table 2**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995-Present\*\***

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water ft-MSL	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN foot/foot	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method		Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TRPH EPA 418.1 µg/L	TPHD LUFT Method µg/L
									µg/L	µg/L								
RW-1	03-10-95	56.32	26.48	29.84	Sheen	NNE	0.003	03-10-95	<180*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
RW-1	06-05-95	56.32	26.20	30.12	ND	FG	FG	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
RW-1	08-29-95	56.32	28.98	27.34	ND	FG	FG	08-29-95	<200*	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
RW-1	11-16-95	56.32	31.34	24.98	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
RW-1	02-28-96	56.32	25.12	31.20	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
RW-1	05-28-96	56.32	25.26	31.06	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
RW-1	08-19-96	56.32	28.51	27.81	ND	FG	FG	08-21-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
RW-1	11-21-96	56.32	30.65	25.67	ND	FG	FG	11-21-96	<70*	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
RW-1	03-26-97	56.32	25.15	31.17	ND	FG	FG	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
RW-1	05-20-97	56.32	27.44	28.83	ND	FG	FG	05-20-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	
WGR-3	03-10-95	NR	15.20	NR	ND	NR	NR	03-11-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
WGR-3	06-05-95	NR	19.25	NR	ND	NR	NR	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
WGR-3	08-29-95	NR	21.41	NR	ND	NR	NR	08-29-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
WGR-3	11-16-95	NR	22.50	NR	ND	SW	0.003	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	--	10	--	--	
WGR-3	02-28-96	NR	14.90	NR	ND	NNE	0.004	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	3	--	--	--	
WGR-3	05-28-96	NR	18.33	NR	ND	FG	FG	05-28-96	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
WGR-3	08-19-96	NR	21.38	NR	ND	FG	FG	08-19-96	<50	<0.5	<0.5	<0.5	<0.5	20	--	--	--	
WGR-3	11-21-96	NR	18.70	NR	ND	FG	FG	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	17	--	--	--	
WGR-3	03-26-97	NR	18.98	NR	ND	FG	FG	03-26-97	<200^	<2^	<2^	<2^	<2^	10	--	--	--	
WGR-3	05-20-97	NR	19.70	NR	ND	FG	FG	05-20-97	<100^	<1^	<1^	<1^	<1^	240	--	--	--	
														130	--	--	--	

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995-Present\*\*

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN foot/foot	Hydraulic Gradient	Water Sample Field Date	TPHG	TPHD	Total Xylenes EPA 8020	MTBE EPA 8240	TRPH EPA 418.1	TPHD LUFT Method μg/L
									LUFT Method μg/L	Benzene EPA 8020 μg/L				

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

μg/L micrograms per liter

EPA United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TRPH: total recoverable petroleum hydrocarbons

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

ND: none detected

NR: not reported, data not available or not measurable

SW: southwest

NNE: north-northeast

FG: flat gradient; the groundwater gradient over the local area was nearly flat

^: floating product entered the well during purging

\*: raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE), and the chromatogram does not match the typical gasoline fingerprint

^: raised method reporting limit due to (1) matrix interference requiring sample dilution or (2) high analyte concentration

-: not analyzed or not applicable

\*\*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California.* (EMCON, March 22, 1996).

**Table 3**  
**Historical Groundwater Analytical Data**  
**Volatile Organic Compounds**  
**1995-Present\***

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240			
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-1	03-10-95	170	<1	--	<1	--	<1	<1	<1	<5	
MW-1	06-05-95	210	<5	--	<5	--	<5	<5	<5	<25	
MW-1	08-29-95	130	<1	--	<1	--	<1	<1	<1	<5	
MW-1	11-16-95	45	<1	--	<1	--	<1	<1	<1	<5	
MW-1	02-28-96	97	<1	<1	<1	<1	<1	<1	<1	<5	
MW-1	05-28-96	160	<5	<5	<5	--	<1	<1	<1	<5	
MW-1	08-19-96	77	<1	<1	<1	--	<5	<5	<5	<25	
MW-1	11-21-96	30	<1	<1	<1	--	<1	<1	<1	<5	
MW-1	03-26-97	66	<1	<1	<1	--	<1	<1	<1	<5	
MW-1	05-20-97	36	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	
MW-2	03-11-95	<1	<1	--	<1	--	110	12	15	240	
MW-2	06-05-95	<1	<1	--	<1	--	83	14	72	190	
MW-2	08-29-95	<5	<5	--	<5	--	220	26	210	450	
MW-2	11-16-95	Not surveyed well was inaccessible									
MW-2	02-28-96	<1	<1	<1	<1	--	18	<1	13	14	
MW-2	05-28-96	<1	<1	<1	<1	--	44	<1	22	62	
MW-2	08-21-96	<1	<1	<1	<1	--	49	<1	17	40	
MW-2	11-21-96	<1	<1	<1	<1	--	49	3	7	180	
MW-2	03-26-97	<10^	<10^	<10^	<10^	--	10	<10^	<10^	<50^	
MW-2	05-20-97	<1^	<1^	<1^	<1^	--	<1^	<1^	<1^	<1^	

Table 3  
 Historical Groundwater Analytical Data  
 Volatile Organic Compounds  
 1995-Present\*

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
MW-3	03-11-95	1700	<10	--	<10	--	<10	<10	<10	<50		
MW-3	06-05-95	2500	<20	--	<20	--	<20	<20	<20	<100		
MW-3	08-29-95	1600	<20	--	<20	--	<20	<20	<20	<100		
MW-3	11-16-95	1100	<20	--	<20	<20	<20	<20	<20	<100		
MW-3	02-28-96	1100	<10	<10	<10	--	<10	<10	<10	<50		
MW-3	05-28-96	1700	<20	<20	<20	--	<20	<20	<20	<100		
MW-3	08-19-96	1200	<20	<20	<20	--	<20	<20	<20	<100		
MW-3	11-21-96	710	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^		
MW-3	03-26-97	710	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^		
MW-3	05-20-97	800	<25^	<25^	<25^	--	<25^	<25^	<25^	<25^		
MW-4	03-11-95	2600	<20	--	<20	--	<20	<20	<20	<100		
MW-4	06-05-95	3100	<20	--	<20	--	<20	<20	<20	<100		
MW-4	08-29-95	2900	<20	--	<20	--	<20	<20	<20	<100		
MW-4	11-16-95	2100	<20	--	<20	<20	<20	<20	<20	<100		
MW-4	02-28-96	2400	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	05-28-96	2700	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	08-19-96	2600	<20	<20	<20	--	<20	<20	<20	<100		
MW-4	11-21-96	1100	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^		
MW-4	03-26-97	1900	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^		
MW-4	05-20-97	1600	<50^	<50^	<50^	--	<50^	<50^	<50^	<50^		

**Table 3**  
**Historical Groundwater Analytical Data**  
**Volatile Organic Compounds**  
**1995-Present\***

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date: 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
MW-5	03-10-95	270	<5	--	--	--	<5	<5	<5	<25		
MW-5	06-05-95	310	<5	--	--	--	<5	<5	<5	<25		
MW-5	08-29-95	240	<5	--	--	--	<5	<5	<5	<25		
MW-5	11-16-95	940	<5	--	--	--	<5	<5	<5	<25		
MW-5	02-28-96	1100	<10	<10	<10	--	<10	<10	<10	<50		
MW-5	05-28-96	360	<5	<5	<5	--	<5	<5	<5	<25		
MW-5	08-21-96	150	<1	<1	2	--	<1	<1	<1	<5		
MW-5	11-21-96	1900	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^		
MW-5	03-26-97	270	<10^	<10^	<10^	--	<10^	<10^	<10^	<50^		
MW-5	05-20-97	290	<5^	<5^	<5^	--	<5^	<5^	<5^	<5^		
MW-6	03-11-95	1300	<20	--	<20	--	<20	<20	<20	<100		
MW-6	06-05-95	2000	<20	--	<20	--	<20	<20	<20	<100		
MW-6	08-29-95	1300	<20	--	<20	--	<20	<20	<20	<100		
MW-6	11-16-95	1300	<20	--	<20	<20	<20	<20	<20	<100		
MW-6	02-28-96	960	<20	<20	<20	--	<20	<20	<20	<100		
MW-6	05-28-96	970	<20	<20	<20	--	<20	<20	<20	<100		
MW-6	08-19-96	820	<20	<20	<20	--	<20	<20	<20	<100		
MW-6	11-21-96	680	<20^	<20^	<20^	--	<20^	<20^	<20^	<100^		
MW-6	03-26-97	830	<40^	<40^	<40^	--	<40^	<40^	<40^	<200^		
MW-6	05-20-97	270	<5^	<5^	<5^	--	<5^	<5^	<5^	<5^		

**Table 3**  
**Historical Groundwater Analytical Data**  
**Volatile Organic Compounds**  
**1995-Present\***

10600 and 10700 MacArthur Boulevard  
 Oakland, California

Date 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240					BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	
MW-7	03-11-95	Not sampled floating product entered the well during purging									
MW-7	06-05-95	<10	<10	--	<10	--	86	27	420	1400	
MW-7	08-29-95	<10	<10	--	<10	--	410	230	1100	5000	
MW-7	11-16-95	<20	<20	--	<20	<20	360	220	1700	10000	
MW-7	02-28-96	<10	<10	<10	<10	--	<10	<10	87	760	
MW-7	05-28-96	<10	<10	<10	<10	--	74	36	340	1600	
MW-7	08-21-96	<1	<1	<1	<1	--	260	200	800	3200	
MW-7	11-21-96	<10^	<10^	<10^	<10^	--	180	120	640	2900	
MW-7	03-26-97	<20^	<20^	<20^	<20^	--	37	<20^	210	410	
MW-7	05-20-97	<10^	<10^	<10^	<10^	--	140	77	700	2200	
MW-8	03-10-95	<1	<1	--	--	--	<1	<1	<1	<1	
MW-8	06-05-95	<1	<1	--	--	--	<1	<1	<1	<1	
MW-8	08-29-95	<1	<1	--	--	--	<1	<1	<1	<1	
MW-8	11-16-95	<1	<1	--	--	--	<1	<1	<1	<1	
MW-8	02-28-96	3	<1	<1	<1	<1	<1	<1	<1	<1	
MW-8	05-28-96	<1	<1	<1	<1	<1	<1	<1	<1	<1	
MW-8	08-21-96	<1	<1	<1	<1	<1	<1	<1	<1	<1	
MW-8	11-21-96	7	<1	<1	<1	<1	<1	<1	<1	<1	
MW-8	03-26-97	<1	<1	<1	<1	<1	<1	<1	<1	<1	
MW-8	05-20-97	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 3  
 Historical Groundwater Analytical Data  
 Volatile Organic Compounds  
 1995-Present\*

10600 and 10700 MacArthur Boulevard

Oakland, California

Date: 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
RW-1	03-10-95	260	<5	--	<5	--	<5	<5	<5	<5	<25	
RW-1	06-05-95	59	<1	--	<1	--	<1	<1	<1	<1	<5	
RW-1	08-29-95	570	<3	--	<5	--	<5	<5	<5	<5	<5	
RW-1	11-16-95	140	<1	--	<1	--	<1	<1	<1	<1	<25	
RW-1	02-28-96	6	<1	--	<1	--	<1	<1	<1	<1	<5	
RW-1	05-28-96	12	<1	--	<1	--	<1	<1	<1	<1	<5	
RW-1	08-21-96	100	<1	--	<1	--	<1	<1	<1	<1	<5	
RW-1	11-21-96	190	1	<1	<1	--	<1	<1	<1	<1	<5	
RW-1	03-26-97	6	<1	--	<1	--	<1	<1	<1	<1	<5	
RW-1	05-20-97	5.3	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 3  
Historical Groundwater Analytical Data  
Volatile Organic Compounds  
1995-Present\*

10600 and 10700 MacArthur Boulevard

Oakland, California

Date: 08-11-97

Well Designation	Water Sample Field Date	Halogenated Volatile Organic Compounds by EPA Method 601/8010 or 624/8240						BTEX by EPA Method 624/8240				
		Tetrachloro-ethene µg/L	Trichloro-ethene µg/L	trans-1,2-Dichloro-ethene µg/L	cis-1,2-Dichloro-ethene µg/L	Freon 12 µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L		
WGR-3	03-11-95	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	06-05-95	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	08-29-95	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	11-16-95	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	02-28-96	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	05-28-96	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	08-19-96	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	11-21-96	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	03-26-97	<1	<1	--	--	--	--	--	--	--	--	--
WGR-3	05-20-97	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

µg/L micrograms per liter

-- not analyzed or not reported

^: method reporting limit was raised due to. (1) high analyte concentration requiring sample dilution, or (2) matrix interference

\*: For previous historical analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, Retail Service Station 10600 and 10700 MacArthur Boulevard, Oakland, California, (EMCON, March 22, 1996)*.

Table 4  
Approximate Cumulative Floating Product Recovered

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date 08-11-97

Well Designation	Date	Floating Product Recovered gallons
MW-2 and MW-7	1991	18 15
MW-2 and MW-7	1992	0.39
MW-2 and MW-7	1993	0.00
MW-2 and MW-7	1994	0 00
MW-2 and MW-7	1995	0.00
MW-2 and MW-7	1996	0 00
MW-2 and MW-7	1997	0 00
1991 to 1997 Total:		18.54

Table 5  
Soil-Vapor Extraction System  
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer			
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 07-01-97 System was shut down on 3-26-96.			
Date Begin:	09-06-90	12-22-94	01-01-95	02-01-95	03-01-95
Date End	12-22-94	01-01-95	02-01-95	03-01-95	04-01-95
Mode of Oxidation:	Catalytic (14)	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	0.0	4.9	26.4	28.0	31.0
Days of Downtime:	0.0	26.2	4.6	0.0	0.0
<b>Average Vapor Concentrations (1)</b>					
On-site WF Influent: ppmv (2) as gasoline	NA (15)	32	<15	<15	1.2
mg/m3 (3) as gasoline	NA	116	<60	<60	4.4
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m3 as benzene	NA	<0.3	<0.5	<0.5	<0.16
Off-site WF Influent: ppmv as gasoline	NA	closed	closed	<15	1.4
mg/m3 as gasoline	NA	closed	closed	<60	4.9
ppmv as benzene	NA	closed	closed	<0.1	<0.05
mg/m3 as benzene	NA	closed	closed	<0.5	<0.16
System Influent: ppmv as gasoline	NA	32	<15	<15	<1.0
mg/m3 as gasoline	NA	116	<60	<60	<3.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m3 as benzene	NA	<0.3	<0.5	<0.5	<0.16
System Effluent: ppmv as gasoline	NA	<15	<15	<15	1.3
mg/m3 as gasoline	NA	<54	<60	<60	4.6
ppmv as benzene	NA	<0.1	<0.1	<0.1	<0.05
mg/m3 as benzene	NA	<0.3	<0.5	<0.5	<0.16
Average On-site Well Field Flow Rate (4), scfm (5):	NA	81.6	53.7	62.0	71.3
Average Off-site Well Field Flow Rate (4), scfm.	NA	closed	closed	17.6	47.8
Average System Influent Flow Rate (4), scfm:	NA	81.6	53.7	79.6	119.1
Total Process Flow Rate, scfm:	NA	500.0	500.0	500.0	500.0
Average Destruction Efficiency (6), percent (7):	NA	53.4 (16)	NA	NA	NA
<b>Average Emission Rates (8), pounds per day (9)</b>					
Gasoline:	NA	0.40	0.29	0.43	0.05
Benzene:	NA	0.00	0.00	0.00	0.00
Operating Hours This Period:	NA	116.5	633.4	672.0	744.0
Operating Hours To Date:	NA	116.5	749.9	1421.9	2165.9
Pounds/ Hour Removal Rate, as gasoline (10):	NA	0.035	0.012	0.018	0.004
Pounds Removed This Period, as gasoline (11):	NA	4.13	7.64	12.01	3.08
Pounds Removed To Date, as gasoline (12):	7665.5	7669.6	7677.3	7689.3	7692.4
Gallons Removed This Period, as gasoline (13):	NA	0.67	1.23	1.94	0.50
Gallons Removed To Date, as gasoline:	1236.4	1237.1	1238.3	1240.3	1240.8

Table 5  
Soil-Vapor Extraction System  
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer				
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 07-01-97			System was shut down on 3-26-96.	
<hr/>						
Date Begin:	04-01-95	05-01-95	08-01-95	09-01-95	10-01-95	
Date End:	05-01-95	08-01-95	09-01-95	10-01-95	01-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic	
Days of Operation:	30.0	18.7	17.9	0.0	0.0	
Days of Downtime:	0.0	73.3	13.1	30.0	92.0	
<hr/>						
<b>Average Vapor Concentrations (1)</b>						
On-site WF Influent: ppmv (2) as gasoline	<15	<15	95	NA	NA	
mg/m3 (3) as gasoline	<60	<60	350	NA	NA	
ppmv as benzene	<0.1	<0.1	1.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	3.6	NA	NA	
Off-site WF Influent: ppmv as gasoline	<15	<15	<15	NA	NA	
mg/m3 as gasoline	<60	<60	<60	NA	NA	
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	<0.5	NA	NA	
System Influent: ppmv as gasoline	<15	<15	93	NA	NA	
mg/m3 as gasoline	<60	<60	340	NA	NA	
ppmv as benzene	<0.1	<0.1	1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	3.3	NA	NA	
System Effluent: ppmv as gasoline	<15	<15	<15	NA	NA	
mg/m3 as gasoline	<60	<60	<60	NA	NA	
ppmv as benzene	<0.1	<0.1	<0.1	NA	NA	
mg/m3 as benzene	<0.5	<0.5	<0.5	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	74.5	79.6	83.5	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	37.1	33.6	34.2	0.0	0.0	
Average System Influent Flow Rate (4), scfm.	111.6	113.3	117.7	0.0	0.0	
Total Process Flow Rate, scfm:	500.0	500.0	500.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	NA	NA	82.4 (16)	NA	NA	
<hr/>						
<b>Average Emission Rates (8), pounds per day (9)</b>						
Gasoline:	0.60	0.61	0.63	NA	NA	
Benzene:	0.01	0.01	0.01	NA	NA	
Operating Hours This Period:	<u>720.0</u>	<u>447.9</u>	<u>428.8</u>	<u>0.0</u>	<u>0.0</u>	
Operating Hours To Date:	2885.9	3333.8	3762.6	3762.6	3762.6	
Pounds/ Hour Removal Rate, as gasoline (10):	0.025	0.025	0.154	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	<u>18.04</u>	<u>11.39</u>	<u>66.11</u>	<u>0.00</u>	<u>0.00</u>	
Pounds Removed To Date, as gasoline (12):	7710.4	7721.8	7787.9	7787.9	7787.9	
Gallons Removed This Period, as gasoline (13)	<u>2.91</u>	<u>1.84</u>	<u>10.66</u>	<u>0.00</u>	<u>0.00</u>	
Gallons Removed To Date, as gasoline:	1243.7	1245.5	1256.2	1256.2	1256.2	

Table 5  
Soil-Vapor Extraction System  
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer				
Consultant: EMCN 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 07-01-97 System was shut down on 3-26-96.				
Date Begin:	01-01-96	02-01-96	03-01-96	04-01-96	07-01-96	
Date End:	02-01-96	03-01-96	04-01-96	07-01-96	10-01-96	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic	
Days of Operation:	12.8	1.5	7.4	0.0	0.0	
Days of Downtime:	18.2	27.5	23.6	91.0	92.0	
<b>Average Vapor Concentrations (1)</b>						
On-site WF Influent: ppmv (2) as gasoline	<15	NA	NA	NA	NA	
mg/m <sup>3</sup> (3) as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m <sup>3</sup> as benzene	<0.5	NA	NA	NA	NA	
Off-site WF Influent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m <sup>3</sup> as benzene	<0.5	NA	NA	NA	NA	
System Influent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m <sup>3</sup> as benzene	<0.5	NA	NA	NA	NA	
System Effluent: ppmv as gasoline	<15	NA	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	<60	NA	NA	NA	NA	
ppmv as benzene	<0.1	NA	NA	NA	NA	
mg/m <sup>3</sup> as benzene	<0.5	NA	NA	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5).	174.1	178.4	178.4	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	17.2	19.4	19.4	0.0	0.0	
Average System Influent Flow Rate (4), scfm.	191.3	197.8	197.8	0.0	0.0	
Total Process Flow Rate, scfm.	500.0	500.0	500.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	82.4 (16)	NA	NA	NA	NA	
<b>Average Emission Rates (8), pounds per day (9)</b>						
Gasoline:	1.03	NA	NA	NA	NA	
Benzene:	0.01	NA	NA	NA	NA	
Operating Hours This Period:	306.9	35.5	177.8	0.0	0.0	
Operating Hours To Date:	4069.5	4105.0	4282.8	4282.8	4282.8	
Pounds/ Hour Removal Rate, as gasoline (10).	0.043	0.000	0.000	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	13.18	0.00	0.00	0.00	0.00	
Pounds Removed To Date, as gasoline (12):	7801.1	7801.1	7801.1	7801.1	7801.1	
Gallons Removed This Period, as gasoline (13).	2.13	0.00	0.00	0.00	0.00	
Gallons Removed To Date, as gasoline:	1258.3	1258.3	1258.3	1258.3	1258.3	

Table 5  
Soil-Vapor Extraction System  
Operation and Performance Data

Location: 10600 and 10700 MacArthur Boulevard Oakland, California		Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer		
Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 07-01-97 System was shut down on 3-26-96.		
Date Begin:	10-01-96	01-01-97	05-01-97	
Date End:	01-01-97	04-01-97	07-01-97	
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	
Days of Operation:	0.0	0.0	0.0	
Days of Downtime:	92.0	90.0	0.0	
<b>Average Vapor Concentrations (1)</b>				
On-site WF Influent: ppmv (2) as gasoline	NA	NA	NA	
mg/m <sup>3</sup> (3) as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m <sup>3</sup> as benzene	NA	NA	NA	
Off-site WF Influent: ppmv as gasoline	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m <sup>3</sup> as benzene	NA	NA	NA	
System Influent: ppmv as gasoline	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m <sup>3</sup> as benzene	NA	NA	NA	
System Effluent: ppmv as gasoline	NA	NA	NA	
mg/m <sup>3</sup> as gasoline	NA	NA	NA	
ppmv as benzene	NA	NA	NA	
mg/m <sup>3</sup> as benzene	NA	NA	NA	
Average On-site Well Field Flow Rate (4), scfm (5):	0.0	0.0	0.0	
Average Off-site Well Field Flow Rate (4), scfm:	0.0	0.0	0.0	
Average System Influent Flow Rate (4), scfm:	0.0	0.0	0.0	
Total Process Flow Rate, scfm:	0.0	0.0	0.0	
Average Destruction Efficiency (6), percent (7):	NA	NA	NA	
<b>Average Emission Rates (8), pounds per day (9)</b>				
Gasoline:	NA	NA	NA	
Benzene:	NA	NA	NA	
Operating Hours This Period	0.0	0.0	0.0	
Operating Hours To Date:	4282.8	4282.8	4282.8	
Pounds/ Hour Removal Rate, as gasoline (10):	0.000	0.000	0.000	
Pounds Removed This Period, as gasoline (11):	0.00	0.00	0.00	
Pounds Removed To Date, as gasoline (12):	7801.1	7801.1	7801.1	
Gallons Removed This Period, as gasoline (13):	0.00	0.00	0.00	
Gallons Removed To Date, as gasoline:	1258.3	1258.3	1258.3	

**Table 5**  
**Soil-Vapor Extraction System**  
**Operation and Performance Data**

Location: 10600 and 10700 MacArthur Boulevard Oakland, California	Vapor Treatment Unit: Anguil Energy Systems Remedi-Cat, 500cfm Catalytic Oxidizer
Consultant: EMCN 1921 Ringwood Avenue San Jose, California	Start-Up Date: 09-06-90 Operation and Performance Data From: 09-06-90 To: 07-01-97 System was shut down on 3-26-96.

CURRENT REPORTING PERIOD:	04-01-97	to	07-01-97
DAYS / HOURS IN PERIOD:	91	2184.0	
DAYS / HOURS OF OPERATION:	0	0.0	
DAYS / HOURS OF DOWN TIME:	91	2184.0	
PERCENT OPERATIONAL:		0.0 %	
PERIOD POUNDS REMOVED:	0.0		
PERIOD GALLONS REMOVED:	0.0		
<u>AVERAGE SYSTEM INFLUENT FLOW RATE (scfm):</u>	0.0		

1. Average concentrations are based on discrete sample results reported during the month, refer to Appendix B for discrete sample results.
2. ppmv: parts per million by volume
3. mg/m<sup>3</sup>: milligrams per cubic meter
4. Average flow rates (time weighted average) are based on instantaneous flow rates recorded during the month; refer to Appendix B for instantaneous flow data.
5. scfm: flow in standard cubic feet per minute at one atmosphere and 70 degrees Fahrenheit
6. Average destruction efficiencies are calculated using monthly average concentrations; refer to Appendix B for instantaneous destruction efficiency data
7. destruction efficiency, percent =  $\frac{(\text{system influent concentration (as gasoline in mg/m}^3) - \text{system effluent concentration (as gasoline in mg/m}^3)}{\text{system influent concentration (as gasoline in mg/m}^3)} \times 100$  percent
8. Average emission rates are calculated using monthly average concentrations and flow rates; refer to Appendix B for instantaneous emission rate data
9. emission rates (pounds per day) = system effluent concentration (as gasoline or benzene in mg/m<sup>3</sup>) x system influent flow rate (scfm) x 0.02832 m<sup>3</sup>/ft<sup>3</sup> x 1440 minutes/day x 1 pound/454,000 mg
10. pounds/hour removal rate (as gasoline) = well field influent concentration (as gasoline in mg/m<sup>3</sup>) x well field influent flow rate (scfm) x 0.02832 m<sup>3</sup>/ft<sup>3</sup> x 60 minutes/hour x 1 pound/454,000 mg
11. pounds removed this period (as gasoline) = pounds/hour removal rate x hours of operation
12. Pounds removed data for the period from September 6, 1990 through December 22, 1994, were reported by EVAX, PEG, and RESNA.  
Please refer to *Fourth Quarter 1994 Groundwater Monitoring Results and Remediation System Performance Evaluation Report, EMCN March 1995*, for additional data for system operation before December 1994.
13. gallons removed this period (as gasoline) = pounds removed this period (as gasoline) x 0.1613 gallons/pound of gasoline
14. The existing catalytic oxidation unit was used as the off-gas abatement device for the site, with the exception of the period from September 6, 1990 to March 21, 1991, when EVAX used an internal combustion engine as the abatement device
15. NA, not analyzed, not available, or not applicable
16. Although the destruction efficiency appeared to be less than 90 percent, laboratory analytical results collected during this period indicate the effluent TVHG and benzene concentrations in off-gas discharged to the atmosphere were below laboratory detection limits, indicating compliance with BAAQMD discharge requirements.

Table 6  
Soil-Vapor Extraction Well Data

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date: 08-07-97  
Project Number: 0805-120.04

Date	Well Identification											
	VW-1			VW-2			VW-3			VW-4		
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response
		ppmv	in-H <sub>2</sub> O		ppmv	in-H <sub>2</sub> O		ppmv	in-H <sub>2</sub> O		ppmv	in-H <sub>2</sub> O
12-22-94	open	<15 LAB	13.1	open	68 LAB	13.0	open	28 LAB	12.0	open	<15 LAB	13.1
01-17-95	closed	NA	NA	open	NA	NA	open	NA	NA	closed	NA	NA
02-16-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-27-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
05-24-95	System was shut down											
08-01-95	System was restarted											
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
08-23-95	System was shut down											
01-16-96	System was restarted											
01-16-96	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
03-26-96	System was shut down											
TVHG: concentration of total volatile hydrocarbons as gasoline ppmv: parts per million by volume in-H <sub>2</sub> O: inches of water open: open to the system passive: open to the atmosphere closed: closed to the system and atmosphere NA: not analyzed or not measured FID: TVHG concentration was measured with a portable flame ionization detector LAB: TVHG concentration was analyzed in the laboratory PID: TVHG concentration was measured with a portable photoionization detector												


Table 6  
Soil-Vapor Extraction Well Data

10600 and 10700 MacArthur Boulevard  
Oakland, California

Date 08-07-97  
Project Number 0805-120.04

Date	Well Identification							
	VW-5		VW-7		MW-2			
	Valve Position	TVHG ppmv	Vacuum Response in-H <sub>2</sub> O	Valve Position	TVHG ppmv	Vacuum Response in-H <sub>2</sub> O	Valve Position	TVHG ppmv
12-22-94	open	<15 LAB	13.0	open	<15 LAB	13.1	open	<15 LAB
01-17-95	closed	NA	NA	closed	NA	NA	open	NA
02-16-95	open	NA	NA	open	NA	NA	open	NA
03-27-95	open	NA	NA	open	NA	NA	open	NA
05-24-95	System was shut down							
08-01-95	System was restarted							
08-01-95	open	NA	NA	open	NA	NA	open	NA
08-23-95	System was shut down							
01-16-96	System was restarted							
01-16-96	open	NA	NA	open	NA	NA	open	NA
03-26-96	System was shut down							
TVHG: concentration of total volatile hydrocarbons as gasoline ppmv: parts per million by volume in-H <sub>2</sub> O: inches of water open: open to the system passive: open to the atmosphere closed: closed to the system and atmosphere NA: not analyzed or not measured FID: TVHG concentration was measured with a portable flame ionization detector LAB: TVHG concentration was analyzed in the laboratory PID: TVHG concentration was measured with a portable photoionization detector								

EA-SANJOSE-CAD/DRAWINGS I:\0Z002\SITELOC.dwg Xrefs: <None>  
Scale: 1 = 1:00 DimScale: 1 = 1:000 Date: 3/12/97 Time: 5:19 PM Operator: KAJ



Base map from USGS 7.5' Quad. Maps:  
Oakland East and San Leandro, California.  
Photorevised 1980.




0 2000 4000  
SCALE IN FEET



DATE APR. 1997  
OWN KAJ  
APP \_\_\_\_\_  
REV \_\_\_\_\_  
PROJECT NO.  
805-120.008

**FIGURE 1**  
**10600 AND 10700 MACARTHUR BLVD.**  
**OAKLAND, CALIFORNIA**

**QUARTERLY GROUNDWATER MONITORING  
SITE LOCATION**



#### EXPLANATION

- Groundwater monitoring well
- Vapor extraction well
- Existing underground storage tank
- ▨ Former underground storage tank
- (28.93) Groundwater elevation (Ft.-MSL); measured 5/20/97
- 13,000 Benzene concentration in groundwater (ug/L); sampled 5/20/97
- 110
- <500\* MW-1 (28.93)
- <1\*\* MW-2# (39.03)
- <300\* MW-3 (28.94)
- <ND MW-4 (28.95)
- <ND MW-5 (28.83)
- <ND MW-6 (28.81)
- <ND MW-7# (38.04)
- <ND MW-8 (28.81)
- <ND MW-9 (NR)
- <ND MW-10 (NR)
- \* Raised method reporting limit due to matrix interference; the sample contains a single non-fuel component eluting in the gasoline range and quantitated as gasoline (possibly PCE). The chromatogram does not match the typical gasoline fingerprint.
- \*\* Raised method reporting limit due to matrix interference or high analyte concentration requiring sample dilution.
- ND Not detected at or above the method reporting limit for TPHG (50 ug/L) or benzene (0.5 ug/L).
- NR Not recorded.
- # Well screened in shallow water-bearing zone; not used in contouring.

Note: Not contoured because of relatively flat gradient.


DATE AUG 1997
DWY _____
APP _____
REV _____
PROJECT NO 805-120 008

**FIGURE 2**  
**10600 AND 10700 MACARTHUR BLVD.**  
**QUARTERLY GROUNDWATER MONITORING**  
**OAKLAND, CALIFORNIA**  
**TPHG AND BENZENE CONCENTRATIONS**  
**IN GROUNDWATER - 2ND QUARTER 1997**



Base map modified from RESNA, 1993

0 30 60  
SCALE IN FEET



Base map modified from RESNA, 1993



0 30 60  
SCALE IN FEET


<u>EXPLANATION</u>	
●	Groundwater monitoring well
●	Vapor extraction well
[ ]	Existing underground storage tank
[ ]	Former underground storage tank
800	PCE concentration in groundwater (ug/L); sampled 5/20/97
ND	Not detected at or above the method reporting limit for PCE (0.5 ug/L)
#	Well screened in shallow water-bearing zone.
*	Raised method reporting limit due to matrix interference

DATE	AUG 1997
DWN	KAJ
APP	
REV	
PROJECT NO	805-120 008

**FIGURE 3**  
**10600 AND 10700 MACARTHUR BLVD.**  
**QUARTERLY GROUNDWATER MONITORING**  
**OAKLAND, CALIFORNIA**  
**TETRACHLOROETHENE (PCE) CONCENTRATIONS**  
**IN GROUNDWATER - 2ND QUARTER 1997**

Figure 4

10600 and 10700 MacArthur Boulevard  
Soil-Vapor Extraction and Treatment System  
Historical Well Field Influent TVHG and Benzene Concentrations




TVHG: total volatile hydrocarbons as gasoline  
ppmv: parts per million by volume

esj/h.\0276\0276tdb.xls\SVE Model\imi  
20805-120 008

Figure 5

10600 and 10700 MacArthur Boulevard  
On-Site Soil-Vapor Extraction and Treatment System  
Historical Hydrocarbon Removal Rates



Based on data from EVAX, PEG, and RESNA, approximately 7,666 pounds of hydrocarbon were removed between September 6, 1990 and December 22, 1994.

esj/h\0276\0276tdb.xls\SVE Model:imi  
20805-120.008

**APPENDIX A**

**ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY  
DOCUMENTATION, SECOND QUARTER 1997  
GROUNDWATER MONITORING EVENT**

**Columbia  
Analytical  
Services<sup>Inc.</sup>**

June 5, 1997

Service Request No.: S9700933

Ms. Ivy Inouye  
EMCON  
1921 Ringwood Avenue  
San Jose, CA 95131

**RE: 20805-120.008/TO#21133.00/276 OAKLAND**


Dear Ms. Inouye:

The following pages contain analytical results for sample(s) received by the laboratory on May 21, 1997. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 36, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,



Steven L. Green  
Project Chemist

**COLUMBIA ANALYTICAL SERVICES, Inc.**

**Acronyms**

<b>A2LA</b>	American Association for Laboratory Accreditation
<b>ASTM</b>	American Society for Testing and Materials
<b>BOD</b>	Biochemical Oxygen Demand
<b>BTEX</b>	Benzene, Toluene, Ethylbenzene, Xylenes
<b>CAM</b>	California Assessment Metals
<b>CARB</b>	California Air Resources Board
<b>CAS Number</b>	Chemical Abstract Service registry Number
<b>CFC</b>	Chlorofluorocarbon
<b>CFU</b>	Colony-Forming Unit
<b>COD</b>	Chemical Oxygen Demand
<b>DEC</b>	Department of Environmental Conservation
<b>DEQ</b>	Department of Environmental Quality
<b>DHS</b>	Department of Health Services
<b>DLCS</b>	Duplicate Laboratory Control Sample
<b>DMS</b>	Duplicate Matrix Spike
<b>DOE</b>	Department of Ecology
<b>DOH</b>	Department of Health
<b>EPA</b>	U S Environmental Protection Agency
<b>ELAP</b>	Environmental Laboratory Accreditation Program
<b>GC</b>	Gas Chromatography
<b>GC/MS</b>	Gas Chromatography/Mass Spectrometry
<b>IC</b>	Ion Chromatography
<b>ICB</b>	Initial Calibration Blank sample
<b>ICP</b>	Inductively Coupled Plasma atomic emission spectrometry
<b>ICV</b>	Initial Calibration Verification sample
<b>J</b>	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding
<b>LCS</b>	Laboratory Control Sample
<b>LUFT</b>	Leaking Underground Fuel Tank
<b>M</b>	Modified
<b>MBAS</b>	Methylene Blue Active Substances
<b>MCL</b>	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
<b>MDL</b>	Method Detection Limit
<b>MPN</b>	Most Probable Number
<b>MRL</b>	Method Reporting Limit
<b>MS</b>	Matrix Spike
<b>MTBE</b>	Methyl tert-Butyl Ether
<b>NA</b>	Not Applicable
<b>NAN</b>	Not Analyzed
<b>NC</b>	Not Calculated
<b>NCASI</b>	National Council of the paper industry for Air and Stream Improvement
<b>ND</b>	Not Detected at or above the method reporting/detection limit (MRL/MDL)
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTU</b>	Nephelometric Turbidity Units
<b>ppb</b>	Parts Per Billion
<b>ppm</b>	Parts Per Million
<b>PQL</b>	Practical Quantitation Limit
<b>QA/QC</b>	Quality Assurance/Quality Control
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RPD</b>	Relative Percent Difference
<b>SIM</b>	Selected Ion Monitoring
<b>SM</b>	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
<b>STLC</b>	Solubility Threshold Limit Concentration
<b>SW</b>	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TDS</b>	Total Dissolved Solids
<b>TPH</b>	Total Petroleum Hydrocarbons
<b>tr</b>	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
<b>TRPH</b>	Total Recoverable Petroleum Hydrocarbons
<b>TSS</b>	Total Suspended Solids
<b>TTLC</b>	Total Threshold Limit Concentration
<b>VOA</b>	Volatile Organic Analyte(s)

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

**Volatile Organic Compounds**

<b>Sample Name:</b>	MW-1 (27)	<b>Units:</b> ug/L (ppb)
<b>Lab Code:</b>	S9700933-001	<b>Basis:</b> NA
<b>Test Notes:</b>		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/21/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/21/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
Acetone	NONE	624	5	1	NA	5/21/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/21/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/21/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
2-Butanone (MIBK)	NONE	624	5	1	NA	5/21/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/21/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/21/97	ND	
Benzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/21/97	ND	
Trichloroethene (TCE)	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/21/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/21/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/21/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/21/97	ND	
Toluene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/21/97	36	
Dibromochloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Styrene	NONE	624	0.5	1	NA	5/21/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/21/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

Volatile Organic Compounds

<b>Sample Name:</b>	MW-8 (46)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-002	<b>Basis:</b>	NA
<b>Test Notes:</b>			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/21/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/21/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
Acetone	NONE	624	5	1	NA	5/21/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/21/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/21/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/21/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/21/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/21/97	ND	
Benzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/21/97	ND	
Trichloroethylene (TCE)	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/21/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/21/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/21/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/21/97	ND	
Toluene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/21/97	ND	
Dibromochloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Styrene	NONE	624	0.5	1	NA	5/21/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/21/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

Volatile Organic Compounds

<b>Sample Name:</b>	RW-1 (48)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-003	<b>Basis:</b>	NA
<b>Test Notes:</b>			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/23/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/23/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/23/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
Acetone	NONE	624	5	1	NA	5/23/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/23/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/23/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/23/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/23/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/23/97	ND	
Benzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/23/97	ND	
Trichloroethene (TCE)	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/23/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/23/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/23/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/23/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/23/97	ND	
Toluene	NONE	624	0.5	1	NA	5/23/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/23/97	5.3	
Dibromochloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/23/97	ND	
Styrene	NONE	624	0.5	1	NA	5/23/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/23/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

Volatile Organic Compounds

Sample Name.	WGR-3 (26)	Units: ug/L (ppb)
Lab Code.	S9700933-004	Basis: NA
Test Notes.		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/21/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/21/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
Acetone	NONE	624	5	1	NA	5/21/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/21/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/21/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/21/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/21/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/21/97	ND	
Benzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/21/97	ND	
Trichloroethene (PCE)	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/21/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/21/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/21/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/21/97	ND	
Toluene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/21/97	ND	
Dibromochloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Styrene	NONE	624	0.5	1	NA	5/21/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/21/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

**Volatile Organic Compounds**

<b>Sample Name:</b>	MW-5 (46)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-005	<b>Basis:</b>	NA
<b>Test Notes:</b>	C1		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	10	NA	5/21/97	<5	
Vinyl Chloride	NONE	624	0.5	10	NA	5/21/97	<5	
Bromomethane	NONE	624	0.5	10	NA	5/21/97	<5	
Chloroethane	NONE	624	0.5	10	NA	5/21/97	<5	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	10	NA	5/21/97	<5	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	10	NA	5/21/97	<10	
1,1-Dichloroethene	NONE	624	0.5	10	NA	5/21/97	<5	
Acetone	NONE	624	5	10	NA	5/21/97	<50	
Carbon Disulfide	NONE	624	0.5	10	NA	5/21/97	<5	
Dichloromethane (Methylene Chloride)	NONE	624	1	10	NA	5/21/97	<10	
trans-1,2-Dichloroethene	NONE	624	0.5	10	NA	5/21/97	<5	
cis-1,2-Dichloroethene	NONE	624	0.5	10	NA	5/21/97	<5	
2-Butanone (MEK)	NONE	624	5	10	NA	5/21/97	<50	
1,1-Dichloroethane	NONE	624	0.5	10	NA	5/21/97	<5	
Chloroform	NONE	624	0.5	10	NA	5/21/97	<5	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	10	NA	5/21/97	<5	
Carbon Tetrachloride	NONE	624	0.5	10	NA	5/21/97	<5	
Benzene	NONE	624	0.5	10	NA	5/21/97	<5	
1,2-Dichloroethane	NONE	624	0.5	10	NA	5/21/97	<5	
Vinyl Acetate	NONE	624	5	10	NA	5/21/97	<50	
Trichloroethene (TCE)	NONE	624	0.5	10	NA	5/21/97	<5	
1,2-Dichloropropane	NONE	624	0.5	10	NA	5/21/97	<5	
Bromodichloromethane	NONE	624	0.5	10	NA	5/21/97	<5	
2-Chloroethyl Vinyl Ether	NONE	624	5	10	NA	5/21/97	<50	
trans-1,3-Dichloropropene	NONE	624	0.5	10	NA	5/21/97	<5	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	10	NA	5/21/97	<50	
2-Hexanone	NONE	624	5	10	NA	5/21/97	<50	
Tohene	NONE	624	0.5	10	NA	5/21/97	<5	
cis-1,3-Dichloropropene	NONE	624	0.5	10	NA	5/21/97	<5	
1,1,2-Trichloroethane	NONE	624	0.5	10	NA	5/21/97	<5	
Tetrachloroethene (PCE)	NONE	624	0.5	10	NA	5/21/97	290	
Dibromochloromethane	NONE	624	0.5	10	NA	5/21/97	<5	
Chlorobenzene	NONE	624	0.5	10	NA	5/21/97	<5	
Ethylbenzene	NONE	624	0.5	10	NA	5/21/97	<5	
Styrene	NONE	624	0.5	10	NA	5/21/97	<5	
Total Xylenes	NONE	624	0.5	10	NA	5/21/97	<5	
Bromoform	NONE	624	0.5	10	NA	5/21/97	<5	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	10	NA	5/21/97	<5	
1,3-Dichlorobenzene	NONE	624	0.5	10	NA	5/21/97	<5	
1,4-Dichlorobenzene	NONE	624	0.5	10	NA	5/21/97	<5	
1,2-Dichlorobenzene	NONE	624	0.5	10	NA	5/21/97	<5	

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

**Volatile Organic Compounds**

Sample Name	MW-3 (27)	Units: ug/L (ppb)
Lab Code:	S9700933-006	Basis: NA
Test Notes:	C1	

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	50	NA	5/22/97	<25	
Vinyl Chloride	NONE	624	0.5	50	NA	5/22/97	<25	
Bromomethane	NONE	624	0.5	50	NA	5/22/97	<25	
Chloroethane	NONE	624	0.5	50	NA	5/22/97	<25	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	50	NA	5/22/97	<25	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	50	NA	5/22/97	<50	
1,1-Dichloroethene	NONE	624	0.5	50	NA	5/22/97	<25	
Acetone	NONE	624	5	50	NA	5/22/97	<250	
Carbon Disulfide	NONE	624	0.5	50	NA	5/22/97	<25	
Dichloromethane (Methylene Chloride)	NONE	624	1	50	NA	5/22/97	<50	
trans-1,2-Dichloroethene	NONE	624	0.5	50	NA	5/22/97	<25	
cis-1,2-Dichloroethene	NONE	624	0.5	50	NA	5/22/97	<25	
2-Butanone (MEK)	NONE	624	5	50	NA	5/22/97	<250	
1,1-Dichloroethane	NONE	624	0.5	50	NA	5/22/97	<25	
Chloroform	NONE	624	0.5	50	NA	5/22/97	<25	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	50	NA	5/22/97	<25	
Carbon Tetrachloride	NONE	624	0.5	50	NA	5/22/97	<25	
Benzene	NONE	624	0.5	50	NA	5/22/97	<25	
1,2-Dichloroethane	NONE	624	0.5	50	NA	5/22/97	<25	
Vinyl Acetate	NONE	624	5	50	NA	5/22/97	<250	
Trichloroethene (TCE)	NONE	624	0.5	50	NA	5/22/97	<25	
1,2-Dichloropropane	NONE	624	0.5	50	NA	5/22/97	<25	
Bromodichloromethane	NONE	624	0.5	50	NA	5/22/97	<25	
2-Chloroethyl Vinyl Ether	NONE	624	5	50	NA	5/22/97	<250	
trans-1,3-Dichloropropene	NONE	624	0.5	50	NA	5/22/97	<25	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	50	NA	5/22/97	<250	
2-Hexanone	NONE	624	5	50	NA	5/22/97	<250	
Toluene	NONE	624	0.5	50	NA	5/22/97	<25	
cis-1,3-Dichloropropene	NONE	624	0.5	50	NA	5/22/97	<25	
1,1,2-Trichloroethane	NONE	624	0.5	50	NA	5/22/97	<25	
Tetrachloroethene (PCE)	NONE	624	0.5	50	NA	5/22/97	800	
Dibromochloromethane	NONE	624	0.5	50	NA	5/22/97	<25	
Chlorobenzene	NONE	624	0.5	50	NA	5/22/97	<25	
Ethylbenzene	NONE	624	0.5	50	NA	5/22/97	<25	
Styrene	NONE	624	0.5	50	NA	5/22/97	<25	
Total Xylenes	NONE	624	0.5	50	NA	5/22/97	<25	
Bromoform	NONE	624	0.5	50	NA	5/22/97	<25	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	50	NA	5/22/97	<25	
1,3-Dichlorobenzene	NONE	624	0.5	50	NA	5/22/97	<25	
1,4-Dichlorobenzene	NONE	624	0.5	50	NA	5/22/97	<25	
1,2-Dichlorobenzene	NONE	624	0.5	50	NA	5/22/97	<25	

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

**Volatile Organic Compounds**

<b>Sample Name:</b>	MW-4 (27)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-007	<b>Basis:</b>	NA
<b>Test Notes:</b>	C1		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	100	NA	5/22/97	<50	
Vinyl Chloride	NONE	624	0.5	100	NA	5/22/97	<50	
Bromomethane	NONE	624	0.5	100	NA	5/22/97	<50	
Chloroethane	NONE	624	0.5	100	NA	5/22/97	<50	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	100	NA	5/22/97	<50	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	100	NA	5/22/97	<100	
1,1-Dichloroethene	NONE	624	0.5	100	NA	5/22/97	<50	
Acetone	NONE	624	5	100	NA	5/22/97	<500	
Carbon Disulfide	NONE	624	0.5	100	NA	5/22/97	<50	
Dichloromethane (Methylene Chloride)	NONE	624	1	100	NA	5/22/97	<100	
trans-1,2-Dichloroethene	NONE	624	0.5	100	NA	5/22/97	<50	
cis-1,2-Dichloroethene	NONE	624	0.5	100	NA	5/22/97	<50	
2-Butanone (MEK)	NONE	624	5	100	NA	5/22/97	<500	
1,1-Dichloroethane	NONE	624	0.5	100	NA	5/22/97	<50	
Chloroform	NONE	624	0.5	100	NA	5/22/97	<50	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	100	NA	5/22/97	<50	
Carbon Tetrachloride	NONE	624	0.5	100	NA	5/22/97	<50	
Benzene	NONE	624	0.5	100	NA	5/22/97	<50	
1,2-Dichloroethane	NONE	624	0.5	100	NA	5/22/97	<50	
Vinyl Acetate	NONE	624	5	100	NA	5/22/97	<500	
Trichloroethene (TCE)	NONE	624	0.5	100	NA	5/22/97	<50	
1,2-Dichloropropane	NONE	624	0.5	100	NA	5/22/97	<50	
Bromodichloromethane	NONE	624	0.5	100	NA	5/22/97	<50	
2-Chloroethyl Vinyl Ether	NONE	624	5	100	NA	5/22/97	<500	
trans-1,3-Dichloropropene	NONE	624	0.5	100	NA	5/22/97	<50	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	100	NA	5/22/97	<500	
2-Hexanone	NONE	624	5	100	NA	5/22/97	<500	
Toluene	NONE	624	0.5	100	NA	5/22/97	<50	
cis-1,3-Dichloropropene	NONE	624	0.5	100	NA	5/22/97	<50	
1,1,2-Trichloroethane	NONE	624	0.5	100	NA	5/22/97	<50	
Tetrachloroethene (PCE)	NONE	624	0.5	100	NA	5/22/97	1,600	
Dibromochloromethane	NONE	624	0.5	100	NA	5/22/97	<50	
Chlorobenzene	NONE	624	0.5	100	NA	5/22/97	<50	
Ethylbenzene	NONE	624	0.5	100	NA	5/22/97	<50	
Styrene	NONE	624	0.5	100	NA	5/22/97	<50	
Total Xylenes	NONE	624	0.5	100	NA	5/22/97	<50	
Bromoform	NONE	624	0.5	100	NA	5/22/97	<50	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	100	NA	5/22/97	<50	
1,3-Dichlorobenzene	NONE	624	0.5	100	NA	5/22/97	<50	
1,4-Dichlorobenzene	NONE	624	0.5	100	NA	5/22/97	<50	
1,2-Dichlorobenzene	NONE	624	0.5	100	NA	5/22/97	<50	

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company      **Service Request:** S9700933  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND      **Date Collected:** 5/20/97  
**Sample Matrix:** Water      **Date Received:** 5/21/97

**Volatile Organic Compounds**

Sample Name:	MW-6 (49)	Units: ug/L (ppb)
Lab Code:	S9700933-008	Basis: NA
Test Notes:	C1	

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	10	NA	5/23/97	<5	
Vinyl Chloride	NONE	624	0.5	10	NA	5/23/97	<5	
Bromomethane	NONE	624	0.5	10	NA	5/23/97	<5	
Chloroethane	NONE	624	0.5	10	NA	5/23/97	<5	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	10	NA	5/23/97	<5	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	10	NA	5/23/97	<10	
1,1-Dichloroethene	NONE	624	0.5	10	NA	5/23/97	<5	
Acetone	NONE	624	5	10	NA	5/23/97	<50	
Carbon Disulfide	NONE	624	0.5	10	NA	5/23/97	<5	
Dichloromethane (Methylene Chloride)	NONE	624	1	10	NA	5/23/97	<10	
trans-1,2-Dichloroethene	NONE	624	0.5	10	NA	5/23/97	<5	
cis-1,2-Dichloroethene	NONE	624	0.5	10	NA	5/23/97	<5	
2-Butanone (MEK)	NONE	624	5	10	NA	5/23/97	<50	
1,1-Dichloroethane	NONE	624	0.5	10	NA	5/23/97	<5	
Chloroform	NONE	624	0.5	10	NA	5/23/97	<5	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	10	NA	5/23/97	<5	
Carbon Tetrachloride	NONE	624	0.5	10	NA	5/23/97	<5	
Benzene	NONE	624	0.5	10	NA	5/23/97	<5	
1,2-Dichloroethane	NONE	624	0.5	10	NA	5/23/97	<5	
Vinyl Acetate	NONE	624	5	10	NA	5/23/97	<50	
Trichloroethene (1,1,1-TCE)	NONE	624	0.5	10	NA	5/23/97	<5	
1,2-Dichloropropane	NONE	624	0.5	10	NA	5/23/97	<5	
Bromodichloromethane	NONE	624	0.5	10	NA	5/23/97	<5	
2-Chloroethyl Vinyl Ether	NONE	624	5	10	NA	5/23/97	<50	
trans-1,3-Dichloropropene	NONE	624	0.5	10	NA	5/23/97	<5	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	10	NA	5/23/97	<50	
2-Hexanone	NONE	624	5	10	NA	5/23/97	<50	
Toluene	NONE	624	0.5	10	NA	5/23/97	<5	
cis-1,3-Dichloropropene	NONE	624	0.5	10	NA	5/23/97	<5	
1,1,2-Trichloroethane	NONE	624	0.5	10	NA	5/23/97	<5	
Tetrachloroethene (PCE)	NONE	624	0.5	10	NA	5/23/97	270	
Dibromochloromethane	NONE	624	0.5	10	NA	5/23/97	<5	
Chlorobenzene	NONE	624	0.5	10	NA	5/23/97	<5	
Ethylbenzene	NONE	624	0.5	10	NA	5/23/97	<5	
Styrene	NONE	624	0.5	10	NA	5/23/97	<5	
Total Xylenes	NONE	624	0.5	10	NA	5/23/97	<5	
Bromoform	NONE	624	0.5	10	NA	5/23/97	<5	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	10	NA	5/23/97	<5	
1,3-Dichlorobenzene	NONE	624	0.5	10	NA	5/23/97	<5	
1,4-Dichlorobenzene	NONE	624	0.5	10	NA	5/23/97	<5	
1,2-Dichlorobenzene	NONE	624	0.5	10	NA	5/23/97	<5	

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

Volatile Organic Compounds

<b>Sample Name:</b>	MW-2 (25)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-009	<b>Basis:</b>	NA
<b>Test Notes:</b>	M1		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	2	NA	5/22/97	<1	
Vinyl Chloride	NONE	624	0.5	2	NA	5/22/97	<1	
Bromomethane	NONE	624	0.5	2	NA	5/22/97	<1	
Chloroethane	NONE	624	0.5	2	NA	5/22/97	<1	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	2	NA	5/22/97	<1	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	2	NA	5/22/97	<2	
1,1-Dichloroethene	NONE	624	0.5	2	NA	5/22/97	<1	
Acetone	NONE	624	5	2	NA	5/22/97	<10	
Carbon Disulfide	NONE	624	0.5	2	NA	5/22/97	<1	
Dichloromethane (Methylene Chloride)	NONE	624	1	2	NA	5/22/97	<2	
trans-1,2-Dichloroethene	NONE	624	0.5	2	NA	5/22/97	<1	
cis-1,2-Dichloroethene	NONE	624	0.5	2	NA	5/22/97	<1	
2-Butanone (MEK)	NONE	624	5	2	NA	5/22/97	<10	
1,1-Dichloroethane	NONE	624	0.5	2	NA	5/22/97	<1	
Chloroform	NONE	624	0.5	2	NA	5/22/97	<1	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	2	NA	5/22/97	<1	
Carbon Tetrachloride	NONE	624	0.5	2	NA	5/22/97	<1	
Benzene	NONE	624	0.5	2	NA	5/22/97	3	
1,2-Dichloroethane	NONE	624	0.5	2	NA	5/22/97	<1	
Vinyl Acetate	NONE	624	5	2	NA	5/22/97	<10	
Trichloroethene (TCE)	NONE	624	0.5	2	NA	5/22/97	<1	
1,2-Dichloropropane	NONE	624	0.5	2	NA	5/22/97	<1	
Bromodichloromethane	NONE	624	0.5	2	NA	5/22/97	<1	
2-Chloroethyl Vinyl Ether	NONE	624	5	2	NA	5/22/97	<10	
trans-1,3-Dichloropropene	NONE	624	0.5	2	NA	5/22/97	<1	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	2	NA	5/22/97	<10	
2-Hexanone	NONE	624	5	2	NA	5/22/97	<10	
Toluene	NONE	624	0.5	2	NA	5/22/97	<1	
cis-1,3-Dichloropropene	NONE	624	0.5	2	NA	5/22/97	<1	
1,1,2-Trichloroethane	NONE	624	0.5	2	NA	5/22/97	<1	
Tetrachloroethene (PCE)	NONE	624	0.5	2	NA	5/22/97	<1	
Dibromochloromethane	NONE	624	0.5	2	NA	5/22/97	<1	
Chlorobenzene	NONE	624	0.5	2	NA	5/22/97	<1	
Ethylbenzene	NONE	624	0.5	2	NA	5/22/97	<1	
Styrene	NONE	624	0.5	2	NA	5/22/97	<1	
Total Xylenes	NONE	624	0.5	2	NA	5/22/97	<1	
Bromoform	NONE	624	0.5	2	NA	5/22/97	<1	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	2	NA	5/22/97	<1	
1,3-Dichlorobenzene	NONE	624	0.5	2	NA	5/22/97	<1	
1,4-Dichlorobenzene	NONE	624	0.5	2	NA	5/22/97	<1	
1,2-Dichlorobenzene	NONE	624	0.5	2	NA	5/22/97	<1	

M1

The MRL was elevated due to matrix interference.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

**Volatile Organic Compounds**

Sample Name:	MW-7 (35)	Units: ug/L (ppb)
Lab Code:	S9700933-010	Basis: NA
Test Notes:	C1	

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	20	NA	5/23/97	<10	
Vinyl Chloride	NONE	624	0.5	20	NA	5/23/97	<10	
Bromomethane	NONE	624	0.5	20	NA	5/23/97	<10	
Chloroethane	NONE	624	0.5	20	NA	5/23/97	<10	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	20	NA	5/23/97	<10	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	20	NA	5/23/97	<20	
1,1-Dichloroethene	NONE	624	0.5	20	NA	5/23/97	<10	
Acetone	NONE	624	5	20	NA	5/23/97	<100	
Carbon Disulfide	NONE	624	0.5	20	NA	5/23/97	<10	
Dichloromethane (Methylene Chloride)	NONE	624	1	20	NA	5/23/97	<20	
trans-1,2-Dichloroethene	NONE	624	0.5	20	NA	5/23/97	<10	
cis-1,2-Dichloroethene	NONE	624	0.5	20	NA	5/23/97	<10	
2-Butanone (M1;K)	NONE	624	5	20	NA	5/23/97	<100	
1,1-Dichloroethane	NONE	624	0.5	20	NA	5/23/97	<10	
Chloroform	NONE	624	0.5	20	NA	5/23/97	<10	
1,1,1-Trichloroethane (1CA)	NONE	624	0.5	20	NA	5/23/97	<10	
Carbon Tetrachloride	NONE	624	0.5	20	NA	5/23/97	<10	
Benzene	NONE	624	0.5	20	NA	5/23/97	140	
1,2-Dichloroethane	NONE	624	0.5	20	NA	5/23/97	<10	
Vinyl Acetate	NONE	624	5	20	NA	5/23/97	<100	
Trichloroethene (TCE)	NONE	624	0.5	20	NA	5/23/97	<10	
1,2-Dichloropropane	NONE	624	0.5	20	NA	5/23/97	<10	
Bromodichloromethane	NONE	624	0.5	20	NA	5/23/97	<10	
2-Chloroethyl Vinyl Ether	NONE	624	5	20	NA	5/23/97	<100	
trans-1,3-Dichloropropene	NONE	624	0.5	20	NA	5/23/97	<10	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	20	NA	5/23/97	<100	
2-Hexanone	NONE	624	5	20	NA	5/23/97	<100	
Toluene	NONE	624	0.5	20	NA	5/23/97	77	
cis-1,3-Dichloropropene	NONE	624	0.5	20	NA	5/23/97	<10	
1,1,2-Trichloroethane	NONE	624	0.5	20	NA	5/23/97	<10	
Tetrachloroethene (PCE)	NONE	624	0.5	20	NA	5/23/97	<10	
Dibromochloromethane	NONE	624	0.5	20	NA	5/23/97	<10	
Chlorobenzene	NONE	624	0.5	20	NA	5/23/97	<10	
Ethylbenzene	NONE	624	0.5	20	NA	5/23/97	700	
Styrene	NONE	624	0.5	20	NA	5/23/97	<10	
Total Xylenes	NONE	624	0.5	20	NA	5/23/97	2,200	
Bromoform	NONE	624	0.5	20	NA	5/23/97	<10	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	20	NA	5/23/97	<10	
1,3-Dichlorobenzene	NONE	624	0.5	20	NA	5/23/97	<10	
1,4-Dichlorobenzene	NONE	624	0.5	20	NA	5/23/97	<10	
1,2-Dichlorobenzene	NONE	624	0.5	20	NA	5/23/97	<10	

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/T0#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

Volatile Organic Compounds

Sample Name:	Method Blank	Units: ug/L (ppb)
Lab Code:	S970521-WB2	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/21/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/21/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/21/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
Acetone	NONE	624	5	1	NA	5/21/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/21/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/21/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/21/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/21/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/21/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/21/97	ND	
Benzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/21/97	ND	
Trichloroethene (TCE)	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/21/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/21/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/21/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/21/97	ND	
Toluene	NONE	624	0.5	1	NA	5/21/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/21/97	ND	
Dibromochloromethane	NONE	624	0.5	1	NA	5/21/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/21/97	ND	
Styrene	NONE	624	0.5	1	NA	5/21/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/21/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/21/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/21/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/21/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

Volatile Organic Compounds

Sample Name:	Method Blank	Units: ug/L (ppb)
Lab Code:	S970522-WB1	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Chloromethane	NONE	624	0.5	1	NA	5/22/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/22/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/22/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/22/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/22/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/22/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/22/97	ND	
Acetone	NONE	624	5	1	NA	5/22/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/22/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/22/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/22/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/22/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/22/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/22/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/22/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/22/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/22/97	ND	
Benzene	NONE	624	0.5	1	NA	5/22/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/22/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/22/97	ND	
Trichloroethene (TCE)	NONE	624	0.5	1	NA	5/22/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/22/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/22/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/22/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/22/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/22/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/22/97	ND	
Toluene	NONE	624	0.5	1	NA	5/22/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/22/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/22/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/22/97	ND	
Dibromochloromethane	NONE	624	0.5	1	NA	5/22/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/22/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/22/97	ND	
Styrene	NONE	624	0.5	1	NA	5/22/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/22/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/22/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/22/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/22/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/22/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/22/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

Volatile Organic Compounds

<b>Sample Name</b>	Method Blank	<b>Units:</b> ug/L (ppb)
<b>Lab Code:</b>	S970523-WB1	<b>Basis:</b> NA
<b>Test Notes:</b>		

<b>Analyte</b>	<b>Prep Method</b>	<b>Analysis Method</b>	<b>MRL</b>	<b>Dilution Factor</b>	<b>Date Extracted</b>	<b>Date Analyzed</b>	<b>Result</b>	<b>Result Notes</b>
Chloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
Vinyl Chloride	NONE	624	0.5	1	NA	5/23/97	ND	
Bromomethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Trichlorofluoromethane (CFC 11)	NONE	624	0.5	1	NA	5/23/97	ND	
Trichlorotrifluoroethane (CFC 113)	NONE	624	1	1	NA	5/23/97	ND	
1,1-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
Acetone	NONE	624	5	1	NA	5/23/97	ND	
Carbon Disulfide	NONE	624	0.5	1	NA	5/23/97	ND	
Dichloromethane (Methylene Chloride)	NONE	624	1	1	NA	5/23/97	ND	
trans-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
cis-1,2-Dichloroethene	NONE	624	0.5	1	NA	5/23/97	ND	
2-Butanone (MEK)	NONE	624	5	1	NA	5/23/97	ND	
1,1-Dichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chloroform	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,1-Trichloroethane (TCA)	NONE	624	0.5	1	NA	5/23/97	ND	
Carbon Tetrachloride	NONE	624	0.5	1	NA	5/23/97	ND	
Benzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Vinyl Acetate	NONE	624	5	1	NA	5/23/97	ND	
Trichloroethene (PCE)	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichloropropane	NONE	624	0.5	1	NA	5/23/97	ND	
Bromodichloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
2-Chloroethyl Vinyl Ether	NONE	624	5	1	NA	5/23/97	ND	
trans-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/23/97	ND	
4-Methyl-2-pentanone (MIBK)	NONE	624	5	1	NA	5/23/97	ND	
2-Hexanone	NONE	624	5	1	NA	5/23/97	ND	
Toluene	NONE	624	0.5	1	NA	5/23/97	ND	
cis-1,3-Dichloropropene	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,2-Trichloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
Tetrachloroethene (PCE)	NONE	624	0.5	1	NA	5/23/97	ND	
Dibromochloromethane	NONE	624	0.5	1	NA	5/23/97	ND	
Chlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
Ethylbenzene	NONE	624	0.5	1	NA	5/23/97	ND	
Styrene	NONE	624	0.5	1	NA	5/23/97	ND	
Total Xylenes	NONE	624	0.5	1	NA	5/23/97	ND	
Bromoform	NONE	624	0.5	1	NA	5/23/97	ND	
1,1,2,2-Tetrachloroethane	NONE	624	0.5	1	NA	5/23/97	ND	
1,3-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,4-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	
1,2-Dichlorobenzene	NONE	624	0.5	1	NA	5/23/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

Sample Name	MW-1 (27)	Units: ug/L (ppb)
Lab Code:	S9700933-001	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/30/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/30/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO/21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTLEX, MTBE and TPH as Gasoline

Sample Name	MW-8 (46)	Units. ug/L (ppb)
Lab Code:	S9700933-002	Basis NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/30/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/30/97	21	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

Sample Name: RW-1 (48) Units: ug/L (ppb)  
Lab Code: S9700933-003 Basis: NA  
Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/30/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/30/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

Sample Name:	WGR-3 (26)	Units: ug/L (ppb)
Lab Code:	S9700933-004	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	2	NA	6/2/97	<100	C1
Benzene	EPA 5030	8020	0.5	2	NA	6/2/97	<1	C1
Toluene	EPA 5030	8020	0.5	2	NA	6/2/97	<1	C1
Ethylbenzene	EPA 5030	8020	0.5	2	NA	6/2/97	<1	C1
Xylenes, Total	EPA 5030	8020	0.5	2	NA	6/2/97	<1	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	2	NA	6/2/97	130	

C1                   The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-5 (46) **Units:** ug/L (ppb)  
**Lab Code:** S9700933-005 **Basis:** NA  
**Test Notes:**

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/31/97	<200	G2
Benzene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/31/97	26	

G2

Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range. The chromatogram does not match the typical gasoline fingerprint.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

<b>Sample Name:</b>	MW-3 (27)	<b>Units:</b> ug/L (ppb)
<b>Lab Code:</b>	S9700933-006	<b>Basis:</b> NA
<b>Test Notes:</b>		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/31/97	<300	G2
Benzene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/31/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/31/97	ND	

G2                    Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range. The chromatogram does not match the typical gasoline fingerprint.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

<b>Sample Name:</b>	MW-4 (27)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-007	<b>Basis:</b>	NA
<b>Test Notes:</b>			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	2	NA	5/31/97	<500	G2
Benzene	EPA 5030	8020	0.5	2	NA	5/31/97	<1	M1
Toluene	EPA 5030	8020	0.5	2	NA	5/31/97	<1	M1
Ethylbenzene	EPA 5030	8020	0.5	2	NA	5/31/97	<1	M1
Xylenes, Total	EPA 5030	8020	0.5	2	NA	5/31/97	<1	M1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	2	NA	5/31/97	<6	M1

G2                    Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range. The chromatogram does not match the typical gasoline fingerprint.  
 M1                    The MRL was elevated because of matrix interferences.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

<b>Sample Name:</b>	MW-6 (49)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-008	<b>Basis:</b>	NA
<b>Test Notes:</b>			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/30/97	<200	G2
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
<i>Methyl tert-Butyl Ether</i>	EPA 5030	8020	3	1	NA	5/30/97	ND	

G2                    Raised MRL due to matrix interference. The sample contains a single non-fuel component eluting in the gasoline range. The chromatogram does not match the typical gasoline fingerprint.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

Sample Name:	MW-2 (25)	Units: ug/L (ppb)
Lab Code:	S9700933-009	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	5/31/97	<1000	C1
Benzene	EPA 5030	8020	0.5	20	NA	5/31/97	<10	C1
Toluene	EPA 5030	8020	0.5	20	NA	5/31/97	<10	C1
Ethylbenzene	EPA 5030	8020	0.5	20	NA	5/31/97	<10	C1
Xylenes, Total	EPA 5030	8020	0.5	20	NA	5/31/97	<10	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	20	NA	5/31/97	1400	

C1                   The MRI, was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97

BTEX, MTBE and TPH as Gasoline

Sample Name MW-7 (35) Units: ug/L (ppb)  
Lab Code: S9700933-010 Basis: NA  
Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	6/2/97	13000	
Benzene	EPA 5030	8020	0.5	20	NA	6/2/97	110	
Toluene	EPA 5030	8020	0.5	20	NA	6/2/97	56	
Ethylbenzene	EPA 5030	8020	0.5	20	NA	6/2/97	590	
Xylenes, Total	EPA 5030	8020	0.5	20	NA	6/2/97	1800	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	20	NA	6/2/97	720	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008-TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

<b>Sample Name</b>	Method Blank	<b>Units</b>	ug/L (ppb)
<b>Lab Code:</b>	S970530-WB1	<b>Basis:</b>	NA
<b>Test Notes:</b>			

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/I/UFT	50	1	NA	5/30/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/30/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

<b>Sample Name:</b>	Method Blank	<b>Units:</b> ug/L (ppb)
<b>Lab Code:</b>	S970530-WB2	<b>Basis:</b> NA
<b>Test Notes:</b>		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	5/30/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	5/30/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	5/30/97	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/FO/21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

Sample Name	Method Blank	Units: ug/L (ppb)
Lab Code.	S970602-WB1	Basis: NA
Test Notes.		

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/2/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/2/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/2/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/2/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/2/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/2/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** #276 Oakland/#20805-120.008/TO#21133.00  
**Sample Matrix:** Water

**Service Request:** L9701766  
**Date Collected:** 5/20/97  
**Date Received:** 5/21/97  
**Date Extracted:** 5/22/97  
**Date Analyzed:** 5/22/97

Total Recoverable Petroleum Hydrocarbons (TRPH)  
EPA Method 418.1  
Units: mg/L (ppm)

<b>Sample Name</b>	<b>Lab Code</b>	<b>MRL</b>	<b>Result</b>
MW-4 (27)	L9701766-001	0.5	0.6
Method 1Blank	L970522-MB	0.5	ND

## APPENDIX A

**COLUMBIA ANALYTICAL SERVICES, INC.**

## QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-120.008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** NA

Surrogate Recovery Summary  
Volatile Organic Compounds

Prep Method      NONE  
Analysis Method      624

Units: PERCENT  
Basis: NA

<b>Sample Name</b>	<b>Lab Code</b>	<b>Test Notes</b>	<b>P e r c e n t R e c o v e r y</b>		
			Pentafluorobenzene	Toluene-D8	4-Bromofluorobenzene
MW-1 (27)	S9700933-001		101	98	96
MW-8 (46)	S9700933-002		100	99	98
RW-1 (48)	S9700933-003		99	98	99
WGR-3 (26)	S9700933-004		102	98	92
MW-5 (46)	S9700933-005		101	98	96
MW-3 (27)	S9700933-006		102	99	96
MW-4 (27)	S9700933-007		106	97	100
MW-6 (49)	S9700933-008		97	100	102
MW-2 (25)	S9700933-009		101	99	100
MW-7 (35)	S9700933-010		99	100	104
RW-1 (48)	S9700933-003MS		103	100	94
RW-1 (48)	S9700933-003DMS		101	100	95
Method Blank	S970521-WB2		103	99	93
Method Blank	S970522-WB1		103	98	92
Method Blank	S970523-WB1		102	94	97

CAS Acceptance Limits:      82-119      88-112      86-114

## COLUMBIA ANALYTICAL SERVICES, INC.

## QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008 TO#21133 00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** 5/21/97

**Matrix Spike/Duplicate Matrix Spike Summary**  
**Volatile Organic Compounds**

<b>Sample Name:</b>	RW-1 (48)	<b>Units:</b>	ug/L (ppb)
<b>Lab Code:</b>	S9700933-003MS.	<b>Basis:</b>	NA
<b>Test Notes:</b>			

<b>Analyte</b>	<b>Prep Method</b>	<b>Analysis Method</b>	<b>Spike Level</b>				<b>Sample Result</b>	<b>Spike Result</b>		<b>MS</b>	<b>DMS</b>	<b>Acceptance Limits</b>	<b>CAS</b>	<b>Relative Percent Difference</b>	<b>Result Notes</b>
			MRL	MS	DMS	Result		MS	DMS						
1,1-Dichloroethene	NONE	624	0.5	250	250	ND	250	250	100	100	62-145	<1			
Trichloroethylene (TCE)	NONE	624	0.5	250	250	ND	220	230	88	92	71-119	4			
Chlorobenzene	NONE	624	0.5	250	250	ND	210	230	84	92	75-127	9			
Toluene	NONE	624	0.5	250	250	ND	230	230	92	92	76-124	<1			
Benzene	NONE	624	0.5	250	250	ND	240	240	96	96	77-127	<1			

**COLUMBIA ANALYTICAL SERVICES, INC.**

**QA/QC Report**

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133.00/276 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** NA

**Surrogate Recovery Summary**  
BTEX, MTBE and TPH as Gasoline

**Prep Method** EPA 5030                                  **Units:** PERCENT  
**Analysis Method:** 8020 C&L/UFT                          **Basis:** NA

<b>Sample Name</b>	<b>Lab Code</b>	<b>Test Notes</b>	<b>P e r c e n t R e c o v e r y</b>	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-1 (27)	S9700933-001		100	93
MW-8 (46)	S9700933-002		97	94
RW-1 (48)	S9700933-003		98	94
WGR-3 (26)	S9700933-004		98	94
MW-5 (46)	S9700933-005		98	96
MW-3 (27)	S9700933-006		98	95
MW-4 (27)	S9700933-007		98	96
MW-6 (49)	S9700933-008		99	89
MW-2 (25)	S9700933-009		98	95
MW-7 (35)	S9700933-010		99	98
MW-1 (27)	S9700933-001MS		97	100
MW-1 (27)	S9700933-001DMS		94	101
Method Blank	S970530-WB1		100	99
Method Blank	S970530-WB2		91	87
Method Blank	S970602-WB1		101	96

CAS Acceptance Limits:                                  69-116

69-116

**COLUMBIA ANALYTICAL SERVICES, INC.**

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/FO#21133 00/276 OAKLAND  
**Sample Matrix** Water

**Service Request:** S9700933  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** 5/30/97

Matrix Spike/Duplicate Matrix Spike Summary  
 TPH as Gasoline

Sample Name	MW-1 (27)	Units: ug/L (ppb)
Lab Code.	S9700933-001MS.	Basis: NA
Test Notes:		

Analyte	Prep Method	Analysis Method	Percent Recovery											
			Spike Level				Sample Result	Spike Result				Acceptance Limits	Relative Percent Difference	Result Notes
			MRL	MS	DMS			MS	DMS	MS	DMS			
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	250	230	100	92	75-135	8		

**COLUMBIA ANALYTICAL SERVICES, INC.**

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-120 008/TO#21133 00/276 OAKLAND

**Service Request:** S9700933  
**Date Analyzed:** 5/30/97

Initial Calibration Verification (ICV) Summary  
 BTTEX, MTBE and TPH as Gasoline

Sample Name:	ICV	Units: ug/L (ppb)
Lab Code:	ICVt	Basis: NA
Test Notes		

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	250	240	96	
Benzene	EPA 5030	8020	25	27	108	
Toluene	EPA 5030	8020	25	26	104	
Ethylbenzene	EPA 5030	8020	25	27	108	
Xylenes, Total	EPA 5030	8020	75	80	107	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	26	104	

**COLUMBIA ANALYTICAL SERVICES, INC.**

**QA/QC Report**

**Client:** ARCO Products Company  
**Project:** #276 Oakland/#20805-120.008/TO#21133.00  
**LCS Matrix:** Water

**Service Request:** L9701766  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** 5/22/97  
**Date Analyzed:** 5/22/97

**Laboratory Control Sample/Duplicate Laboratory Control Sample Summary\***

Total Recoverable Petroleum Hydrocarbons (TRPH)

EPA Method 418.1

Units: mg/L (ppm)

Analyte	True Value		Result		Percent Recovery		Acceptance Limits	Relative Percent Difference
	LCS	DLCS	LCS	DLCS	LCS	DLCS		
TRPH	1.88	1.88	2.25	1.89	120	101	75-125	17

\* Sample quantity was insufficient to perform matrix spike and matrix spike duplicate. Three separate, replicate one liter samples are required to analyze sample and spikes.

## ARCO Products Company

Division of AtlanticRichfieldCompany

S 9700 933

Task Order No. 21133 OC

## Chain of Custody

ARCO Facility no.	276	City (Facility)	Oakland	Project manager (Consultant)	John Young	Laboratory name	
ARCO engineer	Paul Supple	Telephone no. (ARCO)		Telephone no (Consultant)	(408)453-7300	Fax no. (Consultant)	(408)453-4452
Consultant name	EMCON	Address (Consultant)	1921 RINGWOOD AVE, SAN JOSE, CA 95131				Contract number

Sample ID.	Lab no.	Container no.	Matrix		Preservation		Sampling date	Sampling time	BTEX		TPH		Oil and Grease		EPA 625/8220		TOLP		Semi Metals		CAM Metals		Lead Org/DRHS		Method of shipment		
			Soil	Water	Other	Ice			BTEX/TPH Inc 6220	EPA 6220/8220/8225	Modified 8015	Gas Diesel	413.1	413.2	TPH EPA 419/MSME	EPA 601/8010	EPA 625/8220	no/MSME	TLC	STLC	VOCs	NOA	VOCs	NOA	Lead EPA 7420/7421	Lead DRHS	
mw-1(2)	1	4	X	X			14CL	5/20/97	0925	X							X										
mw-8(4)	2	4							1020		X							X									
RW-1(48)	3	4							1100		X							X									
WGR-3(26)	4	4							1145		X							X									
mw-5(4)	5	4							1205		X							X									
mw-3(27)	6	4							0945		X							X									
mw-4(27)	7	6							1005		X			X			X										
mw-6(120)	8	4							1120		X							X									
mw-2(25)	9	4							0900		X							X									
mw-7(25)	10	4	↓	↓	↓	↓			0920		X							X									

Condition of sample:

IN TACT

Temperature received:

COOL

Relinquished by sampler

Manuel J. Allegre

Date

5/20/97 /

Time

Received by

R9

Relinquished by

Date

Time

Received by

Relinquished by

Date

Time

Received by laboratory

Date

3/21/97

Time

0840

**ARCO Products Company** ◆  
Division of Atlantic Richfield Company

*SILVERLAKE ACT*

Task Order No.

21133.00

**Chain of Custody**

ARCO Facility no.	276	City (Facility)	OAKLAND		Project manager (Consultant)	IVY INOLIVE		Laboratory name													
ARCO engineer	<i>Paula Strope</i>		Telephone no. (ARCO)			Telephone no. (Consultant)	Fax no. (Consultant)	Contract number													
Consultant name			Address (Consultant)	ERICON - SAN JOSE																	
Sample ID.	Lab no	Container no	Matrix		Preservation	Sampling date	Sampling time	BTEX 80/2/EPA 8020	BTEX/TPH EPA MB02/BG20/BG15	TPH/Moisture 8015 Gas <input type="checkbox"/> Diesel <input checked="" type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 419.2 <input checked="" type="checkbox"/>	TPH EPA 418/SM603E	EPA 807/8010	EPA 824/8240	EPA 625/8270	TCP Mobile <input type="checkbox"/> VOA <input type="checkbox"/>	Sumit TTC <input type="checkbox"/>	CAN Method EPA 6010/7000 TTLC <input type="checkbox"/>	Lead Dog 1018 <input type="checkbox"/>	Lead EPA 7420/7421 <input type="checkbox"/>	Method of shipment
			Soil	Water	Other			Ice	Acid												
HW.4(2B) - 1	2	✓				5/20							X							Special detection limit/reporting	
<p><i>SAMPLE ACT: LL AB</i></p>																		Special QA/QC			
																		Remarks			
																		ILSR and Draft Invoice will follow			
																		L 9701766			
																		Lab number <i>59700933</i>			
																		Turnaround time			
																		Priority Rush 1 Business Day <input type="checkbox"/>			
																		Rush 2 Business Days <input type="checkbox"/>			
																		Expedited 5 Business Days <input type="checkbox"/>			
																		Standard 10 Business Days <input checked="" type="checkbox"/>			
Condition of sample	In tact							Temperature received:	cool												
Relinquished by sampler				Date	Time	Received by															
Relinquished by				Date	Time	Received by															
Relinquished by	<i>CVL</i>			Date	Time	Received by laboratory	Date	Time	<i>Paula Strope 5/21/97 15:00</i>												

Distribution: White copy — Laboratory; Canary copy — ARCO Environmental Engineering; Pink copy — Consultant  
ASPC-3292 (2-91)

*due 6/4/97*

**APPENDIX B**

**SVE SYSTEM MONITORING DATA LOG SHEETS**

10600 and 10700 MacArthur Boulevard  
 SVE SYSTEM  
 MONITORING DATA

Reporting Period:																												
Field Monitoring Data			Laboratory Monitoring Data																									
Reading Date & Time	Flow Rates			FID or PID Results																								
	On-site Well Field Flow Rate scfm	Off-site Well Field Flow Rate scfm	System Influent Flow Rate scfm	On-site Well Field ppm	Off-site Well Field ppm	System Influent ppm	System Effluent ppm	Destruction Efficiency %	Gasoline ppmv	Benzene mg/m <sup>3</sup>	Off-site Well Field Influent ppmv	Benzene mg/m <sup>3</sup>	Gasoline ppmv	Benzene mg/m <sup>3</sup>	Gasoline ppmv	Benzene mg/m <sup>3</sup>	Gasoline ppmv	Benzene mg/m <sup>3</sup>	Destruction Efficiency %	Gasoline Emission Rate ppd	Benzene Emission Rate ppd	Period Hours	Meter Hours	Hours of Operation	Days of Operation	Down Hours	Down Days	
04/01/97 00:00	0.0	0.0	0.0																				1216.20					
04/25/97 12:30	0.0	0.0	0.0																				588.50	1216.20	0.00	0.00	588.50	24.52
05/01/97 00:00	0.0	0.0	0.0																				131.50	1216.20	0.00	0.00	131.50	5.48
Period Totals:																			720.00			0.00 0.00			720.00 30.00			
Averages																												