

August 16, 1994

Ms. Juliet Shin Alameda County Department of Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502

Re: Tank Removal Closure Request

Z Rental Properties, 711 Cleveland Avenue, Albany, CA

Dear Ms. Shin:

On July 29, 1994, First Environmental Group (FEG) submitted their closure report to your office for the bioremediation of petroleum hydrocarbon-impacted soil at the property located at 711 Cleveland Avenue in Albany, California. Analytical laboratory results indicated that bioremedial activities were successful in reducing the TPH-G and TRPH concentrations in the stockpiled soil to below the approved clean-up level of 10mg/kg, as specified in the FEG Work Plan dated April 25, 1994.

Pursuant to your request, the soil was also analyzed for Pesticides. Analytical results showed concentrations of the pesticide compounds several orders of magnitude below Title 22 Total Threshold Limit (TTLCs) as stated in Cambria Environmental Technology's letter dated July 29 1994.

Based on your approval of work performed and analytical results, we requested permission from you to backfill with the remediated soil and it was granted on August 9, 1994. We completed the backfill work on August 10, 1994.

All conditions for closure as required by your office and the State of California Regional Water Quality Control Board have been met. Therefore, we respectfully request permanent closure of this site.

Please provide a letter stating that all work was performed satisfactorily and that the County considers the matter closed.

Please do not hesitate to call if you have any questions! We greatly appreciate your cooperation and assistance throughout this project.

Sincerely,

Koxame Dume

Roxanne Harris President

cc: Frank Zichichi, Z Rental Properties

Enclosures



CAMBRIA Environmental Technology, Inc.

July 29, 1994

Juliet Shin
Alameda County Department
of Environmental Health
1131 Harbor Bay Parkway, Second Floor
Alameda, CA 94502

Re: 711 Cleveland Avenue Albany, California ACDEH Case # 1565 Cambria Proj. # 10-118

Dear Ms. Shin:

Cambria Environmental Technology, Inc. has been retained by Subsurface Environmental of San Francisco, California to assist with the evaluation of soils for backfilling at the site referenced above. According to Roxanne Harris of Subsurface Environmental, you have requested that the property owner analyze previously characterized and remediated soil for pesticides that were detected in the originally excavated soil.¹ This letter presents rationale for not analyzing any additional samples for these compounds.

According to Ms. Harris, soil previously excavated from the site has been bioremediated to reduce gasoline and diesel concentrations to less than 10 parts per million (ppm) before backfilling. Apparently, the compounds Aldrin and 4,4'-DDD were detected in the soil before bioremediation, at maximum concentrations of 0.0095 and 0.041 parts per million (ppm), respectively (Attachment A). The Title 22 Total Threshold Limit Concentrations (TTLCs) for these two compounds are 1.4 and 1.0 ppm, respectively. Therefore, the concentrations detected are several orders of magnitude below TTLCs.

Since the concentrations of Aldrin and 4,4'-DDD were well below TTLCs, and since at least eleven samples were analyzed for these compounds, it does not appear that Aldrin or 4,4'-DDD are in the soil above regulatory limits. Because analysis for these compounds is expensive and the property owner has limited resources, we request that you approve the backfilling of the remediated soil into the excavation without additional analysis for these compounds.

We appreciate your cooperation in this matter. Please call if you have any questions or comments.

Sincerely,

Cambria Environnental Technology, Inc.

N. Scott MacLeod, R.G.

Principal Geologist

1

Attachment: Laboratory Analytic Report

D(NSM):\PROJECT\SEC\MISC\ALB-LTR1.WPD

cc: Roxanne Harris, Subsurface Environmental, San Francisco, California

Telephone conversation between Cambria Principal Geologist N. Scott MacLeod and Roxanne Harris of Subsurface Environmental regarding soil backfilling at 711 Cleveland Avenue, Albany, California.

First Environmental Group

J.J. Magana Corporation Martinez Industrial Services MDW Industrial Services 3501 Collins Avenue Richmond, CA 94806 (510) 232-0202 Fax (510) 232-5844

July 29, 1994

Juliet Shin Alameda County Department of Environmental Health 1131 Harbor Bay Parkway Suite 250 Alameda, CA 94502

Subject: Soil Bioremediation Report

Z Rental Properties 711 Cleveland Avenue Albany, California

Dear Ms. Shin:

At the request of Subsurface Environmental of San Francisco, California, we have enclosed our report for the bioremediation of petroleum hydrocarbon-impacted soil at the property located at 711 Cleveland Avenue in Albany, California. The bioremedial activities were conducted from May 20, 1994 through July 21, 1994.

This report describes the bioremedial activities, which included:

° bioremedial product application

° verification sample collection

This report also presents the laboratory analytical results of the soil samples collected from the treated soil and our findings and conclusions regarding the bioremedial activities.

If you have any questions or comments concerning this report, please call.

Sincerely,

Đan Etheredge Project Manager

SOIL BIOREMEDIATION REPORT

Z RENTAL PROPERTIES 711 CLEVELAND AVENUE ALBANY, CALIFORNIA

JULY 29, 1994

prepared by:

First Environmental Group

Dan Etheredge Project Manager

PAUL H. KING.

RED GEO

Paul H. King
CA Registered Geologist, #5901

H.Kino

expires: 12/31/95

Prepared for:

Subsurface Environmental 1796 18th Street, Suite C San Francisco, California

LIST OF TABLES

| Number | Title | |
|--------|---|--|
| | | |
| 1 | June 8, 1994 Evaluation Sample Results | |
| 2 | July 21, 1994 Verification Sample Results | |

CONTENTS

| <u>D</u> i | <u>age</u> |
|--|------------|
| LIST OF TABLES | ii |
| LIST OF FIGURES | iii |
| LIST OF APPENDICES | iv |
| 1.0 INTRODUCTION | 1 |
| 2.0 SITE DESCRIPTION | 1 |
| 2.1 Site History2.2 Physical Description of Site | |
| 3.0 BIOREMEDIAL PRODUCT APPLICATION | 2 |
| 4.0 VERIFICATION SAMPLING AND ANALYSIS | 3 |
| 4.1 Sample Collection Activities4.2 Analytical Methodology4.3 Analytical Results | |
| 5.0 CONCLUSIONS | 4 |
| 6.0 DISTRIBUTION | 5 |
| 7.0 LIMITATIONS | 5 |
| us | |
| TABLES | |
| FIGURES | |
| APPENDIX | |

LIST OF FIGURES

| Number | Title |
|--------|---|
| 1 | Site Location Map |
| 2 | Site Plan Showing Verification Sample Collection Locations, June 8, 1994 |
| 3 | Site Plan Showing Verification Sample Collection Locations, July 21, 1994 |

LIST OF APPENDICES

| Number | Title |
|--------|--|
| 1 | Laboratory Analytical Reports and Chain of Custody |

SOIL BIOREMEDIATION REPORT

Z RENTAL PROPERTIES 711 CLEVELAND AVENUE ALBANY, CALIFORNIA

1.0 INTRODUCTION

At the request of Subsurface Environmental, First Environmental Group (FEG) bioremediated petroleum hydrocarbon-impacted soil stockpiled at the Z Rental Properties property at 711 Cleveland Avenue in Albany, California (the Site). A Site Location Map is attached as Figure 1. The remedial activities were conducted from May 20, 1994 through July 21, 1994, in accordance with FEG's Work Plan dated April 25, 1994. Approval of the FEG Work Plan was provided by Juliet Shin of the Alameda County Department of Environmental Health (ACDEH), in a letter dated May 12, 1994.

ACDEH served as the lead regulatory agency, with Juliet Shin as the ACDEH Case Officer.

This report describes bioremedial activities performed at the Site, which included bioremedial product application and subsequent verification sampling activities. The report includes the laboratory analytical results of the soil verification samples collected from the treated soil and our findings and conclusions regarding the remediation activities.

2.0 SITE DESCRIPTION

2.1 Site History

The Site is located at 711 Cleveland Avenue in Albany, California. It is FEG's understanding that underground storage tanks (USTs) at the Site were used to store diesel fuel and gasoline. It is also FEG's understanding that all USTs were removed under the direction and approval of ACDEH. The results of soil samples collected from the tank pit during the UST removal activities indicated that petroleum hydrocarbon contamination was present in onsite soils.

Soil surrounding the former tank location was reported to have been excavated and stockpiled adjacent to the tank pit. It is FEG's understanding that approximately 750 cubic yards of petroleum hydrocarbon impacted soil was excavated at the Site. Petroleum hydrocarbon contamination, in the form of total petroleum hydrocarbons as

gasoline (TPH-G) and total petroleum hydrocarbons as diesel (TPH-D) was detected in the soil at concentrations up to 220 mg/kg and 2,100 mg/kg, respectively.

It is FEG's understanding that the Site has been sold to Caltrans. Following remedial activities, it is FEG's understanding that a freeway on-ramp will be constructed at the Site.

2.2 Physical Description of Site

The Site is located in the northwest portion of Albany, California. The structures present in the surrounding vicinity of the Site consist of older residential and light industrial zoned buildings. The subject property houses three steel building structures.

The Site topography is relatively flat. The topography immediately surrounding the subject Site slopes upwards to the east, to the El Cerrito Hills and slopes downward to the west to the San Francisco Bay. The Site is approximately 400 feet east of the San Francisco Bay, which is the nearest surface water body.

3.0 BIOREMEDIAL PRODUCT APPLICATION

The soil was bioremediated in two phases. During the first phase, the contaminated soil stockpile was bioremediated by loading the petroleum hydrocarbon-affected soil into a Rotar screening unit. The Rotar unit oxygenated and screened the soil while a treatment enzyme was applied. Following soil oxygenation, screening, and application of the enzyme to the soil, berms were constructed adjacent to the original stockpile location with the newly treated soil. The soil was exposed to the enzyme for a period of 5 weeks prior to the second phase of bioremediation.

A Rotar Screening unit, mounted in place of the loader bucket on a Caterpillar front end loader, was used to apply the bioremedial enzyme product. The Rotar uses a tumbling drum which tills the soil, while oxygenating the soil and screening out larger rocks. The enzyme product, which is stored in portable tanks mounted on the loader, is applied to the soil with the use of a spray bar as the soil spins within the Rotar bucket.

During the second phase of bioremediation, a tractor mounted rototiller was used to till the soil. The enzyme was sprayed directly into the soil with the use of a trailer mounted water tank and pressure spraying unit. The soil was subsequently allowed to bioremediate for a period of two weeks after the second application of the enzyme prior to final verification sampling

4.0 VERIFICATION SAMPLING AND ANALYSIS

4.1 Sample Collection Activities

After the first treatment phase, the soil was sampled for the purpose of evaluating the effectiveness of the bioremedial activities. On June 8, 1994, one discreet soil sample was collected for every 30 cubic yards of treated soil, as per ACDEH requirements described in a letter dated May 12, 1994. A total of 25 evaluation samples were collected, designated as sample numbers 1 through 25. The sample collection locations for the evaluation samples collected on June 8, 1994, are shown in Figure 2.

After the second treatment phase, the soil was sampled for the purpose of verifying the effectiveness of the bioremedial activities. On July 21, 1994, one discreet sample was collected for every 30 cubic yards of treated soil. A total of 25 verification samples were collected, designated as sample numbers 1 through 25. The sample collection locations for the verification samples collected on July 21,1994, are shown in Figure 3.

Soil samples were collected by driving precleaned brass tubes into the treated soil. The samples completely filled the tubes to eliminate head space. The ends of the tubes were covered with aluminum foil and plastic end caps. The plastic end caps were taped with duct tape to prevent possible moisture and chemical loss. The samples were then labeled and immediately placed in a chilled cooler containing ice for delivery to the analytical laboratory.

4.2 Analytical Methodology

The soil samples collected on June 8, and July 21, 1994, were submitted to American Environmental Network, Inc., of Pleasant Hill, California, a state-certified laboratory. Chain of custody procedures were observed for all sample handling.

Prior to analysis for the samples collected on June 8, 1994, EPA Method 3611 was used to remove the non-hazardous bio-organic fatty acids that are one of the intermediate products of the bioremediation treatment process.

The samples collected on June 8, 1994, were analyzed for the following constituents:

- TPH-G using EPA Method 5030 (GCFID); and Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) using EPA Method 8020.
- TPH-D using EPA Method 3550 (GCFID).

Prior to analysis for the samples collected on July 21, 1994, Standard Method 5520 F was used to remove the non-hazardous bio-organic fatty acids that are one of the intermediate products of the bioremediation treatment process.

The samples collected on July 21, 1994, were analyzed for the following constituents:

 Total recoverable petroleum hydrocarbons (TRPH) using Standard Method 5520 F

The TRPH analysis includes TPH-D range compounds.

4.3 Analytical Results

The laboratory analytical results of the evaluation soil samples collected on June 8, 1994, from the treated soil are presented in Table 1. The results show that the TPH-G and BTEX contamination was reduced to levels below their detection limits of 0.3 mg/kg to 0.8 mg/kg and 0.005 mg/kg, respectively. TPH-D was detected at concentrations ranging from 53 to 1,000 mg/kg.

The laboratory analytical results of the verification samples collected on July 21, 1994, from the treated soil are presented in Table 2. The results show that TRPH concentrations were reduced to below the detection limit of 10 mg/kg.

Copies of the laboratory analytical reports and chain of custody documentation for both sampling events are presented in the appendix.

Evaluation of the sample results indicates that the bioremedial activities were successful in reducing the TPH-G and TRPH concentrations in the stockpiled soil to below the approved clean-up level of 10 mg/kg, as specified in the FEG Work Plan dated April 25, 1994.

5.0 CONCLUSIONS

Based upon the analytical laboratory results of the verification soil samples collected from the soil following bioremediation, the bioremediation activities at the Site were successful in reducing the concentrations of petroleum hydrocarbons to levels below the approved clean-up level of 10 mg/kg, in accordance with the FEG Work Plan, dated April 25, 1994. A total of approximately 750 cubic yards of soil was treated at the Site. The laboratory analytical results indicate that no further remediation of the soil is required.

6.0 DISTRIBUTION

Copies of this report should be sent to Ms. Juliet Shin at the Alameda County Department of Environmental Health and to Mr. Kevin Graves at the Regional Water Quality Control Board, San Francisco Bay Region.

7.0 LIMITATIONS

This report was prepared solely for the use of Subsurface Environmental. The content and conclusions provided by FEG in this report are based on information collected during our Site activities, which may include, but not be limited to, visual site inspections, interviews with the site owner, regulatory agencies and other pertinent individuals, review of available public documents, and our professional judgment based on said information at the time of preparation of this document.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized environmental firms performing services of a similar nature. FEG is not responsible for the accuracy or completeness of information provided by other individuals or entities which are used in this report. This report presents our professional judgment based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either expressed or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.

TABLE 1
EVALUATION SAMPLE RESULTS
Sample Collection of June 8, 1994

711 Cleveland Avenue Albany, California

(results expressed in mg/kg)

| | | | | | | |
|--------------------------|------------------------|-----|------|-------|-------------|-------------|
| Sample | | | _ | | | |
| Number | TPH-G | _DL | BTEX | DL | TPH-D | DL |
| _ | | | | | 050 | - |
| 1 | ND | 0.3 | ND | 0.005 | 250 | 1 |
| 2 3 | ND | 0.4 | ND | 0.005 | 180 | 1 |
| 3 | ND | 0.3 | ND | 0.005 | 130 | 1 |
| 4 | ND | 0.4 | ND | 0.005 | 340 | 1 |
| 5 | ND | 0.3 | ND | 0.005 | 30 0 | 1 |
| 5 6 | $\mathbf{N}\mathbf{D}$ | 0.5 | ND | 0.005 | 180 | 1 |
| 7 | ND | 0.5 | ND | 0.005 | 27 0 | 1 |
| 8 | ND | 0.6 | ND | 0.005 | 480 | 1 |
| 9 | ND | 0.6 | ND | 0.005 | 22 0 | 1 |
| 10 | ND | 0.5 | ND | 0.005 | 420 | 1 |
| 11 | ND | 0.7 | ND | 0.005 | 180 | 1 |
| 12 | ND | 0.8 | ND | 0.005 | 310 | 1 |
| 13 | ND | 0.7 | ND | 0.005 | 130 | 1 |
| 14 | ND | 0.4 | ND | 0.005 | 1,000 | 1 |
| 15 | ND | 0.5 | ND | 0.005 | 240 | 1 |
| 16 | ND | 0.4 | ND | 0.005 | 130 | 1 |
| 17 | ND | 0.5 | ND | 0.005 | 200 | 1 |
| 18 | ND | 0.4 | ND | 0.005 | 5 3 | 1 |
| 19 | ND | 0.4 | ND | 0.005 | 150 | 1 |
| 20 | ND | 0.4 | ND | 0.005 | 170 | <u>1</u> |
| 21 | ND | 0.5 | ND | 0.005 | 150 | ī |
| $\mathbf{\tilde{2}}_{2}$ | - ND | 0.4 | ND | 0.005 | 2 80 | ī |
| 23 | ND | 0.3 | ND | 0.005 | 770 | î |
| 23 24 | ND | 0.3 | ND | 0.005 | 570 | î |
| 25 | ND | 0.8 | ND | 0.005 | 62 | î |

TPH-G Total petroleum hydrocarbons as gasoline, EPA Method 5030 (GCFID)

BTEX Benzene, toluene, ethylbenzene, xylene, EPA Method 8020 TPH-D Total petroleum hydrocarbons as diesel, EPA Method 3550

(GCFID)

DL Detection Limit

ND Not detected


TABLE 2 VERIFICATION SAMPLE RESULTS Sample Collection of July 21, 1994 711 Cleveland Avenue Albany, California


(results expressed in mg/kg)

| Sample | TRPH | DL | |
|--------------------------------------|----------|----|--|
| <u>Number</u> | IRTI | DD | |
| 1 | ND | 10 | |
| 1 2 3 4 5 6 7 8 | ND | 10 | |
| 2 | ND | 10 | |
| 3 | ND | 10 | |
| 4 | ND | 10 | |
| 5 | ND | 10 | |
| b | ND ND | 10 | |
| 7 | | 10 | |
| 8 | ND | 10 | |
| 9 | ND | | |
| 10 | ND | 10 | |
| 11 | ND | 10 | |
| 12 | ND | 10 | |
| 13 | ND | 10 | |
| 14 | ND | 10 | |
| 15 | ND | 10 | |
| 16 | ND | 10 | |
| 17 | ND | 10 | |
| 18 | ND | 10 | |
| 19 | ND | 10 | |
| 2 0 | ND | 10 | |
| 21 | ND | 10 | |
| 22 | ND | 10 | |
| 23 | ND | 10 | |
| 24 24 | ND | 10 | |
| 25 25 | ND | 10 | |
| 2~ | | | |

TRPH Total recoverable petroleum hydrocarbons, Standard Method 5520F DL Detection Limit

ND Not detected






Legend



treated soil berm rock, debris pile

sample collection location and sample number



Scale: not to scale

July, 1994


SITE PLAN SHOWING SAMPLE COLLECTION LOCATIONS, June 8, 1994

711 Cleveland Avenue, Albany, California

Figure

project #: 41001

First Environmental Group



Appendix 1

Laboratory Analytical Reports and Chain of Custody Documentation

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 1 AEN LAB NO: 9406101-01 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE Analyzed |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.3 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/15/94 06/15/94 06/15/94 06/15/94 06/15/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/14/94 |
| TPH as Diesel | GC-FID | 250 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

American Environmental Network

Certificate of Analysis

JHS Certification: 1172

AIHA Accreditation: 11134

PAGE 1

FIRST ENVIRONMENTAL GROUP 3501 COLLINS AVENUE RICHMOND, CA 94806

ATTN: DAN ETHEREDGE CLIENT PROJ. ID: ALBANY REPORT DATE: 07/01/94

DATE(S) SAMPLED: 06/08/94

DATE RECEIVED: 06/09/94

AEN WORK ORDER: 9406101

PROJECT SUMMARY:

On June 9, 1994, this laboratory received 25 soil sample(s).

Client requested samples be analyzed for organic parameters. Sample identification, methodologies, results and dates analyzed are summarized on the following pages.

Please see quality control report for a summary of QC data pertaining to this project.

If you have any questions, please contact Client Services at (510) 930-9090.

Larry Klein

Laboratory Director

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 2 AEN LAB NO: 9406101-02 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/14/94 |
| TPH as Diesel | GC-FID | 180 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 3

AEN LAB NO: 9406101-03 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.3 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/15/94 06/15/94 06/15/94 06/15/94 06/15/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/14/94 |
| TPH as Diesel | GC-FID | 130 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

ND = Not detected at or above the reporting limit
 * = Value above reporting limit

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 4

AEN LAB NO: 9406101-04 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/15/94 06/15/94 06/15/94 06/15/94 06/15/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/14/94 |
| TPH as Diesel | GC-FID | 340 * | 1 | mg/kg | 06/23/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

ND = Not detected at or above the reporting limit
* = Value above reporting limit

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 5

AEN LAB NO: 9406101-05 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.3 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/15/94 06/15/94 06/15/94 06/15/94 06/15/94 |
| #Extraction for Diese1/0il | EPA 3550 | - | | Extrn Date | 06/14/94 |
| TPH as Diesel | GC-FID | 300 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 6

AEN LAB NO: 9406101-06 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 180 * | 1 | mg/kg | 06/20/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

ND = Not detected at or above the reporting limit
* = Value above reporting limit

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 7

AEN LAB NO: 9406101-07 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/15/94 06/15/94 06/15/94 06/15/94 06/15/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 270 * | 1 | mg/kg | 06/20/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 8

AEN LAB NO: 9406101-08 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.6 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 480 * | 1 | mg/kg | 06/20/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 9

AEN LAB NO: 9406101-09 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|--|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.6 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 220 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 10

AEN LAB NO: 9406101-10 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes. Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 420 * | 1 | mg/kg | 06/23/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 11

AEN LAB NO: 9406101-11 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE:** 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.7 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 180 * | 1 | mg/kg | 06/18/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/17/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 12

AEN LAB NO: 9406101-12 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94

DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.8 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diese1 | GC-FID | 310 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 13

AEN LAB NO: 9406101-13 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|--|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.7 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 130 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 14
AEN LAB NO: 9406101-14
AEN WORK ORDER: 9406101
CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/20/94 06/20/94 06/20/94 06/20/94 06/20/94 |
| #Extraction for Diesel/Oil | EPA 3550 | _ | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 1,000 * | 1 | mg/kg | 06/23/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 15
AEN LAB NO: 9406101-15
AEN WORK ORDER: 9406101
CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|--|--|----------------------------|--------------------|---|--|
| | | | | | |
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 240 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | - | | C1eanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 16

AEN LAB NO: 9406101-16 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 130 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | _ | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 17

AEN LAB NO: 9406101-17 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 200 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 18

AEN LAB NO: 9406101-18 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|--|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 53 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | | | C1eanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 19
AEN LAB NO: 9406101-19
AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 150 * | 1 | mg/kg | 06/22/94 |
| #Alumina Cleanup | EPA 3611A | <u>.</u> | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 20

AEN LAB NO: 9406101-20 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|--|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 170 * | 1 | mg/kg | 06/21/94 |
| #Alumina Cleanup | EPA 3611A | - | | C1eanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

ND = Not detected at or above the reporting limit
 * = Value above reporting limit

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 21

AEN LAB NO: 9406101-21 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.5 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/20/94 06/20/94 06/20/94 06/20/94 06/20/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 150 * | 1 | mg/kg | 06/22/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 22

AEN LAB NO: 9406101-22 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|-------------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 280 * | 1 | mg/kg | 06/22/94 |
| #Alumina Cleanup | EPA 3611A | - | | C1eanup | 06/20/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 23 AEN LAB NO: 9406101-23 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94

REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.3 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 770 * | 1 | mg/kg | 06/23/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/21/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 24

AEN LAB NO: 9406101-24 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94

DATE RECEIVED: 06/09/94 REPORT DATE: 07/01/94

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.4 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/20/94 06/20/94 06/20/94 06/20/94 06/20/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 570 * | 1 | mg/kg | 06/23/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/21/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

FIRST ENVIRONMENTAL GROUP

SAMPLE ID: 25 AEN LAB NO: 9406101-25 AEN WORK ORDER: 9406101 CLIENT PROJ. ID: ALBANY

DATE SAMPLED: 06/08/94 DATE RECEIVED: 06/09/94 **REPORT DATE: 07/01/94**

| ANALYTE | METHOD/ CAS# | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|---|--|----------------------------|--------------------|---|--|
| BTEX & Gasoline HCs Benzene Toluene Ethylbenzene Xylenes, Total Purgeable HCs as Gasoline | EPA 8020 71-43-2 108-88-3 100-41-4 1330-20-7 5030/GCFID | ND ND ND ND ND | 5 5 5 0.8 | ug/kg ug/kg ug/kg ug/kg mg/kg | 06/16/94 06/16/94 06/16/94 06/16/94 06/16/94 |
| #Extraction for Diesel/Oil | EPA 3550 | - | | Extrn Date | 06/15/94 |
| TPH as Diesel | GC-FID | 62 * | 1 | mg/kg | 06/22/94 |
| #Alumina Cleanup | EPA 3611A | - | | Cleanup | 06/21/94 |

Reporting limit elevated for gasoline due to hydrocarbon interference.

AEN (CALIFORNIA) QUALITY CONTROL REPORT

AEN JOB NUMBER: 9406101

CLIENT PROJECT ID: ALBANY

Quality Control Summary

All laboratory quality control parameters were found to be within established limits.

<u>Definitions</u>

The following abbreviations are found throughout the QC report:

 ${\sf ND}={\sf Not}$ Detected at or above the reporting limit RPD = Relative Percent Difference

< = Less Than

QUALITY CONTROL DATA

DATE EXTRACTED: 06/15/94 DATE ANALYZED: 06/16/94 CLEANUP DATE: 06/17/94 CLIENT PROJ. ID: ALBANY AEN JOB NO: 9406101 SAMPLE SPIKED: SAND INSTRUMENT: C

LABORATORY CONTROL SAMPLE METHOD: EPA 3550 GCFID (SOIL MATRIX)

| ANALYTE | Spike Added (mg/kg) | Percent Recovery |
|---------|---------------------------|---------------------|
| Diesel | 40.8 | 84 |

CURRENT QC LIMITS

<u>Analyte</u>

Percent Recovery

Diesel

(44-105)

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

DATE EXTRACTED: 06/08/94 DATE ANALYZED: 06/17/94 CLIENT PROJ. ID: ALBANY

AEN JOB NO: 9406101 SAMPLE SPIKED: 9406037-03

INSTRUMENT: C

MATRIX SPIKE RECOVERY SUMMARY TPH EXTRACTABLE SOIL METHOD: EPA 3550 GCFID

| ANALYTE | Spike Added (mg/kg) | Average Percent Recovery | RPD |
|---------|---------------------------|--------------------------------|-----|
| Diesel | 40.8 | 102 | 11 |

CURRENT QC LIMITS

| i4 | <u>Analyte</u> | Percent Recovery | <u>RPD</u> |
|----|----------------|------------------|------------|
| | Diesel | (44-105) | 18 |

QUALITY CONTROL DATA

DATE EXTRACTED: 06/08/94 DATE ANALYZED: 06/17/94 CLEANUP DATE: 06/16/94 CLIENT PROJ. ID: ALBANY AEN JOB NO: 9406101 SAMPLE SPIKED: 9406037-03

INSTRUMENT: C

MATRIX SPIKE RECOVERY SUMMARY TPH EXTRACTABLE SOIL METHOD: EPA 3611A GCFID

| ANALYTE | Spike Added (mg/kg) | Average Percent Recovery | RPD |
|---------|---------------------------|--------------------------------|-----|
| Diesel | 40.8 | 26 | 9 |

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

CLIENT PROJ. ID: ALBANY

AEN JOB NO: 9406101

INSTRUMENT: H

SURROGATE STANDARD RECOVERY SUMMARY METHOD: EPA 8020, 5030 GCFID (SOIL MATRIX)

| | SAMPLE IDENTIF | ICATION | SURROGATE RECOVERY (PERCENT) |
|----------------------|---|------------|------------------------------|
| Date Analyzed | Sample Id. | Lab Id. | Fluorobenzene |
| 06/15/94 | 1 2 3 4 5 6 7 8 9 | 01 02 | 104 113 |
| 06/16/94 06/15/94 | 2 | 03 | 107 |
| 06/15/94 | 4 | 04 | 112 |
| 06/15/94 | 5 | 0 5 | 104 |
| 06/16/94 | 6 | 06 | 106 |
| 06/15/94 | 7 | 07 | 106 |
| 06/16/94 | 8 | 08 | 109 |
| 06/16/94 | 9 | 09 | 106 |
| 06/16/94 | | 10 | 109 |
| 06/16/94 | 11 | 11 | 108 |
| 06/16/94 | 12 | 12 | 110 111 |
| 06/16/94 | 13 | 13 | 101 |
| 06/20/94 | 14 15 | 14 15 | 105 |
| 06/16/94 | 15 16 | 16 | 107 |
| 06/16/94 06/16/94 | 17 | 17 | 110 |
| 06/16/94 | 18 | 18 | 109 |
| 06/16/94 | 19 - | 19 | 106 |
| 06/16/94 | • 20 | 20 | 108 |
| 06/20/94 | 21 | 21 | 108 |
| 06/16/94 | 22 | 22 | 106 |
| 06/16/94 | 23 | 23 | 104 |
| 06/20/94 | 24 | 24 | 104 |
| 06/16/94 | 25 | 25 | 106 |

CURRENT QC LIMITS

ANALYTE

PERCENT RECOVERY

Fluorobenzene

(78-114)

DATE ANALYZED: 06/15/94 SAMPLE SPIKED: 9406104-05 CLIENT PROJ. ID: ALBANY

AEN JOB NO: 9406101

INSTRUMENT: H

MATRIX SPIKE RECOVERY SUMMARY METHOD: EPA 8020, 5030 GCFID (SOIL MATRIX)

| ANALYTE | Spike Added (ug/kg) | Average Percent Recovery | RPD |
|-----------------------------|---------------------------|--------------------------------|--------|
| Benzene Toluene | 19.6 72.9 | 107 106 | 5 9 |
| Hydrocarbons as Gasoline | 1000 | 104 | 11 |

CURRENT QC LIMITS

| | <u>Analyte</u> | Percent Recovery | <u>rpd</u> |
|---|----------------|------------------|------------|
| • | Benzene | (81-127) | 11 |
| | Toluene | (84-121) | 14 |
| | Gasoline | (66-116) | 20 |

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

DATE ANALYZED: 06/16/94

AEN JOB NO: 9406101

SAMPLE SPIKED: LCS CLIENT PROJ. ID: ALBANY

INSTRUMENT: H

LABORATORY CONTROL SAMPLE METHOD: EPA 8020, 5030 GCFID (SOIL MATRIX)

| ANALYTE | Spike Added (ug/kg) | Percent Recovery |
|--------------------------|---------------------------|---------------------|
| Benzene Toluene | 19.6 72.9 | 96 98 |
| Hydrocarbons as Gasoline | 1000 | 108 |

CURRENT QC LIMITS

| <u>Analyte</u> | Percent Recovery |
|----------------|------------------|
| Benzene | (65-122) |
| Toluene | (67-124) |
| Gasoline | (60-125) |

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

*** END OF REPORT ***

| 1. Client: Address: Contact: | FIRST ENV. GRO 3501 COLINS RICHMOND 30 DAN | AVE | | | nt Ro Phon | ad, F e (51) | | Hill. 9090 | , CA 94) | | 1 K | Lal | o Job b Des | Num | iber: ion: | | | 94 | 106 | 10 | | YSISY, | CHAIN | OF CU | YDOTEL |
|--|--|----------------------|----------------|-----------------------|---------------|-----------------|--|---------------|--|--|----------------------------|-----------------|-----------------|-------------------------|---------------|----------|--------------|------------------|--------------|----------|--|-------------|---------|--------------|-------------|
| Alt. Conta | ct: | | | | | | | | | | | | | • | | ipped | : | | | 8 I | | | <u></u> | | |
| Address Repo | ort To: | Sen | d Invo | ice To: | | | | | | | - 1 | | | ntact: | | uired | | | | | 1 PA | 20 | | | |
| <u> </u> | ME | 3. | 3. <u>SAME</u> | | | | | | | | | Da Cli | te Re ent P | port hone | Requ No.: | uired: | | - | 57 (| ٥ · | 23 | 2 - C | 02c | 77 | |
| | | | | | | | | <u> </u> | | | | Cli | | | | */ */ | ANAL | YSIS | | 7 | | 7 | | | |
| Client P.O. No | To: 1 or 2 (Circle one) o.: V > N E Circle o. Member (s) PAN | ient Project I.D. No | o.: | ALBA | W (| <u></u> | | | | | | / | | 7 | ٠/٢ | &/ / | /, | /, | // | /, | // | / | | | |
| Lab Number | Client Sample Identification | Air Volume | T | ate/ ime lected | Sar Ty | nple pe* | Pres | 3. | No. of Cont. | Type of Con | -17 | | 198 | | 7 | | \angle | \angle | _ | \angle | \angle | Comr | ments | / Haza | rds |
| OIA | 1 | | 6/8 | 4 | SC | 3/6 | 4 % | <u> </u> | Ĭ. | GA | 5 | X | . X | X | 1 | | | ļ | ļ | <u> </u> | ļ.— | | | | |
| 02 A | 7 | | | [| | | | | | | | 1 | 11 | $\downarrow \downarrow$ | . | | _ | | <u> </u> | - | | | | | |
| 03A | 3 | | | | | | | | | | | | - | 11 | <u> </u> | — | | ļ | | | | | | | |
| OYA | 4 | | | | L | | | | | 1 | - | \bot | - - | 4 | | - | | ļ., | <u> </u> | ļ | | | | | |
| 05 A | (| | | | <u> </u> | _ | | | | | <u> </u> | + | # | | ╁ | +- | | - | ├ | ╁┈ | | | | | |
| 06A | 6 | | L | | ـــــ | 1 | | | | ├ ─┼ | | \dashv | | +-} | +- | ╁┈ | - | ┼ | | ┢ | | | | | |
| OTA | 7 | | | | 1 | <u> </u> | <u> </u> | | }-}- | 1 | }_ | $\dashv \dashv$ | | + | ┼ | + | ┼ | ╁ | ┼ | + | ╁┈── | | | | |
| 08A | 8 | | | | ╄- | | | | ├ -├- | 11- | | +i | | +1 | +- | ╬ | ╁─ | +- | ┼- | +- | - | | | | |
| 09A | 9 | | | | ↓_ | | | | $\bot \bot$ | | | - - | | 4 | | - | ╁ | - | ┼ | + | - | | | | |
| 1019 | 10 | | | | ┸ | <u> </u> | | | | ↓ | | 44 | + | | ₩- | - | - | + | ┼ | ╀ | + | | | | |
| 11A | i t | | | | <u> </u> | <u> </u> | | | | | - | | $\sqcup \sqcup$ | | | +- | + | ╂ | ┼ | +- | + | | | | |
| 12A | 12 | | | | | ┖ | <u> </u> | | \vdash | | | | | ├ ├- | Н- | | | + | ┼ | ┼┈ | + | | | | |
| 13A | 13 | | | | <u> </u> | _ | | | | 1 | _ | _ _ | Н, | <u> </u> | | _ | | + | ┼- | | + | | | | |
| 14A | 14 | | | V | | <u> </u> | | b | 1 | 1 4 | | | T | ٧ | | بربك | 4 | 丿 | | 1_ | | TE 4 | | TIME | |
| Relinquished (Signature) | d by: | / | | DATE | 74 | | TIME IO TIME | <u>:a</u> | 9 | (Sigr | ived b | _ | M | 7 | 11 | 1 fee | <i>*</i> | | | _ | 6/ | Ch | | IO. | 75 |
| Relinquished (Signature) | July 1 | <u></u> | 6 | DAYE | 74 | 1 | TIME | '4 | 9_ | Rece | ived b ature) ived b | y: | | 14 C | Ha | M | ngt. | or | <u></u> _ | | DA' | | 74_ | // 4 TIME | <u>></u> |
| Relinquisher (Signature) Method of S | | | <u>-</u> | | | | | — | <u></u> | (Sign | comm | | | | | | | | | | | | | | |
| | | *Sample type (| | y): 1,3 | | | m MCE | F 2 | 2) 25mn | n 0.8 µ | m MCI | EF (| 3) 25r | nm 0 | 4 µm | polyc | arb. 1 | filter Bulk S | Samp | le | | | | 34. | |

| 1. Client: | *************************************** | | An | <i>nerican</i> 3440 Vince | | | | | rĸ | | <u></u> | رند. | 4 √ | | ٥ | 3.4/ | لط | 121 | ANIAL V | | | CUSTODY |
|--|---|-----------------|--------|------------------------------|------------------|--------------------------|----------|--|----------------|-----------|--|-----------|---------------|--------------|--------|--------------|----------|---|----------------|-------------|---------------------------------------|---------|
| Address: | | | | | Phone (5 | 10) 930-90 0) 930-025 | 90 | | | | Job Des | | | | | | | | 101 | 313 / CII | AIN OF | |
| Alt. Conta | d: | | | | | | | | | | | | | pped: | : | | | | | | | |
| Address Repo | ort To: | | Sen | d Invoice To: | | | | | | | Con | | | | _ | • | ` | | | | | |
| 2. | | | 3. | • | | | | | -] | | | | Requ | | | | | | | | | |
| | | | - | | | | | | - | | | • | | × | | | | | | | | |
| | | | | | | | | | _ | | ent F | | | _ | | | | | | | | |
| | | | | | | | | | _[| | | | Α. | <u> </u> | | 2/0/5 | | , | · | , | | |
| Send Report 1 | To: 1 or 2 (Circle one) | | | | | | | <u> </u> | | / | / | 7, | 57. | ⊗ *'/ | NAL | YSIS / | 7 | 7 | / | | | |
| • | o.: (| lient Project I | .D. No | .: | | | | | | | | | ?/\\$ | | | | | | // | ` | ١ | |
| | Member (s) | | i. | _ | | | | | | Ι, | / | /4 | 0/ | 7 / | / | / , | / | / , | / / | | | |
| | | | | Date/ | | | No. | Туре | 1 / | | \mathbb{Z} | J/ | M/ | | | | | | / | | , | |
| Lab Number | Client Sample Identification | Air Volum | | Time | Sample Type* | Pres. | of | of | 1/ | 10 | n/ 1 | | $\frac{3}{4}$ | | / | | | | / 0 | ommer | nts / Haz | ards |
| | <u></u> | Voidii | | Collected | | 1 | Cont. | | / | ∕— | | | | \leftarrow | | \leftarrow | _ | | / _ | Ommen | 1071102 | 4.05 |
| 16A | 15 | | | 6/8 4 | 2016 | 400 | +- | 882 | - | X | X | X | - | | | ļ | - | - | <u> </u> | | | |
| 16A | 16 | | | | 11- | | | | | ₩ | # | | 1,2 | | | | <u> </u> | <u> </u> | | | | |
| 17A | 17 | | | | <u> </u> | | 44 | | | - | - | \coprod | ļ | | | | | <u> </u> | | | | |
| 17 A 18 A 20 A 21 A 22 A 23 A 24 A 25 A | 18 | | | | | | 1-1- | | <u> </u> | \bot | | Ш. | ļ | | | | ļ | - | ļ | | | |
| MA | 12 | | | | | | | | | oxdot | \Box | \coprod | | | | | | <u> </u> | | | · · · · · · · · · · · · · · · · · · · | |
| 20A | 20 | | | | | | 11 | | 1_ | 11 | 11 | 11 | | | | | ļ | ╄- | ļ | | | |
| 21A | 21 | | | | | | | \bot | <u> </u> | Щ | Ш | 11 | ٠. | | | | <u> </u> | ļ | | | | |
| 224 | 22 | | | | | | | | <u> </u> | 11 | Ц | \coprod | ļ | | | | <u> </u> | ļ | ļ | | | |
| 23A | 23 | | | | <u></u> <u> </u> | | | | | \coprod | | | <u> </u> | <u> </u> | | | ļ | | | | | |
| LJUA | 24 | | | | | | | | | Ш | $\bot \bot$ | Ш | <u> </u> | | | | $oxed{}$ | $oldsymbol{ol}}}}}}}}}}}}}}}}}$ | | | | |
| 254 | 25 | | | * | * | * | ₩ | # | | ₩ | D | 4 | | | | <u> </u> | | ↓_ | | | | |
| | | | | | <u></u> | | | | | | | | | | | <u>L.</u> . | | <u> </u> | | | | |
| 7 | · · · · · · · · · · · · · · · · · · · | | | | <u> </u> | | <u> </u> | <u> </u> | 1 | <u> </u> | <u> </u> | | | <u> </u> | | | | | | | | |
| 7 | | | | | 1 | | | | | X. | | | ر | | | | <u> </u> | <u> </u> | | | | |
| Relinquished (Signature) | by: | | | 6 PATE | 4 | TIME 0:0 | 75 | Receiv (Signa | ed by ture) | M | u | P | K | _ | | 7 | | | DATE 69 | 94 | | 75_ |
| Relinquished (Signature) | by: Nave Level | 2 | | 6/9/19 6/9/4 | 24 | TIME | 15 | Receiv (Signa | ed by | 9 | hil | 77 | Á | ai | u | ngle | ton | | DATE | 19/94 | | 45 |
| Helinquished (Signature) | lby: | | | DATE | | TIME | | Receiv (Signa | | : | . (| 1 | | | | | | | DATE/ | | TIME | |
| Method of Sh | nipment | ···· | | | | | | Lab Co | mme | nts | | | | | | | | | | | | |
| L | | *Semple * | vne (° | Specify): 1) 37 | mm O 8 u | m MCFF | 2) 25mm | n 0.8 um | MCE | = 31 | 25mr | n 0.4 | a mu | olyca | rb. fi | ter | | | | | | |

American Environmental Network

Certificate of Analysis

oHS Certification: 1172

AIHA Accreditation: 11134

PAGE 1

FIRST ENVIRONMENTAL GROUP 3501 COLLINS AVENUE RICHMOND. CA 94806

ATTN: DAN ETHEREDGE

CLIENT PROJ. ID: Z-RENTALS

REPORT DATE: 07/28/94

DATE(S) SAMPLED: 07/21/94

DATE RECEIVED: 07/21/94

AEN WORK ORDER: 9407226

PROJECT SUMMARY:

On July 21, 1994, this laboratory received 25 soil sample(s).

Client requested samples be analyzed for organic parameters. Sample identification, methodologies, results and dates analyzed are summarized on the following page.

Please see quality control report for a summary of QC data pertaining to this project.

If you have any questions, please contact Client Services at (510) 930-9090.

Larry Klein

Laboratory Director

REPORT DATE: 07/28/94

Page 2

FIRST ENVIRONMENTAL GROUP

| SAMPLE ID | AEN LAB # | ANALYTE | METHOD | RESULT | REPORTING LIMIT | UNITS | DATE ANALYZED |
|-------------|----------------------------|--|------------------------|------------|--------------------|--------------------------|----------------------|
| | 9407226-01A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 1 2 | 9407226-02A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 3 | 9407226-03A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| Á | 9407226-04A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 5 | 9407226-05A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 5 | 9407226-06A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| , | 9407226-07A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 07/23/94 |
| 3 | 9407226-08A | Hydrocarbons by IR | SM 5520F | ND ND | 10 10 | mg/kg mg/kg | 07/23/94 |
| } | 9407226-09A | Hydrocarbons by IR | SM 5520F SM 5520F | ND ND | 10 | mg/kg | 07/23/94 |
| 10 | 9407226-10A 9407226-11A | Hydrocarbons by IR Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 11 12 | 9407226-12A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 13 | 9407226-13A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 14 | 9407226-14A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 15 | 9407226-15A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 16 | 9407226-16A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 17 | 9407226-17A | Hydrocarbons by IR | SM 5520F | ND ND | 10 | mg/kg | 07/23/94 |
| 18 | 9407226-18A | Hydrocarbons by IR | SM 5520F | ND ND | 10 10 | mg/kg mg/kg | 07/23/94 07/23/94 |
| 19 | 9407226-19A | Hydrocarbons by IR Hydrocarbons by IR | SM 5520F SM 5520F | NO NO | 10 | mg/kg | 07/23/94 |
| 20 21 | 9407226-20A 9407226-21A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 22 | 9407226-22A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 23 | 9407226-23A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/23/94 |
| 24 | 9407226-24A | Hydrocarbons by IR | SM 5520F | ND | 10 | mg/kg | 07/27/94 |
| 25 | 9407226-25A | Hydrocarbons by IR | SM 5520F | N D | 10 | mg/kg | 07/27/94 |
| 1 | 9407226-01A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 2 | 9407226-02A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date Extrn Date | 07/21/94 07/21/94 |
| 3 | 9407226-03A | #Soil Extrn for HCs #Soil Extrn for HCs | SM 5520EF SM 5520EF | - | | Extrn Date | 07/21/94 |
| 4 | 9407226-04A 9407226-05A | #Soil Extra for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 5 | 9407226-05A | #Soil Extra for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 5 6 7 | 9407226-07A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 8 | 9407226-08A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| ě | 9407226-09A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 10 | 9407226-10A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 |
| 11 | 9407226-11A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/21/94 07/21/94 |
| 12 | 9407226-12A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date Extrn Date | 07/21/94 |
| 13 | 9407226-13A | #Soil Extra for HCs | SM 5520EF SM 5520EF | - | | Extrn Date | 07/22/94 |
| 14 | 9407226-14A ** | #Soil Extrn for HCs #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/9 |
| 15 16 | 9407226-15A 9407226-16A | #Soil Extra for HCs | SM 5520EF | - | | Extrn Date | 07/22/9 |
| 17 | 9407226-17A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/94 |
| 18 | 9407226-18A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/9 |
| 19 | 9407226-19A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/94 |
| 20 | 9407226-20A | Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/94 |
| 21 | 9407226-21A | #Soil Extrn for HCs | SM 5520EF | - | | Extrn Date | 07/22/9 07/22/9 |
| 22 | 9407226-22A | #Soil Extra for HCs | SM 5520EF | - | | Extrn Date Extrn Date | 07/22/9 |
| 23 | 9407226-23A | #Soil Extrn for HCs #Soil Extrn for HCs | SM 5520EF SM 5520EF | - | | Extrn Date | 07/23/9 |
| 24 | 9407226-24A | #3011 EXUITE 101 10/2 | SM 5520EF | - | | Extrn Date | 07/23/9 |

ND = Not detected at or above the reporting limit
* = Value above reporting limit

AEN (CALIFORNIA) QUALITY CONTROL REPORT

AEN JOB NUMBER: 9407226

CLIENT PROJECT ID: Z-RENTALS

Quality Control Summary

All laboratory quality control parameters were found to be within established limits.

Definitions

The following abbreviations are found throughout the QC report:

ND = Not Detected at or above the reporting limit RPD = Relative Percent Difference

< = Less Than

QUALITY CONTROL DATA

DATE EXTRACTED: 07/21/94

DATE ANALYZED: 07/23/94 CLIENT PROJ. ID: Z-RENTALS

AEN JOB NO: 9407226

SAMPLE SPIKED: 9407226-01 INSTRUMENT: IR

OIL & GREASE/HYDROCARBONS MATRIX SPIKE RECOVERY SUMMARY (SOIL MATRIX)

| ANALYTE | Spike Added (mg/kg) | Average Percent Recovery | RPD |
|---------|---------------------------|--------------------------------|-----|
| 0i1 | 241 | 87 | 2 |

CURRENT QC LIMITS

| <u>Analyte</u> | Percent Recovery | <u>RPD</u> |
|----------------|------------------|------------|
| 0i1 | (70-115) | 15 |

Daily method blanks for all associated analytical runs showed no contamination over the reporting limit.

*** END OF REPORT ***

| 1. Client: TIST EN CAUNS Address: 350 EOVINS ELCHNOND SEC Contact: 5 AN | | | nt Road, Phone (5) | | Iill, CA 9 990 | | rĸ | Lab Job Lab Des Date Sa | tination: mples St | : | | | ST 1 94 | 105 | ANALYSIS / CHA 7226 | AIN OF CUSTOD |
|--|--------------------|----------------------------|-----------------------|------------|--------------------|--|--|--|--|-----------|----------|----------|------------|-------|------------------------|---------------|
| Address Report To: | Ser | nd Invoice To: | | | | | ٦ | Lab Con Date Re | sults Re | • | | 7 | 2 | 1 | | |
| 2. SAME | | | - | | | | _ | Date Re Client Pl Client F/ | hone No. | | _ | 51 | 0 · | 2 | 32-1212 | |
| Send Report To: or 2 (Circle one) Client P.O. No.: Clie Sample Team Member (s) | nt Project I.D. No | | en Ti | ns | _ ` | | _] | | | | ANAL | YSIS | <u> </u> | // | | |
| Lab Client Sample Number Identification | Air Volume | Date/ Time Collected | Sample Type* | Pres. | No. of Cont. | Type of Cont. | | /i/ | // | | | / , | | | Comment | s / Hazards |
| 4 1 , | | 1/21 1 | 8 | CIM | | (GR) | | X | | | | | | | | |
| 212 | | | Ĭ | | 1 | 11 | <u> </u> | 11- | <u> </u> | | <u></u> | | | | | |
| 03A/ 3 | | | | | | | <u> </u> | | | _ | | | | | | |
| OYA 4 | | | | | | | $oldsymbol{oldsymbol{oldsymbol{eta}}}$ | | <u> </u> | | <u> </u> | | | · . | | |
| DSA S | | | | | \bot | | <u> </u> | | | . | | | | | | |
| 064 6 | | | | | $\perp \perp$ | | <u> </u> | | | | <u> </u> | | | | | |
| 03A 7 | | | | | \rightarrow | | . | | | - | | | | | | |
| 08A Q | | | | | | | _ | 11-1- | | | - | ļ | | | | |
| 09A 9 | | | | | \perp | 1 | | + | | ╁ | <u> </u> | <u> </u> | | | | |
| 104 10 | | | ot | | | | 4— | | | <u> </u> | - | - | | | | |
| II A II | | | | | \bot | | | 1-1-1- | | | ļ | | | | | |
| 12A 12 | | | | | \bot | \bot \bot | | | | - | | | | | | |
| [3A] 13 | | | | | | \ | | | | | <u> </u> | ļ | | ļ | | |
| MA 14 | | X | * | | Y | 1 1/2 | | D | | | <u> </u> | | | L | | 7144 |
| Relinquished by: (Signature) | | DATE | | TIME 4: | 15 | Receive (Signat | ure) | | | | | | | | DATE | TIME |
| Relinquished by: (Signature) | | DATE | | TIME | | Receive (Signat | ed by ure) | | | | | | | | DATE | TIME |
| Relinquished by: (Signature) | | DATE | <u></u> - | TIME | | Receive (Signat | | Nen | USO 9 | Ja | r | un | to | _ | 7/21/94 | 1615 |
| Method of Shipment | | | | | | Lab Co | mme | nts | | | | | - | | / / | |

*Sample type (Specify): 1) 37mm 0.8 µm MCEF 2) 25mm 0.8 µm MCEF, 3) 25mm 0.4 µm polycarb, filter

4) PVC filter, diam. _____ pore size _____ 5) Charcoal tube 6) Silica gel tube 7) Water 8) Soil 9) Bulk Sample

10) Other _____ 11) Other _____ 11) Other _____ PINK - CLIENT

| Reporting Info | rmation: | Δ | merican i | Envir | onmen | tal N | etwoi | rk | | Al | ムハ | 1 | | | | | | Page | 01 |
|-----------------------------|-------------------------|---------------------|--|-------------|--|-----------------|------------------|-----------|-------------------|--------------|------------------|---------------|--|--|--|--------------|----------|-------------|------------------|
| 1. Client: Address: | FEG | | 3440 Vincent Road, Pleasant Hill, CA 94523 Phone (510) 930-9090 FAX (510) 930-0256 | | | | | | | Job Ni | | | RE | QUE | EST | FOR 9 | ANALYS | 115 / CH | AIN OF CUSTOD |
| Contact: Alt. Conta | ct: | | | ray (21 | (U) 930-02 | | | | Lab Date | Destine Samp | ation: oles S | : | ::t | <u></u> | | >Ø€ | (| | |
| Address Repo | ort To: | Se | nd Invoice To: | | | | <u> </u> | _ | | Resu | | quirec | J: | 7 | | SILC | | | |
| 2. | | 3. | | | | | | _l | | e Repo | | | | | | 1 | | | |
| | | | | | | | | | | nt Pho | | | : | | | | | | |
| | | | | | | <u> </u> | | - | Clie | nt FAX | (No.: | | | | | | | | |
| | | | | | | | | | | W | | | ANA | YSIS | 3 | | / | , | |
| | To: 1 or 2 (Circle one) | ient Project I.D. N | ło.: | | | _ | | | | | ¥ / | Γ | <i>[</i> | | | | | | |
| | | ient i Tojoot no i | | | | | | | / / | 20% | `/ | | / | / / | / | / | / / | | |
| Sample Team | Member (s) | Air | Date/ | Sample | Drgc | No. | Type | 7/ | | | / / | / / | ' / | | | ' / | / , | 1 11 11 F.I | 184 / 1147/41/12 |
| Number | Identification | Volume | Collected | Type | | Cont | | <u>/_</u> | | 7_7 | _/_ | _/_ | | | | /_ | | 7 | - , / - 4/3//- |
| 15/4 | (2 | | 7/211 | 8 | ciro | | BOY | _ | X | | | | | <u> </u> | <u> </u> | \vdash | ļ | | |
| 16A | | | 1_1 | | | 4-4- | ↓ | - | - | \vdash | | | - | | \vdash | ╁─ | | | |
| 17A | 17 | | <u> </u> | +- | | +-+ | +- | - | | - | + | | + | ├ | - | ┼ | | | |
| 184 | 8 | | | | | ++ | ++ | ╂ | ╫ | \vdash | | - | ╫ | | ╁ | ┼─ | <u> </u> | | |
| 194 | 19 | | | ┼-├- | | ++ | +- | +- | + | | ╅ | + | | ┢ | 1 | Ì | <u> </u> | - | |
| 204 | 96 | | | ╫ | - | ++ | + | + | $\dagger \dagger$ | | \top | | 1 | | | | | ~ | |
| 204 214 224 234 | 21 | | | 1-1- | | + - 1 | 1 | 1 | - | | * | | 1 | | 1 | | | | |
| da A | 22 23 | | | + | 1 1 | + | | 1 | \prod | | | | | | | | | | |
| 244 | 24 | | | +- | | 11 | | 1 | \prod | | | | | | | | | | |
| 2 | 24 | | 女 | * | 1 | 4 | 1 | | 1 | | | | | <u> </u> | _ | <u> </u> | | | |
| 4314 | | | | | | | | | _ | | | | | <u> </u> | ↓_ | | | | |
| | | | | | | رد ک | | | | | - | | ┿ | _ | - | +- | <u> </u> | | |
| | | | | | | | | <u>'</u> | | | | | ـــــــ | Щ. | | Щ. | DATE | | TIME |
| Refinquished (Signature) | by: | | DATE 1/2 | 1 | TIME | 15 | Receiv (Signa | ture) | | | | | | | | | DATE | | TIME |
| Relinquished (Signature) | | | DATE | | TIME | | Receiv (Signa | ture) | A | | | ./ | | _ | | | DATE | | |
| Relinquished (Signature) | тьу: | | DATE | | TIME | · · · · · · | | ture) | <u>NL</u> | wi | $\epsilon 7$ | Har | <u>۷-</u> | 90 | / m | <u> </u> | 7/21/9 | <i>54</i> | 1615 |
| Method of S | hipment | | | | | | Lab C | | | | | | | | | | | | <u> </u> |
| ļ —— | | *Sample type | (Specify): 1) 37 | 7mm 0.8 | ım MCEF | 2) 25mi | m 0.8 µm | MCE | F 3) | 25mm | 0.4 µr | n poly | arb. f | ilter | | | | | |



JUN 07 1994

Santa Rosa Division 435 Tesconi Circle Santa Rosa, CA 95401

d· (707) 526-7200 ax: (707) 526-9623

Roxanne Harris Subsurface Environmental 1796 18th St. Suite C San Francisco, CA 94107 Date: 06/06/1994

NET Client Acct. No: 10190 NET Pacific Job No: 94.02027

Received: 05/16/1994

Client Reference Information

Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

Sample analysis in support of the project referenced above has been completed and results are presented on following pages. Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel welcome to contact Client Services.

Approved by:

eroject Coordinator

Jim Hoch

Operations Manager

Enclosure(s)





٠.

Client Acct: 10190

Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 2

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-001

Date Taken: 05/12/1994 Time Taken: 14:20 NET Sample No: 194424

| | | Reportir | ıg | | Date | Date |
|------------------------------|---------------|----------|--------|--------|------------|-------------|
| Parameter | Results Flags | Limit | Units | Method | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | 05/26/1994 |
| Aldrin | 6.6 | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| alpha-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| delta-BHC | ND | 0.3 | ug/kg | 0808 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | 9.3 | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dieldrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan II | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | 3 | ug/kg | 8080 | | .05/26/1994 |
| Methoxychlor | ND | 5 | ug/kg | 8080 | | 05/26/1994 |
| Toxaphene | ND | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 70 | | % Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 81 | | % Rec. | | | 05/26/1994 |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 3

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-002

Date Taken: 05/12/1994 Time Taken: 14:30 NET Sample No: 194425

| | | Reporting | | | Date | Date |
|------------------------------|---------------|-----------|--------|----------------|------------|------------|
| Parameter | Results Flags | Limit | Units | <u>M</u> ethod | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | 05/26/1994 |
| Aldrin | ND | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| alpha-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| delta-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dieldrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan II | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Methoxychlor | ND | 5 | ug/kg | 8080 | | 05/26/1994 |
| Toxaphene | ND | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 46 | | % Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 73 | | ₹ Rec. | | | 05/26/1994 |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 4

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-003

Date Taken: 05/12/1994 Time Taken: 14:35 NET Sample No: 194426

| MB1 Dumpic NO: 154420 | | | | | . | |
|---|---------------|----------|--------|--------|------------|------------|
| | | Reportin | - | | Date | Date |
| Parameter | Results Flags | Limit | Units | Method | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | 05/26/1994 |
| Aldrin | 2.9 | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| alpha-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ИD | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| delta-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | 19 | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dìeldrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan II | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Methoxychlor | ND | 5 | ug/kg | 8080 | | 05/26/1994 |
| Toxaphene | ND | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 71 | | % Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 85 | | % Rec. | | | 05/26/1994 |
| • | • | | | | | |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 5

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-004

Date Taken: 05/12/1994 Time Taken: 14:45 NET Sample No: 194427

| | | | Reporting | g | | Date | Date |
|------------------------------|-----------|------|-----------|--------|--------|------------|------------|
| Parameter | Results F | lags | Limit | Units | Method | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | | 05/26/1994 |
| Aldrin | 9.5 | | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| alpha-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| delta-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | 17 | | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dieldrin | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan II | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Methoxychlor | ND | | 5 | ug/kg | 8080 | | 05/26/1994 |
| Toxaphene | ND | | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 70 | | | % Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 74 | | | % Rec. | | | 05/26/1994 |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 6

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-005

Date Taken: 05/12/1994 Time Taken: 14:55 NET Sample No: 194428

| | | Reportin | g | | Date | Date |
|---------|--|--|---|--|--|---|
| Results | Flags | Limit | Units | Method | Extracted | Analyzed |
| | | | | | 05/20/1994 | |
| 1 | | | | | | 05/26/1994 |
| 5.2 | | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 25 | ug/kg | 8080 | | 05/26/1994 |
| 8.9 | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 3 | ug/kg | 0808 | | 05/26/1994 |
| ND | | 5 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 60 | ug/kg | 8080 | | 05/26/1994 |
| | | | | | | 05/26/1994 |
| ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 500 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 200 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| | | | | | | 05/26/1994 |
| 74 | | | % Rec. | | | 05/26/1994 |
| 98 | | | % Rec. | | | 05/26/1994 |
| | 1 5.2 ND | 5.2 ND | Results Flags Limit 1 5.2 1.2 ND 0.3 ND 0.3 ND 0.3 ND 1.2 ND 25 8.9 3 ND 5 ND 5 ND 50 ND 100 ND 200 ND 100 ND 50 ND 50 | 1 5.2 1.2 ug/kg ND 0.3 ug/kg ND 0.3 ug/kg ND 0.3 ug/kg ND 0.3 ug/kg ND 1.2 ug/kg ND 25 ug/kg 8.9 3 ug/kg ND 5 ug/kg ND 5 ug/kg ND 50 ug/kg ND 100 ug/kg ND 100 ug/kg ND 100 ug/kg ND 100 ug/kg ND 50 ug/kg ND 50 ug/kg ND 50 ug/kg ND 50 ug/kg | Tesults Flags Limit Units Method | Results Flags Limit Units Method Extracted 5.2 1.2 ug/kg 8080 ND 0.3 ug/kg 8080 ND 0.3 ug/kg 8080 ND 0.3 ug/kg 8080 ND 1.2 ug/kg 8080 ND 25 ug/kg 8080 8.9 3 ug/kg 8080 ND 5 ug/kg 8080 |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 7

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-006

Date Taken: 05/12/1994 Time Taken: 15:00 NET Sample No: 194429

| | | Reportin | ıg | | Date | Date |
|------------------------------|---------------|----------|--------|--------|------------|------------|
| Parameter | Results Flags | Limit | Units | Method | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | 05/26/1994 |
| Aldrin | 7.7 | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| alpha-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ND | 0.3 | ug/kg | 0808 | | 05/26/1994 |
| delta-BHC | ND | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | 9.0 | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dieldrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan II | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | 3 | ug/kg | 8080 | | 05/26/1994 |
| Methoxychlor | ND | 5 | ug/kg | 8080 | | 05/26/1994 |
| Toxaphene | ND | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 66 | | ∛ Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 81 | | % Rec. | | | 05/26/1994 |
| | | | | | | |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 8

Ref: Frank Zılmichi-Z Rental Properties, Albany, Proj: 94153

SAMPLE DESCRIPTION: 711-007

Date Taken: 05/12/1994 Time Taken: 15:10 NET Sample No: 194430

| | | | Reportin | g | | Date | Date |
|------------------------------|---------|-------|----------|--------|--------|------------|--------------------|
| Parameter | Results | Flags | Limit | Units | Method | Extracted | Analyzed |
| METHOD 8080 (GC, Solid) | | | | | | 05/20/1994 | |
| DILUTION FACTOR* | 1 | | | | | | 05/26/1994 |
| Aldrin | ND | | 1.2 | ug/kg | 8080 | | 0 5/26/1994 |
| alpha-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| beta-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| delta-BHC | ND | | 0.3 | ug/kg | 8080 | | 05/26/1994 |
| gamma-BHC (Lindane) | ND | | 1.2 | ug/kg | 8080 | | 05/26/1994 |
| Chlordane | ND | | 25 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDD | 3.8 | | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDE | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| 4,4'-DDT | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Dieldrin | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan I | ND | | 3 | ug/kg | 8080 | | 0 5/26/1994 |
| Endosulfan II | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endosulfan sulfate | ND | | 3 | ug/kg | 8080 | | 0 5/26/1994 |
| Endrin | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Endrin aldehyde | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Heptachlor epoxide | ND | | 3 | ug/kg | 8080 | | 05/26/1994 |
| Methoxychlor | ND | | 5 | ug/kg | 8080 | | 0 5/26/1994 |
| Toxaphene | ND | | 60 | ug/kg | 8080 | | 05/26/1994 |
| POLYCHLORINATED BIPHENYLS | | | | | | | 05/26/1994 |
| Aroclor 1016 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1221 | ND | | 500 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1232 | ND | | 200 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1242 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1248 | ND | | 100 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1254 | ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| Aroclor 1260 | ND | | 50 | ug/kg | 8080 | | 05/26/1994 |
| SURROGATE RESULTS | | | | | | | 05/26/1994 |
| Tetrachlorometaxylene (SURR) | 52 | | | % Rec. | | | 05/26/1994 |
| Decachlorobiphenyl (SURR) | 76 | | | % Rec. | | | 05/26/1994 |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 9

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

| | | CCV | CCV | | | |
|------------------------------|------------|----------|----------|--------|------------|----------|
| | CCA | Standard | Standard | | | |
| | Standard | Amount | Amount | | Date | Analyst |
| Parameter | % Recovery | Found | Expected | Units | Analyzed | Initials |
| METHOD 8080 (GC, Solid) | | | | | | |
| Aldrin | 87.5 | 35.0 | 40.0 | ug/kg | 05/26/1994 | nds |
| alpha-BHC | 90.0 | 36.0 | 40.0 | ug/kg | 05/26/1994 | nds |
| beta-BHC | 95.0 | 38.0 | 40.0 | ug/kg | 05/26/1994 | nds |
| delta-BHC | 89.0 | 35.6 | 40.0 | ug/kg | 05/26/1994 | nds |
| gamma-BHC (Lindane) | 91.3 | 36.5 | 40.0 | ug/kg | 05/26/1994 | nds |
| Chlordane | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDD | 91.0 | 72.8 | 80.0 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDE | 89.3 | 71.4 | 80.0 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDT | 84.5 | 67.6 | 80.0 | ug/kg | 05/26/1994 | nds |
| Dieldrin | 87.1 | 69.7 | 80.0 | ug/kg | 05/26/1994 | nds |
| Endosulfan I | 89.5 | 35.8 | 40.0 | ug/kg | 05/26/1994 | nds |
| Endosulfan II | 93.9 | 75.1 | 80,0 | ug/kg | 05/26/1994 | nds |
| Endosulfan sulfate | 84.5 | 67.6 | 80.0 | ug/kg | 05/26/1994 | nds |
| Endrin | 90.4 | 72.3 | 80.0 | ug/kg | 05/26/1994 | nds |
| Endrin aldehyde | 88.5 | 70.8 | 80.0 | ug/kg | 05/26/1994 | nds |
| Heptachlor | 89.0 | 35.6 | 40.G | ug/kg | 05/26/1994 | nds |
| Heptachlor epoxide | 89.3 | 35.7 | 40.0 | ug/kg | 05/26/1994 | nds |
| Methoxychlor | 92.8 | 371 | 400 | ug/kg | 05/26/1994 | nds |
| Toxaphene | | N/A | 1000 | ug/kg | 05/26/1994 | nds |
| Aroclor 1016 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1221 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1232 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1242 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1248 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1254 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1260 | | N/A | 500 | ug/kg | 05/26/1994 | nds |
| Tetrachlorometaxylene (SURR) | 93.0 | 93 | 100 | % Rec. | 05/26/1994 | nds |
| Decachlorobiphenyl (SURR) | B6.0 | 86 | 100 | % Rec. | 05/26/1994 | nds |



Client Name: Subsurface Environmental

ET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 10

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

METHOD BLANK REPORT

Method Blank

| | Amount. | Reporting | | Date | Analyst |
|------------------------------|---------|-----------|--------|------------------------|-----------------|
| Parameter | Found | Limit | Units | Analyzed | <u>Initials</u> |
| METHOD 8080 (GC, Solid) | | | | | |
| Aldrin | ND | 1.2 | ug/kg | 05/26/1994 | nds |
| alpha-BHC | ND | 0.3 | ug/kg | 05/26/1994 | nds |
| beta-BHC | ND | 0.3 | ug/kg | 05/26/1994 | nds |
| delta-BHC | ND | 0.3 | ug/kg | 05/26/1994 | nds |
| gamma-BHC (Lindane) | ND | 1.2 | ug/kg | 05/26/1994 | nds |
| Chlordane | ND | 25 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDD | ND | 3 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDE | ND | 3 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDT | ND | 3 | ug/kg | 05/26/1994 | nds |
| Dieldrin | ND | 3 | ug/kg | 05/26/1994 | nds |
| Endosulfan I | ND | 3 | ug/kg | 05/26/1994 | nds |
| Endosulfan II | ND | 3 | ug/kg | 05/26/1994 | nds |
| Endosulfan sulfate | ND | 3 | ug/kg | 05/26/1994 | nds |
| Endrin | ND | 3 | ug/kg | 05/26/1994 | nds |
| Endrin aldehyde | ND | 3 | ug/kg | 05/26/1994 | nds |
| Heptachlor | ND | 3 | ug/kg | 05/26/1994 | nds |
| Heptachlor epoxide | ND | 3 | ug/kg | 05/26/1994 | nds |
| Methoxychlor | ND | 5 | ug/kg | 05/26/1994 | nds |
| Toxaphene | ND | 60 | ug/kg | 05/26/1994 | nds |
| Aroclor 1016 | ND | 100 | ug/kg | 05/26/1994 | nds |
| Aroclor 1221 | ND | 500 | ug/kg | 05/26/1994 | nds |
| Aroclor 1232 | ND | 200 | ug/kg | 05/26/1994 | nds |
| Aroclor 1242 | ND | 100 | ug/kg | 05/26/1994 | nds |
| Aroclor 1248 | ND | 100 | ug/kg | 05/26/1994 | nds |
| Aroclor 1254 | ND | 50 | ug/kg | 05/26/1994 | nds |
| Aroclor 1260 | ND | 50 | ug/kg | 05/26/1994 | nds |
| Tetrachlorometaxylene (SURR) | 51 | | % Rec. | 05/26/1994 | nds |
| Decachlorobiphenyl (SURR) | 92 | | % Rec. | 05/26/19 94 | nds |



Client Name: Subsurface Environmental

NET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 11

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

| _ | Matrix Spike | Dup | | Spike | Sample | Matrix Spike | Matrix Spike Dup. | | Date | Analyst |
|-------------------------|-----------------|--------|------|--------|--------|-----------------|-------------------------|-------|------------|----------|
| Parameter | ₹ Rec. | % Rec. | RPD | Amount | Conc. | Conc. | Conc. | Units | Analyzed | Initials |
| METHOD 8080 (GC, Solid) | | | | | | | | | | |
| Aldrin | 39.2 | 43,2 | 9.7 | 5.33 | 2.9 | 4.99 | 5.20 | ug/kg | 05/26/1994 | nds |
| gamma-BHC (Lindane) | 47.5 | 56.5 | 17.3 | 5.33 | ND | 2.53 | 3.01 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDT | 82.5 | 83.7 | 1.4 | 10.7 | ND | 8.83 | 8.96 | ug/kg | 05/26/1994 | nds |
| Dieldrin | 83.4 | 86.1 | 3.2 | 10.7 | ND | 8.92 | 9.21 | ug/kg | 05/26/1994 | nds |
| Endrin | 99.1 | 104.7 | 5.4 | 10.7 | ND | 10.6 | 11.2 | ug/kg | 05/26/1994 | nds |
| Heptachlor | 42.0 | 61.9 | 38.3 | 5.33 | ND | 2.24 | 3.3 | ug/kg | 05/26/1994 | nds |



Client Name: Subsurface Environmental

ET Job No: 94.02027

Date: 06/06/1994 ELAP Certificate: 1386

Page: 12

Ref: Frank Zilmichi-Z Rental Properties, Albany, Proj: 94153

LABORATORY CONTROL SAMPLE REPORT

| | | LCS | LCS | | | |
|------------------------------|----------------|--------|----------|--------|------------|-----------------|
| | LCS | Amount | Amount | | Date | Analyst |
| Parameter | % Recovery RPD | Found | Expected | Units | Analyzed | <u>Initials</u> |
| METHOD 8080 (GC, Solid) | | | | | | |
| Aldrin | 57.6 | 3.07 | 5.33 | ug/kg | 05/26/1994 | nds |
| gamma-BHC (Lindane) | 67.7 | 3.61 | 5.33 | ug/kg | 05/26/1994 | nds |
| 4,4'-DDT | 88.1 | 9.43 | 10.7 | ug/kg | 05/26/1994 | nds |
| Dieldrin | 73.6 | 7.87 | 10.7 | ug/kg | 05/26/1994 | nds |
| Endrin | 74.3 | 7.95 | 10.7 | ug/kg | 05/26/1994 | nds |
| Heptachlor | 60.2 | 3.21 | 5.33 | ug/kg | 05/26/1994 | nds |
| Tetrachlorometaxylene (SURR) | 54.0 | 54 | 100 | % Rec. | 05/26/1994 | nds |
| Decachlorobiphenyl (SURR) | 95.0 | 95 | 100 | % Rec. | 05/26/1994 | nds |



KEY TO ABBREVIATIONS and METHOD REFERENCES

Less than; When appearing in results column indicates analyte
not detected at the value following. This datum supercedes the
listed Reporting Limit.

: Reporting Limits are a function of the dilution factor for any given sample. Actual reporting limits and results have been multiplied by the listed dilution factor. Do not multiply the reporting limits or reported values by the dilution factor.

'dw : Result expressed as dry weight.

mean : Average; sum of measurements divided by number of measurements.

mg/Kg (ppm) : Concentration in units of milligrams of analyte per kilogram of

sample, wet-weight basis (parts per million). .

mg/L : Concentration in units of milligrams of analyte per liter of sample.

mL/L/hr : Milliliters per liter per hour.

MPN/100 mL : Most probable number of bacteria per one hundred milliliters of sample.

N/A : Not applicable.

NA : Not analyzed.

ND : Not detected; the analyte concentration is less than the applicable

listed reporting limit.

NTU : Nephelometric turbidity units.

RPD : Relative percent difference, 100 [Value 1 - Value 2]/mean value.

SNA : Standard not available.

ug/Kg (ppb) : Concentration in units of micrograms of analyte per kilogram of sample,

wet-weight basis (parts per billion).

ug/L : Concentration in units of micrograms of analyte per liter of sample.

umhos/cm : Micromhos per centimeter.

Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, Rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, Rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986., Rev. 1, December 1987.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.

Revised September, 1993 abb.93



SUBSURFACE ENVIRONMENTAL CORP. (13:11 + Report to SF 11072 San Pablo Ave., Suite 315, El Cerrito, CA 94530 Tele: (510) 215-6553 • Fax: (510) 234-7521 CHAIN OF CUSTODY RECORD

| | | | | | | | | | | | | | | | ANALTSIS REQUI | | | | | |
|---|--|---------|------|-----------------|-----------------|----------|-----|--------|----------------------------|------|------|--------------------------------|------------------------|---------------|-----------------------|------------------------|---------|----|-------------|--|
| Owner: Address: Phn: (20) Project Location: Project #: Bill To: | \$10) 525 4652 FOX: N/A 1001: 711 (LEVELAND, MBANY 11 #: 94 153 | | | | | | | | TURN AROUND TIME: STENDERD | | | | | | | | | | 30.20 | |
| Laboratory Number | Sample ID Number | Sam | Time | # of Containers | Type Containers | | Mat | Sludge | P | HNO3 | rved | FIELD REMARKS: | BTEX & TPH as Gasoline | TPH as Diesel | Total Petroleum Oil & | Total Petroleum Hydroc | LeadSAC | | Other EPA | |
| | 711-001 | 5/12/44 | 220 | 4 | ST | | X | | | | × | STOCKPILE GRID SECTION #1 | | | | | | | X | |
| | 711-00% | 5/12/44 | 2 30 | 4 | ST | | X | | | | × | STELLEPILE GRID SECTION #2 | | | | | | | × | |
| | 711-603 | 5/12/84 | 2:35 | 4 | ST | | × | | | | × | STOCKPILE GRID SECTION #3 | | | | | | | ゝ | |
| | 711-004 | 5/12/94 | 245 | 4 | ST | | X | | | | × | STOCKPILE GRID SECTION HY | | | | | | | × | |
| ٠ (| 711-005 | 5/12/44 | 255 | ч | ST | | × | | | | × | STOCKPILE GRID SECTION 45 | | | | | | | <u>></u> | |
| | 711-006 | 5/12/44 | 3.00 | 4 | ST | | X | | | | × | STOURPLE GRID SYCTION #6 | | | | | | | × | |
| | 711-007 | 5/12/44 | 3:40 | и | ST | | ~ | | | T | × | STOCKENE GRID SYCTION # 7 | | | | | | 7 | X | |
| ELINQUISHI ELINQUISHI ELINQUISHE | Date Time RECEIVED BY: 10 BY: Date Time RECEIVED BY: 10 BY: 11 SQ4 19:02 | | | | | | | | | | | NOTES: STOCKPILE WEST OF CUSTO | STODY SENTED | | | | | | | |
| (U. M NES) | | 5/14/94 | 1000 | Jo | <u> </u> | <u> </u> | 2 | 1 | _ | | | Teny Keal: 0.70c, 1.70 3/1- | | <u>'+</u> | 10 | res • | mg | , | | |
| | | | , | | / | | | | | | | | | sec | محمت | ے ز | ten. | ct | | |

