

Uriah Inc. An Environmental Services Company

SOIL SAMPLING REPORT FOR:

U.S. WINDPOWER, INC. 17350 PATTERSON PASS ROAD LIVERMORE, CA

JULY 3, 1990



Uriah Inc.

An Environmental Services Company

July 3, 1990

Mr. Gilbert Morales, Manager Facilities and Vehicle Maintenance U.S. Windpower, Inc. 6952 Preston Avenue Livermore, CA 94550

Soil Sampling Performed At U.S. Windpower Facility At 17350 Patterson Pass Road, Livermore, CA

Dear Mr. Morales:

On March 26, 1990, staff of Uriah, Inc. performed soil sampling at the above referenced site attendant to the excavation and removal of one 550 gallon underground transmission fluid storage tank in order to determine the presence, if any, of hydrocarbon contamination of the soil. Results of analysis at that time for soil sample #1 obtained at a depth of 8.5 feet from the floor of the tank pit beneath the fill pipe revealed a level of Total Petroleum Hydrocarbons as Diesel (TPH-D) of 14 parts per million (ppm) and Total Oil and Grease (TOG) of 700 ppm. Toluene was found to be 8.7 parts per billion (ppb) and total xylenes- 10 ppb. All other constituents analyzed for in soil sample #1 were found to be below detection limits.

On June 4, 1990, staff of Uriah, Inc. performed soil sampling at the referenced site attendant to a further "dig out" of the tank pit by AAA Tank Removal of Stockton, CA.

METHODOLOGY

The sample (#1) was obtained from an undisturbed block of soil brought to grade in a backhoe bucket by first removing the top 2 inches of soil and then driving a clean brass sample tube into the soil. The soil sampled was obtained at a depth of -13:0 feet from the floor of the tank pit. The ends of the sample tube were then promptly wrapped with aluminum foil, covered with plastic caps, sealed with black electrical tape, labeled, placed on dry ice, and then transported under chain of custody

overestar.

to a certified hazardous waste analytical laboratory for analysis for Total Petroleum Hydrocarbons as Gasoline (TPH-G), benzene, toluene, total xylenes, and ethylbenzene (BTX&E) using EPA Method MOD. 8015 and 8020, Total Petroleum Hydrocarbons as Diesel (TPH-D) using EPA Methods 3550/8015, and Volatile Organics using EPA Method 601/8010.

OBSERVATIONS

No discoloration or odor consistent with that of fuel hydrocarbons was noted.

LABORATORY RESULTS

Copies of all laboratory results as received from the certified hazardous waste analytical laboratory are enclosed.

CONCLUSIONS AND RECOMMENDATIONS

All constituents analyzed for were found to be below detection limits.

Copies of this report have been included for your convenience and a copy should be forwarded to each of the following regulatory agencies for their review:

San Francisco Bay Region Water Quality Control Board 1800 Harrison Street, Suite 700 Oakland, CA 94621 Attention: Richard C. Hiett

Alameda County Health Services Agency Hazardous Materials Division 80 Swan Way, Suite 200 Oakland, CA 94621 Attention: Gil Wistar

If you have any questions, or if we may otherwise be of assistance, please contact me at (415) 455-4991.

Sincerely,


Memsi A. Jago

Denise A. Rapp


Vice-President, Uriah, Inc.


DAR:ms enc.

URIAH ENVIRONMENTAL SERVICES, INC. AT: U.S. WINDPOWER 17350 PATTERSON PASS ROAD, LIVERMORE, CA



Midway Control Building





U.S. WINDPOWER 17350 PATTERSON PASS ROAD, LIVERMORE, CA

CHROMALAB, INC.

Analytical Laboratory Specializing in GC-GC/MS Environmental Analysis

 Hazardous Waste (#238)

 Drinking Water (#955)

Waste Water

Consultation

June 13, 1990

ChromaLab File No.: 0690051

URIAH ENVIRONMENTAL SERVICES, INC.

Attn: Helen Mawhinney

RE: One soil sample for Gasoline/BTEX and Diesel analyses

Project Name: U.S. WIND POWER

Project Number: 11590 M1 Date Sampled:

June 4, 1990 Date Submitted: June 6, 1990 June 9-13, 1990 Date Analyzed: June 9-13, 1990 Date Extracted:

RESULIS:

Sample	Gasoline (mg/Kg)	Diesel (mg/Kg)	Benzene (ua/Ka)	Toluene (ug/Ka)	Ethyl Benzene (µg/Kg)	Total Xylenes (ug/Kg)
#1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
BLANK	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
SPIKE RECOVERY DETECTION	94.1%	92.3%	98.3%	101.0%	97.0%	98.9%
LIMIT METHOD OF	2.5 5030/	5 3550/	, 5	5	5	5
ANALYSIS	8015	8015	8020	8020	8020	8020

ChromaLab, Inc.

Bavid Duong

Senior Chemist

Eric Tam

Laboratory Director

CHROMALAB, INC.

Analytical Laboratory
Specializing in GC-GC/MS

June 14, 1990
URIAH ENVIRONMENTAL SERVICES, INC.
Project Name: US WIND POWER
Date of Analysis: June 7, 1990

ChromaLab File No.: 0690051
Attn: Helen Mawhinney
Project No.: 11590M1
Detction Limit:5.0µg/Kg(SOIL)

Environmental Analysis

Hazardous WasteDrinking Water

Waste Water

Consultation

(#E694)

(#955)

Sample No.: #1

601/8010		
Dichlorodifluoromethane	N.D.	
Chloromethane	<u>N.D.</u>	
Viny) Chloride	N.D.	
Bromomethane	<u>N.D.</u>	
Chlorethane	N.D.	
Trichlorofluoromethane	<u>N.D.</u>	
1,1-Dichlorosthene	<u>N.D.</u>	RA/RC:
Methylene Chloride	N.D.	*Sample blank concentra-
t-1,2-Dichloroethene	N.D.	tion is none detected.
c-1,2-Dichloroethene	<u> N.D.</u>	*Spiked recovery for
1,1-Dichlorosthans	N.D.	Trans-1,2-Dichloroethene
Chloroform	N.D.	is 98.4%, for 1,1,1-
1,1,1-Trichloroethane	<u>N.D.</u>	Trichloroethane is 96.1%
Carbon Tetrachloride	N.D.	for Trichloroethene is
1,2-Dichloroethane	N.D.	101.4%
Trichloroethene	N.D.	
1,2-Dichloropropane	N.D.	
Bromodichloromethane	N.D.	
2-Chloroethylvinyl ether	N.D.	
t-1,3-Dichloropropene	N.D.	
Cis-1,3-Dichloropropene	N.D.	
1,1,2-Trichloroethane	N.D.	
1,1,2-Trichlorotrifluorethane	N.D.	
Tetrachloroethene	N.D.	
Dibromochloromethene	N.D.	
Chlorobenzene	N.D.	CHROMALAB, INC.
Bromoform	N.D.	Dourddug
1,1,2,2-Tetrachloroethane	N.D.	David Duong, Sr. Chemist
1,3-Dichlorobenzene	N.D.	Exetam (by DD
1,4-Dichlorobenzene	N.D.	Eric Tam, Lab Director

· CHAIN OF CUSTODY

****For Office Use Only****

EGULATO	RY AGENCY RE	PRESENTATIVE PRESENTATIVE TITLE	IT: None		
SAMPLE TO	LAB VIA?	Lab Rep Urlah St	aff Courie	r	,
SAMPLE#	SOIL/WATER PRODUCT	ANALYZE FOR TPH-D		# OF NTAINERS	SINGLE/ COMPOSITE
#/	<u>soil</u>	TPH.C. BTX &	,8010		5

					*
				*	
<u> </u>					Concession of the Consession o
			,	geter n blad breess	
	(
				gjygyjavijajaja (Titryivia	
					
	**************************************				· ·
					Security Control of the Control of t
		•			•
	RELEASED BY	2 10 E AM/PM,616199	SAMPLE ACCE	PTED BY	lo La anton. Vol V
SAMPLE			4516110101111111111111111111111111111111	<i>[4.8] [1 1-1</i> 0-10-10-10-10-10-10-10-10-10-10-10-10-10	
SAMPLE Le Sey YVIII	urhiriny E	AM/PM,// 99	·	alistinistis yidin ap	