



J. Mark Inglis
Project Manager

Retail & Terminal Business Unit Chevron Environmental Management Company 6001 Bollinger Canyon Road, Room K2256 San Ramon, CA 94583-2324 Tel 925 842 1589 Fax 925 842 8370 jmark.inglis@chevrontexaco.

com

ameda Coumis SEP 0 9 2015

Sept. 7, 2005

Alameda County Health Care Services 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Re: Chevron Service Station # 206127

Address: 2301-2337 Blanding Ave., Alameda, California

I have reviewed the attached routine groundwater monitoring report dated August 23, 2005

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Mark Inglis
 Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

August 23, 2005 G-R #386498

TO:

Mr. Robert Foss

Cambria Environmental Technology, Inc.

5900 Hollis Street, Suite A Emeryville, California 94608

FROM:

Deanna L. Harding

Project Coordinator Gettler-Ryan Inc.

6747 Sierra Court, Suite J Dublin, California 94568 CC: Mr. Mars Inglis

Chevron Texaco Company P.O. Box 6012, Room K2256 San Ramon, California 94583

RE: Chevron #206127

2301-2337 Blanding Avenue

Alameda, California

(Former Signal Oil Marine Terminal)

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	August 22, 2005	Groundwater Monitoring and Sampling Report Third Quarter - Event of July 15, 2005

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **September 6**, 2005, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577

Enclosures

trans/206127-MI



August 22, 2005 G-R Job #386498

Mr. Mark Inglis ChevronTexaco Company P.O. Box 6012, Room K2256 San Ramon, CA 94583

RE: Third Quarter Event of July 15, 2005

Groundwater Monitoring & Sampling Report Chevron #206127 (Former Signal Oil Marine Terminal) 2301-2337 Blanding Avenue Alameda, California

· ----

Dear Mr. Inglis:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater level was measured and the well was checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevation, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Groundwater Elevation Map is included as Figure 1.

Groundwater samples were collected from the monitoring well and submitted to a state certified laboratory for analyses. The field data sheet for this event is attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Project Coordinator

Hagop Kevork P.E. No. C55734

Figure 1: Groundwater Elevation Map

Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling

Field Data Sheets

Chain of Custody Document and Laboratory Analytical Reports




Table 1
Groundwater Monitoring Data and Analytical Results

Chevron #206127 (Former Signal Oil Marine Terminal) 2301-2337 Blanding Avenue

Alameda, California

Next 10 10 10 10 10 10 10 1						Alameda, Ca				rang di Paraganan ang Kabupat	and the second s
DATE Gr.	WELL ID/	TOC*	DTW	GWE	TPH-D	TPH-G	В	Ť	E	X	MTBE
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	The state of the s				(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
01/23/01											.a. = 0
04/09/01			7.16		$1,100^{2,3}$	5,210 ⁴	868				<250
07/30/01		10.62		2.50		$3,000^5$	920				<100
10/08/01 10.62 7.86 2.76 2.200° 1.200 120 2.4 5.9 6.4 4.2					550 ^{3,8}	2,0007	730				<25
01/13/02							120	2.4			<2.5
04/08/02						930	320	0.78			<2.5
07/31/02 10.62 9.27 1.35 2,800³ 930 64 1.4 1.9 11 \$\\ \cdot \) 10/15/02 10.62 8.00 2.62 1,000³ 620 25 0.78 1.4 4.3 \$\\ \) 10/15/03 10.62 8.00 2.60 920° 870 56 1 1.4 3.1 \$\\ \) 07/16/03 10.62 8.02 2.60 920° 870 56 1 1.4 3.1 \$\\ \) 07/16/03 10.62 8.02 2.60 920° 870 56 1 0.8 0.7 \$\\ \) 07/16/03 10.62 8.02 1.008 0.54 1,400° 780 85 1 0.8 0.7 \$\\ \) 07/16/03 10.62 8.51 2.11 1,200° 440 18 \$\\ \) 07/16/03 10.62 8.95 1.67 1,500° 440 18 \$\\ \) 07/22/04 10.62 8.95 1.67 2.200° 410 10 0.05 \$\\ \) 07/23/04 10.62 9.21 1.41 1,800° 400 6 \$\\ \) 07/23/04 10.62 9.21 1.41 1,800° 400 6 \$\\ \) 07/23/04 10.62 8.36 2.26 2.200° 3 150 2 \$\\ \) 07/23/04 10.62 8.36 2.26 2.200° 3 150 2 \$\\ \) 07/23/04 10.62 8.36 2.26 2.200° 3 150 2 \$\\ \) 07/23/06 10.62 7.00 3.53 1.200° 55 8 \$\\ \\$ 07/15/05 10 10.62 7.84 2.78 480° \$\\ \\$ 07/15/05 10 10.62 8.12 2.50 610 \\ \) 07/15/05 10 10.62 8.12 2.50 610 \\\ \) 07/15/05 10 \$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\						960	50	1.4			<2.5
10/15/02 10.62 8.00 2.62 1,000 ³ 620 25 0.78 1.4 4.3 <						930	64	1.4	1.9		<5.0
01/14/03						620	25	0.78			<2.5
04/15/03						1,600	20	1.3	1.3		<2.5
10.00						870	56	1	1.4		<2.5
10/18/03 ¹⁰ 10.62 8.51 2.11 1,200 ³ 640 42 0.8 <0.5 0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5							85	1	0.8		< 0.5
10/18/05						640	42	0.8	<0.5	0.5	< 0.5
01/22/04 ¹⁰ 10.62 8.95 1.67 2.200 ³ 410 10 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.7 <0.5 <0.7 <0.5 <0.7 <0.7 <0.7 <0.7 <0.7 <0.7 <0.5 <0.7 <0.7 <0.7 <0.7 <0.7 <0.7 <0.7 <0.7							18	< 0.5	< 0.5	< 0.5	< 0.5
04/25/04 ¹⁰ 10.62 9.21 1.41 1,800 ³ 400 6 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5							10	< 0.5	< 0.5	< 0.5	< 0.5
10/22/04 ¹⁰ 10.62 8.36 2.26 2.200 ³ 150 2 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5							6	< 0.5	< 0.5	<0.5	< 0.5
10/12/20/3 10.62 7.09 3.53 1.2003 55 8 < 0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.					•		2	< 0.5	< 0.5	< 0.5	< 0.5
04/26/05 ¹⁶ 10.62 7.84 2.78 480 ³ <50 5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.							8	< 0.5	< 0.5	< 0.5	< 0.5
CS-2 O7/30/01								< 0.5	< 0.5	< 0.5	< 0.5
CS-2 07/30/01 140 ^{3,5} <50 <0.50 <0.50 <0.50 <0.50 <0.50 <1.5 10/08/01 53° <50 <0.50 <0.50 <0.50 <0.50 <1.5 <01/13/02 77³ <50 <0.50 <0.50 <0.50 <0.50 <0.50 <1.5 <04/08/02 77³ <50 <0.50 <0.50 <0.50 <0.50 <0.50 <1.5 <07/31/02 550³ <50 <0.50 <0.50 <0.50 <0.50 <1.5 <07/31/02 550³ <50 <0.50 <0.50 <0.50 <0.50 <1.5 <07/31/02 550³ <50 <0.50 <0.50 <0.50 <0.50 <1.5 <07/31/03 550³ <50 <0.50 <0.50 <0.50 <0.50 <1.5 <010/15/03 550³ <50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50 <0.50			A Committee of the Comm				< 0.5	<0.5	< 0.5	<0.5	<0.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	07/15/05***	10.62	8,12	2.30	010						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					1403,5	<50	<0.50	<0.50	<0.50	<0.50	<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									< 0.50	<1.5	<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									< 0.50	<1.5	<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										<1.5	<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										<1.5	<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											<2.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											<0.5
10/18/03 ¹⁰ <50 <50 <50 <6.5 <6.5 <6.5 <6.5 <											<0,5
01/22/04 ¹⁰ <50° <50° <0.5											<0.5
	01/22/04 ¹⁰				<50°	<50	\(\(\).\(\)	~0.5	-0.5	-0.2	

Table 1 Groundwater Monitoring Data and Analytical Results

Chevron #206127 (Former Signal Oil Marine Terminal) 2301-2337 Blanding Avenue

Alameda, California

					Alameda, Cal	ifornia				MTBE
WELL ID/	TOC*	DTW	GWE	TPH-D	TPH-G	В	Ť	£	X	
ATE	(ft.)	(ft.)	(msl)	(ppb)	(ppb)	(ppb)	(ppb)	(ррв)	(ppb)	(ppb)
CS-2 (cont)				<50 ³	<50	< 0.5	< 0.5	<0.5	< 0.5	< 0.5
)4/23/04 ¹⁰			 	<50 ³	<50	<0.5	< 0.5	<0.5	< 0.5	< 0.5
)7/23/04 ¹⁰				<50 ³	<50	< 0.5	< 0.5	< 0.5	<0.5	<0.5
0/22/04 ¹⁰				<50 ³	<50	< 0.5	< 0.5	< 0.5	<0.5	< 0.5
1/28/05 ¹⁰				<50 ³	<50	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
)4/26/05 ¹⁰				<50 ³	<50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
)7/15/05 ¹⁰				\20	-0.0					
								•	•	
TRIP BLANI	K -									
TB-LB					<50.0	< 0.500	< 0.500	< 0.500	< 0.500	<2.50
01/23/01					<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5
04/09/01					<50 <50	< 0.50	<0.50	< 0.50	< 0.50	<2.5
07/30/01					~30	40.50				
QA					<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
10/08/01					<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
01/13/02					<50	<0.50	< 0.50	< 0.50	<1.5	<2.5
04/08/02					<50 <50	<0.50	< 0.50	< 0.50	<1.5	<2.5
07/31/02					<50 <50	<0.50	< 0.50	< 0.50	<1.5	<2.5
10/15/02					<50	< 0.50	<0.50	< 0.50	<1.5	<2.5
01/14/03					<50	<0.5	<0.5	< 0.5	<1.5	<2.5
04/15/03					<50	<0.5	<0.5	< 0.5	< 0.5	< 0.5
07/16/03 ¹⁰					<50 <50	<0.5	<0.5	< 0.5	< 0.5	< 0.5
10/18/0310					<50 <50	<0.5	<0.5	<0.5	< 0.5	< 0.5
01/22/0410						<0.5	<0.5	<0.5	<0.5	< 0.5
04/23/0410					<50	<0.5	<0.5	<0.5	< 0.5	< 0.5
07/23/0410					<50	<0.5	<0.5	<0.5	<0.5	< 0.5
$10/22/04^{10}$					<50	<0.5 <0.5	<0.5	<0.5	<0.5	< 0.5
$01/28/05^{10}$					<50		<0.5	<0.5	<0.5	<0.5
04/26/0510					<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/15/05 ¹⁰		- -			<50	<0.5	<0.5	~0.3	-0.0	3.0

Table 1

Groundwater Monitoring Data and Analytical Results

Chevron #206127 (Former Signal Oil Marine Terminal) 2301-2337 Blanding Avenue

Alameda, California

EXPLANATIONS:

TPH-G = Total Petroleum Hydrocarbons as Gasoline TOC = Top of Casing

(ppb) = Parts per billion

(ft.) = Feet

B = Benzene

-- = Not Measured/Not Analyzed

CS-2 = Creek Sample

DTW = Depth to Water

T = Toluene

GWE = Groundwater Elevation

E = Ethylbenzene

QA = Quality Assurance/Trip Blank

(msl) = Mean sea level

X = Xylenes

TPH-D = Total Petroleum Hydrocarbons as Diesel

MTBE = Methyl tertiary butyl ether

- TOC elevations were surveyed on January 25, 2001, by Virgil Chavez Land Surveying. The benchmark used for the survey was a City of Alameda benchmark being a cut square at the centerline return, south corner of Oak and Blanding, (Benchmark Elevation = 8.236 feet, NGVD 29).
- Well development performed.
- Laboratory report indicates unidentified hydrocarbons <C16.
- TPH-D with silica gel cleanup.
- Laboratory report indicates weathered gasoline C6-C12.
- Laboratory report indicates discrete peaks.
- Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- Laboratory report indicates gasoline C6-C12.
- Laboratory report indicates unidentified hydrocarbons C9-C24. 8
- Analysis performed without silica gel cleanup although was requested on the Chain of Custody.
- BTEX and MTBE by EPA Method 8260.
- Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

ient/Facility #:	ChevronTexaco		Jo	ant Data:	7-15	- 05		(inclusiv
te Address:	2301-2337 Blan	ding Avenu		ent Date: _	<u> </u>			
ity:	Alameda, CA		Sa	ampler:	אט ב			
Vell ID	MW-1	Date Mo	onitored:	7-15-05	Well Co		<u> </u>	<u>·</u> 1
Vell Diameter otal Depth	2 in. 17.16 ft. 8/2 ft.		Volume Factor (VF)	3/4"= 0.02 4"= 0.66		6"= 1.50 1	2"= 5.80	
epth to Water	9.04 xV	F <u>0.17</u> =	= <u>1.54</u> x	3 case volume= E	stimated Purg	e Volume:	ga	l. 2400 hrs)
Purge Equipment: Disposable Bailer Stainless Steel Baile Stack Pump		Disposa Pressure Discrete	Bailer	V	Depth to P Depth to W Hydrocarb	pleted: roduct: /ater: on Thickness: nfirmation/Desc	6	(2400 hrs) ft ft ft
Suction Pump Grundfos Other:		Other:_			Amt Remo	Absorbant So oved from Skin oved from Wel moved: ransferred to:	nmer: 1:	gal gal
		0/		clee		Odor:	mild	<u> </u>
Purging Flow	Date: <u>072017</u> Rate: <u>0.</u> gpm.	<i> 55</i> \ Sediment	Water Color: Description:	c le			mild	- -
Sample Time/ Purging Flow Did well de-wa Time (2400 hr	Date: 072017 Rate: 0. gpm. ater? Volume (gal.) 4 1.5	Sediment If yes, Time:	Water Color: Description: Conductivity u mhos/cm) 10 60 10 84	0.10		o.	ORP (mV)	- - -
Sample Time/ Purging Flow Did well de-wa Time (2400 hr	Date: 072017 Rate: 0. gpm. ater? Volume (gal.) 4 1.5	Sediment If yes, Time: pH 7.47	Water Color: Description: Conductivity u mhos/cm)	Volume: Temperature (C/F4)	gal D.	o.	ORP	- - - - - - - -
Sample Time/ Purging Flow I Did well de-wa Time (2400 hr	Date: 072017 Rate: 0.5 gpm. ater? Volume (gal.) 4 1.5	Sediment If yes, Time: pH 7.47 7.42	Water Color: Description: Conductivity u mhos/cm) 10 60 10 84 10 88	Volume: Temperature (C/F4) 63.6 63.6 63.6	gal D.(mg	o.	ORP (mV)	- - - - - - - - -
Sample Time/ Purging Flow I Did well de-wa Time (2400 hr	Date: 072017 Rate: 0.5 gpm. ater? Volume (gal.) 4 1.5 3 3	Sediment If yes, Time: pH (7.47) 7.42 7.41 LABO REFRIG. F	Water Color: Description: Conductivity u mhos/cm) 10 60 10 84 10 88	Volume:	gal D.(mg	O. (a)/L)	ORP (mV)	
Sample Time/li Purging Flow I Did well de-wa Time (2400 hr 0703	Date: 072017 Rate: 0.5 gpm. ater? Volume (gal.) 4 1.5	Sediment If yes, Time: pH (7.47) 7.42 7.44 LABO REFRIG. F	Water Color: Description: Conductivity u mhos/cm) 10 60 10 84 10 88	Volume: Temperature (C/F4) 63.6 63.6 63.6	gal D.(mg	O.)/L) ANAL 8015)/BTEX+N	ORP (mV)	
Sample Time/Purging Flow Did well de-water Time (2400 hr 270)	Date: 072217 Rate: 0 gpm. ater? Volume (gal.)	Sediment If yes, Time: pH (7.47) 7.42 7.44 LABO REFRIG. F	Water Color: Description: Conductivity Umhos/cm) 10 60 10 84 10 88 ORATORY INF	Volume:	gal D.(mg	O.)/L) ANAL 8015)/BTEX+N	ORP (mV)	



WELL MONITORING/SAMPLING FIELD DATA SHEET

lient/Facility #:	ChevronTexaco				7-15-05	 (inclusive
ite Address:	2301-2337 Bland	ding Ave	nue Ev	ent Date:		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
ity:	Alameda, CA		Sa	ampler:	Joe	
Vell ID	CS-2	Date	Monitored: 7	.15-05	Well Condition:Creek Sa	ample
Vell Diameter Total Depth	in.		Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 2"= 0.17 3"= 0.38 5"= 1.02 6"= 1.50 12"= 5.80	
Depth to Water	ft.	= <u></u>	_ = x3	case volume=	Estimated Purge Volume:	_gal.
Purge Equipment: Disposable Bailer		Dispo	oling Equipment: osable Bailer oure Bailer	<u>/</u>	Time Started: Time Completed: Depth to Product: Depth to Water:	(2400 hrs) (2400 hrs) ft
Stainless Steel Bail Stack Pump Suction Pump		Discr	ete Bailer		Hydrocarbon Thickness:	000
Grundfos Other:					Skimmer / Absorbant Sock (circle Amt Removed from Skimmer: Amt Removed from Well: Water Removed: Product Transferred to:	gal gal
	Date: <u>073517</u> Rate: <u>gpm.</u>	15-25 Sedime	e:	Volume:	gal.	
Time (2400 hr	Volume .) (gal.)	pH 	Conductivity (u mhos/cm)	Temperature (C/F)	(mg/L) (mV)	
			BORATORY INFO	ORMATION		
SAMPLE II	(#) CONTAINER	REFRIG.	PRESERV. TYPE		THE PROPERTY LATER 1826	50)
CS-2	⟨ x voa vial	YES YES	HCL NP	LANCASTI		
COMMENT	S:					

Chevron California Region Analysis Request/Chain of Custody

Lancaster Labora Where quality is a science.		, ,										Ar	naly	505	Requ	ested	1					
	O D4396400	Clobal IDI			T	Matr	×					Pi	rese	ervat	ion C	odes			\dashv	Preservati		
acility #:SS#206127-OMiL	G-R#380490	S GIODALIDA	·						田			_		_+			╂╼┥	-+	ᅴ	-	r = Thiosบl 3 = NaOH	late
ite Address 2301-2337 BLAN	DING AVENU	E, ALAMEL	M, CA		L	_,			1 1	, 1	drug	1					1 1) = Other	
hevron PM.MI	Lead C	Consultant: CA	MBRIARE	0456	اه	0 0	, '	S _S		i	Gel Cleanup	ļ		i		1			Ī	☐ J value reportin		_
G-R, Inc., 67	747 Sierra Cou	n, Suite J, L	JUDIIN, CB.		٦	Potable NPDFS	<u> </u>	of Containers	M 8021□		<u>8</u>		ı					1	ı	Must meet lowe possible for 826	et detection 30 compour	n limit ads
consultant/Office:	Harding (de	anna@grinc	com)			₫ 2 m	<u>.</u>	8	K Z		TPH 8015 MOD DRO KE Silica		Ì					1	. 1	8021 MTBE Confi		
Consultant Phone # 925-551-7	555	Fax #: 925-	551 <u>-7899</u>			1	7	2	8260	SR _O	8		1	7421	ļ					Confirm highes		Ö
sampler: 50E		_ (ᅱ			훁	l w	8	8	5	Oxygenates				1 '			Confirm all hits		
		on SAR:		'	夏	ا۔	₹	亨	E	15 M	15 W	\$	Š	24	.	1	Į.			Runoxy		t hit
Service Order #:		Date	Time	gg ,	Composite	Soil	ON D ALD	Total Number	BTEX + MTBE	TPH 8015 MOD	E	8260 full scan		Lead 7420		1]]		Runoxy	s on all hits	
ample Identification		Collected	Collected	19	악	σ <u>></u>	_=	12,	 	と こうしゅ こうしゅ こうしゅ こうしゅ しゅうしゅ しゅうしゅう しゅうしゃ しゅう しゃ	F	<u>~</u>	┌╌┙	鬥		_	1	T		Comments / Re	emarks	
	<u>QA</u>		0720	0	+	- 7		8	Ľ	わ	7		\vdash	$\dagger \exists$	+	_	1			1	.*	
	- MW-1	7-15-05	0735	 "	+	+",		18	Ĭ	1	V			\Box			1]		
<u> </u>	cs_2	 	<u> </u>	1"	+	+	+	 	\top	1			Γ]		٠
<u></u>		 		+	1	1	1	\top	1								_		$oldsymbol{ol}}}}}}}}}}}}}}}}}$	1		
					\neg				\Box								_ _		ـ	4		
		†			\Box				_	$oldsymbol{\perp}$	<u> </u>	<u></u>	igspace	1	\sqcup	-	—		╀	-		
				\prod	\bot			-	┷	╁	 	<u> </u> i	╁_	—	 	-		╁	╁╌	-{		
								4	- -		<u> </u>	-	\vdash	-	 	-+-		+	╁─	-		
				1	\dashv	_	+	-		┼-	+	\vdash	╁	╁┈	╀	-+	+	+	+-	_		
			 	+		-	+	-	+-	+	+-	+	+	+	╂─┼	-	+	+-	+	1		
		<u> </u>	 	╂╌┤		-	╬		+	╁╴	+	+-	╁	+	1-1	-	+-	+	+	-		
			Reling	uished			┯┸╴				丅	Date	計	Tim		Receiv	ed by:	:	_	Da	Date	(Tir
Turnaround Jime Requested	(TAT) (please cir	cle)	1.2		\$		<u>L</u>							123						Mero		<u> </u>
STD. TAT 72 hou	ur 48 hou	л	Reling	uished	ρ ў .	75	>		Y	Ī		Dak	2	Tim /33	e F	Receiv		: /	/_	, ,	Date 7/18/05	Tit / な。
24 hour 4 day	5 day							_+	<u> </u>	<u> </u>	24	44	4	/JS.		Receiv	_	<u> </u>		1 mayor	Date	T
Data Package Options (please	circle if required)		Religo	wished	by:	FOR	1	, 	A.	_G	17	HIGH	inc	154		Neceiv		tel	E	*	7/8/	
QC Summary Type I	Full	-	Relinc	uish	4/1 .bw-5	iomme	rcial C	arrie	<u> </u>			17	<u>V / 1</u>	نسيد.		Receiv	ged by	r. 1		. t,	Date,	T
1,700 11 (1-111-1111)	Deliverable not nee	deDF/ED[UPS	7	Fed	•	•	Othe								111	sw.	W	IJ	Stonar	7/9/05	10
WIP (RWQCB)																						

Lancaster Laboratories, Inc., 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 (717) 656-2300 Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

3460 Rev. 7/30/01



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-666-2300 Fax:717-656-2681• www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco 6001 Bollinger Canyon Rd L4310 San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories 2425 New Holland Pike Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 951731. Samples arrived at the laboratory on Tuesday, July 19, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

Client Description		<u>Lancaster Labs Number</u>
Client Description	NA Water	4565728
QA-T-050715	Grab Water	4565729
MW-1-W-050715	Gidb (1 = 1 = 1	4565730
CS-2-W-050715	Grab Water	

1 COPY TO ELECTRONIC COPY TO Cambria C/O Gettler- Ryan

Gettler-Ryan

Attn: Deanna L. Harding Attn: Cheryl Hansen



2425 New Holland Pike, PO Box 12425, Lancesler, FA 17605-2425 • 717-656-2300 Fax 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative Megan A Moeller at (717) 656-2300

Respectfully Submitted,

Long on Kauffman,
Dana M. Kauffman

Manager



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681• www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4565728

NΑ QA-T-050715

Facility# 206127 Job# 386498 GRD QΑ 206127 2301-2337 Blanding

Collected: 07/15/2005

Submitted: 07/19/2005 09:10 Reported: 07/27/2005 at 11:30 Discard: 08/27/2005

Account Number: 10904

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

TB715

FB715		•	As Received	As Received Method		Dilution
CAT	Analysis Name	CAS Number	Result	Detection Limit	Units	Factor
No. 01728	TPH-GRO - Waters The reported concentration of The gasoline constituents eluting postart time.	n.a. PH-GRO does not rior to the C6	N.D. include MTBE or (n-hexane) TPH-0	50. rother	ug/l	1
06054 02010 05401 05407 05415 06310	BTEX+MTBE by 8260B Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	1634-04-4 71-43-2 108-88-3 100-41-4 1330-20-7	N.D. N.D. N.D. N.D. N.D.	0.5 0.5 0.5 0.5 0.5	ug/l ug/l ug/l ug/l ug/l	1 1 1 1

State of California Lab Certification No. 2116

		Laboratory	Chro	Analysis		Dilution Factor
•	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 07/21/2005 20:42	Analyst Brian C Veety	1
01728 06054	BTEX+MTBE by 8260B	Method SW-846 8260B	1	07/22/2005 08:12 07/21/2005 20:42	Dawn M Harle Brian C Veety	1
01146 01163	GC VOA Water Prep GC/MS VOA Water Prep	SW-846 5030B SW-846 5030B	1	07/22/2005 08:12	Dawn M Harle	n.a.



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 +717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

4565729 Lancaster Laboratories Sample No.

Grab MW-1-W-050715 Facility# 206127 Job# 386498 2301-2337 Blanding 2065

206127

GRD

MW-1

Collected: 07/15/2005 07:20

by JA

Account Number: 10904

Submitted: 07/19/2005 09:10

Reported: 07/27/2005 at 11:30

Discard: 08/27/2005

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

ALMD1

CAT	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of gasoline constituents eluting p	n.a. TPH-GRO does no orior to the C6	N.D. t include MTBE c (n-hexane) TPH-	50. r other GRO range	ug/l	1
06610	start time. TPH-DRO CALUFT(Water) w/Si Gel The observed sample pattern is the DRO range later than #2 fu	n.a. not typical of	610.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010 05401 05407	Methyl Tertiary Butyl Ether Benzene Toluene	1634-04-4 71-43-2 108-88-3	N.D. N.D. N.D. N.D.	0.5 0.5 0.5 0.5	ug/1 ug/1 ug/1 ug/1	1 1 1
05415 06310	Ethylbenzene Xylene (Total)	100-41-4 1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

		Laboratory	Chro	nicle Analysis		Dilution
CAT No.	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 07/21/2005 23:06	Analyst Brian C Veety	Factor 1
01728 06610	TPH-DRO CALUFT (Water) w/Si	Method CALUFT-DRO/8015B,	1	07/22/2005 18:03	Tracy A Cole	1
06054	Gel BTEX+MTBE by 8260B	Modified SW-846 8260B SW-846 5030B	1 1	07/22/2005 08:36 07/21/2005 23:06	Dawn M Harle Brian C Veety	1 1 n.a.
01146 01163 02135	GC VOA Water Prep GC/MS VOA Water Prep Extraction - DRO Water Special	SW-846 5030B TPH by CA LUFT	1	07/22/2005 08:36 07/20/2005 21:00	Dawn M Harle Elia R Botrous	1



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

4565730 Lancaster Laboratories Sample No. WW

CS-2-W-050715

Water Grab

Facility# 206127 Job# 386498

206127

CS-2

GRD

2301-2337 Blanding

Account Number: 10904

Collected:07/15/2005 07:35

by JA

ChevronTexaco

Submitted: 07/19/2005 09:10 Reported: 07/27/2005 at 11:30

6001 Bollinger Canyon Rd L4310

Discard: 08/27/2005

San Ramon CA 94583

ALMC2

CAT			As Received	As Received Method Detection	Units	Dilution Factor
No.	Analysis Name	CAS Number	Result	Limit	/7	1
	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
01728	The reported concentration of T gasoline constituents eluting p	PH-GRO does not rior to the C6	include MTBE o (n-hexane) TPH-	or other -GRO range		
06610	start time. TPH-DRO CALUFT(Water) w/Si Gel		N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
	There	1634-04-4	N.D.	0.5	ug/l	1
02010	Methyl Tertiary Butyl Ether	71-43-2	N.D.	0.5	ug/l	1
05401	Benzene	108-88-3	N.D.	0.5	ug/l	1
05407	Toluene	100-41-4	N.D.	0.5	ug/l	ı
05415 06310	Ethylbenzene Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

		Laboratory	Chro	nicle Analysis		Dilution		
CAT No.	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial#	Date and Time 07/21/2005 23:41	Analyst Brian C Veety	Pactor 1		
01728	TPH-DRO CALUFT(Water) w/Si	Method CALUFT-DRO/8015B,	1	07/22/2005 18:26	Tracy A Cole	1		
06610 06054 01146 01163 02135	Gel BTEX+MTBE by 8260B GC VOA Water Prep GC/MS VOA Water Prep Extraction - DRO Water Special	Modified SW-846 8260B SW-846 5030B SW-846 5030B TPH by CA LUFT	SW-846 8260B SW-846 5030B SW-846 5030B	SW-846 8260B SW-846 5030B SW-846 5030B	1 1 1	07/22/2005 09:00 07/21/2005 23:41 07/22/2005 09:00 07/20/2005 21:00	Dawn M Harle Brian C Veety Dawn M Harle Elia R Botrous	1 1 n.a. 1



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2661 • www.lancasterlabs.com

Page 1 of 2

Quality Control Summary

Client Name: ChevronTexaco

Reported: 07/27/05 at 11:30 AM

Group Number: 951731

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank <u>MDL</u>	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD Max
Batch number: 052010007A TPH-DRO CALUFT(Water) w/Si Gel	Sample n N.D.	umber(s): 50.	4565729-45 ug/l	65730 91	90	64-125	1	20
Batch number: 05202A07B TPH-GRO - Waters	Sample n N.D.	umber(s): 50.	4565728-45 ug/l	96 96	98	70-130	2	30
Batch number: 2052023AA Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sample n N.D. N.D. N.D. N.D. N.D.	number(s): 0.5 0.5 0.5 0.5 0.5	4565728-49 ug/l ug/l ug/l ug/l ug/l	99 103 103 103 103		77-127 85-117 85-115 82-119 83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD <u>Limits</u>	<u>rpd</u>	RPD <u>MAX</u>	BKG Conc	DUP Conc	DUP RPD	Max
Batch number: 05202A07B TPH-GRO - Waters	111		(s): 456572 63-154						
Batch number: Z052023AA Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sampl∈ 88 93 93 94 90	number 91 96 97 98 95	(s): 456572 69-134 83-128 83-127 82-129 82-130	8-4565° 4 1 4 4 4	30 30 30 30 30 30				

Surrogate Quality Control

Analysis Name: TPH-DRO CALUFT(Water) w/Si Gel Batch number: 052010007A Orthoterphenyl

4565729	103
4565730	106
Blank	103
LCS	130
LCSD	122

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax:717-656-2681 • www.lancasterlabs.com

Page 2 of 2

Quality Control Summary

Group Number: 951731

Client Name: ChevronTexaco Reported: 07/27/05 at 11:30 AM

Surrogate Quality Control

		2022-03 2	<u> </u>	
Limits:	52-134			
Analysis N	ame: TPH-GRO - Waters			
Batch numb	er: 05202A07B Trifluorotoluene-F	·		
4565728	86			
4565729	85			
4565730	87		•	•
Blank	90			•
LCS	107		•	
LCSD	113			
MS	113			
Limits:	70-142			
Analysis 1	Name: BTEX+MTBE by 8260B			
Batch numb	ber: Z052023AA		Toluene-d8	4-Bromofluorobenzene
	Dibromofluoromethane	1,2-Dichloroethane-d4	tordene do	
			101	89
4565728	89	91	100	89
4565729	89	91	101	89
4565730	89	92	100	90
Blank	88	90 .	100	92
LCS	87	91	102	95
MS	87	91	101	93
MSD	87	91		
	· · · · · · · · · · · · · · · · · · ·	82-112	85-112	83-113
Limits:	81-120	02-112		

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The background result was more than four times the spike added.



Explanation of Symbols and Abbreviations

Inorganic Qualifiers

Correlation coefficient for MSA < 0.995

The following defines common symbols and abbreviations used in reporting technical data:

N.D. none detected TNTC Too Numerous To Cour IU International Units umhos/cm micromhos/cm C degrees Celsius med milliequivalents g gram(s) ug microgram(s) ml milliliter(s) m3 cubic meter(s)	BMQL Below Minimum Quantitation Level MPN Most Probable Number CP Units cobalt-chloroplatinate units NTU nephelometric turbidity units f degrees Fahrenheit lb. pound(s) kg kilogram(s) mg milligram(s) l liter(s) ul microliter(s)
---	--

- less than The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.
- greater than
- estimated value The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ). J
- parts per million One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a ppm weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.
- parts per billion ppb
- Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported Dry weight basis on an as-received basis.

U.S. EPA CLP Data Qualifiers:

U

	Organic Qualifiers		Inorganic Qualifiers
A B C D E	TIC is a possible aldol-condensation product Analyte was also detected in the blank Pesticide result confirmed by GC/MS Compound quantitated on a diluted sample Concentration exceeds the calibration range of	B E M N S	Value is <crdl, (msa)="" additions="" but="" calculation<="" control="" due="" duplicate="" estimated="" for="" injection="" interference="" limits="" met="" method="" not="" of="" precision="" sample="" spike="" standard="" td="" to="" used="" within="" ≥idl=""></crdl,>
N P	the instrument Presumptive evidence of a compound (TICs only) Concentration difference between primary and confirmation columns >25%	U W *	Compound was not detected Post digestion spike out of control limits Duplicate analysis not within control limits Correlation coefficient for MSA < 0.995

Defined in case narrative X,Y,Z Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Compound was not detected

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.