







ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

April 25, 2006

Mr. Drew Squyres PG&E Environmental Affairs 4325 South Higuera Street San Luis Obispo, CA 93401

Subject: Fuel Leak Case No. PG&E Livermore Training Center, 7205 National Drive, Livermore, CA – Work Plan Approval

Dear Mr. Squyres:

Alameda County Environmental Health (ACEH) has reviewed the case file for the above-referenced site and the including the document entitled "Groundwater Investigation Work Plan for PG&E's Livermore Training Center," dated April 18, 2006 and "Updated Site Plan," provided by electronic mail on April 21, 2006. The Work Plan proposes the collection of grab groundwater samples from two soil borings to be located downgradient of the former USTs. ACEH generally concurs with the proposed scope of work provided that the technical comments below are addressed during the field investigation.

We request that you address the following technical comments, perform the proposed work, and send us the reports described below.

TECHNICAL COMMENTS

- 1. **Soil Boring Locations and Proposed Depth.** The proposed locations, depths, and method for collection of grab groundwater samples from the planned soil borings are acceptable.
- 1. Soil Samples. If staining, odor, or elevated PID readings are observed during screening of soil samples in the field, soil samples are to be submitted for laboratory analyses for all depth intervals where the staining, odor, or elevated PID readings are observed. If staining, odor, or elevated PID readings are observed over an interval of several feet, a sufficient number of soil samples from this interval should be submitted for laboratory analyses to characterize the fuel hydrocarbon concentrations within this interval. In addition, one soil sample is to collected from the capillary fringe if staining, odor, or elevated PID readings are observed at any depth interval within the soil boring. Please present the results in the Groundwater Investigation Report requested below.

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

August 25, 2006 – Groundwater Investigation Report

Drew Squyres April 25, 2006 Page 2

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

Effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/cleanup/electronic reporting).

In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at jerry.wickham@acgov.org.

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature,

Drew Squyres April 25, 2006 Page 3

and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,

Jerry Wickham

Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Jonathon G. Pforr

PG&E

1030 Detroit Avenue

Concord, CA 94518

Matt Katen, QIC 80201 Zone 7 Water Agency 100 North Canyons Parkway Livermore, CA 94551

Neil Doran Secor 57 Lafayette, Circle, 2nd Floor Lafayette, CA 94549

ALAMEDA COUNTY HEALTH CARE SERVICES

AGENCY





DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

February 17, 2006

Mr. Drew Squyres
PG&E Environmental Affairs
4325 South Higuera Street
San Luis Obispo, CA 93401

Subject: Fuel Leak Case No Drive, Livermore, CA G&E Livermore Training Center, 7205 National

Dear Mr. Squyres:

Alameda County Environmental Health (ACEH) has reviewed the case file for the above-referenced site including the reports entitled "Subsurface Investigation Report," dated July 18, 2005 and "Groundwater Well Information, PG&E Livermore Training Center," dated September 20, 2005. The "Groundwater Well Information," summarizes the status of six monitoring wells located on the perimeter of PG&E's Livermore Training Center. The report indicates that the purpose of the six perimeter wells is unknown and that no records of groundwater sampling and analysis could be located for the wells.

Based on ACEH review of the case file, we request that you submit a Work Plan by April 21, 2006 to address the technical comments below. Please address the following technical comments, perform the proposed work, and send us the reports requested below.

TECHNICAL COMMENTS

1. Water Quality Downgradient from Former Gasoline UST. A water sample collected from the unleaded gasoline tank pit contained 7,500 micrograms per liter (μg/L) of methyl tert-butyl ether (MTBE) and 2,200 μg/L of tert-butyl alcohol (TBA). A site investigation conducted in June 2005 by SECOR advanced three soil borings outside the former UST excavation to evaluate whether the elevated concentrations of fuel oxygenates detected in the water sample from the tank pit were representative of groundwater quality. Groundwater samples were obtained from two of the three borings (B-1 and B-3). Boring B-1 was located east (upgradient) of the former tank pit and Boring B-3 was located west of the former diesel UST. Boring B-2 was stopped at a depth of 24 feet due to refusal without encountering groundwater.

The regional hydraulic gradient is to the northwest in the area of the site. Review of the "Sampling Report for Fuel Tank Removals, PG&E Training Center," dated December 12, 2003 indicates that the former gasoline UST was in the northern half of the tank pit and that the water sample that contained elevated concentrations of fuel oxygenates was collected in the northwestern portion of the tank pit. Therefore, no groundwater samples have been collected in the immediate vicinity of or downgradient (northwest) of the former gasoline UST. We request that you present plans to collect a groundwater sample directly downgradient of the former gasoline UST in the Work Plan requested below.

Drew Squyres February 17, 2006 Page 2

2. Unknown Perimeter Wells. Prior to decommissioning the six perimeter monitoring wells, groundwater samples should be collected and analyzed. Please propose laboratory analyses for the groundwater samples based on the types of activities and chemicals used or potentially released at the PG&E Training Center. Present the plans for sampling and analysis in the Work Plan requested below.

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Jerry Wickham), according to the following schedule:

April 21, 2006 – Work Plan

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

Effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program ftp site are provided on the attached "Electronic Report Upload (ftp) Instructions." Please do not submit reports as attachments to electronic mail.

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/cleanup/electronic reporting).

In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at jerry.wickham@acgov.org.

Drew Squyres February 17, 2006 Page 3

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,

Jerry Wickham

Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

Drew Squyres February 17, 2006 Page 4

cc: Jonathon G. Pforr PG&E 1030 Detroit Avenue Concord, CA 94518

Matt Katen, QIC 80201
Zone 7 Water Agency
100 North Canyons Parkway
Livermore, CA 94551

Neil Doran Secor 57 Lafayette, Circle, 2nd Floor Lafayette, CA 94549

ALAMEDA COUNTY HEALTH CARE SERVICES

S AGENCY



DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

(510) 567-6700 FAX (510) 337-9335

August 3, 2005

Jonathon G. Pforr PG&E 1030 Detroit Avenue Concord, CA 94518

Subject: Fuel Leak Case No. F. PG&E Livermore Training Center, 7205 National Drive, Livermore, CA

Dear Mr. Pforr:

Alameda County Environmental Health (ACEH) has received the report entitled "Subsurface Investigation Report, PG&E Livermore Training Center," dated July 18, 2005 prepared on behalf of PG&E by Secor. The report summarizes the results from soil and water samples collected on June 3, 2005 from three boring locations in the vicinity of one former gasoline and one former diesel underground storage tank (UST) at the above referenced facility. In correspondence dated June 28, 2005, ACEH requested a Work Plan for a site investigation in the area of the former USTs. The June 2005 investigation, which was conducted without a formal Work Plan, meets the requirements for an initial investigation of the site. Therefore, a Work Plan for additional site characterization is not required at this time.

Based on information provided by the Zone 7 Water Agency, monitoring wells are located at the Livermore Training Center in the area of the former USTs. Please submit the following information on these monitoring wells:

- Status of the wells, whether active or destroyed. Please provide dates on when the wells were installed and destroyed.
- Purpose of the monitoring wells.
- Map showing the location of the wells in relation to the former USTs.
- Information on the depth and construction of the monitoring wells.
- Analytical data for samples collected from the wells.
- Summary of water level information.
- · Boring logs.

We request that the above information be submitted by September 19, 2005.

Jonathon G. Pforr August 3, 2005 Page 2

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

GEOTRACKER EDF SUBMITTALS

Pursuant to CCR Sections 2729 and 2729.1, beginning September 1, 2001, all analytical data, including monitoring well samples, submitted in a report to a regulatory agency as part of the LUFT program, must be transmitted electronically to the SWRCB GeoTracker system via the internet. Additionally, beginning January 1, 2002, all permanent monitoring points utilized to collected groundwater samples (i.e. monitoring wells) and submitted in a report to a regulatory agency, must be surveyed (top of casing) to mean sea level and latitude and longitude to submeter accuracy, using NAD 83, and transmitted electronically to the SWRCB GeoTracker system via the internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports is also required in Geotracker (in PDF format). Please upload all analytical data (collected on or after September 1, 2001), to the SWRCB's GeoTracker database website in accordance with the above-cited regulation.

Jonathon G. Pforr August 3, 2005 Page 3

If you have any questions, please call me at (510) 567-6791.

Sincerely,


erry Wickham, P.G.

Hazardous Materials Specialist

cc: Colleen Winey, QIC 80201 Zone 7 Water Agency 100 North Canyons Parkway Livermore, CA 94551

> Danielle Stefani Livermore-Pleasanton Fire Department 3560 Nevada Street Pleasanton, CA 94566

Neil Doran Secor 57 Lafayette, Circle, 2nd Floor Lafayette, CA 94549







Pacific Gas and Electric Company

Corporate Real Estate Department, Building Design and Project Services

Gary Pforr

1030 Detroit Avenue, Concord, CA 94518

Office:

925-674-6707

Fax: 925-674-6543

Cell:

925-586-7901

Email: qip5@pqe.com

July 26, 2005

Mr. Jerry Wickham, P.G. Alameda County Environmental Health Services Division of Health Care Services 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Re: Your Letter Dated 6/28/205 pertaining to Alameda County Fuel Leak Case No. RO0002604 2003 UST Removal at PG&E's Livermore Training Center, 7205 National Drive, Livermore, CA

Dear Mr. Wickham:

The following statement is provided as requested in your letter of June 28, 2005:

In accordance with section 25297.15(a) of Chapter 6.7 of the Health & Safety Code, I, Jonathon G. Pforr, certify that the following is a complete list of current record fee title owners and their mailing address for the PG&E Livermore Training Center, 7205 National Drive, Livermore, CA:

Pacific Gas & Electric Company P.O. Box 770000 San Francisco, CA 94177

PG&E is the sole landowner for the Livermore Training Center.

In the event you need more information, please contact me at (925) 674-6707.

Sincerely.

Garv Pforr

Project Manager

Drew Squyres, Environmental Affairs Dept., PG&E CC:

Keren Guedmin, Corporate Real Estate Department, PG&E





DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

June 28, 2005

Jonathon G. Pforr PG&E 1030 Detroit Avenue Concord, CA 94518

Subject: Fuel Leak Case No. RC 2004, PG&E Livermore Training Center, 7205 National Drive, Livermore, CA – Request for Work Plan

Dear Mr. Pforr:

Alameda County Environmental Health (ACEH) staff has reviewed the case file and the report "Sampling Report for Fuel Tank Removals," dated December 12, 2003 prepared on behalf of PG&E by geo-logic. The report summarizes the results from soil and water samples collected on December 3 and 4, 2003 during the removal of one gasoline and one diesel underground storage tank (UST) at the above referenced facility. Four soil samples were collected from native soil in the sidewalls of the UST excavations at a depth of approximately 10 feet below grade. Total petroleum hydrocarbons (TPH) as gasoline, TPH as diesel, benzene, toluene, ethylbenzene, and xylenes (BTEX), and methyl tert-butyl ether (MTBE) were not detected in the soil samples. Two water samples were collected from each of the two UST excavations. TPH as gasoline and BTEX were not detected in the two water samples. TPH as diesel was detected at a concentration of 300 micrograms per liter (μ /L) in one water sample from the diesel tank excavation. MTBE was detected at a concentration of 7,500 micrograms per liter (μ /L) and t-butyl alcohol (TBA) was detected at a concentration of 2,200 μ /L in the water sample from the gasoline UST excavation.

Livermore-Pleasanton Fire Department referred this case to ACEH on January 8, 2004. Based on the concentrations of MTBE and TBA detected in water at the site, an investigation is required to assess the extent of contamination beneath your site. We recommend that your investigation incorporate expedited site assessment techniques. Therefore, we recommend that you utilize direct push technology to collect soil samples and depth-discrete groundwater samples prior to the installation of groundwater monitoring wells. Sampling locations should be located to assess the extent of soil and groundwater contamination. Other options for additional investigation may be appropriate to define contamination at your site.

Please submit a work plan detailing your proposal to define the extent of soil and groundwater contamination by September 28, 2005. This report is being requested pursuant to the Regional Water Quality Control Board's (Regional Board) authority under Section 13267 of the California Water Code.

Jonathan G. Pforr June 28, 2005 Page 2

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Mr. Jerry Wickham), according to the following schedule:

September 30, 2005 – Work Plan for Soil and Groundwater Investigation

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

LANDOWNER NOTIFICATION REQUIREMENTS

Pursuant to California Health & Safety Code Section 25297.15, the active or primary responsible party for a fuel leak case must inform all current property owners of the site of cleanup actions or requests for closure. Furthermore, ACEH may not consider any cleanup proposals or requests for case closure without assurance that this notification requirement has been met. Additionally, the active or primary responsible party is required to forward to ACEH a complete mailing list of all record fee title holders to the site.

At this time, we require that you submit a complete mailing list of all record fee title owners of the site by **July 28, 2005**, which states, at a minimum, the following:

- A. In accordance with section 25297.15(a) of Chapter 6.7 of the Health & Safety Code, I, (name of primary responsible party), certify that the following is a complete list of current record fee title owners and their mailing addresses for the above site:
- OR -
- B. In accordance with section 25297.15(a) of Chapter 6.7 of the Health & Safety Code, I, (name of primary responsible party), certify that I am the sole landowner for the above site.

(Note: Complete item A if there are multiple site landowners. If you are the sole site landowner, skip item A and complete item B.)

In the future, for you to meet these requirements when submitting cleanup proposals or requests for case closure, ACEH requires that you:

- 1. Notify all current record owners of fee title to the site of any cleanup proposals or requests for case closure;
- 2. Submit a letter to ACEH which certifies that the notification requirement in 25297.15(a) of the Health and Safety Code has been met;
- 3. Forward to ACEH a copy of your complete mailing list of all record fee title holders to the site: and
- 4. Update your mailing list of all record fee title holders, and repeat the process outlined above prior to submittal of any additional *Corrective Action Plan* or your *Request for Case Closure*.

Jonathan G. Pforr June 28, 2005 Page 3

Your written certification to ACEH (Item 2 above) must state, at a minimum, the following:

B. In accordance with section 25297.15(a) of Chapter 6.7 of the Health & Safety Code, I, (name of primary responsible party), certify that I am the sole landowner for the above site.

(Note: Complete item A if there are multiple site landowners. If you are the sole site landowner, skip item A and complete item B.)

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

Jonathan G. Pforr June 28, 2005 Page 4

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6791.

Sincerely,

Jerry Wickham, P.G.

Hazardous Materials Specialist

cc: Colleen Winey, QIC 80201 Zone 7 Water Agency 100 North Canyons Parkway Livermore, CA 94551



Pacific Gas and Electric Company

Corporate Real Estate Department

Gary Pforr, Project Manager, Building Design and Project Services 1030 Detroit Avenue, Concord, CA 94518

Office:

925-674-6707

Pager: 925-509-5023

Cell:

925-586-7901

Fax: 925-674-6565

Email:

gjp5@pge.com

Tuesday, January 20, 2004

Alameda County Environmental Health Department Local Oversight Program 1311 Harbor Bay Parkway, Suite 250 Alameda, CA 94502 Telephone (510) 567-6700

Attn: Donna L. Drogos, Program Manager

Re: Removal and Closure of Unleaded and Diesel Fuel

at PG&E's Livermore Learning Center, 7205 National Drive, Livermore, CA 94550

At the request of Paul Smith of the Pleasanton-Livermore Fire Department, I am forwarding to you the Geologist's Sampling Report for the referenced project. In addition, for your reference, copies of the following documents are enclosed:

14N 23 2004

1. Contaminated Site Case Transfer Form with accompanying cover letter from Paul Smith.

 Underground Storage Tank Unauthorized Release (Leak) Contamination Site Report (as submitted to Paul Smith at Pleasanton-Livermore Fire Department.

3. Waste Materials Disposition statement copies of related manifests.

Please call me if you have any questions.

Sincerely,

Jonathon G. Pforr

Enclosures

Livermore - Pleasanton



Fire Department

January 8, 2004

Mr. J. Gary Pforr Project Manager, Building And Land Services PG&E 1030 Detroit Ave. Concord, CA 94518

Re: Case Referral of Underground Storage Tank Closure/ Request for additional information regarding the PG&E Livermore Training Center, 7205 National Dr., Livermore, CA 94550

Dear Mr. Pforr:

I have reviewed the preliminary analytical data that you recently submitted, collected on December 4, 2003, during removal of one 3000-gallon gasoline and one 3000-diesel tank at the above site. Results of the soil/ground water sampling at this site indicate that additional work is or may be needed with respect to these former underground tanks. I am referring this case to the Alameda County Environmental Health Department, Local Oversight Program (ACEHD/LOP). Please submit final copies of the tank closure report to my office and to ACEHD/LOP. Attached is a copy of the transfer form from Livermore Pleasanton Fire Department (LPFD) to ACEHD/LOP.

Also based on a water sample collected from the tank excavation indicating 7,000 ppb MTBE you are required to submit an Underground Storage Tank Unauthorized Release Contamination Site Report (ULR), sent to you under separate cover, following our phone conversation yesterday. Please complete this form and mail back to my office at your earliest convenience. A contact person and mailing address for ACEHD/LOP is:

Donna L. Drogos, Program Manager Alameda County Environmental Health Department Local Oversight Program 1311 Harbor Bay Parkway, Suite 250 Alameda, CA 94502 (510) 567-6700

If you have any questions concerning this letter, please feel free to contact me at (925) 454-2339.


Sincerely,

Paul M. Smith

Poul m. Mi

Hazardous Materials Inspector

c: Donna L. Drogos, Program Manager, Alameda County Environmental Health Department, Local Oversight Program, 1311 Harbor Bay Parkway, Suite 250, Alameda, CA 94502



3560 Nevada Street, Pleasanton, CA 94566

FEB 1 & 2004

Contaminated Site Case Transfer Form

ate	186	· *†				*		
y (name)		m(M)	Pho	ne	(925	1 454-23	30	
gency		Inty Environr	nental Health, 1	131 Harbor	Bay Par	kway, Alame	eda, CA 945	02
ttention	Donna L. Dro	gos. LOP/TO	OXICS Program	Manager				
ransferred as:	⊠ LOP	Γ	TOXICS					
evel of Update	distribution	n list a	Il meetings	all site visit	s clo	sure sian of	f all the	
quested:	above		spondinie to					
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1					
nformation:	`		:					į.
nomadon.			· ·					
te Name	· · · · · ·		1 PG E Le	arnine	Onter		1	
te Address		1 11)r. l	Juermon	<u>.</u>	
te Phone				14-452	5 To	my Jaiob	GOTE EN	ر کھوں
te Contractor/C	onsultant (if a	available)	<u> </u>			0	12	,
te DBA		· • · · ·	FERE					
Conditions:								
S)		Closure	Πwo	rk on syste	: Significant	Other		
ST	± l: #removed:			rk on syste		Other		
ST	: # removed:	<u> ユ</u>	Date re	moved: 12	14 03		nte	
st nitiating Event UST(s) removed ontents:	l: # removed:	ر diesel	Date re	moved: <u>\?</u> hea	\석(03 ting oil	Other	nts	
st nitiating Event UST(s) removed ontents:	: # removed:	<u> ユ</u>	Date re	moved: 12	\석(03 ting oil		nts	
st nitiating Event UST(s) removed ontents: Sga Lke	l: # removed: asoline rosene	diesel stoddard s	Date re	moved: <u>\?</u> hea	\석(03 ting oil	solve	·	
itiating Event UST(s) removed ontents:	l: # removed: asoline rosene ystem (holes, le	diesel stoddard s	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	solve	_ Z No	
itiating Event UST(s) removed ontents:	t: # removed: asoline rosene vstem (holes, leination (free pre	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	Solve	⊉ No ⊠ No	
itiating Event UST(s) removed ontents:	# removed: asoline rosene ystem (holes, leination (free preserved)	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	solve	_ Z No	
st itiating Event UST(s) removed ontents:	i: # removed: asoline prosene ystem (holes, leination (free prosense Form filed	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	☐ solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
st. itiating Event UST(s) removed ontents:	# removed: asoline asoline rosene /stem (holes, leination (free prease Form filed	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	Solve	⊉ No ⊠ No	
itiating Event UST(s) removed ontents:	# removed: asoline rosene ystem (holes, leination (free presease Form filed) use?	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	☐ solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
st. itiating Event UST(s) removed ontents:	# removed: asoline rosene ystem (holes, leination (free presease Form filed) use?	diesel stoddard seaks)?	Date rel waste oil solvent c	moved: 12 hear other (specif	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
itiating Event UST(s) removed ontents:	# removed: # removed: # removed: # resoline # rosene # stem (holes, legination (free properse Form filed) # stem (holes, legination (free properse)	diesel stoddard seaks)? oduct, smell,	Date rel	moved: 12 hear other (specification)?	\석(03 ting oil	☐ solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
bservations of sbserved contamnauthorized Releasement Use Special Concernity (Concernity Concernity	# removed: asoline rosene ystem (holes, keep in the properties) use? ify: asoline ystem (holes, keep in the properties) ify: asoline properties a	diesel stoddard seaks)? oduct, smell, i? and/or grounted in Soil	Date rel waste oil solvent	moved: 12 hear other (specification)?	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
bservations of s bserved contam nauthorized Rele on-UST brimer Use Spec EL REFERRAL etectable conce Highest Conc Contaminant	# removed: asoline rosene /stem (holes, leination (free properse Form filed) use? iffy: antrations of soil entration Detections pecify)	diesel stoddard s eaks)? oduct, smell, l? and/or grounted in Soil Concentrat	Date religion waste oil solvent of continuous continuou	moved: 12 hear other (specification)?	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
bservations of s bserved contam nauthorized Rele on-UST brimer Use Spec EL REFERRAL etectable conce Highest Conc Contaminant	# removed: asoline rosene ystem (holes, keep in the properties) use? ify: asoline ystem (holes, keep in the properties) tration (free properties) asoline trations of soil tentration Detections	diesel stoddard s eaks)? oduct, smell, l? and/or grounted in Soil Concentration	Date religion of a ppm	moved: 12 hear other (specification)?	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
bservations of s bserved contam nauthorized Rele on-UST brimer Use Spec EL REFERRAL etectable conce Highest Conc Contaminant	# removed: asoline rosene ystem (holes, leination (free presents Form filed) use? intrations of soil entration Detections Detection Detections Detection Detections Detection Detections Detection Detections Detection Detection Detection Detection Detection Detections Detection Detections Detections Detections Detection Detections Detections Detections Detections Detections Detections Detections and Detections Detections and Detections Detections and	diesel stoddard s eaks)? oduct, smell, l? and/or grounted in Soil Concentration	Date religion of a ppm	moved: 12 hear other (specification)?	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	
bservations of s bservations of s bserved contam nauthorized Rele ormer industrial ormer Use Spec LL REFERRAL etectable concer Highest Conc	# removed: asoline rosene ystem (holes, keep in the ination (free property) use? iffy: asoline ystem (holes, keep in the ination (free property) asoline pase Form filed specify) partial free property partial free prop	diesel stoddard s eaks)? oduct, smell, l? and/or grounted in Soil Concentration	Date religion waste oil solvent of continuous continuou	moved: 12 hear other (specification)?	\석(03 ting oil	☐ Solve ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	ZNo ⊠No □No	

cc: Colleen Winey, Zone 7

will withill above ground tento in titure

Corporate Real Estate Department
Building Design and Project Services Group
1030 Detroit Avenue
Concord, CA 94518
Tel. (925) 674-6707; Fax: (925) 674-6565
Cell (926) 586-7901 Pager: (925) 509-7901

Pacific Gas and Electric Company



To: Donna Drogos, Alameda County ACEH / LOP From: Gary Pforr, PG&E

Fax: (510) 337 - 9335 Pages: B including this one

Phone: (510) 567-6721 Date: Wednesday, January 07, 2004

Re: UST Removals at PG&E's Livermore Training Center, 7205 National Drive, Livermore

Attached is a condensed faxed copy of the geologist's report for tank removal work recently performed at the referenced facility. Because MTBE showed up in water samples collected from the excavation, Paul Smith of Pleasanton-Livermore Fire Department requested that I forward a copy to you. As soon as I receive a clean original, I'll forward you a copy by mail. Please call me if you have any questions.

Gary Pforr
Project Manager
Reliding Design on

Building Design and Project Services
PG&E Corporate Real Estate Dept.

Office: (925) 674-6707 Pager: (925) 509-5023 Cell: (925) 586-7901

NOTE: UNAUTHORIZED RELEASE FORM IS BEING SUBMITTED TO

PLEASANTON - LIVERMORE FIRE DEST

The day

	UNDERGROUND STORAGE TANK UNAUTHORIZE	D RELEASE (LEAK) / CONTAMINATIO	N SITE REPORT		
	AGENCY HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED ? YES NO NO	FOR LOCAL AGENCY USE ONLY 1 HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMA DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE	ATTON ACCORDING TO THE BACK PAGE OF THIS FORM		
	ORT DATE CASE #				
<u> </u>	1 M O d T d O d A V NAME OF INDIVIDUAL FILING REPORT PHONE		DATE		
REPORTED BY	JONATHON G - PFORR (925 REPRESENTING OWNER/OPERATOR REGIONAL BOARD	COMPANY OR AGENCY NAME	3M		
REPO	LOCAL AGENCY OTHER	PACFIC GAS AND ELECTRIC C	TOWANTA		
		CONZED CITY CA ST	PHONE		
NSIBL TT	PGEE AREA ENVIRON: SPECIALISE UNKNOWN	TONY JACOB	(925)674-4525		
RESPONSIBLE PARTY	ADDRESS 1030 DETROIT AVENUE CON	ICORD CA	94518 ATE ZIP		
_	FACILITY NAME (IF APPLICABLE) PG&E LIVERMORE TRAINING CENTER	OPERATOR ED LOPEZ	PHONE (925)606-2524		
ATIO	ADDRESS				
SITE LOCATION	CROSS STREET	MORE CITY ALAMES	OUNTY 94550		
	BRISA STREET (EAST OF YAS				
EMENTING	LOCAL AGENCY AGENCY NAME PLEASANTON - LIVERMORE FIRE DEPT.	CONTACT PERSON	PHONE (925)454-2339		
MEN	REGIONAL BOARD	PAUL SMITH	PHONE		
M A	REGION Z-SAN FRANCISCO BAY-CAKIM		(510) 622-2361		
SUBSTANCES	MTBE (IN WATER)		NUANTITY LOST (GALLONS)		
lĚg		7,500 PPB	X UNKNOWN		
SUBSTA	TBA (IN WATER)	2,200 PPB	X UNKNOWN		
	DATE DISCOVERED HOW DISCOVERED INV	2,200 PPB			
	DATE DISCOVERED HOW DISCOVERED INV	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER	UNKNOWN NUISANCE CONDITIONS		
"ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV	2,200 PPB	NUISANCE CONDITIONS PPLY)		
"ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C A 4 D O 1 3 V TANK TEST TANK DATE DISCHARGE BEGAN M M D D V V V UNKNOWN HAS DISCHARGE BEEN STOPPED 7	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A	NUISANCE CONDITIONS PPLY) REPAIR PIPING		
	DATE DISCOVERED HOW DISCOVERED INV 1 M 2 M C D 4 D O V 3 V TANK TEST TANK DATE DISCHARGE BEGAN M M D D V V W UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE 1 2 O 4 D O 3	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A	NUISANCE CONDITIONS PPLY) REPAIR PIPING		
DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M '2 M C J 4 J O J 3 V TANK TEST TANK DATE DISCHARGE BEGAN M J D J V V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I M 2 M O J 4 O J 3	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPLACE TANK OTHER	NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE		
DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M '2 M C J 4 J O J 3 V TANK TEST TANK DATE DISCHARGE BEGAN M J D J V V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I M 2 M O J 4 O J 3	2,7200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFALL RUPTURE/FAILURE	NUISANCE CONDITIONS PPLY) REPAIR PIPING		
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M ' 2 M C O 4 D O 7 3 V TANK TEST TANK DATE DISCHARGE BEGAN M M O D V V V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I M 2 M O 4 D O 3 SOURCE OF DISCHARGE TANK LEAK UNKNOWN O PIPING LEAK OTHER	2,7200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFALL RUPTURE/FAILURE	NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL		
DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M ' 2 M C O 4 D O 7 3 V TANK TEST TANK DATE DISCHARGE BEGAN M M O D V V V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I M 2 M O 4 D O 3 SOURCE OF DISCHARGE TANK LEAK UNKNOWN O PIPING LEAK OTHER	2,7200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFALL RUPTURE/FAILURE	NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER		
CASE SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C A A O 3 V TANK TEST TANK DATE DISCHARGE BEGAN M M O D Y V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I Z O A O S SOURCE OF DISCHARGE CAUSE(S) TANK LEAK UNKNOWN O PIPING LEAK OTHER C CHECK ONE ONLY GROUNDWATER CHECK ONE ONLY	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFALL RUPTURE/FAILURE DIRROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS)	NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED)		
CASE SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C A A O 3 V TANK TEST TANK DATE DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I Z O 4 O 3 SOURCE OF DISCHARGE TANK LEAK UNKNOWN O PIPING LEAK OTHER CO CHECK ONE ONLY VINDETERMINED SOIL ONLY GROUNDWATER CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMEN	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFAL RUPTURE/FAILURE DRINKING WATER - (CHECK ONLY IF WATER WELLS IT WORKPLAN SUBMITTED POLLUTION CHAP	NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) RACTERIZATION MONITORING IN PROGRESS		
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M ' 2 M C O 4 D O 7 3 TANK TEST TANK DATE DISCHARGE BEGAN M D D Y DISCHARGE BEEN STOPPED 7 WYES NO IF YES, DATE I M 2 D O O O O O O O O O O O O O O O O O O	21200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PI REPLACE TANK OTHER PREPLACE TANK UNKNOWN ORINKING WATER - (CHECK ONLY IF WATER WELLS IT WORKPLAN SUBMITTED POLLUTION CHART IT WORKPLAN SUBMITTED POLLUTION CHART IT UNDERWAY POST CLEANUP IN LETED OR UNNECESSARY) CLEANUP UNDER	NUISANCE CONDITIONS NPPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY SEEN AFFECTED) RACTERIZATION HONITORING IN PROGRESS		
CURRENT CASE SOUNCE/ DISCOVERY/ABATEMENT STATUS TYPE CALISE	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C J 4 J O J 3 TANK TEST TANK DATE DISCHARGE BEGAN M M O D Y V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I Z OJ 4 O OJ 3 SOURCE OF DISCHARGE TANK LEAK UNKNOWN O PIPING LEAK OTHER C CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN CHECK APPROPRIATE ACTION(S) PEXCAVATE & DISPOSE (E)	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFAL RUPTURE/FAILURE DARROSION UNKNOWN TO WORKPLAN SUBMITTED POLLUTION CHAR IT UNDERWAY POST CLEANUP IN PI LETED OR UNNECESSARY) CLEANUP UNDER	NUISANCE CONDITIONS NPPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) MACTERIZATION MONITORING IN PROGRESS WAY ENHANCED BIO DEGRADATION (IT)		
CURRENT CASE SOUNCE/ DISCOVERY/ABATEMENT STATUS TYPE CALISE	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C J 4 J O J 3 TANK TEST TANK DATE DISCHARGE BEGAN M M O D Y V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I Z OJ 4 O OJ 3 SOURCE OF DISCHARGE TANK LEAK UNKNOWN O PIPING LEAK OTHER C CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN CHECK APPROPRIATE ACTION(S) PEXCAVATE & DISPOSE (E)	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PR PREPLACE TANK OTHER VERFILL RUPTURE/FAILURE DRINKING WATER - (CHECK ONLY IF WATER WELLS IT WORKPLAN SUBMITTED POLLUTION CHAR IT UNDERWAY POST CLEANUP IN CLEANUP UNDER ON REMOVE FREE PRODUCT (FP) REMOVE FREE PRODUCT (FP) PUMP & TREAT GROUNDWATER (GT)	NUISANCE CONDITIONS NPPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY SEEN AFFECTED) RACTERIZATION HONITORING IN PROGRESS		
CASE SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C J 4 J O J 3 TANK TEST TANK DATE DISCHARGE BEGAN M M O D Y V UNKNOWN HAS DISCHARGE BEEN STOPPED 7 YES NO IF YES, DATE I M 2 M O O O O O O O O O O O O O O O O O	2,200 PPB ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PR PREPLACE TANK OTHER VERFILL RUPTURE/FAILURE DRINKING WATER - (CHECK ONLY IF WATER WELLS IT WORKPLAN SUBMITTED POLLUTION CHAR IT UNDERWAY POST CLEANUP IN CLEANUP UNDER ON REMOVE FREE PRODUCT (FP) REMOVE FREE PRODUCT (FP) PUMP & TREAT GROUNDWATER (GT)	NUISANCE CONDITIONS NUISANCE CONDITIONS REPAIR PIPING LACE CHANGE PROCEDURE CHANGE PROCEDURE CHANGE PROCEDURE ACTUALLY BEEN AFFECTED) RACTERIZATION RONITORING IN PROGRESS WAY ENHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) VENT SOIL (VS)		
ACTION STATIS TYPE CAISE DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C J 4 J O J 3 TANK TEST TANK DATE DISCHARGE BEGAN M M O D Y W UNKNOWN HAS DISCHARGE BEEN STOPPED 7 X YES NO IF YES, DATE I M 2 M O O O J 3 SOURCE OF DISCHARGE CAUSE(S) TANK LEAK UNKNOWN O CAUSE(S) PIPING LEAK OTHER CO CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN REMEDIATION PLAN CASE CLOSED (CLEANUP COMP CHECK APPROPRIATE ACTION(S) SEE BACK FOR DETAILS CAP SITE (CD) EXCAVATE & THEAT (ET) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED IN WATER FOUND IN EXCAVATION IS THOUGHT	ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OF THE CONTENTS OF THE C	UNKNOWN NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) MACTERIZATION HONITORING IN PROGRESS WAY ENHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) VENT SOIL (VS) EN TO DATE CHARGE FROM A CHARCE FROM A CHARGE FROM A CHARGE FROM A CHARCE		
CURRENT CASE SOUNCE/ DISCOVERY/ABATEMENT STATUS TYPE CALISE	DATE DISCOVERED HOW DISCOVERED INV I M 2 M C A A D O 3 W TANK TEST TANK DATE DISCHARGE BEGAN M M D D Y W WINKNOWN HAS DISCHARGE BEEN STOPPED 7 X YES NO IF YES, DATE I M 2 M O O O O S SOURCE OF DISCHARGE CAUSE(S) TANK LEAK WINKNOWN O CAUSE(S) PIPING LEAK OTHER CO CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN CHECK ONE ONLY NO ACTION TAKEN PRELIMINARY SITE ASSESSMEN CHECK APPROPRIATE ACTION(S) SEE BACK FOR DETAILS CAP SITE (CD) EXCAVATE & THEAT (ET) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED IN WATER FOUND IN EXCAVATION IS THOUGHT WATER FOUND IN EXCAVATION IS THOUGHT IN EXCAVA	ENTORY CONTROL SUBSURFACE MONITORING IK REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PI REPLACE TANK OTHER VERFILL RUPTURE/FAILURE ORROSION UNKNOWN ORINKING WATER - (CHECK ONLY IF WATER WELLS) IT WORKPLAN SUBMITTED POLLUTION CHAR IT UNDERWAY POST CLEANUP UNDER OTHER POST CLEANUP UNDER OTHER PRODUCT (FP) REMOVE FREE PRODUCT (FP) PUMP & TREAT GROUNDWATER (GT) A) TREATMENT AT HOOKUP (HU) MEDIAL ACTION WORK A SMAR OF EXCAVATION WORK A SMAR OF TANK REMOVAL ALSO ADDED REPORT DATED 12/12/2003	WUNKNOWN NUISANCE CONDITIONS PPLY) REPAIR PIPING LACE CHANGE PROCEDURE CHANGE PROCEDURE HAVE ACTUALLY BEEN AFFECTED) RACTERIZATION RONITORING IN PROGRESS WAY ENHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) VENT SOIL (VS) EN TO DATE CHARGE FROM A ALL AMOUNT OF D TO THE WATER FOIZ A SUMMARY		

01/07/2004 14:27 FAX 510 614 8396

PARADISO MECHANICAL

∠2001/008

FARTINI PARTITION OF

4771. PAUL SMITH 925-454-2367

Alemanto Carrie

FEB 1 8 20, 4

1/07/2004

City of Livermore
Livermore-Pleasanton Fire Department
1052 S. Livermore Ave.
Livermore, CA 94550
Attn: Mr. Paul Smith

Re: PG&E Training Center, Fuel Tank Removal 7205 National Ave., Livermore

Dear Sir,

Enclosed for your review is the Sampling Report for the UST removal at 7205 National Drive. This report was prepared for us by Joel Gregor of Geo-Logic. A copy has also been sent to Gary Pforr of PG&E.

Sincerely,

POM FARADISO MEGANICAL
Robert S. Corsun