

per'd 12/8/96

CITY OF EMERYVILLE REDEVELOPMENT AGENCY

2200 POWELL STREET. SUITE 1200
EMERYVILLE, CALIFORNIA 94608

(510) 596-4350

December 7, 1994

Susan L. Hugo ALAMEDA COUNTY HEALTH AGENCY Division of Environmental Protection 1131 Harbor Bay Parkway, 2nd Floor Alameda, CA 94502

RE: 5531 Vallejo Street, Emeryville, CA.

Dear Ms. Hugo:

Enclosed are two environmental reports prepared for a vacant lot located at 5531 Vallejo Street in Emeryville. The property is in the middle of a residential street and is approximately 4,300 square feet.

A few years ago, the Redevelopment Agency was interested in acquiring this property for the purpose of developing affordable housing. However, upon learning the level of contamination on the site, the Agency had to concentrate its efforts on other properties for development that were more economically feasible. After some time, the Agency again revisited the site to conduct additional testing to further determine the extent of contamination. While the second round of results were quite positive, the Agency again had to pursue other housing opportunities that were of higher priority.

However, the Agency is now prepared to acquire this property, and it seems that the present owners are at the same time very interested in selling the lot to the Agency.

Susan Hugo December 7, 1994 Page Two

The results of the investigations are as follows.

JUNE 1991

Four surface soil samples were taken. A composite of soil samples 1 through 4 were analyzed for a wide variety of contaminants. On the basis of the composite soil sample results, the following additional discrete tests were done on samples 1 through 4; 1) oil & grease, 2) EPA 8010, 3) EPA 8020, 4) total lead and mercury, and 5) extractable (WET) lead.

The test results indicated high levels-of oil-and-grease, lead, mercury, and volatile organic chemicals in the surface materials on site. Total lead concentrations ranged from 108 to 1,030 ppm and soluble lead concentrations ranged from 4,590 to 36,500 ppb.

JUNE 1992

Two soil samples two feet below ground surface were taken right next to the two "hotspots" from the first investigation. Additional soil samples were collected from a spot at the center of the property at one foot and at two feet. The four samples were tested using the Waste Extraction Test (WET) and the CAM metals.

Total lead concentrations ranged from 12 to 24 ppm, and soluble lead concentrations were all below 1 ppm (or 1,000 ppb). In comparing the two hot spots, there was a dramatic reduction in lead concentrations between the surface and two feet. For example, in one spot total lead concentration decreased from 1,030 ppm in the surface to 24 ppm at two feet, while soluble lead concentration decreased from 36,500 ppb to below 1,000 ppb.

It seems that none of the soil samples from the second round of testing exceeded the regulated levels.


Please review the investigations and let me know how we might find a reasonable resolution to the environmental issue so that we may proceed with the acquisition of the property and the development of affordable housing.

Thank you for your consideration and I look forward to hearing from you.

Sincerely,

Maria B. Bigornia

Projects Coordinator



Ms. Maria Bigornia
City of Emeryville
Redevelopment Agency
2200 Powell Street, Suite 1200
Emeryville, California 94608

Analytical Test Results 5531 Vallejo Street Emeryville, California

Dear Ms. Bigornia:

This letter presents the results of analytical tests conducted on surface soils from the property at 5531 Vallejo Street in Emeryville. Our services were conducted in accordance with City of Emeryville contract 48.0491, executed on April 30, 1991.

The subject property is relatively flat and rectangular, with plan dimensions of about 43 by 100 feet. The lot was vacant at the time of our reconnaissance. Grass, ivy, several small fruit trees, and scattered debris exist on-site. We understand that the lot was formerly occupied by a house.

On May 10, 1991, we obtained 5 samples of the surface materials at the locations indicated on the attached Site Plan, Plate 1. The surface samples were retained in 2-inch-diameter brass liners. The ends of the liners were covered with Teflon sheets before capping and sealing the samples with tape. The samples were refrigerated in ice chests on-site and remained so until delivery to the analytical laboratory. The samples were accompanied by Chain-of-Custody documents, copies of which are attached.

Analytical testing was performed by Curtis and Tompkins, Ltd., a California Department of Health Services (DHS) certified analytical laboratory for the tests performed. A composite of soil samples 1 through 4 were analyzed for:

 Total extractable hydrocarbons (TEH): California DOHS Method/LUFT Manual, October 1989;

Subsurface Consultants, Inc.

- 2. Oil and Grease (O&G): SMWW 17:5520 E&F
- 3. Purgeable halocarbons and purgeable aromatics: EPA Methods 8010 and 8020,
- 4. Title 26 metals: EPA Methods 6010, 7420, 7471 and 7740;
- Semi-volatile organic compounds with PCB's and chlorinated pesticides: EPA Method 8270; and
- 6. Total cyanide compounds: EPA Method 335.2 (modified)

Sample 5 consisted of vinyl floor tiles which were analyzed for asbestos by polarized light microscopy. The results of the analytical tests are summarized in the following tables. Analytical test reports are attached.

Table 1. Concentrations of Contaminants in the Composite Soil Sample

Contaminant	Concentration Detected (ppm) ¹
Total Extractable Hydrocarbons	ND ²
Hydrocarbon Oil and Grease	120
Trichloroethylene (EPA 8010)	0.016
Other EPA 8010 Chemicals	ND
Toluene	0.068
Other EPA 8020 Chemicals	ND
EPA 8270 Chemicals plus Pesticides & PCB's	ND
Total Cyanide Compounds	0.4

ppm = parts per million = mg/kg

ND = None detected, chemicals not present at concentrations above detection limits

Table 2.
Concentrations of Heavy Metals
in the Composite Soil Sample

<u>Metal</u>	Concentration Detected (ppm) ¹
Antimony	ND ²
Arsenic	4.3
Barium	250
Beryllium	0.43
Cadmium	2.8
Chromium (total)	27.9
Cobalt	9.7
Copper	44.8
Lead	294
Mercury	0.40
Molybdenum	ND ND
Nickel	33.9
Selenium	ND
Silver	ND
Thallium	ND ND
Vanadium	34.3
Zinc	256
Soluble Mercury	ND ND

ppm = parts per million = mg/kg

ND = None detected, chemicals not present at concentrations above detection limits

Table 3.
Asbestos in Tiles from Sample Location 5

	Percent P	resent
Chrysotile Amosite	10-1! ND	5
Crocidolite	ND	

On the basis of the composite soil sample results, additional analyses were performed. The analyses included discrete tests on samples 1 through 4 for (1) oil and grease, (2) EPA 8010 chemicals, (3) EPA 8020 chemicals, (4) total lead and mercury, and (5) extractable (WET) lead. The results of the discrete sample analyses are presented in Table 4.

Table 4.
Concentrations of Contaminants in
Discrete Soil Samples

Sample	0&G ¹ (ppm) ³	Lead (ppm)	Soluble Lead (ppb)4	CONTRACTOR CONTRACTOR CONTRACTOR	Methylene Chloride (ppb)	Toluene	EPA 8010 ² Chemicals	
1	ND ⁵	252	8,430	0.15	ND	ND	ND	ND
2	ND	108	4,590	ND	ND	ND	ND	ND
3	ND .	1,030	36,500	0.51	71	46	ND	ND
4	120	280	10,400	0.16	8.1	22	ND	ND

O&G = Oil and Grease

Conclusions

The analyses indicate that the surface materials on the site contain several contaminants at concentrations that are sufficiently high to warrant further environmental investigation of the property. The significant contaminants detected to date include oil and grease, lead, mercury, several volatile organic chemicals (methylene chloride, toluene, trichloroethylene), and debris (vinyl floor tiles) containing asbestos.

The investigation performed to date is not sufficient to characterize the extent of the contamination or draw conclusions regarding the need for or scope of remediation. However, in our opinion, the data suggests that one or more conditions exist on

For a complete list of EPA 8010 and 8020 chemicals refer to analytical test reports

ppm = parts per million = mg/kg

ppb = parts per billion = ug/kg

ND = None detected, chemicals not present at concentrations above detection limits

site that may warrant remediation. We recommend that more detailed studies be completed to characterize the lateral and vertical extent of contamination, and attempt to identify contamination sources.

The analyses for lead revealed total lead concentrations ranging from 108 to 1,030 ppm and soluble lead concentrations ranging from 4,590 to 36,500 ppb. The total threshold limit concentrations (TTLC) and soluble threshold limit concentrations (STLC) for lead are 1000 ppm and 5,000 ppb, respectively. TTLC and STLC concentrations are used by the California Department of Health Services to classify materials as a hazardous waste. Using this criteria, soil samples 1, 3 and 4 would be classified as a hazardous waste. Consequently, remediation of the lead contamination would likely be required by the regulatory agencies.

If you have any questions regarding our findings, please call.

Yours very truly,

Subsurface Consultants, Inc.


James P. Bowers

Geotechnical Engineer 157 (expires 3/31/95)

JVB: JPB: sld

Attachments: Site Plan - Plate 1

Chain-of-Custody Documents Analytical Test Reports





Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 9471O, Phone (415) 486-O9OO

DATE RECEIVED: 05/10/91 DATE REPORTED: 05/17-22/91

LAB NUMBER: 103763

CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

RESULTS: SEE ATTACHED

QA/QC Approval

Wilmington

Los Angeles



CLIENT: SUBSURFACE CONSULTANTS, INC.

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91

DATE ANALYZED: 05/21/91

DATE REPORTED: 05/22/91

ANALYSIS: CYANIDE

ANALYSIS METHOD: EPA 335.2 (Modified)

REPORTING LIMIT COMPOSITE ID RESULT LAB ID UNITS 103763-5 1, 2, 3, 4 0.4 0.3 mg/Kg

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

RPD, %

<1

Recovery, %

83



Client: Subsurface Consultants

Laboratory Login Number: 103763

Project Name: 5531 Vallejo Street

Report Date: 17 May 91

Project Number: 537.007

ANALYSIS: Hydrocarbon Oil & Grease (Gravimetric) METHOD: SMWW 17:5520EF

Lab ID	Sample ID	Matrix	Sampled	Received	Analyzed	Result	Units	RL	Analyst	QC Batci
103763-005	COMP 1,2,3 & 4	Şoil	10-MAY-91	10-MAY-91	15-MAY-91	120	mg/Kg	50	TR	145
		00 00 00 00 00 00 00 00								
		88 88 88								
						700 000 000 000 000 000 000 000 000 000				
		100 100 100 100 100 100								
		60 60 60 60 60								
						680 VIII. 1857 1850 1850 1857				
		e e								
		84) 86) 86)								
٠										
		36 40 40 40				30.00				
						2000				
		10.4° 1001 1007				200 000 000 000 000 000 000 000 000 000				
		865 610 610 610	•							
		100 100 100 100 100 100 100		•			· :			
		(00° (00° (00° (00°)								
		300 600 600							•	
		er Ka				1000				

ND = Not Detected at or above Reporting Limit (RL).



QC Batch Report

Client:

Subsurface Consultants

Project Name: 5531 Vallejo Street

Project Number: 537.007

Laboratory Login Number: 103763

Report Date: 17 May 91

ANALYSIS: Hydrocarbon Oil & Grease (Gravimetric) QC Batch

Number:

1453

Blank Results

Sample ID Result

MDL Units

Method

Date Analyzed

BLANK

ND

50 mg/Kg

SMWW 17:5520EF

15-MAY-91

Spike/Duplicate Results

Sample ID Recovery

Method

Date Analyzed

BS

94%

SMWW 17:5520EF

15-MAY-91

BSD

98%

SMWW 17:5520EF

15-MAY-91

Control Limits

Average Spike Recovery Relative Percent Difference 96%

80% - 120%

4.8%

< 20%



LABORATORY NUMBER: 103763-5 CLIENT: SUBSURFACE CONSULTANTS

PROJECT #: 537.007

LOCATION: 5531 VALLEJO STREET SAMPLE ID: COMP 1,2,3, & 4

DATE RECEIVED: 05/10/91 DATE ANALYZED: 05/15/91 DATE REPORTED: 05/17/91

EPA 8020: Volatile Aromatic Hydrocarbons in Soil & Waste

COMPOUND	RESULT ug/Kg	REPORTING LIMIT ug/Kg
Benzene	ND	5.0
Toluene	68	5.0
Ethyl Benzene	ND	5.0
Total Xylenes	ND	5.0
Chlorobenzene	ND	5.0
1,4-Dichlorobenzene	ND	5.0
1,3-Dichlorobenzene	ND	5.0
1,2-Dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

_		
Δ	IOC	SUMMARY
(//	,	JUNIVIANI

RPD, %	· 2				
RECOVERY, %	93				



LABORATORY NUMBER: 103763-5 CLIENT: SUBSURFACE CONSULTANTS PROJECT #: 537.007

SAMPLE ID: COMP 1,2,3 & 4

DATE RECEIVED: 05/10/91 DATE EXTRACTED: 05/14/91 DATE ANALYZED: 05/15/91 DATE REPORTED: 05/17/91

EPA 8270: Base/Neutral and Acid Extractables in Soils & Wastes Extraction Method: EPA 3550 Sonication

ACID COMPOUNDS	RESULT ug/kg	REPORTING LIMIT
	,	ug/kg
Phenol	ND	330
2-Chiorophenol	ND	330
Benzyl Alcohol	ND	330
2-Methylphenol	ND	330
4-Methylphenol	ND	330
2-Nitrophenol	ND	1650
2,4-Dimethylphenol	ND	330
Benzoic Acid	ND	1650
2,4-Dichlorophenol	ND	330
4-Chloro-3-methylphenol	ND	330
2,4,6-Trichlorophenol	ND	330
2,4,5.Trichlorophenol	ND	1650
2,4-Dinitrophenoi	ND	1650
4-Nitrophenol	ND	1650
4,6-Dinitro-2-methylphenol	ND	1650
Pentachlorophenol	ND	1650
BASE/NEUTRAL COMPOUNDS		
N-Nitrosodimethylamine	ND	330
Aniline	ND	330
Bis(2-chloroethyl)ether	ND	330
1,3-Dichlorobenzene	ND	330
1,4-Dichlorobenzene	ND	330
1,2-Dichlorobenzene	ND	330
Bis(2-chloroisopropyl)ether	ND	330
N-Nitroso-di-n-propylamine	ND	330
Hexachloroethane	ND	330
Nitrobenzene	ND	330
Isophorone	ND	330
Bis(2-chloroethoxy)methane	ND	330
1,2,4-Trichlorobenzene .	ND	330
Naphthalene	ND	330
4-Chloroaniline	ND	330
Hexachlorobutadiene	ND	330
2-Methylnaphthalene	ND	330
Hexachlorocyclopentadiene	ND	330
2-Chloronaphthalene	ND	330
2-Nitroaniline	ND	1650



LABORATORY NUMBER: 103763-5 SAMPLE ID: COMP 1,2,3 & 4 EPA 8270

BASE/NEUTRAL COMPOUNDS	RESULT ug/kg	REPORTING LIMIT
	-5/-5	ug/kg
Dimethylphthalate	ND	330
Acenaphthylene	ND	330
2,6-Dinitrotoluene	ND	330
3-Nitroaniline	ND	1650
Acenaphthene	ND	330
Dibenzofuran	ND	330
2,4-Dinitrotoluene	ND	330
Diethylphthalate	ND	330
4-Chlorophenyl-phenylether	ND	330
Fluorene	ND	330
4-Nitroaniline	ND	1650
N-Nitrosodiphenylamine	ND	330
Azobenzene	ND	330
4-Bromophenyl-phenylether	ND	330
Hexachlorobenzene	ND	330
Phenanthrene	ND	330
Anthracene	ND	330
Di-n-butylphthalate	ND	330
Fluoranthene	ND	330
Benzidine	ND	330
Pyrene	ND	330
Butylbenzylphthalate	ND	330
3,3'-Dichlorobenzidine	ND	1650
Benzo (a) anthracene	ND	330
Chrysene	ND	330
Bis (2-ethylhexyl)phthalate	ND	330
Di-n-octylphthalate	ND	330
Benzo (b) fluoranthene	ND	330
Benzo (k) fluoranthene	ND	330
Benzo (a) pyrene	ND	330
Indeno (1,2,3-cd) pyrene	ND	330
Dibenzo (a,h) anthracene	ND	330
Benzo (g, h, i) perylene	ND	330

ND = Not detected at or above reporting limit.



LABORATORY NUMBER: 103763-5 SAMPLE ID: COMP 1,2,3 & 4 EPA 8270

COMPOUND	RESULT	REPORTING
	ug/kg	LIMIT
CHLORINATED PESTICIDES		ug/kg
alpha-BHC	ND	330
beta-BHC	ND	330
g amma - BHC	ND	330
delta-BHC	ND	330
Heptachlor	ND	330
Aldrin	ND	330
Heptachlor Epoxide	ND	330
Endosulfan I	. ND	330
4, 4'-DDE	ND	330
Dieldrin	ND	330
Endrin	ND	330
Endosulfan II	ND	330
4 , 4 ' - DDD	ND	330
Endrin Aldehyde	ND	330
Endosulfan Sulfate	ND	330
4 , 4 ' - DDT	ND	330
Chlordane	ND	1650
Toxaphene	ND	1650
Methoxychlor	ND	1650
Aroclor 1016	ND	1650
Aroclor 1221	ND	1650
Aroclor 1232	ND	1650
Aroclor 1242	ND	1650
Aroclor 1248	ND	1650
Aroclor 1254	ND	1650
Aroclor 1260	ND	1650

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

Compound	%Recovery	Compound	%Recovery		
2-Fluorophenol	84	Nitrobenzene-d5	77		
Phenol-d6	95	2-Fluorobiphenyl	71		
2,4,6-Tribromophenol	88	Terphenyl-d14	66		



DATE RECEIVED: 05/10/91 LABORATORY NUMBER: 103763-5 CLIENT: SUBSURFACE CONSULTANTS DATE ANALYZED: 05/15/91 DATE REPORTED: 05/17/91 PROJECT #: 537.007

LOCATION: 5531 VALLEJO STREET SAMPLE ID: COMP 1,2,3, & 4

EPA 8010 Purgeable Halocarbons in Soil & Waste

Compound	Result ug/Kg	REPORTING LIMIT ug/Kg
chloromethane	ND	10
bromomethane	ND	10
vinyl chloride	ND	10
chloroethane	ND	10
methylene chloride	ND	5.0
trichlorof luoromethane	ND	5.0
l, l-dichloroethene	ND	5.0
l, l-dichloroethane	ND	5.0
cis-1,2-dichloroethene	ND	5.0
trans-1,2-dichloroethene	ND	5.0
chloroform	ND	5.0
freen 113	NÐ	5.0
1,2-dichloroethane	ND	5.0
1,1,1-trichloroethane	ND	5.0
carbon tetrachloride	ND	5.0
bromodichloromethane	ND	5.0
l, 2-dichloropropane	ND	5.0
cis-1,3-dichloropropene	ND	5.0
trichloroethylene	16	5.0
1,1,2-trichloroethane	ND	5.0
trans-1,3-dichloropropene	ND	5.0
dibromochloromethane	ND	5.0
2-chloroethylvinyl ether	ND	10
bromoform	ND	5.0
tetrachloroethene	ND	5.0
l, l, 2, 2 - tetrachloroethane	ND	5.0
chlorobenzene	ND	5.0
1,3-dichlorobenzene	ND	5.0
l, 2-dichlorobenzene	ND	5.0
1,4-dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

	=======
RPD, %	4
RECOVERY, %	97



LABORATORY NUMBER: 103763-6 CLIENT: SUBSURFACE CONSULTANTS

PROJECT #: 537.007

SAMPLE ID: 5

GROSS DESCRIPTION: 2 TILES WITH MASTIC & 1

WITH MASTIC AND PLASTER AGGREGATE

ANALYSIS: ASBESTOS

METHOD: POLARIZED LIGHT MICROSCOPY (PLM)

REFERENCE: 40 CFR 763, SUBPART F, APPENDIX A (AHERA)

MICROSCOPIC DESCRIPTION

RESULTS, %

DATE RECEIVED: 05/10/91

DATE ANALYZED: 05/14/91 DATE REPORTED: 05/17/91

TOTAL ASBESTOS PRESENT:

Chrysotile Amosite Crocidolite 10-15

ND ND

TOTAL NON-ASBESTOS FIBROUS MATERIAL PRESENT:

Cellulose Fibrous Glass

1 - 5

5 - 10

TOTAL NON-ASBESTOS NON-FIBROUS MATERIAL PRESENT:

Unspecified Particulates

70-75

Green tile analyzed only.

ND = Not detected at or above reporting limit.



CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91
DATE EXTRACTED: 05/10/91

DATE ANALYZED: 05/11/91

DATE REPORTED: 05/17/91

Extractable Petroleum Hydrocarbons in Soils & Wastes
California DOHS Method
LUFT Manual October 1989

LAB ID	SAMPLE ID	GASOLINE RANGE (mg/Kg)	KEROSENE RANGE (mg/Kg)	DIESEL RANGE (mg/Kg)	REPORTING LIMIT* (mg/Kg)
103763-5	COMP 1,2,3	ND	ND	ND	10

ND = Not Detected at or above reporting limit.

*Reporting limit applies to all analytes.

QA/QC SUMMARY

RPD, %
RECOVERY, %
93



LABORATORY NUMBER: 103763-5 CLIENT: SUBSURFACE CONSULTANTS LOCATION: 5531 VALLEJO STREET SAMPLE ID: COMP 1,2,3 & 4 DATE RECEIVED: 05/10/91 DATE ANALYZED: 05/13/91 DATE REPORTED: 05/17/91

Title 26 Metals in Soils & Wastes Digestion Method: EPA 3050

METAL	RESULT	REPORTING LIMIT	METHOD
	mg/Kg	mg/Kg	
Antimony	ND	3.0	EPA 6010
Arsenic	4.3	2.5	EPA 7060
Barium	250	0.25	EPA 6010
Beryllium	0.43	0.10	EPA 6010
Cadmium	2.8	0.25	EPA 6010
Chromium (total)	27.9	0.50	EPA 6010
Cobalt	9.7	0.89	EPA 6010
Copper	44.8	0.50	EPA 6010
Lead	294	3.0	EPA 7420
Mercury	0.40	0.09	EPA 7471
Molybdenum	ND	0.69	EPA 6010
Nickel	33.9	2.0	EPA 6010
Selenium	ND	3.5	EPA 7740
Silver	ND	0.50	EPA 6010
Thallium	ND	6.2	EPA 6010
Vanad i um	34.3	0.50	EPA 6010
Zinc	256	0.50	EPA 6010

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

	RPD.%	RECOVERY,%		RPD,%	RECOVERY,%
Antimony	<1	90	Mercury	<1	97
Arsenic	3	9 2	Molybdenum	<1	96
Barium	<1	99	Nickel	4	94
Beryllium	<1	102	Selenium	<1	89
Cadmium	1	96	Silver	<1	80
Chromium	3	91	Thallium	4	8 2
Cobalt	3	91	Vanad i um	<1	94
Copper	4	9 9 [.]	Zinc	<1	94
Lead	5	95			



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 9471O. Phone (415) 486-0900

DATE RECEIVED: 05/10/91 DATE REQUESTED: 05/20,22/91 DATE REPORTED: 06/04/91

LAB NUMBER: 103848

CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

RESULTS: SEE ATTACHED

QA/QC Approva

Final Appro



Client: Subsurface Consultants

Laboratory Login Number: 103848

Project Name: 5531 Vallejo Street

Report Date: 29 May 91

Project Number: 537.007

ANALYSIS: Hydrocarbon Oil & Grease (Gravimetric)

METHOD: SMWW 17:5520EF

Lab ID	Sample 10	Matrix	Sampled	Received	Analyzed	Result	Units	RL	Analyst	QC Batch
103848-001	1	Soil	10-MAY-91	10-MAY-91	21-MAY-91	ND	mg/Kg	50	TR	1483
103848-002	2	Soil	10-MAY-91	10-MAY-91	21-MAY-91	ND	mg/Kg	50	TR	1483
103848-003	3	Soil	10-MAY-91	10-MAY-91	21-MAY-91	ND	mg/Kg	50	TR	148
103848-004	4	Soil	10-MAY-91	10-MAY-91	21-MAY-91	120	mg/Kg	50	TR	148
						00000000000000000000000000000000000000				
			•							
										•

ND = Not Detected at or above Reporting Limit (RL).



QC Batch Report

Client:

Subsurface Consultants

Project Name: 5531 Vallejo Street

Project Number: 537.007

Laboratory Login Number: 103848

Report Date:

29 May 91

ANALYSIS: Hydrocarbon Oil & Grease (Gravimetric) QC Batch Number:

1483

Blank Results

Sample ID Result

MDL Units Method

Date Analyzed

BLANK

ND

50 mg/Kg SMWW 17:5520EF

21-MAY-91

Spike/Duplicate Results

Sample ID Recovery

Method

Date Analyzed

BS

81%

SMWW 17:5520EF

21-MAY-91

BSD

81%

SMWW 17:5520EF

21-MAY-91

Average Spike Recovery

Relative Percent Difference

81%

Control Limits 80% - 120%

.1%

< 20%



CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91

DATE REQUESTED: 05/20/91

DATE ANALYZED: 05/21/91

DATE REPORTED: 05/29/91

ANALYSIS: LEAD

ANALYSIS METHOD: EPA 7420

LAB ID	SAMPLE ID	RESULT	UNITS	REPORTING LIMIT
103848-1	1	252	mg / Kg	3.0
103848-2	2	108	mg/Kg	3.0
103848-3	3	1,030	mg/Kg	6.0
103848-4	4	280	mg / Kg	3.0

QA/QC SUMMARY

	
RPD, %	6
Recovery, %	9 0



CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91

DATE REQUESTED: 05/20/91

DATE ANALYZED: 05/20/91

DATE REPORTED: 05/29/91

ANALYSIS: MERCURY

ANALYSIS METHOD: EPA 7471

LAB ID	SAMPLE ID	RESULT	UNITS	REPORTING LIMIT
103848-1	1	0.15	mg/Kg	0.10
103848-2	2	ND	mg/Kg	0.10
103848-3	3	0.51	mg/Kg	0.10
103848-4	4	0.16	mg/Kg	0.10

ND = Not detected at or above reporting limit.

QA/QC SU	UMMARY	ľ
----------	--------	---

RPD, %	8
Recovery, %	87
• •	



CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91

DATE ANALYZED: 06/03/91

DATE REPORTED: 06/04/91

ANALYSIS: SOLUBLE LEAD

EXTRACTION BY WASTE EXTRACTION TEST: CCR TITLE 26 SECTION 22-66700

ANALYSIS METHOD: EPA 7420

LAB ID	CLIENT	ID	RESULT	UNITS	REPORTING LIMIT
103848-1		1	8,430	ug/L	60.0
103848-2		2	4,590	ug/L	60.0
103848-3		3	36,500	ug/L	300
103848-4		4	10,400	ug/L	60.0

QA/QC SUMMARY

RPD, % <1
RECOVERY, % 97



CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

DATE RECEIVED: 05/10/91

DATE ANALYZED: 05/29/91

DATE REPORTED: 06/04/91

ANALYSIS: SOLUBLE MERCURY

EXTRACTION BY WASTE EXTRACTION TEST: CCR TITLE 26 SECTION 22-66700

ANALYSIS METHOD: EPA 7470

LAB ID CLIENT ID

RESULT

UNITS

REPORTING LIMIT

103848-5 COMPOSITE 1,2,3 & 4 ND

ug/L

2.0

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

RPD, %

5

RECOVERY, %

87



LABORATORY NUMBER: 103848-1 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 1

DATE RECEIVED: 05/10/91 DATE REQUESTED: 05/20/91 DATE ANALYZED: 05/24/91 DATE REPORTED: 05/29/91

EPA 8010: Volatile Halocarbons in Soil & Wastes Extraction Method: EPA 5030 - Purge & Trap

	REPO	
Compound	RESULT	LIMIT
	ug/Kg	ug/Kg
chloromethane	ND	10
bromome than e	ND	10
vinyl chloride	ND	10
chloroethane	ND	10
methylene chloride	ND	5.0
trichlorofluoromethane	ND	5.0
l, l-dichloroethene	ND	5.0
l, l-dichloroethane	ND	5.0
cis-1,2-dichloroethene	ND	5.0
trans-1,2-dichloroethene	ND	5.0
chloroform	ND	5.0
freon 113	ND	5.0
l, 2-dichloroethane	ND .	5.0
l, l, l-trichloroethane	ND	5.0
carbon tetrachloride	ND	5.0
bromodich loromethane	ND	5.0
l, 2 - dichloropropane	ND	5.0
cis-1,3-dichloropropene	ND	5.0
trichloroethylene	ND	5.0
l, l, 2-trichloroethane	ND	5.0
trans-1,3-dichloropropene	ND	5.0
dibromochloromethane	ND	5.0
2-chloroethylvinyl ether	ND	10
bromoform	ND	5.0
tetrachloroethylene	ND	5.0
1,1,2,2-tetrachloroethane	ND	5.0
chlorobenzene	ND	5.0
1,3-dichlorobenzene	ND	5.0
l, 2-dichlorobenzene	ND	5,0
l, 4 - dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

OA/OC SUMMARY

Duplicate: Relative % Difference Spike: Average % Recovery

26

100



LABORATORY NUMBER: 103848-1 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 1

DATE RECEIVED: 05/10/91 DATE REQUESTED: 05/20/91 DATE ANALYZED: 05/24/91 DATE REPORTED: 05/29/91

EPA 8020: Volatile Aromatic Hydrocarbons in Soils & Wastes Extraction Method: EPA 5030 - Purge & Trap

COMPOUND	Result ug/Kg	Reporting Limit ug/Kg
Benzene	. ND	5.0
Toluene	. ND	5.0
Ethyl Benzene	. ND	5.0
Total Xylenes	. ND	5.0
Chlorobenzene	. ND	5.0
1,4-Dichlorobenzene	. ND	5.0
1,3-Dichlorobenzene	. ND	5.0
1,2-Dichlorobenzene	. ND	5.0
ND = Not detected at or above reporting limit.		
QA/QC SUMMARY	:=====================================	====== ==
RPD, % RECOVERY, %	5 114	===== =



LABORATORY NUMBER: 103848-2

CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

DATE RECEIVED: 05/10/91

DATE REQUESTED: 05/20/91

DATE ANALYZED: 05/24/91

LOCATION: 5531 VALLEJO STREET DATE REPORTED: 05/29/91

SAMPLE ID: 2

EPA 8010: Volatile Halocarbons in Soil & Wastes Extraction Method: EPA 5030 - Purge & Trap

		REPORTING
Compound	RESULT	LIMIT
- -	ug/Kg	ug/Kg
chloromethane	ND	10
bromomethane	ND	10
vinyl chloride	ND	10
chloroethane	ND	10
methylene chloride	ND	5.0
trichlorofluoromethane	ND	5.0
l, l-dichloroethene	ND	5.0
l, l-dichloroethane	ND	5.0
cis-l,2-dichloroethene	ND	5.0
trans-1,2-dichloroethene	ND	5.0
chloroform	ND	5.0
freon 113	ND	5.0
I, 2-dichloroethane	ND	5.0
l,l,l-trichloroethane	ND	5.0
carbon tetrachloride	ND	5.0
bromodich lorome than e	ND	5.0
1,2-dichloropropane	ND	5.0
cis-l,3-dichloropropene	, ND	5.0
trichloroethylene	ND	5.0
l,l,2-trichloroethane	ND	5.0
trans-1,3-dichloropropene	ND	5.0
d i bromo ch l o rome t han e	ND	5.0
2-chloroethylvinyl ether	ND	10
bromoform	ND	5.0
tetrachloroethylene	ND	5.0
I, 1, 2, 2-tetrachloroethane	ND	5.0
chlorobenzene	ND	5.0
l,3-dichlorobenzene	ND	5.0
l, 2-dichlorobenzene	ND	5.0
1,4-dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

Duplicate: Relative % Difference 26

Spike: Average % Recovery 100



LABORATORY NUMBER: 103848-2 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 2

DATE RECEIVED: 05/10/91 DATE REQUESTED:05/20/91 DATE ANALYZED: 05/24/91

DATE REPORTED: 05/29/91

EPA 8020: Volatile Aromatic Hydrocarbons in Soils & Wastes Extraction Method: EPA 5030 - Purge & Trap

COMPOUND	Result ug/Kg	Reporting Limit ug/Kg
Benzene	ND	5.0
Toluene	ND	5.0
Ethyl Benzene	ND	5.0
Total Xylenes	ND	5.0
Chlorobenzene	ND	5.0
1,4-Dichlorobenzene	ND	5.0
1,3-Dichlorobenzene	ND	5.0
1,2-Dichlorobenzene	ND	5.0
ND = Not detected at or above reporting limit.		
QA/QC SUMMARY		
RPD, % RECOVERY, %	5 114	



DATE RECEIVED: 05/10/91

DATE REQUESTED: 05/20/91

DATE ANALYZED: 05/24/91

DATE REPORTED: 05/29/91

DEDODOSKIC

LABORATORY NUMBER: 103848-3 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 3

EPA 8010: Volatile Halocarbons in Soil & Wastes Extraction Method: EPA 5030 - Purge & Trap

		REPORTING
Compound	RESULT	LIMIT
	ug/Kg	ug/Kg
chloromethane	ND	10
bromome than e	ND	10
vinyl chloride	ND	10
chloroethane	ND	10
methylene chloride	71	5.0
trichlorofluoromethane	ND	5.0
1,1-dichloroethene	ND	5.0
l, l-dichloroethane	ND	5.0
cis-1,2-dichloroethene	ND	5.0
trans-1,2-dichloroethene	ND	5.0
chloroform	ND	5.0
freon 113	ND	5.0
l,2-dichloroethane	ND	5.0
l, l, l-trichloroethane	ND	5.0
carbon tetrachloride	ND	5.0
bromodichloromethane	ND	5.0
1,2-dichloropropane	ND	5.0
cis-1,3-dichloropropene	ND	5.0
trichloroethylene	ND	5.0
1,1,2-trichloroethane	ND	5.0
trans-1,3-dichloropropene	ND	5.0
d i bromo ch l o rome t han e	ND	5.0
2-chloroethylvinyl ether	ND	10
bromoform	ND	5.0
tetrachloroethylene	ND	5.0
l, l, 2, 2-tetrachloroethane	ND	5.0
chlorobenzene	ND	5.0
l, 3-dichlorobenzene	ND	5.0
l, 2-dichlorobenzene	ND	5.0
l, 4 - dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

Duplicate: Relative % Difference Spike: Average % Recovery

26 100



LABORATORY NUMBER: 103848-3 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 3

DATE RECEIVED: 05/10/91 DATE REQUESTED: 05/20/91 DATE ANALYZED: 05/24/91 DATE REPORTED: 05/29/91

EPA 8020: Volatile Aromatic Hydrocarbons in Soils & Wastes Extraction Method: EPA 5030 - Purge & Trap

COMPOUND	Result ug/Kg	Reporting Limit ug/Kg
Benzene	ND	5.0
Toluene	46	5.0
Ethyl Benzene	ND	5.0
Total Xylenes	ND	5.0
Chlorobenzene	ND	5.0
1,4-Dichlorobenzene	ND	5.0
1,3-Dichlorobenzene	ND	5.0
1,2-Dichlorobenzene	ND	5.0
ND = Not detected at or above reporting limit.		
QA/QC SUMMARY		
RPD, %	5	
RECOVERY, %	114	



DATE RECEIVED: 05/10/91

LABORATORY NUMBER: 103848-4 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 4

ACE CONSULTANTS
DATE REQUESTED: 05/20/91
007
DATE ANALYZED: 05/24/91
DATE REPORTED: 05/29/91

EPA 8010: Volatile Halocarbons in Soil & Wastes Extraction Method: EPA 5030 - Purge & Trap

Compound	RESULT ug/Kg	REPORTING LIMIT ug/Kg
chloromethane	ND	10
bromome than e	ND	10
vinyl chloride	ND	10
chloroethane	ND	10
methylene chloride	8.1	5.0
trichlorofluoromethane	ND	5.0
I, l-dichloroethene	ND	5.0
l, l-dichloroethane	ND	5.0
cis-l,2-dichloroethene	ND	5.0
trans-1,2-dichloroethene	ND	5.0
chloroform	ND	5.0
freon 113	ND	5.0
1,2-dichloroethane	ND	5.0
l, l, l-trichloroethane	ND	5.0
carbon tetrachloride	ND	5.0
bromodich lorome than e	ND	5.0
l, 2-dichloropropane	ND	5.0
cis-1,3-dichloropropene	ND	5.0
trichloroethylene	ND	5.0
l, l, 2-trichloroethane	ND	5.0
trans-1,3-dichloropropene	ND	5.0
dibromochloromethane	ND	5.0
2-chloroethylvinyl ether	ND	10
bromoform	ND	5.0
tetrachloroethylene	ND	5.0
i, l, 2, 2-tetrachloroethane	ND	5.0
chlorobenzene	ND	5.0
1,3-dichlorobenzene	ND	5.0
1,2-dichlorobenzene	ND	5.0
l, 4 - dichlorobenzene	ND	5.0

ND = Not detected at or above reporting limit.

QA/QC SUMMARY

Duplicate: Relative % Difference 26 Spike: Average % Recovery 100



LABORATORY NUMBER: 103848-4 CLIENT: SUBSURFACE CONSULTANTS

PROJECT ID: 537.007

LOCATION: 5531 VALLEJO STREET

SAMPLE ID: 4

DATE RECEIVED: 05/10/91 DATE REQUESTED: 05/20/91 DATE ANALYZED: 05/24/91 DATE REPORTED: 05/29/91

EPA 8020: Volatile Aromatic Hydrocarbons in Soils & Wastes Extraction Method: EPA 5030 - Purge & Trap

COMPOUND	Result ug/Kg	Reporting Limit ug/Kg
Benzene	ND	5.0
Toluene	22	5.0
Ethyl Benzene	ND	5.0
Total Xylenes	ND	5.0
Chlorobenzene	ND	5.0
1,4-Dichlorobenzene	ND	5.0
1,3-Dichlorobenzene	ND	5.0
1,2-Dichlorobenzene	ND	5.0
ND = Not detected at or above reporting limit.		
QA/QC SUMMARY		
RPD, % RECOVERY, %	5 114	



VERBAL ADDITIONS / CANCELLATIONS TO ANALYSIS REQUEST SHEET

CLIENT: SCI	DATE: 5/20
REQUESTED BY: John Boscho	TIME: am pm
RECORDED BY: N/W	

Current Lab ID		Circle	Specify add	Ъ	
(Previous Lab ID)	Client ID	matrix		Analysis	Due date
103763 \$103845-1,2,	1,2,3,4	soil water other		Plo, Hg, 0:9 S010/8020	5h8
(soil water other			
(-)		soil water other			
(-)		soil water other			
(-)		soil water other			
-)		soil water other			
(-)		soil water other			
(-)		soil water other			

Original in job jacket.

Copies to analytical departments.

VERBAL ADDITIONS / CANCELLATIONS TO ANALYSIS REQUEST SHEET

CLIENT: SCI -UZ/lei o St	DATE: 572
REQUESTED BY: John Boscho	TIME: am pr
RECORDED BY: NULL)	

Current Lab ID		10: 1		-	
(Previous Lab ID)	Client ID	Circle matrix		•	
Alias	Ottent 1D	matrix	or cancel	Analysis	Due date
103763-1,2,3,4	1,2,3,4	soil	•	WET Pb WET Hg	ASAD
		water		LIGHTILE	(5/28)
(newlogin = (103848))		other		WENAG	
(COSSAGII /				1	
		soil			,
		water			
		other			
1					
		soil	/		
		water	\bigcap		
		other	170	Acted 1	
- 1				· · · · · · · · · · · · · · · · · · ·	
		soil	1	CIMS	
	\	water	+	(/
],		other			
-)					
		soil			
		water			
		other			
-)					
		soil			
		water			
		other	1		
(
		2011	ſ		
		soil			
		other	İ		
(-)					
	ĺ]			
		soil water			
		other			
l(-)			ļ		

Original in job jacket.

Copies to analytical departments.

subsurface Consultants

CHAIN OF CUSTODY RECORD & ANALYTICAL TEST REQUEST

roject Na	me: <u>_</u>	5531	Vellajo	Street			
CI Job Nu		537.00	07				
roject Co	ntact at SCI	: John	Bosch				
ampled By		John					
nalytical	Laboratory:	Curtis	& Tomp	kins_		·	
	Turnaround:		•		See Joh.	· Coyettes)	
ample ID outosite 1,2,344		ontainer Type ²	Sampling Date 5/10/91	Hold Ana	alysis	Analytical Method esticides, 8010, 802	zo CN
						Report the	, '
	<u> </u>	P	5/10/91		bestos	analysis	•
l 	<u> </u>	<u> </u>	5/10/91	l che	unicel one	mple analyses are range organic. sent above detection composite samp	حاتصر
3 4		<u> </u>		reques	sted for concent	mple analyses are any elevated ration (see list)) .
	* *	*	*	Fr 1	total on	metals analysis & soluble tests (, WET
Released b	oy: John Wolfe	Z Recei	ved by:		Date: _	5/10/91	
Released b			ved by:		Date:	<1.101	
	oy Laboratory	1	Wh		Date: Date: _	<u> </u>	
	oA:				Date: _		
Sample Contain	Type: W = W ner Type: V = O =	<pre>later, S = : VOA, P = : Other (sp</pre>	Plastic, G	Other (spec = Glass, T	ify) ' = Brass	Tube,	

NOTES TO LABORATORY:

⁻ Notify SCI if there are any anomalous peaks on GC or other scans

⁻ Questions/clarifications - Contact SCI at (415) 268-0461