

June 12, 1996
File No. 10-3003-37/003

Mr. John Moore J Patrick Land Company 5627 Stoneridge Drive, Suite 320 Pleasanton, California 94588

SUBJECT: Environmental Investigation Report

Dublin Boulevard Property

Dublin, California

Dear Mr. Moore:

Kleinfelder, Inc. (Kleinfelder) is pleased to present this letter report for groundwater sample collection and analysis at the Dublin Boulevard property. The project site is located on the southwest corner of the intersection of Dublin Boulevard and Scarlett Drive in Dublin, California (see Site Location Map, Plate 1).

This work was conducted in accordance with our work plan number 10-3003-37/003 dated May 30, 1996. This work plan was reviewed by Eva Chu of Alameda County Environmental Health Department (ACEHD). As described in detail below, our scope of work included collecting four soil samples and eight groundwater samples from borings KHP-7 through KHP-14 (see Site Plan, Plate 2). All groundwater samples were analyzed for halogenated volatile organic compounds (VOCs) and Total Petroleum Hydrocarbons as diesel (TPH-d). The groundwater samples from borings KHP-7, KHP-8, and KHP-14, also were analyzed for the aromatic volatile organic compounds benzene, toluene, ethylbenzene and xylenes (BTEX). Soil samples obtained from borings KHP-7, KHP-8, KHP-11 and KHP-14 were placed on hold at the laboratory pending our receipt and review of the results of the groundwater analysis.

Kleinfelder was granted permission to collect a sample from the U-Haul facility just south of the site. Permission to collect samples from the El Monte RV property located adjacent on the west of the site was not granted, therefore, the two borings (KHP-12 and KHP-13) which Kleinfelder proposed to advance on this property were moved onto the project site.

BACKGROUND

Kleinfelder recently completed a Phase I Environmental Site Assessment and a soil and groundwater investigation at the site. The results of these assessments were presented in

our reports titled "Phase I Environmental Site Assessment Report, Dublin Boulevard Property, Dublin, California", dated March 29, 1996, and "Environmental Investigation Report, Dublin Boulevard Property, Dublin, California", dated May 8, 1996. The results of these assessments indicated that groundwater beneath the site appears to be impacted with chlorinated solvents. However, no on-site sources of contamination have been established as analysis of soil samples from the site have not revealed the presence of chlorinated solvents at concentrations at or above the laboratory reporting limit.

Based on these analytical results, Ms. Chu requested that additional investigative work be conducted at the site to help evaluate the possible source area and the extent of the chlorinated solvent and hydrocarbon plume beneath the site vicinity. This report presents the results of that additional work.

SCOPE OF WORK

The purpose of the sampling and analysis performed during this investigation was to evaluate the possible source area and the extent of the chlorinated solvent and hydrocarbon plume beneath the site vicinity.

The following tasks were performed for this investigation:

- Eight groundwater samples were collected from borings KHP-7 through KHP-14 for chemical analysis;
- Four soil samples were collected and held at the laboratory for possible analysis;
- Groundwater samples were analyzed; and
- This letter report was prepared describing field procedures and analytical results.

FIELD ACTIVITIES

In accordance with our work plan dated May 30, 1996, four additional soil samples and eight additional groundwater samples were collected from the site on June 4, 1996 (seven samples on-site and one on the U-Haul property). The samples were collected from the locations shown on the Site Plan (Plate 2) using a Cone Penetrometer Test (CPT) rig equipped with 2- inch probes. Prior to advancing the CPT probes, a permit was obtained from the Alameda County Flood Control and Water Conservation District Zone 7.

Site work performed prior to advancing the CPT probes included clearing of utility locations and concrete coring. A representative of CU Surveys cleared the sampling locations for underground utilities. In addition, borings KHP-7, KHP-8, KHP-9, KHP-11, and KHP-14 were hand-augered to a depth of approximately five feet bgs prior to advancing the CPT probes to establish if underground utilities were present at these locations. Borings KHP-10, KHP-12, KHP-13 and KHP-14 were located on a concrete surface and were cored prior to advancing the CPT probes.

Soil samples were collected from borings KHP-7, KHP-8, KHP-11, and KHP-14 using the CPT rig. These samples were obtained from the 3.5 to 5.0 foot depth interval and held for chemical analysis pending Kleinfelder's receipt and review of groundwater analytical results from these borings. The soil samples collected for chemical analysis were capped with teflon and plastic end caps, labeled and placed into an ice cooled chest.

Groundwater samples were collected from the same probes using the Hydropunch ™ system. The sampling tool was driven into the water bearing zone using the CPT rig. The Hydropunch ™ unit uses an airtight and watertight sealed intake screen and sample chamber that is isolated from the surrounding environment as the tool is advanced. When the desired sampling location within the water bearing zone is reached, the Hydropunch sampler is advanced an additional 6 inches and then opened. Once the seal between the drive cone and the body of the tool is broken, groundwater flows from the surrounding formation into the probe. After the sample is collected, the unit is closed and retrieved from the bore hole.

The groundwater samples were retrieved from the sample chamber using a stainless steel bailer and decanted into the samples bottles provided by the laboratory. The sample bottles were appropriately labeled and placed into an ice cooled chest for transport to the laboratory.

The sampling equipment was steam cleaned or washed in an Alconox water mixture and rinsed prior to use at each sampling location and prior to leaving the site. The borings were backfilled with cement grout after the samples were collected.

The soil cuttings from the borings were placed on visqueen and left on-site for future disposal. Our review of the analytical results for the soil samples collected at the site indicates that the soil has not been impacted and can be disposed of on-site. One 55-gallon drum of steam cleaning water was stored on-site pending receipt of analytical results. Kleinfelder recommends that a sample of the rinseate be collected for analysis. If no volatile organic compounds are detected in the sample, then the rinseate can be disposed of on-site. Disposal of the soil and steam cleaning water is the responsibility of J Patrick Land Company.

CHEMICAL ANALYSIS AND RESULTS

The four additional soil samples and eight groundwater samples were submitted to McCampbell Analytical, a laboratory certified by the State of California to perform the requested analysis. The samples were analyzed as noted below:

- All groundwater samples for halogenated VOCs using Environmental Protection Agency (EPA) Test Method 8010;
- All groundwater samples for Total Petroleum Hydrocarbons as diesel using Modified EPA Test Method 8015; and
- Groundwater samples from KHP-7, KHP-8, and KHP-14 for aromatic volatile organic compounds benzene, toluene, ethylbenzene and xylenes using EPA Test Method 8020.

The analytical results are summarized in Table 1 below. The results of groundwater samples collected during previous investigations are presented in Table 1 for reference purposes. Copies of the laboratory data sheets and the chain-of-custody forms are presented in Appendix A.

TABLE 1 Summary of Groundwater Analytical Results Dublin Boulevard Property Dublin, California									
Boring	Date	DCE!	DCA ²	TCE ³	PCE ⁴	TDS	Toluene	TPH-d°	TRPH ⁷
Number	Collected	μg/L*	μg/L	μg/L	μg/L	mg/L³	μg/L	μg/L	mg/L
B-1	3/5/96	< 0.5	< 0.5	< 0.5	< 0.5	NA	0.63	83	<1.0
B-2	3/5/96	< 0.5	< 0.5	< 0.5	< 0.5	NA	< 0.5	170	3.2
B-4	3/5/96	2.6	< 0.5	13	27	NA	< 0.5	1,400	<1.0
B-5	5/1/96	4.4	< 0.5	11	66	1,900	NA	NA	NA
B-6	5/1/96	4.1	< 0.5	14	53	1,700	NA	NA	NA
KHP-7	6/4/96	4.3	2.0	9.3	93	NA	< 0.5	< 50	NA
KHP-8	6/4/96	5.1	< 0.5	11	100	NA	< 0.5	< 50	NA
KHP-9	6/4/96	2.0	< 0.5	7.7	41	NA	< 0.5	< 50	NA
KHP-10	6/4/96	< 0.5	< 0.5	1.1	3.5	NA	< 0.5	< 50	NA
KHP-11	6/4/96	1.9	< 0.5	6.2	52	NA	< 0.5	< 50	NA
KHP-12	6/4/96	0.94	< 0.5	4.9	19	NA	< 0.5	< 50	NA
KHP-13	6/4/96	3.3	< 0.5	10	60	NA	< 0.5	< 50	NA
KHP-14	6/4/96	4.5	< 0.5	11	80	NA	< 0.5	< 50	NA
MCL Notes:		6	0.5	5	5	NE	1,000	NE	NE

Notes:

- 1. DCE = Cis 1,2-Dichloroethene
- 2. DCA = 1,2-Dichloroethane
- 3. TCE = Trichloroethene
- 4. PCE = Tetrachloroethene
- 5. TDS = Total Dissolved Solids
- 6. TPH-d = Total Petroleum Hydrocarbons quantified as diesel
- 7. TRPH = Total Recoverable Petroleum Hydrocarbons
- 8. $\mu g/L$ = Micrograms per liter, approximately equivalent to parts per billion
- 9. mg/L = Milligrams per liter, approximately equivalent to parts per million

NA = Not Analyzed for noted compound

NE = Not Established

CONCLUSIONS AND RECOMMENDATIONS

In Kleinfelder's opinion, the concentrations of chlorinated solvents detected in the groundwater samples collected from the southwestern corner of the project site do not appear to be the result of an on-site spill for the following reasons:

- The absence of these compounds in the soil samples analyzed;
- The absence of these compounds in the groundwater samples collected from the upgradient borings (B-1 and B-2);
- The distribution of chlorinated solvents in the groundwater across the site suggests that groundwater flow direction on-site may vary seasonally and chemicals of concern may be from an off-site source; and
- Lack of historical chemical usage on the site of these chemicals of concern.

The presence of the chlorinated solvents in the groundwater samples collected from this corner of the site may be due to a release incident on the adjoining properties or another nearby property. Numerous nearby facilities have been reported as having had release incidents in the past and it is possible that plumes have migrated onto the site from one or more of these facilities. In addition, it is possible that an undocumented release may have occurred at one of these facilities in the past.

Kleinfelder recommends that closure of this issue be discussed with Ms. Chu of the ACEHD. As requested, Kleinfelder will contact Ms. Chu to arrange a meeting.

LIMITATIONS

This report was prepared in general accordance with the accepted standard of practice that existed in Northern California at the time of the investigation. It should be recognized that definition and evaluation of environmental conditions is a difficult and inexact art. Judgements leading to conclusions and recommendations are generally made with an incomplete knowledge of the conditions present. More extensive studies, including additional environmental investigations, can tend to reduce the inherent uncertainties associated with such studies. If J Patrick Land Company wishes to reduce the uncertainty beyond the level associated with this study, Kleinfelder should be notified for additional consultation.

Our firm has prepared this report for J Patrick Land Company's exclusive use for this particular project and in accordance with generally accepted engineering practices within the area at the time of our investigation. No other representations, expressed or implied, and no warranty or guarantee is included or intended.

This document may be used only by J Patrick Land Company and only for the purpose stated, within a reasonable time from its issuance. Land use, site conditions (both on

and offsite) or other factors may change over time, and additional work may be required with the passage of time.

Any party other than J Patrick Land Company who wishes to use this document shall notify Kleinfelder of such intended use by executing the "Application of Authorization to Use" which follows as Appendix B. Based on the intended use of the report, Kleinfelder may require that additional work be performed and that an updated document be issued. Non-compliance with any of these requirements by the Client or anyone else will release Kleinfelder from any liability resulting from the use of this document by any unauthorized party.

We have enjoyed working with you in this project. Please call Lita (510) 484-1700 if you have any questions or if we can be of further service.

Sincerely,

KLEINFELDER, INC.

Lita D. Freeman, R.E.A.

Project Manager

Christina J. Kennedy, R.G. Senior Client Manager

LDF:CJK:ks

PLATES:

Plate 1

Site Location Map

Plate 2

Site Plan


APPENDICES:


Appendix A

Laboratory Data Sheets and Chain-of-Custody Forms

Appendix B

Application for Authorization to Use





06/12/96

Dear Lita:

Enclosed are:

- 1). the results of 8 samples from your # 10-3003-37/003; Dublin Scarlett project,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

If you have any questions please contact me. McCampbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Yours truly,

Edward Hamilton

(11/1/

Kleinfelder		Client Pr Scarlett	oject ID:#1	0-3003-37/0	Date Sampled: 06/04/96			
7133 Koll Cen	7133 Koll Center Parkway, # 100				Date Received: 06/05/96			
Pleasanton, C	A 94566	Client Co	ontact: Lita F	reeman	Date Extra	cted: 06/05	5/96	
		Client P.	O: # R3668		Date Anal	yzed: 06/05	/96	
EPA methods 50	Gasoline Range 30, modified 8015, and 80							
Lab ID	Client ID	Matrix	TPH(g) ⁺	Benzene	Toluene	Ethylben- zene	Xylenes	% Rec. Surrogate
65659	KHP-8	W		ND	ND	ND	ND	99
65661	KHP-7	W		ND	ND	ND	ND	98
65663	KHP-14	w		ND	ND	ND	ND	97
	_							
Reporting Limit unless other- wise stated; ND means not de-		w	50 ug/L	0.5	0.5	0.5	0.5	
tected above	the reporting limit	s	1.0 mg/kg	0.005	0.005	0.005	0.005	

^{*} water and vapor samples are reported in ug/L, soil samples in mg/kg, and all TCLP extracts in mg/L

[#] cluttered chromatogram; sample peak coelutes with surrogate peak

⁺ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant (aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5 vol. % sediment; j) no recognizable pattern.

Client Project ID: # 10-3003-37/003; Dublin Date Sampled: 06/04/96 Kleinfelder Scarlett 7133 Koll Center Parkway, # 100 Date Received: 06/05/96 Pleasanton, CA 94566 Date Extracted: 06/05/96 Client Contact: Lita Freeman Date Analyzed: 06/05-06/06/96 Client P.O: # R3668 Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel * EPA methods modified 8015, and 3550 or 3510; California RWQCB (SF Bay Region) method GCFID(3550) or GCFID(3510) % Recovery $TPH(d)^{+}$ Client ID Lab ID Matrix Surrogate 91 KHP-10 W 65652 ND 102 KHP-12 W ND 65653 102 65654 KHP-13 W ND 65655 KHP-9 ND 107 W 106 65656 KHP-11 W ND,i 65659 KHP-8 ND 106 W 103 65661 KHP-7 W ND.i65663 KHP-14 W ND 104 Reporting Limit unless other-W 50 ug/L wise stated; ND means not detected above the reporting limit S $1.0 \, \text{mg/kg}$

^{*} water samples are reported in ug/L, soil samples in mg/kg, and all TCLP and STLC extracts in mg/L

[#] cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

⁺ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5 vol. % sediment.

Kleinfelder		D: # 10-3003-37/003;	Dublin Date Sampl	Date Sampled: 06/04/96 Date Received: 06/05/96			
7133 Koli Center Parkway, # 100	Scarlett		Date Receiv				
Pleasanton, CA 94566	Client Contact:	Lita Freeman	Date Extrac	Date Extracted: 06/05/96			
	Client P.O: # R	3668	Date Analya	zed: 06/05/96			
	Volat	ile Halocarbons					
EPA method 601 or 8010	65656	(5(50)	65661	65662			
Lab ID	65656	65659	65661	65663			
Client ID	<u>KHP-11</u>	KHP-8	KHP-7	KHP-14			
Matrix	W	W	<u> </u>	<u> </u>			
Compound	\IP\	Concen		ND			
Bromodichloromethane	ND	ND ND	ND ND	ND			
Bromoform ^(b)	ND	ND ND	ND ND	ND			
Bromomethane (c)	ND	ND	ND	ND			
Carbon Tetrachloride ^(c)	ND	ND	ND	ND			
Chlorobenzene	ND	ND	ND	ND			
Chloroethane	ND ND	ND	ND	ND ND			
2-Chloroethyl Viny l Ether (d)	ND	ND	ND	ND			
Chloroform (e)	ND	ND	ND	ND			
Chloromethane	ND	ND	ND	ND			
Dibromochloromethane	ND	ND	ND	ND			
1,2-Dichlorobenzene	ND	ND	ND	ND			
1,3-Dichlorobenzene	ND	ND	ND	ND			
1,4-Dichlorobenzene	ND	ND	ND	ND			
Dichlorodifluoromethane	ND	ND	ND	ND			
1,1-Dichloroethane	ND	ND	ND	ND			
1,2-Dichloroethane	ND	ND	2.0	ND			
1,1-Dichloroethene	ND	ND	ND	ND			
cis 1,2-Dichloroethene	1.9	5.1	4.3	4.5			
trans 1,2-Dichloroethene	ND	ND	ND	ND			
1,2-Dichloropropane	ND	ND	ND	ND			
cis 1,3-Dichloropropene	ND	ND	ND	ND			
trans 1,3-Dichloropropene	ND	ND	ND	ND			
Methylene Chloride ^(f)	ND< 1	ND< 1	ND< 1	ND< 1			
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND			
Tetrachloroethene	52	100 .	93	80			
1,1,1-Trichloroethane	ND	ND	ND	ND			
1,1,2-Trichloroethane	ND	ND	ND	ND			
Trichloroethene	6.2	11	9.3	11			
Trichlorofluoromethane	ND	ND	ND	ND			
Vinyl Chloride ^(g)	ND	ND	ND	ND			
% Recovery Surrogate	102	101	100	104			
Comments	<u> </u>	101	;	104			

^{*} water and vapor samples are reported in ug/L, soil samples in ug/kg and all TCLP extracts in ug/L.

Reporting limit unless otherwise stated: water/TCLP extracts, ND< 0.5ug/L; soil, ND< 5ug/kg

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

⁽b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethene;

⁽h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~ 5 vol. % sediment.

DHS Certification No. 1644

QC REPORT FOR HYDROCARBON ANALYSES

Date:

06/05/96

Matrix: Water

	Concent	ration	(ug/L)	1	% Reco	very	
Analyte	Sample (#65629) 	MS	MSD	Amount Spiked	 Ms 	MSD	RPD
TPH (gas) Benzene	0.0	101.5	104.8	100.0	101.5	104.8	3.2
Toluene Ethyl Benzene	0.0	9.4 9.3	9.5 9.6 9.4	10.0 10.0 10.0	94.0 94.0 93.0		1.1
Xylenes	0.0	27.6	28.1	10.0 30.0 	93.0 92.0	94.0 93.7	1.1
TPH (diesel)	0	160	156	150	107	104	2.8
TRPH (oil & grease)	0	23800	24300	23700	100	103	2.1

% Rec. = (MS - Sample) / amount spiked x 100

RPD = $(MS - MSD) / (MS + MSD) \times 2 \times 100$

110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR EPA 8010/8020/EDB

Date: 06/05/96

Matrix: Water

1	Conce	entratio	on (ug/L)		% Reco	very	
Analyte	Sample			Amount		RPD	
 	(#65517) 	MS	MSD	Spiked	MS	MSD	
1,1-DCE	0.0	11.0	12.0	10.0	110	120	8.7
Trichloroethene	0.0	9.6	10.0	10.0	96	100	4.1
EDB	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobenzene	0.0	10.5	10.7	10.0	105	107	1.9
Benzene	N/A	N/A	N/A		 N/A	N/A	N/A
Toluene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobz (PID)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	l			l <u></u>	l		

% Rec. = (MS - Sample) / amount spiked x 100

 $RPD = (MS - MSD) / (MS + MSD) \times 2 \times 100$

	on NO	PROJECT NA			10° N	<u>^</u>	/9/	77	77	//Ж	W.	6515 AKF	X 21
		37/003	Publin Secret	NO]	E 3		\$\/	//	//		× /		
\mathbf{g}^{0}	9 NO.1 366	SAMPLERS: ((Signature/Number)	OF) j2	3/2	7 fi	X/F			//		
DAT	E	SAMPLE I D	SAMPLEID	TAINERS		3/	Æ		7 / ,	*/***/		/ /	REMARKS
MM DI 6-4-		HH MM SS	KHP-10	-	$\frac{1}{\sqrt{\alpha}}$	y /	7	77	/ /X	7 / / /	/ /		65652
6 <u>-</u> 7-	- //6	9:05 9:45	KHP-12	4	쉾	-	<u> </u> -	+	+			water	65653
_		11:00	KHP-13	4	쉾	+		 	+			Water	
_		11:15	KHP-9	4	[+	+-		╅┪			Water	65654
		13:35	12HP-11	4	铽	\dashv	+		+-+			water	65655
		13.362		j		\top		X	X			Soil	65656
		12:08	K5-8	(X				5011	· · · · · · · · · · · · · · · · · · ·
		12115	KHP-B	4	X							Water	<u> </u>
		13:00	KS-7	1			_	X	- -			5011	65658
		13:05	KHP-7	4	시	_ ?	4_		-	_		water	65659
		14:10	KS-14	1			_ _				_	501	(1) 10 10 10 10 10 10 10 10 10 10 10 10 10
		14:45	KHP-14	4	M	/	4		1			Water	H 65660
					\vdash	+	+				-		65661
					\vdash		+		++		-		B 65662
-													65663
						_ _	-		+		_		
Reling	juished.	by: (Signature)	Date/Time Received by: (Sign	Durg	Remi	arks (_	<u>├</u> - - - -	T, /	1,7.	!	Send Results To A++ N; KLEINFELDER	ita Freeman
Reling	uished 7 edo	by: (Signature)	6/5/92 10,50 Here Ku	in 719	١	25 214	Per	了 上 i 十	iscu a F	SSTON Free Man result 2.m(61	-5	7133 KOLL CEN SUITE 100 PLEASANTON, (510) 484-1700	
Reini	uished IN	by: (Signature)	Detertime Received for Lab (Signafure)	oratory by: Puchelini —	<u></u>	by PO	las M	onde	uz Xy (a.m(61	(01		

Canary - Return Copy To Shipper

Juk - Lab Copy No

APPLICATION FOR AUTHORIZATION TO USE

Dublin Bo Dublin, C	ber: 10-3003-37/003	
TO:	Kleinfelder, Inc. 7133 Koll Center Parkw Pleasanton, California 9 (510) 484-1700	vay, Suite 100 94566
FROM:		
[Please clear document]	rly identify name and address of pe	erson/entity applying for permission to use of copy this
Ap	oplicant	hereby applies for permission to:
-	rpose(s) of: why you wish to do what is contem	plated as set forth above]
Dublin Bo Kleinfelde document Inc. Appl sole discre	oulevard Property in Dubli er, Inc. is the copyright own is strictly prohibited withou licant understands that Klein	the Environmental Investigation Report for the in, California is a copyrighted document, that her, and that unauthorized use or copying of this at the express written permission of Kleinfelder, felder, Inc., may withhold such permission at its ion upon such terms and conditions as it deems e-use fee.
Dated:		Applicant
		byName
		itsTitle