



Technology, Engineering & Construction, Inc.

262 Michelle Court • So. San Francisco, CA 94080-6201 • Contractor's Lic. #762034
Tel: (650) 616-1200 • Fax: (650) 616-1244 • www.tecaccutite.com

RECEIVED

2:36 pm, Aug 02, 2007

June 22, 2007

Alameda County
Environmental Health

Mr. Randall Whitney
Pacific Thomas Capital
1818 Mt. Diablo Boulevard
Walnut Creek, California 94596

SUBJECT: **LIMITED SUBSURFACE INVESTIGATION REPORT**
JUNE 2007

SITE: **3001 – 3007 EAST 12TH STREET**
OAKLAND, CALIFORNIA 94601

Dear Mr. Whitney:

TEC Accutite is pleased to submit this Limited Subsurface Investigation Report for the above referenced site.

Thank you for the opportunity to provide you with our services. If you have any questions or concerns, feel free to contact us at TEC Accutite at (650) 616-1200.

Sincerely,
TEC Accutite

Nathan W. Smith
Project Geologist

LIMITED SUBSURFACE INVESTIGATION REPORT

JUNE 2007

**3001 – 3007 EAST 12TH STREET
OAKLAND, CALIFORNIA 94601**

PREPARED FOR:

**MR. RANDALL WHITNEY
PACIFIC THOMAS CAPITAL**

JUNE 22, 2007



TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	ENVIRONMENTAL BACKGROUND	1
3.0	SUBSURFACE INVESTIGATION	1
4.0	SOIL AND GROUNDWATER ANALYSIS AND ANALYTICAL RESULTS.....	2
 4.1	Soil	2
 4.2	Groundwater	3
5.0	CONCLUSIONS AND RECOMMENDATIONS	3
6.0	LIMITATIONS.....	4
7.0	REFERENCES	4

TABLES

1. SUMMARY OF SOIL ANALYTICAL RESULTS
2. SUMMARY OF GRAB GROUNDWATER ANALYTICAL RESULTS

FIGURES

1. VICINITY MAP
2. SIT MAP AND BORING LOCATIONS

ATTACHMENTS

- A BORING LOGS
- B BORING PERMITS
- C LABORATORY ANALYTICAL REPORT



1.0 INTRODUCTION

TEC Accutite conducted a Limited subsurface investigation for the subject site located at 3001 – 3007 East 12th Street, Oakland, California 94601, herein referred to as “the site”. At the request of *Pacific Thomas Capital*, TEC Accutite advanced two (2) soil borings on the site, collected one soil sample and grab groundwater samples from each boring location. Presented below are the site background and results of the investigation.

2.0 ENVIRONMENTAL BACKGROUND

The site is located in an area of mixed industrial, commercial and residential development. A Vicinity Map is presented as Figure 1.

The site consists of an approximate 7,500 square foot parcel located on the west side of East 12th Street between 30th Avenue and Derby Avenue in Oakland, California. The site consists of two commercial buildings identified as 3005 and 3007 East 12th Street and two vacant lots. One vacant lot is between the commercial buildings and the other lot occupies the 3001 East 12th Street address. The parcel is identified as Assessor's Parcel Number 025-0693-004, Alameda County, California. A Site Map is presented as Figure 2.

Site history review indicates that the site has historically been occupied by a variety of businesses since the early 1920s, including hay and fuel storage, a coal yard, a furniture warehouse, stove repair, an automobile radio shop, a lighting store, and a transmission repair shop. The review by *Northgate Environmental Management, Inc.* indicates the presence of several off-site facilities that could potentially impact soil or groundwater quality at the site.

The site is situated at an elevation of approximately 30 feet above sea level. On a regional basis, surface topography slopes gently to the southwest. Reportedly, groundwater in the area is initially encountered at depths of between 10 and 32 feet below surface grade (bsg), with stabilized water levels measured at depths of about 7 to 10 feet bsg, and groundwater in the general vicinity of the site generally flows toward the southeast or southwest (Phase I Environmental Site Assessment Report, *Northgate Environmental Management, Inc.*).

3.0 SUBSURFACE INVESTIGATION

The objectives of the investigation were to advance two (2) soil borings on the site and collect & analyze one soil sample and grab groundwater samples from each boring. Boring logs are presented in Attachment A.

Personnel: Project Geologist Nathan W. Smith performed all fieldwork.

Permit: Alameda County Permit # W2007-0653 (Attachment B).

Clearing Utilities: Underground Service Alert (USA) was contacted prior to drilling activities in order to identify any underground utilities. USA issued ticket # 197396 for this project. In addition, TEC Accutite utilized a private utility locator to confirm that the boring locations did not interfere with any underground utilities.

Drilling Co: EnProb, C-57 Lic # 777007.

Drilling Date: June 6, 2007.



- Number of Borings:** Advanced two (2) soil borings (B-1 and B-2).
- Drilling Method:** Direct-push drilling rig.
- Boring Depth:** Boring B-1 was advanced to a depth of 24 feet bsg and boring B-2 was advanced to a depth of 28 feet bsg.
- All borings were backfilled with neat cement grout.
- Sample Technique:** Soil samples were collected in acetate sleeves in a direct-push sampler. Acetate sleeves were removed from the sampler and soil samples were cut from the sleeves approximately every 2 to 3 feet. The ends of each sample were capped with Teflon sheets and plastic end-caps. A split of each soil sample was collected and placed in a Ziploc bag, which was sealed with air space and allowed to volatilize. A photo ionization detector (PID) was used to measure ionizable gases and readings were noted on the boring logs. For soils, the soil samples with the highest PID reading from each boring were submitted for analysis.
- Grab groundwater samples were collected with new poly-tubing from temporary piezometers installed in borings B-1 and B-2, transferred into HCL-preserved VOAs and unpreserved 1-liter amber bottles. Groundwater samples were filtered by the lab prior to analysis.
- All soil and groundwater samples were labeled, immediately placed on ice in an ice-chest, and delivered to *Torrent Analytical Laboratory, Inc.*, a California Certified Laboratory, under chain of custody documentation for analysis.
- Sediment Lithology:** Soils consist primarily of interlayers of clays and sands with some gravel. Soil types are described using the Unified Soil Classification System (USCS) and recorded on boring logs.
- Depth to Water:** Groundwater was encountered at approximate depths of 24 feet bsg in boring B-1 and 28 feet bsg in boring B-2. First encountered groundwater has been noted on boring logs.

4.0 SOIL AND GROUNDWATER ANALYSIS AND ANALYTICAL RESULTS

4.1 Soil

All soil samples were analyzed for Total Petroleum Hydrocarbons (TPH) as gasoline (g), benzene, toluene, ethylbenzene, and xylenes (BTEX), and Volatile Organics (VOCs) by EPA Method 8260, TPH as diesel (d) and hydraulic fluid/motor oil (mo) by EPA Method 8015M, semi-volatile compounds for pentachlorophenol (PCP) & polycyclic aromatic hydrocarbon (PAHs) by EPA Method 8270, semi-volatile compounds for polychlorinated biphenyls (PCBs) by EPA Method 8082A, and for metals; cadmium (Cd), chromium (Cr), copper (Cu), lead (Pb), nickel (Ni), silver (Ag), and zinc (Zn) by EPA Method 6010B. Table 1 summarizes the soil sample analytical results, and the laboratory analytical report is presented in Attachment C.

- Cr concentrations above the respective Environmental Screening Limit (ESL) were detected in soil in borings B-1 (65 mg/Kg) and B-2 (80 mg/Kg);

- Metal concentrations below ESLs were detected in soil in borings B-1 (110 mg/Kg Ni, 28 mg/Kg Cu, 12 mg/Kg Pb, 64 mg/Kg Zn) and B-2 (110 mg/Kg Ni, 32 mg/Kg Cu, 8.3 mg/Kg Pb, 51 mg/Kg Zn);
- TPHg, TPHd, BTEX, VOCs, semi-volatile compounds for PCP & PAHs, and Ag were not detected at or above their respective method reporting limits in any soil samples of this project.

4.2 Groundwater

All grab groundwater samples were analyzed for TPHg, BTEX, and VOCs by EPA Method 8260, TPHd and TPHmo by EPA Method 8015M, semi-volatile compounds for PCP & PAHs by EPA Method 8270, semi-volatile compounds for PCBs by EPA Method 8082A, and for filtered metals Cd, Cr, Cu, Pb, Ni, Ag, and Zn by EPA Method 6010B. Table 2 summarizes the grab groundwater analytical results, and the laboratory analytical report is presented in Attachment C.

- Metals were detected in grab groundwater above ESL in borings B-1 (11 µg/L Ni, 3 µg/L Ag) and B-2 (2 µg/L Ni);
- Metal concentrations below ESLs were detected in grab groundwater from boring B-1 (8.6 µg/L Zn) and B-2 (7 µg/L Ni, 2 µg/L Cr, 20 µg/L Zn);
- TPHg, TPHd, TPHmo, BTEX, VOCs, semi-volatile compounds for PCP, PAHs & PCBs, and Cd, Cu and Pb were not detected at or above their respective method reporting limits in any grab groundwater samples of this project.

5.0 CONCLUSIONS AND RECOMMENDATIONS

- Geologic conditions encountered in the boring locations (B-1 and B-2) consist of interlayering clays and sands with some gravel. No staining or hydrocarbons odors were observed.
- Analytical results of soil from borings B-1 and B-2 of this investigation indicate concentrations of chromium above its respective ESL.
- Analytical results of grab groundwater indicate concentrations of silver and nickel above their respective ESLs in borings B-1 and B-2.
- TEC Accutite recommends submitting this report to the Alameda County Department of Environmental Health.


6.0 LIMITATIONS

Our services consist of professional opinions, conclusions and recommendations made today in accordance with generally accepted engineering principles and practices. This warranty is in lieu of all other warranties either expressed or implied. TEC Accutite's liability is limited to the dollar amount of the work performed.

This report is solely for the use and information of our client unless otherwise noted. Any reliance on this report by a third party is at such party's sole risk. Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended only for the client, purposes, locations, time frames, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, nor the use of segregated portions of this report.

Thank you for the opportunity to provide you with our services. If you have any questions or concerns, please call the undersigned at (650) 616-1200.


Sincerely,
TEC Accutite



Nathan W. Smith
Project Geologist



Marc Mullaney, PG# 7438
Project Manager



7.0 REFERENCES

- Northgate Environmental Management, Inc., "Phase I Environmental Site Assessment, 3001 – 3007 East 12th St., Oakland, CA", May 7, 2007.

TABLES



Table 1
Summary of Soil Analytical Results
 3001 - 3007 E 12th Street
 Oakland, California

Sample ID	Depth (feet)	Date	TPHg	TPHd	TPHmo	BTEX	VOC's	PCP & PAH's	PCB's	Metals						
										Cd	Cr	Cu	Pb	Ni	Ag	Zn
Concentrations in mg/Kg																
B-1 @ 8fbg	8	6/6/2007	<0.1	<2.0	<4.0	ND	ND	ND	ND	<1.0	65	28	12	110	<1.0	64
B-2 @ 14fbg	14	6/6/2007	<0.1	<2.0	<4.0	ND	ND	ND	ND	<1.0	80	32	8.3	110	<1.0	51
<i>ESL</i>			100	100	1,000	var	var	var	0.74	7.4	58	230	750	150	40	600

Notes:

BOLD = Concentration exceeds ESL

(fbg) = feet below surface grade

TPHg = Total petroleum hydrocarbons as gasoline by EPA Method 8015.

TPHd = Total petroleum hydrocarbons as diesel by EPA Method 8015.

TPHmo = Total petroleum hydrocarbons as motor oil by EPA Method 8015.

BTEX = Benzene, Toluene, Ethylbenzene, Xylenes by EPA Method 8260B.

VOC's = volatile organic compounds including 1,2-Dibromoethane, 1,2-Dichloroethane, Ethyl tert Butyl Ether, Isopropyl ether, Methyl tert-butyl ether, t-Butyl alcohol, tert-amyl methyl ether by EPA Method 8260B.

PCPs & PAH's = semi-volatile compounds by EPA Method 8270C.

PCB's = semi-volatile compounds by EPA Method 8082.

Metals: Cd = Cadmium, Cr = Chromium, Cu = Copper, PB = Lead, Ni = Nickel, Ag = Silver, and Zn = Zinc by EPA Method 6010B.

ND = all individual analytes not detected at or above laboratory detection limits for this method

* = Aroclor 1016 (PCB) detected by EPA Method 8082; all other analytes ND for this method.

ESL = Environmental Screening Level for subsurface soil (<3M BGS), groundwater IS a current or potential drinking water resource, Table A-2, commercial/industrial land use (CRWQCB Interim Final – February 2005).

Table 2
Summary of Grab Groundwater Analytical Results
 3001 - 3007 E 12th Street
 Oakland, California

Sample ID	Date	TPHg	TPHd	TPHmo	BTEX	VOC's	PCP & PAH's	PCB's	Metals					
		Cd	Cr	Cu	Pb	Ni	Ag	Zn						
Concentrations in µg/L														
B-1	6/6/2007	<58	<77	<14	ND	ND	<1.0	<0.2	<2.0	<3.0	<2.0	11	3**	8.6
B-2	6/6/2007	<57	<42.4	<21.2	ND	ND	<1.0	<0.2	2**	<3.0	<2.0	7**	2**	20
ESL		100	100	100	var	var	var	0.014	1.1	50	3.1	2.5	8.2	0.19
														81

Notes:

BOLD = Concentration exceeds ESL

(fbg) = feet below surface grade

TPHg = Total petroleum hydrocarbons as gasoline by EPA Method 8015.

TPHd = Total petroleum hydrocarbons as diesel by EPA Method 8015.

TPHmo = Total petroleum hydrocarbons as motor oil by EPA Method 8015.

BTEX = Benzene, Toluene, Ethylbenzene, Xylenes by EPA Method 8260B.

VOC's = volatile organic compounds including 1,2-Dibromoethane, 1,2-Dichloroethane, Ethyl tert Butyl Ether, Isopropyl ether, Methyl tert-butyl ether, t-Butyl alcohol, tert-amyl methyl ether by EPA Method 8260B.

PCPs & PAH's = semi-volatile compounds by EPA Method 8270C.

PCB's = semi-volatile compounds by EPA Method 8082.

Metals: Cd = Cadmium, Cr = Chromium, Cu = Copper, PB = Lead, Ni = Nickel, Ag = Silver, and Zn = Zinc by EPA Method 6010B.

ND = all individual analytes not detected at or above laboratory detection limits for this method


** = considered an estimated value (reported between Maximum Detection Limit and Reporting Limit)

var = variable ESL's, unique for each constituent.


ESL = Environmental Screening Level for Groundwater, groundwater IS a current or potential drinking water resource, Table F-1a (CRWQCB Interim Final – February 2005).

FIGURES





-N-	● Site Location	SITE 3001 - 3007 E 12th Street Oakland, California	FIGURE	TITLE
	Map By: TOPO!	 262 Michelle Court So. San Francisco, CA 94080 Main: (650) 616-1200 Fax: (650) 616-1244	1	Vicinity Map
	Date: 06/15/2007			
	Drafted By: LC			




ATTACHMENT A

BORING LOGS



TEC ACCUTITE		SOIL BORING LOG	BORING NUMBER B-2
CLIENT:	<u>Pacific Thomas Capital</u>	BORING DIAMETER:	<u>2-inch</u>
LOCATION:	<u>3001 - 3007 E. 12th St., Oakland</u>	TOTAL DEPTH:	<u>28 feet bsg</u>
DRILLING CO:	<u>EnProb</u>	DATE STARTED:	<u>6/6/2007</u>
DRILLING METHOD:	<u>Direct Push</u>	DATE COMPLETED:	<u>6/6/2007</u>
SAMPLING METHOD:	<u>Poly Liner</u>	SURFACE ELEVATION	<u>N/A</u>
GEOLOGIST:	<u>N.W.Smith</u>	FIRST ENCOUNTERED WATER	<u>28 feet bsg</u>
PE/PG:	<u>Marc Mullaney PG#7438</u>	STATIC WATER LEVEL	<u>12 feet bsg</u>

DEPTH (ft bgs)	VIEWED INTERVAL	SAMPLE ID	WATER LEVEL	MOISTURE	ESTIMATED K	PID (ppm)	USCS SYMBOL	LITHOLOGIC SYMBOL	LITHOLOGIC DESCRIPTION
----------------	-----------------	-----------	-------------	----------	-------------	-----------	-------------	-------------------	------------------------



ATTACHMENT B

BORING PERMITS



Alameda County Public Works Agency - Water Resources Well Permit



399 Elmhurst Street
Hayward, CA 94544-1395
Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 05/31/2007 By jamesy

Permit Numbers: W2007-0653
Permits Valid from 06/06/2007 to 06/06/2007

Application Id: 1180120854732
Site Location: 3001-3007 E. 12th St.
Project Start Date: 06/06/2007

City of Project Site:Oakland

Applicant: TEC Accutite - Nicholas Haddad
262 Michelle Ct., South San Francisco, CA 94080
Property Owner: Randall Whitney
1818 Mt. Diablo Blvd., Walnut Creek, CA 94596
Client: Nicholas Haddad
262 Michelle Ct., South San Francisco, CA 94080
Contact: Nathan Smith

Completion Date:06/06/2007

Phone: 650-616-1200
Phone: 925-765-2634
Phone: 650-616-1200
Phone: 650-616-1230
Cell: 650-222-0890

Total Due: \$200.00

Receipt Number: WR2007-0241 Total Amount Paid: \$200.00

Payer Name : Technology, Eng &Paid By: CHECK

PAID IN FULL

Construction, Inc

Works Requesting Permits:

Borehole(s) for Geo Probes-Sampling 24 to 72 hours only - 5 Boreholes

Driller: EnProb - Dennis Ott - Lic #: 777007 - Method: DP

Work Total: \$200.00

Specifications

Permit Number	Issued Dt	Expire Dt	#	Hole Diam	Max Depth
W2007-0653	05/31/2007	09/04/2007	5	2.00 in.	25.00 ft

Specific Work Permit Conditions

1. Backfill bore hole by tremie with cement grout or cement grout/sand mixture. Upper two-three feet replaced in kind or with compacted cuttings. All cuttings remaining or unused shall be containerized and hauled off site. The containers shall be clearly labeled to the ownership of the container and labeled hazardous or non-hazardous.
2. Boreholes shall not be left open for a period of more than 24 hours. All boreholes left open more than 24 hours will need approval from Alameda County Public Works Agency, Water Resources Section. All boreholes shall be backfilled according to permit destruction requirements and all concrete material and asphalt material shall be to Caltrans Spec or County/City Codes. No borehole(s) shall be left in a manner to act as a conduit at any time.
3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
4. Applicant shall contact Vicky Hamlin for an inspection time at 510-670-5443 or email to vickyh@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
5. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled,

Alameda County Public Works Agency - Water Resources Well Permit

properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

6. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

7. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

8. Permit is valid only for the purpose specified herein. No changes in construction procedures, as described on this permit application. Boreholes shall not be converted to monitoring wells, without a permit application process.

ATTACHMENT C

LABORATORY ANALYTICAL REPORTS





TORRENT LABORATORY, INC.

483 Sinclair Frontage Rd. • Milpitas, CA 95035 • Ph: (408) 263-5258 • Fax: (408) 263-8293

www.torrentlab.com

June 15, 2007 (Revision 1)

NATE SMITH
TEC Accutite
262 Michelle Ct
South San Francisco, CA 94080
TEL: (650) 616-1200
FAX 650-616-1244

RE: 13193 - Per client request, revised to report metals and PCB data to the MDL.

Order No.: 0706037

Dear NATE SMITH:

Torrent Laboratory, Inc. received 7 samples on 6/6/2007 for the analyses presented in the following report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc, is certified by the State of California, ELAP #1991. If you have any questions regarding these tests results, please feel free to contact the Project Management Team at (408)263-5258;ext: 204.

Sincerely,


Laboratory Director

6/15/07
Date

Patti Sandrock
QA Officer 



TORRENT LABORATORY, INC.

483 Sinclair Frontage Rd. • Milpitas, CA 95035 • Ph: (408) 263-5258 • Fax: (408) 263-8293

www.torrentlab.com

Torrent Laboratory, Inc.

Date: 15-Jun-07

CLIENT: TEC Accutite
Project: 13193
Lab Order: 0706037

CASE NARRATIVE

Per client request, water samples received for metals analysis (7 metals) were filtered through a 0.45 micron filter and preserved to a pH <2 upon laboratory receipt. Samples to be analyzed for dissolved metals.

Analytical Comments for METHOD 8270-W: Surrogate recovery of 2-fluorobiphenyl is bias high in samples and QC. No target analytes found in the samples. Benzo (a) pyrene, n-Nitrosodiphenylamine, Benzo (b) fluoranthene, and Benzo (k) fluoranthene are all ND.

Per client request, revised to report metals and Arochlors to the MDL. All associated QC validated to the MDL. Metals values reported between the MDL and RL should be considered as estimated and are flagged with the appropriate "tr" qualifier.

REV 1 (6/15/07)



TORRENT LABORATORY, INC.

483 Sinclair Frontage Road • Milpitas, CA • Phone: (408) 263-5258 • Fax: (408) 263-8293

Visit us at www.torrentlab.com email: analysis@torrentlab.com

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1	Lab Sample ID:	0706037-001
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:25:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	50	1.16	58	ND	µg/L	G12964
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1.16	58.4-133	86.3	%REC	G12964
Note: See comment for 8260 analysis.								
Cadmium	SW6010B-D	6/11/2007	0.0002	1	0.00020	ND	mg/L	3512
Chromium	SW6010B-D	6/11/2007	0.002	1	0.0020	ND	mg/L	3512
Copper	SW6010B-D	6/11/2007	0.003	1	0.0030	ND	mg/L	3512
Lead	SW6010B-D	6/11/2007	0.002	1	0.0020	ND	mg/L	3512
Nickel	SW6010B-D	6/11/2007	0.002	1	0.0020	0.011	mg/L	3512
Silver	SW6010B-D	6/11/2007	0.002	1	0.0020	0.003 tr	mg/L	3512
Zinc	SW6010B-D	6/11/2007	0.002	1	0.0020	0.0086	mg/L	3512
Note: Results reported to the MDL. Values between the MDL and RL should be considered as estimated and are flagged with the appropriate "tr" qualifier.								
TPH (Diesel)	SW8015B	6/8/2007	0.077	1	0.0770	ND	mg/L	R13018
TPH (Motor Oil)	SW8015B	6/8/2007	0.014	1	0.0140	ND	mg/L	R13018
Surr: Pentacosane	SW8015B	6/8/2007	0	1	40-120	65.0	%REC	R13018
Note: Results reported to the MDL.								
Aroclor 1016	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1221	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1232	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1242	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1248	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1254	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1260	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	44.5-127	121	%REC	R13015
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	52.7-126	87.0	%REC	R13015

Note: Results are reported to the MDL.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1	Lab Sample ID:	0706037-001
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:25:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Benzene	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Ethylbenzene	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Isopropyl ether (DIPE)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	10	1.16	11.6	ND	µg/L	R12964
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Toluene	SW8260B	6/8/2007	0.5	1.16	0.580	ND	µg/L	R12964
Xylenes, Total	SW8260B	6/8/2007	1.5	1.16	1.74	ND	µg/L	R12964
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1.16	61.2-131	106	%REC	R12964
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1.16	64.1-120	102	%REC	R12964
Surr: Toluene-d8	SW8260B	6/8/2007	0	1.16	75.1-127	92.6	%REC	R12964

Note: Sample diluted prior to the analysis due to high level of sediment in all VOAs.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1	Lab Sample ID:	0706037-001
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:25:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.946	1	1.24	ND	µg/L	R13014
1,2-Dichlorobenzene	SW8270C	6/10/2007	1.106	1	1.46	ND	µg/L	R13014
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.987	1	1.30	ND	µg/L	R13014
1,3-Dinitrobenzene	SW8270C	6/10/2007	0.231	1	0.304	ND	µg/L	R13014
1,4-Dichlorobenzene	SW8270C	6/10/2007	1.269	1	1.67	ND	µg/L	R13014
2,3,4,6-Tetrachlorophenol	SW8270C	6/10/2007	0.615	1	0.809	ND	µg/L	R13014
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.848	1	1.12	ND	µg/L	R13014
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.849	1	1.12	ND	µg/L	R13014
2,4-Dichlorophenol	SW8270C	6/10/2007	1.041	1	1.37	ND	µg/L	R13014
2,4-Dimethylphenol	SW8270C	6/10/2007	0.091	1	0.120	ND	µg/L	R13014
2,4-Dinitrophenol	SW8270C	6/10/2007	0.57	1	0.750	ND	µg/L	R13014
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.492	1	0.647	ND	µg/L	R13014
2,6-Dichlorophenol	SW8270C	6/10/2007	2.02	1	2.66	ND	µg/L	R13014
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.439	1	0.578	ND	µg/L	R13014
2-Chloronaphthalene	SW8270C	6/10/2007	1.03	1	1.36	ND	µg/L	R13014
2-Chlorophenol	SW8270C	6/10/2007	1.322	1	1.74	ND	µg/L	R13014
2-Methylnaphthalene	SW8270C	6/10/2007	0.926	1	1.22	ND	µg/L	R13014
2-Methylphenol	SW8270C	6/10/2007	1.421	1	1.87	ND	µg/L	R13014
2-Nitroaniline	SW8270C	6/10/2007	0.433	1	0.570	ND	µg/L	R13014
2-Nitrophenol	SW8270C	6/10/2007	0.909	1	1.20	ND	µg/L	R13014
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	0.302	1	0.397	ND	µg/L	R13014
3-Methylphenol	SW8270C	6/10/2007	1.4	1	1.84	ND	µg/L	R13014
3-Nitroaniline	SW8270C	6/10/2007	0.83	1	1.09	ND	µg/L	R13014
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.78	1	1.03	ND	µg/L	R13014
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.925	1	1.22	ND	µg/L	R13014
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.791	1	1.04	ND	µg/L	R13014
4-Chloroaniline	SW8270C	6/10/2007	0.737	1	0.970	ND	µg/L	R13014
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.632	1	0.832	ND	µg/L	R13014
4-Methylphenol	SW8270C	6/10/2007	1.326	1	1.75	ND	µg/L	R13014
4-Nitroaniline	SW8270C	6/10/2007	0.212	1	0.279	ND	µg/L	R13014
4-Nitrophenol	SW8270C	6/10/2007	1.434	1	1.89	ND	µg/L	R13014
Acenaphthene	SW8270C	6/10/2007	0.607	1	0.799	ND	µg/L	R13014
Acenaphthylene	SW8270C	6/10/2007	0.792	1	1.04	ND	µg/L	R13014
Aniline	SW8270C	6/10/2007	1.2	1	1.58	ND	µg/L	R13014
Anthracene	SW8270C	6/10/2007	0.503	1	0.662	ND	µg/L	R13014
Benz(a)anthracene	SW8270C	6/10/2007	0.439	1	0.578	ND	µg/L	R13014
Benzidine	SW8270C	6/10/2007	0.116	1	0.153	ND	µg/L	R13014
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.5	1	0.658	ND	µg/L	R13014
Benzoic acid	SW8270C	6/10/2007	6.968	1	9.17	ND	µg/L	R13014
Benzyl alcohol	SW8270C	6/10/2007	1.346	1	1.77	ND	µg/L	R13014
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	1.162	1	1.53	ND	µg/L	R13014
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	1.08	1	1.42	ND	µg/L	R13014
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	1.424	1	1.87	ND	µg/L	R13014

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1	Lab Sample ID:	0706037-001
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:25:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	0.344	1	0.453	ND	µg/L	R13014
Butyl benzyl phthalate	SW8270C	6/10/2007	0.406	1	0.534	ND	µg/L	R13014
Chrysene	SW8270C	6/10/2007	0.642	1	0.845	ND	µg/L	R13014
Dibenz(a,h)anthracene	SW8270C	6/10/2007	1.358	1	1.79	ND	µg/L	R13014
Dibenzofuran	SW8270C	6/10/2007	0.746	1	0.982	ND	µg/L	R13014
Diethyl phthalate	SW8270C	6/10/2007	0.744	1	0.979	ND	µg/L	R13014
Dimethyl phthalate	SW8270C	6/10/2007	0.436	1	0.574	ND	µg/L	R13014
Di-n-butyl phthalate	SW8270C	6/10/2007	0.418	1	0.550	ND	µg/L	R13014
Di-n-octyl phthalate	SW8270C	6/10/2007	0.413	1	0.544	ND	µg/L	R13014
Diphenylamine	SW8270C	6/10/2007	0.618	1	0.813	ND	µg/L	R13014
Fluoranthene	SW8270C	6/10/2007	0.428	1	0.563	ND	µg/L	R13014
Fluorene	SW8270C	6/10/2007	0.603	1	0.794	ND	µg/L	R13014
Hexachlorobenzene	SW8270C	6/10/2007	0.645	1	0.849	ND	µg/L	R13014
Hexachlorobutadiene	SW8270C	6/10/2007	0.88	1	1.16	ND	µg/L	R13014
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.355	1	0.467	ND	µg/L	R13014
Hexachloroethane	SW8270C	6/10/2007	1.302	1	1.71	ND	µg/L	R13014
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.549	1	0.722	ND	µg/L	R13014
Isophorone	SW8270C	6/10/2007	1.032	1	1.36	ND	µg/L	R13014
Naphthalene	SW8270C	6/10/2007	1.044	1	1.37	ND	µg/L	R13014
Nitrobenzene	SW8270C	6/10/2007	1.085	1	1.43	ND	µg/L	R13014
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.749	1	0.986	ND	µg/L	R13014
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	1.448	1	1.91	ND	µg/L	R13014
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0	1	0	ND	µg/L	R13014
Pentachlorophenol	SW8270C	6/10/2007	0.249	1	0.328	ND	µg/L	R13014
Phenanthrene	SW8270C	6/10/2007	0.448	1	0.590	ND	µg/L	R13014
Phenol	SW8270C	6/10/2007	0.964	1	1.27	ND	µg/L	R13014
Pyrene	SW8270C	6/10/2007	0.458	1	0.603	ND	µg/L	R13014
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	24.6-118	63.5	%REC	R13014
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	21.4-74.5	75.4	%REC	R13014
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	8.65-67.4	62.2	%REC	R13014
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	4.67-99.3	63.8	%REC	R13014
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	16-114	35.3	%REC	R13014
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	23.9-130	108	%REC	R13014

Note: Reporting limits increased due to limited sample volume available (significant amount of sediment in sample bottle). Results reported to the MDL.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2	Lab Sample ID:	0706037-002
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:10:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	50	1.13	57	ND	µg/L	G12964
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1.13	58.4-133	62.5	%REC	G12964
Note: See comment for 8260 analysis.								
Cadmium	SW6010B-D	6/11/2007	0.0002	1	0.00020	ND	mg/L	3512
Chromium	SW6010B-D	6/11/2007	0.002	1	0.0020	0.002 tr	mg/L	3512
Copper	SW6010B-D	6/11/2007	0.003	1	0.0030	ND	mg/L	3512
Lead	SW6010B-D	6/11/2007	0.002	1	0.0020	ND	mg/L	3512
Nickel	SW6010B-D	6/11/2007	0.002	1	0.0020	0.007 tr	mg/L	3512
Silver	SW6010B-D	6/11/2007	0.002	1	0.0020	0.002 tr	mg/L	3512
Zinc	SW6010B-D	6/11/2007	0.002	1	0.0020	0.020	mg/L	3512
Note: Results reported to the MDL. Values between the MDL and RL should be considered as estimated and are flagged with the appropriate "tr" qualifier.								
TPH (Diesel)	SW8015B	6/10/2007	0.028	1	0.0424	ND	mg/L	R13018
TPH (Motor Oil)	SW8015B	6/10/2007	0.014	1	0.0212	ND	mg/L	R13018
Surr: Pentacosane	SW8015B	6/10/2007	0	1	40-120	91.0	%REC	R13018
Note: Reporting limit increased due to limited sample volume available. Results reported to the MDL.								
Aroclor 1016	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1221	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1232	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1242	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1248	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1254	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Aroclor 1260	SW8082	6/11/2007	1	1	1.00	ND	µg/L	R13015
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	44.5-127	110	%REC	R13015
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	52.7-126	88.0	%REC	R13015

Note: Results are reported to the MDL.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2	Lab Sample ID:	0706037-002
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:10:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Benzene	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Ethylbenzene	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Isopropyl ether (DIPE)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	10	1.13	11.3	ND	µg/L	R12964
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Toluene	SW8260B	6/8/2007	0.5	1.13	0.565	ND	µg/L	R12964
Xylenes, Total	SW8260B	6/8/2007	1.5	1.13	1.70	ND	µg/L	R12964
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1.13	61.2-131	102	%REC	R12964
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1.13	64.1-120	98.9	%REC	R12964
Surr: Toluene-d8	SW8260B	6/8/2007	0	1.13	75.1-127	92.7	%REC	R12964

Note: Sample diluted prior to the analysis due to high level of sediment in all VOAs.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2	Lab Sample ID:	0706037-002
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:10:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.946	1	2.31	ND	µg/L	R13014
1,2-Dichlorobenzene	SW8270C	6/10/2007	1.106	1	2.70	ND	µg/L	R13014
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.987	1	2.41	ND	µg/L	R13014
1,3-Dinitrobenzene	SW8270C	6/10/2007	0.231	1	0.563	ND	µg/L	R13014
1,4-Dichlorobenzene	SW8270C	6/10/2007	1.269	1	3.10	ND	µg/L	R13014
2,3,4,6-Tetrachlorophenol	SW8270C	6/10/2007	0.615	1	1.50	ND	µg/L	R13014
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.848	1	2.07	ND	µg/L	R13014
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.849	1	2.07	ND	µg/L	R13014
2,4-Dichlorophenol	SW8270C	6/10/2007	1.041	1	2.54	ND	µg/L	R13014
2,4-Dimethylphenol	SW8270C	6/10/2007	0.091	1	0.222	ND	µg/L	R13014
2,4-Dinitrophenol	SW8270C	6/10/2007	0.57	1	1.39	ND	µg/L	R13014
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.492	1	1.20	ND	µg/L	R13014
2,6-Dichlorophenol	SW8270C	6/10/2007	2.02	1	4.93	ND	µg/L	R13014
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.439	1	1.07	ND	µg/L	R13014
2-Chloronaphthalene	SW8270C	6/10/2007	1.03	1	2.51	ND	µg/L	R13014
2-Chlorophenol	SW8270C	6/10/2007	1.322	1	3.22	ND	µg/L	R13014
2-Methylnaphthalene	SW8270C	6/10/2007	0.926	1	2.26	ND	µg/L	R13014
2-Methylphenol	SW8270C	6/10/2007	1.421	1	3.47	ND	µg/L	R13014
2-Nitroaniline	SW8270C	6/10/2007	0.433	1	1.06	ND	µg/L	R13014
2-Nitrophenol	SW8270C	6/10/2007	0.909	1	2.22	ND	µg/L	R13014
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	0.302	1	0.737	ND	µg/L	R13014
3-Methylphenol	SW8270C	6/10/2007	1.4	1	3.41	ND	µg/L	R13014
3-Nitroaniline	SW8270C	6/10/2007	0.83	1	2.02	ND	µg/L	R13014
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.78	1	1.90	ND	µg/L	R13014
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.925	1	2.26	ND	µg/L	R13014
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.791	1	1.93	ND	µg/L	R13014
4-Chloroaniline	SW8270C	6/10/2007	0.737	1	1.80	ND	µg/L	R13014
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.632	1	1.54	ND	µg/L	R13014
4-Methylphenol	SW8270C	6/10/2007	1.326	1	3.23	ND	µg/L	R13014
4-Nitroaniline	SW8270C	6/10/2007	0.212	1	0.517	ND	µg/L	R13014
4-Nitrophenol	SW8270C	6/10/2007	1.434	1	3.50	ND	µg/L	R13014
Acenaphthene	SW8270C	6/10/2007	0.607	1	1.48	ND	µg/L	R13014
Acenaphthylene	SW8270C	6/10/2007	0.792	1	1.93	ND	µg/L	R13014
Aniline	SW8270C	6/10/2007	1.2	1	2.93	ND	µg/L	R13014
Anthracene	SW8270C	6/10/2007	0.503	1	1.23	ND	µg/L	R13014
Benz(a)anthracene	SW8270C	6/10/2007	0.439	1	1.07	ND	µg/L	R13014
Benzidine	SW8270C	6/10/2007	0.116	1	0.283	ND	µg/L	R13014
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.5	1	1.22	ND	µg/L	R13014
Benzoic acid	SW8270C	6/10/2007	6.968	1	17.0	ND	µg/L	R13014
Benzyl alcohol	SW8270C	6/10/2007	1.346	1	3.28	ND	µg/L	R13014
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	1.162	1	2.83	ND	µg/L	R13014
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	1.08	1	2.63	ND	µg/L	R13014
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	1.424	1	3.47	ND	µg/L	R13014

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2	Lab Sample ID:	0706037-002
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/10/2007
Sample Matrix:	GROUNDWATER		
Date/Time Sampled	6/6/2007 10:10:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	0.344	1	0.839	ND	µg/L	R13014
Butyl benzyl phthalate	SW8270C	6/10/2007	0.406	1	0.990	ND	µg/L	R13014
Chrysene	SW8270C	6/10/2007	0.642	1	1.57	ND	µg/L	R13014
Dibenz(a,h)anthracene	SW8270C	6/10/2007	1.358	1	3.31	ND	µg/L	R13014
Dibenzofuran	SW8270C	6/10/2007	0.746	1	1.82	ND	µg/L	R13014
Diethyl phthalate	SW8270C	6/10/2007	0.744	1	1.81	ND	µg/L	R13014
Dimethyl phthalate	SW8270C	6/10/2007	0.436	1	1.06	ND	µg/L	R13014
Di-n-butyl phthalate	SW8270C	6/10/2007	0.418	1	1.02	ND	µg/L	R13014
Di-n-octyl phthalate	SW8270C	6/10/2007	0.413	1	1.01	ND	µg/L	R13014
Diphenylamine	SW8270C	6/10/2007	0.618	1	1.51	ND	µg/L	R13014
Fluoranthene	SW8270C	6/10/2007	0.428	1	1.04	ND	µg/L	R13014
Fluorene	SW8270C	6/10/2007	0.603	1	1.47	ND	µg/L	R13014
Hexachlorobenzene	SW8270C	6/10/2007	0.645	1	1.57	ND	µg/L	R13014
Hexachlorobutadiene	SW8270C	6/10/2007	0.88	1	2.15	ND	µg/L	R13014
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.355	1	0.866	ND	µg/L	R13014
Hexachloroethane	SW8270C	6/10/2007	1.302	1	3.18	ND	µg/L	R13014
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.549	1	1.34	ND	µg/L	R13014
Isophorone	SW8270C	6/10/2007	1.032	1	2.52	ND	µg/L	R13014
Naphthalene	SW8270C	6/10/2007	1.044	1	2.55	ND	µg/L	R13014
Nitrobenzene	SW8270C	6/10/2007	1.085	1	2.65	ND	µg/L	R13014
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.749	1	1.83	ND	µg/L	R13014
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	1.448	1	3.53	ND	µg/L	R13014
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0	1	0	ND	µg/L	R13014
Pentachlorophenol	SW8270C	6/10/2007	0.249	1	0.607	ND	µg/L	R13014
Phenanthrene	SW8270C	6/10/2007	0.448	1	1.09	ND	µg/L	R13014
Phenol	SW8270C	6/10/2007	0.964	1	2.35	ND	µg/L	R13014
Pyrene	SW8270C	6/10/2007	0.458	1	1.12	ND	µg/L	R13014
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	24.6-118	61.6	%REC	R13014
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	21.4-74.5	77.3	%REC	R13014
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	8.65-67.4	56.4	%REC	R13014
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	4.67-99.3	65.6	%REC	R13014
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	16-114	27.9	%REC	R13014
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	23.9-130	80.3	%REC	R13014

Note: Reporting limits increased due to limited sample volume available (significant amount of sediment in sample bottle). Results reported to the MDL.

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1 @ 8 fbg	Lab Sample ID:	0706037-003
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 8:29:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	100	1	100	ND	µg/Kg	G12971
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1	57-127	76.0	%REC	G12971
Cadmium	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Chromium	SW6010B	6/9/2007	5	1	5.0	65	mg/Kg	3507
Copper	SW6010B	6/9/2007	5	1	5.0	28	mg/Kg	3507
Lead	SW6010B	6/9/2007	1	1	1.0	12	mg/Kg	3507
Nickel	SW6010B	6/9/2007	5	1	5.0	110	mg/Kg	3507
Silver	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Zinc	SW6010B	6/9/2007	5	1	5.0	64	mg/Kg	3507
TPH (Diesel)	SW8015B	6/12/2007	2	1	2.00	ND	mg/Kg	R13017
TPH (Motor Oil)	SW8015B	6/12/2007	4	1	4.00	ND	mg/Kg	R13017
Surr: Pentacosane	SW8015B	6/12/2007	0	1	28-125	83.0	%REC	R13017
Aroclor 1016	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1221	SW8082	6/11/2007	0.2	1	0.200	ND	mg/Kg	R13016
Aroclor 1232	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1242	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1248	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1254	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1260	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	63.7-126	124	%REC	R13016
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	51.7-128	92.6	%REC	R13016

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1 @ 8 fbg	Lab Sample ID:	0706037-003
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 8:29:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Benzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethylbenzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Isopropyl ether (DIPE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	10	1	10	ND	µg/Kg	R12971
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	50	1	50	ND	µg/Kg	R12971
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Toluene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Xylenes, Total	SW8260B	6/8/2007	15	1	15	ND	µg/Kg	R12971
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1	55.8-141	112	%REC	R12971
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1	59.8-148	110	%REC	R12971
Surr: Toluene-d8	SW8260B	6/8/2007	0	1	55.2-133	90.8	%REC	R12971

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1 @ 8 fbg	Lab Sample ID:	0706037-003
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 8:29:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,2-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,4-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dimethylphenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
2,4-Dinitrophenol	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chloronaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylnaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitrophenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
3-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
3-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitrophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Aniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benz(a)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzidine	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[a]pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[b]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[k]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzoic acid	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Benzyl alcohol	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-1 @ 8 fbg	Lab Sample ID:	0706037-003
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 8:29:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Butyl benzyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Chrysene	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
Dibenz(a,h)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Dibenzofuran	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Diethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Dimethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-butyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-octyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluorene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobutadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachloroethane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Isophorone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Naphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Nitrobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pentachlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenanthrone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	13.3-94.3	13.6	%REC	R13013
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	11.8-101	36.8	%REC	R13013
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	14.1-96	33.2	%REC	R13013
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	8.02-87.7	34.0	%REC	R13013
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	14.9-102	37.6	%REC	R13013
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	17.8-121	61.8	%REC	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2 @ 14 fbg	Lab Sample ID:	0706037-004
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 9:36:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	100	1	100	ND	µg/Kg	G12971
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1	57-127	80.0	%REC	G12971
Cadmium	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Chromium	SW6010B	6/9/2007	5	1	5.0	80	mg/Kg	3507
Copper	SW6010B	6/9/2007	5	1	5.0	32	mg/Kg	3507
Lead	SW6010B	6/9/2007	1	1	1.0	8.3	mg/Kg	3507
Nickel	SW6010B	6/9/2007	5	1	5.0	110	mg/Kg	3507
Silver	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Zinc	SW6010B	6/9/2007	5	1	5.0	51	mg/Kg	3507
TPH (Diesel)	SW8015B	6/12/2007	2	1	2.00	ND	mg/Kg	R13017
TPH (Motor Oil)	SW8015B	6/12/2007	4	1	4.00	ND	mg/Kg	R13017
Surr: Pentacosane	SW8015B	6/12/2007	0	1	28-125	84.3	%REC	R13017
Aroclor 1016	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1221	SW8082	6/11/2007	0.2	1	0.200	ND	mg/Kg	R13016
Aroclor 1232	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1242	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1248	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1254	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1260	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	63.7-126	115	%REC	R13016
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	51.7-128	83.4	%REC	R13016

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2 @ 14 fbg	Lab Sample ID:	0706037-004
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 9:36:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Benzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethylbenzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Isopropyl ether (DIPE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	10	1	10	ND	µg/Kg	R12971
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	50	1	50	ND	µg/Kg	R12971
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Toluene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Xylenes, Total	SW8260B	6/8/2007	15	1	15	ND	µg/Kg	R12971
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1	55.8-141	111	%REC	R12971
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1	59.8-148	95.1	%REC	R12971
Surr: Toluene-d8	SW8260B	6/8/2007	0	1	55.2-133	90.2	%REC	R12971

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2 @ 14 fbg	Lab Sample ID:	0706037-004
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 9:36:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,2-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,4-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dimethylphenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
2,4-Dinitrophenol	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chloronaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylnaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitrophenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
3-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
3-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitrophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Aniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benz(a)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzidine	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[a]pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[b]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[k]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzoic acid	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Benzyl alcohol	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-2 @ 14 fbg	Lab Sample ID:	0706037-004
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 9:36:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Butyl benzyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Chrysene	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
Dibenz(a,h)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Dibenzofuran	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Diethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Dimethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-butyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-octyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluorene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobutadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachloroethane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Isophorone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Naphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Nitrobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pentachlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenanthrone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	13.3-94.3	32.8	%REC	R13013
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	11.8-101	41.7	%REC	R13013
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	14.1-96	47.8	%REC	R13013
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	8.02-87.7	31.7	%REC	R13013
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	14.9-102	42.3	%REC	R13013
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	17.8-121	67.3	%REC	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-3 @ 12 fbg	Lab Sample ID:	0706037-005
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 11:28:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	100	1	100	ND	µg/Kg	G12971
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1	57-127	60.0	%REC	G12971
Cadmium	SW6010B	6/9/2007	1	1	1.0	2.7	mg/Kg	3507
Chromium	SW6010B	6/9/2007	5	1	5.0	62	mg/Kg	3507
Copper	SW6010B	6/9/2007	5	1	5.0	73	mg/Kg	3507
Lead	SW6010B	6/9/2007	1	1	1.0	45	mg/Kg	3507
Nickel	SW6010B	6/9/2007	5	1	5.0	81	mg/Kg	3507
Silver	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Zinc	SW6010B	6/9/2007	5	1	5.0	140	mg/Kg	3507
TPH (Diesel)	SW8015B	6/12/2007	2	1	2.00	ND	mg/Kg	R13017
TPH (Motor Oil)	SW8015B	6/12/2007	4	1	4.00	10.7	mg/Kg	R13017
Surr: Pentacosane	SW8015B	6/12/2007	0	1	28-125	79.2	%REC	R13017
Aroclor 1016	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1221	SW8082	6/11/2007	0.2	1	0.200	ND	mg/Kg	R13016
Aroclor 1232	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1242	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1248	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1254	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1260	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	63.7-126	120	%REC	R13016
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	51.7-128	81.8	%REC	R13016

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-3 @ 12 fbg	Lab Sample ID:	0706037-005
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 11:28:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Benzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethylbenzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Isopropyl ether (DIPE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	10	1	10	ND	µg/Kg	R12971
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	50	1	50	ND	µg/Kg	R12971
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Toluene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Xylenes, Total	SW8260B	6/8/2007	15	1	15	ND	µg/Kg	R12971
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1	55.8-141	135	%REC	R12971
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1	59.8-148	101	%REC	R12971
Surr: Toluene-d8	SW8260B	6/8/2007	0	1	55.2-133	98.1	%REC	R12971

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-3 @ 12 fbg	Lab Sample ID:	0706037-005
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 11:28:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,2-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,4-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dimethylphenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
2,4-Dinitrophenol	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chloronaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylnaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitrophenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
3-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
3-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitrophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Aniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benz(a)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzidine	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[a]pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[b]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[k]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzoic acid	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Benzyl alcohol	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-3 @ 12 fbg	Lab Sample ID:	0706037-005
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 11:28:00 AM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Butyl benzyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Chrysene	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
Dibenz(a,h)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Dibenzofuran	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Diethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Dimethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-butyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-octyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluorene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobutadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachloroethane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Isophorone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Naphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Nitrobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pentachlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenanthrone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	13.3-94.3	37.6	%REC	R13013
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	11.8-101	41.3	%REC	R13013
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	14.1-96	51.9	%REC	R13013
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	8.02-87.7	33.2	%REC	R13013
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	14.9-102	43.2	%REC	R13013
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	17.8-121	64.2	%REC	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-4 @ 14 fbg	Lab Sample ID:	0706037-006
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:32:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	100	1	100	ND	µg/Kg	G12971
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1	57-127	72.0	%REC	G12971
Cadmium	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Chromium	SW6010B	6/9/2007	5	1	5.0	95	mg/Kg	3507
Copper	SW6010B	6/9/2007	5	1	5.0	33	mg/Kg	3507
Lead	SW6010B	6/9/2007	1	1	1.0	6.9	mg/Kg	3507
Nickel	SW6010B	6/9/2007	5	1	5.0	180	mg/Kg	3507
Silver	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Zinc	SW6010B	6/9/2007	5	1	5.0	52	mg/Kg	3507
TPH (Diesel)	SW8015B	6/12/2007	2	1	2.00	ND	mg/Kg	R13017
TPH (Motor Oil)	SW8015B	6/12/2007	4	1	4.00	ND	mg/Kg	R13017
Surr: Pentacosane	SW8015B	6/12/2007	0	1	28-125	75.4	%REC	R13017
Aroclor 1016	SW8082	6/11/2007	0.1	1	0.100	0.272	mg/Kg	R13016
Aroclor 1221	SW8082	6/11/2007	0.2	1	0.200	ND	mg/Kg	R13016
Aroclor 1232	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1242	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1248	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1254	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1260	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	63.7-126	95.6	%REC	R13016
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	51.7-128	85.8	%REC	R13016

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-4 @ 14 fbg	Lab Sample ID:	0706037-006
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:32:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Benzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethylbenzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Isopropyl ether (DIPE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	10	1	10	ND	µg/Kg	R12971
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	50	1	50	ND	µg/Kg	R12971
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Toluene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Xylenes, Total	SW8260B	6/8/2007	15	1	15	ND	µg/Kg	R12971
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1	55.8-141	112	%REC	R12971
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1	59.8-148	98.1	%REC	R12971
Surr: Toluene-d8	SW8260B	6/8/2007	0	1	55.2-133	91.6	%REC	R12971

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-4 @ 14 fbg	Lab Sample ID:	0706037-006
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:32:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,2-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,4-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dimethylphenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
2,4-Dinitrophenol	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chloronaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylnaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitrophenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
3-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
3-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitrophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Aniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benz(a)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzidine	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[a]pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[b]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[k]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzoic acid	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Benzyl alcohol	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-4 @ 14 fbg	Lab Sample ID:	0706037-006
Sample Location:	3001-3007 E 12th St,Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:32:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Butyl benzyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Chrysene	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
Dibenz(a,h)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Dibenzofuran	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Diethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Dimethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-butyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-octyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluorene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobutadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachloroethane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Isophorone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Naphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Nitrobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pentachlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenanthrone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	13.3-94.3	38.4	%REC	R13013
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	11.8-101	44.2	%REC	R13013
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	14.1-96	61.3	%REC	R13013
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	8.02-87.7	37.0	%REC	R13013
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	14.9-102	50.1	%REC	R13013
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	17.8-121	68.0	%REC	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-5 @ 8 fbg	Lab Sample ID:	0706037-007
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:58:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
TPH (Gasoline)	GC-MS	6/8/2007	100	1	100	ND	µg/Kg	G12971
Surr: 4-Bromofluorobenzene	GC-MS	6/8/2007	0	1	57-127	72.0	%REC	G12971
Cadmium	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Chromium	SW6010B	6/9/2007	5	1	5.0	41	mg/Kg	3507
Copper	SW6010B	6/9/2007	5	1	5.0	28	mg/Kg	3507
Lead	SW6010B	6/9/2007	1	1	1.0	12	mg/Kg	3507
Nickel	SW6010B	6/9/2007	5	1	5.0	92	mg/Kg	3507
Silver	SW6010B	6/9/2007	1	1	1.0	ND	mg/Kg	3507
Zinc	SW6010B	6/9/2007	5	1	5.0	55	mg/Kg	3507
TPH (Diesel)	SW8015B	6/12/2007	2	1	2.00	ND	mg/Kg	R13017
TPH (Motor Oil)	SW8015B	6/12/2007	4	1	4.00	ND	mg/Kg	R13017
Surr: Pentacosane	SW8015B	6/12/2007	0	1	28-125	81.7	%REC	R13017
Aroclor 1016	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1221	SW8082	6/11/2007	0.2	1	0.200	ND	mg/Kg	R13016
Aroclor 1232	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1242	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1248	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1254	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Aroclor 1260	SW8082	6/11/2007	0.1	1	0.100	ND	mg/Kg	R13016
Surr: Decachlorobiphenyl	SW8082	6/11/2007	0	1	63.7-126	121	%REC	R13016
Surr: Tetrachloro-m-xylene	SW8082	6/11/2007	0	1	51.7-128	83.4	%REC	R13016

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-5 @ 8 fbg	Lab Sample ID:	0706037-007
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:58:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2-Dibromoethane (EDB)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
1,2-Dichloroethane (EDC)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Benzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethyl tert-butyl ether (ETBE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Ethylbenzene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Isopropyl ether (DIPE)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Methyl tert-butyl ether (MTBE)	SW8260B	6/8/2007	10	1	10	ND	µg/Kg	R12971
t-Butyl alcohol (t-Butanol)	SW8260B	6/8/2007	50	1	50	ND	µg/Kg	R12971
tert-Amyl methyl ether (TAME)	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Toluene	SW8260B	6/8/2007	5	1	5.0	ND	µg/Kg	R12971
Xylenes, Total	SW8260B	6/8/2007	15	1	15	ND	µg/Kg	R12971
Surr: 4-Bromofluorobenzene	SW8260B	6/8/2007	0	1	55.8-141	111	%REC	R12971
Surr: Dibromofluoromethane	SW8260B	6/8/2007	0	1	59.8-148	101	%REC	R12971
Surr: Toluene-d8	SW8260B	6/8/2007	0	1	55.2-133	90.2	%REC	R12971

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-5 @ 8 fbg	Lab Sample ID:	0706037-007
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:58:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
1,2,4-Trichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,2-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,3-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
1,4-Dichlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,5-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4,6-Trichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dichlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,4-Dimethylphenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
2,4-Dinitrophenol	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
2,4-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2,6-Dinitrotoluene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chloronaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Chlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylnaphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
2-Nitrophenol	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
3,3'-Dichlorobenzidine	SW8270C	6/10/2007	1.7	1	1.70	ND	mg/Kg	R13013
3-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
3-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4,6-Dinitro-2-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Bromophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloro-3-methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chloroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Chlorophenyl phenyl ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Methylphenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitroaniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
4-Nitrophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Acenaphthylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Aniline	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benz(a)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzidine	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Benzo(g,h,i)perylene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[a]pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[b]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzo[k]fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Benzoic acid	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Benzyl alcohol	SW8270C	6/10/2007	6.66	1	6.66	ND	mg/Kg	R13013
Bis(2-chloroethoxy)methane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroethyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Bis(2-chloroisopropyl)ether	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013

Report prepared for: NATE SMITH
TEC Accutite

Date Received: 6/6/2007
Date Reported: 6/13/2007

Client Sample ID:	B-5 @ 8 fbg	Lab Sample ID:	0706037-007
Sample Location:	3001-3007 E 12th St, Oakland	Date Prepared:	6/8/2007
Sample Matrix:	SOIL		
Date/Time Sampled	6/6/2007 12:58:00 PM		

Parameters	Analysis Method	Date Analyzed	RL	Dilution Factor	MRL	Result	Units	Analytical Batch
Bis(2-ethylhexyl)phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Butyl benzyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Chrysene	SW8270C	6/10/2007	0.66	1	0.660	ND	mg/Kg	R13013
Dibenz(a,h)anthracene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Dibenzofuran	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Diethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Dimethyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-butyl phthalate	SW8270C	6/10/2007	3.3	1	3.30	ND	mg/Kg	R13013
Di-n-octyl phthalate	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluoranthene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Fluorene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorobutadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachlorocyclopentadiene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Hexachloroethane	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Indeno(1,2,3-cd)pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Isophorone	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Naphthalene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Nitrobenzene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodimethylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodi-n-propylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
N-Nitrosodiphenylamine	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pentachlorophenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenanthrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Phenol	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Pyrene	SW8270C	6/10/2007	0.33	1	0.330	ND	mg/Kg	R13013
Surr: 2,4,6-Tribromophenol	SW8270C	6/10/2007	0	1	13.3-94.3	38.5	%REC	R13013
Surr: 2-Fluorobiphenyl	SW8270C	6/10/2007	0	1	11.8-101	39.9	%REC	R13013
Surr: 2-Fluorophenol	SW8270C	6/10/2007	0	1	14.1-96	44.3	%REC	R13013
Surr: Nitrobenzene-d5	SW8270C	6/10/2007	0	1	8.02-87.7	30.8	%REC	R13013
Surr: Phenol-d6	SW8270C	6/10/2007	0	1	14.9-102	38.1	%REC	R13013
Surr: p-Terphenyl-d14	SW8270C	6/10/2007	0	1	17.8-121	65.9	%REC	R13013

Definitions, legends and Notes

Note	Description
ug/kg	Microgram per kilogram (ppb, part per billion).
ug/L	Microgram per liter (ppb, part per billion).
mg/kg	Milligram per kilogram (ppm, part per million).
mg/L	Milligram per liter (ppm, part per million).
LCS/LCSD	Laboratory control sample/laboratory control sample duplicate.
MDL	Method detection limit.
MRL	Modified reporting limit. When sample is subject to dilution, reporting limit times dilution factor yields MRL.
MS/MSD	Matrix spike/matrix spike duplicate.
N/A	Not applicable.
ND	Not detected at or above detection limit.
NR	Not reported.
QC	Quality Control.
RL	Reporting limit.
% RPD	Percent relative difference.
a	pH was measured immediately upon the receipt of the sample, but it was still done outside the holding time.
sub	Analyzed by subcontracting laboratory, Lab Certificate #

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT**BatchID: 3507**

Sample ID: MB-3507	SampType: MBLK	TestCode: 6010B_S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 12981
Client ID: ZZZZZ	Batch ID: 3507	TestNo: SW6010B	(SW3050B)	Analysis Date: 6/9/2007	SeqNo: 189649
Analyte					
Arsenic	ND	1.7			
Cadmium	ND	1.0			
Chromium	ND	5.0			
Copper	ND	5.0			
Lead	ND	1.0			
Nickel	ND	5.0			
Silver	ND	1.0			
Zinc	ND	5.0			

Sample ID: LCS-3507	SampType: LCS	TestCode: 6010B_S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 12981
Client ID: ZZZZZ	Batch ID: 3507	TestNo: SW6010B	(SW3050B)	Analysis Date: 6/9/2007	SeqNo: 189647
Analyte					
Arsenic	52.50	1.7	50	0	105
Cadmium	51.50	1.0	50	0	103
Chromium	51.90	5.0	50	0	104
Copper	57.70	5.0	50	0	115
Lead	52.70	1.0	50	0	105
Nickel	52.60	5.0	50	0	105
Silver	54.05	1.0	50	0	108
Zinc	54.45	5.0	50	0	109
					73.9 135
					82.4 125
					68.1 122
					82.1 118
					67.9 118
					69.2 126
					65.4 118
					72.6 123

Sample ID: LCSD-3507	SampType: LCSD	TestCode: 6010B_S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 12981
Client ID: ZZZZZ	Batch ID: 3507	TestNo: SW6010B	(SW3050B)	Analysis Date: 6/9/2007	SeqNo: 189648
Analyte					
Arsenic	52.80	1.7	50	0	106
Cadmium	51.65	1.0	50	0	103
Chromium	52.15	5.0	50	0	104
					73.9 135
					82.4 125
					68.1 122
					52.5 51.9
					0.570 0.481
					30 30

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

4 The MS/MSD RPD was out of control due to matrix interference

S Spike Recovery outside accepted recovery limits

Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: 3507

Sample ID: LCSD-3507	SampType: LCSD	TestCode: 6010B_S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 12981						
Client ID: ZZZZZ	Batch ID: 3507	TestNo: SW6010B	(SW3050B)	Analysis Date: 6/9/2007	SeqNo: 189648						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: 3512

Sample ID: MB-3512	SampType: MBLK	TestCode: 6010B_DISS	Units: mg/L	Prep Date: 6/11/2007	RunNo: 12999
Client ID: ZZZZZ	Batch ID: 3512	TestNo: SW6010B-D (E200.7D/SW)		Analysis Date: 6/11/2007	SeqNo: 189973
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Cadmium	ND	0.00020			
Chromium	ND	0.0020			
Copper	ND	0.0030			
Lead	ND	0.0020			
Nickel	ND	0.0020			
Silver	ND	0.0020			
Zinc	ND	0.0020			
<hr/>					
Sample ID: LCS-3512	SampType: LCS	TestCode: 6010B_DISS	Units: mg/L	Prep Date: 6/11/2007	RunNo: 12999
Client ID: ZZZZZ	Batch ID: 3512	TestNo: SW6010B-D (E200.7D/SW)		Analysis Date: 6/11/2007	SeqNo: 189971
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Cadmium	0.9641	0.0050	1	0	96.4
Chromium	0.9684	0.0050	1	0	96.8
Copper	0.9780	0.0050	1	0	97.8
Lead	0.9512	0.015	1	0	95.1
Nickel	0.9705	0.010	1	0	97.0
Silver	0.9630	0.0050	1	0	96.3
Zinc	0.9737	0.0050	1	0	97.4
<hr/>					
Sample ID: LCSD-3512	SampType: LCSD	TestCode: 6010B_DISS	Units: mg/L	Prep Date: 6/11/2007	RunNo: 12999
Client ID: ZZZZZ	Batch ID: 3512	TestNo: SW6010B-D (E200.7D/SW)		Analysis Date: 6/11/2007	SeqNo: 189972
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Cadmium	0.9448	0.0050	1	0	94.5
Chromium	0.9598	0.0050	1	0	96.0
Copper	0.9651	0.0050	1	0	96.5
Lead	0.9502	0.015	1	0	95.0
Nickel	0.9587	0.010	1	0	95.9
Silver	0.9523	0.0050	1	0	95.2
Zinc	0.9576	0.0050	1	0	95.8

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: 3512

Sample ID: 0706037-001AMS	SampType: MS	TestCode: 6010B_DISS	Units: mg/L	Prep Date: 6/11/2007	RunNo: 12999
Client ID: B-1	Batch ID: 3512	TestNo: SW6010B-D (E200.7D/SW)		Analysis Date: 6/11/2007	SeqNo: 189968
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Cadmium	1.886	0.0050	2	0	94.3
Chromium	1.899	0.0050	2	0	95.0
Copper	1.928	0.0050	2	0	96.4
Lead	1.834	0.015	2	0	91.7
Nickel	1.876	0.010	2	0.0107	93.3
Silver	1.922	0.0050	2	0.00321	95.9
Zinc	1.902	0.0050	2	0.00856	94.7
<hr/>					
Sample ID: 0706037-001AMSD	SampType: MSD	TestCode: 6010B_DISS	Units: mg/L	Prep Date: 6/11/2007	RunNo: 12999
Client ID: B-1	Batch ID: 3512	TestNo: SW6010B-D (E200.7D/SW)		Analysis Date: 6/11/2007	SeqNo: 189969
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Cadmium	1.844	0.0050	2	0	92.2
Chromium	1.863	0.0050	2	0	93.1
Copper	1.906	0.0050	2	0	95.3
Lead	1.786	0.015	2	0	89.3
Nickel	1.832	0.010	2	0.0107	91.1
Silver	1.891	0.0050	2	0.00321	94.4
Zinc	1.828	0.0050	2	0.00856	91.0

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: G12964

Sample ID: MB3-G	SampType: MBLK	TestCode: TPH_GAS_W	Units: µg/L	Prep Date:	6/8/2007	RunNo:	12964				
Client ID: ZZZZZ	Batch ID: G12964	TestNo: GC-MS		Analysis Date:	6/8/2007	SeqNo:	189344				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Gasoline)	ND	50									
Surr: 4-Bromofluorobenzene	9.300	0	11.36	0	81.9	58.4	133				
Sample ID: LCS3-G	SampType: LCS	TestCode: TPH_GAS_W	Units: µg/L	Prep Date:	6/7/2007	RunNo:	12964				
Client ID: ZZZZZ	Batch ID: G12964	TestNo: GC-MS		Analysis Date:	6/7/2007	SeqNo:	189345				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Gasoline)	222.7	50	227	0	98.1	52.4	127				
Surr: 4-Bromofluorobenzene	8.300	0	11.36	0	73.1	58.4	133				
Sample ID: LCSD3-G	SampType: LCSD	TestCode: TPH_GAS_W	Units: µg/L	Prep Date:	6/8/2007	RunNo:	12964				
Client ID: ZZZZZ	Batch ID: G12964	TestNo: GC-MS		Analysis Date:	6/8/2007	SeqNo:	189346				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Gasoline)	185.6	50	227	0	81.8	52.4	127	222.7	18.2	20	
Surr: 4-Bromofluorobenzene	7.600	0	11.36	0	66.9	58.4	133	0	0	0	

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: G12971

Sample ID: MB-G3	SampType: MBLK	TestCode: TPPH_S_GC	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: G12971	TestNo: SW8260B(TP)		Analysis Date: 6/7/2007	SeqNo: 189397						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Aviation Gas)	ND	100									
TPH (Gasoline)	ND	100									
TPH (Mineral Spirits)	ND	100									
Surr: 4-Bromofluorobenzene	37.00	0	50	0	74.0	57	127				
Sample ID: LCS-G3	SampType: LCS	TestCode: TPPH_S_GC	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: G12971	TestNo: SW8260B(TP)		Analysis Date: 6/7/2007	SeqNo: 189398						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Gasoline)	869.0	100	1000	0	86.9	48.2	132				
Surr: 4-Bromofluorobenzene	46.00	0	50	0	92.0	57	127				
Sample ID: LCSD-G3	SampType: LCSD	TestCode: TPPH_S_GC	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: G12971	TestNo: SW8260B(TP)		Analysis Date: 6/7/2007	SeqNo: 189399						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Gasoline)	804.0	100	1000	0	80.4	48.2	132	869	7.77	35	
Surr: 4-Bromofluorobenzene	45.00	0	50	0	90.0	57	127	0	0	0	

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12964

Sample ID: MB2	SampType: MBLK	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189326						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	1.00									
1,1,1-Trichloroethane	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	1.00									
1,1,2-Trichloroethane	ND	0.500									
1,1-Dichloroethane	ND	0.500									
1,1-Dichloroethene	ND	1.00									
1,1-Dichloropropene	ND	0.500									
1,2,3-Trichlorobenzene	ND	0.500									
1,2,3-Trichloropropane	ND	1.00									
1,2,4-Trichlorobenzene	ND	0.500									
1,2,4-Trimethylbenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.500									
1,2-Dichloropropane	ND	0.500									
1,3,5-Trimethylbenzene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
1,4-Dioxane	ND	5.00									
2,2-Dichloropropane	ND	0.500									
2-Chloroethyl vinyl ether	ND	1.00									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
Acetone	ND	20.0									
Benzene	ND	0.500									
Bromobenzene	ND	0.500									
Bromochloromethane	ND	0.500									
Bromodichloromethane	ND	0.500									
Bromoform	ND	1.00									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12964

Sample ID: MB2	SampType: MBLK	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189326						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromomethane	ND	1.00									
Carbon tetrachloride	ND	0.500									
Chlorobenzene	ND	0.500									
Chloroform	ND	1.00									
Chloromethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Dibromochloromethane	ND	0.500									
Dibromomethane	ND	0.500									
Dichlorodifluoromethane	ND	0.500									
Ethyl tert-butyl ether (ETBE)	ND	0.500									
Ethylbenzene	ND	0.500									
Freon-113	ND	1.00									
Hexachlorobutadiene	ND	0.500									
Isopropyl ether (DIPE)	ND	0.500									
Isopropylbenzene	ND	1.00									
Methyl tert-butyl ether (MTBE)	ND	0.500									
Methylene chloride	ND	5.00									
Naphthalene	ND	0.500									
n-Butylbenzene	ND	0.500									
n-Propylbenzene	ND	0.500									
sec-Butylbenzene	ND	0.500									
Styrene	ND	0.500									
t-Butyl alcohol (t-Butanol)	ND	5.00									
tert-Amyl methyl ether (TAME)	ND	0.500									
tert-Butylbenzene	ND	0.500									
Tetrachloroethene	ND	0.500									
Toluene	ND	0.500									
trans-1,2-Dichloroethene	ND	0.500									
trans-1,3-Dichloropropene	ND	0.500									
Trichloroethene	ND	0.500									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12964

Sample ID: MB2	SampType: MBLK	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189326						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Trichlorofluoromethane	ND	0.500									
Vinyl chloride	ND	0.500									
Xylenes, Total	ND	1.50									
Surr: Dibromofluoromethane	10.69	0	11.36	0	94.1	61.2	131				
Surr: 4-Bromofluorobenzene	11.25	0	11.36	0	99.0	64.1	120				
Surr: Toluene-d8	10.64	0	11.36	0	93.7	75.1	127				

Sample ID: LCS2	SampType: LCS	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189327						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	18.34	1.00	17.04	0	108	61.4	129				
Benzene	15.38	0.500	17.04	0	90.3	66.9	140				
Chlorobenzene	16.51	0.500	17.04	0	96.9	73.9	137				
Toluene	15.68	0.500	17.04	0	92.0	76.6	123				
Trichloroethene	15.57	0.500	17.04	0	91.4	69.3	144				
Surr: Dibromofluoromethane	11.14	0	11.36	0	98.1	61.2	131				
Surr: 4-Bromofluorobenzene	11.61	0	11.36	0	102	64.1	120				
Surr: Toluene-d8	11.86	0	11.36	0	104	75.1	127				

Sample ID: LCSD2	SampType: LCSD	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189328						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	15.24	1.00	17.04	0	89.4	61.4	129	18.34	18.5	20
Benzene	13.73	0.500	17.04	0	80.6	66.9	140	15.38	11.3	20
Chlorobenzene	13.96	0.500	17.04	0	81.9	73.9	137	16.51	16.7	20
Toluene	13.19	0.500	17.04	0	77.4	76.6	123	15.68	17.2	20
Trichloroethene	13.26	0.500	17.04	0	77.8	69.3	144	15.57	16.0	20
Surr: Dibromofluoromethane	10.75	0	11.36	0	94.6	61.2	131	0	0	0
Surr: 4-Bromofluorobenzene	10.95	0	11.36	0	96.4	64.1	120	0	0	0

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12964

Sample ID: LCSD2	SampType: LCSD	TestCode: 8260B_W	Units: µg/L	Prep Date: 6/7/2007	RunNo: 12964						
Client ID: ZZZZZ	Batch ID: R12964	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189328						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interference
 R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12971

Sample ID: mb-3	SampType: MBLK	TestCode: 8260B_S	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: R12971	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189380						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	10									
1,1,1-Trichloroethane	ND	10									
1,1,2,2-Tetrachloroethane	ND	10									
1,1,2-Trichloroethane	ND	10									
1,1-Dichloroethane	ND	10									
1,1-Dichloroethene	ND	10									
1,1-Dichloropropene	ND	10									
1,2,3-Trichlorobenzene	ND	10									
1,2,3-Trichloropropane	ND	10									
1,2,4-Trichlorobenzene	ND	10									
1,2,4-Trimethylbenzene	ND	10									
1,2-Dibromo-3-chloropropane	ND	10									
1,2-Dibromoethane (EDB)	ND	10									
1,2-Dichlorobenzene	ND	10									
1,2-Dichloroethane (EDC)	ND	10									
1,2-Dichloropropane	ND	10									
1,3,5-Trimethylbenzene	ND	10									
1,3-Dichlorobenzene	ND	10									
1,3-Dichloropropene	ND	10									
1,4-Dichlorobenzene	ND	10									
2,2-Dichloropropane	ND	10									
2-Chloroethyl vinyl ether	ND	10									
2-Chlorotoluene	ND	10									
4-Chlorotoluene	ND	10									
4-Isopropyltoluene	ND	10									
Benzene	ND	10									
Bromobenzene	ND	10									
Bromochloromethane	ND	10									
Bromodichloromethane	ND	10									
Bromoform	ND	10									
Bromomethane	ND	10									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12971

Sample ID: mb-3	SampType: MBLK	TestCode: 8260B_S	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: R12971	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189380						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	ND	10									
Chlorobenzene	ND	10									
Chloroform	ND	10									
Chloromethane	ND	10									
cis-1,2-Dichloroethene	ND	10									
cis-1,3-Dichloropropene	ND	10									
Dibromochloromethane	ND	10									
Dibromomethane	ND	10									
Dichlorodifluoromethane	ND	10									
Ethyl tert-butyl ether (ETBE)	ND	10									
Ethylbenzene	ND	10									
Freon-113	ND	10									
Hexachlorobutadiene	ND	10									
Isopropyl ether (DIPE)	ND	10									
Isopropylbenzene	ND	10									
Methyl tert-butyl ether (MTBE)	ND	10									
Methylene chloride	ND	50									
Naphthalene	ND	20									
n-Butylbenzene	ND	10									
n-Propylbenzene	ND	10									
sec-Butylbenzene	ND	10									
Styrene	ND	10									
t-Butyl alcohol (t-Butanol)	ND	50									
tert-Amyl methyl ether (TAME)	ND	10									
tert-Butylbenzene	ND	10									
Tetrachloroethene	ND	10									
Toluene	ND	10									
trans-1,2-Dichloroethene	ND	10									
trans-1,3-Dichloropropene	ND	10									
Trichloroethene	ND	10									
Trichlorofluoromethane	ND	10									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R12971

Sample ID: mb-3	SampType: MBLK	TestCode: 8260B_S	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: R12971	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189380						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	ND	10									
Xylenes, Total	ND	20									
Surr: 4-Bromofluorobenzene	55.55	0	50	0	111	55.8	141				
Surr: Dibromofluoromethane	51.36	0	50	0	103	59.8	148				
Surr: Toluene-d8	36.36	0	50	0	72.7	55.2	133				
Sample ID: lcs-3	SampType: LCS	TestCode: 8260B_S	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: R12971	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189381						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	46.20	10	50	0	92.4	53.7	139				
Benzene	41.31	10	50	0	82.6	66.5	135				
Chlorobenzene	47.15	10	50	0	94.3	57.5	150				
Toluene	45.79	10	50	0	91.6	56.8	134				
Trichloroethene	47.01	10	50	0	94.0	57.4	134				
Surr: 4-Bromofluorobenzene	54.56	0	50	0	109	55.8	141				
Surr: Dibromofluoromethane	49.39	0	50	0	98.8	59.8	148				
Surr: Toluene-d8	34.23	0	50	0	68.5	55.2	133				
Sample ID: lcisd-3	SampType: LCSD	TestCode: 8260B_S	Units: µg/Kg	Prep Date: 6/7/2007	RunNo: 12971						
Client ID: ZZZZZ	Batch ID: R12971	TestNo: SW8260B		Analysis Date: 6/7/2007	SeqNo: 189382						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	51.55	10	50	0	103	53.7	139	46.2	10.9	30	
Benzene	45.36	10	50	0	90.7	66.5	135	41.31	9.35	30	
Chlorobenzene	52.35	10	50	0	105	57.5	150	47.15	10.5	30	
Toluene	50.16	10	50	0	100	56.8	134	45.79	9.11	30	
Trichloroethene	54.42	10	50	0	109	57.4	134	47.01	14.6	30	
Surr: 4-Bromofluorobenzene	54.82	0	50	0	110	55.8	141	0	0	0	
Surr: Dibromofluoromethane	54.03	0	50	0	108	59.8	148	0	0	0	
Surr: Toluene-d8	34.92	0	50	0	69.8	55.2	133	0	0	0	

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13013

Sample ID: MB-R13013	SampType: MBLK	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190161						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.330									
1,2-Dichlorobenzene	ND	0.330									
1,3-Dichlorobenzene	ND	0.330									
1,4-Dichlorobenzene	ND	0.330									
2,4,5-Trichlorophenol	ND	0.330									
2,4,6-Trichlorophenol	ND	0.330									
2,4-Dichlorophenol	ND	0.330									
2,4-Dimethylphenol	ND	0.660									
2,4-Dinitrophenol	ND	1.70									
2,4-Dinitrotoluene	ND	0.330									
2,6-Dinitrotoluene	ND	0.330									
2-Chloronaphthalene	ND	0.330									
2-Chlorophenol	ND	0.330									
2-Methylnaphthalene	ND	0.330									
2-Methylphenol	ND	0.330									
2-Nitroaniline	ND	0.330									
2-Nitrophenol	ND	0.660									
3,3'-Dichlorobenzidine	ND	1.70									
3-Methylphenol	ND	0.330									
3-Nitroaniline	ND	0.330									
4,6-Dinitro-2-methylphenol	ND	0.330									
4-Bromophenyl phenyl ether	ND	0.330									
4-Chloro-3-methylphenol	ND	0.330									
4-Chloroaniline	ND	0.330									
4-Chlorophenyl phenyl ether	ND	0.330									
4-Methylphenol	ND	0.330									
4-Nitroaniline	ND	0.330									
4-Nitrophenol	ND	0.330									
Acenaphthene	ND	0.330									
Acenaphthylene	ND	0.330									
Aniline	ND	0.330									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13013

Sample ID: MB-R13013	SampType: MBLK	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190161						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Anthracene	ND	0.330									
Benz(a)anthracene	ND	0.330									
Benzidine	ND	3.30									
Benzo(g,h,i)perylene	ND	0.330									
Benzo[a]pyrene	ND	0.330									
Benzo[b]fluoranthene	ND	0.330									
Benzo[k]fluoranthene	ND	0.330									
Benzoic acid	ND	6.66									
Benzyl alcohol	ND	6.66									
Bis(2-chloroethoxy)methane	ND	0.330									
Bis(2-chloroethyl)ether	ND	0.330									
Bis(2-chloroisopropyl)ether	ND	0.330									
Bis(2-ethylhexyl)phthalate	ND	3.30									
Butyl benzyl phthalate	ND	0.330									
Chrysene	ND	0.660									
Dibenz(a,h)anthracene	ND	0.330									
Dibenzofuran	ND	0.330									
Diethyl phthalate	ND	3.30									
Dimethyl phthalate	ND	3.30									
Di-n-butyl phthalate	ND	3.30									
Di-n-octyl phthalate	ND	0.330									
Fluoranthene	ND	0.330									
Fluorene	ND	0.330									
Hexachlorobenzene	ND	0.330									
Hexachlorobutadiene	ND	0.330									
Hexachlorocyclopentadiene	ND	0.330									
Hexachloroethane	ND	0.330									
Indeno(1,2,3-cd)pyrene	ND	0.330									
Isophorone	ND	0.330									
Naphthalene	ND	0.330									
Nitrobenzene	ND	0.330									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits 4 The MS/MSD RPD was out of control due to matrix interference
S Spike Recovery outside accepted recovery limits Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13013

Sample ID: MB-R13013	SampType: MBLK	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190161						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
N-Nitrosodimethylamine	ND	0.330									
N-Nitrosodi-n-propylamine	ND	0.330									
N-Nitrosodiphenylamine	ND	0.330									
Pentachlorophenol	ND	0.330									
Phenanthrene	ND	0.330									
Phenol	ND	0.330									
Pyrene	ND	0.330									
Surr: 2,4,6-Tribromophenol	1.016	0	2.5	0	40.6	13.3	94.3				
Surr: 2-Fluorobiphenyl	1.137	0	2.5	0	45.5	11.8	101				
Surr: 2-Fluorophenol	1.412	0	2.5	0	56.5	14.1	96				
Surr: Nitrobenzene-d5	0.8769	0	2.5	0	35.1	8.02	87.7				
Surr: Phenol-d6	1.220	0	2.5	0	48.8	14.9	102				
Surr: p-Terphenyl-d14	1.823	0	2.5	0	72.9	17.8	121				

Sample ID: LCS	SampType: LCS	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190169						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	0.3834	0.330	1.25	0	30.7	27.9	93.7				
1,4-Dichlorobenzene	0.4224	0.330	1.25	0	33.8	29.6	83				
2,4-Dinitrotoluene	0.4086	0.330	1.25	0	32.7	32.1	90.3				
2-Chlorophenol	0.8929	0.330	2.5	0	35.7	27	86.1				
4-Chloro-3-methylphenol	1.008	0.330	2.5	0	40.3	33.7	97.6				
4-Nitrophenol	0.8254	0.330	2.5	0	33.0	10.4	75.8				
Acenaphthene	0.5185	0.330	1.25	0	41.5	30.6	95.7				
N-Nitrosodimethylamine	0.4099	0.330	1.25	0	32.8	30.6	89.9				
Pentachlorophenol	0.8552	0.330	2.5	0	34.2	9.09	115				
Phenol	0.9530	0.330	2.5	0	38.1	23.8	85.1				
Pyrene	0.8071	0.330	1.25	0	64.6	16.8	122				
Surr: 2,4,6-Tribromophenol	0.9265	0	2.5	0	37.1	13.3	94.3				
Surr: 2-Fluorobiphenyl	1.026	0	2.5	0	41.0	11.8	101				

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13013

Sample ID: LCS	SampType: LCS	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190169						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 2-Fluorophenol	0.9426	0	2.5	0	37.7	14.1	96				
Surr: Nitrobenzene-d5	0.7683	0	2.5	0	30.7	8.02	87.7				
Surr: Phenol-d6	0.9319	0	2.5	0	37.3	14.9	102				
Surr: p-Terphenyl-d14	1.955	0	2.5	0	78.2	17.8	121				

Sample ID: LCSD	SampType: LCSD	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: ZZZZZ	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190170						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trichlorobenzene	0.3834	0.330	1.25	0	30.7	27.9	93.7	0.3834	0	35	
1,4-Dichlorobenzene	0.4197	0.330	1.25	0	33.6	29.6	83	0.4224	0.641	32	
2,4-Dinitrotoluene	0.4074	0.330	1.25	0	32.6	32.1	90.3	0.4086	0.294	30	
2-Chlorophenol	0.9436	0.330	2.5	0	37.7	27	86.1	0.8929	5.52	35	
4-Chloro-3-methylphenol	0.9900	0.330	2.5	0	39.6	33.7	97.6	1.008	1.82	37	
4-Nitrophenol	0.7927	0.330	2.5	0	31.7	10.4	75.8	0.8254	4.04	47	
Acenaphthene	0.5036	0.330	1.25	0	40.3	30.6	95.7	0.5185	2.92	30	
N-Nitrosodimethylamine	0.4132	0.330	1.25	0	33.1	30.6	89.9	0.4099	0.802	55	
Pentachlorophenol	0.7746	0.330	2.5	0	31.0	9.09	115	0.8552	9.89	49	
Phenol	0.9595	0.330	2.5	0	38.4	23.8	85.1	0.953	0.680	35	
Pyrene	0.7404	0.330	1.25	0	59.2	16.8	122	0.8071	8.62	30	
Surr: 2,4,6-Tribromophenol	0.9604	0	2.5	0	38.4	13.3	94.3	0	0	0	
Surr: 2-Fluorobiphenyl	1.052	0	2.5	0	42.1	11.8	101	0	0	0	
Surr: 2-Fluorophenol	0.9704	0	2.5	0	38.8	14.1	96	0	0	0	
Surr: Nitrobenzene-d5	0.7813	0	2.5	0	31.3	8.02	87.7	0	0	0	
Surr: Phenol-d6	0.9768	0	2.5	0	39.1	14.9	102	0	0	0	
Surr: p-Terphenyl-d14	1.805	0	2.5	0	72.2	17.8	121	0	0	0	

Sample ID: 0706037-004AMS	SampType: MS	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013						
Client ID: B-2 @ 14 fbg	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190164						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13013

Sample ID: 0706037-004AMS	SampType: MS	TestCode: 8270S	Units: mg/Kg	Prep Date: 6/8/2007	RunNo: 13013
Client ID: B-2 @ 14 fbg	Batch ID: R13013	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190164
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
1,2,4-Trichlorobenzene	0.4080	0.330	1.25	0	32.6
1,4-Dichlorobenzene	0.4443	0.330	1.25	0	35.5
2,4-Dinitrotoluene	0.4115	0.330	1.25	0	32.9
2-Chlorophenol	0.9053	0.330	2.5	0	36.2
4-Chloro-3-methylphenol	0.8700	0.330	2.5	0	34.8
4-Nitrophenol	0.7966	0.330	2.5	0	31.9
Acenaphthene	0.4715	0.330	1.25	0	37.7
N-Nitrosodimethylamine	0.5370	0.330	1.25	0	43.0
Pentachlorophenol	0.7603	0.330	2.5	0	30.4
Phenol	0.8524	0.330	2.5	0	34.1
Pyrene	0.7549	0.330	1.25	0	60.4
Surr: 2,4,6-Tribromophenol	0.8745	0	2.5	0	35.0
Surr: 2-Fluorobiphenyl	0.9453	0	2.5	0	37.8
Surr: 2-Fluorophenol	0.9708	0	2.5	0	38.8
Surr: Nitrobenzene-d5	0.8154	0	2.5	0	32.6
Surr: Phenol-d6	0.8608	0	2.5	0	34.4
Surr: p-Terphenyl-d14	1.648	0	2.5	0	65.9
					17.8
					121

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13014

Sample ID: MB-R13014	SampType: MBLK	TestCode: 8270W	Units: µg/L	Prep Date: 6/10/2007	RunNo: 13014						
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190171						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.946									
1,2-Dichlorobenzene	ND	1.11									
1,3-Dichlorobenzene	ND	0.987									
1,3-Dinitrobenzene	ND	0.231									
1,4-Dichlorobenzene	ND	1.27									
2,3,4,6-Tetrachlorophenol	ND	0.615									
2,4,5-Trichlorophenol	ND	0.848									
2,4,6-Trichlorophenol	ND	0.849									
2,4-Dichlorophenol	ND	1.04									
2,4-Dimethylphenol	ND	0.0910									
2,4-Dinitrophenol	ND	0.570									
2,4-Dinitrotoluene	ND	0.492									
2,6-Dichlorophenol	ND	2.02									
2,6-Dinitrotoluene	ND	0.439									
2-Chloronaphthalene	ND	1.03									
2-Chlorophenol	ND	1.32									
2-Methylnaphthalene	ND	0.926									
2-Methylphenol	ND	1.42									
2-Nitroaniline	ND	0.433									
2-Nitrophenol	ND	0.909									
3,3'-Dichlorobenzidine	ND	0.302									
3-Methylphenol	ND	1.40									
3-Nitroaniline	ND	0.830									
4,6-Dinitro-2-methylphenol	ND	0.780									
4-Bromophenyl phenyl ether	ND	0.925									
4-Chloro-3-methylphenol	ND	0.791									
4-Chloroaniline	ND	0.737									
4-Chlorophenyl phenyl ether	ND	0.632									
4-Methylphenol	ND	1.33									
4-Nitroaniline	ND	0.212									
4-Nitrophenol	ND	1.43									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
R RPD outside accepted recovery limits

4 The MS/MSD RPD was out of control due to matrix interference

Q Spike recovery and RPD control limits do not apply result

S Spike Recovery outside accepted recovery limits

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13014

Sample ID: MB-R13014	SampType: MBLK	TestCode: 8270W	Units: µg/L	Prep Date: 6/10/2007	RunNo: 13014						
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190171						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	ND	0.607									
Acenaphthylene	ND	0.792									
Aniline	ND	1.20									
Anthracene	ND	0.503									
Benz(a)anthracene	ND	0.439									
Benzidine	ND	0.116									
Benzo(g,h,i)perylene	ND	0.500									
Benzoic acid	ND	6.97									
Benzyl alcohol	ND	1.35									
Bis(2-chloroethoxy)methane	ND	1.16									
Bis(2-chloroethyl)ether	ND	1.08									
Bis(2-chloroisopropyl)ether	ND	1.42									
Bis(2-ethylhexyl)phthalate	ND	0.344									
Butyl benzyl phthalate	ND	0.406									
Chrysene	ND	0.642									
Dibenz(a,h)anthracene	ND	1.36									
Dibenzofuran	ND	0.746									
Diethyl phthalate	ND	0.744									
Dimethyl phthalate	ND	0.436									
Di-n-butyl phthalate	ND	0.418									
Di-n-octyl phthalate	ND	0.413									
Diphenylamine	ND	0.618									
Fluoranthene	ND	0.428									
Fluorene	ND	0.603									
Hexachlorobenzene	ND	0.645									
Hexachlorobutadiene	ND	0.880									
Hexachlorocyclopentadiene	ND	0.355									
Hexachloroethane	ND	1.30									
Indeno(1,2,3-cd)pyrene	ND	0.549									
Isophorone	ND	1.03									
Naphthalene	ND	1.04									

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13014

Sample ID: MB-R13014	SampType: MBLK	TestCode: 8270W	Units: µg/L	Prep Date: 6/10/2007	RunNo: 13014
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190171
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Nitrobenzene	ND	1.08			
N-Nitrosodimethylamine	ND	0.749			
N-Nitrosodi-n-propylamine	ND	1.45			
N-Nitrosodiphenylamine	ND	0			
Pentachlorophenol	ND	0.249			
Phenanthrene	ND	0.448			
Phenol	ND	0.964			
Pyrene	ND	0.458			
Surr: 2,4,6-Tribromophenol	30.25	0	50	0	60.5
Surr: 2-Fluorobiphenyl	39.00	0	50	0	78.0
Surr: 2-Fluorophenol	32.30	0	50	0	64.6
Surr: Nitrobenzene-d5	31.70	0	50	0	63.4
Surr: Phenol-d6	14.96	0	50	0	29.9
Surr: p-Terphenyl-d14	52.67	0	50	0	105

Sample ID: LCS	SampType: LCS	TestCode: 8270W	Units: µg/L	Prep Date: 6/10/2007	RunNo: 13014
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C		Analysis Date: 6/10/2007	SeqNo: 190174
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
1,2,4-Trichlorobenzene	15.36	10.0	25	0	61.4
1,4-Dichlorobenzene	15.64	10.0	25	0	62.6
2,4-Dinitrotoluene	13.68	10.0	25	0	54.7
2-Chlorophenol	31.07	10.0	50	0	62.1
4-Chloro-3-methylphenol	31.44	10.0	50	0	62.9
4-Nitrophenol	12.44	10.0	50	0	24.9
Acenaphthene	17.06	10.0	25	0	68.3
N-Nitrosodi-n-propylamine	13.92	10.0	25	0	55.7
Pentachlorophenol	30.45	10.0	50	0	60.9
Phenol	11.71	10.0	50	0	23.4
Pyrene	23.01	10.0	25	0	92.0
Surr: 2,4,6-Tribromophenol	32.65	0	50	0	65.3

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13014

Sample ID: LCS	SampType: LCS	TestCode: 8270W		Units: µg/L		Prep Date: 6/10/2007		RunNo: 13014			
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C				Analysis Date: 6/10/2007		SeqNo: 190174			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 2-Fluorobiphenyl	36.41	0	50	0	72.8	21.4	74.5				
Surr: 2-Fluorophenol	21.48	0	50	0	43.0	8.65	67.4				
Surr: Nitrobenzene-d5	29.05	0	50	0	58.1	4.67	99.3				
Surr: Phenol-d6	11.34	0	50	0	22.7	15	41.6				
Surr: p-Terphenyl-d14	50.45	0	50	0	101	50.7	129				

Sample ID: LCSD	SampType: LCSD	TestCode: 8270W		Units: µg/L		Prep Date: 6/10/2007		RunNo: 13014			
Client ID: ZZZZZ	Batch ID: R13014	TestNo: SW8270C				Analysis Date: 6/10/2007		SeqNo: 190175			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	14.47	10.0	25	0	57.9	13.7	81.7	15.36	5.94	38	
1,4-Dichlorobenzene	15.27	10.0	25	0	61.1	19	83.1	15.64	2.39	42	
2,4-Dinitrotoluene	13.28	10.0	25	0	53.1	13.9	92.2	13.68	2.95	30	
2-Chlorophenol	29.09	10.0	50	0	58.2	13.3	83.9	31.07	6.59	40	
4-Chloro-3-methylphenol	30.98	10.0	50	0	62.0	20.1	81.5	31.44	1.47	32	
4-Nitrophenol	14.37	10.0	50	0	28.7	10.6	52.8	12.44	14.4	30	
Acenaphthene	16.17	10.0	25	0	64.7	12.1	89.3	17.06	5.40	32	
N-Nitrosodi-n-propylamine	13.45	10.0	25	0	53.8	14.4	85.7	13.92	3.45	30	
Pentachlorophenol	31.04	10.0	50	0	62.1	25.9	96	30.45	1.92	30	
Phenol	12.02	10.0	50	0	24.0	8.21	58.5	11.71	2.65	38	
Pyrene	24.03	10.0	25	0	96.1	14.1	118	23.01	4.34	30	
Surr: 2,4,6-Tribromophenol	30.28	0	50	0	60.6	24.6	118	0	0	0	
Surr: 2-Fluorobiphenyl	32.99	0	50	0	66.0	21.4	74.5	0	0	0	
Surr: 2-Fluorophenol	20.42	0	50	0	40.8	8.65	67.4	0	0	0	
Surr: Nitrobenzene-d5	29.03	0	50	0	58.1	4.67	99.3	0	0	0	
Surr: Phenol-d6	11.44	0	50	0	22.9	15	41.6	0	0	0	
Surr: p-Terphenyl-d14	52.93	0	50	0	106	50.7	129	0	0	0	

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13015

Sample ID: WQ0706011A-MB	SampType: MBLK	TestCode: 8082W	Units: µg/L	Prep Date: 6/11/2007	RunNo: 13015						
Client ID: ZZZZZ	Batch ID: R13015	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190176						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	ND	1.00									
Aroclor 1221	ND	1.00									
Aroclor 1232	ND	1.00									
Aroclor 1242	ND	1.00									
Aroclor 1248	ND	1.00									
Aroclor 1254	ND	1.00									
Aroclor 1260	ND	1.00									
Surr: Decachlorobiphenyl	5.240	0	5	0	105	64.8	121				
Surr: Tetrachloro-m-xylene	3.950	0	5	0	79.0	64.7	115				

Sample ID: WQ0706011A-LCS	SampType: LCS	TestCode: 8082W	Units: µg/L	Prep Date: 6/11/2007	RunNo: 13015						
Client ID: ZZZZZ	Batch ID: R13015	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190177						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	35.95	1.00	50	0	71.9	69.7	139				
Aroclor 1260	38.77	1.00	50	0	77.5	71.3	131				
Surr: Decachlorobiphenyl	4.990	0	5	0	99.8	64.8	121				
Surr: Tetrachloro-m-xylene	3.910	0	5	0	78.2	64.7	115				

Sample ID: WQ0706011A-LCSD	SampType: LCSD	TestCode: 8082W	Units: µg/L	Prep Date: 6/11/2007	RunNo: 13015						
Client ID: ZZZZZ	Batch ID: R13015	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190178						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	34.86	1.00	50	0	69.7	69.7	139	35.95	3.08	30	
Aroclor 1260	40.35	1.00	50	0	80.7	71.3	131	38.77	3.99	30	
Surr: Decachlorobiphenyl	5.380	0	5	0	108	64.8	121	0	0		
Surr: Tetrachloro-m-xylene	4.180	0	5	0	83.6	64.7	115	0	0		

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13016

Sample ID: SQ070609A-MB	SampType: MBLK	TestCode: 8082S	Units: mg/Kg	Prep Date: 6/9/2007	RunNo: 13016						
Client ID: ZZZZZ	Batch ID: R13016	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190181						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	ND	0.100									
Aroclor 1221	ND	0.200									
Aroclor 1232	ND	0.100									
Aroclor 1242	ND	0.100									
Aroclor 1248	ND	0.100									
Aroclor 1254	ND	0.100									
Aroclor 1260	ND	0.100									
Surr: Decachlorobiphenyl	0.04500	0	0.05	0	90.0	55.1	113				
Surr: Tetrachloro-m-xylene	0.04140	0	0.05	0	82.8	51.7	128				
Sample ID: SQ070609A-LCS	SampType: LCS	TestCode: 8082S	Units: mg/Kg	Prep Date: 6/9/2007	RunNo: 13016						
Client ID: ZZZZZ	Batch ID: R13016	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190182						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	0.8966	0.100	1	0	89.7	55.6	135				
Aroclor 1260	0.4839	0.100	0.5	0	96.8	65.6	132				
Surr: Decachlorobiphenyl	0.05270	0	0.05	0	105	55.1	113				
Surr: Tetrachloro-m-xylene	0.03950	0	0.05	0	79.0	51.7	128				
Sample ID: SQ070609A-LCSD	SampType: LCSD	TestCode: 8082S	Units: mg/Kg	Prep Date: 6/9/2007	RunNo: 13016						
Client ID: ZZZZZ	Batch ID: R13016	TestNo: SW8082		Analysis Date: 6/11/2007	SeqNo: 190183						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	0.9487	0.100	1	0	94.9	55.6	135	0.8966	5.65	30	
Aroclor 1260	0.5145	0.100	0.5	0	103	65.6	132	0.4839	6.13	30	
Surr: Decachlorobiphenyl	0.04790	0	0.05	0	95.8	55.1	113	0	0	0	
Surr: Tetrachloro-m-xylene	0.04420	0	0.05	0	88.4	51.7	128	0	0	0	

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13017

Sample ID: SDSG070611A-MB	SampType: MBLK	TestCode: TEPHSG_SOI	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190236
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Stoddard Solvent	ND	2.00			
TPH (Diesel)	ND	2.00			
TPH (Hydraulic Oil)	ND	4.00			
TPH (Jet Fuel)	ND	2.00			
TPH (Kerosene)	ND	2.00			
TPH (Mineral Oil)	ND	4.00			
TPH (Motor Oil)	ND	4.00			
Surr: Pentacosane	2.880	0	3.33	0	86.5
				53.5	127
Sample ID: SDSG070611A-LCS	SampType: LCS	TestCode: TEPHSG_SOI	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190237
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
TPH (Diesel)	24.66	2.00	33.3	0	74.0
Surr: Pentacosane	2.790	0	3.33	0	83.8
				53.5	127
Sample ID: SDSG070611A-LCS	SampType: LCSD	TestCode: TEPHSG_SOI	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190238
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
TPH (Diesel)	28.25	2.00	33.3	0	84.8
Surr: Pentacosane	3.180	0	3.33	0	95.5
				53.5	127
				109	24.66
				127	0
				0	13.6
				0	30
Sample ID: 0706037-004AMS	SampType: MS	TestCode: TEPHSG_SOI	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: B-2 @ 14 fbg	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190252
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
TPH (Diesel)	25.03	2.00	33.3	0	75.2
Surr: Pentacosane	2.659	0	3.33	0	79.8
				53.5	127

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13017

Sample ID: 0706037-004AMSD	SampType: MSD	TestCode: TEPHSG_SOI	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017						
Client ID: B-2 @ 14 fbg	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190253						
<hr/>											
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Diesel)	25.42	2.00	33.3	0	76.3	46.2	109	25.03	1.55	30	
Surr: Pentacosane	2.640	0	3.33	0	79.3	53.5	127	0	0	0	
<hr/>						<hr/>					
Sample ID: SDSG070611A-MB	SampType: MBLK	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017						
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190213						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Diesel)	ND	2.00									
TPH (Motor Oil)	ND	4.00									
Surr: Pentacosane	2.880	0	3.3	0	87.3	28	125				
<hr/>						<hr/>					
Sample ID: SDSG070611A-LCS	SampType: LCS	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017						
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190214						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Diesel)	24.66	2.00	33.33	0	74.0	26.6	128				
Surr: Pentacosane	2.790	0	3.3	0	84.5	28	125				
<hr/>						<hr/>					
Sample ID: SDSG070611A-LCS	SampType: LCSD	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017						
Client ID: ZZZZZ	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190215						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Diesel)	28.25	2.00	33.33	0	84.8	26.6	128	24.66	13.6	30	
Surr: Pentacosane	3.180	0	3.3	0	96.4	28	125	0	0	0	
<hr/>						<hr/>					
Sample ID: 0706037-004AMS	SampType: MS	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017						
Client ID: B-2 @ 14 fbg	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190222						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPH (Diesel)	25.03	2.00	33.33	0	75.1	26.6	128				

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference
 S Spike Recovery outside accepted recovery limits

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13017

Sample ID: 0706037-004AMS	SampType: MS	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: B-2 @ 14 fbg	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190222
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Surr: Pentacosane	2.659	0	3.3	0	80.6
<hr/>					
Sample ID: 0706037-004AMSD	SampType: MSD	TestCode: TPHDOSG_S	Units: mg/Kg	Prep Date: 6/11/2007	RunNo: 13017
Client ID: B-2 @ 14 fbg	Batch ID: R13017	TestNo: SW8015B		Analysis Date: 6/12/2007	SeqNo: 190223
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
TPH (Diesel)	25.42	2.00	33.33	0	76.3
Surr: Pentacosane	2.640	0	3.3	0	80.0
<hr/>					

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interferences
 R RPD outside accepted recovery limits

 4 The MS/MSD RPD was out of control due to matrix interference

 S Spike Recovery outside accepted recovery limits

 Q Spike recovery and RPD control limits do not apply result

CLIENT: TEC Accutite
Work Order: 0706037
Project: 13193

ANALYTICAL QC SUMMARY REPORT

BatchID: R13018

Sample ID: WDSG070607A-MB	SampType: MBLK	TestCode: TPHDO SG_W	Units: mg/L	Prep Date: 6/7/2007	RunNo: 13018						
Client ID: ZZZZZ	Batch ID: R13018	TestNo: SW8015B		Analysis Date: 6/8/2007	SeqNo: 190204						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

TPH (Diesel)	ND	0.0770						
TPH (Motor Oil)	ND	0.0140						
Surr: Pentacosane	0.06800	0	0.1	0	68.0	40	120	

Sample ID: WDSG070607A-LCS	SampType: LCS	TestCode: TPHDOSG_W	Units: mg/L	Prep Date: 6/7/2007	RunNo: 13018						
Client ID: ZZZZZ	Batch ID: R13018	TestNo: SW8015B		Analysis Date: 6/10/2007	SeqNo: 190205						
Analyte	Result	POI	SPK value	SPK Ref Val	%REC	LowI limit	HighI limit	RPD Ref Val	%RPD	RPDI limit	Qual

Analyte	Result	PQL	SP.R Value	SP.R Rcvr Val	%REC	LowLimit	HighLimit	KF.D Rcvr Val	%KF.D	KF.D Limit	Quar
TPH (Diesel)	0.4260	0.100	1	0	42.6	30	68.5				
Surr: Pentacosane	0.06900	0	0.1	0	69.0	46.8	104				

Sample ID: WDSG070607A-LCS	SampType: LCSD	TestCode: TPHDOSG_W	Units: mg/L	Prep Date: 6/7/2007	RunNo: 13018						
Client ID: ZZZZZ	Batch ID: R13018	TestNo: SW8015B		Analysis Date: 6/10/2007	SeqNo: 190206						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: 3 Recovery of the MS and/or MSD was out of control due to matrix interference
 R RPD outside accepted recovery limits



483 Sinclair Frontage Road
Milpitas, CA 95035
Phone: 408.263.5258
FAX: 408.263.8293
www.torrentlab.com

CHAIN OF CUSTODY

• NOTE: SHADED AREAS ARE FOR TORRENT LAB USE ONLY •

LAB WORK ORDER NO

0706037

Company Name: TEZ ACCOUNT			Location of Sampling: 3001-3007 E 12TH ST, OAKLAND		
Address: 262 MICHIGAN CT			Purpose: INVESTIGATION		
City: SO. SF	State: CA	Zip Code: 946080	Special Instructions / Comments:		
Telephone: (510) 666 1200 FAX: (510) 666 1244					
REPORT TO: NEWSMITH	SAMPLER: NEWSMITH	P.O. #: 13193	EMAIL: newsmitre@earthlink.net		

TURNAROUND TIME:

- 10 Work Days 3 Work Days Noon - Nxt Day
 7 Work Days 2 Work Days 2 - 8 Hours
 5 Work Days 1 Work Day Other

SAMPLE TYPE:

- Storm Water Air
 Waste Water Other
 Ground Water Soil

REPORT FORMAT:

- QC Level IV
 EDF
 Excel / EDD

- EPA 8260B - Full List
 EPA 8260B - 8010 List
 THP gas BTEX
 Oxygenates MTBE
 THP Diesel Si-Gel
 Motor Oil

- Pesticide - 8081

- PCB - 8082
 Metals CAM - 17
 LUFT 5 Metals
 8270 Full List PAHs Only

ANALYSIS REQUESTED

LAB ID	CLIENT'S SAMPLE I.D.	DATE / TIME SAMPLED	MATRIX	# OF CONT	CONT TYPE	REMARKS
B-1		6/6/07 1025	W	5	3ea 2lab	001 A
B-2		1010	W	5	↓	002 A
B-1 @ 8 flag		829	S	1	tube	003 A
B-2 @ 14 flag		9360	S	1		004 A
B-3 @ 12 flag		1128	S	1		005 A
B-4 @ 14 flag		1232	S	1		006 A
B-5 @ 8 flag	6/6/07	1258	S	1	↓	007 A

1 Relinquished By: Newsmitre	Print: Newsmitre	Date: 6/6/07	Time: 4:16 pm	Received By: Keith	Print: Keith	Date: 6/6/07	Time: 4:16 pm
2 Relinquished By: Keith	Print: Keith	Date: 6/6/07	Time: 5:30 pm	Received By: Mark April	Print: Mark April	Date: 6/6/07	Time: 5:30 pm

Were Samples Received in Good Condition? Yes No Samples on Ice? Yes No Method of Shipment _____ Sample seals intact? Yes No N/A

NOTE: Samples are discarded by the laboratory 30 days from date of receipt unless other arrangements are made.

Log In By: _____ Date: _____ Log In Reviewed By: _____ Date: _____

TORRENT LAB