



Stantec

Stantec Consulting Services Inc.
3017 Kilgore Road Suite 100
Rancho Cordova CA 95670
Tel: (916) 861-0400
Fax: (916) 861-0430

January 12, 2012

Mr. Jerry Wickham
Alameda County Environmental Health Services
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RECEIVED

8:26 am, Jan 17, 2012

Alameda County
Environmental Health

RE: **Enclosed Quarterly Groundwater Monitoring Report,
Fourth Quarter 2011**
7-Eleven Store #32266
1339 North Vasco Road
Livermore, CA 94551
Stantec Project #:211502037.220.0506

Dear Mr. Wickham:

Stantec Consulting Services Inc. has been designated as Limited Agent of 7-Eleven, Inc. (7-Eleven) for the purposes of executing and delivering instruments and documents on behalf of 7-Eleven (see attached Limited Authorization form).

We declare, under penalty of perjury, that the information and/or recommendations contained in the attached assessment report are true and correct to best of our knowledge.

Should you have any questions regarding this site, please contact the undersigned at (916) 861-0400.

Sincerely,
Stantec Consulting Services Inc.

Damon Brown
Senior Geologic Consultant
Project Manager

Ed Simonis, PG
Senior Geologist

LIMITED AUTHORIZATION

KNOW ALL MEN BY THESE PRESENTS:

That 7-ELEVEN, INC. ("7-Eleven"), a Texas corporation, acting by and through Doug Rosencrans, Vice President, does hereby nominate, constitute and appoint STANTEC CONSULTING SERVICES INC. a Delaware corporation formerly known as Stantec Consulting Corporation, as Limited Agent ("Agent") of 7-Eleven, for purposes of executing and delivering instruments and documents as more particularly described below, and does hereby grant, delegate and invest said Agent with power and authority to execute and deliver for, in the name of, and on behalf of 7-Eleven, and in connection with that certain Amended and Restated Agreement by and between 7-Eleven and Agent dated as of January 1, 2010 (as amended, the "Agreement"), the instruments and documents listed in Attachment I hereto.

Agent may exercise the power and authority herein granted, delegated and invested, in any particular and appropriate transaction or matter, as an agent of 7-Eleven. Any instruments and documents executed and delivered by Agent under this Limited Authorization shall be acts of 7-Eleven and may be relied upon by third parties dealing with 7-Eleven, such acts being hereby ratified and confirmed by virtue hereof. Agent shall deliver all instruments and documents executed and delivered by Agent under this Limited Authorization to 7-Eleven promptly following such execution and delivery.

Any and all acts of Agent hereunder shall comply with all applicable federal, state and local laws, regulations, rules and ordinances and with all applicable orders of any courts of competent jurisdiction.

This Limited Authorization shall expire upon the expiration or earlier termination of the Agreement, except as otherwise provided therein, or may be terminated at any time for any reason by 7-Eleven.

APPROVED AND EXECUTED this 10th day of January, 2012, to be effective as of the date hereof.

7-ELEVEN, INC.

ATTEST:


Assistant Secretary

By: 
Name: Doug Rosencrans
Title: Vice President

STATE OF TEXAS §
 §
COUNTY OF DALLAS §

BEFORE ME, the undersigned, a Notary Public in and for the County and State aforesaid, on this day personally appeared Doug Rosencrans and Steven R. Seldowitz, Vice President and Assistant Secretary, respectively, of 7-Eleven, Inc., known to me to be the persons whose names are subscribed to the foregoing instrument, and acknowledged to me that the same was the act of the said corporation, a Texas corporation, and that they executed the same as the act of such corporation for the purposes and consideration therein expressed and in the capacities therein stated.

GIVEN UNDER MY HAND AND SEAL OF OFFICE this 10th day of January, 2012.

Karen Pennell
NOTARY PUBLIC

My Commission Expires:
5-1-2013



ATTACHMENT I

Such permits, reports, applications and other documentation issued by any federal, state or local governmental authority and such other standard form documentation provided by 7-Eleven or third parties to be completed in connection with Agent's performance of environmental consulting services pursuant to the Agreement, including, without limitation, the following:

- a. Waste Manifests;
- b. Waste Characterization Forms;
- c. Bills of Lading;
- d. Waste Disposal Agreements;
- e. Registration and Notification Forms for underground storage tanks;
- f. Incident Reports;
- g. Discharge Notification Forms;
- h. Tank Closure Reports;
- i. Permit Applications, Notices and other documents relating to the investigation, monitoring or remediation work performed under the Agreement;
- j. Reports to state environmental agencies regarding investigation, monitoring or remediation work performed under the Agreement; and
- k. Applications to any state underground storage tank insurance or reimbursement fund;

Provided, however, that in each case, the foregoing authorization shall not extend to any permits, reports, applications or other documentation that contain: (i) any language, the effect of which is to require 7-Eleven to indemnify, defend and/or hold harmless any third party for any act or omission of any kind; or (ii) any statement of any kind, including, without limitation, any representation or warranty, which Agent does not personally know to be true and correct, including, without limitation, any representation concerning the legal existence or financial condition of 7-Eleven.



Stantec

Stantec Consulting Services Inc.
3017 Kilgore Road Suite 100
Rancho Cordova CA 95670
Tel: (916) 861-0400
Fax: (916) 861-0430

Quarterly Groundwater Monitoring Report Fourth Quarter 2011

**7-Eleven Store #32266
1339 North Vasco Road
Livermore, California**

Stantec Project No.: 211502037.220.0506

Submitted to:

Mr. Jerry Wickham
Alameda County Environmental Health Services
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Prepared on behalf of:

7-Eleven, Inc.
Mr. Jose Rios
P.O. Box 711
Dallas, TX 75221-0711

January 12, 2012



Stantec

Stantec Consulting Services Inc.
3017 Kilgore Road Suite 100
Rancho Cordova CA 95670
Tel: (916) 861-0400
Fax: (916) 861-0430

DATE: January 12, 2012

7-ELEVEN, INC. QUARTERLY REPORT

Store Number:	<u>7-Eleven Store #32266</u>
Site Address:	<u>1339 North Vasco Road, Livermore, CA 94551</u>
7-Eleven Contact:	<u>Mr. Jose Rios</u>
Consulting Company:	<u>Stantec Consulting Services Inc. – Mr. Damon Brown</u>
Stantec Project No.:	<u>211502037.220.0506</u>
Primary Agency:	<u>Alameda County Environmental Health Services (ACEHS)</u>

WORK PERFORMED THIS PERIOD [Fourth Quarter 2011]

1. Conducted quarterly groundwater monitoring and sampling on October 17, 2011, and generated the quarterly report.
2. Submitted work plan to ACEHS for additional assessment.

WORK PROPOSED FOR NEXT PERIOD [First Quarter 2012]

1. Perform quarterly groundwater monitoring and sampling during first quarter 2012, and prepare the quarterly report.
2. Prepare and submit a revised work plan for additional assessment per the ACEHS letter dated November 21, 2011.

DISCUSSION

The site is an active 7-Eleven convenience store and retail gasoline fueling facility with one 15,000-gallon and one 10,000-gallon gasoline underground storage tanks (UST) (Figures 1 and 2). Current groundwater monitoring and sampling data are summarized in Table 1, and presented on Figures 2 and 3. Historical groundwater monitoring and sampling results are summarized in Table 2. The well completion details are summarized in Table 3. A groundwater gradient and flow direction diagram is presented as Figure 4 and summarized in Table 4.

Current Site Information

Current Phase of Project:	<u>Groundwater Monitoring</u>
Frequency of Monitoring and Sampling:	<u>Quarterly, Three wells- MW-1, MW-2, and MW-3</u>
Are Liquid Phase Hydrocarbons Present On-site:	<u>No</u>
Water Supply Wells within a 2,000-foot radius and their Respective Direction:	<u>Three water supply wells (2,000 feet north, south, and southwest of site)</u>
Current Remediation Techniques:	<u>None</u>
Permits for Discharge:	<u>None</u>
Historic Range in Depth to Water, Q1-11 to Q4-11 (Measured Below Top of Casing)	<u>MW-1, 7.88 to 8.30 feet</u>

<u>Current Quarter Monitoring Data</u>	(See Figure 2 and Table 1)
Wells Monitored and Sampled:	Three wells- MW-1 through MW-3
Dissolved Oxygen Concentrations Measured In:	Three wells- MW-1 through MW-3
Depth to Groundwater (DTW) (Measured Below Top of Casing)	8.27 to 9.37 feet
Average Change in Groundwater Elevation Since Last Event:	0.03 foot increase
Groundwater Flow Direction and Gradient:	West-Southwest @ 0.008 foot per foot (Figure 2)
<u>Current Quarter Analytical Data</u>	(See Figure 3 and Table 1)
Maximum TPHg Concentrations	Not Detected, <50 µg/L
Maximum Benzene Concentrations	Not Detected, <0.50 µg/L
Maximum MtBE Concentrations	MW-3, 1,900 µg/L
Maximum TBA Concentrations	MW-3, 85 µg/L

BACKGROUND

In January 2005, two single-walled steel, fiberglass-jacketed USTs (one 10,000-gallon and one 15,000-gallon) were replaced with new double-walled fiberglass USTs. A total of 26 soil samples were collected during the UST replacement activities as follows:

- Five soil samples from the UST excavation,
- Six soil samples from the beneath the product dispensers,
- Five soil samples from the product line trenches,
- Eleven samples (44 samples combined at laboratory for eleven 4-part composite samples) from the stockpiled UST backfill material.

Total petroleum hydrocarbons as gasoline (TPHg) were not detected above laboratory reporting limits in any of the soil samples collected during the UST replacement activities. The maximum concentrations of tertiary butyl alcohol (TBA) and methyl tertiary butyl ether (MtBE) detected were 2.4 milligrams per kilogram (mg/kg) and 2.6 mg/kg, respectively, in UST excavation sample T1-2-12. Total lead was detected in each of the samples at concentrations ranging from 4.98 mg/kg to 28.4 mg/kg.

In addition, a total of three water samples were collected during the 2005 UST replacement activities as follows:

- One grab sample (W1) from water collected/pooled within the excavated UST basin,
- Two samples (BT-1 & BT-2) collected from 20,000-gallon Baker Tanks storing pumped UST excavation water.

MtBE was detected at 180 micrograms per liter (ug/L) and benzene was reported at 25 ug/L in UST excavation water sample W1 (Table 2). TPHg was detected at 3,400 ug/L. No TPHg was detected in either Baker Tank sample (BT-1 or BT-2). Total xylenes were reported in sample BT-1 at 0.70 ug/L. MtBE was detected in both samples at concentrations of 340 ug/L (BT-1) to 400 ug/L (BT-2). Based on the results of the water samples collected, an UST Unauthorized Release report was completed and submitted to the Livermore-Pleasanton Fire Department (LPFD) and the California Regional Water Quality Control Board (CRWQCB).

On December 4, 2008, Stantec's field scientist collected one soil sample in native soil from beneath four of the six dispensers (D1-5.0, D2-5.0, D3-5.0 and D4-5.0) during fuel system upgrade activities at the site. In addition, Stantec collected four soil samples from stockpiled excavated backfill material. The four stockpile samples were combined at the laboratory for one four-part composite sample SP1(ABCD). TPHg, benzene, toluene, ethyl-benzene and total xylenes (BTEX) were not detected above laboratory reporting limits in the dispenser soil samples collected, with the exception of dispenser sample D2-5. Soil sample D2-5 contained 0.21 mg/kg benzene, 0.59 mg/kg toluene, 0.26 mg/kg ethyl-benzene, 1.4 mg/kg xylenes, and 12 mg/kg TPHg. MtBE and TBA were detected exclusively in soil sample D1-5.5, at concentrations of 0.024 mg/kg and 0.0076 mg/kg, respectively. Di-isopropyl ether (DIPE), ethyl tertiary butyl ether (EtBE), and tertiary amyl methyl ether (TAME) were not detected above laboratory reporting limits in any dispenser soil samples collected. BTEX, TPHg, MtBE, TBA, DIPE, ETBE, and TAME were not detected at concentrations above laboratory reporting limits in the stockpiled soil sample collected during this investigation. Total lead was detected at concentration of 4.4 mg/kg.

In a letter dated November 20, 2009, the ACEHS requested the submittal of a work plan to investigate potential soil and groundwater contamination at the site based on ACEHS review of the historical site data. Stantec submitted a *Work Plan for Additional Soil and Groundwater Assessment* to the ACEHS on February 1, 2010. The work plan was subsequently approved by the ACEHS in a letter dated March 22, 2010.

On April 20, 2010, Stantec supervised WDC Exploration and Wells (WDC) of Richmond, California, during the advancement of three direct-push soil borings (GP-1 through GP-3) at the site. Eight soil samples were collected from soil borings GP-1 through GP-3 for laboratory analysis. MtBE was reported in soil boring GP-3 at 10 and 15 feet below ground surface (bgs) at concentrations of 0.023 mg/kg and 1.1 mg/kg, respectively. TBA was exclusively detected in soil boring GP-3 at 15 feet bgs at a concentration of 0.0076 mg/kg. TPHg, BTEX, DIPE, EtBE, and TAME were not detected at concentrations above the laboratory reporting limits in soil samples collected from soil borings GP-1 through GP-3. In addition, grab-groundwater samples were collected from each boring. Grab-groundwater samples GP-2W and GP-3W reported MtBE concentrations of 2.9 µg/L and 380 µg/L, respectively. TAME was exclusively detected in grab-groundwater sample GP-3W at a concentration of 0.71 µg/L. TPHg, BTEX, DIPE, EtBE and TBA were not detected at concentrations above the laboratory reporting limits in grab-groundwater samples GP-1 through GP-3.

On May 17, 2010, Stantec submitted the results of the assessment activities in a report titled *Additional Soil and Groundwater Assessment* to the ACEHS.

In a letter dated July 14, 2010, the ACEHS requested the submittal of a work plan to further assess the extent of soil and groundwater contamination, the hydraulic gradient, and to identify potential receptors within a radius of 2,000 feet of the subject site.

On September 29, 2010, Stantec submitted a *Work Plan for Additional Site Assessment and Results of Detailed Well Survey* to the ACEHS. The work plan was subsequently approved by the ACEHS in a letter dated October 25, 2010.

Between February 23 and 24, 2010, Stantec supervised the installation of three groundwater monitoring wells (MW-1, MW-2 and MW-3). On March 25, 2011, Stantec submitted an *Additional Site Assessment Report* to the ACEHS. Soil samples collected from MW-1 and MW-2 did not contain petroleum hydrocarbon concentrations above laboratory reporting limits. MtBE and TBA

were reported at concentrations ranging from 0.0082 mg/kg to 0.33 mg/kg in soil samples collected from MW-3.

MONITORING AND SAMPLING PROCEDURES

The depth to water was measured to within 0.01 foot bgs in monitoring wells MW-1, MW-2, and MW-3 from the top of casing (TOC) using a water level indicator. Dissolved oxygen concentrations were also measured in the wells using a YSI Model Pro20 dissolved oxygen meter equipped with a down hole sensor.

Well purging and sampling equipment was thoroughly cleaned prior to purging and sampling the well. The sampling procedure for the wells included measuring the water level and purging of approximately three casing volumes of water (or to dryness). The equipment and purging methods used for the current sampling event are noted on the field data sheets in Attachment A. During purging, temperature, pH, and electrical conductivity were monitored. After purging, the water level was allowed to recover to 80% of the original level prior to collection of the water sample. Groundwater samples were collected using a disposable Teflon[®] bailer, placed into appropriate Environmental Protection Agency (EPA) approved containers, labeled, logged onto chain-of-custody documents, and transported on ice to a California state-certified laboratory. Copies of the field notes are in Attachment A.

GROUNDWATER SAMPLE ANALYSES AND RESULTS

The groundwater samples collected from MW-1, MW-2, and MW-3 were analyzed for the presence of BTEX, TPHg, MtBE, TBA, DIPE, EtBE, and TAME by EPA Method 8260B. The certified laboratory analytical report and chain-of-custody documentation are presented as Attachment B.

Groundwater analytical results are presented on Figure 3, and are summarized in Tables 1 and 2.

PURGE AND RINSATE WATER DISPOSAL

Water generated during well sampling and equipment cleaning was pumped into a Stantec truck-mounted water tank. The water was transferred into properly labeled 55-gallon drums and stored on-site. The drummed non-hazardous petroleum hydrocarbon contaminated water is transported quarterly by Belshire Environmental to DeMenno Kerdoon in Compton, California, for disposal.

The results of this quarterly groundwater monitoring report will be uploaded to the ACEHS FTP site. In addition, the report will be uploaded to the State of California GeoTracker database in EDF format, per California code AB2886.

If you have any questions or comments regarding the contents of this report, please contact the undersigned at (916) 861-0400.

Sincerely,
Stantec Consulting Services Inc.

Prepared by:



Colin Ryan
Geologic Project Specialist

Reviewed by:




Damon Brown
Senior Geologic Consultant
Project Manager

Reviewed by:



Ed Simonis, P.G.
Senior Geologist



ATTACHMENTS

Figures


Tables

Attachment A – Field Notes

Attachment B – Certified Laboratory Analytical Reports and Chain-of-Custody Documentation


c: John Wainwright, Stantec, 308 East 4500 South, Suite 100, Murray, Utah 84107-3957

Figures




SITE


35



SCALE (MILES)



SCALE (FEET)



CALIFORNIA

REFERENCE: USGS 7.5 MINUTE QUADRANGLE, LIVERMORE, CALIFORNIA



FOR: 
 STORE NO. 32266
 1339 NORTH VASCO ROAD
 LIVERMORE, CALIFORNIA

SITE LOCATION MAP

FIGURE:
1

JOB NUMBER:
211502037


DRAWN BY:
STA

CHECKED BY:
PH

APPROVED BY:
DB


DATE:
03/08/11

VASCO ROAD



LEGEND:

- MW-1 GROUNDWATER MONITORING WELL
- W1 UST EXCAVATION WATER SAMPLE LOCATION
- GP-1 GEOPROBE SAMPLE LOCATION
- L5-4.5' 2008 SOIL SAMPLE LOCATION
- D1-5 2005 SOIL SAMPLE LOCATION
- APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT (FT/FT)
- GROUNDWATER ELEVATION CONTOUR (FEET ABOVE MEAN SEA LEVEL)
- 521.8 GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- 521.95 GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)




No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

SCENIC AVE.

	FOR: STORE NO. 32266 1339 NORTH VASCO ROAD LIVERMORE, CALIFORNIA	GROUNDWATER ELEVATION CONTOUR MAP OCTOBER 17, 2011		FIGURE: 2
	JOB NUMBER: 211502037	DRAWN BY: STA	CHECKED BY: PH	APPROVED BY: EKS


VASCO ROAD



LEGEND:

- MW-1 GROUNDWATER MONITORING WELL
- W1 UST EXCAVATION WATER SAMPLE LOCATION
- GP-1 GEOPROBE SAMPLE LOCATION
- L5-4.5' 2008 SOIL SAMPLE LOCATION
- D1-5 2005 SOIL SAMPLE LOCATION

- B* BENZENE (µg/L)
- TPHg* TOTAL PETROLEUM HYDROCARBONS AS GASOLINE (µg/L)
- MTBE* METHYL TERTIARY BUTYL ETHER (µg/L)
- TBA* TERTIARY BUTYL ALCOHOL (µg/L)
- µg/L* MICROGRAMS PER LITER



No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

SCENIC AVE.



FOR: STORE NO. 32266
1339 NORTH VASCO ROAD
LIVERMORE, CALIFORNIA

**GROUNDWATER HYDROCARBON
CONCENTRATION MAP
OCTOBER 17, 2011**

FIGURE:
3

JOB NUMBER:
211502037

DRAWN BY:
STA

CHECKED BY:
PH

APPROVED BY:
EKS

DATE:
12/05/11

Tables

TABLE 1
Fourth Quarter 2011 Groundwater Monitoring and Analytical Data

7-Eleven Store #32266
 1339 North Vasco Road
 Livermore, California

Well ID/ Elevation (TOC)	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl Benzene (µg/L)	Xylenes (µg/L)	TPHg (µg/L)	MtBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	EtBE (µg/L)	TAME (µg/L)	Notes	Dissolved Oxygen (mg/L)	DTW (feet)	SPT (feet)	WTE (feet)
MW-1 530.22	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50		0.5	8.27	0.00	521.95
MW-2 530.55	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50		1.2	8.74	0.00	521.81
MW-3 530.74	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	1,900	85	<0.50	<0.50	2.9	b	0.6	9.37	0.00	521.37

Explanation:

BTEX, TPHg, MtBE, DIPE, ETBE, TAME, and TBA by 8260B

TPHg = Total petroleum hydrocarbons-as-gasoline

MtBE = Methyl-tert-butyl ether

DIPE = Diisopropyl ether

EtBE = Ethyl-tert-butyl ether

TAME = Tert-amyl-methyl ether

TBA = Tert-butyl alcohol

TOC = Top of casing elevation in feet above mean sea level

ug/L = micrograms per Liter or parts-per-billion

mg/L = milligrams per liter

< = Not detected above laboratory reporting limit

Notes

b = Tert-Butanol results may be biased slightly high. A fraction of MtBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. Kiff Analytical considers this conversion effect to be mathematically significant in samples that contain MtBE/Tert-Butanol in ratios of over 20:1.

TABLE 2
Historical Water and/or Groundwater Sample Analytical Results

7-Eleven Store #32266
 1339 Vasco Road
 Livermore, California

Sample I.D. (TOC)	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl Benzene (µg/L)	Xylenes (µg/L)	TPHg (µg/L)	MtBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	EtBE (µg/L)	TAME (µg/L)	EDB (µg/L)	EDC (µg/L)	EtOH (µg/L)	Notes	Dissolved Oxygen (mg/L)	DTW (feet)	SPT (feet)	WTE (feet)
UST Excavation Groundwater Sample																			
W1	01/28/05	25	290	62	520	3,400	180	15	<1.5	<1.5	<1.5	<1.5	<1.5	2,600		--	--	--	--
Baker Tank Samples																			
BT-1	02/04/05	<0.50	<0.50	<0.50	0.70	<50	340	--	--	--	--	--	--	--		--	--	--	--
BT-2	02/04/05	<0.90	<0.90	<0.90	<0.90	<90	400	--	--	--	--	--	--	--		--	--	--	--
Grab Groundwater Samples																			
GP-1W	04/20/10	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		--	--	--	--
GP-2W	04/20/10	<0.50	<0.50		<0.50	<50	2.9	<5.0	<0.50	<0.50	<0.50	--	--	--		--	--	--	--
GP-3W	04/20/10	<0.50	<0.50	<0.50	<0.50	<50	380	<5.0	<0.50	<0.50	0.71	--	--	--		--	--	--	--
Monitoring Well Samples																			
MW-1																			
530.22	03/16/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		2.04	8.07	0.00	522.15
	05/26/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--	a	0.35	7.88	0.00	522.34
	08/09/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--	a	0.71	8.30	0.00	521.92
	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		0.5	8.27	0.00	521.95
MW-2																			
530.55	03/16/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		1.63	8.31	0.00	522.24
	05/26/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		0.46	8.37	0.00	522.18
	08/09/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--	a	0.60	8.82	0.00	521.73
	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<5.0	<0.50	<0.50	<0.50	--	--	--		1.2	8.74	0.00	521.81
MW-3																			
530.74	03/16/11	<0.50	<0.50	<0.50	<0.50	<50	5,600	170	<0.50	<0.50	10	--	--	--		2.54	9.11	0.00	521.63
	05/26/11	<0.50	<0.50	<0.50	<0.50	<50	3,200	180	<0.50	<0.50	5.4	--	--	--		0.32	9.15	0.00	521.59
	08/09/11	<0.50	<0.50	<0.50	<0.50	<50	1,700	78	<0.50	<0.50	2.8	--	--	--		0.42	9.36	0.00	521.38
	10/17/11	<0.50	<0.50	<0.50	<0.50	<50	1,900	85	<0.50	<0.50	2.9	--	--	--	b	0.6	9.37	0.00	521.37
Explanation:																			
BTEX, TPHg, MIBE, DIPE, ETBE, TAME, and TBA by 8260B						EtBE = Ethyl-tert-butyl ether				EDC = 1,2-Dichloroethane				µg/L = micrograms per Liter or parts-per-billion					
TPHg = Total petroleum hydrocarbons-as-gasoline						TAME = Tert-amyl-methyl ether				EtOH = Ethanol				mg/L = milligrams per liter					
MIBE = Methyl-tert-butyl ether						TBA = Tert-butyl alcohol				TOC = Top of casing elevation in feet above mean sea level				< = Not detected above laboratory reporting limit					
DIPE = Diisopropyl ether						EDB = 1,2-Dibromoethane				UST = Underground Storage Tank				-- = Not sampled/not measured					
Notes																			
a = Matrix Spike/Matrix Spike Duplicate for the analyte MIBE were affected by the analyte concentrations already present in the un-spike sample.																			
b = Tert-Butanol results may be biased slightly high. A fraction of MIBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. Kiff considers this conversion effect to be mathematically significant in samples that contain MIBE/Tert-Butanol in ratios of over 20:1.																			

**Table 3
Soil Boring Details**

7-Eleven Store #32266
1339 North Vasco Road
Livermore, CA

Well I.D.	Drill Date	Boring Depth (feet bgs)	Well Diameter (inches)	Screen		Screen Length (feet)	Comments
				Top (feet bgs)	Bottom (feet bgs)		
Soil Borings							
GP-1	04/20/10	20	--	--	--	--	
GP-2	04/20/10	25	--	--	--	--	
GP-3	04/20/10	30	--	--	--	--	
Monitoring Wells							
MW-1	02/23/11	20	2	5	20	15	
MW-2	02/24/11	20	2	5	20	15	
MW-3	02/23/11	25	2	5	20	15	
MW-4	Proposed	20	2	5	20	15	Proposed off-site monitoring well
Explanation							
bgs = Below ground surface -- = Data Not Available/Not Applicable							

Attachment A Field Notes

JOB NAME:	7-Eleven Store #32266	JOB NUMBER:	211502037.220.0700
SITE ADDRESS:	1339 North Vasco Road Livermore, California	START DATE:	10/17/2011
PREPARED FOR:	Brian Branscum	DATE PREPARED:	10/13/2011
		PREPARED BY:	Danielle Manning

SITE VISITATION REPORT

Name(s) BRIAN BRANSCUM Date: 10/17/11 Did you call in? Yes No
 Arrival Time: 0945 "Departure Time: 1230 Who did you call? Colin Ryan
 Weather Notations: SUN CLOUDY RAIN SNOW Temperature 60-70's F

HAZ WASTE		DRUM INVENTORY	
<u>1</u>		<u>0</u>	
<u>1</u>			
<u>0</u>			
WATER	<u>0</u>	CARBON	<u>2</u>
SOIL	<u>0</u>	EMPTY	<u>0</u>
		TOTAL OPEN TOP	
		TOTAL BUNG TOP	

HEALTH AND SAFETY ASSESSMENT

PPE, HASP, Hospital Route, Vehicle/Foot Traffic, Delivery Trucks, Slips/Trips/Falls, Sun Protection, Scope of Work.

DESCRIPTION OF ACTIVITIES ONSITE AND NOTES

0800-0945 - Truck inspection, drove to site.
0945-1015 - Tailgate meeting, started paperwork, deconed & calibrated equipment.
1015-1050 - Opened, then gauged wells per gauging form.
1050-1210 - Purged, then sampled wells gauged.
1210-1220 - Released purge H₂O from truck to onsite 55-gal drum.
1220-1230 - Packed up equipment, finished paperwork.
1230 - Left site.

JOB NAME:	7-Eleven Store #32266	JOB NUMBER:	211502037.220.0700
SITE ADDRESS:	1339 North Vasco Road	START DATE:	10/17/2011
	Livermore, California	DATE PREPARED:	10/13/2011
PREPARED FOR:	Brian Branscum	PREPARED BY:	Danielle Manning

GROUNDWATER GAUGING FORM

MEASURED TO TOC

WELL I.D.	CONST. DTB	WELL DIAM.	WELL ELEV. TOC	DTB	DTW	DTP/PT	D.O. (mg/L)	TIME	COMMENTS Please note if well needs locking cap or street box repair
MW-1	20	2"		18.99	8.27	/	0.5	1030	
MW-2	20	2"		19.21	8.74	/	1.2	1040	
MW-3	20	2"		20.05	9.37	/	0.6	1050	

Stantec Consulting Corp.

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 7-Eleven Store #32266 PURGED BY: Brian Branscum WELL I.D.: MW- 1
 CLIENT NAME: 7-Eleven, Inc. SAMPLED BY: Brian Branscum SAMPLE I.D.: MW- 1
 LOCATION: 1339 North Vasco Road, Livermore, Calif QA SAMPLES: None

DATE PURGED 10/17/11 START (2400hr) 1100 END (2400hr) 1116
 DATE SAMPLED 10/17/11 SAMPLE TIME (2400hr) 1120
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 18.99 CASING VOLUME (gal) = 1.8
 DEPTH TO WATER (feet) = 8.27 CALCULATED PURGE (gal) = 5.4
 WATER COLUMN HEIGHT (feet) = 10.72 ACTUAL PURGE (gal) = 7.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>10/17/11</u>	<u>1110</u>	<u>1.8</u>	<u>23.0</u>	<u>1609</u>	<u>6.76</u>	<u>BRN</u>	<u>MED</u>
<u>↓</u>	<u>1113</u>	<u>3.6</u>	<u>24.3</u>	<u>1660</u>	<u>6.73</u>	<u>BRN</u>	<u>MED</u>
<u>↓</u>	<u>1114</u>	<u>5.4</u>	<u>24.7</u>	<u>1638</u>	<u>6.82</u>	<u>BRN</u>	<u>MED/LOW</u>

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 8.59 SAMPLE TURBIDITY: MED

80% RECHARGE: YES NO ANALYSES: BTEX, TPHg, 5 Oxygenates (EPA 8260B)
 ODOR: N/A SAMPLE VESSEL / PRESERVATIVE: HCL


PURGING EQUIPMENT

____ Bladder Pump _____ Bailer (Teflon)
 ____ Centrifugal Pump _____ Bailer (PVC)
 Submersible Pump _____ Bailer (Stainless Steel)
 ____ Peristaltic Pump _____ Dedicated _____
 Other: _____
 Pump Depth: _____

SAMPLING EQUIPMENT

____ Bladder Pump _____ Bailer (Teflon)
 ____ Centrifugal Pump Bailer (____ PVC or disposable)
 ____ Submersible Pump _____ Bailer (Stainless Steel)
 ____ Peristaltic Pump _____ Dedicated _____
 Other: _____

WELL INTEGRITY: GOOD LOCK#: YES
 REMARKS: D.O.-0.5

SIGNATURE:  Page 1 of 3

Stantec Consulting Corp.

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 7-Eleven Store #32266 PURGED BY: Brian Branscum WELL I.D.: MW- 2
 CLIENT NAME: 7-Eleven, Inc. SAMPLED BY: Brian Branscum SAMPLE I.D.: MW- 2
 LOCATION: 1339 North Vasco Road, Livermore, Calif QA SAMPLES: None

DATE PURGED 10/17/11 START (2400hr) 1125 END (2400hr) 1141
 DATE SAMPLED 10/17/11 SAMPLE TIME (2400hr) 1145
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 19.21 CASING VOLUME (gal) = 1.7
 DEPTH TO WATER (feet) = 8.74 CALCULATED PURGE (gal) = 5.1
 WATER COLUMN HEIGHT (feet) = 10.47 ACTUAL PURGE (gal) = 7.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>10/17/11</u>	<u>1135</u>	<u>1.7</u>	<u>25.0</u>	<u>1606</u>	<u>6.85</u>	<u>BRN</u>	<u>MED/LOW</u>
<u>↓</u>	<u>1138</u>	<u>3.4</u>	<u>23.6</u>	<u>1976</u>	<u>6.80</u>	<u>BRN</u>	<u>MED</u>
<u>↓</u>	<u>1141</u>	<u>5.1</u>	<u>22.6</u>	<u>2001</u>	<u>6.85</u>	<u>BRN</u>	<u>MED</u>

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 9.17 SAMPLE TURBIDITY: MED

80% RECHARGE: YES ___ NO ANALYSES: BTEX, TPHg, 5 Oxygenates (EPA 8260B)
 ODOR: N/A SAMPLE VESSEL / PRESERVATIVE: HCL

PURGING EQUIPMENT


___ Bladder Pump ___ Bailer (Teflon)
 ___ Centrifugal Pump ___ Bailer (PVC)
 Submersible Pump ___ Bailer (Stainless Steel)
 ___ Peristaltic Pump ___ Dedicated _____
 Other: _____
 Pump Depth: _____

SAMPLING EQUIPMENT

___ Bladder Pump ___ Bailer (Teflon)
 ___ Centrifugal Pump Bailer (___ PVC or disposable)
 ___ Submersible Pump ___ Bailer (Stainless Steel)
 ___ Peristaltic Pump ___ Dedicated _____
 Other: _____

WELL INTEGRITY: GOOD LOCK#: YES

REMARKS: D.O. - 1.2

SIGNATURE: 

Stantec Consulting Corp.

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 7-Eleven Store #32266 PURGED BY: Brian Branscum WELL I.D.: MW- 3
 CLIENT NAME: 7-Eleven, Inc. SAMPLED BY: Brian Branscum SAMPLE I.D.: MW- 3
 LOCATION: 1339 North Vasco Road, Livermore, Calif QA SAMPLES: None

DATE PURGED 10/17/11 START (2400hr) 1150 END (2400hr) 1206
 DATE SAMPLED 10/17/11 SAMPLE TIME (2400hr) 1210
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 20.05 CASING VOLUME (gal) = 1.8
 DEPTH TO WATER (feet) = 9.37 CALCULATED PURGE (gal) = 5.4
 WATER COLUMN HEIGHT (feet) = 10.68 ACTUAL PURGE (gal) = 7.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>10/17/11</u>	<u>1200</u>	<u>1.8</u>	<u>22.5</u>	<u>934</u>	<u>6.94</u>	<u>BRN</u>	<u>MED</u>
<u>↓</u>	<u>1203</u>	<u>3.6</u>	<u>23.9</u>	<u>979</u>	<u>6.80</u>	<u>BRN</u>	<u>MED/LOW</u>
<u>↓</u>	<u>1206</u>	<u>5.4</u>	<u>24.2</u>	<u>996</u>	<u>6.82</u>	<u>BRN</u>	<u>MED/LOW</u>

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 9.81 SAMPLE TURBIDITY: _____

80% RECHARGE: YES _____ NO _____ ANALYSES: BTEX, TPHg, 5 Oxygenates (EPA 8260B)
 ODOR: N/A SAMPLE VESSEL / PRESERVATIVE: HCL

PURGING EQUIPMENT

____ Bladder Pump _____ Bailer (Teflon)
 ____ Centrifugal Pump _____ Bailer (PVC)
 Submersible Pump _____ Bailer (Stainless Steel)
 ____ Peristaltic Pump _____ Dedicated _____
 Other: _____
 Pump Depth: _____

SAMPLING EQUIPMENT

____ Bladder Pump _____ Bailer (Teflon)
 ____ Centrifugal Pump Bailer (_____ PVC or disposable)
 ____ Submersible Pump _____ Bailer (Stainless Steel)
 ____ Peristaltic Pump _____ Dedicated _____
 Other: _____

WELL INTEGRITY: GOOD LOCK#: YES
 REMARKS: D.O. - 0.6

SIGNATURE: Brian Branscum

Attachment B
Certified Laboratory Analytical Reports
and Chain-of-Custody Documentation



Laboratory Results

Damon Brown
Stantec Consulting Corporation
3017 Kilgore Road, Suite 100
Rancho Cordova, CA 95670

Subject : 3 Water Samples
Project Name : 7-Eleven Store #32266
Project Number : 211502037.220

Dear Mr. Brown,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC standard. All soil samples are reported on a total weight (wet weight) basis unless noted otherwise in the case narrative. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC. Kiff Analytical, LLC is certified by the State of California under the National Environmental Laboratory Accreditation Program (NELAP), lab # 08263CA. If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff

Subject : 3 Water Samples
Project Name : 7-Eleven Store #32266
Project Number : 211502037.220

Case Narrative

Tert-Butanol results for sample MW-3 may be biased slightly high and are flagged with a 'J'. A fraction of MtBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. We consider this conversion effect to be mathematically significant in samples that contain MtBE/Tert-Butanol in ratios of over 20:1.

Project Name : **7-Eleven Store #32266**

Project Number : **211502037.220**

Sample : **MW-1**

Matrix : Water

Lab Number : 79209-01

Sample Date :10/17/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:19
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	10/26/11 05:19
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/26/11 05:19
1,2-Dichloroethane-d4 (Surr)	105		% Recovery	EPA 8260B	10/26/11 05:19
Toluene - d8 (Surr)	98.1		% Recovery	EPA 8260B	10/26/11 05:19

Project Name : **7-Eleven Store #32266**

Project Number : **211502037.220**

Sample : **MW-2**

Matrix : Water

Lab Number : 79209-02

Sample Date :10/17/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 05:54
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	10/26/11 05:54
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/26/11 05:54
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	10/26/11 05:54
Toluene - d8 (Surr)	98.2		% Recovery	EPA 8260B	10/26/11 05:54

Project Name : **7-Eleven Store #32266**

Project Number : **211502037.220**

Sample : **MW-3**

Matrix : Water

Lab Number : 79209-03

Sample Date :10/17/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Methyl-t-butyl ether (MTBE)	1900	3.0	ug/L	EPA 8260B	10/29/11 07:07
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	10/26/11 06:31
Tert-amyl methyl ether (TAME)	2.9	0.50	ug/L	EPA 8260B	10/26/11 06:31
Tert-Butanol	85 J	15	ug/L	EPA 8260B	10/29/11 07:07
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/26/11 06:31
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	10/26/11 06:31
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	10/26/11 06:31

QC Report : Method Blank Data

Project Name : **7-Eleven Store #32266**

Project Number : **211502037.220**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	10/25/2011
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	10/25/2011
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/25/2011
1,2-Dichloroethane-d4 (Surr)	103		%	EPA 8260B	10/25/2011
Toluene - d8 (Surr)	97.4		%	EPA 8260B	10/25/2011
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/28/2011
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	10/28/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **7-Eleven Store #32266**Project Number : **211502037.220**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	79219-10	<0.50	39.4	39.5	37.7	38.0	ug/L	EPA 8260B	10/25/11	95.6	96.1	0.492	80-120	25
Diisopropyl ether	79219-10	<0.50	39.1	39.2	38.6	38.6	ug/L	EPA 8260B	10/25/11	98.9	98.7	0.204	80-120	25
Ethyl-tert-butyl ether	79219-10	<0.50	39.4	39.4	39.6	39.2	ug/L	EPA 8260B	10/25/11	101	99.5	1.21	76.5-120	25
Ethylbenzene	79219-10	<0.50	39.4	39.5	37.5	37.8	ug/L	EPA 8260B	10/25/11	95.0	95.5	0.576	80-120	25
Methyl-t-butyl ether	79219-10	<0.50	39.6	39.7	38.6	38.4	ug/L	EPA 8260B	10/25/11	97.3	96.8	0.544	69.7-121	25
P + M Xylene	79219-10	<0.50	39.4	39.5	38.5	38.5	ug/L	EPA 8260B	10/25/11	97.5	97.4	0.191	76.8-120	25
Tert-Butanol	79219-10	<5.0	191	191	182	182	ug/L	EPA 8260B	10/25/11	95.4	95.3	0.0512	80-120	25
Tert-amyl-methyl ether	79219-10	<0.50	39.3	39.4	39.8	39.5	ug/L	EPA 8260B	10/25/11	101	100	0.777	78.9-120	25
Toluene	79219-10	<0.50	39.4	39.5	37.8	37.8	ug/L	EPA 8260B	10/25/11	95.8	95.8	0.0869	80-120	25

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **7-Eleven Store #32266**

Project Number : **211502037.220**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Methyl-t-butyl ether	79232-03	1.7	40.2	40.2	44.3	43.1	ug/L	EPA 8260B	10/28/11	106	103	2.92	69.7-121	25
Tert-Butanol	79232-03	<5.0	193	193	202	203	ug/L	EPA 8260B	10/28/11	104	105	0.381	80-120	25

QC Report : Laboratory Control Sample (LCS)Project Name : **7-Eleven Store #32266**Project Number : **211502037.220**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	10/25/11	94.3	80-120
Diisopropyl ether	39.6	ug/L	EPA 8260B	10/25/11	97.4	80-120
Ethyl-tert-butyl ether	39.9	ug/L	EPA 8260B	10/25/11	98.2	76.5-120
Ethylbenzene	40.0	ug/L	EPA 8260B	10/25/11	94.3	80-120
Methyl-t-butyl ether	40.2	ug/L	EPA 8260B	10/25/11	90.1	69.7-121
P + M Xylene	40.0	ug/L	EPA 8260B	10/25/11	96.0	76.8-120
Tert-Butanol	193	ug/L	EPA 8260B	10/25/11	102	80-120
Tert-amyl-methyl ether	39.9	ug/L	EPA 8260B	10/25/11	95.5	78.9-120
Toluene	40.0	ug/L	EPA 8260B	10/25/11	93.7	80-120
Methyl-t-butyl ether	40.0	ug/L	EPA 8260B	10/28/11	109	69.7-121
Tert-Butanol	192	ug/L	EPA 8260B	10/28/11	105	80-120

Chain of Custody Number: 79209

Stantec Chain-of Custody Record

Field Office: 077 Sacramento
 Address: 3017 Kilgore Road, Suite 100
Rancho Cordova, CA

Additional documents are attached, and are part of this Record.
 Job Name: 7-Eleven Store #32266
 Location: 1339 North Vasco Road
Livermore, CA

Project # 211502037.220 Task # 220.0410
 Project Manager Damon Brown
 Laboratory Kiff Analytical
 Turnaround Time Standard

Analysis Request

Sampler's Name Brian Branscum
 Sampler's Signature [Signature]

Sample ID	Date	Time	Matrix	HCl-preserved	TPHg/BTEX - EPA 8260	TPHd (Diesel Only) 8015 (modified)	TPH 418.1/WTPH 418.1	Aromatic Volatiles 602/8020	Volatile rganics 624/8240 (g=GC/MS)	Halogenated Volatiles 601/8010	Semi-volatile Organics 625/8270 (GC/MS)	5 Oxygenates EPA 8260B	Chloroform, PCE - EPA 8260B	Comments/Instructions	Number of Containers	
MW-1	10/17/11	1120	Water	3	X							X			3	01
MW-2	↓	1145	Water	3	X							X			3	02
MW-3	↓	1210	Water	3	X							X			3	03

Special Instructions/Comments
5 Oxygenates - MtBE, EtBE, DIPE, TAME, TBA
 Global ID #T10000001067
 email EDD to danielle.manning@stantec.com,
patrick.schiller@stantec.com
 email lab report to danielle.manning@stantec.com /
damon.brown@stantec.com /
patrick.schiller@stantec.com

Relinquished by: [Signature]
 Sign [Signature]
 Print BRIAN BRANSCUM
 Company STANTEC
 Time _____ Date 10/24/11

Received by: [Signature]
 Sign _____
 Print _____
 Company _____
 Time _____ Date _____

Sample Receipt
 Total no. of containers: _____
 Chain of custody seals: _____
 Rec'd in good condition/cold: _____
 Conforms to record: _____

Client: **Stantec**
 Client Contact: **Damon**
 Client Phone: **(916) 861-0400**
ext. 230

Page 10 of 11

SAMPLE RECEIPT CHECKLIST

RECEIVER
Eay
Initials

SRG#: 79209 Date: 102411
 Project ID: 7-Eleven Store #32266
 Method of Receipt: Courier Over-the-counter Shipper

COC Inspection

Is COC present? Yes No
 Custody seals on shipping container? Intact Broken Not present N/A
 Is COC Signed by Relinquisher? Yes No Dated? Yes No
 Is sampler name legibly indicated on COC? Yes No
 Is analysis or hold requested for all samples? Yes No
 Is the turnaround time indicated on COC? Yes No
 Is COC free of whiteout and uninitialed cross-outs? Yes No, Whiteout No, Cross-outs

Sample Inspection

Coolant Present: Yes No (includes water)
 Temperature °C 4.1 Therm. ID# 12-5 Initial CAW Date/Time 102411 0900 N/A
 Are there custody seals on sample containers? Intact Broken Not present
 Do containers match COC? Yes No No, COC lists absent sample(s) No, Extra sample(s) present
 Are there samples matrices other than soil, water, air or carbon? Yes No
 Are any sample containers broken, leaking or damaged? Yes No
 Are preservatives indicated? Yes, on sample containers Yes, on COC Not indicated N/A
 Are preservatives correct for analyses requested? Yes No N/A
 Are samples within holding time for analyses requested? Yes No
 Are the correct sample containers used for the analyses requested? Yes No
 Is there sufficient sample to perform testing? Yes No
 Does any sample contain product, have strong odor or are otherwise suspected to be hot? Yes No
Receipt Details
 Matrix WA Container type Voa # of containers received 9
 Matrix _____ Container type _____ # of containers received _____
 Matrix _____ Container type _____ # of containers received _____
 Date and Time Sample Put into Temp Storage Date: 102411 Time: 0914

Quicklog

Are the Sample ID's indicated: On COC On sample container(s) On Both Not indicated
 If Sample ID's are listed on both COC and containers, do they all match? Yes No N/A
 Is the Project ID indicated: On COC On sample container(s) On Both Not indicated
 If project ID is listed on both COC and containers, do they all match? Yes No N/A
 Are the sample collection dates indicated: On COC On sample container(s) On Both Not indicated
 If collection dates are listed on both COC and containers, do they all match? Yes No N/A
 Are the sample collection times indicated: On COC On sample container(s) On Both Not indicated
 If collection times are listed on both COC and containers, do they all match? Yes No N/A

COMMENTS:

