

From: [Andrews, Emmy](#)
To: [Drogos, Donna, Env. Health](#)
Subject: USPS Oakland Elevator Initial Investigation: 1675 7th St, 94607
Date: Tuesday, June 02, 2009 11:44:26 AM
Attachments: [OAK Elevator Initial Report June09.pdf](#)
Importance: High

Hi Donna,

Thanks for your call on Monday. I have attached the initial report for the elevator excavation work that resulted in discovery of subsurface contamination at the US Postal Service Processing and Distribution Center (P&DC). As we discussed, in order to speed up submittal of the report it does not include data interpretation, conclusions or recommendations nor is it signed by a PG or CE; it includes only a report of the initial data gathering efforts. Once the case manager has had a chance to review, please have her contact me and we can discuss next steps.

Also, I talked to the guys at the Vehicle Maintenance Facility (VMF; another part of the USPS complex on 7th Street) about the open LUFT case there (Global ID T0600100443) and I will be taking over as the primary contact for this case as well. I just downloaded the documents on your website and will look through those and get up to speed on the case ASAP. I should be ready to discuss with the case manager in a few days.

Please note that I will be on vacation June 5 – June 16, returning to the office June 17.

Thank you,

Emmy Andrews | **Facilities Environmental Specialist**
United States Postal Service (Contractor)
415.531.5732 | emmy.andrews@tetrattech.com