Weiss Associates *Environmental and Geologic Services*

5500 Shellmound Street, Emeryville, CA 94608-2411 *Fax: 510-547-5043* *Phone:* ***510-547-5420***

December 21, 1994

Dennis Byrne
Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway,
Suite 250
Alameda, California 94502-6577

510 381

ALCO HAZMAT
94 DEC 22 PM 3:44

Re: Shell Service Station
WIC #204-5508-5306
3420 San Pablo Avenue
Oakland, California
WA Job #81-0612-104

Dear Mr. Byrne:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1.) This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 2652.d. Included below are descriptions and results of activities performed in the fourth quarter 1994 and proposed work for the first quarter 1995.

Hydrocarbon Removal Summary	*Pounds Removed Fourth Quarter 1994*	*Cumulative Pounds Removed*
Separate-phase Hydrocarbon	3.33	18.10

Fourth Quarter 1994 Activities:

- Blaine Tech Services (BTS) of San Jose, California measured ground water depths and collected ground water samples from the wells. BTS' report describing these activities and the analytic report for the ground water samples are included as Attachment A.

- BTS removed a total of 3.33 pounds of separate-phase hydrocarbons (SPHs) from skimmers in wells MW-4 and MW-7 and bailed SPHs from well MW-6 this quarter (Table 1). To date, approximately 18.10 pounds of SPHs have been removed by skimmers and additional bailing.

- Weiss Associates (WA) prepared a ground water elevation contour map for wells screened in the first water bearing zone (Figure 2). Since wells MW-1, MW-3, MW-4 and MW-5 are screened slightly deeper than the other site wells, these wells are contoured separately (Figure 3).

Anticipated First Quarter 1995 Activities:

- WA will submit a report presenting the results of the first quarter 1995 ground water sampling and ground water depth measurements. The report will include tabulated chemical analytic results, SPH removal data and ground water elevation contour maps.

- SPH skimmers are installed in wells MW-2, MW-4 and MW-7. The skimmers will be purged of hydrocarbons quarterly until no SPHs are measured in these wells. SPH volumes removed will be tabulated in subsequent quarterly status reports.

Conclusions and Recommendations:

In most wells ground water elevations have decreased. This elevation decrease still continues to result in the reversal of the apparent ground water flow direction beneath the northern portion of the site compared to second quarter 1993. We will monitor ground water elevations in upcoming quarters to assess whether this trend continues.

Please call if you have any questions.

Sincerely,
Weiss Associates



J.Michael Asport
Staff Scientist I

James W. Carmody, C.E.G.
Senior Project Hydrogeologist

Attachments: A - BTS' Ground Water Monitoring Report

cc: Dan Kirk, Shell Oil Company, P.O. Box 4023, Concord, California 94524
Lisa McCann, California Regional Water Quality Control Board, San Francisco Bay Region, 2101 Webster Street, Suite 500, Oakland, California 94612

JMA/JWC:jma
P:\SHELL\0612\QM\94QHR.WP



Figure 1. Site Location Map - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California

2/13/92



Figure 2. Monitoring Well Locations and Ground Water Elevation Contours, Lower Water-Bearing Zone - October 27, 1994 - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California



Figure 3. Monitoring Well Locations and Ground Water Elevation Contours, Lower Water-Bearing Zone - October 27, 1994 - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California

Table 1. Separate-Phase Hydrocarbon Removal - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California

Well ID	Date	Separate-Phase Hydrocarbon Thickness (ft)	Separate-Phase Hydrocarbons Removed (lbs)	Cumulative Separate-Phase Hydrocarbons Removed (lbs)
MW-1	10/23/91	0.01	---	---
	05/04/92	<0.01	---	---
	10/12/92	0.09	---	---
	01/12/93	0.02	3.12	3.12
	04/06/93	<0.01	0.78	3.90
	07/12/93	0.01	0.18	4.08
	10/13/93	0.01	0.06	4.14
	01/20/94	0.01	0.03	4.17
	04/03/94	0.02	0.12	4.29
MW-2	10/12/92	0.03	---	---
	01/12/93	0.01	1.56	1.56
	04/06/93	<0.01	0.78	2.34
	04/03/94	<0.01	0.03	2.37
MW-4	10/12/92	0.78	---	---
	01/12/93	1.0	---	---
	04/06/93	0.95	---	---
	07/12/93	0.03	6.36	6.36
	10/13/93	0.12	0.78	7.14
	01/20/94	0.02	0.03	7.17
	04/13/94	0.01	0.12	7.29
	10/27/94	**0.03**	**0.79**	**8.08**
MW-5	10/12/92	0.01	---	---
	01/12/93	<0.01	---	---
	10/13/93	0.03	---	---
	01/20/94	0.01	---	---
	04/13/94	0.01	0.03	0.06
MW-6	10/12/92	0.48	---	---
	01/12/93	<0.01	---	---
	10/13/93	0.2	---	---
	01/20/94	0.02	---	---
	04/13/94	0.01	0.03	0.03
	07/19/94	0.07	0.03	0.06
	10/27/94	**0.11**	**1.43**	**1.49**
MW-7	01/20/94	0.05	---	---
	04/13/94	0.16	0.66	0.66

---Table 1 continues on next page---

Table 1. Separate-Phase Hydrocarbon Removal - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California

Well ID	Date	Separate-Phase Hydrocarbon Thickness (ft)	Separate-Phase Hydrocarbons Removed (lbs)	Cumulative Separate-Phase Hydrocarbons Removed (lbs)
	07/19/94	0.20	0.04	0.70
	10/27/94	**0.04**	**1.11**	**1.81**
	Total Separate-Phase Hydrocarbons Removed			18.10

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness	GroundWater Elevation (ft above msl)[a]
MW-1	08/06/91	21.28	10.86	---	10.43
	10/23/91		11.05	0.01	10.24
	01/28/92		10.84	---	10.44
	05/04/92		9.42	<0.01	11.86
	07/13/92		11.36	---	9.92
	10/12/92		13.14	0.09	8.21
	01/12/93		7.52	0.02	13.78
	04/06/93		7.13	<0.01	14.16
	07/12/93		11.02	0.01	10.27
	10/13/93		12.18	0.01	9.11[a]
	01/20/94		9.18	0.01	12.10
	04/13/94		8.72	0.02	12.58
	07/19/94		8.76	---	12.52
	10/27/94		**10.49**	**---**	**10.79**
MW-2	08/06/91	21.56	9.72	---	11.84
	10/23/91		10.03	---	11.53
	01/28/92		8.78	---	12.78
	05/04/92		7.58	---	13.98
	07/13/92		9.63	---	11.93
	10/12/92		11.66	0.03	9.92
	01/12/93		7.13	0.01	14.44
	04/06/93		6.40	<0.01	15.17
	07/12/93		8.75	---	12.81
	10/13/93		10.28	---	11.28
	01/20/94		---	---	---
	04/13/94		7.35	<0.01	14.22
	07/19/94		8.24	---	13.32
	10/27/94		**10.26**	**---**	**13.32**
MW-3	08/06/91	21.78	11.18	---	10.60
	10/23/91		11.69	---	10.09
	01/28/92		9.99	---	11.79
	05/04/92		9.46	---	12.32
	07/13/92		11.29	---	10.49
	10/12/92		13.10	---	8.68
	01/12/93		7.32	---	14.46
	04/06/93		7.44	---	14.34
	07/12/93		10.62	---	11.16
	10/13/93		12.05	---	9.73
	01/20/94		9.62	---	12.16
	04/13/94		9.15	---	12.63

---Table 2 continues on next page---

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness	GroundWater Elevation (ft above msl)[a]
	07/19/94		10.13	---	11.65
	10/27/94		**11.66**	**---**	**10.12**
MW-4	08/06/91	20.31	10.57	---	9.74
	10/23/91		10.46	---	9.85
	01/28/92		9.54	---	10.77
	05/04/92		8.33	---	11.98
	07/13/92		9.87	---	10.44
	10/12/92		12.43	0.78	8.50
	01/12/93		7.12	1.0	13.99
	04/06/93		7.23	0.95	13.84
	07/12/93		10.08	0.03	10.25
	10/13/93		11.35	0.12	9.06
	01/20/94		9.06	0.02	11.26
	04/13/94		8.58	0.01	11.74
	07/19/94		9.71	---	10.60
	10/27/94		**10.60**	**0.03**	**9.73**
MW-5	08/06/91	20.91	10.23	---	10.68
	10/23/91		10.89	---	10.02
	01/28/92		8.45	---	12.46
	05/04/92		8.05	---	12.86
	07/13/92		10.00	---	10.91
	10/12/92		11.83	0.01	9.09
	01/12/93		6.10	<0.01	14.81
	04/06/93		6.18	---	14.73
	07/12/93		9.59	---	11.32
	10/13/93		10.80	0.03	10.13[a]
	01/20/94		7.42	0.01	13.49
	04/13/94		7.05	0.01	13.87
	07/19/94		8.57	---	12.34
	10/27/94		**10.14**	**---**	**10.77**
MW-6	08/06/91	22.32	10.61	---	11.71
	10/23/91		11.68	---	10.64
	01/28/92		8.90	---	13.42
	05/04/92		8.01	---	14.31
	07/13/92		10.77	---	11.55
	10/12/92		13.36	0.48	9.34
	01/12/93		6.40	<0.01	15.92
	04/06/93		5.93	---	16.39
	07/12/93		10.25	---	12.07
	10/13/93		12.28	0.2	10.20[a]

---Table 2 continues on next page---

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness	GroundWater Elevation (ft above msl)[a]
	01/20/94		9.14	0.02	13.20
	04/13/94		7.67	0.01	14.66
	07/19/94		10.07	0.07	12.31
	10/27/94		**11.84**	**0.11**	**10.57**
MW-7	08/06/91	20.36	8.00	---	12.36
	10/23/91		8.16	---	12.20
	01/28/92		7.11	---	13.25
	05/04/92		6.47	---	13.89
	07/13/92		7.73	---	12.63
	10/12/92		8.68	---	11.68
	01/12/93		6.26	---	14.10
	04/06/93		5.92	---	14.44
	07/12/93		7.27	---	13.09
	10/13/93		9.40	---	10.96
	01/20/94		7.03	0.05	13.37
	04/13/94		6.56	0.16	13.93
	07/19/94		6.91	0.20	13.61
	10/27/94		**8.28**	**0.04**	**12.11**
MW-8	08/06/91	20.95	9.60	---	11.35
	10/23/91		9.73	---	11.22
	01/28/92		7.72	---	13.23
	05/04/92		6.48	---	14.47
	07/13/92		8.55	---	12.40
	10/12/92		9.97	---	10.98
	01/12/93		6.94	---	14.01
	04/06/93		5.72	---	15.23
	07/12/93		7.65	---	13.30
	10/13/93		8.25	---	12.70
	01/20/94		7.25	---	13.70
	04/13/94		7.12	---	13.83
	07/19/94		7.43	---	13.52
	10/27/94		**7.55**	**---**	**13.40**
MW-9	08/06/91	21.19	10.33		10.86
	10/23/91		11.13	---	10.06
	01/28/92		9.02	---	12.17
	05/04/92		7.67	---	13.52
	07/13/92		10.26	---	10.93
	10/12/92		12.19	---	9.0
	01/12/93[b]		---	---	---
	04/06/93[b]		---	---	---

---Table 2 continues on next page---

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness	GroundWater Elevation (ft above msl)[a]
	07/12/93[b]		---	---	---
	10/13/92		11.17	---	10.02
	01/20/94		8.03	---	13.16
	04/13/94		7.81	---	13.38
	07/19/94		8.96	---	12.23
	10/27/94		**11.00**	**---**	**10.19**
MW-10	10/23/91	19.74	8.57	---	11.17
	01/28/92		7.60	---	12.14
	05/04/92		7.54	---	12.20
	07/13/92		8.59	---	11.15
	10/12/92		10.23	---	9.51
	01/12/93[b]		---	---	---
	04/06/93		6.70	---	13.04
	07/12/93[b]		8.05	---	11.69
	10/13/93		8.25	---	11.49
	01/20/94		7.20	---	12.54
	04/13/94		7.57	---	12.17
	07/19/94		8.18	---	11.56
	10/27/94		**8.68**	**---**	**11.06**
MW-11	10/23/91	22.06	14.0	---	8.06
	01/28/92		8.74	---	3.32
	05/04/92		8.29	---	13.77
	07/13/92		10.50	---	11.56
	10/12/92		12.40	---	9.66
	01/12/93[b]		---	---	---
	04/06/93[b]		---	---	---
	07/12/93[b]		---	---	---
	10/13/93		11.47	---	10.59
	01/20/94		9.09	---	12.97
	04/13/94		8.02	---	14.04
	07/19/94		9.82	---	12.24
	10/27/94		**11.66**	**---**	**10.40**

Notes:

a = When separate-phase hydrocarbons are present ground water elevation is adjusted using the relation: Ground Water Elevation = Top-of-casing elevation - depth to water + (0.8 x hydrocarbon thickness).

b = Well inaccessible, coverd by construction debris.

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
MW-1	08/06/91[SPH]	10.86	---	---	---	---	---
	10/23/91	11.05	32,000	2,700	550	360	3,700
	01/28/92	10.84	14,000	1,000	450	106	1,600
	05/05/92	9.42	98,000	11,000	3,500	1,200	18,000
	07/13/92	11.36	11,000	1,100	740	130	1,300
	10/12/92[SPH]	13.14	---	---	---	---	---
	01/12/93[SPH]	7.52	---	---	---	---	---
	04/06/93[SPH]	7.13	---	---	---	---	---
	07/12/93[SPH]	11.02	---	---	---	---	---
	10/13/93[SPH]	12.18	---	---	---	---	---
	01/20/94[SPH]	9.18	---	---	---	---	---
	04/13/94[SPH]	8.72	---	---	---	---	---
	07/19/94	8.76	17,000	420	530	140	1,300
	10/27/94	**10.49**	**23,000**	**1,200**	**990**	**130**	**960**
MW-2	08/06/91	9.72	50,000	15,000	2,700	1,400	13,000
	10/23/91	10.03	120,000	11,000	3,500	1,400	19,000
	01/28/92	8.78	49,000	7,400	1.800	800	8,300
	05/05/92	7.58	52,000	12,000	2,200	1,100	12,000
	07/13/92	9.63	47,000	15,000	4,500	2,400	16,000
	10/12/92[SPH]	11.66	---	---	---	---	---
	01/12/93[SPH]	7.13	---	---	---	---	---
	04/06/93[SPH]	6.40	---	---	---	---	---
	07/12/93	8.75	59,000	12,000	2,400	950	11,000
	10/13/93	10.28	54,000	14,000	3,700	1,200	22,000
	01/20/94	---	---	---	---	---	---
	04/13/94	7.35	79,000	9,400	2,100	740	12,000
	04/13/94[dup]	7.35	110,000	11,000	2,400	710	13,000
	07/19/94	8.24	63,000	13,000	1,900	810	13,000
	07/19/94[dup]	8.24	12,000	12,000	340	140	12,000
	10/27/94	**10.26**	**64,000**	**8,800**	**2,100**	**480**	**10,000**
MW-3	08/06/91	11.18	430	8	4	1	15
	10/23/91	11.69	390	2.1	0.48	<0.3	2
	01/28/92	9.99	190	<0.5	<0.5	<0.5	<0.5
	05/04/92	9.46	190	<1	<1	<1	0.71
	07/20/92	11.29	200[a]	<0.5	<0.5	<0.5	<0.5
	10/12/92	13.10	180[a]	<0.5	<0.5	<0 5	<0.5

---Table 3 continues on next page---

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
	01/12/93	7.32	180	<0.5	0.9	2.3	5.6
	01/12/93[dup]	7.32	260	<0.5	<0.5	<0.5	<0.5
	04/06/93[a]	7.44	280	<0.5	<0.5	<0.5	<0.5
	07/12/93	10.62	310[a]	<0.5	<0.5	<0.5	<0.5
	10/13/93[a]	12.05	150	<0.5	<0.5	<0.5	<0.5
	01/20/94	9.62	180	<0.5	<0.5	<0.5	<0.5
	04/13/94	9.15	270	<0.5	<0.5	<0.5	<0.5
	07/19/94	10.13	190*	<0.5	<0.5	<0.5	<0.5
	10/27/94	**11.66**	**160***	**<0.5**	**<0.5**	**<0.5**	**<0.5**
MW-4	08/06/91	10.57	1,300	28	68	18	150
	10/23/91	10.46	1,900	97	38	6.1	77
	01/28/92	9.54	200	7.6	3	<0.5	3.3
	05/04/92	8.33	690	98	13	3	<1
	07/13/92	9.87	1,500	140	17	2.9	12
	07/13/92[dup]	9.87	870	95	10	1.9	7.1
	10/12/92[SPH]	12.43	---	---	---	---	---
	01/12/93[SPH]	7.12	---	---	---	---	---
	04/06/93[SPH]	7.23	---	---	---	---	---
	07/12/93[SPH]	10.08	---	---	---	---	---
	10/13/93[SPH]	11.35	---	---	---	---	---
	01/20/94[SPH]	9.06	---	---	---	---	---
	04/13/84[SPH]	8.58	---	---	---	---	---
	07/18/94	9.71	12,000	230	230	43	660
	10/27/94[SPH]	**10.60**	**---**	**---**	**---**	**---**	**---**
MW-5	08/06/91	10.23	9,100	210	240	27	660
	10/23/91	10.89	12,000	92	230	18	450
	01/28/92	8.45	3,300	130	180	10	220
	05/04/92	8.05	3,900	95	260	<12.5	120
	07/13/92	10.00	4,100	180	250	12	73
	10/12/92[SPH]	11.83	---	---	---	---	---
	01/12/93[SPH]	6.10	---	---	---	---	---
	04/06/93	6.18	6,200	71	53	<0.5	150
	07/12/93	9.59	3,400	130	170	<0.5	130
	10/13/93[SPH]	10.80	---	---	---	---	---
	01/20/94[SPH]	7.42	---	---	---	---	---
	04/13/94[SPH]	7.05	---	---	---	---	---
	07/19/94	8.57	11,000	180	180	13	260

---Table 3 continues on next page---

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
	10/27/94	**10.14**	**6,900**	**82**	**210**	**<5**	**110**
MW-6	08/06/91	10.61	28,000	1,400	1,300	200	4,200
	10/23/91	11.68	53,000	1,400	1,800	230	6,700
	01/28/92	8.90	87,000	1,200	2,000	470	6,600
	05/05/92	8.01	230,000	<500	3,200	<500	11,000
	07/13/92	10.77	2,700,000	<2,500	14,000	3,500	36,000
	10/12/92[SPH]	8.68	---	---	---	---	---
	01/12/93[SPH]	6.40	---	---	---	---	---
	04/06/93	5.93	320,000	2,500	5,400	980	14,000
	07/12/93	10.25	31,000	1,100	1,700	150	4,500
	07/12/93[dup]	10.25	25,000	1,200	2,000	270	4,800
	10/13/93[SPH]	12.28	---	---	---	---	---
	01/20/94[SPH]	9.14	---	---	---	---	---
	04/13/94[SPH]	7.67	---	---	---	---	---
	07/19/94[SPH]	10.07	---	---	---	---	---
	10/27/94[SPH]	**11.84**	---	---	---	---	---
MW-7	08/06/91	8.00	13,000	4,300	770	76	730
	10/23/91	8.16	18,000	3,200	660	31	770
	01/28/92	7.11	5,000	1,200	220	<10	54
	05/05/92	6.47	9,500	3,100	620	72	880
	07/13/92	7.73	20,000	4,200	1,600	130	1,100
	10/12/92	9.97	16,000	2,500	560	<50	170
	01/12/93	6.26	15,000	2,300	690	<0.5	440
	04/06/93	5.92	26,000	5,400	1,200	310	3,000
	04/06/93[dup]	5.92	21,000	5,200	1,200	180	3,000
	07/12/93	7.27	10,000[a]	3,000	510	100	530
	10/13/93	9.40	59,000	13,000	4,400	4,400	20,000
	01/20/94[SPH]	7.03	---	---	---	---	---
	04/13/94[SPH]	6.56	---	---	---	---	---
	07/19/94[SPH]	6.91	---	---	---	---	---
	10/27/94[SPH]	8.28	---	---	---	---	---
MW-8	08/06/91	9.60	32,000	3,700	1,400	1,100	6,100
	10/23/91	9.73	63,000	4,800	1,300	1,300	6,900
	01/28/92	7.72	32,000	1,900	1,400	750	6,300
	05/05/92	6.48	180,000	2,200	2,700	2,000	13,000
	07/13/92	8.55	56,000	4,500	2,700	1,500	9,100

---Table 3 continues on next page---

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
	10/12/92	9.97	34,000	2,400	1,400	550	6,400
	10/12/92[dup]	9.97	34,000	3,100	1,500	700	7,200
	01/12/93	6.94	110,000	2,100	2,400	1,200	12,000
	04/06/93	5.72	38,000	2,500	1,100	840	4,900
	07/12/93	7.65	27,000	2,800	1,200	990	5,300
	10/13/93	8.25	32,000	3,300	1,600	1,300	8,400
	10/13/93[dup]	8.25	47,000	3,200	1,600	1,300	8,500
	01/20/94	7.25	78,000	1,900	1,300	670	6,600
	01/20/94[dup]	7.25	60,000	1,700	1,100	680	5,500
	04/13/94	7.12	41,000	1,300	1,200	720	6,00
	07/19/94	7.43	140,000	1,800	2,000	1,400	9,000
	10/27/94	7.55	32,000	1,200	1,200	670	5,700
	10/27/94[dup]	7.55	42,000	1,100	1,100	650	5,700
MW-9	08/06/91	10.33	11,000	1,700	520	95	1,400
	10/23/91	11.13	20,000	1,000	<0.3	47	940
	01/28/92	9.02	3,500	120	280	<10	36
	05/04/92	7.67	7,700	1,200	380	<50	630
	07/20/92	10.26	11,000	910	220	<50	1,200
	10/12/92	12.19	2,100	340	77	15	44
	01/12/93[b]	---	---	---	---	---	---
	04/06/93[b]	---	---	---	---	---	---
	07/12/93[b]	---	---	---	---	---	---
	10/13/93	11.17	2,900	140	<5	<5	120
	01/20/94	8.03	1,700	380	150	6.9	400
	04/13/94	7.81	6,000	1,000	450	<20	420
	07/19/94	8.96	12,000	1,400	740	<5	1,200
	10/27/94	11.00	10,000	1,200	280	160	860
MW-10	10/23/91	8.57	27,000	1,600	1,800	110	510
	01/28/92	7.60	3,800	360	170	14	39
	05/04/92	7.54	3,000	360	140	<12.5	26
	07/20/92	8.59	15,000	400	180	<25	67
	10/12/92	10.23	16,000	320	360	<50	100
	01/12/93[b]	---	---	---	---	---	---
	04/06/93	6.70	14,000	370	880	<0.5	210
	07/12/93[b]	8.05	10,000	440	890	58	220
	10/13/93	8.25	15,000	1,000	810	51	170
	01/20/94	7.20	12,000	820	1,100	56	350

---Table 3 continues on next page---

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
	04/13/94	7.57	18,000	760	700	36	130
	07/19/94	8.18	24,000	400	800	2.3	22
	10/27/94	8.68	11,000	360	310	43	89
MW-11	10/23/91	8.06	140	<12	0.37	<0.3	0.56
	01/28/92	13.32	<50	<0.5	<0.5	<0.5	<0.5
	05/04/92	13.77	<50	<0.5	<0.5	<0.5	<0.5
	07/13/92	11.56	140[b]	<0.5	<0.5	<0.5	<0.5
	10/12/92	12.40	75[b]	<0.5	<0.5	<0.5	<0.5
	01/12/93[b]	---	---	---	---	---	---
	04/06/93[b]	---	---	---	---	---	---
	07/12/93	---	---	---	---	---	---
	10/13/93	11.47	<50	<0.5	<0.5	<0.5	<0.5
	01/20/94	9.09	<50	<0.5	<0.5	<0.5	<0.5
	04/13/94	8 02	<50	<0.5	<0.5	<0.5	<0.5
	07/19/94	9.82	50	<0.5	<0.5	<0.5	<0.5
	10/27/94	**11.66**	**60***	**<0.5**	**<0.5**	**<0.5**	**<0.5**
Bailer Blank	07/13/92		<50	<0.5	<0.5	<0.5	<0.5
	07/20/92		<50	<0.5	<0.5	<0.5	<0.5
	10/12/92		<50	<0.5	<0.5	<0.5	<0.5
	04/13/94		<50	<0.5	<0.5	0.67	<0.5
	07/19/94		<50	<0.5	<0.5	<0.5	<0.5
	10/27/94		**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**
Trip Blank	01/28/92		<50	<0.5	<0.5	<0.5	<0.5
	05/05/92		<50	<0.5	<0.5	<0.5	<0.5
	07/13/92		<50	<0.5	<0.5	<0.5	<0.5
	07/20/92		<50	<0.5	<0.5	<0.5	<0.5
	10/12/92		<50	<0.5	<0.5	<0.5	<0.5
	01/12/93		<50	<0.5	<0.5	<0.5	<0.5
	04/06/93		<50	<0 5	<0.5	<0.5	<0.5
	07/12/93		<05	<0.5	<0 5	<0.5	<0.5
	10/13/93		<50	<0.5	<0.5	<0.5	<0.5
	01/20/94		<50	<0.5	<0 5	<0.5	<0.5
	04/13/94		<50	<0.5	<0.5	<0.5	<0.5

---Table 3 continues on next page---

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			<----------parts per billion (ug/L)---------->				
	07/19/94		<50	<0.5	<0.5	<0.5	<0.5
	10/27/94		**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**
DTSC MCLs			NE	0.001	0.680	0.10[c]	1.750

Abbreviations:

TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015
TPH-D = Total petroleum hydrocarbons as diesel by Modified EPA Method 8015
TPH-MO = Total petroleum hydrocarbons as motor oil by Modified EPA Method 8015
B = Benzene by EPA Method 8020
E = Ethylbenzene by EPA Method 8020
T = Toluene by EPA Method 8020

X = Xylenes by EPA Method 8020
NE = Not established
DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water
--- = Not analyzed

<n = Not detected at detection limits of n ppb
dup = Duplicate sample
SPH = Not sampled, separate-phase hydrocarbons detected in well

Notes:

a = Concentration reported as gasoline is due to the presence of a discrete hydrocarbon peak that isnot indicative of gasoline
b = Not sampled.Well inaccessible
c = DTSC recommended action level; MCL not established
* = The result for gasoline in an unknown hydrocarbon which consists of a single peak

Weiss Associates

ATTACHMENT A

GROUND WATER MONITORING REPORT AND ANALYTIC REPORT

BLAINE
TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

November 15, 1994

Shell Oil Company
P.O. Box 4023
Concord, CA 94524

Attn: Daniel T. Kirk

SITE:
Shell WIC #204-5508-5306
3420 San Pablo Avenue
Oakland, California

QUARTER:
4th quarter of 1994

QUARTERLY GROUNDWATER SAMPLING REPORT 941027-J-1

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in response to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a TABLE OF WELL GAUGING DATA. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

STANDARD PROCEDURES

Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water are removed in cases where more evacuation is needed to achieve stabilization of water parameters and when requested by the local implementing agency. Less water may be removed in cases where the well dewaters and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site. Effluent water from purging and on-site equipment cleaning is collected and transported to Shell's Martinez Manufacturing Complex in Martinez, California.

Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This

recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such sites is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

Sample Containers

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

Sampling

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

Sample Designations

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label.

Chain of Custody

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

Hazardous Materials Testing Laboratory

The samples obtained at this site were delivered to National Environmental Testing, Inc. in Santa Rosa, California. NET is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #178.

Objective Information Collection

Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.

Richard C. Blaine

RCB/lp

attachments: table of well gauging data
chain of custody
certified analytical report

cc: Weiss Associates
5500 Shellmound Street
Emeryville, CA 94608-2411
ATTN: Michael Asport

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	10/27/94	TOC	SHEEN/ODOR	--	--	--	10.49	25.00
MW-2	10/27/94	TOC	SHEEN/ODOR	--	--	--	10.26	19.29
MW-3	10/27/94	TOC	--	NONE	--	--	11.66	27.53
MW-4	10/27/94	TOC	FREE PRODUCT	10.57	0.03	500	10.60	--
MW-5	10/27/94	TOC	ODOR	NONE	--	--	10.14	24.87
MW-6	10/27/94	TOC	FREE PRODUCT	11.73	0.11	900	11.84	--
MW-7	10/27/94	TOC	FREE PRODUCT	8.24	0.04	700	8.28	--
MW-8 *	10/27/94	TOC	ODOR	NONE	--	--	7.55	20.00
MW-9	10/27/94	TOC	--	NONE	--	--	11.00	19.73
MW-10	10/27/94	TOC	--	NONE	--	--	8.68	18.83
MW-11	10/27/94	TOC	--	NONE	--	--	11.66	18.98

* Sample DUP was a duplicate sample taken from well MW-8.

#3482

SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD
Serial No: 9410 2731

Date: 10/27/94
Page 1 of 2

Site Address: 3420 San Pablo Ave. Oakland

WIC#: 204-5506-5306

Shell Engineer: Dan Kirk
Phone No.: (510) 675-6168
Fax #: 675-6160

Consultant Name & Address: Blaine Tech Services, Inc. 985 Timothy Drive San Jose, CA 95133

Consultant Contact: Jim Keller
Phone No.: (408) 995-5535
Fax #: 293-8773

Comments:

Sampled by:

Printed Name: JEAN GATINEAU

LAB: NET

CHECK ONE (1) BOX ONLY	CT/DT
Quarterly Monitoring [X]	5441
Site Investigation [ ]	5441
Soil Classify/Disposal [ ]	5442
Water Classify/Disposal [ ]	5443
Soil/Air Rem. or Sys. O&M [ ]	5442
Water Rem. or Sys. O&M [ ]	5453
Other [ ]	

TURN AROUND TIME
- 24 hours [ ]
- 48 hours [ ]
- 15 days [XX] (Normal)
- Other [ ] ____

NOTE: Notify Lab as soon as Possible of 24/48 hrs. TAT.

Analysis Required

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020			Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
MW-1	10/27			X		3						X								
MW-2	↓			↓		↓						↓								
MW-3																				
MW-5																				
MW-8																				
MW-9																				
MW-10																				
MW-11	↓			↓		↓						↓								

CUSTODY SEALED 10/28/94 [signature]
Seal Intact

Relinquished By (signature):	Printed Name:	Date/Time	Received (signature):	Printed Name:	Date/Time
[signature]	JEAN GATINEAU	Date: 10/28 Time: 9:40	[signature]	GT LUMBRA	Date: 10/28 Time: 9:40
[signature]	GT LUMBRA	Date: 10/28 Time: 16:30	[signature]	PAM GREENE VIA NCS	Date: 10/29/94 Time: 08:02
		Date: Time:			Date: Time:

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS

SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD
Serial No: 941027J1

Date: 10/27/94
Page 2 of 2

Site Address: 3420 San Pablo Ave. Oakland

WIC#: 204-5506-5306

Shell Engineer: Dan Kirk — Phone No.: (510) 675-6168 Fax #: 675-6160

Consultant Name & Address: Blaine Tech Services, Inc. 985 Timothy Drive San Jose, CA 95133

Consultant Contact: Jim Keller — Phone No.: (408) 995-5535 Fax #: 293-8773

Comments:

Sampled by:

Printed Name: JEAN GATINEAU

LAB: NET

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020			Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
DUP	10/27			X		3						X								
E.B.	↓			↓		3						↓								
T.B.	↓			↓		2						↓								

Analysis Required

CHECK ONE (1) BOX ONLY — C1/D1

- Quarterly Monitoring [X] 6441
- Site Investigation [ ] 6441
- Soil Closure/Disposal [ ] 6442
- Water Closure/Disposal [ ] 6443
- Soil/Air Rem. or Syt. O & M [ ] 6462
- Water Rem. or Syt. O & M [ ] 6463
- Other [ ]

TURN AROUND TIME

- 24 hours [ ]
- 48 hours [ ]
- 15 days [X] (Normal)
- Other [ ] ____

NOTE: Notify lab as soon as possible of 24/48 hrs. TAT.

CUSTODY SEALED 10/28/94 GT Lumbre

Relinquished By (signature):	Printed Name:	Date:	Time:	Received (signature):	Printed Name:	Date:	Time:
Jean Gatineau	JEAN GATINEAU	10/28	6:40	GT Lumbre	GT Lumbre	10/28	9:30
GT Lumbre	GT LUMBRE	10/28	16:30	HM Greene	HM GREENE VIA NCS	10/29/94	10:00
Relinquished By (signature):	Printed Name:	Date:	Time:	Received (signature):	Printed Name:	Date:	Time:

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS

NATIONAL ENVIRONMENTAL TESTING, INC.

Santa Rosa Division
435 Tesconi Circle
Santa Rosa, CA 95401
Tel. (707) 526-7200
Fax: (707) 526-9623

Jim Keller
Blaine Tech Services
985 Timothy Dr.
San Jose, CA 95133

Date: 11/11/1994
NET Client Acct. No: 1821
NET Pacific Job No: 94.05136
Received: 10/29/1994

Client Reference Information

3420 San Pablo Ave. Oakland, 941027-J1

Sample analysis in support of the project referenced above has been completed and results are presented on following pages. Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel welcome to contact Client Services.

Approved by:

Judy Ridley
Project Coordinator

Jim Hoch
Operations Manager

Enclosure(s)

Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 94.05136

Date: 11/11/1994
ELAP Cert: 1386
Page: 2

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-1
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220819

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2260
DILUTION FACTOR*	100						11/03/1994	2260
as Gasoline	23,000		5,000	ug/L	5030		11/03/1994	2260
Carbon Range:	C5-C12						11/03/1994	2260
METHOD 8020 (GC,Liquid)	--						11/03/1994	2260
Benzene	1,200		50	ug/L	8020		11/03/1994	2260
Toluene	130		50	ug/L	8020		11/03/1994	2260
Ethylbenzene	990		50	ug/L	8020		11/03/1994	2260
Xylenes (Total)	960		50	ug/L	8020		11/03/1994	2260
SURROGATE RESULTS	--						11/03/1994	2260
Bromofluorobenzene (SURR)	98			% Rec.	5030		11/03/1994	2260

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 94.05136

Date: 11/11/1994
ELAP Cert: 1386
Page: 3

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-2
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220820

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2276
DILUTION FACTOR*	100						11/03/1994	2276
as Gasoline	64,000		5,000	ug/L	5030		11/03/1994	2276
Carbon Range:	C5-C12						11/03/1994	2276
METHOD 8020 (GC,Liquid)	--						11/03/1994	2276
Benzene	8,800	FI	0.5	ug/L	8020		11/08/1994	2276
Toluene	480		50	ug/L	8020		11/03/1994	2276
Ethylbenzene	2,100		50	ug/L	8020		11/03/1994	2276
Xylenes (Total)	10,000		50	ug/L	8020		11/03/1994	2276
SURROGATE RESULTS	--						11/03/1994	2276
Bromofluorobenzene (SURR)	103			% Rec.	5030		11/03/1994	2276

FI : Compound quantitated at a 1000X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 94.05136

Date: 11/11/1994
ELAP Cert: 1386
Page: 4

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-3
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220821

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2260
DILUTION FACTOR*	1						11/03/1994	2260
as Gasoline	160	G1	50	ug/L	5030		11/03/1994	2260
Carbon Range:	C6						11/03/1994	2260
METHOD 8020 (GC,Liquid)	--						11/03/1994	2260
Benzene	ND		0.5	ug/L	8020		11/03/1994	2260
Toluene	ND		0.5	ug/L	8020		11/03/1994	2260
Ethylbenzene	ND		0.5	ug/L	8020		11/03/1994	2260
Xylenes (Total)	ND		0.5	ug/L	8020		11/03/1994	2260
SURROGATE RESULTS	--						11/03/1994	2260
Bromofluorobenzene (SURR)	100			% Rec.	5030		11/03/1994	2260

G1 : The result for Gasoline is an unk. HC which consists of a single peak.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 94.05136

Date: 11/11/1994
ELAP Cert: 1386
Page: 5

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-5
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220822

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/04/1994	2263
DILUTION FACTOR*	10						11/04/1994	2263
as Gasoline	6,900		500	ug/L	5030		11/04/1994	2263
Carbon Range:	C5-C14						11/04/1994	2263
METHOD 8020 (GC,Liquid)	--						11/04/1994	2263
Benzene	82		5	ug/L	8020		11/04/1994	2263
Toluene	ND		5	ug/L	8020		11/04/1994	2263
Ethylbenzene	210		5	ug/L	8020		11/04/1994	2263
Xylenes (Total)	110		5	ug/L	8020		11/04/1994	2263
SURROGATE RESULTS	--						11/04/1994	2263
Bromofluorobenzene (SURR)	151	MI		% Rec.	5030		11/04/1994	2263

MI : Matrix Interference Suspected

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-8
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220823

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/04/1994	2263
DILUTION FACTOR*	100						11/04/1994	2263
as Gasoline	32,000		5,000	ug/L	5030		11/04/1994	2263
Carbon Range:	C5-C12						11/04/1994	2263
METHOD 8020 (GC,Liquid)	--						11/04/1994	2263
Benzene	1,200		50	ug/L	8020		11/04/1994	2263
Toluene	670		50	ug/L	8020		11/04/1994	2263
Ethylbenzene	1,200		50	ug/L	8020		11/04/1994	2263
Xylenes (Total)	5,700		50	ug/L	8020		11/04/1994	2263
SURROGATE RESULTS	--						11/04/1994	2263
Bromofluorobenzene (SURR)	100			% Rec.	5030		11/04/1994	2263

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-9
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220824

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2261
DILUTION FACTOR*	100						11/03/1994	2261
as Gasoline	10,000		5,000	ug/L	5030		11/03/1994	2261
Carbon Range:	C5-C12						11/03/1994	2261
METHOD 8020 (GC,Liquid)	--						11/03/1994	2261
Benzene	1,200		50	ug/L	8020		11/03/1994	2261
Toluene	160		50	ug/L	8020		11/03/1994	2261
Ethylbenzene	280		50	ug/L	8020		11/03/1994	2261
Xylenes (Total)	860		50	ug/L	8020		11/03/1994	2261
SURROGATE RESULTS	--						11/03/1994	2261
Bromofluorobenzene (SURR)	100			% Rec.	5030		11/03/1994	2261

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-10
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220825

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/05/1994	2265
DILUTION FACTOR*	10						11/05/1994	2265
as Gasoline	11,000		500	ug/L	5030		11/05/1994	2265
Carbon Range.	C5-C14						11/05/1994	2265
METHOD 8020 (GC,Liquid)	--						11/05/1994	2265
Benzene	360		5	ug/L	8020		11/05/1994	2265
Toluene	43		5	ug/L	8020		11/05/1994	2265
Ethylbenzene	310		5	ug/L	8020		11/05/1994	2265
Xylenes (Total)	89		5	ug/L	8020		11/05/1994	2265
SURROGATE RESULTS	--						11/05/1994	2265
Bromofluorobenzene (SURR)	112			% Rec.	5030		11/05/1994	2265

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: MW-11
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220826

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2261
DILUTION FACTOR*	1						11/03/1994	2261
as Gasoline	60	G1	50	ug/L	5030		11/03/1994	2261
Carbon Range:	C6						11/03/1994	2261
METHOD 8020 (GC,Liquid)	--						11/03/1994	2261
Benzene	ND		0.5	ug/L	8020		11/03/1994	2261
Toluene	ND		0.5	ug/L	8020		11/03/1994	2261
Ethylbenzene	ND		0.5	ug/L	8020		11/03/1994	2261
Xylenes (Total)	ND		0.5	ug/L	8020		11/03/1994	2261
SURROGATE RESULTS	--						11/03/1994	2261
Bromofluorobenzene (SURR)	101			% Rec.	5030		11/03/1994	2261

G1 : The result for Gasoline is an unk. HC which consists of a single peak.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: DUP
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220827

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2261
DILUTION FACTOR*	100						11/03/1994	2261
as Gasoline	42,000		5,000	ug/L	5030		11/03/1994	2261
Carbon Range:	C5-C12						11/03/1994	2261
METHOD 8020 (GC,Liquid)	--						11/03/1994	2261
Benzene	1,100		50	ug/L	8020		11/03/1994	2261
Toluene	650		50	ug/L	8020		11/03/1994	2261
Ethylbenzene	1,100		50	ug/L	8020		11/03/1994	2261
Xylenes (Total)	5,700		50	ug/L	8020		11/03/1994	2261
SURROGATE RESULTS	--						11/03/1994	2261
Bromofluorobenzene (SURR)	108			% Rec.	5030		11/03/1994	2261

* NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: EB
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220828

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2261
DILUTION FACTOR*	1						11/03/1994	2261
as Gasoline	ND		50	ug/L	5030		11/03/1994	2261
Carbon Range:	--						11/03/1994	2261
METHOD 8020 (GC,Liquid)	--						11/03/1994	2261
Benzene	ND		0.5	ug/L	8020		11/03/1994	2261
Toluene	ND		0.5	ug/L	8020		11/03/1994	2261
Ethylbenzene	ND		0.5	ug/L	8020		11/03/1994	2261
Xylenes (Total)	ND		0.5	ug/L	8020		11/03/1994	2261
SURROGATE RESULTS	--						11/03/1994	2261
Bromofluorobenzene (SURR)	105			% Rec.	5030		11/03/1994	2261

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

SAMPLE DESCRIPTION: TB
Date Taken: 10/27/1994
Time Taken:
NET Sample No: 220829

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						11/03/1994	2260
DILUTION FACTOR*	1						11/03/1994	2260
as Gasoline	ND		50	ug/L	5030		11/03/1994	2260
Carbon Range:	--						11/03/1994	2260
METHOD 8020 (GC,Liquid)	--						11/03/1994	2260
Benzene	ND		0.5	ug/L	8020		11/03/1994	2260
Toluene	ND		0.5	ug/L	8020		11/03/1994	2260
Ethylbenzene	ND		0.5	ug/L	8020		11/03/1994	2260
Xylenes (Total)	ND		0.5	ug/L	8020		11/03/1994	2260
SURROGATE RESULTS	--						11/03/1994	2260
Bromofluorobenzene (SURR)	82			% Rec.	5030		11/03/1994	2260

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref. 3420 San Pablo Ave. Oakland, 941027-J1

CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

Parameter	CCV Standard % Recovery	CCV Standard Amount Found	CCV Standard Amount Expected	Units	Date Analyzed	Analyst Initials
TPH (Gas/BTXE,Liquid)						
as Gasoline	85.0	0.85	1.00	mg/L	11/03/1994	aal
Benzene	95.8	4.79	5.00	ug/L	11/03/1994	aal
Toluene	91.4	4.57	5.00	ug/L	11/03/1994	aal
Ethylbenzene	98.8	4.94	5.00	ug/L	11/03/1994	aal
Xylenes (Total)	98.0	14.7	15.0	ug/L	11/03/1994	aal
Bromofluorobenzene (SURR)	101.0	101	100	% Rec.	11/03/1994	aal
TPH (Gas/BTXE,Liquid)						
as Gasoline	85.0	0.85	1.00	mg/L	11/03/1994	lss
Benzene	95.8	4.79	5.00	ug/L	11/03/1994	lss
Toluene	91.4	4.57	5.00	ug/L	11/03/1994	lss
Ethylbenzene	98.8	4.94	5.00	ug/L	11/03/1994	lss
Xylenes (Total)	98.0	14.7	15.0	ug/L	11/03/1994	lss
Bromofluorobenzene (SURR)	101.0	101	100	% Rec.	11/03/1994	lss
TPH (Gas/BTXE,Liquid)						
as Gasoline	104.0	1.04	1.00	mg/L	11/04/1994	tts
Benzene	98.2	4.91	5.00	ug/L	11/04/1994	tts
Toluene	92.4	4.62	5.00	ug/L	11/04/1994	tts
Ethylbenzene	99.8	4.99	5.00	ug/L	11/04/1994	tts
Xylenes (Total)	98.9	14.84	15.0	ug/L	11/04/1994	tts
Bromofluorobenzene (SURR)	103.0	103	100	% Rec.	11/04/1994	tts
TPH (Gas/BTXE,Liquid)						
as Gasoline	93.0	0.93	1.00	mg/L	11/05/1994	dfw
Benzene	96.2	4.81	5.00	ug/L	11/05/1994	dfw
Toluene	88.0	4.40	5.00	ug/L	11/05/1994	dfw
Ethylbenzene	97.8	4.89	5.00	ug/L	11/05/1994	dfw
Xylenes (Total)	94.9	14.23	15.0	ug/L	11/05/1994	dfw
Bromofluorobenzene (SURR)	103.0	103	100	% Rec.	11/05/1994	dfw
TPH (Gas/BTXE,Liquid)						
as Gasoline	97.0	0.97	1.00	mg/L	11/08/1994	lss
Benzene	93.8	4.69	5.00	ug/L	11/08/1994	lss
Toluene	85.6	4.28	5.00	ug/L	11/08/1994	lss
Ethylbenzene	95.0	4.75	5.00	ug/L	11/08/1994	lss
Xylenes (Total)	91.3	13.7	15.0	ug/L	11/08/1994	lss
Bromofluorobenzene (SURR)	97.0	97	100	% Rec.	11/08/1994	lss

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

METHOD BLANK REPORT

Parameter	Method Blank Amount Found	Reporting Limit	Units	Date Analyzed	Analyst Initials
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	11/03/1994	aal
Benzene	ND	0.5	ug/L	11/03/1994	aal
Toluene	ND	0.5	ug/L	11/03/1994	aal
Ethylbenzene	ND	0.5	ug/L	11/03/1994	aal
Xylenes (Total)	ND	0.5	ug/L	11/03/1994	aal
Bromofluorobenzene (SURR)	104		% Rec.	11/03/1994	aal

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

METHOD BLANK REPORT

Parameter	Method Blank Amount Found	Reporting Limit	Units	Date Analyzed	Analyst Initials
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	11/04/1994	tts
Benzene	ND	0.5	ug/L	11/04/1994	tts
Toluene	ND	0.5	ug/L	11/04/1994	tts
Ethylbenzene	ND	0.5	ug/L	11/04/1994	tts
Xylenes (Total)	ND	0.5	ug/L	11/04/1994	tts
Bromofluorobenzene (SURR)	85		% Rec.	11/04/1994	tts
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	11/05/1994	dfw
Benzene	ND	0.5	ug/L	11/05/1994	dfw
Toluene	ND	0.5	ug/L	11/05/1994	dfw
Ethylbenzene	ND	0.5	ug/L	11/05/1994	dfw
Xylenes (Total)	ND	0.5	ug/L	11/05/1994	dfw
Bromofluorobenzene (SURR)	104		% Rec.	11/05/1994	dfw
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	11/08/1994	lss
Benzene	ND	0.5	ug/L	11/08/1994	lss
Toluene	ND	0.5	ug/L	11/08/1994	lss
Ethylbenzene	ND	0.5	ug/L	11/08/1994	lss
Xylenes (Total)	ND	0.5	ug/L	11/08/1994	lss
Bromofluorobenzene (SURR)	95		% Rec.	11/08/1994	lss

NOTE: Results apply only to the samples analyzed Reproduction of this report is permitted only in its entirety.

Ref: 3420 San Pablo Ave. Oakland, 941027-J1

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

Parameter	Matrix Spike % Rec.	Matrix Spike Dup % Rec.	RPD	Spike Amount	Sample Conc.	Matrix Spike Conc.	Matrix Spike Dup. Conc.	Units	Date Analyzed	Analyst Initials
TPH (Gas/BTXE,Liquid)										
as Gasoline	87.0	87.0	0.0	1.00	ND	0.87	0.87	mg/L	11/03/1994	aal
Benzene	142.0	137.0	3.6	20.0	ND	28.4	27.4	ug/L	11/03/1994	aal
Toluene	161.2	160.7	0.3	60.0	ND	96.7	96.4	ug/L	11/03/1994	aal
TPH (Gas/BTXE,Liquid)										
as Gasoline	133.0	131.0	1.5	1.00	ND	1.33	1.31	mg/L	11/03/1994	lss
Benzene	102.5	100.5	2.0	20.0	ND	20.5	20.1	ug/L	11/03/1994	lss
Toluene	142.7	139.7	2.1	60.0	ND	85.6	83.8	ug/L	11/03/1994	lss
TPH (Gas/BTXE,Liquid)										
as Gasoline	75.0	70.0	6.9	1.00	0.29	1.04	0.99	mg/L	11/05/1994	dfw
Benzene	109.5	103.2	5.9	19.0	ND	20.8	19.6	ug/L	11/05/1994	dfw
Toluene	98.5	93.0	5.7	79.6	4.6	83.0	78.6	ug/L	11/05/1994	dfw
TPH (Gas/BTXE,Liquid)										
as Gasoline	96.0	97.0	1.0	1.00	ND	0.96	0.97	mg/L	11/08/1994	lss
Benzene	97.0	94.5	2.6	20.1	ND	19.5	19.0	ug/L	11/08/1994	lss
Toluene	95.2	95.0	0.2	84.2	ND	80.2	80.0	ug/L	11/08/1994	lss

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

KEY TO ABBREVIATIONS and METHOD REFERENCES

<	:	Less than; When appearing in results column indicates analyte not detected at the value following. This datum supercedes the listed Reporting Limit.
*	:	Reporting Limits are a function of the dilution factor for any given sample. Actual reporting limits and results have been multiplied by the listed dilution factor. **Do not** multiply the reporting limits or reported values by the dilution factor.
dw	:	Result expressed as dry weight.
mean	:	Average; sum of measurements divided by number of measurements.
mg/Kg (ppm)	:	Concentration in units of milligrams of analyte per kilogram of sample, wet-weight basis (parts per million).
mg/L	:	Concentration in units of milligrams of analyte per liter of sample.
mL/L/hr	:	Milliliters per liter per hour.
MPN/100 mL	:	Most probable number of bacteria per one hundred milliliters of sample.
N/A	:	Not applicable.
NA	:	Not analyzed.
ND	:	Not detected; the analyte concentration is less than the applicable listed reporting limit.
NTU	:	Nephelometric turbidity units.
RPD	:	Relative percent difference, 100 [Value 1 - Value 2]/mean value.
SNA	:	Standard not available.
ug/Kg (ppb)	:	Concentration in units of micrograms of analyte per kilogram of sample, wet-weight basis (parts per billion).
ug/L	:	Concentration in units of micrograms of analyte per liter of sample.
umhos/cm	:	Micromhos per centimeter.

Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, Rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, Rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986., Rev. 1, December 1987.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.

Revised September, 1993
abb.93

3.4°C KS

COOLER RECEIPT FORM

Project: 9410275J1 Log No: 3482
Cooler received on: 10/29/94 and checked on 10/29/94 by PAM GREENE
(signature)

Were custody papers present?	YES	NO
Were custody papers properly filled out?	YES	NO
Were the custody papers signed?	YES	NO
Was sufficient ice used?	YES	NO
Did all bottles arrive in good condition (unbroken)?	YES	NO
Did bottle labels match COC?	YES	NO
Were proper bottles used for analysis indicated?	YES	NO
Correct preservatives used?	YES	NO
VOA vials checked for headspace bubbles?	YES	NO

Note which voas (if any) had bubbles:*

Sample descriptor:	Number of vials:
~~MW-1~~ MW-5	2

Note: Job # on bottles reads 204-5508-5306 vs. "5506" on COC

*All VOAs with headspace bubbles have been set aside so they will not be used for analysis..... YES NO

List here all other jobs received in the same cooler:

Client Job #	NET log #
204-0642-1305	

(coolerrec)