



*Jeff Granberry*

March 1, 1995

Dennis Byrne  
Alameda County Department of  
Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

*SPH 381*

ENVIRONMENTAL  
PROTECTION  
55 MAR 15 PM 1:11

Re: Shell Service Station  
WIC #204-5508-5306  
3420 San Pablo Avenue  
Oakland, California  
WA Job #81-0612-105

Dear Mr. Byrne:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1.) This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 2652.d. Included below are descriptions and results of activities performed in the first quarter 1995 and proposed work for the second quarter 1995.

<i>Hydrocarbon Removal Summary</i>	<i>Pounds Removed Past Quarter</i>	<i>Cumulative Pounds Removed</i>
Separate-phase Hydrocarbon	0.44	18.54

**First Quarter 1995 Activities:**

- Blaine Tech Services (BTS) of San Jose, California measured ground water depths and collected ground water samples from the wells. BTS' report describing these activities and the analytic report for the ground water samples are included as Attachment A.
- BTS removed a total of 0.44 pounds of separate-phase hydrocarbons (SPH) from skimmers in wells MW-4 and MW-7 and bailed SPH from well MW-6 this quarter (Table 1). To date, approximately 18.54 pounds of SPH have been removed by skimmers and additional bailing.
- Weiss Associates (WA) prepared a ground water elevation contour map for wells screened in the first water bearing zone (Figure 2). Since wells MW-1, MW-3, MW-4

and MW-5 are screened slightly deeper than the other site wells, these wells are contoured separately (Figure 3).

### Anticipated Second Quarter 1995 Activities:


- WA will submit a report presenting the results of the second quarter 1995 ground water sampling and ground water depth measurements. The report will include tabulated chemical analytic results, SPH removal data and ground water elevation contour maps.
- SPH skimmers are installed in wells MW-2, MW-4 and MW-7. The skimmers will be purged of hydrocarbons quarterly until no SPH are measured in these wells. SPH volumes removed will be tabulated in subsequent quarterly status reports.


### Conclusions and Recommendations:


In most wells, ground water elevations have increased from 1.8 to 5.1 ft above ground water elevations recorded last quarter. This elevation increase has resulted in the reversal of the apparent ground water flow direction of the upper water-bearing zone beneath the northern portion of the site compared to fourth quarter 1994. We will monitor ground water elevations in upcoming quarters to assess whether this trend continues.

Please call if you have any questions.

Sincerely,  
Weiss Associates



  
Grady S. Glasser  
Technical Assistant

  
James W. Carmody, C.E.G.  
Senior Project Hydrogeologist

Attachments: A - BTS' Ground Water Monitoring Report

cc: Dan Kirk, Shell Oil Company, P.O. Box 4023, Concord, California 94524  
Lisa McCann, California Regional Water Quality Control Board, San Francisco Bay Region, 2101 Webster Street, Suite 500, Oakland, California 94612

GSG/JWC:eac  
1/31/11 11:00:12 AM 950318.DOC




Figure 1. Site Location Map - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California




Figure 2. Monitoring Well Locations and Ground Water Elevation Contours, Upper Water-Bearing Zone - January 3, 1995 - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California




Figure 3. Monitoring Well Locations and Ground Water Elevation Contours, Lower Water-Bearing Zone - January 3, 1995 - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California




Figure 4. Benzene Concentrations in Ground Water, January 3, 1995 - Shell Service Station  
 WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California

Table 1. Separate-Phase Hydrocarbon Removal - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California

Well ID	Date	Separate-Phase Hydrocarbon Thickness (ft)	Separate-Phase Hydrocarbons Removed (lbs)	Cumulative Separate-Phase Hydrocarbons Removed (lbs)
MW-1	10/23/91	0.01	---	---
	05/04/92	<0.01	---	---
	10/12/92	0.09	---	---
	01/12/93	0.02	3.12	3.12
	04/06/93	<0.01	0.78	3.90
	07/12/93	0.01	0.18	4.08
	10/13/93	0.01	0.06	4.14
	01/20/94	0.01	0.03	4.17
	04/03/94	0.02	0.12	4.29
MW-2	10/12/92	0.03	---	---
	01/12/93	0.01	1.56	1.56
	04/06/93	<0.01	0.78	2.34
	04/03/94	<0.01	0.03	2.37
MW-4	10/12/92	0.78	---	---
	01/12/93	1.0	---	---
	04/06/93	0.95	---	---
	07/12/93	0.03	6.36	6.36
	10/13/93	0.12	0.78	7.14
	01/20/94	0.02	0.03	7.17
	04/13/94	0.01	0.12	7.29
	10/27/94	0.03	0.79	8.08
	<b>01/03/95</b>	<b>0.01</b>	<b>0.16</b>	<b>8.24</b>
MW-5	10/12/92	0.01	---	---
	01/12/93	<0.01	---	---
	10/13/93	0.03	---	---
	01/20/94	0.01	---	---
	04/13/94	0.01	0.03	0.06
MW-6	10/12/92	0.48	---	---
	01/12/93	<0.01	---	---
	10/13/93	0.2	---	---
	01/20/94	0.02	---	---
	04/13/94	0.01	0.03	0.03
	07/19/94	0.07	0.03	0.06
	10/27/94	0.11	1.43	1.49
	<b>01/03/95</b>	<b>0.02</b>	<b>0.12</b>	<b>1.61</b>
MW-7	01/20/94	0.05	---	---
	04/13/94	0.16	0.66	0.66

Table 1. Separate-Phase Hydrocarbon Removal - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Separate-Phase Hydrocarbon Thickness (ft)	Separate-Phase Hydrocarbons Removed (lbs)	Cumulative Separate-Phase Hydrocarbons Removed (lbs)
	07/19/94	0.20	0.04	0.70
	10/27/94	0.04	1.11	1.81
	01/03/95	0.02	0.16	1.97
Total Separate-Phase Hydrocarbons Removed				18.54



Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness (ft)	Ground Water Elevation (ft above msl) <sup>a</sup>
MW-1	08/06/91	21.28	10.86	---	10.43
	10/23/91		11.05	0.01	10.24
	01/28/92		10.84	---	10.44
	05/04/92		9.42	<0.01	11.86
	07/13/92		11.36	---	9.92
	10/12/92		13.14	0.09	8.21
	01/12/93		7.52	0.02	13.78
	04/06/93		7.13	<0.01	14.16
	07/12/93		11.02	0.01	10.27
	10/13/93		12.18	0.01	9.11 <sup>a</sup>
	01/20/94		9.18	0.01	12.10
	04/13/94		8.72	0.02	12.58
	07/19/94		8.76	---	12.52
	10/27/94		10.49	---	10.79
	<b>01/03/95</b>		<b>6.15</b>	---	<b>15.13</b>
MW-2	08/06/91	21.56	9.72	---	11.84
	10/23/91		10.03	---	11.53
	01/28/92		8.78	---	12.78
	05/04/92		7.58	---	13.98
	07/13/92		9.63	---	11.93
	10/12/92		11.66	0.03	9.92
	01/12/93		7.13	0.01	14.44
	04/06/93		6.40	<0.01	15.17
	07/12/93		8.75	---	12.81
	10/13/93		10.28	---	11.28
	01/20/94		---	---	---
	04/13/94		7.35	<0.01	14.22
	07/19/94		8.24	---	13.32
	10/27/94		10.26	---	13.32
	<b>01/03/95</b>		<b>6.44</b>	---	<b>15.12</b>
MW-3	08/06/91	21.78	11.18	---	10.60
	10/23/91		11.69	---	10.09
	01/28/92		9.99	---	11.79
	05/04/92		9.46	---	12.32
	07/13/92		11.29	---	10.49
	10/12/92		13.10	---	8.68
	01/12/93		7.32	---	14.46
	04/06/93		7.44	---	14.34
	07/12/93		10.62	---	11.16
	10/13/93		12.05	---	9.73

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness (ft)	Ground Water Elevation (ft above msl) <sup>a</sup>
	01/20/94		9.62	---	12.16
	04/13/94		9.15	---	12.63
	07/19/94		10.13	---	11.65
	10/27/94		11.66	---	10.12
	<b>01/03/95</b>		<b>6.89</b>	---	<b>14.89</b>
MW-4	08/06/91	20.31	10.57	---	9.74
	10/23/91		10.46	---	9.85
	01/28/92		9.54	---	10.77
	05/04/92		8.33	---	11.98
	07/13/92		9.87	---	10.44
	10/12/92		12.43	0.78	8.50
	01/12/93		7.12	1.0	13.99
	04/06/93		7.23	0.95	13.84
	07/12/93		10.08	0.03	10.25
	10/13/93		11.35	0.12	9.06
	01/20/94		9.06	0.02	11.26
	04/13/94		8.58	0.01	11.74
	07/19/94		9.71	---	10.60
	10/27/94		10.60	0.03	9.73
	<b>01/03/95</b>		<b>5.49</b>	<b>0.01</b>	<b>14.83</b>
MW-5	08/06/91	20.91	10.23	---	10.68
	10/23/91		10.89	---	10.02
	01/28/92		8.45	---	12.46
	05/04/92		8.05	---	12.86
	07/13/92		10.00	---	10.91
	10/12/92		11.83	0.01	9.09
	01/12/93		6.10	<0.01	14.81
	04/06/93		6.18	---	14.73
	07/12/93		9.59	---	11.32
	10/13/93		10.80	0.03	10.13 <sup>a</sup>
	01/20/94		7.42	0.01	13.49
	04/13/94		7.05	0.01	13.87
	07/19/94		8.57	---	12.34
	10/27/94		10.14	---	10.77
	<b>01/03/95</b>		<b>5.84</b>	---	<b>15.07</b>
MW-6	08/06/91	22.32	10.61	---	11.71
	10/23/91		11.68	---	10.64
	01/28/92		8.90	---	13.42
	05/04/92		8.01	---	14.31
	07/13/92		10.77	---	11.55

-- Table 2 continues on next page --

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness (ft)	Ground Water Elevation (ft above msl) <sup>a</sup>
	10/12/92		13.36	0.48	9.34
	01/12/93		6.40	<0.01	15.92
	04/06/93		5.93	---	16.39
	07/12/93		10.25	---	12.07
	10/13/93		12.28	0.2	10.20 <sup>a</sup>
	01/20/94		9.14	0.02	13.20
	04/13/94		7.67	0.01	14.66
	07/19/94		10.07	0.07	12.31
	10/27/94		11.84	0.11	10.57
	<b>01/03/95</b>		<b>7.80</b>	<b>0.02</b>	<b>14.54</b>
MW-7	08/06/91	20.36	8.00	---	12.36
	10/23/91		8.16	---	12.20
	01/28/92		7.11	---	13.25
	05/04/92		6.47	---	13.89
	07/13/92		7.73	---	12.63
	10/12/92		8.68	---	11.68
	01/12/93		6.26	---	14.10
	04/06/93		5.92	---	14.44
	07/12/93		7.27	---	13.09
	10/13/93		9.40	---	10.96
	01/20/94		7.03	0.05	13.37
	04/13/94		6.56	0.16	13.93
	07/19/94		6.91	0.20	13.61
	10/27/94		8.28	0.04	12.11
	<b>01/03/95</b>		<b>6.48</b>	<b>0.02</b>	<b>13.90</b>
MW-8	08/06/91	20.95	9.60	---	11.35
	10/23/91		9.73	---	11.22
	01/28/92		7.72	---	13.23
	05/04/92		6.48	---	14.47
	07/13/92		8.55	---	12.40
	10/12/92		9.97	---	10.98
	01/12/93		6.94	---	14.01
	04/06/93		5.72	---	15.23
	07/12/93		7.65	---	13.30
	10/13/93		8.25	---	12.70
	01/20/94		7.25	---	13.70
	04/13/94		7.12	---	13.83
	07/19/94		7.43	---	13.52
	10/27/94		7.55	---	13.40
	<b>01/03/95</b>		<b>6.04</b>	---	<b>14.91</b>

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness (ft)	Ground Water Elevation (ft above msl) <sup>a</sup>
MW-9	08/06/91	21.19	10.33		10.86
	10/23/91		11.13	---	10.06
	01/28/92		9.02	---	12.17
	05/04/92		7.67	---	13.52
	07/13/92		10.26	---	10.93
	10/12/92		12.19	---	9.0
	01/12/93 <sup>b</sup>		---	---	---
	04/06/93 <sup>b</sup>		---	---	---
	07/12/93 <sup>b</sup>		---	---	---
	10/13/92		11.17	---	10.02
	01/20/94		8.03	---	13.16
	04/13/94		7.81	---	13.38
	07/19/94		8.96	---	12.23
	10/27/94		11.00	---	10.19
	<b>01/03/95</b>		<b>6.60</b>	---	<b>14.59</b>
MW-10	10/23/91	19.74	8.57	---	11.17
	01/28/92		7.60	---	12.14
	05/04/92		7.54	---	12.20
	07/13/92		8.59	---	11.15
	10/12/92		10.23	---	9.51
	01/12/93 <sup>b</sup>		---	---	---
	04/06/93		6.70	---	13.04
	07/12/93 <sup>b</sup>		8.05	---	11.69
	10/13/93		8.25	---	11.49
	01/20/94		7.20	---	12.54
	04/13/94		7.57	---	12.17
	07/19/94		8.18	---	11.56
	10/27/94		8.68	---	11.06
	<b>01/03/95</b>		<b>6.86</b>	---	<b>12.88</b>
	MW-11		10/23/91	22.06	14.0
01/28/92		8.74	---		3.32
05/04/92		8.29	---		13.77
07/13/92		10.50	---		11.56
10/12/92		12.40	---		9.66
01/12/93 <sup>b</sup>		---	---		---
04/06/93 <sup>b</sup>		---	---		---
07/12/93 <sup>b</sup>		---	---		---
10/13/93		11.47	---		10.59
01/20/94		9.09	---		12.97

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5508-5306, 3420 San Pablo, Avenue, Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Separate-Phase Hydrocarbon Thickness (ft)	Ground Water Elevation (ft above msl) <sup>a</sup>
	04/13/94		8.02	---	14.04
	07/19/94		9.82	---	12.24
	10/27/94		11.66	---	10.40
	01/03/95		6.15	---	15.91

Notes:

- a = When separate-phase hydrocarbons are present ground water elevation is adjusted using the relation: Ground Water Elevation = Top-of-casing elevation - depth to water + (0.8 x hydrocarbon thickness).
- b = Well inaccessible, covered by construction debris.

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California

Well ID	Date Sampled	Depth to Water (ft)	TPH-G					X
			B	E	T	parts per billion (µg/L)		
MW-1	08/06/91 <sup>SPH</sup>	10.86	---	---	---	---	---	
	10/23/91	11.05	32,000	2,700	550	360	3,700	
	01/28/92	10.84	14,000	1,000	450	106	1,600	
	05/05/92	9.42	98,000	11,000	3,500	1,200	18,000	
	07/13/92	11.36	11,000	1,100	740	130	1,300	
	10/12/92 <sup>SPH</sup>	13.14	---	---	---	---	---	
	01/12/93 <sup>SPH</sup>	7.52	---	---	---	---	---	
	04/06/93 <sup>SPH</sup>	7.13	---	---	---	---	---	
	07/12/93 <sup>SPH</sup>	11.02	---	---	---	---	---	
	10/13/93 <sup>SPH</sup>	12.18	---	---	---	---	---	
	01/20/94 <sup>SPH</sup>	9.18	---	---	---	---	---	
	04/13/94 <sup>SPH</sup>	8.72	---	---	---	---	---	
	07/19/94	8.76	17,000	420	530	140	1,300	
	10/27/94	10.49	23,000	1,200	990	130	960	
	01/03/95	6.15	31,000	610	1,200	160	5,000	
MW-2	08/06/91	9.72	50,000	15,000	2,700	1,400	13,000	
	10/23/91	10.03	120,000	11,000	3,500	1,400	19,000	
	01/28/92	8.78	49,000	7,400	1,800	800	8,300	
	05/05/92	7.58	52,000	12,000	2,200	1,100	12,000	
	07/13/92	9.63	47,000	15,000	4,500	2,400	16,000	
	10/12/92 <sup>SPH</sup>	11.66	---	---	---	---	---	
	01/12/93 <sup>SPH</sup>	7.13	---	---	---	---	---	
	04/06/93 <sup>SPH</sup>	6.40	---	---	---	---	---	
	07/12/93	8.75	59,000	12,000	2,400	950	11,000	
	10/13/93	10.28	54,000	14,000	3,700	1,200	22,000	
	01/20/94	---	---	---	---	---	---	
	04/13/94	7.35	79,000	9,400	2,100	740	12,000	
	04/13/94 <sup>dup</sup>	7.35	110,000	11,000	2,400	710	13,000	
	07/19/94	8.24	63,000	13,000	1,900	810	13,000	
	07/19/94 <sup>dup</sup>	8.24	12,000	12,000	340	140	12,000	
	10/27/94	10.26	64,000	8,800	2,100	480	10,000	
	01/03/95	6.44	67,000	9,800	2,800	720	11,000	
01/03/95 <sup>dup</sup>	6.44	58,000	9,700	2,700	620	12,000		
MW-3	08/06/91	11.18	430	8	4	1	15	
	10/23/91	11.69	390	2.1	0.48	<0.3	2	
	01/28/92	9.99	190	<0.5	<0.5	<0.5	<0.5	
	05/04/92	9.46	190	<1	<1	<1	0.71	

— Table 3 continues on next page —



Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	parts per billion (µg/L)			
				B	E	T	X
	07/20/92	11.29	200 <sup>a</sup>	<0.5	<0.5	<0.5	<0.5
	10/12/92	13.10	180 <sup>a</sup>	<0.5	<0.5	<0.5	<0.5
	01/12/93	7.32	180	<0.5	0.9	2.3	5.6
	01/12/93 <sup>dup</sup>	7.32	260	<0.5	<0.5	<0.5	<0.5
	04/06/93 <sup>a</sup>	7.44	280	<0.5	<0.5	<0.5	<0.5
	07/12/93	10.62	310 <sup>a</sup>	<0.5	<0.5	<0.5	<0.5
	10/13/93 <sup>a</sup>	12.05	150	<0.5	<0.5	<0.5	<0.5
	01/20/94	9.62	180	<0.5	<0.5	<0.5	<0.5
	04/13/94	9.15	270	<0.5	<0.5	<0.5	<0.5
	07/19/94	10.13	190*	<0.5	<0.5	<0.5	<0.5
	10/27/94	11.66	160*	<0.5	<0.5	<0.5	<0.5
	01/03/95	6.89	100*	<0.5	<0.5	<0.5	<0.5
MW-4	08/06/91	10.57	1,300	28	68	18	150
	10/23/91	10.46	1,900	97	38	6.1	77
	01/28/92	9.54	200	7.6	3	<0.5	3.3
	05/04/92	8.33	690	98	13	3	<1
	07/13/92	9.87	1,500	140	17	2.9	12
	07/13/92 <sup>dup</sup>	9.87	870	95	10	1.9	7.1
	10/12/92 <sup>SPH</sup>	12.43	---	---	---	---	---
	01/12/93 <sup>SPH</sup>	7.12	---	---	---	---	---
	04/06/93 <sup>SPH</sup>	7.23	---	---	---	---	---
	07/12/93 <sup>SPH</sup>	10.08	---	---	---	---	---
	10/13/93 <sup>SPH</sup>	11.35	---	---	---	---	---
	01/20/94 <sup>SPH</sup>	9.06	---	---	---	---	---
	04/13/84 <sup>SPH</sup>	8.58	---	---	---	---	---
	07/18/94	9.71	12,000	230	230	43	660
	10/27/94 <sup>SPH</sup>	10.60	---	---	---	---	---
	01/03/95 <sup>SPH</sup>	5.49	---	---	---	---	---
MW-5	08/06/91	10.23	9,100	210	240	27	660
	10/23/91	10.89	12,000	92	230	18	450
	01/28/92	8.45	3,300	130	180	10	220
	05/04/92	8.05	3,900	95	260	<12.5	120
	07/13/92	10.00	4,100	180	250	12	73
	10/12/92 <sup>SPH</sup>	11.83	---	---	---	---	---
	01/12/93 <sup>SPH</sup>	6.10	---	---	---	---	---
	04/06/93	6.18	6,200	71	53	<0.5	150
	07/12/93	9.59	3,400	130	170	<0.5	130
	10/13/93 <sup>SPH</sup>	10.80	---	---	---	---	---

— Table 3 continues on next page —

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G					T	X
			← parts per billion (µg/L) →						
MW-6	01/20/94 <sup>SPH</sup>	7.42	---	---	---	---	---	---	
	04/13/94 <sup>SPH</sup>	7.05	---	---	---	---	---		
	07/19/94	8.57	11,000	180	180	13	260		
	10/27/94	10.14	6,900	82	210	<5	110		
	01/03/95	5.84	12,000	110	790	46	510		
	08/06/91	10.61	28,000	1,400	1,300	200	4,200		
	10/23/91	11.68	53,000	1,400	1,800	230	6,700		
	01/28/92	8.90	87,000	1,200	2,000	470	6,600		
	05/05/92	8.01	230,000	<500	3,200	<500	11,000		
	07/13/92	10.77	2,700,000	<2,500	14,000	3,500	36,000		
	10/12/92 <sup>SPH</sup>	8.68	---	---	---	---	---		
	01/12/93 <sup>SPH</sup>	6.40	---	---	---	---	---		
	04/06/93	5.93	320,000	2,500	5,400	980	14,000		
	07/12/93	10.25	31,000	1,100	1,700	150	4,500		
	07/12/93 <sup>dup</sup>	10.25	25,000	1,200	2,000	270	4,800		
	10/13/93 <sup>SPH</sup>	12.28	---	---	---	---	---		
	01/20/94 <sup>SPH</sup>	9.14	---	---	---	---	---		
	04/13/94 <sup>SPH</sup>	7.67	---	---	---	---	---		
	07/19/94 <sup>SPH</sup>	10.07	---	---	---	---	---		
	10/27/94 <sup>SPH</sup>	11.84	---	---	---	---	---		
01/03/95 <sup>SPH</sup>	7.80	---	---	---	---	---			
MW-7	08/06/91	8.00	13,000	4,300	770	76	730		
	10/23/91	8.16	18,000	3,200	660	31	770		
	01/28/92	7.11	5,000	1,200	220	<10	54		
	05/05/92	6.47	9,500	3,100	620	72	880		
	07/13/92	7.73	20,000	4,200	1,600	130	1,100		
	10/12/92	9.97	16,000	2,500	560	<50	170		
	01/12/93	6.26	15,000	2,300	690	<0.5	440		
	04/06/93	5.92	26,000	5,400	1,200	310	3,000		
	04/06/93 <sup>dup</sup>	5.92	21,000	5,200	1,200	180	3,000		
	07/12/93	7.27	10,000 <sup>a</sup>	3,000	510	100	530		
	10/13/93	9.40	59,000	13,000	4,400	4,400	20,000		
	01/20/94 <sup>SPH</sup>	7.03	---	---	---	---	---		
	04/13/94 <sup>SPH</sup>	6.56	---	---	---	---	---		
	07/19/94 <sup>SPH</sup>	6.91	---	---	---	---	---		
	10/27/94 <sup>SPH</sup>	8.28	---	---	---	---	---		
	01/03/95 <sup>SPH</sup>	6.48	---	---	---	---	---		

— Table 3 continues on next page —



Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	parts per billion (µg/L)				
			TPH-G	B	E	T	X
MW-8	08/06/91	9.60	32,000	3,700	1,400	1,100	6,100
	10/23/91	9.73	63,000	4,800	1,300	1,300	6,900
	01/28/92	7.72	32,000	1,900	1,400	750	6,300
	05/05/92	6.48	180,000	2,200	2,700	2,000	13,000
	07/13/92	8.55	56,000	4,500	2,700	1,500	9,100
	10/12/92	9.97	34,000	2,400	1,400	550	6,400
	10/12/92 <sup>dup</sup>	9.97	34,000	3,100	1,500	700	7,200
	01/12/93	6.94	110,000	2,100	2,400	1,200	12,000
	04/06/93	5.72	38,000	2,500	1,100	840	4,900
	07/12/93	7.65	27,000	2,800	1,200	990	5,300
	10/13/93	8.25	32,000	3,300	1,600	1,300	8,400
	10/13/93 <sup>dup</sup>	8.25	47,000	3,200	1,600	1,300	8,500
	01/20/94	7.25	78,000	1,900	1,300	670	6,600
	01/20/94 <sup>dup</sup>	7.25	60,000	1,700	1,100	680	5,500
	04/13/94	7.12	41,000	1,300	1,200	720	6,000
	07/19/94	7.43	140,000	1,800	2,000	1,400	9,000
	10/27/94	7.55	32,000	1,200	1,200	670	5,700
	10/27/94 <sup>dup</sup>	7.55	42,000	1,100	1,100	650	5,700
	01/03/95	6.04	38,000	1,000	1,500	700	7,500
	MW-9	08/06/91	10.33	11,000	1,700	520	95
10/23/91		11.13	20,000	1,000	<0.3	47	940
01/28/92		9.02	3,500	120	280	<10	36
05/04/92		7.67	7,700	1,200	380	<50	630
07/20/92		10.26	11,000	910	220	<50	1,200
10/12/92		12.19	2,100	340	77	15	44
01/12/93 <sup>b</sup>		---	---	---	---	---	---
04/06/93 <sup>b</sup>		---	---	---	---	---	---
07/12/93 <sup>b</sup>		---	---	---	---	---	---
10/13/93		11.17	2,900	140	<5	<5	120
01/20/94		8.03	1,700	380	150	6.9	400
04/13/94		7.81	6,000	1,000	450	<20	420
07/19/94		8.96	12,000	1,400	740	<5	1,200
10/27/94		11.00	10,000	1,200	280	160	860
01/03/95	6.60	4,400	680	180	7.7	370	
MW-10	10/23/91	8.57	27,000	1,600	1,800	110	510
	01/28/92	7.60	3,800	360	170	14	39
	05/04/92	7.54	3,000	360	140	<12.5	26
	07/20/92	8.59	15,000	400	180	<25	67

— Table 3 continues on next page —



Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G					T	X
			B	E	parts per billion (µg/L)				
	10/12/92	10.23	16,000	320	360		<50	100	
	01/12/93 <sup>b</sup>	---	---	---	---		---	---	
	04/06/93	6.70	14,000	370	880		<0.5	210	
	07/12/93 <sup>b</sup>	8.05	10,000	440	890		58	220	
	10/13/93	8.25	15,000	1,000	810		51	170	
	01/20/94	7.20	12,000	820	1,100		56	350	
	04/13/94	7.57	18,000	760	700		36	130	
	07/19/94	8.18	24,000	400	800		2.3	22	
	10/27/94	8.68	11,000	360	310		43	89	
	01/03/95	6.86	17,000	770	690		38	160	
MW-11	10/23/91	8.06	140	<12	0.37		<0.3	0.56	
	01/28/92	13.32	<50	<0.5	<0.5		<0.5	<0.5	
	05/04/92	13.77	<50	<0.5	<0.5		<0.5	<0.5	
	07/13/92	11.56	140 <sup>b</sup>	<0.5	<0.5		<0.5	<0.5	
	10/12/92	12.40	75 <sup>b</sup>	<0.5	<0.5		<0.5	<0.5	
	01/12/93 <sup>b</sup>	---	---	---	---		---	---	
	04/06/93 <sup>b</sup>	---	---	---	---		---	---	
	07/12/93	---	---	---	---		---	---	
	10/13/93	11.47	<50	<0.5	<0.5		<0.5	<0.5	
	01/20/94	9.09	<50	<0.5	<0.5		<0.5	<0.5	
	04/13/94	8.02	<50	<0.5	<0.5		<0.5	<0.5	
	07/19/94	9.82	50	<0.5	<0.5		<0.5	<0.5	
	10/27/94	11.66	60*	<0.5	<0.5		<0.5	<0.5	
	01/03/95	6.15	<50	<0.5	<0.5		<0.5	<0.5	
Bailer Blank	07/13/92		<50	<0.5	<0.5		<0.5	<0.5	
	07/20/92		<50	<0.5	<0.5		<0.5	<0.5	
	10/12/92		<50	<0.5	<0.5		<0.5	<0.5	
	04/13/94		<50	<0.5	<0.5		0.67	<0.5	
	07/19/94		<50	<0.5	<0.5		<0.5	<0.5	
	10/27/94		<50	<0.5	<0.5		<0.5	<0.5	
	01/03/95		<50	<0.5	<0.5		<0.5	<0.5	
Trip Blank	01/28/92		<50	<0.5	<0.5		<0.5	<0.5	
	05/05/92		<50	<0.5	<0.5		<0.5	<0.5	
	07/13/92		<50	<0.5	<0.5		<0.5	<0.5	
	07/20/92		<50	<0.5	<0.5		<0.5	<0.5	

— Table 3 continues on next page —

Table 3. Analytical Results for Ground Water - Shell Service Station WIC #204-5508-5306, 3420 San Pablo Avenue, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X
			←————— parts per billion (µg/L) —————→				
	10/12/92		<50	<0.5	<0.5	<0.5	<0.5
	01/12/93		<50	<0.5	<0.5	<0.5	<0.5
	04/06/93		<50	<0.5	<0.5	<0.5	<0.5
	07/12/93		<50	<0.5	<0.5	<0.5	<0.5
	10/13/93		<50	<0.5	<0.5	<0.5	<0.5
	01/20/94		<50	<0.5	<0.5	<0.5	<0.5
	04/13/94		<50	<0.5	<0.5	<0.5	<0.5
	07/19/94		<50	<0.5	<0.5	<0.5	<0.5
	10/27/94		<50	<0.5	<0.5	<0.5	<0.5
	01/03/95		<50	<0.5	<0.5	<0.5	<0.5
DTSC MCLs			NE	0.001	0.680	0.10c	1.750

Abbreviations:


TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015  
 B = Benzene by EPA Method 8020  
 E = Ethylbenzene by EPA Method 8020  
 T = Toluene by EPA Method 8020  
 X = Xylenes by EPA Method 8020  
 NE = Not established  
 DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water  
 --- = Not analyzed  
 <n = Not detected at detection limits of n ppb  
 dup = Duplicate sample  
 SPH = Not sampled, separate-phase hydrocarbons detected in well

Notes:

a = Concentration reported as gasoline is due to the presence of a discrete hydrocarbon peak that is not indicative of gasoline  
 b = Not sampled. Well inaccessible  
 c = DTSC recommended action level; MCL not established  
 \* = The result for gasoline in an unknown hydrocarbon which consists of a single peak

ATTACHMENT A

**GROUND WATER MONITORING REPORT AND ANALYTIC REPORT**



# BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE  
SAN JOSE, CA 95133  
(408) 995-5535  
FAX (408) 293-8773

January 16, 1995

Shell Oil Company  
P.O. Box 4023  
Concord, CA 94524

Attn: Daniel T. Kirk

SITE:  
Shell WIC #204-5508-5306  
3420 San Pablo Avenue  
Oakland, California

QUARTER:  
1st quarter of 1994 ~~5~~

## QUARTERLY GROUNDWATER SAMPLING REPORT 950103-J-2

---

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in response to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a **TABLE OF WELL GAUGING DATA**. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

## **STANDARD PROCEDURES**

---

### **Evacuation**

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water are removed in cases where more evacuation is needed to achieve stabilization of water parameters and when requested by the local implementing agency. Less water may be removed in cases where the well dewateres and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

### **Decontamination**

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site. Effluent water from purging and on-site equipment cleaning is collected and transported to Shell's Martinez Manufacturing Complex in Martinez, California.

### **Free Product Skimmer**

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This

recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such sites is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

### **Sample Containers**

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

### **Sampling**

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

### **Sample Designations**

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label.

### **Chain of Custody**

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

## **Hazardous Materials Testing Laboratory**

The samples obtained at this site were delivered to National Environmental Testing, Inc. in Santa Rosa, California. NET is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #178.


### **Objective Information Collection**

Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

### **Reportage**

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.

  
Richard C. Blaine

RCB/lp

attachments: table of well gauging data  
chain of custody  
certified analytical report

cc: Weiss Associates  
5500 Shellmound Street  
Emeryville, CA 94608-2411  
ATTN: Michael Asport



## TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	1/3/95	TOC	SHEEN/ODOR	--	--	--	6.15	25.00
MW-2 *	1/3/95	TOC	SHEEN/ODOR	--	--	--	6.44	19.25
MW-3	1/3/95	TOC	--	NONE	--	--	6.89	27.50
MW-4	1/3/95	TOC	FREE PRODUCT	5.48	0.01	100	5.49	--
MW-5	1/3/95	TOC	SHEEN/ODOR	--	--	--	5.84	24.84
MW-6	1/3/95	TOC	FREE PRODUCT	7.78	0.02	75	7.80	--
MW-7	1/3/95	TOC	FREE PRODUCT	6.46	0.02	100	6.48	--
MW-8	1/3/95	TOC	SHEEN/ODOR	--	--	--	6.04	20.00
MW-9	1/3/95	TOC	ODOR	NONE	--	--	6.60	19.70
MW-10	1/3/95	TOC	SHEEN/ODOR	--	--	--	6.86	18.80
MW-11	1/3/95	TOC	--	NONE	--	--	6.15	18.97

\* Sample DUP was a duplicate sample taken from well MW-2.



4803



# SHELL OIL COMPANY

RETAIL ENVIRONMENTAL ENGINEERING - WEST

## CHAIN OF CUSTODY RECORD

Serial No: 950103-J2

Date:   
Page 2 of 2

Site Address: 3420 San Pablo Ave. Oakland

WIC#: 204-5506-5306

Shell Engineer: Dan Kirk Phone No.: (510) 675-6168  
Fax #: 675-6160

Consultant Name & Address: Blaine Tech Services, Inc.  
985 Timothy Drive San Jose, CA 95133

Consultant Contact: Jim Keller Phone No.: (408) 995-5535  
Fax #: 293-8773

Comments:

Sampled by: JBAN LATINEAU / SHAWN HOLLE

Printed Name:

### Analysis Required

LAB: NK

CHECK ONE (1) BOX ONLY	CT/DT	TURN AROUND TIME
Quarterly Monitoring <input checked="" type="checkbox"/>	6441	24 hours <input type="checkbox"/>
Site Investigation <input type="checkbox"/>	6441	48 hours <input type="checkbox"/>
Soil Classfy/Disposal <input type="checkbox"/>	6442	15 days <input checked="" type="checkbox"/> (Normal)
Water Classfy/Disposal <input type="checkbox"/>	6443	Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	6452	
Water Rem. or Sys. O & M <input type="checkbox"/>	6463	
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hrs. TAT.

Sample ID	Date	Sludge	Soil	Water	Air	No. of conhs.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
EB	↓			↓		3												
TB	↓			↓		2												

1/4/95  
Shawn Holle  
Seal intact S.S.

Relinquished By (signature): <u>[Signature]</u>	Printed Name: <u>Shawn Holle</u>	Date: <u>1/1/03</u> Time: <u>9:30</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>G. Chamber</u>	Date: <u>1/4/95</u> Time: <u>9:10</u>
Relinquished By (signature): <u>[Signature]</u>	Printed Name: <u>G. Chamber</u>	Date: <u>1/4/95</u> Time: <u>16:00</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>J. Sorensen</u>	Date: <u>1/5/95</u> Time: <u>07:00</u>
Relinquished By (signature):	Printed Name:	Date:	Received (signature):	Printed Name:	Date:



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

Santa Rosa Division  
435 Tesconi Circle  
Santa Rosa, CA 95401  
Tel: (707) 526-7200  
Fax: (707) 526-9623

Jim Keller  
Blaine Tech Services  
985 Timothy Dr.  
San Jose, CA 95133


Date: 01/12/1995  
NET Client Acct. No: 1821  
NET Pacific Job No: 94.06427  
Received: 01/05/1995


Client Reference Information

SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

Sample analysis in support of the project referenced above has been completed and results are presented on following pages. Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel welcome to contact Client Services.

Approved by:

  
Judy Ridley  
Project Coordinator

  
Jim Hoch  
Operations Manager

Enclosure (s)





Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 2

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-1

Date Taken: 01/03/1995

Time Taken:

NET Sample No: 232747

Parameter	Results	Flags	Reporting			Date Extracted	Date Analyzed	Run Batch No.
			Limit	Units	Method			
TPH (Gas/BTXE, Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	100						01/08/1995	2467
as Gasoline	31,000		5,000	ug/L	5030		01/08/1995	2467
Carbon Range:	C5-C14						01/08/1995	2467
METHOD 8020 (GC, Liquid)	--						01/08/1995	2467
Benzene	610		50	ug/L	8020		01/08/1995	2467
Toluene	160		50	ug/L	8020		01/08/1995	2467
Ethylbenzene	1,200		50	ug/L	8020		01/08/1995	2467
Xylenes (Total)	5,000		50	ug/L	8020		01/08/1995	2467
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	101			% Rec.	5030		01/08/1995	2467

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 3

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-2

Date Taken: 01/03/1995

Time Taken:

NET Sample No: 232748

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	100						01/08/1995	2467
as Gasoline	67,000		5,000	ug/L	5030		01/08/1995	2467
Carbon Range:	C5-C14						01/08/1995	2467
METHOD 8020 (GC,Liquid)	--						01/08/1995	2467
Benzene	9,800	FI	50	ug/L	8020		01/09/1995	2468
Toluene	720		50	ug/L	8020		01/08/1995	2467
Ethylbenzene	2,800		50	ug/L	8020		01/08/1995	2467
Xylenes (Total)	11,000	FI	50	ug/L	8020		01/09/1995	2468
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	108			% Rec.	5030		01/08/1995	2467

FI : Compound quantitated at a 1000X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services

Date: 01/12/1995

Client Acct: 1821

ELAP Cert: 1386

NET Job No: 94.06427

Page: 4

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-3

Date Taken: 01/03/1995

Time Taken:

NET Sample No: 232749

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	1						01/08/1995	2467
as Gasoline	100	G1	50	ug/L	5030		01/08/1995	2467
Carbon Range:	C6-C7						01/08/1995	2467
METHOD 8020 (GC,Liquid)	--						01/08/1995	2467
Benzene	ND		0.5	ug/L	8020		01/08/1995	2467
Toluene	ND		0.5	ug/L	8020		01/08/1995	2467
Ethylbenzene	ND		0.5	ug/L	8020		01/08/1995	2467
Xylenes (Total)	ND		0.5	ug/L	8020		01/08/1995	2467
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	102			% Rec.	5030		01/08/1995	2467

G1 : The result for Gasoline is an unk. HC which consists of a single peak.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services

Date: 01/12/1995

Client Acct: 1821

ELAP Cert: 1386

NET Job No: 94.06427

Page: 5

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-5

Date Taken: 01/03/1995

Time Taken:

NET Sample No: 232750

Parameter	Results	Flags	Reporting		Method	Date	Date	Run
			Limit	Units		Extracted	Analyzed	Batch
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	10						01/08/1995	2467
as Gasoline	12,000		500	ug/L	5030		01/08/1995	2467
Carbon Range:	C5-C14						01/08/1995	2467
METHOD 8020 (GC,Liquid)	--						01/08/1995	2467
Benzene	110		5	ug/L	8020		01/08/1995	2467
Toluene	46		5	ug/L	8020		01/08/1995	2467
Ethylbenzene	790	FF	5	ug/L	8020		01/10/1995	2471
Xylenes (Total)	510		5	ug/L	8020		01/08/1995	2467
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	145	MI		% Rec.	5030		01/08/1995	2467

FF : Compound quantitated at a 100X dilution factor.

MI : Matrix Interference Suspected

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.





Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 6

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-8  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232751

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	100						01/08/1995	2467
as Gasoline	38,000		5,000	ug/L	5030		01/08/1995	2467
Carbon Range:	C5-C14						01/08/1995	2467
METHOD 8020 (GC,Liquid)	--						01/08/1995	2467
Benzene	1,000		50	ug/L	8020		01/08/1995	2467
Toluene	700		50	ug/L	8020		01/08/1995	2467
Ethylbenzene	1,500		50	ug/L	8020		01/08/1995	2467
Xylenes (Total)	7,500		50	ug/L	8020		01/08/1995	2467
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	106			% Rec.	5030		01/08/1995	2467

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 7

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-9  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232752

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/09/1995	2468
DILUTION FACTOR*	10						01/09/1995	2468
as Gasoline	4,400		500	ug/L	5030		01/09/1995	2468
Carbon Range:	C5-C14						01/09/1995	2468
METHOD 8020 (GC,Liquid)	--						01/09/1995	2468
Benzene	680	FF	5	ug/L	8020		01/10/1995	2471
Toluene	7.7		5	ug/L	8020		01/09/1995	2468
Ethylbenzene	180		5	ug/L	8020		01/09/1995	2468
Xylenes (Total)	370		5	ug/L	8020		01/09/1995	2468
SURROGATE RESULTS	--						01/09/1995	2468
Bromofluorobenzene (SURR)	109			% Rec.	5030		01/09/1995	2468

FF : Compound quantitated at a 100X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 8

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-10  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232753

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/09/1995	2468
DILUTION FACTOR*	10						01/09/1995	2468
as Gasoline	17,000		500	ug/L	5030		01/10/1995	2471
Carbon Range:	C5-C14						01/09/1995	2468
METHOD 8020 (GC,Liquid)	--						01/09/1995	2468
Benzene	770	FF	5	ug/L	8020		01/09/1995	2468
Toluene	38		5	ug/L	8020		01/10/1995	2471
Ethylbenzene	690	FF	5	ug/L	8020		01/09/1995	2468
Xylenes (Total)	160		5	ug/L	8020		01/10/1995	2471
SURROGATE RESULTS	--						01/09/1995	2468
Bromofluorobenzene (SURR)	101			% Rec.	5030		01/09/1995	2468

FF : Compound quantitated at a 100X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 9

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: MW-11  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232754

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/09/1995	2468
DILUTION FACTOR*	1						01/09/1995	2468
as Gasoline	ND		50	ug/L	5030		01/09/1995	2468
Carbon Range:	--						01/09/1995	2468
METHOD 8020 (GC,Liquid)	--						01/09/1995	2468
Benzene	ND		0.5	ug/L	8020		01/09/1995	2468
Toluene	ND		0.5	ug/L	8020		01/09/1995	2468
Ethylbenzene	ND		0.5	ug/L	8020		01/09/1995	2468
Xylenes (Total)	ND		0.5	ug/L	8020		01/09/1995	2468
SURROGATE RESULTS	--						01/09/1995	2468
Bromofluorobenzene (SURR)	100			% Rec.	5030		01/09/1995	2468

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 10

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: DUP  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232755

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/09/1995	2468
DILUTION FACTOR*	100						01/09/1995	2468
as Gasoline	58,000		5,000	ug/L	5030		01/09/1995	2468
Carbon Range:	C5-C14						01/09/1995	2468
METHOD 8020 (GC,Liquid)	--						01/09/1995	2468
Benzene	9,700	FI	50	ug/L	8020		01/10/1995	2471
Toluene	620		50	ug/L	8020		01/09/1995	2468
Ethylbenzene	2,700		50	ug/L	8020		01/09/1995	2468
Xylenes (Total)	12,000	FI	50	ug/L	8020		01/10/1995	2471
SURROGATE RESULTS	--						01/09/1995	2468
Bromofluorobenzene (SURR)	109			% Rec.	5030		01/09/1995	2468

FI : Compound quantitated at a 1000X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 11

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: EB

Date Taken: 01/03/1995

Time Taken:

NET Sample No: 232756

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch No.
TPH (Gas/BTXE,Liquid)								
METHOD 5030/M8015	--						01/08/1995	2467
DILUTION FACTOR*	1						01/08/1995	2467
as Gasoline	ND		50	ug/L	5030		01/08/1995	2467
Carbon Range:	--						01/08/1995	2467
METHOD 8020 (GC,Liquid)	--						01/08/1995	2467
Benzene	ND		0.5	ug/L	8020		01/08/1995	2467
Toluene	ND		0.5	ug/L	8020		01/08/1995	2467
Ethylbenzene	ND		0.5	ug/L	8020		01/08/1995	2467
Xylenes (Total)	ND		0.5	ug/L	8020		01/08/1995	2467
SURROGATE RESULTS	--						01/08/1995	2467
Bromofluorobenzene (SURR)	108			% Rec.	5030		01/08/1995	2467

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 12

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

SAMPLE DESCRIPTION: TB  
Date Taken: 01/03/1995  
Time Taken:  
NET Sample No: 232757

Parameter	Results	Flags	Reporting			Date	Date	Run
			Limit	Units	Method	Extracted	Analyzed	Batch No.
TPH (Gas/BTXE, Liquid)								
METHOD 5030/M8015	--						01/09/1995	2468
DILUTION FACTOR*	1						01/09/1995	2468
as Gasoline	ND		50	ug/L	5030		01/09/1995	2468
Carbon Range:	--						01/09/1995	2468
METHOD 8020 (GC, Liquid)	--						01/09/1995	2468
Benzene	ND		0.5	ug/L	8020		01/09/1995	2468
Toluene	ND		0.5	ug/L	8020		01/09/1995	2468
Ethylbenzene	ND		0.5	ug/L	8020		01/09/1995	2468
Xylenes (Total)	ND		0.5	ug/L	8020		01/09/1995	2468
SURROGATE RESULTS	--						01/09/1995	2468
Bromofluorobenzene (SURR)	96			% Rec.	5030		01/09/1995	2468

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
Client Acct: 1821  
NET Job No: 94.06427

Date: 01/12/1995  
ELAP Cert: 1386  
Page: 13

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

## CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

Parameter	CCV	CCV	CCV	Units	Date Analyzed	Analyst Initials	Run Batch Number
	Standard % Recovery	Standard Amount Found	Standard Amount Expected				
TPH (Gas/BTXE,Liquid)							
as Gasoline	107.0	1.07	1.00	mg/L	01/08/1995	aal	2467
Benzene	98.6	4.93	5.00	ug/L	01/08/1995	aal	2467
Toluene	105.4	5.27	5.00	ug/L	01/08/1995	aal	2467
Ethylbenzene	110.4	5.52	5.00	ug/L	01/08/1995	aal	2467
Xylenes (Total)	109.3	16.4	15.0	ug/L	01/08/1995	aal	2467
Bromofluorobenzene (SURR)	105.0	105	100	% Rec.	01/08/1995	aal	2467
TPH (Gas/BTXE,Liquid)							
as Gasoline	104.0	1.04	1.00	mg/L	01/09/1995	dfw	2468
Benzene	88.2	4.41	5.00	ug/L	01/09/1995	dfw	2468
Toluene	93.8	4.69	5.00	ug/L	01/09/1995	dfw	2468
Ethylbenzene	100.0	5.00	5.00	ug/L	01/09/1995	dfw	2468
Xylenes (Total)	96.0	14.4	15.0	ug/L	01/09/1995	dfw	2468
Bromofluorobenzene (SURR)	95.0	95	100	% Rec.	01/09/1995	dfw	2468
TPH (Gas/BTXE,Liquid)							
as Gasoline	97.0	0.97	1.00	mg/L	01/10/1995	lss	2471
Benzene	96.6	4.83	5.00	ug/L	01/10/1995	lss	2471
Toluene	104.4	5.22	5.00	ug/L	01/10/1995	lss	2471
Ethylbenzene	107.6	5.38	5.00	ug/L	01/10/1995	lss	2471
Xylenes (Total)	104.0	15.6	15.0	ug/L	01/10/1995	lss	2471
Bromofluorobenzene (SURR)	99.0	99	100	% Rec.	01/10/1995	lss	2471

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.





Client Name: Blaine Tech Services

Date: 01/12/1995

Client Acct: 1821

ELAP Cert: 1386

NET Job No: 94.06427

Page: 14

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

### METHOD BLANK REPORT

Parameter	Method Blank			Date Analyzed	Analyst Initials	Run Batch Number
	Amount Found	Reporting Limit	Units			
TPH (Gas/BTXE, Liquid)						
as Gasoline	ND	0.05	mg/L	01/08/1995	aal	2467
Benzene	ND	0.5	ug/L	01/08/1995	aal	2467
Toluene	ND	0.5	ug/L	01/08/1995	aal	2467
Ethylbenzene	ND	0.5	ug/L	01/08/1995	aal	2467
Xylenes (Total)	ND	0.5	ug/L	01/08/1995	aal	2467
Bromofluorobenzene (SURR)	110		% Rec.	01/08/1995	aal	2467
TPH (Gas/BTXE, Liquid)						
as Gasoline	ND	0.05	mg/L	01/09/1995	dfw	2468
Benzene	ND	0.5	ug/L	01/09/1995	dfw	2468
Toluene	ND	0.5	ug/L	01/09/1995	dfw	2468
Ethylbenzene	ND	0.5	ug/L	01/09/1995	dfw	2468
Xylenes (Total)	ND	0.5	ug/L	01/09/1995	dfw	2468
Bromofluorobenzene (SURR)	91		% Rec.	01/09/1995	dfw	2468
TPH (Gas/BTXE, Liquid)						
as Gasoline	ND	0.05	mg/L	01/10/1995	lss	2471
Benzene	ND	0.5	ug/L	01/10/1995	lss	2471
Toluene	ND	0.5	ug/L	01/10/1995	lss	2471
Ethylbenzene	ND	0.5	ug/L	01/10/1995	lss	2471
Xylenes (Total)	ND	0.5	ug/L	01/10/1995	lss	2471
Bromofluorobenzene (SURR)	95		% Rec.	01/10/1995	lss	2471

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services  
 Client Acct: 1821  
 NET Job No: 94.06427

Date: 01/12/1995  
 ELAP Cert: 1386  
 Page: 15

Ref: SHELL, 3420 San Pablo Ave., Oakland, Job No. 950103-J2

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE

Parameter	Matrix Spike		RPD	Spike Amount	Sample Conc.	Matrix Spike		Units	Date Analyzed	Run Batch	Sample Spiked
	% Rec.	% Rec.				Conc.	Conc.				
TPH (Gas/BTXE,Liquid)											232756
as Gasoline	113.0	106.0	6.4	1.00	ND	1.13	1.06	mg/L	01/08/1995	2467	232756
Benzene	104.8	100.4	4.3	23.1	ND	24.2	23.2	ug/L	01/08/1995	2467	232756
Toluene	104.6	99.7	4.7	93.1	ND	97.4	92.8	ug/L	01/08/1995	2467	232756
TPH (Gas/BTXE,Liquid)											232806
as Gasoline	92.0	99.0	7.3	1.00	ND	0.92	0.99	mg/L	01/09/1995	2468	232806
Benzene	95.3	100.9	5.6	21.1	ND	20.1	21.3	ug/L	01/09/1995	2468	232806
Toluene	94.3	101.3	7.1	86.0	ND	81.1	87.1	ug/L	01/09/1995	2468	232806
TPH (Gas/BTXE,Liquid)											232914
as Gasoline	86.0	87.0	1.2	1.00	0.13	0.99	1.00	mg/L	01/10/1995	2471	232914
Benzene	95.3	98.1	2.9	21.4	ND	20.4	21.0	ug/L	01/10/1995	2471	232914
Toluene	96.7	98.5	1.8	86.7	ND	83.8	85.4	ug/L	01/10/1995	2471	232914

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



## KEY TO ABBREVIATIONS and METHOD REFERENCES

- < : Less than; When appearing in results column indicates analyte not detected at the value following. This datum supercedes the listed Reporting Limit.
- \* : Reporting Limits are a function of the dilution factor for any given sample. Actual reporting limits and results have been multiplied by the listed dilution factor. Do not multiply the reporting limits or reported values by the dilution factor.
- dw : Result expressed as dry weight.
- mean : Average; sum of measurements divided by number of measurements.
- mg/Kg (ppm) : Concentration in units of milligrams of analyte per kilogram of sample, wet-weight basis (parts per million).
- mg/L : Concentration in units of milligrams of analyte per liter of sample.
- mL/L/hr : Milliliters per liter per hour.
- MPN/100 mL : Most probable number of bacteria per one hundred milliliters of sample.
- N/A : Not applicable.
- NA : Not analyzed.
- ND : Not detected; the analyte concentration is less than the applicable listed reporting limit.
- NTU : Nephelometric turbidity units.
- RPD : Relative percent difference,  $100 \text{ [Value 1 - Value 2] / mean value}$ .
- SNA : Standard not available.
- ug/Kg (ppb) : Concentration in units of micrograms of analyte per kilogram of sample, wet-weight basis (parts per billion).
- ug/L : Concentration in units of micrograms of analyte per liter of sample.
- umhos/cm : Micromhos per centimeter.

### Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, Rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, Rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986., Rev. 1, December 1987.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.

COOLER RECEIPT FORM

950103-J2

Project: Skull, 3420 San Pablo Ave, Oakland Log No: 4803  
Cooler received on: 1-5-95 and checked on 1-5-95 by J Sorensen  
(signature)

- Were custody papers present?..... YES  NO
  - Were custody papers properly filled out?..... YES  NO
  - Were the custody papers signed?..... YES  NO
  - Was sufficient ice used?..... YES  NO -0.2°C
  - Did all bottles arrive in good condition (unbroken)?..... YES  NO
  - Did bottle labels match COC?..... YES  NO
  - Were proper bottles used for analysis indicated?..... YES  NO
  - Correct preservatives used?..... YES  NO
  - VOA vials checked for headspace bubbles?..... YES  NO
- Note which voas (if any) had bubbles:\*

Sample descriptor:

Number of vials:

~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~

~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~

\*All VOAs with headspace bubbles have been set aside so they will not be used for analysis.....YES NO

List here all other jobs received in the same cooler:

Client Job #	NET log #
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(coolerrec)