


9-0504
15900 Hesperian Boulevard
San Lorenzo



Site Number:

9-0504

Site Address:

15900 Hesperian Boulevard, San Lorenzo

Alameda County Case Worker:

Barney Chan

Soil Conditions:

The highest hydrocarbon concentrations were detected in C-1, located next to the first generation used-oil UST, at 422 mg/kg TPHg, 410 mg/kg TPHd, 770 mg/kg total oil and grease, and 2.0 mg/kg benzene. These concentrations were detected in shallow soil from 3.5-5.0 fbg. No hydrocarbons were detected in samples collected below 5.0 fbg. MTBE was not analyzed. In 1992 the used oil tank was removed. During removal an additional tank was discovered and removed. Following over excavation of impacted soil surrounding and beneath these former USTs, maximum residual concentrations were 120 mg/kg TPHg, 85 mg/kg TPHd, 2,300 mg/kg TPH as motor oil, 2,100 mg/kg total oil and grease, and 0.50 mg/kg benzene. Chevron files did not indicate the volume of soil removed. In 1996, the gasoline USTs, dispensers, and product piping were replaced, and the diesel UST was permanently removed. Following over excavation of approximately 770 cubic yards of impacted soil, maximum residual concentrations were 800 mg/kg TPHg, 420 mg/kg TPHd, 16 mg/kg benzene, and 0.67 mg/kg MTBE. These concentrations were also limited to shallow soil between 3-5 fbg. In 2005, off-site soil borings SB-1, SB-4, SB-5, SB-6, and SB-7 were advanced down-gradient of the site. No TPHd, TPHg, BTEX or MTBE were detected in soil. Based on all available soil data, it appears the majority of hydrocarbon impacted soil has been removed from the site. Residual concentrations left in situ appear limited in extent and in concentration. Furthermore, residual concentrations documented during past investigations were collected up to eleven years ago and those hydrocarbons have likely degraded to reduced concentrations by natural attenuation.

Groundwater Conditions:

Based on a review of historical groundwater chemical analytical results, the mass of the dissolved hydrocarbon plume appears localized south of the UST basin, in the vicinity of wells C-1, C-2, C-7, and C-8. Historically, the core of the hydrocarbon plume with the highest concentrations was centered on the fuel USTs as indicated on Figures 4 and 5. However, this area had cleaned up to below detection limits and there is a smaller residual hydrocarbon plume down-gradient of the site as shown on Figures 6 and 7. The current distribution of MTBE in groundwater is shown on Figure 8. The extent of hydrocarbons in groundwater is defined by down-gradient wells C-9, C-10 and C-11 and up-gradient wells C-4, C-5 and C-6.

Pending Alameda County Actions:

Cambria submitted a *Site Closure Request* dated March 26, 2004 and *Request for Change of the Groundwater Monitoring and Sampling Program* dated November 2, 2005 to eliminate C-9 through C-11 from the sampling program. No response to either report has been received.

Pending Cambria Actions:

None to Date





FIGURE
1

Residual Petroleum Hydrocarbon
Concentration in Soil





Chevron Service Station 9-0504
15900 Hesperian Boulevard
San Lorenzo, California




FIGURE

7





- LEGEND:**
- ML USGS GEOLOGIC SYMBOL
 - APPROXIMATE CONTACT BETWEEN SOIL TYPES
 - HISTORICAL DEPTH TO GROUND WATER - HIGH
 - HISTORICAL DEPTH TO GROUND WATER - LOW
 - SOIL SAMPLE LOCATION
 - BENZENE, TPH CONCENTRATION IN PARTS PER MILLION (ppm)
 - GROUNDWATER SAMPLE COLLECTED ON 3/21/01
 - BENZENE CONCENTRATION IN MICROGRAMS PER LITER (ug/L)
 - TPH CONCENTRATION (ug/L)
 - MTBE CONCENTRATION (ug/L)
 - TOTAL DEPTH IN FEET BELOW SURFACE GRADE
 - GRAVEL FILL
 - (ML) - SILT
 - (SP) - SAND
 - SILTY SANDS, SANDY SILTS
 - (CL) - CLAY



MAP INFORMATION FROM DISTRICT/REGIONAL SECTION 5, INC.

Map from Delta Environmental Consultants, Inc.

FIGURE



4

Geologic Cross Section B-B'



Chevron Service Station 9-0504

15900 Hesperian Boulevard
San Lorenzo, California



- LEGEND:**
- ML USGS GEOLOGIC SYMBOL
 - APPROXIMATE CONTACT BETWEEN SOIL TYPES
 - HISTORICAL DEPTH TO GROUND WATER - HIGH
 - HISTORICAL DEPTH TO GROUND WATER - LOW
 - SOIL SAMPLE LOCATION
 - BENZENE, TPH CONCENTRATION IN PARTS PER MILLION (ppm)
 - GROUNDWATER SAMPLE COLLECTED ON 3/21/01
 - BENZENE CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
 - TPH CONCENTRATION (µg/L)
 - MTBE CONCENTRATION (µg/L)
 - TOTAL DEPTH IN FEET BELOW SURFACE GRADE
 - GRAVEL FILL
 - (ML) - SILT
 - (SP) - SAND
 - SILTY SANDS, SANDY SILTS
 - (CL) - CLAY


USE ONLY APPROVED SAMPLING METHODS AND PROCEDURES

Map from Delta Environmental Consultants, Inc.


FIGURE

3


TPHg Concentrations in Groundwater - Well C-7 Chevron Station 9-0504




TPHg Concentrations in Groundwater - Well C-8
Chevron Station 9-0504




Benzene Concentrations in Groundwater - Well C-7
Chevron Station 9-0504




**Benzene Concentrations in Groundwater - Well C-8
Chevron Station 9-0504**



MTBE Concentrations in Groundwater - Well C-7 Chevron Station 9-0504



MTBE Concentrations in Groundwater - Well C-8
Chevron Station 9-0504





GETTLER-RYAN Inc.

TRANSMITTAL

April 28, 2006
G-R #385259

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
2000 Opportunity Drive, Suite 110
Roseville, California 95678

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-0504
15900 Hesperian Boulevard
San Lorenzo, California
MTI: 61H-1641
RO 0000007

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	April 28, 2006	Groundwater Monitoring and Sampling Report First Semi-Annual - Event of March 24, 2006

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for your use and distribution to the following:

Mr. Dana Thurman, Chevron Environmental Management Company, P.O. Box 6012, Room K2236,
San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *May 12, 2006*, at which time the final report will be distributed to the following:

- cc: Mr. Mike Bakaldin, Hazmat, San Leandro Fire Department, 835 East 14th Street, Suite 200, San Leandro, CA 94577
 Mr. Bodh Kunwar, 3539 Shadow Creek Drive, Danville, CA 94506
 Ms. Wendy Helling, Met Life Corporation, 10900 NE 4th Street, Suite 500, Bellevue, WA 98004-5853
 Mr. Scott Bohannon, Bohannon Development, Sixty 31st Avenue, San Mateo, CA 94403
 Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (No Hard Copy-UPLOAD TO ALAMEDA CO.)

Enclosures



Dana R. Thurman
Property Specialist
Retail and Terminal
Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9559
Fax (925) 842-8370
dthurman@chevron.com

April 28, 2006

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-0504

Address: 15900 Hesperian Blvd., San Lorenzo, California

I have reviewed the attached routine groundwater monitoring report dated April 28, 2006.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in cursive script that reads "Dana Thurman".

Dana Thurman
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

April 28, 2006
G-R Job #385259

Mr. Dana Thurman
Chevron Environmental Management Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: First Semi-Annual Event of March 24, 2006
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

Dear Mr. Thurman:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding

-FOR-


Deanna L. Harding
Project Coordinator



Robert A. Lauritzen

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504


Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well
- ▣ Vapor extraction well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 - - - Groundwater elevation contour, dashed where inferred
- * Discontinued from monitoring/sampling program

Approximate groundwater flow direction at a gradient of 0.006 to 0.03 Ft./Ft.



GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

FIGURE
1

PROJECT NUMBER: 385259 REVIEWED BY: DATE: March 24, 2006 REVISED DATE:

FILE NAME: J:\Chevron\9-0504\Q06-9-0504.DWG | Layout Tab: Pot1

T 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-1											
06/06/89	--	--	--	--	5,100	250	170	200	990	--	--
12/08/89	--	--	13.14	0.01	--	--	--	--	--	--	--
09/07/90	33.93	19.91	14.04	0.03	--	--	--	--	--	--	--
12/20/90	33.93	20.07	13.87	0.01	--	--	--	--	--	--	--
03/15/91	33.93	22.53	11.40	--	37,000	220	53	53	1,900	--	--
06/28/91	33.93	21.68	12.25	--	3,300	110	6.2	6.2	350	--	--
09/26/91	33.93	19.91	14.02	--	3,200	220	6.9	6.9	710	--	--
01/27/92	33.93	21.30	12.63	--	330	20	0.6	0.6	48	--	--
04/20/92	33.93	23.50	10.43	--	2,700	130	3.4	3.4	690	--	--
07/17/92	33.93	21.32	12.61	--	490	17	<0.5	<0.5	52	--	--
01/20/93	33.93	24.51	9.42	--	--	--	--	--	--	--	--
07/28/93	33.93	23.45	10.48	--	--	--	--	--	--	--	--
10/27/93	32.80	21.48	11.32	--	240	3.6	<0.5	11	23	--	--
03/31/94	32.80	23.35	9.45	--	530	23	1.2	10	120	--	--
06/08/94	32.80	22.87	9.93	--	990	15	1.5	42	89	--	--
09/29/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
11/09/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
12/14/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
03/30/95	32.80	24.79	8.01	--	3,900	21	7.2	190	250	--	--
06/30/95	32.80	22.98	9.82	--	1,400	3.1	0.8	54	95	--	--
09/22/95	32.80	22.20	10.60	--	620 ⁷	0.7	<0.5	3.3	3.5	--	--
12/11/95	32.80	22.50	10.30	--	210	2.4	<0.5	43	85	79	--
03/08/96	32.80	25.15	7.65	--	750	2.1	<0.5	22	34	330	--
06/21/96	32.80	23.52	9.28	--	2,800	9.0	<0.5	94	83	1,300	--
09/27/96	32.80	22.52	10.28	--	770	0.5	<0.5	5.1	6.1	580	--
01/03/97	32.80	24.95	7.85	--	1,800	2.8	<0.5	51	41	110	--
03/28/97	32.80	23.43	9.37	--	720	0.6	<0.5	4.7	3.7	200	--
09/30/97	32.80	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	32.80	25.08	7.72	--	940 ⁸	3.9	<0.5	17	4.7	290	--
03/19/99	32.80	24.29	8.51	--	320	<0.5	<0.5	8.5	2.5	350	--
03/21/00	32.80	24.72	8.08	--	432	<0.5	2.04	5.33	0.658	154	--
08/28/00	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	32.80	24.09	8.71	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	32.8	--
09/04/01	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl.</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-1 (cont)											
03/21/02	32.80	24.18	8.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	20	--
09/04/02	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/03	32.80	23.93	8.87	0.00	<50	<0.5	<0.5	<0.5	<1.5	40	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/05/04 ¹²	32.80	24.46	8.34	0.00	<50	<0.5	<0.5	<0.5	<0.5	15	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/02/05 ¹²	32.80	24.76	8.04	0.00	<50	<0.5	<0.5	<0.5	0.5	1	--
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/24/06 ¹²	32.80	25.04	7.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	--
C-2											
06/06/89	--	--	--	--	130,000	14,000	28,000	3,400	24,000	--	--
12/08/89	--	--	13.44	0.15	--	--	--	--	--	--	--
09/07/90	34.21	20.01	14.28	0.10	--	--	--	--	--	--	--
12/20/90	34.21	20.16	14.06	0.01	--	--	--	--	--	--	--
03/15/91	34.21	22.63	11.59	0.01	1,200,000	4,700	16,000	13,000	140,000	--	--
06/28/91	34.21	21.66	12.55	--	150,000	3,500	4,200	2,100	16,000	--	--
09/26/91	34.21	20.01	14.20	--	4,900	220	290	130	880	--	--
01/27/92	34.21	21.75	12.46	--	8,200	510	590	230	1,300	--	--
04/20/92	34.21	23.97	10.24	--	19,000	1,700	1,700	930	4,700	--	--
07/17/92	34.21	21.40	12.81	--	20,000	950	950	1,300	4,700	--	--
01/20/93	34.21	25.42	8.79	--	--	--	--	--	--	--	--
10/27/93	33.46	21.10	12.36	--	1,600	63	5.8	5.9	190	--	--
03/31/94	33.46	23.84	9.62	--	12,000	300	96	510	2,700	--	--
06/08/94	33.46	23.48	9.98	--	8,700	140	35	250	1,500	--	--
09/28/94	33.46	INACCESSIBLE		--	--	--	--	--	--	--	--
11/09/94	33.46	INACCESSIBLE		--	--	--	--	--	--	--	--
12/14/94	33.46	INACCESSIBLE		--	--	--	--	--	--	--	--
03/30/95	33.46	25.77	7.69	--	1,400	17	5.4	52	240	--	--
06/30/95	33.46	23.56	9.90	--	730	22	2.6	50	240	--	--
09/22/95	33.46	22.85	10.61	--	2,100 ⁷	66	7.3	140	550	--	--
12/11/95	33.46	23.08	10.38	--	3,700	23	<0.5	68	300	1,000	--
03/08/96	33.46	25.76	7.70	--	2,200	19	<5.0	63	290	1,300	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)	
C-2 (cont)												
06/21/96	33.46	24.09	9.37	--	2,200	23	1.1	70	260	2,300	--	
09/27/96	33.46	22.88	10.58	--	5,500	12	0.6	30	110	2,200	--	
01/03/97	33.46	25.56	7.90	--	750	4.2	<0.5	29	120	51	--	
03/28/97	33.46	24.11	9.35	--	1,300	12	1.5	24	86	310	--	
09/30/97	33.46	MONITORED ANNUALLY				--	--	--	--	--	--	--
03/28/98	33.46	25.46	8.00	--	1,100 ^B	14	<5.0	34	79	710	--	
03/19/99	33.46	25.01	8.45	--	1,400	15	<0.5	56	130	460	--	
03/21/00	33.46	25.37	8.09	--	5,420	9.69	<0.5	76.5	125	168	--	
08/28/00	33.46	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/02/01	33.46	24.68	8.78	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	
09/04/01	33.46	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/21/02	33.46	24.75	8.71	0.00	<50	<0.50	<0.50	<0.50	<1.5	4.5	--	
09/04/02	33.46	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/31/03	33.46	24.53	8.93	0.00	<50	<0.5	1.0	<2.0	2.6	<2.5	--	
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/05/04 ¹²	32.80	24.41	8.39	0.00	940	1	<0.5	21	10	45	--	
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/02/05 ¹²	32.80	24.67	8.13	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/24/06 ¹²	32.80	24.99	7.81	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
C-3												
06/06/89	--	--	--	--	2,600	63	20	390	370	--	--	
12/08/89	--	--	--	--	680	6.0	1.0	31	58	--	--	
09/07/90	35.46	20.15	15.31	--	490	6.0	<0.5	41	120	--	--	
09/07/90 (D)	35.46	--	--	--	460	6.0	<0.5	40	110	--	--	
12/20/90	35.46	20.29	15.17	--	100	5.0	<0.5	27	130	--	--	
03/06/91	35.46	22.19	13.27	--	1,300	7.0	<0.5	75	250	--	--	
03/06/91 (D)	35.46	--	--	--	1,400	8.0	<0.5	76	250	--	--	
06/28/91	35.46	21.79	13.67	--	770	6.0	<0.5	81	71	--	--	
06/28/91 (D)	35.46	--	--	--	990	5.5	<0.5	86	75	--	--	
09/26/91	35.46	20.14	15.32	--	1,400	7.9	<0.5	98	340	--	--	
01/27/92	35.46	21.55	13.91	--	150	0.7	<0.5	12	12	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DFW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-3 (cont)											
04/20/92	35.46	23.80	11.66	--	1,600	9.3	1.0	190	370	--	--
07/17/92	35.46	21.50	13.96	--	460	18	<0.5	20	52	--	--
10/29/92	35.46	19.95	15.51	--	520	2.4	1.0	30	79	--	--
01/20/93	35.46	24.47	10.99	--	4,200	7.4	<0.5	140	380	--	--
05/03/93	35.46	24.49	10.97	--	1,300	6.8	3.2	71	170	--	--
07/28/93	35.46	23.05	12.41	--	220	1.4	<0.5	17	39	--	--
10/27/93	35.46	21.78	13.37	--	1,800	5.5	0.7	68	290	--	--
03/31/94	35.46	23.90	11.56 ¹	--	310	1.2	<0.5	19	54	--	--
06/08/94	35.46	23.39	12.07	--	300	2.7	1.6	19	48	--	--
09/29/94 ²	35.46	21.62	13.84	--	2,500	<25	<25	<25	220	--	--
11/09/94 ³	35.46	--	--	--	170	<0.5	0.8	3.3	16	--	--
12/14/94	35.46	23.61	11.85	--	510	3.2	1.4	28	60	--	--
03/30/95	35.46	25.85	9.61	--	66	<0.5	<0.5	1.1	2.4	--	--
06/30/95	35.46	23.96	11.50	--	1,500	1.9	8.1	100	300	--	--
09/22/95	35.46	22.88	12.58	--	600 ⁷	0.7	<0.5	43	110	--	--
12/11/95	35.46	22.91	12.55	--	670 ⁸	<0.5	<0.5	7.0	13	15	--
03/08/96	35.46	25.80	9.66	--	3,600	7.5	33	130	400	1,100	--
06/21/96	35.46	23.68	11.78	--	310	<0.5	<0.5	16	49	57	--
09/27/96	35.46	23.09	12.37	--	250	<0.5	<0.5	3.6	9.6	44	--
01/03/97	35.46	25.57	9.89	--	170	<0.5	1.2	4.5	15	15	--
03/28/97	35.46	24.50	10.96	--	60	<0.5	<0.5	1.7	1.8	23	--
09/30/97	35.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	35.46	25.74	9.72	--	<50	0.88	<0.5	<0.5	<0.5	16	--
03/19/99	35.46	25.44	10.02	--	<50	<0.5	<0.5	<0.5	0.65	12	--
03/21/00	35.46	25.36	10.10	--	122	<0.5	<0.5	4.96	11.7	6.13	--
08/28/00	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	35.46	24.67	10.79	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	35.46	24.74	10.72	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	35.46	24.31	11.15	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 ¹²	32.80	22.42	10.38	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--

T 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-3 (cont)											
03/02/05 ¹²	32.80	22.67	10.13	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/24/06 ¹²	32.80	22.95	9.85	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-7											
12/08/89	--	--	--	--	1,700	32	12	17	150	--	--
09/07/90	32.75	19.73	13.02	--	880	84	23	46	180	--	--
12/20/90	32.75	20.47	12.28	--	560	24	3.0	19	21	--	--
03/06/91	32.75	15.83	16.92	--	240	25	2.0	4.0	26	--	--
06/28/91	32.75	21.44	11.31	--	2,400	130	13	82	220	--	--
09/26/91	32.75	20.47	12.28	--	8,100	47	35	350	1,200	--	--
01/27/92	32.75	21.32	11.43	--	12,000	170	40	420	830	--	--
04/20/92	32.75	23.47	9.28	--	1,200	80	11	90	110	--	--
07/17/92	32.75	21.26	11.49	--	2,400	20	7.4	95	200	--	--
10/29/92	32.75	19.70	13.05	--	69	1.3	<0.5	3.8	7.2	--	--
01/20/93	32.75	24.06	8.69	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	32.75	24.07	8.68	--	2,400	29	8.6	140	210	--	--
07/28/93	32.75	22.76	9.99	--	3,600	38	16	290	920	--	--
10/27/93	32.32	21.60	10.72	--	22,000	23	26	990	2,600	--	--
03/31/94	32.32	23.21	9.11	--	2,300	45	7.0	130	190	--	--
06/08/94	32.32	23.10	9.22	--	6,900	46	11	380	820	--	--
09/29/94	32.32	21.00	11.32	--	11,000	10	11	620	810	--	--
11/09/94 ⁵	32.32	--	--	--	7,800	33	18	570	1,100	--	--
12/14/94	32.32	23.33	8.99	--	7,700	63	16	140	1,200	--	--
03/30/95	32.32	25.04	7.28	--	4,100	64	18	170	280	--	--
06/30/95	32.32	23.25	9.07	--	1,200	31	3.7	21	18	--	--
09/22/95	32.32	22.27	10.05	--	1,800	64	5.7	30	38	--	--
12/11/95	32.32	23.02	9.30	--	14,000	80	6.1	91	120	70	--
03/08/96	32.32	24.99	7.33	--	2,300	57	8.4	110	180	37	--
06/21/96	32.32	23.47	8.85	--	1,100	37	3.2	21	29	9.0	--
09/27/96	32.32	23.21	9.11	--	10,000	150	30	270	670	45	--
01/03/97	32.32	24.83	7.49	--	1,800	35	<0.5	34	72	15	--
03/28/97	32.32	23.75	8.57	--	2,200	38	4.1	31	56	19	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-7 (cont)											
09/30/97	32.32	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	32.32	24.98	7.34	--	2,100 ⁸	28	7.8	70	170	<25	--
03/19/99	32.32	24.61	7.71	--	5,300	63	24	280	370	67 ¹⁰	--
03/21/00	32.32	24.57	7.75	--	2,830	19.5	5.14	116	206	11.7	--
08/28/00	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	32.32	24.06	8.26	0.00	7,620 ¹¹	54.7	<25.0	522	945	<250	--
09/04/01	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	32.32	24.10	8.22	0.00	9,300	31	8.4	460	850	<20	--
09/04/02	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	32.32	23.67	8.65	0.00	3,300	17	3.9	92	190	31	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 ¹²	32.80	24.86	7.94	0.00	2,200	7	1	50	120	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/05 ¹²	32.80	25.14	7.66	0.00	2,500	11	2	39	84	<0.5	--
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/24/06 ¹²	32.80	25.44	7.36	0.00	3,300	12	3	56	100	<0.5	--
C-8											
12/08/89	--	--	--	--	4,800	62	11	95	180	--	--
09/07/90	33.82	19.50	14.32	--	3,700	170	31	180	270	--	--
12/20/90	33.82	19.61	14.20	--	3,900	120	20	130	180	--	--
03/06/91	33.82	19.02	14.80	--	1,200	45	6.0	34	57	--	--
06/28/91	33.82	21.17	12.65	--	6,900	180	46	340	640	--	--
09/26/91	33.82	19.53	14.29	--	1,400	66	9.8	38	40	--	--
01/27/92	33.82	21.22	12.60	--	3,600	100	26	170	260	--	--
04/20/92	33.82	23.46	10.36	--	2,600	110	32	180	260	--	--
07/17/92	33.82	20.94	12.88	--	1,100	34	5.9	35	52	--	--
10/29/92	33.82	19.43	14.39	--	820	29	4.8	23	27	--	--
01/20/93	33.82	23.80	10.02	--	6,000	81	22	200	310	--	--
05/03/93	33.82	24.07	9.75	--	11,000	75	96	880	2,600	--	--
07/28/93	33.82	22.68	11.14	--	2,800	60	13	92	150	--	--
10/27/93	33.25	21.24	12.01	--	2,700	49	17	60	90	--	--
03/31/94	33.25	22.98	10.27	--	190	8.6	1.7	9.1	11	--	--

Table 1
Groundwater Monitoring and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (%)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-8 (cont)											
06/08/94	33.25	22.69	10.56	--	2,800	52	110	78	110	--	--
09/29/94	33.25	20.83	12.42	--	3,700	120	20	120	85	--	--
11/09/94 ⁵	33.25	--	--	--	3,200	82	44	160	110	--	--
12/14/94	33.25	22.74	10.51	--	5,300	140	30	170	310	--	--
03/30/95	33.25	24.81	8.44	--	3,900	86	19	180	210	--	--
06/30/95	33.25	23.11	10.14	--	1,500	75	21	72	72	--	--
09/22/95	33.25	22.05	11.20	--	3,400	94	24	110	110	--	--
12/11/95	33.25	22.26	10.99	--	7,500	100	<0.5	160	120	130	--
03/08/96	33.25	24.79	8.46	--	3,600	93	8.9	110	88	82	--
06/21/96	33.25	23.28	9.97	--	3,200	69	6.8	100	88	19	--
09/27/96	33.25	22.47	10.78	--	7,000	98	12	150	130	53	--
01/03/97	33.25	24.43	8.82	--	5,700	43	9.3	110	95	17	--
03/28/97	33.25	23.60	9.65	--	4,900	52	4.7	70	47	50	--
09/30/97	33.25	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.25	24.78	8.47	--	3,300 ⁸	33	4.2	110	61	<25	--
03/19/99	33.25	24.34	8.91	--	2,600	34	16	34	19	76 ¹⁰	--
03/21/00	33.25	24.43	8.82	--	4,300	8.45	42.3	61.1	20.3	33.8	--
08/28/00	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	33.25	23.75	9.50	0.00	2,980 ¹¹	37.4	4.12	22.3	11.3	40.4	--
09/04/01	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	33.25	23.86	9.39	0.00	3,500	<20	2.0	15	8.3	<10	--
09/04/02	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	33.25	23.45	9.80	0.00	4,700	<20	2.1	22	11	<50	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 ¹²	32.80	23.70	9.10	0.00	5,500	3	2	58	17	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/05 ¹²	32.80	23.94	8.86	0.00	3,300	1	0.8	17	9	<0.5	--
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/24/06 ¹²	32.80	25.13	7.67	0.00	4,000	0.9	0.7	18	8	<0.5	--
C-9											
09/07/90	33.43	19.37	14.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	33.43	19.40	14.03	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-9 (cont)											
03/06/91	33.43	21.31	12.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	33.43	21.02	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	33.43	19.41	14.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	33.43	20.90	12.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	33.43	23.21	10.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	33.43	20.79	12.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	33.43	19.23	14.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	33.43	23.71	9.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	33.43	23.66	9.55	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	33.43	22.45	10.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	32.97	20.99	11.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	32.97	22.80	10.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	32.97	22.44	10.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	32.97	20.57	12.40	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ⁵	32.97	--	--	--	<50	<0.5	<0.5	<0.5	0.7	--	--
12/14/94	32.97	22.48	10.49	--	69	1.1	2.2	3.4	7.8	--	--
03/30/95	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	32.97	23.00	9.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	32.97	21.90	11.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	32.97	21.89	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	32.97	23.16	9.81	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	32.97	22.06	10.91	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	32.97	24.30	8.67	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	32.97	23.50	9.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	32.97	21.36	11.61	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	32.97	24.71	8.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	32.97	22.73	10.24	--	<50	5.7	1.4	1.4	1.8	4.9	--
03/19/99	32.97	24.27	8.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	32.97	22.00	10.97	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	32.97	24.38	8.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	32.97	22.02	10.95	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	32.97	23.57	9.40	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	32.97	21.66	11.31	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

T 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-9 (cont)											
03/21/02	32.97	23.72	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	32.97	21.93	11.04	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	32.97	23.29	9.68	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 ¹²	32.97	21.99	10.98	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 ¹²	32.97	24.07	8.90	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 ¹²	32.97	21.54	11.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 ¹²	32.97	24.24	8.73	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 ¹²	32.97	22.38	10.59	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	32.97	24.30	8.67	0.00	--	--	--	--	--	--	--
C-10											
09/07/90	31.63	19.14	12.49	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.63	19.27	12.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.63	21.18	10.45	--	<50	<0.5	0.8	<0.5	0.8	--	--
06/28/91	31.63	20.69	10.74	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.63	19.21	12.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.63	20.79	10.84	--	<50	<0.5	1.3	<0.5	<0.5	--	--
01/27/92 (D)	31.63	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--
04/20/92	31.63	23.06	8.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.63	20.61	11.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.63	19.23	12.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.63	23.49	8.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.63	23.71	7.92	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.63	22.27	9.36	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.16	20.86	10.30	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.16	22.71	8.45	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.16	22.31	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	31.16	20.46	10.70	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ³	31.16	--	--	--	<50	<0.5	1.4	0.8	1.2	--	--
12/14/94	31.16	22.55	8.61	--	110	3.9	5.4	4.3	11	--	--
03/30/95	31.16	24.51	6.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.16	22.86	8.30	--	<50	1.5	1.5	<0.5	2.2	--	--
09/22/95	31.16	21.75	9.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>msl.</i>)	DTW (<i>fl.</i>)	SPHT (<i>fl.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-10 (cont)											
12/11/95	31.16	21.89	9.27	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	31.16	24.53	6.63	--	<50	<0.5	<0.5	<0.5	0.5	<5.0	--
06/21/96	31.16	23.04	8.12	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.16	21.95	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.16	23.84	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.16	23.34	7.82	--	<50	1.2	1.8	<0.5	0.8	<5.0	--
09/30/97	31.16	21.34	9.82	--	<250 ⁹	<2.5	<2.5	<2.5	<2.5	<2.5	--
03/28/98	31.16	24.60	6.56	--	<50	<0.5	0.52	<0.5	<0.5	<2.5	--
09/08/98	31.16	22.65	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.16	24.00	7.16	--	<50	<0.5	<0.5	<0.5	<0.5	9.2 ¹⁰	--
09/21/99	31.16	21.87	9.29	--	<50	<0.5	<0.5	<0.5	<0.5	6.38	--
03/21/00	31.16	24.54	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	10.6	--
08/28/00	31.16	21.86	9.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	7.7	--
03/02/01	31.16	23.41	7.75	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.16	21.54	9.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.16	23.56	7.60	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	31.16	21.76	9.40	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.16	23.14	8.02	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 ¹²	31.16	21.85	9.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8	--
03/05/04 ¹²	31.16	23.88	7.28	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.5	--
09/03/04 ¹²	31.16	21.50	9.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 ¹²	31.16	24.08	7.08	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 ¹²	31.16	22.35	8.81	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	31.16	23.54	7.62	0.00	--	--	--	--	--	--	--
C-11											
09/07/90	31.58	19.36	12.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.58	19.50	12.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.58	15.43	16.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	31.58	21.06	10.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.58	19.38	12.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.58	20.85	10.73	--	<50	<0.5	0.8	<0.5	<0.5	--	--
04/20/92	31.58	23.02	8.56	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-11 (cont)											
07/17/92	31.58	20.80	10.78	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.58	19.51	12.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.58	21.61	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.58	23.63	7.95	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.58	22.27	9.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.23	21.06	10.17	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.23	22.80	8.43	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.23	22.47	8.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94	31.23	20.69	10.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	0.6	<0.5	0.7	--	--
12/14/94	31.23	22.73	8.50	--	51	1.1	1.7	1.6	4.0	--	--
03/30/95	31.23	24.38	6.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.23	22.89	8.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	31.23	21.93	9.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.23	22.22	9.01	--	<50	<0.5	<0.5	<0.5	1.1	1.1	--
03/08/96	31.23	24.33	6.90	--	<50	<0.5	0.6	<0.5	1.6	<5.0	--
06/21/96	31.23	23.13	8.10	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.23	22.16	9.07	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.23	24.10	7.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.23	21.40	9.83	--	120	12	20	2.3	14	<5.0	--
09/30/97	31.23	21.56	9.67	--	<50	0.7	0.8	<0.5	0.6	<5.0	--
03/28/98	31.23	24.40	6.83	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.23	22.72	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.23	24.06	7.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	31.23	22.02	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	31.23	24.13	7.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	31.23	22.04	9.19	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	31.23	23.34	7.89	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.23	21.78	9.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.23	23.66	7.57	0.00	<250	<1.0	<1.0	<1.0	<3.0	<2.5	--
09/04/02	31.23	21.98	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.23	23.26	7.97	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 ¹²	31.23	22.04	9.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 ¹²	31.23	23.88	7.35	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-11 (cont)											
09/03/04 ¹²	31.23	21.74	9.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 ¹²	31.23	24.18	7.05	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 ¹²	31.23	22.61	8.62	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	31.23	24.22	7.01	0.00	--	--	--	--	--	--	--
C-4											
06/06/89	--	--	--	--	<50	<0.05	<1.0	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.78	20.20	15.58	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.78	20.36	15.42	--	170	1.0	<0.5	<0.5	4.0	--	--
03/06/91	35.78	22.24	13.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.78	21.85	13.93	--	<50	<0.5	<0.5	<0.5	<0.8	--	--
09/26/91	35.78	20.14	15.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.78	--	15.64	--	<50	<0.5	<0.5	<0.5	--	--	--
01/27/92	35.78	21.82	13.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.78	24.07	11.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.78	21.59	14.19	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.78	20.06	15.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.78	24.61	11.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.78	24.84	10.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	35.78	23.38	12.40	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	35.23	21.91	13.32	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	35.23	INACCESSIBLE	--	--	--	--	--	--	--	--	--
06/08/94	35.23	23.31	11.92	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ^{2,4}	35.23	21.47	13.76	--	<2,500	<25	<25	<25	<25	--	ND ³
11/09/94 ^{4,5}	35.23	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	ND ³
12/14/94 ⁶	35.23	23.44	11.79	--	<50	2.1	3.0	1.9	3.7	--	ND ³
03/30/95	35.23	26.22	9.01	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	35.23	23.79	11.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	35.23	22.72	12.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	35.23	22.61	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	35.23	25.60	9.63	--	<50	<0.5	<0.5	<0.5	0.6	<5.0	--
06/21/96	35.23	23.99	11.24	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	35.23	22.92	12.31	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (%)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-4 (cont)											
01/03/97	35.23	25.54	9.69	--	<50	1.5	7.2	1.3	6.2	<5.0	--
03/28/97	35.23	24.23	11.00	--	<50	5.0	8.3	0.8	4.7	<5.0	--
NOT MONITORED/SAMPLED											
C-5											
06/06/89	--	--	--	--	<50	<0.05	<0.05	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.31	20.21	15.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.31	20.37	14.94	--	80	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	35.31	22.25	13.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.31	21.85	13.46	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.31	20.17	15.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	35.31	22.00	13.31	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.31	24.21	11.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.31	21.58	13.73	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.31	20.11	15.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.31	24.59	10.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.31	24.88	10.43	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	35.31	23.50	11.81	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	34.61	21.93	12.68	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	34.61	23.61	11.00 ¹	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	34.61	23.35	11.26	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	34.61	21.51	13.10	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	34.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	34.61	23.24	11.37	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	34.61	25.64	8.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	34.61	23.78	10.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	34.61	22.72	11.89	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	34.61	22.83	11.78	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	34.61	25.59	9.02	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	34.61	23.97	10.64	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	34.61	23.04	11.57	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	34.61	25.59	9.02	--	<50	0.7	3.2	<0.5	2.2	<5.0	--
03/28/97	34.61	24.23	10.38	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-6											
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	36.89	20.06	16.83	--	57	<0.5	<0.5	0.6	4.0	--	--
12/20/90	36.89	20.23	16.66	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	36.89	22.09	14.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	36.89	21.73	15.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	36.89	20.07	16.82	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	36.89	23.72	13.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	36.89	19.91	16.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	36.89	24.42	12.47	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	36.89	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	36.89	23.03	13.86	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	36.57	21.72	14.85	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	36.57	23.57	13.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	36.57	23.13	13.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	36.57	21.69	14.88	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	36.57	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
12/14/94	36.57	23.58	12.99	--	<50	0.9	1.5	1.3	2.6	--	--
03/30/95	36.57	25.80	10.77	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	36.57	23.95	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	36.57	22.92	13.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	36.57	22.89	13.68	--	140 ⁸	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	36.57	25.84	10.73	--	<50	<0.5	0.6	<0.5	<0.5	<5.0	--
06/21/96	36.57	24.16	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	36.57	23.10	13.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	36.57	25.57	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	36.57	24.51	12.06	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											
TRIP BLANK											
09/07/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

T-1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
TRIP BLANK (cont)											
09/26/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
QA											
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl.</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
QA (cont)											
03/31/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06 ¹²	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

T 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

HVOCs = Halogenated Volatile Organic Compounds

(ppb) = Parts per billion

(D) = Duplicate

ND = Not Detected

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ Depth to water measured from top of well vault.

² Detection limit raised due to foaming sample.

³ Other HVOCs were not detected at detection limits of 0.5-1.0 ppb.

⁴ Chloroform detected at <0.5 ppb.

⁵ All site monitoring wells were re-sampled due to an excessive number of foaming samples on the 09/29/94 event.

⁶ Chloroform detected at 1.8 ppb.

⁷ Laboratory report indicates uncategorized compounds are not included in gas concentration.

⁸ Chromatogram pattern indicates an unidentified hydrocarbon.

⁹ Laboratory report indicates sample diluted due to foaming.

¹⁰ MTBE value was reported from a re-analyzation on 04/01/99.

¹¹ Laboratory report indicates weathered gasoline C6-C12.

¹² BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-1	03/19/99	<2,500	<500	270	<10	<10	<10
	03/05/04	<50	--	15	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	1	--	--	--
	03/24/06	<50	--	4	--	--	--
C-2	03/19/99	<2,500	<500	330	<10	<10	<10
	03/05/04	<50	--	45	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	03/24/06	<50	--	<0.5	--	--	--
C-3	03/19/99	<500	<100	8.0	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	03/24/06	<50	--	<0.5	--	--	--
C-7	03/19/99	<500	<100	<2.0	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	03/24/06	<50	--	<0.5	--	--	--
C-8	03/19/99	<500	<100	10	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	03/24/06	<50	--	<0.5	--	--	--

T-2
 Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-9	09/17/03	<50	--	<0.5	--	--	--
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	09/02/05	<50	--	<0.5	--	--	--
C-10	03/19/99	<500	<100	6.7	<2.0	<2.0	<2.0
	09/17/03	<50	--	0.8	--	--	--
	03/05/04	<50	--	0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	09/02/05	<50	--	<0.5	--	--	--
C-11	09/17/03	<50	--	<0.5	--	--	--
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--
	03/02/05	<50	--	<0.5	--	--	--
	09/02/05	<50	--	<0.5	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

EXPLANATIONS:

Groundwater laboratory analytical results before September 17, 2003 were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed