



GETTLER-~~R~~RYAN INC.

Ami

TRANSMITTAL

VSTAD 776

*Meeting 9/29/01
(Signature)*

October 15, 2001
G-R #385259

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-0504
15900 Hesperian Boulevard
San Lorenzo, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 10, 2001	Groundwater Monitoring and Sampling Report Second Semi-Annual - Event of September 4, 2001

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 29, 2001**, at which time the final report will be distributed to the following:

- cc: Mr. Larry Seto, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Greg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670
- Mr. Mike Bakaldin, Hazmat, San Leandro Fire Department, 835 East 14th Street, Suite 200, San Leandro, CA 94577
- Mr. Bodh Kunwar, 3539 Shadow Creek Drive, Danville, CA 94506
- Ms. Wendy Helling, Met Life Corporation, 10900 NE 4th Street, Suite 500, Bellevue, WA 98004-5853
- Mr. Scott Bohannon, Bohannon Development, Sixty 31st Avenue, San Mateo, CA 94403

Enclosures

Handwritten notes and signatures:
10/15/01
Deanna L. Harding
See copy of letter
Submitted

trans/9-3768.tb



GETTLER-RYAN INC.

October 10, 2001
G-R Job #385259

Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Semi-Annual Event of September 4, 2001
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

Dear Mr. Bauhs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


- FOR -

Deanna L. Harding
Project Coordinator

David W. Herzog
Senior Geologist, R.G. No. 7211



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results - Oxygenate Compounds
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

FIGURE
1

PROJECT NUMBER
 385259

REVIEWED BY

DATE
 September 4, 2001

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-1											
06/06/89	--	--	--	--	5,100	250	170	200	990	--	--
12/08/89	--	--	13.14	0.01	--	--	--	--	--	--	--
09/07/90	33.93	19.91	14.04	0.03	--	--	--	--	--	--	--
12/20/90	33.93	20.07	13.87	0.01	--	--	--	--	--	--	--
03/15/91	33.93	22.53	11.40	--	37,000	220	53	53	1,900	--	--
06/28/91	33.93	21.68	12.25	--	3,300	110	6.2	6.2	350	--	--
09/26/91	33.93	19.91	14.02	--	3,200	220	6.9	6.9	710	--	--
01/27/92	33.93	21.30	12.63	--	330	20	0.6	0.6	48	--	--
04/20/92	33.93	23.50	10.43	--	2,700	130	3.4	3.4	690	--	--
07/17/92	33.93	21.32	12.61	--	490	17	<0.5	<0.5	52	--	--
01/20/93	33.93	24.51	9.42	--	--	--	--	--	--	--	--
07/28/93	33.93	23.45	10.48	--	--	--	--	--	--	--	--
10/27/93	32.80	21.48	11.32	--	240	3.6	<0.5	11	23	--	--
03/31/94	32.80	23.35	9.45	--	530	23	1.2	10	120	--	--
06/08/94	32.80	22.87	9.93	--	990	15	1.5	42	89	--	--
09/29/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
11/09/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
12/14/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
03/30/95	32.80	24.79	8.01	--	3,900	21	7.2	190	250	--	--
06/30/95	32.80	22.98	9.82	--	1,400	3.1	0.8	54	95	--	--
09/22/95	32.80	22.20	10.60	--	620 ⁷	0.7	<0.5	3.3	3.5	--	--
12/11/95	32.80	22.50	10.30	--	210	2.4	<0.5	43	85	79	--
03/08/96	32.80	25.15	7.65	--	750	2.1	<0.5	22	34	330	--
06/21/96	32.80	23.52	9.28	--	2,800	9.0	<0.5	94	83	1,300	--
09/27/96	32.80	22.52	10.28	--	770	0.5	<0.5	5.1	6.1	580	--
01/03/97	32.80	24.95	7.85	--	1,800	2.8	<0.5	51	41	110	--
03/28/97	32.80	23.43	9.37	--	720	0.6	<0.5	4.7	3.7	200	--
09/30/97	32.80	MONITORED ANNUALLY	--	--	--	--	--	--	--	--	--
03/28/98	32.80	25.08	7.72	--	940 ⁸	3.9	<0.5	17	4.7	290	--
03/19/99	32.80	24.29	8.51	--	320	<0.5	<0.5	8.5	2.5	350	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	SPHT (fl.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-1 (cont)											
03/21/00	32.80	24.72	8.08	--	432	<0.5	2.04	5.33	0.658	154	--
08/28/00	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	32.80	24.09	8.71	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	32.8	--
09/04/01	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
C-2											
06/06/89	--	--	--	--	130,000	14,000	28,000	3,400	24,000	--	--
12/08/89	--	--	13.44	0.15	--	--	--	--	--	--	--
09/07/90	34.21	20.01	14.28	0.10	--	--	--	--	--	--	--
12/20/90	34.21	20.16	14.06	0.01	--	--	--	--	--	--	--
03/15/91	34.21	22.63	11.59	0.01	1,200,000	4,700	16,000	13,000	140,000	--	--
06/28/91	34.21	21.66	12.55	--	150,000	3,500	4,200	2,100	16,000	--	--
09/26/91	34.21	20.01	14.20	--	4,900	220	290	130	880	--	--
01/27/92	34.21	21.75	12.46	--	8,200	510	590	230	1,300	--	--
04/20/92	34.21	23.97	10.24	--	19,000	1,700	1,700	930	4,700	--	--
07/17/92	34.21	21.40	12.81	--	20,000	950	950	1,300	4,700	--	--
01/20/93	34.21	25.42	8.79	--	--	--	--	--	--	--	--
10/27/93	33.46	21.10	12.36	--	1,600	63	5.8	5.9	190	--	--
03/31/94	33.46	23.84	9.62	--	12,000	300	96	510	2,700	--	--
06/08/94	33.46	23.48	9.98	--	8,700	140	35	250	1,500	--	--
09/28/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
11/09/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
12/14/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
03/30/95	33.46	25.77	7.69	--	1,400	17	5.4	52	240	--	--
06/30/95	33.46	23.56	9.90	--	730	22	2.6	50	240	--	--
09/22/95	33.46	22.85	10.61	--	2,100 ⁷	66	7.3	140	550	--	--
12/11/95	33.46	23.08	10.38	--	3,700	23	<0.5	68	300	1,000	--
03/08/96	33.46	25.76	7.70	--	2,200	19	<5.0	63	290	1,300	--
06/21/96	33.46	24.09	9.37	--	2,200	23	1.1	70	260	2,300	--
09/27/96	33.46	22.88	10.58	--	5,500	12	0.6	30	110	2,200	--
01/03/97	33.46	25.56	7.90	--	750	4.2	<0.5	29	120	51	--
03/28/97	33.46	24.11	9.35	--	1,300	12	1.5	24	86	310	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-2 (cont)											
09/30/97	33.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.46	25.46	8.00	--	1,100 ⁸	14	<5.0	34	79	710	--
03/19/99	33.46	25.01	8.45	--	1,400	15	<0.5	56	130	460	--
03/21/00	33.46	25.37	8.09	--	5,420	9.69	<0.5	76.5	125	168	--
08/28/00	33.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	33.46	24.68	8.78	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	33.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
C-3											
06/06/89	--	--	--	--	2,600	63	20	390	370	--	--
12/08/89	--	--	--	--	680	6.0	1.0	31	58	--	--
09/07/90	35.46	20.15	15.31	--	490	6.0	<0.5	41	120	--	--
09/07/90 (D)	35.46	--	--	--	460	6.0	<0.5	40	110	--	--
12/20/90	35.46	20.29	15.17	--	100	5.0	<0.5	27	130	--	--
03/06/91	35.46	22.19	13.27	--	1,300	7.0	<0.5	75	250	--	--
03/06/91 (D)	35.46	--	--	--	1,400	8.0	<0.5	76	250	--	--
06/28/91	35.46	21.79	13.67	--	770	6.0	<0.5	81	71	--	--
06/28/91 (D)	35.46	--	--	--	990	5.5	<0.5	86	75	--	--
09/26/91	35.46	20.14	15.32	--	1,400	7.9	<0.5	98	340	--	--
01/27/92	35.46	21.55	13.91	--	150	0.7	<0.5	12	12	--	--
04/20/92	35.46	23.80	11.66	--	1,600	9.3	1.0	190	370	--	--
07/17/92	35.46	21.50	13.96	--	460	18	<0.5	20	52	--	--
10/29/92	35.46	19.95	15.51	--	520	2.4	1.0	30	79	--	--
01/20/93	35.46	24.47	10.99	--	4,200	7.4	<0.5	140	380	--	--
05/03/93	35.46	24.49	10.97	--	1,300	6.8	3.2	71	170	--	--
07/28/93	35.46	23.05	12.41	--	220	1.4	<0.5	17	39	--	--
10/27/93	35.46	21.78	13.37	--	1,800	5.5	0.7	68	290	--	--
03/31/94	35.46	23.90	11.56 ¹	--	310	1.2	<0.5	19	54	--	--
06/08/94	35.46	23.39	12.07	--	300	2.7	1.6	19	48	--	--
09/29/94 ²	35.46	21.62	13.84	--	2,500	<25	<25	<25	220	--	--
11/09/94 ⁵	35.46	--	--	--	170	<0.5	0.8	3.3	16	--	--
12/14/94	35.46	23.61	11.85	--	510	3.2	1.4	28	60	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (%)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-3 (cont)											
03/30/95	35.46	25.85	9.61	--	66	<0.5	<0.5	1.1	2.4	--	--
06/30/95	35.46	23.96	11.50	--	1,500	1.9	8.1	100	300	--	--
09/22/95	35.46	22.88	12.58	--	600 ⁷	0.7	<0.5	43	110	--	--
12/11/95	35.46	22.91	12.55	--	670 ⁸	<0.5	<0.5	7.0	13	15	--
03/08/96	35.46	25.80	9.66	--	3,600	7.5	33	130	400	1,100	--
06/21/96	35.46	23.68	11.78	--	310	<0.5	<0.5	16	49	57	--
09/27/96	35.46	23.09	12.37	--	250	<0.5	<0.5	3.6	9.6	44	--
01/03/97	35.46	25.57	9.89	--	170	<0.5	1.2	4.5	15	15	--
03/28/97	35.46	24.50	10.96	--	60	<0.5	<0.5	1.7	1.8	23	--
09/30/97	35.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	35.46	25.74	9.72	--	<50	0.88	<0.5	<0.5	<0.5	16	--
03/19/99	35.46	25.44	10.02	--	<50	<0.5	<0.5	<0.5	0.65	12	--
03/21/00	35.46	25.36	10.10	--	122	<0.5	<0.5	4.96	11.7	6.13	--
08/28/00	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	35.46	24.67	10.79	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
C-4											
06/06/89	--	--	--	--	<50	<0.05	<1.0	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.78	20.20	15.58	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.78	20.36	15.42	--	170	1.0	<0.5	<0.5	4.0	--	--
03/06/91	35.78	22.24	13.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.78	21.85	13.93	--	<50	<0.5	<0.5	<0.5	<0.8	--	--
09/26/91	35.78	20.14	15.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.78	--	15.64	--	<50	<0.5	<0.5	<0.5	--	--	--
01/27/92	35.78	21.82	13.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.78	24.07	11.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.78	21.59	14.19	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.78	20.06	15.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.78	24.61	11.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.78	24.84	10.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-4 (cont)											
07/28/93	35.78	23.38	12.40	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	35.23	21.91	13.32	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	35.23	INACCESSIBLE	--	--	--	--	--	--	--	--	--
06/08/94	35.23	23.31	11.92	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ^{2,4}	35.23	21.47	13.76	--	<2,500	<25	<25	<25	<25	--	ND ³
11/09/94 ^{4,5}	35.23	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	ND ³
12/14/94 ⁶	35.23	23.44	11.79	--	<50	2.1	3.0	1.9	3.7	--	ND ³
03/30/95	35.23	26.22	9.01	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	35.23	23.79	11.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	35.23	22.72	12.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	35.23	22.61	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	35.23	25.60	9.63	--	<50	<0.5	<0.5	<0.5	0.6	<5.0	--
06/21/96	35.23	23.99	11.24	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	35.23	22.92	12.31	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	35.23	25.54	9.69	--	<50	1.5	7.2	1.3	6.2	<5.0	--
03/28/97	35.23	24.23	11.00	--	<50	5.0	8.3	0.8	4.7	<5.0	--
NOT MONITORED/SAMPLED											
C-5											
06/06/89	--	--	--	--	<50	<0.05	<0.05	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.31	20.21	15.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.31	20.37	14.94	--	80	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	35.31	22.25	13.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.31	21.85	13.46	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.31	20.17	15.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	35.31	22.00	13.31	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.31	24.21	11.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.31	21.58	13.73	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.31	20.11	15.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.31	24.59	10.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.31	24.88	10.43	--	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-5 (cont)											
07/28/93	35.31	23.50	11.81	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	34.61	21.93	12.68	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	34.61	23.61	11.00 ¹	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	34.61	23.35	11.26	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	34.61	21.51	13.10	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	34.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	34.61	23.24	11.37	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	34.61	25.64	8.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	34.61	23.78	10.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	34.61	22.72	11.89	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	34.61	22.83	11.78	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	34.61	25.59	9.02	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	34.61	23.97	10.64	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	34.61	23.04	11.57	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	34.61	25.59	9.02	--	<50	0.7	3.2	<0.5	2.2	<5.0	--
03/28/97	34.61	24.23	10.38	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											
C-6											
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	36.89	20.06	16.83	--	57	<0.5	<0.5	0.6	4.0	--	--
12/20/90	36.89	20.23	16.66	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	36.89	22.09	14.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	36.89	21.73	15.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	36.89	20.07	16.82	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	36.89	23.72	13.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	36.89	19.91	16.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	36.89	24.42	12.47	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	36.89	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	36.89	23.03	13.86	--	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-6 (cont)											
10/27/93	36.57	21.72	14.85	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	36.57	23.57	13.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	36.57	23.13	13.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	36.57	21.69	14.88	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	36.57	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
12/14/94	36.57	23.58	12.99	--	<50	0.9	1.5	1.3	2.6	--	--
03/30/95	36.57	25.80	10.77	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	36.57	23.95	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	36.57	22.92	13.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	36.57	22.89	13.68	--	140 ^R	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	36.57	25.84	10.73	--	<50	<0.5	0.6	<0.5	<0.5	<5.0	--
06/21/96	36.57	24.16	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	36.57	23.10	13.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	36.57	25.57	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	36.57	24.51	12.06	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											
C-7											
12/08/89	--	--	--	--	1,700	32	12	17	150	--	--
09/07/90	32.75	19.73	13.02	--	880	84	23	46	180	--	--
12/20/90	32.75	20.47	12.28	--	560	24	3.0	19	21	--	--
03/06/91	32.75	15.83	16.92	--	240	25	2.0	4.0	26	--	--
06/28/91	32.75	21.44	11.31	--	2,400	130	13	82	220	--	--
09/26/91	32.75	20.47	12.28	--	8,100	47	35	350	1,200	--	--
01/27/92	32.75	21.32	11.43	--	12,000	170	40	420	830	--	--
04/20/92	32.75	23.47	9.28	--	1,200	80	11	90	110	--	--
07/17/92	32.75	21.26	11.49	--	2,400	20	7.4	95	200	--	--
10/29/92	32.75	19.70	13.05	--	69	1.3	<0.5	3.8	7.2	--	--
01/20/93	32.75	24.06	8.69	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	32.75	24.07	8.68	--	2,400	29	8.6	140	210	--	--
07/28/93	32.75	22.76	9.99	--	3,600	38	16	290	920	--	--
10/27/93	32.32	21.60	10.72	--	22,000	23	26	990	2,600	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-7 (cont)											
03/31/94	32.32	23.21	9.11	--	2,300	45	7.0	130	190	--	--
06/08/94	32.32	23.10	9.22	--	6,900	46	11	380	820	--	--
09/29/94	32.32	21.00	11.32	--	11,000	10	11	620	810	--	--
11/09/94 ⁵	32.32	--	--	--	7,800	33	18	570	1,100	--	--
12/14/94	32.32	23.33	8.99	--	7,700	63	16	140	1,200	--	--
03/30/95	32.32	25.04	7.28	--	4,100	64	18	170	280	--	--
06/30/95	32.32	23.25	9.07	--	1,200	31	3.7	21	18	--	--
09/22/95	32.32	22.27	10.05	--	1,800	64	5.7	30	38	--	--
12/11/95	32.32	23.02	9.30	--	14,000	80	6.1	91	120	70	--
03/08/96	32.32	24.99	7.33	--	2,300	57	8.4	110	180	37	--
06/21/96	32.32	23.47	8.85	--	1,100	37	3.2	21	29	9.0	--
09/27/96	32.32	23.21	9.11	--	10,000	150	30	270	670	45	--
01/03/97	32.32	24.83	7.49	--	1,800	35	<0.5	34	72	15	--
03/28/97	32.32	23.75	8.57	--	2,200	38	4.1	31	56	19	--
09/30/97	32.32	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	32.32	24.98	7.34	--	2,100 ⁸	28	7.8	70	170	<25	--
03/19/99	32.32	24.61	7.71	--	5,300	63	24	280	370	67 ¹⁰	--
03/21/00	32.32	24.57	7.75	--	2,830	19.5	5.14	116	206	11.7	--
08/28/00	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	32.32	24.06	8.26	0.00	7.620 ¹¹	54.7	<25.0	522	945	<250	--
09/04/01	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
C-8											
12/08/89	--	--	--	--	4,800	62	11	95	180	--	--
09/07/90	33.82	19.50	14.32	--	3,700	170	31	180	270	--	--
12/20/90	33.82	19.61	14.20	--	3,900	120	20	130	180	--	--
03/06/91	33.82	19.02	14.80	--	1,200	45	6.0	34	57	--	--
06/28/91	33.82	21.17	12.65	--	6,900	180	46	340	640	--	--
09/26/91	33.82	19.53	14.29	--	1,400	66	9.8	38	40	--	--
01/27/92	33.82	21.22	12.60	--	3,600	100	26	170	260	--	--
04/20/92	33.82	23.46	10.36	--	2,600	110	32	180	260	--	--
07/17/92	33.82	20.94	12.88	--	1,100	34	5.9	35	52	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-8 (cont)											
10/29/92	33.82	19.43	14.39	--	820	29	4.8	23	27	--	--
01/20/93	33.82	23.80	10.02	--	6,000	81	22	200	310	--	--
05/03/93	33.82	24.07	9.75	--	11,000	75	96	880	2,600	--	--
07/28/93	33.82	22.68	11.14	--	2,800	60	13	92	150	--	--
10/27/93	33.25	21.24	12.01	--	2,700	49	17	60	90	--	--
03/31/94	33.25	22.98	10.27	--	190	8.6	1.7	9.1	11	--	--
06/08/94	33.25	22.69	10.56	--	2,800	52	110	78	110	--	--
09/29/94	33.25	20.83	12.42	--	3,700	120	20	120	85	--	--
11/09/94 ⁵	33.25	--	--	--	3,200	82	44	160	110	--	--
12/14/94	33.25	22.74	10.51	--	5,300	140	30	170	310	--	--
03/30/95	33.25	24.81	8.44	--	3,900	86	19	180	210	--	--
06/30/95	33.25	23.11	10.14	--	1,500	75	21	72	72	--	--
09/22/95	33.25	22.05	11.20	--	3,400	94	24	110	110	--	--
12/11/95	33.25	22.26	10.99	--	7,500	100	<0.5	160	120	130	--
03/08/96	33.25	24.79	8.46	--	3,600	93	8.9	110	88	82	--
06/21/96	33.25	23.28	9.97	--	3,200	69	6.8	100	88	19	--
09/27/96	33.25	22.47	10.78	--	7,000	98	12	150	130	53	--
01/03/97	33.25	24.43	8.82	--	5,700	43	9.3	110	95	17	--
03/28/97	33.25	23.60	9.65	--	4,900	52	4.7	70	47	50	--
09/30/97	33.25	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.25	24.78	8.47	--	3,300 ⁸	33	4.2	110	61	<25	--
03/19/99	33.25	24.34	8.91	--	2,600	34	16	34	19	76 ¹⁰	--
03/21/00	33.25	24.43	8.82	--	4,300	8.45	42.3	61.1	20.3	33.8	--
08/28/00	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	33.25	23.75	9.50	0.00	2,980 ¹¹	37.4	4.12	22.3	11.3	40.4	--
09/04/01	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
C-9											
09/07/90	33.43	19.37	14.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	33.43	19.40	14.03	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	33.43	21.31	12.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	33.43	21.02	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (%)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-9 (cont)											
09/26/91	33.43	19.41	14.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	33.43	20.90	12.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	33.43	23.21	10.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	33.43	20.79	12.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	33.43	19.23	14.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	33.43	23.71	9.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	33.43	23.66	9.55	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	33.43	22.45	10.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	32.97	20.99	11.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	32.97	22.80	10.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	32.97	22.44	10.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	32.97	20.57	12.40	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ⁵	32.97	--	--	--	<50	<0.5	<0.5	<0.5	0.7	--	--
12/14/94	32.97	22.48	10.49	--	69	1.1	2.2	3.4	7.8	--	--
03/30/95	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	32.97	23.00	9.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	32.97	21.90	11.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	32.97	21.89	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	32.97	23.16	9.81	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	32.97	22.06	10.91	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	32.97	24.30	8.67	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	32.97	23.50	9.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	32.97	21.36	11.61	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	32.97	24.71	8.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	32.97	22.73	10.24	--	<50	5.7	1.4	1.4	1.8	4.9	--
03/19/99	32.97	24.27	8.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	32.97	22.00	10.97	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	32.97	24.38	8.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	32.97	22.02	10.95	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	32.97	23.57	9.40	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	32.97	21.66	11.31	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-10											
09/07/90	31.63	19.14	12.49	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.63	19.27	12.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.63	21.18	10.45	--	<50	<0.5	0.8	<0.5	0.8	--	--
06/28/91	31.63	20.69	10.74	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.63	19.21	12.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.63	20.79	10.84	--	<50	<0.5	1.3	<0.5	<0.5	--	--
01/27/92 (D)	31.63	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--
04/20/92	31.63	23.06	8.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.63	20.61	11.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.63	19.23	12.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.63	23.49	8.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.63	23.71	7.92	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.63	22.27	9.36	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.16	20.86	10.30	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.16	22.71	8.45	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.16	22.31	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	31.16	20.46	10.70	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ⁵	31.16	--	--	--	<50	<0.5	1.4	0.8	1.2	--	--
12/14/94	31.16	22.55	8.61	--	110	3.9	5.4	4.3	11	--	--
03/30/95	31.16	24.51	6.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.16	22.86	8.30	--	<50	1.5	1.5	<0.5	2.2	--	--
09/22/95	31.16	21.75	9.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.16	21.89	9.27	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	31.16	24.53	6.63	--	<50	<0.5	<0.5	<0.5	0.5	<5.0	--
06/21/96	31.16	23.04	8.12	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.16	21.95	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.16	23.84	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.16	23.34	7.82	--	<50	1.2	1.8	<0.5	0.8	<5.0	--
09/30/97	31.16	21.34	9.82	--	<250 ⁹	<2.5	<2.5	<2.5	<2.5	<2.5	--
03/28/98	31.16	24.60	6.56	--	<50	<0.5	0.52	<0.5	<0.5	<2.5	--
09/08/98	31.16	22.65	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.16	24.00	7.16	--	<50	<0.5	<0.5	<0.5	<0.5	9.2 ¹⁰	--
09/21/99	31.16	21.87	9.29	--	<50	<0.5	<0.5	<0.5	<0.5	6.38	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-10 (cont)											
03/21/00	31.16	24.54	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	10.6	--
08/28/00	31.16	21.86	9.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	7.7	--
03/02/01	31.16	23.41	7.75	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.16	21.54	9.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
C-11											
09/07/90	31.58	19.36	12.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.58	19.50	12.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.58	15.43	16.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	31.58	21.06	10.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.58	19.38	12.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.58	20.85	10.73	--	<50	<0.5	0.8	<0.5	<0.5	--	--
04/20/92	31.58	23.02	8.56	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.58	20.80	10.78	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.58	19.51	12.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.58	21.61	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.58	23.63	7.95	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.58	22.27	9.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.23	21.06	10.17	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.23	22.80	8.43	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.23	22.47	8.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94	31.23	20.69	10.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	0.6	<0.5	0.7	--	--
12/14/94	31.23	22.73	8.50	--	51	1.1	1.7	1.6	4.0	--	--
03/30/95	31.23	24.38	6.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.23	22.89	8.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	31.23	21.93	9.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.23	22.22	9.01	--	<50	<0.5	<0.5	<0.5	1.1	1.1	--
03/08/96	31.23	24.33	6.90	--	<50	<0.5	0.6	<0.5	1.6	<5.0	--
06/21/96	31.23	23.13	8.10	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.23	22.16	9.07	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.23	24.10	7.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-11 (cont)											
03/28/97	31.23	21.40	9.83	--	120	12	20	2.3	14	<5.0	--
09/30/97	31.23	21.56	9.67	--	<50	0.7	0.8	<0.5	0.6	<5.0	--
03/28/98	31.23	24.40	6.83	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.23	22.72	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.23	24.06	7.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	31.23	22.02	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	31.23	24.13	7.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	31.23	22.04	9.19	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	31.23	23.34	7.89	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.23	21.78	9.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
TRIP BLANK											
09/07/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (fl)	GWE (msl)	DTW (ft)	SPHT (ft)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
TRIP BLANK (cont)											
12/11/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	HVOCs = Halogenated Volatile Organic Compounds (ppb) = Parts per billion
GWE = Groundwater Elevation (msl) = Mean sea level	T = Toluene E = Ethylbenzene	ND = Not Detected
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
SPHT = Separate Phase Hydrocarbons	MTBE = Methyl tertiary butyl ether	

- 1 Depth to water measured from top of well vault.
- 2 Detection limit raised due to foaming sample.
- 3 Other HVOCs were not detected at detection limits of 0.5-1.0 ppb.
- 4 Chloroform detected at <0.5 ppb.
- 5 All site monitoring wells were re-sampled due to an excessive number of foaming samples on the 09/29/94 event.
- 6 Chloroform detected at 1.8 ppb.
- 7 Laboratory report indicates uncategorized compounds are not included in gas concentration.
- 8 Chromatogram pattern indicates an unidentified hydrocarbon.
- 9 Laboratory report indicates sample diluted due to foaming.
- 10 MTBE value was reported from a re-analysis on 04/01/99.
- 11 Laboratory report indicates weathered gasoline C6-C12.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-1 03/19/99	<2,500	<500	270	<10	<10	<10
C-2 03/19/99	<2,500	<500	330	<10	<10	<10
C-3 03/19/99	<500	<100	8.0	<2.0	<2.0	<2.0
C-7 03/19/99	<500	<100	<2.0	<2.0	<2.0	<2.0
C-8 03/19/99	<500	<100	10	<2.0	<2.0	<2.0
C-10 03/19/99	<500	<100	6.7	<2.0	<2.0	<2.0

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/ Facility # Chevron 9-0504
 Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job#: 385259
 Date: 9-4-01
 Sampler: FB

Well ID: C-9
 Well Diameter: 2" / 3" in.
 Total Depth: 24.35 ft.
 Depth to Water: 11.31 ft.

Well Condition: OK
 Hydrocarbon Thickness: ∅ (feet) Amount Bailed (product/water): ∅ (Gallons)

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

13.04 x VF 17.22 x 3 (case volume) = Estimated Purge Volume: 6.5 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 9:34
 Sampling Time: 9:53
 Purging Flow Rate: _____ gpm.
 Did well de-water? NO

Weather Conditions: SUNNY
 Water Color: clear Odor: NO
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>9:38</u>	<u>2.0</u>	<u>7.56</u>	<u>391</u>	<u>67.0</u>	_____	_____	_____
<u>9:42</u>	<u>4.0</u>	<u>7.51</u>	<u>374</u>	<u>66.8</u>	_____	_____	_____
<u>9:46</u>	<u>6.5</u>	<u>7.48</u>	<u>340</u>	<u>66.9</u>	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	# - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY		ANALYSES
				SEQUOIA		TPH(G)/btex/mtbe
<u>C-9</u>	<u>3x VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>		

COMMENTS: _____

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/ Chevron
 Facility # 9-0504
 Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job#: 385259
 Date: 9-4-01
 Sampler: FB

Well ID C-10
 Well Diameter 2" / 3" in.
 Total Depth 24.32 ft.
 Depth to Water 9.62 ft.

Well Condition: OK

Hydrocarbon Thickness:	Amount Bailed (Gallons)			
	(feet)	(product/water):		
Volume	2" = 0.17	3" = 0.98	4" = 0.66	
Factor (VF)	6" = 1.50	12" = 5.80		

14.70 x VF 1.7 = 2.49 x 3 (case volume) = Estimated Purge Volume: 7.5 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 10:12
 Sampling Time: 10:35
 Purging Flow Rate: _____ gpm.
 Did well de-water? NO

Weather Conditions: SUNNY
 Water Color: clear Odor: NO
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>10:17</u>	<u>2.5</u>	<u>6.49</u>	<u>558</u>	<u>70.8</u>	_____	_____	_____
<u>10:22</u>	<u>5.0</u>	<u>6.38</u>	<u>568</u>	<u>70.9</u>	_____	_____	_____
<u>10:27</u>	<u>7.5</u>	<u>6.51</u>	<u>570</u>	<u>70.8</u>	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-10</u>	<u>3X VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPHIG)/btex/mtbe</u>

COMMENTS: _____

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/ Facility# Cheyron 9-0504
 Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job#: 385259
 Date: 9-4-01
 Sampler: FB

Well ID: C-11
 Well Diameter: 2" / 3" in.
 Total Depth: 24.36 ft.
 Depth to Water: 9.45 ft.

Well Condition: OK

Hydrocarbon Thickness:	Amount Bailed (Gallons)			
	(feet)	(product/water):		
Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66	
	6" = 1.50	12" = 5.80		

14.91 X VF 17 = 2.53 X 3 (case volume) = Estimated Purge Volume: 7.5 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 10:55
 Sampling Time: 11:18
 Purging Flow Rate: _____ gpm.
 Did well de-water? NO

Weather Conditions: SUNNY
 Water Color: clear Odor: NO
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm}$ <small>K₂₀</small>	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>11:00</u>	<u>2.5</u>	<u>7.46</u>	<u>7.08</u>	<u>70.4</u>	_____	_____	_____
<u>11:05</u>	<u>5.0</u>	<u>7.31</u>	<u>7.15</u>	<u>70.5</u>	_____	_____	_____
<u>11:10</u>	<u>7.5</u>	<u>7.28</u>	<u>7.16</u>	<u>70.5</u>	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#)-CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH(G)/btex/mtbe
<u>C-11</u>	<u>3x VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	

COMMENTS: _____

Chevron California Region Analysis Request/Chain of Custody



050901-008

For Lancaster Laboratories use only
 Acct. #: 10905 Sample #: 3683164-67 SCR#:

Facility #: 9-0504 Job # 385259		Matrix: <table border="1" style="display: inline-table; vertical-align: top;"> <tr> <td>Soil</td> <td>Water</td> <td>Oil</td> <td>Air</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>		Soil	Water	Oil	Air	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Analyses Requested					Preservation Codes		Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits	
Soil	Water	Oil	Air																	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																	
Site Address: 15900 HESPERIAN BLVD., SAN LORENZO, CA		Chevron PM: Tom Baults Lead Consultant: Delta/GR		Potable NPDES <input type="checkbox"/>		Total Number of Containers		BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input type="checkbox"/>												
Consultant/Office: G-R, Inc., 6747 Sierra Court, Dublin, Ca 94568		Consultant Prj. Mgr.: Deanna L. Harding (Deanna@grinc.com)		Composite <input type="checkbox"/>		TPH 8015 MOD GRO		TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup												
Consultant Phone #: 925-551-7655 Fax #: 925-551-7899		Sampler: Frank H Bohne		Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air <input type="checkbox"/>		8260 full scan		Oxygenates												
Service Order #: <input type="checkbox"/> Non SAR:						Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>														
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	Comments / Remarks	
C-9	9-4-01	9:53	X			X			3	X	X									
C-10	9-4-01	10:35	X			X			3	X	X									
C-11	9-4-01	11:18	X			X			3	X	X									
TP BLK	9-4-01	-				X			2	X	X									

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by:	<i>Frank H Bohne</i>	Date:	9/5/01	Time:	0800	Received by:	<i>Geoffrey Veldt</i>	Date:	9/5/01	Time:	15:30		
Relinquished by:	<i>Geoffrey Veldt</i>	Date:	9/5/01	Time:	16:47	Received by:	<i>Robert M. J...</i>	Date:	9/5/01	Time:	16:47		
Relinquished by:	<i>Robert M. J...</i>	Date:	9/6/01	Time:	11:30	Received by:	<i>Fed Ex</i>	Date:	9/6/01	Time:			
Relinquished by Commercial Carrier:		UPS	<input checked="" type="checkbox"/>	FedEx	<input checked="" type="checkbox"/>	Other		Received by:	<i>Class Z...</i>	Date:	9/8/01	Time:	1055
Temperature Upon Receipt	20 °C		Custody Seals Intact?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								



ANALYTICAL RESULTS

Prepared for:

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904
925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 777386. Samples arrived at the laboratory on Saturday, September 08, 2001. The PO# for this group is 99011184 and the release number is BAUHS.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
C-9	Grab Water	3683164
C-10	Grab Water	3683165
C-11	Grab Water	3683166
TP BLK	Grab Water	3683167

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding





Lancaster Laboratories

Where quality is a science.

Questions? Contact your Client Services Representative
Teresa M. Lis at (717) 656-2300.

Respectfully Submitted,

Victoria M. Martell
Chemist



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3683164

Collected: 09/04/2001 09:53 by FHB

Account Number: 10905

Submitted: 09/08/2001 09:55
 Reported: 10/03/2001 at 14:14
 Discard: 10/11/2001

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

C-9 Grab Water

Facility# 9-0504 X
 15900 Hesperian Blvd San x C-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 13:36	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 13:36	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 13:36	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3683165

Collected: 09/04/2001 10:35 by FHB

Account Number: 10905

Submitted: 09/08/2001 09:55
 Reported: 10/03/2001 at 14:14
 Discard: 10/11/2001
 C-10 Grab Water

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

Facility# 9-0504 x
 15900 Hesperian Blvd San x C-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters) The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 14:11	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 14:11	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 14:11	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3683166

Collected: 09/04/2001 11:18 by FHB

Account Number: 10905

Submitted: 09/08/2001 09:55
 Reported: 10/03/2001 at 14:14
 Discard: 10/11/2001
 C-11

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

Grab Water

Facility# 9-0504 X
 15900 Hesperian Blvd San x C-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 14:46	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 14:46	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 14:46	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3683167

Collected: n.a.

Account Number: 10905

Submitted: 09/08/2001 09:55
Reported: 10/03/2001 at 14:14
Discard: 10/11/2001
TP BLK Grab Water

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904

Facility# 9-0504
15900 Hesperian Blvd San x TP BLK

Table with columns: CAT No., Analysis Name, CAS Number, As Received Result, As Received Method Detection Limit, Units, Dilution Factor. Includes rows for TPH-GRO N. California (waters) and BTEX, MTBE (8021) with sub-rows for Benzene, Toluene, Ethylbenzene, Total Xylenes, and Methyl tert-Butyl Ether.

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

State of California Lab Certification No. 2116

Laboratory Chronicle

Table with columns: CAT No., Analysis Name, Method, Trial#, Analysis Date and Time, Analyst, Dilution Factor. Includes rows for TPH-GRO N. California (waters), BTEX, MTBE (8021), and GC VOA Water Prep.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: Chevron Products Company
 Reported: 10/03/01 at 02:14 PM

Group Number: 777386

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 01254A56								
Sample number(s): 3683164-3683167								
Benzene	N.D.	0.5	ug/l	108	108	80-118	0	30
Toluene	N.D.	0.5	ug/l	107	108	82-119	1	30
Ethylbenzene	N.D.	0.5	ug/l	102	103	81-119	1	30
Total Xylenes	N.D.	1.5	ug/l	103	105	82-120	1	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	114	111	79-127	2	30
TPH-GRO N. California (waters)	N.D.	50.	ug/l	88		76-119		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 01254A56								
Sample number(s): 3683164-3683167								
Benzene	104		66-140					
Toluene	97		72-138					
Ethylbenzene	98		71-138					
Total Xylenes	98		69-140					
Methyl tert-Butyl Ether	134		60-145					
TPH-GRO N. California (waters)	112	109	74-132	3	20			

Surrogate Quality Control

Analysis Name: TPH-GRO N. California (waters)
 Batch number: 01254A56

	Trifluorotoluene-F	Trifluorotoluene-P
3683164	105	101
3683165	105	103
3683166	104	103
3683167	106	105
Blank	113	99
LCS	113	103
LCSD		105
MS	128	97
MSD	117	
Limits:	65-137	72-134

*. Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681