

Environmental Management  
Company  
6001 Bollinger Canyon Rd, L4050  
P.O. Box 6012  
San Ramon, CA 94583-2324  
Tel 925-842-1589  
Fax 925-842-8370

Karen Streich  
Project Manager

Ro 7 ✓

October 25, 2004

**ChevronTexaco**

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Alameda County  
OCT 27 2004  
Environmental Health

Re: Chevron Service Station # 9-0504

Address: 15900 Hesperian Blvd., San Lorenzo, California

I have reviewed the attached routine groundwater monitoring report dated October 5, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich  
Project Manager

Enclosure: Report



# GETTLER-RYAN INC.

## TRANSMITTAL

October 5, 2004

G-R #385259

Alameda County  
OCT 28 2004  
Environmental Health

TO: Mr. Bruce H. Eppler  
Cambria Environmental Technology, Inc.  
4111 Citrus Avenue, Suite 12  
Rocklin, California 95677

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station**  
**#9-0504**  
**15900 Hesperian Boulevard**  
**San Lorenzo, California**  
**MTI: 61D-1641**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	October 4, 2004	Groundwater Monitoring and Sampling Report Second Semi-Annual - Event of September 3, 2004

### COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Ms. Karen Streich, ChevronTexaco Company, P.O. Box 6012, Room K2256, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 22, 2004**, at which time the final report will be distributed to the following:

- cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Mike Bakaldin, Hazmat, San Leandro Fire Department, 835 East 14<sup>th</sup> Street, Suite 200, San Leandro, CA 94577
- Mr. Bodh Kunwar, 3539 Shadow Creek Drive, Danville, CA 94506
- Ms. Wendy Helling, Met Life Corporation, 10900 NE 4<sup>th</sup> Street, Suite 500, Bellevue, WA 98004-5853
- Mr. Scott Bohannon, Bohannon Development, Sixty 31<sup>st</sup> Avenue, San Mateo, CA 94403

Enclosures

trans:9-0504-ks



# GETTLER - RYAN INC.

---

October 4, 2004  
G-R Job #385259

Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6012, Room K2256  
San Ramon, CA 94583

**RE: Second Semi-Annual Event of September 3, 2004**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

  
Deanna L. Harding  
Project Coordinator





  
Hagop Kevoik  
P.E. No. C55734

Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Groundwater Analytical Results - Oxygenate Compounds  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-0504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

FIGURE  
**1**

PROJECT NUMBER  
 385259

REVIEWED BY

DATE  
 September 3, 2004

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-1											
06/06/89	--	--	--	--	5,100	250	170	200	990	--	--
12/08/89	--	--	13.14	0.01	--	--	--	--	--	--	--
09/07/90	33.93	19.91	14.04	0.03	--	--	--	--	--	--	--
12/20/90	33.93	20.07	13.87	0.01	--	--	--	--	--	--	--
03/15/91	33.93	22.53	11.40	--	37,000	220	53	53	1,900	--	--
06/28/91	33.93	21.68	12.25	--	3,300	110	6.2	6.2	350	--	--
09/26/91	33.93	19.91	14.02	--	3,200	220	6.9	6.9	710	--	--
01/27/92	33.93	21.30	12.63	--	330	20	0.6	0.6	48	--	--
04/20/92	33.93	23.50	10.43	--	2,700	130	3.4	3.4	690	--	--
07/17/92	33.93	21.32	12.61	--	490	17	<0.5	<0.5	52	--	--
01/20/93	33.93	24.51	9.42	--	--	--	--	--	--	--	--
07/28/93	33.93	23.45	10.48	--	--	--	--	--	--	--	--
10/27/93	32.80	21.48	11.32	--	240	3.6	<0.5	11	23	--	--
03/31/94	32.80	23.35	9.45	--	530	23	1.2	10	120	--	--
06/08/94	32.80	22.87	9.93	--	990	15	1.5	42	89	--	--
09/29/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
11/09/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
12/14/94	32.80	INACCESSIBLE	--	--	--	--	--	--	--	--	--
03/30/95	32.80	24.79	8.01	--	3,900	21	7.2	190	250	--	--
06/30/95	32.80	22.98	9.82	--	1,400	3.1	0.8	54	95	--	--
09/22/95	32.80	22.20	10.60	--	620 <sup>7</sup>	0.7	<0.5	3.3	3.5	--	--
12/11/95	32.80	22.50	10.30	--	210	2.4	<0.5	43	85	79	--
03/08/96	32.80	25.15	7.65	--	750	2.1	<0.5	22	34	330	--
06/21/96	32.80	23.52	9.28	--	2,800	9.0	<0.5	94	83	1,300	--
09/27/96	32.80	22.52	10.28	--	770	0.5	<0.5	5.1	6.1	580	--
01/03/97	32.80	24.95	7.85	--	1,800	2.8	<0.5	51	41	110	--
03/28/97	32.80	23.43	9.37	--	720	0.6	<0.5	4.7	3.7	200	--
09/30/97	32.80	MONITORED ANNUALLY	--	--	--	--	--	--	--	--	--
03/28/98	32.80	25.08	7.72	--	940 <sup>8</sup>	3.9	<0.5	17	4.7	290	--
03/19/99	32.80	24.29	8.51	--	320	<0.5	<0.5	8.5	2.5	350	--
03/21/00	32.80	24.72	8.08	--	432	<0.5	2.04	5.33	0.658	154	--
08/28/00	32.80	MONITORED /SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--
03/02/01	32.80	24.09	8.71	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	32.8	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-1 (cont)</b>											
09/04/01	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	32.80	24.18	8.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	20	--
09/04/02	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	32.80	23.93	8.87	0.00	<50	<0.5	<0.5	<0.5	<1.5	40	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	24.46	8.34	0.00	<50	<0.5	<0.5	<0.5	<0.5	15	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
<b>C-2</b>											
06/06/89	--	--	--	--	130,000	14,000	28,000	3,400	24,000	--	--
12/08/89	--	--	13.44	0.15	--	--	--	--	--	--	--
09/07/90	34.21	20.01	14.28	0.10	--	--	--	--	--	--	--
12/20/90	34.21	20.16	14.06	0.01	--	--	--	--	--	--	--
03/15/91	34.21	22.63	11.59	0.01	1,200,000	4,700	16,000	13,000	140,000	--	--
06/28/91	34.21	21.66	12.55	--	150,000	3,500	4,200	2,100	16,000	--	--
09/26/91	34.21	20.01	14.20	--	4,900	220	290	130	880	--	--
01/27/92	34.21	21.75	12.46	--	8,200	510	590	230	1,300	--	--
04/20/92	34.21	23.97	10.24	--	19,000	1,700	1,700	930	4,700	--	--
07/17/92	34.21	21.40	12.81	--	20,000	950	950	1,300	4,700	--	--
01/20/93	34.21	25.42	8.79	--	--	--	--	--	--	--	--
10/27/93	33.46	21.10	12.36	--	1,600	63	5.8	5.9	190	--	--
03/31/94	33.46	23.84	9.62	--	12,000	300	96	510	2,700	--	--
06/08/94	33.46	23.48	9.98	--	8,700	140	35	250	1,500	--	--
09/28/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
11/09/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
12/14/94	33.46	INACCESSIBLE			--	--	--	--	--	--	--
03/30/95	33.46	25.77	7.69	--	1,400	17	5.4	52	240	--	--
06/30/95	33.46	23.56	9.90	--	730	22	2.6	50	240	--	--
09/22/95	33.46	22.85	10.61	--	2,100 <sup>7</sup>	66	7.3	140	550	--	--
12/11/95	33.46	23.08	10.38	--	3,700	23	<0.5	68	300	1,000	--
03/08/96	33.46	25.76	7.70	--	2,200	19	<5.0	63	290	1,300	--
06/21/96	33.46	24.09	9.37	--	2,200	23	1.1	70	260	2,300	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-2 (cont)</b>											
09/27/96	33.46	22.88	10.58	--	5,500	12	0.6	30	110	2,200	--
01/03/97	33.46	25.56	7.90	--	750	4.2	<0.5	29	120	51	--
03/28/97	33.46	24.11	9.35	--	1,300	12	1.5	24	86	310	--
09/30/97	33.46	MONITORED ANNUALLY		--	--	--	--	--	--	--	--
03/28/98	33.46	25.46	8.00	--	1,100 <sup>8</sup>	14	<5.0	34	79	710	--
03/19/99	33.46	25.01	8.45	--	1,400	15	<0.5	56	130	460	--
03/21/00	33.46	25.37	8.09	--	5,420	9.69	<0.5	76.5	125	168	--
08/28/00	33.46	MONITORED/SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/02/01	33.46	24.68	8.78	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.000	--
09/04/01	33.46	MONITORED/SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/21/02	33.46	24.75	8.71	0.00	<50	<0.50	<0.50	<0.50	<1.5	4.5	--
09/04/02	33.46	MONITORED/SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/31/03	33.46	24.53	8.93	0.00	<50	<0.5	1.0	<2.0	2.6	<2.5	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	24.41	8.39	0.00	940	1	<0.5	21	10	45	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
<b>C-3</b>											
06/06/89	--	--	--	--	2,600	63	20	390	370	--	--
12/08/89	--	--	--	--	680	6.0	1.0	31	58	--	--
09/07/90	35.46	20.15	15.31	--	490	6.0	<0.5	41	120	--	--
09/07/90 (D)	35.46	--	--	--	460	6.0	<0.5	40	110	--	--
12/20/90	35.46	20.29	15.17	--	100	5.0	<0.5	27	130	--	--
03/06/91	35.46	22.19	13.27	--	1,300	7.0	<0.5	75	250	--	--
03/06/91 (D)	35.46	--	--	--	1,400	8.0	<0.5	76	250	--	--
06/28/91	35.46	21.79	13.67	--	770	6.0	<0.5	81	71	--	--
06/28/91 (D)	35.46	--	--	--	990	5.5	<0.5	86	75	--	--
09/26/91	35.46	20.14	15.32	--	1,400	7.9	<0.5	98	340	--	--
01/27/92	35.46	21.55	13.91	--	150	0.7	<0.5	12	12	--	--
04/20/92	35.46	23.80	11.66	--	1,600	9.3	1.0	190	370	--	--
07/17/92	35.46	21.50	13.96	--	460	18	<0.5	20	52	--	--
10/29/92	35.46	19.95	15.51	--	520	2.4	1.0	30	79	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-3 (cont)											
01/20/93	35.46	24.47	10.99	--	4,200	7.4	<0.5	140	380	--	--
05/03/93	35.46	24.49	10.97	--	1,300	6.8	3.2	71	170	--	--
07/28/93	35.46	23.05	12.41	--	220	1.4	<0.5	17	39	--	--
10/27/93	35.46	21.78	13.37	--	1,800	5.5	0.7	68	290	--	--
03/31/94	35.46	23.90	11.56 <sup>1</sup>	--	310	1.2	<0.5	19	54	--	--
06/08/94	35.46	23.39	12.07	--	300	2.7	1.6	19	48	--	--
09/29/94 <sup>2</sup>	35.46	21.62	13.84	--	2,500	<25	<25	<25	220	--	--
11/09/94 <sup>5</sup>	35.46	--	--	--	170	<0.5	0.8	3.3	16	--	--
12/14/94	35.46	23.61	11.85	--	510	3.2	1.4	28	60	--	--
03/30/95	35.46	25.85	9.61	--	66	<0.5	<0.5	1.1	2.4	--	--
06/30/95	35.46	23.96	11.50	--	1,500	1.9	8.1	100	300	--	--
09/22/95	35.46	22.88	12.58	--	600 <sup>7</sup>	0.7	<0.5	43	110	--	--
12/11/95	35.46	22.91	12.55	--	670 <sup>8</sup>	<0.5	<0.5	7.0	13	15	--
03/08/96	35.46	25.80	9.66	--	3,600	7.5	33	130	400	1,100	--
06/21/96	35.46	23.68	11.78	--	310	<0.5	<0.5	16	49	57	--
09/27/96	35.46	23.09	12.37	--	250	<0.5	<0.5	3.6	9.6	44	--
01/03/97	35.46	25.57	9.89	--	170	<0.5	1.2	4.5	15	15	--
03/28/97	35.46	24.50	10.96	--	60	<0.5	<0.5	1.7	1.8	23	--
09/30/97	35.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	35.46	25.74	9.72	--	<50	0.88	<0.5	<0.5	<0.5	16	--
03/19/99	35.46	25.44	10.02	--	<50	<0.5	<0.5	<0.5	0.65	12	--
03/21/00	35.46	25.36	10.10	--	122	<0.5	<0.5	4.96	11.7	6.13	--
08/28/00	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	35.46	24.67	10.79	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	35.46	24.74	10.72	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	35.46	24.31	11.15	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	22.42	10.38	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-4											
06/06/89	--	--	--	--	<50	<0.05	<1.0	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.78	20.20	15.58	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.78	20.36	15.42	--	170	1.0	<0.5	<0.5	4.0	--	--
03/06/91	35.78	22.24	13.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.78	21.85	13.93	--	<50	<0.5	<0.5	<0.5	<0.8	--	--
09/26/91	35.78	20.14	15.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.78	--	15.64	--	<50	<0.5	<0.5	<0.5	--	--	--
01/27/92	35.78	21.82	13.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.78	24.07	11.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.78	21.59	14.19	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.78	20.06	15.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.78	24.61	11.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.78	24.84	10.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	35.78	23.38	12.40	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	35.23	21.91	13.32	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	35.23	INACCESSIBLE	--	--	--	--	--	--	--	--	--
06/08/94	35.23	23.31	11.92	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2,4</sup>	35.23	21.47	13.76	--	<2,500	<25	<25	<25	<25	--	ND <sup>3</sup>
11/09/94 <sup>4,5</sup>	35.23	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	ND <sup>3</sup>
12/14/94 <sup>6</sup>	35.23	23.44	11.79	--	<50	2.1	3.0	1.9	3.7	--	ND <sup>3</sup>
03/30/95	35.23	26.22	9.01	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	35.23	23.79	11.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	35.23	22.72	12.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	35.23	22.61	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	35.23	25.60	9.63	--	<50	<0.5	<0.5	<0.5	0.6	<5.0	--
06/21/96	35.23	23.99	11.24	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	35.23	22.92	12.31	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	35.23	25.54	9.69	--	<50	1.5	7.2	1.3	6.2	<5.0	--
03/28/97	35.23	24.23	11.00	--	<50	5.0	8.3	0.8	4.7	<5.0	--

NOT MONITORED/SAMPLED

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-5											
06/06/89	--	--	--	--	<50	<0.05	<0.05	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.31	20.21	15.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.31	20.37	14.94	--	80	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	35.31	22.25	13.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.31	21.85	13.46	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.31	20.17	15.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	35.31	22.00	13.31	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.31	24.21	11.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.31	21.58	13.73	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.31	20.11	15.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.31	24.59	10.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.31	24.88	10.43	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	35.31	23.50	11.81	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	34.61	21.93	12.68	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	34.61	23.61	11.00 <sup>1</sup>	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	34.61	23.35	11.26	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	34.61	21.51	13.10	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 <sup>5</sup>	34.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	34.61	23.24	11.37	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	34.61	25.64	8.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	34.61	23.78	10.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	34.61	22.72	11.89	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	34.61	22.83	11.78	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	34.61	25.59	9.02	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	34.61	23.97	10.64	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	34.61	23.04	11.57	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	34.61	25.59	9.02	--	<50	0.7	3.2	<0.5	2.2	<5.0	--
03/28/97	34.61	24.23	10.38	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-6											
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	36.89	20.06	16.83	--	57	<0.5	<0.5	0.6	4.0	--	--
12/20/90	36.89	20.23	16.66	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	36.89	22.09	14.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	36.89	21.73	15.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	36.89	20.07	16.82	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	36.89	23.72	13.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	36.89	19.91	16.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	36.89	24.42	12.47	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	36.89	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	36.89	23.03	13.86	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	36.57	21.72	14.85	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	36.57	23.57	13.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	36.57	23.13	13.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	36.57	21.69	14.88	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 <sup>5</sup>	36.57	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
12/14/94	36.57	23.58	12.99	--	<50	0.9	1.5	1.3	2.6	--	--
03/30/95	36.57	25.80	10.77	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	36.57	23.95	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	36.57	22.92	13.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	36.57	22.89	13.68	--	140 <sup>8</sup>	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	36.57	25.84	10.73	--	<50	<0.5	0.6	<0.5	<0.5	<5.0	--
06/21/96	36.57	24.16	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	36.57	23.10	13.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	36.57	25.57	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	36.57	24.51	12.06	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

NOT MONITORED/SAMPLED

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-7											
12/08/89	--	--	--	--	1,700	32	12	17	150	--	--
09/07/90	32.75	19.73	13.02	--	880	84	23	46	180	--	--
12/20/90	32.75	20.47	12.28	--	560	24	3.0	19	21	--	--
03/06/91	32.75	15.83	16.92	--	240	25	2.0	4.0	26	--	--
06/28/91	32.75	21.44	11.31	--	2,400	130	13	82	220	--	--
09/26/91	32.75	20.47	12.28	--	8,100	47	35	350	1,200	--	--
01/27/92	32.75	21.32	11.43	--	12,000	170	40	420	830	--	--
04/20/92	32.75	23.47	9.28	--	1,200	80	11	90	110	--	--
07/17/92	32.75	21.26	11.49	--	2,400	20	7.4	95	200	--	--
10/29/92	32.75	19.70	13.05	--	69	1.3	<0.5	3.8	7.2	--	--
01/20/93	32.75	24.06	8.69	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	32.75	24.07	8.68	--	2,400	29	8.6	140	210	--	--
07/28/93	32.75	22.76	9.99	--	3,600	38	16	290	920	--	--
10/27/93	32.32	21.60	10.72	--	22,000	23	26	990	2,600	--	--
03/31/94	32.32	23.21	9.11	--	2,300	45	7.0	130	190	--	--
06/08/94	32.32	23.10	9.22	--	6,900	46	11	380	820	--	--
09/29/94	32.32	21.00	11.32	--	11,000	10	11	620	810	--	--
11/09/94 <sup>s</sup>	32.32	--	--	--	7,800	33	18	570	1,100	--	--
12/14/94	32.32	23.33	8.99	--	7,700	63	16	140	1,200	--	--
03/30/95	32.32	25.04	7.28	--	4,100	64	18	170	280	--	--
06/30/95	32.32	23.25	9.07	--	1,200	31	3.7	21	18	--	--
09/22/95	32.32	22.27	10.05	--	1,800	64	5.7	30	38	--	--
12/11/95	32.32	23.02	9.30	--	14,000	80	6.1	91	120	70	--
03/08/96	32.32	24.99	7.33	--	2,300	57	8.4	110	180	37	--
06/21/96	32.32	23.47	8.85	--	1,100	37	3.2	21	29	9.0	--
09/27/96	32.32	23.21	9.11	--	10,000	150	30	270	670	45	--
01/03/97	32.32	24.83	7.49	--	1,800	35	<0.5	34	72	15	--
03/28/97	32.32	23.75	8.57	--	2,200	38	4.1	31	56	19	--
09/30/97	32.32	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	32.32	24.98	7.34	--	2,100 <sup>R</sup>	28	7.8	70	170	<25	--
03/19/99	32.32	24.61	7.71	--	5,300	63	24	280	370	67 <sup>10</sup>	--
03/21/00	32.32	24.57	7.75	--	2,830	19.5	5.14	116	206	11.7	--
08/28/00	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-7 (cont)</b>											
03/02/01	32.32	24.06	8.26	0.00	7,620 <sup>11</sup>	54.7	<25.0	522	945	<250	--
09/04/01	32.32	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/21/02	32.32	24.10	8.22	0.00	9,300	31	8.4	460	850	<20	--
09/04/02	32.32	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/03	32.32	23.67	8.65	0.00	3,300	17	3.9	92	190	31	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	24.86	7.94	0.00	2,200	7	1	50	120	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY				--	--	--	--	--	--
<b>C-8</b>											
12/08/89	--	--	--	--	4,800	62	11	95	180	--	--
09/07/90	33.82	19.50	14.32	--	3,700	170	31	180	270	--	--
12/20/90	33.82	19.61	14.20	--	3,900	120	20	130	180	--	--
03/06/91	33.82	19.02	14.80	--	1,200	45	6.0	34	57	--	--
06/28/91	33.82	21.17	12.65	--	6,900	180	46	340	640	--	--
09/26/91	33.82	19.53	14.29	--	1,400	66	9.8	38	40	--	--
01/27/92	33.82	21.22	12.60	--	3,600	100	26	170	260	--	--
04/20/92	33.82	23.46	10.36	--	2,600	110	32	180	260	--	--
07/17/92	33.82	20.94	12.88	--	1,100	34	5.9	35	52	--	--
10/29/92	33.82	19.43	14.39	--	820	29	4.8	23	27	--	--
01/20/93	33.82	23.80	10.02	--	6,000	81	22	200	310	--	--
05/03/93	33.82	24.07	9.75	--	11,000	75	96	880	2,600	--	--
07/28/93	33.82	22.68	11.14	--	2,800	60	13	92	150	--	--
10/27/93	33.25	21.24	12.01	--	2,700	49	17	60	90	--	--
03/31/94	33.25	22.98	10.27	--	190	8.6	1.7	9.1	11	--	--
06/08/94	33.25	22.69	10.56	--	2,800	52	110	78	110	--	--
09/29/94	33.25	20.83	12.42	--	3,700	120	20	120	85	--	--
11/09/94 <sup>c</sup>	33.25	--	--	--	3,200	82	44	160	110	--	--
12/14/94	33.25	22.74	10.51	--	5,300	140	30	170	310	--	--
03/30/95	33.25	24.81	8.44	--	3,900	86	19	180	210	--	--
06/30/95	33.25	23.11	10.14	--	1,500	75	21	72	72	--	--
09/22/95	33.25	22.05	11.20	--	3,400	94	24	110	110	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-8 (cont)</b>											
12/11/95	33.25	22.26	10.99	--	7,500	100	<0.5	160	120	130	--
03/08/96	33.25	24.79	8.46	--	3,600	93	8.9	110	88	82	--
06/21/96	33.25	23.28	9.97	--	3,200	69	6.8	100	88	19	--
09/27/96	33.25	22.47	10.78	--	7,000	98	12	150	130	53	--
01/03/97	33.25	24.43	8.82	--	5,700	43	9.3	110	95	17	--
03/28/97	33.25	23.60	9.65	--	4,900	52	4.7	70	47	50	--
09/30/97	33.25	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.25	24.78	8.47	--	3,300 <sup>8</sup>	33	4.2	110	61	<25	--
03/19/99	33.25	24.34	8.91	--	2,600	34	16	34	19	76 <sup>10</sup>	--
03/21/00	33.25	24.43	8.82	--	4,300	8.45	42.3	61.1	20.3	33.8	--
08/28/00	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	33.25	23.75	9.50	0.00	2,980 <sup>11</sup>	37.4	4.12	22.3	11.3	40.4	--
09/04/01	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	33.25	23.86	9.39	0.00	3,500	<20	2.0	15	8.3	<10	--
09/04/02	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	33.25	23.45	9.80	0.00	4,700	<20	2.1	22	11	<50	--
09/17/03	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	23.70	9.10	0.00	5,500	3	2	58	17	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
<b>C-9</b>											
09/07/90	33.43	19.37	14.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	33.43	19.40	14.03	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	33.43	21.31	12.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	33.43	21.02	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	33.43	19.41	14.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	33.43	20.90	12.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	33.43	23.21	10.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	33.43	20.79	12.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	33.43	19.23	14.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	33.43	23.71	9.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	33.43	23.66	9.55	--	<50	<0.5	<0.5	<0.5	<1.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-9 (cont)											
07/28/93	33.43	22.45	10.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	32.97	20.99	11.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	32.97	22.80	10.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	32.97	22.44	10.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	32.97	20.57	12.40	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 <sup>5</sup>	32.97	--	--	--	<50	<0.5	<0.5	<0.5	0.7	--	--
12/14/94	32.97	22.48	10.49	--	69	1.1	2.2	3.4	7.8	--	--
03/30/95	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	32.97	23.00	9.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	32.97	21.90	11.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	32.97	21.89	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	32.97	23.16	9.81	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	32.97	22.06	10.91	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	32.97	24.30	8.67	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	32.97	23.50	9.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	32.97	21.36	11.61	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	32.97	24.71	8.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	32.97	22.73	10.24	--	<50	5.7	1.4	1.4	1.8	4.9	--
03/19/99	32.97	24.27	8.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	32.97	22.00	10.97	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	32.97	24.38	8.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	32.97	22.02	10.95	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	32.97	23.57	9.40	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	32.97	21.66	11.31	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	32.97	23.72	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	32.97	21.93	11.04	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	32.97	23.29	9.68	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	32.97	21.99	10.98	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	32.97	24.07	8.90	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	32.97	21.54	11.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-10</b>											
09/07/90	31.63	19.14	12.49	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.63	19.27	12.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.63	21.18	10.45	--	<50	<0.5	0.8	<0.5	0.8	--	--
06/28/91	31.63	20.69	10.74	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.63	19.21	12.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.63	20.79	10.84	--	<50	<0.5	1.3	<0.5	<0.5	--	--
01/27/92 (1)	31.63	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--
04/20/92	31.63	23.06	8.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.63	20.61	11.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.63	19.23	12.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.63	23.49	8.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.63	23.71	7.92	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.63	22.27	9.36	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.16	20.86	10.30	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.16	22.71	8.45	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.16	22.31	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	31.16	20.46	10.70	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 <sup>5</sup>	31.16	--	--	--	<50	<0.5	1.4	0.8	1.2	--	--
12/14/94	31.16	22.55	8.61	--	110	3.9	5.4	4.3	11	--	--
03/30/95	31.16	24.51	6.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.16	22.86	8.30	--	<50	1.5	1.5	<0.5	2.2	--	--
09/22/95	31.16	21.75	9.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.16	21.89	9.27	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	31.16	24.53	6.63	--	<50	<0.5	<0.5	<0.5	0.5	<5.0	--
06/21/96	31.16	23.04	8.12	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.16	21.95	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.16	23.84	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.16	23.34	7.82	--	<50	1.2	1.8	<0.5	0.8	<5.0	--
09/30/97	31.16	21.34	9.82	--	<250 <sup>9</sup>	<2.5	<2.5	<2.5	<2.5	<2.5	--
03/28/98	31.16	24.60	6.56	--	<50	<0.5	0.52	<0.5	<0.5	<2.5	--
09/08/98	31.16	22.65	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.16	24.00	7.16	--	<50	<0.5	<0.5	<0.5	<0.5	9.2 <sup>10</sup>	--
09/21/99	31.16	21.87	9.29	--	<50	<0.5	<0.5	<0.5	<0.5	6.38	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (pph)	B (pph)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-10 (cont)</b>											
03/21/00	31.16	24.54	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	10.6	--
08/28/00	31.16	21.86	9.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	7.7	--
03/02/01	31.16	23.41	7.75	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.16	21.54	9.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.16	23.56	7.60	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	31.16	21.76	9.40	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.16	23.14	8.02	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	31.16	21.85	9.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8	--
03/05/04 <sup>12</sup>	31.16	23.88	7.28	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.5	--
09/03/04 <sup>12</sup>	31.16	21.50	9.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
<b>C-11</b>											
09/07/90	31.58	19.36	12.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.58	19.50	12.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.58	15.43	16.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	31.58	21.06	10.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.58	19.38	12.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.58	20.85	10.73	--	<50	<0.5	0.8	<0.5	<0.5	--	--
04/20/92	31.58	23.02	8.56	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.58	20.80	10.78	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.58	19.51	12.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.58	21.61	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.58	23.63	7.95	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.58	22.27	9.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.23	21.06	10.17	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.23	22.80	8.43	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.23	22.47	8.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94	31.23	20.69	10.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	0.6	<0.5	0.7	--	--
12/14/94	31.23	22.73	8.50	--	51	1.1	1.7	1.6	4.0	--	--
03/30/95	31.23	24.38	6.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.23	22.89	8.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>C-11 (cont)</b>											
09/22/95	31.23	21.93	9.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.23	22.22	9.01	--	<50	<0.5	<0.5	<0.5	1.1	1.1	--
03/08/96	31.23	24.33	6.90	--	<50	<0.5	0.6	<0.5	1.6	<5.0	--
06/21/96	31.23	23.13	8.10	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.23	22.16	9.07	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.23	24.10	7.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.23	21.40	9.83	--	120	12	20	2.3	14	<5.0	--
09/30/97	31.23	21.56	9.67	--	<50	0.7	0.8	<0.5	0.6	<5.0	--
03/28/98	31.23	24.40	6.83	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.23	22.72	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.23	24.06	7.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	31.23	22.02	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	31.23	24.13	7.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	31.23	22.04	9.19	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	31.23	23.34	7.89	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.23	21.78	9.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.23	23.66	7.57	0.00	<250	<1.0	<1.0	<1.0	<3.0	<2.5	--
09/04/02	31.23	21.98	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.23	23.26	7.97	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	31.23	22.04	9.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	31.23	23.88	7.35	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	31.23	21.74	9.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
<b>TRIP BLANK</b>											
09/07/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
<b>TRIP BLANK (cont)</b>											
10/29/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
<b>QA</b>											
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron Service Station #9-0504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
QA (cont)											
09/17/03 <sup>12</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

HVOCs = Halogenated Volatile Organic Compounds

(ppb) = Parts per billion

(D) = Duplicate

ND = Not Detected

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

<sup>1</sup> Depth to water measured from top of well vault.

<sup>2</sup> Detection limit raised due to foaming sample.

<sup>3</sup> Other HVOCs were not detected at detection limits of 0.5-1.0 ppb.

<sup>4</sup> Chloroform detected at <0.5 ppb.

<sup>5</sup> All site monitoring wells were re-sampled due to an excessive number of foaming samples on the 09/29/94 event.

<sup>6</sup> Chloroform detected at 1.8 ppb.

<sup>7</sup> Laboratory report indicates uncategorized compounds are not included in gas concentration.

<sup>8</sup> Chromatogram pattern indicates an unidentified hydrocarbon.

<sup>9</sup> Laboratory report indicates sample diluted due to foaming.

<sup>10</sup> MTBE value was reported from a re-analysis on 04/01/99.

<sup>11</sup> Laboratory report indicates weathered gasoline C6-C12.

<sup>12</sup> RIFX and MTBE by EPA Method 8260.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-1	03/19/99	<2.500	<500	270	<10	<10	<10
	03/05/04	<50	--	15	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
C-2	03/19/99	<2.500	<500	330	<10	<10	<10
	03/05/04	<50	--	45	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
C-3	03/19/99	<500	<100	8.0	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
C-7	03/19/99	<500	<100	<2.0	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
C-8	03/19/99	<500	<100	10	<2.0	<2.0	<2.0
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
C-9	09/17/03	<50	--	<0.5	--	--	--
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--
C-10	03/19/99	<500	<100	6.7	<2.0	<2.0	<2.0
	09/17/03	<50	--	0.8	--	--	--
	03/05/04	<50	--	0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
 Chevron Service Station #9-0504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-11	09/17/03	<50	--	<0.5	--	--	--
	03/05/04	<50	--	<0.5	--	--	--
	09/03/04	<50	--	<0.5	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-0504  
15900 Hesperian Boulevard  
San Lorenzo, California

---

**EXPLANATIONS:**

Groundwater laboratory analytical results before September 17, 2003 were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed



## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259  
 Site Address: 15900 Hesperian Blvd. Event Date: 9/3/04 (inclusive)  
 City: San Lorenzo, CA Sampler: Jim Hezem

Well ID: C-9 Date Monitored: 9/3/04 Well Condition: o/c  
 Well Diameter: 2 1/3 in.  
 Total Depth: 24.63 ft.  
 Depth to Water: 11.43 ft.  
13.20 xVF .17 = 2.24 x3 case volume = Estimated Purge Volume: 6.73 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer x  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer x  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1155 Weather Conditions: clear  
 Sample Time/Date: 1220 9/3/04 Water Color: clear Odor: no  
 Purging Flow Rate: — gpm. Sediment Description: 1.5 H<sub>2</sub>O  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1159</u>	<u>2</u>	<u>7.57</u>	<u>252</u>	<u>19.0</u>	_____	_____
<u>1203</u>	<u>4</u>	<u>7.38</u>	<u>269</u>	<u>18.9</u>	_____	_____
<u>1207</u>	<u>6</u>	<u>7.26</u>	<u>293</u>	<u>18.5</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

Add/Replaced Lock: x

Add/Replaced Plug: x Size: 2 1/2



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259  
 Site Address: 15900 Hesperian Blvd. Event Date: 9/3/04 (inclusive)  
 City: San Lorenzo, CA Sampler: Jim Heppa

Well ID: C-10 Date Monitored: 9/3/04 Well Condition: OK  
 Well Diameter: 21.3 in.  
 Total Depth: 24.58 ft.  
 Depth to Water: 9.66 ft.  
 Volume Factor (VF) table:  

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 xVF .17 = 2.53 x3 case volume = Estimated Purge Volume: 7.60 gal.

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1230 Weather Conditions: Clear  
 Sample Time/Date: 1255 / 9/3/04 Water Color: Clear Odor: No  
 Purging Flow Rate: — gpm. Sediment Description: light  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1235</u>	<u>2.5</u>	<u>7.05</u>	<u>797</u>	<u>22.4</u>	_____	_____
<u>1240</u>	<u>8.0</u>	<u>6.93</u>	<u>821</u>	<u>21.7</u>	_____	_____
<u>1245</u>	<u>7.5</u>	<u>6.82</u>	<u>846</u>	<u>21.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-10</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: X Add/Replaced Plug: X Size: 2"



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259  
 Site Address: 15900 Hesperian Blvd. Event Date: 9/3/04 (inclusive)  
 City: San Lorenzo, CA Sampler: Jim Heenan

Well ID: C-11 Date Monitored: 9/3/04 Well Condition: ok  
 Well Diameter: 2 1/3 in. Total Depth: 24.64 ft. Depth to Water: 9.49 ft.  
 Volume Factor (VF) table:  

3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 xVF .17 = 2.57 x3 case volume = Estimated Purge Volume: 7.72 gal.

Purge Equipment:  
 Disposable Bailer x  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer x  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1305 Weather Conditions: clear  
 Sample Time/Date: 1325 19/3/04 Water Color: clear Odor: no  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1309</u>	<u>2.5</u>	<u>7.50</u>	<u>751</u>	<u>22.7</u>		
<u>1313</u>	<u>5.0</u>	<u>7.31</u>	<u>765</u>	<u>22.5</u>		
<u>1318</u>	<u>7.5</u>	<u>7.19</u>	<u>782</u>	<u>22.3</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-11</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



090704-07

Acct. #: 10904

For Lancaster Laboratories use only  
Sample #: 4347059-62

Group # 911045

SCR#:

**Cambria MTI Project #: 61D-1641**

Facility #: **SS#9-0504 G-R#385259 Global ID#T0600100302**  
 Site Address: **15900 HESPERIAN BLVD., SAN LORENZO, CA**  
 Chevron PM: **MTI** Lead Consultant: **CAMBRIA**  
 Consultant/Office: **G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568**  
 Consultant Prj. Mgr.: **Deanna L. Harding (deanna@grinc.com)**  
 Consultant Phone: **925-551-7555** Fax: **925-551-7899**  
 Sampler: **Jim Heron**  
 Service Order #: \_\_\_\_\_  Non SAR:

Matrix		Analyzes Requested									
		Preservation Codes									
Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
					<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES				<input checked="" type="checkbox"/> 8021	

**Preservative Codes**  
 H = HCl      T = Thiosulfate  
 N = HNO<sub>3</sub>    B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub>   O = Other

J value reporting needed  
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation  
 Confirm highest hit by 8260  
 Confirm all hits by 8260  
 Run \_\_\_ oxy s on highest hit  
 Run \_\_\_ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
<b>Q1</b>	<b>9/2/04</b>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<b>2</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
<b>C-9</b>		<b>1220</b>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<b>3</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
<b>C-10</b>		<b>1255</b>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<b>6</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
<b>C-11</b>		<b>1325</b>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<b>2</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				

**Comments / Remarks**

**Turnaround Time Requested (TAT) (please circle)**

STD-TAT      72 hour      48 hour  
 24 hour      4 day      5 day

**Data Package Options (please circle if required)**

QC Summary      Type I — Full  
 Type VI (Raw Data)       Cost Deliverable not needed  
 WIP (RWQCB)      **EDF/EDD**  
 Disk

Relinquished by: _____	Date: <b>9/3/04</b>	Time: <b>1500</b>	Received by: _____	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by: <b>Deanna L. Harding</b>	Date: <b>9/7/04</b>	Time: _____	Received by: _____	Date: <b>9/7/04</b>	Time: <b>1545</b>
Relinquished by Commercial Carrier: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
UPS      FedEx <input checked="" type="radio"/> Other	Temperature Upon Receipt: <b>15.5 &amp; C</b>		Received by: _____	Date: <b>9/8/04</b>	Time: <b>1100</b>
			Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No		



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

## ANALYTICAL RESULTS

Prepared for:

Chevron/Texaco c/o Cambria  
Suite 9  
4111 Citrus Avenue  
Rocklin CA 95677  
916-630-1855

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

## SAMPLE GROUP

The sample group for this submittal is 911045. Samples arrived at the laboratory on Wednesday, September 08, 2004. The PO# for this group is 99011184 and the release number is MT1.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040903	NA Water	4347059
C-9-W-040903	Grab Water	4347060
C-10-W-040903	Grab Water	4347061
C-11-W-040903	Grab Water	4347062

1 COPY TO  
ELECTRONIC  
COPY TO

Cambria C/O Gettler- Ryan  
Gettler-Ryan

Attn: Deanna L. Harding  
Attn: Cheryl Hansen



## Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2861 • www.lancasterlabs.com

Questions? Contact your Client Services Representative  
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Tina L. Thoman".

Tina L. Thoman  
Senior Chemist, Coordinator



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4347059

QA-T-040903 NA Water  
 Facility# 90504 Job# 385259 MTI# 61D-1641 GRD  
 15900 Hesperian-San Loren T0600100302 QA  
 Collected: 09/03/2004

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/19/2004 at 22:28  
 Recard: 10/20/2004

ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

QAHEs

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
<p>The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.            The percent recovery of the surrogate standard was outside QC limits in the MS associated with this sample. The surrogate standard met recovery criteria in the LCS/LCSD analysis.</p>						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 16:09	Victoria M Martell	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/16/2004 17:50	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 16:09	Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/16/2004 17:50	Anita M Dale	n.a.



Lancaster Laboratories Sample No. WW 4347060

C-9-W-040903                      Grab              Water  
 Facility# 90504    Job# 385259    MTI# 61D-1641    GRD  
 15900 Hesperian-San Loren T0600100302    C-9  
 Collected: 09/03/2004 12:20              by JH

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/19/2004 at 22:29  
 Discard: 10/20/2004

ChevronTexaco c/o Cambria  
 Suite 9  
 4111 Citrus Avenue  
 Rocklin CA 95677

C9HES

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The percent recovery of the surrogate standard was outside QC limits in the MS associated with this sample. The surrogate standard met recovery criteria in the LCS/LCSD analysis.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 16:42	Victoria M Martell	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260E	1	09/14/2004 12:06	Marc S Neal	1
01146	GC VOA Water Prep	SW-846 5030E	1	09/10/2004 16:42	Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030E	1	09/14/2004 12:06	Marc S Neal	n.a.



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4347061

C-10-W-040903 Grab Water  
Facility# 90504 Job# 385259 MTI# 61D-1641 GRD  
15900 Hesperian-San Loren T0600100302 C-10  
Collected: 09/03/2004 12:55 by JH

Account Number: 10904

Submitted: 09/08/2004 11:00  
Reported: 09/19/2004 at 22:29  
Discard: 10/20/2004

ChevronTexaco c/o Cambria  
Suite 9  
4111 Citrus Avenue  
Rocklin CA 95677

10HES

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The percent recovery of the surrogate standard was outside QC limits in the MS associated with this sample. The surrogate standard met recovery criteria in the LCS/LCSD analysis.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 17:15		Victoria M Martell	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/14/2004 12:31		Marc S Neal	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 17:15		Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/14/2004 12:31		Marc S Neal	n.a.

Lancaster Laboratories Sample No. WW 4347062

 C-11-W-040903                      Grab                      Water  
 Facility# 90504    Job# 385259    MTI# 61D-1641    GRD  
 15900 Hesperian-San Loren T0600100302    C-11  
 Collected: 09/03/2004 13:25                      by JH

Account Number: 10904

 Submitted: 09/08/2004 11:00  
 Reported: 09/19/2004 at 22:29  
 Discard: 10/20/2004

 ChevronTexaco c/o Cambria  
 Suite 0  
 4111 Citrus Avenue  
 Rocklin CA 95677

11HES

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The percent recovery of the surrogate standard was outside QC limits in the MS associated with this sample. The surrogate standard met recovery criteria in the LCS/LCSD analysis.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 17:48	Victoria M Martell	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/14/2004 13:45	Marc S Neal	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 17:48	Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/14/2004 13:45	Marc S Neal	n.a.

## Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria  
 Reported: 09/19/04 at 10:29 PM

Group Number: 911045

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 04254A07B TPH-GRO - Waters	N.D.	50.	ug/l	99	96	70-130	3	30
Batch number: Z042581AA	Sample number(s): 4347060-4347062							
Ethanol	N.D.	50.	ug/l	85		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	98		77-127		
Benzene	N.D.	0.5	ug/l	102		85-117		
Toluene	N.D.	0.5	ug/l	100		85-115		
Ethylbenzene	N.D.	0.5	ug/l	101		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		
Batch number: Z042601AA	Sample number(s): 4347059							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		77-127		
Benzene	N.D.	0.5	ug/l	99		85-117		
Toluene	N.D.	0.5	ug/l	101		85-115		
Ethylbenzene	N.D.	0.5	ug/l	100		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		83-113		

### Sample Matrix Quality Control

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 04254A07B TPH-GRO - Waters									
	Sample number(s): 4347059-4347062								
	105		63-154						
Batch number: Z042581AA	Sample number(s): 4347060-4347062								
Ethanol	70	73	33-153	4	30				
Methyl Tertiary Butyl Ether	100	103	69-134	3	30				
Benzene	103	105	83-128	2	30				
Toluene	104	105	83-127	2	30				
Ethylbenzene	103	105	82-129	2	30				
Xylene (Total)	102	102	82-130	0	30				
Batch number: Z042601AA	Sample number(s): 4347059								
Methyl Tertiary Butyl Ether	102	94	69-134	7	30				
Benzene	102	93	83-128	9	30				
Toluene	103	95	83-127	8	30				
Ethylbenzene	101	93	82-129	8	30				
Xylene (Total)	98	90	82-130	8	30				

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco c/o Cambria  
Reported: 09/19/04 at 10:29 PM

Group Number: 911045

### Surrogate Quality Control

Analysis Name: TPH-GRO - Waters  
Batch number: 04254A07B  
Trifluorotoluene-F

4347059	102
4347060	101
4347061	101
4347062	103
Blank	101
LCS	122
LCSD	119
MS	208*

Limits: 57-146

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH  
Batch number: Z042581AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4347060	98	98	98	92
4347061	100	100	97	93
4347062	98	101	99	93
Blank	96	97	98	91
LCS	95	95	96	95
MS	98	98	97	98
MSD	97	99	98	99

Limits: 81-120                      82-112                      85-112                      83-113

Analysis Name: BTEX+MTBE by 8260B  
Batch number: Z042601AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4347059	100	106	99	93
Blank	96	94	97	90
LCS	96	96	97	95
MS	98	101	97	96
MSD	98	103	100	97

Limits: 81-120                      82-112                      85-112                      83-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value - The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns >25%
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

### Inorganic Qualifiers

<b>B</b>	Value is $<$ CRDL, but $\geq$ IDL
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike sample not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.